

STATE OF OHIO  
DEPARTMENT OF ADMINISTRATIVE SERVICES  
GENERAL SERVICES DIVISION  
OFFICE OF PROCUREMENT SERVICES  
4200 SURFACE ROAD, COLUMBUS, OH 43228-1395

AMENDMENT FOR CHANGE  
AMENDMENT NO. 4

TO: ALL STATE AGENCIES, STATE INSTITUTIONS OF HIGHER EDUCATION AND PROPERLY REGISTERED COOPERATIVE PURCHASING MEMBERS.  
FROM: HUGH QUILL, DIRECTOR, DEPARTMENT OF ADMINISTRATIVE SERVICES  
SUBJECT: TERM CONTRACT - OILS, LUBRICANTS, ANTIFREEZE

Attached are pages 9, 15, 17, 19, 20 and 26 to this contract. Remove these pages from the existing contract and replace with the attached pages on the effective and/or revision date.

This amendment is issued to notify of a price increase effective for orders issued on or after March 24, 2010. Also, to notify of a change of location for ODOT District 4 from Ravenna to Akron, OH.

All other prices, terms and conditions remain unchanged.

Questions regarding this Amendment and/or the Requirements Contract may be directed to:

Jack Hill II, CPPB  
jack.hill@das.state.oh.us

This Amendment, the main Requirements Contract and any additional amendments thereto are available from the DAS Web site at the following address:



<http://www.ohio.gov/procure>

Affected Contractor(s):

50951  
Hightowers Petroleum Company  
3577 Commerce Drive  
Franklin, OH 45005  
stephen2@hightowerspetroleum.com

148028  
American Merchandising Services  
P.O. Box 12408  
Cleveland, OH 44112  
ams12408@aol.com

50951  
Hightowers Petroleum Company  
3577 Commerce Drive  
Franklin, OH 45005  
stephen2@hightowerspetroleum.com

132777  
Oil Distributing Company  
5228 River Road  
Cincinnati, OH 4523  
dmoehler@oildistributing.com

SPECIAL CONTRACT TERMS AND CONDITIONS (Cont'd.)

- f. Locations currently interested in bulk delivery. Other locations may install tanks based upon cost savings. See State of Ohio bid district map located at web site: <http://procure.ohio.gov/pdf/maplist.pdf>.

\*

1. District #4, 2088 South Arlington Road, Akron, OH., 44306
2. ODOT Central Garage, 1620 West Broad Street, Columbus, OH.
3. District #9, O.P.I. Truck Modification Center, Chillicothe, OH.
4. O.P.I. Vehicle Service Center, 1221 McKinley Avenue, Columbus, OH 43222. Contact and phone number: Mr. Bill Brooks, 614-387-2660.
5. Other locations or districts that may install tanks of various sizes from 275 gallons up to 1500 gallons.

7. Item #7 - Oil, Steam Cylinder

- a. This specification covers a steam cylinder oil.
- b. Type: The lubricating oil should be a refined mineral oil free from acid, alkali, or any foreign matter. It should be thoroughly reliable, efficient, and economical in actual service. Lubricating oil re-refined from crank case drainage or other "used lubricants" should not be considered under this specification.
- c. Performance: This oil should atomize easily and should have a sufficient factor of safety to prevent breakdown at 200 PSI pressure.

Characteristics	Minimum	Maximum	ASTM
Gravity, A.P.I.	22		
Flash ° F	540		D-92
Viscosity, SUS @ 210°F 1	40/160		D-88
Pour, °F		45	D-97
Carbon Residue, %		2.5	D-189
Fatty Oil Content, %	4	6	D-94
Neutralization No.		.20	D-188-41

8. Item #8 – Passenger Car Automatic Transmission Fluid

- a. A multipurpose lubricant suitable for use in automatic transmissions on passenger cars and light duty trucks.
- b. Equal to and meeting the requirements for Ford and General Motors vehicles with automatic transmissions.
- c. Grades: Ford M2C33-F, Mercon V and General Motors Dexron VI.
- d. This lubricant should conform to specifications for automatic transmission fluid, Dexron VI, as commonly accepted in the automotive industry. Evidence of corporeity should be furnished in the form of the Armour Qualification Number (AF-ATF) under which the product is identified as being qualified by the Armour Research Foundation and associated committee on automobile transmission fluid.
- e. This lubricant is to be used in all automatic transmission in State service when the manufacturer recommends automatic transmission fluid: M2C33-F, Mercon V or Dexron VI. Typical properties are:

1. M2C33-F requirements:
  - a. Gravity, ASTM D 4052, °API 30.5
  - b. Pounds per gallon 7.27
  - c. Flash Point, COC, ASTM D 92, °F (°C) 392 (200)
  - d. Viscosity, ASTM D 445, cSt at 100°C 7.2
  - ASTM D 2161, SUS at 100°F 178
  - SUS at 210°F 50
  - cP at -18°C(1) 1,500
  - cP at -40°C(1) 40,000
  - Viscosity Index, ASTM D 2270 174
  - Pour Point ASTM D97, °F (°C) -40 (-40)
  - Color Red

Note: (1) Ford Procedure BJ3-2; ASTM D 2983 Brookfield Apparent Viscosity

\* Indicates a change of address for ODOT District #4.

SPECIAL CONTRACT TERMS AND CONDITIONS (Cont'd.)

- c. The manufacturer should have at least one grade of internal combustion motor oil listed on the Military Review Committee MIL-L-46152B or MIL-L-2104D Qualified Product List (s), in order to bid on that subject category. The bidder should provide documentation supporting the manufacturer's intentions for testing and evaluation of all grades of motor oil, as listed herein, for placement on the appropriate Military Qualified Product List (QPL).
- d. Successful bidders may be required to have a product performance bond signed by a surety company authorized to do business in the State of Ohio. The bond should be conditioned upon the performance of the product in accordance with results certified against test listed in the specifications referred to herein. Failure to so perform shall permit the State of Ohio to recover from the bidder and surety company any and all damages suffered because of such non-performance up to a maximum of \$100,000.00 for each occurrence.

IV. NOTES:

- A. PACKING, PACKAGING, AND MARKING: Packing and packaging is to conform to the best commercial practice. Size of containers is stated for each item on the bidder's table. All steel drums and pails are to be marked to show brand name, grade, producer, date of filling, batch number, and net contents. Cases of quarts and gallons are to be marked the same on the individual containers and on the carton or package.
- B. QUALIFICATION OF BIDDER: If the bidder is not an established refiner, the state reserves the right to contact the bidder's listed refiner to verify product compliance with specifications requirements set forth herein. All bids must include product data and/or technical information for the items bid, with specifications sufficient for the evaluation of the bids. In all cases, it shall be the vendor's responsibility to set forth in writing and attach to their bid a complete list showing all deviations from the specifications. Failure to comply with this stipulation may result in the bid being rejected. Bids and literature may be mailed in large envelopes or packages, providing bid number and opening date are shown on outside of parcel.
- C. DELIVERY FOR DEPARTMENT OF TRANSPORTATION: Will be to the following destinations in Ohio.

\*

District 1	Lima	District 7	Sidney
District 2	Bowling Green	District 8	Lebanon
District 3	Ashland	District 9	Chillicothe
District 4	Akron	District 10	Marietta
District 5	Jacksontown	District 11	New Philadelphia
District 6	Delaware	District 12	Garfield Heights
Central Garage	Columbus		

- D. "MATERIAL SAFETY DATA SHEET": After bid opening, bidders may be requested to submit a "Material Safety Data Sheet" designed to meet OSHA requirements pursuant to any hazardous effect which may be caused due to any chemical compound and/or formulation of the item being bid.

Material Safety Data Sheet must also be sent, by the successful vendor, with all initial shipments going to various destinations as ordered after the award of the contract. If the chemical composition of the compound being bid does not contain any hazardous effect, the vendor must indicate so on the "Material Safety Data Sheet".

- E. ACCIDENTAL RELEASE OF SPILLAGE: Accidental release of spillage during delivery of product by the contractor or his agent shall result in the contractor being responsible for all cost of cleanup and disposal of all contaminated soil. Cleanup and disposal shall be conducted in accordance with state and federal EPA regulations and guidelines.
- F. REFINER: Each bidder shall identify, by brand name and respective refiner, those products being offered by the bidder. Contractor(s) may be required to furnish information and data to support the fact that the refiner has maintained constant quality of his base stock. Contractor(s) shall be prepared to submit, upon request of State Purchasing, the following information relative to additives in their product:
  - 1. Engine test data prepared by the additive supplier, relating to the product resulting from the additive being combined with the bidder's base stock.
  - 2. This testing shall have been performed by a Lubricants Review Institute (LRI) approved laboratory, and so identified and noted, within the test data report.

\* Indicates a change for ODOT District #4.

PRICING SCHEDULE

PART I  
ITEM #1 GREASE, MULTI-PURPOSE LITHIUM #2EP

ITEM ID NO.:	DESCRIPTION	PRICE PER UNIT	PRICE PER	CONTRACTOR
2850	14 Oz. Tube	\$ 1.31 tube	\$ 13.10 Pk 10	Oil Distributing
2851	120 Lb. Drum/Keg	\$ 1.38 lb.	\$ 165.60 drum	
8204	55 Gallon Drum	\$ 1.36 lb.	\$ 544.00 drum	

REFINER: Citgo BRAND NAME AND NUMBER: Service Pro

ITEM #2 HYDRAULIC BRAKE FLUID S.A.E. J1703

Brake Fluid meeting FMVSS#116 and S.A.E. J1703 specifications. To be supplied in one (1) gallon cans or five (5) gallon pails.

ITEM ID NO.:	DESCRIPTION	PRICE/GALLON IN ONE (1) GAL. CANS	UNITS/CASE	PRICE/GALLON IN FIVE (5) GAL. CANS	CONTRACTOR
16617	D.O.T. #3	\$ 10.15	4/1		Oil Distributing
16619	D.O.T. #3			\$ 11.93	
16618	D.O.T. #4	\$ 18.22	6/1		
16620	D.O.T. #4			\$ 19.92	

**NOTE:** Each container of brake fluid must be labeled in compliance with S.A.E. J988.

REFINER: Penray BRAND NAME & NUMBER: Service Pro

ITEM #3 MULTIPURPOSE GEAR OIL EXTREME PRESSURE

ITEM ID NO.:	DESCRIPTION	S.A.E.	PRICE/POUND	PRICE PER	CONTRACTOR
7758	35 LB. CAN	80W90	\$ 1.23	\$ 43.05 can	Oil Distributing
9684		85W140	\$ 1.18	\$ 41.30 can	
7759	120 LB. DRUM OR KEG	80W90	\$ 1.20	\$ 144.00 drum	
9685		85W140	\$ 1.17	\$ 140.40 drum	
2979	55 GALLON DRUM	80W90	\$ 1.16	\$ 464.00 drum	
4945		85W140	\$ 1.15	\$ 460.00 drum	

REFINER: Citgo BRAND NAME AND NUMBER: : Service Pro

ITEM #4 HYDRAULIC TRANSMISSION FLUID, TO-4

ITEM ID NO.:	DESCRIPTION	PRICE/GALLON	CONTRACTOR
*	5 LB. CAN	\$ 7.58	Central Ohio Farmers Coop
3152			
*	55 GAL. DRUM	\$ 6.47	
3153			

REFINER: Conoco Phillips BRAND NAME & NUMBER: Conoco Power Drive Fluid 10W

\* Indicates a price increase effective for orders issued on or after March 24, 2010.

ITEM #6-A OIL, MOTOR, INTERNAL COMBUSTION, NON-DETERGENT

ITEM ID NO.:	DESCRIPTION	S.A.E.	BRAND NAME NUMBER	PRICE PER GALLON	CONTRACTOR
3167	55 Gal. Drum	20W-20	Premier	\$ 5.38	Oil Distributing
7757		30	Premier	\$ 5.38	
2978		40	Premier	\$ 5.38	

REFINER: Tru - South

ITEM #6-B OIL, MOTOR, INTERNAL UNIVERSAL TYPE  
 DIESEL ENGINE AND GASOLINE ENGINE MEETING A.P.I. SM, CJ-4

ITEM ID NO.:	DESCRIPTION	S.A.E.	BRAND NAME NUMBER	PRICE PER GALLON	CONTRACTOR
11629	12/1 Qt. Cans/Bottles	15-W-40	Service Pro	\$ 7.46	Oil Distributing
11630	55 Gal. Drum	15-W-40	Service Pro	\$ 5.99	
11631	Bulk 275 - 1500 Gallon Tank	15-W-40	Service Pro	\$ 5.79	

REFINER: Warren Oil

ITEM #7 OIL, STEAM CYLINDER

ITEM ID NO.:	DESCRIPTION	S.A.E.	PRICE PER GALLON	PRICE PER	CONTRACTOR
* 16621	5 Gallon Can	30	\$ 8.72	\$ 43.60 can	Central Ohio Farmers
* 16622	55 Gallon Drum		\$ 7.20	\$ 396.00 drum	

REFINER: Allegheny BRAND NAME & NUMBER: Pro Guard Steam Cylinder Oil 460

ITEM #8 MULTI-PURPOSE AUTOMATIC TRANSMISSION FLUID FORD M2C33-F, DEXRON VI & MERCON V

ITEM ID NO.:	DESCRIPTION	PRICE PER GALLON	CONTRACTOR
16623	12/1 QT. CAN/BOTTLES	\$ 9.86 FORD M2C33-F	Central Ohio Farmers Coop
* 3150		\$ 14.79 DEXRON VI	
* 8357		\$ 10.65 MERCON V	
16624	55 GAL. DRUM	\$ 9.62 FORD M2C33-F	
* 3151		\$ 9.95 DEXRON VI	
* 8358		\$ 8.00 MERCON V	

REFINER: Conoco Phillips BRAND NAME & NUMBER: Conoco

\* Indicates a price increase effective for orders issued on or after March 24, 2010.

ITEM #9 HYDRAULIC FLUID COMMON RESERVOIR

ITEM ID NO.:	DESCRIPTION	PRICE PER GALLON	CONTRACTOR
4946	5 Gal. Can	\$ 4.19	Oil Distributing
9686	55 Gal. Drum	\$ 4.10	

REFINER: Warren Oil BRAND NAME & NUMBER: Service Pro

ITEM #10 WHEEL BEARING DISC BRAKE LUBRICANT (GM 9985254) (Latest Revision)  
NLGI GRADE #2, DROPPING POINT MINIMUM 490°F

ITEM ID NO.:	DESCRIPTION	PRICE PER UNIT	TUBES PER CASE	CONTRACTOR
16625	14 Oz. Tube	\$ 1.51 tube	10	Oil Distributing
16626	35 Lb. Pail	\$ 1.53 lb.	Pail	
16627	120 Lb. Drum/Keg	\$ 1.51 lb.	Keg	

REFINER: Citgo BRAND NAME & NUMBER: Service Pro Hi-Temp

ITEM #11 HYDRAULIC OIL

(VISCOSITY 160 S.U.S. AT 100°F.) MUST COMPLY WITH VICKERS HIGH PRESSURE PUMP WEAR TEST (100 HOURS AT 2000 P.S.I.) (DENISON SPEC. HF-0 ANTIWEAR HYDRAULIC OILS)

ITEM ID NO.:	DESCRIPTION	PRICE PER GALLON	CONTRACTOR
* 4947	5 Gal. Can	\$ 5.39	Central Ohio
* 9687	55 Gal. Drum	\$ 4.29	
* 4948	Bulk – 1500 gallon tank	\$ 3.98	

REFINER: Pinnacle BRAND NAME & NUMBER: ProGuard Premium AW32

ITEM #12 GREASE, SUPER HEAVY DUTY, EXTREME PRESSURE

ITEM ID NO.:	DESCRIPTION	PRICE PER UNIT	TUBES PER CASE	CONTRACTOR
2852	14 Oz. Tube	\$ 1.62/tube	10	Oil Distributing
8206	120 Lb. Drum	\$ 1.58/lb.	Keg	

REFINER: Citgo BRAND NAME & NUMBER: Citgo

ITEM #12A CALCIUM SULFONATE GREASE, EXTREME PRESSURE GREASE

ITEM ID NO.:	DESCRIPTION	PRICE PER UNIT	TUBES PER CASE	CONTRACTOR
8205	14 Oz. Tube	\$ 2.88/tube	10	Oil Distributing
2853	120 Lb. Drum	\$ 2.46/lb.	Keg	

REFINER: Cam 2 BRAND NAME & NUMBER: Calcium Sulfonate

\* Indicates a price increase effective for orders issued on or after March 24, 2010.

SUMMARY OF AMENDMENTS

<b>Amendment Number</b>	<b>Revision Date</b>	<b>Description</b>
4	02/26/10	Amendment #4 is issued to notify of change of location for ODOT district # 4 and price increases effective March 24, 2010.
3	03/10/10	Amendment #3 is issued to notify of price increases.
2	03/03/10	Amendment #2 is issued to notify of price increases.
1	10/01/09	Amendment #1 is issued to correct pricing for Item # 9597.