



2016 RETAIL PRICE LIST

OHIO STATE CONTRACT—TAG LINE

Effective Date: **01/15/2016**



Drop-Deck
Hydraulic Dump
Drop-Deck Tilt
Deck-Over Tilt
Deck-Over
Rigid Gooseneck

Towmaster, Inc.

61381 US Hwy 12
Litchfield, MN 55355

Phone: **320-693-7900**
Toll Free: 800-462-4517
Fax: 320-693-7821

Parts Department

Phone: **320-593-4595**
Toll Free: 866-239-2221
Fax: 320-693-5703



Towmaster.com

This page left blank.

TOWMASTER WARRANTY SUMMARY

(FULL AND CURRENT TEXT AVAILABLE AT TOWMASTER.COM)

This warranty effective on trailers manufactured after 01/01/2009.

Towmaster, Inc. (herein referred to as Towmaster) offers this extensive warranty to the original purchaser of our trailers. Warranty starts from the date of sale as long we receive the filled-out warranty card. If we do not receive the warranty card, warranty starts from the ship date of the unit.

LIMITED LIFETIME FRAME WARRANTY

Towmaster warranties the trailer main frame (frame, crossmembers, gussets, beavertail, and tongue or gooseneck) for the lifetime of the trailer to the original licensed owner to be free from defects in material and workmanship. This LIFETIME WARRANTY does not cover the hitch (ball, pintle, and gooseneck fifth wheel), tires, wheels, axles, suspension, ramps, lights, wiring, paint, wood, d-rings or any other features or options outside the scope of the trailer main frame weldment. Limited Lifetime is determined by the following criteria: The life expectancy of the trailer which is determined to be 10 years on tag trailers 50,000 lb. capacity and lower, or 5 years on king-pin trailers 50,000 lb. capacity and up, or 5 years on dump trailers, to the original owner and is non-transferrable, limited to the first accident or overloading. This warranty also does not cover:

1. Products which have been operated in excess of rated capacities
2. Misuse, abuse or accidents
3. Vehicles which have been altered, modified or repaired in any manner not authorized by our company

FIVE-YEAR WARRANTY

Each Dexter Torflex Axle carries a limited 5-YEAR WARRANTY on the suspension to be free from defect in material and workmanship. Warranty is limited to Dexter warranty policy.

TWO-YEAR LIMITED WARRANTY

Depending upon which suspension is used, it may carry a limited 2-YEAR WARRANTY by its manufacturer.

FULL ONE-YEAR WARRANTY

Towmaster warranties each new product manufactured by us to be free from defects in material and workmanship for a period of one year from date of delivery to the original purchaser except as noted below.

This one-year warranty covers the entire trailer against material and workmanship except as noted:

1. New products which have been operated in excess of rated capacities
2. Misuse, abuse or accidents
3. Items that have been pinched (air or hydraulic hose)
4. Vehicles which have been altered, modified or repaired in any manner not authorized by our company
5. Second-hand or used vehicles
6. Wear items such as tires, battery, suspension, bearings, parking jacks
7. Products that have not been properly maintained (by the dealer or consumer)

In no way shall the manufacturer be held liable for consequential damages such as rentals of substitute vehicles, loss of profits, downtime, or other commercial losses. This warranty does not cover shipment of trailer or parts to dealer or manufacturer, or return shipment of trailer or parts to dealer or consumer from factory.

TIRE / BATTERY WARRANTY

New vehicle tires are warranted by their respective manufacturers and are prorated. Battery is warranted by Towmaster and is prorated.

TOWMASTER'S OBLIGATION

Our obligation under this warranty is to repair or replace, at no cost to the end user, any warrantable part proven defective within the time limit of this warranty at our factory or at an Authorized Towmaster Dealer. Towmaster will handle disposition of warranties on all other purchased components such as axles, suspensions, wheels, batteries, parking jacks and other purchased parts in conjunction with their respective manufacturers, and under the terms of their respective warranty policies.

We must receive immediate notification of a defect and no allowance will be made for repairs without our prior consent or approval. Manufacturer does not pre-authorize any dealership for warranty work. The dealer must call our warranty service department to receive an authorization number. If the work performed is not preauthorized with a claim number, it may be deemed void. Defective parts must be returned within twenty days of receipt of replacement parts or credit may not be given for the replacement parts and an invoice may be issued.

This warranty is in lieu of all other warranties, expressed or implied by law or otherwise, and there is no warranty of merchantability or fitness of purpose. Federal regulations require motor vehicle manufacturers to maintain a record of original owners of their equipment. Our warranty registration fulfills this requirement. Please make every effort to complete the warranty card document and send it in. This warranty written under the laws of Minnesota, USA and some provisions in this warranty may be adjusted according to your local state, province or country's laws. Complete warranty details and changes can be read on our web site, www.towmaster.com.

CUSTOMER REGISTRATION REQUIRED

Federal regulations require motor vehicle manufacturers to maintain a record of original owners of their equipment. Our warranty registration fulfills this requirement. Please make every effort to complete this document and send it in.

Manufacturer reserves the right to modify, without notice, specific designs and specifications as deemed advisable on the trailers described herein without obligation in regards to trailers previously sold. The manufacturer also reserves the right to discontinue any model or models without obligation in regards to trailers previously sold. Written warranty covers each trailer. No other warranty expressed or implied is made. Tire and brake warranty through original manufacturer. All dimensions approximate.

Full warranty information available online at Towmaster.com.

Trailer Model Index

Drop-Deck

T-9D	T-14D	TC-9D	T-9P
T-10D	T-16D	TC-10D	T-10P
T-12D	T-18D	TC-12D	T-12P
	T-20D	TC-14D	

Hydraulic Dump

T-5HD	T-9HD
	T-10HD
	T-12HD
	T-14HD

Drop-Deck Tilt

T-3DT	T-9DT
T-5DT	T-10DT
	T-12DT
	T-14DT

Deck-Over Tilt

T-12T	T-20T	T-24TA
T-14T	T-24T	T-40TA
T-16T	T-30T	T-50TA
	T-40T	
	T-50T	

Deck-Over

T-20	TC-9
T-20LP	TC-10
T-24	TC-12
T-30	TC-14
T-40	TC-16
T-40LP	TC-18-3
T-50	TC-20
T-50LP	TC-24

Rigid Gooseneck

T-50RG
T-70RG

GAWR, GVWR, and Payload Ratings

Towmaster determines the GAWR and GVWR ratings of its trailers using the following determinations:

GAWR

GAWR is determined by using the weakest link between the axle capacity rating and the combined wheel and tire rating.

GVWR

GVWR is determined by taking a fleet average weight, plus payload capacity rating (as determined by the manufacturer).

Payload Capacity

Payload is determined by one of the following calculations:

If your state recognizes weight transfer to the tow vehicle transfer, then calculate payload with this formula:

$$\text{GVWR} - \text{Trailer Weight} = \text{Payload Capacity}$$

If your state ONLY recognizes GAWR or trailer capacity rating and does NOT recognize weight transfer to the tow vehicle to transfer load, then calculate using this formula:

$$\text{GAWR OR Trailer capacity} - \text{Trailer Weight} = \text{Payload Capacity}$$

Trailer weight can fluctuate depending upon dryness of the wood deck, options installed and deck length. The best way to get the actual weight of the trailer is to scale it. Our published weights and capacities are for reference only.


Tire/Wheel Load Ratings

Tire Size	Load Range	Tire Ply	Tire/Wheel Capacity	PSI	MPH	(S)ingle (D)ual	Bolt Pattern	Approx. Tire Dia. (in.)
ST225/75Rx15	D	8	2540	65	65	S	6 on 5.5 in ø	28.3
ST225/75Rx15	D	8	2540	65	65	S	8 on 6.5 in ø	28.3
235/80Rx16	E	10	3520	80	55	S	8 on 6.5 in ø	30.8
235/85Rx16	E	10	3640	80	65	S	6 on 5.5 in ø	31.7
235/85Rx16	E	10	3640	80	65	S	8 on 6.5 in ø	31.7
235/85Rx16	E	10	3305	80	65	D	8 on 6.5 in ø	31.7
235/85Rx16	G	14	3750	110	65	S	Upgrade	31.7
235/85Rx16	G	14	3415	110	65	D	Upgrade	31.7
235/75Rx17.5	H	16	5675	125	62	D	8 on 275mm ø	30.9
215/75Rx17.5	H	16	4805	125	62	S	8 on 6.5 in ø	29.7
215/75Rx17.5	H	16	4540	125	62	D	8 on 275mm ø	29.7
235/75Rx22.5	H	16	5070	120	62	D	10 on 285.75mm ø	35.9
255/70Rx22.5	H	16	5070	120	62	D	10 on 285.75mm ø	36.1
275/75Rx22.5	H	16	6395	125	75	D	10 on 285.75mm ø	38.2

Gooseneck Swing Clearance


(A-Frame / Rigid Gooseneck / Hydraulic Tail)

These are the standard swing clearance dimensions on our goosenecks. Please specify swing clearance and truck height when ordering if you require a different clearance dimension.




Detachable Gooseneck Swing Clearance

Use the chart below to determine the proper gooseneck length to fit your tractor. Detachable gooseneck trailers come in a variety of gooseneck length options. These dimensions will help determine the swing clearance needed. If you have any questions, please call the factory for clarification.



DIMENSION	DESCRIPTION
A=	Wheel Base
B=	Drive Axle Spacing
C=	Center of Forward Drive Axle, minus (-) 5 inches to outer edge of rear tire or mud flap




DIMENSION	DESCRIPTION	
A=	Wheel Base	
B=	Drive Axle Spacing	
C=	Center of Forward Drive Axle, plus (+) 8 inches to outer edge of rear tire or mud flap	
D=	Other Axle Spacing	
	Number of Axles	
Y	N	Lift Axle

Effective Date: 1/15/2015

Drop-Deck/

Model:

TC-9D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 22.5" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal treated pine wood deck
- Formed flat bar tie downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" formed sides, cleated ladder style
- Load angle: 16°
- Solid-bar pinned ramp hold-ups

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 6,000 lb. axles (tandem, 4 wheels)
- Tires - ST225/75R15, load range D, 8-ply
- 15" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- Standard (Non-EZ Lube) hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	9,990	2,400	7,590	82"	14'	\$5,488
12,000	9,990	2,600	7,390	82"	16'	\$5,595
12,000	9,990	2,800	7,190	82"	18'	\$5,921


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

TC-10D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on, top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 22.5" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal treated pine wood deck
- Formed flat bar tie downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" formed sides, cleated ladder style
- Load angle: 17°
- Solid-bar pinned ramp hold-ups

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 6,000 lb. axles (tandem, 4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- Standard (Non-EZ Lube) hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	12,400	2,400	10,000	82"	14'	\$5,544
12,000	12,600	2,600	10,000	82"	16'	\$5,651
12,000	12,800	2,800	10,000	82"	18'	\$5,993


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

TC-12D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on, top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 22.5" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal treated pine wood deck
- Formed flat bar tie downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" formed sides, cleated ladder style
- Load angle: 17°
- Solid-bar pinned ramp hold-ups

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 6,000 lb. axles (tandem, 4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- Standard (Non-EZ Lube) hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	14,400	2,400	12,000	82"	14'	\$5,544
12,000	14,600	2,600	12,000	82"	16'	\$5,651
12,000	14,800	2,800	12,000	82"	18'	\$5,993
12,000	15,000	3,000	12,000	82"	20'	\$6,329


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

TC-14D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on, side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 24.5" deck height (unloaded)
- 8" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- Formed flat bar tie downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Load angle: 19°
- Solid-bar pinned ramp hold-ups

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Standard (non-EZ Lube) hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	17,200	3,200	14,000	82"	16'	\$6,329
14,000	17,400	3,400	14,000	82"	18'	\$7,013
14,000	17,600	3,600	14,000	82"	20'	\$7,446


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-9D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on, top-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 22" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 2" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Load Angle: 17°
- Auto-Latch ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	9,990	2,900	7,090	82"	14'	\$5,820
14,000	9,990	3,100	6,890	82"	16'	\$6,140
14,000	9,990	3,300	6,690	82"	18'	\$6,445
14,000	9,990	3,500	6,490	82"	20'	\$6,765


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-10D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on, top-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 22" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 2" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Load Angle: 17°
- Auto-Latch ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	12,900	2,900	10,000	82"	14'	\$5,875
14,000	13,100	3,100	10,000	82"	16'	\$6,190
14,000	13,300	3,300	10,000	82"	18'	\$6,495
14,000	13,500	3,500	10,000	82"	20'	\$6,815


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-12D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on, top-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 22" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 2" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Load Angle: 17°
- Auto-Latch ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	14,900	2,900	12,000	82"	14'	\$5,940
14,000	15,100	3,100	12,000	82"	16'	\$6,255
14,000	15,300	3,300	12,000	82"	18'	\$6,560
14,000	15,500	3,500	12,000	82"	20'	\$6,895


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-14D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on, top-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82"/84" between fenders/(84" no fender panel)
- 24.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 3" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 6'-0" channel sides, cleated ladder style
- Load Angle: 18°
- Solid bar ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,200 lb. axles (4 wheels)
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,400	18,000	4,000	14,000	82"	16'	\$8,145
14,400	18,200	4,200	14,000	82"	18'	\$8,585
14,400	18,400	4,400	14,000	82"	20'	\$9,015
14,400	18,000	4,000	14,000	84"	16'	\$8,285
14,400	18,200	4,200	14,000	84"	18'	\$8,805
14,400	18,400	4,400	14,000	84"	20'	\$9,240


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-16D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on, top-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82"/84" between fenders/(84" no fender panel)
- 24.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 3" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 6'-0" channel sides, cleated ladder style
- Load Angle: 18°
- Solid bar ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 8,000 lb. axles (4 wheels)
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
16,000	20,400	4,400	16,000	82"	16'	\$8,960
16,000	20,600	4,600	16,000	82"	18'	\$9,155
16,000	20,800	4,800	16,000	82"	20'	\$9,520
16,000	20,400	4,400	16,000	84"	16'	\$9,085
16,000	20,600	4,600	16,000	84"	18'	\$9,295
16,000	20,800	4,800	16,000	84"	20'	\$9,655


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-18D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on, top-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 24.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 3" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 6'-0" channel sides, cleated ladder style
- Load Angle: 18°
- Solid bar ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 10,000 lb. axles (4 wheels)
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	22,400	4,400	18,000	82"	16'	\$10,035
20,000	22,600	4,600	18,000	82"	18'	\$10,335
20,000	22,800	4,800	18,000	82"	20'	\$10,685


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-20D



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on, top-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" between fenders
- 24.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 3" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 6'-0" channel sides, cleated ladder style
- Load Angle: 18°
- Solid bar ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 10,000 lb. axles (4 wheels)
- Tires - 235/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	24,400	4,400	20,000	82"	16'	\$10,240
20,000	24,600	4,600	20,000	82"	18'	\$10,550
20,000	24,800	4,800	20,000	82"	20'	\$10,915


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-9P



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 77" between fenders
- 18" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal treated pine wood deck
- 7" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" channel sides, star plate
- Load angle: 14.5°
- Auto-Latch ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	9,990	2,950	7,040	77"	14'	\$6,270
12,000	9,990	3,100	6,890	77"	16'	\$6,595
12,000	9,990	3,250	6,740	77"	18'	\$7,045
12,000	9,990	3,400	6,590	77"	20'	\$7,495


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-10P



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 77" between fenders
- 18" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal treated pine wood deck
- 7" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" channel sides, star plate
- Load angle: 14.5°
- Auto-Latch ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	12,950	2,950	10,000	77"	14'	\$6,320
14,000	13,100	3,100	10,000	77"	16'	\$6,645
14,000	13,250	3,250	10,000	77"	18'	\$7,095
14,000	13,400	3,400	10,000	77"	20'	\$7,545


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck/

Model:

T-12P



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 77" between fenders
- 18" deck height (unloaded)
- 6" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal treated pine wood deck
- 7" sides
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 18" x 5'-0" channel sides, star plate
- Load angle: 14.5°
- Auto-Latch ramp hold-ups
- Spring-assist

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	14,950	2,950	12,000	77"	14'	\$6,395
14,000	15,100	3,100	12,000	77"	16'	\$6,720
14,000	15,250	3,250	12,000	77"	18'	\$7,170
14,000	15,400	3,400	12,000	77"	20'	\$7,615


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Hydraulic Dump/

Model:

T-5HD



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- 2-5/16" ball coupler
- RV plug
- Steel storage box with hydraulic pump
- Corded remote for hyd. pump
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 60" box I.D., 11 ga. steel floor and sides, 16" tall sides
- 25" deck height (unloaded)
- 4x6" tube main frame
- Stake pockets (3 per side)
- One-piece formed fender
- Single lift cylinder, power-up, power-down
- Tarp securement rod

RAMPS / TAIL

- Tri-swing gate

AXLES / SUSPENSION

- Spring suspension
- (1) 5,200 lb. axles (2 wheels)
- Tires - ST225/75R15 load range D, 8-ply
- 15" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Greasable hubs

LIGHTS / WIRING

- LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited 1 Year Warranty*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
5,200	6,500	1,500	5,000	60"	8'	\$4,905
5,200	6,700	1,700	5,000	60"	10'	\$5,145


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Hydraulic Dump/

Model:

T-9HD



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- 2-5/16" ball coupler
- RV plug
- Steel storage box with hyd. pump
- Corded remote for hyd. pump
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" box I.D., 11 ga. steel floor and sides, 20" tall sides
- 25" deck height (unloaded)
- 4x6" tube main frame
- Stake pockets (3 per side)
- One-piece formed fender
- Dual cylinder hoist, Power-up, gravity down
- Tarp securement rod
- Ramps with storage

RAMPS / TAIL

- Double rear doors

AXLES / SUSPENSION

- Spring suspension
- (2) 5,200 lb. axles
- Tires - ST225/75R15 load range D, 8-ply
- 15" wheels, 8-bolt 4 Wheels
- Electric brakes
- Forward self-adjusting brakes
- Greaseable hubs

LIGHTS / WIRING

- LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited 1 Year Warranty*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
10,400	9,990	2,600	7,390	82"	10'	\$7,690
10,400	9,990	2,700	7,290	82"	12'	\$7,955


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Hydraulic Dump/

Model:

T-10HD



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2-5/16" ball coupler
- RV plug
- Poly storage box w/hyd. pump
- Corded remote for hyd. pump
- 12K bolt-on top-wind drop-leg jack w/spring foot
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" box I.D., 7 ga. steel floor, 10 ga. sides, 24" tall sides
- 25" deck height (unloaded)
- 4x6" tube main frame
- Stake pockets (4 per side)
- One-piece formed fender
- 7-ton scissor hoist, power-up, gravity-down
- Tarp securement rods
- Ramps with storage

RAMPS / TAIL

- 3-way double doors

AXLES / SUSPENSION

- Spring suspension
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/80R16 load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited 5 Year Warranty*
- 2 Year Suspension Warranty*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	13,700	3,700	10,000	82"	12'	\$9,910
14,000	14,300	4,300	10,000	82"	14'	\$10,530
14,000	14,900	4,900	10,000	82"	16'	\$12,140


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Hydraulic Dump/

Model:

T-12HD



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2-5/16" ball coupler
- RV plug
- Poly storage box w/hyd. pump
- Corded remote for hyd. pump
- 12K bolt-on top-wind drop-leg jack w/spring foot
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" box I.D., 7 ga. steel floor, 10 ga. sides, 24" tall sides
- 25" deck height (unloaded)
- 4x6" tube main frame
- Stake pockets (4 per side)
- One-piece formed fender
- 7-ton scissor hoist, power-up, gravity-down
- Tarp securement rods
- Ramps with storage

RAMPS / TAIL

- 3-way double doors

AXLES / SUSPENSION

- Spring suspension
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/80R16 load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited 5 Year Warranty*
- 2 Year Suspension Warranty*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	15,700	3,700	12,000	82"	12'	\$9,980
14,000	16,300	4,300	12,000	82"	14'	\$10,595
14,000	16,900	4,900	12,000	82"	16'	\$12,218


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Hydraulic Dump/

Model:

T-14HD



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2-5/16" ball coupler
- RV plug
- Poly storage box w/hyd. pump
- Corded remote for hyd. pump
- 12K bolt-on top-wind drop-leg jack w/spring foot
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" box I.D., 7 ga. steel floor, 10 ga. sides, 24" tall sides
- 25" deck height (unloaded)
- 4x6" tube main frame
- Stake pockets (4 per side)
- One-piece formed fender
- 9-ton scissor hoist, power-up, gravity-down
- Tarp securement rods
- Ramps with storage

RAMPS / TAIL

- 3-way double doors

AXLES / SUSPENSION

- Spring suspension
- (2) 8,000 lb. axles (4 wheels)
- Tires - 215/75R17.5 load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited 5 Year Warranty*
- 2 Year Suspension Warranty*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
16,000	18,400	4,400	14,000	82"	14'	\$13,675
16,000	19,000	5,000	14,000	82"	16'	\$15,395


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck Tilt/

Model:

T-3DT



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle ring
- RV plug
- 5K bolt-on swing-up parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 54" load width, 14" deck height (unloaded)
- Single-point positive locking mechanism
- 4x2" Tubing main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 10 ga. one-piece steel pan deck
- 8" tall sides
- D-ring tie-downs (2 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 14° load angle

AXLES / SUSPENSION

- Rubber-ride suspension axle
- (1) 3,500 lb. axle (2 wheels)
- Tires - ST225/75R15 load range E, 8-ply
- 15" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
3,500	4,600	1,100	3,500	54"	10'	\$4,255


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck Tilt/

Model:

T-5DT



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- 7K bolt-on parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 77" load width, 16.5" deck height (unloaded)
- Single-point positive locking mechanism
- 4" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- 7" tall sides
- D-ring tie-downs (3 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 12°/10° load angle

AXLES / SUSPENSION

- Rubber-ride suspension axle
- (1) 7,000 lb. axle (2 wheels)
- Tires - 235/85R16 load range E
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
7,000	8,000	2,000	6,000	77"	12'	\$4,995
7,000	8,100	2,100	6,000	77"	14'	\$5,230


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck Tilt/

T-9DT

Model:



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" load width, 22.5" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 6" I-beam main frame
- 3" channel crossmembers
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 13°/12°/11° load angle

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.


GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	9,990	3,600	6,390	82"	14'	\$7,150
14,000	9,990	3,800	6,190	82"	16'	\$7,425
14,000	9,990	4,000	5,990	82"	18'	\$8,060

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

**Drop-Deck Tilt/
 T-10DT**

Model:



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" load width, 22.5" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 6" I-beam main frame
- 3" channel crossmembers
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 13°/12°/11° load angle

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	13,600	3,600	10,000	82"	14'	\$7,150
14,000	13,800	3,800	10,000	82"	16'	\$7,425
14,000	14,000	4,000	10,000	82"	18'	\$8,060


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck Tilt/

T-12DT

Model:



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 2.5" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" load width, 22.5" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 6" I-beam main frame
- 3" channel crossmembers
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 13°/12°/11° load angle

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	15,700	3,700	12,000	82"	14'	\$7,225
14,000	15,900	3,900	12,000	82"	16'	\$7,505
14,000	16,100	4,100	12,000	82"	18'	\$8,145


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck Tilt/

Model:

T-14DT



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 82" load width, 22.5" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 6" I-beam main frame
- 3" channel crossmembers
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 13°/12° load angle

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,200 lb. axles (4 wheels)
- Tires - 215/75R17.5 load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,400	18,300	4,300	14,000	82"	16'	\$9,080
14,400	18,600	4,600	14,000	82"	18'	\$9,880


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Drop-Deck Tilt/

Model:

T-16DT



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 80" load width, 23" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 6" I-beam main frame
- 3" channel crossmembers
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 12 ga one-piece formed fender and inner panel

RAMPS / TAIL

- 13°/12° load angle

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 8,000 lb. axles (4 wheels)
- Tires - 215/75R17.5 load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5 Year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
16,000	20,400	4,400	16,000	82"	16'	\$10,875
16,000	20,700	4,700	16,000	82"	18'	\$11,665


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-12T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg park jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 20'-0" Main Deck (stationary deck optional)
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam cross members
- 2" nominal white oak wood deck
- D-Rings (4 per side)

RAMPS / TAIL

- Under-ride protection

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	17,560	5,560	12,000	97"	20'	\$12,410


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-14T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg park jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 20'-0" Main Deck (stationary deck optional)
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam cross members
- 2" nominal white oak wood deck
- D-Rings (4 per side)

RAMPS / TAIL

- Under-ride protection

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,200 lb. axles
- Tires - 215/75R 17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	19,560	5,560	14,000	97"	20'	\$13,155


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-16T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg park jack
- Battery break-away kit w/tow charger & test light
- 7-pole round electrical plug
- Safety chains w/hooks

FRAME / DECK

- 20'-0" Main Deck (stationary deck optional)
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam cross members,
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)

RAMPS / TAIL

- Under-ride protection

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 8,000 lb. axles
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt (4 wheels)
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
16,000	22,460	6,460	16,000	102"	20'	\$14,150


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-20T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round elec. plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger (elec. brakes)
- Safety chains w/hooks

FRAME / DECK

- 24'-0" deck length, 4'-0" stationary deck
- 102" load width, 36" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (5 per side)

RAMPS / TAIL

- 12° load angle
- Automatic kick-out ramp/under-ride protection (pat.)

AXLES / SUSPENSION

- Slipper spring suspension
- (2) 10,000 lb. axles (8 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs
- Hutchens 9700 susp. - OPTIONAL

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	25,990	8,690	17,300	102"	24' (elec)	\$17,775
20,000	25,990	8,690	17,300	102"	24' (air)	\$20,225


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-24T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round elec. plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger (elec. brakes)
- Safety chains w/hooks

FRAME / DECK

- 24'-0" deck length, 4'-0" stationary deck
- 102" load width, 36" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (5 per side)

RAMPS / TAIL

- 12° load angle
- Automatic kick-out ramp/under-ride protection (pat.)

AXLES / SUSPENSION

- Slipper spring suspension
- (2) 12,000 lb. axles (8 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs
- Hutchens 9700 susp. - OPTIONAL

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
24,000	32,690	8,690	24,000	102"	24' (elec)	\$18,870
24,000	32,690	8,690	24,000	102"	24' (air)	\$20,950

Subject to F.E.T. - deduct \$2.36 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-30T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round elec. plug
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed park jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 24'-0" deck length, 4'-0" stationary deck
- 102" load width, 36" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 16" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (5 per side)

RAMPS / TAIL

- 12° load angle
- Automatic kick-out ramp/under-ride protection (pat.)

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (2) 15,000 lb. axles (8 wheels)
- Tires - 215/75R17.5 load range H, 16-ply
- 17.5" hub piloted wheels, 8-bolt
- Electric brakes
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
30,000	39,800	9,800	30,000	102"	24'	\$24,700

Subject to F.E.T. - deduct \$12.33 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-40T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round electrical plug
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed parking jack
- Safety chains w/hooks

FRAME / DECK

- 24'-0" deck length, 4'-0" stationary deck
- 102" load width, 36" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 16" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (5 per side)

RAMPS / TAIL

- 12° load angle
- Automatic kick-out ramp/under-ride protection (pat.)

AXLES / SUSPENSION

- Hutchens 9700 ad. susp.
- (2) 22,500 lb. axles (8 wheels)
- Tires - 235/75R17.5 load range H, 16-ply
- 17.5" hub piloted wheels, 8-bolt
- Air brakes (sensor on 1 axle, 2S/1M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
45,000	50,700	10,700	40,000	102"	24'	\$26,180

Subject to F.E.T. - deduct \$2.36 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-50T



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round electrical plug
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed parking jack
- Safety chains w/hooks

FRAME / DECK

- 24'-0" deck length, 6'-0" stationary deck
- 102" load width, 36" deck height (unloaded)
- Deck cushion cylinder
- Dual-point, single lever positive locking mechanism
- 16" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (5 per side)

RAMPS / TAIL

- 12° load angle
- Automatic kick-out ramp/under-ride protection (pat.)

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (3) 22,500 lb. axles (12 wheels)
- Tires - 215/75R17.5 load range H, 16-ply
- 17.5" hub piloted wheels, 8-bolt
- Air brakes (sensor on 1 axle, 2S/2M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
54,480	62,000	12,000	50,000	102"	24'	\$32,440

Subject to F.E.T. - deduct \$12.33 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-24TA



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round electrical plug
- One-piece cold-formed frame rails
- Integrated storage tray with lockable lid
- 25K bolt-on side-wind drop-leg parking jack
- Safety chains w/hooks

FRAME / DECK

- 24'-0" main deck length, 7' beavertail
- 102" load width, 34" deck height (unloaded)
- Dual Air bags
- Dual-point, single lever positive locking mechanism
- 8" I-beam main frame
- 3" Jr. I-beam cross members
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)

RAMPS / TAIL

- 12° tail
- 10° load angle with optional ramps

AXLES / SUSPENSION

- Hutchens 9700 suspension
- (2) 12,000 lb. axles (8 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Air Brakes (Air has sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
24,000	34,610	10,610	24,000	102"	24'	\$22,995

Subject to F.E.T. - deduct \$2.36 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-40TA



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round electrical plug
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed parking jack
- Safety chains w/hooks

FRAME / DECK

- 24'-0" main deck length, 7' beavertail
- 102" load width, 34" deck height (unloaded)
- Dual Air bags
- Dual-point, single lever positive locking mechanism
- 10" I-beam main frame
- 3" Jr. I-beam cross members
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)

RAMPS / TAIL

- 12° tail
- 10° load angle with optional ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (2) 22,500 lb. axles
- Tires - 235/75R17.5 load range H, 16-ply
- 17.5" hub piloted wheels, 8-bolt (8 wheels)
- Air brakes (sensor on 1 axle, 2S/1M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
45,000	52,100	12,100	40,000	102"	24'	\$26,225

Subject to F.E.T. - deduct \$23.67 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over Tilt/

Model:

T-50TA



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- 7-pole round electrical plug
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed parking jack
- Safety chains w/hooks

FRAME / DECK

- 26'-0" deck length, 7ft Beavertail
- 102" load width, 34" deck height (unloaded)
- Dual Air Bags
- Dual-point, single lever positive locking mechanism
- 10" I-beam main frame
- 3" Jr. I-beam cross members
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)

RAMPS / TAIL

- 12° tail
- 10° load angle with optional ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (3) 22,500 lb. axles
- Tires - 215/75R17.5 load range H, 16-ply
- 17.5" hub piloted wheels, 8-bolt (12 Wheels)
- Air brakes (sensor on 1 axle, 2S/2M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
54,480	62,600	16,600	50,000	102"	26'	\$34,795

Subject to F.E.T. - deduct \$12.33 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-9



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 96" load width (99.5" overall width)
- 35.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- Stake pockets (4 per side)
- Wood deck beavertail

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Auto-Latch ramp hold-ups

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 6,000 lb. axles (4 wheels)
- Tires - ST225/75R15, load range D, 8-ply
- 15" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- Non-EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	9,990	4,400	5,590	96"	14'	\$7,965
12,000	9,990	4,600	5,390	96"	16'	\$8,355
12,000	9,990	4,800	5,190	96"	18'	\$8,755
12,000	9,990	5,000	4,990	96"	20'	\$9,195


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-10



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 96" load width (99.5" overall width)
- 35.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- Stake pockets (4 per side)
- Wood deck beavertail

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Auto-Latch ramp hold-ups

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 6,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- Non-EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	14,400	4,400	10,000	96"	14'	\$8,050
12,000	14,600	4,600	10,000	96"	16'	\$8,445
12,000	14,800	4,800	10,000	96"	18'	\$8,840
12,000	15,000	5,000	10,000	96"	20'	\$9,285


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-12



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 96" load width (99.5" overall width)
- 35.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- Stake pockets (4 per side)
- Wood deck beavertail

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Auto-Latch ramp hold-ups

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 6,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- Non-EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
12,000	16,400	4,400	12,000	96"	14'	\$8,050
12,000	16,600	4,600	12,000	96"	16'	\$8,445
12,000	16,800	4,800	12,000	96"	18'	\$8,840
12,000	17,000	5,000	12,000	96"	20'	\$9,285


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-14



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- RV plug
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

FRAME / DECK

- 96" load width (99.5" overall width)
- 35.5" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- Stake pockets (4 per side)
- Wood deck beavertail

RAMPS / TAIL

- 18" x 5'-0" channel sides, cleated ladder style
- Auto-Latch ramp hold-ups
- Spring-assist ramps

AXLES / SUSPENSION

- Rubber-ride suspension axles
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Non-EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	18,800	4,800	14,000	96"	18'	\$9,245
14,000	19,000	5,000	14,000	96"	20'	\$9,530


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-16



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height, bolt-on coupler
- 3" pintle
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" ladder style angle iron cleats
- One-way spring-assist ramps

AXLES / SUSPENSION

- Slipper spring suspension
- (2) 8,000 lb. axles (4 wheels)
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- E-Z Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
16,000	21,900	5,900	16,000	102"	20'	\$11,425


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-18-3



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" ladder style angle iron cleats
- One-way spring-assist ramps

AXLES / SUSPENSION

- Slipper spring suspension
- (3) 6,000 lb. axles (triple, 6 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 6-bolt
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
18,000	24,900	6,200	18,000	102"	20'	\$11,195


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-20



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" ladder style angle iron cleats
- One-way spring-assist ramps

AXLES / SUSPENSION

- Slipper spring suspension
- (2) 10,000 lb. axles (8 wheels)
- Tire - 235/85R x 16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (Air has sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	25,990	6,900	19,090	102"	20' (elec)	\$12,275
20,000	25,990	6,900	19,090	102"	20' (air)	\$15,110


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

TC-24



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray
- 12K bolt-on side-wind drop-leg parking jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" ladder style angle iron cleats
- One-way spring-assist ramps

AXLES / SUSPENSION

- Slipper spring suspension
- (2) 12,000 lb. axles (8 wheels)
- Tire - 235/85R x 16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (Air has sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- 5-year Suspension Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
24,000	30,990	6,900	24,000	102"	20' (elec)	\$12,915
24,000	30,990	6,900	24,000	102"	20' (air)	\$15,510

Subject to F.E.T. – deduct \$2.36 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-20



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 12K bolt-on side-wind drop-leg jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adjustable suspension
- (2) 10,000 lb. axles (8 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (Air has sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	25,990	7,300	18,690	102"	20' (elec)	\$13,650
20,000	25,990	7,300	18,690	102"	20' (air)	\$15,440


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-20LP



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 12K bolt-on side-wind drop-leg jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 34" deck height (unloaded)
- 8" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (12° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adjustable suspension
- (2) 10,000 lb. axles (8 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (Air has sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	25,990	7,300	18,690	102"	20' (elec)	\$13,990
20,000	25,990	7,300	18,690	102"	20' (air)	\$15,780


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-24



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 12K bolt-on side-wind drop-leg jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adjustable suspension
- (2) 12,000 lb. axles (8 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (Air has sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
24,000	31,300	7,300	24,000	102"	20' (elec)	\$14,470
24,000	31,300	7,300	24,000	102"	20' (air)	\$16,255

Subject to F.E.T. – deduct \$2.36 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-24LP



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 12K bolt-on side-wind drop-leg jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 34" deck height (unloaded)
- 8" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (12° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adjustable suspension
- (2) 12,000 lb. axles (8 wheels)
- Tires - 235/85R16, load range E, 10-ply
- 16" wheels, 8-bolt
- Elec. or Air brakes (Air has sensors on 1 axle, 2S/1M)
- Full ABS on air brakes
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
24,000	31,300	7,300	24,000	102"	20' (elec)	\$14,800
24,000	31,300	7,300	24,000	102"	20' (air)	\$16,595

Subject to F.E.T. – deduct \$2.36 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-30



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed jack
- Battery break-away kit w/tow charger & test light
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adjustable suspension
- (2) 15,000 lb. axles (8 wheels)
- Tires - 215/75R17.5, load range H
- 17.5" wheels, 8-bolt, hub piloted
- Electric brakes only
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
30,000	38,300	8,300	30,000	102"	20'	\$17,330

Subject to F.E.T. – deduct \$12.33 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-40



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed jack
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 16" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (2) 22,500 lb. axles (8 wheels)
- Tires - 235/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt, hub piloted
- Air brakes (sensor on 1 axle, 2S/1M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
45,000	48,800	8,800	40,000	102"	20'	\$19,515

Subject to F.E.T. – deduct \$23.67 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-40LP



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed jack
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 20 ft. deck length
- 102" load width
- 34" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (12° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (2) 22,500 lb. axles (8 wheels)
- Tires - 235/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt, hub piloted
- Air brakes (sensor on 1 axle, 2S/1M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
45,000	48,600	8,600	40,000	102"	20'	\$19,825

Subject to F.E.T. – deduct \$23.67 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-50



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed parking jack
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 24 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- 16" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (3) 22,500 lb. axles (12 wheels)
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt, hub piloted
- Air brakes (sensor on 1 axle, 2S/1M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
54,480	60,700	10,700	50,000	102"	24'	\$25,485

Subject to F.E.T. – deduct \$12.33 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Deck-Over/

Model:

T-50LP



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- Adj. height hitch
- 3" pintle ring
- One-piece cold-formed frame rails
- Integrated storage tray w/lockable lid
- 25K bolt-on two-speed parking jack
- 7-pole round elec. plug
- Safety chains w/hooks

FRAME / DECK

- 24 ft. deck length
- 102" load width
- 34" deck height (unloaded)
- 10" I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (4 per side)
- 5 ft. steel angle iron beavertail (12° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (3) 22,500 lb. axles (12 wheels)
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt, hub piloted
- Air brakes (sensor on 1 axle, 2S/1M) Full ABS
- Brake size (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
54,480	60,600	10,600	50,000	102"	24'	\$25,980

Subject to F.E.T. – deduct \$12.33 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Rigid Gooseneck/

Model:

T-50RG



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- 2" king pin hitch
- 10'-0" Rigid Gooseneck
- 2" nominal white oak decking
- D-ring tie downs (2 per side)
- (2) 25K bolt-on two-speed parking jacks

FRAME / DECK

- 24 ft. deck length
- 102" load width
- 36" deck height (unloaded)
- I-beam main frame
- 3" Jr. I-beam crossmembers, 80,000 psi
- 2" nominal white oak wood deck
- D-ring tie-downs (6 per side)
- 5 ft. steel angle iron beavertail (14° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (2) 22,500 lb. axles (8 wheels)
- Tires - 215/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt, hub piloted
- Air brakes (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
45,000	61,300	11,300	50,000	102"	24'	\$26,630

Subject to F.E.T. – deduct \$12.33 per tire


Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

Effective Date: 1/15/2015

Rigid Gooseneck/

Model:

T-70RG



May be shown with options

STANDARD FEATURES

HITCH / TONGUE

- 2" king pin hitch
- 10'-0" Rigid Gooseneck
- 2" nominal white oak decking
- D-ring tie downs (2 per side)
- (2) 25K bolt-on two-speed parking jacks

FRAME / DECK

- 24 ft. deck length
- 102" load width
- 36.5" deck height (unloaded)
- 14" cambered I-beam main frame (pierced)
- 6" Jr. I-beam crossmembers
- 2" nominal white oak wood deck
- D-ring tie-downs (6 per side)
- 4 ft. steel angle iron beavertail (16° angle)

RAMPS / TAIL

- 21" x 5'-0" channel sides, cleated ladder style
- Two-way spring-assist ramps

AXLES / SUSPENSION

- Hutchens 9700 adj. susp.
- (2) 22,500 lb. axles (8 wheels)
- Tires - 235/75R17.5, load range H, 16-ply
- 17.5" wheels, 8-bolt, hub piloted
- Air brakes (12.25x7.5)
- Auto slack adj.
- Oil bath hubs

LIGHTS / WIRING

- Rubber grommet mounted LED lights
- Sealed modular wiring

STANDARD FEATURES

- Limited Lifetime Frame Warranty*
- One-Year full Warranty*
- Weatherproof registration holder
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black
- Ramp color: Equipment Red

*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are for reference only.

GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
45,000	82,600	12,600	70,000	102"	24'	\$33,565

Subject to F.E.T. – deduct \$23.67 per tire

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

TC-9D, 10D, 12D, 14D Options

Drop-Deck Options - Effective: 3/1/2016	9D	10D	12D	14D	MSRP
Description					
TONGUE / HITCH					
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•	•	•	\$810
2-5/16" ball coupler	•	•	•	•	N/C
3" pintle ring	•	•	•		\$65
6-pole round plug	•	•	•	•	N/C
12K bolt-on side-wind parking jack	•	•	•		\$185
Lockable storage tray lid	•	•	•	•	\$115
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	•	\$1,450
MAIN DECK					
Pallet fork holders (N/A on 14 ft. deck)	•	•	•	•	\$295
8K electric winch with 95 ft. 5/16" cable, mounted on deck side of headboard (includes battery w/charger)	•	•	•	•	\$2,195
Additional flat bar tie-downs (each)	•	•	•	•	\$25
D-ring tie downs (each)	•	•	•	•	\$35
White oak wood deck (per linear foot)	•	•	•	•	\$14
Apitong wood deck (per linear foot)	•	•	•	•	\$65
Rub rail and stake pockets (per foot)	•	•	•	•	\$43
3 ft. wood-topped beavertail w/ 5' angle-iron ramps	•	•	•	•	\$810
SUSPENSION					
EZ Lube hubs	•	•	•	•	\$190
Spare tire mount bracket, mounted curb side in front of fender (not to be used with rub rails)	•	•	•	•	\$150
Spare tire and wheel, ST225/75R15	•				\$195
Spare tire and wheel, 235/85R16		•	•	•	\$230
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)		•	•	•	\$680
RAMPS					
Spring-assist ramp kit	•	•	•	•	\$80
Auto-Latch ramp hold-up system	•	•	•	•	\$290
Wood filled 5 ft. ramps	•	•	•	•	\$125
Full width ramps, 5 ft. long, expanded metal (solid bar hold-ups), spring-assisted	•	•	•	•	\$850
5 ft. ramps, star traction (solid bar hold-ups)	•	•	•	•	\$95
6 ft. ramps, star traction (solid bar hold-ups) (2-deg lesser load angle)	•	•	•	•	\$300
6 ft. ramps, cleated ladder style (solid bar hold-ups) (2-deg lesser load angle)	•	•	•	•	\$225
OTHER					
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	CALL
2 chock blocks with holders, located on rear of fender	•	•	•	•	\$220
Galvanizing	•	•	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	•	N/C
Change ramp color to black	•	•	•	•	N/C
Change ramp color to yellow, blue, charcoal	•	•	•	•	\$50

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-9D, 10D, 12D, 14D, 16D, 18D, 20D Options

Drop-Deck Options - Effective: 3/1/2016		9D	10D	12D	14D	16D	18D	20D	MSRP
Drop-Deck Options									
DESCRIPTION									
TONGUE / HITCH									
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•	•						\$810
2-5/16" ball coupler	•	•	•						N/C
3" pintle ring	•	•	•						\$65
6-pole round plug	•	•	•						N/C
12K bolt-on side-wind parking jack	•								\$185
25K parking jack				•	•	•	•		\$185
Lockable storage tray lid	•	•	•	•	•	•	•		\$115
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	•	•	•	•		\$1,450
MAIN DECK									
Pallet fork holders (N/A on 14 ft. deck)	•	•	•	•	•	•	•		\$295
8K electric winch with 95 ft. 5/16" cable, mounted on deck side of headboard (includes battery w/charger)	•	•	•	•	•	•	•		\$2,195
D-ring tie downs (each)	•	•	•	•	•	•	•		\$35
Apitong wood deck (per linear foot)	•	•	•	•	•	•	•		\$65
Rub rail and stake pockets (per foot)	•	•	•	•	•	•	•		\$27
3 ft. wood-topped beavertail with 5 ft. ladder style ramps w/solid bar ramp hold-ups	•	•	•	•	•	•	•		\$810
Side-load paver option, includes: (2) 12K jacks on headboard, steel deck extension ahead of fenders, (2) side load ramps with under-deck ramp storage					•	•	•		\$4,100
SUSPENSION									
Spare tire mount bracket, mounted curb side in front of fender (not to be used with rub rails)	•	•	•	•	•	•	•		\$150
Spare tire and wheel, 235/85R16	•	•	•						\$230
235/85R16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•	•						\$680
Spare tire and wheel, 215/75R17.5				•	•	•	•		\$480
Spare tire and wheel, 235/75R17.5				•	•	•	•		\$520
RAMPS									
Wood filled 5 ft. ramps	•	•	•						\$125
Wood filled 6 ft. ramps (solid bar hold-ups)				•	•	•	•		\$145
Full width ramps, 5 ft. long, expanded metal (solid bar hold-ups), spring-assisted	•	•	•						\$850
5 ft. ramps, star traction (solid bar hold-ups)	•	•	•						\$95
6 ft. ramps, star traction (solid bar hold-ups) (2-deg lesser load angle)	•	•	•	•	•	•	•		\$300
6 ft. ramps, cleated ladder style (solid bar hold-ups) (2-deg lesser load angle)	•	•	•						\$225
OTHER									
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	•	•	•		CALL
2 chock blocks with holders, located on rear of fender	•	•	•	•	•	•	•		\$220
Galvanizing	•	•	•	•	•	•	•		CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	•	•	•	•		N/C
Change ramp color to black	•	•	•	•	•	•	•		N/C
Change ramp color to yellow, blue, charcoal	•	•	•	•	•	•	•		\$50

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-9P, 10P, 12P Options

Pan Deck Options - Effective: 3/1/2016				
Description	9P	10P	12P	MSRP
TONGUE / HITCH				
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•	•	\$810
2-5/16" ball coupler	•	•	•	N/C
3" pintle ring	•	•	•	\$65
6-pole round plug	•	•	•	N/C
12K bolt-on parking jack	•	•		\$185
Lockable storage tray lid	•	•	•	\$115
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	\$1,450
MAIN DECK				
Steel 7 ga. Plate floor in lieu of wood, per foot	•	•	•	\$35
Steel 3/16" diamond plate floor in lieu of wood, per foot	•	•	•	\$45
Pallet fork holders (N/A on 14 ft. deck)	•	•	•	\$295
8K electric winch with 95 ft. 5/16" cable, mounted on deck side of headboard (includes battery w/charger)	•	•	•	\$2,195
Additional D-ring tie downs (each)	•	•	•	\$35
Apitong wood deck (per linear foot)	•	•	•	\$65
SUSPENSION				
Spare tire mount bracket, mounted curb side in front of fender	•	•	•	\$150
Spare tire and wheel, 235/85R16	•	•	•	\$230
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•	•	\$680
RAMPS				
Wood filled 5 ft. ramps	•	•	•	\$125
Full width ramps, 5 ft. long, expanded metal (solid bar hold-ups), spring-assisted	•	•	•	\$850
6 ft. scissor lift ramps, star traction (10 deg. Load angle - solid bar hold-ups)	•	•	•	\$345
OTHER				
Special color (no metallic) – color match only – ramps painted to match	•	•	•	CALL
2 chock blocks with holders, located on rear of fender	•	•	•	\$220
Galvanizing	•	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	N/C
Change ramp color to black	•	•	•	N/C
Change ramp color to yellow, blue, charcoal	•	•	•	\$50

T-5HD, 9HD Options

Small HD Options - Effective: 3/1/2016			
Description	5HD	9HD	MSRP
TONGUE / HITCH			
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	●		\$708
Hydraulic surge brakes with freebacking (check local D.O.T. laws)		●	\$810
3" pintle ring	●	●	N/C
6-pole round plug	●	●	N/C
12K bolt-on parking jack	●	●	\$185
Hydraulic parking jack	●	●	\$695
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	●	●	\$1,205
MAIN DECK			
Roll tarp system - 12" (fits 8', 10', and 12' boxes)	●	●	\$495
24" tall sides (per foot of trailer)	●	●	\$60
Add D-ring tie downs (each)	●	●	\$30
Additional stake pockets (each)	●	●	\$35
Board slots (bolt-on)	●	●	\$32
SUSPENSION			
Torsion axle upgrade (per axle)	●	●	\$160
Spare tire carrier	●	●	\$150
Spare tire and wheel, radial	●	●	\$190
RAMPS			
Steel cleated ramps with side carrier	●		\$685
OTHER			
Special color (no metallic) – color match only	●	●	CALL
2 chock blocks with holders, located on front of fender on curb side	●	●	\$220
Wireless remote for pump	●	●	\$365
On-board charger (110v plug-in)	●	●	\$125
Solar charger	●	●	\$365
Galvanizing	●	●	\$2,250
Color options: CAT Yellow, IH Red, Ford Blue, Tool Gray, JD Green, Kubota Orange, Forest Green	●	●	\$265

T-10HD, 12HD, 14HD Options

Hydraulic Dump Options - Effective: 3/1/2016	10HD	12HD	14HD	MSRP
Description				
TONGUE / HITCH				
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•		\$810
3" pintle ring	•	•	•	N/C
6-pole round plug	•	•	•	N/C
Hydraulic parking jack	•	•	•	\$695
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	\$1,205
MAIN DECK				
Swing-away side panel in front of fender - per side	•	•	•	\$355
8 ft. width deck-over with 24" sides, per foot	•	•	•	\$85
Roll tarp system - 12'	•	•	•	\$495
Roll tarp system - 14'	•	•	•	\$525
Roll tarp system - 16'	•	•	•	\$555
Roll tarp system - 18'			•	\$590
84" bed width (incl. 7000 lb. straight axles, 5/8" wheel studs, and 17.5 H-range tires)	•	•	•	\$1,145
45" tall sides (per foot of trailer)	•	•	•	\$75
Hoist upgrade 9-ton	•	•		\$695
Hoist upgrade 12-ton			•	\$1,265
Add D-ring tie downs (each)	•	•	•	\$30
Additional stake pockets (each)	•	•	•	\$35
Board slots (bolt-on)	•	•	•	\$220
Pallet fork holders - not available on 12'	•	•	•	\$295
Drop-leg load stands (per pair)	•	•	•	\$150
SUSPENSION				
Torsion axle upgrade (per axle)	•	•	•	\$160
3rd axle (tri-axle) (7K)	•	•	•	\$1,315
Aluminum wheel upgrade (each) (16" wheels)	•	•		\$195
Spare tire carrier	•	•	•	\$150
Spare tire and wheel, 235/80R16	•	•		\$230
Spare tire and wheel, 215/75R x 17.5			•	\$480
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•		\$680
RAMPS				
Mesh ramps	•	•	•	\$185
REAR GATE				
Tri-swing gate	•	•	•	N/C
5-ft. landscape gate (must have 24" sides)	•	•	•	\$250
OTHER				
Special color (no metallic) – color match only	•	•	•	CALL
2 chock blocks with holders	•	•	•	\$220
Wireless remote for pump	•	•	•	\$235
On-board charger (110v plug-in)	•	•	•	\$125
Solar charger	•	•	•	\$365
Galvanizing	•	•	•	\$2,995
Color options: CAT Yellow, IH Red, Ford Blue, Tool Gray, JD Green, Kubota Orange, Forest Green	•	•	•	\$265
Rock Guard applied to A-Frame front, fenders, and light boxes, under paint (not polyurethane coat)	•	•	•	\$400

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-3DT, 5DT Options

Small DT Options - Effective: 3/1/2016			
Description			MSRP
TONGUE / HITCH			
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•	\$708
2-5/16" ball coupler	•	•	N/C
3" pintle ring		•	\$65
6-pole round plug	•	•	N/C
MAIN DECK			
Oak wood in lieu of steel	•		\$250
Apitong, price per foot	•	•	\$65
Steel 7 ga. plate floor in lieu of wood, price per foot		•	\$35
Add tie downs (each)	•	•	\$35
Deck cushion cylinder	•	•	\$605
SUSPENSION			
Spare tire and wheel, ST225/75R15	•		\$195
Spare tire and wheel, 235/85R16		•	\$230
RAMPS			
Scissor Liftr (SL) Option (ramps are red)		•	\$695
OTHER			
Special color (no metallic) – color match only	•	•	CALL
2 chock blocks with holder, located on rear of fender	•	•	\$220
Galvanizing	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	N/C
Change ramp color to black	•	•	N/C
Change ramp color to yellow, blue, charcoal	•	•	\$50

T-9DT, 10DT, 12DT, 14DT, 16DT Options

Drop-Deck Tilt Options	- Effective: 3/1/2016						
Description	9T	10T	12T	14T	16T	MSRP	
TONGUE / HITCH							
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•	•			\$810	
2-5/16" ball coupler	•	•	•	•	•	N/C	
3" pintle ring	•	•	•			\$65	
6-pole round plug	•	•	•	•	•	N/C	
12K bolt-on side-wind parking jack	•	•				\$185	
25K 2-speed parking jack upgrade			•	•	•	\$185	
Lockable storage tray lid	•	•	•	•	•	\$115	
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	•	•	\$1,450	
MAIN DECK							
Pallet fork holders (on 16 ft. or longer decks only)	•	•	•	•	•	\$295	
8K electric winch with 60 ft. 3/8" cable, mounted on front side of headboard (includes battery w/charger)	•	•	•	•	•	\$2,195	
4' stationary deck option (adds 400 lbs. to GVWR)	•	•	•	•	•	\$995	
6' stationary deck option (adds 600 lbs. to GVWR)	•	•	•	•	•	\$1,300	
Apitong (per foot)	•	•	•	•	•	\$65	
Additional tie-downs (each)	•	•	•	•	•	\$35	
SUSPENSION							
Spare tire mount bracket (inside tongue) - must have at least 12K jack	•	•	•	•	•	\$150	
Spare tire and wheel, 235/85R16	•	•	•			\$230	
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•	•			\$680	
Spare tire and wheel, 215/75R17.5				•	•	\$480	
OTHER							
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	•	CALL	
2 chock blocks with holders, located on rear of fender	•	•	•	•	•	\$220	
Galvanizing	•	•	•	•	•	CALL	
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	•	•	N/C	
Change ramp color to black	•	•	•	•	•	N/C	
Change ramp color to yellow, blue, charcoal	•	•	•	•	•	\$50	

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-12T, 14T, 16T Options

Small Deck-Over Tilt Options	- Effective: 3/1/2016			
Description	12T	14T	16T	MSRP
TONGUE / HITCH				
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•			\$810
2-5/16" ball coupler	•	•	•	N/C
3" pintle ring	•			\$65
6-pole round plug	•	•	•	N/C
25K 2-speed parking jack upgrade	•	•	•	\$185
Lockable storage tray lid	•	•	•	\$115
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	\$1,450
MAIN DECK				
8K electric winch with 60 ft. 3/8" cable, mounted on front side of headboard (includes battery w/charger)	•	•	•	\$2,195
4' stationary deck option (adds 400 lbs. to GVWR)	•	•	•	\$995
6' stationary deck option (adds 600 lbs. to GVWR)	•	•	•	\$1,300
Apitong (per foot)	•	•	•	\$65
Additional tie-downs (each)	•	•	•	\$35
SUSPENSION				
Spare tire mount bracket	•	•	•	\$150
Spare tire and wheel, 235/85R16	•			\$230
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•			\$680
Spare tire and wheel, 215/75R17.5		•	•	\$480
OTHER				
Special color (no metallic) – color match only – ramps painted to match	•	•	•	CALL
2 chock blocks with holders, located on rear of fender	•	•	•	\$220
Galvanizing	•	•	•	CALL
Trailer ramp options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	N/C
Change ramp color to black	•	•	•	N/C
Change ramp color to yellow, blue, charcoal	•	•	•	\$50

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-20T, 24T, 30T, 40T, 50T Options

Deck-Over Tilt Options - Effective: 3/1/2016	20T	24T	30T	40T	50T	MSRP
Deck-Over Tilt Options						
DESCRIPTION						
TONGUE / HITCH						
Tongue length, add per foot (2 ft. max)	•	•	•	•	•	\$250
6-pole round plug	•	•				N/C
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•				\$1,660
Gooseneck (3" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid			•			\$1,875
Rigid Gooseneck (10 ft. top, 84" swing clearance, 16" king pin setting)	•	•	•	•	•	\$3,520
Upgrade 25K parking jacks	•	•				\$185
Dual 25K parking jacks			•	•	•	\$395
30-deg. Sloped neck	•	•	•	•	•	\$1,875
MAIN DECK						
Deduct for non-stationary deck	•	•	•	•		-\$685
6 ft. stationary platform deck	•	•	•	•		\$880
8 ft. stationary platform deck	•	•	•	•	•	\$1,320
10 ft. stationary platform deck			•	•	•	\$1,760
Apitong (per foot)	•	•	•	•	•	\$65
Additional tie-downs (each)	•	•	•	•	•	\$35
SUSPENSION						
Hutchens 9700 adjustable suspension	•	•				\$695
Air Ride suspension (raises deck 1.5")				•		\$3,400
Air Ride suspension (raises deck 1.5")					•	\$4,975
Air lift axle (upgrade to Air Ride recommended on all axles)					•	\$3,695
25K axle upgrade (each)				•	•	\$340
Sensors on 2 axles (4S/2M)	•	•		•	•	\$575
Sensors on 3 axles (6S/3M)					•	\$1,265
Spare tire mount bracket, mounted flat on tongue	•	•	•	•	•	\$150
Spare tire and wheel, 235/85R16	•	•				\$250
Spare tire and wheel, 215/75R17.5, load range H			•	•	•	\$525
235/75R17.5 tire upgrade (deduct \$23.67 per tire F.E.T.), per tire			•	•	•	\$55
RAMPS						
6'-0" wood filled flip-over ramp with 6° incline (non-removable)	•	•	•	•	•	\$1,520
6'-0" aluminum paver ramp (loose) per pair	•	•	•	•	•	\$1,550
OTHER						
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	•	CALL
2 chock blocks with holders, located on rear of fender	•	•	•	•	•	\$220
Galvanizing	•	•	•	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	•	•	N/C

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-24TA, 40TA, 50TA Options

Deck-Over Air Tilt Options - Effective: 3/1/2016	24TA	40TA	50TA	MSRP
DESCRIPTION				
TONGUE / HITCH				
Tongue length, add per foot (2 ft. max)	•	•	•	\$250
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), adds 1 ft. of stationary deck	•			\$2,185
Rigid Gooseneck (10 ft. top deck, 84" swing clearance, 16" king pin setting), adds 1 ft. of stationary deck	•	•	•	\$4,045
MAIN DECK				
12K electric winch with 125 ft. of cable, mounted on deck (corded remote, wiring to rear of truck)	•	•	•	\$2,690
Battery Kit with Charger for Winch (Installed)	•	•	•	\$515
Apitong (per foot)	•	•	•	\$65
Additional tie-downs (each)	•	•	•	\$35
Stake pockets (each)	•	•	•	\$35
Rub rail and stake pockets (per foot)	•	•	•	\$50
SUSPENSION				
25K axle upgrade (each)		•	•	\$340
Sensors on 2 axles (4S/2M)	•	•	•	\$575
Sensors on 3 axles (6S/3M)			•	\$1,265
Spare tire mount bracket	•	•	•	\$150
Spare tire and wheel, 235/85R16	•			\$250
Spare tire and wheel, 215/75R17.5, load range H			•	\$525
Spare tire and wheel, 235/75R17.5 load range H		•		\$580
235/85R 16 load range G tire upgrade	•			\$1,360
235/75Rx17.5 tire upgrade (deduct \$23.67 per tire F.E.T.), per tire			•	\$55
RAMPS				
6" x 36" wood-topped air ramps	•	•	•	\$3,415
OTHER				
Special color (no metallic) – color match only – ramps painted to match	•	•	•	CALL
2 chock blocks with holders, located under deck ahead of axles	•	•	•	\$220
Galvanizing	•	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	N/C

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

TC-9, 10, 12, 14, 16, 18-3, 20, 24 Options

Deck-Over Options - Effective: 3/1/2016	9	10	12	14	16	18-3	20	24	MSRP
Deck-Over Options									
DESCRIPTION									
TONGUE / HITCH									
2-5/16" ball coupler	•	•	•						N/C
6-pole round plug	•	•	•	•	•	•			N/C
Lockable storage tray lid	•	•	•	•	•	•	•	•	\$115
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	•	•	•			\$1,450
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid							•	•	\$1,660
25K 2-speed parking jack (to replace std 12K option)							•	•	\$185
Dual 12K parking jacks							•	•	\$360
Dual 25K parking jacks							•	•	\$690
2-speed 12K drop-leg jack (each)							•	•	\$200
MAIN DECK									
Additional deck length (up to 4 ft. additional) per foot-call for additional	•	•	•	•	•	•	•	•	\$360
Additional D-Rings (each)	•	•	•	•	•	•	•	•	\$35
Additional stake pockets (each)	•	•	•	•	•	•	•	•	\$35
Rub rail with stake pockets in lieu of D-rings (per foot of deck length)	•	•	•	•					\$27
Rub rail with stake pockets in lieu of D-rings (per foot of deck length)					•	•	•	•	\$50
Apitong wood deck (per linear foot)	•	•	•	•	•	•	•	•	\$65
SUSPENSION									
Sensors on 2 axles (4S/2M)							•	•	\$575
Spare tire mount bracket, mounted flat on tongue	•	•	•	•	•	•	•	•	\$150
E-Z Lube hubs	•	•	•	•					\$190
Spare tire and wheel, ST225/75R15	•								\$195
Spare tire and wheel, 235/85R16, load range E		•	•	•		•			\$230
Spare tire and wheel, 235/85R16, load range E (for dual wheels)							•	•	\$250
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)			•	•					\$680
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)						•			\$1,020
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)							•	•	\$1,360
Spare tire and wheel, 215/75R17.5					•				\$480
RAMPS									
Wood beavertail					•	•	•	•	\$185
Spring-assist ramps	•	•	•	•					\$80
Two-way spring-assist ramps					•	•	•	•	\$145
Wood filled 5 ft. ramps	•	•	•	•	•	•	•	•	\$125
Full width ramps, 5 ft. long, mesh or star plate (solid-bar hold-ups)	•	•	•	•					\$850
Air operated ramps, 5'x22", steel cleat or wood top (available on air brake only), requires 22 ft. main deck							•	•	\$2,995
OTHER									
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	•	•	•	•	CALL
2 chock blocks and holder mounted curb side under deck ahead of wheels	•	•	•	•	•	•	•	•	\$220
Galvanizing	•	•	•	•	•	•	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	•	•	•	•	•	N/C
Change ramp color to black	•	•	•	•	•	•	•	•	N/C
Change ramp color to yellow, blue, charcoal	•	•	•	•	•	•	•	•	\$50

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-20, 20LP, 24, 24LP, 30 Options

Deck-Over Options - Effective: 3/1/2016							
Description	20	20LP	24	24LP	30	MSRP	
TONGUE / HITCH							
Tongue length, add per foot (2 ft. max)	•	•	•	•	•	\$250	
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	•		\$1,660	
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid					•	\$1,885	
Rigid Gooseneck (10 ft. top, 84" swing clearance, 16" king pin setting)	•	•	•	•	•	\$3,520	
2-5/16" folding ball plate	•	•	•	•		\$220	
25K 2-speed parking jack (to replace std 12K option)	•	•	•	•		\$185	
Dual 12K parking jacks	•	•	•	•		\$360	
Dual 25K parking jacks	•	•	•	•		\$690	
Dual 25K parking jacks on T-30 (comes with single 25K jack std)					•	\$395	
2-speed 12K drop-leg jack (each)	•	•	•	•		\$200	
MAIN DECK							
Additional deck length (up to 4 ft. additional) per foot-call for additional	•	•	•	•	•	\$360	
Additional D-rings or stake pockets (each)	•	•	•	•	•	\$35	
Rub rail with stake pockets in lieu of D-rings (per foot of deck length)	•	•	•	•	•	\$50	
12K Electric winch (includes 125 ft. x 3/8" cable, corded remote, wiring to rear of truck)	•	•	•	•	•	\$2,690	
Battery Kit w/charger for winch (installed)	•	•	•	•	•	\$515	
Apitong wood deck (per linear foot)	•	•	•	•	•	\$65	
Sliding winch track (per foot) – curb side standard	•	•	•	•	•	\$40	
Sliding winch, 4" for winch track (each)	•	•	•	•	•	\$45	
Winch for cargo straps (each - P/N 37-2023) – welded on, curb side standard, 4"	•	•	•	•	•	\$55	
4" x 30 ft. cargo straps with flat hook (each)	•	•	•	•	•	\$35	
SUSPENSION							
Sensors on 2 axles (4S/2M)	•	•	•	•		\$575	
Spare tire mount bracket, mounted flat on tongue	•	•	•	•	•	\$150	
Spare tire and wheel, 235/85R16, load range E	•	•	•	•		\$250	
235/85R16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•	•	•		\$1,360	
Spare tire and wheel, 215/75R17.5, load range H					•	\$525	
Tire upgrade, 235/75R17.5, (per tire)					•	\$55	
RAMPS							
Wood filled beavertail in lieu of angle iron	•	•	•	•	•	\$185	
6-foot angle-iron beavertail	•	•	•	•	•	\$465	
Double-Break Beavertail (7'-6") with 6-foot spring-assist ramps	•		•		•	\$875	
Bucket well in beavertail	•	•	•	•	•	\$660	
Third ramp	•	•	•	•	•	\$555	
6-foot steel cleated ramps	•	•	•	•	•	\$175	
6-foot wood filled ramps	•	•	•	•	•	\$320	
5 ft. wood filled ramps in lieu of angle iron	•	•	•	•	•	\$125	
Air operated ramps, 5'x22", steel cleat or wood top (available on air brake only), requires 22 ft. main deck	•	•	•	•		\$2,995	
Elec over Hydraulic operated ramps, 5'x22", steel cleat or wood top, requires 22 ft. main deck	•	•	•	•	•	\$3,470	
OTHER							
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	•	CALL	
2 chock blocks and holder mounted curb side under deck ahead of wheels	•	•	•	•	•	\$220	
Galvanizing	•	•	•	•	•	CALL	
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	•	•	N/C	
Change ramp color to black	•	•	•	•	•	N/C	
Change ramp color to yellow, blue, charcoal	•	•	•	•	•	\$50	

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-40, 40LP, 50, 50LP Options

Deck-Over Options - Effective: 3/1/2016					
Description	40	40LP	50	50LP	MSRP
TONGUE / HITCH					
Tongue length, add per foot (2 ft. max)	•	•	•	•	\$250
Dual 25K parking jacks	•	•	•	•	\$395
MAIN DECK					
Additional deck length (up to 4 ft. additional) per foot-call for additional	•	•	•	•	\$360
Additional D-rings or stake pockets (each)	•	•	•	•	\$35
Rub rail with stake pockets in lieu of D-rings (per foot of deck length)	•	•	•	•	\$50
12K Electric winch (includes 125 ft. x 3/8" cable, corded remote, wiring to rear of truck)	•	•	•	•	\$2,690
Battery Kit w/charger for winch (installed)	•	•	•	•	\$515
Apitong wood deck (per linear foot)	•	•	•	•	\$65
Sliding winch track (per foot) – curb side standard	•	•	•	•	\$40
Sliding winch, 4" for winch track (each)	•	•	•	•	\$45
Winch for cargo straps (each - P/N 37-2023) – welded on, curb side standard, 4"	•	•	•	•	\$55
4" x 30 ft. cargo straps with flat hook (each)	•	•	•	•	\$35
SUSPENSION					
55" axle spread			•	•	\$705
60" axle spread			•	•	\$1,085
Sensors on 2 axles (4S/2M)	•	•	•	•	\$575
Sensors on 3 axles (6S/3M)			•	•	\$1,265
25K axle upgrade (per axle)	•	•	•	•	\$390
Air Ride Suspension, 22.5K (includes dump valve), raises deck height 1.5"	•	•			\$3,400
Air Ride Suspension, 22.5K (includes dump valve), raises deck height 1.5"			•	•	\$4,975
Air lift axle (upgrade to Air Ride recommended on all axles)			•		\$3,695
Spare tire mounting bracket, mounted on tongue, curb side	•	•	•	•	\$150
Spare tire and wheel, 215/75R17.5, load range H			•	•	\$525
Spare tire and wheel, 235/75R17.5, load range H	•	•			\$580
RAMPS					
Wood filled beavertail in lieu of angle iron	•	•	•	•	\$185
6-foot angle-iron beavertail	•	•	•	•	\$465
Double-Break Beavertail (7'-6") with 6-foot spring-assist ramps	•		•		\$875
Bucket well in beavertail	•	•	•	•	\$660
Third ramp	•	•	•	•	\$555
6-foot steel cleated ramps	•	•	•	•	\$175
6-foot wood filled ramps	•	•	•	•	\$320
5 ft. wood filled ramps in lieu of angle iron	•	•	•	•	\$125
Air operated ramps, 5'x22", steel cleat or wood top (available on air brake only), requires 24 ft. main deck	•	•	•	•	\$2,995
Air operated ramps, 5'x36", steel cleat or wood top (available on air brake only), requires 24 ft. main deck	•	•	•	•	\$3,265
Air operated ramps, 6'x22", steel cleat or wood top (available on air brake only), requires 24 ft. main deck	•	•	•	•	\$3,145
Air operated ramps, 6'x36", steel cleat or wood top (available on air brake only), requires 24 ft. main deck	•	•	•	•	\$3,415
Elec-over-hyd option, in lieu of air operated (add to air operated price)	•	•	•	•	\$475
Bi-fold ramps, elec-over-hyd, 11' at 9°, includes 6' at 8° wood filled beavertail (26' min. deck length required)	•		•		\$8,890
OTHER					
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	CALL
2 chock blocks and holder mounted curb side under deck ahead of wheels	•	•	•	•	\$220
Galvanizing	•	•	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	•	•	N/C
Change ramp color to black	•	•	•	•	N/C
Change ramp color to yellow, blue, charcoal	•	•	•	•	\$50

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

T-50RG, 70RG Options

RG Deck-Over Options - Effective: 3/16/2016	50RG	70RG	MSRP
Description			
TONGUE / HITCH			
30-degree sloped gooseneck	•	•	\$1,875
Integrated dual storage trays with lids	•	•	\$495
MAIN DECK			
Additional deck length (up to 34 ft. total deck length), priced per foot-call for additional	•	•	\$480
Additional D-rings or stake pockets (each)	•	•	\$35
Rub rail with stake pockets in lieu of D-rings (per foot of deck length)	•	•	\$50
12K Electric winch (includes 125 ft. x 3/8" cable, corded remote, wiring to rear of truck)	•	•	\$2,690
Battery Kit w/charger for winch (installed)	•	•	\$515
Apitong wood deck (per linear foot)	•	•	\$65
Sliding winch track (per foot) – curb side standard	•	•	\$40
Sliding winch, 4" for winch track (each)	•	•	\$45
Winch for cargo straps (each - P/N 37-2023) – welded on, curb side standard, 4"	•	•	\$55
4" x 30 ft. cargo straps with flat hook (each)	•	•	\$35
SUSPENSION			
Sensors on 2 axles (4S/2M)	•	•	\$690
25K axle upgrade (per axle)	•	•	\$390
Air Ride Suspension, 22.5K (includes dump valve), raises deck height 1.5"	•	•	\$3,400
Spare tire mounting bracket, mounted on gooseneck	•	•	\$150
Spare tire and wheel, 215/75R17.5, load range H	•	•	\$525
22.5 wheel/brake option (includes 255/70R22.5 tire, 10-bolt wheels, 16.5x7 air brakes)		•	\$1,430
Tire upgrade, 235/75R17.5 (ea)	•		\$55
RAMPS			
Wood filled beavertail in lieu of angle iron	•	•	\$185
5-foot angle-iron beavertail		•	\$395
6-foot angle-iron beavertail	•	•	\$465
Double-Break Beavertail (7'-6") with 6-foot spring-assist ramps	•	•	\$875
Bucket well in beavertail	•	•	\$660
Third ramp	•	•	\$555
6-foot steel cleated ramps	•	•	\$175
6-foot wood filled ramps	•	•	\$320
5 ft. wood filled ramps in lieu of angle iron	•	•	\$125
6'-0" aluminum ramps to load top deck (17-degree load angle)	•	•	\$1,525
Upper deck ramp storage for aluminum ramps (under top deck)	•	•	\$395
Air operated ramps, 5'x22", steel cleat or wood top	•	•	\$2,995
Air operated ramps, 5'x36", steel cleat or wood top	•	•	\$3,265
Air operated ramps, 6'x22", steel cleat or wood top	•	•	\$3,145
Air operated ramps, 6'x36", steel cleat or wood top	•	•	\$3,415
Elec-over-hyd option, in lieu of air operated (add to air operated price)	•	•	\$475
Bi-fold ramps, elec-over-hyd, 11' at 9°, includes 6' at 8° wood filled beavertail (26' min. deck length required)	•	•	\$8,890
OTHER			
Special color (no metallic) – color match only – ramps painted to match	•	•	CALL
2 chock blocks and holder mounted curb side under deck ahead of wheels	•	•	\$220
Galvanizing	•	•	CALL
Trailer color options: Construction Yellow, Equipment Red, Equipment Blue, Equipment Charcoal	•	•	N/C
Change ramp color to black	•	•	N/C
Change ramp color to yellow, blue, charcoal	•	•	N/C

Towmaster manufactures a complete line of trailers in several capacities. Listed weights and dimensions are approximate and can vary depending upon options installed. See VIN tag for GVWR. Check our website or see your authorized dealer for more information. Manufacturer reserves the right to modify, change or discontinue models or options as seen fit without obligation to previously sold units. Written warranty covers each trailer. Some items shown may be optional equipment.

This page left blank.



Towmaster, Inc.

61381 US Hwy 12
Litchfield, MN 55355

Phone: 320-693-7900

Toll Free: 800-462-4517

Fax: 320-693-7921

Parts Department

Phone: 320-593-4595

Toll Free: 866-239-2221

Fax: 320-693-5703

Shipping Department

Phone: 320-593-4554

Toll Free: 800-642 0742

Fax: 320-693-2047

Towmaster.com