



#1 IN HEAVY DUTY VEHICLE LIFTS

Pricelist

Effective Dates: April 1, 2014 - December 31, 2016

200 Log Canoe Circle ♦ Stevensville ♦ Maryland ♦ 410-643-9001 ♦ 800-336-6637 ♦ 410-643-8901 (fax)

MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

First letter following model number, i.e. ST1085FWA, first letter always represents the wheels.

F=Fixed wheels and R=Retractable wheels

Second letter following model number, i.e. ST1085FWA, second letter always represents the controls.

S=Superior controls, C=Conventional controls, B=Battery controls, W=Wireless and R=Energy retrieval system

Third letter following model number, i.e. ST1085FWA, third letter always represents the forks.

F=Fixed forks and A=Adjustable forks

Model Number	Description	List Price
<b>ST1065 &amp; ST1075 MODELS:</b>		
ST-1065-2VFSF	Set of 4 - 60,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift construction vehicles	\$53,983
ST-1065-2VFWF	Set of 4 - 60,000lbs capacity, 24 volts DC, extra wide forks to lift construction vehicles	\$76,066
ST-1075-2FCF	Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, with conventional control panel. Fixed forks. Maximum configuration for the FCF model is a set of 4 columns	\$35,860
ST-1075-1FSF	Set of 2 - 33,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Fixed forks.	\$19,210
ST-1075-2FSF	Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Fixed forks.	\$37,394
ST-1075-3FSF	Set of 6 - 99,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Fixed forks.	\$56,092
ST-1075-1FWF	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Fixed forks.	\$26,535
ST-1075-2FWF	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Fixed forks.	\$52,791
ST-1075-3FWF	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Fixed forks.	\$79,604
ST-1075-1FBF	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Fixed forks.	\$18,926
ST-1075-2FBF	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Fixed forks.	\$37,853
ST-1075-3FBF	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Fixed forks.	\$56,779
<b>ST1085 WITH SYNTHETIC FIXED FRONT WHEELS :</b>		
ST-1085-1FSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks.	\$20,697
ST-1085-2FSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks.	\$40,224
ST-1085-3FSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks.	\$59,748

MOBILE LIFTS

Model Number	Description	List Price
<b>ST1085 WITH RETRACTABLE WHEELS:</b>		
ST-1085-1RSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks	\$22,790
ST-1085-2RSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks	\$44,417
ST-1085-3RSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj forks	\$66,034
<b>ST1085 BATTERY MODELS:</b>		
ST-1085-1FBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$23,496
ST-1085-2FBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$46,991
ST-1085-3FBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$70,487
<b>ST1085 BATTERY MODELS:</b>		
ST-1085-1RBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$25,593
ST-1085-2RBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$51,186
ST-1085-3RBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$76,778
<b>ST1085 WIRELESS MODELS:</b>		
ST-1085-1FWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$27,876
ST-1085-2FWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$55,751
ST-1085-3FWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$83,627

ST-1085-1RWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$30,096
ST-1085-2RWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$60,192
ST-1085-3RWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$90,288

#### ST1085 EARTHLIFT™ MODELS:

ST-1085-1FRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$29,243
ST-1085-2FRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$58,487
ST-1085-3FRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$87,730
ST-1085-1RRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$31,464
ST-1085-2RRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$62,927
ST-1085-3RRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$94,391

#### ST1100 WITH SYNTHETIC FIXED FRONT WHEELS :

ST-1100-1FSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj. forks.	\$21,498
ST-1100-2FSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj. forks.	\$41,823
ST-1100-3FSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj. forks.	\$62,148

#### ST1100 WITH RETRACTABLE WHEELS:

ST-1100-1RSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj. forks	\$24,030
ST-1100-2RSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj. forks	\$46,835
ST-1100-3RSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column. Adj. forks	\$69,637

### MOBILE LIFTS

Model Number	Description	List Price
--------------	-------------	------------

#### ST1100 BATTERY MODELS:

ST-1100-1FBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$24,376
ST-1100-2FBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$48,751
ST-1100-3FBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$73,127
ST-1100-1RBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj. forks	\$27,357
ST-1100-2RBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj. forks	\$54,713
ST-1100-3RBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj. forks	\$82,071

#### ST1100 WIRELESS MODELS:

ST-1100-1FWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$28,778
ST-1100-2FWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$57,555
ST-1100-3FWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$86,333
ST-1100-1RWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj. forks.	\$31,548
ST-1100-2RWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj. forks.	\$63,096
ST-1100-3RWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj. forks.	\$94,644

#### ST1100 EARTHLIFT™ MODELS:

ST-1100-1FRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$30,152
ST-1100-2FRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$60,304
ST-1100-3FRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$90,456
ST-1100-1RRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$32,923
ST-1100-2RRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$65,844
ST-1100-3RRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$98,767

#### ST1175 MODEL:

ST-1175-2RSF	Set of 4 - 160,000lbs capacity, 208 to 460 volts, 3 phase, wheel lift, fixed forks.	\$134,511
ST-1175-2RWF	Set of 4 - 160,000lbs capacity, 24 volts, wheel lift, fixed forks.	\$157,947

### ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price
SKTJ-401	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height	\$10,057
SKTJ-402	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height	\$9,751
SKWD-500	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height	\$9,144
SKWD-500-74	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height	\$10,758
SKWD-501	Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height	\$12,342
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height	\$10,964
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height	\$10,652
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height	\$10,690
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height	\$14,107

**ACCESSORIES AND OPTIONS FOR MOBILE LIFTS**

<b>Model Number</b>	<b>Description</b>	<b>List Price</b>
G-BDA	Adaptor for standard wheel drums HLWD	\$532
G-APR	Adaptor for forklift wheels HLWD	\$744
G-AD	Differential adaptor for transmission jack	\$1,489
G-AD2-02-2000	Clutch adaptor for transmission jack	\$610
G-NAA	Narrow isle adapter for forklifts, for use with mobile columns 1060 through 1100, not for use with extra wide forks	\$8,629
ST10 Single Phase	220V Single Phase power option per column when ordered from factory.	\$530
ST575V	575 voltage power option per column when ordered from factory.	\$530
Upgrade control box	Primary control box exchange (upgrade from secondary control box)	\$1,419
59001040	Powerbox 220V, remote power box fits any secondary column	\$2,561
59001041	Powerbox 460V, , remote power box fits any secondary column	\$2,561
DROVER 12M	Drive over 12 meter cable for all mobile columns, extra price per column when ordered with lifts	\$424
DROVER 21.5M	Drive over 21.5 meter cable for all mobile columns, extra price per column when ordered with lifts	\$535
NONDROVER 21.5M	NON drive over 21.5 meter cable for all mobile columns, extra price per column when ordered with lifts	\$187
XWF1075	Extra wide fork option for ST1075 Fixed Front Wheels, wheel diameter up to R24.5/63". Price per column.	\$2,118
XWF1085	Extra wide fork option for ST1085 Adj. Front Wheels, wheel diameter up to R24.5/63". Price per column.	\$2,118
XWF1100	Extra wide fork option for ST1100 Adj. Front Wheels, wheel diameter up to R24.5/63". Price per column.	\$2,118
Lowered Baseframe	Lowered Baseframe 110 mm - Only for Fixed Wheels, Price per column	\$2,118
34200940	Weight Gauge for ST1060, ST1075. Price per column. Price includes part only.	\$723
32709120	Weight Gauge for ST1085. Price per column. Price includes part only.	\$723
	<b>Weight Gauge installation. Price per column. Price includes labor only.</b>	\$111
32737250	Cable Reel. Price per column. Price includes part and labor to install.	\$673
380000904	Set of 2 (Two) detachable lifting pockets to lift and transport a mobile column with a forklift. Price per column.	\$152
34400945	Set of 2 fork extensions with lock, L=500 mm / 20", for ST1075 / ST1085, (max.capacity 5,5 tons / 12,000 lbs per column) ONLY FOR FIXED FORKS. ONLY IN COMBINATION WITH BASE FRAME EXTENSIONS	\$595
32700930	Set of 2 fork extensions with lock, L=500 mm / 20", for ST 1075 / ST1085, (max. capacity 6,6 tons / 14,500 lbs per column) ONLY FOR ADJUSTABLE FORKS. ONLY IN COMBINATION WITH BASE FRAME EXTENSIONS	\$595
34400910	Set baseframe extensions for use with fork extensions L=500mm / 20", per col. (max. capacity 6,6 tons / 14,500 lbs per col.) ONLY FOR FIXED WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS	\$1,384
32710915	Set baseframe extensions for use with fork extensions L=500mm / 20", per col. (max.capacity 6,6 tons / 14,500 lbs per col.) ONLY FOR RETRACTABLE WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS.	\$1,384
34200930	Reducer plate with lock (right side) for fork extension, for ST1075 & ST1085 (L = 500 mm / 20"), cap. 5.5 tons / 12,000 lbs. ONLY FOR FIXED FORKS	\$533
34200935	Reducer plate with lock (left side) for fork extension, for ST1075 & ST1085 (L = 500 mm), cap. 5.5 tons / 12,000 lbs. ONLY FOR FIXED FORKS	\$533

**ACCESSORIES AND OPTIONS FOR MOBILE LIFTS**

<b>Model Number</b>	<b>Description</b>	<b>List Price</b>
32700920	Reducer plate with lock (right side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$361
32700925	Reducer plate with lock (left side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$361
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$361
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$361
34200930	Reducer plate with lock (right side) for fork extension ST1060, ST1075 (L=500 mm/20"), cap. 4.0 tons/8,800 lbs	\$454
34200935	Reducer plate with lock (left side) for fork extension ST1060, ST1075 (L=500 mm/20"), cap. 4.0 tons/8,800 lbs	\$454
34400930	Reducer plate with lock (right side) for fork extension ST1073, ST1082 & ST1100 (L=500 mm/20"), cap. 5.5 tons/12,000 lbs	\$513
34400935	Reducer plate with lock (left side) for fork extension ST1073, ST1082 & ST1100 (L=500 mm/20"), cap. 5.5 tons/12,000 lbs	\$513
	<b>Warning: Longer reducer plates may only be used in combination with arm extensions! See attached label on longer</b>	
32790205	Reducer Sleeve for ST1065 price each	\$459
32790210	Large Wheel Adapter ST1065 - capacity 15,000 lbs, can handle tires up to 85" diameter and 29.5" width, price each	\$1,747
32803100	Reducer Sleeve for ST 1175 price each	\$495

32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs,	\$4,015
32591500	Traverse beam with lifting supports, capacity 32,000 lbs.,	\$4,015
32591050	Low profile cross beam with supports - capacity 33,000 lbs,	\$4,131
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$5,796
32591100	Low profile cross beam - capacity 18,800 lbs,	\$4,131
32593000	4-wheel forklift adapter kit (10 pieces)	\$5,912
32593100	3-wheel forklift adapter kit (12 pieces)	\$7,367
32593030	Lifting piece for forklift kit (2 required per kit), price each	\$731
WEB 36-120ST	Wheel Engaging Beam / Snow Plow Adapter, capacity 36,000 lbs, 120" max width between columns (NOT )	\$5,298
18-9138A-04	LT-15-ST Fixed Fork Front/Rear Adapter	\$4,035
18-9138A-05	LT-15-ST Adjustable Fork Front/Rear Adapter	\$4,035
32559030	Lighting kit for ST1060, ST1065, ST1073, ST1075, ST 1082, ST1085 and ST1175 - 460V/575V (2 pcs), per column Lighting kit only suitable for Superior control	\$1,670
32559020	Lighting kit for ST 1060, ST1065, ST 1073, ST1075, ST1082, ST1085 and ST1175 - 208V/230V (2 pcs), per column Lighting kit only suitable for Superior control	\$1,670
32709130	Lighting kit ST1065, ST1075, ST1082, ST1085 and ST1175 -(2 pcs), per column Lighting kit only suitable for Wireless control	\$1,670
	Labor for installation of lighting kit per column	\$338
32739101	ID-Key for battery & wireless lifts	\$100

#### ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price
34007930	Remote Control for ST 1075 FCF and all Battery/Wireless/Earthlift models, <b>Not</b> UL Approved, 32' 10" cable	\$1,723
34007940	Remote Control for ST 1075 FCF and all Battery/Wireless/Earthlift models, UL Approved, 32' 10" cable	\$3,131
32557930	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, <b>Not</b> UL Approved, 32' 10" cable	\$1,723
32557940	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, UL Approved, 32' 10" cable	\$3,131
59000890	Pelican Adaptor	\$5,144
59001080	Automotive Adapter (Hummer), cap. 15,000 lbs, (2 pieces),	\$6,412
59001330	Automotive Adapter (Hummer) Extra wide fork application, cap. 15,000 lbs, (2 pieces)	\$6,855

#### SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", flat adapter	\$313
JS-M8	Capacity 18,000 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adjustment, weight 95 lbs	\$934
JS-M12	Capacity 26,500 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adjustment, weight 121 lbs	\$1,011
JS-H8	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80" & 53"-83" with fine adjustment, weight 130 lbs	\$1,109
JS-H12	Capacity 26,500 lbs, High, Foldable, 10 positions, Range 50"-80" & 53"-83" with fine adjustment, weight 176 lbs	\$1,449
39225980	Foldable stand storage bracket (one per stand) <b>JS-M8, JS-M12, JS-H8 &amp; JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard.</b>	\$132
JS-H8-DZ	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80", weight 130 lbs <b>JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.</b>  Options for the JS-H8-DZ:	\$887
39225960	Fine adjustment, adds 3" to minimum and maximum height range	\$127
39225940	U-shaped adapter	\$80
39225950	V-shaped adapter	\$80
SKCP 1220-10	10 tons, no handle or wheels; 12"-20"; with pin stop	\$296
SKCP 1830-10	10 tons, no handle or wheels; 18"-30"; with pin stop	\$352
SKCP 2644-10	10 tons, no handle or wheels; 26"-44";with pin stop	\$472
SKCP 5278-09	9 tons, spring loaded, wheels, pin stop, 1 head, 52"-78" NEW!! (Replaced SKCP 5278-08)	\$1,088
SKCV 1828-10	10 ton, no handle or wheels, 18"-28", fine adjustment	\$856
SKCVP 3658-18	18 tons, w/handle & wheels; spring loaded; pin stop w/36"-58" fine adjustment	\$1,436
SKCVP 5480-18	18 tons, w/handle & wheels; spring loaded; pin stop w/54"-80" fine adjustment	\$1,468
SKCVP 5484-20	30 tons, w/handle & wheels; spring loaded; pin stop w/54"-84" fine adjustment	\$5,480

SKMH 3658-12	12 tons, w/handle & wheels; spring loaded, pin stop w/36"-58" fine adjustment; 2 heads	\$1,436
SKMH 5480-12	12 tons, w/handle & wheels; spring loaded, pin stop w/54"-80" fine adjustment; 2 heads	\$1,468
G-STD-0050	Each additional head, please specify head required	\$142
39200000	20 ton, 3-headed spring loaded support stand, height 51" - 75" (incl. 3 pick-up fittings, spring and fine adjustment)	\$3,634

### FREEDOM LIFT

Model Number	Description	List Price
<b>HYDRAULIC TWO POST LIFT, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH</b>		
35072000	SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms	\$25,683
35073000	SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic	\$26,583
35040000	SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms	\$36,286
35041000	SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$38,952
35042000	SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms	\$41,619
35050000	SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms	\$45,086
35051000	SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$47,752
35052000	SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms	\$50,419
35060000	SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms	\$48,724
35061000	SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$51,390
35062000	SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms	\$54,057

### ACCESSORIES AND OPTIONS FOR FREEDOM LIFT

Model Number	Description	List Price
<b>Options for ONLY SK 2.16:</b>		
35000304	Flat low rubber cap slip-in pick-up pad Ø128x26 mm (1pc.), only for SK 2.16	\$275
35000301	Threaded bush adapter to be able to use all models adapters, only for SK 2.16	\$275
30003100	Flat rubber cap threaded pick-up pad Ø124 mm (1pc.), only for SK 2.16	\$275
33003915	Set telescopic threaded pick-up points, height min. 145 mm max. 245 mm (2 pcs), only for SK 2.16	\$870
35099012	Set chemical anchors and shims, only for SK 2.16	\$335
<b>Options for SK 2.16 / SK 2.20 / SK 2.26 / SK 2.30</b>		
2 Post Single Phase	Single phase power, price per control box	\$785
35000903	LED lighting set -UL-approved-	\$2,400
OPVL31041	Installation kit cables underground for new ordered lift	\$1,264
OPVL08060	Second control box	\$2,198
OPVLRAL01	Extra price for 1 different colour	\$475
OPVLRAL01-2	Extra price for 2 different colors	\$875
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$275
39225988	Flat rubber cap pick-up pad Ø128x36 mm (1pc.)	\$325
4310.09.04.00	Flat steel pick-up pad (1 pc)	\$74
4310.09.06.00	U-shaped steel pick-up pad (1 pc)	\$91
4310.09.05.00	V-shaped steel pick-up pad (1 pc)	\$96
35000306	Support extension 1.5"	\$70
37003909	Support extension 3.5"	\$140
37003916	Support extension 6.3"	\$180
37003925	Support extension 10"	\$225
37003945	Prisma adapter for Sprinter/Crafter, rear side	\$148
37003955	Cone adapter for Sprinter/Crafter, front side	\$130
3500018	Magnetic tool tray 9.6" x 5.6"	\$55
35099014	Set chemical anchors and shims for SK 2.20 / SK 2.26 / SK 2.30 (for SK 2.16 see above)	\$635

### LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price
ST 4055	12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns	\$22,006
ST 4055-V	12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$22,766
ST 4055-L April 1, 2014	12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	5 \$23,781

ST 4055-LV	12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$24,542
ST 4070	16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$24,143
ST 4070-S	16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$24,143
ST 4070-SV	16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$25,134
ST 4070-V	16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$25,134
ST 4070-L	16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns	\$26,451
ST 4070-LV	16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns	\$27,441

### ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price
43509250	Fluorescent lighting set for ST 4055, 4070-S & 4070 (4 pcs) 24V - IP67	\$1,874
44509250	Fluorescent lighting set for ST 4055, 4070-S, 4070, 4070-L & 4070-LV (6 pcs) 24V - IP67	\$2,712
43554915	Hinged transition plates, 11.8" (2 pieces)	\$875
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$245
445.09.040	Standard drive on/off ramps, 28.7", (2 pieces)	\$885
OPVL09250	Second control box for ST 4055 and ST 4070	\$1,548
ST 40 Single Phase	Single phase power per control box	\$593

### HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price
ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$32,235
ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$34,566
ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$36,766
ST 4175-6	Four post 38,500lbs capacity, 20 ft runway	\$61,717
ST 4175-8	Four post 38,500lbs capacity, 26 ft runway	\$65,100
ST 4175-9	Four post 38,500lbs capacity, 30 ft runway	\$65,703
ST 4175-10	Four post 38,500lbs capacity, 33 ft runway	\$68,480
ST 4175-11.5	Four post 38,500lbs capacity, 38 ft runway	\$72,587
ST 4175-6+6	Eight post 77,000lbs capacity, 40 ft runway	\$123,436
ST 4175-6+8	Eight post 77,000lbs capacity, 46 ft runway	\$126,817
ST 4175-6+9	Eight post 77,000lbs capacity, 50 ft runway	\$127,421
ST 4175-8+8	Eight post 77,000lbs capacity, 52 ft runway	\$130,200
ST 4175-6+10	Eight post 77,000lbs capacity, 53 ft runway	\$130,200
ST 4175-8+9	Eight post 77,000lbs capacity, 56 ft runway	\$130,802
ST 4175-6+11.5	Eight post 77,000lbs capacity, 58 ft runway	\$134,304
ST 4175-8+10	Eight post 77,000lbs capacity, 59 ft runway	\$133,580
ST 4175-9+9	Eight post 77,000lbs capacity, 60 ft runway	\$131,406
ST 4175-9+10	Eight post 77,000lbs capacity, 63 ft runway	\$134,184
ST 4175-8+11.5	Eight post 77,000lbs capacity, 64 ft runway	\$137,686
ST 4175-10+10	Eight post 77,000lbs capacity, 66 ft runway	\$136,963
ST 4175-9+11.5	Eight post 77,000lbs capacity, 68 ft runway	\$138,291
ST 4175-10+11.5	Eight post 77,000lbs capacity, 71 ft runway	\$141,069
ST 4175-11.5+11.5	Eight post 77,000lbs capacity, 76 ft runway	\$145,175
41509040	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 3' 4"	\$10,859
41509030	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 4' 11"	\$13,261
ST 4250-6	Four post 54,000lbs capacity, 20 ft runway	\$93,651
ST 4250-8	Four post 54,000lbs capacity, 26 ft runway	\$99,605
ST 4250-9	Four post 54,000lbs capacity, 30 ft runway	\$102,588
ST 4250-10	Four post 54,000lbs capacity, 33 ft runway	\$105,947
ST 4250-11.5	Four post 54,000lbs capacity, 38 ft runway	\$110,995
ST 4250-6+6	Eight post 108,000lbs capacity, 40 ft runway	\$187,302
ST 4250-6+8	Eight post 108,000lbs capacity, 46 ft runway	\$193,257
ST 4250-6+9	Eight post 108,000lbs capacity, 50 ft runway	\$196,239
ST 4250-8+9	Eight post 108,000lbs capacity, 56 ft runway	\$202,195
ST 4250-9+9	Eight post 108,000lbs capacity, 60 ft runway	\$205,177
ST 4250-10+10	Eight post 108,000lbs capacity, 66 ft runway	\$211,892
ST 4250-10+11.5	Eight post 108,000lbs capacity, 71 ft runway	\$216,941
ST 4250-11.5+11.5	Eight post 108,000lbs capacity, 76 ft runway	\$221,989

42509030	Synchronization set needed to make any Eight Post version of ST 4250 above, brigde part 3' 4"	\$10,859
42519040	Synchronization set needed to make any Eight Post version of ST 4250 above, brigde part 4' 11"	\$13,261

**All lifts available in 208 to 460VAC, 3-phase, 575V or 1-phase (extra charge)**

**ACCESSORIES AND OPTIONS FOR 4-POST LIFTS**

<b>Model Number</b>	<b>Description</b>	<b>List Price</b>
<b>ST4120 Series</b>		
41209020	Hinged transition plates, length 16.1" (2 pcs)	\$1,526
OPVL15165	Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps	-\$1,570
41209030	Standard drive on/off ramps, length 38" (2 pcs); ST4120	\$2,648
41209100	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons ( <b>not</b> in combination with long drive-on/off ramps)	\$5,226
41209200	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons ( <b>only</b> in combination with long drive-on/off ramps)	\$5,809
41209010	Set long drive on/off ramps, length 63"	\$4,609
OPVL16165	Extended length access ramps, instead of standard ramps	\$1,142
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$245
ST 40 Single Phase	Single phase power per control box	\$593
41229050	LED lighting set, UL approved for ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set	\$3,294
41219050	LED lighting set, UL approved for ST4120, 21' platform, 6 LED fixtures, 1 power transformer and cable set	\$4,603
41209050	LED lighting set, UL approved for ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set	\$5,817
Air kit - See accessories for SKYLIFTS Anti skid, ALU diamond plate - See accessories for SKYLIFTS		
<b>ST4175 and ST4250 Series</b>		
41509010	Set standard drive on/off ramps ST4175, length 44" (2 pcs)	\$2,782
41509050	Extended length ramps ST4175, length 66" (2 pcs)	\$3,922
OPVL16170	Extended length ramps ST4175, length 66" (2 pcs), instead of standard ramps	\$472
41509060	Extended length ramps ST4175, length 92" (2 pcs)	\$6,763
OPVL16171	Extended length ramps ST4175, length 92" (2 pcs), instead of standard ramps	\$3,854
42509020	Hinged transition plates ST4175/ST4250, length 20" (2 pcs)	\$1,793
OPVL15170	Hinged transition plates ST4175/ST4250, instead of standard ramps	-\$669
42509010	Set standard drive on/off ramps ST4250, length 65" (2 pcs) for 33 and 38 foot runways	\$2,991
42519010	Set standard drive on/off ramps ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$2,886
42509050	Extended length ramps ST4250, length 104" (2 pcs) for 33 and 38 foot runways	\$3,646
OPVL16181	Extended length ramps ST4250, length 104" (2 pcs) for 33 and 38 foot runways, instead of standard ramps	\$587
42519050	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$3,538
OPVL16180	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$407
OPVL09170	Second control box for ST4175	\$3,561
OPVL09180	Second control box for ST4250	\$3,561
41599013	Set chemical anchors and shims for ST 4175	\$489
42599013	Set chemical anchors and shims for ST 4250	\$593
ST 40 Single Phase	Single phase power per control box	\$593
42539070	LED lighting set, UL approved for ST4175/4250, 20' platform, 6 LED fixtures, 1 power transformer and cable set	\$4,656
42519070	LED lighting set, UL approved for ST4175/4250, 26' platform, 8 LED fixtures, 1 power transformer and cable set	\$5,891
42529070	LED lighting set, UL approved for ST4175/4250, 30' platform, 8 LED fixtures, 1 power transformer and cable set	\$5,986
42509070	LED lighting set, UL approved for ST4175/4250, 33' platform, 10 LED fixtures, 1 power transformer and cable set	\$7,158
42549070	LED lighting set, UL approved for ST4175/4250, 38' platform, 12 LED fixtures, 1 power transformer and cable set	\$8,340
<b>Options for Wash bay version ST4250</b>		
59000832	Covers on top of columns to protect the potentiometer from dirt and moisture	\$1,309
59001138	Connecting cylinders directly to tank / breather cap (to stop dirt and moisture coming into cylindeer)	\$1,309
59001137	Watertight Cable glands at bottom of controlbox (glands on top will be sealed)	\$1,446
59001165	Special guidepiece with grease nipples (to stop rust on rolleraxle)	\$5,511
On request	Special coatings on platforms (3 layers: zinc primer, epoxy, polyurethane)	\$7,253
Air kit - See accessories for SKYLIFTS Anti skid, ALU diamond plate - See accessories for SKYLIFTS		

**HEAVY DUTY SKYLIFT**

<b>Model Number</b>	<b>Description</b>	<b>List Price</b>
---------------------	--------------------	-------------------

**Surface mounted version:**

*Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops.*

41322000	SKY 200 - 62,400 lbs, platform length 23'	\$98,015
41323000	SKY 200 - 62,400 lbs, platform length 26'	\$100,318
41324000	SKY 200 - 62,400 lbs, platform length 30'	\$102,914
41325000	SKY 200 - 62,400 lbs, platform length 33'	\$105,361
41326000	SKY 200 - 62,400 lbs, platform length 40'	\$112,245
41302000	SKY 250 - 78,000 lbs, platform length 23'	\$106,436
41303000	SKY 250 - 78,000 lbs, platform length 26'	\$108,110
41304000	SKY 250 - 78,000 lbs, platform length 30'	\$111,383
41305000	SKY 250 - 78,000 lbs, platform length 33'	\$113,020
41306000	SKY 250 - 78,000 lbs, platform length 40'	\$120,665
41307000	SKY 250 - 78,000 lbs, platform length 48'	\$129,547

**Flush mounted version:**

*Flush mounted version is equipped with 2 sets of hinged movable boards.*

41332000	SKY 200 - 62,400 lbs, platform length 23'	\$94,693
41333000	SKY 200 - 62,400 lbs, platform length 26'	\$97,191
41334000	SKY 200 - 62,400 lbs, platform length 30'	\$99,565
41335000	SKY 200 - 62,400 lbs, platform length 33'	\$102,064
41336000	SKY 200 - 62,400 lbs, platform length 40'	\$109,410
41312000	SKY 250 - 78,000 lbs, platform length 23'	\$102,697
41313000	SKY 250 - 78,000 lbs, platform length 26'	\$104,812
41314000	SKY 250 - 78,000 lbs, platform length 30'	\$108,060
41315000	SKY 250 - 78,000 lbs, platform length 33'	\$109,684
41316000	SKY 250 - 78,000 lbs, platform length 40'	\$117,304
41317000	SKY 250 - 78,000 lbs, platform length 48'	\$126,298
	<b>SKY 200 Buy America, additional price</b>	\$11,357
	<b>SKY 250 Buy America, additional price</b>	\$15,179

**ACCESSORIES AND OPTIONS FOR SKYLIFT**

Model Number	Description	List Price
41309010	LED lighting set, UL approved for SKYLIFT, 23' platform, 8 LED fixtures, 1 power transformer and cable set	\$6,148
41309015	LED lighting set, UL approved for SKYLIFT, 26' platform, 8 LED fixtures, 1 power transformer and cable set	\$6,246
41309020	LED lighting set, UL approved for SKYLIFT, 30' platform, 10 LED fixtures, 1 power transformer and cable set	\$7,458
41309025	LED lighting set, UL approved for SKYLIFT, 33' platform, 10 LED fixtures, 1 power transformer and cable set	\$7,524
41309030	LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set	\$8,791
41309035	LED lighting set, UL approved for SKYLIFT platform extension 19.2", 2 LED fixtures, 2 ALU mounting rails and cable set	\$1,447
42509020	Hinged transition plates, length 20" (2 pcs)	\$1,854
34007930	Remote control with 32' 10" cable	\$1,782
34007940	Remote control UL approved with 32' 10" cable	\$3,239
SKY575V	575 voltage power option when ordered from factory.	\$2,119
SKY WB-23	Wash bay model 23' (Galvanized runways and stainless steel control box)	\$21,659
SKY WB-26	Wash bay model 26' (Galvanized runways and stainless steel control box)	\$22,205
SKY WB-30	Wash bay model 30' (Galvanized runways and stainless steel control box)	\$22,751
SKY WB-33	Wash bay model 33' (Galvanized runways and stainless steel control box)	\$23,297
SKY WB-40	Wash bay model 40' (Galvanized runways and stainless steel control box)	\$24,608
SKY WB-48	Wash bay model 48' (Galvanized runways and stainless steel control box)	\$26,027
OPVL29185	2 speed lowering, not in combination with synchronisation set	\$2,091
41300950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$8,680
41300951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$10,571
41310950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$8,680
41310951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$10,571
41301952	Synchronization set for connected versions SKYLIFT F.M., without bridge part	\$1,945
41312950	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$14,901
41313950	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$18,251
41314950	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$21,601
41315950	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$24,951
41316950	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$31,651

41300448	Set multifunctional flexible approach ramps 77"	\$4,909
41300460	One piece middle section "C" length 19.75"	\$520
41300480	One piece middle section "C" length 10"	\$418
41300940	Platform Extension 4' (not for 48' version), (2 pcs)	\$5,304
41300980	Platform Extension 4' (not for 48' version), (2 pcs) with recess specially for wheel alignment without steel cover plates	\$6,202
41300995	Steel cover plates (2 pcs) to fit recess in platform extensions (41300980)	\$717
OPVLRAL07	Extra price for 1 different colour	\$1,493
OPVLRAL07-2	Extra price for 2 different colours	\$2,492
41300990	Set chemical anchors and shims for SKYLIFT	\$771
41300992	Set chemical anchors and shims for SKYLIFT, special for Seismic regions incl extra anchors	\$771
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose	\$122
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet	\$380
<b>Depending on the length of the platforms it is recommended to use more than one air installation kit.</b>		
66701106	Anti-skid aluminum diamond plate 23 3/5" x 49 1/5", 30' length platform lift requires a total of 14 plates, (Price per plate)	\$308
61001022	Cleaner/assembly set for anti-skid aluminum diamond plate	\$244

### ECO LIFTS

Model Number	Description	List Price
ECO 60-10	60,000 lbs capacity with 10 ft. (120") travel range	\$120,783
ECO 60-13	60,000 lbs capacity with 13 ft. (156") travel range	\$125,230
ECO 60-17	60,000 lbs capacity with 17 ft. (204") travel range	\$130,810
ECO 90-3	90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel front pit and 10 ft travel rear pit)	\$189,325
ECO 90-3 2F	90,000 lbs capacity, 2 fixed and 1 movable mechanism, (Price based on 10 ft travel for movable mechanism)	On demand
ECO 90-3 3F	90,000 lbs capacity, 3 fixed and 0 movable mechanism	On demand
EL13	Increase box length from 10 ft. to 13 ft (156") in travel range, price per box	\$4,504
EL17	Increase box length from 10 ft. to 17 ft (204") in travel range, price per box	\$10,058
RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA96 <b>Note: Incl. remote control, 35 ft cable, military style quick disconnect</b>	\$4,192
ECO 60-AWBP	Automatic Wheel Base Positioning ECO 60	\$6,988
ECO 90-AWBP	Automatic Wheel Base Positioning ECO 90	\$9,214
<b>Standard adapters being supplied with the lift :</b>		
A06122-00	Adapter 4" extension, price each (Standard supplied with lift : 2 with ECO 60 & 4 with ECO 90)	\$319
A08122-00	Adapter 6" extension, price each (Standard supplied with lift: 2 with ECO 60 & 2/4 with ECO 90)	\$325
A16122-00	Adapter cradle, price each (Standard supplied with lift: 2 with ECO 60 & 4 with ECO 90)	\$186
A21122-00	Adapter vertical axle 9 x 3.7", price each (Standard supplied with lift: 2 with ECO 60 & 2/4 with ECO 90)	\$354
A25122-00	Adapter low vertical 4 x 3.7", price each (Standard supplied with lift: 2 with ECO 60 & 4/2 with ECO 90)	\$335
A31122-00	Adapter flat top block 3 x 6", price each (Standard supplied with lift : 2 with ECO 60 & 4 with ECO 90)	\$318
<b>Optional adapters:</b>		
A09222-00R00	Adapter tall vertical 9x3.7", price each	\$357
A09222-00R01	Adapter tall vertical 9x3.7", price each	\$357
A09222-00R02	Adapter tall vertical 9x3.7", price each	\$357
A15252-00	Adapter wide 14 x 11.77", price each	\$687
A17122-00	Adapter 10" wide cradle, price each	\$490
A17132-00	Adapter flat accessory (use with A17122-00), price each	\$569
A17142-00	Adapter "H" accessory (use with A17122-00), price each	\$621
A18122-00	Adapter swivel cradle, price each	\$202
A19122-00	Adapter 10" wide cradle sideways, price each	\$495
A20122-00	Adapter swivel cradle, 6"x6", price each	\$496
A23122-00	Adapter vertical wider axle 9 x 7.7", price each	\$536
A24122-00	Adapter vertical wider axle 9 x 6.2", price each	\$473
A27122-00	Adapter Front Orion 5.5 x 3.7", price each	\$335
A28122-00	Adapter vertical low 6.2" wide, price each	\$429
A33122-00	Adapter vertical wider axle 9 x 7.7" SP pin, price each	\$544
A35122-00	Adapter slant top block, price each	\$387
A43122-00	Adapter crown top block, price each	\$322
A45110-00	Adapter Rear Transit, price each	\$429
ST110-00	Adapter Cart	\$1,708

AS100-00	Adapter Stand	\$1,543
----------	---------------	---------

### ECO LIFTS

Model Number	Description	List Price
<b>Standard Cover Plates included with lift:</b>		
Standard with lift: front extruded aluminum (hinged), front drop-in aluminum (2), rear drop-in aluminum (2), 23.5" extended rear cover plate (1), front box end section covers (2).		
<b>Optional Cover Plates for continuous pit:</b>		
C01120-00 - C01200-00	12" - 20" cover plate, price each	\$742
C01201-00 - C01290-00	20.25" - 29" cover plate, price each	\$969
C01291-00 - C01370-00	29.25" - 37" cover plate, price each	\$1,146
C01371-00 - C01450-00	37.25" - 45" cover plate, price each	\$1,352
CB322	Additional bridge bracket, price each	\$998
<b>Replacement drop-in aluminum diamond plate covers:</b>		
2004-14-222	Front cover, price each	\$777
0413-01-222	Rear cover, price each	\$871
<b>Replacement Extruded aluminum front cover (hinged), price each</b>		\$202
575 Voltage	Additional charge for 575V 3 phase, 13 amp., Price is per motor	\$1,723
ECO-EHP	External Hand Pump	\$635
<b>Shims (Must be ordered with the lift to ship with lift):</b>		
03112-01	FS1 0.063" thickness, price each	\$6.00
03112-02	FS2 0.125" thickness, price each	\$7.00
03112-03	FS4 0.250" thickness, price each	\$8.00
03112-04	FS8 0.500" thickness, price each	\$11.00
Hose	Add'l field installed hyd. hose over standard length provided (see ECO order form), price per linear ft. per hose	\$11.00
Pendant cable	Add'l cable length over standard length provided, sold in 5' increments(see ECO order form), price per 5'	\$30.00

### DIAMOND LIFTS

Model Number	Description	List Price
DIA 64-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes, liquid detection	\$118,998
DIA 64-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes, liquid detection	\$123,379
DIA 64-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes, liquid detection	\$128,877
DIA 96-3	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes, liquid detection <b>(Price based on 10 ft travel front and 10 ft travel rear)</b>	\$186,527
DIA 96-3 2F	96,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes, liquid detection	On demand
DIA 96-3 3F	96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes, liquid detection	On demand
DEL13	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$4,437
DEL17	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$9,909
RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA96 <b>Note: Including remote control, 35 ft cable, military style quick disconnect</b>	\$4,192
DIA 64-AWBP	Automatic Wheel Base Positioning DIA 64	\$6,885
DIA 96-AWBP	Automatic Wheel Base Positioning DIA 96	\$9,078

### JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price
The JB series is standard equipped with <b>two</b> cylinders. On request the JB series is also available with only <b>one</b> cylinder. The JB is standard equipped with <b>two</b> flat adapters and <b>two</b> 4" extensions.		
39614100	JB-70-2 air/hydraulic, capacity 15,400 lbs, without support arms, width 33.46"-45.28"	\$8,578
39614110	Set support arms for Omer-Vega 120 lower rail	\$1,142
39614120	Set support arms for Omer-Vega 120 upper rail	\$1,142
39617150	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35"	\$8,578
39617100	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28"	\$8,578
39617160	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$9,678
39617110	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$9,678
39617010	Set support arms for ST 4120	\$1,142
39615200	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35"	\$8,578
39615100	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28"	\$8,578
39615250	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$9,678
39615140	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$9,678
39615010	Set support arms for ST 4175	10 \$1,142

39615030	Set support arms for Omer-Vega 180 lower rail	\$1,142
39615035	Set support arms for Omer-Vega 180 upper rail	\$1,142
39615020	Set support arms for SKY 200 & 250	\$1,142
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250	\$1,142
39616150	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35"	\$9,572
39616100	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28"	\$9,572
39616160	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$10,672
39616110	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$10,672
39616010	Set support arms for ST 4250 20/26/30' platforms	\$1,142
39616020	Set support arms for ST 4250 33/38' platforms	\$1,142
39616035	Set support arms for Omer-Vega 240 lower rail	\$1,142
39616040	Set support arms for Omer-Vega 240 upper rail	\$1,142
39616030	Set support arms for SKY 250	\$1,142
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250	\$1,142
39618150	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35"	\$9,572
39618100	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28"	\$9,572
39618160	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$10,672
39618110	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$10,672
39616030	Set support arms for SKY 250	\$1,142
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250	\$1,142
39618035	Set support arms for Omer-Vega 340, 450, 520 lower rail	\$1,142
39618040	Set support arms for Omer-Vega 340, 450, 520 upper rail	\$1,142
<b>Options for JB-70-2 / JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:</b>		
39615180	Diff. beam for JB-70-2 - JB-200-2, for lifting both rams at one point	\$844
39615130	Crossbeam adapter, capacity 33,000 lbs, adjustable 4.9" - 29.5", total length 35.51", height 5.36"	\$1,960
39615135	T6 Custom Beam	\$4,361
58.693.52	Leaf Spring For Universal Jacking Beam	\$215
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$204
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$204
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$215
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$215
39991000	Trolley for JB-70-2 - JB-200-2	\$653
39615125	Wall bracket for storage of up to 4 adapters	\$193
39615120	Wall bracket for storage of up to 8 adapters	\$215
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams Air kit - See accessories for SKYLIFTS	\$792

#### AIR-HYDRAULIC PIT JACKS

Model Number	Description	List Price
39630250	PJ-100-1S, frame 23.23" - 35", single stroke, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$9,143
39630100	PJ-100-1W, frame 33.5" - 45.28", single stroke, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$9,143
39630300	PJ-150-1S, frame 23.23" - 35", single stroke, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$10,386
39630150	PJ-150-1W, frame 33.5" - 45.28", single stroke, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$10,386
39630350	PJ-200-1S, frame 23.23" - 35", single stroke, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$11,409
39630200	PJ-200-1W, frame 33.5" - 45.28", single stroke, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$11,409
39630450	PJ-100-2S, frame 23.23" - 35", double stroke, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$9,662
39630400	PJ-100-2W, frame 33.5" - 45.28", double stroke, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$9,662
39630550	PJ-150-2S, frame 23.23" - 35", double stroke, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$10,906
39630500	PJ-150-2W, frame 33.5" - 45.28", double stroke, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$10,906
39630650	PJ-200-2S, frame 23.23" - 35", double stroke, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$11,928
39630600	PJ-200-2W, frame 33.5" - 45.28", double stroke, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$11,928
<b>The support arms have to be ordered separately from the pit jack.</b>		
39630010	Set support arms for pit jacks (always fill out pit specification form and send with order)	\$1,142
39660100	FPJ-150 F, Floor moving air hydraulic pit jack, single arm, with telescopic and sideways movable cylinder, capacity 33,000 lbs, height 36' 2/8" - 86' 7/8", platform 33' 2/8" x 39' 4/8"	\$13,165
39660200	FPJ-150 U, Floor moving air hydraulic pit jack, single arm, with telescopic and sideways movable cylinder, capacity 33,000 lbs, height 36' 2/8" - 86' 7/8", platform 33' 2/8" x 42' 2/8"	\$13,767
<b>Options for air-hydraulic pit jacks:</b>		
39660210	Gearbox saddle, capacity 1 ton	\$1,785
39630120	Support bridge, capacity 44,000 lbs, usable in combination with various adapters	\$3,760
39630125	Crossbeam adapter, capacity 33,000 lbs, adjustable 4.92" - 29.53", only for single stroke versions	\$1,849
39630130	Crossbeam adapter, capacity 33,000 lbs, adjustable 4.92" - 29.53", only for double stroke versions	\$1,849
39630135	Crossbeam adapter, capacity 26,400 lbs, adjustable 28.54" - 48.23" with wheel, height 3.54", only for single stroke versions	\$4,365
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs, only for single stroke versions	\$2,688
39630145	Integrated safety stand, capacity 44,000 lbs, only for single stroke versions	\$1,242
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$204
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$204
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$215
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$215
39991000	Trolley for JB-70-2 - JB-200-2	\$653
39615125	Wall bracket for storage of up to 4 adapters	\$193

39615120	Wall bracket for storage of up to 8 adapters	\$215
----------	--	-------

HYDRAULIC TRANSMISSION JACK		
-----------------------------	--	--

Model Number	Description	List Price
TJ-3	Capacity 660 lbs, height 44.29" - 76.77"	\$1,049
TJ-6	Capacity 1,320 lbs, height 44.29" - 76.77"	\$1,205
TJ-10	Capacity 2,200 lbs, height 46.45" - 78.74"	\$1,529
TJ-12	Capacity 2,645 lbs, height 35.63" - 75.59"	\$4,154

**Options for hydraulic transmission jacks:**

9058800	Adjustable saddle 14.17" x 14.57", capacity 600 lbs	\$517
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs (only for TJ-10 & TJ-12)	\$3,152
9059500	Saddle for mounting springs, fuel tanks etc.	\$75
3601400	Rubber pad for saddle	\$75

WHEEL DOLLIES		
---------------	--	--

Model Number	Description	List Price
WDA-500	Hydraulic, capacity 1,100 lbs, for wheel diameter 10.63" - 51.18", height 4.17" - 28.23"	\$3,829
WDA-1500	Mechanical, capacity 3,300 lbs, for wheel diameter 45.27" - 56.69", height 6.3" - 29.53"	\$7,005
39650210	Flexible heavy duty crane arm, capacity 550 lbs, for WDA-500	\$461

JACK STANDS		
-------------	--	--

Model Number	Description	List Price
5000N	Capacity 11,000 lbs, 5 positions, height 15.35" - 23.62"	\$251
7500NL	Capacity 16,500 lbs, 3 positions, height 11.81" - 16.93"	\$417