

STATE OF OHIO  
DEPARTMENT OF ADMINISTRATIVE SERVICES  
GENERAL SERVICES DIVISION  
OFFICE OF PROCUREMENT SERVICES  
4200 SURFACE ROAD, COLUMBUS, OH 43228-1395

MANDATORY USE CONTRACT FOR: UNIFORMS FOR STATE FIRE MARSHAL AND INSPECTORS

CONTRACT No.: OT900812

EFFECTIVE DATES: 08/15/11 to 06/30/14

The Department of Administrative Services has accepted bids submitted in response to Invitation to Bid No. OT900812 that opened on 06/08/11. The evaluation of the bid response(s) has been completed. The bidder(s) listed herein have been determined to be the lowest responsive and responsible bidder(s) and have been awarded a contract for the items(s) listed. The respective bid response, including the Terms and Conditions for Bidding, Standard Contract Terms and Conditions, and Supplemental Contract Terms and Conditions, special contract terms & conditions, any bid addenda, specifications, pricing schedules and any attachments incorporated by reference and accepted by DAS become a part of this Requirements Contract.

This Requirements Contract is effective beginning and ending on the dates noted above unless, prior to the expiration date, the Contract is renewed, terminated or cancelled in accordance with the Contract Terms and Conditions.

This Requirements Contract is available to OHIO DEPARTMENT OF COMMERCE, STATE FIRE MARSHAL, BUSINESS UNIT 21, 6606 TUSSING ROAD, REYNOLDSBURG, OH 43068, as applicable.

Agencies are eligible to make purchases of the listed supplies and/or services in any amount and at any time as determined by the agency. The State makes no representation or guarantee that agencies will purchase the volume of supplies and/or services as advertised in the Invitation to Bid.

SPECIAL NOTE: State agencies may make purchases under this Requirements Contract up to \$2500.00 using the state of Ohio payment card. Any purchase that exceeds \$2500.00 will be made using the official state of Ohio purchase order (ADM-0523). Any non-state agency, institution of higher education or Cooperative Purchasing member will use forms applicable to their respective agency.

Questions regarding this and/or the Requirements Contract may be directed to:

Walter Schneider, CPPB  
walter.schneider@das.state.oh.us

This Requirements Contract and any Amendments thereto are available from the DAS Web site at the following address:

<http://www.ohio.gov/procure>

Signed: \_\_\_\_\_  
Robert Blair, Director Date

TABLE OF CONTENTS

<u>CLAUSES</u>	<u>PAGE NO.</u>
Amendments to Contract Terms and Conditions	3
Brand Name or Equal Specifications	6
Categorization of Items	6
Contract Award	3
Delivery And Acceptance	3
EDGE Certification	4
Evaluation	3
Fixed-Price With Economic Adjustment	3
Minimum Orders	3
Sweatshop Free	4
Usage Reports	
Specifications	7 - 22
Contract Prices	23 – 27
Contractor Index	28
Summary of Amendments	29

**AMENDMENTS TO CONTRACT TERMS AND CONDITIONS:** The following Amendments to the Contract Terms and Conditions do hereby become a part hereof. In the event that an amendment conflicts with the Contract Terms and Conditions, the Amendment will prevail.

**DELIVERY AND ACCEPTANCE:** Supplies will be delivered to the participating agency within thirty (30) days after receipt of order and, in accordance with paragraphs S-8, S-9, and S-10 of the SUPPLEMENTAL CONTRACT TERMS AND CONDITIONS. The delivery location will be noted on the purchase order issued by the participating agency. Acceptance (transfer of title) will occur upon the inspection and written confirmation by the ordering agency that the supplies delivered conform to the requirements set forth in the Contract. Unless otherwise provided in the Contract, acceptance shall be conclusive except as regards to latent defects, fraud, or such gross mistakes as amount to fraud.

**EVALUATION:** Bids will be evaluated in accordance with Article I-17 of the "Instructions to Bidders". In addition, the state will multiply the bid unit price per item times the estimated annual usage per item and sum the totals for all items in each category to arrive at the lowest overall cost by category. Failure to bid all items in a category may result in the bidder being deemed not responsive for that category.

**CONTRACT AWARD:** The contract will be awarded to the lowest responsive and responsible bidder by category total.

**MINIMUM ORDER:** See Article S-10, Minimum Orders – Transportation Charges of the Supplemental Contract Terms and Conditions. The minimum dollar value of any order placed against a contract awarded pursuant to this bid for delivery F.O.B. destination, transportation charges prepaid at any one time to one destination, shall not be less than two hundred (\$200.00) dollars. In accordance with Article S-10, Minimum Orders – Transportation Charges of the Supplemental Contract Terms and Conditions, orders less than the minimum order amount specified will be shipped F.O.B. destination Prepaid with actual freight charges added to the invoice.

**FIXED-PRICE WITH ECONOMIC ADJUSTMENT:** The contract prices(s) will remain firm for the first six (6) months duration of the contract. Thereafter, the Contractor may submit a request to increase their price(s) to be effective thirty (30) calendar days after acceptance by DAS. No price adjustment will be permitted prior to the effective date of the increase received by the Contractor from his suppliers, or on purchase orders that are already being processed, or on purchase orders that have been filled and are awaiting shipment. If the Contractor receives orders requiring quarterly delivery, the increase will apply to all deliveries made after the effective date of the price increase.

The price increase must be supported by a general price increase in the cost of the finished supplies, due to increases in the cost of raw materials, labor, freight, Workers' Compensation and/or Unemployment Insurance, etc. Detailed documentation, to include a comparison list of the contract items and proposed price increases, must be submitted to support the requested increase. Supportive documentation should include, but is not limited to: copies of the old and the current price lists or similar documents which indicate the original base cost of the product to the Contractor and the corresponding increase, and/or copies of correspondence sent by the Contractor's supplier on the supplier's letterhead, which contain the above price information and explains the source of the increase in such areas as raw materials, freight, fuel or labor, etc.

Should there be a decrease in the cost of the finished product due to a general decline in the market or some other factor, the Contractor is responsible to notify DAS immediately. The price decrease adjustment will be incorporated into the contract and will be effective on all purchase orders issued after the effective date of the decrease. If the price decrease is a temporary decrease, such should be noted on the invoice. In the event that the temporary decrease is revoked, the contract pricing will be returned to the pricing in effect prior to the temporary decrease. For quarterly deliveries, any decrease will be applied to deliveries made after the effective date of the decrease. Failure to comply with this provision will be considered as a default and will be subject to the provisions of Article 6, "Contract Terms and Conditions".

**SPECIAL CHARGES:** There are to be no assessments, up-charges, single item charge, surcharge, re-stocking fee, minimum order charge nor will any additional charges be allowed that are not specifically mentioned under the provisions of the standard terms and conditions of this bid and any ensuing contract awarded pursuant to this bid.

**STIPULATED WEIGHTS AND BLENDS:** Where a weight is referenced, whether on a per square or linear yard of material or per piece or package of an item basis, the weight shall be considered the minimum acceptable weight. With the exception of 100%, where blends of material are referenced, such as "50/50 Polyester/Cotton" or "88/12 Nylon/Lycra" such blend shall be a reference point. Minor variations from the stated blend will be considered. [A minor variation will generally be within +/- 5% of the stated blend.] If multiple or single blends are referenced for a product, these shall constitute the minimum and maximum acceptable range, with no variation above or below the range.

**USAGE REPORTS:** Every six (6) months, the contractor must submit a report (written or on disk or via email in Excel format) indicating sales generated by this contract. The report shall list usage by customer, by line item, showing the quantities/dollars generated by this contract. The report must be submitted thirty (30) days following the completion of the reporting period. The report shall be forwarded to the Office of State Purchasing, 4200 Surface Road, Columbus, OH 43228-1395, Attn: COM010 Contract Administrator.

Bid Automobile Liability Checklist:

Contractor will indicate, by checking the appropriate box (es) below, which mode of transportation will apply to this contract.

- Bidder/Broker ("The Contractor") or their Sub Contractor will make delivery or be performing services using a vehicle that is owned, leased or rented. Provide Certificate of Insurance documenting automobile liability with a Combined Single Limit of \$500,000.00.
- Goods/Services will be delivered via common carrier.
- No employee or representative of the contractor will have cause to be on state property to make deliveries or to perform services.

DISCLOSURE OF SUBCONTRACTORS / JOINT VENTURES (See Standard Contract Terms and Conditions, Section (roman numeral) V. General Provisions:, Paragraph Q.):

List names of subcontractors who will be performing work under the Contract.

_____	_____
_____	_____
_____	_____

By the signature affixed to Page 1 of this Bid, Bidder hereby certifies that the above information is true and accurate. The Bidder agrees that no changes will be made to this list of subcontractors or locations where work will be performed or data will be stored without prior written approval of DAS. Any attempt by the Bidder/Contractor to change or otherwise alter subcontractors or locations where work will be performed or locations where data will be stored, without prior written approval of DAS, will be deemed as a default. If a default should occur, DAS will seek all legal remedies as set forth in the Terms and Conditions which may include immediate cancellation of the Contract. Failure to complete this page may deem your bid not responsive.

**SWEATSHOP FREE:** By the signature affixed to this ITB, Bidder certifies that all facilities used for the production of the supplies or performance of services offered in the bid are in compliance with applicable domestic labor, employment, health and safety, environmental and building laws. This certification applies to any and all suppliers and/or subcontractors used by the Bidder in furnishing the supplies or services described in the bid and awarded to the Bidder. If DAS receives a complaint alleging non-compliance with sweatshop free requirements, DAS may enlist the services of an independent monitor to investigate allegations of such non-compliance on the part of the Contractor, any sub-contractors or suppliers used by the Contractor in performance of the Contract. If allegations are proven to be accurate, the Contractor will be advised by DAS of the next course of action to resolve the complaint and the Contractor will be responsible for any costs associated with the investigation. Items that will be considered in an investigation include, but are not limited to standards for wages, occupational safety and work hours.

DISCLOSURE OF FULFILLMENT HOUSES:

Fulfillment Houses are defined as follows: A third party that performs outsourced storage, order picking, packing, shipment and/or tracking activities for the Contractor. Bidders seeking to enter into a materials contract shall disclose the following: (use additional sheets if necessary)

If awarded a contract under this Invitation To Bid, do you intend to use Fulfillment Houses as defined above to fulfill your obligations under any ensuing contract? Yes:[] No: []

If you answered yes above, complete the following information.

a) Principal location of business for the contractor (Name/City/State/Country)

---

b) Principal location of all Fulfillment Houses (Name/City/State/Country)

---

---

c) Location where inventory to support the Contract will be maintained (Name/City/State/Country)

---

---

d) Has this Fulfillment House ever been asked to withdraw from a contract with the state of Ohio, either as a Fulfillment House or as a direct contractor to the State? Yes [] No []

e) Has this Fulfillment House ever been asked to withdraw from a contract with another state or government body?  
Yes [] No []

The state of Ohio neither approves nor disapproves of any Fulfillment House. The State reserves the right to authorize or fail to authorize the use of any Fulfillment House. Prior removal from a contract or contracts may be cause for disqualification.

By the signature affixed to Page 1 of this Bid, Bidder hereby certifies that the above information is complete, correct, true and accurate. The Bidder agrees that no changes will be made to this list of fulfillment houses without amendment to the contract issued subsequent to the analysis of bids. Any attempt by the Bidder/Contractor to change or otherwise alter Fulfillment House locations where services will be performed without prior amendment to the contract, will be deemed as a default. If a default should occur, DAS will seek all legal remedies as set forth in the Terms and Conditions which may include immediate cancellation of the Contract. Failure to complete this page may deem your bid not responsive.

GENERAL REQUIREMENTS

I. SCOPE

These specifications cover the purchase of selected uniform apparel and accessories for State of Ohio Department of Commerce State Fire Marshal

II. REQUIREMENTS

- A. Where applicable, instructions on measurements and/or applicable sizing charts should accompany this bid. If not submitted with the bid, Bidder(s) will have seven (7) calendar days after notification to provide same. Failure to provide instructions on measurements and/or applicable sizing charts as requested may result in the bidder being deemed not responsive.
- B. Bidders must specify if they are using standard or metric system measurements in their measurement and/or sizing charts.

- C. Each item shall be packaged and marked for the individual or ordering agency as specified.
- D. Where applicable all garments shall be designed to withstand institutional laundering.
- E. All items shall be stamped or labeled, including care instructions where applicable, indicating size, product origin or country of manufacture and other information pertinent to labeling laws.
- F. Where applicable all items shall have loose threads removed and be pressed, shaped finished and packaged properly in accordance with industry standards.
- G. All materials shall be first quality, new, unused and without flaws or defects which adversely affect appearance, durability or function.
- H. Any items found to be defective, improperly sized, or not in accordance with specifications, although accepted through oversight or otherwise, shall be replaced, repaired or altered at the expense of the vendor, including all transportation costs.
- I. Any order placed pursuant to this contract the delivery of such which contains items which do not conform with these item specifications, which is received through oversight or otherwise, may be rejected at any time. Any part of the order found not in compliance with specifications due to the fault of the contractor shall be altered or replaced by the contractor at his/her expense, including all transportation costs.
- J. Where applicable, emblems supplied by the agency(s) shall be sewn on as specified at no charge.
- K. Awarded contractor shall provide measurement and alteration services as required by the agency for Category I, Items 6, 7 and 8 (Men's and Women's Dress Trouser and Dress Blouse Coat) at no additional charge to agency. Measurement services shall be provided at a location specified by the agency. The agency shall provide a minimum of 14 days notice for measurement services.

### III. CATEGORIZATION OF ITEMS

#### Category I. State Fire Marshal Primary Uniform Items

- Item 1. 100% Cotton Pique Professional Polo Short Sleeve – Black
- Item 2. Tactical Pant, Men's – Khaki
- Item 3. Tactical Pant, Women's – Khaki
- Item 4. Five-In-One Jacket
- Item 5. Full Grain Leather Belt
- Item 6. Men's Dress Trouser
- Item 7. Women's Dress Trouser
- Item 8. Dress Blouse Coat
- Item 9. Uniform Tie
- Item 10. Men's Short Sleeve Dress Shirt – White
- Item 11. Women's Short Sleeve Dress Shirt – White
- Item 12. Men's Long Sleeve Dress Shirt – White
- Item 13. Women's Long Sleeve Dress Shirt - White

#### Category II. State Fire Marshal Other Uniform Items

- Item 1. Men's Long Sleeve Twill 100% Cotton Button Down Collar Shirt - Black
- Item 2. Women's Long Sleeve Twill 100% Cotton Button Down Collar Shirt - Black
- Item 3. Men's Long Sleeve Twill 65/35 (60/40) Poly/Cotton Button Down Collar Shirt – Black \*
- Item 4. Women's Long Sleeve Twill 65/35 (60/40) Poly/Cotton Button Down Collar Shirt – Black \*
- Item 5. 100% Cotton Twill Coverall – Black and/or Navy

\*DAS and the Using Agency agreed to accept an exception to the specification in accordance with the STIPULATED WEIGHTS AND BLENDS clause of this contract to accept a 60/40 Poly/Cotton fabric blend in lieu of 65/35 for these items.

SPECIFICATIONS

IV. BRAND NAME OR EQUAL SPECIFICATIONS: In this bid, brand names are included as a “brand name or equal specification”, in accordance with paragraph I-32 of the INSTRUCTIONS, TERMS AND CONDITIONS FOR BIDDING.

Category I. State Fire Marshal Primary Uniform Items

Category I. Item 1. Professional Polo Shirt, Short Sleeve - Equal to 5.11 Tactical Professional Polo item/style 41060

Fabric Type:

100% Cotton Pique 6.8 Oz Sq. Yd.

Features:

Wrinkle and Fade Resistant  
Specially Treated to Prevent Shrinkage  
No Roll Collar with Flexible Collar Stays

Design:

3 Button Placket  
Hidden Pencil Pocket  
Flat Knit Collar – Prevents Curling  
Short Sleeve

Stitching and Finishing:

Treated for Wrinkle Resistant, Oil and Water Repellancy  
¼” Topstitch Single Needle on the Cuff Band  
2 Needle Cover Stitch on Bottom Hem  
Single Needle Topstitch, Edge Stitch

Labels:

Contains Size, Country of Origin, Fiber Content, Permanently Attached To Garment

Buttons:

Melamine

Sizes:

Regular Sizes: Extra Small, Small, Medium, Large, Extra Large, 2XL, 3XL \*  
Tall Sizes: \*

Color:

Black

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

- \* Effective 01/28/13 The 5.11 Tactical Professional Polo Shirt – Short Sleeve in Regular Sizes 4XL and 5XL and all Tall Sizes - Color: Black, is no longer available for purchase from the manufacturer and is hereby removed from this contract. Hereafter the Ohio Department of Commerce, State Fire Marshal’s Office will use their delegated purchase authority under ORC 125.05 to procure these items.

SPECIFICATIONS (CONT'D)

Category I. Item 2. Tactical Pants, Men's - Equal to 5.11 Tactical Pant Style 74251

Fabric:

100% Cotton Canvas, 8.5 Oz Sq Yd  
Pocketing 80 / 20 Polyester / Cotton Tightly Woven Poplin

Design:

Self adjusting action waist with elastic sides  
7 Belt Loops and D-Ring  
2 Deep Front Slash Pockets  
2 Cargo Pockets with Flaps and Velcro (hook & loop) Closure Each Located on Pant Legs Across Side Seam  
2 Large Open-Top Rear Pockets with Velcro (hook & loop) Closure  
1 Cell Phone/Knife Pocket with Velcro Closed Flap on Left Between Slash and Cargo Pocket  
Double Knee Fabric with Inserts for Removable Neoprene Knee Pads (Knee Pads Not Included)  
Double and Triple Stitch Construction  
Double Seat Fabric  
Bottom Leg Hems w/Openings for Draw Cords  
Bar Tacks at all Stress Points

Closures:

Fly Zipper – Metallic YKK with Auto-Lock Slider  
Waist Snap – Metallic  
Inside Fly Button – Cross Tacked

Color:

Khaki

Sizes:

Waist 28 – 44 Hemmed, Specify Even 30" – 36"  
Waist 46 – 54 Hemmed by Contractor as specified by agency at order placement

Category I. Item 3. Tactical Pants, Women's - Equal to 5.11 Tactical Pant, Style 64358

Fabric:

100% Cotton Canvas, 8.5 Oz Sq Yd  
Pocketing 80 / 20 Polyester / Cotton Tightly Woven Poplin

Design:

Self adjusting action waist with elastic sides  
Wide Belt Loops and D-Ring  
2 Deep Front Slash Pockets  
2 Cargo Pockets with Flaps and Velcro (hook & loop) Closure Each Located on Pant Legs Across Side Seam  
2 Large Open-Top Rear Pockets with Velcro (hook & loop) Closure  
1 Cell Phone/Knife Pocket with Velcro Closed Flap on Left Between Slash and Cargo Pocket  
Double Knee Fabric with Inserts for Removable Neoprene Knee Pads (Knee Pads Not Included)  
Double and Triple Stitch Construction  
Double Seat Fabric  
Bar Tacks at all Stress Points

Closures:

Fly Zipper – Metallic YKK with Auto-Lock Slider  
Waist Snap – Metallic

Color:

Khaki

Sizes:

Women's Sizes 2 – 20, Regular and Long Length

SPECIFICATIONS (CONT'D)

Category I. Item 4. Five-in-One Jacket - Equal to 5.11 Tactical Five-In-One Jacket Style 48017

Fabric:

Outer Jacket: 100% Nylon Shell  
Inner Fleece Jacket: Shell is 100% Polyester Fleece  
100% Polyester Taffeta Lining

Features:

Waterproof  
Breathable  
Elastic Wrists with Velcro (hook & loop) adjustors  
Removable Sleeves on Inner Fleece Jacket  
Removable ID Panels on Chest and Back  
Detachable Hood  
Elasticized Waist  
Side Ventilation Zippers  
Closures Made to Seal Out Water and Rain  
Includes ANSI/ISEA 2007-2006 Category II High-Vis Traffic Vest  
Eleven (11) Outer Pockets, Includes Hand Warmer Pockets  
Fully Seam Sealed Shell  
Mic Clips

Closures:

YKK Zippers  
PRYM Snap – Plastic Cap Snap

Labeling:

Labeled with Size, Care, Country of Origin, Fiber Content

Sizes:

XS – 4XL

Color:

Black

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge. In addition for The State Fire Marshal, Chief Deputy State Fire Marshal and all employees of the Fire and Explosion Investigations Bureau of the State Fire Marshal's office the black pull-out panel on the back of the Five-In-One Jacket shall be screen printed or embroidered with a 1 inch gold, sans serif, block in all capital letters, "SFM" centered on the top line and 3 inch gold, sans serif, block, all capital letters, "POLICE" centered on the second line beneath "SFM". This will be specified at the time of purchase.

SPECIFICATIONS (CONT'D)

Category I. Item 5. Full Grain Leather Belt – Equal to 5.11 Tactical Casual Belt item 59501

Style:

First Quality Full Grain Leather  
1 ½" Wide  
Nickle Plated Buckle Fastener  
Permastiff Insert for holding sidearm  
Hidden Cuff-Key Keeper on the Back Inside of Belt  
Reinforced Stitching  
Color: Black  
Size: SM, M, L, XL, 2XL, 3XL

Category I. Item 6. Dress Trousers, Men's Equal to Fechheimer Flying Cross Style # 38802

Style:

Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching.

Fabric:

100% Polyester, 11.0 Oz per Linear Yard, Serge Weave, Color: LAPD Navy

Lining:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

Waistband:

The waistband shall be constructed using the "closed method" and shall measure a minimum of 1-7/8" wide when finished. The waistband curtain shall finish a minimum 2-1/8" wide and is to be made of the same fabric and color as the pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must contain Tru-Grip, a ½" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½" rubberized surface area is positioned 1-¼" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch  
Warp: 300 Denier Texturized Polyester  
Filling: 300 Denier Texturized Polyester  
Rubber: 55 Gauge  
Count: 32-36 yarns per inch  
Contents: 59% Polyester/41% Rubber

SPECIFICATIONS (CONT'D)

Waistband (Continued):

The waistband must contain 3/4-inch Ban-Rol to prevent roll over at the trouser front. The waistband closure shall be accomplished with a single crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with 7/8-inch non-woven stay tape that is anchored with topstitching through and through to the top of the waistband (bar tacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam through the waistband curtain for added strength. The back center seam of the trouser is to be finished to allow for alterations (with ample basic fabric and waistband curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be in proportion to waist outlet so seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum strength.

Belt Loops:

There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

Pockets:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bar tacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facings to be made of the basic trouser fabric and shall be a minimum of 1". Front pocket barrier shall also be made of the basic trouser fabric and to measure a minimum of 2" (measured to the inside edge of pocket lining).

Fly:

Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bar tack at the bottom of the fly going through the zipper tape for maximum strength. Bar tack shall line up with starting point of "J" stitch.

Seat:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

Stitching, Pressing and finishing:

Trouser must be stitched with matching thread. Trouser must be neatly pressed and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.

Color:

LAPD Navy

Stock Sizes:

Trouser must be available from stock in the following sizes:

Short Rise:	28 - 40 (Even Only) – Hemmed as specified at time of purchase or measurement
Regular Rise:	28 - 60 (Even Only Over 38) – Hemmed as specified at time of purchase or measurement
Long Rise:	32 - 42 (Even Only) – Hemmed as specified at time of purchase or measurement

Labeling:

Trouser must be labeled providing care instructions and waist size, fabric content, origin or country of manufacture and WPL or RN.

SPECIFICATIONS (CONT'D)

Category I. Item 7. Dress Trousers, Women's - Equal to Fechheimer Flying Cross Style # 38233

Style:

Garment shall be manufactured from an up-to-date women's pattern for comfort and easier sizing. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching.

Fabric:

100% Polyester, 11.0 Oz per Linear Yard, Serge Weave, Color: LAPD Navy

Lining:

The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

Waistband:

The waistband shall be constructed using the "closed method" and shall measure a minimum of 1-7/8" wide when finished. The waistband curtain shall finish a minimum 2-1/8" wide and is to be made of the same fabric and color as the pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must contain Tru-Grip, a 1/2" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)

The waistband curtain is composed of a wet laid non woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The 1/2" rubberized surface area is positioned 1-1/4" up from the bottom of the curtain.

The specifications for the rubberized Tru-Grip curtain are as follows:

Width: 1-1/8-inch  
Warp: 300 Denier Texturized Polyester  
Filling: 300 Denier Texturized Polyester  
Rubber: 55 Gauge  
Count: 32-36 yarns per inch  
Contents: 59% Polyester/41% Rubber

The waistband must contain 3/4-inch Ban-Rol to prevent roll over at the trouser front. The waistband closure shall be accomplished with a single crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with 7/8-inch non-woven stay tape that is anchored with topstitching through and through to the top of the waistband (bar tacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam through the waistband curtain for added strength. The back center seam of the trouser is to be finished to allow for alterations (with ample basic fabric and waistband curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be in proportion to waist outlet so seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum strength.

Belt Loops:

There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocop machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.

SPECIFICATIONS (CONT'D)

Pockets:

The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 4-1/2" measured from the bottom of the opening. Front pockets to have firm straight bar tack at bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facings to be made of the basic trouser fabric and shall be a minimum of 1". Front pocket barrier shall also be made of the basic trouser fabric and to measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bar tack to bar tack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight firm bar tacks for reinforcement (use of triangular bar tacks shall be cause for rejection). Hip pocket facing to be made of basic trouser fabric and shall be a minimum of 3/4" and the barrier shall also be made of the basic trouser fabric and to be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic trouser fabric inserted into the top welt with bar tacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

Fly:

Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bar tack at the bottom of the fly going through the zipper tape for maximum strength. Barrack shall line up with starting point of "J" stitch.

Seat:

Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.

Stitching, Pressing and Finishing:

Trouser must be stitched with matching thread. Trouser must be neatly pressed and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.

Color:

LAPD Navy

Stock Sizes::

Trouser must be available from stock in the following sizes:

Women's	4-26 – Hemmed as specified at time of purchase or measurement
Women's Short	4-18 – Hemmed as specified at time of purchase or measurement

Labeling:

Trouser must be labeled providing care instructions and waist size, fabric content, origin or country of manufacture and may contain WPL or RN.

SPECIFICATIONS (CONT'D)

Category I. Item 8. Dress Blouse Coat - Equal to Fechheimer Flying Cross Style # 38804

Style / Basic Design:

Six (6) button, double breasted, three (3) to button, straight front, semi-form fitting, with peaked lapels.

Fabric:

Texturized Woven 100% Dacron Polyester  
Weave: 2x2 Serge  
Weight: 11.0 Oz per Linear Yard.  
Color: LAPD Navy Blue

Buttons:

Six (6) 36 Ligne Gilt "FD" buttons sewn on front.

Collar:

Shall not be over 1 7/8" wide in back when finished. Under collar to be closely padded with under collar cloth.

Edges and Seams:

Edges to be single stitched 3/16". Plain seams, pressed open.

Pockets:

Two (2) lower dummy flaps, no pockets. One (1) inside breast pocket on right side.

Pocketing:

Inside pocket to be of Polyester blend. Color: Black.

Lining:

Coat is to be fully lined with black Poly-T or other suitable lining.

Badge Tab:

Separate loop badge tab made of cloth about 2 1/4" long with two (2) stitched eyelets, about 1 1/8" apart, sewn to the outside left breast of the coat.

Sweat Shields:

A sleeve sweat shield of the same cloth as in the body of the coat, piped with rayon to be securely set under each arm over the lining.

Buttonholes:

All buttonholes shall be made to a full 1/2" from the edges of the seam. The ends of all buttonholes shall be bartacked. All buttonholes to be "cut after" machine made buttonholes. All thread used in making buttonholes shall be black silk, tailor's button twist, colorfast and guaranteed against fading.

Outlets:

All body seams to have outlets of not less than 1". Turn up at sleeve cuffs to be no less than 2 1/2".

Sizes:

Men's Sizes Only  
Short 36 – 50 (Even Sizes Only)  
Reg 36 – 60 (Even Sizes Only)  
Long 38 – 56 (Even Sizes Only)

Labeling:

Must have care label permanently affixed; must also have size label showing fabric/fiber content, country of origin or manufacture and may contain WPL or RN.

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge. Additionally contractor shall provide embroidered Gold Years of Service stars on wearer's left sleeve and gold color embroidered stripes for rank on each sleeve and one red stripe above all other stripes for all State Fire Marshal personnel and two red stripes above all other stripes for State Fire Marshal. Detailed instructions shall be specified and provided by the agency at time of order.

SPECIFICATIONS (CONT'D)

Category I. Item 9. Uniform Tie

Style:

First Quality – 100% Polyester Poplin  
3 1/4" Width  
Available in 57" and 60" Lengths

Care Instructions:

Dry Clean Only

Color:

Black

Category I. Item 10. Dress Shirt, Short Sleeve – Men's - Equal to Elbeco TexTrop Style #310

Style:

Shirts shall be cut on a form-fitting line with permanent sewn-in military creases. All thread shall match the shirt fabric.

Fabric:

Fabric shall be 100% texturized polyester; 5.0 oz. square yard tropical weave with mechanical stretch. Fabric shall be soil resistant, easy care and wrinkle resistant, with excellent color retention.

Collar:

Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of top fuse lining. Collar stays shall be of good quality, 2-3/4" in length and 3/8" wide and be attached to the bottom collar. There shall be one horizontal buttonhole. The collar and inner yoke to be lined with matching 65% Dacron Polyester/35% Cotton.

Sleeves:

Shall be straight and whole with 1" hem and shall be graded in length so as to finish from the shoulder seam as follows:

<u>Shirt Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2, and 16	10"
16-1/2 and above	10-1/2"

Front:

The front shall have a facing 3" in width extending from neckline to the bottom of shirt provided by a turn under of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges. The center front shall contain six vertical buttonholes placed 3/4" from edge; first at neck, second 2-1/2" down, balance 3-1/2" apart.

Back:

The yoke shall be composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin.

Pockets:

Shall have two breast pockets with mitered corners to finish 5-5/8" wide and 6" long. The left breast pocket shall have a pencil compartment about 1-1/4" wide. Both pockets shall have 1-1/4" box stitching top and bottom to prevent spreading.

Pocket Flaps:

Shall have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps shall be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap shall have a pencil opening about 1-1/4" in width. Flaps shall be interlined. There will be a matching button and a buttonhole sewn on the flap.

Pocket Flap Closure:

The side points of the flaps shall be secured to the pockets by means of Velcro (hook and loop) fasteners sewn onto the flaps and pockets.

SPECIFICATIONS (CONT'D)

Badge Tab:

Shall be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps shall be set about 2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

Permanent Creases:

The shirt to have permanent military creases. Creases shall be stitched in shirt only, not thru pockets and flaps, one crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Button:

All buttons shall be made from high impact melamine and shall match fabric.

Color:

White

Sizes:

By Neck Size: 14, 14.5, 15, 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 20, 22

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

Category I. Item 11. Dress Shirt, Short Sleeve, Women's - Equal to Elbeco TexTrop, Style #9810

Style:

Shirts will be cut in a pattern with expanded chest, waist and hip dimensions for a more flattering fit with permanent sewn in military creases. All thread shall match the shirt fabric.

Fabric:

Fabric shall be 100% texturized polyester, 5.0 oz./square yard tropical weave with mechanical stretch. Fabric shall be soil resistant, easy care and wrinkle resistant, with excellent color retention.

Collar:

Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar is to be constructed of two plies of basic material and one ply of top fuse lining. Collar stays shall be of good quality, 2-3/4" in length and 3/8" wide and be attached to the bottom collar. There shall be one horizontal buttonhole. The collar and inner yoke to be lined with matching 65% Dacron Polyester/35% Cotton.

Sleeves:

Shall be straight and whole with 1" hem. The finish shall be 9-1/2" long from shoulder seam. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch. The same stitch must be used on the side closing seams.

Front:

The fronts shall have a center facing 3" in width extending from neckline to bottom of shirt provided by a turn under of material. The right front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges. The center front shall contain six vertical buttonholes placed 3/4" from edge, first at neck, second 2-1/2" down, balance 3-1/2" apart.

Back:

There is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin.

SPECIFICATIONS (CONT'D)

Pockets:

Shall have two breast pockets with mitered corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

Flaps:

Shall have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps shall be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap shall have a pencil opening about 1-1/4" in width. Flaps shall be interlined. There will be a matching button and a buttonhole sewn on the flap.

Flap Closure:

The side points of the flaps are to be secured to the pockets by means of Velcro (hook and loop) fasteners sewn onto the flaps and pockets.

Badge Tab:

Shall be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

Permanent Creases:

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Buttons:

All buttons shall be made from high impact melamine and shall match fabric.

Color:

White

Sizes:

By Women's bust size in even increments, size 30 through 48.

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

Category I. Item 12. Dress Shirt Long Sleeve, Men's – Equal to Equal to Elbeco TexTrop Style # 3310

Style:

Shirts shall be cut on a form-fitting line with permanent sewn-in military creases. All thread shall match the shirt fabric.

Fabric:

Fabric shall be 100% texturized polyester, 5.0 oz./square yard tropical weave with mechanical stretch. Fabric shall be soil resistant, easy care and wrinkle resistant, with excellent color retention.

Collar:

The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar. Collar stays shall be of good quality vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom collar. The stand shall fasten with one button. There shall be one horizontal button hole. The inner stand and inner yoke shall be made of matching 65% Dacron Polyester/35% Cotton.

SPECIFICATIONS (CONT'D)

Sleeves:

To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 2" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch. The same stitch must be used on the side closing seams.

Front:

The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six (6) vertical buttonholes placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Back:

The yoke shall be composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin.

Pockets:

Shall have two breast pockets with mitered corners to finish 5-5/8" wide and 6" long. The left breast pocket shall have a pencil compartment about 1-1/4" wide. Both pockets shall have 1-1/4" box stitching top and bottom to prevent spreading.

Pocket Flaps:

Shall have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps shall be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap shall have a pencil opening about 1-1/4" in width. Flaps shall be interlined. There will be a matching button and a buttonhole sewn on the flap.

Pocket Flap Closure:

The side points of the flaps shall be secured to the pockets by means of Velcro (hook and loop) fasteners sewn onto the flaps and pockets.

Badge Tab:

Shall be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps shall be set about 2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

Permanent Creases:

The shirt to have permanent military creases. Creases shall be stitched in shirt only, not thru pockets and flaps, one crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Buttons:

All buttons shall be made from high impact melamine and shall match fabric.

Color:

White

Sizes:

By Neck Size: 14, 14.5, 15, 15.5, 16, 16.5, 17, 17.5, 18, 18.5. Sleeve lengths as indicated by size chart.

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

SPECIFICATIONS (CONT'D)

Category I. Item 13. Dress shirt Long Sleeve, Women's - Equal to Elbeco TexTrop, Style #9310

Style:

Shirts will be cut in a pattern with expanded chest, waist and hip dimensions for a more flattering fit with permanent sewn in military creases. All thread shall match the shirt fabric.

Fabric:

Fabric shall be 100% texturized polyester, 5.0 oz./square yard tropical weave with mechanical stretch. Fabric shall be soil resistant, easy care and wrinkle resistant, with excellent color retention.

Collar:

The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar. Collar stays shall be of good quality vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom collar. The stand shall fasten with one button. There shall be one horizontal button hole. The inner stand and inner yoke shall be made of matching 65% Dacron Polyester/35% Cotton.

Sleeves:

Shall be straight and whole. The cuffs are to be 2-5/8" in width and to fasten with a two button adjustable cuff. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 2" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch. The same stitch must be used on the side closing seams.

Front:

The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Back:

There is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin.

Pockets:

Shall have two breast pockets with mitered corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

Flaps:

Shall have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps shall be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap shall have a pencil opening about 1-1/4" in width. Flaps shall be interlined. There will be a matching button and a buttonhole sewn on the flap.

Flap Closure:

The side points of the flaps are to be secured to the pockets by means of Velcro (hook and loop) fasteners sewn onto the flaps and pockets.

Badge Tab:

Shall be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

SPECIFICATIONS (CONT'D)

Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

Permanent Creases:

Shirt to have permanent military creases. Creases to be stitched in shirt only, not thru pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Buttons:

All buttons shall be made from high impact melamine and shall match fabric.

Color:

White

Sizes:

By Women's bust size in even increments, size 30 through 48. Sleeve lengths 30 through 34 as indicated by size chart

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

Category II. State Fire Marshal Other Uniform Items

Category II. Item 1. Long Sleeve 100% Cotton Twill Button Down Shirt, Men's

Fabric Type:

100% Cotton 6.5 Oz Colorfast Twill

Features:

Long Sleeve  
Button Down Collar  
Button Cuffs  
Single Breast Pocket Wearer's Left Breast  
Relaxed Fit  
Colorfast  
Wrinkle Resistant

Buttons:

Brown Black or Black Melamine or Other Break Resistant Material

Sizes:

Regular: XS – 6XL  
Tall: LT – 3XLT  
Or Equivalent

Color:

Black

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

SPECIFICATIONS (CONT'D)

Category II. Item 2. Long Sleeve 100% Cotton Twill Button Down Shirt, Women's

Fabric Type:

100% Cotton 6.5 Oz Colorfast Twill

Features:

Long Sleeve  
Button Down Collar  
Button Cuffs  
Single Breast Pocket Wearer's Left Breast  
Blouse Cut (Tail May Be Worn Outside and Maintain Professional Appearance)  
Colorfast  
Wrinkle Resistant

Buttons:

Brown/Black or Black Melamine or Other Break Resistant Material

Sizes:

Regular: S – 4XL or Equivalent Women's Sizes

Color:

Black

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

Category II. Item 3. Long Sleeve 65% / 35% Poly / Cotton Twill Button Down Shirt, Men's

Fabric Type:

65% Polyester / 35% Cotton 5.25 Oz Twill \*

Features:

Long Sleeve  
Button Down Collar  
Button Cuffs  
Single Breast Pocket Wearer's Left Breast  
Relaxed Fit  
Colorfast  
Wrinkle Resistant

Buttons:

Brown Black or Black Melamine or Other Break Resistant Material

Sizes:

Regular: XS – 6XL  
Tall: LT – 3XLT  
Or Equivalent

Color:

Black

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

\*DAS and the Using Agency agreed to accept an exception to the specification in accordance with the STIPULATED WEIGHTS AND BLENDS clause of this contract to accept a 60/40 Poly/Cotton fabric blend in lieu of 65/35 for this item.

SPECIFICATIONS (CONT'D)

Category II. Item 4. Long Sleeve 65% / 35% Poly / Cotton Twill Shirt, Women's \*

Fabric Type:

65% Polyester / 35% Cotton 5.25 Oz Twill \*

Features:

Long Sleeve  
Button Down Collar \*  
Button Cuffs  
Single Breast Pocket Wearer's Left Breast  
Blouse Cut (Tail May Be Worn Outside and Maintain Professional Appearance)  
Colorfast  
Wrinkle Resistant

Buttons:

Brown/Black or Black Melamine or Other Break Resistant Material

Sizes:

Regular: S – 4XL or Equivalent Women's Sizes

Color:

Black

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

\*DAS and the Using Agency agreed to accept an exception to the specification in accordance with the STIPULATED WEIGHTS AND BLENDS clause of this contract to accept a 60/40 Poly/Cotton fabric blend in lieu of 65/35 for this item and agreed to accept an exception to the specification in accordance with I-32 of the Instructions and Terms and Conditions for Bidding to accept a non-button down collar in lieu of a button down collar for this item.

Category II. Item 5. 100% Cotton Twill Coverall

Style:

One Piece Top-Stitched Collar  
Sized To Be Worn Over Clothing  
Concealed Heavy Duty Snap Front or Brass Zipper

Fabric:

100% 8.5 Oz Sq. Yd. Pre-Shrunk Cotton Twill

Pockets:

Right and Left Chest Pockets  
Two Front Pockets  
Two Back Pockets  
Rule Pocket on Leg Desirable

Color:

Black and/or Navy Blue

Sizes:

Regular 36 – 58  
Long 40 – 54

Other

Emblems supplied by the Agency shall be sewn on as specified by the Agency at no charge.

CONTRACT PRICES

Category I. State Fire Marshal Primary Uniform Items – Contractor: Roy Tailors Uniform Company, Inc. of Columbus, OH, OAKS Vendor #: 0000049059

Item 1. 100% Cotton Pique Professional Polo Shirt - Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19268	53101602	100% Cotton Pique Professional Polo	Black	XS – 2XL	Ea.	5.11 Tactical	41060-019	\$ 34.95
19269	53101602	100% Cotton Pique Professional Polo	Black	3XL *	Ea.	5.11 Tactical	41060-019	\$ 38.95
N/A	N/A	100% Cotton Pique Professional Polo *	Black	Item	Has	Been	Discontinued	

Item 2. Men's Tactical Pant - Khaki								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19271	53101502	100% Cotton Tactical Pant – Men's	Khaki	28 – 44 Hemmed "30 – 36"	Ea.	5.11 Tactical	74251-055	\$ 49.95
19272	53101502	100% Cotton Tactical Pant – Men's	Khaki	46 – 54 Hemmed as Specified	Ea.	5.11 Tactical	74251-055	\$ 49.95

Item 3. Women's Tactical Pant - Khaki								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19273	53101502	100% Cotton Tactical Pant – Women's	Khaki	2 – 20 Reg	Ea.	5.11 Tactical	64358-019	\$ 49.95
19274	53101502	100% Cotton Tactical Pant – Women's	Khaki	2 – 20 Long	Ea.	5.11 Tactical	64358-019	\$ 49.95

Item 4. Five-In-One Jacket - Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19275	53101802	Five-In-One Jacket	Black	XS – 4XL	Ea.	5.11 Tactical	48017-019	\$ 249.95

\* Effective 01/28/13 the 5.11 Tactical Professional Polo Shirt – Short Sleeve in Regular Sizes 4XL and 5XL and in all Tall Sizes – Color: Black is no longer available for purchase from the manufacturer and is hereby removed from this contract. Hereafter the Ohio Department of Commerce, State Fire Marshal's office will use their delegated purchase authority under ORC 125.05 to procure these items.

CONTRACT PRICES

Category I. State Fire Marshal Primary Uniform Items - Contractor: Roy Tailors Uniform Company, Inc. of Columbus, OH, OAKS Vendor #: 0000049059

Item 5. Full Grain Leather Belt - Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19276	53102501	Full Grain Leather Belt	Black	SM - 3XL	Ea	5.11 Tactical	59501-019	\$ 39.95

Item 6. Men's Dress Trouser – LAPD Navy								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19277	53101502	Men's Dress Trouser	LAPD Navy	Short Rise 28 – 40	Ea	Fechheimer	38200	\$ 36.95
19278	53101502	Men's Dress Trouser	LAPD Navy	Reg Rise 28 – 46	Ea	Fechheimer	38200	\$ 36.95
19279	53101502	Men's Dress Trouser	LAPD Navy	Reg Rise 48 – 60	Ea	Fechheimer	38200	\$ 43.95
19280	53101502	Men's Dress Trouser	LAPD Navy	Long Rise 32 - 42	Ea	Fechheimer	38200	\$ 36.95

Item 7. Women's Dress Trouser – LAPD Navy								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19282	53101504	Women's Dress Trouser	LAPD Navy	Short 4 – 18	Ea	Fechheimer	38233	\$ 36.95
19284	53101504	Women's Dress Trouser	LAPD Navy	Reg 4 - 26	Ea	Fechheimer	38233	\$ 36.95

CONTRACT PRICES

Category I. State Fire Marshal Primary Uniform Items - Contractor: Roy Tailors Uniform Company, Inc. of Columbus, OH, OAKS Vendor #: 0000049059

Item 8. Dress Blouse Coat – LAPD Navy								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19285	53101802	Dress Blouse Coat	LAPD Navy	Men's Short 36 – 50	Ea	Fechheimer	38804	\$ 124.95
19287	53101802	Dress Blouse Coat	LAPD Navy	Men's Reg 36 - 46	Ea	Fechheimer	38804	\$ 124.95
19289	53101802	Dress Blouse Coat	LAPD Navy	Men's Reg 48 - 60	Ea	Fechheimer	38804	\$ 148.95
19291	53101802	Dress Blouse Coat	LAPD Navy	Men's Long 38 - 56	Ea	Fechheimer	38804	\$ 148.95
19292	53101802	Dress Blouse Coat	LAPD Navy	Made to Measure *	Ea	Fechheimer	38804	No Charge *

Item 9. Uniform Tie - Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19520	53102502	Uniform Tie	Black	57"	Ea	Broome	900T	\$ 4.95
19521	53102502	Uniform Tie	Black	60"	Ea	Broome	900T	\$ 4.95

Item 10. Men's Dress Shirt Short Sleeve - White								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19293	53101602	Men's Dress Shirt Short Sleeve	White	14 – 17 1/2	Ea	Elbeco	3310	\$ 32.50
19294	53101602	Men's Dress Shirt Short Sleeve	White	18 - 22	Ea	Elbeco	3310	\$ 37.50

Item 11. Women's Dress Shirt Short Sleeve - White								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19295	53101604	Women's Dress Shirt Short Sleeve	White	30 - 48	Ea	Elbeco	9810LC	\$ 32.50

\* Made to Measure Size Shall be Ordered Only for Individuals Who Are of a Size (Larger or Smaller) That Cannot be Fit With Any Other Size Offered Including Professional Alterations.

CONTRACT PRICES

Category I. State Fire Marshal Primary Uniform Items - Contractor: Roy Tailors Uniform Company, Inc. of Columbus, OH, OAKS Vendor #: 0000049059

Item 12. Men's Dress Shirt Long Sleeve - White								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19296	53101602	Men's Dress Shirt Long Sleeve	White	14 – 17 1/2	Ea	Elbeco	310	\$ 35.50
19297	53101602	Men's Dress Shirt Long Sleeve	White	18 - 22	Ea	Elbeco	310	\$ 38.50

Item 13. Women's Dress Shirt Long Sleeve - White								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19298	53101604	Women's Dress Long Short Sleeve	White	30 - 48	Ea	Elbeco	9310LC	\$ 35.50

Category II. State Fire Marshal Other Uniform Items - Contractor: The Magic Needle Embroidery, OAKS Vendor #: 0000104630

Item 1. Men's 100% Cotton Long Sleeve Twill Button Down Collar Shirt – Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19451	53101602	Men's 100% Cotton Button Down Shirt	Black	Reg XS -XL	Ea	Blue Generation	BG8213	\$ 25.00
19452	53101602	Men's 100% Cotton Button Down Shirt	Black	2XL – 6XL	Ea	Blue Generation	BG8213	\$ 26.50
19453	53101602	Men's 100% Cotton Button Down Shirt	Black	LT – 3XLT	Ea	Blue Generation	BG8213T	\$ 26.50

Item 2. Women's 100% Cotton Long Sleeve Twill Button Down Collar Shirt - Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19454	53101604	Women's 100% Cotton Long Sleeve Shirt	Black	30 - 48	Ea	Blue Generation	BG6213	\$ 23.00

CONTRACT PRICES

Category II. State Fire Marshal Other Uniform Items - Contractor: The Magic Needle Embroidery, OAKS Vendor #: 0000104630

Item 3. Men's 60% / 40% Polyester / Cotton Twill Long Sleeve Button Down Collar Shirt - Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19455	53101602	Men's 60/40 Poly Cotton Long Sleeve Shirt	Black	Reg XS -2XL	Ea	Edwards	1750	\$ 23.50
19456	53101602	Men's 60/40 Poly Cotton Long Sleeve Shirt	Black	Reg 3XL – 6XL	Ea	Edwards	1750	\$ 26.50
19457	53101602	Men's 60/40 Poly Cotton Long Sleeve Shirt	Black	LT – 3XLT	Ea	Edwards	1750T	\$ 26.50

Item 4. Women's 60% / 40% Polyester / Cotton Twill Long Sleeve Shirt - Black								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19458	53101604	Women's 60/40 Poly Cotton Long Sleeve Shirt	Black	30 – 48	Ea	Edwards	5750	\$ 23.50

Item 5. 100% Cotton Twill Coverall – Navy								
OAKS Item	UNSPSC	Description	Color	Size	Unit of Measure	Manufacturer	Mfg Item or Style #	Bid Price (\$USD)
19459	53102102	100% Cotton Twill Coverall	Navy	Reg 36-46	Ea	Red Kap	CC18NV	\$ 55.00
19460	53102102	100% Cotton Twill Coverall	Navy	Reg 48 - 58	Ea	Red Kap	CC18NV	\$ 65.00
19461	53102102	100% Cotton Twill Coverall	Navy	Long 40-54	Ea	Red Kap	CC18NV	\$ 75.00

CONTRACTOR INDEX

CONTRACTOR AND TERMS \*

BID CONTRACT NO.: OT900812-4 (06/30/14)



0000214185

DELIVERY: 30 Days A.R.O.

Roy Tailors Uniform of Columbus, LLC \*  
3889 Business Park Dr.  
Columbus, OH 43204

TERMS: Net 30 Days

CONTRACTOR'S CONTACT(S):

Jeff Lytle

Telephone: (888) 336 1583

(614) 351 1566

FAX: (614) 351 1569

Teascha Moore

E-mail: [jlytle@roytailorsuniform.com](mailto:jlytle@roytailorsuniform.com)

E-mail: [tmoore@roytailorsuniform.com](mailto:tmoore@roytailorsuniform.com)

PLACEMENT OF PURCHASE ORDERS:

Purchase Orders are to be E-mailed to:

E-mail: [tmoore@roytailorsuniform.com](mailto:tmoore@roytailorsuniform.com)

CONTRACTOR'S REMIT TO ADDRESS:

Roy Tailors Uniform Co. Of Columbus, LLC \*  
PO Box 645013  
Cincinnati, OH 45264-5013

Note: Roy Tailors Uniform Company of Columbus, LLC is wholly owned by Galls, LLC an Aramark Company but is dba Roy Tailors Uniform Company of Columbus \*

CONTRACTOR AND TERMS:

BID CONTRACT NO.: OT900812-2A (06/30/14)



Encouraging Diversity, Growth & Equity (EDGE)

0000104630

DELIVERY: 30 Days A.R.O.

The Magic Needle Embroidery  
4675 Canal Road  
Pleasantville, OH 43148

TERMS: Net 30 Days

CONTRACTOR'S CONTACT:

Cynthia J. Claar

Telephone: (740) 468 2180

FAX: (740) 468 9309

E-mail: [sales@themagicneedle.com](mailto:sales@themagicneedle.com)

PLACEMENT OF PURCHASE ORDERS:

Purchase Orders are to be E-mailed to:

E-mail: [sales@themagicneedle.com](mailto:sales@themagicneedle.com)

\* Updated by Amendment # 8 Effective 01/01/14.

SUMMARY OF AMENDMENTS

Amendment Number	Revision Date	Description
9	05/01/14	This Amendment is issued to advise that this contract will expire on 06/30/14. Thereafter, the agency shall procure their needs for these supplies in accordance with Ohio Revised Code Section 125.05.
8	01/01/14	This amendment is issued to change the name of the contract holder from Galls, RTII, LLC dba Roy Tailors Uniform Company of Columbus to Roy Tailors Uniform Company of Columbus, LLC.
7	10/14/13	This amendment is issued to correct a typographical error in the OAKS Vender Identification number on the revised contract for contractor Galls, RT II, LLC dba Roy Tailors Uniform of Columbus.
6	09/23/13	This amendment is issued to assign this contract from Roy Tailors Uniform Company of Columbus to Galls, RT I, LLC dba Roy Tailors Uniform of Columbus..
5	01/28/13	Issued to remove the 5.11 Tactical Performance Polo – Short Sleeve, Black in regular sizes 4XL and 5XL and in all Tall sizes from this contract. Reason: Item his no longer available from the manufacturer.
4	12/10/12	Issued to update the Contractor Contact for Roy Tailors Uniform of Columbus, Inc. on page 28 of the Contract effective 12/10/12.
3	09/01/11	Issued to change the Contractor BID/Contract numbers for Roy Tailors Uniform of Columbus, Inc. and The Magic Needle on the Contractor Index, Page 28 of the Contract.
2	08/16/11	Issued to change the method of order submission pursuant to agreement between the State Fire Marshal's Office and Contractor Roy Tailors Uniform Company of Columbus and to add an additional contact for the Contractor.
1	08/15/11	Issued to correct a typographical error in the contract number on the Contractor Index, Page No. 28 of the contract and to include a summary of amendments Page No. 29 to the contract.