

INVITATION TO BID

State of Ohio
Department of Administrative Services
General Services Division
Office of Procurement Services

The Original Signed Bid must be submitted to the Office of Procurement Services to receive consideration for award.		BIDDER NAME	
BID NUMBER RS900912	OPENING DATE (1:00 p.m.) SEPTEMBER 21, 2011	STREET ADDRESS <input type="checkbox"/> Check if remit address is different and list on separate sheet	
General Services Division Office of Procurement Services 4200 Surface Road Columbus, OH 43228-1395 Attn: Bid Desk		CITY STATE ZIP	
		COUNTY	MBE/EDGE CERTIFICATE NUMBER
		TELEPHONE NO. ()	TOLL FREE NO. 1 - ()
		CONTACT PERSON	FAX NO. ()
REQ./INDEX NO. GDC050	BID NOTICE DATE SEPTEMBER 16, 2011	CONTRACTOR'S E-MAIL ADDRESS	
SELECT YOUR PREFERRED METHOD OF RECEIVING PURCHASE ORDERS AND ENTER THE E-MAIL OR FAX NUMBER INFORMATION (ONLY SELECT ONE METHOD) <input type="checkbox"/> E-Mail <input type="checkbox"/> Fax			
In addition to the standard terms for payment, the payment terms for state agency(ies) will be 2%, 10 Days, Net 30 Days unless otherwise stated in the following space. If no discount is offered, bidder should circle "Net 30 Days". ____%, ____Days, Net 30 Days			
PARTICIPATING AGENCY(IES): ALL STATE AGENCIES, AND PROPERLY REGISTERED COUNTIES, TOWNSHIPS, MUNICIPAL CORPORATIONS, REGIONAL TRANSIT AUTHORITIES, REGIONAL AIRPORT AUTHORITIES, PORT AUTHORITIES, SCHOOL DISTRICTS, CONSERVANCY DISTRICTS, TOWNSHIP PARK DISTRICTS AND PARK DISTRICTS, PURSUANT TO SECTION 125.04(B) OF THE OHIO REVISED CODE, THE COOPERATIVE PURCHASING ACT. STATE UNIVERSITIES, STATE VOCATIONAL SCHOOLS, STATE COMMUNITY COLLEGES OR OTHER INSTITUTIONS OF HIGHER EDUCATION MAY USE THESE CONTRACTS. SUCH USE, HOWEVER, IS BASED UPON EACH ENTITY'S PROCUREMENT AUTHORITY.			
ADDENDUM FOR CHANGE ADDENDUM NO.: 1 REVISION DATE: 09/16/11			
THE DEPARTMENT OF ADMINISTRATIVE SERVICES, OFFICE OF PROCUREMENT SERVICES IS SOLICITING BIDS FOR: LAW ENFORCEMENT VEHICLES 2012 MODEL YEAR (OR NEWER)			
Attached are pages 12, 24, 28, and 32 to this Invitation to Bid. Remove the corresponding pages from the existing bid and replace with the attached.			
As indicated herein this addendum is issued to indicate an update to the Body Side Moldings to Not Required on Items 1, 4, 5, and 6.			

SPECIFICATIONS (cont'd)

4DR Sedan – 4 Door AWD V6 Item Number 1

Standard Specification Items	Minimum Requirements		Minimum Requirements
Mfg. Make		Rear Window Defroster	wire in glass
Mfg. Model		Fresh Air Temperature Controlled Heater	w/ Windshield Defrosters
Seating Capacity	5	Intermittent Windshield Wipers	w/ dual speed
# of Doors	4	Trunk Light	Automatic
Wheelbase (in.)	112.9	Interior Lighting	Over head dome and map or dome driver light
Base Curb Weight (lbs.)	4300	Air Conditioning	Required
Body Side Moldings (Installed)	* Not Required	Seat Covering	Cloth FR, Vinyl RR
Power Train	AWD	Floor Covering	Heavy – duty rubber
Engine Type (Cylinder/Liter)	V6 3.5L		
Horsepower (HP)	280	Radio – Factory Installed	AM/FM
Cooling System	Heaviest Duty Available	Front Seat Type	Bucket adjustable – no center console
Automatic Transmission	Auto, 6-sp	Rear Seat Type	Bench – no center console
Alternator (amps)	220	Power Antilock Brakes (ABS) (Front and Rear)	Required
Battery (CCA)	750	Air Bag Restraint System (Driver and Passenger)	Required
Fuel Capacity (gals.)	19	Supplemental Restraint System (Driver and Passenger)	Required
Exterior Mirrors – Right and Left mounted	Heated / Remote controlled	Tires – Pursuit / Speed Rated, per Manufacture recommendation	All Season, Steel Belted, Black wall
Keyed Door Lock (Driver, Front Pass, side & Trunk min.)	Required	Spare Tire / Wheel	Full size
Steering	Power / Tilt	Radio Suppression System	Required
Electronic Door Locks / Electronic Windows (factory standard)	Required – Driver control lock out	12 Volt Power outlet, in front compartment	Required
Rust Proofing	Min factory warranty	Interior Rear View Mirror	Day/Night
Paint – Specify Std Colors	Standard min.	Fuel at delivery	½ tank
Left Handed Spotlight, Pillar Mounted	Required	Mfg. Standard Warranty	Min. 3/36 Bumper to bumper and 5/60 Powertrain
Glass	High Strength Factory Tinted	Speedometer / Std gage package	Required
Arm Rest on Front Doors	Required	Hood Latch Release	Inside passenger compartment only, by driver side
Foam Front Seat Cushion	Required	Remote Control Trunk Release by Driver	Required
Flexible Fuel Vehicle (FFV)	Not Required	Dual Horns, Factory Installed	Required

Note: Please refer to detail written specification on prior pages for more details to the above out line specification minimums.

* Indicates an update to the body side moldings to not required.

SPECIFICATIONS (cont'd)

4DR Sedan – Large V6 RWD Item Number 4

Standard Specification Items	Minimum Requirements		Minimum Requirements
Mfg. Make		Rear Window Defroster	wire in glass
Mfg. Model		Fresh Air Temperature Controlled Heater	w/ Windshield Defrosters
Seating Capacity	5	Intermittent Windshield Wipers	w/ dual speed
# of Doors	4	Trunk Light	Automatic
Wheelbase (.in)	120	Interior Lighting	Over head dome and map or dome driver light
Base Curb Weight (lbs.)	3,800	Air Conditioning	Required
Body Side Moldings (Installed)	* Not Required	Seat Covering	Cloth FR, Cloth RR
Power Train	Rear Wheel Drive	Floor Covering	Carpet
Engine Type (Cylinder/Liter)	V6 / 3.6L	Floor Mats	Heavy Duty FR/RR Required
Horsepower (HP)	291	Radio – Factory Installed	AM/FM
Cooling System	Heaviest Duty Available	Front Seat Type	Bucket adjustable –no center console
Automatic Transmission w/ cruise control	Auto, 5-sp	Rear Seat Type	Bench – no center console
Alternator (amps)	220	Power Antilock Brakes (Front and Rear)	Required
Battery (CCA)	800	Air Bag Restraint System (Driver and Passenger)	Required
Fuel Capacity (gals.)	19	Supplemental Restraint System (Driver and Passenger)	Required
Exterior Mirrors – Right and Left mounted	Remote controlled	Tires – Pursuit / Speed Rated, per Manufacture recommendation	All Season, Steel Belted, Black wall
Keyed Door Lock (Driver side min.)	Power w/ Remote Keyless Entry	Spare Tire / Wheel	Full size
Steering	Power	Radio Suppression System	Required
Electronic Door Locks / Electronic Windows	Required – Driver control lock out	12 Volt Power outlet, in front compartment	Required
Rust Proofing	Min factory warranty	Interior Rear View Mirror	Day/Night
Paint	Standard min.	Fuel at delivery	½ tank
Left Handed Spotlight, Pillar Mounted	Required	Mfg. Standard Warranty	3/36 Bumper to bumper
Glass	High Strength Factory Tinted	Speedometer / Std gage package	Required
Arm Rest on Front Doors	Required	Hood Latch Release	Inside passenger compartment only
Foam Front Seat Cushion	Required	Rear Window Wiper / Washer	If applicable
Dual Horns, Factory Installed	Required	Remote Control Trunk Release by Driver	Required

Note: Please refer to detail written specification on prior pages for more details to the above out line specification minimums.

* Indicates an update to the body side moldings to not required.

SPECIFICATIONS (cont'd.)

4DR Sedan – Large V6 RWD Item Number 5

Standard Specification Items	Minimum Requirements		Minimum Requirements
Mfg. Make		Rear Window Defroster	wire in glass
Mfg. Model		Fresh Air Temperature Controlled Heater	w/ Windshield Defrosters
Seating Capacity	5	Intermittent Windshield Wipers	w/ dual speed
# of Doors	4	Trunk Light	Automatic
Wheelbase (in.)	118.5	Interior Lighting	Over head dome and map or dome driver light
Base Curb Weight (lbs.)	4043	Air Conditioning	Required
Body Side Moldings (Installed)	* Not required	Seat Covering	Cloth FR, Cloth RR
Power Train	Rear Wheel Drive	Floor Covering	Carpet
Engine Type (Cylinder/Liter)	V6 3.6L		
Horsepower (HP)	301	Radio – Factory Installed	AM/FM
Cooling System	Heaviest Duty Available	Front Seat Type	Bucket adjustable – no center console
Automatic Transmission	Auto, 6-sp	Rear Seat Type	Bench – no center console
Alternator (amps)	170	Power Antilock Brakes (ABS) (Front and Rear)	Required
Battery (CCA)	700	Air Bag Restraint System (Driver and Passenger)	Required
Fuel Capacity (gals.)	19	Supplemental Restraint System (Driver and Passenger)	Required
Exterior Mirrors – Right and Left mounted	Heated / Remote controlled	Tires – Pursuit / Speed Rated, per Manufacture recommendation	All Season, Steel Belted, Black wall
Keyed Door Lock (Driver, Front Pass, side & Trunk min.)	Power w/ Remote Keyless Entry	Spare Tire / Wheel	Full size
Steering	Power / Tilt	Radio Suppression System	Required
Electronic Door Locks / Electronic Windows (factory standard)	Required – Driver control lock out	12 Volt Power outlet, in front compartment	Required
Rust Proofing	Min factory warranty	Interior Rear View Mirror	Day/Night
Paint – Specify Std Colors	Standard min.	Fuel at delivery	½ tank
Left Handed Spotlight, Pillar Mounted	Required	Mfg. Standard Warranty	Min. 3/36 Bumper to Bumper and 5/100 Powertrain
Glass	High Strength Factory Tinted	Speedometer / Std gage package	Required
Arm Rest on Front Doors	Required	Hood Latch Release	Inside passenger compartment only, by driver side
Foam Front Seat Cushion	Required	Remote Control Trunk Release by Driver	Required
Flexible Fuel Vehicle (FFV)	Required	Dual Horns, Factory Installed	Required

Note: Please refer to detail written specification on prior pages for more details to the above out line specification minimums.

* Indicates an update to the body side moldings to not required.

SPECIFICATIONS (cont'd)

4DR SUV – AWD Item Number 6

Standard Specification Items	Minimum Requirements		Minimum Requirements
Mfg. Make		Flexible Fuel Vehicle (FFV)	Required
Mfg. Model		Rear Window Defroster	wire in glass
Seating Capacity	5	Fresh Air Temperature Controlled Heater	w/ Windshield Defrosters
# of Doors	4	Intermittent Windshield Wipers	w/ dual speed
Wheelbase (.in)	112	Trunk / Cargo Light	Automatic
Base Curb Weight (lbs.)	4,700	Interior Lighting	Over head dome and map or dome driver light
Body Side Moldings (Installed)	* Not Required	Air Conditioning	Required (Front and Rear)
Power Train	AWD	Seat Covering	Cloth FR, Vinyl RR
Engine Type (Cylinder/Liter)	V6 / 3.7L	Floor Covering	Heavy – duty rubber
Horsepower (HP)	300	Radio – Factory Installed	AM/FM
Cooling System	Heaviest Duty Available	Front Seat Type	Bucket adjustable –no center console
Automatic Transmission w/ Cruise Control	Auto, 6-sp	Rear Seat Type	Split 60/40 Bench
Alternator (amps)	220	Power Antilock Brakes (Front and Rear)	Required
Battery (CCA)	750	Air Bag Restraint System (Driver and Passenger)	Required
Fuel Capacity (gals.)	18	Supplemental Restraint System (Driver and Passenger)	Required
Exterior Mirrors – Right and Left mounted	Remote Controlled	Tires – Pursuit / Speed Rated, per Manufacture recommendation	All Season, Steel Belted, Black wall
Keyed Door Lock (Driver side min.)	Power w/ Remote Keyless Entry	Spare Tire / Wheel	Full size
Steering	Power	Radio Suppression System	Required
Electronic Door Locks / Electronic Windows	Required – Driver control lock out	12 Volt Power outlet, in front compartment	Required
Rust Proofing	Min factory warranty	Interior Rear View Mirror	Day/Night
Paint	Standard min.	Fuel at delivery	½ tank
Left Handed Spotlight, Pillar Mounted	Required	Mfg. Standard Warranty	3/36 Bumper to bumper
Glass	High Strength Factory Tinted	Speedometer / Std gage package	Required
Arm Rest on Front Doors	Required	Hood Latch Release	Inside passenger compartment only
Foam Front Seat Cushion	Required	Rear Window Wiper / Washer	If applicable
Dual Horns, Factory Installed	Required	Remote Control Rear Gate Release by Driver	Required, if available
Assist Steps	Required	Rear Door	Lift Gate

Note: Please refer to detail written specification on prior pages for more details to the above out line specification minimums.

* Indicates an update to the body side moldings to not required.