



2010

Effective: 6/16/2010
Schedule no. 7751500109



THE



BIG

BOOK

FEATURES, SPECS & PRICES

ROBEX 35Z-7A

HYDRAULIC CRAWLER MINI-EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

26.5 HP (SAE J1349, net) Yanmar 3TNV88-BSHYB
 12 V electrical starting system (80 A.H.)
 55 amp alternator
 MP fuel injection pump with TCD
 (Time Control Device) system
 Engine automatic warming up system

CAB

Rectangular tube canopy
 Mechanical adjustable suspension seat with seat belt
 Wide canopy with excellent visibility and low noise
 Centralized monitor with seven warning indicators
 Ergonomically designed travel pedals and foot rests
 Storage space located under the seat with lock
 Pilot operated hand lever for dozer blade
 Water temp and fuel gauges
 Safety lock system
 Double acting pedal
 Boom swing pedal
 Engine throttle lever
 Cup holder
 Arm rest
 Foot rest
 Cigarette lighter
 Floor mat

CONTROLS

Pilot operated joystick and travel controls
 Two speed axial piston travel motor with counter balance
 valve and parking brake
 Axial piston swing motor with automatic brake
 Two levers with foldable pedals for travelling and steering
 Mechanical cable type engine throttle
 Swing parking brake
 Arm flow summation system (P2 + P3)
 Boom holding system
 Hydraulic damper in travel pedal
 Swing reduction lubrication by hydraulic oil
 Leak-free swing reduction gear grease chamber

OTHERS

Apply ORFS (O-Ring Face Seal) to all types and sizes of hoses
 Boom cylinder cover
 Dozer cylinder cover
 Double or single acting pipe selector
 Two front working lights
 Electric horn
 Counterweight (925 lbs)
 125° offset boom
 Console box tilting system (LH), Hydraulic lockout
 Oil less bushing and polymer shims
 Applied chromium plated pin
 Lockable fuel cap
 Heat shielded muffler
 Centralized grease fittings
 Low operating noise level
 Long life hydraulic cylinder

UNDERCARRIAGE

Lubed rollers 1 upper & 4 lower per track
 Track adjusters with shock
 springs and sprockets
 13' 0" Track length
 4' 9" Track gauge
 Dozer blade
 12" track shoes

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
MEA735Z000	STANDARD CONFIGURED MACHINE Base machine, 8' 2" offset boom, 4' 3" arm, bucket linkage, 0.14 yd ³ HCE bucket, 12" rubber track, breaker piping, dozer blade and blade controller open ROPS canopy without A/C, heater and radio	8,050	\$51,470
MEA735Z002	BASE MACHINE (rubber track) Price does not include boom, arm, bucket linkage, or HCE bucket		\$48,300

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)			
MEA735Z110	8' 2" BOOM (ASSY), ONE PIECE OFFSET BOOM (std.) Includes boom and arm cylinders, piping, and lights		\$1,875
MEA735Z111	BOOM CYLINDERS ONLY		\$754
MEA735Z120	4' 3" ARM (ASSY) (std)		\$894
MEA735Z140	BUCKET LINKAGE		\$164
MEA735Z150	HYDRAULIC QUICK COUPLER Includes coupler, hydraulics, additional pin kit and switch		\$2,498

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
---------------	-------------	-----------------	-------------------------

UNDERCARRIAGE			
---------------	--	--	--

MEA735Z311	12" RUBBER TRACKS (std)		IN BASE
MEA735Z312	12" STEEL TRACKS (ILOS)		743

CAB & ELECTRICAL			
------------------	--	--	--

MEA735Z211	ENCLOSED CAB with A/C & HEATER, and AM/FM CASSETTE RADIO	330	\$4,776
------------	--	-----	---------

AUXILIARY HYDRAULIC			
---------------------	--	--	--

MEA735Z411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTOR INSTALLED) piping, hoses, relief valve and control pedal for double function attachments		IN BASE
MEA735Z430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		\$552

OTHERS			
--------	--	--	--

MEA735Z510	TOOL KIT WITH BOX		\$531
------------	-------------------	--	-------

ATTACHMENTS			
-------------	--	--	--

MEA735Z610	22.8" (21.7" without side cutters) x 0.14 yd ³ (HCE std. Bucket)		\$237
------------	---	--	-------

ROBEX 55-9
HYDRAULIC CRAWLER MINI-EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

52 HP (SAE J1349, net) Yanmar 4TNV94L
12 V electrical starting system (100 A.H.)
55 amp alternator

CAB

Pressurized ISO standard cab
Adjustable heated suspension seat with seat belt
Wide and deluxe cabin with excellent visibility
Centralized monitor with high brightness LCD and anti-restart function
Sliding fold-in front window with tinted safety glass
Sliding side window
Additional top front window with tinted safety glass
A/C (16,000 BTU's)
Heater/Defroster (23,700 BTU's)
Intermittent windshield wipers
2 rear view mirrors
Cigarette lighter
Floor mat
Dome light

CONTROLS

Pilot operated joystick and travel controls
Two speed, ind. hydrostatic drive per track
Centralized Monitoring System
Central lube points
Swing holding brake
Boom holding system
Hydraulic system neutralizer

UNDERCARRIAGE

Lubed rollers (1 upper & 5 lower per track)
Hydraulic track adjusters
4' 11" Track gauge
8' 4" Undercarriage length
2 Track guides
16" track shoes
Sealed track
Bottom swivel guard

OTHERS

Nine spool main control valve including auxiliary hydraulic spool
AM/FM Cassette radio
Lockable side doors
Lights (Boom and cab mounted)
Counterweight (460 lbs)
130° offset boom
Travel alarm
Tow eyes
Coolant reservoir

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
ME955000	STANDARD CONFIGURED MACHINE Base machine, 9' 10" offset boom, 5' 3" arm, bucket linkage, 16" rubber track AM/FM Cassette radio, 0.24 yd ³ HCE bucket, breaker piping, A/C, enclosed cab, piping and blade controllers	12,570	\$71,597
ME955002	BASE MACHINE (rubber track) Price does not include boom, arm, bucket linkage, or HCE bucket		\$67,255

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

ME955100	9' 10" BOOM (ASSY), ONE PIECE OFFSET BOOM (std.) Includes boom and arm cylinders, piping, and lights		\$2,654
ME955111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$1,035
ME955125	5' 3" ARM (ASSY) (std) Includes bucket cylinder		\$1,027
ME955122	6' 3" ARM (ASSY) Includes bucket cylinder		\$1,210
ME955140	BUCKET LINKAGE		\$225
ME955150	HYDRAULIC QUICK COUPLER Includes coupler, hydraulics, additional pin kit and switch		\$3,896

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
---------------	-------------	-----------------	-------------------------

UNDERCARRIAGE			
---------------	--	--	--

ME955211	16" STEEL TRACKS (std)		0
ME955212	16" RUBBER TRACKS (ILOS)		In Base

AUXILIARY HYDRAULIC			
---------------------	--	--	--

ME955410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) piping, hoses, relief valve and control pedal for hammer or other single function attachments		IN BASE
ME955411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$2,480
ME955430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS			
--------	--	--	--

ME955510	TOOL KIT WITH BOX		\$531
----------	-------------------	--	-------

ATTACHMENTS			
-------------	--	--	--

ME955610	30.3" (27.8" without side cutters) x 0.24 yd ³ (HCE std. Bucket)		\$436
----------	---	--	-------

ROBEX 110-7A

HYDRAULIC CRAWLER MINI-EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

84HP (SAE J1349, net) Mitsubishi D04FD-TAA
 water cooled, 4 cycle, 4 cylinder turbocharged
 and air cooled low emission diesel
 24 V electrical starting system (80 A.H.)
 50 amp alternator

CAB

Pressurized ISO standard cab
 Adjustable heated suspension seat with seat belt
 Excellent ventilation with larger fresh air intake system
 Sliding windows with tinted safety glass
 Sliding, four position control console
 Heater/Defroster (30,000 BTU's)
 A/C (20,000 BTU's)
 Intermittent windshield wiper
 Accessory box and ashtray
 2 rearview mirrors
 Cigarette lighter
 Hot and cool box

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 Three power modes
 Arm flow regeneration system
 Auto warming-up system
 Self diagnosis system
 Anti restart system
 Auto engine overheat system
 One touch engine deceleration
 Hydraulic damper in travel pedal
 Power boost control system
 Boom and arm holding system
 Automatic swing brake

OTHERS

3 front working lights
 CD player and radio
 Remote radio switch
 Fuel-Water separator
 Cold starting aid (air grid heater)
 Removable clean out screen for oil cooler
 Electric horn
 Battery master switch
 Removable reservoir tank
 Tool box

UNDERCARRIAGE

Lubed rollers (1 upper and 6 lower per track)
 Hydraulic track adjusters
 10' 11" undercarriage length
 6' 6" track gauge
 18" track shoe Sealed track
 20" track shoe 1 track guide

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
EA711000	STANDARD CONFIGURED MACHINE Base machine, 14' 1" one piece boom, 7' 5" arm, bucket linkage, 20" steel track shoes, CD player and radio, 0.59 yd ³ HCE bucket		\$131,297
EA711002	BASE MACHINE (steel track) Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		\$112,403
EA711004	R110D-7A DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 14' 1" one piece boom, 7' 5" arm, bucket linkage, 20" track shoes, CD player and radio, 0.59 yd ³ HCE bucket, 8' 6" X 22" dozer blade (available only with 20" shoe)		\$140,233
EA711006	R110D-7A DOZER BLADE BASE MACHINE (steel track) Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		\$121,339

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

EA711100	14' 1" BOOM (ASSY) ONE PIECE (std) Includes boom and arm cylinders, piping, and lights		\$12,161
EA711111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$4,372
EA711121	7' 5" ARM (ASSY) (std) Includes bucket cylinder		\$3,861
EA711122	6' 5" ARM (ASSY) Includes bucket cylinder		\$3,746
EA711123	9' 3" ARM (ASSY) Includes bucket cylinder		\$4,776
EA711140	BUCKET LINKAGE Includes connecting rod and pin		\$1,029
EA711150	HYDRAULIC QUICK COUPLER Includes coupler, hydraulics, additional pin kit and switch		\$6,327

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

EA711222	FULL AUTO A/C		IN BASE
EA711230	DC CONVERTER (24V → 12V)		IN BASE
EA711241	HEATED AIR SUSPENSION SEAT		\$1,299
EA711250	CD PLAYER AND RADIO		IN BASE

UNDERCARRIAGE			
----------------------	--	--	--

EA711310	TRACKS WITH 20" TRIPLE GROUSER (std)		IN BASE
EA711311	TRACKS WITH 24" TRIPLE GROUSER (ILOS)		\$958
EA711312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		\$1,644
EA711313	TRACKS WITH 20" TRIPLE GROUSER with BOLT-ON RUBBER PADS (ILOS)		\$5,095

AUXILIARY HYDRAULIC			
----------------------------	--	--	--

EA711410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) pipng, hoses, relief valve and control pedal for hammer or other single function attachments		\$6,084
EA711411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$7,737
EA711420	BOOM SAFETY LOCK VALVE		\$2,478
EA711421	ARM SAFETY LOCK VALVE		\$1,421
EA711430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		\$1,071
EA711440	ELECTRIC PUMP TRANSDUCER		\$915

OTHERS			
---------------	--	--	--

EA711510	TOOL KIT WITH BOX		\$531
----------	-------------------	--	-------

ATTACHMENTS			
--------------------	--	--	--

EA711610	37" (32.7" without side cutters) x 0.59 yd ³ (HCE std. Bucket)		\$1,843
----------	---	--	---------

ROBEX 140LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

105 HP (SAE J1349, net) Mitsubishi D04FD-TAA
 water cooled, 4 cycle, 4 cylinder
 turbocharged and charge air cooled
 24 V electrical starting system (100 A.H.)
 50 amp alternator

UNDERCARRIAGE

Lubed rollers 1 upper & 7 lower per track
 Hydraulic track adjusters 24" track shoes
 12' 4" Undercarriage length 2 Track Guides
 6' 7" Track gauge Sealed track
 Bottom swivel guard

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 3 work modes: Digger, Breaker, Crusher
 - 1 Programmable user mode
 - Self diagnostic capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch and auto decel
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages
 while traveling

CAB

ISO standard, pressurized cab
 Adjustable suspension seat with seat belt
 Sliding control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable sun visors (Front and Upper)
 2 rear view mirrors (outside)
 Hot / cold box Lunch box storage area
 Air conditioner 1 Large / 1 small cup holder
 Heater and defroster Ash tray insert
 Intermittent windshield wiper Molded floor mat
 12 volt auxiliary power outlet Dome light
 CD Player w/ MP3 Input and remote controls 24 volt cigarette lighter
 Joysticks pre-wired for auxiliary attachment control Transparent sliding skylight

OTHERS

Hi-mate (Remote Management System) Lockable fuel cap
 Lights (boom mounted, front of tool box) Tow eyes
 Lockable side doors Travel alarm
 Fuel filler cap access Air Pre-Cleaner
 Variable speed engine fan clutch Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E914000	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 0.76 yd ³ HCE bucket, 24" track shoes, CD Player & Radio with MP3 Input	30,820	\$155,780
E914002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$134,070
E914004	R140LCD-9 DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 24" track shoes, CD Player & Radio with MP3 input, 0.76 yd ³ HCE bucket, 8' 6" x 22" dozer blade (available only with 24" shoe)		\$166,000
E914006	R140LCD-9 DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$144,280

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E914100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		\$13,660
E914101	13' 5" BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights (TO BE USED ONLY WITH 6' 3" & 6' 11" ARMS)		\$13,400
E914102	2 PIECE BOOM ASSY(16' 8") Incl. boom and arm cylinders, piping, and lights		\$23,373
E914111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$4,910
E914121	6' 3" ARM (ASSY) Includes bucket cylinder		\$4,535
E914122	6' 11" ARM (ASSY) Includes bucket cylinder		\$4,477
E914123	8' 2" ARM (ASSY) Includes bucket cylinder		\$4,681

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

FRONT ASSEMBLY CONTINUED (Factory installed -- must be ordered with machine)			
--	--	--	--

E914125	9' 10" ARM (ASSY) (std.)	Includes bucket cylinder	\$4,870
E914140	BUCKET LINKAGE	Includes connecting rod and pin	\$1,150
E914150	HYDRAULIC QUICK COUPLER	Incl. coupler, hydraulics, add'l pin kit & switch	\$6,643

CAB & ELECTRICAL			
------------------	--	--	--

E914222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E914230	DC CONVERTER (24V → 12V)		IN BASE
E914240	HEATED AIR SUSPENSION SEAT		IN BASE
E914250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E914253	REARVIEW CAMERA		IN BASE
E914260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E914252	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE			
---------------	--	--	--

E914311	TRACKS WITH 24" TRIPLE GROUSER (std.)		IN BASE
E914312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		\$1,080

AUXILIARY HYDRAULIC			
---------------------	--	--	--

E914411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$7,977
E914420	BOOM SAFETY LOCK VALVE		\$2,588
E914421	ARM SAFETY LOCK VALVE		\$1,560
E914430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS			
--------	--	--	--

E914510	TOOL KIT WITH BOX		\$550
---------	-------------------	--	-------

ATTACHMENTS			
-------------	--	--	--

E914610	44.5" (40.6" without side cutters) x 0.76 yd ³ (HCE std. Bucket)		\$2,030
E914611	36" x .76yd ³ bucket (Wear Guards)		\$1,850
E914612	44" x .76yd ³ bucket (Wear Guards)		\$2,300

ROBEX 140LCM-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

105 HP (SAE J1349, net) Mitsubishi D04FD-TAA
 water cooled, 4 cycle, 4 cylinder
 turbocharged and Charge air cooled
 24 V electrical starting system (100 A.H.)
 50 amp alternator

UNDERCARRIAGE

Lubed rollers 1 upper & 7 lower per track
 Hydraulic track adjusters 24" track shoes
 12' 4" Undercarriage length 2 Track Guides
 6' 7" Track gauge Sealed track
 Bottom swivel guard

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 2 work modes: Digger, Breaker
 - 1 Programmable user mode
 - Self diagnostic capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch and auto decel
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages while traveling

CAB

ISO standard, pressurized cab
 Adjustable heated suspension seat with seat belt
 Sliding, control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable Sun Visors (Front and Upper)
 3 rear view mirrors (outside)
 Hot / cold box Lunch box storage area
 Air conditioner 1 Large / 1 small cup holder
 Heater and defroster Ash tray insert
 Intermittent windshield wiper Molded floor mat
 12 volt auxiliary power outlet Dome light
 CD Player w/ MP3 Input and remote controls 24 volt cigarette lighter
 Joysticks pre-wired for auxiliary attachment control Transparent Sliding Skylight

OTHERS

Hi-mate (Remote Management System) Lockable fuel cap
 Lights (boom mounted, front of tool box) Tow eyes
 Lockable side doors Travel alarm
 Fuel tank service access hole Air Pre-Cleaner
 Variable speed engine fan clutch Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E914000M	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 0.76 yd ³ HCE bucket, 24" track shoes, CD Player & Radio with MP3 Input	30,820	\$169,187
E914002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$147,477

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E914100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		\$13,660
E914101	13' 5" BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights (TO BE USED ONLY WITH 6' 3" & 6' 11" ARMS)		\$13,400
E914102	2 PIECE BOOM ASSY(16' 8") Incl. boom and arm cylinders, piping, and lights		\$23,373
E914111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$4,910
E914121	6' 3" ARM (ASSY) Includes bucket cylinder		\$4,535
E914122	6' 11" ARM (ASSY) Includes bucket cylinder		\$4,477
E914123	8' 2" ARM (ASSY) Includes bucket cylinder		\$4,681

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

FRONT ASSEMBLY CONTINUED (Factory installed -- must be ordered with machine)			
--	--	--	--

E914125	9' 10" ARM (ASSY) (std.)	Includes bucket cylinder	\$4,870
E914140	BUCKET LINKAGE	Includes connecting rod and pin	\$1,150
E914150	HYDRAULIC QUICK COUPLER	Incl. coupler, hydraulics, add'l pin kit & switch	\$6,643

CAB & ELECTRICAL			
------------------	--	--	--

E914222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E914230	DC CONVERTER (24V → 12V)		IN BASE
E914240	HEATED AIR SUSPENSION SEAT		IN BASE
E914250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E914253	REARVIEW CAMERA		IN BASE
E914260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E914252	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE			
---------------	--	--	--

E914311	TRACKS WITH 24" TRIPLE GROUSER (std.)		IN BASE
E914312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		\$1,080

AUXILIARY HYDRAULIC			
---------------------	--	--	--

E914411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$7,977
E914420	BOOM SAFETY LOCK VALVE		\$2,588
E914421	ARM SAFETY LOCK VALVE		\$1,560
E914430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS			
--------	--	--	--

E914510	TOOL KIT WITH BOX		\$550
---------	-------------------	--	-------

ATTACHMENTS			
-------------	--	--	--

E914610	44.5" (40.6" without side cutters) x 0.76 yd ³ (HCE std. Bucket)		\$2,030
E914611	36" x .76yd ³ bucket (Wear Guards)		\$1,850
E914612	44" x .76yd ³ bucket (Wear Guards)		\$2,300

ROBEX 145LCR-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

105 HP (SAE J1349, net) Mitsubishi D04FD-TAA
 water cooled, 4 cycle, 4 cylinder
 turbocharged and charge air cooled
 24 V electrical starting system (80 A.H.)
 50 amp alternator

UNDERCARRIAGE

1 upper roller per track
 7 lower rollers per track
 Hydraulic track adjusters
 11' 11" Undercarriage length
 6' 7" Track gauge

Bottom swivel guard
 24" track shoes
 2 Track Guides
 Sealed track

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 2 work modes: Digger, Breaker
 - 1 Programmable user mode
 - Self diagnostic capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch and auto decel
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages while traveling

CAB

ISO standard, pressurized cab
 Adjustable heated suspension seat with seat belt
 Sliding, control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable Sun Visor
 2 rear view mirrors (outside)
 Hot / cold box
 Air conditioner
 Heater and defroster
 Intermittent windshield wiper
 12 volt auxiliary power outlet
 CD Player w/ MP3 Input and remote controls
 Joysticks pre-wired for auxiliary attachment control

Lunch box storage area
 1 Large / 1 small cup holder
 Ash tray insert
 Molded floor mat
 Dome light
 24 volt cigarette lighter
 Transparent Sliding Skylight

OTHERS

Hi-mate (Remote Management System)
 Lights (boom mounted, front of tool box)
 Lockable side doors
 Fuel filler cap access
 Variable speed engine fan clutch

Lockable fuel cap
 Tow eyes
 Travel alarm
 Air Pre-Cleaner
 Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E9145000	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 0.76 yd ³ HCE bucket, 24" track shoes, CD Player & Radio with MP3 Input	14,790	\$161,006
E9145002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$139,296
E9145004	R145LCR-9 DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 24" track shoes, CD Player & Radio with MP3 input, 0.76 yd ³ HCE bucket, 8' 6" x 22" dozer blade (available only with 24" shoe)		\$172,276
E9145006	R14LCR-9 DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$150,566

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E9145100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		\$13,660
E9145111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$4,910
E9145121	6' 3" ARM (ASSY) Includes bucket cylinder		\$4,535
E9145122	6' 11" ARM (ASSY) Includes bucket cylinder		\$4,477
E9145123	8' 2" ARM (ASSY) Includes bucket cylinder		\$4,681

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

FRONT ASSEMBLY CONTINUED (Factory installed -- must be ordered with machine)			
--	--	--	--

E9145125	9' 10" ARM (ASSY) (std.)	Includes bucket cylinder	\$4,870
E9145140	BUCKET LINKAGE	Includes connecting rod and pin	\$1,150
E9145150	HYDRAULIC QUICK COUPLER		\$6,643
	Incl. coupler, hydraulics, add'l pin kit & switch		

CAB & ELECTRICAL			
------------------	--	--	--

E9145222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E9145230	DC CONVERTER (24V → 12V)		IN BASE
E9145240	HEATED MECHANICAL SEAT		IN BASE
E9145250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E9145253	REARVIEW CAMERA		IN BASE
E9145260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E9145252	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE			
---------------	--	--	--

E9145311	TRACKS WITH 24" TRIPLE GROUSER (std.)		IN BASE
E9145312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		\$1,080

AUXILIARY HYDRAULIC			
---------------------	--	--	--

E9145411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$7,977
E9145420	BOOM SAFETY LOCK VALVE		\$2,588
E9145421	ARM SAFETY LOCK VALVE		\$1,560
E9145430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS			
--------	--	--	--

E9145510	TOOL KIT WITH BOX		\$550
----------	-------------------	--	-------

ATTACHMENTS			
-------------	--	--	--

E9145610	44.5" (40.6" without side cutters) x 0.76 yd ³ (HCE std. Bucket)		\$2,030
----------	---	--	---------

ROBEX 160LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

120 HP (SAE J1349, net) Mitsubishi D04FD-TAA
water cooled, 4 cycle, 4 cylinder in-line turbocharged
and charge air cooled low emission diesel engine
24 V electrical starting system (100 A.H.)
50 amp alternator

CAB

Electronic service monitor with adjustable LCD cluster
Mechanical suspension seat with heater
Illuminated LCD panel with audible warning
Removable lower front window with storage
Sliding windows with tinted safety glass
Sliding, four-position control consoles
Heater / Defroster (30,000 BTU's)
Intermittent windshield wiper
Additional top front window
A/C (20,000 BTU's)
Pressurized cab

2 rear view mirrors
Cigarette lighter
Dome light
Floor mat

CONTROLS

Computer Aided Power Optimization (CAPO)
Pilot operated joystick and travel controls
2-speed, ind. hydrostatic drive per track
Auto engine overheat prevention
Centralized monitoring system
Hydraulic system neutralizer
Auto engine deceleration
Auto warm-up system
Swing holding brake
Power boost system

OTHER

On-board Diagnostic System w/ memory for easy maintenance
11 spool main control valve incl. 3 auxiliary hydraulic spools
Four working lights (Boom and Cab mounted)
CD Player & Radio
Counterweight (6,390 lb.)
Lockable side doors
Hi-Mate (RMS)

Coolant reservoir
Tow eyes
Travel alarm
Rearview Camera

UNDERCARRIAGE

Lubed rollers (2 upper & 7 lower per track)
10' 5" Length of track on ground
13' 0" Undercarriage length
Hydraulic track adjusters
Bottom swivel guard
2 Track Guides

Arm holding valve
Central lube points
Boom holding valve

24" Track shoes
Sealed track

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E9716000	STANDARD CONFIGURED MACHINE Base machine, 16' 9" one piece boom, 8' 6" arm, bucket linkage, 24" track shoes, CD Player & Radio, 0.92 yd ³ HCE bucket	38,360	\$166,915
E9716002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket	31,010	\$144,712
E9716004	R160LCD-7A DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 16' 9" one piece boom, 8' 6" arm, bucket linkage, 24" track shoes, CD Player & Radio, 0.92 yd ³ HCE bucket, Dozer blade and controller (available only with 24" shoes)	40,570	\$178,599
E9716005	R160LCD-7A DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket	33,510	\$156,396

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E9716100	16' 9" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	2,760	\$13,996
E9716111	BOOM CYLINDERS ONLY Factory installed, L.H. and R.H.	541	\$5,031
E9716122	7' 3" ARM (ASSY) Includes bucket cylinder	1,700	\$4,586
E9716123	8' 6" ARM (ASSY) (std.) Includes bucket cylinder	1,760	\$4,799
E9716125	10' 2" ARM (ASSY) Includes bucket cylinder	1,980	\$5,535
E9716140	BUCKET LINKAGE Includes rod and pin	212	\$1,183
E9716150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$7,200

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

E9716222	FULL AUTO A/C		IN BASE
E9716230	DC CONVERTER (24V → 12V)		IN BASE
E9716240	HEATED AIR SUSPENSION SEAT		IN BASE
E9716250	CD PLAYER & RADIO		IN BASE
E9716253	REARVIEW CAMERA		IN BASE
E9716260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E9716270	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE			
----------------------	--	--	--

E9716310	TRACKS WITH 20" TRIPLE GROUSER (ILOS)		\$0
E9716311	TRACKS WITH 24" TRIPLE GROUSER (std.)	4,669	IN BASE
E9716312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)	5,216	\$2,184

AUXILIARY HYDRAULIC		Note: All FACTORY INSTALLED hydraulics must be ordered in advance.	
----------------------------	--	--	--

E9716410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED Piping, hoses, relief valve and control pedal for hammers or other single function attachments)	155	\$6,213
E9716411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	155	\$7,581
E9716420	BOOM SAFETY LOCK VALVE		\$2,827
E9716421	ARM SAFETY LOCK VALVE		\$1,740
E9716430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S.) (FACTORY INSTALLED)		IN BASE
E9716440	ELECTRIC PUMP TRANSDUCER		\$1,029

OTHERS			
---------------	--	--	--

E9716510	TOOL KIT WITH BOX	55	\$531
E9716570	HEAVIER COUNTERWEIGHT (ADDITIONAL 770 LBS)	7,275	\$1,602

ATTACHMENTS			
--------------------	--	--	--

E9716610	43.7" (39" without side cutters) x 0.92 yd ³ (HCE std. Bucket)	1,190	\$2,225
----------	---	-------	---------

ROBEX 180LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

120 HP (SAE J1349, net) Mitsubishi D04FD-TAA
 water cooled, 4 cycle, 4 cylinder in-line, direct injection,
 turbocharged, and charge air cooled diesel
 24 volt electrical starting system (100 A.H.)
 50 amp alternator

CAB

ISO standard size cab
 Mechanical suspension seat with seat belt
 Electronic service monitor
 Sliding windows with tinted safety glass
 Retractable front windshield
 Vandalism locks
 A/C (20,000 BTU's)
 Heater / Defroster (30,000 BTU's)
 Intermittent windshield wiper

Two rear view mirrors
 Cigarette lighter
 Dome light
 Floor mat

CONTROLS

Pilot operated joystick and travel controls
 Auto engine deceleration
 2-speed, ind. hydrostatic drive per track
 Computer Aided Power Optimization (CAPO)
 Centralized monitoring system
 Central lube points
 Swing holding brake
 Hydraulic system neutralizer

UNDERCARRIAGE

7' 5" Track gauge
 13' 7" Undercarriage length
 Lubed rollers (2 upper & 8 lower per track)
 Hydraulic track adjusters
 2 track guides
 28" Track shoe
 Sealed track
 Arm half control

OTHER

11 spool main control valve incl. 3 auxiliary hydraulic spool
 Four work lights mounted on the boom and front frame
 CD Player & Radio
 Counterweight (6,500 lb.)
 Lockable side doors
 Coolant reservoir

Bottom swivel guard
 Tow eyes
 Travel alarm
 Auto warm-up system

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E918000	STANDARD CONFIGURED MACHINE Base machine, 17' 1" one piece boom, 8' 6" arm, bucket linkage, 28" track shoes, CD Player & Radio, 0.99 yd ³ HCE bucket	40,120	\$184,724
E918002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$162,264
E918004	R180LCD-7A DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 17' 1" one piece boom, 8' 6" arm, bucket linkage, 28" track shoes, CD Player & Radio, 0.99 yd ³ HCE bucket Dozer blade and controller (available only with 24" shoes)	43,010	\$197,655
E918005	R180LCD-7A DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$175,195

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E918100	17' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	2,890	\$14,201
E918101	16' 5" TWO PIECE BOOM (ASSY) Includes boom and arm cylinders, piping, and lights	3,920	\$31,433
E918111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.	786	\$5,873
E918119	7' 3" ARM (ASSY) Includes bucket cylinder	1,680	\$4,469
E918120	8' 6" ARM (ASSY) (std.) Includes bucket cylinder	1,830	\$4,759
E918121	9' 6" ARM (ASSY) Includes bucket cylinder	2,050	\$5,083
E918124	10' 2" ARM (ASSY) Includes bucket cylinder	2,070	\$5,570
E918140	BUCKET LINKAGE Includes rod and pin	736	\$1,183
E918150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$7,200

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

E918222	FULL AUTO A/C		IN BASE
E918230	DC CONVERTER (24V → 12V)		IN BASE
E918240	HEATED AIR SUSPENSION SEAT		IN BASE
E918250	CD PLAYER & RADIO		IN BASE
E918253	REARVIEW CAMERA		IN BASE
E918260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E918270	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE			
----------------------	--	--	--

E918311	TRACKS WITH 24" TRIPLE GROUSER (ILOS)	6,000	\$0
E918313	TRACKS WITH 28" TRIPLE GROUSER (std.)	6,720	IN BASE
E918315	TRACKS WITH 32" TRIPLE GROUSER (ILOS)	7,490	\$1,326

AUXILIARY HYDRAULIC		Note: All FACTORY INSTALLED hydraulics must be ordered in advance.	
----------------------------	--	--	--

E918410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	400	\$6,213
E918411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	400	\$7,581
E918420	BOOM SAFETY LOCK VALVE		\$2,912
E918421	ARM SAFETY LOCK VALVE		\$1,792
E918430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S.) (FACTORY INSTALLED)		IN BASE
E918440	ELECTRIC PUMP TRANSDUCER		\$1,029

OTHERS			
---------------	--	--	--

E918510	TOOL KIT WITH BOX	55	\$531
---------	-------------------	----	-------

ATTACHMENTS			
--------------------	--	--	--

E918610	46.5" (41.7" without side cutters) x 0.99 yd ³ (HCE std. Bucket)	1,190	\$2,317
---------	---	-------	---------

ROBEX 210LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

143 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7
 water cooled, 4 cycle, 6 cylinder in-line, turbocharged
 and charge air cooled, Tier III diesel
 24 volt electrical starting system (100 A.H.)
 50 amp alternator

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 3 work modes: Digger, Breaker and Crusher
 - 1 Programmable user mode
 - Self diagnostic capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch and auto decel
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages while traveling
 Lever pattern selector valve (SAE - ISO)

UNDERCARRIAGE

Sealed lubed rollers, 2 upper & 9 lower per each track
 Hydraulic track adjusters
 14' 7" undercarriage length
 7' 10" track gauge
 2 track guides, each track

Bottom swivel guard
 Sealed track
 32" track shoes

CAB

ISO standard, pressurized cab
 Adjustable heated suspension seat with seat belt
 Sliding, control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable sun visors (Front and Upper)
 2 rear view mirrors (outside)
 Hot / cold box
 Air conditioner
 Heater and defroster
 Intermittent windshield wiper
 12 volt auxiliary power outlet
 CD Player w/ MP3 Input and remote controls
 Joysticks pre-wired for auxiliary attachment control

Lunch box storage area
 1 Large / 1 small cup holder
 Ash tray insert
 Molded floor mat
 Dome light
 24 volt cigarette lighter
 Transparent sliding skylight

OTHERS

Hi-mate (Remote Management System)
 3 work lights (boom mounted, front of tool box)
 Lockable side doors
 Fuel filler cap access
 Variable speed engine fan clutch
 Rear view camera

Lockable fuel cap
 Tow eyes
 Travel alarm
 Air Pre-Cleaner
 Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

E921000	STANDARD CONFIGURED MACHINE Base machine, 18' 8" one piece boom, 9' 7" arm, bucket linkage, 1.20yd ³ HCE Bucket, 32" track shoes, Heavier Counter Weight (9,240 lbs), CD Player & Radio with MP3 Input	49,390	\$215,720
E921002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$189,920

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E921100	18' 8" BOOM (ASSY), ONE PIECE (STD) Includes boom and arm cylinders, piping, and lights		\$15,700
E921111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$6,100
E921118	6' 7" ARM (ASSY) Includes bucket cylinder		\$5,500
E921119	7' 10" ARM (ASSY) Includes bucket cylinder		\$6,000
E921120	9' 7" ARM (ASSY) (STD.) Includes bucket cylinder		\$5,300
E921121	12' 10" ARM (ASSY) Includes bucket cylinder		\$8,800
E921140	BUCKET LINKAGE Includes rod and pin		\$1,300
E921150	HCE HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$7,600

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

E921222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E921230	DC CONVERTER (24V → 12V)		IN BASE
E921241	HEATED AIR-RIDE SUSPENSION SEAT W/ 3" SEAT BELT		IN BASE
E921250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E921253	REARVIEW CAMERA		IN BASE
E921260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E921270	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE			
----------------------	--	--	--

E921313	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		\$0
E921315	TRACKS WITH 32" TRIPLE GROUSER (STD)		IN BASE
E921317	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		\$3,750

AUXILIARY HYDRAULIC			
----------------------------	--	--	--

E921411	MULTI FUNCTION AUXILIARY HYDRAULICS W/ FOOT CONTROL (FACTORY INSTALLED)		\$8,800
E921420	BOOM SAFETY LOCK VALVE		\$2,900
E921421	ARM SAFETY LOCK VALVE		\$1,800
E921430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE)		IN BASE

OTHERS			
---------------	--	--	--

E921510	TOOL KIT WITH BOX		\$550
E921570	HEAVIER COUNTERWEIGHT (9,240LBS)		IN BASE

ATTACHMENTS			
--------------------	--	--	--

E921610	49.2" (44.5" without side cutters) x 1.20 yd ³ (HCE Bucket) (STD)		\$3,500
E921611	36" (Wear Guards) x .97 yd ³ (Heavy Duty Plate Bucket)		\$4,130
E921612	42" (Wear Guards) x 1.18 yd ³ (Heavy Duty Plate Bucket)		\$4,305

ROBEX 210LC-9 LONG REACH

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

143 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7
 water cooled, 4 cycle, 6 cylinder in-line. Turbocharged
 and charge air cooled, Tier III diesel
 24 volt electrical starting system (100 A.H.)
 50 amp alternator

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 3 work modes: Digger, Breaker, Crusher
 - 1 Programmable User Mode
 - Self diagnostic capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch and auto decel
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages while traveling
 Lever pattern selector valve (SAE - ISO)

UNDERCARRIAGE

Sealed, lubed rollers, 2 upper & 9 lower per each track
 Hydraulic track adjusters
 14' 7" undercarriage length
 7' 10" track gauge
 28" track shoes
 Bottom swivel guard
 2 track guides, each track
 Sealed track

CAB

ISO standard, pressurized cab
 Adjustable heated suspension seat with seat belt
 Sliding, control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable Sun Visors (Front and Upper)
 2 rear view mirrors (outside)
 Hot / cold box
 Air conditioner
 Heater and defroster
 Intermittent windshield wiper
 12 volt auxiliary power outlet
 CD Player w/ MP3 Input and remote controls
 Joysticks pre-wired for auxiliary attachment control
 Lunch box storage area
 1 Large / 1 small cup holder
 Ash tray insert
 Molded floor mat
 Dome light
 24 volt cigarette lighter
 Transparent sliding skylight

OTHERS

Hi-mate (Remote Management System)
 3 work lights (boom mounted, front of tool box)
 Lockable side doors
 Fuel filler cap access
 Variable speed engine fan clutch
 Lockable fuel cap
 Tow eyes
 Travel alarm
 Air pre-cleaner
 Battery master switch
 Rear view camera

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E92100L	STANDARD CONFIGURED MACHINE Base machine, 26' 11" one piece boom, 20' 8" arm, bucket linkage, 1.20 yd ³ HCE Bucket, 32" track shoes, Heavier Counter Weight (9,240 lbs), CD Player & Radio with MP3 Input	54,000	\$248,640
E921002L	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket incl. 11,680 lb. counterweight		\$213,960

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E921100L	26' 11" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping and lights		\$20,030
E921111L	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$6,100
E921120L	20' 8" ARM (ASSY), ONE PIECE (std.) Includes Bucket Cylinder		\$11,290
E921140L	BUCKET LINKAGE Includes rod and pin.		\$1,320

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL

E921222L	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E921230L	DC CONVERTER (24V → 12V)		IN BASE
E921241L	HEATED AIR-RIDE SUSPENSION SEAT W/ 3" SEAT BELT		IN BASE
E921250L	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E921253L	REARVIEW CAMERA		IN BASE
E921260L	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E921270L	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE

E921315L	TRACKS WITH 32" TRIPLE GROUSER (std.)		IN BASE
E921317L	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		\$3,750

AUXILIARY HYDRAULIC

E921420L	BOOM SAFETY LOCK VALVE		\$2,900
E921421L	ARM SAFETY LOCK VALVE		\$1,800
E921430L	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE)		IN BASE

OTHERS

E921510L	TOOL KIT WITH BOX		\$550
E921570L	HEAVIER COUNTERWEIGHT (11,680 LBS)		IN BASE

ATTACHMENTS

EA721610L	40.8" (36.8" without side cutters) x 0.76 yd ³ (HCE std. Bucket)		\$2,040
-----------	---	--	---------

ROBEX 250LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

183 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7
 4 cycle, 6 cylinder in-line, direct injection, turbocharged
 charge air cooled, low emission diesel
 24 volt electrical starting system (100 A.H.)
 50 amp alternator

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 3 work modes: Digger, Breaker, Crusher
 - 1 Programmable user mode
 - Self diagnostic capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch and auto decel
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages while traveling

UNDERCARRIAGE

Lubed rollers (2 upper & 9 lower per track)
 15' 3" Undercarriage length
 8' 6" Track gauge
 Hydraulic track adjusters
 Bottom swivel guard
 24" Track shoe
 Sealed track
 2 track guides

CAB

ISO standard, pressurized cab
 Adjustable heated suspension seat with seat belt
 Sliding, control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable sun visors (Front and Upper)
 2 rear view mirrors (outside)
 Hot / cold box
 Air conditioner
 Heater and defroster
 Intermittent windshield wiper
 12 volt auxiliary power outlet
 CD Player w/ MP3 Input and remote controls
 Joysticks pre-wired for auxiliary attachment control
 Lunch box storage area
 1 Large / 1 small cup holder
 Ash tray insert
 Molded floor mat
 Dome light
 24 volt cigarette lighter
 Transparent sliding skylight

OTHERS

Hi-mate (Remote Management System)
 3 work lights (boom mounted, front of tool box)
 Lockable side doors
 Fuel filler cap access
 Variable speed engine fan clutch
 Lockable fuel cap
 Tow eyes
 Travel alarm
 Air Pre-Cleaner
 Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E925000	STANDARD CONFIGURED MACHINE Base machine, 19' 2" one piece boom, 10' 0" arm, bucket linkage, 1.41yd ³ HCE bucket, 32" track shoes, CD Player & Radio with MP3 Input	56,200	\$265,149
E925002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		\$232,609

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E925100	19' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	56,900	\$18,840
E925111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$7,020
E925119	8' 2" ARM (ASSY) Includes bucket cylinder		\$8,090
E925120	10' 0" ARM (ASSY) (std.) Includes bucket cylinder		\$8,540
E925121	11' 10" ARM (ASSY) Includes bucket cylinder		\$11,500
E925140	BUCKET LINKAGE Includes rod and pin		\$1,460
E925150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$12,942

CAB & ELECTRICAL

E925222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E925230	DC CONVERTER (24V → 12V)		IN BASE
E925241	HEATED AIR SUSPENSION SEAT		IN BASE
E925250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL CONTINUED

E925253	REARVIEW CAMERA		IN BASE
E925260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E925270	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE

E925313	TRACKS WITH 28" TRIPLE GROUSER (std.)		\$0
E925315	TRACKS WITH 32" TRIPLE GROUSER (ILOS)		IN BASE

AUXILIARY HYDRAULIC

E925411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$8,800
E925420	BOOM SAFETY LOCK VALVE		\$2,900
E925421	ARM SAFETY LOCK VALVE		\$1,800
E925430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS

E925510	TOOL KIT WITH BOX		\$550
---------	-------------------	--	-------

ATTACHMENTS

E925610	49.2" (44.5" without side cutters) x 1.41 yd ³ HYUNDAI bucket		\$3,700
E925611	36" (Wear Guards) x 1.16 yd ³ (Heavy Duty Plate Bucket)		\$3,848
E925612	42" (Wear Guards) x 1.43 yd ³ (Heavy Duty Plate Bucket)		\$4,625

ROBEX 290LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

197 HP (SAE J1349, net) Cummins QSB6.7 Tier-III
 water cooled, 4 cycle, 6 cylinders, turbocharged and
 air cooled, low emission diesel
 24 volt electrical starting system (160 A.H.)
 50 amp alternator

UNDERCARRIAGE

Lubricated rollers, 2 upper & 9 lower per each track
 Hydraulic track adjusters
 16' 2" undercarriage length
 8' 6" track gauge
 2 track guides, each track
 24" track shoes
 Sealed track
 Bottom swivel guard

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 3 work modes: Digger, Breaker, Crusher
 - 1 Programmable User Mode
 - Self diagnostic capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch deceleration
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages while traveling

CAB

ISO standard, pressurized cab
 Adjustable heated suspension seat with seat belt
 Sliding, control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable sun visors (Front and Upper)
 2 rear view mirrors (outside)
 Hot / cold box
 Air conditioner
 Heater and defroster
 Intermittent windshield wiper
 12 volt auxiliary power outlet
 CD Player w/ MP3 Input and remote controls
 Joysticks pre-wired for auxiliary attachment control
 Lunch box storage area
 1 Large / 1 small cup holder
 Ash tray insert
 Molded floor mat
 Dome light
 24 volt cigarette lighter
 Transparent sliding skylight

OTHERS

Hi-mate (Remote Management System)
 Lights (boom mounted, front of tool box)
 Lockable side doors
 Fuel filler cap access
 Variable speed engine fan clutch
 Lockable fuel cap
 Tow eyes
 Travel alarm
 Air Pre-Cleaner
 Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
E929000	STANDARD CONFIGURED MACHINE Base machine, 20' 6" one piece boom, 10' 0" arm, bucket linkage, 1.66 yd ³ HCE bucket, 32" track shoes, CD Player & Radio with MP3 Input	65,870	\$297,300
E929001	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket	55,130	\$256,400

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E929100	20' 6" BOOM ONE PIECE (ASSY) (std.) Incl. boom & arm cylinders, piping, & lights	5,900	\$27,000
E929111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.	1,144	\$9,040
E929115	6' 11" ARM (ASSY) Includes bucket cylinder	3,110	\$7,840
E929120	8' 2" ARM (ASSY) Includes bucket cylinder	3,060	\$8,010
E929121	10' 0" ARM (ASSY) (STD.) Includes bucket cylinder	3,310	\$8,500
E929122	12' 4" ARM (ASSY) Includes bucket cylinder	3,620	\$10,950
E929140	BUCKET LINKAGE Includes rod and pin	366	\$1,700
E929150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$12,570

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL

E929222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E929230	DC CONVERTER (24V → 12V)		IN BASE
E929240	HEATED AIR SUSPENSION SEAT		IN BASE
E929250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E929253	REARVIEW CAMERA		IN BASE
E929260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E929270	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE

E929313	TRACKS WITH 32" TRIPLE GROUSER (STD)	5,890	IN BASE
E929317	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		\$2,178

AUXILIARY HYDRAULIC

E929411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)	190	\$10,380
E929420	BOOM SAFETY LOCK VALVE		\$3,240
E929421	ARM SAFETY LOCK VALVE		\$1,760
E929430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS

E929510	TOOL KIT WITH BOX		\$550
E929570	HEAVIER COUNTERWEIGHT (ADDITIONAL 880 LBS)		\$1,922

ATTACHMENTS

E929610	55.5" (50.8" without side cutters) x 1.66 yd ³ HYUNDAI bucket		\$3,700
E929611	42" (Wear Guards) x 1.43 yd ³ (Heavy Duty Plate Bucket)		\$4,329
E929612	48" (Wear Guards) x 1.67 yd ³ (Heavy Duty Plate Bucket)		\$4,625

ROBEX 290LC-9 LONG REACH

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

197 HP (SAE J1349, net) Cummins QSB6.7 Tier-III
 water cooled, 4 cycle, 6 cylinders, turbo charged, charge
 air cooled, low emission diesel
 24 volt electrical starting system (160 A.H.)
 50 amp alternator

UNDERCARRIAGE

Lubricated rollers, 2 upper & 9 lower per each track
 Hydraulic track adjusters
 16' 2" undercarriage length
 8' 6" track gauge
 2 track guides, each track
 24" track shoes
 Sealed track
 Bottom swivel guard

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 Power modes (P) Power, (S) Standard, (E) Economy
 - 3 work modes: Digger, Breaker, Crusher
 - 1 Programmable user mode
 - Self Diagnostic Capability
 - Multiple language capability
 - Password security
 - Jog shuttle dial for easy menu selection
 Variable engine speed control dial
 Auto engine overheat prevention
 Auto engine deceleration (multi-staged)
 One touch deceleration
 Auto engine warm up
 Anti restart protection
 Auto swing brake
 Auto hydraulic priority system (boom and swing)
 Auto power boost - also selectable by switch on joystick
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track
 Travel power boost - auto power boost engages while traveling

CAB

ISO standard, pressurized cab
 Adjustable heated suspension seat with seat belt
 Sliding, control consoles with adjustable height controls
 Illuminated 7" Color LCD cluster with sound for alarms
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Retractable sun visors (Front and Upper)
 2 rear view mirrors (outside)
 Hot / cold box
 Air conditioner
 Heater and defroster
 Intermittent windshield wiper
 12 volt auxiliary power outlet
 CD Player w/ MP3 Input and remote controls
 Joysticks pre-wired for auxiliary attachment control
 Lunch box storage area
 1 Large / 1 small cup holder
 Ash tray insert
 Molded floor mat
 Dome light
 24 volt cigarette lighter
 Transparent Sliding Skylight

OTHERS

HI-mate (Remote Management System)
 Lights (boom mounted, front of tool box)
 Lockable side doors
 Fuel filler cap access
 Variable speed engine fan clutch
 Lockable fuel cap
 Tow eyes
 Travel alarm
 Air Pre-Cleaner
 Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

E929000L	STANDARD CONFIGURED MACHINE Base machine, 33' 6" one piece boom, 25' 9" arm, bucket linkage, 32" track shoes, CD Player & Radio, 0.67 yd ³ HCE bucket	70,310	\$333,350
E929001L	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket includes 13,860 lb. counterweight		\$266,090

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E929100L	33' 6" BOOM, ONE PIECE (ASSY) (std.) Includes boom and arm cylinders, piping, and lights		\$42,790
E929111L	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$9,040
E929120L	25' 9" ARM, ONE PIECE (ASSY) (Std.) Includes bucket cylinder		\$20,710
E929140L	BUCKET LINKAGE		\$1,700

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

E929222L	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E929230L	DC CONVERTER (24V → 12V)		IN BASE
E929241L	HEATED AIR SUSPENSION SEAT		IN BASE
E929250L	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E929253L	REARVIEW CAMERA		IN BASE
E929260L	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E929270L	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE			
----------------------	--	--	--

E929313L	TRACKS WITH 32" TRIPLE GROUSER (std.)		IN BASE
E929317L	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		\$2,178

AUXILIARY HYDRAULIC			
----------------------------	--	--	--

E929420L	BOOM SAFETY LOCK VALVE		\$3,240
E929421L	ARM SAFETY LOCK VALVE		\$1,760
E929430L	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS			
---------------	--	--	--

E929510L	TOOL KIT WITH BOX		\$550
----------	-------------------	--	-------

ATTACHMENTS			
--------------------	--	--	--

E929610L	40.8" (36.8" without side cutters) x 0.76yd ³ (std. HCE bucket)		\$2,060
----------	--	--	---------

ROBEX 320LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

<p>ENGINE</p> <p>263 HP (SAE J1349, net) Cummins QSC Tier-III water cooled, 4 cycle, 6 cylinder in-line, turbocharged and charge air cooled, low emission diesel</p> <p>24 volt electrical starting system (160 A.H.)</p> <p>50 amp alternator</p> <p>CONTROLS</p> <p>Pilot operated joystick and travel controls</p> <p>Computer Aided Power Optimization system (CAPO)</p> <p>- 2 power modes</p> <p>- 3 work modes (Digger, Breaker, Crusher)</p> <p>- User mode</p> <p>Self diagnosis system</p> <p>10 step engine speed control by dial</p> <p>Auto engine overheat prevention</p> <p>Auto engine deceleration</p> <p>One touch deceleration</p> <p>Auto warm up mode</p> <p>Anti restart protection</p> <p>Swing holding brake</p> <p>Swing priority control system</p> <p>Power boost system</p> <p>Boom and Arm holding valve</p> <p>2 speed, ind. hydrostatic drive at each track</p>	<p>UNDERCARRIAGE</p> <p>Lubed rollers, 2 upper & 9 lower per track</p> <p>Hydraulic track adjusters</p> <p>16' 2" undercarriage length</p> <p>8' 10" track gauge</p> <p>2 track guides, each track</p> <p>32" track shoes</p> <p>Sealed track</p> <p>Bottom swivel guard</p>	<p>CAB</p> <p>ISO standard, pressurized cab</p> <p>Adjustable suspension seat with seat belt</p> <p>Sliding, 4 position control consoles</p> <p>Illuminated LCD panel with audible warning</p> <p>Sliding window and tinted safety glass</p> <p>Removable lower front window with storage</p> <p>Air conditioner (20,000 BTU)</p> <p>Heater and defroster (30,000 BTU)</p> <p>Intermittent windshield wiper</p> <p>2 rear view mirrors</p> <p>Dome light</p> <p>Floor mat</p> <p>Cigarette lighter</p>	<p>OTHERS</p> <p>9 spool main control valve incl. auxiliary hydraulic spool</p> <p>Lights (boom mounted, front of tool box)</p> <p>CD/MP3 Player & Radio</p> <p>Lockable side doors</p> <p>Travel alarm</p> <p>Hi-Mate (Remote Management System)</p> <p>Coolant reservoir</p> <p>Tow eyes</p> <p>Rear View Camera</p>
--	---	---	---

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

E932000	STANDARD CONFIGURED MACHINE Base machine, 21' 2" one piece boom, 10' 6" arm, bucket linkage, 32" track shoes, CD Player & Radio, 1.88 yd ³ HCE bucket	71,000	\$336,865
E932002	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket	59,730	\$290,681

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E932100	21' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	6,680	\$31,190
E932111	BOOM CYLINDERS Factory installed, l.h. and r.h.	1,289	\$10,065
E932120	7' 3" ARM (ASSY) Includes bucket cylinder	3,310	\$8,898
E932121	8' 2" ARM (ASSY) Includes bucket cylinder	3,510	\$9,248
E932122	10' 6" ARM (ASSY) (std.) Includes bucket cylinder	3,700	\$9,254
E932123	13' 3" ARM (ASSY) Includes bucket cylinder	4,170	\$11,927
E932140	BUCKET LINKAGE Includes rod and pin	418	\$2,020

CAB & ELECTRICAL

E932222	FULL AUTO A/C		IN BASE
E932230	DC CONVERTER (24V → 12V)		IN BASE
E932240	HEATED AIR SUSPENSION SEAT		IN BASE
E932250	CD PLAYER & RADIO		IN BASE
E932253	REARVIEW CAMERA		IN BASE
E932260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E932270	TRANSPARENT SKYLIGHT		IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
E932313	TRACKS WITH 32" TRIPLE GROUSER (std.)	9,960	IN BASE
E932314	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		\$2,178
AUXILIARY HYDRAULIC			
E932410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	200	\$8,532
E932411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	200	\$10,689
E932420	BOOM SAFETY LOCK VALVE		\$3,232
E932421	ARM SAFETY LOCK VALVE		\$1,757
E932430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S) (FACTORY INSTALLED)		IN BASE
E932440	ELECTRIC PUMP TRANSDUCER		\$1,029
E932441	REARVIEW CAMERA		IN BASE
E932442	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E932443	TRANSPARENT SKYLIGHT		IN BASE
OTHERS			
E932510	TOOL KIT WITH BOX	55	\$531
E932570	HEAVIER COUNTERWEIGHT (ADDITIONAL 880 LBS)	14,550	\$1,830
ATTACHMENTS			
E932610	59" (54.3" without side cutters) x 1.88 yd ³ (std. HCE bucket)	2,450	\$3,720
E932611	48" (Wear Guards) x 1.82 yd ³ (Heavy Duty Plate Bucket)		\$4,836
E932612	54" (Wear Guards) x 2.09 yd ³ (Heavy Duty Plate Bucket)		\$5,208

ROBEX 380LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

271 HP (SAE J1349, net) Cummins QSL, Tier-III
 water cooled, 4 cycle, 6 cylinder in-line, turbocharged,
 and charge air cooled low emission diesel.
 24 volt electrical starting system (160 A.H.)
 50 amp alternator

UNDERCARRIAGE

Lubed rollers, 2 upper & 9 lower per track
 Hydraulic track adjusters
 17' 4" undercarriage length
 9' 0" track gauge
 32" track shoes

2 track guides, Each track
 Bottom swivel guard
 Sealed track

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 3 power modes
 - 3 work modes (Digger, Breaker, Crusher)
 - User modes
 Self diagnosis system
 10 step engine speed control by dial
 Auto engine overheat prevention
 Auto engine deceleration
 One touch deceleration
 Auto warm up mode
 Anti restart protection
 Swing holding brake
 Swing priority control system
 Power boost system
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track

CAB

ISO standard, pressurized cab
 Adjustable suspension seat with seat belt
 Sliding, 4 position control consoles
 Illuminated LCD panel with audible warning
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Air conditioner (20,000 BTU)
 Heater and defroster (30,000 BTU)
 Intermittent windshield wiper
 2 rear view mirrors
 Hi-Mate (RMS)

Cigarette lighter
 Floor mat
 Dome light
 Rear-view Camera

OTHERS

7 spool main control valve incl. auxiliary hydraulic spool
 Lights (boom mounted, front of tool box)
 CD Player & Radio
 Lockable side doors
 Travel alarm

Tow eyes
 Coolant reservoir

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E
E9736002	STANDARD CONFIGURED MACHINE Base machine, 21' 4" one piece boom, 12' 10" arm, bucket linkage, 32" track shoes, CD Player & Radio, 2.12 yd ³ HCE bucket	84,220	\$381,254
E9736002	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket	66,500	\$320,618

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E9736100	21' 4" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	8,330	\$39,745
E9736101	28' 3" SUPER LONG BOOM (ASSY), ONE PIECE		\$45,247
E9736111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.	1,485	\$10,992
E9736112	8' 2" ARM (ASSY) Includes bucket cylinder	4,260	\$11,463
E9736120	10' 6" ARM (ASSY) Includes bucket cylinder	4,320	\$11,229
E9736121	12' 10" ARM (ASSY) (std) Includes bucket cylinder	4,780	\$13,602
E9736122	14' 1" ARM (ASSY) Includes bucket cylinder	5,050	\$15,096
E9736123	16' 9" SUPER LONG ARM (ASSY) Includes bucket cylinder		\$16,917
E9736140	BUCKET LINKAGE Includes rod and pin	462	\$2,428

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
CAB & ELECTRICAL			
E9736222	FULL AUTO A/C		IN BASE
E9736230	DC CONVERTER (24V → 12V)		IN BASE
E9736240	HEATED AIR SUSPENSION SE9T		IN BASE
E9736250	CD PLAYER & RADIO		IN BASE
E9736251	REARVIEW CAMERA		IN BASE
E9736252	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E9736253	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
E9736315	TRACKS WITH 32" TRIPLE GROUSER (std.)	10,020	IN BASE
E9736316	TRACKS WITH 36" TRIPLE GROUSER (ILOS)	11,110	\$2,614
AUXILIARY HYDRAULIC			
E9736410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	215	\$9,372
E9736411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	215	\$11,724
E9736420	BOOM SAFETY LOCK VALVE		\$3,232
E9736421	ARM SAFETY LOCK VALVE		\$1,757
E9736430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S) (FACTORY INSTALLED)		IN BASE
E9736440	ELECTRIC PUMP TRANSDUCER		\$1,029
OTHERS			
E9736510	TOOL KIT WITH BOX	55	\$531
E9736570	HEAVIER COUNTERWEIGHT (ADDITIONAL 1,100 LBS)	15,430	\$2,288
ATTACHMENTS			
E9736610	62.6" (56.7" without side cutters) x 2.12 yd ³ (std. HCE bucket)	2,740	\$4,861
E9736611	48" (Wear Guards) x 1.90 yd ³ (Heavy Duty Plate Bucket)		\$5,590
E9736612	54" (Wear Guards) x 2.18 yd ³ (Heavy Duty Plate Bucket)		\$6,027

ROBEX 480LC-9

HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

342 HP (SAE J1349, net) Cummins QSM11-C, Tier-III
 water cooled, 4 cycle, 6 cylinder in-line, direct injected
 turbocharged and charge air cooled low emission diesel
 24 volt electrical starting system (200 A.H.)
 70 amp alternator

UNDERCARRIAGE

Lubed rollers, 2 upper & 9 lower per track
 Hydraulic track adjusters
 17' 11" undercarriage length
 9' 0" track gauge
 32" track shoes
 2 track guides, E9ch track
 Sealed track
 Bottom swivel guard

CONTROLS

Pilot operated joystick and travel controls
 Computer Aided Power Optimization system (CAPO)
 - 2 power modes
 - 3 work modes (Digger, Breaker, Crusher)
 - 2 user modes
 Self diagnosis system
 10 step engine speed control by dial
 Auto engine overheat prevention
 Auto engine deceleration
 One touch deceleration
 Auto warm up mode
 Anti restart protection
 Swing holding brake
 Swing priority control system
 Power boost system
 Boom and arm holding valve
 2 speed, ind. hydrostatic drive at each track

CAB

ISO standard, pressurized cab
 Adjustable suspension seat with seat belt
 Sliding, 4 position control consoles
 Illuminated LCD panel with audible warning
 Sliding window and tinted safety glass
 Removable lower front window with storage
 Air conditioner (20,000 BTU)
 Heater and defroster (30,000 BTU)
 Intermittent windshield wiper
 2 rear view mirrors
 Cigarette lighter
 Floor mat
 Dome light

OTHERS

9 spool main control valve incl. auxiliary hydraulic spool
 Lights (boom mounted, front of tool box)
 CD Player & Radio
 Lockable side doors
 Travel alarm
 Tow eyes
 Coolant reservoir

ORDER CODE	DESCRIPTION	WEIGHT	LIST PRICE AT P.O.E.
------------	-------------	--------	----------------------

E9945000	STANDARD CONFIGURED MACHINE Base machine, 23' 2" one piece boom, 13' 1" arm, bucket linkage, 32" track shoes, CD Player & Radio, 2.81 yd ³ HCE bucket	106,040	\$496,372
E9945002	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket	82,200	\$431,335

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E9945100	21' 6" MASS BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights	9,562	\$53,605
E9945102	23' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	8,620	\$40,141
E9945103	29' 6" SUPER LONG BOOM (ASSY), ONE PIECE		\$68,911
E9945111	BOOM CYLINDERS Factory installed, l.h. and r.h.	1,760	\$14,633
E9945120	7' 10" ARM (ASSY) Includes bucket cylinder	4,560	\$12,853
E9945121	9' 6" ARM (ASSY) Includes bucket cylinder	4,920	\$14,407
E9945122	11' 1" ARM (ASSY) Includes bucket cylinder	4,630	\$12,544
E9945123	13' 1" ARM (ASSY) (std.) Includes bucket cylinder	5,220	\$16,174
E9945124	14' 9" ARM (ASSY) Includes bucket cylinder	5,620	\$17,605
E9945125	19' 2" SUPER LONG ARM (ASSY) Includes bucket cylinder		\$20,659
E9945140	BUCKET LINKAGE Includes rod and pin	467	\$2,708

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL

E9945222	FULL AUTO A/C		IN BASE
E9945230	DC CONVERTER (24V → 12V)		IN BASE
E9945240	HEATED AIR SUSPENSION SE9T		IN BASE
E9945250	CD PLAYER & RADIO		IN BASE
E9945251	REARVIEW CAMERA		IN BASE
E9945252	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E9945253	TRANSPARENT SKYLIGHT		IN BASE

UNDERCARRIAGE (Factory Installed - must be ordered with machine)

E9945312	TRACKS WITH 32" TRIPLE GROUSER (std.)	10,660	IN BASE
E9945313	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		\$3,137

AUXILIARY HYDRAULIC

E9945410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	255	\$11,664
E9945411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	255	\$14,241
E9945420	BOOM SAFETY LOCK VALVE		\$3,295
E9945421	ARM SAFETY LOCK VALVE		\$2,683
E9945430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S) (FACTORY INSTALLED)		IN BASE
E9945440	ELECTRIC PUMP TRANSDUCER		\$1,029

OTHERS

E9945510	TOOL KIT WITH BOX	55	\$531
E9945570	HEAVIER COUNTERWEIGHT (ADDITIONAL 1,100 LBS)	21,380	\$2,288
E9945580	TROPICAL KIT (FACTORY INSTALLED)		\$162

ATTACHMENTS

E9945610	65.7" (63.4" without side cutters) x 2.81 yd ³ (std. HCE bucket)	3,570	\$6,014
E9945611	87.8" (85.4" without side cutters) x 3.96 yd ³	4,450	\$11,118
E9945612	54" (Wear Guards) x 2.66 yd ³ (Heavy Duty Plate Bucket)		\$6,315
E9945613	60" (Wear Guards) x 3.02 yd ³ (Heavy Duty Plate Bucket)		\$6,856

ROBEX 520LC-9
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

<p>ENGINE</p> <p>342 HP (SAE J1349, net) Cummins QSM11, Tier-III water cooled, 4 cycle, 6 cylinder in-line, direct injected turbocharged and charge air cooled low emission diese 24 volt electrical starting system (200 A.H.), 70 amp alternator</p> <p>CONTROLS</p> <p>Pilot operated joystick and travel controls Computer Aided Power Optimization system (CAPO) - 3 power modes - 3 work modes (Digger, Breaker, Crusher) - User mode Self diagnosis system 10 step engine speed control by dia Auto engine overheat prevention Auto engine deceleration One touch deceleration Auto warm up mode Anti restart protection Swing holding brake Swing priority control system Power boost system Boom and Arm holding valve 2 speed, ind. hydrostatic drive per track</p>	<p>UNDERCARRIAGE</p> <p>Lubed rollers, 2 upper & 9 lower per track Hydraulic track adjusters 17' 11" undercarriage length Track gauge: Extended - 9' 8", Retracted - 7' 10" Adjustable track frame 32" track shoes 2 track guides per track</p> <p>CAB</p> <p>ISO standard, pressurized cab Adjustable suspension seat with seat belt Sliding, 4 position control consoles Illuminated LCD panel with audible warning Sliding window and tinted safety glass Removable lower front window with storage Air conditioner (20,000 BTU) Heater and defroster (30,000 BTU) Intermittent windshield wiper</p> <p>OTHERS</p> <p>9 spool main control valve incl. auxiliary hydraulic spool Lights (boom mounted, front of tool box) Travel alarm Coolant reservoir CD/MP3 Player & Radio</p>	<p>Sealed track Bottom swivel guard</p> <p>2 rear view mirrors Dome light</p>
---	--	---

ORDER CODE	DESCRIPTION	WEIGHT	LIST PRICE AT P.O.E.
E950000	STANDARD CONFIGURED MACHINE Base machine, 23' 2" one piece boom, 13' 1" arm, bucket linkage, 32" track shoes, CD Player & Radio, 2.81 yd ³ HCE bucket	112,430	\$532,437
E950002	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucke		\$458,590

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)			
ORDER CODE	DESCRIPTION	WEIGHT	LIST PRICE
E950100	21' 6" MASS BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and light	9,562	\$42,743
E950102	23' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and light	8,620	\$38,983
E950103	29' 6" LONG BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and light		\$66,427
E950111	BOOM CYLINDERS Factory installed, l.h. and r.h.	1,760	\$14,211
E950120	7' 10" ARM (ASSY) Includes bucket cylinder	4,560	\$12,150
E950121	9' 6" ARM (ASSY) Includes bucket cylinder	4,920	\$13,962
E950122	11' 1" ARM (ASSY) Includes bucket cylinder	4,630	\$12,183
E950123	13' 1" ARM (ASSY) (std) Includes bucket cylinder	5,220	\$16,428
E950124	14' 9" ARM (ASSY) Includes bucket cylinder	5,620	\$18,009
E950125	19' 2" ARM (ASSY) Includes bucket cylinder		\$20,775
E950140	BUCKET LINKAGE Includes rod and pin	467	\$2,630

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
CAB & ELECTRICAL			
E950222	FULL AUTO A/C		IN BASE
E950230	DC CONVERTER (24V → 12V)		IN BASE
E950240	HEATED AIR SUSPENSION SE9T		IN BASE
E950250	CD PLAYER & RADIO		IN BASE
E950251	REARVIEW CAMERA		IN BASE
E950252	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E950253	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
E950312	TRACKS WITH 32" TRIPLE GROUSER (std.)	10,660	IN BASE
AUXILIARY HYDRAULIC			
E950410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments		\$11,894
E950411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$14,522
E950420	BOOM SAFETY LOCK VALVE		\$3,295
E950421	ARM SAFETY LOCK VALVE		\$2,683
E950430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S) (FACTORY INSTALLED)		IN BASE
E950440	ELECTRIC PUMP TRANSDUCER		\$1,029
OTHERS			
E950510	TOOL KIT WITH BOX	55	\$531
E950570	HEAVIER COUNTERWEIGHT (ADDITIONAL 3,307 LBS)	25,794	\$6,879
E950580	TROPICAL KIT (FACTORY INSTALLED)		\$162
ATTACHMENTS			
E950610	69.3" (63.4" without side cutters) x 2.81 yd ³ (std. He bucket)	3,840	\$5,840
E950611	91.3" (85.4" without side cutters) x 3.96 yd ³ Light Duty Bucket	4,720	\$10,797
E950612	85.4" (79.5" without side cutters) x 3.65 yd ³ Light Duty Bucket	4,630	\$9,714
E950613	59.1" (53.1" without side cutters) x 2.16 yd ³ Narrow Bucket	3,420	\$5,712
E950614	71.3" without side cutters x 2.88 yd ³ Rock Bucket-Heavy Duty	4,830	\$11,610
E950615	76.6" without side cutters x 2.37 yd ³ Casting Type Rock Bucket-Heavy Duty	6,160	\$34,945
E950616	60" (Wear Guards) x 3.02 yd ³ (Heavy Duty Plate Bucket)		\$7,010

ROBEX 800LC-7A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

490 HP (SAE J1349, net) Cummins QSX15, Tier-III
Water cooled, 4 cycle, 6 cylinder in-line, direct injection
turbocharged, charge air cooled low emission diesel
24 volt electrical starting system (200 AH)
100 amp alternator

UNDERCARRIAGE

Lubed rollers, 3 upper & 9 lower per track
Hydraulic track adjusters
20' 9" undercarriage length
Track gauge: Extended - 11' 6", Retracted - 9' 11"
28" two bar grouser shoe 2 track guards per track

CONTROLS

Pilot operated two joystick
Computer Aided Power Optimization system (CAPO)
- 2 power modes
- 3 work modes (Digger, Breaker, Crusher)
- 2 user modes
Self diagnosis system
Boom & arm holding valve
Boom priority control system
Swing priority control system
Auto engine overheat prevention
Auto engine deceleration
One touch deceleration
Auto warm up mode
Anti restart protection
Power boost system

CAB

ISO standard, pressurized cab with FOPS & front guard
Adjustable air suspension seat with seat belt
Defroster for front window
CD Player & radio with remote switch
Sliding, 4 position control consoles
Storage box
Large sunroof
Removable, storable lower window
Rear exit window

OTHERS

Lights (boom mounted, front of tool box)
- 4 work lights on Boom (2 per side)
- 4 front lights on top of cabin
- Guarded floodlight at both sides of machine.
- Beacon lamp on top of cabin
Master switch for battery disconnection

ORDER CODE	DESCRIPTION	WEIGHT	LIST PRICE AT P.O.E.
EA780000	STANDARD CONFIGURED MACHINE Base machine, 23' 7" Boom, 9' 8" Arm, Bucket link, 5.9yd ³ Bucket, 28" two bar shoe 27,500 lbs counter weight	181,480	\$997,370
EA780002	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		\$848,068

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

EA780101	23' 7" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping and lights		\$84,070
EA780102	26' 5" BOOM (Assy), ONE PIECE Includes boom and arm cylinders, piping and lights		\$93,070
EA780111	BOOM CYLINDERS Factory installed, l.h. and r.h.		\$27,950
EA780121	9' 8" ARM (ASSY) (std.) Includes bucket cylinder		\$32,560
EA780122	11' 2" ARM (ASSY) Includes bucket cylinder		\$34,270
EA780140	BUCKET LINKAGE Includes rod and pin		\$5,172

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
---------------	-------------	-----------------	-------------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

EA780222	FULL AUTO A/C		IN BASE
EA780230	DC CONVERTER (24V → 12V)		IN BASE
EA780240	AIR SUSPENSION SEAT		IN BASE
EA780250	CD PLAYER & RADIO		IN BASE
EA780260	FOPS/FOG (STD)		\$5,620

UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
---	--	--	--

EA780316	TRACKS WITH 28" TWO BAR (std.)		IN BASE
EA780317	TRACKS WITH 32" TWO BAR (ILOS)		\$4,240
EA780318	TRACKS WITH 36" TWO BAR (ILOS)		\$8,480
EA780320	FULL TRACK GUARD (std.)		\$5,900

AUXILIARY HYDRAULIC			
----------------------------	--	--	--

EA780411	DOUBLE ACTING HYDRAULICS		\$15,600
EA780420	BOOM SAFETY LOCK VALVE		\$3,295
EA780421	ARM SAFETY LOCK VALVE		\$2,683
EA780430	LEVER PATTERN SELECTOR VALVE		\$2,100

OTHERS			
---------------	--	--	--

EA780520	FUEL FILLER PUMP		\$687
----------	------------------	--	-------

ATTACHMENTS			
--------------------	--	--	--

EA780610	4.4 yd ³ bucket		\$22,850
EA780611	5.9 yd ³ (std HCE bucket)		\$27,500

ROBEX 55W-9
HYDRAULIC WHEELED MINI-EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

57.7 HP (SAE J1349, net) Yanmar 4TNE94
24 V electrical starting system (100 A.H.)
40 amp alternator

CAB

Pressurized ISO standard cab
Adjustable heated suspension seat with seat belt
Sliding, four-position control console
Illuminated LCD panel with audible warning
Electronic service monitor with adjustable LCD monitor
Sliding windows with tinted safety glass
Removable lower front window with storage
Additional top front window
Heater/Defroster (10,700 BTU's)
A/C (11,300 BTU's)
Intermittent windshield wiper
2 rearview mirrors
Cigarette lighter
Dome light
Floor mat

CONTROLS

Centralized Monitoring System
Hydraulic system neutralizer
Central lube points
Swing holding brake
Arm holding valve

DRIVE SYSTEM

Steering (orbital type)
4 wheel hydrostatic drive
Gear transmission with 2 forward and 2 reverse speeds
Four 12 x 16.5, 12 PR tires with rims
Maximum drawbar pull, 23,590 lbs.
Bottom swivel guard

OTHERS

Nine spool main control valve including auxiliary hydraulic spool
AM/FM Cassette radio
Lockable side doors
Lights (Boom and cab mounted)
Counterweight (490 lbs)
130° offset boom
Travel alarm
Tow eyes
Coolant reservoir
Dozer blade (6' 4" x 14")

BRAKES

Hydraulic multiple wet disc brakes on all 4 wheels
Working and parking brakes

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
MW955000	STANDARD CONFIGURED MACHINE Base machine, 9' 10" offset boom, 5' 3" arm, bucket linkage, 12 x 16.5, 12 PR tires AM/FM Cassette radio, 0.24 yd ³ HCE bucket, breaker piping, A/C, enclosed cab, piping, dozer blade and blade controllers		\$81,535
MW955002	BASE MACHINE without attachment and bucket Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		\$76,976

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

MW955100	9' 10" BOOM (ASSY) (std) Includes boom and arm cylinders, piping, and lights		\$2,786
MW955111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		\$1,087
MW955121	5' 3" ARM (ASSY) (std) Includes bucket cylinder		\$1,078
MW955122	6' 3" ARM (ASSY) Includes bucket cylinder		\$1,271
MW955140	BUCKET LINKAGE		\$237
MW955150	HYDRAULIC QUICK COUPLER Includes coupler, hydraulics, additional pin kit and switch		\$4,091

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
---------------	-------------	-----------------	-------------------------

CAB & OTHER			
-------------	--	--	--

MW955222	HEAVY DUTY A/C		IN BASE
MW955230	DC CONVERTER (24V → 12V)		IN BASE

LOWER STRUCTURE			
-----------------	--	--	--

MW955350	6' 4" x 14" DOZER BLADE		IN BASE
MW955370	FOUR 12 X 16.5, 12PR TIRES		IN BASE

AUXILIARY HYDRAULIC			
---------------------	--	--	--

MW955410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) piping, hoses, relief valve and control pedal for hammer or other single function attachments		IN BASE
MW955420	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)		\$2,604
MW955430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE

OTHERS			
--------	--	--	--

MW955510	TOOL KIT WITH BOX		\$558
----------	-------------------	--	-------

ATTACHMENTS			
-------------	--	--	--

MW955610	30.3" (27.8" without side cutters) x 0.24 yd ³ (HCE std. Bucket)		\$458
----------	---	--	-------

ROBEX 140W-9

HYDRAULIC RUBBER-TIRED EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

<p>ENGINE</p> <p>133 HP (SAE J1349, net) Cummins QSB 6.7 Water cooled, 4 cycle, 6 cylinder in-line direct injection turbocharged and charge air cooled low emission diesel 24 volt electrical starting system (100 A.H.) 50 amp alternator</p> <p>CONTROLS</p> <p>Pilot operated joystick and travel controls 4 dig modes - Computer Aided Power Optimization (CAPO) One touch engine deceleration Centralized Monitoring System Hydraulic system neutralizer Swing holding brake Central lube points</p> <p>DRIVE SYSTEM</p> <p>Steering (orbital type) 4 wheel hydrostatic drive Gear transmission w/ 2 forward and 2 reverse speeds Eight 9 x 20, 14PR Tires with rims</p>	<p>CAB</p> <p>Adjustable suspension seat w/ seat belt Sliding windows with tinted safety glass Heater / Defroster (30,000 BTU's) A/C (20,000 BTU's) Sliding, 4-position control consoles Intermittent windshield wiper Electronic service monitor 2 rear view mirrors</p> <p>OTHER</p> <p>11 spool MCV including auxiliary hydraulic spool Counterweight (3,970 lb.) CD/MP3 Player & Radio Lockable side doors Rear Dozer Blade</p> <p>BRAKES</p> <p>Hydraulic multiple wet disc brakes on all 4 wheels Working and parking brakes Oscillating front and fixed rear axles</p>	<p>Cigarette lighter Dome light Floor mat</p> <p>Travel alarm Tow eyes Fenders</p>
--	---	--

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
W9714000	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 6' 11" arm, bucket linkage, 0.76 yd ³ HCE bucket, CD Player & Radio, eight 9 x 20, 14 PR tires with rims, rear dozer blade, A/C	29,760	\$190,208
W9714002	BASE MACHINE Price does not include boom, arm, bucket linkage, HCE bucket	22,710	\$169,895

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

W9714100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	2,270	\$13,010
W9714101	13' 5" BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights (TO BE USED ONLY WITH 6' 3" & 6' 11" ARMS)	1,920	\$12,762
W9714102	2 PIECE BOOM ASSY(16' 8") Incl. boom and arm cylinders, piping, and lights	2,840	\$22,260
W9714111	BOOM CYLINDERS Factory installed, l.h. and r.h.	560	\$4,677
W9714121	6' 3" ARM (ASSY) Includes bucket cylinder	1,610	\$4,319
W9714122	6' 11" ARM (ASSY) (std.) Includes bucket cylinder	1,650	\$4,264
W9714123	8' 2" ARM (ASSY) Includes bucket cylinder	1,720	\$4,459
W9714125	9' 10" ARM (ASSY) Includes bucket cylinder	1,850	\$4,634
W9714140	BUCKET LINKAGE Includes rod and pin	142	\$1,101
W9714150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$6,327

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

W9714222	FULL AUTO A/C		IN BASE
W9714230	DC CONVERTER (24V → 12V)		IN BASE
W9714240	AIR SUSPENSION SEAT W/ HEAT		\$0
W9714250	CD PLAYER & RADIO		IN BASE
W9714253	REAR-VIEW CAMERA		IN BASE
W9714260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE

OUTRIGGERS & TIRES (Factory Installed - Must be ordered with machine)			
--	--	--	--

W9714340	REAR DOZER BLADE (std.)		IN BASE
W9714352	TWO REAR OUTRIGGERS ONLY (in lieu of DOZER BLADE)	2,580	\$1,032
W9714360	TWO FRONT OUTRIGGERS with REAR DOZER BLADE Includes lines, cylinders, control, and mounting bracket	2,095	\$7,142
W9714361	FRONT DOZER BLADE with TWO REAR OUTRIGGERS Includes lines, cylinders, control, and mounting bracket	2,095	\$9,015
W9714370	FOUR OUTRIGGERS (in lieu of DOZER BLADE)	2,490	\$8,168
W9714390	EIGHT 9 x 20, 14 PR TIRES WITH RIMS (std.)	1,840	IN BASE

AUXILIARY HYDRAULIC			
----------------------------	--	--	--

W9714410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	155	\$5,799
W9714411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	155	\$7,977
W9714420	BOOM SAFETY LOCK VALVE		\$2,588
W9714421	ARM SAFETY LOCK VALVE		\$1,560
W9714430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S.) (FACTORY INSTALLED)		\$1,071
W9714440	ELECTRIC PUMP TRANSDUCER		\$1,029

OTHERS			
---------------	--	--	--

W9714510	TOOL KIT WITH BOX	55	\$531
----------	-------------------	----	-------

ATTACHMENTS			
--------------------	--	--	--

W9714610	44.5" (40.6" without side cutters) x 0.76 yd ³ (HCE std. Bucket)	970	\$1,938
----------	---	-----	---------

ROBEX 170W-9

HYDRAULIC RUBBER-TIRED EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

<p>ENGINE</p> <p>116 HP (SAE J1349, net) Mitsubishi D04FD-TAA W9ter cooled, 4 cycle, 4 cylinder turbocharged and Charge air cooled 24 volt electrical starting system (100 A.H.) 50 amp alternator</p> <p>CONTROLS</p> <p>4 dig modes - Computer Aided Power Optimization (CAPO) Pilot operated joystick and travel controls Auto engine overheat protection Centralized Monitoring System Hydraulic system neutralizer Auto engine deceleration Variable swing control</p> <p>DRIVE SYSTEM</p> <p>Steering (orbital type) 4 wheel hydrostatic drive Gear transmission w/ 2 forW9rd & 2 reverse speeds Eight 10 x 20, 14 PR Tires with rims Maximum drawbar pull 24,300 lb.</p>	<p>CAB</p> <p>Centralized monitoring system Adjustable KAB suspension seat w/ seat belt Sliding, 4-position control consoles Sliding windows w/ tinted safety glass Heater / Defroster (30,000 BTU's) A/C (20,000 BTU's) Intermittent windshield wiper 3 cab mounted lights</p> <p>OTHER</p> <p>Auto W9rm-up Central lube points Swing holding brake</p> <p>BRAKES</p> <p>Hydraulic multiple wet disc brakes on all 4 wheels Working and parking brakes Oscillating front and fixed rear axles</p>	<p>11 spool MCV incl. auxiliary hydraulic spool Rear dozer blade (2' 0" x 8' 2") Removable screen for radiator Counterweight (6,060 lb.) CD Player & Radio 2 boom mounted lights Lockable side doors</p> <p>Tow eyes Travel alarm Fenders</p> <p>Cigarette lighter Dome light Floor mat</p>
--	--	---

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
W9717000	STANDARD CONFIGURED MACHINE Base machine, 17' 1" one piece boom, 7' 3" arm, bucket linkage, 0.99 yd ³ HCE bucket, A/C, CD Player & Radio, eight 10 x 20, 14 PR tires with rims, rear dozer blade	35,710	\$214,828
W9717002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket	34,487	\$192,658

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

W9717100	17' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	2,890	\$14,201
W9717101	16' 5" TWO PIECE BOOM (ASSY) Includes boom and arm cylinders, piping, and lights	3,920	\$31,433
W9717111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.	786	\$5,873
W9717121	7' 3" ARM (ASSY) (std.) Includes bucket cylinder	1,680	\$4,469
W9717122	8' 6" ARM (ASSY) Includes bucket cylinder	1,830	\$4,759
W9717123	9' 6" ARM (ASSY) Includes bucket cylinder	2,050	\$5,083
W9717125	10' 2" ARM (ASSY) Includes bucket cylinder	2,070	\$5,570
W9717140	BUCKET LINKAGE Includes rod and pin	736	\$1,183
W9717150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$7,200

CAB & ELECTRICAL

W9717222	FULL AUTO A/C		IN BASE
W9717230	DC CONVERTER (24V → 12V)		IN BASE
W9717240	AIR SUSPENSION SEAT		IN BASE
W9717250	CD PLAYER & RADIO		IN BASE
W9717253	REAR-VIEW CAMERA		IN BASE
W9717260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
OUTRIGGERS, BLADE & TIRES (Factory Installed - must be ordered with Machine)			
W9717340	REAR DOZER BLADE (std.)		IN BASE
W9717352	TWO REAR OUTRIGGERS ONLY (in lieu of DOZER BLADE)	2,580	\$1,045
W9717360	TWO FRONT OUTRIGGERS with REAR DOZER BLADE Includes lines, cylinders, control, and mounting bracket	2,095	\$6,447
W9717361	FRONT DOZER BLADE with TWO REAR OUTRIGGERS Includes lines, cylinders, control, and mounting bracket	2,095	\$8,138
W9717370	FOUR OUTRIGGERS (in lieu of DOZER BLADE)	2,490	\$6,739
W9717380	EIGHT 10 x 20, 14 PR TIRES WITH RIMS	1,920	IN BASE
AUXILIARY HYDRAULIC			
W9717410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	400	\$6,213
W9717411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	400	\$7,581
W9717420	BOOM SAFETY LOCK VALVE		\$2,912
W9717421	ARM SAFETY LOCK VALVE		\$1,792
W9717430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S) (FACTORY INSTALLED)		IN BASE
W9717440	ELECTRIC PUMP TRANSDUCER		\$1,029
OTHERS			
W9717510	TOOL KIT WITH BOX	55	\$531
ATTACHMENTS			
W9717610	46.5" (41.7" without side cutters) x 0.99 yd ³ (HCE std. Bucket)	1,190	\$2,317

ROBEX 210W-9

HYDRAULIC RUBBER-TIRED EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

153 HP (SAE J1349, net) Cummins QSB6.7
 W9ter cooled, 4 cycle, 6 cylinder
 turbocharged and Charge air cooled
 24 volt electrical starting system (100 A.H.)
 50 amp alternator

CAB

Air Ride Seat w/ Heat
 Sliding, four-position control consoles
 Sliding windows with tinted safety glass
 Heater / Defroster (30,000 BTU's)
 Intermittent windshield wiper
 Electronic service monitor
 A/C (20,000 BTU's)
 3 cab mounted lights

2 rear view mirrors
 Cigarette lighter
 Dome light
 Floor mat

CONTROLS

Pilot operated joystick and travel controls
 5 dig modes - Computer Aided Power Optimization (CAPO)
 One touch engine deceleration
 Centralized Monitoring System
 Hydraulic system neutralizer
 Swing holding brake

OTHER

Central lube points

9 spool MCV incl. auxiliary hydraulic spool
 Counterweight (7,500 lb.)
 2 boom mounted lights
 MP3 Player & Radio
 Lockable side doors
 Rear dozer blade
 Hi-Mate(Remote Management)

Front outriggers
 Tow eyes
 Travel alarm
 Fenders
 Rear-View Camera

DRIVE SYSTEM

Steering (orbital type)
 4 wheel hydrostatic drive
 Gear transmission w/ 2 forW9rd & 2 reverse speeds
 Eight 10 x 20, 14 PR Tires with rims

BRAKES

Hydraulic multiple wet disc brakes on all four wheels
 Working and parking brakes
 Oscillating front and fixed rear axles

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
W9920000	STANDARD CONFIGURED MACHINE Base machine, 18' 6" one piece boom, 9' 6" arm, bucket linkage, 1.05 yd ³ HCE bucket, A/C, CD Player & Radio, eight 10 x 20, 14 PR tires with rims, rear dozer blade, 2 front outriggers	45,200	\$245,379
W9920002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket	34,487	\$221,458

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

W9920100	18' 6" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights	4,422	\$14,938
W9920101	2 PIECE BOOM Includes boom and arm cylinders, piping, and lights	4,922	\$29,740
W9920111	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.	814	\$5,843
W9920120	7' 10" ARM (ASSY) Includes bucket cylinder	1,890	\$5,678
W9920121	9' 6" ARM (ASSY) (std.) Includes bucket cylinder	2,180	\$4,999
W9920122	12' 10" ARM (ASSY)	2,650	\$8,402
W9920140	BUCKET LINKAGE Includes rod and pin	337	\$1,255
W9920150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch		\$7,980

CAB & ELECTRICAL

W9920222	FULL AUTO A/C		IN BASE
W9920230	DC CONVERTER (24V → 12V)		IN BASE
W9920240	HEATED AIR SUSPENSION SEAT		IN BASE
W9920250	CD PLAYER & RADIO		IN BASE
W9920253	REAR-VIEW CAMERA		IN BASE
W9920260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
OUTRIGGERS, BLADE & TIRES (Factory Installed - must be ordered with machine)			
W9920350	FOUR OUTRIGGERS (in lieu of DOZER BLADE) Includes lines, cylinders, control, and mounting bracket	2,550	\$3,324
W9920360	TWO FRONT OUTRIGGERS with REAR DOZER BLADE		IN BASE
W9920361	FRONT DOZER BLADE with TWO REAR OUTRIGGERS Includes lines, cylinders, control, and mounting bracket		\$3,451
W9920370	EIGHT 10 x 20, 14 PR TIRES WITH RIMS	1,920	IN BASE
AUXILIARY HYDRAULIC			
W9920410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	170	\$7,305
W9920411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	180	\$8,814
W9920420	BOOM SAFETY LOCK VALVE		\$2,912
W9920421	ARM SAFETY LOCK VALVE		\$1,792
W9920430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S.) (FACTORY INSTALLED)		IN BASE
W9920440	ELECTRIC PUMP TRANSDUCER		\$1,029
OTHERS			
W9920510	TOOL KIT WITH BOX	55	\$531
ATTACHMENTS			
W9920610	44.1" (39.4" without side cutters) x 1.05 yd ³ (std. HCE bucket)	1,460	\$2,729

HL730-9

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

123 HP (SAE J1349 Net) Cummins QSB4.5
 4-cycle,turbocharged,charge air cooled direct injection
 electronic controlled low emission diesel engine
 2 Operating mode ; Power & Econo
 Fuel warmer & Fuel pre filter with Water separator
 24 Volt electrical starting system (80 A.H.)
 70 amp alternator (Air intake heater)

DRIVE SYSTEM

Planetary drive reduction at four wheels
 Limited slip front differential
 Conventional rear differential 26° oscillation rear axle

TRANSMISSION

Full automatic power shift, 4-speed forward, 3-speed reverse
 countershaft with electric kick down contro
 Transmission neutralizer Clutch disconnect

CONTROLS

Single joystick controls for boom and bucke
 Quick Gear Downshift Switch
 Tilt & Telescopic steering column
 Key start and stop switch
 Auto boom kick out

OTHER STANDARD EQUIPMENT

Air precleaner Handrail
 Counterweight Lifting eyes
 Hydraulic safety leve Drawbar Access Ladders
 Bucket leveler Fan guard
 Dual air cleaner-dry type Frame lock
 Engine side panels Electric double horn
 Front fenders Muffler
 Backup alarm Cigarette lighter
 Steering knob Cup holder
 Centralized lubrication 3rd spool valve
 Master Electric Switch MP3 Player & Radio
 Blower type hydraulic-driven fan Rear-View Camera
 Hi-Mate (RMS)

CAB

Heated Air Suspension Seat
 Intermittent windshield wipers (front & rear)
 Waterproof connectors & wiring harness
 Electrical service monitor w/ gauges
 Heater / Defroster (30,000 BTU's)
 Pressurized ROPS cab
 Tinted safety glass
 A/C (20,000 BTU's)

Vandalism: BRAKES

Wrist rest Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
L9773000	STANDARD CONFIGURED MACHINE	21,390	\$146,226
	Base machine, 17.5 x 25 - 12 PR - L3 tires, front attachment with 2.4 yd3 HCE bucket, enclosed ROPS cab, MP3 Player & Radio HI-MATE, Rear-view camera		\$124,651
L9773002	BASE MACHINE		
	Price does not include front attachment, boom cylinders, bucket or tire:		
L9773000XTD	HL730XTD-9 EXTENDED REACH CONFIGURED MACHINE	20,280	\$149,235
	Base machine, 17.5 x 25 - 12 PR - L3 tires, front attachment with 2.40 yd3 HCE bucket, enclosed ROPS cab, CD Player & Radic		
L9773002XTD	EXTENDED REACH BASE MACHINE		\$125,879
	Price does not include front attachment, boom cylinders, bucket or tire:		

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9773150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	\$13,695
L9773150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	\$15,476
L9773153	BOOM CYLINDERS ONLY		\$4,266

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9773221	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY) (std.)	\$4,857
L9773222	FOUR, 17.5 x 25, 12 PR, L2 TIRES (ASSY)	\$5,309
L9773227	FOUR, 17.5 x 25, MICHELIN RADIAL TIRES (ASSY)	\$12,678
L9773228	FOUR 20.5 X 25, 16 PR TRIANGLE RADIAL TIRES (ASSY)	\$5,202

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

L9773333	FULL AUTO A/C		IN BASE
L9773320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9773340	DC CONVERTER (24V → 12V)		IN BASE
L9773350	HEATED SIDE MIRRORS		IN BASE
L9773260	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9773253	REARVIEW CAMERA		IN BASE
L9773360	MP3 PLAYER & RADIO		IN BASE

AUXILIARY HYDRAULIC ARRANGEMENTS			
---	--	--	--

L9773451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd spool valve with controller		IN BASE
----------	--	--	---------

OTHERS			
---------------	--	--	--

L9773510	TOOL KIT WITH BOX		\$754
L9773520	UNDER GUARD		\$380
L9773530	EMERGENCY STEERING SYSTEM (Factory Installed)		\$4,582
L9773540	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		\$1,935
L9773550	REAR FENDERS (MUD GUARDS)		\$2,695
L9773560	RIDE CONTROL KIT (Factory Installed)		\$4,420
L9773561	RIDE CONTROL KIT (Field Installed)		\$3,544
L9773570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 240 LBS)	900	\$287
L9773580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9773590	REVERSIBLE FAN		IN BASE
L9773591	DUAL BRAKE PEDAL		\$355

ATTACHMENTS			
--------------------	--	--	--

L9773610	96" x 2.5 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	1,600	\$3,023
----------	---	-------	---------

HL730-9 TOOL MASTER

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY) PRELIMINARY

ENGINE

123 HP (SAE J1349 Net) Cummins QSB4.5
 4-cycle,turbocharged,charge air-cooled direct injection
 electronic controlled diesel engine
 2 Operating mode ; Power & Econo
 Fuel warmer & Fuel pre filter with Water separator
 24 Volt electrical starting system (800 A.H.)
 70 amp alternator (Air Intake Heater)

DRIVE SYSTEM

Planetary drive reduction at four wheels
 Limited slip front differential
 Conventional rear differential 26° oscillation rear axle

TRANSMISSION

Full automatic power shift, 4-speed forward, 3-speed reverse
 countershaft with electric kick down contro
 Transmission neutralizer Clutch disconnect

CONTROLS

Single joystick controls for boom and bucke
 Quick Gear Downshift Switch
 Tilt & Telescopic steering column
 Key start and stop switch
 Auto boom kick out

OTHER STANDARD EQUIPMENT

Air precleaner	Handrail
Counterweight	Lifting eyes
Hydraulic safety leve Drawbar	Access Ladders
Bucket leveler	Fan guard
Dual air cleaner-dry type	Frame lock
Engine side panels	Electric double horn
Front fenders	Muffler
Backup alarm	Cigarette lighter
Steering knob	Cup holder
Centralized lubrication	3rd spool valve
Master Electric Switch	MP3 Player & Radio
Blower type hydraulic-driven fan	Rear-View Camera
Hi-Mate (RMS)	

CAB

Heated Air Suspension Seat
 Intermittent windshield wipers (front & rear)
 Waterproof connectors & wiring harness
 Electrical service monitor w/ gauges
 Heater / Defroster (30,000 BTU's)
 Pressurized ROPS cab
 Tinted safety glass
 A/C (20,000 BTU's)

Vandalism BRAKES

Wrist rest
 Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

L9773000TM	STANDARD CONFIGURED MACHINE Base machine, 17.5 x 25 - 12 PR - L3 tires, front attachment with 2.2 yd ³ HCE bucket, enclosed ROPS cab, MP3 Player & Radio, HCE quick coupler Hi-Mate, Rear-View Camera	22,487	\$150,558
L9773002TM	BASE MACHINE Price does not include front attachment, boom cylinders, bucket, quick coupler or tire:		\$126,251

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9773150TM	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket or quick coupler	\$13,989
L9773153TM	BOOM CYLINDERS ONLY		\$4,333

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9773221TM	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY) (std.)		\$4,857
L9773227TM	FOUR, 17.5 x 25, MICHELIN RADIAL TIRES (ASSY)		\$12,678
L9773228TM	FOUR 20.5 X 25, 16 PR TRIANGLE RADIAL TIRES (ASSY)		\$5,202

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
CAB & ELECTRICAL			
L9773333TM	FULL AUTO A/C		IN BASE
L9773320TM	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9773340TM	DC CONVERTER (24V → 12V)		IN BASE
L9773350TM	HEATED SIDE MIRRORS		IN BASE
L9773260TM	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9773253TM	REARVIEW CAMERA		IN BASE
L9773360TM	MP3 PLAYER & RADIO		IN BASE
AUXILIARY HYDRAULIC ARRANGEMENTS			
L9773451TM	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd spool valve with controller		IN BASE
OTHERS			
L9773510TM	TOOL KIT WITH BOX		\$754
L9773520TM	UNDER GUARD		\$380
L9773530TM	EMERGENCY STEERING SYSTEM (Factory Installed)		\$4,582
L9773540TM	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		\$1,935
L9773550TM	REAR FENDERS (MUD GUARDS)		\$2,800
L9773560TM	RIDE CONTROL KIT (Factory Installed)		\$4,420
L9773561TM	RIDE CONTROL KIT (Field Installed)		\$3,654
L9773580TM	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9773590TM	REVERSIBLE FAN		IN BASE
L9773590TM	DUAL BRAKE PEDAL		\$355
ATTACHMENTS			
L9773610TM	94" x 2.2 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	2,150	\$2,696
L9773611TM	HCE QUICK COUPLER (std.)		\$2,765

HL740-9

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

143 HP (SAE J1349 Net) Cummins QSB6.7 Tier III
 4-cycle, turbocharged, charge air cooled direct injection
 electronic controlled low emission diesel engine
 3 Operating modes; Power, Standard, Economy
 Fuel warmer & fuel pre filter with water separator
 24 Volt electrical system (100 A.H.)
 70 amp alternator
 Cold start aid (Air intake heater)

DRIVE SYSTEM

Planetary drive reduction at four wheels
 Limited slip front differential
 Conventional rear differential 24° oscillation rear axle

TRANSMISSION

Full automatic power shift, 4-speed forward, 3-speed reverse
 countershaft with electric kick down contro
 Transmission oil cooler Clutch disconnect

CONTROLS

Single joystick controls for boom and bucket
 Quick gear downshift switch
 Tilt & telescopic steering column
 Key start and stop switch
 Automatic boom kick out
 Hydraulic safety lever

OTHER STANDARD EQUIPMENT

Air precleaner Handrail
 Counterweight (1,220 lbs.) Lifting eyes
 Drawbar Access ladders
 Dual air cleaner-dry type Fan guard
 Engine side panels Frame lock
 Front fenders Electric double horn
 Backup alarm Muffler
 Steering knob Cigarette lighter
 Remote type drain port Cup holder
 Master electric switch 3rd valve spool
 Hydraulically driven blower fan MP3 player & radio
 Hi-Mate (RMS) Rear-view camera

Bucket leveler

CAB

Pressurized ROPS cab
 Heated air suspension seat
 Tinted safety glass
 Electrical service monitor with gauges
 Intermittent windshield wipers (front and rear)
 Vandalism locks
 Wrist rest
 A/C (20,000 BTU's)
 Heater / Defroster (30,000 BTU's)
 Waterproof connectors & wiring harness

BRAKES

Cool & hot box

Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
L9774000	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, front attachment with 2.7 yd ³ HCE bucket, enclosed ROPS cab, CD Player & Radio	25,460	\$164,849
L9774002	BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tire:		\$139,875
L9774000XTD	HL740XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, heavier counterweight, 20.5 x 25 - 16 PR - L3 tires, front attachment with 9' 1" boom, 2.6 yd ³ HCE bucket, enclosed ROPS cab, CD Player & Radio		\$167,917
L9774002XTD	EXTENDED REACH BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tire:		\$141,091

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9774150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	\$15,815
L9774150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	\$17,667
L9774153	BOOM CYLINDERS ONLY		\$4,929

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

TIRES AND RIMS (FACTORY INSTALLED ONLY)			
--	--	--	--

L9774221	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY)		\$4,857
L9774222	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)		\$5,859
L9774227	FOUR, 20.5 x 25, MICHELIN RADIAL TIRES (ASSY)		\$16,899
L9774228	FOUR 20.5 X 25, 16 PR TRIANGLE RADIAL TIRES (ASSY)		\$11,850

CAB & ELECTRICAL			
-----------------------------	--	--	--

L9774333	FULL AUTO A/C		IN BASE
L9774320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9774340	DC CONVERTER (24V → 12V)		IN BASE
L9774350	HEATED SIDE MIRRORS		IN BASE
L9774260	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9774253	REARVIEW CAMERA		IN BASE
L9774360	MP3 PLAYER & RADIO		IN BASE
L9774341	EXTRA LIGHT PACKAGE		\$255
L9774342	BEACON LAMP		\$115

AUXILIARY HYDRAULIC ARRANGEMENTS			
---	--	--	--

L9774451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller		IN BASE
----------	--	--	---------

OTHERS			
---------------	--	--	--

L9774510	TOOL KIT WITH BOX		\$754
L9774520	UNDER GUARD		\$380
L9774530	EMERGENCY STEERING SYSTEM (Factory Installed)		\$4,598
L9774540	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		\$1,900
L9774550	REAR FENDERS (MUD GUARDS)		\$3,049
L9774560	RIDE CONTROL KIT (Factory Installed)		\$4,339
L9774561	RIDE CONTROL KIT (Field Installed)		\$3,587
L9774570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 530 LBS)	1,680	\$992
L9774580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9774590	REVERSIBLE FAN		IN BASE
L9774591	DUAL BRAKE PEDAL		\$355

ATTACHMENTS			
--------------------	--	--	--

L9774610	100" x 3.0 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	2,200	\$3,300
----------	--	-------	---------

HL740-9 TOOL MASTER

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

143 HP (SAE J1349 Net) Cummins QSB6.7
 4-cycle, turbocharged, charge air-cooled direct injection,
 electronic controlled low emission Tier III diesel engine
 2 Operating mode; Power & Econo
 Fuel warmer & fuel pre filter with water separator
 24 Volt electrical starting system (70 A.H.)
 70 amp alternator
 Air intake cold start heater

DRIVE SYSTEM

Planetary drive reduction at four wheels
 Limited slip front differential
 Conventional rear differential 24° oscillating rear axle

TRANSMISSION

Full automatic power shift, 4-speed forward, 3-speed reverse,
 countershaft with electric kick down control
 Variable shift control with 4 modes -Manual, Light, Normal, Heavy
 Transmission oil cooler Clutch disconnect

CONTROLS

Single joystick controls for boom and bucket
 Quick Gear Downshift Switch
 Tilt & Telescopic steering column
 Key start and stop switch
 Automatic boom kick out

OTHER STANDARD EQUIPMENT

Air precleaner	Handrail
Counterweight (1,220 lbs.)	Lifting eyes
Hydraulic safety level	Drawbar with pin
Bucket leveler	Dual air cleaner-dry type
	Engine side panels
	Front fenders
	Backup alarm
	Steering knob
	Remote service points
	Master Electric Switch
	Blower type hydraulic-driven fan
	HI-Mate (RMS)
	Access ladders
	Fan guard
	Frame lock
	Electric double horn
	Muffler
	Cigarette lighter
	Cup holder
	3rd valve spool
	MP3 player & radio
	Rear view camera

CAB

Pressurized ROPS cab
 Heated air suspension seat
 Tinted safety glass
 LCD display with gauges
 Intermittent windshield wipers (front and rear)
 Vandalism locks
 Wrist rest
 A/C (20,000 BTU's)
 Heater / Defroster (30,000 BTU's)
 Waterproof connectors & wiring harness

BRAKES

Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
L9774000TM	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, HCE Hyd. Q/Coupler front attachment with 3.0 yd ³ HCE bucket, 1,760 lb. CWT. Enclosed ROPS cab, CD Player & Radio HI-MATE, Rear-view camera	27,778	\$170,589
L9774002TM	BASE MACHINE Price does not include front attachment, boom cylinders, bucket, quick coupler or tires		\$142,093

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9774150TM	FRONT ATTACHMENT INCLUDING CYLINDERS	Not including bucket or quick coupler	\$16,668
L974153TM	BOOM CYLINDERS ONLY		\$4,929

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9774221TM	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY)	\$4,857
L9774222TM	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)	\$5,859
L9774227TM	FOUR, 20.5 x 25, MICHELIN RADIAL TIRES (ASSY)	\$16,899
L9774228TM	FOUR 20.5 X25, 16 PR TRIANGLE RADIAL TIRES (ASSY)	\$11,850

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL

L9774333TM	FULL AUTO A/C		IN BASE
L9774320TM	HEATED AIR SUSPENSION SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9774340TM	DC CONVERTER (24V → 12V)		IN BASE
L9774350TM	HEATED SIDE MIRRORS		IN BASE
L9774260TM	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9774253TM	REARVIEW CAMERA		IN BASE
L9774360TM	MP3 PLAYER & RADIO		IN BASE

AUXILIARY HYDRAULIC ARRANGEMENTS

L9774451TM	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller		IN BASE
------------	--	--	---------

OTHERS

L9774510TM	TOOL KIT WITH BOX		\$754
L9774520TM	UNDER GUARD		\$380
L9774530TM	EMERGENCY STEERING SYSTEM (Factory Installed)		\$4,598
L9774540TM	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		\$1,900
L9774550TM	REAR FENDERS (MUD GUARDS)		\$3,049
L9774560TM	RIDE CONTROL KIT (Factory Installed)		\$4,339
L9774561TM	RIDE CONTROL KIT (Field Installed)		\$3,587
L9774590TM	REVERSIBLE FAN		IN BASE
L9774590TM	DUAL BRAKE PEDAL		\$355

ATTACHMENTS

L9774610TM	100" x 3.0 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	2,100	\$2,839
L9774611TM	HCE QUICK COUPLER (std.)		\$3,130

HL757-9

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

170 HP (SAE J1349) Cummins QSB6.7
 4-cycle, turbocharged, charge air-cooled direct injection
 electronic controlled Tier III low emission diesel engine
 3 Operating modes; Power, Standard, Economy
 Fuel warmer & fuel pre filter with water separator
 24 Volt electrical starting system (130 A.H.)
 70 amp alternator with Cold Start aid (Air intake heater)

DRIVE SYSTEM

Front and rear limited slip differentia
 26° oscillating rear axle
 Planetary drive reduction at four wheels
 Variable shift control with 4 modes -Manual, Light, Normal, Heavy

TRANSMISSION

Full Automatic power shift, 4-speed forward, 3-speed reverse
 countershaft with electric kick down contro
 Transmission neutralizer Clutch disconnect

CONTROLS

Single joystick controls for boom and bucke
 Quick gear downshift switch
 Tilt & telescopic steering wheel
 Key start and stop switch
 Hydraulic safety lever

Auto boom kick out
 Bucket leveler

OTHER STANDARD EQUIPMENT

Engine air precleaner
 Counterweight
 Drawbar with pin
 Dual air cleaner-dry type
 Engine side panels
 Front fenders
 Backup alarm
 Steering knob
 Centralized lubrication
 Blower type, hyd. driven fan
 Hi-Mate

Handrail
 Lifting eyes
 Access ladders
 Fan guard
 Frame lock
 Electric double horn
 Muffler
 Rear View Camera
 Cup holder
 3rd valve spool
 MP3 player & radio

CAB

Heated air suspension seat
 Intermittent windshield wipers (front and rear)
 Waterproof connectors & wiring harness
 Electrical service monitor with gauges
 Heater / Defroster (30,000 BTU's)
 Pressurized ROPS cab
 A/C (20,000 BTU's)
 Tinted safety glass
 Cool & Hot box

Vandalism locks
 Wrist rest

BRAKES

Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
L9775000	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, front attachment with 3.5 yd ³ (108") HCE bucket, enclosed ROPS cab, CD Player & Radio	30,420	\$195,988
L9775002	BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tire:	22,457	\$167,923
L9775000XTD	HL757XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, heavier counterweight, 20.5 x 25 - 16 PR - L3 tires, front attachment with 3.5 yd ³ HCE bucket, enclosed ROPS cab, CD Player & Radio		\$200,965
L9775002XTD	EXTENDED REACH BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tire:		\$169,986
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)			
L9775150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	3,193 \$18,275
L9775150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	\$21,189
L9775153	BOOM CYLINDERS ONLY		480 \$5,632

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

TIRES AND RIMS (FACTORY INSTALLED ONLY)			
--	--	--	--

L9775221	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY)		\$4,716
L9775222	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)	3,300	\$5,688
L9775227	FOUR, 20.5 x 25, MICHELIN XHA RADIAL TIRES (ASSY)		\$16,407
L9775228	FOUR, 20.5 X 25, 16 PR, TRIANGLE RADIAL TIRES (ASSY)		\$11,850

CAB & ELECTRICAL			
-----------------------------	--	--	--

L9775333	FULL AUTO A/C		IN BASE
L9775320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9775340	DC CONVERTER (24V → 12V)		IN BASE
L9775350	HEATED SIDE MIRRORS		IN BASE
L9775260	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9775253	REARVIEW CAMERA		IN BASE
L9775360	MP3 PLAYER & RADIO		IN BASE

AUXILIARY HYDRAULIC ARRANGEMENTS			
---	--	--	--

L9775451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd spool valve with controller	100	IN BASE
L9775452	JOYSTICK STEERING		\$3,500

OTHERS			
---------------	--	--	--

L9775510	TOOL KIT WITH BOX	55	\$754
L9775520	UNDER GUARD		\$380
L9775530	EMERGENCY STEERING SYSTEM (Factory Installed)		\$4,659
L9775540	LIMITED SLIP DIFFERENTIAL (Factory Installed)		IN BASE
L9775550	REAR FENDERS (MUD GUARDS)	198	\$3,317
L9775560	RIDE CONTROL KIT (Factory Installed)		\$5,001
L9775561	RIDE CONTROL KIT (Field Installed)		\$4,134
L9775570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 620 LBS)	1,830	\$1,883
L9775580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9775590	REVERSIBLE FAN		IN BASE
L9775591	DUAL BRAKE PEDAL		\$720

ATTACHMENTS			
--------------------	--	--	--

L9775610	108" x 3.7 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	2,570	\$4,102
----------	--	-------	---------

HL757-9 TOOL MASTER

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

170 HP (SAE J1349) Cummins QSB6.7
 4-cycle,turbocharged,charge air-cooled direct injection,
 electronic controlled low emission Tier III diesel engine
 3 Operating modes; Power, Standard, Economy
 Fuel warmer & fuel pre filter with water separator
 24 Volt electrical starting system (130 A.H.)
 70 amp alternator with cold start aid (air intake heater)

DRIVE SYSTEM

Front and rear limited slip differential
 26° oscillating rear axle
 Planetary drive reduction at four wheels
 Variable shift control with 4 modes -Manual, Light, Normal, Heavy

TRANSMISSION

Full Automatic power shift, 4-speed forward, 3-speed reverse,
 countershaft with electric kick down control
 Transmission neutralizer Clutch disconnect

CONTROLS

Single joystick controls for boom and bucket
 Quick gear downshift switch
 Tilt & telescopic steering wheel
 Key start and stop switch
 Hydraulic safety lever

OTHER STANDARD EQUIPMENT

Air precleaner	Handrail
Counterweight	Lifting eyes
Drawbar	Access ladders
Dual air cleaner-dry type	Fan guard
Engine side panels	Frame lock
Front fenders	Electric double horn
Backup alarm	Muffler
Steering knob	Cigarette lighter
Centralized lubrication	Cup holder
Blower type, hyd. driven fan	3rd valve spool
	MP3 Player & Radio

CAB

Heated air suspension seat
 Intermittent windshield wipers (front and rear)
 Waterproof connectors & wiring harness
 Electrical service monitor with gauges
 Heater / Defroster (30,000 BTU's)
 Pressurized ROPS cab
 A/C (20,000 BTU's)
 Tinted safety glass
 Cool & Hot box

Vandalism locks
 Wrist rest

BRAKES

Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

L9775000TM	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, HCE Hyd. Q/Coupler front attachment with 3.5 yd ³ HCE bucket, 1,830 lb. CWT. Enclosed ROPS cab, CD Player & Radio	33,070	\$203,336
L9775002TM	BASE MACHINE Price does not include front attachment, boom cylinders, bucket, quick coupler or tires		\$169,724

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9775150TM	FRONT ATTACHMENT INCLUDING CYLINDERS	Not including bucket or quick coupler	\$20,602
L9775153TM	BOOM CYLINDERS ONLY		\$5,632

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9775221TM	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY)		\$4,716
L9775222TM	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)	3,300	\$5,688
L9775227TM	FOUR, 20.5 x 25, MICHELIN RADIAL TIRES (ASSY)		\$16,407
L9775228TM	FOUR 20.5 X 25, 16 PR TRIANGLE RADIAL TIRES (ASSY)		\$11,850

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL

L9775333TM	FULL AUTO A/C		IN BASE
L9775320TM	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9775340TM	DC CONVERTER (24V → 12V)		IN BASE
L9775350TM	HEATED SIDE MIRRORS		IN BASE
L9775260TM	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9775253TM	REARVIEW CAMERA		IN BASE
L9775360TM	MP3 PLAYER & RADIO		IN BASE

AUXILIARY HYDRAULIC ARRANGEMENTS

L9775451TM	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller		IN BASE
L9775452TM	JOYSTICK STEERING		\$3,500

OTHERS

L9775510TM	TOOL KIT WITH BOX	55	\$754
L9775520TM	UNDER GUARD		\$380
L9775530TM	EMERGENCY STEERING SYSTEM (Factory Installed)		\$4,659
L9775540TM	LIMITED SLIP DIFFERENTIAL (Factory Installed)		IN BASE
L9775550TM	REAR FENDERS (MUD GUARDS)	198	\$3,189
L9775561TM	RIDE CONTROL KIT (Factory Installed)		\$5,001
L9775560TM	RIDE CONTROL KIT (Field Installed)		\$4,134
L9775580TM	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9775590TM	REVERSIBLE FAN		IN BASE
L9775591TM	DUAL BRAKE PEDAL		\$720

ATTACHMENTS

L9775610TM	108" x 3.5 yd ³ (with bolt-on cutting edge) (std. HCE bucket)		\$3,613
L9775611TM	HCE QUICK COUPLER (std.)		\$3,709

HL760-9

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

212 HP (SAE J1349) Cummins QSB6.7
 4-cycle,turbocharged,charge air cooled direct injection
 electronic controlled low emission Tier III diesel
 24 Volt electrical starting system (130 A.H.)
 70 amp alternator with cold start aid (Air Intake Heater)

DRIVE SYSTEM

Front and Rear limited slip differential
 24° oscillating rear axle
 Planetary drive reduction at four wheels
 Variable shift control with 4 modes -Manual, Light, Normal, Heavy

CONTROLS

Single joystick controls for boom and bucket
 Key start and stop switch
 Forward/Reverse switch on joystick
 Quick gear downshift switch
 Adjustable steering console
 Automatic boom kick out
 Hydraulic safety lever

TRANSMISSION

Full automatic power shift, 4-speed forward, 3-speed reverse,
 countershaft with electric kick down control
 Transmission neutralizer Clutch disconnect

OTHER STANDARD EQUIPMENT

Air precleaner	Drawbar with pin
Reversible Fan	Lifting eyes
Handrail / access ladders	Fan guard
Dual air cleaner-dry type	Frame lock
Engine side panels	Electric double horn
Front fenders	Muffler
Backup alarm	Cigarette lighter
Steering knob	Cup holder
Centralized lubrication	3rd valve spool
Blower type hydraulic-driven fan	Counterweight
HI-MATE (Remote Management)	MP3 Player & Radio

CAB

Heated air suspension seat
 Intermittent windshield wipers (front and rear)
 Waterproof connectors & wiring harness
 Electrical service monitor with gauges
 Heater / Defroster (30,000 BTU's)
 Pressurized ROPS cab
 A/C (20,000 BTU's)
 Tinted safety glass
 Heated side mirrors

Vandalism BRAKES

Wrist rest Full hydraulic multiple wet disc brakes on all 4 wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
L9776000	STANDARD CONFIGURED MACHINE Base machine, 23.5 x 25 - 20 PR - L3 tires, front attachment with 4.3 yd ³ (114") HCE bucket, enclosed ROPS cab, CD Player & Radio	39,460	\$235,871
L9776002	BASE MACHINE Price does not incl. front attachment, boom cylinders, bucket or tires	41,230	\$197,406
L9776000XTD	HL760XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, 23.5 x 25 - 20 PR - L3 tires, front attachment with 4.3 yd ³ (114") HCE bucket, 11' 10" boom, enclosed ROPS cab, CD Player & Radio	41,013	\$241,889
L9776002XTD	EXTENDED REACH BASE MACHINE Price does not incl. front attachment, boom cylinders, bucket or tires		\$200,018

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9776150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	4,900	\$24,935
L9776150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket		\$28,341
L9776153	BOOM CYLINDERS ONLY		776	\$6,578

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9776221	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY)	3,300	\$5,802
L9776222	FOUR, 23.5 x 25, 20 PR, L3 TIRES (ASSY) (std.)	4,200	\$8,631
L9776227	FOUR, 23.5 x 25, MICHELIN XHA RADIAL TIRES (ASSY)	2,464	\$16,136
L9776228	FOUR, 20.5 x 25, 16 PR, TRIANGLE RADIAL TIRES (ASSY)		\$14,382

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL

L9776333	FULL AUTO A/C		IN BASE
L9776320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9776340	DC CONVERTER (24V → 12V)		IN BASE
L9776350	HEATED SIDE MIRRORS		IN BASE
L9776260	HI-MATE REMOTE MANAGED SYSTEM		IN BASE
L9776253	REARVIEW CAMERA		IN BASE
L9776360	MP3 PLAYER & RADIO		IN BASE

AUXILIARY HYDRAULIC ARRANGEMENTS

L9776451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller	230	IN BASE
L9776452	JOYSTICK STEERING		\$3,500

OTHERS

L9776510	TOOL KIT WITH BOX	55	\$754
L9776520	BELLY PAN GUARD		\$537
L9776530	EMERGENCY STEERING SYSTEM (Factory Installed)		\$4,605
L9776540	FRONT & REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		IN BASE
L9776550	REAR FENDERS (MUD GUARDS)	220	\$3,510
L9776560	RIDE CONTROL KIT (Factory Installed)		\$4,857
L9776561	RIDE CONTROL KIT (Field Installed)		\$4,172
L9776570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 1,450 LBS)	3,760	\$3,518
L9776580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9776590	REVERSIBLE FAN		IN BASE

ATTACHMENTS

L9776610	114" x 4.3 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	3,690	\$4,899
----------	--	-------	---------

4/1/2010

HL770-9

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

277 HP (SAE J1349) Cummins QSL
 4-cycle,turbocharged,charge air cooled direct injection
 electronic controlled low emission Tier III diese
 24 Volt electrical starting system (160 A.H.)
 70 amp alternator with Cold Start aid (Air Intake Heater)

DRIVE SYSTEM

Limited slip type front and rear differentials
 26° oscillation rear axle
 Planetary drive reduction at four wheels
 Variable shift control with 4 modes -Manual, Light, Normal, Heavy

CONTROLS

Single joystick controls for boom and bucket
 Quick gear downshift switch
 Forward/reverse switch on joystick
 Adjustable steering console
 Key start and stop switch
 Hydraulic safety lever

Bucket leveler
 Auto boom kick out

TRANSMISSION

Full automatic power shift, 4-speed forward, 3-speed reverse
 countershaft with electric kick down contro
 Transmission neutralizer Clutch disconnect

OTHER STANDARD EQUIPMENT

Air precleaner Handrail / Access ladders
 Reversible Fan Dual air cleaner-dry type
 Drawbar with pin Fan guard
 Lifting eyes Frame lock
 Engine side panels Electric double horn
 Front fenders Muffler
 Backup alarm Cigarette lighter
 Steering knob Cup holder
 Centralized lubrication 3rd valve spool
 Counterweight MP3 Player & Radio
 HI-Mate (RMS) Rear-View Camera
 Blower type hydraulic-driven fan

CAB

Heated air suspension seat
 Intermittent windshield wipers (front and rear)
 Waterproof connectors & wiring harness
 Electrical service monitor with gauges
 Heater / Defroster (30,000 BTU's)
 Pressurized ROPS cab
 A/C (20,000 BTU's)
 Tinted safety glass
 Heated side mirrors

Vandalism locks
 Wrist rest

BRAKES

Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
L9777000	STANDARD CONFIGURED MACHINE Base machine, 26.5 x 25 - 20PR - L3 tires, front attachment with 5.2 yd ³ (122") HCE bucket, enclosed ROPS cab, CD Player & Radio	50,300	\$337,062
L9777002	BASE MACHINE Price does not incl. Front attachment, boom cylinders, bucket or tires	38,240	\$290,976
L9777000XTD	HL770XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, 26.5 x 25 - 20PR - L3 tires, front attachment with 5.2 yd ³ (128") HCE bucket, enclosed ROPS cab, CD Player & Radio	51,920	\$344,680
L9777002XTD	BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tires	39,460	\$293,751

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9777150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	6,600	\$31,770
L9777150XTD	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket		\$36,613
L9777153	BOOM CYLINDERS ONLY		1,014	\$8,250

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9777221	FOUR, 23.5 x 25, 20 PR, L3 TIRES (ASSY)	4,200	\$8,462
L9777222	FOUR, 26.5 x 25, 20 PR, L3 TIRES (ASSY) (std.)	5,380	\$8,963
L9777227	FOUR, 26.5 x 25, MICHELIN XHA RADIAL TIRES (ASSY)	3,340	\$20,162
L9777228	FOUR, 26.5 x 25, 20 PR, TRIANGLE RADIAL TIRES (ASSY)		\$16,338

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

L9777333	FULL AUTO A/C		IN BASE
L9777320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9777340	DC CONVERTER (24V → 12V)		IN BASE
L9777350	HEATED SIDE MIRRORS		IN BASE
L9777260	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9777253	REARVIEW CAMERA		IN BASE
L9777360	MP3 PLAYER & RADIO		IN BASE

AUXILIARY HYDRAULIC ARRANGEMENTS			
---	--	--	--

L9777451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller	287	IN BASE
L9777452	JOYSTICK STEERING		\$3,500

OTHERS			
---------------	--	--	--

L9777510	TOOL KIT WITH BOX	55	\$754
L9777520	UNDER GUARD		\$470
L9777530	EMERGENCY STEERING SYSTEM (Factory Installed)		\$5,287
L9777550	REAR FENDERS (MUD GUARDS)	397	\$3,510
L9777560	RIDE CONTROL KIT (Factory Installed)		\$5,883
L9777561	RIDE CONTROL KIT (Field Installed)		\$5,052
L9777570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 1,113 LBS)	4,199	\$3,906
L9777580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9777590	REVERSIBLE FAN		IN BASE
L9777591	DUAL BRAKE PEDAL		\$720

ATTACHMENTS			
--------------------	--	--	--

L9777610	122" x 5.2 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	4,560	\$5,353
----------	--	-------	---------

HL780-9

WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

344 HP (SAE J1349) Cummins QSM11
 4 cycle, turbocharged, charge air cooled direct injector
 electronic controlled low emission diesel
 24 Volt electrical starting system (220 A.H.)
 70 amp alternator
 Air intake heater

DRIVE SYSTEM

Limited slip type front and rear differentials
 26° oscillating rear axle
 Planetary drive reduction at four wheels
 Variable shift control with 4 modes -Manual, Light, Normal, Heavy

CONTROLS

Single joystick controls for boom and bucket
 Quick gear downshift switch
 Forward/reverse switch on joystick
 Adjustable steering console
 Key start and stop switch
 Hydraulic safety lever

TRANSMISSION

Full automatic power shift, 4-speed forward, 3-speed reverse
 countershaft with electric kick down control
 Transmission neutralizer Clutch disconnect

OTHER STANDARD EQUIPMENT

Auto boom kick out	Air precleaner	3rd spool valve
Bucket leveler	Backup alarm	Blower type fan
	Centralized lubrication	Cigarette lighter
	Centralized test ports	Cup holder
	Counterweight	Lifting eyes
	Handrail / access ladders	Electric double horn
	Engine side panels	Fan guard
	Front fenders	Frame lock
	Dual air cleaner-dry type	Drawbar
	Steering knob	Muffler
	Reversible Fan	MP3 Player & Radio
	Hi-Mate (RMS)	Rear-View Camera
Vandalism locks		
Wrist rest		

CAB

Heated air suspension seat
 Intermittent windshield wipers (front and rear)
 Waterproof connectors & wiring harness
 Electrical service monitor with gauges
 Heater / Defroster (30,000 BTU's)
 Pressurized ROPS cab
 A/C (20,000 BTU's)
 Tinted safety glass
 Heated side mirrors

Full hydraulic multiple wet disc brakes on all four wheels
 Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
L9778000	STANDARD CONFIGURED MACHINE Base machine, 29.5 x 25 - 22 PR - L3 tires, front attachment with 6.7 yd ³ HCE bucket, enclosed ROPS cab, CD Player & Radio	64,600	\$405,772
L9778002	BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tire:		\$349,049
L9778000XTD	HL780XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, 29.5 x 25 - 22 PR - L3 tires, front attachment with 6.7 yd ³ HCE bucket, 12' 7" boom, enclosed ROPS cab, CD Player & Radio	65,040	\$413,207
L9778002XTD	BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tire:		\$354,340

ATTACHMENTS (Factory installed -- must be ordered with machine)

L9778150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	6,600	\$38,125
LA978150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket		\$40,269
LA978153	BOOM CYLINDERS ONLY		1,014	\$10,293

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9778221	FOUR, 26.5 x 25, 32 PR, L3 TIRES (ASSY)			\$8,963
L9778222	FOUR, 29.5 x 25, 22 PR, L3 TIRES (ASSY) (std.)			\$12,343
L9778225	FOUR, 29.5 x 25, 28PR, L5 TIRES (ASSY)			\$25,174
L9778227	FOUR, 29.5 x 25, MICHELIN XHA RADIAL TIRES (ASSY)			\$22,523
L9778228	FOUR, 29.5 x 25, 22PR, L3 TRIANGLE RADIAL TIRES (ASSY)			\$27,633

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT P.O.E.
------------	-------------	--------------	----------------------

CAB & ELECTRICAL			
-----------------------------	--	--	--

L9778333	FULL AUTO A/C		IN BASE
L9778320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9778340	DC CONVERTER (24V → 12V)		IN BASE
L9778350	HEATED SIDE MIRRORS		IN BASE
L9778260	HI-MATE REMOTE MANAGEMENT SYSTEM		IN BASE
L9778253	REARVIEW CAMERA		IN BASE
L9778360	MP3 PLAYER & RADIO		IN BASE

AUXILIARY HYDRAULIC ARRANGEMENTS			
---	--	--	--

L9778451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller	287	IN BASE
L9778452	JOYSTICK STEERING		\$3,500
L9778453	THREE (3) LEVER BOOM/BUCKET CONTROL		\$832

OTHERS			
---------------	--	--	--

L9778510	TOOL KIT WITH BOX	55	\$754
L9778530	EMERGENCY STEERING SYSTEM (Factory Installed)		\$5,521
L9778560	RIDE CONTROL KIT (Factory Installed)		\$6,459
L9778561	RIDE CONTROL KIT (Field Installed)		\$5,548
L9778570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 1,240 LBS)	4,110	\$4,152
L9778580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9778590	REVERSIBLE FAN		IN BASE
L9778591	TWO PEDAL BRAKE		\$720

ATTACHMENTS			
--------------------	--	--	--

L9778610	136" x 6.7 yd ³ (with bolt-on cutting edge) (std. HCE bucket)	5,890	\$6,255
----------	--	-------	---------