

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	
			Options		Comments
<b>CUSTOMER INFORMATION</b>					
Company Name:					
Contact Name:					
Street Address:					
City, State & Zip:					
Phone:					
Cell:					
Fax:					
e-mail:					
Height Requirement:					
Length Requirement:					
Color Requirement:					
Aluminum Tube Type:					
Jetter Hose Type:					
Days Valid For:					
Proposal No.:					
<b>WARRENTIES AND KEY STANDARD FEATURES - COMBINATION MACHINES (see separate literature for all warranty details and limitations)</b>					
<u>Entire Unit</u>					
a)	Warranty: One-year. Against defects in materials and workmanship on entire unit				
<u>Water Tank Material Std: 3/16" ASTM A-240 type 304L Stainless Steel</u>					
a)	Warranty: Ten-year. No rust through, cracking or corrosion				
b)	Warranty: Twenty-year. If upgrade to 1/4" SS Debris Body. No rust through, cracking or corrosion				
<u>Debris Tank Material Std: 3/16" Exten A-572 Grade 50 Steel</u>					
a)	Warranty: One-year. No rust through, cracking or corrosion				
b)	Warranty: Five-year. If upgrade to 1/4" Exten A-572 Grade 50 Steel. No rust through, cracking or corrosion				
c)	Warranty: Ten-year. If upgrade to 3/16" SS Debris Body. No rust through, cracking or corrosion				
d)	Warranty: Twenty-year. If upgrade to 1/4" SS Debris Body. No rust through, cracking or corrosion				
<u>Water Pump Std: 80 gpm @ 2,000 PSI</u>					
a)	Warranty: Five-year. Must be Giant pump, otherwise one-year				
<u>Positive Displacement Blower Std: 3,500 cfm or 16" Hg</u>					
a)	Warranty: One-year				
Boom - Minimum 25' reach from center of truck standard					
Hose reel capacity - 800 feet of 1" hose standard					
NEMA 4 labeled wiring standard					
DOT Lighting / Fenders / Rear mud flaps / Tank and rear door safety props, ICC lights - All Standard					
<b>NOTE: GAPVAX, INC. FOLLOWS A POLICY OF CONTINUAL PRODUCT IMPROVEMENT AND REFINEMENT. AS A RESULT, CHANGES TO STANDARD EQUIPMENT, FEATURES, SPECIFICATIONS AND OPTIONAL EQUIPMENT MAY OCCUR AT ANY TIME</b>					
<b>Note: Customer supplied chassis specifications must be approved by GapVax Engineering department prior to acceptance of</b>					

GapVax MC Series Combination Jet / Vacuum Machine			Ver: _____
Sales Proposal for:			Date: _____
Pricing Effective March 1, 2013			Ohio STS: 7767000409 Index:STS670
Presented by: MTech			
	Option	Cat.	List Price
	Number	Ref.	Options
			ALL
			SELECTED
			Comments
<b>chassis. Chassis are subject to an additional modification charge.</b>			
<b>MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - SINGLE AXLE</b>			
<b>Combination Machine</b>			
1000 Gallons Water / 5 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC1005		\$290,878
1000 Gallons Water / 7 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis - Use for other custom sizes.	MC1007		\$293,819
1200 Gallons Water / 4 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC1204		\$293,819
500 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC0508		\$290,878
<b>Chassis - Base Standard - Single Axle</b>			
Make/Model: International - 2010 Emissions	Std.		Std.
Engine HP: 350 HP Diesel Engine	Std.		Std.
Transmission Make/Model: Automatic Allison	Std.		Std.
GVW: 50,000 lbs.	Std.		Std.
Front Axle: 20,000 lbs.	Std.		Std.
Rear Axle: 30,000 lbs.	Std.		Std.
6" Chassis Sub-Frame	Std.		Std.
AM/FM Weatherband Radio	Std.		Std.
HVAC	Std.		Std.
Driver Air Seat	Std.		Std.
DOT Lighting / Fenders / Rear Mud Flaps / Body and Tailgate Safety Props, ICC Lights	Std.		Std.
Back Up Alarm - 97 dBA	Std.		Std.
Triangle Kit	Std.		Std.
Fire Extinguisher 5 lbs.	Std.		Std.
70 gallon hydraulic oil reservoir, level/temperature Gauge, suction line shut-off valve	Std.		Std.
Transfer case Mounted hydraulic pump	Std.		Std.
<b>Chassis - Options - Single Axle</b>			
Front Bumper - GapVax Manufactured - Not Required in Ohio	J0	1	\$590
Step-up Front Bumper with Small Tool Box on Each Side - GapVax Manufactured	J0*		\$1,012
Step-up Front Bumper with Large Tool Box on Each Side - GapVax Manufactured	J0**		\$2,950
Allison 10 Bolt PTO Upgrade - Used with 80 GPM / 2500 PSI Water Pump - Options D3a, D3b, or D3c. J1a or J1B Required with Allison Transmission.	J1a		\$2,500
Allison Automatic Transmission 10-Bolt PTO Upgrade for Auto Trans - Used with Options D0a and D0b and Water Recirculation. J1a or J1b Required with Allison Transmission	J1b		\$2,500
Tow Hooks Front - Relocated	J3		\$375
Tow Hooks Rear - Relocated	J4		\$375
Pintle Hitch Assembly, 15,000 Lb.- Bolt On	J5		\$1,090
Back Up Alarm-Auto Sensor to Increase db as Approach Object (Not Available with Option J5 or J16)	J8		\$425
Relocate Rear Axles - 18" or Less	J11		\$2,555
Metal Mud Flaps in Front of Rear Tires	J12	26	\$345
3/4" Welded Pintle Plate with Dual Gussets	J16		\$1,010
Add "Hot Shift" Feature Transfer Case (consult factory)	J17		\$4,790
Remote Lube for Boom Lift and Rotation - See E6, J18, M32	E6		\$2,545
Remote Lube of Tailgate Lift Components and Tailgate Locks - See E6, J18, M32	J18		\$2,740
Remote Lube of Tailgate Components NOT Reachable from Ground	J18*		\$1,520
Upgraded Auto Lube System-May require other options-May not include every point-See E6, J18, M32	M32		\$7,995
Re-Program Allison Automatic Transmission	J30		\$1,835

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	Comments
			Options		
Hind Sight Back-up Warning 20/20 Model 1300 Mounted in Cab	J31		\$1,150		
Passenger Air Seat ILO Std. - Custom Chassis	J60*		\$660		
Upgrade to Aluminum Wheels - Add - Custom Chassis	J84* - Sin		\$2,398		
Heated Mirrors - Add - Custom Chassis	J86*		\$848		
Power Mirrors - Add - Custom Chassis	J87*		\$1,060		
Passenger Air Seat ILO Std. - Stock Chassis	J60		\$1,559		
Upgrade to Aluminum Wheels - Add - Stock Chassis	J84 - Sin		\$3,657		
Heated Mirrors - Add - Stock Chassis	J86		\$2,438		
Power Mirrors - Add - Stock Chassis	J87		\$2,682		
Upgrade to Larger Chassis with Larger HP Engine and Larger Transmission	J81 - Sin		\$26,470		
Diff Lock - Base	J83 - Sin		\$350		
Diff Lock - Advanced	J83* - Sin		\$882		
40,000 or 43,000 GVRW Chassis ILO of 50,000 Standard - Deduct	J85 - Sin		(\$750)		
Peterbilt Chassis ILO International	J89 - Sin		\$3,352		
Western Star Chassis ILO International	J90 - Sin		\$0		
2013 Chassis Model Year Update	J99-13		\$3,000		
2014 Chassis Model Year Update	J99-14		\$9,500		
2015 Chassis Model Year Update	J99-15		\$13,500		
2016 Chassis Model Year Update	J99-16		\$17,500		
2017 Chassis Model Year Update	J99-17		\$22,500		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Deduct	J92		(\$90,500)		
Manual Transmission ILO Automatic - Will Require Additional Options	J99*		(\$7,000)		
Five year warranty (some mileage restrictions) for: Allison Transmission, Base Chassis (3 years), Engine, Steer and Drive Axle, After Treatment.	J*		\$12,721		
<b>MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - TANDEM AXLE</b>					
<b>Combination Machine</b>					
1500 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1508		\$299,273		
2000 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - Use for other custom sizes.	MC2008		\$301,743		
1200 Gallons Water / 10 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1210		\$298,685		
1500 Gallons Water / 10 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1510		\$299,623		
1000 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1012		\$298,446		
<b>MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - TANDEM AXLE WHICH MAY REQUIRE LIFT</b>					
<b>Combination Machine</b>					
1500 Gallons Water / 11 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1511		\$302,809		
1300 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1312		\$302,809		
1500 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1512		\$303,021		
900 Gallons Water / 15 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC0915		\$303,021		
700 Gallons Water / 16 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC0716		\$303,021		
1300 Gallons Water / 15 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift -Includes 3/16" Stainless Steel Debris Tank Upgrade	MC1315		\$334,476		
<b>Chassis - Base Standard - Tandem Axle</b>					
Make/Model: International - 2010 Emissions	Std.		Std.		
Engine HP: 350 HP Diesel Engine	Std.		Std.		
Transmission Make/Model: Automatic Allison	Std.		Std.		
GVW: 60,000 lbs.	Std.		Std.		
Front Axle: 20,000 lbs.	Std.		Std.		

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	Comments
			Options		
Rear Axel: 40,000 lbs.	Std.		Std.		
6" Chassis Sub-Frame	Std.		Std.		
AM/FM Weatherband Radio	Std.		Std.		
HVAC	Std.		Std.		
Driver Air Seat	Std.		Std.		
DOT Lighting / Fenders / Rear Mud Flaps / Body and Tailgate Safety Props, ICC Lights	Std.		Std.		
Back Up Alarm - 97 dBa	Std.		Std.		
Triangle Kit	Std.		Std.		
Fire Extinguisher 5 lbs.	Std.		Std.		
70 gallon hydraulic oil reservoir, level/temperature Gauge, suction line shut-off valve	Std.		Std.		
Transfer case Mounted hydraulic pump	Std.		Std.		
<b>Chassis - Options - Tandem Axle</b>					
Front Bumper - GapVax Manufactured - Not Required in Ohio	J0	1	\$590		
Step-up Front Bumper with Small Tool Box on Each Side - GapVax Manufactured	J0*		\$1,012		
Step-up Front Bumper with Large Tool Box on Each Side - GapVax Manufactured	J0**		\$2,950		
Allison 10 Bolt PTO Upgrade - Used with 80 GPM / 2500 PSI Water Pump - Options D3a, D3b, or D3c. J1a or J1B Required with Allison Transmission.	J1a		\$2,500		
Allison Automatic Transmission 10-Bolt PTO Upgrade for Auto Trans - Used with Options D0a and D0b and Water Recirculation. J1a or J1b Required with Allison Transmission	J1b		\$2,500		
Tow Hooks Front - Relocated	J3		\$375		
Tow Hooks Rear - Relocated	J4		\$375		
Pintle Hitch Assembly, 15,000 Lb.- Bolt On	J5		\$1,090		
Back Up Alarm-Auto Sensor to Increase db as Approach Object (Not Available with Option J5 or J16)	J8		\$425		
Relocate Rear Axles - 18" or Less	J11		\$2,555		
Metal Mud Flaps in Front of Rear Tires	J12	26	\$345		
Drop Axle, 13,200 lbs. Self Steer - Stock Chassis	J14		\$11,775		
Drop Axle, 13,200 lbs. Self Steer - Custom Chassis	J14*		\$7,775		
3/4" Welded Pintle Plate with Dual Gussets	J16		\$1,010		
Add "Hot Shift" Feature Transfer Case (consult factory)	J17		\$4,790		
Remote Lube for Boom Lift and Rotation - See E6, J18, M32	E6		\$2,545		
Remote Lube of Tailgate Lift Components and Tailgate Locks - See E6, J18, M32	J18		\$2,740		
Remote Lube of Tailgate Components NOT Reachable from Ground	J18*		\$1,520		
Upgraded Auto Lube System-May require other options-May not include every point-See E6, J18, M32	M32		\$7,995		
Re-Program Allison Automatic Transmission	J30		\$1,835		
Hind Sight Back-up Warning 20/20 Model 1300 Mounted in Cab	J31		\$1,150		
Passenger Air Seat ILO Std. - Custom Chassis	J60*		\$660		
Upgrade to Aluminum Wheels - Add - Custom Chassis	J84* - Tan		\$3,392		
Heated Mirrors - Add - Custom Chassis	J86*		\$848		
Power Mirrors - Add - Custom Chassis	J87*		\$1,060		
Passenger Air Seat ILO Std. - Stock Chassis	J60		\$1,559		
Upgrade to Aluminum Wheels - Add - Stock Chassis	J84 - Tan		\$5,173		
Heated Mirrors - Add - Stock Chassis	J86		\$2,438		
Power Mirrors - Add - Stock Chassis	J87		\$2,682		
Diff Lock - 40,000 lbs. back-end - Base	J83a-Tan		\$941		
Diff Lock - 40,000 lbs. back-end - Advanced	J83b-Tan		\$1,588		
Diff Lock - 46,000 lbs. back-end - Based	J83c-Tan		\$2,000		
Diff Lock - 46,000 lbs. back-end - Advanced	J83d-Tan		\$1,470		
64,000 or 66,000 GVRW Chassis ILO of 60,000 - Base	J85a-Tan		\$2,806		

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	
			Options		Comments
64,000 or 66,000 GVRW Chassis ILO of 60,000 - Advanced	J85b-Tan		\$2,647		
Peterbilt Chassis ILO International	J89P-Tan		\$6,350		
Western Star Chassis ILO International	J90-Tan		\$0		
Kenworth Chassis ILO International	J89K- Tan		\$7,000		
Freightliner ILO International	J89F-Tan		\$24,566		
Upgrade to Larger Chassis with Larger HP Engine and Larger Transmission	J81I-Tan		\$31,882		
Mack Chassis ILO International	J89M-Tan		\$24,566		
Volvo Chassis ILO International	J89V-Tan		\$24,566		
2013 Chassis Model Year Update	J99-13		\$3,000		
2014 Chassis Model Year Update	J99-14		\$9,500		
2015 Chassis Model Year Update	J99-15		\$13,500		
2016 Chassis Model Year Update	J99-16		\$17,500		
2017 Chassis Model Year Update	J99-17		\$22,500		
Customer Supplied Chassis - Deduct	J93		(\$95,500)		
Manual Transmission ILO Automatic - Deduct - Will Require Additional Options	J99*		(\$7,000)		
Five-Year Warranty (some mileage restrictions) for: Allison Transmission, Base Chassis (3 years), Engine, Steer and Drive Axel, After Treatment.	J*		\$12,721		
<b>Section A - Debris Body Options</b>					
3/16" Carbon Steel Debris Tank	Std.		Std.		
Stainless Steel Float Ball Shut off in Debris Tank	Std.	15	Std.		
Top loading material backed debris deflection body inlet cannon with 8" cleanout on top	Std.	1	Std.		
Basket to hold 25' fire hose without need to disconnect curbside front	Std.		Std.		
Full diameter rear door (tailgate), self-compensating tailgate gasket with 1/2" stainless steel "sure seal"	Std.	7	Std.		
Four (4) adjustable hydraulic rear door locks with individual dedicated hydraulic cylinders	Std.	7	Std.		
Dual (2) tailgate hydraulic lift cylinders - open/close	Std.	7	Std.		
Front Mounted hoist cylinder, 55,000 lbs. capacity, power up and down	Std.	4	Std.		
Cam-Loc Fittings for Drain Hoses (per set) 6" - Includes Flanges	Std.		Std.		
24" Standpipe for Pump Off and Drain Valve	Std.	20	Std.		
Debris Body Flush Out System. Standard Jet style = 6 jets to the rear, 2 fans to the front, two jets toward float balls	A1	20	\$1,780		GapVax Note: Jet style =
Upgrade Debris Body Flush Out System to Stainless Steel - Requires A1	A1*		\$400		
Drain Valve - Rear Door - 6" Knife with 15' of lay flat hose (for tailgate basket, add Option I20)	A2a	18	\$745		
Drain Valve - Rear Door - 6" Butterfly with 15' of lay flat hose (for tailgate basket, add Option I20)	A2b	18	\$1,200		
Drain Valve - Rear Door - 6" Knife with cylinder style pneumatic actuator	A2c	18	\$1,880		
Drain Valve - Rear Door - 6" SS Knife Valve with cylinder style pneumatic actuator	A2d	18	\$3,140		
Level Indicator - Float Type / Mounted on Rear Door with External Pointer	A3	18	\$560		
Upgrade Level Indicator - Float Type / Mounted on Rear Door with External Pointer to Stainless-Requires A3	A3*	18	\$300		
Pump Off System / 3", 450 GPM (w/ 25' of lay flat & cam-loc fittings)	A5	21	\$5,530		
Pump Off System / 4", 800 GPM (w/ 25' of lay-flat and cam-loc fittings)	A6a	21	\$6,860		
Pump Off System / 4", Sludge Pump w/ hydraulic oil cooler, 25' lay-flat hose, & fittings	A6b	21	\$8,510		
Pump Off System / 4", Sludge Pump w/ Silicone Carbide Seals, hydraulic oil cooler, 25' lay-flat hose, & fittings	A6c	21	\$9,680		
Brackets Only - Pump off System	A6d		\$500		
Cam-Loc Fittings for Drain Hoses (per set) 4"	A9		\$375		
Cam-Loc Fittings for Drain Hoses (per set) 3"	A10		\$345		
Filter Screens-Interior for Pump Off and Drain Valve (flange, elbow, screen)	A11	20	\$560		
Upgrade Filter Screens-Interior for Pump Off and Drain Valve (flange, elbow, screen) to Stainless-Requires A11	A11*	20	\$400		
Remove Standard 24" Standpipe for Pump Off and Drain Valve	A12	20	(\$370)		
Upgrade Standard 24" Standpipe for Pump Off and Drain Valve to Stainless	A12*	20	\$400		
Splash Shield - Rear Door	A13	7	\$770		



GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
			ALL	SELECTED	
	Number	Ref.	Options		Comments
Stainless Steel 1/4" Tank Material ILO Std. - 2000 gal - When 1/4" SS debris tank is also selected (TWENTY YEAR WARRANTY)	B97c		\$4,000		Check Qty.
Stainless Steel 1/4" Tank Material ILO Std. - 2000 gal - When 3/16" SS or Carbon Steel debris tank is also selected (TWENTY YEAR WARRANTY)	B97d		\$6,000		Check Qty.
Stainless Steel Manway ILO Std.	B98*		\$1,250		
Pump to Fill Water Tank from Pond with Filter - Requires Option B24	B99*		\$1,908		
<b>Section C - Vacuum System Options</b>					
True 8" diameter vacuum system	Std.	1	Std.		
Three (3) Vacuum Relief Valves set to crack at 16" Hg	Std.	1	Std.		
Discharge silencer w/ rain cap and bottom drain	Std.	1	Std.		
Centrifugal Cyclone Separator with 20" Chamber with Full Opening Clean-Out Door	Std.	1/8	Std.		
Vacuum pump driven via Transfer Case	Std.	1/6	Std.		
Rotary Lobe Positive Displacement Vacuum Pump 3,500 CFM & 16" Hg	Std.	1/8	Std.		
Noise and vibration dampening mounts on transfer case and vacuum pump	Std.		Std.		
Stainless Steel Vee-Wire Filter Screen at Blower Inlet with Full Opening Clean-Out Door	Std.	1/8	Std.		
Vacuum Relief Valve, 6" Air Operated, Externally Mounted, Controlled from Operator Panel	Std.	22	Std.		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump to 4,500 CFM and 16" Hg	C7		\$10,160		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump to 4,500 CFM and 18" Hg	C8		\$11,465		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump to 5,900 CFM and 18" Hg (Requires Options C11 & C16)	C10		\$22,075		
Dual Cyclone Upgrade (Required for Option C10 - 5,900 CFM Vacuum System)	C11		\$3,780		
Upgrade 6" Pneumatically Actuated Relief Valve to 8"	C16		\$2,400		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump 3,850 CFM and 27" Hg - Includes 1/4" Ex-Ten Steel Body Upgrade Option A20	C17		\$31,725		
Five-Year Non-Prorated Vacuum Pump (Blower) Warranty Against Defects in Materials and Workmanship - Parts Only. NOTE: The vacuum pump (blower) extended warranty does NOT cover any damage due to misuse (such as water damage, frozen water, dirt, rust, etc. in the vacuum pump), requires proof of completed oil changes per the interval maintenance chart posted on the unit or in the manual. Shipping is not included. These warranties are only available for municipal owned units only.	C20		\$6,280		
Five-Year Non-Prorated Transfer Case Warranty Against Defects in Materials and Workmanship - Parts Only. NOTE: The transfer case extended warranty does NOT cover any damage due to misuse (such as water damage, frozen water, dirt, rust, etc. in the vacuum pump), requires proof of completed oil changes per the interval maintenance chart posted on the unit or in the manual. Shipping is not included. These warranties are only available for municipal owned units only.	C21		\$4,200		
Vacuum Dry Ability - Add Wet Ring to Vacuum	C99*		\$875		
<b>Section D - Water Pump System Options</b>					
3" Water Strainer with Stainless Steel Screen	Std.	2	Std.		
Adjustable Low Pressure Water Spray Gun w/50' x 1/2" Hose and Quick Connects, 800 PSI MAX	Std.	2	Std.		
80 GPM / 2,000 PSI Direct Drive Triplex Water Pump Equipped with Pressure Regulator & Drain Valves	Std.	9	Std.		GapVax Note:
Pump Drain Valves (Lifters)	Std.	9	Std.		
Low Point Drain Valves	Std.		Std.		
Multi-Flow - Shaft Drive Water Pumps (MSUV Regulator)	Std.	16	Std.		
Water Pump Drive: Direct from PTO via Drive Shaft	Std.		Std.		
Air Purge System for MC Jet System	Std.	9	Std.		
Valve Before 3" Strainer	Std.		Std.		
Hydrostatically Drive Jetter Pump - 80 GPM @ 2,000 PSI - Consult Factory	D0a		\$21,810		

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
			ALL	SELECTED	
	Number	Ref.	Options		Comments
Hydrostatically Drive Jetter Pump - 100 or 85 GPM @ 2,500 PSI - Consult Factory - May Require Other Options Such as D0b, D24b, J1b	D0b		\$25,960		
Giant Series Water Pump Rated 80 GPM @ 2000 PSI ILO Std.	D1a		\$0		GapVax Note:
General Water Pump Rated 80 GPM @ 2000 PSI ILO Std.	D1b		\$0		
Myers Water Pump Rated 80 GPM @ 2000 PSI ILO Std. Includes Auxiliary Gear Box	D2		\$2,500		
Giant Water Pump Rated 80 GPM @ 2500 PSI	D3a		\$610		
General Water Pump Rated 80 GPM @ 2500 PSI	D3b		\$610		
URACA Water Pump Rated 80 GPM @ 2500 PSI (subject to 16 week delivery)	D3c		\$2,500		
2,000 PSI Adjustable Water Spray Gun ILO Standard 800 PSI Max and Regulator (includes additional upgrades for increased pressure requirements)	D4		\$1,400		
Adjustable Regulator & Gauge for Side Gun Reel Mounted at Reel (PSI may not be adjustable below 1K)	D4*		\$882		
Giant Water Pump Rated 50 GPM @ 3,000 PSI	D5a		\$610		
General Water Pump Rated 50 GPM @ 3,000 PSI	D5b		\$610		
50' x 1/2" Hand Gun Reel, Retractable w/ 50' x 1/2" Hose - See D25 for 100' option	D7	24	\$1,170		
50' x 1/2" Hand Gun Reel, Retractable w/ 50' x 1/2" Hose - See D25 for 100' option - For Hydro Pump	D7*	24	\$1,170		
Extra Handgun Connections - Each - If water recirculation is required, this option not available	D8		\$375		
Cold Weather Recirculation (Electric Pump) HX Pump System Only	D11		\$1,785		
Cold Weather Recirculation ( Extreme Service Duty) (Manual Transmission)	D13		\$9,045		
Auxiliary Hydraulic Pump Drive - Consult Factory	D13a		\$3,140		
Auxiliary Hydraulic Pump Drive - FEPTO - Consult Factory	D13b		\$6,280		
1-1/4" High Pressure Plumbing to Front Hose Reel	D16		\$3,830		
5.5 GPM @ 2,500 PSI Hydraulic Drive Pump for Hydro-Excavation - includes 3/8" X 50' retractable reel	D17	25	\$10,160		
Air Purge System - HX System	D18		\$535		
Hydraulic Driven Charge Pump - Consult Factory	D19		\$9,045		
Lateral Cleaning Hose Reel w/ 150 x 1/2" Hose and Reel (crank rewind)	D20a		\$2,150		
Lateral Cleaning Hose Reel w/ 150 x 1/2" Hose & Reel (crank rewind)-Removable	D20b		\$2,900		
Lateral Reel Hydraulic Upgrade - Jet Out and Hydraulic In - (Cannot use option D20b with this option)	D20c*		\$3,300		
Lateral Reel Electronic Upgrade (Cannot use option D20b with this option)	D20d*		\$1,000		
Lateral Reel Additional 50'	D20e*		\$150		
Lateral Reel Additional 100'	D20f*		\$300		
Lateral Reel - Low Pressure Reel - 150'	D20g*		\$1,650		
Lateral Reel - Low Pressure Reel - 200'	D20h*		\$1,800		
Lateral Reel - Low Pressure Reel - 250'	D20i*		\$1,950		
MC Cold Weather Recirculation via Automatic Transmission	D21		\$1,010		
14 GPM @ 4,000 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22a	25	\$28,300		
19 GPM @ 2,900 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22b	25	\$28,300		
9.8 GPM @ 5,800 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22c	25	\$30,640		
100 GPM @ 2,000 PSI Shaft Drive Water Pump - Includes Option D16 - 1 1/4" HP Plumbing to front hose reel and Option D19 is recommended - consult factory	D24a		\$3,830		
100 gpm @ 2500 psi Shaft Drive Water Pump General Pump or Similar - Includes Option D16 - 1 1/4" HP Plumbing to Front Hose Reel and Option D0b is Required - Consult Factory	D24b		\$5,535		
100' x 1/2" Hand Gun Reel, Retractable w/100' x 1/2" Hose ILO Std.	D25		\$1,650		
10 GPM @ 2,500 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27a	25	\$12,420		
5.5 GPM @ 4,000 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27b	25	\$12,420		
6.6 GPM @ 3,625 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27c	25	\$12,420		
8.2 GPM @ 2,900 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27d	25	\$12,420		
12.8 GPM @ 2,175 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose Reel Not Included	D27e	25	\$12,420		
Glycol Injection System - HX System	D28		\$745		
100 GPM @ 2,000 PSI Shaft Drive Water Pump - Includes Option D16 - 1-1/4" HP Plumbing to Front Hose Reel and Option D19 is Recommended - Consult Factory	D29a		\$10,900		

GapVax MC Series Combination Jet / Vacuum Machine						Ver: _____
Sales Proposal for:						Date: _____
Pricing Effective March 1, 2013						Ohio STS: 7767000409 Index:STS670
Presented by: MTech						
	Option	Cat.	List Price	List Price		
	Number	Ref.	ALL	SELECTED		Comments
			Options			
100 GPM @ 2,500 PSI Shaft Drive Water Pump - Includes Option D16 - 1-1/4" HP Plumbing to Front Hose Reel and Option D19 is Recommended - Consult Factory	D29b		\$14,200			
Steel Box 72" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30d		\$4,575			
Aluminum Box 72" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30e		\$5,535			
Stainless Steel Box 72" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30f		\$6,490			
400,000 BTU Burner System	D30g		\$8,250			
Pump, Hose Reel, and Regulator Mounted in Steel Box (72x28x24) (Requires Option D30a, D30b, D30c, or other approved box)	D31		\$5,265			
Insulate Hoses Outside Heated Box (3" supply line not included)	D32		\$1,125			
Insulate 72" Heated Box	D33		\$1,490			
Hot Water Heater Mounts Only - Heater Unit Not Included (See option D30 for a complete unit)	D34		\$375			
Remove the Standard Equipped: Adjustable Low Pressure Water Spray Gun with 50' x 1/2" Hose	D39		(\$825)			
Hydro-Excavating Lance with Turbo Nozzle	D40a		\$450			
Hydro-Excavating Lance with Triple Head	D40b		\$750			
5' Extension for Hydro-Excavating Nozzle	D40c		\$150			
8" x 5' Aluminum Vacuum Tube w/ Hydro-Excavating Ring	D41		\$1,250			
<b>Section E - Boom Options</b>						
8" Front Mounted telescoping tube-in-tube boom - inside is true 8" - Up/Down, In/Out, Right/Left	Std.	10	Std.			
Nine (9) foot telescoping extension - Minimum 25' reach from center of truck	Std.	10	Std.			
180 degree power rotation via direct hydraulic gear (worm) drive with manual override	Std.	10	Std.			
Dual lift cylinders	Std.	10	Std.			
Cab protection rack	Std.	10	Std.			
9" Rubber Connector Hose at Articulation Bearing	Std.	10	Std.			
3/16" Steel Boom Elbow	Std.	10	Std.			
Boom Docking Station	Std.	11	Std.			
3/16" Heavy Duty Boom Elbow w/ 6" Formed Channel Radius	E7		\$1,090			
Stainless Steel Cannon ILO Steel	E99*		\$2,500			
<b>Section F- Hose Reel Options</b>						
Front chassis frame mounted hose reel with 180 degrees pivot arc articulation toward the curb side	Std.	11	Std.			
Manual telescoping sewer hose level wind	Std.		Std.			
800' hose reel capacity of 1" hose powered via hydraulic motor & gear box mounted directly to the reel frame	Std.	14	Std.			
1-1/2" Heavy duty swivel joint on hose reel spool for water, rated to 4000 PSI and 120 gpm working pressure	Std.	14	Std.			
Low point drains throughout & at water pump	Std.	9	Std.			
Footage Counter on Level Wind - Counts hose deployed rather than rotations of the wheel	F1a		\$742			
Footage Counter on level wind with side open feature	F1b		\$1,090			
GapVax Reel-Count Digital Footage Counter	F1c		\$3,060			
Angle Adapter for Manual Level Wind	F2		\$175			
Pinch Roller	F3*		\$3,450			
Hose Protection Sleeves through pivot bearing	F4		\$800			
Hose Reel Shaft modification for camera system (not included) - Note: this option will remove the hose spool lock down flange and latch	F5		\$375			
Upgrade front hose reel to Power Articulate	F6		\$5,200			
Automatic Hose Level Wind	F11	19	\$7,030			
Interior Hose Expansion Ribs - Highly Recommended for 600' of Hose or More	F13		\$530			

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	Comments
			Options		
<b>Section G- Controls, Gauges, Accessories Options</b>					
Cab Mounted Control Panel for Blower, Water Pump, and Hydraulics	Std.		Std.		
Operator control panel is housed in a weather proof, sealed box rated to NEMA 4 standards	Std.	13	Std.		
Operator control panel includes: Light, reel speed and direction control, reel articulation control (band brake release), engine tachometer, water pressure gauge, hydraulic pressure gauge, vacuum gauge, electric engine throttle, water pump hour meter, blower hour meter, vacuum relief switch, joy stick for boom control, de-energize water pressure and relieve vacuum switch. Features may change based on options selected.	Std.	13	Std.		
3 Function Remote Pendant with Minimum of 25 Feet of Cable - Up/Down, In/Out, Left/Right for the Boom	Std.		Std.		
If Automatic Transmission - Interlock for Throttle Control	Std.		Std.		
Low Water Level Display on Control Panel	G1	13	\$555		
Low Water Level Display on Control Panel & Alarm on Top of Control Box	G3a	13	\$935		
Low Water Level Display on Control Panel & Low Water Pump Shut Down (Requires IH Diamond Logic)	G3b	13	\$935		
Low Water Level Display on Control Panel & Low Water/Water Pressure Off/Return to Tank	G3c	13	\$935		
High Level Debris Light & Alarm - Auto Blower Relief (Requires A3)	G4		\$665		
High Level Debris Light & Alarm - Alarm at Operator Panel (Requires A3)	G4*		\$995		
Blower Temp Gauge	G5		\$345		
Blower Temp Gauge Wired to Air Operated Vacuum Relief	G6		\$530		
Engine Oil Pressure and Water Temp at Operators Station	G7		\$880		
Body "Up" Light in Cab - Consult with Dealer on Transmission Lock	G14		\$770		
Rear Door "Up" Light in Cab - Consult with Dealer on Transmission Lock	G15		\$770		
Boom "Up" Light in Cab - Consult with Dealer on Transmission Lock	G16		\$770		
Master Control - WL - Boom, Vacuum Relief and Throttle	G19	21	\$3,565		
Add Vacuum Break & Throttle to 25' Boom Pendant	G20		\$700		
Master Control - WL - Same as G19 but with Remote Water On/Off Feature (includes option G22 but not Option G20)	G21	21	\$5,665		
Add remote water on/off control to control box and boom pendant (requires Option G20 to add to boom pendant)	G22		\$2,100		
Electrical Switch on Control Panel - Additional	G30		\$320		
Advanced Electronic Control System - Base	G31		\$6,000		
Advanced Electronic Control System - Extended	G32		\$9,500		
<b>Section H - Lighting Options</b>					
Strobe Beacon Light - Front	H1	23	\$585		
Strobe Beacon Light - Rear	H2	23	\$585		
Addition Strobe Light Front or Rear (ea.) Add	H3		\$295		
Wiring & Brackets for Strobes (each)	H16		\$505		
Strobe Beacon Light - Super LED	H31		\$1,065		
(1) Boom Work Light - Standard	H5	23	\$605		
(1) Rear Work Light - Standard	H6	18	\$455		
(1) Side of Truck / Pump Compartment Work Light	H7		\$455		
Additional Work Light - Boom, Rear, Side / Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8	23	\$95		
Two Additional Work Light - Boom, Rear, Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8b	23	\$190		
Three Additional Work Light - Boom, Rear, Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8c	23	\$290		
Upgrade to Halogen Work Lights (Truck-Lite 80511) Add (Per Pair) Must Have H5, H6, H7, or H8	H9		\$160		Check Qty.
Upgrade to LED Work Lights (Truck-Lite 80511) Add (Per Pair) Must Have H5, H6, H7, or H8	H9*		\$350		Check Qty.
Hand Spot Light w/25' Cord	H10		\$345		
Hand Spot Light w/25' Cord and Retractable Reel	H11		\$425		

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	Comments
			Options		
Extra Spot Light Plug In	H12		\$160		
Go-Light LED Cordless Rechargeable Work Light - Dual Hi/Low Modes	H38		\$595		
Truck-Lite LED. Stop, Turn, and Tail Lights (cab not included)	H13		\$445		
Truck-Lite LED. Running (Marker) Lights (cab not included)	H14		\$905		
Upgrade Stop/Tail/Turn Light Box to Polished Stainless Steel	H37		\$610		
Traffic Advisor - Straight - LED - 72" Wide	H17		\$2,820		
Traffic Advisor - Arrow Style - LED - 72" Wide	H29		\$5,265		
Traffic Advisor - Straight - LED - 44" Wide	H22		\$1,755		
Traffic Advisor - Arrow Style - LED - 44" Wide	H22*		\$2,485		
Traffic Advisor - Rear Arrow Light Box - LED - 30" x 60"	H36		\$4,140		
Cab Mounted Light Bar - LED - 72" Low Profile - Liberty	H20		\$4,335		
Cab Mounted Light Bar - LED - 72" Wide - Ultra Freedom	H30		\$5,265		
Cab Mounted Light Bar - LED - 72" Wide - Justice	H30*		\$6,125		
Whelen Hide-A-Way Strobes - LED	H19		\$1,250		
Rear LED Flashers (4 single)	H18		\$1,275		
Rear LED Flashers (8 single)	H23		\$3,350		
Rear Duplex Super LED Flashers (8 double)	H26		\$6,010		
Center LED Flashers (4 single)	H24		\$2,020		
Center Duplex Super LED Flashers (4 double)	H27		\$3,350		
Front LED Flashers (4 single)	H25		\$2,020		
Front Duplex Super LED Flashers (4 double)	H28		\$3,350		
LED Flashers - M4 - (Pair)	H91		\$490		
LED Flashers - M6 - (Pair)	H92		\$568		
LED Flashers - M7 - (Pair)	H93		\$568		
LED Flashers - M9 - (Pair)	H94		\$806		
LED Flashers - M9 Scene - (Each)	H95		\$656		
Light Box - Single	H96		\$280		
Light Box - Double	H97		\$350		
Light Box - Triple	H98		\$480		
Light Box - Quad	H99		\$630		
<b>Section I - Storage, Tool Boxes, Enclosure Options</b>					Check Qty.
Tool Box - Steel, 36" Wide x 18" Tall x 24" Deep	Std.	2	Std.		
Two (2) Galvanized Steel Tube Trays Mounted over SINGLE axles / tires - 7-1/2 ft. long	Std.	1 / 6	Std.		
Two (2) Galvanized Steel Tube Trays Mounted over TANDEM axles / tires - 10 ft. long	Std.	1 / 6	Std.		
Two (2) Galvanized Steel Tube Trays Mounted over TRI axles / tires - 13-1/2 ft. long	I1	1 / 6	\$1,490		
Tool Box - Aluminum, 36" Wide x 18" Tall x 24" Deep	I3a	2	\$900		
Tool Box - Stainless Steel, 36" Wide x 18" Tall x 24" Deep	I3b	2	\$1,430		
Tool Box - Aluminum, - 72" Wide x 24" High x 28" Deep (consult factory)	I4b	2 / #6	\$2,500		
Tool Box - Stainless Steel, - 72" Wide x 24" High x 28" Deep (consult factory)	I4c	2 / #6	\$3,370		
Tool Box - Aluminum, - 96" Wide x 24" High x 28" Deep (consult factory)	I5b		\$3,005		
Tool Box - Stainless Steel, - 96" Wide x 24" High x 28" Deep (consult factory)	I5c		\$4,015		
Tool Box - Aluminum - 24" Wide x 30" High x 50" Deep - In Rack	I5e*		\$1,950		
Tool Box - Stainless Steel - 24" Wide x 30" High x 50" Deep - In Rack	I5f*		\$2,600		
Upgrade Std. Tool Box 36" Wide x 18" Tall x 24" Deep to Aluminum	I6a	2	\$235		
Upgrade Std. Tool Box 36" Wide x 18" Tall x 24" Deep to Stainless Steel	I6b	2	\$900		
Upgrade Std. Tool Box 30" Wide x 24" Tall x 24" Deep to Aluminum	I6c	2	\$235		
Upgrade Std. Tool Box 30" Wide x 24" Tall x 24" Deep to Stainless Steel	I6d	2	\$900		
Upgrade Std. Tool Box 36" Wide x 24" Tall x 24" Deep to Aluminum	I6e	2	\$265		

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	Comments
			Options		
Upgrade Std. Tool Box 36" Wide x 24" Tall x 24" Deep to Stainless Steel	I6f	2	\$950		
Tool Box - Aluminum, 36" Wide x 24" Tall x 24" Deep	I7b	2	\$985		
Tool Box - Stainless Steel, 36" Wide x 24" High x 24" Deep	I7c	2	\$1,570		
Tool Box - Aluminum, 30" Wide x 24" Tall x 24" Deep	I8b	2	\$930		
Tool Box - Stainless Steel, 30" Wide x 24" High x 24" Deep	I8c	2	\$1,470		
Tool Box - Aluminum, 48" Wide x 24" Tall x 24" Deep	I9b	2	\$1,010		
Tool Box - Stainless Steel, 48" Wide x 24" High x 24" Deep	I9c	2	\$1,810		
Hand Gun Holder	I10		\$190		
Tube Rack- Rear Door - Two Tube Rack - Folding	I11		\$795		
Tube Rack- Rear Door - Two Tube Rack - Non-Folding	I12		\$530		
Tube Rack - Three Tube Rack - Non-Folding	I13		\$640		
Traffic Cone Holder	I14		\$185		
Water Cooler Holder	I15		\$250		
Wheel Chock Holder	I16		\$250		
Nozzle Rack - 6 Nozzles, 1"	I17		\$190		GapVax Note: Mount
Folding Rear Door Tube Rack (6 Tubes) - Folding (Tubes not included)	I18		\$1,675		
Brackets Only - Folding Rear Door Tube Rack	I18*		\$500		
Additional Fill Hose Rack	I19		\$185		
Rear Drain Hose Rack for 6" Layflat hose	I20		\$185		
Hose Hangers 12' long - both sides - not to rap back of tank	I21		\$2,370		
Upgrade Tube Trays to Polished Stainless Steel	I22	1 / 6	\$3,060		GapVax Note: Includes upgrade to SS if J16 medal mud flaps selected
Tube rack Mounted on tank - passenger side - four tube rack - non folding (tubes not included)	I23		\$1,060		
Tube rack Mounted on tank - drivers side - four tube tack - non folding (tubes not included)	I24		\$1,060		
Lock out of Hydraulic Controls on Driver Side - Convert from hydraulic control valves to electrical switches Mounted in a sealed box - If electrical fails, may be overridden manually by replacing handles on hydraulic control valve	I99*	9	\$3,050		
<b>Section K - Paint Options</b>					
Paint body and boom - White	Std.		Std.		
Paint frame, blower, silencer, boom base - Black	Std.		Std.		
Body paint code # required if other than white (subject to add'l charge): Base Single Stage No Metallic: Some colors may not apply	Std.		Std.		GapVax Note:
Stripe - Cab (per stripe), Up to 12" Wide - Vinyl	K1		\$905		
Stripe - Body (per stripe), Up to 12" Wide - Vinyl	K2		\$1,040		
Paint Cab & Door Jamb - Single Color - Paint Code # required:	K3		\$4,520		
Rear Door Chevron Striping - Vinyl	K5		\$960		
Conspicuity Reflective Tape	K6		\$530		
Stripe Cab - Paint , Up to 12" Wide - per color - per stripe	K7		\$1,090		
Stripe Body - Paint , Up to 12" Wide - per color - per stripe	K8		\$1,225		
Paint frame other than black - Paint Code # required: Base Single Stage No Metallic: Some colors may not apply	K9		\$1,915		
Delfleet Metallic Paint Upgrade-Paint Code # Required Two Stage Metallic Base Clear: Body, Boom & Reel Only	K11		\$5,505		
Delfleet Frame Two Stage Base Clear Metallic	K12		\$5,505		
Coat Debris Body with Belzona Epoxy	K20		\$2,660		

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	Comments
			Options		
<b>Section M - Miscellaneous Options</b>					
25 Feet of Vacuum Tubing:	Std.		Std.		
* 3 each of 8" x 5'	Std.		Std.		
* 1 each of 8" x 5' with fluidizer holes	Std.		Std.		
* 1 each of 8"X5' w/bolt on crown	Std.		Std.		
* Six 8" tube clamps	Std.		Std.		
Two Sewer Cleaning Nozzles	Std.		Std.		
(1) Tiger Tail Hose Guide	Std.		Std.		
Operations and Maintenance Manual	Std.		Std.		
In-Field Training - One Day	Std.		Std.		
6" Lay Flat Hose per foot \$2.30	M1		\$2.30		Check Qty.
3" Lay Flat Hose per foot \$1.22	M2		\$1.22		Check Qty.
Fill Hose 25' x 2 1/2"	M3		\$200		
Fill Hose 50' x 2 1/2"	M4		\$295		
Adaptor for City Specific Thread	M4*		\$210		
1/2" Sewer Hose - 4,000 PSI Cost per 100 Feet	M5		\$271		
3/4" Sewer Hose - 2,500 PSI Cost per 100 Feet	M6		\$325		
1" Sewer Hose - 2,500 PSI x 500 ft. Plastic	M7b		\$1,730		
1" Sewer Hose - 2,500 PSI x 600 ft. Plastic	M8b		\$2,075		
1" Sewer Hose - 2,500 PSI x 800 ft. Plastic - See option F13	M9b		\$2,740		
1" Upgrade to 3,000 PSI - Per 100 Feet	M9*		\$60		
1 1/4" Sewer Hose - 2,500 PSI Cost per 100 Feet	M8c		\$499		
Hyd. Tool Spool & Needle Valve – Curb Side (Adj. 3-13 GPM)	M10		\$930		
Hydraulic Tool Circuit Hose Reel w/ 2 each 50' x 1/2" Hose	M11	24	\$2,020		
2600 Watt 120 Volt AC Power inverter (requires 160 Amp alternator & 3 batteries-not included)	M14		\$3,485		
Additional Operations and Maintenance Manual - each	M15		\$215		
1" four wire extender	M26		\$120		
Traffic Cones - 5	M28		\$190		
Back-up Camera System with Color Monitor	M29		\$3,140		
Additional Camera for Camera System Each	M29a		\$800		Check Qty.
In-Field Training - Per Day	M96		\$1,220		
In-Shop Training - Per Day - Limit 4 people per Session	M97		\$1,220		
Customer Custom Changes - Per Day Labor	M98		\$1,220		
All Star Nozzle Kit (w/o Warthog) - 1/2"	N1a		\$1,643		
All Star Nozzle Kit (w/o Warthog) - 1"	N1b		\$2,755		
All Star Nozzle Kit (w/o Warthog) - 1 1/4"	N1c		\$3,497		
Warthog Nozzle - 1/2"	N2a		\$1,483		
Warthog Nozzle - 1"	N2b		\$1,907		
Warthog Nozzle - 1 1/4"	N2c		\$2,119		
Warthog Super Centralizer	N2d		\$300		
Warthog Descaling Head	N2e		\$400		
Spider 80 - Chain Cutter - 1 inch	N3		\$2,013		
Spider 250 - Chain Cutter - 1 Inch	N4		\$2,967		
Mechanical Root Cutter - 1 Inch	N5		\$1,165		
Leader Hose 10' x 1"	N6a		\$91		
Leader Hose 15' x 1"	N7a		\$137		
Leader Hose 25' x 1"	N8a		\$193		
Leader Hose 10' x 1 1/4"	N6b		\$232		
Leader Hose 15' x 1 1/4"	N7b		\$296		
Leader Hose 25' x 1 1/4"	N8b		\$412		

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	Comments
			Options		
Boat Nozzle - 1"	N9		\$1,536		
Fluke Nozzle - 1"	N10		\$982		
Bulldozer Nozzle - 1"	N11		\$3,821		
LJ 200 Series -1"	N12		\$11,263		
LJ 50 Series -1"	N13		\$3,421		
Penetrator IB - 1/2" to 1"	N14		\$289		
Sled HH	N15		\$1,925		
HH Insert	N15A		\$105		
High Efficiency J	N16		\$2,562		
HEJ Insert	N16A		\$170		
Swiper Nozzle - 1"	N17		\$3,414		
Spinner	N18		\$1,812		
Confined Space Training 8 Hours - Ohio EPA Approved - Up to 15 People	P1		\$1,585		
Complete Tripod System - Tripod, 3 way SRL, Winch, Meter, Harness	P2		\$3,387		
LifeGuard System - Heavy Duty 5,000 lb. anchor point with SRL, Winch	P3		\$5,247		
Manhole Lifting Hook	Q1		\$45		
Grate Lifting Hook	Q2		\$178		
Magnetic Lid Lifter	Q3		\$1,723		
Adjustable Hydrant Wrench	R1		\$34		
Roller Guide Assembly for Upper Manhole	R2		\$451		
Safety manhole cover with 5 inch roller	R3		\$191		
Handi-Clam - 12" bucket	R5		\$461		
Handi-Clam - 16" bucket	R6		\$716		
Basin Shovel	R7		\$265		
Basin Spoon	R8		\$265		
Extend-a-Claw - 8' to 16' / 7' to 15' telescoping	R9		\$366		
Debris Catcher	R11		\$276		
Grit Catcher	R12		\$307		
Vac-Trap	R13		\$318		
Pole - One Section	R14		\$73		
Swage Kit - 1 1/4 Inch - Machine, Dies, Pusher	S1		\$1,484		
Swage Kit - 1 Inch - Machine, Dies, Pusher	S2		\$1,431		
Swage Kit - 3/4 Inch - Machine, Dies, Pusher	S3		\$1,378		
Swage Kit - 1/2 Inch - Machine, Dies, Pusher	S4		\$1,325		
(1) Tiger Tail Hose Guide - One is standard	T1		\$48		
Tube Handle - 8 Inch - 176-U189	T2		\$159		
Clamp - Debris Tube	T3		\$37		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 72"	T4		\$239		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 84"	T4a		\$259		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 96"	T4b		\$269		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 108"	T4c		\$279		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 120"	T5		\$292		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 60"	T6		\$196		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 72"	T7		\$207		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 84"	T7a		\$227		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 96"	T7b		\$247		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 108"	T7c		\$267		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 120"	T7d		\$287		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 180"	T8		\$371		
Clear Tube - 8" X 36"	T9		\$450		



<b>GapVax MC Series Combination Jet / Vacuum Machine</b>						Ver: _____
<b>Sales Proposal for:</b>						Date: _____
<b>Pricing Effective March 1, 2013</b>						Ohio STS: 7767000409 Index:STS670
<b>Presented by: MTech</b>						
	Option	Cat.	List Price	List Price		
	Number	Ref.	ALL	SELECTED		
			Options			Comments
2,000 Gallon Water - Jet Flusher - Single Axle 80/2000 (Exemption Required)	GJET2000		\$207,587			
Make/Model: International 7400 or Similar						
Engine Make/Model: International MaxxFORCE or DT Diesel Engine or Similar						
Transmission Make/Model: Automatic Allison 3500 RDS						
GVW: 43,000 lbs.						
Front Axle: 20,000 lbs.						
Rear Axle: 23,000 lbs.						
1,000 Gallon Water - Jet Flusher - Dyna-Vac (700', 180 Degree, Pendant, Wireless)	DV1000		\$151,782			
1,500 Gallon Water - Jet Flusher - Dyna-Vac (700', 180 Degree, Pendant, Wireless)	DV1500		\$159,539			
Make/Model: Ford F750 or Similar - 2010 Emissions						
Minimum 280 HP Diesel Engine						
Transmission Make/Model: Automatic Allison 3000 RDS						
GVW: 33,000 lbs.						
Front Axle: 13,000 lbs.						
Rear Axle: 20,000 lbs.						
Upgrade to International ILO Ford	Int		\$8,000			
Upgrade to Freightliner ILO Ford	FL		\$6,000			
2010 Emissions	2010		\$8,000			
See Other Possible Options in the MC Section Above - All Options May Not be Available						
<b>Chassis - Base Standard - Tandem Axle</b>						
2,000 Gallon Water - Jet Flusher - Tandem Axle 80/2000	GJET2000		\$215,377			
2,500 Gallon Water - Jet Flusher - Tandem Axle 80/2000	GJET2500		\$218,504			
3,000 Gallon Water - Jet Flusher - Tandem Axle 80/2000	GJET3000		\$221,631			
Make/Model: International 7400 or similar						
Engine Make/Model: International MaxxFORCE or DT Diesel Engine or Similar						
Transmission Make/Model: Automatic Allison 3500 RDS						
GVW: 60,000 lbs.						
Front Axle: 20,000 lbs.						
Rear Axle: Tandem 40,000 lbs.						
See Other Possible Options in the MC Section Above - All Options May Not be Available						
<b>Trailer - Base Standard</b>						
325 Gallon Water - Jet Flusher - Dyna-Vac - 20@4000 - 75hp JD - 10K Tandem Axle	DJ20/40		\$48,571			
700 Gallon Water - Jet Flusher - Dyna-Vac - 40@2000 - 75hp JD - 12K Tandem Axle	DJ40/20		\$50,174			
700 Gallon Water - Jet Flusher - Dyna-Vac - 65@2000 - 115hp JD - 14K Tandem Axle	DJ65/20		\$76,009			
Trailer Mounted Sewer Rodder	SRSRT		\$56,540			
Truck Mounted Sewer Rodder - Chassis Provided by Customer	SRSRTR		\$50,260			
Hydraulic Tongue Jack	Jack		\$1,298			
See Other Possible Options in the MC Section Above - All Options May Not be Available						
<b>Totals</b>						
Base Unit List Price and Options with Chassis if Applicable						\$0
Options List Price - MC Series and Jet if Applicable						\$0
Total List Price						\$0

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index:STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	
			Options		Comments
* ALL PRICES ASSUME NO SALES TAX OR FET					
STS Discount Percent				5%	
STS Discount Dollars - (enter as a negative)				\$0	
Net Price After Discount				\$0	
Less: Trade-In (enter as a negative)					
Net Price After Discount and Trade-In				\$0	
<b>WetVac VT-10</b>					
<b>FEATURES AS BUILT</b>					
Limited Warranty on Entire Unit - One year					
Debris Tank Material/Capacity: 1/4" Exten A-572 Grade 50 Steel					
Warranty - Twenty year if upgrade to 3/16" Stainless Steel Debris Body					
4,200 Gallon (100 Barrel)					
1/4" ASTM A-572 Grade 50 Material					
Full Length Longsills					
Two Inch Rubber Isolators					
Two (2) Internal Body Reinforcement Ribs					
Two (2) sets of Baffles					
20" Manway with Primary Shut-Off					
Secondary Shut-Off – 10 Gallon					
One (1) 25" Body Access Manway on Top					
Ladder to Manway					
Two (2) Body Lift Rings					
One (1) 25" Cleanout Door on Bottom Rear					
6" Decant on the 25" Clean Out Door					
4" Standpipe Bolt in Style Rear Decant with Brass Valve					
4" Rear Decant with Brass Valves					
Three (3) 5" Sight Eyes					
DOT Clearance Light Box on Top Rear with Two (2) Work Lights					
Two (2) Stainless Steel Hose Trays					
Bolt on Stainless Tail Light Boxes (LED Light)					
Hose Hangers on Rear Head					
Body Blasted, Primed and Painted with PPG Fleet Urethane Paint					
Paint Color – White					
Six (6) Spring Mounted Body Mounts					
New Massport HXL 400 WV Plug & Play Water-Cooled Pump & Accessories					
ICC Bumper					
Direct Drive PTO and Driveshaft					
See Other Possible Options in the MC Section Above - All Options May Not be Available					
<b>Customer supplied chassis is NOT permitted with a VT-10</b>					
<b>WetVac VT-10</b>					
	VT-10		\$190,948		
<b>WetVac VT-8 - 3400 Gallons Deduct from VT-10 Price</b>					
	VT-8		(\$13,350)		
<b>Chassis - Base Standard - Tandem Axle</b>					

GapVax MC Series Combination Jet / Vacuum Machine					Ver: _____
Sales Proposal for:					Date: _____
Pricing Effective March 1, 2013					Ohio STS: 7767000409 Index: STS670
Presented by: MTech					
	Option	Cat.	List Price	List Price	
	Number	Ref.	ALL	SELECTED	
			Options		Comments
Make/Model: Volvo VHD64B200 or Similar					
405 Hp Volvo D13-405 Engine or Similar					
10 Speed Eaton Fuller FRO-14210C Transmission - Manual					
20,000 lbs. Volvo VF22 Front axle - 22,800 lbs. components					
44,000 lbs. Meritor RT44-145 Rear axle with pressure lubrication					
HVAC					
ABS Brakes					
<b>Chassis - Options - Tandem Axle</b>					
International 7600 Chassis ILO Volvo	J70		\$31,481		
Automatic Transmission - International Chassis ILO Manual	J71		\$15,961		
Automatic Transmission - Volvo Chassis ILO Manual	J72		\$24,942		
20,000 lb. Lift Axle complete w/New Cap Tires/ Steel Wheels - Volvo Chassis	J73		\$13,938		
Aluminum wheels add - Volvo Chassis	J74		\$734		
Passenger Air Seat	J60		\$1,559		
Chassis Software - Volvo	J61		\$3,790		
See Other Possible Options in the MC Section Above - All Options May Not be Available					
<b>Back-End - Options - Tandem Axle</b>					
Dual 4" Front Decants with Brass Valve	Z1		\$1,834		
Heavy Duty Replacement Front Bumper with Tow Loop and Bumper Blocks	Z2		\$4,548		
Heavy Duty Replacement Rear Bumper with Tow Loop and Chain Compartments	Z3		\$6,015		
Heavy Duty Steel Hubler Front Bumper with Tow Loop and Bumper Blocks	Z4		\$3,617		
Heavy Duty Steel Hubler Rear Bumper with Tow Loop and Chain Compartments	Z5		\$4,863		
Four 10' Heat Trace Lines - Two Switches for Shut-off Valves	Z6		\$1,596		
Paint Color Other than Black or White	Z7		\$1,761		
Paint Color: Metal Flake/Pearl Base Coat/Clear Coat	Z8		\$4,695		
Two (2) Splash Trays over Drive Tires	Z9		\$352		
Stainless Steel Full Length Tank Skirt (bolt on to hose tray)	Z10		\$1,900		
18'-6" x 4" Hose with Camlock Fittings	Z11		\$425		
36" Steel Toolbox	Z12		\$917		
36" Aluminum Toolbox	Z13		\$1,137		
Debris and Collection Hose - 4" - Cost per foot	Z14		\$15		
Debris and Collection Hose - 6" - Cost per foot	Z15		\$24		
See Other Possible Options in the MC Section Above - All Options May Not be Available					
<b>Totals</b>					
Base Unit and Options List Price				\$0	
Options List Price - MC Series				\$0	
Total List Price				\$0	
* ALL PRICES ASSUME NO SALES TAX OR FET					
STS Discount Percent				5.0%	
STS Discount Dollars				\$0	
Net Price After Discount				\$0	
Less: Trade-In (enter as a negative)				\$0	
Net Price After Discount and Trade-In				\$0	

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>					Ver: _____
<b>Sales Proposal for:</b>					Date: _____
<b>Pricing Effective March 1, 2013</b>					Ohio STS: 7767000409 Index:STS670
<b>Presented by: MTech</b>					
	<b>Option</b>	<b>Cat.</b>	<b>List Price</b>	<b>List Price</b>	
			<b>ALL</b>	<b>SELECTED</b>	
	<b>Number</b>	<b>Ref.</b>	<b>Options</b>		<b>Comments</b>