

*Specialist in Municipal, Contractor and Industrial Equipment*



**CONCORD**

ROAD EQUIPMENT MFG., INC.

## **2010 Road Equipment Price List**

P.O. Box 772 - Painesville, Ohio 44077 \* Phone (440) 357-5344 \* 800-942-ROAD

[www.concordroadequipment.com](http://www.concordroadequipment.com)

# Concord Road Equipment Mfg., Inc.

## 2010 Road Equipment Price List

### Table of Contents

#### **Concord Manufactured Road Equipment Products, Uninstalled, FOB Destination**

Concord 94 Series Truck Mounted Post Pullers _____	4
Concord 100 Series Under Tailgate Chip Spreaders _____	4
Concord 195 Series Straight Drop Under Tailgate Spreaders _____	5
Concord 960 Series Under Tailgate Cross Conveyor Spreaders _____	5
Concord 965 Series Under Tailgate Auger Spreaders _____	7
Concord Bottom Fired Bituminous Road Repair Kettles _____	8
Concord 250 & 400 Series Tow Behind Hot Asphalt Haulers _____	12
Concord LCB Series Leaf Collection Boxes _____	15
Concord WCB Series Wood Chip Collection Boxes _____	15
Concord Titan Series Heavy Duty Snow Pushers _____	16
Concord MPS Series Multi Purpose Spreaders _____	19

#### **Concord Manufactured Road Equipment Products, Installed at Plant in Painesville Ohio**

MD Series Municipal Duty Steel Dump Bodies _____	22
MDS Series Municipal Duty Stainless Steel Dump Bodies _____	24
MD and MDS Series Dump Body Build Options _____	26
PCS Series Heavy Duty Steel Dump Bodies _____	29
PCS Series Heavy Duty Stainless Steel Dump Bodies _____	31
PCS Series Heavy Duty Dump Body Options _____	32
PCM Series Combination Dump Body/Spreaders _____	33
MDA Series Medium Duty Aluminum Dump Bodies _____	33
CD Series Commercial Duty Steel Dump Bodies _____	37
CDS Series Commercial Duty Stainless Steel Dump Bodies _____	41
HD Series Heavy Duty Steel Dump Bodies _____	45
HDS Series Heavy Duty Stainless Steel Dump Bodies _____	50
SD Series Severe Duty Steel Dump Bodies _____	54
SDS Series Severe Duty Stainless Steel Dump Bodies _____	58
Build Options - CD/HD/SD/CDS/HDS/SDS Bodies _____	62
Combination Dump Body/Spreader Upgrade Options _____	65
PMX Series Pro Max Steel Heavy Duty Dump Bodies _____	69
Combination Dump Body Spreaders, Forward Tilting _____	70
Combination Dump Body Spreaders, Side Tilting _____	71
KBS & KBT Series Dump Bodies _____	74
MS & MR Series Dump Bodies _____	77
KBS, KBT, MS, & MR Dump Body Options _____	81
CD Series Standard Duty Platform Bodies _____	82
HD Series Heavy Duty Platform Bodies _____	82
SD Series Super Duty Platform Bodies _____	82
CD, HD, SD Series Platform Body Options _____	83
Service Bodies And Body Build Options _____	83
Loading Arm Systems For Pickup Trucks _____	88
Dump Insert Bodies _____	89
Hydraulic Hoist Packages - Underbody _____	90
Hydraulic Hoist Packages - Telescopic _____	91
KBS, KBT, MS, & MR Underbody Hoists _____	92
KBS, KBT, MS, & MR Telescopic Hoists _____	92

# **Table of Contents** (continued)

## **Concord Manufactured Road Equipment Products, Installed at Plant in Painesville Ohio**

Hook Lift Style Hydraulic Hoist Packages _____	93
Hook Lift Hoist Related Accessories & Components _____	94
Body Accessories _____	97
Chassis Accessories _____	99
Cab Protectors _____	100
Toolboxes And Chassis Mounted Storage _____	101
Tarp Systems _____	104
Dump Body Vibrators _____	105
Chassis Mounted Cranes _____	106
Auxiliary Suspension _____	107
Automatic Lubrication Systems _____	107
Chassis Mounted Generators / Inverters _____	107
Vehicle Mounted Air Compressors _____	112
Lift Gates _____	113
Chassis Mounted Post Pullers _____	115
Rear Hitches: Towing Plates _____	116
Rear Hitches: Tube Style Receivers _____	116
Rear Hitches: Pintle Hooks _____	117
Rear Hitches: Other _____	118
Hydraulic Pumps: Load Sensing _____	118
Hydraulic Pumps: Gear _____	119
Hydraulic Pumps: Dry Valve Gear _____	119
Hydraulic Pumps: Clutch Pumps And Mounting _____	119
Hydraulic Pumps: Related Equipment _____	121
Hydraulic Valves: Closed Center Load Sensing _____	122
Hydraulic Valves: Closed Center Load Sensing Enclosures _____	123
Hydraulic Valves: Open Center _____	123
Hydraulic Valves: Manual Spreader _____	124
Hydraulic Valves: Electric Controlled Spreader _____	124
Hydraulic Valves And Components: Special Purpose _____	125
Hydraulic Valve Controls: Directional Controls _____	126
Hydraulic Valve Controls: Spreader Controls _____	127
Hydraulic Low Oil Systems _____	129
Hydraulic Oil Reservoirs, Combination Valve Enclosures _____	129
Hydraulic Oil Reservoirs _____	130
Hydraulic Oil Reservoir: Accessories _____	131
Hydraulic Plumbing: General _____	131
Hydraulic Plumbing: Quick Couplers _____	132
Hydraulic Plumbing: Low Pressure _____	133
Hydraulic Plumbing: High Pressure _____	133
Hydraulic Plumbing: Stainless Steel Lines _____	135
Electrical: General Kits And Components _____	136
Electrical: Plow Lights _____	137
Electrical: Chassis Lighting _____	138
Electrical: Work Lights _____	139
Electrical: Warning Lights _____	139
Electrical: Warning Light Systems _____	142
Electrical: Directional Warning Lights _____	145
Electrical: Hardware _____	146
Plow Hitches _____	146
Lift Cylinders _____	147
Plow Hitch Mounting _____	148
Plow Hitch Front Bumpers _____	148
Plow Hitch Couplers _____	149

# **Table of Contents** (continued)

## **Concord Manufactured Road Equipment Products, Installed at Plant in Painesville Ohio**

HS Series Snow Plows, Straight Steel Moldboard, Trip Edge	150
HS Series Snow Plows, Straight Poly Moldboard, Trip Edge	150
HS Series Snow Plows, Tapered Steel Moldboard, Trip Edge	151
HS Series Snow Plow Options	152
Multi Sectional Trip Snow Plows	152
Slotted Trip Snow Plows	152
AT Series Snow Plows	153
SB Series Snow Plows	153
R Series Snow Plows	153
TB Series Snow Plows	154
One Way Fixed Angle Snow Plows	155
Light Duty Snow Plows	156
Medium Duty Snow Plows	157
Heavy Duty Reversible Snow Plows	158
One Way Fixed Angle Snow Plows	162
Adjustable Moldboard Contour Plows	164
Adjustable Moldboard Contour Plows, Small	165
One Way Trip Edge Snow Plows	165
Heavy Duty Utility Front Snow Plows	166
Heavy Duty Front Snow Plows	166
Plow Systems	169
Plow System Upgrades	171
Rotary Power Brooms	172
Wing Plow Systems	173
Patrol Wing Plow Systems	174
Wing Plow Chassis Harnesses	175
Wing Plow Moldboards	177
Mid Mount Patrol Wing Plows	178
TG Series Underbody Truck Graders	178
PB Series Underbody Scrapers	178
Plow Options	179
Under Tailgate Broadcast Spreader	179
Replacement Tailgate Broadcast Spreaders	183
Straight Drop Under Tailgate Spreaders	184
Gravity Feed Under Tailgate Aggregate Spreaders	185
Under Tailgate Cross Conveyor Spreaders	186
Hopper Spreaders - Conveyor Chain Delivery, Gas Engine	188
Hopper Spreaders - Conveyor Chain Delivery, Hydraulic	189
Hopper Spreaders - Auger Delivery, Hydraulic	199
Hopper Spreaders - Options	209
Liquid Tanks And Tank Systems	212
Prewet, Anti-Ice, And De-Icing Pump Systems And Components	214
Direct Application Spray Systems	217
Bulk Liquid Storage	218
Bulk Liquid Dispensing Systems	220
Brine Manufacturing Equipment	223
SnoDozer Chassis And Accessories	224
DF3500 Snow Blower And Accessories	225
JV5000 Snow Blower And Accessories	226
Paint Options	226
Services	228

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ <a href="#">To Table of Contents</a>		
<b>CONCORD 94 SERIES TRUCK MOUNTED POST PULLERS</b>		
<b>CRE-94SH21</b>	Concord standard heavy duty post puller, 21,000 pounds pulling force @ 2,500 psi, includes manual three spool hydraulic control valve, hydraulically extendable boom up to 94" reach, pivoting main beam hydraulically adjusts up to 23 inches above and 13 inches below main beam, separate pulling cylinder with foot pad transfers pulling force to ground not transport vehicle  * Requires hydraulic input of 5 gpm @ 2500 psi and custom mounting hardware	\$ 4,792.17
<b>CRE-94HD31</b>	Concord standard heavy duty post puller, 31,000 pounds pulling force @ 2,500 psi, includes manual three spool hydraulic control valve, hydraulically extendable boom up to 94" reach, pivoting main beam hydraulically adjusts up to 23 inches above and 13 inches below main beam, separate pulling cylinder with foot pad transfers pulling force to ground not transport vehicle  * Requires hydraulic input of 5 gpm @ 2500 psi and custom mounting hardware	\$ 5,019.27
<b>CRE-94EPC</b>	Optional electric over hydraulic spool valve and hand held pendant	\$ 1,617.54
<b>CRE-94EHU</b>	Optional electric hydraulic self contained power source	\$ 1,056.38
<b>CRE-94PC</b>	Optional heavy duty post clamp	\$ 364.24
<b>CRE-94MNT</b>	Pivot mounting plates for CRE-94 series post puller for installation on chassis with tilt hood	\$ 398.10
<b>CRE-94-PAINT</b>	Custom paint other than standard Omaha orange	\$ 114.29
→ <a href="#">To Table of Contents</a>		
<b>CONCORD 100 SERIES UNDER TAILGATE CHIP SPREADERS</b>		
<b>CRE-108CS</b>	Gravity feed under tailgate aggregate chip spreader with 108" maximum spread width, heavy duty all steel construction, adjustable main door with operating handles at both ends, 9 manual lever controlled spread width cut off gates, primed and painted Omaha Orange, comes complete with winch and pulley leveling system, and three adjustable legs for storage and easy transfer between trucks	\$ 3,145.33
<b>CRE-120CS</b>	Gravity feed under tailgate aggregate chip spreader with 120" maximum spread width, heavy duty all steel construction, adjustable main door with operating handles at both ends, 10 manual lever controlled spread width cut off gates, primed and painted Omaha Orange, comes complete with winch and pulley leveling system, and three adjustable legs for storage and easy transfer between trucks	\$ 3,414.67
<b>CRE-100-PAINT</b>	Custom paint other than standard Omaha orange on CRE-100 series spreader	\$ 190.00
<b>CRE-100-AOD</b>	Air operated main door with electric pendant	\$ 409.52

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ <a href="#">To Table of Contents</a> <b>CONCORD 195 SERIES STRAIGHT DROP UNDER TAILGATE SPREADERS</b>		
<b>CRE-195SB-96CS</b>	Solid Back Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with 4 spiral beads, replaceable full length steel wear strip, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty steel hopper, primed and painted Omaha orange	\$ 2,285.71
<b>CRE-195SBS-96CS</b>	Solid Back Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with 4 spiral beads, replaceable full length steel wear strip, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty 304 stainless steel hopper	\$ 2,857.14
<b>CRE-195SF-96CS</b>	Spring Finger Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with raised oblong tabs, six replaceable spring finger key plates with ratcheting handle to adjust tension, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty steel hopper, primed and painted Omaha orange	\$ 2,857.14
<b>CRE-195SFS-96CS</b>	Spring Finger Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with raised oblong tabs, six replaceable spring finger key plates with ratcheting handle to adjust tension, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty 304 stainless steel hopper	\$ 3,428.57
<b>CRE-195SB-96-DC</b>	Dump over cover, steel, for 195-SB	\$ 419.05
<b>CRE-195SBS-96-DC</b>	Dump over cover, stainless steel, for 195-SB	\$ 533.33
<b>CRE-195SF-96-DC</b>	Dump over cover, steel, for 195-SF	\$ 419.05
<b>CRE-195SFS-96-DC</b>	Dump over cover, stainless steel, for 195-SF	\$ 533.33
<b>CRE-195-SPSN</b>	Integral speed sensor on roller hydraulic drive motor	\$ 342.86
<b>CRE-195-PAINT</b>	Custom paint other than standard Omaha orange on CRE-195 series spreader	\$ 190.00
→ <a href="#">To Table of Contents</a> <b>CONCORD 960 SERIES UNDER TAILGATE CROSS CONVEYOR SPREADERS</b>		
<b>CRE-960-18B</b>	Concord under tailgate cross conveyor spreader, 960 series, 96 inch overall width, 18" wide pure belt conveyor for use with all types of aggregates, sand, salt and asphalt materials, hydraulic motor driven through 2:1 chain and sprocket reduction, primed and painted orange. See below for mounting systems and optional equipment.	\$ 6,665.54
<b>CRE-960-18SL</b>	Self leveling mounting system, for 960 series under tailgate cross conveyor, includes upper pivot arms and lower pivot structure to keep machine level through various body angles	\$ 876.19

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>CRE-960-18FL</b>	Folding leg and winch mounting system, for 960 series under tailgate cross conveyor, includes folding legs for storage and transfer between units, winch leveling system, and chain mounting components	\$ 1,971.43
<b>CRE-960-18FC</b>	Remote mounted hydraulic flow control valve, for 960 series under tailgate cross conveyor, allows operator to adjust belt speed from the rear of the unit	\$ 266.67
<b>CRE-960-18EF</b>	Remote mounted electric over hydraulic flow control valve and hand pendant with 15 ft cord, for 960 series under tailgate cross conveyor, allows operator to adjust belt speed from a handheld control, requires 12 volt dc electric power at rear of chassis	\$ 942.86
<b>CRE-960-18CD</b>	Manually adjustable discharge door (price each), for 960 series under tailgate cross conveyor	\$ 446.84
<b>CRE-960-18BG</b>	Back guard extension to 12 inches (standard is 7 inches), for 960 series under tailgate cross conveyor	\$ 491.43
<b>CRE-960-18LG</b>	Stop tail turn lighting and 3 light cluster recessed in rear cover, for 960 series under tailgate cross conveyor, vehicle must be equipped with a trailer lighting receptacle	\$ 182.86
<b>CRE-960-18LG-LED</b>	Stop tail turn LED lighting and LED 3 light cluster recessed in rear cover, for 960 series under tailgate cross conveyor, vehicle must be equipped with a trailer lighting receptacle	\$ 348.57
<b>CRE-960-18RV</b>	Machine mounted manual hydraulic reversing valve, for 960 series under tailgate cross conveyor, allows operator to select belt direction from the rear of the unit	\$ 653.33
<b>CRE-960-18SP</b>	Material spinner / sander assembly, for 960 series under tailgate cross conveyor, includes adjustable spinner assembly with deflector, 18" steel spinner disk and individual hydraulic motor	\$ 1,156.50
<b>CRE-960-18PS</b>	Poly spinner disk installed on material spinner in lieu of standard steel, for 960 series under tailgate cross conveyor	\$ 47.62
<b>CRE-960-18PSB</b>	Extreme duty poly spinner disk installed on material spinner in lieu of standard steel, for 960 series under tailgate cross conveyor	\$ 139.05
<b>CRE-960-18EX</b>	48 inch fold up conveyor extension, for 960 series under tailgate cross conveyor, extends material drop point approximately 4 ft, standard mount is on the curb side	\$ 3,173.33
<b>CRE-960-18AU</b>	60 inch adjustable auger extension, for 960 series under tailgate cross conveyor, extends the material drop point approximately 5 ft, also allows material to be conveyed at an incline, general purpose to fill curb forming machine	\$ 2,857.14
<b>CRE-960-18HP</b>	Self contained portable hydraulic power pack, for 960 series under tailgate cross conveyor, includes electric start gasoline powered engine, direct mount hydraulic pump, hydraulic oil reservoir, flow control valve and return line filter assembly on a removable platform, provides one hydraulic circuit.	\$ 4,585.71

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>CRE-960-18PP</b>	Removable patch pan / shelf, for 960 series under tailgate cross conveyor	\$ 523.81
<b>CRE-960-PAINT</b>	Custom paint other than standard Omaha orange on 960 series under tailgate cross conveyor and accessories	\$ 190.00

→ [To Table of Contents](#)

**CONCORD 965 SERIES UNDER TAILGATE AUGER SPREADERS**

<b>CRE-965DA-96DD</b>	Concord under tailgate auger spreader, 96 inch overall width, dual 4 inch bi-directional augers, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, heavy duty steel hopper, primed and painted Omaha orange	\$ 3,714.29
<b>CRE-965SA-96DD</b>	Concord under tailgate auger spreader, 96 inch overall width, single 6 inch bi-directional auger, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, heavy duty steel hopper, primed and painted Omaha orange	\$ 3,047.62
<b>CRE-965DAS-96DD</b>	Concord under tailgate auger spreader, 96 inch overall width, dual 4 inch bi-directional augers, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, heavy duty natural finish 304 stainless steel hopper, no paint	\$ 4,285.71
<b>CRE-965SAS-96DD</b>	Concord under tailgate auger spreader, 96 inch overall width, single 6 inch bi-directional auger, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, heavy duty natural finish 304 stainless steel hopper, no paint	\$ 3,619.05
<b>CRE-965-SP18</b>	Heavy duty steel spinner assembly with steel disc and direct drive hydraulic motor, primed and painted Omaha orange	\$ 838.10
<b>CRE-965S-SP18</b>	Heavy duty stainless steel spinner assembly with poly disc and direct drive hydraulic motor	\$ 1,133.33
<b>CRE-965-SPSN</b>	Integral speed sensor on auger hydraulic drive motor	\$ 342.86
<b>CRE-965-SP-P</b>	18 inch diameter poly spinner disk in lieu of standard steel	\$ 47.62
<b>CRE-965-SP-EP</b>	18 inch diameter extreme duty poly spinner disk in lieu of standard poly	\$ 85.71
<b>CRE-965-PAINT</b>	Paint other than standard Omaha orange on standard steel spreader	\$ 190.00
<b>CRE-965S-PAINT</b>	Finish paint on stainless steel spreader	\$ 809.52
<b>CRE-965SA-RT</b>	Rubber trough in lieu of formed steel trough (single auger only)	\$ 952.38
<b>CRE-965SAS-RT</b>	Rubber trough in lieu of formed stainless steel trough (single auger only)	\$ 761.90
<b>TE-08</b>	8 inch tall x 8 inch deep steel tailgate enclosure, prime finish only	\$ 57.14

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>TE-12</b>	12 inch tall x 8 inch deep steel tailgate enclosure, prime finish only	\$ 61.90
<b>TE-16</b>	16 inch tall x 9 inch deep steel tailgate enclosure, prime finish only	\$ 66.67
<b>TE-20</b>	20 inch tall x 12 inch deep steel tailgate enclosure, prime finish only	\$ 76.19
<b>TE-24</b>	24 inch tall x 12 inch deep steel tailgate enclosure, prime finish only	\$ 81.90
<b>TE-28</b>	28 inch tall x 12 inch deep steel tailgate enclosure, prime finish only	\$ 87.62
<b>TE-32</b>	32 inch tall x 12 inch deep steel tailgate enclosure, prime finish only	\$ 95.24
<b>TE-36</b>	36 inch tall x 12 inch deep steel tailgate enclosure, prime finish only	\$ 102.86
<b>TES-08</b>	8 inch tall x 8 inch deep stainless steel tailgate enclosure	\$ 78.10
<b>TES-12</b>	12 inch tall x 8 inch deep stainless steel tailgate enclosure	\$ 87.62
<b>TES-16</b>	16 inch tall x 9 inch deep stainless steel tailgate enclosure	\$ 97.14
<b>TES-20</b>	20 inch tall x 12 inch deep stainless steel tailgate enclosure	\$ 104.76
<b>TES-24</b>	24 inch tall x 12 inch deep stainless steel tailgate enclosure	\$ 116.19
<b>TES-28</b>	28 inch tall x 12 inch deep stainless steel tailgate enclosure	\$ 125.71
<b>TES-32</b>	32 inch tall x 12 inch deep stainless steel tailgate enclosure	\$ 137.14
<b>TES-36</b>	36 inch tall x 12 inch deep stainless steel tailgate enclosure	\$ 148.57

→ [To Table of Contents](#)

**CONCORD BOTTOM FIRED BITUMINOUS ROAD REPAIR KETTLES**

<b>CRE-044BF-SK</b>	40 gallon capacity bituminous skid mounted kettle with DOT approved hot products manhole, high temperature insulation throughout - top, bottom, sides and ends Heating system not included, see heating systems below	\$ 3,889.52
<b>CRE-088BF-SK</b>	80 gallon capacity bituminous skid mounted kettle with DOT approved hot products manhole, high temperature insulation throughout - top, bottom, sides and ends Heating system not included, see heating systems below	\$ 5,306.31
<b>CRE-166BF-SK</b>	165 gallon capacity bituminous skid mounted kettle with DOT approved hot products manhole, high temperature insulation throughout - top, bottom, sides and ends Heating system not included, see heating systems below	\$ 6,105.80
<b>CRE-222BF-SK</b>	220 gallon capacity bituminous skid mounted kettle with DOT approved hot products manhole, high temperature insulation throughout - top, bottom, sides and ends Heating system not included, see heating systems below	\$ 7,289.85
<b>CRE-333BF-SK</b>	330 gallon capacity bituminous skid mounted kettle with DOT approved hot products manhole, high temperature insulation throughout - top, bottom, sides and ends Heating system not included, see heating systems below	\$ 8,451.98

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>CRE-444BF-SK</b>	440 gallon capacity bituminous skid mounted kettle with DOT approved hot products manhole, high temperature insulation throughout - top, bottom, sides and ends Heating system not included, see heating systems below	<b>\$ 9,660.02</b>
<b>CRE-555BF-SK</b>	550 gallon capacity bituminous skid mounted kettle with DOT approved hot products manhole, high temperature insulation throughout - top, bottom, sides and ends Heating system not included, see heating systems below	<b>\$ 10,991.81</b>
<b>CRE-088BF-TR</b>	80 gallon capacity bituminous single axle trailer mounted kettle with DOT approved hot products lid, high temperature insulation throughout - top, bottom, sides and ends, adjustable pintle eye, dual safety towing chains, parking jack, stop tail and turn lamps and electric brakes Heating system not included, see heating system section	<b>\$ 8,465.06</b>
<b>CRE-166BF-TR</b>	165 gallon capacity bituminous single axle trailer mounted kettle with DOT approved hot products lid, high temperature insulation throughout - top, bottom, sides and ends, adjustable pintle eye, dual safety towing chains, parking jack, stop tail and turn lamps and electric brakes Heating system not included, see heating system section	<b>\$ 9,564.47</b>
<b>CRE-222BF-TR</b>	220 gallon capacity bituminous single axle trailer mounted kettle with DOT approved hot products lid, high temperature insulation throughout - top, bottom, sides and ends, adjustable pintle eye, dual safety towing chains, parking jack, stop tail and turn lamps and electric brakes Heating system not included, see heating system section	<b>\$ 10,998.38</b>
<b>CRE-333BF-TR</b>	330 gallon capacity bituminous single axle trailer mounted kettle with DOT approved hot products lid, high temperature insulation throughout - top, bottom, sides and ends, adjustable pintle eye, dual safety towing chains, parking jack, stop tail and turn lamps and electric brakes Heating system not included, see heating system section	<b>\$ 12,648.13</b>
<b>CRE-444BF-TR</b>	440 gallon capacity bituminous tandem axle trailer mounted kettle with DOT approved hot products lid, high temperature insulation throughout - top, bottom, sides and ends, adjustable pintle eye, dual safety towing chains, parking jack, stop tail and turn lamps and electric brakes Heating system not included, see heating system section	<b>\$ 16,385.54</b>
<b>CRE-555BF-TR</b>	550 gallon capacity bituminous tandem axle trailer mounted kettle with DOT approved hot products lid, high temperature insulation throughout - top, bottom, sides and ends, adjustable pintle eye, dual safety towing chains, parking jack, stop tail and turn lamps and electric brakes Heating system not included, see heating system section	<b>\$ 17,527.62</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>LPV-250AI-TC</b>	Single vapor propane 250K Btu burner system, for 088-222 units: Digital thermostatic controller with auto ignite and out fire control, shielded bottle rack for two 100 lb bottles, all required plumbing with POL fittings for bottle connections. Requires 12 Volt Power Source	\$ 3,681.90
<b>LPL-250AI-TC</b>	Single liquid propane 250K Btu burner system, for 088-222 units: Digital thermostatic controller with auto ignite and out fire control, shielded bottle rack for two 100 lb bottles, all required plumbing with POL fittings for bottle connections. Requires 12 Volt Power Source	\$ 3,681.90
<b>LPV-500AI-TC</b>	Dual vapor propane 500K Btu burner system, for 333-555 units: Digital thermostatic controller with auto ignite and out fire control, shielded bottle rack for two 100 lb bottles, all required plumbing with POL fittings for bottle connections. Requires 12 Volt Power Source	\$ 4,407.62
<b>LPL-500AI-TC</b>	Dual liquid propane 500K Btu burner system, for 333-555 units: Digital thermostatic controller with auto ignite and out fire control, shielded bottle rack for two 100 lb bottles, all required plumbing with POL fittings for bottle connections. Requires 12 Volt Power Source	\$ 4,407.62
<b>DF-250AI-TC</b>	Single diesel fired 250K Btu burner system, for 088-222 units: Digital thermostatic controller with auto ignite and out fire control, 30 gallon DOT approved fuel tank with level gauge. Requires 12 Volt Power Source	\$ 3,400.00
<b>DF-500AI-TC</b>	Dual diesel fired 500K Btu burner system, for 333-555 units: Digital thermostatic controller with auto ignite and out fire control, 30 gallon DOT approved fuel tank with level gauge. Requires 12 Volt Power Source	\$ 4,047.62
<b>KET-088-333-HSB</b>	Hydraulic surge brakes with free backing for 088 through 333 single axle trailer mounted kettles (Up charge from standard electric brakes)	\$ 1,556.19
<b>KET-444-555-HSB</b>	Hydraulic surge brakes with free backing for 444 through 555 tandem axle trailer mounted kettles (Up charge from standard electric brakes)	\$ 1,862.86
<b>KET-088-RB</b>	Rear bumper assembly 088BF-TR (Not Available On Units With Rear Spray Bar)	\$ 214.70
<b>KET-166-222-RB</b>	Rear bumper assembly 166BF-TR thru 222BF-TR (Not Available On Units With Rear Spray Bar)	\$ 218.76
<b>KET-333-555-RB</b>	Rear bumper assembly 333BF-TR thru 555BF-TR (Not Available On Units With Rear Spray Bar)	\$ 222.62

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>KET-PS32L-RH</b>	Remote hydraulic driven power spray: To be used with standard hand spray and/or 8ft rear spray bar. Includes standard 15ft power spray hose, hand held spray wand and flushing tank. Requires Outside Hydraulic Power Source - Minimum 15 gpm @ 1500 psi	\$ 4,520.00
<b>KET-PS32L-SH</b>	Self contained engine / hydraulic driven power spray: To be used with standard hand spray and/or 8ft rear spray bar. Includes engine driven hydraulic system, standard 15ft power spray hose, hand held spray wand and flushing tank	\$ 5,647.62
<b>KET-PS32K-RH</b>	Remote hydraulic driven high flow power spray: To be used with standard hand spray and/or 12ft recalculating rear spray bar. Includes standard 15ft power spray hose, hand held spray wand and flushing tank. Requires Outside Hydraulic Power Source - Minimum 15 gpm @ 1500 psi	\$ 4,710.48
<b>KET-PS32K-SH</b>	Self contained engine / hydraulic driven high flow power spray: To be used with standard hand spray and/or 12ft recalculating rear spray bar. Includes engine driven hydraulic system, standard 15ft power spray hose, hand held spray wand and flushing tank	\$ 5,838.10
<b>PSH-240-SRC</b>	1" x 20' Standard Reinforced Cloth Power Spray Hose (in lieu of standard cloth 15 ft)	\$ 59.05
<b>PSH-300-SRC</b>	1" x 25' Standard Reinforced Cloth Power Spray Hose (in lieu of standard cloth 15 ft)	\$ 106.67
<b>PSH-180-BSS</b>	1" x 15" Braided Stainless Steel Power Spray Hose (in lieu of standard cloth 15 ft)	\$ 276.19
<b>PSH-240-BSS</b>	1" x 20' Braided Stainless Steel Power Spray Hose (in lieu of standard cloth 15 ft)	\$ 352.39
<b>PSH-300-BSS</b>	1" x 25' Braided Stainless Steel Power Spray Hose (in lieu of standard cloth 15 ft)	\$ 441.67
<b>FSG-100-PFT</b>	Flexible Spring Guard Over Hose Assembly (Priced Per Foot of Hose Assembly)	\$ 3.52
<b>RSB-96</b>	8ft single section rear spray bar assembly (Requires hydraulic power spray option)	\$ 1,657.14
<b>RSB-144R</b>	12ft three section heated / recalculating rear spray bar assembly: 8ft center bar, two 2ft outside fold up bars (Requires high flow hydraulic power spray option)	\$ 4,934.88
<b>KET-120-12PS</b>	Self contained 12 volt power source - Includes deep cycle battery in poly vented enclosure, and 120 volt AC to 12 volt DC trickle charger in steel vented enclosure	\$ 1,231.81
<b>KET-FC-ELEC</b>	Electric operated flow control valve in lieu of manual, on any power spray system, includes hand held pendant control with 12 ft cord. (Requires 12 volt power source)	\$ 1,157.61
<b>KET-FE-5-ABC</b>	5 lb ABC fire extinguisher	\$ 144.76
<b>KET-RPM-S</b>	Rear post mounted strobe lamp with on/off switch, street side	\$ 335.24

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>KET-RPM-C</b>	Rear post mounted strobe lamp with on/off switch, curb side	\$ 335.24
<b>KET-RPM-HO-S</b>	Rear post mounted high output strobe lamp with on/off switch, street side	\$ 592.38
<b>KET-RPM-HO-C</b>	Rear post mounted high output strobe lamp with on/off switch, curb side	\$ 592.38
<b>KET-RPM-LED-S</b>	Rear post mounted all LED strobe lamp with on/off switch, street side	\$ 735.24
<b>KET-RPM-LED-C</b>	Rear post mounted all LED strobe lamp with on/off switch, curb side	\$ 735.24
<b>6-CFS</b>	5-1/2" U shaped crack filling squeegee	\$ 64.67
<b>PPL-2G</b>	2 gallon pour pot with legs	\$ 138.09

→ [To Table of Contents](#)

**CONCORD 250 & 400 SERIES TOW BEHIND HOT ASPHALT HAULERS**

<b>CRE-250AH-TR</b>	2.5 ton capacity single axle trailer mounted asphalt hauler: Low profile, wide track trailer mounted heavy duty hopper is fully insulated with sloping walls to funnel material to rear shovel door, fully insulated top loading doors, 7000 lb capacity rubber torsional axle equipped with standard electric brakes, automotive style rims and tires, front adjustable pintle lunette eye with 7000 lb capacity trailer jack, rear fabricated channel bumper with recessed stop, tail and turn lighting, entire unit primed and painted Omaha orange No heating system included, see below for required components, and accessories	\$ 15,597.11
<b>CRE-400AH-TR</b>	4 ton capacity tandem axle trailer mounted asphalt hauler: Low profile, wide track trailer mounted heavy duty hopper is fully insulated with sloping walls to funnel material to rear shovel doors while center divider wall provides for even heating, fully insulated top loading doors feature spring assist, twin 7000 lb capacity rubber torsional axles equipped with standard 4 wheel electric brakes, automotive style rims and tires, front adjustable pintle lunette eye with 7000 lb capacity trailer jack, rear fabricated channel bumper with recessed stop, tail and turn lighting, entire unit primed and painted Omaha orange No heating system included, see below for required components, and accessories	\$ 20,074.58
<b>DF-105AI-TC</b>	Single diesel fired 105K Btu burner system: Digital thermostatic controller in NEMA enclosure with auto ignite, out fire control, master on/off key switch, 30 gallon DOT approved fuel tank with level gauge. Requires 12 Volt Power Source.	\$ 3,400.00
<b>LPV-100AI-TC</b>	Single vapor propane 100K Btu burner system: Digital thermostatic controller in NEMA enclosure with auto ignite, out fire control, master on/off key switch, shielded bottle rack for two 100 lb bottles, all required plumbing with POL fittings for bottle connections. Requires 12 Volt Power Source.	\$ 3,681.90

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>LPL-100AI-TC</b>	Single liquid propane 100K Btu burner system: Digital thermostatic controller in NEMA enclosure with auto ignite, out fire control, master on/off key switch, shielded bottle rack for two 100 lb bottles, all required plumbing with POL fittings for bottle connections. Requires 12 Volt Power Source.	\$ 3,681.90
<b>AMT-35-S</b>	35 gallon auxiliary material tank, NOT insulated, street side mount	\$ 1,166.67
<b>AMT-35-C</b>	35 gallon auxiliary material tank, NOT insulated, curb side mount	\$ 1,166.67
<b>AMT-35H-S</b>	35 gallon auxiliary material tank, fully insulated, heated, street side mount No heating system included, see below for options	\$ 1,761.90
<b>AMT-35H-C</b>	35 gallon auxiliary material tank, fully insulated, heated, curb side mount No heating system included, see below for options *Primary location for power spray connection	\$ 1,761.90
<b>DF-075AI-TC</b>	Single diesel fired 75K Btu burner system addition for auxiliary tank: Additional Digital thermostatic controller added to enclosure with auto ignite and out fire control *Not a stand alone system, must be ordered with DF-105-AI-TC	\$ 1,664.57
<b>LPV-075AI-TC</b>	Single vapor propane 75K Btu burner system addition for auxiliary tank: Additional Digital thermostatic controller added to enclosure with auto ignite and out fire control *Not a stand alone system, must be ordered with LPV-100-AI-TC	\$ 1,483.72
<b>LPL-075AI-TC</b>	Single liquid propane 75K Btu burner system addition for auxiliary tank: Additional Digital thermostatic controller added to enclosure with auto ignite and out fire control *Not a stand alone system, must be ordered with LPL-100-AI-TC	\$ 1,513.72
<b>AH-PS-SH</b>	Self contained engine / hydraulic driven power spray: Includes engine driven hydraulic system, hydraulic driven material pump, hand held spray wand with 15ft power spray hose, flushing tank and connection to curbside material tank	\$ 6,916.17
<b>AH-PS-RH</b>	Remote hydraulic driven power spray: Includes hydraulic driven material pump, hand held spray wand with 15ft power spray hose, flushing tank and connection to curbside material tank Requires Outside Hydraulic Power Source - Minimum 15 gpm @ 1500 psi	\$ 3,740.39
<b>AH-PS-DT</b>	Additional connection to utilize power spray from streetside material tank: Includes hoses and valving required to select spray source tank	\$ 356.39
<b>AH-FC-ELEC</b>	Electric operated flow control valve in lieu of manual, on any power spray system, includes hand held pendant control with 12 ft cord. (Requires 12 volt power source)	\$ 1,157.61
<b>PSH-240-SRC</b>	1" x 20' Standard Reinforced Cloth Power Spray Hose (in lieu of standard cloth 15 ft)	\$ 59.05

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>PSH-300-SRC</b>	1" x 25' Standard Reinforced Cloth Power Spray Hose (in lieu of standard cloth 15 ft)	\$ 106.67
<b>LPV-400HT-ST</b>	Vapor propane 400K Btu hand torch system: For vapor propane fired units, includes 32 inch long hand torch with 10 ft hose, mounting stand, striker, and connection from front bottle rack	\$ 510.18
<b>LPV-400HT-AT</b>	Vapor propane 400K Btu hand torch system: For diesel or liquid propane fired units, includes 32 inch long hand torch with 10 ft hose, mounting stand, striker, and 20 lb propane bottle rack	\$ 583.47
<b>LPV-520HT-ST</b>	Vapor propane 520K Btu triggered hand torch system: For vapor propane fired units, includes 32 inch long triggered hand torch with 20 ft hose, mounting stand, striker, and connection from front bottle rack with auxiliary regulator	\$ 586.37
<b>LPV-520HT-AT</b>	Vapor propane 520K Btu triggered hand torch system: For diesel or liquid propane fired units, includes 32 inch long trigger hand torch with 20 ft hose, mounting stand, striker, auxiliary regulator, and 20 lb propane bottle rack	\$ 659.66
<b>AH-250TR-HSB</b>	Hydraulic surge brakes with electric free backing solenoid, for CRE-250AH-TR, up charge from standard electric brakes	\$ 1,843.68
<b>AH-400TR-HSB</b>	Hydraulic surge brakes with electric free backing solenoid, for CRE-400AH-TR, up charge from standard electric brakes	\$ 2,114.23
<b>AH-120-12PS</b>	Self contained 12 volt power source - Includes deep cycle battery in poly vented enclosure, and 120 volt AC to 12 volt DC trickle charger in steel vented enclosure	\$ 1,231.81
<b>AH-RPM-S</b>	Rear post mounted strobe lamp with on/off switch, street side	\$ 335.24
<b>AH-RPM-C</b>	Rear post mounted strobe lamp with on/off switch, curb side	\$ 335.24
<b>AH-RPM-HO-S</b>	Rear post mounted high output strobe lamp with on/off switch, street side	\$ 592.38
<b>AH-RPM-HO-C</b>	Rear post mounted high output strobe lamp with on/off switch, curb side	\$ 592.38
<b>AH-RPM-LED-S</b>	Rear post mounted all LED strobe lamp with on/off switch, street side	\$ 735.24
<b>AH-RPM-LED-C</b>	Rear post mounted all LED strobe lamp with on/off switch, curb side	\$ 735.24
<b>AH-LIT-AB</b>	Rear mounted, fold down 10 light LED arrow board with controller	\$ 1,406.93
<b>AH-LIT-LED</b>	Upgrade all standard trailer lighting to LED in lieu of incandescent	\$ 192.52
<b>PPL-2G</b>	2 gallon pour pot with legs	\$ 138.09
<b>HT-8</b>	8 lb hand tamp	\$ 84.74
<b>AAL-36</b>	36" aluminum asphalt lute	\$ 100.57
<b>SHV-48-SP</b>	Shovel, Street 11" x 13" Square Point w/48" Wood Handle	\$ 38.10
<b>CRE-14250-AHR</b>	Asphalt hand roller, 250 lb	\$ 1,045.06
<b>AH-TRT</b>	Tool rinse tank	\$ 584.76

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
AH-LSR	Lute / shovel storage rack, holds two tools	\$ 333.33
AH-CMP	Compactor platform 24" x 24"	\$ 400.00
AH-LB-500	Loading boom	\$ 956.24
AH-FE-5-ABC	5 lb ABC fire extinguisher	\$ 143.24

→ [To Table of Contents](#)

**CONCORD LCB SERIES LEAF COLLECTION BOXES**

CRE-LCB-8DBM	Leaf collection box, dump body insert, 8 ft long	\$ 5,218.26
CRE-LCB-10DBM	Leaf collection box, dump body insert, 10 ft long	\$ 7,231.47
CRE-LCB-12DBM	Leaf collection box, dump body insert, 12 ft long	\$ 7,688.35
CRE-LCB-14DBM	Leaf collection box, dump body insert, 14 ft long	\$ 9,586.12
CRE-LCB-8DCM	Leaf collection box, direct chassis mounted, 8 ft long, installed, lighting and hoist sold separately	\$ 7,407.62
CRE-LCB-10DCM	Leaf collection box, direct chassis mounted, 10 ft long, installed, lighting and hoist sold separately	\$ 9,546.67
CRE-LCB-12DCM	Leaf collection box, direct chassis mounted, 12 ft long, installed, lighting and hoist sold separately	\$ 10,243.81
CRE-LCB-14DCM	Leaf collection box, direct chassis mounted, 14 ft long, installed, lighting and hoist sold separately	\$ 12,361.90
LCB-8-DBM-SFI	Leaf collection box sub-frame installation kit, 8 ft dump body insert units only	\$ 450.11
LCB-10-DBM-SFI	Leaf collection box sub-frame installation kit, 10 ft dump body insert unit only	\$ 490.24
LCB-12-DBM-SFI	Leaf collection box sub-frame installation kit, 12 ft dump body insert unit only	\$ 542.58
LCB-14-DBM-SFI	Leaf collection box sub-frame installation kit, 14 ft dump body insert unit only	\$ 596.57
LCB-DBM-SI	Leaf collection box standard installation kit, dump body insert units only	\$ 281.38
LCB-DHC	Telescopic hoist clearance cut out on dump body insert mounted leaf collection box	\$ 495.24
CRE-LCB-CCD	Fold down rear combination chipper door, in lieu of standard	\$ 338.10
CRE-LCB-PAINT	Leaf collection box painted other than standard Omaha Orange	\$ 285.73

→ [To Table of Contents](#)

**CONCORD WCB SERIES WOOD CHIP COLLECTION BOXES**

CRE-WCB-8DBM	Wood chip collection box, dump body insert, 8 ft long	\$ 6,575.24
CRE-WCB-10DBM	Wood chip collection box, dump body insert, 10 ft long	\$ 8,588.57
CRE-WCB-12DBM	Wood chip collection box, dump body insert, 12 ft long	\$ 9,041.90
CRE-WCB-14DBM	Wood chip collection box, dump body insert, 14 ft long	\$ 10,939.05

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>CRE-WCB-8DCM</b>	Wood chip collection box, direct chassis mounted, 8 ft long, installed, lighting and hoist sold separately	\$ 8,613.33
<b>CRE-WCB-10DCM</b>	Wood chip collection box, direct chassis mounted, 10 ft long, installed, lighting and hoist sold separately	\$ 10,721.90
<b>CRE-WCB-12DCM</b>	Wood chip collection box, direct chassis mounted, 12 ft long, installed, lighting and hoist sold separately	\$ 11,270.48
<b>CRE-WCB-14DCM</b>	Wood chip collection box, direct chassis mounted, 14 ft long, installed, lighting and hoist sold separately	\$ 13,262.86
<b>WCB-8-DBM-SFI</b>	Wood chip collection box sub-frame installation kit, 8 ft dump body insert units only	\$ 450.11
<b>WCB-10-DBM-SFI</b>	Wood chip collection box sub-frame installation kit, 10 ft dump body insert units only	\$ 490.24
<b>WCB-12-DBM-SFI</b>	Wood chip collection box sub-frame installation kit, 12 ft dump body insert units only	\$ 542.58
<b>WCB-14-DBM-SFI</b>	Wood chip collection box sub-frame installation kit, 14 ft dump body insert units only	\$ 596.57
<b>WCB-DBM-SI</b>	Wood chip box standard installation kit, dump body insert units only	\$ 281.38
<b>WCB-DHC</b>	Telescopic hoist clearance cut out on dump body insert mounted leaf collection box	\$ 495.24
<b>CRE-WCB-PAINT</b>	Chip collection box painted other than standard Omaha Orange	\$ 285.73

→ [To Table of Contents](#)

**CONCORD TITAN SERIES HEAVY DUTY SNOW PUSHERS**

<b>TTN-1036-BSP</b>	Titan series 10 ft heavy duty snow pusher; 36" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 4,064.88
<b>TTN-1236-BSP</b>	Titan series 12 ft heavy duty snow pusher; 36" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 4,345.51
<b>TTN-1436-BSP</b>	Titan series 14 ft heavy duty snow pusher; 36" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 4,626.14

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>TTN-1636-BSP</b>	Titan series 16 ft heavy duty snow pusher; 36" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 4,906.77
<b>TTN-1048-LSP</b>	Titan series 10 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 6,697.63
<b>TTN-1248-LSP</b>	Titan series 12 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 7,050.63
<b>TTN-1448-LSP</b>	Titan series 14 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 7,403.64
<b>TTN-1648-LSP</b>	Titan series 16 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 7,756.64
<b>TTN-1848-LSP</b>	Titan series 18 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 9,159.64
<b>TTN-2048-LSP</b>	Titan series 20 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 9,512.65
<b>TTN-2448-LSP</b>	Titan series 24 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	\$ 10,218.65

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>TTN-3048-LSP</b>	Titan series 30 ft heavy duty snow pusher; 48" high 3/8" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 3/8" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	<b>\$ 11,277.66</b>
<b>TTN-1860-LSP</b>	Titan series 18 ft heavy duty snow pusher; 60" high 1/2" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 1/2" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	<b>\$ 11,189.84</b>
<b>TTN-2060-LSP</b>	Titan series 20 ft heavy duty snow pusher; 60" high 1/2" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 1/2" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	<b>\$ 12,236.21</b>
<b>TTN-2460-LSP</b>	Titan series 24 ft heavy duty snow pusher; 60" high 1/2" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 1/2" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	<b>\$ 13,162.29</b>
<b>TTN-3060-LSP</b>	Titan series 30 ft heavy duty snow pusher; 60" high 1/2" thick end plates with bolt in tubular brace, 7 gauge steel moldboard with interlocking horizontal structural channel and plasma cut 1/2" plate vertical reinforcements, structural steel cutting edge gusseted backer angle with steel cutting edge, no coupler included, see below for options	<b>\$ 14,551.41</b>
<b>TTN-SBM</b>	Standard bucket mounting installed on above selected Titan series snow pusher, kit includes 2 chains and 2 binders	<b>\$ 1,390.83</b>
<b>TTN-SQC</b>	Standard quick coupler installed on above selected Titan series snow pusher	<b>\$ 935.83</b>
<b>TTN-POLY36</b>	Poly moldboard overlay installed on any above selected 36" high Titan series snow pusher, per foot of length	<b>\$ 93.87</b>
<b>TTN-POLY48</b>	Poly moldboard overlay installed on any above selected 48" high Titan series snow pusher, per foot of length	<b>\$ 116.78</b>
<b>TTN-POLY60</b>	Poly moldboard overlay installed on any above selected 60" high Titan series snow pusher, per foot of length	<b>\$ 182.70</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

Item Number	Item Description	List Price Each
→ <a href="#">To Table of Contents</a>		
<b>CONCORD MPS SERIES MULTI PURPOSE SPREADERS</b>		
<b>MPS-955C</b>	Multi-purpose spreader, 9 ft long 6 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 15,489.29
<b>MPS-955C</b>	Multi-purpose spreader, 9 ft long 6 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 25,851.11
<b>MPS-1055C</b>	Multi-purpose spreader, 10 ft long 6.6 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 15,938.22
<b>MPS-1055C</b>	Multi-purpose spreader, 10 ft long 6.6 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 27,577.78
<b>MPS-1255C</b>	Multi-purpose spreader, 12 ft long 7.8 yard capacity chassis mounted steel vee-body hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 16,836.09
<b>MPS-1255C-S</b>	Multi-purpose spreader, 12 ft long 7.8 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 31,031.11

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>MPS-1455C</b>	Multi-purpose spreader, 14 ft long 9 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 17,733.96
<b>MPS-1455C-S</b>	Multi-purpose spreader, 15 ft long 10 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 34,484.44
<b>MPS-1555C</b>	Multi-purpose spreader, 14 ft long 9 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 18,182.89
<b>MPS-1555C-S</b>	Multi-purpose spreader, 15 ft long 10 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly with 24" disk and top mount motor, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	\$ 36,211.11
<b>MPS9-HDTS</b>	Heavy duty sectional top screens installed on above selected 9 ft multi-purpose spreader	\$ 1,850.21
<b>MPS10-HDTS</b>	Heavy duty sectional top screens installed on above selected 10 ft multi-purpose spreader	\$ 1,914.29
<b>MPS12-HDTS</b>	Heavy duty sectional top screens installed on above selected 12 ft multi-purpose spreader	\$ 2,042.86
<b>MPS14-HDTS</b>	Heavy duty sectional top screens installed on above selected 14 ft multi-purpose spreader	\$ 2,172.43
<b>MPS15-HDTS</b>	Heavy duty sectional top screens installed on above selected 15 ft multi-purpose spreader	\$ 2,327.14
<b>MPS-FFL</b>	Add full height 2 piece folding ladder to front corner of any multi purpose spreader	\$ 467.73

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

[→ To Table of Contents](#)

**Concord Manufactured Road Equipment Products  
FOB Destination, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>MPS-RSC</b>	Add storage compartment recessed into integral fender to any multi purpose spreader	\$ 359.79
<b>MPS-BMH</b>	Add provision for bail mounted telescopic hoist to any multi purpose spreader, does not include hoist see item number 1605.XXX for options	\$ 395.77

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents	<b>MD SERIES MUNICIPAL DUTY STEEL DUMP BODIES</b>	
<b>1000.005</b>	MD968796401220 - Municipal duty steel dump body, 8 foot long, 2.1 to 3.6 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding three panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 3,820.00</b>
<b>1000.010</b>	MD968796401624 - Municipal duty steel dump body, 8 foot long, 2.9 to 4.3 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 3,940.49</b>
<b>1000.015</b>	MD1088796401220 - Municipal duty steel dump body, 9 foot long, 2.4 to 4.0 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 3,939.17</b>
<b>1000.020</b>	MD1088796401624 - Municipal duty steel dump body, 9 foot long, 3.2 to 4.8 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 4,059.65</b>
<b>1000.025</b>	MD1208796401220 - Municipal duty steel dump body, 10 foot long, 2.7 to 4.5 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 4,083.33</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1000.030</b>	MD1208796401624 - Municipal duty steel dump body, 10 foot long, 3.6 to 5.4 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 4,203.81</b>
<b>1000.035</b>	MD1328796401220 - Municipal duty steel dump body, 11 foot long, 3.0 to 4.9 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 4,202.49</b>
<b>1000.040</b>	MD1328796401624 - Municipal duty steel dump body, 11 foot long, 3.9 to 5.9 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 4,309.74</b>
<b>1000.045</b>	MD1448796401220 - Municipal duty steel dump body, 12 foot long, 3.2 to 5.4 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 4,321.65</b>
<b>1000.050</b>	MD1448796401624 - Municipal duty steel dump body, 12 foot long, 4.3 to 6.4 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead with 1/4 integral cab shield, 10 gauge A1011 steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 4,442.14</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents		
<b>MDS SERIES MUNICIPAL DUTY STAINLESS STEEL DUMP BODIES</b>		
<b>1005.005</b>	MDS968796401220 - Municipal duty stainless steel dump body, 8 foot long, 2.1 to 3.6 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding three panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 7,677.87</b>
<b>1005.010</b>	MDS968796401624 - Municipal duty stainless steel dump body, 8 foot long, 2.9 to 4.3 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 7,932.60</b>
<b>1005.015</b>	MDS1088796401220 - Municipal duty stainless steel dump body, 9 foot long, 2.4 to 4.0 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 7,929.72</b>
<b>1005.020</b>	MDS1088796401624 - Municipal duty stainless steel dump body, 9 foot long, 3.2 to 4.8 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 8,185.89</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1005.025</b>	MDS1208796401220 - Municipal duty stainless steel dump body, 10 foot long, 2.7 to 4.5 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 8,208.01</b>
<b>1005.030</b>	MDS1208796401624 - Municipal duty stainless steel dump body, 10 foot long, 3.6 to 5.4 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 8,462.74</b>
<b>1005.035</b>	MDS1328796401220 - Municipal duty stainless steel dump body, 11 foot long, 3.0 to 4.9 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 8,459.86</b>
<b>1005.040</b>	MDS1328796401624 - Municipal duty stainless steel dump body, 11 foot long, 3.9 to 5.9 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 8,716.03</b>
<b>1005.045</b>	MDS1448796401220 - Municipal duty stainless steel dump body, 12 foot long, 3.2 to 5.4 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 8,713.15</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1005.050</b>	MDS1448796401624 - Municipal duty stainless steel dump body, 12 foot long, 4.3 to 6.4 yard capacity, with 12 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead with 1/4 integral cab shield, 10 gauge 304 stainless steel tailgate, and 10 gauge A1011 steel floor, western style crossmemberless understructure with 10 ga steel tubular longitudinals, manual release dirt shedding design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist included, see below items for additional equipment	<b>\$ 8,967.88</b>

→ To Table of Contents

**MD AND MDS SERIES DUMP BODY BUILD OPTIONS**

<b>1010.005</b>	One rear corner post light cutout per corner post for bodies with 20" tall tailgates	<b>\$ 112.26</b>
<b>1010.010</b>	Two rear corner post light cutouts per corner post for bodies with 24" tall tailgates	<b>\$ 143.92</b>
<b>1010.015</b>	Add 2" of body side height to steel body, per each 2" increment	<b>\$ 64.77</b>
<b>1010.020</b>	Add 2" of body side height to stainless steel body, per each 2" increment	<b>\$ 129.53</b>
<b>1010.025</b>	Add 2" of tailgate height to steel body, per each 2" increment	<b>\$ 47.50</b>
<b>1010.030</b>	Add 2" of tailgate height to stainless steel body, per each 2" increment	<b>\$ 94.99</b>
<b>1010.035</b>	52" steel bulkhead in lieu of standard 40" steel bulkhead	<b>\$ 158.31</b>
<b>1010.040</b>	52" stainless steel bulkhead in lieu of standard 40" stainless steel bulkhead	<b>\$ 316.62</b>
<b>1010.045</b>	Add 6" of body length to steel body, per each 6" increment	<b>\$ 64.77</b>
<b>1010.050</b>	Add 6" of body length to stainless steel body, per each 6" increment	<b>\$ 129.53</b>
<b>1010.055</b>	1/2 size steel cab shield in lieu of standard 1/4 size steel cab shield	<b>\$ 37.42</b>
<b>1010.060</b>	1/2 size stainless steel cab shield in lieu of standard 1/4 size stainless steel cab shield	<b>\$ 74.84</b>
<b>1010.065</b>	3/4 size steel cab shield in lieu of standard 1/4 size steel cab shield	<b>\$ 71.96</b>
<b>1010.070</b>	Hinged drop side with quick latch, one side only, specify side	<b>\$ 201.49</b>
<b>1010.075</b>	Hinged drop side with quick latch, both body sides	<b>\$ 316.62</b>
<b>1010.105</b>	Interlocking understructure in lieu of standard western style understructure, 8' dump bodies	<b>\$ 359.79</b>
<b>1010.110</b>	Interlocking understructure in lieu of standard western style understructure, 9' dump bodies	<b>\$ 431.75</b>
<b>1010.115</b>	Interlocking understructure in lieu of standard western style understructure, 10' dump bodies	<b>\$ 503.71</b>
<b>1010.120</b>	Interlocking understructure in lieu of standard western style understructure, 11' dump bodies	<b>\$ 575.67</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1010.125</b>	Interlocking understructure in lieu of standard western style understructure, 12' dump bodies	<b>\$ 647.63</b>
<b>1010.130</b>	Interlocking understructure with tubular longsills in lieu of standard interlocking configuration	<b>\$ 719.58</b>
<b>1010.135</b>	Interlocking understructure crossmembers on 12" centers in lieu of standard 18"	<b>\$ 719.58</b>
<b>1010.140</b>	Longitudinals for hook lift hoist applications in lieu of standard hoist * Does not include hook lift sub frame	<b>\$ 287.84</b>
<b>1010.145</b>	7 gauge A1011 steel tubular longitudinals in lieu of 10 gauge A1011 steel longitudinals	<b>\$ 74.84</b>
<b>1010.150</b>	10 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 8' dump bodies	<b>\$ 372.75</b>
<b>1010.155</b>	10 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 9' dump bodies	<b>\$ 408.73</b>
<b>1010.160</b>	10 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 10' dump bodies	<b>\$ 444.70</b>
<b>1010.165</b>	10 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 11' dump bodies	<b>\$ 480.68</b>
<b>1010.170</b>	10 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 12' dump bodies	<b>\$ 516.66</b>
<b>1010.175</b>	7 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 8' dump bodies	<b>\$ 633.23</b>
<b>1010.180</b>	7 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 9' dump bodies	<b>\$ 705.19</b>
<b>1010.185</b>	7 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 10' dump bodies	<b>\$ 777.15</b>
<b>1010.190</b>	7 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 11' dump bodies	<b>\$ 863.50</b>
<b>1010.195</b>	7 gauge stainless steel tubular longitudinals in lieu of standard 10 gauge A1011 steel longitudinals, 12' dump bodies	<b>\$ 932.58</b>
<b>1010.200</b>	7 gauge A1011 steel floor in lieu of 10 gauge A1011 steel, 8' bodies	<b>\$ 103.62</b>
<b>1010.205</b>	7 gauge A1011 steel floor in lieu of 10 gauge A1011 steel, 9' bodies	<b>\$ 116.58</b>
<b>1010.210</b>	7 gauge A1011 steel floor in lieu of 10 gauge A1011 steel, 10' bodies	<b>\$ 129.53</b>
<b>1010.215</b>	7 gauge A1011 steel floor in lieu of 10 gauge A1011 steel, 11' bodies	<b>\$ 142.48</b>
<b>1010.220</b>	7 gauge A1011 steel floor in lieu of 10 gauge A1011 steel, 12' bodies	<b>\$ 155.43</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1010.225	3/16" AR400 abrasion & impact resistant floor in lieu of 10 gauge A1011 steel, 8' bodies	\$ 489.32
1010.230	3/16" AR400 abrasion & impact resistant floor in lieu of 10 gauge A1011 steel, 9' bodies	\$ 546.88
1010.235	3/16" AR400 abrasion & impact resistant floor in lieu of 10 gauge A1011 steel, 10' bodies	\$ 611.65
1010.240	3/16" AR400 abrasion & impact resistant floor in lieu of 10 gauge A1011 steel, 11' bodies	\$ 669.21
1010.245	3/16" AR400 abrasion & impact resistant floor in lieu of 10 gauge A1011 steel, 12' bodies	\$ 733.98
1010.250	7 gauge stainless steel floor in lieu of 10 gauge A1011 steel, 8' bodies	\$ 489.32
1010.255	7 gauge stainless steel floor in lieu of 10 gauge A1011 steel, 9' bodies	\$ 546.88
1010.260	7 gauge stainless steel floor in lieu of 10 gauge A1011 steel, 10' bodies	\$ 611.65
1010.265	7 gauge stainless steel floor in lieu of 10 gauge A1011 steel, 11' bodies	\$ 669.21
1010.270	7 gauge stainless steel floor in lieu of 10 gauge A1011 steel, 12' bodies	\$ 733.98
1010.300	7 gauge A1011 steel bulkhead and tailgate in lieu of 10 gauge A1011 steel	\$ 323.82
1010.305	7 gauge stainless steel bulkhead and tailgate in lieu of 10 gauge stainless steel	\$ 414.48
1010.310	Full height steel front side board pockets in lieu of standard	\$ 287.84
1010.315	Full height stainless steel front side board pockets in lieu of standard	\$ 431.75
1010.320	Stainless steel tailgate hardware above the floor in lieu of steel hardware	\$ 331.01
1010.325	Stainless steel tailgate hardware below the floor in lieu of steel hardware	\$ 237.47
1010.400	7 gauge A1011 steel sides in lieu of 10 gauge A1011 steel, 8' dump bodies	\$ 79.16
1010.405	7 gauge A1011 steel sides in lieu of 10 gauge A1011 steel, 9' dump bodies	\$ 93.55
1010.410	7 gauge A1011 steel sides in lieu of 10 gauge A1011 steel, 10' dump bodies	\$ 107.94
1010.415	7 gauge A1011 steel sides in lieu of 10 gauge A1011 steel, 11' dump bodies	\$ 122.33
1010.420	7 gauge A1011 steel sides in lieu of 10 gauge A1011 steel, 12' dump bodies	\$ 136.72
1010.425	10 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 8' dump bodies	\$ 441.83
1010.430	10 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 9' dump bodies	\$ 497.95
1010.435	10 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 10' dump bodies	\$ 552.64
1010.440	10 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 11' dump bodies	\$ 607.33

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1010.445	10 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 12' dump bodies	\$ 663.46
1010.450	7 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 8' dump bodies	\$ 598.69
1010.455	7 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 9' dump bodies	\$ 674.97
1010.460	7 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 10' dump bodies	\$ 749.81
1010.465	7 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 11' dump bodies	\$ 824.64
1010.470	7 gauge stainless steel sides in lieu of 12 gauge stainless steel sides, 12' dump bodies	\$ 900.92
1010.475	A1011 steel vertical side bracing, 8' & 9' dump bodies	\$ 90.67
1010.480	Stainless steel vertical side bracing, 8' & 9' dump bodies	\$ 181.34
1010.485	A1011 steel vertical side bracing, 10', 11', & 12' dump bodies	\$ 133.85
1010.490	Stainless steel vertical side bracing, 10', 11', & 12' dump bodies	\$ 267.69
1010.500	Patch gate installed in tailgate, steel sliding type with offset arm, cost each	\$ 345.40
1010.505	Patch gate installed in tailgate, stainless steel sliding type with offset arm, cost each	\$ 690.80
1010.510	Patch gate installed in tailgate, steel rotary type with offset arm, cost each	\$ 417.36
1010.515	Patch gate installed in tailgate, stainless steel rotary type with offset arm, cost each	\$ 834.72
1010.520	Quick drop upper tailgate hardware in lieu of standard flush mount	\$ 107.94
1010.525	Heavy duty offset upper tailgate hardware in lieu of standard flush mount	\$ 107.94
1010.530	Stainless steel quick drop upper tailgate hardware in lieu of standard flush mount	\$ 215.88
1010.535	Stainless steel heavy duty offset upper tailgate hardware in lieu of standard flush mount	\$ 287.84

→ [To Table of Contents](#)

**PCS SERIES HEAVY DUTY STEEL DUMP BODIES**

1020.005	PCS9684941218-PRO CLASS STEEL 8' long 2.1/3.1 yard style body with 10gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 12" sides x 18" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 20 hydraulic hoist assembly less hydraulics.	\$ 5,438.91
----------	--	-------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1020.010</b>	PCS9684941723-PRO CLASS STEEL 8' long 2.9/4.0 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 20 hydraulic hoist assembly less hydraulics.	<b>\$ 5,582.82</b>
<b>1020.015</b>	PCS10884941218-PRO CLASS STEEL 9' long 2.4/3.6 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 12" sides x 18" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 20 hydraulic hoist assembly less hydraulics.	<b>\$ 5,654.78</b>
<b>1020.020</b>	PCS10884941723-PRO CLASS STEEL 9' long 3.4/4.6 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 20 hydraulic hoist assembly less hydraulics.	<b>\$ 5,834.68</b>
<b>1020.025</b>	PCS12084941218-PRO CLASS STEEL 10' long 2.7/4.0 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 12" sides x 18" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 5,856.26</b>
<b>1020.030</b>	PCS12084941723-PRO CLASS STEEL 10' long 3.8/5.1 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 6,172.88</b>
<b>1020.035</b>	PCS13284941218-PRO CLASS STEEL 11' long 3.0/4.0 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 12" sides x 18" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 6,136.90</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1020.040</b>	PCS13284941723-PRO CLASS STEEL 11' long 4.2/5.7 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 6,410.34</b>
<b>1020.045</b>	PCS13284941218-IC PRO CLASS STEEL 11' long 3.0/4.4 yard style body for import style chassis with 29.5' frame rail widths. Includes 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 12" sides x 18" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 8,900.08</b>
<b>1020.050</b>	PC1S4484941218-IC PRO CLASS STEEL 12' long 3.2/4.8 yard style body for import style chassis with 29.5' frame rail widths. Includes 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 12" sides x 18" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 7,669.60</b>
<b>1020.055</b>	PCS14484941218S-PRO CLASS STEEL 12-2" long 3.2/4.8 yard style body with 10 gauge steel sides, bulkhead, tailgate, and floor, 10 gauge steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 12" sides x 18" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 6,482.30</b>

→ [To Table of Contents](#)

**PCS SERIES HEAVY DUTY STAINLESS STEEL DUMP BODIES**

<b>1025.005</b>	PCS10884941723S- PRO CLASS STAINLESS STEEL 9' long 3.4/4.6 yard style body with 10 gauge stainless steel sides, bulkhead, tailgate, and floor, 10 gauge stainless steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 20 hydraulic hoist assembly less hydraulics.	<b>\$ 12,922.52</b>
-----------------	--	---------------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1025.010</b>	PCS12084941723S- PRO CLASS STAINLESS STEEL 10' long 3.8/5.1 yard style body with 10 gauge stainless steel sides, bulkhead, tailgate, and floor, 10 gauge stainless steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 40 hydraulic hoist assembly less hydraulics.	<b>\$ 13,498.19</b>
<b>1025.015</b>	PCS13284941723S- PRO CLASS STAINLESS STEEL 11' long 4.2/5.7 yard style body with 10 gauge stainless steel sides, bulkhead, tailgate, and floor, 10 gauge stainless steel 1/4 size cab protector with slotted window, structural steel stacked understructure, 17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 400 hydraulic hoist assembly less hydraulics.	<b>\$ 14,073.85</b>

→ [To Table of Contents](#)

**PCS SERIES HEAVY DUTY DUMP BODY OPTIONS**

<b>1030.005</b>	PCS OPTION- Single acting electric/hydraulic package-includes 12vdc electric hydraulic pump, hydraulic hoses for hoist, and in cab push button pendant control.	<b>\$ 765.56</b>
<b>1030.010</b>	PCS OPTION-Double acting electric/hydraulic package-includes 12vdc electric hydraulic pump, hydraulic hoses for hoist, and in cab push button pendant control.	<b>\$ 1,017.41</b>
<b>1030.015</b>	PCS OPTION-Double acting PTO hydraulic package-includes power take-off driven hydraulic pump, hydraulic hoses for hoist, hydraulic reservoir and in cab cable control. Transmission mounted PTO gear assembly not included.	<b>\$ 1,233.29</b>
<b>1030.020</b>	PCS OPTION-Hinged drop sides on 8' through 11' bodies with 12" side heights. Not available on stainless steel PCS series dump bodies.	<b>\$ 765.56</b>
<b>1030.025</b>	PCS OPTION-Drop sides on 8' through 11' bodies with 17" side heights. Not available on stainless steel PCS series dump bodies.	<b>\$ 837.52</b>
<b>1030.030</b>	PCS OPTION-Patch gate in center of dump body tailgate assembly	<b>\$ 276.25</b>
<b>1030.035</b>	PCS OPTION-1/2 size standard cab shield in lieu of standard 1/4 size	<b>\$ 215.88</b>
<b>1030.040</b>	PCS OPTION-Tall 62" 1/4 size cab shield in lieu of standard 1/4 size cab shield	<b>\$ 287.84</b>
<b>1030.045</b>	PCS OPTION-Tall 62" 1/2 size cab shield IN LIEU OF standard 1/4 size cab shield	<b>\$ 359.79</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents		
<b>PCM SERIES COMBINATION DUMP BODY/SPREADERS</b>		
<b>1040.005</b>	PCM10884941723- PRO COM STAINLESS STEEL 9' COMBINATION DUMP BODY SPREADER 4.2/5.7 yard style body with 10 gauge stainless steel sides, bulkhead, tailgate, and floor, 10 gauge stainless steel 1/2 size cab protector, tubular crossmemberless western style understructure, integral pintle chain center conveyor with rear spinner ,17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes hydraulic hoist assembly- less hydraulics.	<b>\$ 27,591.47</b>
<b>1040.015</b>	PCM10884941723- PRO COM STAINLESS STEEL 9' COMBINATION DUMP BODY SPREADER 3.4/4.6 yard style body with 10 gauge stainless steel sides, bulkhead, tailgate, and floor, 10 gauge stainless steel 1/2 size cab protector, tubular crossmemberless western style understructure, integral pintle chain center conveyor with rear spinner ,17" sides x 23" double acting tailgate with quick latch upper tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes hydraulic hoist assembly -less hydraulics.	<b>\$ 28,490.59</b>
→ To Table of Contents		
<b>MDA SERIES MEDIUM DUTY ALUMINUM DUMP BODIES</b>		
<b>1050.010</b>	MDA100961622R - Medium Duty Aluminum dump body, 8.3 foot long outside, 2.8 to 3.9 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 10 ton capacity, hydraulic system is required but not included, see below items for additional equipment	<b>\$ 9,303.74</b>
<b>1050.020</b>	MDA112961622R - Medium Duty Aluminum dump body, 9.3 foot long outside, 3.2 to 4.4 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 8.6 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 hoist upgrade	<b>\$ 9,369.94</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1050.030</b>	MDA118961622R - Medium Duty Aluminum dump body, 9.8 foot long outside, 3.4 to 4.6 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 8.1 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 hoist upgrade	<b>\$ 9,395.85</b>
<b>1050.040</b>	MDA124961622R - Medium Duty Aluminum dump body, 10.3 foot long outside, 3.5 to 4.9 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 40 double acting hoist rated at 9.6 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 heavy duty hoist upgrade	<b>\$ 10,124.06</b>
<b>1050.050</b>	MDA136961622R - Medium Duty Aluminum dump body, 11.3 foot long outside, 3.9 to 5.4 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 40 double acting hoist rated at 8.5 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 heavy duty hoist upgrade	<b>\$ 10,774.56</b>
<b>1050.060</b>	MDA142961622R - Medium Duty Aluminum dump body, 11.8 foot long outside, 4.1 to 5.6 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 40 double acting hoist rated at 8.2 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 heavy duty hoist upgrade	<b>\$ 10,814.86</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1050.070</b>	MDA1009612.518.5F - Medium Duty Aluminum dump body, 8.3 foot long outside, 2.3 to 3.4 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 10 ton capacity, hydraulic system is required but not included, see below items for additional equipment	<b>\$ 9,545.52</b>
<b>1050.080</b>	MDA1129612.518.5F - Medium Duty Aluminum dump body, 9.3 foot long outside, 2.6 to 3.8 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 8.6 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 hoist upgrade	<b>\$ 9,899.55</b>
<b>1050.090</b>	MDA1249612.518.5F - Medium Duty Aluminum dump body, 10.3 foot long outside, 2.8 to 4.2 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 7.6 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 and class 40 heavy duty hoist upgrades	<b>\$ 10,279.49</b>
<b>1050.100</b>	MDA1369612.518.5F - Medium Duty Aluminum dump body, 11.3 foot long outside, 3.1 to 4.6 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 7 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 and class 40 heavy duty hoist upgrades	<b>\$ 10,826.37</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1050.110</b>	MDA1489612.518.5F - Medium Duty Aluminum dump body, 12.3 foot long outside, 3.4 to 5.0 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 40 double acting hoist rated at 8 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 heavy duty hoist upgrade	<b>\$ 11,580.49</b>
<b>1050.120</b>	MDA112961723F - Medium Duty Aluminum dump body, 9.3 foot long outside, 3.5 to 4.7 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 20 double acting hoist rated at 8.6 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 hoist upgrade	<b>\$ 10,325.54</b>
<b>1050.130</b>	MDA124961723F - Medium Duty Aluminum dump body, 10.3 foot long outside, 3.9 to 5.2 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 40 double acting hoist rated at 9.6 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 heavy duty hoist upgrade	<b>\$ 10,659.43</b>
<b>1050.140</b>	MDA136961723F - Medium Duty Aluminum dump body, 11.3 foot long outside, 4.2 to 5.7 yard capacity, with 3/16 inch thick 5052 aluminum sides, bulkhead, tailgate, and floor, interlocking understructure with 8 inch high ¼ inch thick 5052 aluminum formed channel longitudinals and 3 inch 6061 aluminum I-beam crossmembers on 16 centers, integral cab shield, manual release dirt shedding three panel design tailgate with quick release upper hardware, dirt shedding lower side rub rails, dirt shedding boxed top rails, vertical side bracing, and full depth rear corner posts *Includes NTEA class 40 double acting hoist rated at 8.5 ton capacity, hydraulic system is required but not included, see below items for additional equipment and NTEA class 40 heavy duty hoist upgrade	<b>\$ 11,249.48</b>
<b>1050.150</b>	Upgrade NTEA class 20 hoist to NTEA class 40 hoist on applicable MDA bodies	<b>\$ 158.31</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1050.160</b>	Upgrade NTEA class 40 hoist to NTEA class 40 heavy duty hoist on applicable MDA bodies	\$ 273.44
<b>1050.170</b>	Add single acting electric power unit to any above selected MDA series body	\$ 331.01
<b>1050.180</b>	Add single acting electric power unit to any above selected MDA series body	\$ 460.54
<b>1050.190</b>	Add double acting PTO driven hydraulic power unit to any above selected MDA series body * System requires but does not include a PTO, see below	\$ 719.58
<b>1050.200</b>	Install center mounted coal door on above selected MDA series body	\$ 503.71

→ To Table of Contents

**CD SERIES COMMERCIAL DUTY STEEL DUMP BODIES**

<b>1100.090</b>	CD1088496442634 - Commercial duty steel dump body, 9 foot long, 5.1 to 6.6 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	\$ 6,273.26
<b>1100.095</b>	CD1088496443444 - Commercial duty steel dump body, 9 foot long, 6.6 to 8.6 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	\$ 6,504.96
<b>1100.100</b>	CD1208496483444 - Commercial duty steel dump body, 10 foot long, 7.3 to 9.5 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	\$ 7,029.27

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1100.105</b>	CD1208496584654 - Commercial duty steel dump body, 10 foot long, 9.9 to 11.7 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 7,402.65</b>
<b>1100.110</b>	CD1328395483444 - Commercial duty steel dump body, 11 foot long, 8.0 to 10.3 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1010 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 7,478.04</b>
<b>1100.115</b>	CD1328496584654 - Commercial duty steel dump body, 11 foot long, 10.9 to 12.8 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 7,671.34</b>
<b>1100.120</b>	CD1448496503444 - Commercial duty steel dump body, 12 foot long, 8.8 to 11.4 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 7,827.58</b>
<b>1100.125</b>	CD1448496584654 - Commercial duty steel dump body, 12 foot long, 11.9 to 14.0 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,236.70</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1100.130</b>	CD1568496503444 - Commercial duty steel dump body, 13 foot long, 9.5 to 12.4 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,252.42</b>
<b>1100.135</b>	CD1568496584654 - Commercial duty steel dump body, 13 foot long, 12.9 to 15.2 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,640.36</b>
<b>1100.140</b>	CD1688496583444 - Commercial duty steel dump body, 14 foot long, 10.3 to 13.3 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,489.42</b>
<b>1100.145</b>	CD1688496584654 - Commercial duty steel dump body, 14 foot long, 13.9 to 16.3 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,823.08</b>
<b>1100.150</b>	CD1808496583444 - Commercial duty steel dump body, 15 foot long, 11.0 to 14.3 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,894.72</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1100.155</b>	CD1808496584654 - Commercial duty steel dump body, 15 foot long, 14.9 to 17.5 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,289.28</b>
<b>1100.160</b>	CD1928496623444 - Commercial duty steel dump body, 16 foot long, 11.8 to 15.2 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,404.47</b>
<b>1100.165</b>	CD1928496624654 - Commercial duty steel dump body, 16 foot long, 15.9 to 18.7 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,804.32</b>
<b>1100.170</b>	CD2048496623444 - Commercial duty steel dump body, 17 foot long, 12.5 to 16.2 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,769.50</b>
<b>1100.175</b>	CD2048496624654 - Commercial duty steel dump body, 17 foot long, 16.9 to 19.8 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,177.30</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1100.180</b>	CD2168496623444 - Commercial duty steel dump body, 18 foot long, 13.2 to 17.1 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,970.75</b>
<b>1100.185</b>	CD2168496624654 - Commercial duty steel dump body, 18 foot long, 17.9 to 21.0 yard capacity, with 10 gauge A1011 steel sides, 10 gauge A1011 steel bulkhead, 10 gauge A1011 steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,390.47</b>

→ To Table of Contents

**CDS SERIES COMMERCIAL DUTY STAINLESS STEEL DUMP BODIES**

<b>1105.090</b>	CDS1088496442634 - Commercial duty stainless steel dump body, 9 foot long, 5.1 to 6.6 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,273.58</b>
<b>1105.095</b>	CDS1088496443444 - Commercial duty stainless steel dump body, 9 foot long, 6.6 to 8.6 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,761.45</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1105.100</b>	CDS1208496483444 - Commercial duty stainless steel dump body, 10 foot long, 7.3 to 9.5 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 12,493.98</b>
<b>1105.105</b>	CDS1208496584654 - Commercial duty stainless steel dump body, 10 foot long, 9.9 to 11.7 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,830.96</b>
<b>1105.110</b>	CDS1328395483444 - Commercial duty stainless steel dump body, 11 foot long, 8.0 to 10.3 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,200.24</b>
<b>1105.115</b>	CDS1328496584654 - Commercial duty stainless steel dump body, 11 foot long, 10.9 to 12.8 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 14,525.70</b>
<b>1105.120</b>	CDS1448496503444 - Commercial duty stainless steel dump body, 12 foot long, 8.8 to 11.4 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 14,150.08</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1105.125</b>	CDS1448496584654 - Commercial duty stainless steel dump body, 12 foot long, 11.9 to 14.0 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 14,567.44</b>
<b>1105.130</b>	CDS1568496503444 - Commercial duty stainless steel dump body, 13 foot long, 9.5 to 12.4 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 14,739.05</b>
<b>1105.135</b>	CDS1568496584654 - Commercial duty stainless steel dump body, 13 foot long, 12.9 to 15.2 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 16,153.74</b>
<b>1105.140</b>	CDS1688496583444 - Commercial duty stainless steel dump body, 14 foot long, 10.3 to 13.3 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 15,362.20</b>
<b>1105.145</b>	CDS1688496584654 - Commercial duty stainless steel dump body, 14 foot long, 13.9 to 16.3 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 16,513.53</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1105.150</b>	CDS1808496583444 - Commercial duty stainless steel dump body, 15 foot long, 11.0 to 14.3 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 15,923.82</b>
<b>1105.155</b>	CDS1808496584654 - Commercial duty stainless steel dump body, 15 foot long, 14.9 to 17.5 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,165.10</b>
<b>1105.160</b>	CDS1928496623444 - Commercial duty stainless steel dump body, 16 foot long, 11.8 to 15.2 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 16,822.58</b>
<b>1105.165</b>	CDS1928496624654 - Commercial duty stainless steel dump body, 16 foot long, 15.9 to 18.7 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 18,096.23</b>
<b>1105.170</b>	CDS2048496623444 - Commercial duty stainless steel dump body, 17 foot long, 12.5 to 16.2 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,323.75</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1105.175</b>	CDS2048496624654 - Commercial duty stainless steel dump body, 17 foot long, 16.9 to 19.8 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 18,688.07</b>
<b>1105.180</b>	CDS2168496623444 - Commercial duty stainless steel dump body, 18 foot long, 13.2 to 17.1 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,777.09</b>
<b>1105.185</b>	CDS2168496624654 - Commercial duty stainless steel dump body, 18 foot long, 17.9 to 21.0 yard capacity, with 10 gauge 304 stainless steel sides, 10 gauge 304 stainless steel bulkhead, 10 gauge 304 stainless steel tailgate, and 1/4" A1011 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 19,160.12</b>

→ [To Table of Contents](#)

**HD SERIES HEAVY DUTY STEEL DUMP BODIES**

<b>1110.090</b>	HD1088496442634 - Heavy duty steel dump body, 9 foot long, 5.1 to 6.6 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 7,487.39</b>
-----------------	---	--------------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1110.095</b>	HD1088496443444 - Heavy duty steel dump body, 9 foot long, 6.6 to 8.6 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 7,731.01</b>
<b>1110.100</b>	HD1208496483444 - Heavy duty steel dump body, 10 foot long, 7.3 to 9.5 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,375.81</b>
<b>1110.105</b>	HD1208496584654 - Heavy duty steel dump body, 10 foot long, 9.9 to 11.7 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,766.39</b>
<b>1110.110</b>	HD1328496483444 - Heavy duty steel dump body, 11 foot long, 8.1 to 10.5 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,939.76</b>
<b>1110.115</b>	HD1328496584654 - Heavy duty steel dump body, 11 foot long, 10.9 to 12.8 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,371.39</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1110.120</b>	HD1448496503444 - Heavy duty steel dump body, 12 foot long, 8.8 to 11.4 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,405.81</b>
<b>1110.125</b>	HD1448496584654 - Heavy duty steel dump body, 12 foot long, 11.9 to 14.0 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,830.83</b>
<b>1110.130</b>	HD1568496503444 - Heavy duty steel dump body, 13 foot long, 9.5 to 12.4 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,945.85</b>
<b>1110.135</b>	HD1568496584654 - Heavy duty steel dump body, 13 foot long, 12.9 to 15.2 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,348.35</b>
<b>1110.140</b>	HD1688496583444 - Heavy duty steel dump body, 14 foot long, 10.3 to 13.3 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,300.34</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1110.145</b>	HD1688496584654 - Heavy duty steel dump body, 14 foot long, 13.9 to 16.3 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,647.58</b>
<b>1110.150</b>	HD1808496583444 - Heavy duty steel dump body, 15 foot long, 11.0 to 14.3 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,826.47</b>
<b>1110.155</b>	HD1808496584654 - Heavy duty steel dump body, 15 foot long, 14.9 to 17.5 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,228.98</b>
<b>1110.160</b>	HD1928496623444 - Heavy duty steel dump body, 16 foot long, 11.8 to 15.2 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,454.06</b>
<b>1110.165</b>	HD1928496624654 - Heavy duty steel dump body, 16 foot long, 15.9 to 18.7 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,861.86</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1110.170</b>	HD2048496623444 - Heavy duty steel dump body, 17 foot long, 12.5 to 16.2 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,989.89</b>
<b>1110.175</b>	HD2048496624654 - Heavy duty steel dump body, 17 foot long, 16.9 to 19.8 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 12,405.63</b>
<b>1110.180</b>	HD2168496623444 - Heavy duty steel dump body, 18 foot long, 13.2 to 17.1 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 12,295.74</b>
<b>1110.185</b>	HD2168496624654 - Heavy duty steel dump body, 18 foot long, 17.9 to 21.0 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 12,724.72</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents		
<b>HDS SERIES HEAVY DUTY STAINLESS STEEL DUMP BODIES</b>		
<b>1115.090</b>	HDS1088496442634 - Heavy duty stainless steel dump body, 9 foot long, 5.1 to 6.6 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 12,551.55</b>
<b>1115.095</b>	HDS1088496443444 - Heavy duty stainless steel dump body, 9 foot long, 6.6 to 8.6 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,066.77</b>
<b>1115.100</b>	HDS1208496483444 - Heavy duty stainless steel dump body, 10 foot long, 7.3 to 9.5 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,990.71</b>
<b>1115.105</b>	HDS1208496584654 - Heavy duty stainless steel dump body, 10 foot long, 9.9 to 11.7 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 15,297.46</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1115.110</b>	HDS1328496483444 - Heavy duty stainless steel dump body, 11 foot long, 8.1 to 10.5 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 14,732.94</b>
<b>1115.115</b>	HDS1328496584654 - Heavy duty stainless steel dump body, 11 foot long, 10.9 to 12.8 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 16,104.46</b>
<b>1115.120</b>	HDS1448496503444 - Heavy duty stainless steel dump body, 12 foot long, 8.8 to 11.4 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 15,800.80</b>
<b>1115.125</b>	HDS1448496584654 - Heavy duty stainless steel dump body, 12 foot long, 11.9 to 14.0 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,211.17</b>
<b>1115.130</b>	HDS1568496503444 - Heavy duty stainless steel dump body, 13 foot long, 9.5 to 12.4 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 16,732.28</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1115.135</b>	HDS1568496584654 - Heavy duty stainless steel dump body, 13 foot long, 12.9 to 15.2 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,954.12</b>
<b>1115.140</b>	HDS1688496583444 - Heavy duty stainless steel dump body, 14 foot long, 10.3 to 13.3 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,248.94</b>
<b>1115.145</b>	HDS1688496584654 - Heavy duty stainless steel dump body, 14 foot long, 13.9 to 16.3 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 18,426.17</b>
<b>1115.150</b>	HDS1808496583444 - Heavy duty stainless steel dump body, 15 foot long, 11.0 to 14.3 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,921.37</b>
<b>1115.155</b>	HDS1808496584654 - Heavy duty stainless steel dump body, 15 foot long, 14.9 to 17.5 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 19,189.99</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1115.160</b>	HDS1928496623444 - Heavy duty stainless steel dump body, 16 foot long, 11.8 to 15.2 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 18,942.45</b>
<b>1115.165</b>	HDS1928496624654 - Heavy duty stainless steel dump body, 16 foot long, 15.9 to 18.7 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 20,242.01</b>
<b>1115.170</b>	HDS2048496623444 - Heavy duty stainless steel dump body, 17 foot long, 12.5 to 16.2 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 19,612.01</b>
<b>1115.175</b>	HDS2048496624654 - Heavy duty stainless steel dump body, 17 foot long, 16.9 to 19.8 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 21,002.24</b>
<b>1115.180</b>	HDS2168496623444 - Heavy duty stainless steel dump body, 18 foot long, 13.2 to 17.1 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 20,187.67</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1115.185</b>	HDS2168496624654 - Heavy duty stainless steel dump body, 18 foot long, 17.9 to 21.0 yard capacity, with 10 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 3/16" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 21,598.05</b>

→ [To Table of Contents](#)

**SD SERIES SEVERE DUTY STEEL DUMP BODIES**

<b>1120.090</b>	SD1088496442634 - Severe duty steel dump body, 9 foot long, 5.1 to 6.6 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,120.27</b>
<b>1120.095</b>	SD1088496443444 - Severe duty steel dump body, 9 foot long, 6.6 to 8.6 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 8,381.10</b>
<b>1120.100</b>	SD1208496483444 - Severe duty steel dump body, 10 foot long, 7.3 to 9.5 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,093.43</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1120.105</b>	SD1208496584654 - Severe duty steel dump body, 10 foot long, 9.9 to 11.7 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,511.82</b>
<b>1120.110</b>	SD1328496483444 - Severe duty steel dump body, 11 foot long, 8.1 to 10.5 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 9,724.90</b>
<b>1120.115</b>	SD1328496584654 - Severe duty steel dump body, 11 foot long, 10.9 to 12.8 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,188.31</b>
<b>1120.120</b>	SD1448496503444 - Severe duty steel dump body, 12 foot long, 8.8 to 11.4 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,262.46</b>
<b>1120.125</b>	SD1448496584654 - Severe duty steel dump body, 12 foot long, 11.9 to 14.0 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,720.57</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1120.130</b>	SD1568496503444 - Severe duty steel dump body, 13 foot long, 9.5 to 12.4 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 10,870.02</b>
<b>1120.135</b>	SD1568496584654 - Severe duty steel dump body, 13 foot long, 12.9 to 15.2 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,308.27</b>
<b>1120.140</b>	SD1688496583444 - Severe duty steel dump body, 14 foot long, 10.3 to 13.3 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,295.03</b>
<b>1120.145</b>	SD1688496584654 - Severe duty steel dump body, 14 foot long, 13.9 to 16.3 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,677.67</b>
<b>1120.150</b>	SD1808496583444 - Severe duty steel dump body, 15 foot long, 11.0 to 14.3 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 11,884.37</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1120.155</b>	SD1808496584654 - Severe duty steel dump body, 15 foot long, 14.9 to 17.5 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 12,329.24</b>
<b>1120.160</b>	SD1928496623444 - Severe duty steel dump body, 16 foot long, 11.8 to 15.2 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 12,580.80</b>
<b>1120.165</b>	SD1928496624654 - Severe duty steel dump body, 16 foot long, 15.9 to 18.7 yard capacity, with 10 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,033.62</b>
<b>1120.170</b>	SD2048496623444 - Severe duty steel dump body, 17 foot long, 12.5 to 16.2 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,184.16</b>
<b>1120.175</b>	SD2048496624654 - Severe duty steel dump body, 17 foot long, 16.9 to 19.8 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,647.57</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1120.180</b>	SD2168496623444 - Severe duty steel dump body, 18 foot long, 13.2 to 17.1 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,556.21</b>
<b>1120.185</b>	SD2168496624654 - Severe duty steel dump body, 18 foot long, 17.9 to 21.0 yard capacity, with 7 gauge A1011 steel sides, 7 gauge A1011 steel bulkhead, 7 gauge A1011 steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 14,035.51</b>

→ [To Table of Contents](#)

**SDS SERIES SEVERE DUTY STAINLESS STEEL DUMP BODIES**

<b>1125.090</b>	SDS1088496442634 - Severe duty stainless steel dump body, 9 foot long, 5.1 to 6.6 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 13,633.80</b>
<b>1125.095</b>	SDS1088496443444 - Severe duty stainless steel dump body, 9 foot long, 6.6 to 8.6 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 14,203.70</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1125.100</b>	SDS1208496483444 - Severe duty stainless steel dump body, 10 foot long, 7.3 to 9.5 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 15,229.82</b>
<b>1125.105</b>	SDS1208496584654 - Severe duty stainless steel dump body, 10 foot long, 9.9 to 11.7 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 16,641.63</b>
<b>1125.110</b>	SDS1328496483444 - Severe duty stainless steel dump body, 11 foot long, 8.1 to 10.5 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 16,072.80</b>
<b>1125.115</b>	SDS1328496584654 - Severe duty stainless steel dump body, 11 foot long, 10.9 to 12.8 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,560.89</b>
<b>1125.120</b>	SDS1448496503444 - Severe duty stainless steel dump body, 12 foot long, 8.8 to 11.4 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 17,248.59</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1125.125</b>	SDS1448496584654 - Severe duty stainless steel dump body, 12 foot long, 11.9 to 14.0 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 18,752.51</b>
<b>1125.130</b>	SDS1568496503444 - Severe duty stainless steel dump body, 13 foot long, 9.5 to 12.4 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 18,046.23</b>
<b>1125.135</b>	SDS1568496584654 - Severe duty stainless steel dump body, 13 foot long, 12.9 to 15.2 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 19,645.13</b>
<b>1125.140</b>	SDS1688496583444 - Severe duty stainless steel dump body, 14 foot long, 10.3 to 13.3 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 18,895.33</b>
<b>1125.145</b>	SDS1688496584654 - Severe duty stainless steel dump body, 14 foot long, 13.9 to 16.3 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 20,230.87</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1125.150</b>	SDS1808496583444 - Severe duty stainless steel dump body, 15 foot long, 11.0 to 14.3 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 19,669.95</b>
<b>1125.155</b>	SDS1808496584654 - Severe duty stainless steel dump body, 15 foot long, 14.9 to 17.5 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 21,106.95</b>
<b>1125.160</b>	SDS1928496623444 - Severe duty stainless steel dump body, 16 foot long, 11.8 to 15.2 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 20,791.77</b>
<b>1125.165</b>	SDS1928496624654 - Severe duty stainless steel dump body, 16 foot long, 15.9 to 18.7 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, manual (air optional) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 22,272.66</b>
<b>1125.170</b>	SDS2048496623444 - Severe duty stainless steel dump body, 17 foot long, 12.5 to 16.2 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 21,563.51</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1125.175</b>	SDS2048496624654 - Severe duty stainless steel dump body, 17 foot long, 16.9 to 19.8 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 23,145.14</b>
<b>1125.180</b>	SDS2168496623444 - Severe duty stainless steel dump body, 18 foot long, 13.2 to 17.1 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding six panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 22,234.16</b>
<b>1125.185</b>	SDS2168496624654 - Severe duty stainless steel dump body, 18 foot long, 17.9 to 21.0 yard capacity, with 7 gauge 304 stainless steel sides, 7 gauge 304 stainless steel bulkhead, 7 gauge 304 stainless steel tailgate, and 1/4" AR400 steel floor, western style crossmemberless understructure with tubular or structural steel longitudinals, air (must order separate kit) release dirt shedding nine panel design tailgate with heavy duty upper and lower tailgate hardware, dirt shedding lower side rub rails, dirt shedding horizontal side bracing, dirt shedding boxed top rails, and full depth front and rear corner posts *No hoist or cab shield included, see below items for additional equipment	<b>\$ 23,846.01</b>

→ [To Table of Contents](#)

**BUILD OPTIONS - CD/HD/SD/CDS/HDS/SDS BODIES**

<b>1130.005</b>	Drill holes in all body parts to allow steel bodies to be galvanized. Note that special requires on body styles and materials are required for galvanizing process. Galvanizing not included, Contact factory for galvanizing pricing.	<b>\$ 2,878.32</b>
<b>1130.010</b>	Taper inside front 82" (narrow) to inside rear 84"(wider)	<b>\$ 287.84</b>
<b>1130.015</b>	Taper inside front 82" (narrow) to inside rear 86"(wider)	<b>\$ 575.67</b>
<b>1130.020</b>	Elliptical body in lieu of standard rectangular, per overall foot of body length	<b>\$ 35.98</b>
<b>1130.025</b>	Elliptical body with 26" radius in lieu of standard elliptical	<b>\$ 1,151.33</b>
<b>1130.030</b>	No side to floor radius, 90 degree corner	<b>\$ 287.84</b>
<b>1130.035</b>	8" structural steel rear body apron without ICC light holes	<b>\$ 672.09</b>
<b>1130.040</b>	Radius round front corner pillar in lieu of standard	<b>\$ 143.92</b>
<b>1130.045</b>	Asphalt rear tapered tailgate in lieu of straight vertical tailgate	<b>\$ 575.67</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1130.050	Light cutouts in rear corner post of body, cost per pair	\$ 71.96
1130.055	Light cutouts in front corner post for marker lights	\$ 143.92
1130.060	Water tight tailgate assembly in lieu of standard	\$ 513.78
1130.065	Hydraulic operated tailgate , gate saver	\$ 3,453.98
1130.070	45 degree radius corners in lieu of standard	\$ 719.58
1130.075	Flush mount upper tailgate hardware in lieu of offset tailgate hardware	\$ 431.75
1130.080	87" ID x 96" OD in lieu of standard 84" ID x 96" OD	\$ 575.67
1130.085	90-93" ID x 102" OD in lieu of standard 84" I.D. x 96" OD	\$ 935.46
1130.090	Combination double acting/barn door style swing tailgate	\$ 2,158.74
1130.095	Floor plate 3/16" AR400 abrasion resistant 180,000 psi steel, in lieu of 1/4" A1011, per overall foot of body length	\$ 142.48
1130.100	Floor plate 1/4" AR400 abrasion resistant 180,000 psi steel, in lieu of 1/4" A1011, per overall foot of body length	\$ 201.49
1130.105	Floor plate 1/4" AR400 abrasion resistant 180,000 psi steel, in lieu of 3/16" AR400, per overall foot of body length	\$ 64.77
1130.110	Floor Plate, 1/4" 304 stainless steel floor in lieu of 1/4" A1011 floor, per overall foot of body length	\$ 136.72
1130.115	Floor Plate, 1/4" 304 stainless steel floor in lieu of 3/16" AR400 floor, per overall foot of body length	\$ 35.98
1130.120	Floor Plate, 1/4" 304 stainless steel floor in lieu of 1/4" AR400 floor, per overall foot of body length	\$ 21.59
1130.125	Longitudinals, setup for hook lift application in lieu of standard	\$ 287.84
1130.130	Interlocking under structure in lieu of western style	\$ 143.92
1130.135	Structural steel stacked under structure in lieu of western style	\$ 287.84
1130.140	Continuous welded western understructure in lieu of standard	\$ 215.88
1130.145	Longitudinals, 7 gauge - 7 gauge A1011 steel tubular longitudinals in lieu of I-BEAM A36 steel, per overall foot of body length	\$ 7.20
1130.150	Longitudinals, 1/4" - 7 gauge A1011 steel tubular longitudinals in lieu of I-BEAM A36 steel, per overall foot of body length	\$ 14.40
1130.155	Longitudinals, 1/4" - 1/4" A1011 steel tubular longitudinals in lieu of I-BEAM A36 steel, per overall foot of body length	\$ 21.59
1130.160	Longitudinals, 1/4" - 7 gauge A1011 steel tubular longitudinals in lieu of 7 gauge - 7 gauge A1011 steel, applicable to CD & CDS series bodies, per overall foot of body length	\$ 28.79

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1130.165	Longitudinals, 1/4" - 1/4" A1011 steel tubular longitudinals in lieu of 7 gauge - 7 gauge A1011 steel, applicable to CD & CDS series bodies, per overall foot of body length	\$ 57.57
1130.170	Longitudinals, 1/4" - 1/4" A1011 steel tubular longitudinals in lieu of 1/4" - 7 gauge A1011 steel, applicable to HD & HDS series bodies, per overall foot of body length	\$ 28.79
1130.175	Longitudinals, 7 gauge - 7 gauge 304 stainless steel tubular longitudinals in lieu of 7 gauge - 7 gauge A1011 steel, applicable to CD & CDS series bodies, per overall foot of body length	\$ 158.31
1130.180	Longitudinals, 1/4" - 7 gauge 304 stainless steel tubular longitudinals in lieu of 7 gauge - 7 gauge A1011 steel, applicable to CD & CDS series bodies, per overall foot of body length	\$ 201.49
1130.185	Longitudinals, 1/4" - 1/4" 304 stainless steel tubular longitudinals in lieu of 7 gauge - 7 gauge A1011 steel, applicable to CD & CDS series bodies, per overall foot of body length	\$ 208.68
1130.190	Longitudinals, 1/4" - 7 gauge 304 stainless steel tubular longitudinals in lieu of 1/4" - 7 gauge A1011 steel, applicable to HD & HDS series bodies, per overall foot of body length	\$ 172.70
1130.195	Longitudinals, 1/4" - 1/4" 304 stainless steel tubular longitudinals in lieu of 1/4" - 7 gauge A1011 steel, applicable to HD & HDS series bodies, per overall foot of body length	\$ 187.10
1130.200	Longitudinals, 1/4" - 1/4" 304 stainless steel tubular longitudinals in lieu of 1/4" - 1/4" A1011 steel, applicable to SD & SDS series bodies, per overall foot of body length	\$ 179.90
1130.205	Special longitudinal spacing in lieu of standard	\$ 287.84
1130.210	Western understructure with non-flush floor	\$ 575.67
1130.215	Vertical side bracing, steel bodies, per required brace	\$ 21.59
1130.220	Vertical side bracing, stainless steel bodies, per required brace	\$ 43.18
1130.230	Stainless steel rear rub rail and rear corner post in lieu of A1011 steel	\$ 719.58
1130.240	Stainless steel tailgate in lieu of A1011 steel	\$ 1,439.16
1130.250	Stainless steel upper tailgate hardware	\$ 424.56
1130.260	Stainless steel lower tailgate hardware	\$ 316.62
1130.270	Bed Liner, 3/8" thick (non-asphalt type), per overall foot of body	\$ 254.74
1130.280	Bed Liner, 1/2" thick (hot-asphalt type), per overall foot of body	\$ 341.09
1130.290	Patch gate, steel rotary drum style, per each installed; specify location	\$ 192.85
1130.300	Patch gate, steel sliding offset handle style, per each installed; specify location and handle direction	\$ 192.85

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1130.310	Patch gate, steel, sliding with inline handle style, per each installed; left side handle location; specify location	\$ 192.85
1130.320	Patch gate, steel, sliding with inline handle style, per each installed; right side handle location; specify location	\$ 192.85
1130.330	Patch gate, stainless steel rotary drum style, per each installed; specify location	\$ 482.12
1130.340	Patch gate, stainless steel sliding offset handle style, per each installed; specify location and handle direction	\$ 482.12
1130.350	Patch gate, stainless steel, sliding with inline handle style, per each installed; left side handle location; specify location	\$ 482.12
1130.360	Patch gate, stainless steel, sliding with inline handle style, per each installed; right side handle location; specify location	\$ 482.12
1130.370	Air operated tailgate latching system, in lieu of manual, air cylinder brackets only * Must order item number 1800.010 for complete system installation	\$ 237.47
1130.380	Manual operated override secondary tailgate latching system with removable handle and air primary control * Must order item number 1800.010 for complete system installation	\$ 640.43
1130.390	Vertical sliding tailgate, operated with dual 3.5" nitrided double acting hydraulic cylinders, tailgate slides vertically up to 18" above the floor * This option requires a double acting hydraulic valve section, additional in cab control, and dump body to have air tailgate operated release	\$ 3,094.19

→ To Table of Contents

**COMBINATION DUMP BODY/SPREADER UPGRADE OPTIONS**

1140.005	Combination dump body spreader build option: DBS10884963444AF - upgrade option for base dump body model SD1088496443444, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD1088496443444 base body price, item # 1120.095	\$ 14,999.00
1140.010	Combination dump body spreader build option: DBS12084963444AF - upgrade option for base dump body model SD1208496483444, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD1208496483444 base body price, item # 1120.100	\$ 14,592.13
1140.015	Combination dump body spreader build option: DBS14484964654AF - upgrade option for base dump body model SD1448496584654, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD1448496584654 base body price, item # 1120.125	\$ 18,422.97

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1140.020</b>	Combination dump body spreader build option: DBS15684964654AF - upgrade option for base dump body model SD1568496584654, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD1568496584654 base body price, item # 1120.135	<b>\$ 18,655.22</b>
<b>1140.025</b>	Combination dump body spreader build option: DBS16884964654AF - upgrade option for base dump body model SD1688496584654, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD1688496584654 base body price, item # 1120.145	<b>\$ 18,839.54</b>
<b>1140.030</b>	Combination dump body spreader build option: DBS18084964654AF - upgrade option for base dump body model SD1808496584654, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD1808496584654 base body price, item # 1120.155	<b>\$ 21,346.19</b>
<b>1140.035</b>	Combination dump body spreader build option: DBS19284964654AF - upgrade option for base dump body model SD1928496624654, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD1928496624654 base body price, item # 1120.165	<b>\$ 22,236.03</b>
<b>1140.040</b>	Combination dump body spreader build option: DBS20484964654AF - upgrade option for base dump body model SD2048496624654, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD2048496624654 base body price, item # 1120.175	<b>\$ 23,631.50</b>
<b>1140.045</b>	Combination dump body spreader build option: DBS21684964654AF - upgrade option for base dump body model SD2168496624654, includes cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, and rear spinner assembly; specify standard interlocking or western style understructure * Add to SD2168496624654 base body price, item # 1120.185	<b>\$ 24,928.45</b>
<b>1140.050</b>	Combination dump body spreader build option: DBS12084963444AFS - upgrade option for base dump body model CDS1208496483444, includes stainless steel cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, 1/4 inch AR-400 floor, and rear spinner assembly; specify standard interlocking or western style understructure * Add to CDS1208496483444 base body price, item # 1105.100	<b>\$ 22,255.46</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1140.055</b>	Combination dump body spreader build option: DBS15684964654AFS - upgrade option for base dump body model CDS1568496584654, includes stainless steel cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, 1/4 inch AR-400 floor, and rear spinner assembly; specify standard interlocking or western style understructure * Add to CDS1568496584654 base body price, item # 1105.135	<b>\$ 25,165.06</b>
<b>1140.060</b>	Combination dump body spreader build option: DBS16884964654AFS - upgrade option for base dump body model CDS1688496584654, includes stainless steel cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, 1/4 inch AR-400 floor, and rear spinner assembly; specify standard interlocking or western style understructure * Add to CDS1688496584654 base body price, item # 1105.145	<b>\$ 25,978.19</b>
<b>1140.065</b>	Combination dump body spreader build option: DBS18084964654AFS - upgrade option for base dump body model CDS1808496584654, includes stainless steel cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, 1/4 inch AR-400 floor, and rear spinner assembly; specify standard interlocking or western style understructure * Add to CDS1808496584654 base body price, item # 1105.155	<b>\$ 26,766.85</b>
<b>1140.070</b>	Combination dump body spreader build option: DBS19284964654AFS - upgrade option for base dump body model CDS1928496624654, includes stainless steel cab shield, telescopic hoist, integral drag chain conveyor, rear discharge tailgate with center mounted adjustable door, 1/4 inch AR-400 floor, and rear spinner assembly; specify standard interlocking or western style understructure * Add to CDS1928496624654 base body price, item # 1105.165	<b>\$ 26,864.71</b>
<b>1140.075</b>	Upgrade 10 ft stainless steel combination dump body spreader to include 1/4" stainless steel floor and stainless steel tubular longitudinals in lieu of AR-400 steel floor and steel longitudinals on body; available for DBS12084963444AFS with uni-body type understructure only	<b>\$ 1,531.27</b>
<b>1140.080</b>	Upgrade 13 ft stainless steel combination dump body spreader to include 1/4" stainless steel floor and stainless steel tubular longitudinals in lieu of AR-400 steel floor and steel longitudinals on body; available for DBS15684964654AFS with uni-body type understructure only	<b>\$ 1,948.62</b>
<b>1140.085</b>	Upgrade 14 ft stainless steel combination dump body spreader to include 1/4" stainless steel floor and stainless steel tubular longitudinals in lieu of AR-400 steel floor and steel longitudinals on body; available for DBS16884964654AFS with uni-body type understructure only	<b>\$ 2,006.19</b>
<b>1140.090</b>	Upgrade 15 ft stainless steel combination dump body spreader to include 1/4" stainless steel floor and stainless steel tubular longitudinals in lieu of AR-400 steel floor and steel longitudinals on body; available for DBS18084964654AFS with uni-body type understructure only	<b>\$ 2,066.63</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1140.095	Upgrade 16 ft stainless steel combination dump body spreader to include 1/4" stainless steel floor and stainless steel tubular longitudinals in lieu of AR-400 steel floor and steel longitudinals on body; available for DBS19284964654AFS with uni-body type understructure only	\$ 2,066.63
1140.100	Add air tailgate release linkage to above selected combination dump body spreader *Must also select item number 1800.005 to complete this option	\$ 457.30
1140.105	Change above selected combination dump body spreader to front discharge in lieu of standard rear discharge	\$ 359.79
1140.110	Upgrade 9 ft or 10 ft combination dump body spreader to include front and rear discharge *Requires additional hydraulic valving and controls to select front or rear spread function	\$ 2,211.99
1140.115	Upgrade 12 ft through 18 ft combination dump body spreader to include front and rear discharge *Requires additional hydraulic valving and controls to select front or rear spread function	\$ 3,027.99
1140.120	Add heavy duty steel hinged top screens; available with DBS10884963444AF, 9 ft combination dump body spreader	\$ 1,429.07
1140.125	Add heavy duty steel hinged top screens; available with DBS12084963444AF and DBS12084963444AFS, 10 ft combination dump body spreaders	\$ 1,479.80
1140.130	Add heavy duty steel hinged top screens; available with DBS14484964654AF, 12 ft combination dump body spreader	\$ 1,783.10
1140.135	Add heavy duty steel hinged top screens; available with DBS15684964654AF and DBS15684964654AFS, 13 ft combination dump body spreaders	\$ 1,902.91
1140.140	Add heavy duty steel hinged top screens; available with DBS16884964654AF and DBS16884964654AFS, 14 ft combination dump body spreaders	\$ 2,297.96
1140.145	Add heavy duty steel hinged top screens; available with DBS18084964654AF and DBS18084964654AFS, 15 ft combination dump body spreaders	\$ 2,628.24
1140.150	Add heavy duty steel hinged top screens; available with DBS19284964654AF and DBS19284964654AFS, 16 ft combination dump body spreaders	\$ 2,999.91
1140.155	Add heavy duty steel hinged top screens; available with DBS12084963444AF and DBS12084963444AFS combination dump body spreaders	\$ 3,395.67
1140.160	Add heavy duty steel hinged top screens; available with DBS12084963444AF and DBS12084963444AFS combination dump body spreaders	\$ 3,778.85
1140.165	Upgrade combination dump body spreader to include poly spinner disc in lieu of standard steel, specify 20" or 24" diameter	\$ 136.72
1140.170	Upgrade combination dump body spreader to include sloped hopper sides, bolt in, removable, (per foot of overall body length)	\$ 153.99

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1140.175	Upgrade combination dump body spreader to include a conveyor cover plate, 7 gauge steel (per foot of overall body length)	\$ 34.18
1140.180	Upgrade combination dump body spreader to include a conveyor cover plate, 7 gauge stainless steel (per foot of overall body length)	\$ 62.97
1140.185	Extreme duty spinner mounting with bolt on steel housing, adjustable deflector panels, and integrated tubular rear bumper in lieu of standard stow away spinner assembly (requires pintle mounting plate see item category 1890)	\$ 1,583.08

→ To Table of Contents

**PMX SERIES PRO MAX STEEL HEAVY DUTY DUMP BODIES**

1150.005	PMX10884962636-PRO MAX STEEL 9' long 5.1/7.0 yard style body with 10 gauge high tensile steel sides, bulkhead, tailgate, and 1/2 size cab protector , 8 gauge high tensile steel floor, structural steel stacked understructure with 4" crossmembers on 12" centers and 7" longitudinals , 26" sides x 36" double acting tailgate with heavy duty upper and lower tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 50 17 ton capacity DA hydraulic hoist assembly. Less hydraulics.	\$ 7,995.55
1150.010	PMX12084962636-PRO MAX STEEL 10' long 5.6/7.8 yard style body with 10 gauge high tensile steel sides, bulkhead, tailgate, and 1/2 size cab protector , 8 gauge high tensile steel floor, structural steel stacked understructure with 4" crossmembers on 12" centers and 7" longitudinals , 26" sides x 36" double acting tailgate with heavy duty upper and lower tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 50 ton DA hydraulic hoist assembly. Less hydraulics.	\$ 8,087.65
1150.015	PMX12084963040-PRO MAX STEEL 10' long 6.5/8.6 yard style body with 10 gauge high tensile steel sides, bulkhead, tailgate, and 1/2 size cab protector , 8 gauge high tensile steel floor, structural steel stacked understructure with 4" crossmembers on 12" centers and 7" longitudinals , 26" sides x 36" double acting tailgate with heavy duty upper and lower tailgate hardware, dirt shedding box top rails, dirt shedding lower rub rails, full depth rear corner post, vertical side and tailgate reinforcement bracing. Includes underbody class 50 capacity DA hydraulic hoist assembly. Less hydraulics.	\$ 8,421.54
1150.020	PMX OPTION- Patch gate installed, per each	\$ 230.27
1150.025	PMX OPTION- Less hydraulic hoist, dump body and 1/2 cab shield only - DEDUCT	\$ (2,720.01)
1150.030	PMX OPTION- Single acting hydraulic hoist kit, includes PTO driven hydraulic pump, hydraulic reservoir, hydraulic hoses for single acting hoist, and cab control. Transmission mounted PTO gear not included.	\$ 1,248.29
1150.035	PMX OPTION- Double acting hydraulic hoist kit, includes PTO driven hydraulic pump, hydraulic reservoir, hydraulic hoses for single acting hoist, and cab control. Transmission mounted PTO gear not included.	\$ 1,536.12

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents <b>COMBINATION DUMP BODY SPREADERS, FORWARD TILTING</b>		
<b>1160.005</b>	Combination dump body spreader, 9.5 ft long, 3 to 4 yard capacity, 10 gauge Corten steel construction, 15 inch sides, 20 inch tailgate, rear dumping, forward tilting for spreader function, cross chain conveyor at front, rearward sloped head sheet, includes underbody hoist, integral conveyor, and adjustable spinner assembly.	<b>\$ 18,546.87</b>
<b>1160.010</b>	Combination dump body spreader, 10 ft long, 6 to 7 yard capacity, 10 gauge Corten steel construction with 3/16" Corten floor, 28 inch sides, 34 inch tailgate, rear dumping, forward tilting for spreader function, cross chain conveyor at front, two position folding head sheet, includes underbody hoist, integral conveyor, and adjustable spinner assembly.	<b>\$ 19,770.87</b>
<b>1160.015</b>	Combination dump body spreader, 10.5 ft long, 6 to 7 yard capacity, 10 gauge Corten steel construction with 3/16" Corten floor, 28 inch sides, 34 inch tailgate, rear dumping, forward tilting for spreader function, cross chain conveyor at front, two position folding head sheet, includes underbody hoist, integral conveyor, and adjustable spinner assembly.	<b>\$ 20,206.07</b>
<b>1160.020</b>	Combination dump body spreader, 14 ft long, 13 to 11 yard capacity, 10 gauge Corten steel construction with 7 gauge Corten steel tailgate and 3/16" Corten floor, 28 inch sides, 34 inch tailgate, rear dumping, forward tilting for spreader function, cross chain conveyor at front, two position folding head sheet, includes underbody hoist, integral conveyor, and adjustable spinner assembly.	<b>\$ 27,723.16</b>
<b>1160.025</b>	Combination dump body spreader, 10 ft long, 6 to 7 yard capacity, 10 gauge 304 stainless steel construction with 1/4" 304 stainless steel floor, 28 inch sides, 34 inch tailgate, rear dumping, forward tilting for spreader function, cross chain conveyor at front, two position folding head sheet, includes underbody hoist, integral conveyor, and adjustable spinner assembly.	<b>\$ 28,837.56</b>
<b>1160.030</b>	Air tailgate release	<b>\$ 587.61</b>
<b>1160.035</b>	Coal door, flush mount installed	<b>\$ 444.27</b>
<b>1160.040</b>	Lever operated system to change between forward and rear dumping modes, in lieu of manual lock , for 10, 10.5, and 14 ft combination dump body spreaders	<b>\$ 817.01</b>
<b>1160.045</b>	Poly spinner in lieu of standard steel	<b>\$ 290.14</b>
<b>1160.050</b>	Spinner deflector (fixed type), for 10 and 10.5 ft combination dump body spreaders	<b>\$ 344.11</b>
<b>1160.055</b>	Spinner deflector (hinged type), for 10 and 10.5 ft combination dump body spreaders	<b>\$ 443.84</b>
<b>1160.060</b>	Top screen package, for 9.5 ft combination dump body spreaders	<b>\$ 1,200.90</b>
<b>1160.065</b>	Top screen package, for 10 ft combination dump body spreaders	<b>\$ 1,518.23</b>
<b>1160.070</b>	Top screen package, for 10.5 ft combination dump body spreaders	<b>\$ 1,518.23</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1160.075</b>	Top screen package, for 14 ft combination dump body spreaders	<b>\$ 2,044.10</b>
→ To Table of Contents	<b>COMBINATION DUMP BODY SPREADERS, SIDE TILTING</b>	
<b>1170.005</b>	Combination dump body spreader, medium duty, 8 ft long, 2.8 to 3.5 cubic yard capacity, 16 inch sides, 20 inch tailgate, 10 gauge Corten construction, with 3/16" Corten floor, rear dumping with underbody hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted spinner assembly, includes 24" cab shield	<b>\$ 19,138.53</b>
<b>1170.010</b>	Combination dump body spreader, medium duty, 9 ft long, 3.1 to 3.9 cubic yard capacity, 16 inch sides, 20 inch tailgate, 10 gauge Corten construction, with 3/16" Corten floor, rear dumping with underbody hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted spinner assembly, includes 24" cab shield	<b>\$ 19,220.13</b>
<b>1170.015</b>	Combination dump body spreader, medium duty, 9.5 ft long, 3.2 to 4.3 cubic yard capacity, 15 inch sides, 20 inch tailgate, 10 gauge Corten construction, with 3/16" Corten floor, rear dumping with underbody hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 22,864.94</b>
<b>1170.020</b>	Combination dump body spreader, heavy duty, 9 ft long, 6.1 to 7.9 cubic yard capacity, 30 inch sides, 39 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 24,650.50</b>
<b>1170.025</b>	Combination dump body spreader, heavy duty, 10 ft long, 6.8 to 8.8 cubic yard capacity, 30 inch sides, 39 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 24,750.50</b>
<b>1170.030</b>	Combination dump body spreader, heavy duty, 11 ft long, 7.1 to 9.7 cubic yard capacity, 30 inch sides, 39 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 26,436.91</b>
<b>1170.035</b>	Combination dump body spreader, heavy duty, 12 ft long, 7.8 to 10.1 cubic yard capacity, 30 inch sides, 39 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 29,855.05</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1170.040</b>	Combination dump body spreader, heavy duty, 13 ft long, 11.2 to 15.8 cubic yard capacity, 38 inch sides, 50 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 31,120.33</b>
<b>1170.045</b>	Combination dump body spreader, heavy duty, 13 ft long, 11.2 to 15.8 cubic yard capacity, 38 inch sides, 50 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side, grease cylinder take-up assembly, and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 31,238.20</b>
<b>1170.050</b>	Combination dump body spreader, heavy duty, 14 ft long, 12.1 to 16.8 cubic yard capacity, 38 inch sides, 50 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 32,054.20</b>
<b>1170.055</b>	Combination dump body spreader, heavy duty, 14 ft long, 12.1 to 16.8 cubic yard capacity, 38 inch sides, 50 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side, grease cylinder take-up assembly, and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 32,163.00</b>
<b>1170.060</b>	Combination dump body spreader, heavy duty, 15 ft long, 14.3 to 18.3 cubic yard capacity, 42 inch sides, 54 inch tailgate, 7 gauge Corten construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side, grease cylinder take-up assembly, and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 33,604.61</b>
<b>1170.065</b>	Combination dump body spreader, medium duty, 9 ft long, 3.1 to 3.9 cubic yard capacity, 16 inch sides, 20 inch tailgate, 10 gauge 304 stainless steel construction, with 3/16" Corten floor, rear dumping with underbody hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted spinner assembly, includes 24" cab shield	<b>\$ 25,357.13</b>
<b>1170.070</b>	Combination dump body spreader, medium duty, 9.5 ft long, 3.2 to 4.3 cubic yard capacity, 15 inch sides, 20 inch tailgate, 10 gauge 304 stainless steel construction, with 3/16" Corten floor, rear dumping with underbody hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	<b>\$ 28,095.27</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1170.075	Combination dump body spreader, medium duty, 9.5 ft long, 5.2 to 6.5 cubic yard capacity, 24 inch sides, 30 inch tailgate, 10 gauge 304 stainless steel construction, with 3/16" Corten floor, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	\$ 29,419.00
1170.080	Combination dump body spreader, heavy duty, 9 ft long, 6.1 to 7.9 cubic yard capacity, 30 inch sides, 39 inch tailgate, 7 gauge 304 stainless steel construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	\$ 31,612.57
1170.085	Combination dump body spreader, heavy duty, 10 ft long, 6.8 to 8.8 cubic yard capacity, 30 inch sides, 39 inch tailgate, 7 gauge 304 stainless steel construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	\$ 31,712.57
1170.090	Combination dump body spreader, heavy duty, 13 ft long, 11.2 to 15.8 cubic yard capacity, 38 inch sides, 50 inch tailgate, 7 gauge 304 stainless steel construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	\$ 41,935.74
1170.095	Combination dump body spreader, heavy duty, 14 ft long, 12.1 to 16.8 cubic yard capacity, 38 inch sides, 50 inch tailgate, 7 gauge 304 stainless steel construction, rear dumping with front mounted telescopic hoist, side tilting floor for spreader function with integral conveyor on driver's side and front mounted adjustable spinner assembly with chute, includes 24" cab shield	\$ 43,830.68
1170.100	D/A Hoist cylinder on any 9 - 12 ft side tilting combination dump body spreader	\$ 598.41
1170.105	D/A Hoist cylinder on any 13 - 15 ft side tilting combination dump body spreader	\$ 761.61
1170.110	Coal door installed in tailgate, specify position	\$ 444.27
1170.115	Coal door installed in tailgate, 304 stainless steel, specify position	\$ 888.54
1170.120	HI-Temp tilt floor wiper on side tilting combination dump body spreaders	\$ 154.14
1170.125	3-Way tailgate in lieu of two way	\$ 2,520.26
1170.130	Top screen package for 8 and 9 ft side tilting medium duty combination dump body spreaders	\$ 1,790.23
1170.135	Top screen package for 9.5 ft side tilting medium duty combination dump body spreaders	\$ 1,862.77
1170.140	Top screen package for 9 through 12 ft side tilting heavy duty combination dump body spreaders	\$ 2,261.70

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1170.145</b>	Top screen package for 13 through 15 ft side tilting heavy duty combination dump body spreaders	<b>\$ 2,321.08</b>
<b>1170.150</b>	Polymer spinner and hub in lieu of steel on side tilting combination dump body spreaders	<b>\$ 290.14</b>
<b>1170.155</b>	Spinner deflector fixed type on side tilting combination dump body spreaders	<b>\$ 290.14</b>
<b>1170.160</b>	Spinner deflector hinged type on side tilting combination dump body spreaders	<b>\$ 389.87</b>
<b>1170.165</b>	Summer chute (windrow) on side tilting heavy duty combination dump body spreaders	<b>\$ 299.21</b>
<b>1170.170</b>	Hydraulic metering door on side tilting heavy duty combination dump body spreaders	<b>\$ 435.21</b>
<b>1170.175</b>	Body mounted spinner chute on side tilting heavy duty combination dump body spreaders	<b>\$ 281.07</b>

→ [To Table of Contents](#)

**KBS & KBT SERIES DUMP BODIES**

<b>1180.005</b>	KBSL dump body, 9 ft long, 4.8 to 6.8 yard capacity, 10ga steel construction, 25" high sides, 35" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with stacked understructure, 6" I-beam longills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 5,388.39</b>
<b>1180.010</b>	KBSL dump body, 10 ft long, 5.4 to 7.5 yard capacity, 10ga steel construction, 25" high sides, 35" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with stacked understructure, 6" I-beam longills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 5,968.92</b>
<b>1180.015</b>	KBS dump body, 9 ft long, 5 to 7 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with stacked understructure, 6" I-beam longills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 6,367.59</b>
<b>1180.020</b>	KBS dump body, 9 ft long, 5 to 7 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/8" steel floor with stacked understructure, 6" I-beam longills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 6,757.46</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1180.025</b>	KBS dump body, 10 ft long, 5.6 to 7.7 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>6,476.66</b>
<b>1180.030</b>	KBS dump body, 10 ft long, 5.6 to 7.7 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/8" steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>6,866.53</b>
<b>1180.035</b>	KBS dump body, 10 ft long, 6.4 to 8.4 yard capacity, 3/16" steel construction, 30" high sides, 39" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>6,685.19</b>
<b>1180.040</b>	KBS dump body, 10 ft long, 6.4 to 8.4 yard capacity, 3/16" steel construction, 30" high sides, 39" high six panel tailgate with heavy duty offset hardware, 3/8" steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>7,093.19</b>
<b>1180.045</b>	KBS dump body, 10 ft long, 7.7 to 9.1 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>7,201.99</b>
<b>1180.050</b>	KBS dump body, 10 ft long, 6.4 to 8.4 yard capacity, 3/16" 304 stainless steel construction, 30" high sides, 39" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>12,223.79</b>
<b>1180.055</b>	KBT dump body, 13 ft long, 10.1 to 11.8 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>11,141.95</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1180.060</b>	KBT dump body, 13 ft long, 11.8 to 13.5 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,223.55</b>
<b>1180.065</b>	KBT dump body, 13 ft long, 13.5 to 15.1 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist KBT13D4854-H5 (13.5-15.1)	<b>\$ 11,350.49</b>
<b>1180.070</b>	KBT dump body, 13.5 ft long, 10.5 to 12.3 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,377.69</b>
<b>1180.075</b>	KBT dump body, 13 ft long, 10.1 to 11.8 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,713.16</b>
<b>1180.080</b>	KBT dump body, 13.5 ft long, 14.0 to 15.8 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 12,048.62</b>
<b>1180.085</b>	KBT dump body, 13 ft long, 10.1 to 11.8 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,631.55</b>
<b>1180.090</b>	KBT dump body, 14 ft long, 12.7 to 14.5 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR steel tailgate with heavy duty offset hardware, 1/4" AR steel floor with stacked understructure, 6" I-beam longsills and 4" I-beam crossmembers on 12" centers * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,776.62</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ <a href="#">To Table of Contents</a> <b>MS &amp; MR SERIES DUMP BODIES</b>		
<b>1181.005</b>	MSL dump body, 9 ft long, 3 to 4 yard capacity, 10 ga steel construction, 16" high sides, 20" high six panel tailgate with heavy duty offset hardware, 10 ga steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>5,678.52</b>
<b>1181.010</b>	MSL dump body, 9 ft long, 3 to 4 yard capacity, 10 ga 304 stainless steel construction, 16" high sides, 20" high six panel tailgate with heavy duty offset hardware, 10 ga steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>8,859.78</b>
<b>1181.015</b>	MSL dump body, 10 ft long, 3 to 4 yard capacity, 10 ga steel construction, 24" high sides, 30" high six panel tailgate with heavy duty offset hardware, 10 ga steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>6,104.92</b>
<b>1181.020</b>	MS dump body, 9 ft long, 5 to 7 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>7,210.79</b>
<b>1181.025</b>	MS dump body, 9 ft long, 7 to 9 yard capacity, 3/16" steel construction, 30" high sides, 39" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>7,364.93</b>
<b>1181.030</b>	MS dump body, 10 ft long, 6 to 8 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>7,863.86</b>
<b>1181.035</b>	MS dump body, 10 ft long, 6 to 8 yard capacity, 3/16" 304 stainless steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	\$ <b>13,103.26</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1181.040</b>	MS dump body, 10 ft long, 8 to 10 yard capacity, 3/16" steel construction, 30" high sides, 39" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,045.20</b>
<b>1181.045</b>	MS dump body, 10 ft long, 9 to 11 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,117.73</b>
<b>1181.050</b>	MS dump body, 10 ft long, 9 to 11 yard capacity, 3/16" 304 stainless steel construction, 36" high sides, 42" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 13,774.19</b>
<b>1181.055</b>	MS dump body, 11 ft long, 6 to 8 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,308.13</b>
<b>1181.060</b>	MS dump body, 11 ft long, 8 to 10 yard capacity, 3/16" steel construction, 30" high sides, 39" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,462.26</b>
<b>1181.065</b>	MS dump body, 11 ft long, 9 to 11 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,543.86</b>
<b>1181.070</b>	MS dump body, 12 ft long, 7 to 9 yard capacity, 3/16" steel construction, 26" high sides, 36" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,707.07</b>
<b>1181.075</b>	MS dump body, 12 ft long, 9 to 11 yard capacity, 3/16" steel construction, 30" high sides, 39" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,879.33</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1181.080</b>	MS dump body, 12 ft long, 10 to 12 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel tailgate with heavy duty offset hardware, 3/16" steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 8,960.93</b>
<b>1181.085</b>	MR dump body, 12 ft long, 10 to 12 yard capacity, 3/16" steel construction, 36" high sides, 42" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 9,749.73</b>
<b>1181.090</b>	MR dump body, 13 ft long, 12 to 14 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,081.15</b>
<b>1181.095</b>	MR dump body, 13 ft long, 14 to 16 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,208.08</b>
<b>1181.100</b>	MR dump body, 13.5 ft long, 12 to 14 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,208.08</b>
<b>1181.105</b>	MR dump body, 13.5 ft long, 14 to 16 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,353.15</b>
<b>1181.110</b>	MR dump body, 14 ft long, 12 to 14 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,353.15</b>
<b>1181.115</b>	MR dump body, 14 ft long, 14 to 16 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,471.02</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1181.120</b>	MR dump body, 14 ft long, 14 to 16 yard capacity, 3/16" 304 stainless steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 19,146.69</b>
<b>1181.125</b>	MR dump body, 14 ft long, 16 to 18 yard capacity, 3/16" steel construction, 54" high sides, 60" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,616.09</b>
<b>1181.130</b>	MR dump body, 15 ft long, 14 to 16 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 10,888.09</b>
<b>1181.135</b>	MR dump body, 15 ft long, 14 to 16 yard capacity, 3/16" 304 stainless steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 19,618.16</b>
<b>1181.140</b>	MR dump body, 15 ft long, 16 to 18 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,015.02</b>
<b>1181.145</b>	MR dump body, 16 ft long, 14 to 16 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,513.95</b>
<b>1181.150</b>	MR dump body, 16 ft long, 16 to 18 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 11,631.82</b>
<b>1181.155</b>	MR dump body, 17 ft long, 16 to 18 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 12,375.29</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1181.160</b>	MR dump body, 17 ft long, 18 to 20 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 12,629.16</b>
<b>1181.165</b>	MR dump body, 18 ft long, 16 to 18 yard capacity, 3/16" steel construction, 42" high sides, 48" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 12,973.69</b>
<b>1181.170</b>	MR dump body, 18 ft long, 18 to 20 yard capacity, 3/16" steel construction, 48" high sides, 54" high six panel 1/4" AR tailgate with heavy duty offset hardware, 1/4" AR steel floor with crossmemberless formed tubular understructure * No cab shield or hoist included, see items 1610.XXX or 1615.XXX for appropriate hoist	<b>\$ 13,209.43</b>

→ To Table of Contents

**KBS, KBT, MS, & MR DUMP BODY OPTIONS**

<b>1182.005</b>	KBS build option 1/4" steel floor in lieu of 3/16" steel	<b>\$ 199.47</b>
<b>1182.010</b>	KBS build option 1/4" AR steel floor in lieu of 3/16" steel	<b>\$ 326.41</b>
<b>1182.015</b>	KBS, KBT, MS & MR build option: coal door lever type installed in tailgate, specify position	<b>\$ 389.87</b>
<b>1182.020</b>	KBS, KBT, MS & MR build option: coal door cam type installed in tailgate, specify position	<b>\$ 398.94</b>
<b>1182.025</b>	KBS, KBT, MS & MR build option: stainless steel coal door lever type installed in tailgate, specify position	<b>\$ 888.54</b>
<b>1182.030</b>	KBS, KBT, MS & MR build option: stainless steel coal door cam type installed in tailgate, specify position	<b>\$ 806.94</b>
<b>1182.035</b>	KBS, KBT, MS & MR build option: stainless steel coal door lever type installed in tailgate, specify position	<b>\$ 734.41</b>
<b>1182.040</b>	KBS, KBT, MS & MR build option: air tailgate release in lieu of manual	<b>\$ 558.83</b>
<b>1182.045</b>	KBS, KBT, MS & MR build option: add horizontal side bracing / per box foot - single row	<b>\$ 45.34</b>
<b>1182.050</b>	KBS, KBT, MS & MR build option: oval light cutout(s) in rear corner post, specify quantity	<b>\$ 99.74</b>
<b>1182.055</b>	KBT & MR build option: 3-way tailgate in lieu of 2 way	<b>\$ 2,484.28</b>
<b>1182.060</b>	MS build Option: 1/4" AR steel floor and tailgate in lieu of 3/16" steel	<b>\$ 489.61</b>
<b>1182.065</b>	KBT & MR build option: vertical tailgate in lieu of 2 way	<b>\$ 244.81</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ <a href="#">To Table of Contents</a> <b>CD SERIES STANDARD DUTY PLATFORM BODIES</b>		
<b>1200.005</b>	Standard duty platform body 10', with wood floor and cross members on 16" centers with 8 inch structural longsills	\$ 2,487.94
<b>1200.010</b>	Standard duty platform body 10', with 10 ga smooth steel floor and cross members on 16" centers and 8 inch structural longsills	\$ 2,634.73
<b>1200.015</b>	Standard duty platform body 10', with 12 ga tread plate steel floor and cross members on 16" centers and 8 inch structural longsills	\$ 2,652.00
<b>1200.020</b>	Standard duty platform body 12', with wood floor and cross members on 16" centers and 8 inch structural longsills	\$ 2,844.85
<b>1200.025</b>	Standard duty platform body 12', with 10 ga smooth steel floor and cross members on 16" centers and 8 inch structural longsills	\$ 3,072.23
<b>1200.030</b>	Standard duty platform body 12', with 12 ga tread plate steel floor and cross members on 16" centers and 8 inch structural longsills	\$ 3,098.14
→ <a href="#">To Table of Contents</a> <b>HD SERIES HEAVY DUTY PLATFORM BODIES</b>		
<b>1205.005</b>	Heavy duty platform body 10', with wood floor and cross members on 12" centers and 8 inch structural longsills	\$ 2,772.89
<b>1205.010</b>	Heavy duty platform body 10", with 10 ga smooth steel floor and cross members on 12" centers and 8 inch structural longsills	\$ 2,919.68
<b>1205.015</b>	Heavy duty platform body 10', with 12 ga tread plate steel floor and cross members on 12" centers and 8 inch structural longsills	\$ 2,936.95
<b>1205.020</b>	Heavy duty platform body 12', with wood floor and cross members on 12" centers and 8 inch structural longsills	\$ 3,259.33
<b>1205.025</b>	Heavy duty platform body 12', with 10 ga smooth steel floor and cross members on 12" centers and 8 inch structural longsills	\$ 3,443.54
<b>1205.030</b>	Heavy duty platform body 12', with 12 GA tread plate steel floor and cross members on 12"centers and 8 inch structural longsills	\$ 3,466.56
→ <a href="#">To Table of Contents</a> <b>SD SERIES SUPER DUTY PLATFORM BODIES</b>		
<b>1210.005</b>	Super heavy duty platform body 12', with wood floor and cross members on 12" centers and 8 inch structural longsills	\$ 3,472.32
<b>1210.010</b>	Super heavy duty platform body 12',with 10 ga smooth steel floor and cross members on 12" centers and 8 inch structural longsills	\$ 3,760.15
<b>1210.015</b>	Super heavy duty platform body 12', with 3/16" tread plate steel floor and cross members on 12" centers and 8 inch structural longsills	\$ 3,990.42
<b>1210.020</b>	Super heavy duty platform body 16', wood floor and cross members on 12" centers and 7 inch structural longsills	\$ 4,663.94

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1210.025	Super heavy duty platform body 16', with 3/16" tread plate steel floor and cross members 12" centers and 7 inch structural longsills	\$ 5,351.86
1210.030	Super heavy duty platform body 20', with wood floor and cross members 12"centers and 9 inch structural longsills	\$ 5,691.50
1210.035	Super heavy duty platform body 20', with 3/16" tread plate steel floor and cross members on 12"centers and 9 inch structural longsills	\$ 6,649.98

→ [To Table of Contents](#)

**CD, HD, SD SERIES PLATFORM BODY OPTIONS**

1215.005	Stake side and back gate kit for 10' platform bodies	\$ 1,424.77
1215.010	Drop in bulkheads for standard duty bodies	\$ 523.86
1215.015	Weld-on knee-braced bulkheads for standard duty bodies	\$ 682.17
1215.020	Stake side and back gate kit for 12' platform bodies	\$ 1,534.15
1215.025	Weld-on knee-braced bulkhead 16', 20,heavy and super heavy duty bodies	\$ 798.74
1215.030	Stake side and back gate kit for 16' platform bodies	\$ 1,906.89
1215.035	Stake side and back gate kit for 20' platform bodies	\$ 2,263.80

→ [To Table of Contents](#)

**SERVICE BODIES AND BODY BUILD OPTIONS**

1300.005	Service body, 96" long for single rear wheel truck with 56" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 40 inches high, 15 inches deep with a 48" wide flat floor	\$ 5,654.74
1300.010	Service body, 96" long for dual rear wheel truck with 56" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep with a 54" wide flat floor	\$ 6,397.34
1300.015	Service body, 108" long for single rear wheel truck with 60" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 40 inches high, 15 inches deep with a 48" wide flat floor	\$ 6,344.81
1300.020	Service body, 108" long for dual rear wheel truck with 60" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep with a 54" wide flat floor	\$ 7,012.58
1300.025	Service body, 132" long for dual rear wheel truck with 84" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep with a 54" wide flat floor	\$ 9,645.15
1300.030	Service body, 132" long for dual rear wheel truck with 84" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep, and top opening compartments on both sides, with a 54" wide flat floor	\$ 10,930.32

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1300.035	Service body, 156" long for dual rear wheel truck with 108" cab to axle, includes 5 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep with a 54" wide flat floor	\$ 12,712.71
1300.040	Service body, 156" long for dual rear wheel truck with 108" cab to axle, includes 5 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep, and top opening compartments on both sides, with a 54" wide flat floor	\$ 14,019.47
1300.045	Service body, 168" long for dual rear wheel truck with 120" cab to axle, includes 5 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep with a 54" wide flat floor	\$ 13,370.76
1300.050	Service body, 168" long for dual rear wheel truck with 120" cab to axle, includes 5 compartments on each side in a vertical or horizontal configuration, 40 inches high, 20 inches deep, and top opening compartments on both sides, with a 54" wide flat floor	\$ 14,710.61
1300.055	Service body rear bumper with or without hitch recess for single rear wheel trucks	\$ 644.38
1300.060	Service body rear bumper with or without hitch recess for dual rear wheel trucks	\$ 753.68
1300.100	Service body, 96" long for single rear wheel truck with 56" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 42-1/2" high, 16" deep, with 48" wide floor	\$ 4,947.41
1300.105	Service body, 96" long for dual rear wheel truck with 56" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 42-1/2" high, 16" deep, with 53" wide floor	\$ 5,471.27
1300.110	Service body, 108" long for single rear wheel truck with 60" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 42-1/2" high, 16" deep, with 48" wide floor	\$ 5,388.52
1300.115	Service body, 108" long for dual rear wheel truck with 60" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 42-1/2" high, 20" deep, with 51" wide floor	\$ 5,654.76
1300.120	Service body, 108" long for dual rear wheel truck with 60" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 42-1/2" high, 20" deep, with 53" wide floor	\$ 5,654.76
1300.125	Service body, 108" long for dual rear wheel truck with 60" cab to axle, includes 3 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep, with 53" wide floor	\$ 5,818.82
1300.130	Service body, 130" long for dual rear wheel truck with 84" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 42-1/2" high, 20" deep with a 51" wide flat floor	\$ 7,494.35

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1300.135</b>	Service body, 130" long for dual rear wheel truck with 84" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 42-1/2" high, 20" deep with a 53" wide flat floor	\$ 7,494.35
<b>1300.140</b>	Service body, 130" long for dual rear wheel truck with 84" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep with a 53" wide flat floor	\$ 7,868.53
<b>1300.145</b>	Service body, 144" long for dual rear wheel truck with 96" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep with a 53" wide flat floor	\$ 8,596.75
<b>1300.150</b>	Service body, 154" long for dual rear wheel truck with 108" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep with a 53" wide flat floor	\$ 9,705.25
<b>1300.155</b>	Service body, 166" long for dual rear wheel truck with 120" cab to axle, includes 5 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep with a 53" wide flat floor	\$ 11,027.11
<b>1300.160</b>	Service body for cab over chassis, 130" long for 85" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep, with 53" wide floor	\$ 8,271.50
<b>1300.165</b>	Service body for cab over chassis, 142" long for 105" cab to axle, includes 4 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep, with 53" wide floor	\$ 10,557.95
<b>1300.170</b>	Service body for cab over chassis, 163" long for 132" cab to axle, includes 5 compartments on each side in a vertical or horizontal configuration, 45" high, 20" deep, with 53" wide floor	\$ 12,876.43
<b>1300.175</b>	Service body build option: add 4,000lb crane reinforcement to standard 108 service body	\$ 1,507.87
<b>1300.180</b>	Service body build option: add 4,000lb crane reinforcement to standard 130 service body	\$ 1,706.47
<b>1300.185</b>	Service body build option: add 4,000lb crane reinforcement to standard 144 service body	\$ 1,964.08
<b>1300.190</b>	Service body build option: add 4,000lb crane reinforcement to standard 154 service body	\$ 2,148.30
<b>1300.195</b>	Service body build option: add 6,000lb crane reinforcement to standard 108 service body	\$ 1,808.66
<b>1300.200</b>	Service body build option: add 6,000lb crane reinforcement to standard 130 service body	\$ 1,959.77
<b>1300.205</b>	Service body build option: add 6,000lb crane reinforcement to standard 144 service body	\$ 2,181.40

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1300.210	Service body build option: add 6,000lb crane reinforcement to standard 154 service body	\$ 2,339.70
1300.215	Service body build option: add 8,000lb crane reinforcement to standard 108 service body	\$ 3,295.30
1300.220	Service body build option: add 8,000lb crane reinforcement to standard 130 service body	\$ 3,614.80
1300.225	Service body build option: add 8,000lb crane reinforcement to standard 144 service body	\$ 4,032.15
1300.230	Service body build option: add 8,000lb crane reinforcement to standard 154 service body	\$ 4,330.06
1300.235	Service body build option: add 54" high top enclosure to standard 108 service body with 48" wide floor	\$ 3,273.35
1300.240	Service body build option: add 60" high top enclosure to standard 108 service body with 48" wide floor	\$ 3,541.03
1300.245	Service body build option: add 72" high top enclosure to standard 108 service body with 48" wide floor	\$ 3,825.98
1300.250	Service body build option: add 54" high top enclosure to standard 108 service body with 51" or 53" wide floor	\$ 3,705.09
1300.255	Service body build option: add 60" high top enclosure to standard 108 service body with 51" or 53" wide floor	\$ 3,971.34
1300.260	Service body build option: add 72" high top enclosure to standard 108 service body with 51" or 53" wide floor	\$ 4,256.29
1300.265	Service body build option: add 54" high top enclosure to standard 130 service body with 51" or 53" wide floor	\$ 4,768.63
1300.270	Service body build option: add 60" high top enclosure to standard 130 service body with 51" or 53" wide floor	\$ 5,034.87
1300.275	Service body build option: add 72" high top enclosure to standard 130 service body with 51" or 53" wide floor	\$ 5,322.71
1300.280	Service body build option: add 54" high top enclosure with upper compartments to standard 108 service body with 48" wide floor	\$ 4,187.21
1300.285	Service body build option: add 60" high top enclosure with upper compartments to standard 108 service body with 48" wide floor	\$ 4,662.13
1300.290	Service body build option: add 72" high top enclosure with upper compartments to standard 108 service body with 48" wide floor	\$ 4,738.41
1300.295	Service body build option: add 54" high top enclosure with upper compartments to standard 108 service body with 51" or 53" wide floor	\$ 4,578.66

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1300.300	Service body build option: add 60" high top enclosure with upper compartments to standard 108 service body with 51" or 53" wide floor	\$ 5,057.90
1300.305	Service body build option: add 72" high top enclosure with upper compartments to standard 108 service body with 51" or 53" wide floor	\$ 5,132.74
1300.310	Service body build option: add 54" high top enclosure with upper compartments to standard 130 service body with 51" or 53" wide floor	\$ 5,498.28
1300.315	Service body build option: add 60" high top enclosure with upper compartments to standard 130 service body with 51" or 53" wide floor	\$ 5,976.08
1300.320	Service body build option: add 72" high top enclosure with upper compartments to standard 130 service body with 51" or 53" wide floor	\$ 6,049.48
1300.325	Service body build option: add built in flip top compartments to standard 96 service body with 16" deep compartments	\$ 1,138.38
1300.330	Service body build option: add built in flip top compartments to standard 108 service body with 16" deep compartments	\$ 1,177.24
1300.335	Service body build option: add built in flip top compartments to standard 108 service body with 20" deep compartments	\$ 1,266.46
1300.340	Service body build option: add built in flip top compartments to standard 130 service body with 20" deep compartments	\$ 1,639.20
1300.345	Service body build option: add built in flip top compartments to standard 144 service body with 20" deep compartments	\$ 1,755.78
1300.350	Service body build option: stainless steel t-twist handles with 1 point latching in lieu of standard, per each	\$ 59.01
1300.355	Service body build option: stainless steel t-twist handles with 2 point latching in lieu of standard, per each	\$ 97.87
1300.360	Service body build option: stainless steel t-twist handles with 3 point latching in lieu of standard, per each	\$ 109.38
1300.365	Service body build option: spring loaded master locking bar with provision for pad lock for bodies up to 130"	\$ 407.29
1300.370	Service body build option: spring loaded master locking bar with provision for pad lock for bodies over 130"	\$ 493.64
1300.375	Service body build option: spring hold open on vertical door in lieu of chain, per each	\$ 34.54
1300.380	Service body build option: oxygen / acetylene compartment, 65" high, installed at front in lieu of standard compartment	\$ 882.21
1300.385	Service body build option: divider tray with one way dividers, per each	\$ 77.72
1300.390	Service body build option: slide out divider tray with one way dividers, per each	\$ 135.29
1300.395	Service body build option: additional flat adjustable shelf	\$ 54.69

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1300.400	Service body build option: additional flat fixed shelf	\$ 48.94
1300.405	Service body build option: full length shelf installed in top enclosure, per each, for bodies longer than 108"	\$ 388.58
1300.410	Service body build option: full length shelf installed in top enclosure, per each, for bodies up to 108"	\$ 303.67
1300.415	Service body build option: structural steel under frame in lieu of formed for 96" bodies	\$ 276.32
1300.420	Service body build option: structural steel under frame in lieu of formed for 108" bodies	\$ 394.33
1300.425	Service body build option: structural steel under frame in lieu of formed for 130" bodies	\$ 515.22
1300.430	Service body build option: structural steel under frame in lieu of formed for 144" bodies	\$ 640.43
1300.435	Service body build option: slam action tailgate in lieu of standard	\$ 441.83
1300.440	Service body build option: front transverse compartment for 48" wide floor	\$ 549.76
1300.445	Service body build option: front transverse compartment for 51" or 53" wide floor	\$ 581.42
1300.450	Service body build option: vertical partition for front transverse compartment	\$ 335.33
1300.455	Service body build option: shelf for front transverse compartment	\$ 352.60

→ To Table of Contents

**LOADING ARM SYSTEMS FOR PICKUP TRUCKS**

1450.005	Loading arm system for trucks with an 8 ft long pickup box, includes 2000 lb capacity loading arm, electric hydraulic power unit, and pendant control	\$ 3,362.76
1450.010	Loading arm system for trucks with a 6 ft long pickup box, includes 2000 lb capacity loading arm, electric hydraulic power unit, and pendant control	\$ 3,367.08
1450.015	Loading arm system for trucks with a standard service body, includes 2000 lb capacity loading arm, electric hydraulic power unit, and pendant control	\$ 3,503.80
1450.100	Loading platform with side rails for 6 ft loading arm system, includes 54" wide flat deck with rear rollers, side rails and front bulkhead	\$ 1,568.13
1450.105	Loading platform with side rails for 8 ft loading arm system, includes 54" wide flat deck with rear rollers, side rails and front bulkhead	\$ 1,568.13
1450.110	Loading platform without side rails for 6 ft loading arm system, includes 58" wide flat deck with rear rollers and front bulkhead	\$ 1,665.99
1450.115	Loading platform without side rails for 8 ft loading arm system, includes 58" wide flat deck with rear rollers and front bulkhead	\$ 1,665.99
1450.120	Loading dump body for 6 ft loading arm system, includes tailgate, rear rollers, and front bulkhead	\$ 2,161.06

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1450.125	Loading dump body for 8 ft loading arm system, includes tailgate, rear rollers, and front bulkhead	\$ 2,161.06
1450.130	Loading dump body for service body loading arm system, includes tailgate, rear rollers, and front bulkhead	\$ 2,368.30
1450.135	Extra wide loading platform for 8 ft loading arm system, includes 102" wide flat deck with rear rollers, folding ramp, and front bulkhead	\$ 2,598.57
1450.140	Loading van body for 8 ft loading arm system, includes side swinging rear doors, and rear rollers	\$ 4,521.82
1450.200	Add stake sides to above selected 6ft loading dump body, includes side, rear, and front stake side extensions	\$ 812.11
1450.205	Add stake sides to above selected 8ft loading dump body, includes side, rear, and front stake side extensions	\$ 812.11
1450.210	Add 21 inches in height to front bulkhead to above selected loading deck without side rails	\$ 460.96
1450.215	Add personal water craft attachment to above selected loading deck with side rails	\$ 804.92
1450.220	Add mesh sides and tailgate to above selected loading deck with side rails	\$ 1,192.05
1450.225	Add a 16 inch deck extension with a 3 inch beaver tail to above selected loading deck with side rails or loading dump body	\$ 404.83
1450.230	Add a 12 inch deck extension with a 6.5 inch beaver tail and extension roller wheels to above selected loading deck without side rails	\$ 712.81

→ To Table of Contents

**DUMP INSERT BODIES**

1455.010	Pickup truck insert dump body, 14ga steel sides continuously welded to 12ga steel floor, with 10ga tailgate, 48.5" x 101" cargo area, electric over hydraulic power unit with pendant control, 6,200lb dump capacity, 47 degree dump angle	\$ 4,328.25
1455.020	Add steel cab guard to above pickup truck insert dump body	\$ 351.16
1455.030	Pickup truck insert dump body, all aluminum construction, 48.5" x 98" cargo area, electric over hydraulic power unit with pendant control, telescopic hoist, 7,000lb dump capacity, 47 degree dump angle	\$ 6,373.29
1455.040	Add aluminum cab guard to above pickup truck insert dump body	\$ 549.76
1455.050	9ft combination dump and service body, 3 cubic yard capacity 10ga galvaneal construction dump body with 48.5" x 108.5" cargo area and 12" cab guard, 3 compartments per side with a total of 64 cu ft of storage space, electric over hydraulic power unit with pendant control, telescopic hoist, 12,000lb dump capacity	\$ 14,349.26

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1455.060</b>	8ft combination dump and service body, 2.75 cubic yard capacity 10ga galvaneal construction dump body with 48.5" x 96.5" cargo area and 12" cab guard, 3 compartments per side with a total of 57 cu ft of storage space, electric over hydraulic power unit with pendant control, telescopic hoist, 12,000lb dump capacity	<b>\$ 13,976.52</b>

→ To Table of Contents

**HYDRAULIC HOIST PACKAGES - UNDERBODY**

<b>1600.005</b>	NTEA Class 10 underbody low mount sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 1,981.89</b>
<b>1600.010</b>	NTEA Class 20 underbody low mount sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 2,089.82</b>
<b>1600.015</b>	NTEA Class 30 underbody low mount sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 2,233.74</b>
<b>1600.020</b>	NTEA Class 40 underbody low mount sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 2,651.10</b>
<b>1600.025</b>	NTEA Class 40 underbody sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 3,061.26</b>
<b>1600.030</b>	NTEA Class 50 underbody sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 3,133.21</b>
<b>1600.035</b>	NTEA Class 60 underbody sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 3,277.13</b>
<b>1600.040</b>	NTEA Class 80 underbody sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 5,407.08</b>
<b>1600.045</b>	NTEA Class 90 underbody sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 5,687.72</b>
<b>1600.050</b>	NTEA Class 100 underbody sub frame hoist- includes hoist/sub frame assembly with grease able rear hinge assembly and body safety prop	<b>\$ 5,687.72</b>
<b>1600.055</b>	Standard rear hinge assembly with greaseless composite bushings and removable pins in lieu of standard grease able rear hinge	<b>\$ 86.35</b>
<b>1600.060</b>	Heavy duty grease able rear hinge assembly in lieu of standard grease able rear hinge	<b>\$ 71.96</b>
<b>1600.065</b>	Heavy duty rear hinge assembly with greaseless composite bushings and removable pins in lieu of standard grease able rear hinge	<b>\$ 215.88</b>
<b>1600.070</b>	Hydraulic kit for NTEA class 10, 20, & 30 LB underbody hoists, includes direct mount PTO driven hydraulic pump, control valve, hydraulic reservoir, required hoses, fittings, and cab cable lever control. * Requires but does not include transmission mounted PTO	<b>\$ 1,398.50</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1600.075</b>	Hydraulic kit for NTEA class 40 LB underbody hoists, includes direct mount PTO driven hydraulic pump, control valve, hydraulic reservoir, required hoses, fittings, and cab cable lever control. * Requires but does not include transmission mounted PTO	\$ <b>1,536.65</b>
<b>1600.080</b>	Hydraulic kit for NTEA class 40 & 50 RC underbody hoists, includes direct mount PTO driven hydraulic pump, control valve, hydraulic reservoir, required hoses, fittings, and cab cable lever control. * Requires but does not include transmission mounted PTO	\$ <b>1,574.07</b>
<b>1600.085</b>	Hydraulic kit for NTEA class 60 & 80 RC underbody hoists, includes direct mount PTO driven hydraulic pump, control valve, hydraulic reservoir, required hoses, fittings, and cab cable lever control. * Requires but does not include transmission mounted PTO	\$ <b>1,666.18</b>
<b>1600.090</b>	Hydraulic kit for NTEA class 90 & 100 RC underbody hoists, includes direct mount PTO driven hydraulic pump, control valve, hydraulic reservoir, required hoses, fittings, and cab cable lever control. * Requires but does not include transmission mounted PTO	\$ <b>1,807.22</b>
<b>1600.095</b>	Single acting Electric/Hydraulic power hoist control for class 10, 20, 30 LB series hoist only; includes electric hydraulic power unit with pendant control, required hydraulic hoses and wiring harness	\$ <b>1,194.13</b>
<b>1600.100</b>	Double acting Electric/Hydraulic power hoist control for class 10, 20, 30 LB series hoist only; includes electric hydraulic power unit with pendant control, required hydraulic hoses and wiring harness	\$ <b>1,355.32</b>

→ [To Table of Contents](#)

**HYDRAULIC HOIST PACKAGES - TELESCOPIC**

<b>1605.005</b>	NTEA Class 70 telescopic hoist, trunnion mounted three stage- includes DA hoist assembly with heavy duty grease able rear hinge assembly and safety body prop	\$ <b>3,672.90</b>
<b>1605.010</b>	NTEA Class 70 telescopic hoist, trunnion mounted three stage- includes DA hoist assembly with heavy duty grease able rear hinge assembly and safety body prop	\$ <b>3,816.81</b>
<b>1605.015</b>	NTEA Class 80 telescopic hoist, trunnion mounted three stage- includes DA hoist assembly with heavy duty grease able rear hinge assembly and safety body prop	\$ <b>4,032.69</b>
<b>1605.020</b>	NTEA Class 120 telescopic hoist, trunnion mounted three stage- includes DA hoist assembly with heavy duty grease able rear hinge assembly and safety body prop	\$ <b>4,716.29</b>
<b>1605.025</b>	NTEA Class 120 telescopic hoist, trunnion mounted three stage- includes DA hoist assembly with heavy duty grease able rear hinge assembly and safety body prop	\$ <b>4,500.41</b>
<b>1605.030</b>	NTEA Class 120 telescopic hoist, trunnion mounted three stage- includes DA hoist assembly with heavy duty grease able rear hinge assembly and safety body prop	\$ <b>4,572.37</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1605.035</b>	Hydraulic kit for NTEA class 70 and 80 telescopic hoists, includes direct mount PTO driven hydraulic pump, control valve, hydraulic reservoir, required hoses, fittings, and cab cable lever control. * Requires but does not include transmission mounted PTO	<b>\$ 1,909.93</b>
<b>1605.040</b>	Hydraulic kit for NTEA class 120 telescopic hoists, includes direct mount PTO driven hydraulic pump, control valve, hydraulic reservoir, required hoses, fittings, and cab cable lever control. * Requires but does not include transmission mounted PTO	<b>\$ 2,348.87</b>
<b>1605.045</b>	Standard rear hinge assembly with greaseless composite bushings and removable pins in lieu of standard grease able rear hinge	<b>\$ 179.90</b>
<b>1605.045</b>	Heavy duty grease able rear hinge assembly in lieu of standard grease able rear hinge	<b>\$ 143.92</b>
<b>1605.045</b>	Heavy duty rear hinge assembly with greaseless composite bushings and removable pins in lieu of standard grease able rear hinge	<b>\$ 359.79</b>

→ [To Table of Contents](#)

**KBS, KBT, MS, & MR UNDERBODY HOISTS**

<b>1610.005</b>	Underbody sub frame hoist, direct lift, single 6" x 18" double acting cylinder	<b>\$ 2,735.55</b>
<b>1610.010</b>	Underbody sub frame hoist, twin arm lift, single 7" x 21" double acting cylinder	<b>\$ 4,222.49</b>
<b>1610.015</b>	Underbody sub frame hoist, twin arm lift, single 8" x 21" double acting cylinder	<b>\$ 4,467.29</b>
<b>1610.020</b>	Underbody low mount hoist, twin arm lift, single 8" x 21" double acting cylinder *For KBS style bodies	<b>\$ 5,683.38</b>
<b>1610.025</b>	Underbody sub frame hoist, twin arm lift, dual 7" x 24" double acting cylinders	<b>\$ 7,976.10</b>
<b>1610.030</b>	Underbody sub frame hoist, twin arm lift, dual 8" x 24" double acting cylinders	<b>\$ 8,356.90</b>

→ [To Table of Contents](#)

**KBS, KBT, MS, & MR TELESCOPIC HOISTS**

<b>1615.005</b>	Telescopic hoist for 10' MSL dump bodies, single acting cylinder with rear hinge and safety prop	<b>\$ 2,870.98</b>
<b>1615.010</b>	Telescopic hoist for 9' KBS & MS dump bodies, single acting cylinder with rear hinge and safety prop	<b>\$ 2,997.91</b>
<b>1615.015</b>	Telescopic hoist for 10' KBS & MS dump bodies, single acting cylinder with rear hinge and safety prop	<b>\$ 2,997.91</b>
<b>1615.020</b>	Telescopic hoist for 11' & 12' KBS, KBT, MS, & MR dump bodies, single acting cylinder with rear hinge and safety prop	<b>\$ 3,206.45</b>
<b>1615.025</b>	Telescopic hoist for 13', 13.5 & 14' KBT & MR dump bodies, single acting cylinder with rear hinge and safety prop	<b>\$ 3,822.98</b>
<b>1615.030</b>	Telescopic hoist for 15' KBT & MR dump bodies, single acting cylinder with rear hinge and safety prop	<b>\$ 4,756.85</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1615.035	Telescopic hoist for 16' KBT & MR dump bodies, single acting cylinder with rear hinge and safety prop	\$ 5,037.92
1615.040	Telescopic hoist for 17' KBT & MR dump bodies, single acting cylinder with rear hinge and safety prop	\$ 5,228.32
1615.045	Telescopic hoist for 18' KBT & MR dump bodies, single acting cylinder with rear hinge and safety prop	\$ 5,862.99
1615.050	Telescopic hoist upgrade: nitro treated steel cylinder for hoists on bodies up to 12'	\$ 190.41
1615.055	Telescopic hoist upgrade: nitro treated steel cylinder for hoists on bodies 13' to 15'	\$ 190.41
1615.060	Telescopic hoist upgrade: nitro treated steel double acting cylinder for hoists on bodies up to 12'	\$ 670.22
1615.065	Telescopic hoist upgrade: nitro treated steel double acting cylinder for hoists on bodies 13' to 15'	\$ 824.35

→ [To Table of Contents](#)

**HOOK LIFT STYLE HYDRAULIC HOIST PACKAGES**

1700.005	Hook lift hoist assembly, series 105 - up to 10,500 lb capacity for use with 10' thru 13' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	\$ 14,593.77
1700.010	Hook lift hoist assembly, series 145 - up to 14000 lb capacity for use with 12' thru 15' bodies (less hydraulics) includes installation of hoist assembly. See options for sub-frames/containers, hook lift hoist related hydraulics, accessories, and lighting etc.	\$ 16,587.99
1700.015	Hook lift hoist assembly, series 180- up to 18000 lb capacity for use with 14' thru 18' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	\$ 19,585.02
1700.020	Hook lift hoist assembly, series 220- up to 22,000 lb capacity for use with 18' thru 22' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	\$ 21,667.70
1700.025	Hook lift hoist assembly, series 222- up to 22,000 lb capacity for use with 16' thru 20' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	\$ 21,667.70
1700.030	Hook lift hoist assembly, series 240 -up to 24,000 lb capacity for use with 14' thru 18' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	\$ 21,938.02

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1700.035</b>	Hook lift hoist assembly, series 2418- up to 24,000 lb capacity for use with 10' thru 13' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 20,393.02</b>
<b>1700.040</b>	Hook lift hoist assembly, series 330-up to 33,000 lb capacity for use with 14' thru 18' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 24,798.24</b>
<b>1700.045</b>	Hook lift hoist assembly, series 375 -up to 37,000 lb capacity for use with 19' thru 24' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 29,596.10</b>
<b>1700.050</b>	Hook lift hoist assembly, series 400- up to 40,000 lb capacity for use with 14' thru 18' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 26,481.13</b>
<b>1700.055</b>	Hook lift hoist assembly, series 405 -up to 40,000 lb capacity for use with 17' thru 22' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 29,003.19</b>
<b>1700.060</b>	Hook lift hoist assembly, series 505- up to 50,000 lb capacity for use with 19' thru 24' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 32,203.71</b>
<b>1700.065</b>	Hook lift hoist assembly, series 650 -up to 65,000 lb capacity for use with 20' thru 24' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 34,957.17</b>
<b>1700.070</b>	Hook lift hoist assembly, series 545- up to 54,000 lb capacity for use with 17' thru 22' bodies (less hydraulics) includes installation of hoist assembly. * See additional items for sub-frames, containers, hydraulics, accessories, lighting, etc	<b>\$ 31,368.07</b>

→ [To Table of Contents](#)

**HOOK LIFT HOIST RELATED ACCESSORIES & COMPONENTS**

<b>1705.005</b>	Hook lift hoist jib option- Dual height jib for series 180 hook lift hoist- adjustable dual height jib 36"to 54" IN LIEU OF standard fixed 36".	<b>\$ 575.67</b>
<b>1705.010</b>	Hook lift hoist jib option- Dual height jib for series 220/222 hook lift hoist- adjustable dual height jib 54" to 61.75" IN LIEU OF standard fixed 54".	<b>\$ 716.71</b>
<b>1705.015</b>	Hook lift hoist jib option-Dual height jib for 330/400 hook lift hoist- adjustable dual height jib 54" to 61.75" IN LIEU OF standard fixed 61.75".	<b>\$ 803.05</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1705.020	Hook lift hoist option- Container variability system (CVS)-allows 145 series hoist to accommodate body lengths down to 10' and 180 series hoist to accommodate body lengths down to 12'.	\$ 888.32
1705.025	Hook lift hoist option- Container variability system (CVS)-allows 220/222 series hoist to accommodate body lengths down to 14' and 240 series hoist to accommodate body lengths down to 12'.	\$ 888.32
1705.030	Hook lift hoist option- Container variability system (CVS)-allows 330/400 series hoist to accommodate body lengths down to 12' , 375 series hoist to accommodate body lengths down to 17', and 405 to accommodate hoist down to 15'.	\$ 881.13
1705.035	12' Type 100 sub frames for 145 & 180 series hook lift hoist	\$ 1,023.05
1705.040	14' Type 100 sub frames for 145 & 180 series hook lift hoist	\$ 1,053.75
1705.045	16' Type 100 sub frames for 145 & 180 series hook lift hoist	\$ 1,309.56
1705.050	18' Type 100 sub frames for 145 & 180 series hook lift hoist	\$ 1,340.25
1705.055	10' Type 100A sub frames for 105 series hook lift hoist	\$ 1,202.12
1705.060	12' Type 100A sub frames for 105 series hook lift hoist	\$ 1,237.93
1705.065	13' Type 100A sub frames for 105 series hook lift hoist	\$ 1,263.51
1705.070	16' Type 200 sub frames for 220,222, 225 series hook lift hoist	\$ 2,021.73
1705.075	18' Type 200 sub frames for 220,222, 225 series hook lift hoist	\$ 2,076.99
1705.080	20' Type 200 sub frames for 220,222, 225 series hook lift hoist	\$ 2,148.61
1705.085	22' Type 200 sub frames for 220,222, & 225 series hook lift hoist	\$ 2,215.12
1705.090	10' Type 200A sub frames for 2418 series hook lift hoist	\$ 1,708.62
1705.095	11' Type 200A sub frames for 2418 series hook lift hoist	\$ 1,764.90
1705.100	12' Type 200A sub frames for 2418 series hook lift hoist	\$ 1,836.52
1705.105	13' Type 200A sub frames for 2418 series hook lift hoist	\$ 1,892.80
1705.110	14' Type 200A sub frames for 2418 series hook lift hoist	\$ 2,261.17
1705.115	13' Type 200B sub frames for 220,225,180 series hook lift hoist	\$ 1,872.34
1705.120	14' Type 200B sub frames for 220,225,180 series hook lift hoist	\$ 1,943.96
1705.125	16' Type 200B sub frames for 220,225,180 series hook lift hoist	\$ 1,995.13
1705.130	18' Type 200B sub frames for 220,225, 180 series hook lift hoist	\$ 2,046.29
1705.135	14' Type 300 sub frames for 240,330, 400 series hook lift hoist	\$ 2,302.10
1705.140	16' Type 300 sub frames for 145, 180 series hook lift hoist	\$ 2,404.42
1705.145	18' Type 300 sub frames for 145, 180 series hook lift hoist	\$ 2,506.75

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1705.150	18' Type 400 sub frames for 405, 545 series hook lift hoist	\$ 3,202.55
1705.155	20' Type 400 sub frames for 405, 545 series hook lift hoist	\$ 3,315.11
1705.160	22' Type 400 sub frames for 405, 545 series hook lift hoist	\$ 3,453.24
1705.165	20' Type 400E sub frames for 375,505,650 series hook lift hoist	\$ 3,110.46
1705.170	22' Type 400E sub frames for 375,505,650 series hook lift hoist	\$ 3,453.24
1705.175	24' Type 400E sub frames for 375,505,650 series hook lift hoist	\$ 3,581.15
1705.180	14' Type 400S sub frames for 330,400,400 series hook lift hoist	\$ 2,967.21
1705.185	16' Type 400S sub frames for 330,400,400 series hook lift hoist	\$ 3,084.88
1705.190	18' Type 400S sub frames for 330,400,400 series hook lift hoist	\$ 3,197.43
1705.195	Sub-frame Accessory-Rear roller assembly (pr.)	\$ 484.60
1705.200	Sub-frame Accessory-Rear roller mounting brackets (pr.)	\$ 319.74
1705.205	Sub-frame Accessory- 100 series lift bar/hook guard	\$ 353.85
1705.210	Sub-Frame Accessory-100 series A-frame ONLY	\$ 535.76
1705.215	Sub-Frame Accessory-100 series lift bar only	\$ 240.16
1705.220	Sub-frame Accessory-200 series lift bar/hook guard	\$ 422.07
1705.225	Sub-Frame Accessory-200 series A-frame ONLY	\$ 962.11
1705.230	Sub-Frame Accessory-200 series lift bar only	\$ 245.84
1705.235	Sub-Frame Accessory-400 series lift bar/hook guard	\$ 467.55
1705.240	Sub-Frame Accessory-400 series A-frame ONLY	\$ 1,365.72
1705.245	Sub-Frame Accessory-400 series lift bar only	\$ 285.64
1705.250	Hook lift hoist hydraulic kit for 22,000/24,000 lb capacity hoist only. Includes hydraulic reservoir and related accessories, remote two spool hydraulic valve, in cab lever controls, RVC cables, PTO driven hydraulic pump, necessary hydraulic hoses, fittings, etc to operate hook lift hoist functions only. * Requires but does not include transmission mounted PTO, see below	\$ 2,690.49
1705.255	Hook lift hoist hydraulic kit for 33,000/37,000/40,000lb capacity hoist only. Includes hydraulic reservoir and related accessories, remote two spool hydraulic valve, in cab lever controls, RVC cables, PTO driven hydraulic pump, necessary hydraulic hoses, fittings, etc to operate hook lift hoist functions only. * Requires but does not include transmission mounted PTO, see below	\$ 2,978.32
1705.260	Hook lift hoist hydraulic kit for 50,000/54,000/65,000 lb capacity hoist only. Includes hydraulic reservoir and related accessories, remote two spool hydraulic valve, in cab lever controls, RVC cables, PTO driven hydraulic pump, necessary hydraulic hoses, fittings, etc to operate hook lift hoist functions only. * Requires but does not include transmission mounted PTO, see below	\$ 3,266.15

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1705.265	Stabilizer kit with heavy duty bumper, requires three section valve for operation. (not included). 330,375,400,405,505,545,650 hoist only.	\$ 3,201.72
1705.270	Dual rear roller kit for inside/outside hoist. 375,405,505,545 hoist only.	\$ 985.28
1705.275	Heavy duty "FIXED" rear bumper assembly, structural steel, custom fabricated & installed	\$ 1,223.29
1705.280	Hook lift hoist slide through front body locks for specialty body applications	\$ 798.74
1705.285	Steel upright chassis mounted cab shield with integral recess for hoist jib	\$ 1,384.27
1705.290	Stainless steel upright chassis mounted cab shield with integral recess for hoist jib	\$ 2,122.76
1705.295	Drop down bumper assembly, heavy duty with rear roller and brackets installed	\$ 2,341.31
1705.300	Folding bumper assembly, heavy duty w/o rear rollers and brackets	\$ 1,024.48
1705.305	Installation of any body, spreader, tank, etc to hook lift hoist sub frame assembly, includes misc required materials required for proper installation. (Per Hour)	\$ 100.75

→ [To Table of Contents](#)

**BODY ACCESSORIES**

1800.005	Air operated tailgate, includes supplying and installing in cab control, and necessary air lines and fittings for operation	\$ 220.64
1800.010	Air operated tailgate, includes supplying and installing air cylinder, in cab control, and necessary air lines and fittings for operation	\$ 367.21
1800.015	Body side step, grip strut - steel (per step)	\$ 38.14
1800.020	Body side step, grip strut - stainless steel (per step)	\$ 43.83
1800.025	Body cross corner step, grip strut - steel (per step)	\$ 40.30
1800.030	Body cross corner step, grip strut - stainless steel (per step)	\$ 45.99
1800.035	Underbody ladder, single grip strut rung - steel	\$ 133.85
1800.040	Underbody ladder, single grip strut rung - stainless steel	\$ 151.12
1800.045	Underbody ladder, two grip strut rung - steel	\$ 148.24
1800.050	Underbody ladder, two grip strut rung - stainless steel	\$ 172.70
1800.055	Underbody ladder, three grip strut rung - steel	\$ 162.63
1800.060	Underbody ladder, three grip strut rung - stainless steel	\$ 194.29
1800.065	Stow-away ladder, two grip strut rung - steel retractable	\$ 215.63
1800.070	Stow-away ladder, two grip strut rung - stainless steel retractable	\$ 405.67
1800.075	Stow-away ladder, three grip strut rung - steel retractable	\$ 223.84
1800.080	Stow-away ladder, two grip strut rung - steel fold up	\$ 170.55

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1800.085	Stow-away ladder, two grip strut rung - stainless steel fold up	\$ 206.52
1800.090	Stow-away ladder, three grip strut rung - steel fold up	\$ 199.33
1800.095	Stow-away ladder, three grip strut rung - stainless steel fold up	\$ 235.31
1800.100	Vertical/horizontal grab handle kit - steel	\$ 46.78
1800.105	Vertical/horizontal grab handle kit - stainless steel	\$ 55.41
1800.110	Full length grip strut body catwalk - steel (per foot )	\$ 22.31
1800.115	Full length grip strut body catwalk - stainless steel (per foot )	\$ 27.62
1800.120	Tarp tie down rails, steel (per foot of overall body length x 2 )	\$ 10.09
1800.125	Tarp tie down rails, stainless steel (per foot of overall body length x 2 )	\$ 12.25
1800.130	Tool/shovel holder, steel (holds 1 shovel)	\$ 26.63
1800.135	Tool/shovel holder, stainless steel (holds 1tool/shovel)	\$ 32.39
1800.140	Tool/shovel holder, stainless steel, spring load clamp style (holds 1 shovel)	\$ 122.84
1800.145	Hardwood side boards, up to 2"x 10" unpainted, per foot of overall body length	\$ 15.84
1800.147	Hardwood side boards, up to 2"x 10" painted, per foot of overall body length	\$ 26.63
1800.150	Solid poly side boards, 6" tall, specify white of black, per foot of overall body length	\$ 41.71
1800.155	Solid poly side boards, 8" tall, specify white of black, per foot of overall body length	\$ 47.66
1800.160	Solid poly side boards, 10" tall, specify white of black, per foot of overall body length	\$ 53.74
1800.165	Steel fabricated side boards, 10 gauge painted and installed, per foot of overall body length	\$ 45.70
1800.170	Stainless steel fabricated sideboards, 10 gauge unpainted, per foot of overall body length	\$ 50.95
1800.175	Tie down hooks, insert hopper spreader (per 4) welded to body, steel	\$ 153.99
1800.180	Tie down hooks, insert hopper spreader (per 4) welded to body, stainless steel	\$ 172.70
1800.185	Tailgate lifting ring - steel (per each)	\$ 37.42
1800.190	Tailgate lifting ring - stainless steel (per each)	\$ 38.14
1800.195	Tailgate spreader enclosures - steel (per pair)	\$ 149.10
1800.200	Tailgate spreader enclosures - stainless steel (per pair)	\$ 183.50
1800.205	Spreader mounting pockets, steel (pair)	\$ 158.00
1800.210	Spreader mounting pockets, stainless steel (pair)	\$ 194.52

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1800.215	Rear asphalt apron, mild steel primed and painted black *Requires spreader mounting pockets	\$ 619.30
1800.220	Rear asphalt apron, natural finish stainless steel *Requires spreader mounting pockets	\$ 840.17
1800.240	Poly bed liner; 1/2" thick on flat floor and floor to side radius, cost per square foot of coverage.	\$ 28.79
1800.245	Poly bed liner for high temperature applications; 1/2" thick on flat floor and floor to side radius, cost per square foot of coverage.	\$ 33.83
1800.250	Stainless steel pintle chain conveyor with single bar flighting (per linear foot of conveyor chain)	\$ 104.57
1800.255	Stainless steel pintle chain conveyor with double bar flighting (per linear foot of conveyor chain)	\$ 203.03
1800.310	Mild steel materials required for custom product (per dollar)	\$ 1.00
1800.320	Stainless steel materials required for custom product (per dollar)	\$ 1.00
1800.330	Aluminum materials required for custom product (per dollar)	\$ 1.00
1800.340	Miscellaneous materials required for custom product (per dollar)	\$ 1.00
1800.999	Conspicuity tape, red/white (per foot)	\$ 2.58

→ To Table of Contents

**CHASSIS ACCESSORIES**

1810.005	Rear mud flaps with brackets	\$ 163.13
1810.020	Front steel shields with 1/2 flaps (per pair)	\$ 162.41
1810.025	Front stainless steel shields with 1/2 flaps (per pair)	\$ 234.04
1810.040	Rear flap tie up hooks/chains	\$ 74.84
1810.050	Mud flap anti sail brackets, per pair	\$ 41.73
1810.055	Quick attach/detach spring steel mud flap brackets, Fast Flap- per two piece set. Must include item #1810.005 with this option	\$ 132.34
1810.105	Poly fender kit - Single axle style, 1 ton or 1-1/2 ton style -includes one pair 16.5" or 19.5 " full radius poly fenders and heavy duty stainless steel off-set mounting hardware.	\$ 888.59
1810.110	Poly fender kit - Single axle , includes poly fenders and heavy duty "offset" stainless steel mounting hardware	\$ 980.44
1810.115	Poly fender kit - Tandem axle, includes poly fenders, and heavy duty "offset" stainless steel mounting hardware	\$ 1,796.96
1810.120	Fender kit - Single axle galvanized corrugated steel, includes fenders, and steel heavy duty "offset" steel mounting hardware	\$ 862.34

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1810.125	Fender kit - Tandem axle galvanized corrugated steel, includes fenders and steel heavy duty "offset" steel mounting hardware	\$ 1,164.57
1810.130	Stainless steel fender kit - Single axle, includes stainless fenders and stainless steel mounting hardware	\$ 1,028.26
1810.135	Stainless steel fender kit - Tandem axle, includes stainless fenders and stainless steel mounting hardware	\$ 1,892.61
1810.140	Aluminum fender kit - single axle, includes aluminum fenders and stainless steel mounting hardware	\$ 886.05
1810.145	Aluminum fender kit - tandem axle, includes aluminum fenders and stainless steel mounting hardware	\$ 1,608.17
1810.200	Automatic Tire Instant Chains, RotoGrip brand or equal, per pair installed	\$ 2,366.68

→ To Table of Contents

**CAB PROTECTORS**

1820.005	Cab shield, 16" - 1/4 size, 10 gauge A1011 steel	\$ 495.65
1820.010	Cab shield, 16" - 1/4 size, 10 gauge 304 stainless steel	\$ 1,683.67
1820.015	Cab shield, 16" - 1/4 size, 7 gauge A1011 steel	\$ 619.41
1820.020	Cab shield, 24" - 1/2 size, 10 gauge A1011 steel	\$ 651.08
1820.025	Cab shield, 24" - 1/2 size, 10 gauge 304 stainless steel	\$ 1,624.67
1820.030	Cab shield, 24" - 1/2 size, 10 gauge A1011 steel, load bearing style	\$ 951.86
1820.035	Cab shield, 24" - 1/2 size, 10 gauge 304 stainless steel, load bearing style	\$ 1,381.45
1820.040	Cab shield, 24" - 1/2 size, 7 gauge A1011 steel	\$ 779.16
1820.045	Cab shield, 24" - 1/2 size, 7 gauge 304 stainless steel	\$ 1,702.38
1820.050	Cab shield, 24" - 1/2 size, 7 gauge A1011 steel, load bearing style	\$ 930.27
1820.055	Cab shield, 24" - 1/2 size, 7 gauge 304 stainless steel, load bearing style	\$ 2,312.58
1820.060	Cab shield, 30" - 3/4 size, 10 gauge A1011 steel	\$ 727.35
1820.065	Cab shield, 30" - 3/4 size, 10 gauge 304 stainless steel	\$ 1,660.64
1820.070	Cab shield, 30" - 3/4 size, 10 gauge A1011 steel, load bearing style	\$ 1,033.89
1820.075	Cab shield, 30" - 3/4 size, 10 gauge 304 stainless steel, load bearing style	\$ 1,935.52
1820.080	Cab shield, 30" - 3/4 size, 7 gauge A1011 steel	\$ 838.17
1820.085	Cab shield, 30" - 3/4 size, 7 gauge 304 stainless steel	\$ 1,952.79
1820.090	Cab shield, 30" - 3/4 size, 7 gauge A1011 steel, load bearing style	\$ 1,036.77
1820.095	Cab shield, 30" - 3/4 size, 7 gauge 304 stainless steel, load bearing style	\$ 2,147.08
1820.100	Cab shield, 40" - Full size, 10 gauge A1011 steel	\$ 874.14

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1820.105	Cab shield, 40" - Full size, 10 gauge 304 stainless steel	\$ 2,052.09
1820.110	Cab shield, 40" - Full size, 10 gauge A1011 steel, load bearing style	\$ 1,272.79
1820.115	Cab shield, 40" - Full size, 10 gauge 304 stainless steel, load bearing style	\$ 2,541.41
1820.120	Cab shield, 40" - Full size, 7 gauge A1011 steel	\$ 983.52
1820.125	Cab shield, 40" - Full size, 7 gauge 304 stainless steel	\$ 2,728.50
1820.130	Cab shield, 40" - Full size, 7 gauge A1011 steel, load bearing style	\$ 1,282.87
1820.205	Cab shield, 24" x 88" wide, 10 gauge steel	\$ 671.68
1820.210	Cab shield, 30" x 88" wide, 10 gauge steel	\$ 680.75
1820.215	Cab shield, 36" x 88" wide, 10 gauge steel	\$ 717.01
1820.220	Cab shield, 42" x 88" wide, 10 gauge steel	\$ 762.35
1820.225	Cab shield, 48" x 88" wide, 10 gauge steel	\$ 798.61
1820.230	Cab shield, 24" x 88" wide, 10 gauge 304 stainless steel	\$ 1,079.68
1820.235	Cab shield, 30" x 88" wide, 10 gauge 304 stainless steel	\$ 1,274.61
1820.305	Upright post, steel -for stationary mounted cab shields	\$ 1,043.39
1820.310	Upright post, stainless steel -for stationary mounted cab shields	\$ 1,151.33
1820.315	Upright full width x full height steel stationary cab shield, with or without window	\$ 2,986.26
1820.320	Upright full width x full height stainless steel stationary cab shield, with or without window	\$ 3,633.88

→ [To Table of Contents](#)

**TOOLBOXES AND CHASSIS MOUNTED STORAGE**

1830.005	Chassis mounted storage box, black powder coated steel, 14" high, 12" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 407.34
1830.010	Chassis mounted storage box, black powder coated steel, 14" high, 16" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 407.34
1830.015	Chassis mounted storage box, black powder coated steel, 14" high, 16" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 421.27
1830.020	Chassis mounted storage box, black powder coated steel, 18" high, 18" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 415.91
1830.025	Chassis mounted storage box, black powder coated steel, 18" high, 18" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 429.84
1830.030	Chassis mounted storage box, black powder coated steel, 18" high, 18" deep, 36" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 513.46
1830.035	Chassis mounted storage box, black powder coated steel, 18" high, 18" deep, 48" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 572.13

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1830.040</b>	Chassis mounted storage box, black powder coated steel, 18" high, 18" deep, 60" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 638.39</b>
<b>1830.045</b>	Chassis mounted storage box, black powder coated steel, 24" high, 24" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 597.17</b>
<b>1830.050</b>	Chassis mounted storage box, black powder coated steel, 24" high, 24" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 615.18</b>
<b>1830.055</b>	Chassis mounted storage box, black powder coated steel, 24" high, 24" deep, 36" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 720.91</b>
<b>1830.060</b>	Chassis mounted storage box, black powder coated steel, 24" high, 24" deep, 48" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 792.91</b>
<b>1830.065</b>	Chassis mounted storage box, black powder coated steel, 24" high, 24" deep, 60" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 885.05</b>
<b>1830.105</b>	Chassis mounted storage box, black powder coated steel box with polished finish stainless steel door, 14" high, 16" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 546.43</b>
<b>1830.110</b>	Chassis mounted storage box, black powder coated steel with polished finish stainless steel door, 14" high, 16" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 579.75</b>
<b>1830.115</b>	Chassis mounted storage box, black powder coated steel with polished finish stainless steel door, 18" high, 18" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 555.01</b>
<b>1830.120</b>	Chassis mounted storage box, black powder coated steel with polished finish stainless steel door, 18" high, 18" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 588.32</b>
<b>1830.125</b>	Chassis mounted storage box, black powder coated steel with polished finish stainless steel door, 18" high, 18" deep, 36" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 646.12</b>
<b>1830.130</b>	Chassis mounted storage box, black powder coated steel with polished finish stainless steel door, 18" high, 18" deep, 48" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 717.13</b>
<b>1830.135</b>	Chassis mounted storage box, black powder coated steel with polished finish stainless steel door, 18" high, 18" deep, 60" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 863.10</b>
<b>1830.140</b>	Chassis mounted storage box, stainless steel with polished finish stainless steel door, 18" high, 18" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 873.57</b>
<b>1830.145</b>	Chassis mounted storage box, stainless steel with polished finish stainless steel door, 18" high, 18" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 936.27</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1830.150</b>	Chassis mounted storage box, stainless steel with polished finish stainless steel door, 18" high, 18" deep, 36" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 990.78</b>
<b>1830.155</b>	Chassis mounted storage box, stainless steel with polished finish stainless steel door, 18" high, 18" deep, 48" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 1,169.47</b>
<b>1830.205</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 14" high, 12" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 474.98</b>
<b>1830.210</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 14" high, 16" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 486.48</b>
<b>1830.215</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 18" high, 18" deep, 18" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 512.18</b>
<b>1830.220</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 18" high, 18" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 515.47</b>
<b>1830.225</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 18" high, 18" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 536.03</b>
<b>1830.230</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 18" high, 18" deep, 36" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 618.01</b>
<b>1830.235</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 18" high, 18" deep, 48" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 675.45</b>
<b>1830.240</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 18" high, 18" deep, 60" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 723.86</b>
<b>1830.245</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 24" high, 24" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 588.94</b>
<b>1830.250</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 24" high, 24" deep, 30" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 623.38</b>
<b>1830.255</b>	Chassis mounted storage box, polished finish aluminum diamond plate, 24" high, 24" deep, 36" long with stainless steel lockable handle, and steel chassis mounting brackets	<b>\$ 678.37</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1830.260	Chassis mounted storage box, polished finish aluminum diamond plate, 24" high, 24" deep, 48" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 738.92
1830.265	Chassis mounted storage box, polished finish aluminum diamond plate, 24" high, 24" deep, 60" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 909.57
1830.270	Chassis mounted storage box, black polymer, 18" high, 18" deep, 24" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 411.38
1830.275	Chassis mounted storage box, black polymer, 18" high, 18" deep, 36" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 437.40
1830.280	Chassis mounted storage box, black polymer, 18" high, 18" deep, 48" long with stainless steel lockable handle, and steel chassis mounting brackets	\$ 507.96
1830.285	Backpack tool box, 24" deep x 85" wide x 55" high with center tunnel; 4 doors; one adjustable shelf; black powder coated steel with stainless hardware	\$ 2,685.29
1830.290	Backpack tool box, 24" deep x 85" wide x 55" high with 9" center tunnel; 4 doors; one adjustable shelf; white powder coated steel with stainless hardware	\$ 2,717.81
1830.295	Backpack tool box, 24" deep x 82" wide x 55" high with 9" center tunnel; 4 doors; one adjustable shelf; aluminum construction with stainless hardware	\$ 3,175.32
1830.300	Backpack tool box, 24" deep x 92" wide x 55" high with 9" center tunnel; 4 doors; one adjustable shelf; aluminum construction with stainless hardware	\$ 3,742.35
1830.305	Backpack tool box, 24" deep x 84" wide x 60" high with 14" center tunnel; 4 doors; two shelves; 56 cubic feet of storage; 26" high x 19" wide door openings; bonded & riveted construction; 100% Aluminum with all stainless hardware	\$ 4,343.71
1830.310	Backpack tool box, 24" deep x 84" wide x 60" high; flat bottom; 4 doors; two shelves; 64 cubic feet of storage; 26" high x 19" wide door openings; bonded & riveted construction; 100% Aluminum with all stainless hardware	\$ 4,307.73
1830.315	Backpack tool box, 24" deep x 84" wide x 46" high; flat bottom; 2 doors; one shelf; 52 cubic feet of storage; 26" high x 19" wide door openings; bonded & riveted construction; 100% Aluminum with all stainless hardware	\$ 3,042.71
1830.320	Backpack tool box, 24" deep x 84" wide x 42" high; flat bottom; 2 doors; one shelf; 47 cubic feet of storage; 26" high x 19" wide door openings; bonded & riveted construction; 100% Aluminum with all stainless hardware	\$ 3,042.71

→ [To Table of Contents](#)

**TARP SYSTEMS**

1840.005	Manual operated cable style tarp - 8' thru 12', includes tarp system and installation, chain/sprocket ground level crank operation	\$ 2,740.49
1840.010	Manual operated cable style tarp -13' thru 18', includes tarp system and installation, chain/sprocket ground level crank operation	\$ 3,136.26

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1840.015	Electric operated cable style tarp - 8' thru 12', includes tarp system and installation, chain/sprocket ground level crank operation	\$ 3,899.01
1840.020	Electric operated cable style tarp -13' thru 18', includes tarp system and installation, chain/sprocket ground level crank operation	\$ 4,215.62
1840.025	Tarping system, manual "Spring Loaded" pull type w/ asphalt treated tarp 8' thru 12'	\$ 1,240.72
1840.030	Tarping system, manual "Spring Loaded" pull type w/ asphalt treated tarp 13' thru 18'	\$ 1,268.07
1840.035	Electric operated tarping system, 9' thru 13' bodies, includes installation of cab mounted tarping system, weight downs, swing back arms, in cab control, asphalt treated mesh type tarp (9' expandable w/eyelets), wind deflector, in cab control, and all necessary wiring/wiring harnesses.	\$ 2,301.54
1840.040	Electric operated tarping system, 14' thru 17' bodies, includes installation of cab mounted tarping system, weight downs, swing back arms, in cab control, asphalt treated mesh type tarp (9' expandable w/eyelets), wind deflector, in cab control, and all necessary wiring/wiring harnesses.	\$ 2,359.11
1840.045	Electric operated tarping system, 18' thru 21' bodies, includes installation of cab mounted tarping system, weight downs, swing back arms, in cab control, asphalt treated mesh type tarp (9' expandable w/eyelets), wind deflector, in cab control, and all necessary wiring/wiring harnesses.	\$ 2,445.46
1840.050	Manual crank tarp system with up to 11ft mesh tarp for MD and MDS series dump bodies	\$ 651.57
1840.050	Manual crank tarp system with up to 13ft mesh tarp for MD and MDS series dump bodies	\$ 686.11
1840.050	Manual crank tarp system with up to 15ft mesh tarp for MD and MDS series dump bodies	\$ 720.65

→ To Table of Contents

**DUMP BODY VIBRATORS**

1850.005	Dump body vibrator, heavy duty tube style, includes mounting brackets, vibrator, in cab control, and all necessary wiring/wiring harnesses.	\$ 1,436.39
1850.010	Dump body vibrator with 3,000 lb trust rating, includes mounting brackets, vibrator, in cab control, and all necessary wiring/wiring harness	\$ 982.59
1850.015	Dump body vibrator with 3,500 lb trust rating, includes mounting brackets, vibrator, in cab control, and all necessary wiring/wiring harness	\$ 1,056.20

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ <a href="#">To Table of Contents</a> <b>CHASSIS MOUNTED CRANES</b>		
<b>1855.010</b>	Chassis mounted crane, 5,400 lbs lifting capacity from planetary winch, 25,000 ft-lbs crane moment rating, four hydraulic functions: winch, elevation, rotation, and extension, 10'-16'-20' boom (6' powered and 4' manual extension), 55 ft/min single line winch speed, 400 deg rotation, overload protection system, includes 80' of 5/16" aircraft-quality wire rope, and wired proportional controller * Requires hydraulic input of 5gpm @ 3,000psi and additional hydraulic hoses	<b>\$ 20,223.66</b>
<b>1855.020</b>	Chassis mounted crane, 3,200 lbs lifting capacity, 8,000 ft-lbs crane moment rating, four functions: electric winch, elevation, rotation, and extension, 6'-14' boom (4' powered, 4' manual extension), 13 ft/min single line winch speed, continuous power rotation with live swivel, overload protection system, includes 65' of 7/32" aircraft-quality wire rope, and controller with 20 ft cord * Requires 12 volt DC	<b>\$ 11,814.46</b>
<b>1855.030</b>	Chassis mounted crane, 2,000 lbs lifting capacity, 6,000 ft-lbs crane moment rating, four functions: electric planetary winch, elevation, rotation, and extension, 4.5'-9.5' boom (3' powered, 2' manual extension), 18 ft/min single line winch speed, power rotation, overload protection system, includes 50' of 3/16" aircraft-quality wire rope, and controller with 20 ft cord * Requires 12 volt DC	<b>\$ 11,298.66</b>
<b>1855.040</b>	Chassis mounted crane, 2,000 lbs lifting capacity, 6,000 ft-lbs crane moment rating, electric planetary winch (1.3 hp), manual rotation, elevation, and extension (3-position), and folding boom for compact storage, 3'-5' boom (manual extension), 14 ft/min single line winch speed, power rotation, overload protection system, includes 25' of 3/16" aircraft-quality wire rope, and controller with 12 ft cord * Requires 12 volt DC	<b>\$ 3,690.70</b>
<b>1855.050</b>	Chassis mounted crane, 2,000 lbs lifting capacity, 6,000 ft-lbs crane moment rating, heavy duty electric planetary winch (1.3 hp), manual rotation, elevation, and extension (3-position), and folding boom for compact storage, 3'-5' boom (manual extension), 18 ft/min single line winch speed, power rotation, overload protection system, includes 65' of 3/16" aircraft-quality wire rope, and controller with 12 ft cord * Requires 12 volt DC	<b>\$ 4,418.34</b>
<b>1855.060</b>	Chassis mounted crane, 2,000 lbs lifting capacity, 6,000 ft-lbs crane moment rating, electric planetary winch (1.3 hp), manual rotation, elevation, and extension (3-position), and folding boom for compact storage, 4'-7' boom (manual extension), 14 ft/min single line winch speed, power rotation, overload protection system, includes 25' of 3/16" aircraft-quality wire rope, and controller with 12 ft cord * Requires 12 volt DC	<b>\$ 3,815.05</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1855.070</b>	Chassis mounted crane, 2,000 lbs lifting capacity, 6,000 ft-lbs crane moment rating, heavy duty electric planetary winch (1.3 hp), manual rotation, elevation, and extension (3-position), and folding boom for compact storage , 4'-7' boom (manual extension), 18 ft/min single line winch speed, power rotation, overload protection system, includes 65' of 3/16" aircraft-quality wire rope, and controller with 12 ft cord * Requires 12 volt DC	<b>\$ 4,528.87</b>

→ To Table of Contents

**AUXILIARY SUSPENSION**

<b>1860.005</b>	Air ride pusher axle, NON-STEERABLE 20,000 lb capacity, includes straight axle, manual or electric in-cab controls, and all required air lines; No tires or rims included	<b>\$ 5,113.20</b>
<b>1860.010</b>	Air ride pusher axle, NON-STEERABLE 20,000 lb capacity, includes axle with 6" or 8" drop center, manual or electric in-cab controls, and all required air lines; No tires or rims included	<b>\$ 5,484.51</b>
<b>1860.010</b>	Air ride pusher axle, STEERABLE, 20,000 lb capacity, includes axle, manual or electric in-cab controls with automatic reverse raise, and all required air lines; No tires or rims included	<b>\$ 9,356.99</b>
<b>1860.015</b>	Air ride pusher axle, STEERABLE, 20,000 lb capacity, includes axle with automatic reverse steer lock out, manual or electric in-cab controls, and all required air lines; No tires or rims included	<b>\$ 9,814.64</b>
<b>1860.020</b>	Air ride pusher axle, STEERABLE, 20,000 lb capacity, includes axle with reverse steer configuration and automatic caster adjustment, manual or electric in-cab controls, and all required air lines; No tires or rims included	<b>\$ 10,478.09</b>

→ To Table of Contents

**AUTOMATIC LUBRICATION SYSTEMS**

<b>1865.010</b>	Automatic Lubrication system, includes reservoir and pump system, in cab control with automatic timer, required chassis plumbing and up to 30 lubrication points	<b>\$ 3,957.10</b>
<b>1865.020</b>	Automatic Lubrication system upgrade, provides up to 10 additional lubrication points to base system * Not a stand alone system, requires item number 1870.010	<b>\$ 741.40</b>

→ To Table of Contents

**CHASSIS MOUNTED GENERATORS / INVERTERS**

<b>1870.005</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 3500 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 6 GPM at 1600 PSI hydraulic input and 2 additional hydraulic hoses for operation	<b>\$ 2,751.84</b>
-----------------	---	--------------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1870.010</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 4000 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 6 GPM at 2000 PSI hydraulic input and 2 additional hydraulic hoses for operation	<b>\$ 2,843.19</b>
<b>1870.015</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 5000 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 11 GPM at 2200 PSI hydraulic input and 4 additional hydraulic hoses for operation	<b>\$ 3,532.39</b>
<b>1870.020</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 6000 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 11 GPM at 2300 PSI hydraulic input and 4 additional hydraulic hoses for operation	<b>\$ 3,823.64</b>
<b>1870.025</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 8000 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 11 GPM at 2500 PSI hydraulic input and 4 additional hydraulic hoses for operation	<b>\$ 4,758.91</b>
<b>1870.030</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 8000 watt output, completely brushless generator direct coupled to piston type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 11 GPM at 2500 PSI hydraulic input and 4 additional hydraulic hoses for operation	<b>\$ 4,981.98</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1870.035</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 12000 watt output, completely brushless generator direct coupled to piston type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 11 GPM at 2500 PSI hydraulic input and 4 additional hydraulic hoses for operation	<b>\$ 5,938.83</b>
<b>1870.040</b>	Hydraulic driven power generator system, 120/240 volt single phase AC 12000 watt output, completely brushless generator direct coupled to piston type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle, volt meter and all required wiring * Requires 11 GPM at 3200 PSI hydraulic input and 4 additional hydraulic hoses for operation	<b>\$ 5,938.83</b>
<b>1870.100</b>	Hydraulic driven power generator system, 125/218 volt 3 phase AC 8000 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle and volt meter, single three phase receptacle and all required wiring * Requires 16 GPM at 2200 PSI hydraulic input and 5 additional hydraulic hoses for operation	<b>\$ 4,402.71</b>
<b>1870.105</b>	Hydraulic driven power generator system, 125/218 volt 3 phase AC 12000 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle and volt meter, single three phase receptacle and all required wiring * Requires 16 GPM at 2600 PSI hydraulic input and 5 additional hydraulic hoses for operation	<b>\$ 5,233.64</b>
<b>1870.110</b>	Hydraulic driven power generator system, 125/218 volt 3 phase AC 15000 watt output, completely brushless generator direct coupled to gear type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle and volt meter, single three phase receptacle and all required wiring * Requires 16 GPM at 3300 PSI hydraulic input and 5 additional hydraulic hoses for operation	<b>\$ 5,935.05</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1870.115</b>	Hydraulic driven power generator system, 125/218 volt 3 phase AC 8000 watt output, completely brushless generator direct coupled to piston type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle and volt meter, single three phase receptacle and all required wiring * Requires 11.5 GPM at 2700 PSI hydraulic input and 5 additional hydraulic hoses for operation	<b>\$ 4,704.94</b>
<b>1870.120</b>	Hydraulic driven power generator system, 125/218 volt 3 phase AC 12000 watt output, completely brushless generator direct coupled to piston type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle and volt meter, single three phase receptacle and all required wiring * Requires 11.5 GPM at 3450 PSI hydraulic input and 5 additional hydraulic hoses for operation	<b>\$ 5,535.87</b>
<b>1870.125</b>	Hydraulic driven power generator system, 125/218 volt 3 phase AC 15000 watt output, completely brushless generator direct coupled to piston type hydraulic motor, generator system includes automatic current overload protection and surge stabilizer for +/- 3% voltage regulation, pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle and volt meter, single three phase receptacle and all required wiring * Requires 20.8 GPM at 2250 PSI hydraulic input and 5 additional hydraulic hoses for operation	<b>\$ 6,194.09</b>
<b>1870.200</b>	Hydraulic driven power welder generator system, 120/240 volt single phase AC 7500 watt output, 40 to 240 amp adjustable DC welding output, and completely brushless generator direct coupled to hydraulic motor, generator system includes pressure balance hydraulic flow valve for constant voltage output, output control panel with duplex 120 volt receptacle, volt meter, all required wiring, and protective storage cover for generator; no welding leads included * Requires 20.8 GPM at 2250 PSI hydraulic input and 5 additional hydraulic hoses for operation	<b>\$ 6,359.60</b>
<b>1870.300</b>	Hydraulic driven generator system, 120/240 volt single phase AC 7,500 watt output, includes generator with direct coupled hydraulic pump, integral oil reservoir, integral oil cooler, control valve, frequency and voltage regulator, and electronic control panel all in protective housing; and 45cc load sensing hydraulic pump. * Requires hot shift PTO and 4 additional hydraulic hoses for operation	<b>\$ 11,659.29</b>
<b>1870.310</b>	Hydraulic driven generator system, 120/240 volt single phase AC 10,000 watt output, includes generator with direct coupled hydraulic pump, integral oil reservoir, integral oil cooler, control valve, frequency and voltage regulator, and electronic control panel all in protective housing; and 71cc load sensing hydraulic pump. * Requires hot shift PTO and 4 additional hydraulic hoses for operation	<b>\$ 13,386.28</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1870.320</b>	Hydraulic driven generator system, 120/240 volt single phase AC 12,000 watt output, includes generator with direct coupled hydraulic pump, integral oil reservoir, integral oil cooler, control valve, frequency and voltage regulator, and electronic control panel all in protective housing; and 71cc load sensing hydraulic pump. * Requires hot shift PTO and 4 additional hydraulic hoses for operation	<b>\$ 14,681.52</b>
<b>1870.330</b>	Hydraulic driven generator system, 120/240 volt single phase AC 14,000 watt output, includes generator with direct coupled hydraulic pump, integral oil reservoir, integral oil cooler, control valve, frequency and voltage regulator, and electronic control panel all in protective housing; and 71cc load sensing hydraulic pump. * Requires hot shift PTO and 4 additional hydraulic hoses for operation	<b>\$ 18,999.00</b>
<b>1870.340</b>	Hydraulic driven generator system, 220/240 volt three phase AC 15,000 watt output, includes generator with direct coupled hydraulic pump, integral oil reservoir, integral oil cooler, control valve, frequency and voltage regulator, and electronic control panel all in protective housing; and 71cc load sensing hydraulic pump. * Requires hot shift PTO and 4 additional hydraulic hoses for operation	<b>\$ 18,999.00</b>
<b>1870.350</b>	Hydraulic driven generator system, 120/240 volt single phase AC 7,500 watt output, includes generator with direct coupled hydraulic pump, oil reservoir, separate oil cooler, control valve, frequency and voltage regulator, and electronic control panel, protective housing; and 71cc load sensing hydraulic pump. * Requires hot shift PTO and 4 additional hydraulic hoses for operation	<b>\$ 12,360.88</b>
<b>1870.360</b>	Hydraulic driven generator system, 120/240 volt single phase AC 10,000 watt output, includes generator with direct coupled hydraulic pump, oil reservoir, oil cooler, control valve, frequency and voltage regulator, and electronic control panel, protective housing; and 71cc load sensing hydraulic pump. * Requires hot shift PTO and 4 additional hydraulic hoses for operation	<b>\$ 14,159.83</b>
<b>1870.500</b>	1200 watt DC to AC power inverter with low battery feed shutdown, GFCI protected duplex receptacle, and direct connect output	<b>\$ 2,223.74</b>
<b>1870.510</b>	1800 watt DC to AC power inverter with low battery feed shutdown, GFCI protected duplex receptacle, and direct connect output	<b>\$ 3,267.13</b>
<b>1870.520</b>	2400 watt DC to AC power inverter with low battery feed shutdown, GFCI protected duplex receptacle, and direct connect output	<b>\$ 4,022.69</b>
<b>1870.530</b>	3000 watt DC to AC power inverter with low battery feed shutdown, GFCI protected duplex receptacle, and direct connect output	<b>\$ 4,346.50</b>
<b>1870.540</b>	3600 watt DC to AC power inverter with low battery feed shutdown, GFCI protected duplex receptacle, and direct connect output	<b>\$ 4,958.14</b>
<b>1870.550</b>	Remote on/off switch & LED status panel with up to 25 ft interconnect cable, for 1800 to 3600 watt invertors	<b>\$ 384.19</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1870.600</b>	200 amp battery isolator	<b>\$ 672.63</b>
<b>1870.900</b>	Electric cord reel with auto safety rewind and 50 ft of 12-3 SJO electric cord rated at 20 amps with quad receptacle	<b>\$ 933.65</b>
<b>1870.905</b>	Electric cord reel with auto safety rewind and 100 ft of 12-3 SJO electric cord rated at 20 amps with quad receptacle	<b>\$ 1,558.24</b>

→ To Table of Contents

**VEHICLE MOUNTED AIR COMPRESSORS**

<b>1875.005</b>	Underhood air compressor, belt driven off chassis engine, capable of up to 70 CFM output and up to 175 PSI with a 100% duty cycle; system includes engine specific mounting bracket, rotary screw air compressor, air-oil separator, oil inter cooler, throttle controls, in cab on/off control with hour meter and LCD display, all required electrical and plumbing components for one connection on vehicle * Kits available for select vehicle & engine combinations only, see application guide for details	<b>\$ 10,106.87</b>
<b>1875.010</b>	Underhood air compressor, belt driven off chassis engine, capable of up to 150 CFM output and up to 175 PSI with a 100% duty cycle; system includes engine specific mounting bracket, rotary screw air compressor, air-oil separator, oil inter cooler, throttle controls, in cab on/off control with hour meter and LCD display, all required electrical and plumbing components for one connection on vehicle * Kits available for select vehicle & engine combinations only, see application guide for details	<b>\$ 13,512.21</b>
<b>1875.100</b>	Hydraulic driven air compressor, capable of up to 40 CFM output and up to 150 PSI with a 100% duty cycle; includes rotary screw compressor, air-oil separator, oil inter cooler, steel enclosure, remote digital LCD control displays hour meter, air pressure, hydraulic and air temperature, all required electrical and plumbing components for one connection * Requires hydraulic source capable of 14 GPM and 2,275 PSI and applicable hydraulic hoses	<b>\$ 6,411.78</b>
<b>1875.105</b>	Hydraulic driven air compressor, capable of up to 60 CFM output and up to 150 PSI with a 100% duty cycle; includes rotary screw compressor, air-oil separator, oil inter cooler, steel enclosure, remote digital LCD control displays hour meter, air pressure, hydraulic and air temperature, all required electrical and plumbing components for one connection * Requires hydraulic source capable of 14 GPM and 2,275 PSI and applicable hydraulic hoses	<b>\$ 7,558.07</b>
<b>1875.200</b>	Install one additional air connection on vehicle, includes required hoses, ball valve, and air coupler	<b>\$ 395.77</b>
<b>1875.205</b>	Compressed air after cooler for up to 70 CFM with 12VDC fan. integral air filter and automatic drain; includes mounting bracket with rubber cushion mounts, required electrical and plumbing components	<b>\$ 1,568.20</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1875.210	35 gallon storage tank, installed in above air compressor system; includes all required fittings, hoses, gauge and required check valve	\$ 1,026.19
1875.215	Electric de-icer for air compressor lines, includes 12VDC powered 80 watt insulated rope heater with on/off control	\$ 549.21
1875.220	Filter regulator lubricator rated at 70 CFM, 150 max regulated pressure, 200 max inlet pressure, with 3/4" inlet and outlet ports; includes installation in above selected air compressor system: installed permanently inline, or removable installed with air couplers to attach to exiting outlet port	\$ 399.03
1875.225	Heavy duty air filter installed in above selected hydraulic driven air compressor system	\$ 682.51
1875.230	Compressed air hose reel with auto rewind and 1/2" x 50ft rubber air hose; includes installation in above selected air compressor system	\$ 1,034.98
1875.235	Compressed air hose reel with auto safety rewind and 1/2" x 75ft rubber air hose; includes installation in above selected air compressor system	\$ 1,192.84
1875.240	Compressed air hose reel with auto safety rewind and 1/2" x 100ft rubber air hose; includes installation in above selected air compressor system	\$ 1,256.17
1875.245	Compressed air hose reel with auto safety rewind and 3/4" x 50ft rubber air hose; includes installation in above selected air compressor system	\$ 1,200.04

→ [To Table of Contents](#)

**LIFT GATES**

1880.005	Flip away style lift gate with 32" x 72" platform and ramped style apron, 1,600 lb capacity	\$ 2,972.03
1880.010	Flip away style lift gate with 32" x 84" platform and ramped style apron, 1,600 lb capacity	\$ 3,138.97
1880.015	Flip away style lift gate with 32" x 72" platform and ramped style apron, 2,200 lb capacity	\$ 3,061.26
1880.020	Flip away style lift gate with 32" x 84" platform and ramped style apron, 2,200 lb capacity	\$ 3,242.59
1880.100	Lift gate, rail type, with swinging dump through 36" x 89" platform with 6" ramp, 1,600lb capacity	\$ 4,749.39
1880.105	Lift gate, rail type, with swinging dump through 36" x 89" platform with 6" ramp, 2,000lb capacity	\$ 4,956.63
1880.110	Lift gate, rail type, with swinging dump through 36" x 89" platform with 6" ramp, 3,000lb capacity	\$ 5,290.51
1880.200	Lift gate, rail type, for service body applications, 30" x 61" steel platform with 6" ramp, 1250 lbs capacity	\$ 2,770.55
1880.205	Lift gate, rail type, for service body applications, 30" x 61" steel platform with 6" ramp, 1600 lbs capacity	\$ 2,927.41

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1880.210	Lift gate, rail type, for service body applications, 36" x 61" steel platform with 6" ramp, 1600 lbs capacity	\$ 3,131.77
1880.215	Lift gate, rail type, for service body applications, 42" x 61" steel platform with 6" ramp, 1600 lbs capacity	\$ 3,284.33
1880.220	Lift gate, rail type, for service body applications, 30" x 61" steel platform with 6" ramp, 1250 lbs capacity	\$ 3,432.56
1880.225	Lift gate, rail type, for service body applications, 30" x 61" steel platform with 6" ramp, 1600 lbs capacity	\$ 3,494.44
1880.230	Lift gate, rail type, for service body applications, 36" x 61" steel platform with 6" ramp, 1600 lbs capacity	\$ 3,753.49
1880.235	Lift gate, rail type, for service body applications, 42" x 61" steel platform with 6" ramp, 1600 lbs capacity	\$ 4,062.91
1880.240	Above floor travel option for service body mounted rail type steel platform lift gates, allows platform to reach loading dock height under normal situations	\$ 503.71
1880.245	Above floor travel option for service body mounted rail type aluminum platform lift gates, allows platform to reach loading dock height under normal situations	\$ 575.67
1880.300	Lift gate, fold up type, 36" x 90" steel platform with 6" ramp, 2000 lbs capacity	\$ 4,139.18
1880.305	Lift gate, fold up type, 42" x 90" steel platform with 9" ramp, 3000 lbs capacity	\$ 6,021.60
1880.310	Lift gate, fold up type, 48" x 90" steel platform with 9" ramp, 3000 lbs capacity	\$ 6,096.44
1880.400	Lift gate, rail type, for pick up truck applications, 24" x 57" fold up steel platform with 6" ramp, 1250 lbs capacity	\$ 2,526.72
1880.405	Lift gate, rail type, for pick up truck applications, 30" x 57" fold up steel platform with 6" ramp, 1250 lbs capacity	\$ 2,601.56
1880.410	Lift gate, rail type, for pick up truck applications, 36" x 57" fold up steel platform with 6" ramp, 1250 lbs capacity	\$ 2,703.74
1880.415	Lift gate, rail type, for pick up truck applications, 30" x 57" fold up steel platform with 6" ramp, 1600 lbs capacity	\$ 2,792.96
1880.420	Lift gate, rail type, for pick up truck applications, 36" x 57" fold up steel platform with 6" ramp, 1600 lbs capacity	\$ 3,018.91
1880.425	Lift gate, rail type, for pick up truck applications, 42" x 57" fold up steel platform with 6" ramp, 1600 lbs capacity	\$ 3,155.63
1880.430	Lift gate, rail type, for pick up truck applications, 24" x 57" fold up aluminum platform with 6" ramp, 1250 lbs capacity	\$ 3,031.86
1880.435	Lift gate, rail type, for pick up truck applications, 30" x 57" fold up aluminum platform with 6" ramp, 1250 lbs capacity	\$ 3,155.63
1880.440	Lift gate, rail type, for pick up truck applications, 38" x 57" fold up aluminum platform with 6" ramp, 1250 lbs capacity	\$ 3,259.25

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

[→ To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
1880.445	Lift gate, rail type, for pick up truck applications, 30" x 57" fold up aluminum platform with 6" ramp, 1600 lbs capacity	\$ 3,407.48
1880.450	Lift gate, rail type, for pick up truck applications, 38" x 57" fold up aluminum platform with 6" ramp, 1600 lbs capacity	\$ 3,665.09
1880.455	Lift gate, rail type, for pick up truck applications, 44" x 57" fold up aluminum platform with 6" ramp, 1600 lbs capacity	\$ 3,839.23
1880.500	Lift gate, rail type, with flip up heavy duty, 60" x 90" folding platform with 12" ramp, 3000 lbs capacity	\$ 10,375.22
1880.505	Lift gate, rail type, with flip up heavy duty, 72" x 90" folding platform with 12" ramp, 3000 lbs capacity	\$ 11,035.79
1880.510	Lift gate, rail type, with flip up heavy duty, 60" x 90" folding platform with 12" ramp, 4000 lbs capacity	\$ 11,227.20
1880.515	Lift gate, rail type, with flip up heavy duty, 72" x 90" folding platform with 12" ramp, 4000 lbs capacity	\$ 11,890.65
1880.520	Lift gate, rail type, with flip up heavy duty, 60" x 90" folding platform with 12" ramp, 5000 lbs capacity	\$ 13,942.89
1880.525	Lift gate, rail type, with flip up heavy duty, 72" x 90" folding platform with 12" ramp, 5000 lbs capacity	\$ 14,528.62
1880.530	Lift gate, rail type, with flip up heavy duty, 84" x 90" folding platform with 16" folding aluminum ramp, 5000 lbs capacity	\$ 16,036.86
1880.535	Lift gate, rail type, with flip up heavy duty, 60" x 90" folding platform with 12" ramp, 6000 lbs capacity	\$ 15,776.37
1880.540	Lift gate, rail type, with flip up heavy duty, 72" x 90" folding platform with 12" ramp, 6000 lbs capacity	\$ 15,999.44
1880.545	Lift gate, rail type, with flip up heavy duty, 84" x 90" folding platform with 16" folding aluminum ramp, 6000 lbs capacity	\$ 17,163.72

[→ To Table of Contents](#)

**CHASSIS MOUNTED POST PULLERS**

1885.010	Standard heavy duty post puller with manual hydraulic valve, includes installation and required chassis specific mounting hardware * Requires hydraulic power source and two hydraulic hoses	\$ 5,475.30
1885.020	Extra heavy duty post puller with manual hydraulic valve, includes installation and required chassis specific mounting hardware * Requires hydraulic power source and two hydraulic hoses	\$ 5,704.09
1885.030	Electric over hydraulic spool valve and hand held pendant in lieu of manual lever actuated hydraulic valve * Requires 12 volt DC for operation	\$ 1,701.49

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1885.040</b>	Electric hydraulic self contained power source, includes all required hydraulic hoses, electrical wiring, circuit breaker, ect for installation with above selected post puller * Requires 12 volt DC for operation	<b>\$ 1,190.14</b>
<b>1885.050</b>	Heavy duty post clamp	<b>\$ 366.95</b>
<b>1885.070</b>	Custom paint other than standard Omaha orange, specify color	<b>\$ 115.14</b>
<b>1885.060</b>	Pivot mounting plates for CRE-94 series post puller for installation on chassis with tilt hood	<b>\$ 562.96</b>

→ [To Table of Contents](#)

**REAR HITCHES: TOWING PLATES**

<b>1890.005</b>	Rear towing plate, 1/2" flame cut plate with necessary gusseting, two 3/4" diameter forged lashing rings and required pintle hook mounting pattern.	<b>\$ 378.94</b>
<b>1890.010</b>	Rear towing plate, 5/8" flame cut plate with necessary gusseting, two 1" diameter forged lashing rings and required pintle hook mounting pattern.	<b>\$ 407.91</b>
<b>1890.015</b>	Rear towing plate, 3/4" flame cut plate with necessary gusseting, two 1" diameter forged lashing rings and required pintle hook mounting pattern.	<b>\$ 532.38</b>
<b>1890.020</b>	Rear towing plate, 1" flame cut plate with necessary gusseting, two 1" diameter forged lashing rings and required pintle hook mounting pattern.	<b>\$ 681.06</b>
<b>1890.025</b>	Recess mount above selected pintle plate into chassis frame, specify depth	<b>\$ 64.77</b>
<b>1890.030</b>	Tail light pintle plate openings to allow installation of additional recessed stop, tail, turn lamps.	<b>\$ 93.55</b>
<b>1890.035</b>	Buckeye hitch, installed as bolt-on removable with grade 8 fasteners	<b>\$ 841.91</b>

→ [To Table of Contents](#)

**REAR HITCHES: TUBE STYLE RECEIVERS**

<b>1891.005</b>	Rear towing hitch, 2" square receiver, class 4, with 5/8" hitch pin	<b>\$ 398.61</b>
<b>1891.010</b>	Rear towing hitch, 2" square receiver, class 5, with 5/8" hitch pin	<b>\$ 454.58</b>
<b>1891.015</b>	Rear towing hitch, 2-1/2" square receiver, class 5, with 5/8" hitch pin	<b>\$ 469.96</b>
<b>1891.020</b>	Receiver tube, 2" square, installed recessed in rear towing plate	<b>\$ 143.72</b>
<b>1891.025</b>	Receiver tube, 2-1/2" square, installed recessed in rear towing plate	<b>\$ 153.58</b>
<b>1891.030</b>	Pintle hook mounting plate, to fit 2" square receiver, for standard and combination pintle hooks (up to 10 ton capacity)	<b>\$ 44.56</b>
<b>1891.035</b>	Pintle hook mounting plate with 3 or 6 adjustable positions, to fit 2" square receiver, for standard and combination pintle hooks (up to 5 ton capacity)	<b>\$ 66.55</b>
<b>1891.040</b>	Pintle hook mounting plate with 2 adjustable positions, to fit 2-1/2" square receiver, for standard and combination pintle hooks (up to 8 ton capacity)	<b>\$ 56.62</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents	<b>REAR HITCHES: PINTLE HOOKS</b>	
<b>1892.005</b>	Standard 5 ton forged pintle hook, 2,000 lbs max vertical load x 10,000 lbs max towing weight	<b>\$ 66.16</b>
<b>1892.010</b>	Standard 8 ton forged pintle hook, 3,200 lbs max vertical load x 16,000 lbs max towing weight	<b>\$ 67.67</b>
<b>1892.015</b>	Combination 8 ton forged pintle hook, with 1-7/8", 2", or 2-5/16" ball, 3,000 lbs max vertical load x 16,000 lbs max towing weight	<b>\$ 115.48</b>
<b>1892.020</b>	Combination 10 ton forged pintle hook, with 2" or 2-5/16" ball, 4,000 lbs max vertical load x 20,000 lbs max towing weight	<b>\$ 150.60</b>
<b>1892.025</b>	Standard 15 ton forged pintle hook, 6,000 lbs max vertical load x 30,000 lbs max towing weight	<b>\$ 84.71</b>
<b>1892.030</b>	Swivel-type 15 ton forged pintle hook, 6,000 lbs max vertical load x 30,000 lbs max towing weight	<b>\$ 178.10</b>
<b>1892.035</b>	Standard 20 ton forged pintle hook, 8,000 lbs max vertical load x 40,000 lbs max towing weight	<b>\$ 100.90</b>
<b>1892.040</b>	Swivel-type 25 ton forged pintle hook, 6,000 lbs max vertical load x 50,000 lbs max towing weight	<b>\$ 216.73</b>
<b>1892.045</b>	Heavy duty 30 ton forged pintle hook, 15,000 lbs max vertical load x 60,000 lbs max towing weight	<b>\$ 184.49</b>
<b>1892.050</b>	Swivel-type 30 ton forged pintle hook, 12,000 lbs max vertical load x 60,000 lbs max towing weight	<b>\$ 277.47</b>
<b>1892.055</b>	Heavy duty 40 ton forged pintle hook, 19,000 lbs max vertical load x 80,000 lbs max towing weight	<b>\$ 390.72</b>
<b>1892.060</b>	Heavy duty 45 ton forged pintle hook, 16,000 lbs max vertical load x 90,000 lbs max towing weight	<b>\$ 277.65</b>
<b>1892.065</b>	Heavy duty 45 ton forged pintle hook, 18,000 lbs max vertical load x 90,000 lbs max towing weight	<b>\$ 407.60</b>
<b>1892.070</b>	Air compensated 40 ton forged pintle hook, 19,000 lbs max vertical load x 80,000 lbs max towing weight, includes pintle hook, air chamber, in cab on/off air switch, and all required air plumbing	<b>\$ 703.50</b>
<b>1892.075</b>	Air compensated 45 ton forged pintle hook, 16,000 lbs max vertical load x 90,000 lbs max towing weight, includes pintle hook, air chamber, in cab on/off air switch, and all required air plumbing	<b>\$ 591.53</b>
<b>1892.080</b>	Air compensated 50 ton forged 8 bolt pintle hook, 18,000 lbs max vertical load x 100,000 lbs max towing weight, includes pintle hook, air chamber, in cab on/off air switch, and all required air plumbing	<b>\$ 689.72</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>1892.085</b>	Air compensated 50 ton forged 10 bolt pintle hook, 18,000 lbs max vertical load x 100,000 lbs max towing weight, includes pintle hook, air chamber, in cab on/off air switch, and all required air plumbing	\$ <b>681.97</b>
<b>1892.090</b>	Air compensated 50 ton forged pintle hook, 20,000 lbs max vertical load x 100,000 lbs max towing weight, includes pintle hook, air chamber, in cab on/off air switch, and all required air plumbing	\$ <b>850.49</b>

→ [To Table of Contents](#)

**REAR HITCHES: OTHER**

<b>1893.010</b>	Heavy duty 1" diameter D-rings, forged C-1045, per pair, installed (specify location and 55° offset or flat style)	\$ <b>60.45</b>
<b>1893.015</b>	Heavy duty rear tow hooks, installed per pair	\$ <b>124.72</b>
<b>1893.020</b>	Heavy duty front tow hooks, installed per pair	\$ <b>124.72</b>
<b>1893.025</b>	Heavy duty structural rear bumper	\$ <b>248.26</b>
<b>1893.030</b>	Structural channel rear bumper off of each side of pintle plate	\$ <b>165.51</b>
<b>1893.035</b>	Glad-hand kit, air trailer brake - Includes air brake glad-hands (one blue service & one red emergency), with glad-hand covers, and all required airlines and fittings to hookup existing chassis air trailer brake system. Connections located at rear of chassis per customer request.	\$ <b>190.69</b>
<b>1893.040</b>	Glad-hand kit, air trailer brake - Includes installing customer supplied air brake glad-hands (one blue service & one red emergency), with all required airlines and fittings to hookup existing chassis air trailer brake system. Connections located at rear of chassis per customer request.	\$ <b>147.52</b>

→ [To Table of Contents](#)

**HYDRAULIC PUMPS: LOAD SENSING**

<b>2000.005</b>	Load sensing axial piston pump, 60 series, approximately 15 gpm @1000 rpm, includes pump and pump fitting kit (high pressure o-ring flange) for front engine mount, shaft driven	\$ <b>1,580.89</b>
<b>2000.010</b>	Load sensing axial piston pump, 60 series, approximately 15 gpm @1000 rpm, includes pump and pump fitting kit (high pressure o-ring flange) for PTO direct mount	\$ <b>1,592.26</b>
<b>2000.015</b>	Load sensing axial piston pump, 71 series, approximately 19 gpm @1000 rpm, includes pump and pump fitting kit (high pressure o-ring flange) for front engine mount, shaft driven	\$ <b>1,898.06</b>
<b>2000.020</b>	Load sensing axial piston pump, 71 series, approximately 19 gpm @1000 rpm, includes pump and pump fitting kit (high pressure o-ring flange) for PTO remote mount, shaft driven	\$ <b>1,934.04</b>
<b>2000.025</b>	Load sensing axial piston pump, 100 series, approximately 26 gpm @1000 rpm, includes pump and pump fitting kit (high pressure o-ring flange) for front engine mount, shaft driven	\$ <b>2,996.39</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2000.030</b>	Load sensing axial piston pump, 100 series, approximately 26 gpm @1000 rpm, includes pump and pump fitting kit (high pressure o-ring flange) for PTO remote mount, shaft driven	<b>\$ 4,366.04</b>
<b>2000.035</b>	Load sensing axial piston pump, KVA BENT AXIS series, approximately 21 gpm @1000 rpm, includes pump and pump fitting kit (high pressure o-ring flange) for PTO direct mount	<b>\$ 2,808.09</b>
<hr/>		
→ <a href="#">To Table of Contents</a>	<b>HYDRAULIC PUMPS: GEAR</b>	
<b>2010.005</b>	Single stage positive displacement gear pump, includes gear pump, and pump fitting kit; flow range up to 17 gpm at 1000 rpm	<b>\$ 535.26</b>
<hr/>		
→ <a href="#">To Table of Contents</a>	<b>HYDRAULIC PUMPS: DRY VALVE GEAR</b>	
<b>2020.005</b>	Single stage dry valve pump, includes gear type pump, pump mounted dry valve, pump fitting kit approximately 27 gpm @1000 rpm, in cab activation kit, and necessary required air lines/ wiring harnesses	<b>\$ 1,483.40</b>
<b>2020.010</b>	Single stage dry valve pump, includes gear type pump, pump mounted dry valve, pump fitting kit approximately 14 gpm @1000 rpm, in cab activation kit, and necessary required air lines/ wiring harnesses	<b>\$ 1,236.58</b>
<b>2020.015</b>	Two stage (tandem) dry valve gear pump, pump fittings, dry valve assembly, approximately 19gpm front and 11gpm rear @1000 rpm, in cab activation kit, and necessary air lines/wiring harnesses	<b>\$ 2,150.76</b>
<hr/>		
→ <a href="#">To Table of Contents</a>	<b>HYDRAULIC PUMPS: CLUTCH PUMPS AND MOUNTING</b>	
<b>2030.005</b>	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch, for Chevy/GMC 6.6L or 7.8L diesel engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	<b>\$ 1,984.22</b>
<b>2030.010</b>	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch, for Chevy/GMC 6.6L or 7.8L diesel engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	<b>\$ 1,867.36</b>
<b>2030.015</b>	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch, for Chevy/GMC 6.0L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	<b>\$ 2,002.59</b>
<b>2030.020</b>	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch, for Chevy/GMC 6.0L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	<b>\$ 1,885.73</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2030.025	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch, for Chevy/GMC 8.1L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	\$ 1,841.49
2030.030	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch, for Chevy/GMC 8.1L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	\$ 1,724.63
2030.035	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch, for Ford 6.4L diesel engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	\$ 1,907.43
2030.040	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch, for Ford 6.4L diesel engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	\$ 1,512.61
2030.045	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch, for Ford 5.4/6.8L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	\$ 2,381.55
2030.050	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch, for Ford 5.4/6.8L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	\$ 1,724.63
2030.055	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch, for Dodge 6.7L diesel engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	\$ 1,890.74
2030.060	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch, for Dodge 6.7L diesel engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	\$ 1,773.88
2030.065	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch, for Dodge 5.7L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	\$ 2,072.70
2030.070	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch, for Dodge 5.7L gas engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	\$ 1,955.84

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2030.075	Fan belt driven high flow hydraulic gear pump & pump mounting kit with electric clutch for other applicable engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 12 or 17gal/min @ 1500 rpm)	\$ 1,872.37
2030.080	Fan belt driven hydraulic gear pump & pump mounting kit with electric clutch for other applicable engines, includes all necessary engine mounting brackets, hardware, idlers, belts, in cab on/off switch, wiring, and pump fitting kit (specify pump rating of 5, 7 or 9 gal/min @ 1500 rpm)	\$ 1,755.51

→ To Table of Contents

**HYDRAULIC PUMPS: RELATED EQUIPMENT**

2050.005	Hydraulic pump mounting bracket, front engine dampener driven, includes pump bracket and required pump mounting hardware	\$ 212.28
2050.010	Hydraulic pump mounting bracket, PTO driven remote mounted pumps, includes remote pump bracket and required pump mounting hardware	\$ 431.75
2050.015	Power take-off assembly, constant run, with grease able rotatable flange, for direct mount pumps for Allison 3000/4000RDS series automatic transmissions	\$ 1,105.89
2050.020	Power take-off assembly, constant run, for shaft driven, remote mounted pumps for Allison 3000/4000RDS series automatic transmissions	\$ 838.20
2050.025	Power take-off assembly, "Hot Shift", with rotatable flange, for direct mount pumps; includes in cab on/off control and pressure lube if required, for Ford automatic transmissions	\$ 1,637.65
2050.030	Power take-off assembly, "Hot Shift", with rotatable flange, for direct mount pumps; includes in cab on/off control and pressure lube if required for Allison 3000/4000RDS series automatic transmissions	\$ 1,719.69
2050.035	Power take-off assembly, "Hot Shift", for shaft driven, remote mounted pumps; includes in cab on/off control and pressure lube if required for Allison 3000/4000RDS series automatic transmissions	\$ 1,542.67
2050.040	Power take-off assembly, "Constant Run" type with extended 1"-15 spline SAE-B flange extended output shaft for Allison 3000/4000RDS series automatic transmissions, includes PTO gear assembly with DIN output, extension shaft assembly, and pressure lube line	\$ 1,822.51
2050.045	Power take-off assembly, "Hot Shift" type with extended 1"-15 spline extended output shaft for Allison 3000/4000RDS series automatic transmissions, includes PTO gear assembly with DIN output, extension shaft assembly, pressure lube, and in cab on/off control	\$ 2,464.38
2050.050	Drive shaft assembly, solid shaft -slip spline, for front engine or PTO shaft driven pumps	\$ 341.49
2050.055	Drive shaft assembly, tubular shaft -slip spline, for front engine or PTO shaft driven pumps	\$ 217.09

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2050.060</b>	Safety crash loop around hydraulic pump driveshaft, for front engine or PTO shaft driven pumps	<b>\$ 92.83</b>
<hr/>		
→ <a href="#">To Table of Contents</a>	<b>HYDRAULIC VALVES: CLOSED CENTER LOAD SENSING</b>	
<b>2100.005</b>	M4-12 directional control valve, closed center, load sensing, with 1 total valve section: 1 manual control section to operate a single or double acting function (No valve controls included, see valve control section for options)	<b>\$ 1,258.77</b>
<b>2100.010</b>	M4-12 directional control valve, closed center, load sensing, with 2 total valve sections: 2 manual control sections to operate single or double acting functions (No valve controls included, see valve control section for options)	<b>\$ 1,719.43</b>
<b>2100.015</b>	M4-12 directional control valve, closed center, load sensing, with 3 total valve sections: 3 manual control sections to operate single or double acting functions (No valve controls included, see valve control section for options)	<b>\$ 2,061.95</b>
<b>2100.020</b>	M4-12 directional control valve, closed center, load sensing, with 4 total valve sections: 4 manual control sections to operate single or double acting functions (No valve controls included, see valve control section for options)	<b>\$ 2,479.30</b>
<b>2100.025</b>	M4-12 directional control valve, closed center, load sensing, with 5 total valve sections: 3 manual control sections to operate single or double acting functions, 2 electric control, on/off or proportional sections to operate double or single acting functions (No valve controls included, see valve control section for options)	<b>\$ 3,457.93</b>
<b>2100.030</b>	M4-12 directional control valve, closed center, load sensing, with 6 total valve sections: 4 manual control sections to operate single or double acting functions, 2 electric control, on/off or proportional sections to operate double or single acting functions (No valve controls included, see valve control section for options)	<b>\$ 4,062.38</b>
<b>2100.035</b>	M4-12 directional control valve, closed center, load sensing, with 6 total valve sections: 3 manual control sections to operate single or double acting functions, 3 electric control, on/off or proportional sections to operate double or single acting functions (No valve controls included, see valve control section for options)	<b>\$ 4,062.38</b>
<b>2100.040</b>	M4-12 directional control valve, closed center, load sensing, with 7 total valve sections: 4 manual control sections to operate single or double acting functions, 3 electric control, on/off or proportional, sections to operate double or single acting functions (No valve controls included, see valve control section for options)	<b>\$ 4,741.66</b>
<b>2100.045</b>	Add power beyond circuit provision to any closed center, load sensing M4-12 directional control valve	<b>\$ 115.34</b>
<b>2100.050</b>	Add 1 manual control section to any closed center, load sensing M4-12 directional control valve, to operate a single or double acting function	<b>\$ 439.81</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2100.055</b>	Add 1 electric control, on/off or proportional, section to any closed center, load sensing M4-12 directional control valve, to operate a single acting function	<b>\$ 664.32</b>
<b>2100.060</b>	Add 1 electric control, on/off or proportional, section to any closed center, load sensing M4-12 directional control valve, to operate a double acting function	<b>\$ 739.16</b>
<b>2100.065</b>	Additional charge for M4-12 valves when additional sections create a valve with 9 to 16 sections, includes upgrade to mid-inlet, stud kit upgrade, and additional end cover	<b>\$ 438.31</b>
<b>2100.070</b>	Additional charge for M4-12 valves for use with a gear pumps, includes open center inlet upgrade	<b>\$ 261.07</b>

→ [To Table of Contents](#)

**HYDRAULIC VALVES: CLOSED CENTER LOAD SENSING ENCLOSURES**

<b>2105.005</b>	Black Power Coated frame mounted steel valve enclosure for 1 to 4 valve sections	<b>\$ 773.07</b>
<b>2105.010</b>	Black Power Coated frame mounted steel valve enclosure for 5 to 8 valve sections	<b>\$ 779.49</b>
<b>2105.015</b>	Black Power Coated frame mounted steel valve enclosure for 9 to 12 valve sections	<b>\$ 862.46</b>
<b>2105.020</b>	Black Power Coated frame mounted steel valve enclosure for 13 to 16 valve sections	<b>\$ 1,037.41</b>
<b>2105.025</b>	Stainless Steel Frame mounted valve enclosure for 1 to 4 valve sections	<b>\$ 1,271.37</b>
<b>2105.030</b>	Stainless Steel Frame mounted valve enclosure for 5 to 8 valve sections	<b>\$ 1,329.09</b>
<b>2105.035</b>	Stainless Steel Frame mounted valve enclosure for 9 to 12 valve sections	<b>\$ 1,606.26</b>
<b>2105.040</b>	Stainless Steel Frame mounted valve enclosure for 13 to 16 valve sections	<b>\$ 1,663.05</b>

→ [To Table of Contents](#)

**HYDRAULIC VALVES: OPEN CENTER**

<b>2110.005</b>	Directional control valve, open center, with 1 manual control section to operate a single or double acting function with work port reliefs as required, with or without power beyond (No valve controls included, see valve control section for options)	<b>\$ 661.94</b>
<b>2110.010</b>	Directional control valve, open center, with 2 manual control sections to operate single or double acting functions, work port reliefs on one section as required, with or without power beyond (No valve controls included, see valve control section for options)	<b>\$ 860.55</b>
<b>2110.015</b>	Directional control valve, open center, with 3 manual control sections to operate single or double acting functions, work port reliefs on one section as required, with or without power beyond (No valve controls included, see valve control section for options)	<b>\$ 1,062.71</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2110.020</b>	Directional control valve, open center, with 4 manual control sections to operate single or double acting functions, work port reliefs on one section as required, with or without power beyond (No valve controls included, see valve control section for options)	\$ <b>1,261.32</b>
<b>2110.025</b>	Directional control valve, open center, with 5 manual control sections to operate single or double acting functions, work port reliefs on one section as required, with or without power beyond (No valve controls included, see valve control section for options)	\$ <b>1,463.78</b>
<b>2110.030</b>	Add a single sided detent to any open center directional control valve for single acting float	\$ <b>86.35</b>
<b>2110.035</b>	Add 1 manual control section to any open center directional control valve, to operate a single or double acting function	\$ <b>198.61</b>

→ [To Table of Contents](#)

**HYDRAULIC VALVES: MANUAL SPREADER**

<b>2120.005</b>	Manual spreader control valve, dual knob, dual channel, with on / off lever, for closed center load sensing hydraulic systems	\$ <b>480.61</b>
<b>2120.010</b>	Manual spreader control valve, dual knob, dual channel, with on / off lever, for open center hydraulic systems	\$ <b>477.73</b>
<b>2120.015</b>	Manual spreader control valve, dual knob, dual channel, with electric on / off, for open center / gear pump hydraulic systems, includes on / off rocker switch and applicable wiring harness	\$ <b>615.67</b>
<b>2120.020</b>	Manual spreader control valve, single knob, single channel, with on / off lever, for open center / gear pump hydraulic systems	\$ <b>430.24</b>

→ [To Table of Contents](#)

**HYDRAULIC VALVES: ELECTRIC CONTROLLED SPREADER**

<b>2125.005</b>	Electric spreader manifold for auger and spinner functions for open center/gear pump hydraulic systems, includes valve in sealed NEMA 12X enclosure (No controls included, see electric spreader control section for options)	\$ <b>2,094.80</b>
<b>2125.010</b>	Electric spreader manifold for auger, spinner and prewet functions for open center/gear pump hydraulic systems, includes valve in sealed NEMA 12X enclosure (No controls included, see electric spreader control section for options)	\$ <b>2,274.41</b>
<b>2125.015</b>	Electric spreader manifold for auger and spinner functions for closed center load sensing hydraulic systems, includes valve in sealed NEMA 12X enclosure (No controls included, see electric spreader control section for options)	\$ <b>2,097.68</b>
<b>2125.020</b>	Electric spreader manifold for auger, spinner and prewet functions for closed center load sensing hydraulic systems, includes valve in sealed NEMA 12X enclosure (No controls included, see electric spreader control section for options)	\$ <b>2,277.29</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents	<b>HYDRAULIC VALVES AND COMPONENTS: SPECIAL PURPOSE</b>	
<b>2130.005</b>	Plow cross-over relief valve, specify port size and relief pressure	<b>\$ 147.48</b>
<b>2130.010</b>	Hydraulic power float kit for front mounted snow plow, includes hydraulic power float manifold, power float in cab control console, shuttle valve kit, two function wiring harness, and all necessary valving and fittings for closed center load sensing hydraulic systems * Additional hoses are required but not included in this kit	<b>\$ 2,021.64</b>
<b>2130.015</b>	Hydraulic power float kit for front mounted snow plow, includes hydraulic power float manifold, power float in cab control console, two function wiring harness, and all necessary valving and fittings for open center non-load sensing hydraulic systems * Additional hoses are required but not included in this kit	<b>\$ 2,605.65</b>
<b>2130.020</b>	Adjustable hydraulic proportional flow divider/flow control valve, includes valve, valve fittings, and mounting as required by customer.	<b>\$ 191.38</b>
<b>2130.025</b>	Hydraulic selector valve, single function, manual operated	<b>\$ 181.26</b>
<b>2130.030</b>	Hydraulic selector valve, dual function, manual operated	<b>\$ 284.16</b>
<b>2130.035</b>	Hydraulic series parallel valve, manual operated	<b>\$ 499.32</b>
<b>2130.040</b>	Hydraulic series parallel valve with air actuator	<b>\$ 513.71</b>
<b>2130.045</b>	Adjustable in line pressure relief valve	<b>\$ 310.36</b>
<b>2130.100</b>	Portable hydraulic tester, 2-100 GPM flow reading on LCD digital readout, up to 6000 psi on analog gauge, 50 -250 deg F with internal sensor, #16 SAE ORB inlet and outlet ports, bi direction flow and pressure readings, internal loading valve with safety burst disc protection, auto off to extend battery life (does not include testing hoses)	<b>\$ 2,806.35</b>
<b>2130.110</b>	Portable hydraulic tester, 3-100 GPM flow reading on LCD digital readout, up to 6000 psi on analog gauge, 50 -250 deg F with internal sensor, #16 SAE ORB inlet and outlet ports, bi direction flow and pressure readings, internal loading valve with safety burst disc protection, auto off to extend battery life, external inputs for flow meter and tachometer (does not include testing hoses)	<b>\$ 3,244.57</b>
<b>2130.120</b>	Portable hydraulic tester, 7-200 GPM flow reading on LCD digital readout, up to 7000 psi on analog gauge, 50 -250 deg F with internal sensor, #24 SAE ORB inlet and outlet ports, bi direction flow and pressure readings, internal loading valve with safety burst disc protection, auto off to extend battery life (does not include testing hoses)	<b>\$ 3,620.19</b>
<b>2130.130</b>	Portable hydraulic tester, 7-200 GPM flow reading on LCD digital readout, up to 7000 psi on analog gauge, 50 -250 deg F with internal sensor, #24 SAE ORB inlet and outlet ports, bi direction flow and pressure readings, internal loading valve with safety burst disc protection, auto off to extend battery life, external inputs for flow meter and tachometer (does not include testing hoses)	<b>\$ 4,068.13</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2130.140</b>	External remote photo tachometer for use with above hydraulic tester with external inputs, includes infrared phototach head, 20 foot cable, and magnetic base with flexible arm	\$ 700.15
<b>2130.150</b>	External remote flow meter for use with above hydraulic tester with external inputs, includes flow meter rated for up to 7000 psi and 160 gallons per minute and required connection cable (does not include testing hoses)	\$ 1,886.74
<b>2130.160</b>	External remote flow meter for use with above hydraulic tester with external inputs, includes flow meter rated for up to 7000 psi and 160 gallons per minute, external loading valve, and required connection cable (does not include testing hoses)	\$ 2,731.17
<b>2130.200</b>	Four function pressure gauge for vacuum, low, medium, and high pressure ranges; reads 0-30 in-hg vacuum, 0-250 psi on the low pressure gauge, 0-900 on the medium pressure gauge, and 0-6000 on the high pressure gauge, includes 36" test hose with 1/8" male NPT connection	\$ 628.92
<b>2130.300</b>	Hydraulic oil cooler, capable of removing 33,750 BTU/hr, rated for up to 20 GPM at 500 PSI * Requires 12 volt DC 10 amp electrical supply and additional hydraulic hoses	\$ 1,286.37

→ [To Table of Contents](#)

**HYDRAULIC VALVE CONTROLS: DIRECTIONAL CONTROLS**

<b>2200.005</b>	In cab control stand kit, rigid mount	\$ 118.74
<b>2200.010</b>	In cab control stand kit, rigid mount, stainless steel	\$ 125.93
<b>2200.015</b>	In cab dual axis air control stand/assembly	\$ 466.71
<b>2200.020</b>	In cab dual axis air control stand/assembly, stainless steel	\$ 697.28
<b>2200.025</b>	In cab control console for in cab manual spreader control valve	\$ 170.40
<b>2200.030</b>	In cab stainless steel control console for in cab manual spreader control valve	\$ 334.61
<b>2200.035</b>	In cab control console, for directional and spreader control functions, includes steel console with custom cut face plate (console only, no controls included)	\$ 328.13
<b>2200.040</b>	In cab control console, for directional and spreader control functions, includes stainless steel console with custom cut face plate (console only, no controls included)	\$ 364.11
<b>2200.045</b>	Remote valve cable control kit: includes one NON-LOCKING, straight, in cab cable controller; heavy duty push-pull cable; and valve connection kit (per each)	\$ 163.19
<b>2200.050</b>	Remote valve cable control kit: includes one NEUTRAL-LOCKING, straight, in cab cable controller; heavy duty push-pull cable, and valve connection kit (per each)	\$ 177.58
<b>2200.055</b>	Remote valve cable control kit: includes one NON-LOCKING, 70 degree, in cab cable controller; heavy duty push-pull cable; and valve connection kit (per each)	\$ 172.39

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2200.060	Remote valve cable control kit: includes one NEUTRAL-LOCKING, 70 degree, in cab cable controller; heavy duty push-pull cable; and valve connection kit (per each)	\$ 186.78
2200.065	Remote valve cable control kit: includes one DUAL AXIS, NON-LOCKING in cab cable controller to operate two directional valve functions; two heavy duty push-pull cables; and two valve connection kits (per each controller)	\$ 290.84
2200.070	Remote valve air control shift mechanism for M4-12 valves (per each air controlled section)	\$ 100.69
2200.075	Remote valve air control shift mechanism (per each air controlled section)	\$ 112.60
2200.080	Remote valve air control kit: includes one NON-LOCKING in cab air controller; air line(s); and necessary fittings (per each)	\$ 296.28
2200.085	Remote valve air control kit: includes one NEUTRAL-LOCKING in cab air controller; air line(s); and necessary fittings (per each)	\$ 332.25
2200.090	Remote valve air control kit: includes one DUAL AXIS, NON-LOCKING in cab air controller to operate two directional valve functions; air line(s); and necessary fittings (per each controller)	\$ 606.26
2200.095	Remote valve air control accessories kit: includes tractor protection valve; adjustable air filter/regulator/lubricator; and air supply line kit (only one kit required)	\$ 307.23
2200.100	Remote valve electric control console: includes CS-140RC push button / rocker switch controller; power distribution box; and wiring harnesses	\$ 3,655.05
2200.105	Remote valve electric control console: includes CS-140RC single three axis joystick controller; with 6 buttons on joystick; up to 8 rocker switches; function display; power distribution box; and wiring harnesses	\$ 7,337.81
2200.110	Remote valve electric control console: includes CS-140RC single dual axis joystick controller; with 4 buttons on joystick, up to 8 rocker switches, function display, power distribution box and wiring harnesses	\$ 6,885.78
2200.115	Remote valve electric control console: includes CS-140RC twin dual axis joystick controller; with up to 8 rocker switches, power distribution box and wiring harnesses	\$ 7,431.77
2200.120	Remote valve electric control console: includes CS-552 rocker switch control box; with up to 4 rocker switches to control eclectic actuated valve sections with all required wiring harnesses	\$ 7,431.77
<hr/>		
→ <a href="#">To Table of Contents</a>	<b>HYDRAULIC VALVE CONTROLS: SPREADER CONTROLS</b>	
2250.005	Electronic spreader controller for spinner and conveyor; features include ground speed proportional operation of conveyor and fully programmable functions; Bosch Rexroth CS-420 or equal	\$ 1,644.29

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2250.010</b>	Electronic spreader controller for spinner, conveyor and liquid; features include ground speed proportional operation of conveyor and prewet or 3 lane anti-icing and fully programmable functions; Bosch Rexroth CS-430 or equal	<b>\$ 1,959.27</b>
<b>2250.015</b>	Electronic spreader controller for spinner, conveyor and liquid; features include ground speed proportional operation of conveyor and prewet or 3 lane anti-icing, fully programmable functions, digital and analog inputs, data logging with report generating capabilities, and gaps compatible interface; Bosch Rexroth CS-440 or equal	<b>\$ 4,152.31</b>
<b>2250.020</b>	Electronic spreader controller for spinner and conveyor with mini 4 function joystick and up to 3 rocker switch functions; features include ground speed proportional operation of conveyor and fully programmable functions; Bosch Rexroth CS-425 or equal	<b>\$ 4,181.94</b>
<b>2250.025</b>	Additional valve section extension cable, 15 ft, for pre-wet, auger reverse, anti ice, ect	<b>\$ 86.72</b>
<b>2250.030</b>	Additional sensor extension cable, 15 ft, for ground speed, auger feedback, or flow meter feedback, ect	<b>\$ 85.76</b>
<b>2250.035</b>	Additional sensor extension cable, 30 ft, for ground speed, auger feedback, or flow meter feedback, ect	<b>\$ 106.22</b>
<b>2250.040</b>	White motor speed sensor interface cable	<b>\$ 156.75</b>
<b>2250.045</b>	CS-440 handheld data transfer device	<b>\$ 467.16</b>
<b>2250.050</b>	Remote pause / blast switch and 10 ft cable	<b>\$ 151.96</b>
<b>2250.055</b>	Remote pause / blast cable only, 30 ft	<b>\$ 220.97</b>
<b>2250.060</b>	Digital interface cable for CS-440, for temperature input, GPS output, ect	<b>\$ 50.51</b>
<b>2250.065</b>	Indicator input interface adaptor with terminal strip for CS-440	<b>\$ 108.44</b>
<b>2250.070</b>	Long interconnect cable for CS-440, for use when remote mounting the display or control section	<b>\$ 67.41</b>
<b>2250.075</b>	CS-440 - Prewet / Anti-ice controls, includes switches for single or multi-lane coverage, application selector switch, output change over module, and all required wiring harnesses.	<b>\$ 1,667.26</b>
<b>2250.080</b>	CS-440 - 3 lane anti-icing boom controls, includes switches for up to 3 multi-lane coverage booms, and all required wiring harnesses.	<b>\$ 814.50</b>
<b>2250.085</b>	CS-WDTS Base station package, wireless data transfer system, includes wireless router, mapping software, and WDTS software package; 1 required for each site where wireless communication with properly equipped spreader controllers is required, installation not included, extended antennas and additional networking connections are not included, but may be required depending on specific application	<b>\$ 1,010.76</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2250.090	CS-440 wireless data logging and passive GPS kit, for communication with CS-WDTS Base station; 1 required per spreader control system	\$ 1,957.74
2250.100	White hydraulic motor speed sensor and cable tester	\$ 336.50
2250.110	GPS speed sensor and adaptor cable for electronic spreader controller	\$ 787.15

→ To Table of Contents

**HYDRAULIC LOW OIL SYSTEMS**

2275.005	Low oil hydraulic warning, includes in cab light / alarm, in tank float, and necessary wiring / wiring harness	\$ 237.01
2275.010	Low oil hydraulic warning / shutdown kit, includes direct mount solenoid, in cab light / alarm, momentary override switch, in tank float, and necessary wiring / wiring harness * For SAE code 61 load sensing hydraulic pumps, flange block rated to 2500 psi	\$ 942.28
2275.015	Low oil hydraulic warning / shutdown kit, includes remote mount solenoid, in cab light / alarm, momentary override switch, in tank float, and necessary wiring / wiring harness	\$ 937.94
2275.025	Low oil hydraulic warning / shutdown kit, includes direct mount solenoid, in cab light / alarm, momentary override switch, in tank float, and necessary wiring / wiring harness * For SAE code 62 load sensing hydraulic pumps, flange block rated to 4000 psi	\$ 1,114.52
2275.020	Low oil hydraulic warning / shutdown kit, includes direct mount solenoid, in cab light / alarm, momentary override switch, in tank float, and necessary wiring / wiring harness * For SAE code 61 load sensing hydraulic pumps, flange block rated to 4000 psi	\$ 1,038.19
2275.030	Low oil hydraulic warning, includes in cab light / alarm, momentary bypass switch, in tank float, and necessary wiring / wiring harness, no shutdown solenoid included, for use with separate shutdown flange block, to interrupt an electric controlled hot-shift PTO circuit, or similar configuration.	\$ 540.39
2275.050	Low oil shut down flange block only, direct mount A10V071 pumps, high pressure 2500 psi flange block	\$ 409.35
2275.055	Low oil shut down flange block only, direct mount A10V071 pumps, high pressure 4000 psi flange block	\$ 490.61
2275.060	Low oil shut down flange block only, direct mount A10V0100 pumps, high pressure 4000 psi flange block	\$ 538.24

→ To Table of Contents

**HYDRAULIC OIL RESERVOIRS, COMBINATION VALVE ENCLOSURES**

2300.005	Combination hydraulic oil reservoir/ valve enclosure, cylindrical 35 gallon, includes mounting brackets - 12 gauge steel, use when remote valve has 8 or less valve sections	\$ 1,568.69
----------	--	-------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2300.010</b>	Combination hydraulic oil reservoir/ valve enclosure, cylindrical 35 gallon, includes mounting brackets - 12 gauge stainless steel, use when remote valve has 8 or less valve sections	<b>\$ 1,856.52</b>
<b>2300.015</b>	Combination hydraulic oil reservoir/ valve enclosure, cylindrical 42 gallon, includes mounting brackets - 12 gauge steel, use with telescopic hoist and remote valve with 8 or less valve sections	<b>\$ 1,712.60</b>
<b>2300.020</b>	Combination hydraulic oil reservoir/ valve enclosure, cylindrical 42 gallon, includes mounting brackets - 12 gauge stainless steel, use with telescopic hoist and remote valve with 8 or less valve sections	<b>\$ 2,000.43</b>

→ [To Table of Contents](#)

**HYDRAULIC OIL RESERVOIRS**

<b>2305.005</b>	Cylindrical hydraulic oil reservoir, 12 ga. steel 35 gallon with mounting brackets - 26" diameter x 24" long	<b>\$ 1,208.90</b>
<b>2305.010</b>	Cylindrical hydraulic oil reservoir, 12 ga stainless steel 35 gallon with mounting brackets - 26" diameter x 24" long	<b>\$ 1,424.77</b>
<b>2305.015</b>	Cylindrical hydraulic oil reservoir, steel 42 gallon- includes mounting brackets - 26" diameter x " long	<b>\$ 1,316.83</b>
<b>2305.020</b>	Cylindrical hydraulic oil reservoir, stainless steel 42 gallon- includes mounting brackets - 26" diameter x " long	<b>\$ 1,532.71</b>
<b>2305.025</b>	Upright frame mounted reservoir (behind chassis cab) 25 gallon, includes mounting brackets - steel	<b>\$ 633.23</b>
<b>2305.030</b>	Upright frame mounted reservoir (behind chassis cab) 25 gallon, includes mounting brackets - stainless steel	<b>\$ 777.15</b>
<b>2305.035</b>	Upright frame mounted reservoir (behind chassis cab or mounted to upright cab protector) 32 gallon, includes mounting brackets - steel	<b>\$ 741.17</b>
<b>2305.040</b>	Upright frame mounted reservoir (behind chassis cab or mounted to upright cab protector) 32 gallon, includes mounting brackets - stainless steel	<b>\$ 791.54</b>
<b>2305.045</b>	Upright frame mounted reservoir (behind chassis cab or mounted to upright cab protector) 50 gallon, includes mounting brackets - steel	<b>\$ 769.95</b>
<b>2305.050</b>	Upright frame mounted reservoir (behind chassis cab or mounted to upright cab protector) 50 gallon, includes mounting brackets - stainless steel	<b>\$ 820.32</b>
<b>2305.055</b>	Hydraulic oil reservoir: 15 gallon standard rectangular frame mounted. Includes breather cap, oil level gauge with temperature indicator, magnetic drain plug.	<b>\$ 391.40</b>
<b>2305.060</b>	Hydraulic oil reservoir: 25 gallon standard rectangular frame mounted. Includes breather cap, oil level gauge with temperature indicator, magnetic drain plug.	<b>\$ 409.21</b>
<b>2305.065</b>	Hydraulic oil reservoir: 30 gallon standard rectangular frame mounted. Includes breather cap, oil level gauge with temperature indicator, magnetic drain plug.	<b>\$ 486.31</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2305.070	Standard frame mounted reservoir, steel 30 gallon, load sense, includes mounting brackets	\$ 820.32
2305.075	Standard frame mounted reservoir, STAINLESS steel 30 gallon, load sense, includes mounting brackets	\$ 935.46
2305.999	Hydraulic oil, IS32 10 weight non-foaming (per gallon)	\$ 7.20

→ To Table of Contents

**HYDRAULIC OIL RESERVOIR: ACCESSORIES**

2310.010	Reservoir accessory kit (non-load sense), includes filler/breather cap, sight level/temp gauge, magnetic drain plug, (2) barbed suction fittings, (2) SS tee clamps	\$ 131.18
2310.020	Reservoir accessory kit (load sense), includes filler/breather cap, sight level/temp gauge, magnetic drain plug, suction screen (2) barbed suction fittings, (2) SS tee clamps	\$ 166.15

→ To Table of Contents

**HYDRAULIC PLUMBING: GENERAL**

2400.005	Reservoir suction port system service ball valve	\$ 73.68
2400.010	Low pressure ball valve, includes mounting bracket	\$ 67.04
2400.015	High pressure ball valve, includes mounting bracket	\$ 120.76
2400.020	Ball valve installed in reservoir drain	\$ 42.13
2400.105	Return line manifold assembly - steel	\$ 134.21
2400.110	Return line manifold assembly - stainless steel	\$ 171.26
2400.205	Return line filter kit w/ visual condition gauge, in-tank type	\$ 199.14
2400.210	Return line filter kit w/ visual condition gauge, and spin-on filter, for systems with max flow of 15 gpm or less	\$ 53.12
2400.215	Return line filter kit w/ visual condition gauge, and spin-on filters, for systems with max flow of 50 gpm or less	\$ 83.00
2400.220	Return line filter kit w/ visual condition gauge, and spin-on filters, for systems with max flow of 100 gpm or less	\$ 174.04
2400.250	Return line filter electronic warning condition indicator- includes sending unit, necessary wiring harness(s) and in cab warning lamp.	\$ 210.34
2400.305	Tube assemblies, combo reservoir/valve enclosure (per each required tube)	\$ 33.11
2400.310	Hydraulic pump 2" suction hose fitting kit	\$ 103.49
2400.320	Hydraulic tee assembly for dual feed spreader applications	\$ 58.48
2400.330	Dual hose reel with auto rewind, live swivel, and two 3/8" x 50ft hydraulic hoses rated at 3000psi * Requires two hydraulic hookup hoses, does not include any couplers	\$ 1,750.94

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2400.340</b>	Dual hose reel with auto rewind, live swivel, and two 1/2" x 50ft hydraulic hoses rated at 3000psi * Requires two hydraulic hookup hoses, does not include any couplers	\$ 1,795.55
<b>2400.350</b>	Dual hose reel with auto rewind, live swivel, and two 1/4" x 50ft oxygen-fuel hoses rated at 200psi	\$ 1,087.49
<b>2400.360</b>	Dual hose reel with auto rewind, live swivel, and two 1/4" x 100ft oxygen-fuel hoses rated at 200psi	\$ 1,473.18

→ To Table of Contents

**HYDRAULIC PLUMBING: QUICK COUPLERS**

<b>2410.005</b>	Steel quick coupler kit, includes 1/4" male/female coupler halves, dust plug, and cap (per each)	\$ 33.34
<b>2410.010</b>	Steel quick coupler kit, includes 3/8" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 43.27
<b>2410.015</b>	Steel quick coupler kit, includes 1/2" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 46.23
<b>2410.020</b>	Steel quick coupler kit, includes 3/4" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 65.04
<b>2410.025</b>	Steel quick coupler kit, includes 1" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 70.80
<b>2410.030</b>	Stainless steel quick coupler kit, includes 1/4" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 58.52
<b>2410.035</b>	Stainless steel quick coupler kit, includes 3/8" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 71.96
<b>2410.040</b>	Stainless steel quick coupler kit, includes 1/2" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 95.49
<b>2410.045</b>	Stainless steel quick coupler kit, includes 3/4" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 144.90
<b>2410.050</b>	Stainless steel quick coupler kit, includes 1" male/female poppet type coupler halves, dust plug, and cap (per each)	\$ 205.72
<b>2410.055</b>	Stainless steel quick coupler kit, includes 3/8" male/female flat face type coupler halves (per each)	\$ 173.19
<b>2410.060</b>	Stainless steel quick coupler kit, includes 1/2" male/female flat face type coupler halves (per each)	\$ 218.27
<b>2410.065</b>	Stainless steel quick coupler kit, includes 3/4" male/female flat face type coupler halves (per each)	\$ 452.53
<b>2410.070</b>	Stainless steel quick coupler kit, includes 1" male/female flat face type coupler halves (per each)	\$ 703.11
<b>2410.075</b>	Quick coupler mounting brackets, steel (per each)	\$ 45.34

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2410.080	Quick coupler mounting bracket, stainless steel (per each)	\$ 52.53

→ To Table of Contents

**HYDRAULIC PLUMBING: LOW PRESSURE**

2420.005	3/4" suction line completed hose assemblies, up to 5'	\$ 89.89
2420.010	3/4" suction line completed hose assemblies, up to 15'	\$ 157.19
2420.015	1" suction line completed hose assemblies, up to 5'	\$ 94.15
2420.020	1" suction line completed hose assemblies, up to 15'	\$ 165.71
2420.025	1-1/4" suction line completed hose assemblies, up to 5'	\$ 108.26
2420.030	1-1/4" suction line completed hose assemblies, up to 15'	\$ 183.38
2420.035	1-1/2" suction line completed hose assemblies , up to 5'	\$ 110.56
2420.040	1-1/2" suction line completed hose assemblies , up to 15'	\$ 191.01
2420.045	2" suction line completed hose assemblies, up to 5'	\$ 124.90
2420.050	2" suction line completed hose assemblies, up to 15'	\$ 241.75
2420.055	2-1/2" suction line completed hose assemblies, up to 5'	\$ 235.57
2420.060	2-1/2" suction line completed hose assemblies, up to 15'	\$ 407.32

→ To Table of Contents

**HYDRAULIC PLUMBING: HIGH PRESSURE**

2430.041	1/4" pressure line up to 5', complete hose assembly, includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 74.05
2430.042	1/4" pressure line up to 15', complete hose assembly, includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 120.82
2430.043	1/4" pressure line above 16 thru 25', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 141.40
2430.061	3/8" pressure line up to 5', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 76.64
2430.062	3/8" pressure line up to 15', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 125.57
2430.063	3/8" pressure line 16' thru 25', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 149.32

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>2430.081</b>	1/2" pressure line up to 5', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 96.21</b>
<b>2430.082</b>	1/2" pressure line up to 15', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 137.93</b>
<b>2430.083</b>	1/2" pressure line 16' thru 25', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 180.98</b>
<b>2430.085</b>	1/2" pressure line up to 5', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 153.10</b>
<b>2430.086</b>	1/2" pressure line up to 15', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 228.37</b>
<b>2430.087</b>	1/2" pressure line 16' thru 25', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 305.80</b>
<b>2430.121</b>	3/4" pressure line up to 5', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 109.67</b>
<b>2430.122</b>	3/4" pressure line up to 15', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 175.73</b>
<b>2430.123</b>	3/4" pressure line 16' thru 25', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 216.96</b>
<b>2430.125</b>	3/4" pressure line up to 5', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 168.82</b>
<b>2430.126</b>	3/4" pressure line up to 15', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	<b>\$ 288.12</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2430.127	3/4" pressure line 16' thru 25', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 407.43
2430.161	1" pressure line up to 5', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 139.24
2430.162	1" pressure line up to 15', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 209.33
2430.163	1" pressure line 16' thru 25', complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 260.13
2430.165	1" pressure line up to 5', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 188.61
2430.166	1" pressure line up to 15', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 306.19
2430.167	1" pressure line 16' thru 25', 4 wire hose rated to 4,000 psi working pressure, complete hose assembly includes necessary tie, brackets, clamps, shields and guards (per each hose assembly)	\$ 360.51
2430.500	Wire spring guard installed over flexible hydraulic hose assemblies (COST PER REQUIRED HOSE ASSEMBLY)	\$ 39.42
2430.505	Abrasion resistant, cloth type hose sleeve installed over flexible hydraulic hose assemblies (COST PER REQUIRED HOSE ASSEMBLY)	\$ 59.14

→ [To Table of Contents](#)

**HYDRAULIC PLUMBING: STAINLESS STEEL LINES**

2440.081	Stainless lines, 1/2", includes stainless steel line, adaptors, and shock absorbing clamps, up to 10' (per each)	\$ 100.40
2440.082	Stainless lines, 1/2", includes stainless steel line, adaptors, and shock absorbing clamps, 10' thru 20' (per each)	\$ 151.72
2440.121	Stainless lines, 3/4", includes stainless steel line, adaptors, and shock absorbing clamps, up to 10' (per each)	\$ 116.68

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
2440.122	Stainless lines, 3/4", includes stainless steel line, adaptors, and shock absorbing clamps, 10' thru 20' (per each)	\$ 201.08
2440.161	Stainless lines, 1", includes stainless steel line, adaptors, and shock absorbing clamps, up to 10' (per each)	\$ 223.04
2440.162	Stainless lines, 1", includes stainless steel line, adaptors, and shock absorbing clamps, 10' thru 20' (per each)	\$ 387.82
2440.201	Stainless lines, 1-1/4", includes stainless steel line, adaptors, and shock absorbing clamps, up to 10' (per each)	\$ 297.73
2440.202	Stainless lines, 1-1/4", includes stainless steel line, adaptors, and shock absorbing clamps, 10' thru 20' (per each)	\$ 513.46
2440.241	Stainless lines, 1-1/2", includes stainless steel line, adaptors, and shock absorbing clamps, up to 10' (per each)	\$ 312.98
2440.242	Stainless lines, 1-1/2", includes stainless steel line, adaptors, and shock absorbing clamps, 10' thru 20' (per each)	\$ 538.21

→ [To Table of Contents](#)

**ELECTRICAL: GENERAL KITS AND COMPONENTS**

3000.005	In cab power distribution panel, includes aluminum mounting plate, power up relay, up to 10 socket circuit breaker panel with type 1 auto cycle circuit breakers, and clear plexi-glass cover	\$ 444.83
3000.015	Automatic reset circuit breaker, high amp panel mounted, includes necessary wiring/wiring harnesses	\$ 148.71
3000.020	Remote mounted electrical junction boxes, rectangular style, includes necessary wiring/wiring harnesses	\$ 87.65
3000.025	Remote mounted electrical junction boxes, round style, includes necessary wiring/wiring harnesses	\$ 114.40
3000.030	Remote mounted electrical junction boxes, round style, includes mounting plate to be recess mounted and necessary wiring/wiring harnesses	\$ 251.12
3000.035	Electric/electronic trailer brake controller, includes in cab controller and necessary wiring/wiring harnesses	\$ 312.16
3000.040	Trailer plug, pin or flat blade, includes plug, weather proof boot and cover, and necessary wiring/wiring harnesses	\$ 166.54

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
3000.050	Body up light kit, includes remote mounted sealed micro switch, in cab warning lamp, and necessary wiring/wiring harnesses	\$ 142.27
3000.055	Body up light kit, includes remote mounted sealed micro switch, in cab warning lamp, audible alarm, and necessary wiring/wiring harnesses	\$ 166.72
3000.105	Back up alarm kit, includes back up alarm and necessary wiring/wiring harness	\$ 66.93
3000.110	Back up alarm kit, includes rubber grommited recessed type back up alarm and necessary wiring/wiring harness	\$ 110.67
3000.200	Pavement surface and ambient air temperature sensor with dual reading gauge	\$ 771.81
3000.205	Pavement surface and ambient air temperature sensor with dual reading gauge and RS-232 interface cabling	\$ 942.51
3000.505	Switch, sealed toggle, per each	\$ 55.37
3000.510	Switch, lighted toggle, per each	\$ 57.63
3000.515	Switch, lighted rocker, per each	\$ 64.72
3000.520	Switch, sealed micro, per each	\$ 78.90
3000.525	Switch, proximity, per each	\$ 145.92
3000.530	Security key switch, key removable in both on & off positions, per each	\$ 70.09
3000.535	Electric over air switch	\$ 99.64
3000.540	Coiled trailer/hook lift interconnect cable, includes cable installed male plugs & (2) male plug receptacles. For hook lift applications where ancillary equipment has permanent lighting installed	\$ 72.32
3000.545	Map light, goose neck style, includes light and on/off switch	\$ 115.07
3000.550	Master disconnect switch	\$ 177.96
3000.555	Indicator light, incandescent, specify color	\$ 28.79
3000.560	Indicator light, LED, specify color	\$ 33.11

→ To Table of Contents

**ELECTRICAL: PLOW LIGHTS**

3100.010	Plow light kit, (chassis w/o pre-wired circuit from chassis mfg) includes stainless steel plow light mounting brackets, plow lights with integral markers, in cab lighted switch, and necessary wiring/wiring harnesses.	\$ 621.72
3100.020	Plow light kit, (plow light circuit included from OEM chassis mfg.) includes stainless steel plow light mounting brackets, plow lights with integral markers, necessary wiring/wiring harnesses.	\$ 549.76
3100.030	Plow light kit, (chassis w/o pre-wired circuit from chassis mfg) includes stainless steel plow light mounting brackets, plow lights with integral markers in aluminum housing, in cab lighted switch, and necessary wiring/wiring harnesses.	\$ 723.77

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>3100.040</b>	Plow light kit, Meyer NiteSabre I, includes plow lights with integral markers, headlight override modules, vehicle specific adaptor, mounting brackets and necessary wiring/wiring harnesses.	<b>\$ 703.77</b>
<b>3100.050</b>	Plow light kit, Meyer NiteSabre II, includes plow lights with integral markers, headlight override modules, vehicle specific adaptor, mounting brackets and necessary wiring/wiring harnesses.	<b>\$ 738.93</b>

→ [To Table of Contents](#)

**ELECTRICAL: CHASSIS LIGHTING**

<b>3200.005</b>	2" amber / red marker lamp, incandescent single function, includes grommet and pigtail priced per pair	<b>\$ 135.60</b>
<b>3200.010</b>	2" amber / red marker lamp, LED single function, includes grommet and pigtail priced per pair	<b>\$ 173.02</b>
<b>3200.015</b>	2 1/2" amber / red marker lamp, incandescent single function, includes grommet and pigtail priced per pair	<b>\$ 134.80</b>
<b>3200.020</b>	2 1/2" amber / red marker lamp, LED single function, includes grommet and pigtail priced per pair	<b>\$ 155.23</b>
<b>3200.025</b>	2 1/2" amber / red marker lamp, PC correct LED single function, includes grommet and pigtail priced per pair	<b>\$ 355.99</b>
<b>3200.030</b>	Additional single function 2-3/4" rectangular LED lamp, red or amber, includes lamp and necessary wiring/wiring harness (priced per pair)	<b>\$ 177.60</b>
<b>3200.035</b>	Additional single function micro LED marker lamp, red or amber, includes lamp and necessary wiring/wiring harness (priced per pair)	<b>\$ 175.58</b>
<b>3200.105</b>	Additional stop, tail, turn lamps, sealed incandescent rubber oval grommeted type, includes (2) lamps and necessary wiring/wiring harnesses. Priced per pair	<b>\$ 123.56</b>
<b>3200.110</b>	Additional stop, tail, turn lamps, sealed LED oval rubber grommeted type, includes (2) lamps and necessary wiring/wiring harnesses. Priced per pair	<b>\$ 204.77</b>
<b>3200.115</b>	Stop-Tail-Turn lamps, red LED, oval grommet mounted, includes lamps, grommets and wiring harness. Whelen 5GR01BRT / 5GR01BRR, Priced per pair	<b>\$ 167.52</b>
<b>3200.120</b>	Additional stop, tail, turn lamps, sealed incandescent rubber 4" round grommeted type, includes (2) lamps and necessary wiring/wiring harnesses. Priced per pair	<b>\$ 130.39</b>
<b>3200.125</b>	Additional stop, tail, turn lamps, sealed LED round rubber grommeted type, includes (2) lamps and necessary wiring/wiring harnesses. Priced per pair	<b>\$ 142.48</b>
<b>3200.205</b>	Additional back up lamps, includes (2) oval rubber grommeted sealed incandescent type back up lamps, and necessary wiring/wiring harnesses. Priced per pair	<b>\$ 114.62</b>
<b>3200.210</b>	Additional back up lamps, includes (2) oval rubber grommeted sealed LED type back up lamps, and necessary wiring/wiring harnesses. Priced per pair	<b>\$ 251.14</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>3200.215</b>	Additional back up lamps, includes (2) oval rubber grommated sealed LED type back up lamps, and necessary wiring/wiring harnesses. Priced per pair	\$ 152.56
<b>3200.220</b>	Additional back up lamps, includes (2) round rubber grommated sealed incandescent type back up lamps, and necessary wiring/wiring harnesses. Priced per pair	\$ 111.65
<b>3200.225</b>	Additional back up lamps, includes (2) round rubber grommated sealed LED type back up lamps, and necessary wiring/wiring harnesses. Priced per pair	\$ 256.84
<b>3200.230</b>	Additional TruckLite back up lamps, includes (2) 4" round rubber grommated sealed LED type back up lamps, and necessary wiring/wiring harnesses. Priced per pair	\$ 673.85
<b>3200.305</b>	FMVSS-108 lighting kit, LED type, includes required lamps and sealed wiring harnesses (per kit)	\$ 292.87
<b>3200.310</b>	FMVSS-108 lighting kit, LED TruckLite lamps, includes required lamps and sealed wiring harnesses (per kit)	\$ 343.89

→ To Table of Contents

**ELECTRICAL: WORK LIGHTS**

<b>3300.010</b>	Halogen work light, includes remote mounted clear work lamp, in cab lighted switch, necessary wiring/wiring harnesses	\$ 100.75
<b>3300.020</b>	Spinner/ Work light, includes remote mounted "Amber" spinner/work lamp, in cab lighted switch, necessary wiring/wiring harnesses	\$ 118.02
<b>3300.030</b>	Spinner / Work light, includes remote mounted CLEAR LED standard spinner/work lamp, in cab lighted switch, necessary wiring/wiring harnesses	\$ 188.32
<b>3300.040</b>	Spinner / Work light, includes remote mounted CLEAR LED ultra bright spinner/work lamp with cast aluminum housing , in cab lighted switch, necessary wiring/wiring harnesses	\$ 318.35
<b>3300.100</b>	Cab mounted spot light, includes thru chassis cab door post mounted spot light assembly, and necessary wiring/wiring harness	\$ 537.79
<b>3300.110</b>	Cab mounted spot light, includes thru chassis cab roof or remote mounted spot light assembly, joystick control, and necessary wiring/wiring harnesses	\$ 632.51

→ To Table of Contents

**ELECTRICAL: WARNING LIGHTS**

<b>3400.005</b>	Additional single function LED lamp, rubber grommated oblong AMBER , includes lamp and necessary wiring/wiring harness, per pair	\$ 293.16
<b>3400.010</b>	Additional single function LED lamp, 4" round AMBER, includes lamp, grommet, and necessary wiring/wiring harness, per pair	\$ 301.08
<b>3400.015</b>	Warning lamp, amber 5mm LED type oval grommet mounted, includes lamp, grommet and wiring harness to in cab switch, per pair	\$ 319.46
<b>3400.020</b>	Warning lamp, amber high intensity LED type oval grommet mounted, includes lamp, grommet and wiring harness to in cab switch, per pair.	\$ 456.04

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>3400.025</b>	Additional amber warning light, self contained, for standard oval grommet opening, Whelen 500 series or equal, includes lamps and necessary wiring/wiring harness (per pair)	<b>\$ 257.89</b>
<b>3400.030</b>	Additional amber warning light, self contained, for standard 4" round grommet opening, Whelen series TIR6 or equal, includes lamps and necessary wiring/wiring harness (per pair)	<b>\$ 414.18</b>
<b>3400.105</b>	Warning strobe light, self-contained 360 degree. Includes light, wiring, necessary in cab on/off switch, and installation	<b>\$ 352.27</b>
<b>3400.110</b>	Warning strobe light, self-contained 360 degree with guard. Includes light, wiring, necessary in cab on/off switch, and installation with branch guard	<b>\$ 367.50</b>
<b>3400.115</b>	Warning light, amber 360 degree self contained Whelen or equal strobe, includes lamp, in -cab switch, and necessary wiring/wiring harnesses	<b>\$ 361.52</b>
<b>3400.120</b>	Warning strobe light, self-contained 360 degree, high intensity. Includes light, wiring, necessary in cab on/off switch, and installation	<b>\$ 569.62</b>
<b>3400.125</b>	Warning light, amber 360 degree self contained Whelen or equal LOW DOME LED warning beacon, includes lamp, in -cab switch, and necessary wiring/wiring harnesses.	<b>\$ 454.74</b>
<b>3400.130</b>	Warning light, amber 360 degree self contained Whelen or equal HIGH DOME LED warning beacon, includes lamp, in -cab switch, and necessary wiring/wiring harnesses.	<b>\$ 531.74</b>
<b>3400.135</b>	Warning light, amber 360 degree self contained Whelen or equal HIGH DOME LED warning beacon, includes lamp, brush guard, in -cab switch, and necessary wiring/wiring harnesses.	<b>\$ 624.71</b>
<b>3400.200</b>	Warning light bar, chassis roof mounted with self contained power supply, includes light bar, in cab switch panel and necessary wiring/wiring harnesses, Whelen 9MMEDFFD or equal	<b>\$ 1,174.27</b>
<b>3400.205</b>	"ULTRA FREEDOM" series mini "Super LED" light bar. Four (4) corner, wide angle linear "Super LED" light heads, 75 "SignalAlert" flashes per minute, per light head, 21 Scan-Lock" flash patterns, external control cable, clear outer housing and permanent style mounting.	<b>\$ 1,434.52</b>
<b>3400.210</b>	"ULTRA FREEDOM" series mini "Super LED" light bar. Two(2) corner, Two(2) forward facing wide angle linear "Super LED" light heads, 75 "SignalAlert" flashes per minute, per light head, 21 Scan-Lock" flash patterns, external control cable, clear outer housing and permanent style mounting.	<b>\$ 1,084.80</b>
<b>3400.215</b>	Mini Edge Ultra Freedom light bar, with 4 forward facing linear LED amber lamp heads, 75 SignalAlert flashes per minute, per light head, 12 Scan-Lock flash patterns, external control cable, clear outer housing and permanent style mounting.	<b>\$ 1,415.12</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>3400.220</b>	Whelen or equal Responder mini super LED light bar, with six dual level linear LED modules, 75 SignalAlert flashes per minute, 12 Scan-Lock flash patterns, external control cable, clear outer housing and permanent style mounting.	<b>\$ 1,154.64</b>
<b>3400.225</b>	Whelen or equal Responder low profile mini super LED light bar, with six linear LED modules, 30 Scan-Lock flash patterns including 4 simulated rotating patterns, external control cable, clear outer housing and permanent style mounting.	<b>\$ 718.00</b>
<b>3400.230</b>	Whelen Mini Liberty light bar, or equal, super LED linear light heads at each corner	<b>\$ 1,336.55</b>
<b>3400.235</b>	Whelen micro edge self contained LED beacons, with 2 forward corner facing and 1 rearward facing linear amber LED light heads; Includes mounting, wiring harness, and in cab switch, per pair	<b>\$ 2,479.52</b>
<b>3400.240</b>	Whelen micro edge LED beacons, with 2 forward corner facing and 1 rearward facing linear amber LED light heads; Includes mounting, wiring harness, and in cab switch, per pair; must be ordered with a rear lighting system item number 3500.005 through 3500.235	<b>\$ 2,343.67</b>
<b>3400.305</b>	Warning lamp, 180 LED headboard style w/ brush guard installed. Includes mounting, wiring harness, and in cab switch, per pair	<b>\$ 1,839.10</b>
<b>3400.310</b>	Whelen HELS side mount strobe and Super-LED light head, per each. Provides 360° warning when used in pairs	<b>\$ 418.73</b>
<b>3400.315</b>	Whelen linear super LED warning lights, or equal, surface mount, per pair	<b>\$ 496.91</b>
<b>3400.600</b>	Warning light system, includes (1) chassis roof mounted amber 360 degree strobe head, (2) rubber grommated amber LED warning lamps, in cab controller with 5 separate switchable flashing patterns, all necessary wiring/wiring harnesses.	<b>\$ 791.55</b>
<b>3400.705</b>	Hide-away strobes, includes (2) hide-away strobes, in cab switch, power supply and necessary wiring/wiring harnesses	<b>\$ 387.06</b>
<b>3400.710</b>	Hide-away strobes, includes (4) hide-away strobes, in cab switch, power supply and necessary wiring/wiring harnesses	<b>\$ 606.68</b>
<b>3400.715</b>	Hide-away LED warning light system includes 2 light heads, in cab switch, led flasher module and necessary wiring/wiring harnesses	<b>\$ 640.93</b>
<b>3400.720</b>	Hide-away LED warning light system includes 4 light heads, in cab switch, led flasher module and necessary wiring/wiring harnesses	<b>\$ 1,021.16</b>
<b>3400.810</b>	Wing plow TIR3 super LED warning lamp with built in flasher, surface mount angled base for visibility in plowing position	<b>\$ 288.52</b>
<b>3400.820</b>	Wing plow TIR3 super LED warning lamp with built in flasher, surface mount angled base for visibility in storage position	<b>\$ 288.52</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ <a href="#">To Table of Contents</a> <b>ELECTRICAL: WARNING LIGHT SYSTEMS</b>		
<b>3500.010</b>	"Super LED" 500 series warning light system, includes (2) rear body corner post mounted STEEL single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring/wiring harnesses and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 1,305.75
<b>3500.015</b>	"Super LED" 500 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 1,428.36
<b>3500.020</b>	"Super LED" 500 series warning light system, includes (2) rear body corner post mounted STEEL dual hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 1,575.45
<b>3500.025</b>	"Super LED" 500 series warning light system, includes (2) rear body corner post mounted STAINLESS dual hole lamp boxes with Super-LED amber warning lights, and red LED stop-tail-turn lamps. Includes in cab switch panel , all necessary wiring/wiring harnesses and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 1,756.78
<b>3500.030</b>	"Super LED" 500 series warning light system, includes (2) rear body corner post mounted STEEL triple hole lamp boxes with amber LED strobe heads, red LED stop-tail-turn lamps, and white LED back-up lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 1,928.62
<b>3500.035</b>	"Super LED" 500 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL triple hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps, and white LED back-up lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 2,109.95
<b>3500.110</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STEEL single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring/wiring harnesses and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 1,349.79
<b>3500.115</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	\$ 1,472.40

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>3500.120</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STEEL dual hole lamp boxes with Super-LED amber warning lights, and red LED stop-tail-turn lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 1,635.03</b>
<b>3500.125</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL dual hole lamp boxes with Super-LED amber warning lights, and red LED stop-tail-turn lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 1,816.36</b>
<b>3500.130</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STEEL triple hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps, and white LED back-up lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 2,011.51</b>
<b>3500.135</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL triple hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps, and white LED back-up lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 2,192.84</b>
<b>3500.140</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STEEL triple hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps, and white LED back-up lamps; and (2) cab protector mounted STEEL single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 2,797.87</b>
<b>3500.145</b>	"Super LED" 400 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL triple hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps, and white LED back-up lamps; and (2) cab protector mounted STAINLESS STEEL single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 3,099.23</b>
<b>3500.210</b>	"Super LED" 700 series warning light system, includes (2) rear body corner post mounted STEEL single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 1,405.05</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>3500.215</b>	"Super LED" 700 series warning light system, includes (2) rear body corner post mounted STAINLESS single hole lamp boxes with Super-LED amber warning lights. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 1,527.67</b>
<b>3500.220</b>	"Super LED" 700 series warning light system, includes (2) rear body corner post mounted STEEL dual hole lamp boxes with Super-LED amber warning lights, and red LED stop-tail-turn lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 1,446.79</b>
<b>3500.225</b>	"Super LED" 700 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL dual hole lamp boxes with Super-LED amber warning lights, and red LED stop-tail-turn lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 1,628.12</b>
<b>3500.230</b>	"Super LED" 700 series warning light system, includes (2) rear body corner post mounted STEEL triple hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps, and white LED back-up lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 2,426.85</b>
<b>3500.235</b>	"Super LED" 700 series warning light system, includes (2) rear body corner post mounted STAINLESS STEEL triple hole lamp boxes with Super-LED amber warning lights, red LED stop-tail-turn lamps, and white LED back-up lamps. Includes in cab switch panel, all necessary wiring, harnesses, and related components. NO 360 DEGREE LIGHT INCLUDED	<b>\$ 2,608.19</b>
<b>3500.310</b>	TIR6-12-RDB lamp warning light/lighting system; Includes (8) amber Super-LED warning lamps with oval grommet mount kits, (2) red LED oval stop-tail-turn lamps, (2) white LED oval back-up lamps, in cab control switches, necessary wiring and harnesses for operation. Typical installation is as follows; (6) Amber Super LED lamps cab protector mounted -(2) forward facing, (2) rearward facing, (1) streetside facing, and (1) curbside facing. Rear dump body corner post -(2) oval amber Super-LED lamps, (2) oval red stop-tail-turn lamps, and (2) oval back-up lamps.	<b>\$ 2,751.45</b>
<b>3500.320</b>	TIR6-12-RLB lamp warning light/lighting system; Includes (6) amber Super-LED warning lamps with oval grommet mount kits, (2) amber Super-LED 4" round warning lamps, (2) red LED 4" round stop-tail-turn lamps, (2) white LED 4" round back-up lamps, in cab control switches, necessary wiring, and harnesses for operation. Typical installation is as follows; (6) Amber Super LED lamps cab protector mounted -(2) forward facing, (2) rearward facing, (1) streetside facing, and (1) curbside facing. Rear chassis frame mounted light bar lamps (2) 4" round amber Super-LED lamps, (2) 4" round red stop-tail-turn lamps, and (2) 4" round back-up lamps.	<b>\$ 2,924.15</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>3500.330</b>	Warning light system for rear light bars, Includes two 4 inch round amber "Super LED" lamps, two 4 inch round red LED stop-tail-turn lamps and two 4 inch round white LED back-up lamps with grommet kits and required wiring (does not include chassis mounted light bars)	\$ 1,525.86
<b>3500.400</b>	Warning light system, Includes two oval grommeted amber LED warning lamps, one 360 degree strobe light, in cab controller with 8 user selectable flash patterns and LED indicators, all required wiring and harnesses	\$ 1,062.79
<b>3500.410</b>	Warning light system, Includes two oval grommeted amber LED warning lamps, in cab controller with 8 user selectable flash patterns and LED indicators, all required wiring and harnesses	\$ 744.72
<b>3500.420</b>	Additional oval grommeted amber LED warning lamps for above selected warning light system with required wiring and harnesses; per pair * Not a stand alone system must be ordered with item number 3500.400 or 3500.410	\$ 435.57

→ [To Table of Contents](#)

**ELECTRICAL: DIRECTIONAL WARNING LIGHTS**

<b>3600.005</b>	Arrow board, 15 lamp incandescent, 30" x 60", includes arrow board, in cab controller, power and control harnesses * Does not include mounting kit, see below for options	\$ 2,250.15
<b>3600.010</b>	Arrow board, 15 lamp LED, 30" x 60", includes arrow board, in cab controller, power and control harnesses * Does not include mounting kit, see below for options	\$ 2,609.94
<b>3600.015</b>	Arrow board, 25 lamp incandescent, 30" x 60", includes arrow board, in cab controller, power and control harnesses * Does not include mounting kit, see below for options	\$ 2,689.10
<b>3600.020</b>	Arrow board, 25 lamp LED, 30" x 60", includes arrow board, in cab controller, power and control harnesses * Does not include mounting kit, see below for options	\$ 3,329.52
<b>3600.025</b>	Arrow board, 25 lamp incandescent, 48" x 96", includes arrow board, in cab controller, power and control harnesses * Does not include mounting kit, see below for options	\$ 3,721.46
<b>3600.030</b>	Arrow board, 25 lamp LED, 48" x 96", includes arrow board, in cab controller, power and control harnesses * Does not include mounting kit, see below for options	\$ 4,284.17
<b>3600.035</b>	Mounting kit, stationary, for 30" x 60" arrow boards	\$ 503.71
<b>3600.035</b>	Mounting kit, stationary, dump body tailgate mount, for 30" x 60" arrow boards	\$ 871.05
<b>3600.035</b>	Mounting kit, manual lift, for 30" x 60" arrow boards	\$ 637.26
<b>3600.035</b>	Mounting kit, 90 deg power lift, for 30" x 60" arrow boards	\$ 1,223.29
<b>3600.035</b>	Mounting kit, 180 deg power lift, for 30" x 60" arrow boards	\$ 1,978.85

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
3600.035	Mounting kit, stationary, for 48" x 96" arrow boards	\$ 719.58

→ To Table of Contents

**ELECTRICAL: HARDWARE**

3700.005	Rear light bars, chassis frame mounted, spring loaded, stainless steel bars with provision for three lamps each, lamps not included	\$ 518.71
3700.010	Lamp box, oval rubber grommeted lamps, single hole steel, per box	\$ 101.32
3700.015	Lamp box, oval rubber grommeted lamps, single hole stainless steel, per box	\$ 103.32
3700.020	Lamp box, oval rubber grommeted lamps, double hole steel, per box	\$ 104.07
3700.025	Lamp box, oval rubber grommeted lamps, double hole stainless steel, per box	\$ 107.70
3700.030	Lamp box, oval rubber grommeted lamps, triple hole steel, per box	\$ 106.43
3700.035	Lamp box, oval rubber grommeted lamps, triple hole stainless steel, per box	\$ 111.47
3700.040	Lamp box, 4" round rubber grommeted lamps, single hole aluminum, per box	\$ 75.75
3700.045	Lamp box, 4" round rubber grommeted lamps, single hole aluminum, with 2" round side marker light provision, per box	\$ 77.78
3700.050	Marker light mounting bracket set, steel, for mid-ship side facing marker lights (no lights included)	\$ 93.55
3700.055	Marker light mounting bracket set, stainless steel, for mid-ship side facing marker lights (no lights included)	\$ 143.92

→ To Table of Contents

**PLOW HITCHES**

4000.005	Titan series TTN-252 chassis mounted snow plow hitch, includes H-frame and lift cap *Does not include lift cylinder, chassis mounting components, or plow coupler; see additional items	\$ 1,131.18
4000.010	Titan series TTN-252HD chassis mounted snow plow hitch, includes H-frame and lift cap *Does not include lift cylinder, chassis mounting components, or plow coupler; see additional items	\$ 1,295.25
4000.015	Titan series TTN-400CL chassis mounted low profile snow plow hitch, includes H-frame with CENTER LIFT arrangement, stow away lift cap assembly with telescopic adjustable lift arm, and 4 x 6 SA/DA lift cylinder with nitrited rod *Does not include chassis mounting components or plow coupler; see additional items	\$ 1,724.12
4000.020	Titan series TTN-4000L chassis mounted low profile snow plow hitch, includes H-frame with OFFSET LIFT arrangement, stow away lift cap assembly with telescopic adjustable lift arm, and 4 x 6 SA/DA lift cylinder with nitrited rod *Does not include chassis mounting components or plow coupler; see additional items	\$ 1,960.73

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4000.025</b>	Titan series TTN-100H-29 chassis mounted husting type plow hitch, includes 29 inch husting frame with fully braced top and lift arm *Does not include lift cylinder, chassis mounting components, or plow side; see additional items	\$ <b>1,442.20</b>
<b>4000.030</b>	Titan series TTN-100H-34 chassis mounted husting type plow hitch, includes 34 inch husting frame with fully braced top and lift arm *Does not include lift cylinder, chassis mounting components, or plow side; see additional items	\$ <b>1,463.79</b>
<b>4000.035</b>	TTN-600 chassis mounted flat plate style SQH plow hitch, for use only with SQH equipped plows *Does not include chassis mounting components; see additional items	\$ <b>1,402.81</b>
<b>4000.040</b>	TTN-225C Low profile front snow plow hitch, center lift configuration with standard pin coupler, side plate mounting, 5 x 6 single or double acting lift cylinder, and telescopic lift arm	\$ <b>3,417.26</b>
<b>4000.041</b>	TTN-225C Low profile front snow plow hitch, center lift configuration with drop pin coupler, side plate mounting, 5 x 6 single or double acting lift cylinder, and telescopic lift arm	\$ <b>4,054.09</b>
<b>4000.042</b>	TTN-225C Low profile front snow plow hitch, center lift configuration with torlock arrowhead coupler, side plate mounting, 5 x 6 single or double acting lift cylinder, and telescopic lift arm	\$ <b>4,054.09</b>
<b>4000.043</b>	TTN-225C Low profile front snow plow hitch, center lift configuration with twin pocket style coupler, side plate mounting, 5 x 6 single or double acting lift cylinder, and telescopic lift arm	\$ <b>3,978.53</b>
<b>4000.045</b>	Power tilting front snow plow hitch, center lift configuration with standard pin coupler, side plate mounting, 4 x 10 double acting lift cylinder, and telescopic lift arm.	\$ <b>5,241.74</b>
<b>4000.080</b>	Front plow hitch with mounting for F-450/550 Super Duty Chassis, tilt able H frame, pin on plow connection, and hydraulic lift cylinder	\$ <b>2,934.40</b>
<b>4000.085</b>	Front plow hitch with mounting for F-450/550 Super Duty Chassis, pin on plow connection, and hydraulic lift cylinder	\$ <b>3,080.13</b>
<b>4000.090</b>	Power tilting medium duty front snow plow hitch, center lift configuration with standard pin coupler, side plate mounting, and 3 x 12 double acting lift cylinder	\$ <b>3,717.80</b>
<b>4000.100</b>	TTN-450 medium duty front snow plow hitch, center lift configuration includes manual tilt able H-frame with CENTER LIFT arrangement, stow away lift cap assembly, and telescopic adjustable lift arm *Does not include lift cylinder, chassis mounting components, or plow coupler; see additional items	\$ <b>1,439.16</b>

→ [To Table of Contents](#)

**LIFT CYLINDERS**

<b>4001.005</b>	Single acting hydraulic lift ram, 3" bore x 10" stroke	\$ <b>318.91</b>
-----------------	--	------------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4001.010	Single acting hydraulic lift ram, 3" bore x 12" stroke	\$ 330.66
4001.015	Double acting hydraulic lift ram, 3" bore x 10" stroke	\$ 330.18
4001.020	Double acting hydraulic lift ram, 3" bore x 12" stroke	\$ 358.72
4001.025	Single acting hydraulic lift ram, 4" bore x 10" stroke	\$ 547.49
4001.030	Single acting hydraulic lift ram, 4" bore x 12" stroke	\$ 517.52
4001.035	Double acting hydraulic lift ram, 4" bore x 10" stroke	\$ 459.46
4001.040	Double acting hydraulic lift ram, 4" bore x 12" stroke	\$ 517.52
4001.045	Single acting hydraulic lift ram, 4" bore x 6" stroke, with nitro steel ram	\$ 303.41
4001.050	Double acting hydraulic lift ram, 4" bore x 6" stroke, with nitro steel ram	\$ 293.41

→ [To Table of Contents](#)

**PLOW HITCH MOUNTING**

4005.010	Front snow plow hitch chassis specific mounting STRUCTURAL PUSH ARM CONFIGURATION: includes hitch frame to chassis frame upper mounting, structural steel push arms, zee pads, and required frame attachment hardware	\$ 510.91
4005.015	Front snow plow hitch chassis specific mounting TUBULAR PUSH ARM CONFIGURATION: includes hitch frame to chassis frame upper mounting, tubular steel push arms, ball foot ends, zee pads, and required frame attachment hardware	\$ 532.49
4005.020	Front snow plow hitch chassis specific mounting SIDE PLATE CONFIGURATION: includes hitch frame to chassis frame upper mounting, 3/8 inch thick steel push plates, and required frame attachment hardware	\$ 886.53
4005.030	Front snow plow hitch chassis specific mounting SIDE PLATE CONFIGURATION: includes hitch frame to chassis frame upper mounting, 1/2 inch thick steel push plates, and required frame attachment hardware	\$ 913.87
4005.040	Front snow plow hitch chassis specific mounting SIDE PLATE CONFIGURATION: includes hitch frame to chassis frame upper mounting, 5/8 inch thick steel push plates, and required frame attachment hardware	\$ 1,023.25
4005.050	Front snow plow hitch chassis specific mounting SIDE PLATE CONFIGURATION: includes hitch frame to chassis frame upper mounting, 3/4 inch thick steel push plates, and required frame attachment hardware	\$ 1,108.16

→ [To Table of Contents](#)

**PLOW HITCH FRONT BUMPERS**

4006.010	Reinstallation of OEM chassis bumper, includes modifications as required	\$ 93.55
4006.020	TTN series structural channel bumper assembly, includes removable bumper, and bumper to frame braces	\$ 323.82
4006.030	TTN series fabricated channel bumper assembly, steel, includes removable bumper, and bumper to frame braces	\$ 305.11

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4006.040</b>	TTN series fabricated channel bumper assembly, stainless steel, includes removable bumper, and bumper to frame braces	\$ 467.73
<b>4006.050</b>	TTN series bumper tool box installed with fabricated channel bumper assembly, includes hinged top with rubber strap closure, per each specify street or curb side mounting (or qty 2 for both) *Must be ordered with fabricated channel bumper assembly	\$ 251.86
<b>4006.060</b>	TTN series stainless steel bumper tool box installed with fabricated channel bumper assembly, includes hinged top with rubber strap closure, per each specify street or curb side mounting (or qty 2 for both) *Must be ordered with fabricated channel bumper assembly	\$ 323.82

→ To Table of Contents

**PLOW HITCH COUPLERS**

<b>4010.010</b>	TTN-10-SPC3 standard pin to plow connection push plate assembly, includes push plate with 3 adjustable heights, includes pins w/ keepers, drive ears on 30.5 inch centers, unless otherwise specified, and installation on selected plow hitch	\$ 446.14
<b>4010.020</b>	TTN-10-SPC4 standard pin to plow connection push plate assembly, includes push plate with 4 adjustable heights, includes pins w/ keepers, drive ears on 30.5 inch centers, unless otherwise specified, and installation on selected plow hitch	\$ 467.73
<b>4010.030</b>	TTN-20-QAA tor-lock arrowhead type quick attach coupler, truck side only; includes installation on selected plow hitch	\$ 857.52
<b>4010.035</b>	TTN-20-QAA tor-lock arrowhead type quick attach coupler, plow side only; includes installation on selected plow	\$ 406.57
<b>4010.040</b>	TTN-30-QAC loop and drop pin type quick attach coupler, truck side only; includes installation on selected plow hitch	\$ 816.92
<b>4010.045</b>	TTN-30-QAC loop and drop pin type quick attach coupler, plow side only; includes installation on selected plow	\$ 405.56
<b>4010.050</b>	TTN-30W-QAC loop and drop pin type quick attach coupler, truck side only; includes installation on selected plow hitch	\$ 789.88
<b>4010.055</b>	TTN-30W-QAC loop and drop pin type quick attach coupler, plow side only; includes installation on selected plow	\$ 451.75
<b>4010.060</b>	TTN-30M-QAC mini loop and drop pin type quick attach coupler, truck side only; includes installation on selected plow hitch	\$ 851.76
<b>4010.065</b>	TTN-31M-QAC mini loop and drop pin type quick attach coupler, plow side only; includes installation on selected plow	\$ 378.21
<b>4010.070</b>	TTN-40-QAC twin pocket type quick attach coupler, truck side; includes installation on selected plow hitch	\$ 719.58

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4010.075	TTN-40 TQC twin pocket type quick attach coupler, plow side only; includes installation on selected plow	\$ 1,385.91
4010.080	TTN-100 series 29" wide husting type quick attach coupler, plow side only; includes installation on selected plow	\$ 1,126.15
4010.085	TTN-100 series 34" wide husting type quick attach coupler, plow side only; includes installation on selected plow	\$ 1,266.46
4010.090	TTN-100-RK roller kit, includes plow rollers and hitch roller plates	\$ 523.71

→ To Table of Contents

**HS SERIES SNOW PLOWS, STRAIGHT STEEL MOLDBOARD, TRIP EDGE**

4100.010	Heavy duty 10ft front snow plow with safety trip edge, 36" high, 3/16" steel moldboard, and hydraulic ram reverse	\$ 7,916.74
4100.020	Heavy duty 10ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard, and hydraulic ram reverse	\$ 8,100.24
4100.030	Heavy duty 11ft front snow plow with safety trip edge, 36" high, 3/16" steel moldboard, and hydraulic ram reverse	\$ 8,100.24
4100.040	Heavy duty 11ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard, and hydraulic ram reverse	\$ 8,186.59
4100.050	Heavy duty 12ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard, and hydraulic ram reverse	\$ 8,370.08
4100.060	Heavy duty 14ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard, and hydraulic ram reverse	\$ 9,539.02
4100.070	Heavy duty 11ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard with dual hot wing side flares, and hydraulic ram reverse	\$ 9,158.02
4100.080	Heavy duty 12ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard with dual hot wing side flares, and hydraulic ram reverse	\$ 9,309.13
4100.090	Heavy duty 11ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard with a right hand hot wing side flare, and hydraulic ram reverse	\$ 8,747.86
4100.100	Heavy duty 12ft front snow plow with safety trip edge, 42" high, 3/16" steel moldboard a right hand hot wing side flare, and hydraulic ram reverse	\$ 8,942.14

→ To Table of Contents

**HS SERIES SNOW PLOWS, STRAIGHT POLY MOLDBOARD, TRIP EDGE**

4101.010	Heavy duty 10ft front snow plow with safety trip edge, 36" high, 3/8" poly moldboard, and hydraulic ram reverse	\$ 8,629.13
4101.020	Heavy duty 10ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard, and hydraulic ram reverse	\$ 8,834.21
4101.030	Heavy duty 11ft front snow plow with safety trip edge, 36" high, 3/8" poly moldboard, and hydraulic ram reverse	\$ 8,834.21

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4101.040	Heavy duty 11ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard, and hydraulic ram reverse	\$ 8,920.56
4101.050	Heavy duty 12ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard, and hydraulic ram reverse	\$ 9,104.05
4101.060	Heavy duty 14ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard, and hydraulic ram reverse	\$ 10,190.61
4101.070	Heavy duty 11ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard with dual hot wing side flares, and hydraulic ram reverse	\$ 9,859.61
4101.080	Heavy duty 12ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard with dual hot wing side flares, and hydraulic ram reverse	\$ 10,010.72
4101.090	Heavy duty 11ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard with a right hand hot wing side flare, and hydraulic ram reverse	\$ 9,471.03
4101.100	Heavy duty 12ft front snow plow with safety trip edge, 42" high, 3/8" poly moldboard with a right hand hot wing side flare, and hydraulic ram reverse	\$ 9,654.53
4101.110	Heavy duty 11ft front snow plow with safety trip edge, 48" high, 3/8" poly moldboard with dual hot wing side flares, and hydraulic ram reverse	\$ 9,211.99
4101.120	Heavy duty 11ft front snow plow with safety trip edge, 48" high, 3/8" poly moldboard with dual hot wing side flares, and hydraulic ram reverse	\$ 10,194.21
4101.130	Heavy duty 12ft front snow plow with safety trip edge, 48" high, 3/8" poly moldboard, and hydraulic ram reverse	\$ 9,384.68
4101.140	Heavy duty 12ft front snow plow with safety trip edge, 48" high, 3/8" poly moldboard with dual hot wing side flares, and hydraulic ram reverse	\$ 10,496.43
4101.150	Heavy duty 11ft front snow plow with safety trip edge, 48" high, 3/8" poly moldboard with a right hand hot wing side flare, and hydraulic ram reverse	\$ 9,762.46
4101.160	Heavy duty 12ft front snow plow with safety trip edge, 48" high, 3/8" poly moldboard with a right hand hot wing side flare, and hydraulic ram reverse	\$ 9,935.16
4101.170	Heavy duty 11ft front snow plow with safety trip edge, 56" high, 3/8" poly moldboard with dual hot wing side flares 72" high, and hydraulic ram reverse	\$ 11,208.82
4101.180	Heavy duty 12ft front snow plow with safety trip edge, 56" high, 3/8" poly moldboard with dual hot wing side flares 72" high, and hydraulic ram reverse	\$ 11,543.42

→ [To Table of Contents](#)

**HS SERIES SNOW PLOWS, TAPERED STEEL MOLDBOARD, TRIP EDGE**

4102.010	Heavy duty one way front snow plow with safety trip edge, fixed angle 9ft clearing path, 11 ft cutting edge, 10ga steel moldboard, 26" nose, 56" discharge	\$ 7,869.23
4102.020	Heavy duty one way front snow plow with safety trip edge, fixed angle 9ft clearing path, 11 ft cutting edge, 10ga steel moldboard, 26" nose, 58" discharge	\$ 8,160.66
4102.030	Heavy duty one way front snow plow with safety trip edge, 11 ft cutting edge, 10ga steel moldboard, 26" nose, 56" discharge, hydraulic ram reverse	\$ 9,758.12

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4102.040</b>	Heavy duty one way front snow plow with safety trip edge, 11 ft cutting edge, 10ga steel moldboard, 26" nose, 58" discharge, hydraulic ram reverse	<b>\$ 10,060.35</b>

→ [To Table of Contents](#)

**HS SERIES SNOW PLOW OPTIONS**

<b>4103.010</b>	Manual angle in lieu of hydraulic ram reverse on any Home Safe Plow	<b>\$ (906.67)</b>
<b>4103.020</b>	Worm gear reverse in lieu of hydraulic ram reverse on any Home Safe Plow	<b>\$ 489.32</b>
<b>4103.030</b>	SQH frame in lieu of standard drive frame on any Home Safe Plow, includes plow quick hitch portion and truck side hitch plate. * Does not include chassis specific hitch mounting	<b>\$ 3,741.81</b>
<b>4103.040</b>	Screw adjustable 10" caster wheels installed on any Home Safe Plow	<b>\$ 1,942.87</b>
<b>4103.050</b>	Screw adjustable 8" caster wheels installed on any Home Safe Plow	<b>\$ 1,208.90</b>
<b>4103.060</b>	Screw adjustable mushroom shoes installed on any Home Safe Plow	<b>\$ 1,089.45</b>
<b>4103.070</b>	Screw adjustable skid shoes installed on any Home Safe Plow	<b>\$ 1,111.75</b>
<b>4103.080</b>	Cast moldboard shoes (pair) installed on any Home Safe Plow	<b>\$ 215.88</b>
<b>4103.090</b>	Curb shoes (pair) installed on any Home Safe Plow	<b>\$ 194.29</b>
<b>4103.100</b>	Rubber deflector installed on any Home Safe Plow	<b>\$ 438.95</b>
<b>4103.105</b>	Nitrited power angle rams in lieu of standard	<b>\$ 287.84</b>
<b>4103.110</b>	Add hot wing discharge to above snow plow moldboard, specify side	<b>\$ 546.88</b>

→ [To Table of Contents](#)

**MULTI SECTIONAL TRIP SNOW PLOWS**

<b>4104.010</b>	Multi sectional trip plow, 10' 6" wide, 41" high, 10ga steel moldboard with 4 independent moldboard and edge tripping sections, hydraulic power reversing, no quick coupler included	<b>\$ 15,428.77</b>
<b>4104.020</b>	Multi sectional trip plow, 11' 9" wide, 44" high, 10ga steel moldboard with 4 independent moldboard and edge tripping sections, hydraulic power reversing, no quick coupler included	<b>\$ 16,579.73</b>
<b>4104.030</b>	Manual angle in lieu of hydraulic ram reverse on any multi sectional trip plow, not available with SQH coupler	<b>\$ (1,273.66)</b>
<b>4104.040</b>	SQH frame in lieu of standard drive frame on any Multi sectional trip plow, includes plow quick hitch portion and truck side hitch plate. * Does not include chassis specific hitch mounting	<b>\$ 2,302.66</b>

→ [To Table of Contents](#)

**SLOTTED TRIP SNOW PLOWS**

<b>4105.010</b>	Fixed angle one way snow plow with slotted trip mechanism, 9' clearing path, 13' 1" long, 3/16" steel moldboard, with 24" nose height, 52" discharge height and heavy duty skid shoes	<b>\$ 8,301.35</b>
-----------------	---	--------------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4105.020</b>	Fixed angle one way snow plow with slotted trip mechanism, 9' clearing path, 13' 10" long, 3/16" steel moldboard, with 32" nose height, 69" discharge height and heavy duty skid shoes	<b>\$ 8,873.41</b>
<b>4105.030</b>	Rubber deflector on any slotted trip fixed angle one way snow plow	<b>\$ 410.16</b>

→ [To Table of Contents](#)

**AT SERIES SNOW PLOWS**

<b>4106.010</b>	Heavy duty full trip AT series snow plow with 42" tall, 10' wide, 3/16" thick steel moldboard with dual compression spring trip mechanism and 3 position adjustable attack angle, and hydraulic power reversing drive frame.	<b>\$ 6,686.26</b>
<b>4106.020</b>	Heavy duty full trip AT series snow plow with 42" tall, 11' wide, 3/16" thick steel moldboard with dual compression spring trip mechanism and 3 position adjustable attack angle, and hydraulic power reversing drive frame.	<b>\$ 6,966.90</b>
<b>4106.030</b>	Heavy duty full trip AT series snow plow with 42" tall, 12' wide, 3/16" thick steel moldboard with dual compression spring trip mechanism and 3 position adjustable attack angle, and hydraulic power reversing drive frame.	<b>\$ 7,258.33</b>
<b>4106.040</b>	Single mouse ear on any AT series snow plow moldboard	<b>\$ 680.01</b>
<b>4106.050</b>	Dual mouse ear on any AT series snow plow moldboard	<b>\$ 1,338.42</b>
<b>4106.060</b>	48" high moldboard in lieu of standard 42"	<b>\$ 366.99</b>

→ [To Table of Contents](#)

**SB SERIES SNOW PLOWS**

<b>4107.010</b>	SB series, 9ft wide, heavy duty, trip edge, straight, poly snow plow for medium duty chassis, 30 inch high moldboard, includes short hydraulic power reversing frame and standard pin on plow portion coupler	<b>\$ 5,164.36</b>
<b>4107.020</b>	SB series, 10ft wide, heavy duty, trip edge, straight, poly snow plow for medium duty chassis, 30 inch high moldboard, includes short hydraulic power reversing frame and standard pin on plow portion coupler	<b>\$ 5,423.40</b>
<b>4107.030</b>	SB series, 11ft wide, heavy duty, trip edge, straight, poly snow plow for medium duty chassis, 30 inch high moldboard, includes short hydraulic power reversing frame and standard pin on plow portion coupler	<b>\$ 5,693.25</b>
<b>4107.040</b>	SQH frame in lieu of standard drive frame on any SB series plow, includes plow quick hitch portion and truck side hitch plate. * Does not include chassis specific hitch mounting	<b>\$ 3,194.56</b>
<b>4107.050</b>	Hydraulic snow cap on any SB series plow	<b>\$ 356.20</b>
<b>4107.060</b>	Rubber deflector on any SB series plow	<b>\$ 313.02</b>

→ [To Table of Contents](#)

**R SERIES SNOW PLOWS**

<b>4108.005</b>	R series full trip snow plow with 10' long, 36" high, 3/16" thick smooth rolled steel moldboard, four compression springs, and hydraulic ram reverse frame	<b>\$ 6,984.89</b>
-----------------	--	--------------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4108.010	R series full trip snow plow with 11' long, 36" high, 3/16" thick smooth rolled steel moldboard, four compression springs, and hydraulic ram reverse frame	\$ 7,276.32
4108.015	R series full trip snow plow with 11' long, 45" high, 3/16" thick smooth rolled steel moldboard, four compression springs, and hydraulic ram reverse frame	\$ 7,578.54
4108.020	R series full trip snow plow with 12' long, 45" high, 3/16" thick smooth rolled steel moldboard, four compression springs, and hydraulic ram reverse frame	\$ 7,973.94
4108.025	R series full trip snow plow with 14' long, 45" high, 3/16" thick smooth rolled steel moldboard, four compression springs, and hydraulic ram reverse frame	\$ 9,153.68
4108.030	R series full trip snow plow with 16' long, 45" high, 3/16" thick smooth rolled steel moldboard, four compression springs, and hydraulic ram reverse frame	\$ 9,495.11
4108.040	SQH frame in lieu of standard drive frame on any R series snow plow, includes plow quick hitch portion and truck side hitch plate. * Does not include chassis specific hitch mounting	\$ 3,737.66
4108.045	Manual angle in lieu of hydraulic ram reverse on any 10' R series snow plow	\$ (1,285.17)
4108.050	Manual angle in lieu of hydraulic ram reverse on any 11' R series snow plow	\$ (1,511.12)
4108.055	Manual angle in lieu of hydraulic ram reverse on any 12' to 16' R series snow plow	\$ (1,889.62)
4108.060	Rubber snow deflector on any 10' or 11' R series snow plow	\$ 356.92
4108.065	Rubber snow deflector on any 12' to 16' R series snow plow	\$ 431.75
4108.070	Adjustable trip springs on any R series snow plow	\$ 906.67
4108.075	Steel spring loaded deflector on any R series snow plow, PER OVERALL FT OF MOLDBOARD LENGTH	\$ 47.50
4108.080	Screw adjustable 10" caster wheels installed on any R series snow plow	\$ 1,942.87
4108.085	Screw adjustable 8" caster wheels installed on any R series snow plow	\$ 1,208.90
4108.090	Screw adjustable mushroom shoes installed on any R series snow plow	\$ 1,089.45
4108.095	Screw adjustable skid shoes installed on any R series snow plow	\$ 1,111.75
4108.100	Cast moldboard shoes (pair) installed on any R series snow plow	\$ 215.88
4108.105	Curb shoes (pair) installed on any R series snow plow	\$ 194.29

→ [To Table of Contents](#)

**TB SERIES SNOW PLOWS**

4109.005	TB series one way fixed angle snow plow with 3/16" thick steel, 11' 4" long, full trip moldboard, four compression springs, 30" high intake, 50" high discharge, and 10' 11" cutting edge	\$ 5,193.14
4109.010	TB series one way fixed angle snow plow with 3/16" thick steel, 12' 2" long, full trip moldboard, four compression springs, 32" high intake, 56" high discharge, and 11' 7" cutting edge	\$ 5,765.20

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4109.015	Manual angle in lieu of fixed angle on any TB series snow plow	\$ 1,446.36
4109.020	Hydraulic ram reverse in lieu of fixed angle on any TB series snow plow	\$ 2,494.06
4109.025	Rubber snow deflector on any TB series snow plow	\$ 410.16
4109.030	Steel spring loaded deflector on any TB series snow plow	\$ 561.28
4109.035	Screw adjustable 10" caster wheels installed on any TB series snow plow	\$ 1,942.87
4109.040	Screw adjustable 8" caster wheels installed on any TB series snow plow	\$ 1,208.90
4109.045	Screw adjustable mushroom shoes installed on any TB series snow plow	\$ 1,089.45
4109.050	Screw adjustable skid shoes installed on any TB series snow plow	\$ 1,111.75
4109.055	Cast moldboard shoes (pair) installed on any TB series snow plow	\$ 215.88
4109.060	Curb shoes (pair) installed on any TB series snow plow	\$ 194.29

→ [To Table of Contents](#)

**ONE WAY FIXED ANGLE SNOW PLOWS**

4200.005	One way front snow plow, with fixed angle drive frame, 9ft clearing path, 11ft cutting edge, 10 gauge steel moldboard, 26" high intake, 54" high discharge, safety jump trip with compression springs, adjustable skid shoes, moldboard shoes, nose shoe, and standard pin on connection	\$ 7,226.91
4200.010	One way front snow plow, with fixed angle drive frame, 9ft clearing path, 11ft cutting edge, 10 gauge steel moldboard, 26" high intake, 54" high discharge, safety jump trip with tension springs, adjustable skid shoes, moldboard shoes, nose shoe, and standard pin on connection	\$ 7,163.45
4200.015	One way front snow plow, with fixed angle drive frame, 9ft clearing path, 11ft cutting edge, 3/16" steel moldboard, 26" high intake, 54" high discharge, safety jump trip with compression springs, adjustable skid shoes, moldboard shoes, nose shoe, and standard pin on connection	\$ 7,653.05
4200.020	One way front snow plow, with fixed angle drive frame, 9ft clearing path, 11ft cutting edge, 10 gauge steel moldboard, 35" high intake, 64" high discharge, safety jump trip with compression springs, adjustable skid shoes, moldboard shoes, nose shoe, and standard pin on connection	\$ 7,662.11
4200.025	One way front snow plow, with fixed angle drive frame, 9ft clearing path, 11ft cutting edge, 3/16" steel moldboard, 35" high intake. 64" high discharge, safety jump trip with compression springs, adjustable skid shoes, moldboard shoes, nose shoe, and standard pin on connection	\$ 8,088.25
4200.030	One way front snow plow, with fixed angle drive frame, 9ft clearing path, 11ft cutting edge, 3/16" steel moldboard, 40" high intake, 72" high discharge, safety jump trip with compression springs, adjustable skid shoes, moldboard shoes, nose shoe, and standard pin on connection	\$ 9,312.25

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4200.035	One way front snow plow, with fixed angle drive frame, 9ft clearing path, 11ft cutting edge, 10 gauge steel moldboard, 32" high intake, 60" high discharge, safety trip edge with torsion springs, moldboard shoes, nose shoe, and standard pin on connection	\$ 8,151.72
4200.040	One way front snow plow, with manual angle drive frame, 9ft clearing path, 11ft cutting edge, 10 gauge steel moldboard, 30" high intake, 54" high discharge, safety trip edge with torsion springs, moldboard shoes, nose shoe, and standard pin on connection	\$ 7,979.45
4200.045	One way front snow plow, with hydraulic ram reverse drive frame, 9ft clearing path, 11ft cutting edge, 10 gauge steel moldboard, 30" high intake, 54" high discharge, safety trip edge with torsion springs, moldboard shoes, nose shoe, and standard pin on connection	\$ 9,121.85
4200.050	One way front snow plow, with fixed angle drive frame, 10ft clearing path, 12ft cutting edge, 10 gauge steel moldboard, 35" high intake, 66" high discharge, safety jump trip with compression springs, adjustable skid shoes, moldboard shoes, nose shoe, and standard pin on connection	\$ 8,006.65
4200.055	60 Degree moldboard shoes x 2 for use with carbide edges	\$ 126.94
4200.060	Carbide push frame shoes (STD) x 2	\$ 598.41
4200.065	Carbide blades in lieu of standard steel (bull nose type), per ft	\$ 108.81
4200.070	1/2" x 8" Cover blade (for carbides)	\$ 72.54
4200.075	OWSK 1/2" Rubber Flap	\$ 651.51
4200.080	Poly moldboard overlay kit - "dealer installed"	\$ 952.01
4200.085	Quick attach oscillator bar	\$ 145.07
4200.090	Hydraulic moldboard strut, requires additional hydraulic function	\$ 371.74

→ [To Table of Contents](#)

**LIGHT DUTY SNOW PLOWS**

4201.005	Light duty 8 ft snow plow, safety trip edge, 30" high, 3/8" orange poly moldboard, with hydraulic ram reverse	\$ 4,379.71
4201.010	Light duty 9 ft snow plow, safety trip edge, 30" high, 3/8" orange poly moldboard, with hydraulic ram reverse	\$ 4,479.44
4201.015	9 ft snow plow for 17,500 lb GVWR chassis, , full safety trip, 34" high, 7 gauge steel moldboard, with hydraulic ram reverse	\$ 4,896.51
4201.020	10 ft snow plow for 17,500 lb GVWR chassis, full safety trip, 34" high, 7 gauge steel moldboard, with hydraulic ram reverse	\$ 5,151.89
4201.025	Light duty 9 ft one way snow plow, safety jump trip with compression springs, 15" high intake, 40" high discharge, 10 gauge steel moldboard, with hydraulic ram reverse	\$ 5,649.04

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4201.030	Light duty 9.5 ft one way snow plow, safety jump trip with compression springs, 15" high intake, 40" high discharge, 10 gauge steel moldboard, with hydraulic ram reverse	\$ 5,939.18
4201.035	Light duty 10 ft vortex snow plow, safety jump trip with compression springs, 27" high left to center, 37" high right side discharge, 10 gauge steel moldboard, with hydraulic ram reverse	\$ 6,637.31
4201.040	Light duty 10 ft butterfly snow plow, safety jump trip with compression springs, 27" high center, 37" high left and right side discharges, 10 gauge steel moldboard, with hydraulic ram reverse	\$ 6,637.31
4201.045	Moldboard shoes	\$ 115.14
4201.050	Curb shoes (rod type)	\$ 115.14
4201.055	Wrap around curb shoes	\$ 158.31
4201.060	Rubber deflector for RLHD 108	\$ 604.45
4201.065	Rubber deflector for RLHD 120	\$ 633.23

→ [To Table of Contents](#)

**MEDIUM DUTY SNOW PLOWS**

4202.005	Medium duty 9 ft snow plow, safety trip edge, 36 high, 10ga moldboard, manual reverse	\$ 6,107.04
4202.010	Medium duty 10 ft snow plow, safety trip edge, 36 high, 10ga moldboard, manual reverse	\$ 6,107.04
4202.015	Medium duty 11 ft snow plow, safety trip edge, 36 high, 10ga moldboard, manual reverse	\$ 6,215.84
4202.020	Medium duty 9 ft snow plow, safety trip edge, 36 high, 10ga moldboard, hydraulic ram reverse	\$ 7,494.25
4202.025	Medium duty 10 ft snow plow, safety trip edge, 36 high, 10ga moldboard, hydraulic ram reverse	\$ 7,494.25
4202.030	Medium duty 11 ft snow plow, safety trip edge, 36 high, 10ga moldboard, hydraulic ram reverse	\$ 7,621.18
4202.035	Medium duty 10 ft snow plow, full safety trip with tension springs, 36 high, 10ga moldboard, hydraulic ram reverse	\$ 6,741.71
4202.040	Medium duty 10 ft snow plow, safety trip edge, 36 high, 3/8" orange poly moldboard, manual reverse	\$ 6,596.65
4202.045	Medium duty 11 ft snow plow, safety trip edge, 36 high, 3/8" orange poly moldboard, manual reverse	\$ 6,660.11
4202.050	Medium duty 10 ft snow plow, safety trip edge, 36 high, 3/8" orange poly moldboard, hydraulic ram reverse	\$ 8,001.98

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4202.055	Medium duty 11 ft snow plow, safety trip edge, 36 high, 3/8" orange poly moldboard, hydraulic ram reverse	\$ 8,056.38
4202.060	Carbide moldboard shoes (1 pair)	\$ 480.54
4202.065	Carbide blades IN LIEU OF standard steel (bull nose type), per ft	\$ 108.81
4202.070	1-1/2"x10" Rubber blade IN LIEU OF standard steel, per ft	\$ 54.41
4202.075	1/2"x8" C-1085 cover blade (for rubber or carbide edge)	\$ 72.54
4202.080	Cable and drum lift kit	\$ 244.23
4202.085	1/2" Rubber flap	\$ 435.21
4202.090	Adjustable mushroom shoes (1 pair)	\$ 843.21
4202.095	Plow markers (1 pair)	\$ 36.27
4202.100	Parking leg (all models)	\$ 136.01

→ [To Table of Contents](#)

**HEAVY DUTY REVERSIBLE SNOW PLOWS**

4203.005	Heavy duty 10 ft snow plow, safety trip edge, 39" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,550.65
4203.010	Heavy duty 11 ft snow plow, safety trip edge, 39" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,695.72
4203.015	Heavy duty 11 ft snow plow, safety trip edge, 45" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,813.58
4203.020	Heavy duty 11 ft vortex snow plow, safety trip edge, 36" high from left side to center, 54" right side discharge, 10ga steel moldboard, hydraulic ram reverse	\$ 9,674.92
4203.025	Heavy duty 11 ft butterfly snow plow, safety trip edge, 36" high center, 54" left and right discharge, 10ga steel moldboard, hydraulic ram reverse	\$ 9,674.92
4203.030	Heavy duty 12 ft snow plow, safety trip edge, 45" high, 10ga steel moldboard, hydraulic ram reverse	\$ 9,022.12
4203.035	Heavy duty 10 ft snow plow, safety trip edge, 39" high, 10ga steel moldboard, worm gear reverse	\$ 8,459.98
4203.040	Heavy duty 11 ft snow plow, safety trip edge, 39" high, 10ga steel moldboard, worm gear reverse	\$ 8,586.92
4203.045	Heavy duty 11 ft snow plow, safety trip edge, 45" high, 10ga steel moldboard, worm gear reverse	\$ 8,731.98
4203.050	Heavy duty 11 ft vortex snow plow, safety trip edge, 36" high from left side to center, 54" right side discharge, 10ga steel moldboard, worm gear reverse	\$ 9,593.32
4203.055	Heavy duty 11 ft butterfly snow plow, safety trip edge, 36" high center, 54" left and right discharge, 10ga steel moldboard, worm gear reverse	\$ 9,593.32

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4203.060	Heavy duty 12 ft snow plow, safety trip edge, 45" high, 10ga steel moldboard, worm gear reverse	\$ 8,931.45
4203.065	Heavy duty 10 ft snow plow, safety trip edge, 39" high, 10ga steel moldboard, manual reverse	\$ 7,090.91
4203.070	Heavy duty 11 ft snow plow, safety trip edge, 39" high, 10ga steel moldboard, manual reverse	\$ 7,208.78
4203.075	Heavy duty 11 ft snow plow, safety trip edge, 45" high, 10ga steel moldboard, manual reverse	\$ 7,353.85
4203.080	Heavy duty 11 ft vortex snow plow, safety trip edge, 36" high from left side to center, 54" right side discharge, 10ga steel moldboard, manual reverse	\$ 8,197.05
4203.085	Heavy duty 11 ft butterfly snow plow, safety trip edge, 36" high center, 54" left and right discharge, 10ga steel moldboard, manual reverse	\$ 8,197.05
4203.090	Heavy duty 12 ft snow plow, safety trip edge, 45" high, 10ga steel moldboard, manual reverse	\$ 7,562.38
4203.095	Heavy duty 10 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, hydraulic ram reverse	\$ 9,294.12
4203.100	Heavy duty 11 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, hydraulic ram reverse	\$ 9,384.79
4203.105	Heavy duty 11 ft snow plow, safety trip edge, 45" high, 3/8" orange poly moldboard, hydraulic ram reverse	\$ 9,566.12
4203.110	Heavy duty 12 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, hydraulic ram reverse	\$ 9,647.72
4203.115	Heavy duty 12 ft snow plow, safety trip edge, 45" high, 3/8" orange poly moldboard, hydraulic ram reverse	\$ 9,747.45
4203.120	Heavy duty 10 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, worm gear reverse	\$ 9,212.52
4203.125	Heavy duty 11 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, worm gear reverse	\$ 9,321.32
4203.130	Heavy duty 11 ft snow plow, safety trip edge, 45" high, 3/8" orange poly moldboard, worm gear reverse	\$ 9,466.39
4203.135	Heavy duty 12 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, worm gear reverse	\$ 9,575.19
4203.140	Heavy duty 12 ft snow plow, safety trip edge, 45" high, 3/8" orange poly moldboard, worm gear reverse	\$ 9,674.92
4203.145	Heavy duty 10 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, manual reverse	\$ 7,834.38

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4203.150	Heavy duty 11 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, manual reverse	\$ 7,915.98
4203.155	Heavy duty 11 ft snow plow, safety trip edge, 45" high, 3/8" orange poly moldboard, manual reverse	\$ 8,097.32
4203.160	Heavy duty 12 ft snow plow, safety trip edge, 39" high, 3/8" orange poly moldboard, manual reverse	\$ 8,178.92
4203.165	Heavy duty 12 ft snow plow, safety trip edge, 45" high, 3/8" orange poly moldboard, manual reverse	\$ 8,287.72
4203.170	Heavy duty 10 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,360.25
4203.175	Heavy duty 11 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,677.58
4203.180	Heavy duty 11 ft snow plow, full safety trip with tension springs, 45" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,795.45
4203.185	Heavy duty 11 ft vortex snow plow, full safety trip with tension springs, 36" high from left side to center, 54" right side discharge, 10ga steel moldboard, hydraulic ram reverse	\$ 9,321.32
4203.190	Heavy duty 11 ft butterfly snow plow, full safety trip with tension springs, 36" high center, 54" left and right discharge, 10ga steel moldboard, hydraulic ram reverse	\$ 9,321.32
4203.195	Heavy duty 11 ft one way snow plow, full safety trip with tension springs, 31" high left side intake, 55" right side discharge, 10ga steel moldboard, hydraulic ram reverse	\$ 9,357.59
4203.200	Heavy duty 12 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,795.45
4203.205	Heavy duty 12 ft snow plow, full safety trip with tension springs, 45" high, 10ga steel moldboard, hydraulic ram reverse	\$ 8,931.45
4203.210	Heavy duty 12 ft vortex snow plow, full safety trip with tension springs, 36" high from left side to center, 56" right side discharge, 10ga steel moldboard, hydraulic ram reverse	\$ 9,430.12
4203.215	Heavy duty 12 ft butterfly snow plow, full safety trip with tension springs, 36" high center, 56" left and right discharge, 10ga steel moldboard, hydraulic ram reverse	\$ 9,430.12
4203.220	Heavy duty 10 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, worm gear reverse	\$ 8,287.72
4203.225	Heavy duty 11 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, worm gear reverse	\$ 8,605.05

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4203.230	Heavy duty 11 ft snow plow, full safety trip with tension springs, 45" high, 10ga steel moldboard, worm gear reverse	\$ 8,713.85
4203.235	Heavy duty 11 ft vortex snow plow, full safety trip with tension springs, 36" high from left side to center, 54" right side discharge, 10ga steel moldboard, worm gear reverse	\$ 9,058.38
4203.240	Heavy duty 11 ft butterfly snow plow, full safety trip with tension springs, 36" high center, 54" left and right discharge, 10ga steel moldboard, worm gear reverse	\$ 9,058.38
4203.245	Heavy duty 11 ft one way snow plow, full safety trip with tension springs, 31" high left side intake, 55" right side discharge, 10ga steel moldboard, worm gear reverse	\$ 9,285.05
4203.250	Heavy duty 12 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, worm gear reverse	\$ 8,713.85
4203.255	Heavy duty 12 ft snow plow, full safety trip with tension springs, 45" high, 10ga steel moldboard, worm gear reverse	\$ 9,013.05
4203.260	Heavy duty 12 ft vortex snow plow, full safety trip with tension springs, 36" high from left side to center, 56" right side discharge, 10ga steel moldboard, worm gear reverse	\$ 9,357.59
4203.265	Heavy duty 12 ft butterfly snow plow, full safety trip with tension springs, 36" high center, 56" left and right discharge, 10ga steel moldboard, worm gear reverse	\$ 9,547.99
4203.270	Heavy duty 10 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, manual reverse	\$ 6,873.31
4203.275	Heavy duty 11 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, manual reverse	\$ 7,208.78
4203.280	Heavy duty 11 ft snow plow, full safety trip with tension springs, 45" high, 10ga steel moldboard, manual reverse	\$ 7,317.58
4203.285	Heavy duty 11 ft vortex snow plow, full safety trip with tension springs, 36" high from left side to center, 54" right side discharge, 10ga steel moldboard, manual reverse	\$ 7,825.31
4203.290	Heavy duty 11 ft butterfly snow plow, full safety trip with tension springs, 36" high center, 54" left and right discharge, 10ga steel moldboard, manual reverse	\$ 7,825.31
4203.295	Heavy duty 11 ft one way snow plow, full safety trip with tension springs, 31" high left side intake, 55" right side discharge, 10ga steel moldboard, manual reverse	\$ 7,870.65
4203.300	Heavy duty 12 ft snow plow, full safety trip with tension springs, 36" high, 10ga steel moldboard, manual reverse	\$ 7,317.58
4203.305	Heavy duty 12 ft snow plow, full safety trip with tension springs, 45" high, 10ga steel moldboard, manual reverse	\$ 7,408.25

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4203.310	Heavy duty 12 ft vortex snow plow, full safety trip with tension springs, 36" high from left side to center, 56" right side discharge, 10ga steel moldboard, manual reverse	\$ 8,133.58
4203.315	Heavy duty 12 ft butterfly snow plow, full safety trip with tension springs, 36" high center, 56" left and right discharge, 10ga steel moldboard, manual reverse	\$ 8,133.58
4203.320	Carbide moldboard shoes (1 pair)	\$ 680.01
4203.325	Carbide blades IN LIEU OF standard steel (bull nose type), per ft	\$ 108.81
4203.330	1-1/2"x10" Rubber blade IN LIEU OF standard steel, per ft	\$ 54.41
4203.335	1/2"x8" C-1085 cover blade (for rubber or carbide edge)	\$ 72.54
4203.340	Cable and drum lift kit	\$ 244.23
4203.345	1/2" Rubber flap x length of plow	\$ 435.21
4203.350	Caster assembly w/ mushroom shoe (1 pair)	\$ 870.41
4203.355	Caster assembly w/ 10" wheel (1 pair)	\$ 979.21
4203.360	Oscillator bar with arrowhead installed	\$ 154.14
4203.365	Oscillator bar with extended ears	\$ 154.14
4203.370	Oscillator bar on 21" centers	\$ 154.14
4203.375	RTE/RHS Quick coupler oscillator bar	\$ 154.14
4203.380	Parking leg (all models)	\$ 136.01
4203.385	Plow markers (orange reflector type)	\$ 36.27
4203.390	"HD" - 7 Gauge skin plate on any heavy duty reversible snow plow	\$ 181.34

→ [To Table of Contents](#)

**ONE WAY FIXED ANGLE SNOW PLOWS**

4300.005	One way fixed angle snow plow, 8 ft clearing path with 10 ft cutting edge, safety jump trip mechanism with compression springs, 10 gauge steel moldboard with low speed curl, 24" intake, and 62" discharge, includes hinged steel deflector, nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	\$ 7,249.65
4300.010	One way fixed angle snow plow, 9 ft clearing path with 11 ft cutting edge, safety jump trip mechanism with compression springs, 10 gauge steel moldboard with low speed curl, 24" intake, and 67" discharge, includes hinged steel deflector, nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	\$ 7,561.95
4300.015	One way fixed angle snow plow, 9 ft clearing path with 11 ft cutting edge, safety jump trip mechanism with compression springs, 7 gauge steel moldboard with low speed curl, 40" intake, and 73" discharge, includes hinged steel deflector, nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	\$ 7,874.25

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4300.020</b>	One way fixed angle snow plow, 10 ft clearing path with 12 ft cutting edge, safety jump trip mechanism with compression springs, 7 gauge steel moldboard with low speed curl, 40" intake, and 73" discharge, includes hinged steel deflector, nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	<b>\$ 8,599.58</b>
<b>4300.025</b>	One way fixed angle snow plow, 9 ft clearing path with 11ft cutting edge, safety jump trip mechanism with compression springs, 10 gauge steel moldboard with high speed curl, 29" intake, and 51" discharge, includes nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	<b>\$ 6,756.02</b>
<b>4300.030</b>	One way fixed angle snow plow, 9 ft clearing path with 11 ft cutting edge, safety jump trip mechanism with compression springs, 7 gauge steel moldboard with high speed curl, 29" intake, and 51" discharge, includes nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	<b>\$ 6,977.65</b>
<b>4300.035</b>	One way fixed angle snow plow, 8 ft clearing path with 10 ft cutting edge, safety jump trip mechanism with compression springs, 10 gauge steel moldboard with high speed curl, 32" intake, and 53" discharge, includes nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	<b>\$ 7,118.69</b>
<b>4300.040</b>	One way fixed angle snow plow, 9 ft clearing path with 11 ft cutting edge, safety jump trip mechanism with compression springs, 10 gauge steel moldboard with high speed curl, 32" intake, and 54" discharge, includes nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	<b>\$ 7,330.24</b>
<b>4300.045</b>	One way fixed angle snow plow, 9 ft clearing path with 11 ft cutting edge, safety jump trip mechanism with compression springs, 7 gauge steel moldboard with high speed curl, 37" intake, and 63" discharge, includes nose shoe, rigid skid shoes and 1/2" x 8" steel cutting edge	<b>\$ 7,854.10</b>
<b>4300.050</b>	1 Pair of moldboard shoes	<b>\$ 110.82</b>
<b>4300.055</b>	Adjustable frame shoes IN LIEU OF rigid shoes	<b>\$ 382.82</b>
<b>4300.060</b>	CK-6 Drive frame IN LIEU OF standard drive frame	<b>\$ 125.93</b>
<b>4300.065</b>	Torlock arrowhead	<b>\$ 182.78</b>
<b>4300.070</b>	Pin on Torlock arrowhead assembly, Not recommended w/ pin on adapter on hitch	<b>\$ 392.90</b>
<b>4300.075</b>	Oscillating drive bar w/ extended ears (13")	<b>\$ 156.15</b>
<b>4300.080</b>	Oscillating drive bar on 21" centers	<b>\$ 156.15</b>
<b>4300.085</b>	Mushroom style frame shoes IN LIEU OF standard	<b>\$ 261.93</b>
<b>4300.090</b>	3/4" x 6" Carbide cutting edge, per foot	<b>\$ 105.78</b>
<b>4300.095</b>	1-1/2" x 10" Rubber cutting edge, per foot	<b>\$ 70.52</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents <b>ADJUSTABLE MOLDBOARD CONTOUR PLOWS</b>		
<b>4301.005</b>	Adjustable moldboard contour plow, 10 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and hydraulic ram reverse	\$ 12,047.06
<b>4301.010</b>	Adjustable moldboard contour plow, 11 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and hydraulic ram reverse	\$ 13,135.06
<b>4301.015</b>	Adjustable moldboard contour plow, 12 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and hydraulic ram reverse	\$ 14,595.81
<b>4301.020</b>	Adjustable moldboard contour plow, 14 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and hydraulic ram reverse	\$ 15,634.88
<b>4301.025</b>	Adjustable moldboard contour plow, 10 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and worm gear reverse	\$ 12,732.10
<b>4301.030</b>	Adjustable moldboard contour plow, 11 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and worm gear reverse	\$ 13,820.10
<b>4301.035</b>	Adjustable moldboard contour plow, 12 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and worm gear reverse	\$ 14,898.03
<b>4301.040</b>	Adjustable moldboard contour plow, 14 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 33" and 51" high, and worm gear reverse	\$ 16,219.18
<b>4301.045</b>	Carbide cutting edge 3/4" X 6", per foot	\$ 105.78
<b>4301.050</b>	Rubber cutting edge 1-1/2" X 10", per foot	\$ 70.52
<b>4301.055</b>	Moldboard shoes ( 1 Pair )	\$ 110.82
<b>4301.060</b>	Wrap around curb shoes ( 1 Pair )	\$ 105.78
<b>4301.065</b>	Carbide moldboard shoes ( 1 Pair )	\$ 594.38
<b>4301.070</b>	Rubber deflector ( shipped loose ), per foot	\$ 40.30
<b>4301.075</b>	Manual reverse D/F ( worm gear D/F only ) Deduct	\$ 1,027.56
<b>4301.080</b>	Oscillating drive bar w/ Torlock arrowhead (RR85)	\$ 312.30
<b>4301.085</b>	Oscillating drive bar w/ Torlock arrowhead (WG)	\$ 382.82
<b>4301.090</b>	Oscillating drive bar on 21" centers (RR85)	\$ 151.12
<b>4301.095</b>	Oscillating drive bar on 21" centers (WG)	\$ 151.12

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4301.100	Oscillating drive bar w/extended ears (RR85)	\$ 151.12
4301.105	Falls style oscillating drive bar	\$ 478.52
4301.110	Pin on Torlock arrowhead assembly to standard oscillating bar	\$ 392.89
4301.115	Screw adjustable 10" steel caster assembly ( 1 Pair )	\$ 1,370.08
4301.120	Screw adjustable frame shoes (1 pair)	\$ 1,057.79
4301.125	Screw adjustable mushroom shoes (1 pair)	\$ 1,178.67
4301.130	Pneumatic tire caster assembly (18") for RR85 (1pair)	\$ 3,002.09
4301.135	Dead sheave lift IN LIEU OF para-level lift	\$ 110.82
4301.140	Parking leg — screw jack type	\$ 166.23
4301.145	4219 Lift chain arrangement IN LIEU OF standard	\$ 110.82
4301.150	Plow markers	\$ 96.43

→ [To Table of Contents](#)

**ADJUSTABLE MOLDBOARD CONTOUR PLOWS, SMALL**

4302.005	Adjustable moldboard contour plow, 9 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 22" and 33" high, and hydraulic ram reverse	\$ 7,368.03
4302.010	Adjustable moldboard contour plow, 10 ft, with 3/8" orange poly moldboard, independent contour cylinders to adjust moldboard height between 22" and 33" high, and hydraulic ram reverse	\$ 8,173.96
4302.020	Plow markers	\$ 91.39
4302.025	Moldboard shoes - 1 Pair	\$ 95.71
4302.030	Adjustable mushroom shoes	\$ 236.75
4302.035	Wrap around curb shoes - 1 pair	\$ 105.78
4302.040	1-1/2" X 10" Rubber cutting edge, per foot	\$ 70.52

→ [To Table of Contents](#)

**ONE WAY TRIP EDGE SNOW PLOWS**

4303.005	One way fixed angle snow plow with safety trip edge, 9 ft clearing path, 11 ft moldboard with a 10 gauge skin plate, 28" intake height and 56" discharge height	\$ 8,227.54
4303.010	One way power angle snow plow with safety trip edge, 11 ft moldboard with a 10 gauge skin plate, 28" intake height and 56" discharge height, hydraulic ram reverse	\$ 10,282.65
4303.015	1 Pair of moldboard shoes	\$ 110.82
4303.020	Torlock arrowhead oscillating drive bar	\$ 312.30
4303.025	Wrap around curb shoe on discharge end	\$ 60.45

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4303.030	3/4" x 6" carbide cutting edge, per foot	\$ 105.78
4303.035	Pin on Torlock arrowhead assembly, not recommended w/ pin on adapter on hitch	\$ 392.89
4303.040	1-1/2" x 10" Rubber cutting edge, per foot	\$ 65.49

→ [To Table of Contents](#)

**HEAVY DUTY UTILITY FRONT SNOW PLOWS**

4400.010	Utility snow plow, 9 ft long, 31 inch high, 11ga straight steel moldboard with extension spring full safety trip, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 5,416.58
4400.020	Utility snow plow, 9 ft long, 31 inch high, 3/8" thick straight poly moldboard with extension spring full safety trip, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 5,973.53
4400.030	Utility snow plow, 9 ft long, 31 inch high, 11ga straight steel moldboard with torsion spring safety trip edge, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 6,290.15
4400.040	Utility snow plow, 9 ft long, 31 inch high, 3/8" thick straight poly moldboard with torsion spring safety trip edge, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 7,162.28
4400.050	Utility snow plow, 10 ft long, 31 inch high, 11ga straight steel moldboard with extension spring full safety trip, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 5,531.71
4400.060	Utility snow plow, 10 ft long, 31 inch high, 3/8" thick straight poly moldboard with extension spring full safety trip, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 6,400.96
4400.070	Utility snow plow, 10 ft long, 31 inch high, 11ga straight steel moldboard with torsion spring safety trip edge, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 6,080.03
4400.080	Utility snow plow, 10 ft long, 31 inch high, 3/8" thick straight poly moldboard with torsion spring safety trip edge, tubular reversing frame, hydraulic ram reverse, and standard pin on coupler	\$ 7,274.53

→ [To Table of Contents](#)

**HEAVY DUTY FRONT SNOW PLOWS**

4401.010	One way snow plow, 10ft steel tapered moldboard with 28" high intake and 48" high discharge, landslide plate, full safety trip assembly with extension springs and over trip bars, and heavy duty fixed angle drive frame	\$ 6,186.16
4401.020	One way snow plow, 10ft steel tapered moldboard with 28" high intake and 48" high discharge, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	\$ 8,542.06

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4401.030</b>	One way snow plow, 10ft steel tapered moldboard with 28" high intake and 48" high discharge, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,798.44</b>
<b>4401.040</b>	One way snow plow, 11ft steel tapered moldboard with 27" high intake and 49" high discharge, landslide plate, full safety trip assembly with extension springs and over trip bars, and heavy duty fixed angle drive frame	<b>\$ 6,255.24</b>
<b>4401.050</b>	One way snow plow, 11ft steel tapered moldboard with 27" high intake and 49" high discharge, landslide plate, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 8,605.38</b>
<b>4401.060</b>	One way snow plow, 11ft steel tapered moldboard with 27" high intake and 49" high discharge, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,870.40</b>
<b>4401.070</b>	Snow plow, 10ft long, 36 inch high straight steel moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 8,170.76</b>
<b>4401.080</b>	Snow plow, 10ft long, 36 inch high straight poly moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 8,835.65</b>
<b>4401.090</b>	Snow plow, 10ft long, 36 inch high straight steel moldboard, full safety trip assembly with compression springs and over trip bars, heavy duty drive frame, and hydraulic ram reverse	<b>\$ 7,141.76</b>
<b>4401.100</b>	Snow plow, 10ft long, 36 inch high straight poly moldboard, full safety trip assembly with compression springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 8,821.25</b>
<b>4401.110</b>	Snow plow, 10ft long, 36 inch high straight steel moldboard, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 8,701.80</b>
<b>4401.120</b>	Snow plow, 10ft long, 36 inch high straight poly moldboard, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,358.06</b>
<b>4401.130</b>	Snow plow, 10ft long, 42 inch high straight steel moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 8,583.79</b>
<b>4401.140</b>	Snow plow, 10ft long, 42 inch high straight poly moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,155.14</b>
<b>4401.150</b>	Snow plow, 10ft long, 42 inch high straight steel moldboard, full safety trip assembly with compression springs and over trip bars, heavy duty drive frame, and hydraulic ram reverse	<b>\$ 7,543.28</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4401.160</b>	Snow plow, 10ft long, 42 inch high straight poly moldboard, full safety trip assembly with compression springs and over trip bars, heavy duty drive frame, and hydraulic ram reverse	<b>\$ 8,127.58</b>
<b>4401.170</b>	Snow plow, 10ft long, 42 inch high straight steel moldboard, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,084.62</b>
<b>4401.180</b>	Snow plow, 10ft long, 42 inch high straight poly moldboard, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,673.24</b>
<b>4401.190</b>	Snow plow, 11ft long, 42 inch high straight steel moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 8,694.61</b>
<b>4401.200</b>	Snow plow, 11ft long, 42 inch high straight poly moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,355.18</b>
<b>4401.210</b>	Snow plow, 11ft long, 42 inch high straight steel moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty drive frame, and hydraulic ram reverse	<b>\$ 7,651.22</b>
<b>4401.220</b>	Snow plow, 11ft long, 42 inch high straight poly moldboard, full safety trip assembly with extension springs and over trip bars, heavy duty drive frame, and hydraulic ram reverse	<b>\$ 8,321.87</b>
<b>4401.230</b>	Snow plow, 11ft long, 42 inch high straight steel moldboard, full safety trip assembly with compression springs and over trip bars, heavy duty drive frame, and hydraulic ram reverse	<b>\$ 8,694.61</b>
<b>4401.240</b>	Snow plow, 11ft long, 42 inch high straight poly moldboard, full safety trip assembly with compression springs and over trip bars, heavy duty drive frame, and hydraulic ram reverse	<b>\$ 9,355.18</b>
<b>4401.250</b>	Snow plow, 11ft long, 42 inch high straight steel moldboard, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,188.24</b>
<b>4401.260</b>	Snow plow, 11ft long, 42 inch high straight poly moldboard, torsion spring safety trip edge, heavy duty square tubular drive frame, and hydraulic ram reverse	<b>\$ 9,863.20</b>
<b>4401.270</b>	Upgrade drive frame to include 120" push beam	<b>\$ 685.04</b>
<b>4401.280</b>	Rubber snow deflector	<b>\$ 241.78</b>
<b>4401.290</b>	Screw adjustable mushroom shoes installed on above selected snow plow	<b>\$ 755.56</b>
<b>4401.300</b>	Heavy duty screw adjustable mushroom shoes installed on above selected snow plow	<b>\$ 831.84</b>
<b>4401.310</b>	Upgrade drive frame to include level lift plate	<b>\$ 761.32</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4401.320</b>	Moldboard shoe installed on above selected snow plow (per each	<b>\$ 197.17</b>
<b>4401.330</b>	1-1/2" x 10" rubber cutting edge installed, per foot	<b>\$ 40.30</b>

→ To Table of Contents

**PLOW SYSTEMS**

<b>4600.005</b>	Snow plow system with 6' 8" long, 22.5" high steel moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 4,946.87</b>
<b>4600.010</b>	Snow plow system with 7' 6" long, 27" high steel moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 5,436.55</b>
<b>4600.015</b>	Snow plow system with 7' 6" long, 27" high poly moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 5,879.81</b>
<b>4600.020</b>	Snow plow system with 7' 6" long, 32" high steel moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 5,835.19</b>
<b>4600.025</b>	Snow plow system with 7' 6" long, 32" high poly moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 6,278.15</b>
<b>4600.030</b>	Snow plow system with 8' long, 32" high steel moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 5,956.08</b>
<b>4600.035</b>	Snow plow system with 8' long, 32" high poly moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 6,359.05</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4600.040</b>	Snow plow system with 8' 6" long, 32" high steel moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 6,036.67</b>
<b>4600.045</b>	Snow plow system with 8' 6" long, 32" high poly moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 6,600.82</b>
<b>4600.050</b>	Snow plow system with 9' long, 32" high steel moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 6,269.82</b>
<b>4600.055</b>	Snow plow system with 9' long, 32" high poly moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 6,923.20</b>
<b>4600.060</b>	Snow plow system with 10' long, 32" high steel moldboard, with full safety trip, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 7,109.28</b>
<b>4600.065</b>	Snow plow system with 7' 6" long, 32" high steel moldboard, with safety trip edge, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 5,876.53</b>
<b>4600.070</b>	Snow plow system with 8' long, 32" high steel moldboard, with safety trip edge, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 5,997.41</b>
<b>4600.075</b>	Snow plow system with 8' 6" long, 32" high steel moldboard, with safety trip edge, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	<b>\$ 6,078.01</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4600.080</b>	Snow plow system with 9' long, 32" high steel moldboard, with safety trip edge, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, and vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	\$ 6,239.19
<b>4600.085</b>	Snow plow system with 8' 6" long, 30" high steel two piece moldboard, with safety trip edge, and vee/scoop capabilities, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	\$ 6,636.79
<b>4600.090</b>	Snow plow system with 8' 6" long, steel two piece flared moldboard, 30" high in center, 37" high overall, with safety trip edge, and vee/scoop capabilities, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	\$ 6,999.46
<b>4600.095</b>	Snow plow system with 9' 6" long, 30" high steel two piece moldboard, with safety trip edge, and vee/scoop capabilities, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	\$ 6,878.50
<b>4600.100</b>	Snow plow system with 9' 6" long, steel two piece flared moldboard, 30" high in center, 37" high overall, with safety trip edge, and vee/scoop capabilities, includes electric hydraulic power unit, in cab controller, vehicle specific mount, plow lights with override, vehicle specific light adaptor. * System must be properly selected to match vehicle, see below for options and accessories	\$ 7,200.87

→ [To Table of Contents](#)

**PLOW SYSTEM UPGRADES**

<b>4601.005</b>	Upgrade to composite bulb headlight system in lieu of standard light carton	\$ 30.75
<b>4601.010</b>	Central hydraulic system setup in lieu of electric hydraulic power unit. Includes lift and power angle rams, no hydraulic couplers included, for straight blade snow plow systems only	\$ (1,121.61)
<b>4601.015</b>	Express mounting in lieu of EZ-Plus mounting, includes electric power unit upgrade and chassis mounted frame. Specific applications only, consult application guide.	\$ 1,089.04
<b>4601.020</b>	Truck headlight guards for Express mounting system. Specific applications only, consult application guide.	\$ 335.96

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents <b>ROTARY POWER BROOMS</b>		
<b>4700.010</b>	Rotary power broom, front mounted, 8 ft wide, includes hydraulically driven 32" diameter brush head with manual brush pattern adjustment, and hydraulic ram reverse drive frame with rubber 360 deg swivel casters and standard pin on connector * Requires additional hydraulic circuit connections for broom functions at front of chassis and broom mounted hoses and hydraulic couplers; for front plow hitch quick couplers, see items 4010.XXX	\$ 11,797.77
<b>4700.020</b>	Rotary power broom, front mounted, 10 ft wide, includes hydraulically driven 32" diameter brush head with manual brush pattern adjustment, and hydraulic ram reverse drive frame with rubber 360 deg swivel casters and standard pin on connector * Requires additional hydraulic circuit connections for broom functions at front of chassis and broom mounted hoses and hydraulic couplers; for front plow hitch quick couplers, see items 4010.XXX	\$ 12,795.11
<b>4700.030</b>	Rotary power broom, front mounted, 12 ft wide, includes hydraulically driven 32" diameter brush head with manual brush pattern adjustment, and hydraulic ram reverse drive frame with rubber 360 deg swivel casters and standard pin on connector * Requires additional hydraulic circuit connections for broom functions at front of chassis and broom mounted hoses and hydraulic couplers; for front plow hitch quick couplers, see items 4010.XXX	\$ 13,791.36
<b>4700.040</b>	Dust suppression system with includes spray bar with individual nozzles, 12 volt DC electric water pump, and required plumbing components, installed on above selected rotary power broom * No tank included in this system, requires 12 volt DC switched power	\$ 1,253.15
<b>4700.050</b>	Dust suppression system with includes spray bar with individual nozzles, 12 volt DC electric water pump, 90 gallon tank, and required plumbing components, installed on above selected rotary power broom * Requires 12 volt DC switched power	\$ 2,561.34
<b>4700.060</b>	Dust suppression system with includes spray bar with individual nozzles, 12 volt DC electric water pump, 150 gallon tank, and required plumbing components, installed on above selected rotary power broom * Requires 12 volt DC switched power	\$ 2,872.20
<b>4700.070</b>	Poly or rubber deflector for 8 ft installed on above selected rotary power broom	\$ 336.77
<b>4700.080</b>	Poly or rubber deflector for 10 ft installed on above selected rotary power broom	\$ 410.16
<b>4700.090</b>	Poly or rubber deflector for 12 ft installed on above selected rotary power broom	\$ 485.72

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4700.100</b>	Rotary power broom, tow behind trailer mounted, 8 ft wide, includes hydraulically driven 32" diameter brush head with dual drive motors, all poly brushes, manual brush pattern adjustment, hydraulic lift, hydraulic angle, high mount strobe light, stop/tail/turn lights, and fenders * Requires additional hydraulic circuits and connections for broom rotation, lift, and angle functions at rear of chassis, and additional broom mounted hoses and hydraulic couplers	<b>\$ 17,096.37</b>
<b>4700.110</b>	Rotary power broom, tow behind trailer mounted, 10 ft wide, includes hydraulically driven 32" diameter brush head with dual drive motors, all poly brushes, manual brush pattern adjustment, hydraulic lift, hydraulic angle, high mount strobe light, stop/tail/turn lights, and fenders * Requires additional hydraulic circuits and connections for broom rotation, lift, and angle functions at rear of chassis, and additional broom mounted hoses and hydraulic couplers	<b>\$ 18,535.52</b>
<b>4700.120</b>	Rotary power broom, tow behind trailer mounted, 8 ft wide, includes hydraulically driven 32" diameter brush head with 31 HP Briggs engine power source, dual drive motors, all poly brushes, manual brush pattern adjustment, hydraulic lift, hydraulic angle, high mount strobe light, stop/tail/turn lights, and fenders	<b>\$ 28,731.95</b>
<b>4700.130</b>	Rotary power broom, tow behind trailer mounted, 10 ft wide, includes hydraulically driven 32" diameter brush head with 31 HP Briggs engine power source, dual drive motors, all poly brushes, manual brush pattern adjustment, hydraulic lift, hydraulic angle, high mount strobe light, stop/tail/turn lights, and fenders	<b>\$ 29,883.28</b>
<b>4700.140</b>	Dust suppression system with includes spray bar with individual nozzles, 12 volt DC electric water pump, 150 gallon tank, and required plumbing components, installed on above selected tow behind rotary power broom	<b>\$ 2,853.85</b>
<b>4700.150</b>	Cummins diesel engine in lieu of standard Briggs gas engine installed on above selected tow behind rotary power broom	<b>\$ 2,446.57</b>
<b>4700.160</b>	Remote control in lieu of standard control box installed on above selected tow behind rotary power broom	<b>\$ 5,134.92</b>
<b>4700.170</b>	Electric trailer brakes installed on above selected tow behind rotary power broom	<b>\$ 1,762.97</b>

→ To Table of Contents

**WING PLOW SYSTEMS**

<b>4800.010</b>	Patrol Wing 9ft, 8ft cutting edge, 3/16" thick steel rigid moldboard with 26" tall nose and 34" tall discharge, includes mounting with short full hydraulic front post and rear braces	<b>\$ 8,456.43</b>
<b>4800.020</b>	Patrol Wing 10ft, 9ft cutting edge, 3/16" thick steel rigid moldboard with 26" tall nose and 34" tall discharge, includes mounting with short full hydraulic front post and rear braces	<b>\$ 8,650.71</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4800.030</b>	Patrol Wing 11ft, 10ft cutting edge, 3/16" thick steel rigid moldboard with 26" tall nose and 34" tall discharge, includes mounting with short full hydraulic front post and rear braces	<b>\$ 8,855.79</b>
<b>4800.040</b>	Wing shoe installed on any wing plow system	<b>\$ 151.12</b>
<b>4800.050</b>	Hydraulic side shift able front post for tilt hood applications, on any wing plow system	<b>\$ 1,705.04</b>
<b>4800.060</b>	Manual side shift able front post for tilt hood applications, on any wing plow system	<b>\$ 1,079.00</b>
<b>4800.070</b>	Telescopic rear brace, hydraulically controlled, installed on any wing plow system	<b>\$ 2,507.37</b>
<b>4800.080</b>	Trip edge moldboard in lieu of non-trip on any wing plow system	<b>\$ 1,096.99</b>

→ To Table of Contents

**PATROL WING PLOW SYSTEMS**

<b>4801.010</b>	Patrol wing plow 10', 10ga steel, full trip moldboard with 9ft cutting edge, 27" nose height, 34" discharge, with full benching capabilities up to 36", includes mounting with tall cable lift front post and rear braces	<b>\$ 11,244.80</b>
<b>4801.020</b>	Patrol wing plow 11', 10ga steel, full trip moldboard with 10' cutting edge, 27" nose height, 35" discharge, with full benching capabilities up to 36", includes mounting with tall cable lift front post and rear braces	<b>\$ 11,485.67</b>
<b>4801.030</b>	Patrol wing plow 12', 10ga steel, full trip moldboard with 11' cutting edge, 27" nose height, 36" discharge, with full benching capabilities up to 36", includes mounting with tall cable lift front post and rear braces	<b>\$ 11,726.54</b>
<b>4801.040</b>	Patrol wing plow 13', 10ga steel, full trip moldboard with 12' cutting edge, 27" nose height, 37" discharge, with full benching capabilities up to 36", includes mounting with tall cable lift front post and rear braces	<b>\$ 11,992.42</b>
<b>4801.050</b>	Trip edge moldboard in lieu of full trip moldboard on any patrol wing plow system	<b>\$ 1,161.75</b>
<b>4801.060</b>	Full hydraulic front post in lieu of cable lift on any patrol wing plow system	<b>\$ 536.09</b>
<b>4801.070</b>	Wing shoe installed on any patrol wing plow system	<b>\$ 194.29</b>
<b>4801.080</b>	Moldboard shoes installed on any patrol wing plow system	<b>\$ 215.88</b>
<b>4801.090</b>	Hydraulic side shift able front post for tilt hood applications, on any patrol wing plow system	<b>\$ 1,273.29</b>
<b>4801.100</b>	Manual side shift able front post for tilt hood applications, on any patrol wing plow system	<b>\$ 730.01</b>
<b>4801.110</b>	Poly overlay on moldboard, on any patrol wing plow system	<b>\$ 1,356.04</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

[→ To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<a href="#">→ To Table of Contents</a> <b>WING PLOW CHASSIS HARNESES</b>		
<b>4802.005</b>	Wing plow harness, front mount with full benching capabilities, includes 36" cable hydraulic front post, 36" cable hydraulic rear store, hydraulic ram benching, trip dee, and 68 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	<b>\$ 13,004.14</b>
<b>4802.010</b>	Wing plow harness, front mount with full benching capabilities, includes 72" cable hydraulic front post, 36" cable hydraulic rear store, hydraulic ram benching, trip dee, and 68 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	<b>\$ 13,122.01</b>
<b>4802.015</b>	Wing plow harness, DUAL, front mount with full benching capabilities, includes 36" cable hydraulic front posts, 36" cable hydraulic rear store, hydraulic ram benching, trip dee, and 68 inch adjustable rear wing arms. Requires 6 hydraulic functions. No moldboards included, two are required (See item 4803.XXX)	<b>\$ 22,939.32</b>
<b>4802.020</b>	Wing plow harness, front mount with full benching capabilities, includes 72" cable hydraulic front post, 54" cable hydraulic rear store, hydraulic ram benching, trip dee, and 68 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	<b>\$ 13,421.21</b>
<b>4802.025</b>	Wing plow harness, DUAL, front mount with full benching capabilities, includes 72" cable hydraulic front post, 54" cable hydraulic rear store, hydraulic ram benching, trip dee, and 68 inch adjustable rear wing arms. Requires 6 hydraulic functions. No moldboards included, two are required (See item 4803.XXX)	<b>\$ 24,244.93</b>
<b>4802.030</b>	Wing plow harness, front mount with full benching capabilities, includes 36" full hydraulic front post, 36" full hydraulic rear post, hydraulic ram benching, trip dee, and 62 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	<b>\$ 11,236.14</b>
<b>4802.035</b>	Wing plow harness, front mount with full benching capabilities, includes 48" full hydraulic front post, 48" full hydraulic rear post, hydraulic ram benching, trip dee, and 62 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	<b>\$ 11,508.14</b>
<b>4802.040</b>	Wing plow harness, front mount with full benching capabilities, includes 60" full hydraulic front post, 60" full hydraulic rear post, hydraulic ram benching, trip dee, and 62 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	<b>\$ 12,995.08</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4802.045	Wing plow harness, front mount patrol wing, includes 36" full hydraulic front post, fixed mount patrol style rear tower, trip dee, and 62 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 2 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 9,659.11
4802.050	Wing plow harness, front mount patrol wing, includes 36" cable hydraulic front post, fixed mount patrol style rear tower, trip dee, and 62 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 2 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 9,822.31
4802.055	Wing plow harness, front mount patrol wing, includes 36" cable hydraulic front post, fixed mount patrol style rear tower, under slug rear brace with hydraulic telescopic saddle, trip dee, and 40 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 11,898.01
4802.060	Wing plow harness, front mount patrol wing, includes 36" full hydraulic front post, fixed mount patrol style rear tower, under slug rear brace with hydraulic telescopic saddle, trip dee, and 40 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 11,734.81
4802.065	Wing plow harness, front mount patrol wing for medium duty chassis, includes 36" full hydraulic front post, fixed mount patrol style rear tower, trip dee, and 60 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 2 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 9,260.18
4802.070	Wing plow harness, front mount benching wing for medium duty chassis, includes 36" full hydraulic front post, 24" full hydraulic rear tower, trip dee, and 60 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 10,664.94
4802.075	Wing plow harness, front mount patrol wing for light duty chassis, includes 16" full hydraulic front post, fixed mount patrol style rear tower, trip dee, and 60 inch adjustable rear wing arms. Must specify right or left side mounting. Requires 2 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 8,081.51
4802.080	Wing plow harness, front mount patrol wing, includes 48" full hydraulic front post, fixed mount patrol style rear tower, trip dee, and hydraulic telescopic single rear brace. Must specify right or left side mounting. Requires 3 hydraulic functions. No moldboard included (See item 4803.XXX)	\$ 11,589.74
4802.100	Deduct for no wing arms	\$ (358.50)
4802.105	Deduct for "NT" No trip dee (ACC-ACX only or trip edge)	\$ (264.23)
4802.110	Upgrade to 72" wing arms (ACP)	\$ 108.52
4802.115	Upgrade to "WT" Rubber trip block	\$ 969.85
4802.120	Manual wing travel positioner (CAP)	\$ 1,276.11
4802.125	Air assisted wing travel positioner (CAP)	\$ 2,297.76

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4802.130</b>	10 Degree wing safety trip block (must be used with 10 deg moldboards)	<b>\$ 17.99</b>
→ <a href="#">To Table of Contents</a> <b>WING PLOW MOLDBOARDS</b>		
<b>4803.005</b>	Wing plow moldboard, 11ft overall length, 10 ft cutting edge, 10ga steel skin, 10 deg attack angle, 32" high nose, 39" high discharge	<b>\$ 3,080.60</b>
<b>4803.010</b>	Wing plow moldboard, 12ft overall length, 11 ft cutting edge, 10ga steel skin, 10 deg attack angle, 32" high nose, 40" high discharge	<b>\$ 3,189.40</b>
<b>4803.015</b>	Wing plow moldboard, 14ft overall length, 13 ft cutting edge, 10ga steel skin, 10 deg attack angle, 32" high nose, 42" high discharge	<b>\$ 3,683.09</b>
<b>4803.020</b>	Wing plow moldboard, light duty, 10ft overall length, 9 ft cutting edge, 3/8" orange poly skin, 15 deg attack angle, 24" high nose, 30" high discharge	<b>\$ 2,872.64</b>
<b>4803.025</b>	Wing plow moldboard, light duty, 11ft overall length, 10 ft cutting edge, 3/8" orange poly skin, 15 deg attack angle, 24" high nose, 28" high discharge	<b>\$ 2,917.98</b>
<b>4803.030</b>	Wing plow moldboard, 10ft overall length, 9 ft cutting edge, 10ga steel skin, 22 deg attack angle, 32" high nose, 38" high discharge	<b>\$ 2,754.20</b>
<b>4803.035</b>	Wing plow moldboard, 10ft overall length, 9 ft cutting edge, 3/16" steel skin, 22 deg attack angle, 32" high nose, 38" high discharge	<b>\$ 2,944.60</b>
<b>4803.040</b>	Wing plow moldboard, 11ft overall length, 10 ft cutting edge, 10ga steel skin, 22 deg attack angle, 32" high nose, 39" high discharge	<b>\$ 3,080.60</b>
<b>4803.045</b>	Wing plow moldboard, 11ft overall length, 10 ft cutting edge, 3/16" steel skin, 22 deg attack angle, 32" high nose, 39" high discharge	<b>\$ 3,271.00</b>
<b>4803.050</b>	Wing plow moldboard, with safety trip edge, 11ft overall length, 10 ft cutting edge, 10ga steel skin, 22 deg attack angle, 32" high nose, 39" high discharge	<b>\$ 3,960.07</b>
<b>4803.055</b>	Wing plow moldboard, with safety trip edge, 11ft overall length, 10 ft cutting edge, 3/16" steel skin, 22 deg attack angle, 32" high nose, 39" high discharge	<b>\$ 4,032.60</b>
<b>4803.060</b>	Wing plow moldboard, 12ft overall length, 11 ft cutting edge, 10ga steel skin, 22 deg attack angle, 32" high nose, 40" high discharge	<b>\$ 3,189.40</b>
<b>4803.065</b>	Wing plow moldboard, 12ft overall length, 11 ft cutting edge, 3/16" steel skin, 22 deg attack angle, 32" high nose, 40" high discharge	<b>\$ 3,343.53</b>
<b>4803.070</b>	Wing plow moldboard, with safety trip edge, 12ft overall length, 11 ft cutting edge, 10ga steel skin, 22 deg attack angle, 32" high nose, 40" high discharge	<b>\$ 4,077.94</b>
<b>4803.075</b>	Wing plow moldboard, with safety trip edge, 12ft overall length, 11 ft cutting edge, 3/16" steel skin, 22 deg attack angle, 32" high nose, 40" high discharge	<b>\$ 4,141.40</b>
<b>4803.080</b>	Wing plow moldboard, 13ft overall length, 12 ft cutting edge, 3/16" steel skin, 22 deg attack angle, 32" high nose, 41" high discharge	<b>\$ 3,601.49</b>
<b>4803.085</b>	Wing plow moldboard, 14ft overall length, 13 ft cutting edge, 3/16" steel skin, 22 deg attack angle, 32" high nose, 42" high discharge	<b>\$ 3,760.29</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
4803.100	Wing Bracket	\$ 244.37
4803.105	Polymer overlay on moldboard	\$ 823.92
4803.110	Carbide blades IN LIEU OF standard steel (bull nose type), per ft	\$ 108.81
4803.115	1-1/2"x10" Rubber blade IN LIEU OF standard steel, per ft	\$ 54.41
4803.120	1/2"x8" C-1085 cover blade (for rubber or carbide edge)	\$ 72.54

→ [To Table of Contents](#)

**MID MOUNT PATROL WING PLOWS**

4804.010	Wing plow harness, mid mount patrol wing, includes 16" full hydraulic front post, fixed mount patrol style rear tower, under slug front and rear saddles, trip dee, and 40 inch adjustable rear wing arm. Must specify right or left side mounting. Requires 2 hydraulic functions. No moldboard included (See item below)	\$ 8,896.79
4804.020	Mid mount wing moldboard, 8 ft long, 7 ft cutting edge, 10 gauge steel skin, 25" intake, 29" discharge	\$ 2,494.72
4804.030	Mid mount wing moldboard, 9 ft long, 8 ft cutting edge, 10 gauge steel skin, 25" intake, 29.5" discharge	\$ 2,776.79
4804.040	Mid mount wing moldboard, 10 ft long, 9 ft cutting edge, 10 gauge steel skin, 25" intake, 30" discharge	\$ 2,986.91

→ [To Table of Contents](#)

**TG SERIES UNDERBODY TRUCK GRADERS**

4900.100	TG series Underbody Truck Grader, heavy duty 8' wide, 13" high, 5/8" thick high strength steel moldboard with hydraulic power angle, hydraulic power pitch, and independent hydraulic power tilt / hoist functions	\$ 18,882.38
4900.200	TG series Underbody Truck Grader, heavy duty 10' wide, 13" high, 5/8" thick high strength steel moldboard with hydraulic power angle, hydraulic power pitch, and independent hydraulic power tilt / hoist functions	\$ 19,422.06
4900.300	TG series Underbody Truck Grader, heavy duty 12' wide, 13" high, 5/8" thick high strength steel moldboard with hydraulic power angle, hydraulic power pitch, and independent hydraulic power tilt / hoist functions	\$ 19,875.40
4900.400	Raise moldboard height to 15" on any TG series Underbody Truck Grader	\$ 183.50

→ [To Table of Contents](#)

**PB SERIES UNDERBODY SCRAPERS**

4901.010	PB series Underbody Scraper, heavy duty 10' wide, 17" high, 1" thick steel moldboard with hydraulic power angle on a 1" thick steel table, and hydraulic power pitch with safety cushion trip	\$ 11,100.14
4901.020	PB series Underbody Scraper, heavy duty 11' wide, 17" high, 1" thick steel moldboard with hydraulic power angle on a 1" thick steel table, and hydraulic power pitch with safety cushion trip	\$ 11,272.84

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>4901.030</b>	PB series Underbody Scraper, heavy duty 12' wide, 17" high, 1" thick steel moldboard with hydraulic power angle on a 1" thick steel table, and hydraulic power pitch with safety cushion trip	<b>\$ 11,391.57</b>
<b>4901.040</b>	Raise moldboard height to 20" on any PB series Underbody Scraper	<b>\$ 612.28</b>

→ [To Table of Contents](#)

**PLOW OPTIONS**

<b>4995.001</b>	Snow plow moldboard markers 3/4" x 36" with bolt on base	<b>\$ 39.93</b>
<b>4995.002</b>	Snow plow moldboard markers 3/4" x 28" with bolt on base	<b>\$ 38.91</b>
<b>4995.003</b>	Snow plow moldboard markers 3/4" x 36" with stud base	<b>\$ 43.77</b>
<b>4995.004</b>	Snow plow moldboard markers 3/4" x 28" with stud base	<b>\$ 40.98</b>
<b>4995.010</b>	Plow blades with carbide edge (per foot)	<b>\$ 90.67</b>
<b>4995.015</b>	Plow blades with isolated inserted carbide edge (per foot)	<b>\$ 109.38</b>
<b>4995.020</b>	Carbide mushroom shoes (per pair)	<b>\$ 449.74</b>
<b>4995.025</b>	Carbide moldboard shoes (per pair)	<b>\$ 536.09</b>
<b>4995.030</b>	Curb shoe with carbide cast curb bumper (per each)	<b>\$ 111.54</b>
<b>4995.035</b>	Plow blade saver, 10.5" long with isolated carbide inserts and carbide cast curb bumper (per each)	<b>\$ 206.09</b>
<b>4995.040</b>	Plow blade saver, 22.5" long with isolated carbide inserts and carbide cast curb bumper (per each)	<b>\$ 274.16</b>
<b>4995.045</b>	Plow blade saver, 18" long with isolated carbide inserts (per each)	<b>\$ 194.67</b>

→ [To Table of Contents](#)

**UNDER TAILGATE BROADCAST SPREADER**

<b>5000.005</b>	Concord under tailgate auger spreader, 96 inch overall width, dual 4 inch bi-directional augers, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, heavy duty steel hopper, steel spinner assembly, primed and painted Omaha orange	<b>\$ 4,903.17</b>
<b>5000.010</b>	Concord under tailgate auger spreader, 96 inch overall width, single 6 inch bi-directional auger, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, heavy duty steel hopper, steel spinner assembly, primed and painted Omaha orange	<b>\$ 4,231.56</b>
<b>5000.015</b>	Concord under tailgate auger spreader, 96 inch overall width, dual 4 inch bi-directional augers, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, stainless steel spinner assembly with poly disc, heavy duty natural finish 304 stainless steel hopper, no paint	<b>\$ 5,775.82</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5000.020</b>	Concord under tailgate auger spreader, 96 inch overall width, single 6 inch bi-directional auger, "flex drive" direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, "easy slide" arm and pocket mounting, stainless steel spinner assembly with poly disc, heavy duty natural finish 304 stainless steel hopper, no paint	<b>\$ 5,104.21</b>
<b>5000.025</b>	Integral speed sensor on auger hydraulic drive motor	<b>\$ 363.39</b>
<b>5000.030</b>	18 inch diameter poly spinner disk in lieu of standard steel	<b>\$ 47.98</b>
<b>5000.035</b>	18 inch diameter extreme duty poly spinner disk in lieu of standard poly	<b>\$ 86.35</b>
<b>5000.040</b>	Paint other than standard Omaha orange on standard steel spreader	<b>\$ 191.41</b>
<b>5000.045</b>	Finish paint on stainless steel spreader	<b>\$ 815.53</b>
<b>5000.050</b>	Rubber trough in lieu of formed steel trough (single auger only)	<b>\$ 959.44</b>
<b>5000.055</b>	Rubber trough in lieu of formed stainless steel trough (single auger only)	<b>\$ 767.56</b>
<b>5000.100</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 21" from left end plate, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange	<b>\$ 2,547.47</b>
<b>5000.105</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 21" from left end plate, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc	<b>\$ 3,475.90</b>
<b>5000.110</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 21" from left end plate, hydraulic motor drive through 5:1 gearbox reduction, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange	<b>\$ 2,931.89</b>
<b>5000.115</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 21" from left end plate, hydraulic motor drive through 5:1 gearbox reduction, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc	<b>\$ 3,838.56</b>
<b>5000.120</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch uni-directional auger, drop ports located at extreme far left and right, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange (for right side spinner see below)	<b>\$ 3,590.14</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5000.125</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch uni-directional auger, drop ports located at extreme far left and right, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc (for right side spinner see below)	<b>\$ 4,496.80</b>
<b>5000.130</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch uni-directional auger, drop ports located at extreme far left and right, hydraulic motor drive through 5:1 gearbox reduction, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange (for right side spinner see below)	<b>\$ 3,862.14</b>
<b>5000.135</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch uni-directional auger, drop ports located at extreme far left and right, hydraulic motor drive through 5:1 gearbox reduction, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc (for right side spinner see below)	<b>\$ 4,768.81</b>
<b>5000.140</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 9 inch uni-directional auger, drop ports located at extreme far left and right, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange (for right side spinner see below)	<b>\$ 3,566.56</b>
<b>5000.140</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 7-5/8" from left end plate, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange	<b>\$ 3,522.14</b>
<b>5000.140</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 7-5/8" from left end plate, hydraulic motor drive through 5:1 gearbox reduction, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange	<b>\$ 3,771.47</b>
<b>5000.145</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 9 inch uni-directional auger, drop ports located at extreme far left and right, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc (for right side spinner see below)	<b>\$ 4,473.23</b>
<b>5000.145</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 7-5/8" from left end plate, direct hydraulic motor drive, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly	<b>\$ 4,428.80</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5000.145</b>	Under tailgate broadcast spreader, S series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 7-5/8" from left end plate, hydraulic motor drive through 5:1 gearbox reduction, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc	<b>\$ 4,678.14</b>
<b>5000.150</b>	Under tailgate broadcast spreader, SEL series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 21" from left end plate, 1/2 hp sealed electric motor drive on each spinner and auger, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 6,311.94</b>
<b>5000.155</b>	Under tailgate broadcast spreader, SEL series, 96 inch overall width, single 6 inch bi-directional auger, drop port located 21" from left end plate, 1/2 hp sealed electric motor drive on each spinner and auger, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 7,031.52</b>
<b>5000.160</b>	Under tailgate broadcast spreader, SEL series, 96 inch overall width, single 6 inch bi-directional auger, drop port located at center, 1/2 hp sealed electric motor drive on each spinner and auger, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 6,311.94</b>
<b>5000.165</b>	Under tailgate broadcast spreader, SEL series, 96 inch overall width, single 6 inch bi-directional auger, drop port located at center, 1/2 hp sealed electric motor drive on each spinner and auger, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 7,031.52</b>
<b>5000.170</b>	Right side spinner assembly with 18" poly disc, steel construction, primed and painted orange	<b>\$ 667.29</b>
<b>5000.175</b>	Right side spinner assembly with 18" poly disc, corrosion resistant stainless steel construction	<b>\$ 893.96</b>
<b>5000.180</b>	Trough mounted spinner bracket for 6" under tailgate auger spreaders, designed to hang from the trough rather than the bottom door of the spreader to reduce the weight on the bottom door during opening and closing operations, must be ordered in conjunction with an S series under tailgate spreader with 6" auger	<b>\$ 228.32</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5000.185</b>	Trough mounted spinner bracket, stainless steel, for 6" under tailgate auger spreaders, designed to hang from the trough rather than the bottom door of the spreader to reduce the weight on the bottom door during opening and closing operations, must be ordered in conjunction with an S series under tailgate spreader with 6" auger	<b>\$ 346.19</b>
<b>5000.190</b>	Trough mounted spinner bracket for 9" under tailgate auger spreaders, designed to hang from the trough rather than the bottom door of the spreader to reduce the weight on the bottom door during opening and closing operations, must be ordered in conjunction with an S series under tailgate spreader with 9" auger	<b>\$ 246.45</b>
<b>5000.195</b>	Trough mounted spinner bracket, stainless steel, for 9" under tailgate auger spreaders, designed to hang from the trough rather than the bottom door of the spreader to reduce the weight on the bottom door during opening and closing operations, must be ordered in conjunction with an S series under tailgate spreader with 9" auger	<b>\$ 378.83</b>

→ [To Table of Contents](#)

**REPLACEMENT TAILGATE BROADCAST SPREADERS**

<b>5001.005</b>	Replacement tailgate broadcast spreader, RT series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single hydraulic motor, drop port located 4.5" from left end plate, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange, designed to mount on bodies with 78" - 84" inside width	<b>\$ 3,840.55</b>
<b>5001.010</b>	Replacement tailgate broadcast spreader, RT series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single hydraulic motor, drop port located 4.5" from left end plate, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc, designed to mount on bodies with 78" - 84" inside width	<b>\$ 4,587.64</b>
<b>5001.015</b>	Replacement tailgate broadcast spreader, RT series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single hydraulic motor, drop port located 4.5" from left end plate, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange, designed to mount on bodies with 84" - 90" inside width	<b>\$ 3,840.55</b>
<b>5001.020</b>	Replacement tailgate broadcast spreader, RT series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single hydraulic motor, drop port located 4.5" from left end plate, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc, designed to mount on bodies with 84" - 90" inside width	<b>\$ 4,587.64</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5001.025</b>	Replacement tailgate broadcast spreader, RTEL series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single electric motor, drop port located 4.5" from left end plate, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange, designed to mount on bodies with 78" - 84" inside width, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 7,175.44</b>
<b>5001.030</b>	Replacement tailgate broadcast spreader, RTEL series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single electric motor, drop port located 4.5" from left end plate, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc, designed to mount on bodies with 78" - 84" inside width, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 7,895.01</b>
<b>5001.035</b>	Replacement tailgate broadcast spreader, RTEL series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single electric motor, drop port located at center, hinged drop clean out bottom, dump over cover, steel hopper, steel spinner assembly with 18" poly disc, primed and painted orange, designed to mount on bodies with 78" - 84" inside width, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 7,175.44</b>
<b>5001.040</b>	Replacement tailgate broadcast spreader, RTEL series, 96 inch overall width, single 6 inch auger and agitator bar driven through chain and sprocket by single electric motor, drop port located at center, hinged drop clean out bottom, dump over cover, corrosion resistant stainless steel hopper, corrosion resistant stainless steel spinner assembly with 18" poly disc, designed to mount on bodies with 78" - 84" inside width, includes in cab control wired for independent spinner and auger motor functions	<b>\$ 7,895.01</b>
<b>5001.045</b>	34" tailgate conversion kit, mild steel, for RT and RTEL series replacement tailgate broadcast spreader	<b>\$ 818.53</b>
<b>5001.050</b>	34" tailgate conversion kit, stainless steel, for RT and RTEL series replacement tailgate broadcast spreader	<b>\$ 1,543.86</b>
<b>5001.055</b>	47" tailgate conversion kit, mild steel, for RT and RTEL series replacement tailgate broadcast spreader	<b>\$ 909.19</b>
<b>5001.060</b>	47" tailgate conversion kit, stainless steel, for RT and RTEL series replacement tailgate broadcast spreader	<b>\$ 1,882.96</b>

→ [To Table of Contents](#)

**STRAIGHT DROP UNDER TAILGATE SPREADERS**

<b>5002.005</b>	Solid Back Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with 4 spiral beads, replaceable full length steel wear strip, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty steel hopper, primed and painted Omaha orange	<b>\$ 2,518.53</b>
-----------------	---	--------------------

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5002.010</b>	Solid Back Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with 4 spiral beads, replaceable full length steel wear strip, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty 304 stainless steel hopper	\$ 3,094.19
<b>5002.015</b>	Spring Finger Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with raised oblong tabs, six replaceable spring finger key plates with ratcheting handle to adjust tension, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty steel hopper, primed and painted Omaha orange	\$ 3,094.19
<b>5002.020</b>	Spring Finger Straight Drop Material Spreader, 96 inch overall width, 4-1/2" diameter steel roller with raised oblong tabs, six replaceable spring finger key plates with ratcheting handle to adjust tension, chain and sprocket reduction hydraulic motor drive, "easy slide" arm and pocket mounting, heavy duty 304 stainless steel hopper	\$ 3,669.86
<b>5002.025</b>	Dump over cover, steel, for 195-SB	\$ 422.16
<b>5002.030</b>	Dump over cover, stainless steel, for 195-SB	\$ 537.29
<b>5002.035</b>	Dump over cover, steel, for 195-SF	\$ 422.16
<b>5002.040</b>	Dump over cover, stainless steel, for 195-SF	\$ 537.29
<b>5002.045</b>	Integral speed sensor on roller hydraulic drive motor	\$ 363.39
<b>5002.050</b>	Custom paint other than standard Omaha orange on CRE-195 series spreader	\$ 191.41

→ [To Table of Contents](#)

**GRAVITY FEED UNDER TAILGATE AGGREGATE SPREADERS**

<b>5003.005</b>	Gravity Feed Under tailgate Aggregate Chip Spreader with 108" maximum spread width, heavy duty all steel construction, adjustable main door with operating handles at both ends, 9 manual lever controlled spread width cut off gates, primed and painted Omaha Orange, comes complete with winch and pulley leveling system, and three adjustable legs for storage and easy transfer between trucks, installed	\$ 3,312.56
<b>5003.010</b>	Gravity Feed Under tailgate Aggregate Chip Spreader with 120" maximum spread width, heavy duty all steel construction, adjustable main door with operating handles at both ends, 10 manual lever controlled spread width cut off gates, primed and painted Omaha Orange, comes complete with winch and pulley leveling system, and three adjustable legs for storage and easy transfer between trucks, Installed	\$ 3,583.89
<b>5003.015</b>	Custom paint other than standard Omaha orange on CRE-100 series spreader	\$ 191.41
<b>5003.020</b>	Air operated main door with hand held electric pendant and 15ft self retracting cord	\$ 628.44

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents <b>UNDER TAILGATE CROSS CONVEYOR SPREADERS</b>		
<b>5004.005</b>	Concord under tailgate cross conveyor spreader, 960 series, 96 inch overall width, 18" wide pure belt conveyor for use with all types of aggregates, sand, salt and asphalt materials, hydraulic motor driven through 2:1 chain and sprocket reduction, primed and painted orange. See below for mounting systems and optional equipment.	<b>\$ 6,750.92</b>
<b>5004.010</b>	Self leveling mounting system, for 960 series under tailgate cross conveyor, includes upper pivot arms and lower pivot structure to keep machine level through various body angles	<b>\$ 1,458.35</b>
<b>5004.015</b>	Folding leg and winch mounting system, for 960 series under tailgate cross conveyor, includes folding legs for storage and transfer between units, winch leveling system, and chain mounting components	<b>\$ 2,273.87</b>
<b>5004.020</b>	Remote mounted hydraulic flow control valve, for 960 series under tailgate cross conveyor, allows operator to adjust belt speed from the rear of the unit	<b>\$ 268.65</b>
<b>5004.025</b>	Remote mounted electric over hydraulic flow control valve and hand pendant with 15 ft cord, for 960 series under tailgate cross conveyor, allows operator to adjust belt speed from a handheld control, requires 12 volt dc electric power at rear of chassis	<b>\$ 1,021.81</b>
<b>5004.030</b>	Manually adjustable discharge door (price each), for 960 series under tailgate cross conveyor	<b>\$ 450.15</b>
<b>5004.035</b>	Back guard extension to 12 inches (standard is 7 inches), for 960 series under tailgate cross conveyor	<b>\$ 495.08</b>
<b>5004.040</b>	Stop tail turn lighting and 3 light cluster recessed in rear cover, for 960 series under tailgate cross conveyor, vehicle must be equipped with a trailer lighting receptacle	<b>\$ 328.13</b>
<b>5004.045</b>	Stop tail turn LED lighting and LED 3 light cluster recessed in rear cover, for 960 series under tailgate cross conveyor, vehicle must be equipped with a trailer lighting receptacle	<b>\$ 495.08</b>
<b>5004.050</b>	Machine mounted manual hydraulic reversing valve, for 960 series under tailgate cross conveyor, allows operator to select belt direction from the rear of the unit	<b>\$ 658.18</b>
<b>5004.055</b>	Material spinner / sander assembly, for 960 series under tailgate cross conveyor, includes adjustable spinner assembly with deflector, 18" steel spinner disk and individual hydraulic motor	<b>\$ 1,201.05</b>
<b>5004.060</b>	Poly spinner disk installed on material spinner in lieu of standard steel, for 960 series under tailgate cross conveyor	<b>\$ 47.98</b>
<b>5004.065</b>	Extreme duty poly spinner disk installed on material spinner in lieu of standard steel, for 960 series under tailgate cross conveyor	<b>\$ 140.08</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5004.070</b>	48 inch fold up conveyor extension, for 960 series under tailgate cross conveyor, extends material drop point approximately 4 ft, standard mount is on the curb side	<b>\$ 3,340.77</b>
<b>5004.075</b>	60 inch adjustable auger extension, for 960 series under tailgate cross conveyor, extends the material drop point approximately 5 ft, also allows material to be conveyed at an incline, general purpose to fill curb forming machine	<b>\$ 3,022.23</b>
<b>5004.080</b>	Self contained portable hydraulic power pack, for 960 series under tailgate cross conveyor, includes electric start gasoline powered engine, direct mount hydraulic pump, hydraulic oil reservoir, flow control valve and return line filter assembly on a removable platform, provides one hydraulic circuit.	<b>\$ 4,727.64</b>
<b>5004.085</b>	Removable patch pan / shelf, for 960 series under tailgate cross conveyor	<b>\$ 545.69</b>
<b>5004.090</b>	Custom paint other than standard Omaha orange on 960 series under tailgate cross conveyor and accessories	<b>\$ 191.41</b>
<b>5004.100</b>	Under tailgate cross conveyor, ST series, 14" wide hi-temp belt over chain conveyor, hi-temp belt sealers to prevent material build up under conveyor chain, hinged 7ga top cover with 2 position captive latches allows material to be dumped over unit, dual 11" x 14" feed gates with gate jacks for adjustment allows material to be discharged to either end in controlled amounts	<b>\$ 6,691.15</b>
<b>5004.105</b>	Under tailgate cross conveyor, ST series, 14" wide hi-temp belt over chain conveyor, hi-temp belt sealers to prevent material build up under conveyor chain, hinged 7ga top cover with 2 position captive latches allows material to be dumped over unit, dual 11" x 14" feed gates with gate jacks for adjustment allows material to be discharged to either end in controlled amounts, constructed of corrosion resistant stainless steel	<b>\$ 9,369.45</b>
<b>5004.110</b>	Light kit for ST series cross conveyor, includes stop, turn & tail lights, 3 light ID cluster, and junction box mounted on machine, vehicle must be equipped with a trailer lighting receptacle	<b>\$ 538.61</b>
<b>5004.115</b>	Reversing valve for ST series cross conveyor, allows operator to select conveyor direction at the rear of truck	<b>\$ 497.19</b>
<b>5004.120</b>	Spinner assembly for ST series cross conveyor, mounts to either end of machine for use as a broadcast spreader, spinner assembly comes complete with an 18" poly disc	<b>\$ 1,141.07</b>
<b>5004.125</b>	Storage legs for ST series cross conveyor, allows machine to stand upright when not in use	<b>\$ 1,657.15</b>
<b>5004.130</b>	4 foot motorized extension for ST series cross conveyor, extends material drop approximately 4 foot from end of cross conveyor	<b>\$ 3,379.82</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents	<b>HOPPER SPREADERS - CONVEYOR CHAIN DELIVERY, GAS ENGINE</b>	
<b>5010.005</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, self contained drive system with BRIGGS & STRATTON gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; mild steel construction	<b>\$ 7,791.52</b>
<b>5010.010</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, self contained drive system with BRIGGS & STRATTON gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 10,511.52</b>
<b>5010.015</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, self contained drive system with BRIGGS & STRATTON gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 10,964.81</b>
<b>5010.020</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, self contained drive system with BRIGGS & STRATTON gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; mild steel construction	<b>\$ 7,841.52</b>
<b>5010.025</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, self contained drive system with BRIGGS & STRATTON gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 11,015.76</b>
<b>5010.030</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, self contained drive system with BRIGGS & STRATTON gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 11,491.77</b>
<b>5010.035</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, self contained drive system with HONDA gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; mild steel construction	<b>\$ 8,426.18</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5010.040</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, self contained drive system with HONDA gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 11,146.19</b>
<b>5010.045</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, self contained drive system with HONDA gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 11,631.21</b>
<b>5010.050</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, self contained drive system with HONDA gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; mild steel construction	<b>\$ 8,476.18</b>
<b>5010.055</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, self contained drive system with HONDA gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 11,650.43</b>
<b>5010.060</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, self contained drive system with HONDA gas engine, includes wireless engine controls, vehicle battery harness, top screens, swing up spinner assembly with 13" poly spinner disk, inverted vee over conveyor, and nylon strap mounting kit; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 12,158.17</b>

→ To Table of Contents

**HOPPER SPREADERS - CONVEYOR CHAIN DELIVERY, HYDRAULIC**

<b>5015.001</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, includes top screens, swing up spinner assembly with 13" poly spinner disk, and inverted vee over conveyor; requires two hydraulic spreader circuits; mild steel construction	<b>\$ 6,513.40</b>
<b>5015.002</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, includes top screens, swing up spinner assembly with 13" poly spinner disk, and inverted vee over conveyor; requires two hydraulic spreader circuits; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 9,006.74</b>
<b>5015.003</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, includes top screens, swing up spinner assembly with 13" poly spinner disk, and inverted vee over conveyor; requires two hydraulic spreader circuits; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 9,414.70</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.011</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, includes top screens, swing up spinner assembly with 13" poly spinner disk, and inverted vee over conveyor; requires two hydraulic spreader circuits; mild steel construction	<b>\$ 6,699.40</b>
<b>5015.012</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, includes top screens, swing up spinner assembly with 13" poly spinner disk, and inverted vee over conveyor; requires two hydraulic spreader circuits; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 8,512.74</b>
<b>5015.013</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, includes top screens, swing up spinner assembly with 13" poly spinner disk, and inverted vee over conveyor; requires two hydraulic spreader circuits; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 8,893.49</b>
<b>5015.021</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 50 inch sides, 4.3 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,223.38</b>
<b>5015.022</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,822.85</b>
<b>5015.023</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,371.62</b>
<b>5015.024</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 56 inch sides, 5.3 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,335.80</b>
<b>5015.025</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,986.05</b>
<b>5015.026</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,542.98</b>
<b>5015.027</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 62 inch sides, 6.3 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,444.61</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.028</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,152.88</b>
<b>5015.029</b>	Hopper spreader, vee-body conveyor chain delivery, 8 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,718.14</b>
<b>5015.031</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 50 inch sides, 4.9 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,517.60</b>
<b>5015.032</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,370.95</b>
<b>5015.033</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,941.01</b>
<b>5015.034</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 56 inch sides, 6.0 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,630.03</b>
<b>5015.035</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,546.84</b>
<b>5015.036</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,125.70</b>
<b>5015.037</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 62 inch sides, 7.1 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,744.27</b>
<b>5015.038</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,719.11</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.039</b>	Hopper spreader, vee-body conveyor chain delivery, 9 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,306.58</b>
<b>5015.041</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 50 inch sides, 5.5 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,671.74</b>
<b>5015.042</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,697.35</b>
<b>5015.043</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,283.74</b>
<b>5015.044</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 56 inch sides, 6.7 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,789.60</b>
<b>5015.045</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,878.68</b>
<b>5015.046</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,474.14</b>
<b>5015.047</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 62 inch sides, 7.9 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,907.47</b>
<b>5015.048</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,054.57</b>
<b>5015.049</b>	Hopper spreader, vee-body conveyor chain delivery, 10 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,658.82</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.051</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 50 inch sides, 6.1 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,178.12</b>
<b>5015.052</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,339.73</b>
<b>5015.053</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,952.14</b>
<b>5015.054</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 56 inch sides, 7.4 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,301.43</b>
<b>5015.055</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,526.51</b>
<b>5015.056</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,148.26</b>
<b>5015.057</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 62 inch sides, 8.7 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,422.92</b>
<b>5015.058</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,711.47</b>
<b>5015.059</b>	Hopper spreader, vee-body conveyor chain delivery, 11 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,342.46</b>
<b>5015.061</b>	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 50 inch sides, 6.6 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,527.52</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
5015.062	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 13,879.53
5015.063	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,515.33
5015.064	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 56 inch sides, 8.1 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 9,654.45
5015.065	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,073.56
5015.066	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,719.06
5015.067	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 62 inch sides, 9.5 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 9,781.39
5015.068	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,269.40
5015.069	Hopper spreader, vee-body conveyor chain delivery, 12 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,924.69
5015.071	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 50 inch sides, 7.0 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 10,130.59
5015.072	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,546.07

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
5015.073	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 15,212.70
5015.074	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 56 inch sides, 8.6 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 10,266.59
5015.075	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,749.16
5015.076	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 15,425.94
5015.077	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 62 inch sides, 10.4 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 10,402.59
5015.078	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 14,954.07
5015.079	Hopper spreader, vee-body conveyor chain delivery, 13 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 15,641.10
5015.081	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 50 inch sides, 7.8 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 10,886.18
5015.082	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 15,201.92
5015.083	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	\$ 15,897.74

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.084</b>	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 56 inch sides, 9.5 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,031.24</b>
<b>5015.085</b>	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,415.89</b>
<b>5015.086</b>	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,122.42</b>
<b>5015.087</b>	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 62 inch sides, 11.2 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,085.64</b>
<b>5015.088</b>	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,624.43</b>
<b>5015.089</b>	Hopper spreader, vee-body conveyor chain delivery, 14 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,341.38</b>
<b>5015.091</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 50 inch sides, 8.3 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,226.31</b>
<b>5015.092</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 50 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,828.56</b>
<b>5015.093</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 50 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,553.22</b>
<b>5015.094</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 56 inch sides, 10.2 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,376.82</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.095</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 56 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,049.79</b>
<b>5015.096</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 56 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,785.50</b>
<b>5015.097</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 62 inch sides, 12.0 cubic yard capacity, mild steel construction, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,530.95</b>
<b>5015.098</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 62 inch sides, cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,272.83</b>
<b>5015.099</b>	Hopper spreader, vee-body conveyor chain delivery, 15 ft long, 62 inch sides, cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes top screens, swing up spinner assembly and 20 inch poly spinner disk; requires two hydraulic spreader circuits	<b>\$ 17,019.70</b>
<b>5015.500</b>	Multi-purpose spreader, 9 ft long 6 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 16,208.87</b>
<b>5015.505</b>	Multi-purpose spreader, 9 ft long 6 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 26,642.65</b>
<b>5015.510</b>	Multi-purpose spreader, 10 ft long 6.6 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 16,657.80</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.515</b>	Multi-purpose spreader, 10 ft long 6.6 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 28,369.32</b>
<b>5015.520</b>	Multi-purpose spreader, 12 ft long 7.8 yard capacity chassis mounted steel vee-body hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 17,735.56</b>
<b>5015.525</b>	Multi-purpose spreader, 12 ft long 7.8 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 31,930.58</b>
<b>5015.530</b>	Multi-purpose spreader, 14 ft long 9 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 18,669.41</b>
<b>5015.530</b>	Multi-purpose spreader, 15 ft long 10 yard capacity chassis mounted steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 19,262.26</b>
<b>5015.535</b>	Multi-purpose spreader, 14 ft long 9 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 35,491.85</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5015.535</b>	Multi-purpose spreader, 15 ft long 10 yard capacity chassis mounted 304 stainless steel hopper with 34" wide integral two speed pintle chain conveyor, abrasion resistant conveyor floor, swinging tailgate with air release and adjustable sliding patch gate, heavy duty swing away spinner assembly, and integral full length fenders * Requires two adjustable hydraulic spreader circuits; Base unit only: no top screens, cab protector, hoist, or prewet tanks included	<b>\$ 37,362.44</b>
<b>5015.540</b>	Heavy duty sectional top screens installed on above selected 9 ft multi-purpose spreader	<b>\$ 1,935.67</b>
<b>5015.545</b>	Heavy duty sectional top screens installed on above selected 10 ft multi-purpose spreader	<b>\$ 2,036.41</b>
<b>5015.550</b>	Heavy duty sectional top screens installed on above selected 12 ft multi-purpose spreader	<b>\$ 2,201.92</b>
<b>5015.555</b>	Heavy duty sectional top screens installed on above selected 14 ft multi-purpose spreader	<b>\$ 2,367.42</b>
<b>5015.560</b>	Heavy duty sectional top screens installed on above selected 15 ft multi-purpose spreader	<b>\$ 2,524.29</b>
<b>5015.565</b>	Add full height 2 piece folding ladder to front corner of any multi purpose spreader	<b>\$ 467.73</b>
<b>5015.570</b>	Add storage compartment recessed into integral fender to any multi purpose spreader	<b>\$ 359.79</b>
<b>5015.575</b>	Add provision for bail mounted telescopic hoist to any multi purpose spreader, does not include hoist see item number 1605.XXX for options	<b>\$ 395.77</b>

→ To Table of Contents

**HOPPER SPREADERS - AUGER DELIVERY, HYDRAULIC**

<b>5020.002</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, includes 6 inch diameter auger with inverted vee, top screens, and spinner assembly with 13" poly spinner disk; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 8,988.75</b>
<b>5020.004</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 44 inch sides, 4.0 cubic yard capacity, includes 6 inch diameter auger with inverted vee, top screens, and spinner assembly with 13" poly spinner disk; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 9,396.71</b>
<b>5020.006</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, includes 6 inch diameter auger with inverted vee, top screens, and spinner assembly with 13" poly spinner disk; CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION	<b>\$ 9,945.42</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.008</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 44 inch sides, 4.5 cubic yard capacity, includes 6 inch diameter auger with inverted vee, top screens, and spinner assembly with 13" poly spinner disk; 304 STAINLESS STEEL CONSTRUCTION	<b>\$ 10,398.71</b>
<b>5020.011</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 48 inch sides, 4.4 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 7,552.59</b>
<b>5020.012</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 48 inch sides, 4.4 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,106.73</b>
<b>5020.013</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 48 inch sides, 4.4 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,620.58</b>
<b>5020.014</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 54 inch sides, 5.4 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 7,646.88</b>
<b>5020.015</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 54 inch sides, 5.4 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,255.42</b>
<b>5020.016</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 54 inch sides, 5.4 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,776.71</b>
<b>5020.017</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 60 inch sides, 6.4 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 7,470.99</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.018</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 60 inch sides, 6.4 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,315.26</b>
<b>5020.019</b>	Hopper spreader, vee-body auger delivery, 8 ft long, 60 inch sides, 6.4 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,839.54</b>
<b>5020.021</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 48 inch sides, 5.0 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 7,850.44</b>
<b>5020.022</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 48 inch sides, 5.0 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,658.45</b>
<b>5020.023</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 48 inch sides, 5.0 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,193.79</b>
<b>5020.024</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 54 inch sides, 6.1 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 7,950.17</b>
<b>5020.025</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 54 inch sides, 6.1 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,818.02</b>
<b>5020.026</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 54 inch sides, 6.1 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,361.34</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.027</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 60 inch sides, 7.3 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,046.28</b>
<b>5020.028</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 60 inch sides, 7.3 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,972.16</b>
<b>5020.029</b>	Hopper spreader, vee-body auger delivery, 9 ft long, 60 inch sides, 7.3 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,523.18</b>
<b>5020.031</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 48 inch sides, 5.5 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,010.01</b>
<b>5020.032</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 48 inch sides, 5.5 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 11,984.85</b>
<b>5020.033</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 48 inch sides, 5.5 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,536.51</b>
<b>5020.034</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 54 inch sides, 6.8 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,109.75</b>
<b>5020.035</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 54 inch sides, 6.8 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,148.05</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.036</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 54 inch sides, 6.8 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,707.87</b>
<b>5020.037</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 60 inch sides, 8.2 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,209.48</b>
<b>5020.038</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 60 inch sides, 8.2 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,307.62</b>
<b>5020.039</b>	Hopper spreader, vee-body auger delivery, 10 ft long, 60 inch sides, 8.2 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,875.42</b>
<b>5020.041</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 48 inch sides, 6.1 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,521.84</b>
<b>5020.042</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 48 inch sides, 6.1 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,623.61</b>
<b>5020.043</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 48 inch sides, 6.1 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,201.11</b>
<b>5020.044</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 54 inch sides, 7.5 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,625.20</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.045</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 54 inch sides, 7.5 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,792.25</b>
<b>5020.046</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 54 inch sides, 7.5 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,378.18</b>
<b>5020.047</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 60 inch sides, 8.9 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,730.37</b>
<b>5020.048</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 60 inch sides, 8.9 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 12,959.08</b>
<b>5020.049</b>	Hopper spreader, vee-body auger delivery, 11 ft long, 60 inch sides, 8.9 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,553.35</b>
<b>5020.051</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 48 inch sides, 6.7 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,860.36</b>
<b>5020.052</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 48 inch sides, 6.7 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,163.41</b>
<b>5020.053</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 48 inch sides, 6.7 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,764.30</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.054</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 54 inch sides, 8.3 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 8,969.16</b>
<b>5020.055</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 54 inch sides, 8.3 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,339.30</b>
<b>5020.056</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 54 inch sides, 8.3 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,948.99</b>
<b>5020.057</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 60 inch sides, 9.8 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,077.96</b>
<b>5020.058</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 60 inch sides, 9.8 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,517.01</b>
<b>5020.059</b>	Hopper spreader, vee-body auger delivery, 12 ft long, 60 inch sides, 9.8 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,135.58</b>
<b>5020.061</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 48 inch sides, 6.9 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,759.00</b>
<b>5020.062</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 48 inch sides, 6.9 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 13,915.17</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.063</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 48 inch sides, 6.9 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,551.15</b>
<b>5020.064</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 54 inch sides, 8.6 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,577.66</b>
<b>5020.065</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 54 inch sides, 8.6 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,011.28</b>
<b>5020.066</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 54 inch sides, 8.6 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,652.06</b>
<b>5020.067</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 60 inch sides, 10.3 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 9,695.53</b>
<b>5020.068</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 60 inch sides, 10.3 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,196.24</b>
<b>5020.069</b>	Hopper spreader, vee-body auger delivery, 13 ft long, 60 inch sides, 10.3 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,846.27</b>
<b>5020.071</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 48 inch sides, 7.4 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 10,220.82</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.072</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 48 inch sides, 7.4 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,485.80</b>
<b>5020.073</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 48 inch sides, 7.4 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,146.71</b>
<b>5020.074</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 54 inch sides, 9.2 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 10,347.76</b>
<b>5020.075</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 54 inch sides, 9.2 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,681.64</b>
<b>5020.076</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 54 inch sides, 9.2 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,352.34</b>
<b>5020.077</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 60 inch sides, 11.1 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 10,478.32</b>
<b>5020.078</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 60 inch sides, 11.1 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 14,875.66</b>
<b>5020.079</b>	Hopper spreader, vee-body auger delivery, 14 ft long, 60 inch sides, 11.1 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,556.07</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.081</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 48 inch sides, 7.9 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 10,560.96</b>
<b>5020.082</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 48 inch sides, 7.9 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,121.50</b>
<b>5020.083</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 48 inch sides, 7.9 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,811.70</b>
<b>5020.084</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 54 inch sides, 6.9 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 10,691.52</b>
<b>5020.085</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 54 inch sides, 6.9 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,324.60</b>
<b>5020.086</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 54 inch sides, 6.9 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,024.95</b>
<b>5020.087</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 60 inch sides, 11.5 cubic yard capacity, mild steel construction, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 10,823.89</b>
<b>5020.088</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 60 inch sides, 11.5 cubic yard capacity, CORROSION RESISTANT STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 15,529.50</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5020.089</b>	Hopper spreader, vee-body auger delivery, 15 ft long, 60 inch sides, 11.5 cubic yard capacity, 304 STAINLESS STEEL CONSTRUCTION, includes 7inch diameter auger with 3 pitch lengths for even unloading, inverted vee over auger, grease extension to rear, top screens, side swing up spinner assembly and 18 inch steel spinner disk; requires two hydraulic spreader circuits	<b>\$ 16,240.11</b>
<b>→ To Table of Contents HOPPER SPREADERS - OPTIONS</b>		
<b>5025.005</b>	18" Poly spinner disk in lieu of standard steel on auger delivery hopper spreaders	<b>\$ 135.10</b>
<b>5025.010</b>	20" Poly spinner disk in lieu of standard steel on auger delivery hopper spreaders	<b>\$ 162.30</b>
<b>5025.015</b>	Winch for side swing up spinner assembly, auger delivery hopper spreaders	<b>\$ 549.43</b>
<b>5025.020</b>	Winch for swing up spinner assembly, conveyor delivery hopper spreaders	<b>\$ 1,030.44</b>
<b>5025.025</b>	Grease extensions front bearings to manifold at rear of unit on conveyor delivery hopper spreaders	<b>\$ 225.77</b>
<b>5025.030</b>	Chain Oiler, gravity feed, 1 gallon capacity	<b>\$ 252.51</b>
<b>5025.035</b>	Chain Oiler, gravity feed, 1 gallon capacity, stainless steel	<b>\$ 270.64</b>
<b>5025.040</b>	Inverted vee, mild steel for 8 ft conveyor delivery hopper spreaders	<b>\$ 273.82</b>
<b>5025.045</b>	Inverted vee, mild steel for 9 ft conveyor delivery hopper spreaders	<b>\$ 273.82</b>
<b>5025.050</b>	Inverted vee, mild steel for 10 ft conveyor delivery hopper spreaders	<b>\$ 367.21</b>
<b>5025.055</b>	Inverted vee, mild steel for 11 ft conveyor delivery hopper spreaders	<b>\$ 367.21</b>
<b>5025.060</b>	Inverted vee, mild steel for 12 ft conveyor delivery hopper spreaders	<b>\$ 423.42</b>
<b>5025.065</b>	Inverted vee, mild steel for 13 ft conveyor delivery hopper spreaders	<b>\$ 423.42</b>
<b>5025.070</b>	Inverted vee, mild steel for 14 ft conveyor delivery hopper spreaders	<b>\$ 480.54</b>
<b>5025.075</b>	Inverted vee, mild steel for 15 ft conveyor delivery hopper spreaders	<b>\$ 592.06</b>
<b>5025.080</b>	Inverted vee, STAINLESS STEEL for 8 ft conveyor delivery hopper spreaders	<b>\$ 455.15</b>
<b>5025.085</b>	Inverted vee, STAINLESS STEEL for 9 ft conveyor delivery hopper spreaders	<b>\$ 455.15</b>
<b>5025.090</b>	Inverted vee, STAINLESS STEEL for 10 ft conveyor delivery hopper spreaders	<b>\$ 493.23</b>
<b>5025.095</b>	Inverted vee, STAINLESS STEEL for 11 ft conveyor delivery hopper spreaders	<b>\$ 493.23</b>
<b>5025.100</b>	Inverted vee, STAINLESS STEEL for 12 ft conveyor delivery hopper spreaders	<b>\$ 543.10</b>
<b>5025.105</b>	Inverted vee, STAINLESS STEEL for 13 ft conveyor delivery hopper spreaders	<b>\$ 543.10</b>
<b>5025.110</b>	Inverted vee, STAINLESS STEEL for 14 ft conveyor delivery hopper spreaders	<b>\$ 645.55</b>
<b>5025.115</b>	Inverted vee, STAINLESS STEEL for 15 ft conveyor delivery hopper spreaders	<b>\$ 645.55</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
5025.120	Low temp belt over chain in lieu of standard on 9 ft conveyor chain delivery models	\$ 974.67
5025.125	Low temp belt over chain in lieu of standard on 10 ft conveyor chain delivery models	\$ 1,156.01
5025.130	Low temp belt over chain in lieu of standard on 11 ft conveyor chain delivery models	\$ 1,246.67
5025.135	Low temp belt over chain in lieu of standard on 12 ft conveyor chain delivery models	\$ 1,337.34
5025.140	Low temp belt over chain in lieu of standard on 13 ft conveyor chain delivery models	\$ 1,513.24
5025.145	Low temp belt over chain in lieu of standard on 14 ft conveyor chain delivery models	\$ 1,631.10
5025.150	Low temp belt over chain in lieu of standard on 15 ft conveyor chain delivery models	\$ 1,703.64
5025.155	Self contained engine driven hydraulic package mounted on mild steel platform with 18hp Kohler engine, electric solenoid valve and rear mounted dual flow valve, 12 gallon hydraulic oil reservoir, 12 gallon fuel tank, engine and solenoid in cab electric controls	\$ 6,182.26
5025.160	Self contained engine driven hydraulic package mounted on STAINLESS STEEL platform with 18hp Kohler engine, electric solenoid valve and rear mounted dual flow valve, 12 gallon hydraulic oil reservoir, 12 gallon fuel tank, engine and solenoid in cab electric controls	\$ 7,768.94
5025.165	Deduct top screens from above quoted 8 ft hopper spreader	\$ (334.57)
5025.170	Deduct top screens from above quoted 9 ft hopper spreader	\$ (334.57)
5025.175	Deduct top screens from above quoted 10 ft hopper spreader	\$ (352.70)
5025.180	Deduct top screens from above quoted 11 ft hopper spreader	\$ (370.83)
5025.185	Deduct top screens from above quoted 12 ft hopper spreader	\$ (388.97)
5025.190	Deduct top screens from above quoted 13 ft hopper spreader	\$ (452.43)
5025.195	Deduct top screens from above quoted 14 ft hopper spreader	\$ (470.57)
5025.200	Deduct top screens from above quoted 15 ft hopper spreader	\$ (488.70)
5025.205	Add 20" wide catwalks with anti slip tape to above quoted 8 or 9 ft mild steel hopper spreader	\$ 794.66
5025.210	Add 20" wide catwalks with anti slip tape to above quoted 10 or 11 ft mild steel hopper spreader	\$ 908.90
5025.215	Add 20" wide catwalks with anti slip tape to above quoted 12 or 13 ft mild steel hopper spreader	\$ 1,183.96

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
5025.220	Add 20" wide catwalks with anti slip tape to above quoted 14 or 15 ft mild steel hopper spreader	\$ 1,216.60
5025.225	Add 20" wide catwalks with anti slip tape to above quoted 8 or 9 ft stainless steel hopper spreader	\$ 1,362.24
5025.230	Add 20" wide catwalks with anti slip tape to above quoted 10 or 11 ft stainless steel hopper spreader	\$ 1,616.11
5025.235	Add 20" wide catwalks with anti slip tape to above quoted 12 or 13 ft stainless steel hopper spreader	\$ 2,268.33
5025.240	Add 20" wide catwalks with anti slip tape to above quoted 14 or 15 ft stainless steel hopper spreader	\$ 2,380.76
5025.245	24" high heavy duty 2 ply rubber belting side shields with mild steel mounting for above quoted 8 ft hopper spreader	\$ 767.46
5025.250	24" high heavy duty 2 ply rubber belting side shields with mild steel mounting for above quoted 9 ft hopper spreader	\$ 830.93
5025.255	24" high heavy duty 2 ply rubber belting side shields with mild steel mounting for above quoted 10 ft hopper spreader	\$ 885.33
5025.260	24" high heavy duty 2 ply rubber belting side shields with mild steel mounting for above quoted 11 ft hopper spreader	\$ 894.40
5025.265	24" high heavy duty 2 ply rubber belting side shields with mild steel mounting for above quoted 12 ft hopper spreader	\$ 1,008.06
5025.270	24" high heavy duty 2 ply rubber belting side shields with mild steel mounting for above quoted 13 ft hopper spreader	\$ 1,038.89
5025.275	24" high heavy duty 2 ply rubber belting side shields with mild steel mounting for above quoted 14 ft hopper spreader	\$ 1,147.69
5025.280	24" high heavy duty 2 ply rubber belting side shields with stainless steel mounting for above quoted 8 ft hopper spreader	\$ 1,075.73
5025.285	24" high heavy duty 2 ply rubber belting side shields with stainless steel mounting for above quoted 9 ft hopper spreader	\$ 1,093.87
5025.290	24" high heavy duty 2 ply rubber belting side shields with stainless steel mounting for above quoted 10 ft hopper spreader	\$ 1,148.27
5025.295	24" high heavy duty 2 ply rubber belting side shields with stainless steel mounting for above quoted 11 ft hopper spreader	\$ 1,171.84
5025.300	24" high heavy duty 2 ply rubber belting side shields with stainless steel mounting for above quoted 12 ft hopper spreader	\$ 1,265.56
5025.305	24" high heavy duty 2 ply rubber belting side shields with stainless steel mounting for above quoted 13 ft hopper spreader	\$ 1,301.82

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5025.310</b>	24" high heavy duty 2 ply rubber belting side shields with stainless steel mounting for above quoted 14 ft hopper spreader	<b>\$ 1,310.89</b>

→ [To Table of Contents](#)

**LIQUID TANKS AND TANK SYSTEMS**

<b>5030.005</b>	Single 90 gallon capacity poly liquid tank with mild steel mounting pan, installed on above quoted hopper spreader	<b>\$ 1,786.98</b>
<b>5030.010</b>	Single 90 gallon capacity poly liquid tank with stainless steel mounting pan, installed on above quoted hopper spreader	<b>\$ 2,104.32</b>
<b>5030.015</b>	Dual 90 gallon capacity poly liquid tanks with mild steel mounting pan, installed on above quoted hopper spreader	<b>\$ 2,299.29</b>
<b>5030.020</b>	Dual 90 gallon capacity poly liquid tanks with stainless steel mounting pan, installed on above quoted hopper spreader	<b>\$ 2,752.63</b>
<b>5030.025</b>	Single 135 gallon capacity poly liquid tank with mild steel mounting pan, installed on above quoted hopper spreader	<b>\$ 1,874.02</b>
<b>5030.030</b>	Single 135 gallon capacity poly liquid tank with stainless steel mounting pan, installed on above quoted hopper spreader	<b>\$ 2,272.96</b>
<b>5030.035</b>	Dual 135 gallon capacity poly liquid tanks with mild steel mounting pan, installed on above quoted hopper spreader	<b>\$ 2,547.72</b>
<b>5030.040</b>	Dual 135 gallon capacity poly liquid tanks with stainless steel mounting pan, installed on above quoted hopper spreader	<b>\$ 3,115.29</b>
<b>5030.045</b>	Single 55 gallon capacity poly tank with steel saddle mount cradle	<b>\$ 645.30</b>
<b>5030.050</b>	Single 55 gallon capacity poly tank with stainless steel saddle mount cradle	<b>\$ 874.30</b>
<b>5030.055</b>	Single 75 gallon capacity poly tank with steel bracket for mounting on dump body tailgate	<b>\$ 1,729.99</b>
<b>5030.060</b>	Single 75 gallon capacity poly tank with stainless steel bracket for mounting on dump body tailgate	<b>\$ 3,440.30</b>
<b>5030.065</b>	Single 75 gallon capacity poly tank with steel bracket for mounting on above quoted hopper spreader * Multiples may be ordered to achieve more capacity	<b>\$ 1,464.37</b>
<b>5030.070</b>	Single 75 gallon capacity poly tank with stainless steel bracket for mounting on above quoted hopper spreader * Multiples may be ordered to achieve more capacity	<b>\$ 1,569.05</b>
<b>5030.075</b>	Single 60 gallon capacity rectangular poly tank with galvanized steel bracket for upright mounting on chassis frame	<b>\$ 1,023.08</b>
<b>5030.080</b>	Single 80 gallon capacity rectangular poly tank with galvanized steel bracket for upright mounting on chassis frame	<b>\$ 1,285.23</b>
<b>5030.085</b>	Single 90 gallon capacity rectangular poly tank with galvanized steel bracket for upright mounting on chassis frame	<b>\$ 1,064.31</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5030.090</b>	Single 120 gallon capacity rectangular poly tank with galvanized steel bracket for upright mounting on chassis frame	<b>\$ 1,084.46</b>
<b>5030.095</b>	Single 250 gallon capacity rectangular poly tank with 16 inch diameter top access and painted steel bracket for upright mounting on chassis frame	<b>\$ 1,487.20</b>
<b>5030.100</b>	Single 250 gallon capacity rectangular poly tank with 16 inch diameter top access and stainless steel bracket for upright mounting on chassis frame	<b>\$ 1,631.12</b>
<b>5030.105</b>	Single 300 gallon capacity rectangular poly tank with 16 inch diameter top access and painted steel bracket for upright mounting on chassis frame	<b>\$ 1,753.45</b>
<b>5030.110</b>	Single 300 gallon capacity rectangular poly tank with 16 inch diameter top access and stainless steel bracket for upright mounting on chassis frame	<b>\$ 1,897.36</b>
<b>5030.115</b>	Single 400 gallon capacity rectangular poly tank with 16 inch diameter top access and painted steel bracket for upright mounting on chassis frame	<b>\$ 1,887.97</b>
<b>5030.120</b>	Single 400 gallon capacity rectangular poly tank with 16 inch diameter top access and stainless steel bracket for upright mounting on chassis frame	<b>\$ 2,031.89</b>
<b>5030.125</b>	Single 500 gallon capacity horizontal elliptical poly tank with 16 inch diameter top access and steel skid for mounting on an existing body, or direct to chassis frame	<b>\$ 1,946.98</b>
<b>5030.130</b>	Single 1000 gallon capacity horizontal elliptical poly tank with 16 inch diameter top access and steel skid for mounting on an existing body, or direct to chassis frame	<b>\$ 2,837.08</b>
<b>5030.135</b>	Single 1300 gallon capacity horizontal elliptical poly tank with 16 inch diameter top access and steel skid for mounting on an existing body, or direct to chassis frame	<b>\$ 3,425.69</b>
<b>5030.140</b>	Single 1600 gallon capacity horizontal elliptical poly tank with 16 inch diameter top access and steel skid for mounting on an existing body, or direct to chassis frame	<b>\$ 4,227.32</b>
<b>5030.145</b>	Single 1600 gallon capacity horizontal elliptical heavy duty poly tank with 16 inch diameter top access and steel skid for mounting on an existing body, or direct to chassis frame	<b>\$ 4,471.97</b>
<b>5030.150</b>	Single 2000 gallon capacity horizontal elliptical poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	<b>\$ 5,367.98</b>
<b>5030.155</b>	Single 2000 gallon capacity horizontal elliptical heavy duty poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	<b>\$ 5,677.39</b>
<b>5030.160</b>	Single 2600 gallon capacity horizontal elliptical poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	<b>\$ 6,805.69</b>
<b>5030.165</b>	Single 2600 gallon capacity horizontal elliptical heavy duty poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	<b>\$ 7,251.83</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
5030.175	Single 3100 gallon capacity horizontal elliptical heavy duty poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	\$ 7,686.46
5030.180	Single 3100 gallon capacity horizontal elliptical heavy duty poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	\$ 8,204.55
5030.190	Single 4000 gallon capacity horizontal elliptical poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	\$ 10,494.64
5030.195	Single 4000 gallon capacity horizontal elliptical heavy duty poly tank with 16 inch diameter top access and steel skid for mounting direct to chassis frame	\$ 11,325.03
5030.200	Side ladder for 2600 gallon capacity horizontal elliptical poly tank, heavy duty galvanized construction, provides 8 steps up to the man hole cover at the top of the tank	\$ 358.21
5030.205	Side ladder for 3100 gallon capacity horizontal elliptical poly tank, heavy duty galvanized construction, provides 8 steps up to the man hole cover at the top of the tank	\$ 451.75
5030.210	Side ladder for 4000 gallon capacity horizontal elliptical poly tank, heavy duty galvanized construction, provides 8 steps up to the man hole cover at the top of the tank	\$ 1,049.00
5030.215	Baffle system for tanks with a 16" diameter fill opening, system consists of multiple interlocking 15.75" diameter spheres; each sphere constructed of three interlocking HDPE rings; system displaces less than 2% of tank capacity; each sphere stabilizes approximately 8 gallons of tank capacity; priced per sphere	\$ 14.60

→ [To Table of Contents](#)

**PREWET, ANTI-ICE, AND DE-ICING PUMP SYSTEMS AND COMPONENTS**

5035.005	Prewetting Spray System: system includes hydraulic motor driven spray pump; in cab variable speed controller to adjusts the output, start and stop the spray pump; controller is equipped with an audible alarm and indicator light to alert operators of low system pressure to prevent pump damage from running system dry; weather resistant polyethylene enclosure protects the pump assembly from mechanical damage; four nozzles installed to evenly treat granular material as it falls onto the spinner disc	\$ 3,351.17
5035.010	Prewetting Spray System: system includes electric motor driven spray pump; in cab variable speed controller to adjusts the output, start and stop the spray pump; controller is equipped with an audible alarm and indicator light to alert operators of low system pressure to prevent pump damage from running system dry; weather resistant polyethylene enclosure protects the pump assembly from mechanical damage; two variable orifice rubber nozzles installed to evenly treat granular material as it falls onto the spinner disc; spray nozzle orifice size automatically adjusts to compensate for system pressure and to pass larger particles in the spray solution	\$ 1,734.25

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5035.015</b>	Prewetting Spray System: system includes hydraulic motor driven spray pump with fixed ratio adjustment valve to be driven off conveyor return oil; weather resistant stainless steel enclosure protects the pump assembly from mechanical damage; up to three nozzle sequential spray bar installed to evenly treat granular material as it falls onto the spinner disc; system flushing connection; strainer; and adjustable pressure relief valve	<b>\$ 4,112.84</b>
<b>5035.020</b>	Prewetting Spray System: system includes hydraulic motor driven spray pump to be driven off separate valve section (not included) with separate control (not included); weather resistant stainless steel enclosure protects the pump assembly from mechanical damage; up to three nozzle sequential spray bar installed to evenly treat granular material as it falls onto the spinner disc; system flushing connection; strainer; adjustable pressure relief valve; and liquid feedback flow meter	<b>\$ 2,737.36</b>
<b>5035.025</b>	Truck mounted anti-icing pump system, standard flow, application rates up to 75 gallons per minute, includes hydraulic powered centrifugal liquid pump, inlet strainer, pump on and pump off cam lock connections, rear center lane spray bar and mounting bracket, all required liquid hoses, couplers, valves, ect, and aluminum frame mounted enclosure *Requires chassis to be equipped with a hydraulic spreader circuit capable of 15 GPM	<b>\$ 7,896.82</b>
<b>5035.030</b>	Truck mounted anti-icing pump system, standard flow, application rates up to 75 gallons per minute, includes hydraulic powered stainless steel centrifugal liquid pump, inlet strainer, pump on and pump off cam lock connections, rear center lane spray bar and mounting bracket, all required liquid hoses, couplers, valves, ect, and aluminum frame mounted enclosure *Requires chassis to be equipped with a hydraulic spreader circuit capable of 15 GPM	<b>\$ 8,530.05</b>
<b>5035.035</b>	Truck mounted anti-icing / de-icing pump system, high flow, application rates up to 150 gallons per minute, includes hydraulic powered centrifugal liquid pump, inlet strainer, pump on and pump off cam lock connections, rear center lane spray bar and mounting bracket, all required liquid hoses, couplers, valves, ect, and aluminum frame mounted enclosure *Requires chassis to be equipped with a hydraulic spreader circuit capable of 20 GPM	<b>\$ 9,300.00</b>
<b>5035.040</b>	Truck mounted anti-icing / de-icing pump system, high flow, application rates up to 150 gallons per minute, includes hydraulic powered stainless steel centrifugal liquid pump, inlet strainer, pump on and pump off cam lock connections, rear center lane spray bar and mounting bracket, all required liquid hoses, couplers, valves, ect, and aluminum frame mounted enclosure *Requires chassis to be equipped with a hydraulic spreader circuit capable of 20 GPM	<b>\$ 9,933.23</b>
<b>5035.045</b>	Add left lane spray bar to above chassis mounted pumping system	<b>\$ 1,315.25</b>
<b>5035.050</b>	Add right lane spray bar to above chassis mounted pumping system	<b>\$ 1,315.25</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
5035.055	Add both left and right lane spray bars to above chassis mounted pumping system	\$ 2,242.71
5035.060	Change above selected three lane spray system to have 60 ft wide folding booms with adjustable spray nozzles * Requires 5 additional double acting hydraulic valve sections and hoses	\$ 20,579.95
5035.060	Upgrade above selected 60 ft wide folding booms to stainless steel in lieu of painted steel	\$ 10,218.02
5035.065	Add output flow meter to above selected standard flow system, includes flow meter rated up to 100 gpm and adaptor cable to electronic control	\$ 1,163.72
5035.070	Add output flow meter to above selected high flow system, includes flow meter rated up to 200 gpm and adaptor cable to electronic control	\$ 1,512.97
5035.075	Add 3 inch diameter stainless steel gate valve to tank outlet to above selected chassis mounted pumping system	\$ 826.73
5035.080	Change manual controlled ball valve for auxiliary pump functions to electric actuated ball valves with control switches to select function to above selected chassis mounted pumping system	\$ 2,718.42
5035.085	Upgrade standard cam-lock couplers in above chassis mounted pumping system to double interlocking ball style couplers	\$ 1,475.14
5035.090	Bulk liquid transfer hose, up to 25 ft long, 1 inch diameter spiral helix reinforced EPDM hose with a 1 inch cam lock coupler (female) at one end and a ball valve and 1 inch cam lock coupler (male) at the other end	\$ 207.96
5035.095	Bulk liquid transfer hose, up to 25 ft long, 1.5 inch diameter spiral helix reinforced EPDM hose with a 1.5 inch cam lock coupler (female) at one end and a ball valve and 1.5 inch cam lock coupler (male) at the other end	\$ 273.79
5035.100	Bulk liquid transfer hose, up to 25 ft long, 2 inch diameter spiral helix reinforced EPDM hose with a 2 inch cam lock coupler (female) at one end and a ball valve and 2 inch cam lock coupler (male) at the other end	\$ 302.47
5035.105	Bulk liquid transfer hose, up to 25 ft long, 2 inch diameter spiral helix reinforced EPDM hose with a 2 inch double interlocking ball style coupler (female) at one end and a double interlocking ball style coupler (male) at the other end	\$ 482.89
5035.110	Bulk liquid fill hose, up to 25 ft long, 1 inch diameter spiral helix reinforced EPDM hose with a 1 inch cam lock coupler (female) at one end and a dispensing nozzle at the other end	\$ 200.59
5035.115	Bulk liquid fill hose, up to 25 ft long, 2 inch diameter spiral helix reinforced EPDM hose with a 2 inch cam lock coupler (female) at one end and a dispensing nozzle at the other end	\$ 322.35
5035.120	Stainless steel hose reel with 12 volt DC electric rewind, 100 ft of 1" diameter helix reinforced EPDM hose and cam lock coupler, includes installation in above pumping system.	\$ 2,083.24

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents <b>DIRECT APPLICATION SPRAY SYSTEMS</b>		
<b>5040.005</b>	Direct application spray system for ATV with utility box; includes 125 gallon capacity poly tank; 12 volt DC electric powered pump unit; all required chemical hoses and fittings; single center spray bar only	<b>\$ 3,693.91</b>
<b>5040.010</b>	Direct application spray system for 3 point hitch; includes 225 gallon capacity poly tank; 12 volt DC electric powered pump unit; all required chemical hoses and fittings; single center spray bar only	<b>\$ 4,538.69</b>
<b>5040.015</b>	Direct application spray system for pick-up and larger trucks; includes 225 gallon capacity poly tank on galvanized framework; gas engine powered pump unit; all required chemical hoses and fittings; single center spray bar only	<b>\$ 7,140.69</b>
<b>5040.020</b>	Direct application spray system for pick-up and larger trucks; includes 325 gallon capacity poly tank on galvanized framework; gas engine powered pump unit; all required chemical hoses and fittings; single center spray bar only	<b>\$ 7,313.39</b>
<b>5040.025</b>	Direct application spray system for pick-up and larger trucks; includes 500 gallon capacity poly tank on galvanized framework; gas engine powered pump unit; all required chemical hoses and fittings; single center spray bar only	<b>\$ 7,894.44</b>
<b>5040.030</b>	Direct application spray system; includes 725 gallon capacity poly tank with liquid surge stabilizer baffle system on galvanized framework; hydraulic powered pump unit; in cab on / off control; all required chemical hoses and fittings; and single center spray bar; see below options for multi lane and flow meter feed back sensors; requires hydraulic circuit with adjustable flow and additional hydraulic hoses (not included)	<b>\$ 9,230.51</b>
<b>5040.035</b>	Direct application spray system; includes 925 gallon capacity poly tank with liquid surge stabilizer baffle system on galvanized framework; hydraulic powered pump unit; in cab on / off control; all required chemical hoses and fittings; and single center spray bar; see below options for multi lane and flow meter feed back sensors; requires hydraulic circuit with adjustable flow and additional hydraulic hoses (not included)	<b>\$ 14,206.21</b>
<b>5040.040</b>	Direct application spray system; includes 1035 gallon capacity poly tank with liquid surge stabilizer baffle system on galvanized framework; hydraulic powered pump unit; in cab on / off control; all required chemical hoses and fittings; and single center spray bar; see below options for multi lane and flow meter feed back sensors; requires hydraulic circuit with adjustable flow and additional hydraulic hoses (not included)	<b>\$ 15,323.53</b>
<b>5040.045</b>	Direct application spray system; includes 1235 gallon capacity poly tank with liquid surge stabilizer baffle system on galvanized framework; hydraulic powered pump unit; in cab on / off control; all required chemical hoses and fittings; and single center spray bar; see below options for multi lane and flow meter feed back sensors; requires hydraulic circuit with adjustable flow and additional hydraulic hoses (not included)	<b>\$ 16,473.95</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5040.050</b>	Direct application spray system; includes 1335 gallon capacity poly tank with liquid surge stabilizer baffle system on galvanized framework; hydraulic powered pump unit; in cab on / off control; all required chemical hoses and fittings; and single center spray bar; see below options for multi lane and flow meter feed back sensors; requires hydraulic circuit with adjustable flow and additional hydraulic hoses (not included)	<b>\$ 16,786.78</b>
<b>5040.055</b>	Direct application spray system; includes 1635 gallon capacity poly tank with liquid surge stabilizer baffle system on galvanized framework; hydraulic powered pump unit; in cab on / off control; all required chemical hoses and fittings; and single center spray bar; see below options for multi lane and flow meter feed back sensors; requires hydraulic circuit with adjustable flow and additional hydraulic hoses (not included)	<b>\$ 17,793.29</b>
<b>5040.060</b>	Direct application spray system; includes 1800 gallon capacity poly tank with liquid surge stabilizer baffle system on galvanized framework; hydraulic powered pump unit; in cab on / off control; all required chemical hoses and fittings; and single center spray bar; see below options for multi lane and flow meter feed back sensors; requires hydraulic circuit with adjustable flow and additional hydraulic hoses (not included)	<b>\$ 19,560.20</b>
<b>5040.100</b>	Add electric start to above 225, 325, or 500 gallon gas engine powered direct application spray system	<b>\$ 1,079.37</b>
<b>5040.105</b>	Add one additional side lane spray bar to above system; specify left or right side	<b>\$ 1,568.50</b>
<b>5040.110</b>	Add additional left and right side lane spray bars to above system for up to three lane simultaneous coverage	<b>\$ 2,327.47</b>

→ [To Table of Contents](#)

**BULK LIQUID STORAGE**

<b>5045.010</b>	1550 gallon capacity poly bulk storage tank, flat bottom, free standing, 87" diameter, 67" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 1,435.56</b>
<b>5045.015</b>	1550 gallon capacity heavy duty poly bulk storage tank, flat bottom, free standing, 87" diameter, 67" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 1,523.35</b>
<b>5045.020</b>	2500 gallon capacity poly bulk storage tank, flat bottom, free standing, 95" diameter, 91" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 1,910.48</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5045.025</b>	2500 gallon capacity heavy duty poly bulk storage tank, flat bottom, free standing, 95" diameter, 91" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 2,054.40</b>
<b>5045.030</b>	3000 gallon capacity poly bulk storage tank, flat bottom, free standing, 95" diameter, 109" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 2,162.34</b>
<b>5045.035</b>	3000 gallon capacity heavy duty poly bulk storage tank, flat bottom, free standing, 95" diameter, 109" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 2,356.62</b>
<b>5045.040</b>	4200 gallon capacity poly bulk storage tank, flat bottom, free standing, 102" diameter, 131" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 2,748.07</b>
<b>5045.050</b>	5000 gallon capacity poly bulk storage tank, flat bottom, free standing, 102" diameter, 152" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 3,939.69</b>
<b>5045.055</b>	5000 gallon capacity heavy duty poly bulk storage tank, flat bottom, free standing, 102" diameter, 140" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 4,371.44</b>
<b>5045.060</b>	6100 gallon capacity poly bulk storage tank, flat bottom, free standing, 120" diameter, 140" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 4,335.46</b>
<b>5045.065</b>	6100 gallon capacity heavy duty poly bulk storage tank, flat bottom, free standing, 120" diameter, 140" tall, with 16" man hole cover, and standard plumbing kit including outlet bulkhead, 3 way valve, fill coupler, and 25 ft interconnect hose, delivery included, see below for installation and setup charges	<b>\$ 4,823.34</b>
<b>5045.070</b>	6250 gallon capacity heavy duty HDLPE poly bulk storage tank, DOUBLE WALLED, flat bottom, free standing, built in sealed and vented interstitial containment space, 120" diameter, 195" tall, with 18" man hole cover and four combination lifting / hold down lugs, delivery included, see below for installation and setup charges	<b>\$ 21,228.10</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5045.075</b>	8000 gallon capacity heavy duty HDLPE poly bulk storage tank, DOUBLE WALLED, flat bottom, free standing, built in sealed and vented interstitial containment space, 142" diameter, 183" tall, with 18" man hole cover and four combination lifting / hold down lugs, delivery included, see below for installation and setup charges	<b>\$ 25,845.57</b>
<b>5045.080</b>	Ultrasonic level sensor system for double wall tanks, system includes: ultrasonic sensor and controller in a NEMA 4X enclosure	<b>\$ 2,590.49</b>
<b>5045.085</b>	Bulk storage tank standard plumbing kit, includes 3 way valve, fill coupler, and 25 ft interconnect hose	<b>\$ 441.54</b>
<b>5045.090</b>	Bulk storage tank recirculation plumbing kit, includes tank mounted bulkhead and 15 ft hose with ball valve and cam lock coupler	<b>\$ 260.49</b>
<b>5045.095</b>	Bulk storage tank interconnect hose, includes 25 ft hose with ball valve and cam lock couplers	<b>\$ 320.46</b>
<b>5045.100</b>	On site installation of above bulk storage tank (per hour)	<b>\$ 115.14</b>

→ [To Table of Contents](#)

**BULK LIQUID DISPENSING SYSTEMS**

<b>5050.005</b>	Pump transfer station with 110v AC electric motor and direct driven stainless steel pump capable of 50 GPM in rotationally molded housing; includes 15 ft long 1 inch diameter fill hose; 5 ft long 1 inch diameter tank return hose; and 15 ft long 1-1/4 inch diameter tank connection hose	<b>\$ 2,148.62</b>
<b>5050.010</b>	Pump transfer station with 230v AC electric motor and direct driven poly pump capable of 110 GPM in rotationally molded housing; includes two 20 ft long 2 inch diameter hoses with cam lock couplers	<b>\$ 3,561.88</b>
<b>5050.015</b>	Pump transfer station with gas engine and direct driven poly pump capable of 110 GPM in rotationally molded housing; includes two 20 ft long 2 inch diameter hoses with cam lock couplers	<b>\$ 3,063.93</b>
<b>5050.020</b>	CFS-500G bulk liquid dispensing system, includes stainless steel pump capable of 40 gpm direct coupled to a 120 volt single phase electric motor in a rotational molded poly pump housing, electric on/off controls, galvanized pump stand with electrical control box and hose hooks, and two 25 ft long 1 inch diameter interconnect hoses with cam lock couplers	<b>\$ 3,859.78</b>
<b>5050.025</b>	CFS-1000T bulk liquid dispensing system, includes stainless steel pump capable of 75 gpm direct coupled to a 220 volt single phase electric motor in a rotational molded poly pump housing, electric on/off controls with modular timer and multiple settings, galvanized pump stand with electrical control box and hose hooks, 175 watt night light with photo cell control, and two 25 ft long 1 inch diameter interconnect hoses with cam lock couplers	<b>\$ 6,540.93</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5050.030</b>	CFS-1500T bulk liquid dispensing system, includes stainless steel pump capable of 150 gpm direct coupled to a 220 volt single phase electric motor in a rotational molded poly pump housing, electric on/off controls with modular timer and multiple settings, galvanized pump stand with electrical control box and hose hooks, 175 watt night light with photo cell control, and two 25 ft long 2 inch diameter interconnect hoses with cam lock couplers	<b>\$ 7,174.16</b>
<b>5050.105</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, portable, remote controlled on/off, programmable dispensing timer, stainless steel pump capable of 50 GPM, galvanized mounting base, and hand winch to raise and lower the spray arm; requires 220v single phase	<b>\$ 9,390.09</b>
<b>5050.110</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, portable, 2 button remote controlled for on/off and raise/lower, programmable dispensing timer, programmable spray height, stainless steel pump capable of 50 GPM, galvanized mounting base, and linear actuator to raise and lower the spray arm; requires 220v single phase	<b>\$ 11,371.81</b>
<b>5050.115</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, portable, 4 button remote controlled for on/off and raise/lower, programmable dispensing 3 separate cycle times and programmable spray heights, stainless steel pump capable of 50 GPM, galvanized mounting base, and linear actuator to raise and lower the spray arm; requires 220v single phase 4 Button Linear Actuator/AUTO	<b>\$ 12,572.07</b>
<b>5050.205</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, remote controlled on/off, programmable dispensing timer, stainless steel pump capable of 70 GPM, galvanized mounting base with 5" square tube upright, photo cell controlled 175 watt night light, and hand winch to raise and lower the spray arm; requires 220v single phase	<b>\$ 10,424.85</b>
<b>5050.210</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, 2 button remote controlled for on/off and raise/lower, programmable dispensing timer, programmable spray height, stainless steel pump capable of 70 GPM, galvanized mounting base with 5" square tube upright, photo cell controlled 175 watt night light, and linear actuator to raise and lower the spray arm; requires 220v single phase	<b>\$ 13,700.37</b>
<b>5050.215</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, 4 button remote controlled for on/off and raise/lower, programmable dispensing 3 separate cycle times and programmable spray heights, stainless steel pump capable of 70 GPM, galvanized mounting base with 5" square tube upright, photo cell controlled 175 watt night light, and linear actuator to raise and lower the spray arm; requires 220v single phase	<b>\$ 15,024.39</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5050.305</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, post mounted on/off control with programmable dispensing timer, stainless steel pump capable of 70 GPM, galvanized mounting base with round tube upright, photo cell controlled 175 watt night light, and hand winch to raise and lower the spray arm; requires 220v single phase	<b>\$ 13,386.63</b>
<b>5050.310</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, remote controlled on/off, programmable dispensing timer, stainless steel pump capable of 70 GPM, galvanized mounting base with round tube upright, photo cell controlled 175 watt night light, and hand winch to raise and lower the spray arm; requires 220v single phase	<b>\$ 13,909.05</b>
<b>5050.315</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, 2 button remote controlled for on/off and raise/lower, programmable dispensing timer, programmable spray height, stainless steel pump capable of 70 GPM, galvanized mounting base with round tube upright, photo cell controlled 175 watt night light, and linear actuator to raise and lower the spray arm; requires 220v single phase	<b>\$ 16,062.02</b>
<b>5050.320</b>	Bulk liquid pump system with overhead spray, capable of loading or unloading product tanks and pre-treating salt with an adjustable spray bar, 4 button remote controlled for on/off and raise/lower, programmable dispensing 3 separate cycle times and programmable spray heights, stainless steel pump capable of 70 GPM, galvanized mounting base with round tube upright, photo cell controlled 175 watt night light, and linear actuator to raise and lower the spray arm; requires 220v single phase	<b>\$ 17,819.24</b>
<b>5050.400</b>	On site installation of above liquid dispensing system (per hour), customer to supply nearby bulk liquid supply and electrical supply / connections to control box	<b>\$ 115.14</b>
<b>5050.405</b>	Electric actuated ball valve installed in overhead spray line to prevent siphoning of liquid, applicable when bulk storage tank height exceeds spray bar height	<b>\$ 532.49</b>
<b>5050.410</b>	Photo cell controlled 175 watt night light installed on above bulk liquid pump system	<b>\$ 244.66</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
→ To Table of Contents <b>BRINE MANUFACTURING EQUIPMENT</b>		
<b>5055.010</b>	Brine manufacturing production unit; system includes one 800 gallon liquid capacity / 2.55 yard salt capacity poly brine making tank with hot dipped galvanized frame to allow roll over cleaning and open top to accommodate a 10ft wide loader bucket; one 25' x 1" fill hose w/poly valve and cam lock couplers for connection to truck mounted prewet tanks; two 2" x 20' interconnect hoses w/ cam lock couplers; single speed pump & motor assembly in weather resistant poly UV stabilized housing mounted on a hot dipped galvanized pump stand with NEMA 4X pump electrical control box, y-strainer with #12 mesh screen and sample point; 3-way ball valves at pump suction/discharge & brine tank suction/discharge ports; one salometer; one 250 ml plastic sample test cylinder; and one brine concentration chart * Bulk product storage tank(s), bulk tank interconnect kits, and installation not included	<b>\$ 11,666.43</b>
<b>5055.020</b>	Brine manufacturing production unit, up to 4,000 gallon per hour max production rate (dependant on available water supply); system includes one 1500 gallon liquid capacity / 5 yard salt capacity poly brine making tank with hot dipped galvanized frame to allow roll over cleaning and open top to accommodate a 10ft wide loader bucket; one 25' x 1" fill hose w/poly valve and cam lock couplers for connection to truck mounted prewet tanks; two 2" x 20' interconnect hoses w/ cam lock couplers; two speed pump & motor assembly in weather resistant poly UV stabilized housing mounted on a hot dipped galvanized pump stand with NEMA 4X pump electrical control box, y-strainer with #12 mesh screen and sample point; 3-way ball valves at pump suction/discharge & brine tank suction/discharge ports; one salometer; one 250 ml plastic sample test cylinder; and one brine concentration chart * Bulk product storage tank(s), bulk tank interconnect kits, and installation not included	<b>\$ 13,259.57</b>
<b>5055.030</b>	Brine manufacturing production system with fully automatic salinity balance control and programmable batch sizes, up to 4,000 gallon per hour max production rate (dependant on available water supply); system includes one 1500 gallon liquid capacity / 5 yard salt capacity poly brine making tank with hot dipped galvanized frame to allow roll over cleaning and open top to accommodate a 10ft wide loader bucket; one 25' x 1" fill hose w/poly valve and cam lock couplers for connection to truck mounted prewet tanks; two 2" x 20' interconnect hoses w/ cam lock couplers; two speed pump & motor assembly in weather resistant poly UV stabilized housing mounted on a hot dipped galvanized pump stand with NEMA 4X pump electrical control box, y-strainer with #12 mesh screen and sample point; 3-way ball valves at pump suction/discharge & brine tank suction/discharge ports; one salometer; one 250 ml plastic sample test cylinder; and one brine concentration chart * Bulk product storage tank(s), bulk tank interconnect kits, and installation not included	<b>\$ 51,230.29</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>5055.040</b>	On site installation of above brine maker system (per hour), customer to supply nearby water supply and electrical supply / connections to control box	<b>\$ 115.14</b>

→ [To Table of Contents](#)

**SNODOZER CHASSIS AND ACCESSORIES**

<b>6000.010</b>	SnoDozer Model 3131 Base Unit: front steer drive axle rated at 31,000 lbs; rear non steer axle rated at 31,000 lbs; CAT C13 430 hp engine; Allison 4000 RDS automatic transmission; Fabco TC142 transfer case; Spicer 1810 series drivelines; 13" x 3 1/2" x 3/8" frame rails with a minimum of 120,000 PSI RBM; 2 pc 12.5" rear push bumper; rear tow hooks; catwalks; 164" wheelbase; four Goodyear tires with 16R20 ATA tread pattern and four hub piloted 3 pc wheels 10x20; two 125 gallon steel fuel tanks with stainless straps and fasteners; attachment specific hitch; aluminum engine enclosure; mild steel e-coated cab with front panoramic windshield, and two entry doors; Chassis painted single color from W-E color chart, includes one paper copy of operator's, parts and service manuals	<b>\$ 341,852.96</b>
<b>6000.020</b>	Tow eyes in rear bumper in lieu of standard tow hooks	<b>\$ 253.25</b>
<b>6000.030</b>	Tow shackles in lieu of standard tow hooks	<b>\$ 227.93</b>
<b>6000.040</b>	Pintle hitch mounted in center of rear bumper	<b>\$ 601.47</b>
<b>6000.050</b>	Multipurpose hitch in lieu of standard application specific	<b>\$ 7,597.46</b>
<b>6000.060</b>	170" wheelbase in lieu of standard 164"	<b>\$ 1,620.80</b>
<b>6000.070</b>	All wheel steer in lieu of front steer only	<b>\$ 10,466.76</b>
<b>6000.080</b>	CAT C13 470 hp chassis engine in lieu of CAT C13 430 hp engine	<b>\$ 3,545.48</b>
<b>6000.090</b>	Fabco TC270 2 speed transfer case with 1.00:1 high and 2.23:1 low speed in lieu of standard	<b>\$ 21,120.93</b>
<b>6000.100</b>	Two 125 gallon aluminum fuel tanks with stainless straps and fasteners mild steel	<b>\$ 972.48</b>
<b>6000.110</b>	Four 100 gallon steel fuel tanks with stainless straps and fasteners in lieu of standard two 125 gallon tanks, Must select 170" wheel base	<b>\$ 2,133.62</b>
<b>6000.120</b>	Auxiliary Air Inlet	<b>\$ 354.55</b>
<b>6000.130</b>	Spare tire and wheel package, qty 1	<b>\$ 3,102.30</b>
<b>6000.140</b>	Stainless Steel e-coated cab with front panoramic windshield, and two entry doors in lieu of standard mild steel	<b>\$ 1,487.84</b>
<b>6000.150</b>	Heated windshield for either cab listed above requires selection of 300 amp alternator	<b>\$ 3,418.86</b>
<b>6000.160</b>	Cab front and side window deluge with 20 gallon reservoir	<b>\$ 2,516.03</b>
<b>6000.170</b>	HO Bostrom Sierra Air 50 drivers seat in lieu of standard HO Bostrom ABTS 8-way electric	<b>\$ 664.78</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
6000.180	Air ride full jump seat with 3 point belt in lieu of standard fold up type	\$ 417.86
6000.190	AM/FM/CD stereo with weather band in lieu of standard AM/FM/weather band	\$ 411.53
6000.200	300 amp Leece Neville alternator in lieu of standard 270 amp	\$ 569.81
6000.210	Rear window defogger, includes two 8" diameter direct able fans mounted each side at the rear of the cab	\$ 246.92
6000.220	Toggle switches for controls in lieu of standard rocker type	\$ 265.92
6000.230	Two (2) Xenon HID work lights installed on front corners of cab controlled by switch in overhead console	\$ 3,494.83
6000.240	Amber strobe beacon, one mounted per customer requirement	\$ 607.80
6000.250	Stryker Go-light spotlights on each side of the cab, level with the brow, controlled by a switch in the overhead console	\$ 2,304.57
6000.260	Alternating flashing amber lights, includes four amber LED flashing lights, one each side front and one each side rear, controlled by switch in cab	\$ 1,843.65
6000.270	Rear work lights, includes two Hella 50 watt halogen work lights placed at the rear of the unit, controlled in the cab	\$ 354.55
6000.280	Undercoating of SnoDozer chassis	\$ 1,253.58
6000.290	CD electronic copy of operator's, parts, and service manuals, per set	\$ 272.25
6000.300	Additional paper copy of operator's, parts, and service manuals, per set	\$ 1,202.94

→ [To Table of Contents](#)

**DF3500 SNOW BLOWER AND ACCESSORIES**

6010.010	DF3500 snow blower system for SnoDozer Chassis: 112" wide; 52" high ribbon; 52" diameter 4-blade impeller; full mechanical drive with CAT C-15 540 hp auxiliary engine, single speed gear drop box, 14" diameter 3-plate PTO clutch; low oil pressure / high water temp shutdown; block heater 2000 watt; dry type air cleaner with restriction indicator; cold weather starting system; ; fuel / water separator auxiliary engine compartment courtesy lights; catwalks with handrails; beacon or strobe light on chassis engine cover; high carbon steel cutting edge; rubber foam filled caster wheels; flat cast left, weight transfer system; FMVSS clearance lights; includes 25 spare shear pins for reel and impeller, and complete set of manuals for carrier and snow blower	\$ 300,586.45
6010.020	Polyethylene Cutting Edge	\$ 1,494.17
6010.030	Skid Shoes (Carbide Inserts) - Set of Two (2)	\$ 1,088.97
6010.040	Flat Cast Right	\$ 9,891.89
6010.050	Spot Casting Chute / Turntable	\$ 11,535.47
6010.060	Impeller Liner (1/4" Steel)	\$ 1,722.09
6010.070	Reel Reverse System	\$ 3,570.81

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ To Table of Contents

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
6010.080	Blower Lift Lock Kit	\$ 1,126.96
6010.090	Serrated Ribbons T1 (Replaceable)	\$ 1,013.00
6010.100	Cutter Bars	\$ 810.40
6010.110	Extended warranty on DF3500 snow blower system, per year, select up to a maximum of 5 years	\$ 2,936.90

→ To Table of Contents

**JV5000 SNOW BLOWER AND ACCESSORIES**

6020.010	JV5000 snow blower system for SnoDozer Chassis: 108" wide; 52" high ribbon; 60" diameter 4 replaceable blade impeller; full mechanical drive with C-18 700hp auxiliary engine, two speed gear drop box, 18" diameter 3-plate PTO clutch; low oil pressure / high water temp shutdown; block heater 2000 watt; dry type air cleaner with restriction indicator; cold weather starting system; ; fuel / water separator auxiliary engine compartment courtesy lights; catwalks with handrails; beacon or strobe light on chassis engine cover; high carbon steel cutting edge; side carbide wear shoes, pneumatic rubber foam filled caster wheels; flat cast right, weight transfer system; FMVSS clearance lights; mechanical shear pin safety system; automatic blower head lift when in reverse gear; automatic blower head lower when in forward gear; includes 25 spare shear pins for reel and impeller, and complete set of manuals for carrier and snow blower	\$ 348,450.41
6020.020	Polyurethane 2" Cutting Edge	\$ 1,392.87
6020.030	Serrated Ribbons T1 (Replaceable)	\$ 1,013.00
6020.040	Impeller Liner	\$ 1,975.34
6020.050	Reel Reverse System	\$ 3,570.81
6020.060	Cutter Bars	\$ 810.40
6020.070	Extended warranty on JV5000 snow blower system, per year, select up to a maximum of 5 years	\$ 3,166.23

→ To Table of Contents

**PAINT OPTIONS**

7000.010	Base Paint Process - Applicable to stainless steel bodies and high pack tool/storage boxes only, includes prep/priming of dump body understructure or high pack tool/storage box, and misc chassis frame mounted accessories. Flat black on body understructure or single stage color on high pack. Do not add when purchasing any standard paint or premium paint processes	\$ 760.96
7000.015	Standard Paint Process - 8' thru 12' 2-4 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	\$ 1,280.85

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>7000.020</b>	Standard Paint Process - 8' thru 12' 2-4 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows, greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 1,457.87</b>
<b>7000.025</b>	Premium Paint Process - 8' thru 12' 2-4 yard style bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 1,670.64</b>
<b>7000.030</b>	Premium Paint Process - 8' thru 12' 2-4 yard bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows, greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 1,847.66</b>
<b>7000.035</b>	Standard Paint Process - 8' thru 11' 5-9 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 1,734.19</b>
<b>7000.040</b>	Standard Paint Process - 8' thru 11' 5-9 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows, greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 2,088.22</b>
<b>7000.045</b>	Premium Paint Process - 8' thru 11' Combo bodies and 5-9 yard dump bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 2,339.85</b>
<b>7000.050</b>	Premium Paint Process - 8' thru 11' Combo bodies and 5-9 yard style bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows, greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 2,693.88</b>
<b>7000.055</b>	Standard Paint Process - 12' thru 16' 10 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 2,187.52</b>
<b>7000.060</b>	Standard Paint Process - 12' thru 16' 10 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	<b>\$ 2,718.57</b>

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

→ [To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
7000.065	Premium Paint Process - 12' thru 16' 10 yard style bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	\$ 2,865.14
7000.070	Premium Paint Process - 12' thru 16' 10 yard style bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows, greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	\$ 3,540.11
7000.075	Standard Paint Process - 14' thru 18' 15 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	\$ 2,766.78
7000.080	Standard Paint Process - 14' thru 18' 15 yard style bodies. Prep/prime and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows, greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	\$ 3,474.85
7000.085	Premium Paint Process - 14' thru 18' 15 yard style bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal white, black, gray (non-metallic); paint body understructure and below chassis frame attachments flat black	\$ 3,747.24
7000.090	Premium Paint Process - 14' thru 18' 15 yard style bodies. Sandblast entire exterior surface of body to bare metal, i.e.; sides, tailgate, head sheet, cab protector, prep/prime with two part epoxy primer and finish paint exterior surface PPG Del-Fleet or equal all other colors, i.e.; reds, yellows, greens etc. (non-metallic); paint body understructure and below chassis frame attachments flat black	\$ 4,455.30
7000.100	Spray-on corrosion resistant protective coating, per estimated total required sq/ft coverage	\$ 13.68
7000.105	Undercoating, single axle dump truck, 8' thru 11' bodies.	\$ 778.37
7000.110	Undercoating, tandem axle dump truck, 12' thru 18' bodies	\$ 922.28

→ [To Table of Contents](#)

**SERVICES**

8000.010	Labor: Truck division: Welding / Fitting installation department (per hour)	\$ 74.50
8000.020	Labor: Truck division: Hydraulic installation department (per hour)	\$ 74.50
8000.030	Labor: Truck division: Electrical installation department (per hour)	\$ 74.50
8000.040	Labor: Truck division: Paint / Body Shop department (per hour)	\$ 74.50
8000.050	Labor: Manufacturing division: Engineering department (per hour)	\$ 75.50

**CONCORD ROAD EQUIPMENT MFG., INC. MANUFACTURED PRODUCTS, MINUTEMAN INSTALLED TRUCK EQUIPMENT PACKAGES, COMPONENTS, ACCESSORIES, AND RELATED EQUIPMENT.**

**CONCORD ROAD EQUIPMENT MFG., INC IS REGISTERED WITH THE FEDERAL DEPARTMENT OF TRANSPORTATION NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION AS DEFINED IN US CODE TITLE 49 - 30102 AS A "INTERMEDIATE MFG, FINAL STAGE MFG, AND ALTERER MFG" OF NEW INCOMPLETE VEHICLES.**

[→ To Table of Contents](#)

**Concord Minuteman Manufactured Road Equipment Products  
Installed at Plant in Painesville Ohio, Ohio STS Contract Discount 15% Off List Price**

<b>Item Number</b>	<b>Item Description</b>	<b>List Price Each</b>
<b>8000.060</b>	Labor: Manufacturing division: Fabrication department (per hour)	<b>\$ 75.50</b>
<b>8000.070</b>	Labor: Manufacturing division: Machining department (per hour)	<b>\$ 75.50</b>
<b>8000.080</b>	Labor: Manufacturing division: Welding department (per hour)	<b>\$ 75.50</b>
<b>8000.090</b>	Labor: Manufacturing division: Paint department (per hour)	<b>\$ 75.50</b>
<b>8000.100</b>	Labor: Manufacturing division: Assembly department (per hour)	<b>\$ 75.50</b>
<b>8000.110</b>	Paint Shop Materials (per hour of paint shop time)	<b>\$ 35.98</b>
<b>8000.120</b>	Shop Materials & Supplies (per hour of shop time)	<b>\$ 2.24</b>