



Pierce Custom Pumper PMFD	\$ 298,615.00
Pierce Custom Pumper Saber Chassis	\$ 308,615.00
Pierce Custom Pumper Impel Chassis	\$ 317,893.00
Pierce Custom Pumper Velocity Chassis	\$ 338,120.00
Pierce Custom Pumper Quantum Chassis	\$ 349,195.00
Pierce Custom Pumper Arrow XI Chassis	\$ 337,000.00
Pierce Custom Rear Mount Pumper Saber Chassis	\$ 338,770.00
Pierce Custom Rear Mount Pumper Impel Chassis	\$ 347,335.00
Pierce Custom Rear Mount Pumper Velocity Chassis	\$ 357,885.00
Pierce Custom Rear Mount Pumper Quantum Chassis	\$ 369,550.00
Pierce Custom Rear Mount Pumper Arrow XI Chassis	\$ 347,898.00
Pierce PUC Pumper Saber chassis	\$ 333,880.00
Pierce PUC Pumper Impel chassis	\$ 344,995.00
Pierce PUC Pumper Velocity chassis	\$ 367,555.00
Pierce PUC Pumper Dash CF chassis	\$ 365,225.00
Pierce PUC Pumper Arrow chassis	\$ 364,555.00
Pierce PUC Pumper Quantum chassis	\$ 386,770.00
Kenworth T370 Pumper	\$ 207,885.00
Peterbilt 337 Pumper	\$ 213,990.00
Freightliner Pumper	\$ 200,101.00
International Pumper	\$ 204,255.00
Pierce Custom Saber 75' Quint Aerial	\$ 563,000.00
Pierce Custom Impel 75' Quint Aerial	\$ 588,000.00
Pierce Custom Velocity or Dash CF 75' Quint Aerial	\$ 597,000.00
Pierce Custom Quantum 75' Quint Aerial	\$ 623,900.00
Pierce Custom Arrow XI 75' Quint Aerial	\$ 597,200.00
Pierce Custom Velocity of Dash CF 100' Quint Aerial	\$ 776,600.00
Pierce Custom Quantum 100' Quint Aerial	\$ 786,700.00
Pierce Custom Arrow XI 100' Quint Aerial	\$ 779,800.00
Pierce Custom Rear Mount Aerial Platform	\$ 827,029.00
Pierce Custom Mid Mount Aerial Platform	\$ 929,989.00
Pierce Custom Mid Mount Ladder	\$ 880,900.00
Pierce Custom 114' Bronto Aerial Platform	\$ 1,163,800.00
Custom Saber Rescue! Sepecialty Vehicle	\$ 283,880.00
Custom Impel Rescue! Sepecialty Vehicle	\$ 304,990.00
Custom Velocity or Dash CF Rescue! Sepecialty Vehicle	\$ 377,990.00
Custom Arrow XT Rescue! Sepecialty Vehicle	\$ 368,770.00
Custom Quantum Rescue! Sepecialty Vehicle	\$ 381,990.00
Comercial (Kenworh,Peterbilt, IHC, Freightliner) Rescue	\$ 204,135.00
Medium Rescue	\$ 158,400.00
Kenworth , Peterbilt or Freightliner lanker	\$ 208,375.00
International Tanker	\$ 226,889.00
DX Tanker 21 00 Gallon w! 500 GPM Pump	\$ 195,880.00
DX Tanker 3000 Gallon w! 500 GPM Pump	\$ 215,990.00
Mini Pumper	\$ 186,880.00
International Hawk Pumper	\$ 328,000.00
Pierce Custom Tractor drawn Tiller Aerial	\$ 914,000.00

CUSTOM PUMPERS


SABER PMFD, SABER, IMPEL, VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
400hp engines
Allison 3000 EVS P automatic transmission
16,000 lb – 18,000 lb front axle, spring suspension with shock absorbers
24,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
275-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
65-gallon rear fuel tank
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

136" Full-height compartments on driver side and low compartments on passenger side
45" Pump house (Side Control)
Full depth lower extended rear compartments both sides
Full height rear compartment with roll-up door
Anodized aluminum roll-up doors
Aluminum body
750-gallon polypropylene water tank with 1.50" tank fill
Minimum one adjustable hosebed divider
LED warning light package
Ladders: 24' 2-section, 14' roof and 10' folding
1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
3.00" deluge riser outlet
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron



CUSTOM REAR MOUNT PUMPERS


SABER, IMPEL, VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

- Aluminum cab with 6-person seating capacity
- 400hp engines
- Allison 3000 EVS P automatic transmission
- 16,000 lb – 18,000 lb front axle, spring suspension with shock absorbers
- 24,000 lb rear axle, spring suspension
- ABS anti-lock braking system, front disc and rear cam
- Four (4) Exide group 31 950CCA each
- Telescoping and tilt steering wheel
- West Coast mirrors with additional 6" round convex mirror
- 275-amp alternator
- Auxiliary brake
- Electric over hydraulic cab lift
- Drivers seat 911 knee action, air ride high back
- Officer seat 911 with SCBA and radio compartment under seat
- Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
- 65-gallon rear fuel tank
- Air inlet (DS step well)
- SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

- 191" Full-height compartments on both side
- Driver side rear Pump house (Side Control)
- Anodized aluminum roll-up doors
- Aluminum body
- 500-gallon polypropylene water tank with 1.50" tank fill
- Minimum one adjustable hosebed divider
- LED warning light package
- Ladders: 24' 2-section, 14' roof and 10' folding in hose bed
- Waterous rear mount 1500 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
- Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays in hose bed
- Extruded aluminum rub-rails
- 10" white Scotchlite stripe and rear chevron



CUSTOM PUC PUMPERS


AVAILABLE ON SABER, IMPEL, DASH CF VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
400hp engines
Allison 3000 EVS P automatic transmission
16,000 lb – 18,000 lb front axle, spring suspension with shock absorbers
24,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
275-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
65-gallon rear fuel tank
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

177" Full-height compartments on driver side and low compartments on passenger side
175" WB (Side Control)
Full height compartments both sides
Anodized aluminum roll-up doors
Aluminum body
750-gallon polypropylene water tank with 1.50" tank fill
Minimum one adjustable hosebed divider
LED warning light package
Ladders: 24' 2-section, 14' roof and 10' folding
Pierce 1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), two 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




COMERCIAL PUMPERS

STANDARD CHASSIS FEATURES

Three man bench seat two (2) door chassis
330hp
West Coast mirrors with convex
Electronic siren with 100 watt speaker
50 gallon fuel tank
270amp alternator
EVS 3000 5-speed automatic transmission
35,000# GVW two (2) door chassis (12,000# front and 23,000# rear)
Tilt steering
Air conditioning
Exhaust brake 4 door only (Diamond Logic)

STANDARD BODY FEATURES

Full-height compartments on driver's side and low compartments on passenger's side
45" Pump house (Side Control)
42" Pump house (Top Mount)
Aluminum body
Full height rear compartment
Anodized aluminum Gortite roll-up doors
750 gallon polypropylene water tank with 1.5-inch tank fill
One adjustable hosebed divider
LED lighting package
Engine pump panel gauges and controls (ENF04)
Tail lights, Weldon Tri-Light cluster (Includes backup light)
Stainless Steel, Brass, and Flex Hose For All Plumbing
1250 gpm pump
Akron Valves
Pressure governor
Two (2) 2.50" discharge outlets (driver's side), one (1) 2.50" outlet (passenger's side) and one (1) rear
2.50" discharge outlet
Two (2) 1.75" crosslays with 2.00" piping
3.00" deluge riser
Ladder Brackets PS
Extruded aluminum rubrail
6" white Scotchlite stripe & rear chevron
Pierce number 90 red paint
Standard Pierce body and paint warranties



75' Aerials


SABER, IMPEL, DASH CF, VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
400hp engines
Allison 3000 EVS P automatic transmission
19,000 lb front axle, spring suspension with shock absorbers
31,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
275-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

75' Aerial ladder w/ 1500 GPM waterway
500-750 lb tip load
Full-height compartments on driver side and hose bed on passenger side
45" Pump house (Side Control)
Aluminum body
Hose bed
500-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




100' -105' Aerials VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
20,500 lb front axle, spring suspension with shock absorbers
48,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
275-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

100' – 105' Aerial ladder w/ waterway
500-750 lb tip load
Full-height compartments on driver side and hose bed on passenger side
45" Pump house (Side Control)
Aluminum body
Hose bed
500-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




85' & 100' Aerial Platform VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
22,500 lb front axle, spring suspension with shock absorbers
54,000 lb rear axle, rubber suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

100' Aerial Platform w/ waterway
1000 lb tip load
Full-height compartments on each side
45" Pump house (Side Control)
Aluminum body
Hose bed
300-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




95' Mid Mount Aerial Platform VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
22,500 lb front axle, spring suspension with shock absorbers
58,000 lb rear axle, rubber suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

95' Mid Mount Aerial Platform w/ waterway
1000 lb tip load
Full-height compartments driver side, Hose bed passenger side
Aluminum body
300-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
Waterous or Hale 2000 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




100' Mid Mount Aerial Ladder VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
22,500 lb front axle, spring suspension with shock absorbers
58,000 lb rear axle, rubber suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

100' Mid Mount Aerial ladder w/ waterway
750 lb tip load
Full-height compartments driver side, Hose bed passenger side
Aluminum body
300-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
Waterous or Hale 2000 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron



16' CUSTOM RESCUE

STANDARD CHASSIS FEATURES

Air ride drivers seat, stationary SCBA Officers seat and two crew cab SCBA seats, Four (4) door Cab with air bottle brackets in seats

400hp engine

Air conditioning

Tow hooks

Intermittent wipers

Keyless ignition

West Coast mirrors with square convex, both sides

Whelen siren 100 watt speaker

50-gallon fuel tank

275-amp alternator

Allison 3000 EVS P Automatic Transmission

16,000 lb front and 22,000 lb rear

Tilt steering wheel

STANDARD BODY FEATURES

Aluminum body using front, rear and roof radius extrusions

Transverse compartments forward of and over the rear axle

Aluminum tread-plate overlay on front of body

Aluminum tread-plate roof

Anodized aluminum roll-up doors

Spatter paint compartment interior finish

594 cubic feet of equipment storage space

Whelen LED warning light package


Side and rear upper scene lights

Extruded aluminum rub-rails

10" white Scotchlite stripe

Pierce number 90 red paint

Standard Pierce body and paint warranties




16' COMMERCIAL RESCUE

STANDARD CHASSIS FEATURES

Air ride drivers seat, stationary SCBA Officers seat and three (3) crew cab SCBA seats, Four (4) door chassis with air bottle brackets in seats
330hp engine
Air conditioning
Deluxe interior
Chrome grille
Tow hooks
Intermittent wipers
Keyless ignition
West Coast mirrors with square convex, both sides
Whelen siren 100 watt speaker
50-gallon fuel tank
270-amp alternator
Load Manager (2-channel)
Allison 3000 EVS P Automatic Transmission
31,000 lb GVW (12,000 lb front and 19,000 lb rear)
Tilt steering wheel
One (1) air horn behind the bumper, controlled by the horn button and separate momentary switch on PS
Factory steps both sides
LED Step Lights

STANDARD BODY FEATURES

Aluminum body using front, rear and roof radius extrusions
Hatch compartments
Transverse compartments forward of and over the rear axle
Aluminum tread-plate overlay on front of body
Aluminum tread-plate roof
Anodized aluminum roll-up doors
Spatter paint compartment interior finish
594 cubic feet of equipment storage space
Whelen LED warning light package
Side and rear upper scene lights
Extruded aluminum rub-rails
10" white Scotchlite stripe
Pierce number 90 red paint
Standard Pierce body and paint warranties




12' LIGHT DUTY RESCUE

STANDARD CHASSIS FEATURES

- Tow eyes (2) front and rear
- Bucket seats/red belts with center console for switches, radios, and map storage (2 door & 4 door model)
- 3 man bench seat/red belts in crew compartment (4 door model only)
- Electronic siren with 100-watt speaker
- Air conditioning
- 300 hp turbo diesel
- 5-speed Allison 1000 EVS automatic transmission with overdrive
- 8,000 lb front axle
- 13,500 lb rear drive axle, limited slip differential
- 40-gallon fuel tank
- Chassis fuel cooler (4 door only)
- Dual 105-amp alternators
- Load Manager (2-channel)
- Back-up alarm
- Painted bumper
- GVWR 19,500 lb

STANDARD BODY FEATURES

- Aluminum body
- Transverse compartments forward of and over the rear axle
- Aluminum tread-plate roof
- Aluminum tread-plate overlay on front of body
- Anodized aluminum roll-up doors
- 440 cubic feet storage in 12' rescue
- 12" deep treadplate rear bumper
- Spatter paint compartment interior finish
- LED warning light package
- Side and rear upper scene lights
- Tail lights, Weldon Tri-Light cluster (includes backup light)
- Extruded aluminum rub-rails
- 6" Scotchlite stripe
- Red red paint
- Standard Pierce body and paint warranties




TANKER

Air ride drivers seat, two (2) men bench seat with under seat storage compartment
330hp engine
Air conditioning
Keyless ignition
West Coast style mirrors with square convex, both sides
Intermittent wipers
Tilt steering wheel
Chrome grille
Tow hooks
Electronic siren with 100 watt speaker
50-gallon fuel tank
270-amp alternator
Exhaust brake
Allison 3000 EVS P Automatic Transmission
38,000 lb GVW two (2) door chassis (12,000 lb front, 26,000 lb rear) with 1,800-gallon tank
44,000 lb GVW two (2) door chassis (14,000 lb front, 30,000 lb rear) with 2,000-gallon tank
One air horn behind the bumper controlled by the horn button and separate momentary switch on passenger side
Factory steps both sides
LED Step Lights

STANDARD BODY FEATURES

Compartment ahead of wheel each side with roll-up door
Aluminum body
Hose bed and grating
Spatter paint compartment interior finish
One (1) 10" manual Newton dump valve at rear
90 Degree dump chute
Dry Side polypropylene water tank with provisions for future installation of 10" side dumps
One (1) 2.50" rear tank fill (passenger side)
Code-3 LED warning light package
Tail lights, Weldon Tri-Light cluster (includes backup light)
Models with Waterous 500 gpm pump or Hale Q-Pak 1000 gpm pump
Stainless steel, brass, and flex hose for all plumbing
Class One pressure governor
Outlets-One 2.50" discharge outlet (DS), one 2.50" outlet (PS), and two 1.5" cross-lays
NFPA hose restraints
Color-coded tags
Extruded aluminum rub-rails
10" white Scotchlite stripe & rear chevron
Pierce number 90 red paint
Standard Pierce body and paint warranties



CONTENDER DX TANKER

BASE MODEL STOCK COMMERCIAL UNITS

2100 Gallon, Kenworth T300, Single axle, w/PTO (Pump in motion)

3000 Gallon, Kenworth T300, Tandem axle, w/PTO pump (Pump in motion)

STANDARD CHASSIS FEATURES

Pump in motion PX8

330 horsepower engine w/exhaust brake

Air conditioning

EVS 3000 5 speed automatic transmission

Air ride driver seat and two person bench

50 gallon steel fuel tank

270 amp alternator

40,600 lb GVW -2100 gallon tank- (14.6k front & 26k rear)

54,600 lb GVW -3000 gallon tank- (14.6k front & 40k tandem rear)

West Coast mirrors with convex

Code 3 3692 siren with 100 watt speaker

Painted steel front bumper

Tilt steering

LED Step Lights

STANDARD BODY FEATURES

Wet Side painted Polypropylene water tank

Compartments ahead of rear axle(s) both sides

Portable tank compartment integral to water tank

Hard Suction Storage integral to water tank

One (1) 2.50" direct tank fill at rear

Rear 10" tank dump with manual valve and swivel chute

500 gpm Darley PTO pump (set for pump and roll)

(2) Speedlays with removable trays

NFPA hose restraints

Two (2) 2.50" discharge outlets on the driver's side

One 2.00" tank refill line

Fire Research Auto Controller

Code-3 NFPA lighting package


Engine pump panel gauges and controls (ENF04)

Scene lights at rear

Mud flaps with Contender logo at rear

4" White Scotchlite stripe

Pierce #90 red paint




MINI PUMPER / PATROL UNIT

STANDARD CHASSIS FEATURES

- Aluminum tread-plate step/running board package
- Single start (2) 750 CCA batteries
- Whelen 295SLSA1 siren with 100 watt speaker
- AM/FM stereo with clock
- Air conditioning
- V8 300 hp turbo diesel
- 6-speed manual transmission with overdrive
- 40-gallon fuel tank
- Dual 130-amp alternators
- Load Manager
- GVW 17,950 lb
- LED Step Lights

STANDARD BODY FEATURES

- Full height and depth compartment ahead and behind wheel each side with one over the wheel
- Rear compartment
- Roll-up doors
- Aluminum body
- Spatter paint compartment interior finish
- 12' Duo-Safety 1000A two-section ladder in storage tray above passenger side compartmenttop
- 300-gallon polypropylene water tank
- Whelen LED warning light package
- Tail lights, combination Tri-Light cluster (includes backup light)
- Two (2) cross-lay beds
- 500 gpm pump
- Stainless steel, brass, and flex hose used in plumbing
- One (1) 2.50" discharge outlet (driver side), one (1) 2.50" outlet (passenger side), two (2) 1.5" cross-lays
- One (1) 2.50" inlet (driver side)
- Pump in Motion
- 1.50" Tank refill
- 3.00" Tank to pump
- 6" white Scotchlite stripe
- Pierce number 213 red paint
- Standard Pierce body and paint warranties



HAWK WILDLAND PUMPER

STANDARD CHASSIS FEATURES

International 7400 series chassis with a 4 door cab
179" wheelbase with a GVW of 35,000 lbs.
12,000 lb front Meritor axle with 4X4 transfer Case
23,000 lb rear Meritor axle
Top Speed of Vehicle - 70 to 73
Diamond Logic Exhaust Brake
MaxxFace 9 330 hp engine
Engine heater
70 gal. steel fuel tank
Allison 3000 EVS automatic transmission with a 5 year warranty
Air ride driver and officer seats with a 3 man bench seat in the crew cab
Air conditioning is standard
(3) Group 31, 650 CCA batteries
Battery Charging receptacle located by the driver step
270 amp Leece-Neville alternator
Antenna Mount for 2-way radio
2-Way radio wiring as provided by the chassis mfg. 45

STANDARD BODY FEATURES

500 Gallon water tank with 2" tank fill
Hose bed with over 40 cubic feet of storage
500 GPM Darley pump, with mechanical seals, and pump and roll ability
Valve, Pump Relief w/ Indicator Lights, Darley
Stainless steel, brass and high pressure hose plumbing
4" main pump inlets
Akron 8000 series valves
Inlet, LH Side, 2.50" Gated, Wildland
Line, (1) 3.00" Tank to Pump w/4" Plumb, Reverse Control,
Outlet(s), LH Side, 2.50",
Outlet, LH, 2.50" w/2.00" valve, Below Deadlays, Valve at Outlet
Outlet(s), RH Side, 2.50", Contender Wildland
Outlet, RH, 2.50" w/2.00" valve, Below Deadlays, Valve at Outlet
Fire Research Throttle
Whelen 295SLSA1 siren
Whelen SA314A, 100 watt speaker
Whelen, LED, NFPA lightbar
Whelen LED's for all zone lighting
Gray spatter paint in the body compartments
White 6" reflective band


100' -105' TILLER AERIAL **DASH CF, VELOCITY, ARROW & QUANTUM CHASSIS**

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp Detroit DD13 engine
Allison 4000 EVS P automatic transmission
18,500 lb front axle, spring suspension with shock absorbers
31,000 lb rear axle, spring suspension
22,800 lb trailer axle
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
275-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

100' – 105' Aerial ladder w/ waterway
500-750 lb tip load
Compartments full length of trailer transverse and non transverse, Ladder compartment at rear
Tiller Cab w/ hinged or sliding doors
Aluminum body
LED warning light package
Ladders: 35' 3-section, (2)24' 2-section, (2)16' roof and 10' folding
14' PP, 12' PP, 8' PP 6' PP, (2) 3' PP
Extruded aluminum rub-rails
10" white reflective stripe and rear chevron



Cab Options

		\$	-
Saber	STD	\$	-
Saber 12" Extended cab Raised Roof PUC	STD	\$	-
Saber 12" Raised Roof	IPOS	\$	2,400
Saber 12" Extended cab Raised Roof	IPOS	\$	5,524
Saber 22" Raised Roof Enclosed top mount	IPOS	\$	10,263
Impel, 6000	STD	\$	-
Impel, 6010 w/10" Raised Roof	IPOS	\$	3,765
Impel, 6020 w/20" Raised Roof	IPOS	\$	5,819
Impel, 7000	IPOS	\$	5,840
Impel, 7010 w/10" Raised Roof	IPOS	\$	9,413
Impel, 7020" w/20" Raised Roof	IPOS	\$	9,413
Dash CF 7011	STD	\$	-
Dash CF 8011	IPOS	\$	4,768
Velocity, 6000	STD	\$	-
Velocity, 6010 w/10" Raised Roof	IPOS	\$	1,602
Velocity, 6020 w/20" Raised Roof	IPOS	\$	3,016
Velocity, 7000 Raised Roof	IPOS	\$	1,830
Velocity, 7010 w/10" Raised Roof	IPOS	\$	1,830
Velocity, 7020 w/20" Raised Roof	IPOS	\$	3,313
Velocity, 84" w/10" Raised Roof	IPOS	\$	6,761
Velocity, 84" w/20" Raised Roof	IPOS	\$	8,448
Velocity, 80" Split Tilt Cab Flat Roof	IPOS	\$	6,174
Velocity, 80" Split Tilt Cab w/10" Raised Roof	IPOS	\$	8,855
Velocity, 80" Split Tilt Cab w/20" Raised Roof	IPOS	\$	9,927
Velocity, 90" Split Tilt Cab Flat Roof	IPOS	\$	8,050
Velocity, 90" Split Tilt Cab w/10" Raised Roof	IPOS	\$	10,497
Velocity, 90" Split Tilt Cab w/20" Raised Roof	IPOS	\$	11,980
Velocity, 104" Split Tilt Cab w/20" Raised Roof	IPOS	\$	13,919
Arrow-XT, 67"	STD	\$	-
Arrow-XT, 57"	IPOS	\$	-
Arrow-XT, 81"	IPOS	\$	5,847
Arrow-XT, 10" Raised Roof	IPOS	\$	1,696
Arrow-XT, 16" Raised Roof	IPOS	\$	2,660
Arrow-XT, 20" Raised Roof	IPOS	\$	3,145
Arrow-XT, Two Door, No Crew Cab	IPOS	\$	(6,484)
Quantum,Bright Finish, Side Door	STD	\$	-
Quantum,Bright Finish, Side Door, With 12" Raised Roof	IPOS	\$	3,223
Quantum,Bright Finish,Side Door, With 22" Raised Roof	IPOS	\$	4,875
Quantum,Bright Finish, Side Door, 10man	IPOS	\$	1,817
Quantum,Bright Finish,Side Door 10man, With 12" Raised Roof	IPOS	\$	6,597
Walk through rear of cab	IATS	\$	6,597
EMS Cabinet forward facing inboard with Roll-up door & LED lighting	IATS	\$	1,936
EMS Cabinet forward facing inboard with Roll-up door & LED lighting	IATS	\$	1,936
EMS Cabinet forward or rear facing outboard with Roll-up door & LED lighting	IATS	\$	1,611
EMS Cabinet forward or rear facing outboard with Roll-up door & LED lighting	IATS	\$	1,611
EMS Cabinet overhead 32" door & LED lighting	IATS	\$	803
Hands Free SCBA brackets each	IPOS	\$	588
Secure all Bostrom SCBA brackets each	IPOS	\$	495
Glove Box	IATS	\$	371
Map Box / records tray	IATS	\$	367
Customized map storage / records tray	IATS	\$	755
Compartment rear of crew cab doors extended cab transverse	IATS	\$	3,893
Compartment rear of crew cab doors extended cab	IATS	\$	3,115

small exterior compartment rear of cew doors each compartment	IATS	\$	963
Eterior compartment behind front cab doors each	IATS	\$	2,057
Desk with storage area	IATS	\$	1,622
Mounting plate on top of Engine house	IATS	\$	700
Drop down officer front dash, eliminate glove box	IPOS	\$	498
Full width overhead cabinet	IATS	\$	1,950
Small overhead cabinet each	IATS	\$	940
Helmet storage each	IATS	\$	63
Window defrost fan each	IATS	\$	260
Air Conditioning, All Custom cabs severe climate	IATS	\$	9,712
Colman 120v air conditioning system	IATS	\$	2,304
Safety package, Side roll and frontal crash air bags	IATS	\$	10,577
Safety package, Side roll protection	IATS	\$	9,524
Safety package, frontal crash air bags	IATS	\$	3,358
Electric power step each	IATS	\$	1,925
Electric windows	IPOS	\$	963
Electric cab door locks	IPOS	\$	1,071
Key pad for electric cab door locks	IATS	\$	844
Handrails extra cab	IATS	\$	195
Handrails one (1) piece stainless steel in place of the standard aluminum handrails	IPOS	\$	211
Flip up seat (w/ SCBA)	IATS	\$	1,620
Flip up seat (NON SCBA)	IATS	\$	605
Full length cab doors (Arrow & Impel)	IPOS	\$	2,100

Custom Chassis Options

		\$	-
Front axle 16,000 lbs I-beam leaf srping suspension S	STD	\$	-
Front axle 18,000 lbs I-beam leaf srping suspension S	IPOS	\$	963
Front axle 19,000 lbs I-beam leaf srping suspension S	IPOS	\$	1,395
Front axle 18,000 lbs I-beam leaf srping suspension Arrow,Qua,Vel, Impel, Dash	STD	\$	-
Front axle 19,500 lbs I-beam leaf srping suspension Arrow,Qua,Vel, Impel, Dash	IPOS	\$	2,042
Front axle 21,500 lbs I-beam leaf srping suspension Arrow,Qua,Vel, Impel, Dash	IPOS	\$	2,386
Front axle 23,000 lbs I-beam leaf srping suspension Arrow,Qua,Vel,	IPOS	\$	4,124
Front axle, Oshkosh TAK-4 Idependent suspension 18,000 lbs 315 tires	IPOS	\$	11,869
Front axle, Oshkosh TAK-4 Idependent suspension 19,500 lbs 385 tires	IPOS	\$	12,929
Front axle, Oshkosh TAK-4 Idependent suspension 22,800 lbs 425 tires	IPOS	\$	13,086
Front axle, Oshkosh TAK-4 Idependent suspension 24,000 lbs 445 tires	IPOS	\$	15,092
Rear axle 24,000 lbs Meritor 160	STD	\$	-
Rear axle 27,000 lbs Meritor 160	IPOS	\$	1,733
Rear axle 27,000 lbs Meritor 185	IPOS	\$	2,059
Rear axle 31,000 lbs Meritor 185	IPOS	\$	6,391
Rear axle 33,500 lbs Meritor 185	IPOS	\$	7,917
Rear axle 40,000 lbs Meritor RT40- 145	IPOS	\$	23,036
Rear axle 44,000 lbs Meritor RT44-145	IPOS	\$	24,961
Rear axle 48,000 lbs Meritor RT45-160	IPOS	\$	26,064
Rear axle 52,000 lbs Meritor RT50-160	IPOS	\$	32,434
Rear axle 54,000 lbs Meritor RT52-185	IPOS	\$	33,959
Rear axle 58,000 lbs Meritor RT58-185	IPOS	\$	40,989
Rear suspension, Hendrickson air ride 24K -27K	IPOS	\$	2,293
Rear suspension, Hendrickson air ride 31K	IPOS	\$	2,487
Rear suspension, Hendrickson air ride tandem 48K	IPOS	\$	3,028
Rear suspension, Hendrickson air ride tandem 54K	IPOS	\$	5,278
Rear suspension, Hendrickson air ride tandem 62K	IPOS	\$	6,798
Frame Liner	IATS	\$	1,611
Brakes, Meritor, EX225, 17", Disc Plus, Front	IPOS	\$	535

Brakes, Meritor, EX225, Disc Plus, Rear, Single Axle,	IPOS	\$	735
Brakes, Meritor, EX225, Disc Plus, Rear, Tandem Axle	IPOS	\$	1,410
Brakes, upgrade to 8.63" cam each axle (std on 31K or>)	IPOS	\$	573
Wheels, Front Aluminum 9"	IPOS	\$	1,069
Wheels, Front Aluminum 12.25" & 13"	IPOS	\$	1,980
Wheels, Rear,Aluminum Single axle outside only	IPOS	\$	647
Wheels, Rear,Aluminum Single axle all wheels	IPOS	\$	2,785
Wheels, Rear,Aluminum Tandem axle outside only	IPOS	\$	1,620
Wheels, Rear,Aluminum Tandem axle all wheels	IPOS	\$	3,989
Dura bright each aluminum wheel	IATS	\$	249
Electronic Stability CONTROL	IATS	\$	3,990
		\$	-
Cummins ISL 400hp	STD	\$	-
Cummins ISL 450hp	IPOS	\$	1,719
Cummins ISL 380hp	IPOS	\$	(3,729)
Cummins ISL 370hp	IPOS	\$	(3,729)
Cummins ISL 350hp	IPOS	\$	(4,038)
Cummins ISX 11.9 450hp	IPOS	\$	21,846
Cummins ISX 11.9 500hp	IPOS	\$	24,307
Cummins ISX 15 550hp Velocity only	IPOS	\$	29,460
Cummins ISX 15 600hp Velocity only	IPOS	\$	33,624
Detroit DD13 450 hp STD on all 100' > aerials	IPOS	\$	12,848
Detroit DD13 500 hp	IPOS	\$	14,103
Reuse customer engine w/ overhaul Saber sm block GLIDER (review required)	IPOS	\$	(34,080)
Reuse customer engine as is Saber sm block GLIDER (review required)	IPOS	\$	(48,000)
Reuse customer engine w/overhaul Arrow big block GLIDER (review required)	IPOS	\$	(34,080)
Reuse customer engine as is Arrow big block GLIDER (review required)	IPOS	\$	(58,900)
Reuse customer MD/3000 serise trans w/ overhaul GLIDER (review required)	IPOS	\$	(2,800)
Reuse customer MD/3000 serise trans w/ overhaul GLIDER (review required)	IPOS	\$	(12,200)
Reuse customer HD/4000 serise trans w/ overhaul GLIDER (review required)	IPOS	\$	(2,800)
Reuse customer HD/4000 serise trans w/ overhaul GLIDER (review required)	IPOS	\$	(17,200)
Reuse customer rear axle w/ overhaul GLIDER (review required)	IPOS	\$	(2,800)
Aux Brake VGT	STD	\$	-
Engine Brake, Jacobs (STD w/ Big Block Eng)	STD	\$	4,990
Retarder, Telma driveline, focal mount,	IPOS	\$	14,980
Retarder, Telma Inline-Driveline,	IPOS	\$	19,980
Transmission Retarder	IPOS	\$	9,880
Transmission Retarder w/ Engine brake	IPOS	\$	16,889
Synthetic transmission fluid	IPOS	\$	391
Alternator,320 Delco Remy	STD	\$	-
Alternator,320 LN	IPOS	\$	480
Alternator, 360 amp, Niehoff	IPOS	\$	1,168
Alternator, 430 amp, Delco Remy	IPOS	\$	2,300
Alternator, 430 amp Niehoff	IPOS	\$	2,575
Batteries, (4) Grp 31, 950 CCA each,	STD	\$	-
Batteries, (6) Grp 31, 750 CCA each,	IPOS	\$	747
Batteries, (6) Grp 31, 700 CCA each,	IPOS	\$	671
Batteries, (6) Grp 31, 950 CCA each,	IPOS	\$	747
Batteries, (6) Grp 31, 750 CCA each, (1) Isolated	IPOS	\$	1,004
		\$	-
		\$	-
Mirrors		\$	-
West coast style w/ convex / remote Retrac	STD	\$	-
Ramco, heated & remote cab corner mnt	IPOS	\$	1,449
Ramco, w/convex, htd/rmt, Door mnt	IPOS	\$	1,060

Velvac 2010, West Coast Style, heated, remote	IPOS	\$	757
Velvac #2025 w/convex, heated & remote	IPOS	\$	908
Heated/Remote, w/ LED Turn Signal, One-Eleven Imp & Vel	IPOS	\$	1,341
Forward Mtd, Manual, One-Eleven Imp & Vel	IPOS	\$	1,252
Moto-Plus, Heated/Remote, w/Convex	IPOS	\$	990
West Coast, Lang Mekra w/Integral Convex, Heated & Remote,	IPOS	\$	889
		\$	-
Instrument Panel Accessories		\$	-
Clock, Class 1 Digital, 12/24 hour, Overhead	IATS	\$	422
Ammeter, Cab Instrument Panel	IATS	\$	314
Ammeters, Cab Instrument Panel, (Dual)	IATS	\$	606
Speedometer, Class 1 w/LED, Officer overhead	IATS	\$	491
Speedometer, analog, Officer overhead	IATS	\$	491
Vehicle Roll Alert System, Stability Dynamics, LG Alert	IATS	\$	3,415
Radio, Panasonic w/CD and NOAA Weatherband	IATS	\$	1,055
Pierce Information Center Command Zone (Velocity)	IATS	\$	1,980
Pierce Information Center Command Zone (Impel)	IATS	\$	3,169
Pierce Command Zone	IATS	\$	5,562
Pierce Information Center Color Screen Command Zone (Arrow)	IATS	\$	1,980
Weldon V-Mux with one Vista moitor (limited to chassis selection)	IPOS	\$	8,990
Weldon Vista monitor, extra	IATS	\$	2,379
swivel	IATS	\$	88
Computer mount	IATS	\$	906
		\$	-
International		\$	-
IHC7400 Cab and chassis IPO 4400	IPOS	\$	2,055
IHC7600 Cab and chassis IPO 4400	IPOS	\$	36,780
26" extended 2 door cab	IPOS	\$	3,104
Extended cab w/ roll-up doors on each side		\$	6,277
Four door crew cab w/ rear bench seat	IPOS	\$	8,522
Front Axle 12,000lbs	STD	\$	-
Front Axle 14,000lbs	IPOS	\$	963
Front Axle 16,000lbs (7400 & 7600 chassis only)	IPOS	\$	2,870
Rear Axle 24,000lbs	STD	\$	-
Rear Axle 26,000lbs	IPOS	\$	3,028
Rear Axle 30,000lbs	IPOS	\$	4,975
Rear Axle 40,000lbs (7400 & 7600 chassis only)	IPOS	\$	16,871
Rear Axle 46,000lbs (7400 & 7600 chassis only)	IPOS	\$	18,148
WHEELBASES 189" TO 256"	IATS	\$	1,024
WHEELBASES 242" TO 256" w/C-CHANNEL REINF	IATS	\$	1,329
Electronic Stability CONTROL	IATS	\$	1,870
POLISHED ALUM DISC WHEELS single rear	IPOS	\$	2,150
POLISHED ALUM DISC WHEELS tandem rear	IPOS	\$	5,299
300 HP ENGINE	STD	\$	-
330 HP ENGINE	IPOS	\$	1,438
350 HP Engine (7500) chassis		\$	-
HP Engine w/ Allison EVS4000 (7600 chassis only)		\$	-
410 HP Engine w/ Allison EVS4000 (7600 chassis only)		\$	-
DIAMOND LOGIC EXHAUST BRAKE & ENGINE BRAKE COMBINATION	IATS	\$	1,274
ALLISON RETARDER (Review equired)	IATS	\$	6,823
Air conditioning,	IATS	\$	1,071
AIR SUSPENSION DRIVER W/2-MAN BENCH PASSENGER	IPOS	\$	435
SEATS INC AIR Driver, with SCBA Officer	IPOS	\$	633
(2) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,180

(3) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,763
EXTERIOR VISOR w/Internal Marker Lights		\$	189
Aluminum tread plate step package 2 door	IATS	\$	1,194
Aluminum tread plate step package 4 door	IATS	\$	2,135
Compartment, Extended cab w/ roll-up doors on each side	IATS	\$	7,800
		\$	-
Freightliner M2 106	STD	\$	-
Freightliner M2 112 IPO M2 106	IPOS	\$	39,010
26" extended 2 door cab		\$	2,927
Extended cab w/ roll-up doors on each side		\$	6,338
Four door crew cab w/ rear bench seat		\$	9,712
Front Axle 12,000lbs	STD	\$	-
Front Axle 14,000lbs	IPOS	\$	908
Front Axle 16,000lbs	IPOS	\$	2,402
Front Axle 18,000lbs	IPOS	\$	2,667
Rear Axle 23,000lbs	STD	\$	-
Rear Axle 24,000lbs	IPOS	\$	584
Rear Axle 26,000lbs	IPOS	\$	2,682
Rear Axle 30,000lbs	IPOS	\$	6,360
Rear Axle 40,000lbs	IPOS	\$	11,752
Rear Axle 44,000lbs	IPOS	\$	15,552
Rear Axle 46,000lbs	IPOS	\$	17,628
		\$	-
WHEELBASES 181" TO 226"	IATS	\$	646
WHEELBASES 226" TO 256"	IATS	\$	1,298
Electronic Stability Control	IATS	\$	1,945
POLISHED ALUM DISC WHEELS single rear	IPOS	\$	2,150
POLISHED ALUM DISC WHEELS tandem rear	IPOS	\$	5,386
300 HP ISC ENGINE	STD	\$	-
330 HP ISC ENGINE	IPOS	\$	1,288
350 HP ISC ENGINE	IPOS	\$	2,306
360 HP ISB ENGINE	IPOS	\$	(1,948)
450 HP IPO 410 HP DD13 Engine (M2 112 only)	IPO	\$	518
Air conditioning,	IATS	\$	887
SEATS INC AIR Driver, with SCBA Officer	IPOS	\$	1,071
(2) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,180
(3) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,979
Aluminum tread plate step package 2 door	IATS	\$	983
Aluminum tread plate step package 4 door	IATS	\$	1,919
Compartment, Extended cab w/ roll-up doors on each side	IATS	\$	7,800
		\$	-
Kenworth T370		\$	-
Kenworth T800 IPO T370	IPO	\$	15,119
Four door crew cab	IPOS	\$	15,022
Front Axle 12,000lbs	STD	\$	-
Front Axle 14,600lbs	IPOS	\$	1,233
Rear Axle 23,000lbs	STD	\$	-
Rear Axle 26,000lbs	IPOS	\$	1,925
Rear Axle 30,000lbs	IPOS	\$	5,289
Rear Axle Tandem 40,000lbs	IPOS	\$	13,140
Rear Axle Tandem 46,000lbs	IPOS	\$	14,070
Rear Axle Tandem 52,000lbs	IPOS	\$	19,721
Electronic Stability control	IATS	\$	1,932
POLISHED ALUM DISC WHEELS	IPOS	\$	1,501

330 HP ENGINE	STD	\$	-
350 HP ENGINE	IPOS	\$	963
380 HP ENGINE	IPOS	\$	1,395
400 HP ENGINE CUMMINS ISX 11.9 T800	STD	\$	-
425 HP ENGINE CUMMINS ISX 11.9 T800	IPOS	\$	411
450 HP ENGINE CUMMINS ISX 11.9 T800	IPOS	\$	543
500 HP ENGINE CUMMINS ISX 15 T800	IPOS	\$	2,622
Cummins C Brake	IATS	\$	2,351
Air conditioning,	IATS	\$	1,071
AIR SUSPENSION DRIVER W/2-MAN BENCH PASSENGER	STD	\$	-
SEATS INC AIR Driver, with SCBA Officer	IPOS	\$	633
Aluminum tread plate step package 2 door	IATS	\$	659
Aluminum tread plate step package 4 door	IATS	\$	2,351
(2) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,180
(3) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,979
		\$	-
Peterbilt 337		\$	-
Model 348 IPO 337	IPOS	\$	7,470
Model 367 IPO 337	IPOS	\$	42,622
Four door crew cab	IPOS	\$	15,022
Front Axle 12,000lbs	STD	\$	-
Front Axle 14,600lbs	IPOS	\$	1,233
Front Axle 16,000lbs	STD	\$	-
Front Axle 20,000lbs	IPOS	\$	2,266
Rear Axle 23,000lbs	STD	\$	-
Rear Axle 26,000lbs	IPOS	\$	1,925
Rear Axle 30,000lbs	IPOS	\$	5,289
Rear Axle Tandem 40,000lbs STD w/ 367	IPOS	\$	6,897
Rear Axle Tandem 44,000lbs	IPOS	\$	9,060
Rear Axle Tandem 46,000lbs	IPOS	\$	12,331
Rear Axle Tandem 52,000lbs	IPOS	\$	19,721
C-Channel frame insert	IATS	\$	1,875
Electronic Stability control	IATS	\$	1,932
POLISHED ALUM DISC WHEELS	IPOS	\$	1,501
330 HP ENGINE Cummins	STD	\$	-
350 HP ENGINE Cummins	IPOS	\$	963
380 HP ENGINE Cummins	IPOS	\$	1,395
400 HP ENGINE CUMMINS ISX 11.9 367	STD	\$	-
425 HP ENGINE CUMMINS ISX 11.9 367	IPOS	\$	411
450 HP ENGINE CUMMINS ISX 11.9 367	IPOS	\$	543
500 HP ENGINE CUMMINS ISX 15 367	IPOS	\$	2,622
Cummins C Brake	IATS	\$	2,351
Air conditioning,	IATS	\$	1,071
AIR SUSPENSION DRIVER W/2-MAN BENCH PASSENGER	STD	\$	-
SEATS INC AIR Driver, with SCBA Officer	IPOS	\$	633
Aluminum tread plate step package 2 door	IATS	\$	659
Aluminum tread plate step package 4 door	IATS	\$	2,351
(2) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,180
(3) SEATS INC SCBA seats in the rear crew cab	IATS	\$	1,979
		\$	-
Chassis Options, All Chassis		\$	-
Tow Bars, (2) w/Hitch Receiver, Rear/Sides, Under Body	IATS	\$	1,443
Rear Receiver tube	IATS	\$	788
Front wheel hub covers	IATS	\$	86

Rear wheel hub covers, hat	IATS	\$	179
Vogal Lube system	IATS	\$	5,829
Hitch, Receiver, Front, Custom Chassis	IATS	\$	662
Winch, Warn, 9,000 lb. Portable Receiver Type	IATS	\$	2,006
Winch, Warn, 12000 lb. Fixed, Front	IATS	\$	4,163
Winch, Warn, 15000 lb. Fixed, Front	IATS	\$	5,732
Winch, 20,000 lb. Hyd Rear	IATS	\$	25,285
12 Volt portable winch plug connector	IATS	\$	186
		\$	-
Brake Accessories		\$	-
Air Tank, Additional for Air Tools w/Outlet	IATS	\$	614
Air Tank, Additional for Extra Air Horn Capacity	IATS	\$	330
Air Tank, Additional for Extra Capacity	IATS	\$	330
All Wheel Lock-up	IATS	\$	618
Compressor, Air, Kussmaul 091-9 B-1 120V Brake Sys	IATS	\$	1,051
Compressor, Air, Kussmaul 091-9 12V Brake System	IATS	\$	1,030
Air Inlet, with Kussmaul Air Eject	IPOS	\$	278
		\$	-
Backup Warning Accessories		\$	-
Backup Camera, color , Single	IATS	\$	1,546
Camera, Backup, w/ Command Zone monitor, Custom chassis only	IATS	\$	916
Cover, Alum 4-way For Rear Body Camera	IATS	\$	104
Safety Camera system 3 cameras, one monitor	IATS	\$	3,650
Back stop device	IATS	\$	3,893
		\$	-
Battery Accessories		\$	-
Battery Energizer, Canadus, HD-12, Single Unit	IATS	\$	444
Jumper Studs,	IATS	\$	261
Kussmaul "Super" Auto-Eject Recep (batt chrg)	IATS	\$	483
Saver, Battery, Kussmaul 091-35-HO	IATS	\$	1,411
Charger, Sngl system, Kussmaul Auto Charge 12 HO	IATS	\$	1,182
Charger, Sngl system, Kussmaul 1000 w/ Battery Saver,	IATS	\$	1,611
Charger, Sngl system, Kussmaul Auto Charge 1200	IATS	\$	1,537
Charger, Sngl system, Kussmaul Pump Plus 1000	IATS	\$	2,382
Charger, Sngl System, Kussmaul Pump Plus 1200,	IATS	\$	2,878
Charger, Sngl System, IOTA 45 amp,	IATS	\$	827
Charger, Sngl System, IOTA 75 amp,	IATS	\$	998
Charger, Sngl System, Dual Pro 20 amp,	IATS	\$	961
Stainless steel battery box	IPOS	\$	690
		\$	-
Bumpers , Stainless Steel or Painted Steel		\$	-
Bumper, Non-extended,	STD	\$	-
Bumper, 10" extended	IPOS	\$	1,148
Bumper, 13" extended	IPOS	\$	1,149
Bumper, 16" extended	IPOS	\$	1,259
Bumper, 19" extended	IPOS	\$	1,263
Bumper, 22" extended	IPOS	\$	1,373
Bumper, 26" extended	IPOS	\$	1,491
		\$	-
Bumper Accessories		\$	-
Box, Tool (no cover),	IATS	\$	367
Box, Tool w/cover,	IATS	\$	719
Cover, Alum Treadplate, For Hose Tray	IATS	\$	395
Full width Cover, Alum Treadplate, For reels / Hydraulic tools	IATS	\$	1,934

Hard PVC Hose & Strainer, Bumper Ext, Recess Tray	IATS	\$	2,002
Notch/Tray, "California" Style Front Inlet	IATS	\$	820
Rods, Sight on Bumper, Marker	IATS	\$	399
Strap, Black Nylon Hold-down, Velcro, Hose Tray	IATS	\$	140
Tray, Hose	IATS	\$	387
Front Receiver tube	IATS	\$	700
Center section hinged	IATS	\$	358
Underslung bumper design for bumper crosslays/ long bumper compartment	IATS	\$	480
		\$	-
Chocks, Wheel		\$	-
Chocks, Wheel, SAC-44-E, Folding, Mounted, Horizontal	IATS	\$	761
Chocks, Wheel, AC-32, Mounted, Horizontal	IATS	\$	463
		\$	-
Air Horns		\$	-
Air Horns, (2) Hadley 6" Round,	IATS	\$	972
Air Horns, (2) Grover,	IATS	\$	1,287
		\$	-
Air Horn Control		\$	-
One (1) Foot Switch Control for Air Horn(s)	IPOS	\$	155
Two (2) Foot Switch Controls	IPOS	\$	180
Horn Button Only	IPOS	\$	-
Lanyard Control for Air Horns	STD	\$	-
Two (2) Lanyard Controls for Air Horns	IPOS	\$	297
Push Button Control for Air Horns	IATS	\$	110
		\$	-
Siren		\$	-
Code 3 3692 100 or 200	STD	\$	-
Code 3 3672 100 or 200	IPOS	\$	-
Federal PA300 100 or 200	IPOS	\$	242
Whelen 295SLSA 100 or 200	IPOS	\$	-
Whelen 295HFS 100 or 200	IPOS	\$	205
Whelen 295HFS w/ dual amp	IPOS	\$	854
Siren, Federal Q2B	IATS	\$	3,204
Federal EQ2B	IATS	\$	1,648
Federal EQ2B	IPOS	\$	1,133
Wiring & Mount, Siren, Federal Q2B, Cust Installed	IATS	\$	667
Additional Speaker	IATS	\$	598
Recesses Q2B flush w/ bumper	IATS	\$	390
		\$	-
Electrical, Accessory		\$	-
Cigarette Lighter / Plug	IATS	\$	128
Terminal Strip (12VDC), (5) w/grd, "Battery Direct	IATS	\$	266
Light, Map w/Goose Neck, Sunnex, w/Red Lens	IATS	\$	253
Light, Marker End Outline, Rubber Arm, LED Marker Lamp	IATS	\$	188
Manager, Kussmaul Mark IV, (10) channel, IPOS	IPOS	\$	1,081
Class One Total system manager channel, IPOS	IPOS	\$	1,081
On Scene camera and monitor at pump panel	IATS	\$	3,100
Hand Held Spot Light	IATS	\$	568
Hand Light, Streamlight Vulcan LED	IATS	\$	224
Hand Light, Streamlight E Spot LED Light box	IATS	\$	224
Hand Light, Streamlight Vulcan LED	IATS	\$	224
		\$	-
Intercom System		\$	-
Intercom, David Clark, 5-Pos, 3-Radio, D,O,2C,P	IATS	\$	6,800

Intercom, Fire-Com 3010, 5-Pos, 3-Radio, D,O,2C,P	IATS	\$	4,490
Intercom, Sigtronics 5-Pos, 3-Radio, D,O,2C,P	IATS	\$	4,540
Intercom, Setcom 5-Pos, 3-Radio, D,O,2C,P	IATS	\$	4,490
Additional position and head set	IATS	\$	844
		\$	-
Circuit Breaker Panel		\$	-
Circuit Breaker Panel with out Generator	IATS	\$	608
		\$	-
Body Models		\$	-
Pumper, Short, Aluminum	IPOS	\$	-
Pumper, Med, Aluminum,	STD	\$	-
Pumper, Long, , Aluminum	IPOS	\$	5,405
Heavy Duty Rescue Pumper Aluminum 184" body	IPOS	\$	25,564
Tanker/Pumper body (single axle)	IPOS	\$	16,114
Tanker/Pumper body (tandem axle)	IPOS	\$	29,561
177" PUC Body	STD		
189" PUC Body	IPOS	\$	7,329
214" PUC Body	IPOS	\$	13,185
Tanker/Pumper PUC body (tandem axle)	IPOS	\$	27,502
		\$	-
Body Options		\$	-
Stainless Steel body	IPOS	\$	11,916
Gortite Roll-up doors (Painted or Satin)	IPOS	\$	-
Amdor Roll-up doors Satin finish	IPOS	\$	-
Amdor Roll-up doors painted finish (each door)	IPOS	\$	135
ROM Roll-up doors, Satin finish (each door)	IPOS	\$	210
ROM Roll-up doors, Painted finish (each door)	IPOS	\$	590
compartment modification,	IPOS	\$	1,687
Special body modification	IATS	\$	2,750
		\$	-
		\$	-
Medium Body Compartment Options		\$	-
DS 136" Full Hght&Dpth Ft&Rr	IPOS	\$	2,573
DS 136" High 2 Liftups	IPOS	\$	686
DS 136" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	3,989
DS 136" Rollup Full Hght Ft&Rr	IPOS	\$	1,416
DS 136" Rollup 2 Uppers	IPOS	\$	2,573
DS 152" Full Hght Ft&Rr, FDLER	IPOS	\$	3,323
DS 152", 3 Lift-ups, FDLER	IPOS	\$	5,226
DS 152" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	5,332
DS 152" Rollup Full Hght Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$	4,267
DS 152" Rollup, 3 Uppers	IPOS	\$	5,430
PS 136" Broom	IPOS	\$	1,545
PS 136" 3/4 Hght Ft & Rr, 1 Broom	IPOS	\$	1,545
PS 136" Full Hght&Dpth Ft&Rr	IPOS	\$	5,231
PS 136" Full Hght Ft&Rr	IPOS	\$	2,660
PS 136" 2 Liftups	IPOS	\$	3,345
PS 152" 3/4 Hght Ft&Rr, 1 Broom,Full Dp Lr Extd Rr	IPOS	\$	4,867
PS 152" Full Hght&Dpth Ft&Rr	IPOS	\$	7,520
PS 152" Full Hght Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$	5,983
PS 152" Low, Full Dp Lr Extd Rr	IPOS	\$	3,323
PS 152" Rollup, 3/4 Hght Ft&Rr, 1 Lap Broom	IPOS	\$	4,225
PS 152" Roll, 3/4 Ft&Rr, 1 Lap Broom, FDpthLwrExRr	IPOS	\$	5,234
PS 152" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	8,462

PS 152" Rollup, FH Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$	6,925
PS 152" Rollup, Low, Full Dp Extd Rr	IPOS	\$	3,661
Long Body Compartment Options (Requires Long Body Model)		\$	-
DS 145" Full Hght&Dpth Ft&Rr	IPOS	\$	5,055
DS 145" High 3 Liftups	IPOS	\$	2,140
DS 145" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	4,541
DS 145" Rollup Full Hght Ft&Rr	IPOS	\$	1,804
DS 145" Rollup 3 Uppers	IPOS	\$	4,135
DS 161" Full Hght&Dpth Ft&Rr	IPOS	\$	8,268
DS 161" Full Hght Ft & Rr, FDLER	IPOS	\$	3,673
DS 161" Low, FDLER	IPOS	\$	1,295
DS 161" 3 Lift-up	IPOS	\$	4,783
DS 161" 3 Lift-up, FDLER	IPOS	\$	5,906
DS 161" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	6,987
DS 161" Rollup Full Hgt Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$	4,359
DS 171" Full Hght&Dpth Ft&Rr	IPOS	\$	8,268
DS 171" Full Hght Ft & Rr, FDLER	IPOS	\$	3,673
DS 171" Low, FDLER	IPOS	\$	1,295
DS 171" 3 Lift-up	IPOS	\$	4,783
DS 171" 3 Lift-up, FDLER	IPOS	\$	5,906
DS 171" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	6,987
DS 171" Rollup Full Hgt Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$	4,359
PS 145" Broom	IPOS	\$	1,286
PS 145" 3/4 Hght Ft&Rr, 1 Broom	IPOS	\$	1,286
PS 145" Full Hght Ft&Rr	IPOS	\$	2,985
PS 145" Full Hght&Dpth Ft&Rr	IPOS	\$	7,643
PS 145" 3 Liftups	IPOS	\$	3,879
PS 145" Rollup, Low	IPOS	\$	493
PS 145" Rollup, 3/4 Hght Ft&Rr, 1 Lap Broom	IPOS	\$	1,514
PS 145" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	7,463
PS 145" Rollup, High 3 Uppers	IPOS	\$	5,403
PS 145" Rollup, Full Hght Ft&Rr	IPOS	\$	4,275
PS 161" 3/4 Hght Ft&Rr, 1 Broom	IPOS	\$	3,746
PS 161" Full Hght&Dpth Ft&Rr	IPOS	\$	9,827
PS 161" Full Hght Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$	6,193
PS 161" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	10,352
PS 161" Rollup, FH Ft&Rr, FDLER	IPOS	\$	6,945
PS 161" Rollup, Low, Full Dp Lr Extd Rr	IPOS	\$	3,162
PS 171" 3/4 Hght Ft&Rr, 1 Broom	IPOS	\$	3,746
PS 171" Full Hght&Dpth Ft&Rr	IPOS	\$	9,827
PS 171" Full Hght Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$	6,193
PS 171" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$	10,352
PS 171" Rollup, FH Ft&Rr, FDLER	IPOS	\$	6,945
PS 171" Rollup, Low, Full Dp Lr Extd Rr	IPOS	\$	3,162
DS 171" Rollup, (1) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$	1,215
DS 191" Rollup, (1) 62" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$	1,245
DS 206" Rollup, (2) 42" Fwd, (1) 42" RR, Rear Mount Pump	IPOS	\$	2,082
DS 216" Rollup, (2) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$	3,309
PS 171" Rollup, (1) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$	1,215
PS 191" Rollup, (1) 62" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$	1,245
PS 206" Rollup, (2) 42" Fwd, (1) 42" RR, Rear Mount Pump	IPOS	\$	2,082
PS 216" Rollup, (2) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$	3,309
DS, 191", Tanker, Full Hght Front & Rear, 2-Lift-Up, Lap Doors	IPOS	\$	4,114
DS, 191", Tanker, High-Side Compartments W/Double Doors	IPOS	\$	6,296

DS, 191", Tanker, High-Side Compartments W/Lift-Up Doors	IPOS	\$	5,789
DS, 191" Tanker, 4-Lift-up, w/Side Dump	IPOS	\$	5,789
DS, 191" Tanker, Portable Tank Compt, Enclosed w/Door@Rear	IPOS	\$	4,150
DS, 191" Tanker, Portable Tank & Forward Compartment	IPOS	\$	4,775
DS, 191" Tanker, Roll-up, Full Hght Front & Rear, 2-Upper	IPOS	\$	5,162
DS, 191" Tanker, Roll-up, 4 High Compt	IPOS	\$	7,886
DS, 191" Tanker, Roll-up, Low, Tanker	IPOS	\$	484
DS, 211" Tanker, (4) Lift-Up Dump, Low	IPOS	\$	8,076
DS, 211" Tanker, Low-Side,	IPOS	\$	2,487
DS, 211" Tanker, Low , W/ Side Dump, Full Dp Lwr Rr Exd Rr	IPOS	\$	11,327
DS, 211" Tanker, Roll-up, 4 High Compts,	IPOS	\$	10,465
DS, 211" Tanker, Roll-up, FlHghtFrt, FDLExtRr w/Side Dump	IPOS	\$	4,395
DS, 211" Tanker, Roll-up, Full Ht Front & Rear, Lwr Ext Full Dp Rr	IPOS	\$	7,774
DS, 211" Tanker, Roll-up, Low, w/Side Dump Full Dpth Extd Rr	IPOS	\$	1,583
DS, 211" Tanker, Roll-up, Broom, Low, Fl Dp Lr Rr Ext.	IPOS	\$	3,018
PS, 191" Tanker, Full Hght Front & Rear, 2-Lift-Up, Lap Doors	IPOS	\$	4,227
PS, 191" Tanker, High-Side Compartments W/Double Doors	IPOS	\$	6,426
PS, 191" Tanker, High-Side Compartments W/Lift-Up Doors	IPOS	\$	5,789
PS, 191" Tanker, Portable Tank Compt, Enclosed w/Door@Rear	IPOS	\$	4,150
PS, 191" Tanker, Portable Tank & Forward Compartment	IPOS	\$	4,661
PS, 191" Tanker, Roll-up, 4 High Compt, Tanker	IPOS	\$	7,658
PS, 191" Tanker, Roll-up, Full Hght Front & Rear, 2-Upper	IPOS	\$	5,153
PS, 211" Tanker, Roll-up, Full Ht Front & Rear, FDLRE	IPOS	\$	7,697
PS, 211" Tanker, Roll-up, Low, w/Side Dump, FDLRE	IPOS	\$	1,514
PS, 211" Tanker, Roll-up, Low, FDLRE	IPOS	\$	2,790
DS, 232" PUC Tanker, W/ Side Dump, Full Dp Lwr Rr Exd Rr	IPOS	\$	11,327
DS, 232" PUC Tanker, W/ Side Dump, Full Dp Lwr Rr Exd Rr	IPOS	\$	11,327

HDR BODY OPTIONS

		\$	-
		\$	-
90" Body Height NWI	IPOS	\$	2,567
98" Body Height NWI	IPOS	\$	4,604
17.5' body 36,36,57,60	IPOS	\$	12,551
18.5' body 36,48,57,60	IPOS	\$	16,544
19.5' body 48,48,57,60	IPOS	\$	20,538
20.5' body 48,60,57,60	IPOS	\$	21,747
21.5' body 60,60,57,60	IPOS	\$	26,813
22.5' body 36,48,48,57,60	IPOS	\$	29,723
Rear compartment reduced from 60" to 48"	IPOS	\$	(4,336)
Recessd area for light tower	IATS	\$	786
Hatch Compartments w/ walkway	IATS	\$	12,323
Combination WI / NWI	IPOS	\$	24,658
Walk In Body IPOS NWI	IPOS	\$	35,656
Stainless steel HDR Body IPOS Aluminum	IPOS	\$	16,487
75" Interior walk-in height	IPOS	\$	1,711
78" Interior walk-in height	IPOS	\$	3,450
Mobile Command white interior	IPOS	\$	14,719
Interior cabinet	IATS	\$	952
Automatic leveling system	IATS	\$	8,557
Zico Quik Ladder	IATS	\$	1,711
Awning Zip Dee	IATS	\$	2,658
Awning Zip Dee AutoAwn Electric	IATS	\$	7,496
Retractable Stairway	IATS	\$	5,328
Escape hatch window Skylite	IATS	\$	939
Slide-out module 8'-12'	IATS	\$	16,331

		\$	-
HDR / SPECIALTY OPTIONS		\$	-
Camera WTZ Sidewinder PTZ	IATS	\$	9,290
Controller for sidewinder camera	IATS	\$	1,752
TV, HD LCD 26"	IATS	\$	1,925
Satelite system Motosat Data Storm G74	IATS	\$	11,031
Satelite system Motosat XF3 bandwidth internet	IATS	\$	3,978
Digital Video recorder 4 channel	IATS	\$	1,752
Elcetronics rack	IATS	\$	3,958
Tri Max 30 gallon pressurized water/foam vessel	IATS	\$	18,818
Dry eraser baord	IATS	\$	346
refrigerator Norcold	IATS	\$	2,057
		\$	-
Hatch Compartments		\$	-
Hatch, 28" Width, (2) Lift-up, Pumper	IATS	\$	3,181
Hatch, 14" Width, (2) Lift-up, Pumper	IATS	\$	2,671
181" Hatch, (2) Lift-up, Rear Mount & Heavy Rescue Pumpers, each	IATS	\$	3,749
161" Hatch, (2) Lift-up, Rear Mount Pumper, each	IATS	\$	3,488
191" Hatch, (2) Lift-up, Rear Mount Pumper each	IATS	\$	3,880
206" Hatch, (2) Lift-up, Rear Mount Pumper, each	IATS	\$	4,012
229" Hatch, (2) Lift-up, Rear Mount Pumper, each	IATS	\$	4,142
Hatch compartments each side , 14" Width, (2) Lift-up, 177" body	IATS	\$	6,660
Hatch compartments each side 21" Width, (2) Lift-up, 177" body	IATS	\$	7,594
Hatch compartments each side 28" Width, (2) Lift-up, 177" body	IATS	\$	8,528
Hatch compartments each side , 14" Width, (2) Lift-up, 189" body	IATS	\$	7,127
Hatch compartments each side 21" Width, (2) Lift-up, 189" body	IATS	\$	8,087
Hatch compartments each side 28" Width, (2) Lift-up, 189" body	IATS	\$	7,594
Hatch compartments each side , 14" Width, (2) Lift-up,214 " body	IATS	\$	7,607
Hatch compartments each side 21" Width, (2) Lift-up, 214" body	IATS	\$	8,568
Hatch compartments each side 28" Width, (2) Lift-up, 214" body	IATS	\$	9,529
		\$	-
Engineer Compartment		\$	-
Eng Compt, Lap Doors	IATS	\$	2,365
Eng Compt, 18", Roll-up Door	IATS	\$	3,421
Eng Compt, Trans, Full-Width, Lap Dr	IATS	\$	4,041
Eng Compt, Trans, Lap Door	IATS	\$	3,118
Eng Compt, Trans, Roll-up Door	IATS	\$	4,174
Eng Compt, Trans, Full-Width, Spcl Hgt, Lap Dr	IATS	\$	3,768
Eng Compt, Trans, 70" H, Full-Width, Lap Dr	IATS	\$	4,041
		\$	-
Compt Accessories		\$	-
Backboard Storage,	IATS	\$	647
Backboard Storage, Inside RearTrans, (2)	IATS	\$	1,003
Compt, Crib w/Slide Tray, 215 lb, , Frnt-Long	IATS	\$	2,162
Compt, Crib, Under Front Body, Side, 8" High,	IATS	\$	2,016
Heater, Hot Water, Inside Compt, Thermostat	IATS	\$	1,188
Hopper, Oil Dry, 250, In compt, with flip down chute	IATS	\$	1,575
Hopper, Oil Dry, In rear wheel well with pull-out chute	IATS	\$	1,575
Partition, Vertical Compartment (each)	IATS	\$	221
Pegboard, Alum, Rear Wall Compt,w/Track (each)	IATS	\$	477
Plywood, Ext. Grade .75" Walls of Compt	IATS	\$	478
Rack, Portable Tank, S/S Tubing, Manually Operated	IATS	\$	2,821
Rack, Zico PTS, Folding Tank, , QUIC-LIFT	IATS	\$	8,310
Rack, Zico PTS-TCH, Fold-Da-Tank, w/Treadplate Cover	IATS	\$	9,333

Rack, Zico Quic-Lift, w/Painted Cover	IATS	\$	10,090
Access Door Cargo Compt, D S, Alum. 4-way, Vertical Hinge	IATS	\$	327
Compt, Backboards, Rear of Crosslay, (2)	IATS	\$	1,483
Cover, Over Cargo, Vinyl,	IATS	\$	318
Tray, Hose, Running Board, 100' of 1.5" Hose	IATS	\$	455
Tray, Hose, Top of Catwalk,	IATS	\$	612
Tray, Hose, Top of Catwalk, Free Floating	IATS	\$	651
Vinyl Covers (2) for Portable Tank Racks	IATS	\$	1,524
Shelves, Adjustable,	IATS	\$	127
Box, Tool	IATS	\$	235
Rack, Air Bags, Four Slots	IATS	\$	842
Rack, Air Bags, Six Slots	IATS	\$	940
Rack, Air Bags, Eight Slots	IATS	\$	1,057
Rack, Air Bags, Nine Slots	IATS	\$	1,074
Rack, Air Bags, Ten Slots	IATS	\$	1,188
Tool Board, Slide-Out, Adjustable, .	IATS	\$	1,173
Tool Board, Slide Out, .188" Alum,	IATS	\$	984
Tool Board, Slide Out, .75" Plywood,	IATS	\$	984
Tool Board, Swing Out,	IATS	\$	784
Tray, Slide Out, Adjustable Height,	IATS	\$	489
Tray, Slide Out, Floor Mounted,	IATS	\$	509
Tray, Adj., 30 Deg., Tilt/Slide-out	IATS	\$	541
Compt, (2) Pike & (1) Foldg Ladder, Below tank tee	IATS	\$	961
Guard, Drip Pan, S/S, Roll-up Door	IATS	\$	122
Keyed Locks	IATS	\$	57
Pull Strap for Doors	IATS	\$	57
Scuffplate, S/S, Inside Compt Door (each)	IATS	\$	163
Equipment Deck, Std Config HDRP	IATS	\$	730
Crowns, Rear Fender - Rubber	IATS	\$	386
Rear Fender Crowns, Rubber, Two Pair	IATS	\$	759
Crowns, Rear Fender – SS	IATS	\$	750
Rear Fender Crowns, S/S, Two Pair	IATS	\$	1,357
Compt, Air Bottle in Fender Panel	IATS	\$	492
Compt, Air Bottle in Fender Panel, Dbl Wide	IATS	\$	772
Compt, Air Bottle in Fender Panel, Triple	IATS	\$	814
Insert divider, Air Bottle compartment	IATS	\$	190
Compt, Extinguisher in Fender Panel	IATS	\$	575
Holder, Air Bottle mounted in Compt w/Tracks	IATS	\$	164
Horizontal Mounting Tracks for Air Bottle Holders	IATS	\$	130
Storage Bin, Air Bottle (each)	IATS	\$	139
Cover, Hose Bed, Roller Shutter, Pumper	IATS	\$	6,589
Cover, Hose Bed, Alum Treadplate	IATS	\$	5,018
Cover, Hose Bed, Alum Treadplate, Tanker	IATS	\$	5,673
Cover, Hose Bed, Vinyl NFPA restraint	IATS	\$	687
Flap, Rear of Alum Hose Bed Cover, Vinyl	IATS	\$	300
Divider, Unpainted Hose Bed (each)	IATS	\$	458
Sensible Products package 1	IATS	\$	1,082
Sensible Products package 2	IATS	\$	3,111
Sensible Products package 3	IATS	\$	4,326
Sensible Products package 4	IATS	\$	7,468
Sensible Products package 5	IATS	\$	8,652
Sensible Products package 6	IATS	\$	10,815
Sensible Products package 7	IATS	\$	15,141
		\$	-

Ladders		\$	-
Ladder, 24' 2-Sect	STD	\$	-
Ladder, 28' 2-Sect	IPOS	\$	224
Ladder, 28' 2-Sect	IATS	\$	924
Ladder, 28' 2-Sect, Fiberglass	IPOS	\$	796
Ladder, 35' 3-Sect	IPOS	\$	557
Ladder, 35' 3-Sect	IATS	\$	1,320
Ladder, Folding, 10' Duo or Alcolite w/Mtg	STD	\$	-
Little Giant 13' ladder	IATS	\$	399
Little Giant 17' ladder	IATS	\$	557
Ladder, 14' Duo or Alcolite Roof	STD	\$	-
Ladder, 16' Duo or Alcolite Roof	IPOS	\$	43
Ladder, 20' Duo or Alcolite Roof	IPOS	\$	226
Ladder, 14' Duo or Alcolite Roof	IATS	\$	410
Ladder, 16' Duo or Alcolite Roof	IATS	\$	454
Ladder, 20' Duo or Alcolite Roof	IATS	\$	631
		\$	-
Ladder Storage		\$	-
Brackets, Adjustable,PS	STD	\$	-
Ladders Btwn Tank & S.Sht, Ext'd Rr, Encl'd Complete, RPH	IPOS	\$	3,482
Rack, Hydraulic Ladder	IPOS	\$	8,570
Rack, Hydraulic Ladder w/Air Clamps	IPOS	\$	8,946
Rack, Ladder in Hose Bed, Banked Horiz Grate & Door, Cut	IPOS	\$	1,462
Rack, Zico Quic-Lift	IPOS	\$	5,413
Thru-Tunnel, Ladder/Pike Pole, Water Tank,	IPOS	\$	2,138
Equipment Storage Compt Below Hose Bed Enclosed	IPOS	\$	1,895
Ladder Gantry	IPOS	\$	9,785
		\$	-
Pike Poles & Accessories		\$	-
3ft pike pole	IATS	\$	88
6ft pike pole	IATS	\$	100
8ft pike pole	IATS	\$	110
10ft pike pole	IATS	\$	115
12ft pike pole	IATS	\$	200
14 ft pike pole	IATS	\$	220
Pike pole storage tubes	IATS	\$	135
		\$	-
Hard Suction Hose Trough		\$	-
Hose Trough In Equipment Deck	IATS	\$	865
Troughs, (1), H.S.H., High Side	IATS	\$	556
Troughs, (2), H.S.H., High Side	IATS	\$	865
Trough, H.S.H., High Side, Single	IATS	\$	540
Troughs, H.S.H., Stacked in Hose Bed	IATS	\$	1,473
Troughs, H.S.H., Side of Hydraulic Ladder Rack 2000, (1)	IATS	\$	721
Troughs, H.S.H., Side of Hydraulic Ladder Rack 2000, (2)	IATS	\$	1,184
Troughs, H.S.H., Top of Zico Rack	IATS	\$	1,349
Trough, H.S.H., Below Tank Tee (1)	IATS	\$	1,637
Troughs, H.S.H., Below Tank Tee , Stacked, (2)	IATS	\$	2,504
Troughs, H.S.H., Below Tank T or behind roll-up header, (1) Each Side	IATS	\$	3,275
		\$	-
Pumps		\$	-
1250 GPM Single Stage Pump Hale DSD	IPOS	\$	(3,200)
1500 GPM Single Stage Pump Hale DSD	IPOS	\$	(1,560)
500 - 1000 GPM Hale , Darley, Waterous	IPOS	\$	(5,253)

1250 GPM Single Stage Pump (Hale or Waterous)	STD	\$	-
1500 - 2000 GPM Single Stage Pump (Hale or Waterous)	IPOS	\$	4,218
1250 -1500 GPM Pierce Pump PUC	STD	\$	-
2250 Hale QMAX	IPOS	\$	4,218
		\$	-
Pump Accessories		\$	-
Class One Pressure Gov	STD	\$	-
Pierce Pressure Gov, Custon only	IPOS	\$	-
FRC Pump Boss 200 Pressure Gov	IPOS	\$	-
FRC Pump Boss 400 Pressure Gov	IPOS	\$	400
FRC I Control Pressure Gov	IPOS	\$	1,100
Pressure Relif Valve Hale/ Waterous	IPOS	\$	1,100
Pressure Relif Valve Hale/ Waterous	IATS	\$	3,100
Enclosure, Heat	IATS	\$	1,772
Flame Plated Impeller hub, Waterous	IATS	\$	593
Thermal Relief Valve,Hale	IATS	\$	324
Thermal Relief Valve, OPM, Waterous	IATS	\$	897
Thermal Relief Valve, TRV-L 120 w/Buzzer & Indicator Light	IATS	\$	849
Thermal Relief Valve, Pierce PUC	IATS	\$	897
Seal, Mechanical, Waterous	IATS	\$	756
Seal, Mechanical, Hale (Standard on QFLO & QPAK & PUC)	IATS	\$	633
Anode, Zinc, Pair, Pump Inlets	IATS	\$	302
Recirculation line	IATS	\$	300
Valve, MIV w/Relief, Side Inlet, 6", manual Cntrl,	IATS	\$	3,990
Valve, MIV w/Relief, Side Inlet, 6", Electric Cntrl,	IATS	\$	4,056
Valve, w/Relief, Side Inlet, 6", Air Cntrl, Waterous Pump	IATS	\$	5,873
Valve, w/Relief, Main Inlet, 6", Electric,	IATS	\$	5,306
Valve, w/Relief, Main Inlet, 6", Handwheel,	IATS	\$	4,861
Valve, w/Relief, Side Inlet, 6", Air Cntrl, Waterous Pump	IATS	\$	5,873
Valve, TFT w/Relief, Inlet, 6", Handwheel,	IATS	\$	1,804
Valve, TFT w/Relief, Inlet, 6", RC Electric	IATS	\$	3,200
Valve, Akron Black Max w/Relief, Inlet, , Handwheel,	IATS	\$	1,540
Inlet, 4" to 6" Frt w/ 4" - 5" plmb Thru-Bumpr,	IATS	\$	8,065
Inlet, 4" to 6" Front w/ 4"-5" plumbing	IATS	\$	9,517
Travel Stops, Front Swivel	IATS	\$	267
Inlet, Rear, 2.50" Gated,	IATS	\$	1,502
Inlet, Rear, 4"-6"	IATS	\$	6,699
Inlet, LH Side, 2.50" gated	STD	\$	-
Inlet, LH Side, 3.00" gated	IPOS	\$	383
Inlet, RH Side, 2.50" gated	IATS	\$	1,215
Inlet, RH Side, 3.00" gated	IATS	\$	1,464
Outlet, Frt 1.5" w/2" Plmb, Swivel, In Bmpr Tray	IATS	\$	1,936
Outlet, Front, 2.50" w/2.50" plumbing, Top of Bumper	IATS	\$	2,401
Turret, Front Bump, Elk. Sidewinder Joystick.,2", 95 gpm Nozzle	IATS	\$	10,823
Outlet, Rear, 2.50"	STD	\$	-
Outlet, Rear, 3.00"	IPOS	\$	659
Outlet, Rear, 2.50"	IATS	\$	1,838
Outlet, Rear, 3.00"	IATS	\$	2,547
Outlet, Front of Hose bed to Rear, 2.50"	IATS	\$	1,541
Outlet, side, 3.00" w/ elbow	IATS	\$	4,210
Outlet, 1.50" Tank Fill	STD	\$	-
Outlet, 1.50" Tank Fill, Electric	IPOS	\$	1,573
Outlet, 2.00" Tank Fill	IPOS	\$	565
Outlet,2.50" Tank Fill	IPOS	\$	593

Cover, Crosslay, Alum Treadplate	IATS	\$	475
Cover, Crosslay, Bi-fold Alum Treadplate	IATS	\$	598
Cover, Crosslay, Vinyl, Twist and Turn Fasteners	IATS	\$	318
Crosslays, (2) 1.50", Std. Cap, Package	STD	\$	-
Crosslay, (1) 1.50", Spl. Cap/Arrangement	IATS	\$	2,346
Crosslay, (1) 1.50", Std. Cap	IATS	\$	2,079
Crosslay(s), 1.50", w/ 2.5" plumbing, Spl. Cap/Arrangement	IATS	\$	3,115
Crosslay, (1) 2.50" Std Cap, Pan Style	IATS	\$	2,847
Crosslay, (1) 2.50" Spl Cap/Arrangement,	IATS	\$	3,083
Crosslay, 2.5",3" Plb, Special Capacity or Single Stack	IATS	\$	3,351
Deadlay(s) No Plumbing, Spl Capacity,	IATS	\$	1,117
Credit for standard crosslays	IPOS	\$	(3,534)
Speedlay, (2) 1.5", Speed, (1) 2.5", Top Mt/Side Cntrl	IATS	\$	7,186
Speedlay, (2) 1.5", Top Mt/Side Cntrl,	IATS	\$	4,457
Speedlay, (2) 1.5" W/ Poly Tray, Top Mt/Side Cntrl,	IATS	\$	6,196
Speedlay, (2) 1.5" W/ Tray, Top Mt/Side Cntrl,	IATS	\$	6,196
Speedlay, (3) 1.5" Top Mt/Side Cntrl, Std. Cap.	IATS	\$	6,773
Speedlay, (3) 1.5" W/Poly Trays, Side Mt,	IATS	\$	10,538
Speedlay, (2) 1.5" (1) 2.5" w/Poly Tray, Top Mt/Side Cntrl,	IATS	\$	10,645
Outlet, 3.00" Deluge	IATS	\$	1,684
Outlet, 3.00" Deluge with TFT Extenda- Pipe	IATS	\$	3,505
Monitor, Akron 3416,	IATS	\$	1,640
Monitor, Akron, 3440 DeckMaster, w\remote tether	IATS	\$	12,657
Monitor, Elkhart, Vulcan RF, Electric, remote control	IATS	\$	10,403
Monitor, Elkhart "Stinger" 8297	IATS	\$	2,910
Monitor, TFT electric w/ remote control	IATS	\$	13,802
Electric wirless control for monitor	IATS	\$	1,133
Flange, 4 bolt	IATS	\$	104
Reel, Booster - Over Pump, Side	IATS	\$	3,575
Reel, Booster, In Comp,	IATS	\$	4,809
Blowout, Hose Reel - Valve at Panel	IATS	\$	338
Turret, Front Bump, Elk. Sidewinder Joystick.,2", 95 gpm Nozzle	IATS	\$	10,823

\$ -

Foam Systems

\$ -

Foam Sys, Akron Eductor 3096-95 (Single Agent) with 20 gallon cell	IATS	\$	3,695
Foam Sys, FoamPro 1600, Single Agent with 20-30 gallon cell	IATS	\$	8,683
Foam Sys, FoamPro 2001 (Single Agent) with 20-30 gallon cell	IATS	\$	14,279
Foam Sys, FoamPro 2002 (Single Agent) with 20-30 gallon cell	IATS	\$	16,487
Foam Sys, Hale Foam Logix 2.1), with 20-30 gallon cell	IATS	\$	8,697
Foam Sys, Hale 5.0, (Single Agent) with 20-30 gallon cell	IATS	\$	18,793
Foam Sys, Husky 3 (Single Agent) with 20-30 gallon cell	IATS	\$	9,800
Foam Sys, Husky 12 (Single Agent) with 20-30 gallon cell	IATS	\$	16,248
Foam Sys, Husky 12, (Dual Agent) with (2) 20-30 gallon cells	IATS	\$	20,287
Foam Sys, Husky 30 with (2) 20-30 gallon cells	IATS	\$	30,298
Refill, Foam Tank, other foam system	IATS	\$	3,028
Foam System class room/demonstration @ factory	IATS	\$	615
Increase foam tank size up to 100 gallons	IATS	\$	1,009

\$ -

CAF Compressor System

\$ -

Compressor, Hercules CAFS (includes three outlets)	IATS	\$	26,128
Additional CAFS outlets (each)	IATS	\$	1,101

\$ -

Pump Operators panel

\$ -

Side mount control	STD	\$	-
Top mount control	IPOS	\$	5,990
Enclosure for top mount control panel	IATS	\$	-
Electric control valve in place of manual (each)	IPOS	\$	1,139
		\$	-
Pump Panel Accessories		\$	-
Gauge Heater tape Strips up to 12	IATS	\$	920
Gauge, Fuel	IATS	\$	440
Ammeter, At Pump Panel	IATS	\$	280
Control, Air Horn at Pump Panel	IATS	\$	159
Enclosure, Roll-up door, DS Pump Panel,	IATS	\$	4,479
Enclosure, Roll-up Door, PS Pump Panel,	IATS	\$	4,479
Heater, Hot Water	IATS	\$	815
Heater, Hot Water	IATS	\$	815
Light/Alarm, Pump Overheat Indicator	IATS	\$	496
Primer, Trident, Air operated, w/ (1) Additional Priming Valves	IATS	\$	570
Primer, Trident, Air operated, w/ (2) Additional Priming Valves	IATS	\$	790
Primer, Trident, Air operated, w/ (3) Additional Priming Valves	IATS	\$	1,012
Flowmeter, Class1 Flowminder w/2.5" Class1 Press Gauges	IATS	\$	1,605
Flowmeter, Digital Gauges	IATS	\$	1,405
Pump hour meter	IATS	\$	181
Step/Light Shield Ass'bly, 8" Depth, Side Mount	IPOS	\$	268
Step/Light Shield, Additional , 8" Depth, PS	IATS	\$	440
LED pump panel lights	IPOS	\$	311
		\$	-
Water Tanks		\$	-
500 Gallon tank	IPOS	\$	-
750 Gallon tank	STD	\$	-
1000 Gallon Tank	IPOS	\$	1,198
1250 Gallon Tank	IPOS	\$	2,567
1500 Gallon Tank	IPOS	\$	4,507
2000 Gallon Tank	IPOS	\$	6,038
2500 Gallon Tank	IPOS	\$	10,041
3000 Gallon Tank	IPOS	\$	13,521
3500 Gallon Tank	IPOS	\$	16,958
Tank Fill, Direct, Rear 2.5"	IATS	\$	1,720
		\$	-
Tank Fill, Direct, Rear 4.0"	IATS	\$	2,433
Water Level Gauge, Whelen PSTANK, LED 1-Light, 4-Level (each)	IATS	\$	531
Water Level Gauge, Whelen 500, LED 4-Level (each)	IATS	\$	844
Gauge, Water Level, Slave	IATS	\$	363
		\$	-
Tank Dumps		\$	-
Dump, Manual 10" Newton, Rear, Tanker w/ Elbow	STD	\$	-
Dump, Electric 10" Newton, Rear, Tanker	IATS	\$	1,986
Dump, 10" Newton, Rear, S/S, Tanker	IATS	\$	2,792
Tank Dump, 8" Air Control, Bray each side	IATS	\$	7,439
Tank Dump, 10" Air Control, Bray each side	IATS	\$	8,626
Tank Dump, 10" Elkhart Electric Control, each side	IATS	\$	8,626
Tank Dump, 10" square Newton Electric Control, each side	IATS	\$	8,626
Tank Chute Newton Swivel Painted Steel		\$	-
		\$	-
Warning Lights, upper zone		\$	-
Lightbar, LED JUSTICE	STD	\$	-

Lightbar, Whelen, Freedom, (or equal) LED, 4-R LED, 2-C LED, 2-RC LED	IPOS	\$	1,480
Lightbar, Whelen, Freedom, (or equal)LED, 6-R LED, 2-C LED, 4-RC LED	IPOS	\$	2,119
Lightbar, Whelen, Freedom, (or equal)LED, 8-R LED, 2-C LED, 4-RC LED	IPOS	\$	3,169
Lightbar, 3 Whelen, 28" Freedom, (or equal)LED light bars (NYFD style)	IPOS	\$	4,607
Whelen #B6TM-1P, rear upper zone beacons w/700 LED's	IPOS	\$	1,028
Code 3 769 rotating light bar	IPOS	\$	519
Code 3 2158 LED light bar	IPOS	\$	1,601
4 900 or M9 LED rear upper	IPOS	\$	2,044
6 900 or M9 LED rear upper	IPOS	\$	3,017
LED beacons at rear	IPOS	\$	1,154
Opticom emitter in light bar	IATS	\$	1,133
Additional pair of LED modules in light bar	IATS	\$	952
		\$	-
Lower Zone		\$	-
LED, One pair front, two pair each side, one pair rear	STD	\$	-
Whelen 600 or M6 LED pair	IATS	\$	456
Whelen 900 or M9 LED pair	IATS	\$	771
Weldon Diamondback LED pair	IATS	\$	536
Code 3 LED pair	IATS	\$	456
		\$	-
Warning Lights, Accessories		\$	-
Flasher, Headlight Alternating	IATS	\$	443
Roto Ray Halogen	IATS	\$	1,821
Roto Ray LED	IATS	\$	2,484
Lights, Code 3, 5100, pair, over cab doors	IATS	\$	1,026
Lights, Code 3, 718A1, pair, over cab doors	IATS	\$	1,253
Light, Opticom Emitter,	IATS	\$	2,168
Lights, Whelen Freedom FNMINI, 28.5", Pair, 4-Red	IATS	\$	2,867
Light, Traffic Directing, Code 3, NASL847 LED Deluxe Control	IATS	\$	1,521
Light, Rear, Code 3 Arrowstik AS-839, Recessed	IATS	\$	1,525
Light, Traffic Directing, Rear, Federal or Whelen LED, 36"	IATS	\$	1,255
Light, Traffic Directing, Rear, Federal or Whelen LED, 46"	IATS	\$	1,369
		\$	-
Lights, Tail, Accessories		\$	-
Lights, Tail, Weldon model 3884 Tri-Light Cluster	STD	\$	-
Lights, Tail, Weldon model 3884 Tri-Light Cluster LED	IPOS	\$	1,060
Lights, Tail, Signal Star LED Rubber gromet	IPOS	\$	400
Lights, Tail Whelen 600 / M6 LED lights w/ halogen back-up	IPOS	\$	735
Lights, Tail Whelen 600 / M6 LED lights w/ LED back-up	IPOS	\$	1,084
Lights, Bezel, Cast bezel or chrome flanges w Whelen 600 / M6LED lights	IPOS	\$	853
Lights, Tail, Single Stat LED w/ halogen back-up	IPOS	\$	519
Lights, Tail, wrap around LED	IPOS	\$	611
		\$	-
Lighting, Compartment		\$	-
Lights, Compt, Truck-Lite		\$	-
Lights, Compt, Pierce LED light strip	IPOS	\$	113
Lights, Compt, Pierce LED dual light strip	IPOS	\$	178
Lights, Compt, Amdor light strip	IPOS	\$	186
Lights, Compt, Amdor dual light strip	IPOS	\$	294
Lights, Compt, Whelen Super 600 LED, IPOS (each)	IPOS	\$	168
		\$	-
Lights, 12V		\$	-
Lights, Federal Night-Fighter w/Telescoping Pole, (each)	IATS	\$	1,576
Lights, FRC, Spectra, LED w/Telescoping pole, (each)	IATS	\$	1,947

Lights, FRC, Spectra, Visor (each)	IATS	\$	1,547
Lights, Whelen Pioneer PFP1, LED w/Telescoping pole, (each)	IATS	\$	1,535
Lights, Whelen Pioneer PFP2, LED w/Telescoping pole, (each)	IATS	\$	2,039
Lights, Akron Scene Star LED w/Telescoping pole, (each)	IATS	\$	2,039
Lights, Whelen PFP1 Visor (each)	IATS	\$	1,103
Lights, Whelen PFP2 Visor (each)	IATS	\$	1,590
Lights, Akron Scene Star LED Visor (each)	IATS	\$	1,590
Hand Held Cab Spotlight,	IATS	\$	440
Handlight, Streamlight, LiteBox, 12v, LED or equal	IATS	\$	375
Handlight, Streamlight, Fire Vulcan, Dual-Filament/LED 12v or equal	IATS	\$	230
Handlight, Streamlight, Survivor LED 12v or equal	IATS	\$	194
Weldon scene lights pair	IATS	\$	597
Whelen 600 / M6 LED scene lights each	IATS	\$	451
Whelen 900 / M9 LED scene lights each	IATS	\$	549
Additional switching (each)	IATS	\$	89

\$ -

Generators complete with circuit breaker box

		\$	-
6 kW Hydraulic, PTO (Harrison)	IATS	\$	13,600
6 kW Hydraulic, PTO (Onan or Smart Power)	IATS	\$	16,050
8 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$	17,462
10 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$	18,372
15 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$	26,796
20 kW Hydraulic, PTO (Harrison or Smart Power)	IATS	\$	30,297
30 kW Hydraulic, PTO, (Harrison or Smart Power)	IATS	\$	33,909
Honda EM3800 SX w/ electric start- Gas,	IATS	\$	4,918
Honda EM5000 SXKI w/ electric start - Gas,	IATS	\$	6,254
Honda EM6500 SXKI w/ electric start- Gas,	IATS	\$	7,618
Onan 25KW PTO	IATS	\$	15,768
Onan 40KW PTO	IATS	\$	18,818
Kohler 20KW Deisel generator w/ remote start	IATS	\$	22,175
Stadco 25KW Deisel generator w/ remote start	IATS	\$	21,742

\$ -

Lights, 120/240volt

		\$	-
500W tele	IATS	\$	1,133
750W - 1500 Visor / pedestal mount	IATS	\$	1,190
750W tele,	IATS	\$	1,265
1000 - 1500W tele	IATS	\$	1,334
Akron Scene Star LED AC light head	IATS	\$	1,535
Whelen PFP2AC LED AC light head	IATS	\$	1,535
Fire Research LED AC light head	IATS	\$	1,535
Any of the above lights to be on Tri-Pod, add per light	IATS	\$	590
Switch, Remote for Flood Light, (each)	IATS	\$	440

\$ -

Masts & Light Towers

		\$	-
Command Light model CL611	IATS	\$	17,196
Command Light model CL615	IATS	\$	19,408
Will-Burt, Light, Mast, TMD 6-25 Dual-Tilt Controlled	IATS	\$	15,068
Will-Burt, Light, Mast, TMD 7-30, Dual-Tilt Controlled	IATS	\$	15,476
Will-Burt Night Scan Powerlite Mod NS15-6000 M, Dual Tilt	IATS	\$	15,746
Will-Burt Night Scan Powerlite Mod NS15-9000 OPT, Dual Tilt	IATS	\$	16,887
Will-Burt Night Scan Chief Mod NS6-3000 OP /Optimum Lights	IATS	\$	10,804
Up grade flood light head to LED flood light, per light head	IPO	\$	1,009

Will-Burt Night Scan Chief Mod NS 2.3 LED (2) Lights 12 / 120volt	IATS	\$	13,010
Will-Burt Night Scan Chief Mod NS 2.3 LED (4) Lights 12/120 volt	IATS	\$	17,300
Will-Burt Night Scan Chief NS 3.0 LED (4) Lights 12 / 120 volt	IATS	\$	20,600
Will-Burt Night Scan Chief Mod NS 3.0 LED (6) Lights 12 / 120 volt	IATS	\$	22,800
Enclosure Around Night Scan	IATS	\$	858
Will-Burt, Mast, TMD 5-20	IATS	\$	8,614
Will-Burt, Mast, TMD 6-25	IATS	\$	9,696
Will-Burt, Mast, TMD 7-30	IATS	\$	10,236
Will-Burt, Mast, TMD 7-42	IATS	\$	14,817
		\$	-
Electrical Receptacles		\$	-
Receptacle, 15 or 20 Amp 120V	IATS	\$	259
Receptacle, Outlet, 6-Place, 120 Volt,20 Amp	IATS	\$	286
Receptacle, 30A 220V	IATS	\$	399
		\$	-
		\$	-
		\$	-
Reel, Electric Cord		\$	-
Reel, Electric Cable (3-wire) complete with 200'	IATS	\$	2,487
Reel, Electric Cable (4-wire) complete with 200'	IATS	\$	3,082
Reel, Electric Cable (3 or 4-wire) low profile complete with 200'	IATS	\$	4,114
Akron Junction box	IATS	\$	454
Woodhead Junction box	IATS	\$	984
Junction box holder	IATS	\$	233
Reel enclosure	IATS	\$	314
		\$	-
Hydraulic Tool Equipment		\$	-
Reel, Hydraulic, w/ 100' hose Mounted in Front Bumper, Any Make	IATS	\$	5,233
Reel, Hydraulic, w/ 100' hose Dual Hose (Any Make Tool)	IATS	\$	4,517
Reel, Mounting Provisions for Customer Installed Hydraulic Reel	IATS	\$	283
		\$	-
Reel, Tool Air		\$	-
Reel, Air, Tools, w/150' Hose	IATS	\$	3,056
		\$	-
AerialOptions / Accessories		\$	-
AC Power To Aerial Tip,	IATS	\$	1,551
Collision Avoidance, Align For Stowing, (Platforms)	STD	\$	-
Collision Avoidance, Align For Stowing, (Ladders)	IATS	\$	6,112
Quick-Lock Waterway	IPOS	\$	4,220
Lighting LED 3 ladder section	IATS	\$	3,774
Lighting LED 4 ladder section	IATS	\$	5,120
Brackets, 3 in 1 Lyfe brackets (PAP)	IATS	\$	1,581
Brackets Only, Halligan Tool, Aerial Fly Section	IATS	\$	178
Brackets only, Ax (6lb or 8lb) @ Aerial Fly Section	IATS	\$	178
Brackets, Pike Pole @ Aerial Fly Section (No Pole)	IATS	\$	178
Brackets, Roof Ladder @ Aerial Fly Section	IATS	\$	416
Brackets, Stokes Storage @ Aerial Base Section	IATS	\$	623
500lbs winch (PAP)		\$	-
Control, Air Horn at Turntable	IATS	\$	400
Indicator, Exten.-In & Outside Handrails	IATS	\$	508
Raised Pedestal, Aerial Ladder	IATS	\$	1,188
Intercom, 2-Way Atkinson or Fire Reasearch	STD	\$	-
Intercom, 3-Way Atkinson or Fire Research	IPOS	\$	1,118
Intercom, 3-Way Fire Com Panther System	IPOS	\$	2,324
Breathing Air to Tip, (1) 4500 PSI, No Mask	IATS	\$	8,582
Breathing Air to Tip, (1) 6000 PSI, No Mask	IATS	\$	10,644

Snozzle, Aerial Water Nozzle, Basic Model P65	IATS	\$	154,611
Snozzle, Aerial Water Nozzle, Basic Model P50A	IATS	\$	121,980
Automatic Nozzle Leveling, "AL",	IATS	\$	2,462
Color Camera w/Zoom, "V-CAM",	IATS	\$	15,247
Color Camera w/o Zoom, "V-CAM",	IATS	\$	12,938
Low Pressure Nozzle, "LP", Snozzle	IATS	\$	462
Nightsight 2000,"INFR", Infrared Camera, Snozzle	IATS	\$	9,760
Piercing Nozzle, "FF2", Snozzle	IATS	\$	7,694
Radio Remote Control, "RRC", IPOS,	IATS	\$	10,618
"VCR", for Color Camera, Snozzle	IATS	\$	2,467
Remote Tip Controls, Ladder	IATS	\$	6,858
Remote Pmp Panel Control w/o Tip Control	IATS	\$	7,715
Remote Pmp Panel Control IAT Tip Control	IATS	\$	4,920
Remote Monitor Control @ Pump Panel	IATS	\$	1,150
Remote Pnl Cntrl,Ladder & Monitor w/o Tip	IATS	\$	8,946
Remote Panel Cntrl, Ladder & Monitor, IAT, Tip	IATS	\$	4,906
Aerial Wireless remote control	IATS	\$	9,604
Brackets, Stokes Storage, Base Section, Bronto	IATS	\$	647
Display, Wind Speed, Turntable and Platform, Bronto	IATS	\$	1,072
High Voltage Detector, Bronto	IATS	\$	4,560
Hydraulic Intensifier for Outlets At Platform, Bronto	IATS	\$	6,202
Hydraulic Oil Cooler, Bronto	IATS	\$	1,898
Hydraulic Oil Level Warning at Control Panels, Bronto	IATS	\$	286
Hydraulic Oil Saturation Level, Bronto	IATS	\$	1,700
Hydraulic Valve and Load Sense Check Valve for Hydraulic Generator, Bronto	IATS	\$	1,522
Ladder Rung Cold Protection, Bronto	IATS	\$	6,450
Oil, Aerial, Arctic Climate, Bronto	IATS	\$	3,637
Oil, Aerial, Tropical Climate, Bronto	IATS	\$	344
Platform Floor Temperature on Display, Sensor at Platform, Bronto	IATS	\$	892
Receiver, Stokes Basket at Platform, Bronto	IATS	\$	1,285
Turntable Extension, Bronto	IATS	\$	4,467
Two Year Service Parts Kit, Bronto	IATS	\$	9,115
Ultrasonic Collision Guard, Bronto	IATS	\$	9,017
Waterway Flow Displayed at Control Panels, Bronto	IATS	\$	4,528
Waterway Pressure at Platform Basket, Displayed at Control Panels, Bronto	IATS	\$	982
Waterway Pressure Below Turntable, Displayed at Control Panels, Bronto	IATS	\$	982
Outlet, 2.50" Gated Auxiliary, Aerial Tip,	IATS	\$	2,251
Waterway Shutoff Valve, Elect.	IATS	\$	4,046
Akron Electric remote control Stream Master	IPOS	\$	3,025
Akron manual & Electric remote control Stream Master monitors (PAP)	IPOS	\$	11,918
Elkhart Electric remote control 8294	IPOS	\$	3,025
Elkhart manual & Electric remote control monitor (PAP)	IPOS	\$	11,410
TFT Manual & Electric Control Monsoon monitors (PAP)	IPOS	\$	11,410
Wireless control for Akron monitor	IATS	\$	1,611
TFT Elctric control VUM manifold	IPOS	\$	5,279
Aerial with no pump or no tank	IPOS	\$	(44,000)
105' Aerial Tiller IPO 100'	IPOS	\$	2,496
100' Aluminum Aerial Platform IPO 100' Steel Aerial Platform	IPOS	\$	56,779
100' Mediun Duty Ladder IPO 100' Heavy Duty	IPOS	\$	(25,700)
85' Aerial Platform IPO 100' Aerial Platform	IPOS	\$	(46,300)
Misc. Graphics		\$	-
Reflective Band, 1"- 6"- 1",	IPOS	\$	447
Jog in stripe	IATS	\$	302

Z in stripe	IATS	\$	406
Stripe Reflective, Chevron, interior cab doors,	IATS	\$	428
Stop sign Reflective, interior cab doors,	IATS	\$	577
Lettering Gold Leaf 3" (61-80),	IPOS	\$	1,133
6" - 10" reflective letters each	IATS	\$	50
6" - 10" Gold leaf letters each	IATS	\$	134
Maltese Cross Gold leaf	IATS	\$	1,648
Flag on front grill	IATS	\$	980

Misc. Tools & Equipment

		\$	-
6# F/G Flathead axe, w/brackets	IATS	\$	163
6# F/G Pickhead axe, w/brackets	IATS	\$	163
2.5 Gal. Pressurized water extinguisher, w/bracket	IATS	\$	194
extra speedlay tray each	IATS	\$	429
Panasonic Tough Book 31	IATS	\$	5,430
Motorola XTL5000 M20URS9PW1N Vehicle Radio	IATS	\$	6,400
(1) Motorola XTS5000 portable radio	IATS	\$	6,916
Motorola Futurecomm Radio Repeater installed	IATS	\$	14,990
Safety vest (1)	IATS	\$	22
Traffic Cone	IATS	\$	131
Radio Case (1)	IATS	\$	51
Straps (1) w, stabilizers	IATS	\$	41
52" Pinch Bar Straight	IATS	\$	45
HK Porter 42" Bolt cutters 9/16" jaw	IATS	\$	195
Halligan Bar (1)	IATS	\$	195
APH-4' All purpose hooks (1)	IATS	\$	141
APH-5' All purpose hooks (1)	IATS	\$	99
6# Pickhead axe w/ mounts	IATS	\$	79
6# Flathead axes w/ mounts	IATS	\$	79
8# Flat head axe w/ mounts	IATS	\$	124
One (1) Denver tools w/ mounts	IATS	\$	590
Quickstep 10' foldable ladder	IATS	\$	628
Honda EU2000 Portable generator	IATS	\$	1,300
Honda EU1000 Portable generator	IATS	\$	1,050
Honda LED Light 2000 Portable generator	IATS	\$	3,800
Honda LED Light 1000 Portable generator	IATS	\$	2,900
MSA 5800 Thermal Image camera w/ vehicle mount & laynard	IATS	\$	16,778
Bullard T4 Thermal Image camera w/ vehicle mount & strap	IATS	\$	11,400
Bullard T320 Thermal Image camera w/ vehicle mount & strap	IATS	\$	9,800
Plasma Cutter	IATS	\$	1,955
ARCAIR slice complete pack	IATS	\$	3,900
Paratech Maxi Force Air bag package CFD	IATS	\$	13,780
• Two (2) model 22-888110 KPI-1		\$	-
• Two (2) model 22-888140 KPI-12		\$	-
• Two (2) model 22-888160 KPI-22		\$	-
• Two (2) model 22-888180 KPI-35L		\$	-
• Two (2) model 22-888190 KPI-44		\$	-
• Two (2) model 22-888200 KPI-74		\$	-
Hurst Rabbit tool package CFD	IATS	\$	12,800
• One (1) Mini Hand Pump model # 355R077		\$	-
• One (1) Mini-Lite Spreader model # 362R323		\$	-
• One (1) Mini-Lite Ram 8" model # 257R116		\$	-
• One (1) Mini-Lite Ram 10" model # 257R118		\$	-
• One (1) JL-8 Jack Rabbit Tool model # 362R273		\$	-

• One (1) Mini Cutter model # 362R265		\$	-
Hurst Rabbit tool 362R 266	IATS	\$	1,308
Hurst eDraulics S 700E Cutter Package w/ charger, and 2 batteries	IATS	\$	10,650
Hurst S eDraulics 311E Cutter Package w/ charger, and 2 batteries	IATS	\$	9,041
Hurst eDraulics SP 300E Spreader Package w/ charger, and 2 batteries	IATS	\$	10,877
Hurst eDraulics R 411E Ram Package w/ charger, and 2 batteries	IATS	\$	7,761
Hurst eDraulics SC 350 E Combi Package w/ charger, and 2 batteries	IATS	\$	11,613
Amerex aBC 20 lb. ext	IATS	\$	141
One (1) 20lbs CO2 w/ mounting bracket	IATS	\$	293
One (1) 2.5 gallon water w/ mounting brackets	IATS	\$	115
Nupla 12# Sledge Hammer	IATS	\$	66
One (1) Nupla 16# Sledge Hammer	IATS	\$	91
Zico Sand Shovel 48"	IATS	\$	56
Zico Spade shovel 48"	IATS	\$	56
Zico Quick Mt Bolt cutter bracket (1)	IATS	\$	76
Amerex ext mtg brkt	IATS	\$	44
Zico Shovel bracket	IATS	\$	37
Zico shovel holder	IATS	\$	48
Zico Sledge hammer bracket (1)	IATS	\$	81
Zico axe holder bracket (1)	IATS	\$	130
Zico Quic-Mount elec. Cord holder (1)	IATS	\$	26
Zico Quic-Bar/mtg brkt	IATS	\$	97
UMVS-0811-11	IATS	\$	31
UMVS-1116-AB	IATS	\$	37
Zico Quic Strap (1)	IATS	\$	26
Zico Footman (1)	IATS	\$	9
Zico Quic-mount VM-5 (1)	IATS	\$	19
Zico Quic-mount Low Profile (1)	IATS	\$	16
Zico Quic-mount Low Profile (1)	IATS	\$	18
Zico Quic mount tool clips (1)	IATS	\$	27
Zico Quic mount tool clips (1)	IATS	\$	29
PAC Handlelok (1)	IATS	\$	38
PAC Jumbo loc (1)	IATS	\$	58
Adjustamount kit (1)	IATS	\$	69
Scott SCBA complete air pack (1)	IATS	\$	5,500
Scott SCBA bottles #80472201 (1)	IATS	\$	963
Rubber hose bridge	IATS	\$	623
STAT Pack Breather	IATS	\$	205
STAT Pack oxygen module gray	IATS	\$	49
STAT Pack universal module black	IATS	\$	37
STAT Pack G2 Responder 4 cell, red	IATS	\$	351
STAT Pack G2 Medicine cell, red	IATS	\$	141
STAT Pack G2 IV Cell, blue	IATS	\$	103
STAT Pack G2 Universal cell, black (1)	IATS	\$	103
Stat Pack G1 Golden Hour	IATS	\$	227
Mack-NFPA3	IATS	\$	1,990
One (1) Super Vac 16" smoke ejectors P164E	IATS	\$	1,224
One (1) Ram fan 16" Honda 4 cycle w/ mnt bkt or equal	IATS	\$	1,236
One (1) Ram fan 16" 220V electric EFI 50 or equal	IATS	\$	1,020
One (1) 12/3 100' cord w/ NEMA #L5-15R	IATS	\$	195
One (1) 12/3 50' cord w/ NEMA #L5-15R	IATS	\$	106
One (1) Elkhart attack monitor w/ nozzle & bracket or equal	IATS	\$	1,815
One 3" storz x (2) 3" storz siamese BVRV	IATS	\$	1,406
One (1) 52" Pinch Bar Straight w/ mounts	IATS	\$	84

One (1) 36" gooseneck wrecking bar w/ mount	IATS	\$	84
One (1) 6' pike poles w/ D handles and mounts	IATS	\$	100
One (1) garden fork w/ D handles	IATS	\$	50
HK Porter 42" Bolt cutters 9/16" jaw	IATS	\$	195
NY-4' New York style hook	IATS	\$	74
Hot Stick wire cutters and (2) pair lineman's gloves	IATS	\$	966
Gas shut-off key	IATS	\$	163
One (1) sprinkler shut-off	IATS	\$	36
One (1) nylon web life belts w/ pompier hooks	IATS	\$	202
Stihl MS460 Chain Saw	IATS	\$	1,451
Stihl MS 200T Chain Saw 12" chain bar	IATS	\$	720
Stihl TS 460 Cutquik	IATS	\$	1,650
Stihl TS 410 Cutquik	IATS	\$	1,290
One (1) Stihl MS460 Chain Saw & carbide chains	IATS	\$	990
One (1) TS800 w/ (2) carbide blades & (2) metal blades	IATS	\$	1,685
One (1) TS 400 w/ (2) carbide blades & (2) metal blades	IATS	\$	1,258
One (1) 18 volt Dewalt cordless hammer drill w/ (2) bat.	IATS	\$	490
One (1) Milwaukee 0235-21 drill set	IATS	\$	348
		\$	-
Elkhart Nozzle SM-20 FLP or equal	IATS	\$	525
Elkhart Stack Tips "FDNY Stack" ST-185A 1 or equal	IATS	\$	140
Elkhart Shutoff w/ & Grip B-275-GA 1 or equal	IATS	\$	322
Elkhart Shutoff w/ Discharge 15/16" & Grip B-275-GAT 1 or equal	IATS	\$	334
Elkhart 1.5" 4000-24 1 or equal	IATS	\$	429
Elkhart Smooth Bore Tip 7/8" 187A 1 or equal	IATS	\$	55
Elkhart Stack Tips "Indy Stack" ST-185AIFD 1 or equal	IATS	\$	140
Red Head Brass 2.5" Line Gauge 155 1	IATS	\$	155
Elkhart 2.5" Nozzle 250 GPM @ 50PSI 4000-24 1 or equal	IATS	\$	429
Elkhart 1.5" Nozzle 175 GPM @ 75PSI 4000-16 1 or equal	IATS	\$	541
Akron Mercury with 2-1/2" Inlet 3443 1 or equal	IATS	\$	2,413
Tips for Akron Mercury 2420 or equal	IATS	\$	277
LDH HOSE Storz 5" x 100' rubber	IATS	\$	583
LDH HOSE Storz 5" x 100' dbl jacket	IATS	\$	660
LDH HOSE Storz 5" x 50 rubber	IATS	\$	362
LDH HOSE Storz 5" x 50 dbl jacket	IATS	\$	408
LDH HOSE Storz 5" x 25' rubber	IATS	\$	260
LDH HOSE Storz 5" x 25' dbl jacket	IATS	\$	281
LDH Hose 5" with 4" CHT x 15' rubber	IATS	\$	374
LDH Hose 5" with 4" CHT x 15' dbl jacket	IATS	\$	397
Dura 3" with 2.5" NST x 100'	IATS	\$	341
Dura 3" with 2.5" NST x 25'	IATS	\$	150
Ponn Conquest 2.5" x 100' Snap-Tite 5	IATS	\$	597
DJ 800 PSI High Pressure 2.5"x 100'	IATS	\$	400
2" x 100' hose	IATS	\$	268
1.75" x 50' hose	IATS	\$	121
1.5" x 100' hose rubber	IATS	\$	262
1.5" x 100' hose dbl jacket	IATS	\$	191
2.5" x 100' Lightweight Single Jacket Hose	IATS	\$	216
2.5" x 50' Lightweight Single jacket Hose	IATS	\$	135
5" Storz Mounting Plate	IATS	\$	53
EZ Lok Nozzle Holder 2.5" 373	IATS	\$	95

EZ Lok Nozzle Holder 1.5" 373

IATS

\$
\$
\$
\$
\$
\$

95
-
-
-
-
-