epoke north america inc.
efficient. environmental. excellence.

"EXIHIBIT 1"

Epoke Price List : Ohio State Term Schedule Renewal

Epoke Bulk Spreaders

Epoke Towed Spreaders

Pricing in Effect From Dates Indicated on Each Model Price List

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4. Phone: (613) 839-2300 Fax: (613) 839-2336 In Watts: 1-888-334-2464

EPOKE S3800 SIRIUS AST

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke S3800 Sirius AST road speed related truck mounted spreader (driven by truck mounted hydraulic system) with the following standard features and included options:

38XX	stainless steel agitator with replaceable steel spring fingers
38XX	stainless steel delivery roller with 8mm steel cams
38XX	soft rubber base & standard spring base and spring base adjustment
38XX	conveyor belt
38XX	galvanized feed funnel and inspection ladder
38XX	central placed grease points
608286	hydraulic fittings JIC – 12 pressure & return- Dealer to supply hydraulic hoses
606162	large distribution box with RS232
608362	EpoMaster III controller with RS232 & card reader
438685	ground speed adapter
425400	spout, stainless steel
609026/27	wiring only for work light and wiring and beacon stems for two beacons- lights to be Dealer supplied & installed
608748	attachment eyes in top of hopper
608569	hydraulic pressure gauge in machine house
608082	neutral gear
608XXX	liquid system including side tanks
608069	5 – 30% variable prewetting system
605605	shut off valve
608740	stainless steel liquid spout
38XX	safety grate 4" X 4" with 8 degree slope

Epoke S3800 Sirius AST **SMALL** hopper equipped as above with 2 X 245 gallon side tanks- select one of the following hopper options:

3830 SMALL 3m3 (4.0 cubic yard) ..... $ 64,325.00

3831 SMALL 3m3 + 1m3 (5.2 cubic yard) add ..... $ 1,640.00
3832 SMALL 3m3 + 2m3 (6.5 cubic yard) add ..... $ 1,980.00

Epoke S3800 Sirius AST **MEDIUM** hopper equipped as above with 2 X 310 gallon side tanks- select one of the following hopper options:

3840 MEDIUM 4m3 (5.2 cubic yard) ..... $ 67,745.00

3850 MEDIUM 4m3 + 1m3 (6.5 cubic yard) add ..... $ 1,640.00
3851 MEDIUM 4m3 + 2m3 (7.8 cubic yard) add ..... $ 1,980.00
3852 MEDIUM 4m3 + 3m3 (9.1 cubic yard) add ..... $ 2,320.00

Epoke S3800 Sirius AST **LARGE** hopper equipped as above with 2 X 405 gallon side tank- select one of the following hopper options:

3860 LARGE 6m3 (7.8 cubic yard) $70,475.00

3870 LARGE 6m3 + 1m3 (9.1 cubic yard) add ..... $ 1,640.00
3871 LARGE 6m3 + 2m3 (10.4 cubic yard) add ..... $ 1,980.00
3872 LARGE 6m3 + 3m3 (11.7 cubic yard) add ..... $ 2,320.00

EPOKE S3800 SIRIUS AST

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Select one of the following chute arrangements:

608272	Short chute arrangement for truck bed height 1072 - 1377 mm (42" to 54")
608271	Long chute arrangement for truck bed height 1415 – 1770 mm (55" to 70")

Paint: Spreaders are painted standard Epoke RAL 2011 orange. Other RAL colors are available at a Dealer net cost of $ 1,365.00 per order. This cost is for cleaning and changeover and is a total net *per order* for one or multiple spreaders that are ordered at the same time.

Options:

Liquid System Options:

608193 Front tank 265 gallon ..... $ 4,390.00

604174 Liquid level indicator ..... $ 495.00

608186 Auto-stop of liquid filling ..... $ 345.00

38XX Leg system (includes the following): ..... $ 5,940.00
608062 17 ton brackets; 608243 rubber protection bars on subframe; 608648 side marker/ flag; 608664 spring assist for rear legs; 608682 short console frame for front roller; 603992 multiplug kit; 38XX lateral guides

38XX Folding cover ..... $ 2,965.00

608748 'D' ring tie down kit- Dealer installed for 4 points at top corner of hopper/extension ..... $ 275.00

605423 Electric symmetry ..... $ 1,060.00

608134 Level indicator for dry material ..... $ 495.00

38XX Spring base quick release ..... $ 985.00

607768 EpoTector ..... $ 1,725.00

604577 Air temperature sensor ..... $ 390.00

603320 Proximity sensor for two plows ..... $ 780.00

EPOKE S4900/ 4902 SIRIUS COMBI AST

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke S4900 Sirius Combi AST road speed related truck mounted spreader (driven by truck mounted hydraulic system) with the following standard features and included options:

49XX	stainless steel agitator with replaceable steel spring fingers
49XX	stainless steel delivery roller with 8mm steel cams
49XX	soft rubber base & standard spring base and spring base adjustment
49XX	conveyor belt
49XX	galvanized feed funnel and inspection ladder
49XX	central grease bank
608953	hydraulic fittings JIC – 12 pressure & return- Dealer to supply hydraulic hoses
606162	large distribution box
608362	EpoMaster III controller with RS232 & card reader
438685	ground speed adapter
609026/27	wiring only for work light and wiring and beacon stems for two beacons- lights to be Dealer supplied & installed
608748	attachment eyes in top of hopper
608765	hydraulic pressure gauge in machine house
608082	neutral gear
608XXX	auto stop fill, liquid level indicator and camlock coupling for liquid pump off
49XX	safety grate 4" X 4" with 8 degree slope

Epoke S4900 Sirius Combi AST **SMALL** hopper equipped as above with 2 X 245 gallon side tanks and 460 gallon front tank (950 gallons total)- select one of the following hopper options:

4910 SMALL 4m3 (5.2 cubic yard) ..... $ 78,800.00
4910 SMALL 4m3 + 1m3 (6.5 cubic yard) add ..... $ 1,640.00

Epoke S4900 Sirius Combi AST **MEDIUM** hopper equipped as above with 2 X 310 gallon side tanks and 460 gallon front tank (1,080 gallons total)- select one of the following hopper options:

4914 MEDIUM 6m3 (7.8 cubic yard) ..... $ 80,170.00
4914 MEDIUM 6m3 + 1m3 (9.1 cubic yard) add ..... $ 1,640.00

Select one of the following chute arrangements:

608774	Short chute arrangement for truck bed height 1072 - 1377 mm (42" to 54")
608773	Long chute arrangement for truck bed height 1415 – 1770 mm (55" to 70")

Paint: Spreaders are painted standard Epoke RAL 2011 orange. Other RAL colors are available at a Dealer net cost of $ 1,365.00 per order. This cost is for cleaning and changeover and is a total net *per order*- for one or multiple spreaders that are ordered at the same time.

EPOKE S4900/ 4902 SIRIUS COMBI AST

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Options:

External Front Tanks- in lieu of standard 460 gallon front tank:
608844 660 gallon ..... $ 2,070.00
608845 1,320 gallon ..... $ 6,205.00
608846 1,980 gallon available on **SMALL** hopper only ..... $ 24,820.00

49XX Leg system (includes the following): ..... $ 6,980.00
608062 17 ton brackets; 608243 rubber protection bars on subframe; 608648 side marker/ flag; 608664 spring assist for rear legs; 608682 short console frame for front roller; 603992 multiplug kit; 49XX lateral guides

49XX Folding cover ..... $ 2,965.00

608748 'D' ring tie down kit- Dealer installed for 4 points at top corner of hopper/extension ..... $ 275.00

605423 Electric symmetry ..... $ 1,060.00

608134 Level indicator for dry material ..... $ 495.00

49XX Spring base quick release ..... $ 985.00

607768 EpoTector ..... $ 1,725.00

604577 Air temperature sensor ..... $ 390.00

603320 Proximity sensor for two plows ..... $ 780.00

4902 High Speed Combi includes the following features and operating specifications ..... $ 11,800.00

- 3800 spinner disc (in lieu of 4900 spinner disc) and 3 cylinder, 115 cc liquid pump
- a second 6 cylinder, 280cc liquid pump for straight liquid application
- 1.2 m (4') spray boom
- 11 Spratronic Nozzles (3 center deflector type nozzles; 4 left & 4 right pencil nozzles)
- liquid spray widths of 3 to 11 m (10' to 36') in 1m (3') increments
- liquid application rates of up to 75 gallons/minute speeds up to 55 mph

epoke north america inc.
efficient. environmental. excellence.

S3500 SIRIUS 2T

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke S3500 2T Sirius ground speed related truck mounted spreader with twin spreading discs and equipped with the following standard features and included options:

36XX	standard agitator
36XX	soft rubber base
36XX	spring base and spring base adjustment
36XX	conveyor belt
36XX	inspection ladder
36XX	guides, lateral with rails
36XX	RAL1023 traffic yellow
605924	transmission for variable prewetting (includes 606692 external neutral gear)
605608	hydraulic fittings- ¾" pressure, 1" return- Dealer to supply hydraulic hoses
36XX	delivery roller with 6 mm (0.24") rails
36XX	flat grate, 100 mm X 100 mm (4" X 4")
36XX	grey folding cover
603992	multiplug through cab kit includes wiring and sealed quick couplers
606162	distribution box with electronic speed adapter/ pulse divider for road speed sensing
606323	variable prewetting plant- 7% to 30%
606010	auto stop of liquid refilling
605605	shut off valve
606351	EpoMaster III with external card reader and RS232
606692	external neutral gear

3663 Epoke S3500 2T-**24M** (78.75') Sirius spreader 3m3 (4.0 cu. Yard) hopper as above and including 2 X 630L (2 X 165 gallon) liquid tanks
Retail Price ..... $ 96,425.00

3664 Epoke S3500 2T-**24M** (78.75') Sirius spreader 4m3 (5.25 cu. Yard) hopper as above and including 2 X 915L (2 X 240 gallon) liquid tanks
Retail Price ..... $ 96,425.00

3665 Epoke S3500 2T-**24M** (78.75') Sirius spreader 5m3 (6.5 cu. Yard) hopper as above and including 2 X 915L (2 X 240 gallon) liquid tanks
Retail Price ..... $ 97,440.00

epoke north america inc.
efficient. environmental. excellence.

S3500 SIRIUS 2T

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

3666 Epoke S3500 2T-**24M** (78.75') Sirius spreader 6m3 (8.0 cu. Yard) hopper as above and including 2 X 1100L (2 X 290 gallon) liquid tanks
Retail Price ..... $ 99,470.00

3667 Epoke S3500 2T-**24M** (78.75') Sirius spreader 7m3 (9.25 cu. Yard) hopper as above and including 2 X 1100L (2 X 290 gallon) liquid tanks
Retail Price ..... $ 100,495.00

Options:

36XX 1 meter (1.3 cu. Yard) hopper extension ..... $ 1,640.00

36XX 2 meter (2.6 cu. Yard) hopper extension ..... $ 1,980.00

607730 'D' ring tie down kit- Dealer installed for 4 points at top corner of hopper/extension..... $ 275.00

605436/605427/603418/605428 lighting package with work light and two rotating beacons ..... $ 620.00

605426/605542 level indicators for dry material and liquid ..... $ 990.00

605430 GPS receiver including antenna ..... $ 1,695.00

605993 EpoTector for 2T ..... $ 1,725.00

603320 proximity sensor for two plows..... $ 780.00

36XX leg system includes front mounted roller ..... $ 5,940.00

36XX central greasing system..... $ 1,090.00

Paint:
Airport spreaders are painted standard Epoke RAL 1023 airport yellow. Other RAL colors are available at a net cost of $ 1,380.00 per order. This cost is for cleaning and changeover and is a total net *per order* for one or multiple spreaders that are ordered at the same time.

EPOKE IGLOO

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke Igloo truck mounted spreader (driven by truck mounted hydraulic system) with the following standard features and included options:

2XXX	standard profiled conveyor belt
2XXX	SH- operation by vehicle hydraulics- Dealer to supply hydraulic hoses
2XXX	spreading disc
606161	standard distribution box
2XXX	standard controller: EpoSet for 2300; EpoBasic for 2400 only
438685	ground speed adapter (2400 only)
600XXX	wiring only for work light and one beacon- lights to be Dealer supplied & installed
605663	manual spread symmetry (electric symmetry option available on S2400- see below)

Epoke Igloo S2300 (NOT road speed related) spreader equipped as above- select one of the following hopper options:

2470 0.8m3 (1.0 cubic yard)..... $ 24,650.00
605106 0.15m3 (0.2 cubic yard) hopper extension for above..... $ 635.00
605107 0.3m3 (0.4 cubic yard) hopper extension for above..... $ 750.00

2471 1.1m3 (1.4 cubic yard)..... $ 26,255.00
608019 0.3m3 (0.4 cubic yard) hopper extension for above..... $ 840.00
605108 0.5m3 (0.65 cubic yard) hopper extension for above..... $ 915.00

2472 1.4m3 (1.8 cubic yard)..... $ 27,865.00
606491 0.2m3 (0.25 cubic yard) hopper extension for above..... $ 860.00
605109 0.6m3 (0.8 cubic yard) hopper extension for above..... $ 970.00

Epoke Igloo S2400 (road speed related) spreader equipped as above- select one of the following hopper options:

2490 0.8m3 (1.0 cubic yard)..... $ 34,620.00
605106 0.15m3 (0.2 cubic yard) hopper extension for above..... $ 635.00
605107 0.3m3 (0.4 cubic yard) hopper extension for above..... $ 750.00

2491 1.1m3 (1.4 cubic yard)..... $ 36,225.00
608019 0.3m3 (0.4 cubic yard) hopper extension for above..... $ 840.00
605108 0.5m3 (0.65 cubic yard) hopper extension for above..... $ 915.00

2492 1.4m3 (1.8 cubic yard)..... $ 37,840.00
606491 0.2m3 (0.25 cubic yard) hopper extension for above..... $ 860.00
605109 0.6m3 (0.8 cubic yard) hopper extension for above..... $ 970.00

Select one of the following chute arrangements:

249X	Short chute arrangement for truck bed height 700 - 800 mm (27.5" to 31.5")
249X	Medium chute arrangement for truck bed height 850 – 1200 mm (33.5" to 47")
249X	Long chute arrangement for truck bed height 1100 – 1500 mm (43.5" to 59")

EPOKE IGLOO

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Paint: Spreaders are painted standard Epoke RAL 2011 orange. Other RAL colors are available at a Dealer net cost of $ 1,365.00 per order. This cost is for cleaning and changeover and is a total net *per order*- for one or multiple spreaders that are ordered at the same time.

Options:

Liquid System- select one of the following: ..... $ 9,795.00
24XX Igloo 0.8m3 includes 2 X 170L (2 X 45 gallon) side tanks
24XX Igloo 1.1m3 includes 4 X 114L (4 X 30 gallon) side tanks
24XX Igloo 1.4m3includes 2 X 170L & 2 X 114L (2 X 45 gallon & 2 X 30 gallon) side tanks
Each of the above include 606XXX prewetting system fixed at 30% & 605038 shut off valve
604175 Liquid level indicator ..... $ 495.00
608186 Auto-stop of liquid filling ..... $ 345.00

24XX Support leg system- long, side mounted (width is 2670 mm/ 8'9") ..... $ 3,200.00

24XX Safety Grate 50mm X 50mm (2" X 2") flat ..... $ 995.00

24XX Folding cover ..... $ 2,310.00

608362 EpoMaster III with RS232 & card reader (available on S2400 only) ..... $ 3,690.00

606162 Large Distribution box with RS232 (available on S2400 only) ..... $ 885.00

605298 Electric symmetry (available on S2400 only) ..... $ 1,295.00

604577 Air temperature sensor (available on S2400 with EpoMaster III & large distribution box only) ..... $ 390.00

603320 Proximity sensor for two plows (available on S2400 with EpoMaster III & large distribution box only) $ 780.00

249X Engine/ hydraulic power (available on S2300 only) 5.5 HP Honda gas engine with manual start ..... $ 3,505.00

249X Engine/ hydraulic power (available on S2400 only) 9.0 HP Honda gas engine controlled by EpoBasic/ EpoMaster ..... $ 5,250.00

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4. Phone: (613) 838-2300 Fax: (613) 838-2336 In Watts: 1-888-334-2464

EPOKE VIRTUS AST LIQUID SPREADER

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke Virtus AST road speed related truck mounted high speed liquid spreader (driven by truck mounted hydraulic system) with the following standard features and included options:

24XX	3 X 6 cylinder 280cc liquid pumps
24XX	11 Spratronic Nozzles- 3 centre deflector type nozzles and 4 left & right pencil nozzles on 2.5 meter (8') boom
608286	hydraulic fittings JIC – 12 pressure & return- Dealer to supply hydraulic hoses
606161	standard distribution box
608362	EpoMaster III controller with RS232 & card reader
438685	ground speed adapter
609026/27	wiring only for work light and wiring and beacon stems for two beacons- lights to be Dealer supplied & installed

Epoke Virtus 'AST KIT' equipped as above (without machine house) for installation & connection to locally sourced tank and frame.....$ 47,870.00

Epoke Virtus AST High Speed Liquid Spreader equipped as above with a subframe, machine house and modular frame & liquid tank system- select one of the following liquid hopper options:
2432 7500L (1,980 gallon).....$ 94,105.00
2433 10000L (2,640 gallon).....$ 98,480.00
2434 12500L (3,300 gallon).....$ 102,855.00
2435 15000L (4,000 gallon).....$ 107,230.00

Paint: Spreaders are painted standard Epoke RAL 2011 orange. Other RAL colors are available at a Dealer net cost of $ 1,365.00 per order. This cost is for cleaning and changeover and is a total net *per order*- for one or multiple spreaders that are ordered at the same time.

Options:

608422 Liquid empty sensor.....$ 495.00

608423 Auto-stop of liquid filling.....$ 345.00

24XX Leg System with side rollers (includes the following).....$ 5,940.00
608062 17 ton brackets; 608243 rubber protection bars on subframe; 608648 side marker/ flag; 608664 spring assist for rear legs; 608682 short console frame for front roller & 603992 multiplug kit
24XX Lateral Guides in lieu of side rollers.....$ 2,095.00

608748 'D' ring tie down kit- Dealer installed for 4 points at top corner of hopper/extension.....$ 275.00

606162 Large Distribution box with RS232.....$ 885.00

604577 Air temperature sensor.....$ 390.00

603320 Proximity sensor for two plows.....$ 780.00

608745/ 608285 Wheel drive system with accumulator for auto lift of wheel by S/S.....$ 9,630.00

608241/ 608146 Diesel engine/ hydraulic pump with fuel level indicator.....$ 16,965.00

607000 Street Flusher option includes separate pump front mounted boom and nozzles.....$ 20,685.00

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4. Phone: (613) 838-2700 Fax: (613) 838-2336 In Waits: 1-888-334-2464

EPOSAT
GPS Controlled Spreading With Route Navigation

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Eposat GPS controlled automated spreading system with route navigation consists of two components- EpoSat office software package and an EpoSat hardware package to be installed on each spreader.

EpoSat Office Software Package

EpoSat office software package for installation on customer's PC:

- Includes a digital map displaying roads, road names, cities, forests, watercourses etc.
- Includes Omni Drive card reader and one EpoCard for reference route recording
- Includes 1 year license for EpoSat and digital mapping software
- PC requirements for EpoSat software installation: Pentium 4; Processor minimum 2.0 GHz (recommended 2.8 GHz); 256MB RAM; DVD Drive; 1 GB free space on hard drive; Color screen- 1024*768 resolution; Software: Windows 2000 or newer

606749 EpoSat office software package equipped as above for up to 50 spreaders/ 1 installation
Retail Price ..... $ 15,700.00 each

606913 EpoSat office software package equipped as above for up to 100 spreaders/ 2 installations
Retail Price ..... $ 14,370.00 each

606914 EpoSat office software package equipped as above for up to 150 spreaders/ 3 installations
Retail Price ..... $ 13,065.00 each

606915 EpoSat office software package equipped as above for up to 200 spreaders/ 4 installations
Retail Price ..... $ 11,765.00 each

606916 EpoSat office software package equipped as above for over 200 spreaders/ 5 installations (or more)
Retail Price ..... $ 10,465.00 each

Optional Office Software Updates:
607806 annual (autumn release) update license for EpoSat software and digital map ..... $ 4,055.00
607807 (if annual subscriptions are not purchased) update license for EpoSat software and digital map..... $ 11,255.00

EpoSat Hardware Package

EpoSat hardware package for installation on each spreader- spreader must be equipped with PWM hydraulic system and EpoMaster III with card reader. Kit includes: active GPS antenna kit, EpoSat GPS print, in cab route navigation box and installation when factory ordered on new spreaders.
Dealer installed on exiting spreaders- Dealer to quote labor for installation

600 # Varies by Model and Factory or Field Install- Contact ENAI for Ordering Information
EpoSat spreader hardware package
Retail Price ..... $ 7,990.00 each

EpoSat Simulator Kit

EpoSat simulator kit for route set up and adjustment. Kit includes: active GPS antenna; distribution and white box with EpoSat GPS print; PWM and CPU boards; plug for 12 volt power point. EpoMaster III controller is required- but is not included
607767 EpoSat simulator kit ..... $ 4,490.00

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4 Phone: (613) 838-2360 Fax: (613) 838-2336 In Watts: 1-888-334-2464

EPOKE CITY SPRAYER- TRACTOR MODEL

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke City Sprayer road speed related 3 point hitch tractor mounted liquid sprayer (driven by tractor PTO or tractor hydraulics) with the following standard features and included options:

8500144X	2 cylinder diaphragm pump
8500144X	steel frame for liquid tank and enclosed machine house
8500144X	fill nozzle
8500144X	liquid level indicator
8500144X	City Sprayer controller
438685	ground speed adapter
8500144X	350L (90 gallon) integrated tank
8500144X	support legs

Epoke City Sprayer equipped as above- select one of the following options:

85001444 PTO driven from tractor ..... $ 25,705.00

85001493 Hydraulic driven from tractor ..... $ 27,005.00

Select one of the following spray bar options (included in base price above):

85001471	1m spray boom with a total spray width of 3m with fan nozzles
85001472	1m spray boom with a total spray width of 3m with jet nozzles

Paint: City Sprayers are painted standard Epoke RAL 2011 orange. Other RAL colors are available at a Dealer net cost of $ 1,365.00 per order. This cost is for cleaning and changeover and is a total net *per order*- for one or multiple spreaders that are ordered at the same time.

Options:

609013 Auto-stop of liquid filling ..... $ 345.00

85000105 Hose drum with hand wand- 12m ..... $ 1,655.00

8500627 Flower watering kit with 3m hose ..... $ 1,070.00

EPOKE CITY SPRAYER- TRUCK BED MODEL

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke City Sprayer road speed related truck mounted liquid sprayer (driven by truck mounted hydraulic system) with the following standard features and included options:

8500148X	3 cylinder diaphragm pump
8500148X	steel frame for liquid tank(s) and enclosed machine house
8500148X	fill nozzle
8500148X	liquid level indicator
8500148X	City Sprayer controller
438685	ground speed adapter

Epoke City Sprayer equipped as above- select one of the following options:

85001483 Without tank ..... $ 29,965.00
85001484 With 700L (185 gallon) integrated tank ..... $ 31,800.00
85001485 With 1050L (280 gallon) integrated tanks ..... $ 34,855.00
85001486 With 1400L (370 gallon) integrated tanks $38,525.00
85001487 With 2200L (580 gallon) integrated tanks ..... $ 43,215.00

Select one of the following drive systems (included in base price above):
85000109 Hydraulic valve/ control package- hydraulic flow to be provided from truck **OR**
85000997 Briggs & Stratton Vanguard 6.5 HP Gas engine/ hydraulic package & Stratton with manual start

Select one of the following spray bar options (included in base price above):

85001473	1m spray boom with a total spray width of 3m
85001475	1.3m spray boom with a total spray width of 3.3m
85001476	1.75m spray boom with a total spray width of 3.75m

Paint: City Sprayers are painted standard Epoke RAL 2011 orange. Other RAL colors are available at a Dealer net cost of $ 1,365.00 per order. This cost is for cleaning and changeover and is a total net *per order*- for one or multiple spreaders that are ordered at the same time.

Options:
85000998 Electric start of gas engine from remote control ..... $ 4,750.00
609013 Auto-stop of liquid filling ..... $ 345.00
85000105 Hose drum with hand wand- 12m ..... $ 1,655.00
8500627 Flower watering kit with 3m hose ..... $ 1,070.00
85000134 Giant Nozzles- 2m spreading width on each side of standard booms above ..... $ 2,810.00
604631 Support Legs- long, side mounted (width is 2270mm/ 7'5") ..... $ 3,200.00

Hopper size - liter	Weight - empty	Weight - full	Width, mm	Length, mm	Height, mm
Without Tank	210 kg	N/A	1250	600	1010
700 liter	230 kg	1080 kg	1250	1300	1010
1050 liter	295 kg	1534 kg	1250	1700	1010
1400 liter	360 kg	2012 kg	1250	2100	1010
2200 liter	490 kg	2968 kg	1250	2900	1010

EPOMINI 5

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

EpoMini 5 manually operated road speed related spreader with the following standard features and included options:

1807 standard agitator
1807 rubber base
1807 spring base and spring base adjustment
1807 transmission
1807 delivery roller with 3mm cams
1807 pneumatic wheels

Retail Price.....$ 1,265.00

Technical Data:

Capacity:	50 liters	0.025 cubic yard
Total Width:	750 mm	29.5"
Spreading Width:	550 mm	22"
Weight:	30 kg	66 lbs

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A6. Phone: (613) 838-2300 Fax: (613) 838-2336 In Watts: 1-888-334-2464

EPOMINI 20

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

EpoMini 20 towed road speed related spreader with the following standard features and included options:

1821 standard agitator
1821 rubber base
1821 spring base and spring base adjustment
1821 transmission
1821 delivery roller with 3 mm double cams
1821 pneumatic wheels
1821 manually operated remote on/off

Retail Price.....$ 2,905.00

One of the following draw system options must also be selected:

600706 drawbar with 1 7/8" trailer ball coupling.....$ 470.00
600743 drawbar with 25 mm eye.....$ 265.00
600693 drawbar with 38mm eye.....$ 265.00
600744 drawbar with fork.....$ 265.00
600785 three point hitch bracket.....$ 625.00

Technical Data:

Capacity:	200 liters	0.26 cubic yard
Total Width:	1065 mm	42"
Spreading Width:	800 mm	31.5"
Weight:	75 kg	165 lbs

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4. Phone: (613) 838-2380 Fax: (613) 838-2336 In Watts: 1-888-334-2464

PM1.4

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke PM1.4 three-point hitch mounted, mechanically driven (by power take-off of tractor) spreader with the following standard features and included options:

3305	agitator
3305	safety grate
3305	standard rubber base
3305	spring base and spring base adjustment
432495	cardan shaft, 1 3/8" X 6 hub. Length = 310 mm (12")
604289	transmission, 540 RPM right
604295	delivery roller with 3 mm cams
604719	rubber edge for fine material

Retail Price.....$ 5,655.00

Options:
604292 hopper extension- 60 liter (0.08 cubic yard).....$ 550.00
605705 hopper extension- 140 liter (0.18 cubic yard).....$ 665.00

Technical Data:

Capacity:	140 liters	0.18 cubic yard
Total Width:	1091 mm	43"
Spreading Width:	1010 mm	40"
Weight:	91 kg	201 lbs

PMH1.4

JUNE 1, 2011
USA PRICING
FOB DESTINATION OHIO, ONT

Epoke PMH1.4 three-point hitch mounted, hydraulically driven (by tractor hydraulics at a flow rate of 10 – 40 liters/minute) spreader with the following standard features and included options:

3307	agitator
3307	safety grate
3307	standard rubber base
3307	spring base and spring base adjustment
604295	delivery roller with 3 mm cams
604719	rubber edge for fine material

Retail Price.....$ 4,745.00

Select one of the following transmissions:

604410	transmission 30 liter (8 gallons)
605729	transmission 15 liter (4 gallons)

Options:

604292 hopper extension- 60 liter (0.08 cubic yard).....$ 550.00
605705 hopper extension- 140 liter (0.18 cubic yard).....$ 665.00
Kubota bracket for rear mounting on 'F' series tractors.....$ 640.00

Technical Data:

Capacity:	140 liters	0.18 cubic yard
Total Width:	1091 mm	43"
Spreading Width:	1010 mm	40"
Weight:	85 kg	188 lbs

ITM 35

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke ITM 35 road speed related towed spreader with the following standard features and included options:

1501	standard rubber base
1501	spring base and spring base adjustment
1501	transmission
1501	pneumatic wheels
600584	agitator
604121	delivery roller with 5 mm double cams

Retail Price.....$ 5,105.00

One of the following draw system options must also be selected:
600019 reversible drawbar with 1 7/8" trailer ball coupler and 50 mm eye.....$ 560.00
601461 three point hitch mount.....$ 1,335.00

Options (available as kits for Dealer install):
600030 lights.....$ 640.00
600028 electric remote control.....$ 1,815.00
600029 electric remote control and lights.....$ 2,460.00
600776 support leg.....$ 200.00

Technical Data:

Capacity:	350 liters	½ cubic yard
Total Width:	1150 mm	45"
Track Gauge:	1028 mm	40.5"
Spreading Width:	780 mm	31"
Weight:	145 kg	320 lbs

ITM 45

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke ITM 45 road speed related towed spreader with the following standard features and included options:

1502	standard rubber base
1502	spring base and spring base adjustment
1502	pneumatic wheels
600962	transmission without reduction
600966	agitator
604087	delivery roller with 3 mm single cams

Retail Price ..... $ 7,635.00

One of the following draw system options must also be selected:
600019 reversible drawbar with 1 7/8" trailer ball coupler and 50 mm eye ..... $ 560.00
600024 lift truck fitting with support legs ..... $ 700.00
601189 three point hitch mount ..... $ 1,740.00

Options (available as kits for Dealer install):
600030 lights ..... $ 640.00
600028 electric remote control ..... $ 1,815.00
600029 electric remote control and lights ..... $ 2,460.00
600776 support leg ..... $ 200.00
605022 250L (1/3 cubic yard) hopper extension ..... $ 690.00

Technical Data:

Capacity:	450 liters	5/8 cubic yard
Total Width:	1435 mm	56.5"
Track Gauge:	1290 mm	51"
Spreading Width:	1010 mm	40"
Weight:	192 kg	423 lbs

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4 Phone: (613) 838-2388 Fax: (613) 838-2336 In Watts: 1-888-334-2464

ITM 60

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke ITM 60 road speed related towed spreader with the following standard features and included options:

1503	standard rubber base
1503	spring base and spring base adjustment
1503	pneumatic wheels
600962	transmission without reduction
604131	delivery roller with 3 mm single cams
605211	agitator

Retail Price ..... $ 7,660.00

One of the following draw system options must also be selected:
600019 reversible drawbar with 1 7/8" trailer ball coupler and 50 mm eye ..... $ 560.00
600024 lift truck fitting with support legs ..... $ 700.00
601189 three point hitch mounting ..... $ 1,740.00

Options (available as kits for Dealer install):
600044 lights ..... $ 640.00
600028 electric remote control ..... $ 1,815.00
600043 electric remote control and lights ..... $ 2,460.00
600776 support leg ..... $ 200.00

Technical Data:

Capacity:	600 liters	3/4 cubic yard
Total Width:	1895 mm	75"
Track Gauge:	1730 mm	68"
Spreading Width:	1460 mm	57.5"
Weight:	220 kg	485 lbs

2458 Huntley Road, Smiths Falls, Ontario, Canada K7S 1A4 Phone: (613) 838-2388 Fax: (613) 838-2536 In Watts: 1-888-354-2464

SKE 8

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke SKE 8 road speed related towed spreader with the following standard features and included options:

1001	spring base and spring base adjustment
1001	transmission
200591	76 mm draweye
600219	agitator
600220	rubber base for salt
600224	solid support wheel
600969	24% reduction
601740	lights
601938	electric remote
604314	delivery roller with 8 mm double cams
606612	6.00 X 9 12 ply tires

Retail Price ..... $ 16,320.00

Select one of the following drawbars:

600225	685 mm (27") drawbar
600226	1085 mm (43") drawbar

Options:
600231 second agitator shaft (Parts kit- Dealer Installed) ..... $ 1,725.00

City Combi Liquid System (factory installed or as a kit to be retrofitted to existing SKE8's)
360 Liter (95 gallon) liquid tanks
Road speed related: 0- 20 km/h
Dry material, pre- wet material and straight liquid application capable

Retail Price ..... $ 7,985.00

Technical Data:

Capacity:	750 liters	1.00 cubic yard
Total Width:	1285 mm	50.6"
Track Gauge:	790 mm	31"
Spreading Width (both dry & liquid):	1008 mm	40"
Weight:	400 kg	880 lbs

SKE 15

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke SKE 15 road speed related towed spreader with the following standard features and included options:

1004	spring base and spring base adjustment
1004	transmission
1004	solid support wheel
200591	76 mm draweye
600154	rubber base for salt
600261	one-sided transmission
600267	24% reduction
601746	lights
601938	electric remote
601993	agitator
604336	delivery roller with 7 rows 3 mm single cams
605229	7.50 X 10 14 ply tires

Retail Price.....$ 21,725.00

Options:
600406 0.5m3 (0.65 cubic yard) hopper extension.....$ 715.00

Technical Data:

Capacity:	1.25 cubic meters	1.64 cubic yard
Total Width:	1665 mm	65.5"
Track Gauge:	1000 mm	31"
Spreading Width:	1390 mm	55"
Weight:	600 kg	1,323 lbs

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4 Phone: (613) 838-2388 Fax: (613) 838-2336 In Watts: 1-888-334-2464

SKE 20

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke SKE 20 road speed related towed spreader with the following standard features and included options:

1005	spring base and spring base adjustment
1005	transmission
1005	solid support wheel
200591	76 mm draweye
600088	rubber base for salt
600261	one-sided transmission
600267	24% reduction
601750	lights
601938	electric remote
601994	agitator
604357	delivery roller with 7 rows 3 mm single cams
605229	7.50 X 10 14 ply tires

Retail Price.....$ 23,495.00

Technical Data:

Capacity:	1.65 cubic meters	2.16 cubic yard
Total Width:	2195 mm	86.4"
Track Gauge:	1530 mm	60"
Spreading Width:	1918 mm	75.5"
Weight:	720 kg	1,588 lbs

PSL 6.5

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke PSL 6.5 three-point hitch mounted, hydraulically driven (by tractor hydraulic system) self loading spreader with the following standard features and included options:

3330	spring base and spring base adjustment
601664	delivery roller for cams
406985	5 mm cams
601646	rubber base for salt
439204	hydraulic system (without remote control) for double hydraulic connection to tractor

Retail Price.....$ 11,035.00

Technical Data:

Capacity:	600 liters	¾ cubic yard
Total Width:	1980 mm	78"
Spreading Width:	1770 mm	70"
Weight:	315 kg	695 lbs

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4. Phone: (613) 838-2300 Fax: (613) 838-2356 In Watts: 1-888-334-2464

TMK10-275

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke TMK10-275 road speed related towed spreader with the following standard features and included options:

1405	spring base and spring base adjustment
600129	76 mm draweye
600138	guide chains, standard
600142	rubber apron
600280	rubber base for sand
600296	agitator
600878	rubber front edges, low
601754	lights
601938	electric remote
604066	delivery roller with 5 mm double cams
604084	transmission with agitator
606612	6.00 X 9 12S tires

Retail Price.....$ 18,260.00

Options:
601592 Hopper Empty Sensor.....$ 435.00
600273 Lift Truck Bracket.....$ 870.00

Technical Data:

Capacity:	1.00 cubic meters	1.31 cubic yard
Total Width:	2750 mm	108.3"
Inside Hopper Width	2700 mm	106.3"
Track Gauge:	2332 mm	91.8"
Spreading Width:	2000 mm	78.8"
Weight:	400 kg	882 lbs

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4. Phone: (613) 838-2300 Fax: (613) 838-2336 In Watts: 1-888-334-2464

TKB12-280

JUNE 1, 2011
USA PRICING
FOB DESTINATION, OHIO

Epoke TKB12-280 road speed related towed spreader (spreads when driving forwards and backwards) with the following standard features and included options:

1108	transmission with 38% reduction
1108	spring base and spring base adjustment
1108	agitator
439226	rubber base for salt
600129	76 mm draweye
600878	rubber front edges, low
607741	guide chains, standard (2196 mm)
607994	rubber apron
607923	lights
601938	electric remote
603909	delivery roller with 3 mm double cams
606612	6.00 X 9 12 ply tires
603913	support wheel- solid

Retail Price.....$ 21,310.00

Options:
601592 Hopper Empty Sensor.....$ 435.00

Technical Data:

Capacity:	1.2 cubic meters	1.57 cubic yard
Total Width:	2800 mm	110.2"
Inside Hopper Width	2770 mm	109.1"
Track Gauge:	1800 mm	70.9"
Spreading Width:	2500 mm	98.4"
Weight:	710 kg	1,565 lbs

2458 Huntley Road, Stittsville, Ontario, Canada K2S 1A4. Phone: (613) 858-2300 Fax: (613) 838-2336 In Watts: 1-888-334-2464