

2012 State of Ohio
 Department of Administrative Services
 State Term Schedule

	Contract #	Index # STS515		
Customer		Equipment Discount 10%		
Dealer	Jack Doheny Supplies Ohio	Attachments Discount 10%		
American Road Machinery				
	Model 1500 Trailer Mounted Leaf Loader			
	1500-2	\$	22,250.00	\$ -
	1503-2	\$	23,500.00	\$ -
				\$ -
Standard Features				
	Trailer mounted with 82HP Diesel engine; electronic throttle and digital engine gauges; 25" diameter 6-blade fan; adjustable swing away jack; over center direct drive clutch; swiveling boom hose support; pneumatic tires; springs; fenders; Convertible right or left 16" diameter x 10' rubber hose leaf pickup. Approximate weight 2,800lbs. (Model 1503-2 has same features as Model 1500-2, but with rear intake hose)			Standard
OPTIONS				
Quantity	Description		List Price	
	LED Strobe Warning Light	\$	585.00	\$ -
	Electric brakes	\$	550.00	\$ -
	Hinged auxiliary radiator screen	\$	550.00	\$ -
	90 Degree intake elbow/16" end	\$	840.00	\$ -
	Bolt-on hopper collar	\$	220.00	\$ -
	Paint other than white	\$	500.00	\$ -
	Hydraulic hose boom	\$	1,200.00	\$ -
	Quick disconnect (over-center clamp)	\$	425.00	\$ -
	Spare tire 7.00 - 15 8-ply rating	\$	275.00	\$ -
	Fluid Coupler in place of Over Center Clutch	\$	3,625.00	\$ -
	Leaf loader hopper 8 ft standard	\$	3,750.00	\$ -
	Leaf loader hopper 8 ft to 12 ft	\$	4,425.00	\$ -
	Hopper painted other than white	\$	550.00	\$ -
	Ford CSG649 6-cyl. Gas (118 HP)	\$	3,200.00	\$ -
	EPA Tier 4i - if applicable	\$	9,800.00	
				\$ -
	Sale Price	\$	-	
	Less STS 10% Discount		\$0.00	
	Total Sale Price		\$0.00	

2012 State of Ohio
Department of Administrative Services
State Term Schedule

	Contract #	Index # STS515	
Customer		Equipment Discount 10%	
Dealer	Jack Doheny Supplies Ohio	Attachments Discount 10%	
American Road Machinery			
	Model 2000 Leaf Loader		
	2000-1	\$ 24,500.00	\$ -
	Trailer-mounted with 82HP John Deere 5030TIII82 diesel engine; electronic throttle and digital engine gauges; 30" diameter 6-blade fan; adjustable swing away jack; over center direct drive clutch; hinged auxiliary radiator screen; swiveling boom hose support; pneumatic tires; springs; fenders; convertible right or left Rigid Metal Intake with Trip-Away and Return Action. Approximate weight 3,200lbs.		
	2000-2	\$ 24,750.00	\$ -
	Same as Model 2000-1 with the following exception: Convertible right or left 16" diameter x 10' heavy-duty rubber hose. Approximate weight 3,200lbs		
	2003-2	\$ 24,900.00	\$ -
	Same as Model 2000-2 with Rear Intake Hose		
	2000-3	\$ 24,750.00	\$ -
	Same as Model 2000-1 with the following exception: Combination Rigid Metal Intake and Rubber Hose Pickup with Flip-Type Damper Control.		
			\$ -
OPTIONS			
	Description	List Price	
	LED Stro warning light	\$ 585.00	\$ -
	Electric brakes	\$ 550.00	\$ -
	Hinged auxiliary radiator screen	\$ 550.00	\$ -
	90 Degree intake elbow/16" end	\$ 840.00	\$ -
	Bolt-on hopper collar	\$ 220.00	\$ -
	Paint other than white enamel	\$ 500.00	\$ -
	Hydraulic hose boom	\$ 1,200.00	\$ -
	Quick disconnect (over-center clamp)	\$ 425.00	\$ -
	Spare tire 7.00 - 15 8-ply rating	\$ 275.00	\$ -
	Fluid Coupler ILO Over Center Clutch	\$ 3,625.00	\$ -
	Leaf loader hopper 8 ft standard	\$ 3,750.00	\$ -
	Leaf loader hopper 8 ft to 12 ft	\$ 4,425.00	\$ -
	Hopper painted other than white	\$ 550.00	\$ -
	4-cyl Turbo (100 HP) - Diesel Engine	\$ 2,300.00	\$ -
	EPA Tier 4i - if applicable	\$ 9,800.00	\$ -

2012 State of Ohio
Department of Administrative Services
State Term Schedule

			\$ -
	Sale Price	\$ -	
	Less STS 10% Discount	\$0.00	
	Total Sale Price	\$0.00	

2012 State of Ohio
 Department of Administrative Services
 State Term Schedule

	Contract #	Index # STS515	
Customer		Equipment Discount 10%	
Dealer	Jack Doheny Supplies Ohio	Attachments Discount 10%	
American Road Machinery			
	17-Cubic Yard Leaf Collector		
	Trailer mounted	\$ 35,750.00	\$ -
	82HP John Deere 5030TIII82 5-cylinder turbo diesel engine; electronic throttle and digital engine gauges; 17 cubic yard hopper with 2-stage telescopic dump cylinder; 10'x16" heavy-duty rubber intake hose, 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6-blade fan; pneumatic tires; tandem axles; heavy-duty truck springs; electric brakes with safety breakaway; LED lighting, conspicuity tape, rear mount bumper. Approximate weight 5,275lbs.		
	Chassis Mounted	\$ 34,500.00	\$ -
	82HP John Deere 5030TIII82 5-cylinder turbo diesel engine; electronic throttle and digital engine gauges; 17 cubic yard hopper with 2-stage telescopic dump cylinder; 10'x16" heavy-duty rubber intake hose, 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6-blade fan; LED lighting, conspicuity tape. Approximate weight 5,000lbs.		
	Designed for Roll-off/Hook hoist	\$ 34,500.00	\$ -
	82HP John Deere 5030TIII82 5-cylinder turbo diesel engine; electronic throttle and digital engine gauges; 17 cubic yard hopper; 10'x16" heavy-duty rubber intake hose; 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6-blade fan; LED lighting, conspicuity tape. Mounted on either Hook Lift or Winch Load Under Frame. Approximate weight 4,800lbs. Required clear rail space: 208". Minimum cab-to-axle distance: 168". Minimum required chassis rating: Front axle - 7,000lbs / Rear axle - 18,000lbs		
			\$ -
OPTIONS			
Quantity	Description	List Price	
	Single LED strobe warning light (top hinged door only)	\$ 585.00	\$ -
	Dual top mounted LED strobe light package	\$ 725.00	
	Dual top and bottom (4) mounted LED strobe light package	\$ 850.00	

**2012 State of Ohio
Department of Administrative Services
State Term Schedule**

Hinged auxiliary radiator screen	\$	550.00	\$ -
Hinged hose adapter	\$	880.00	\$ -
Paint other than white	\$	815.00	\$ -
Spare tire & wheel 8.00 - 14.5 12 ply rating	\$	425.00	\$ -
Spare tire and Wheel 9.50-16.5 load range E	\$	425.00	\$ -
30" dia. Fan upgrade	\$	1,350.00	\$ -
Quick disconnect (over-center clamp)	\$	450.00	\$ -
Engine driven hyd. Hose boom	\$	2,600.00	\$ -
4-way Hydraulic hose boom with tethered joystick controller	\$	6,725.00	\$ -
4-way Hydraulic hose boom with wireless pendant controller	\$	6,650.00	\$ -
6-way Hydraulic hose boom with tethered joystick controller	\$	7,575.00	\$ -
6-way Hydraulic hose boom with wireless pendant controller	\$	7,900.00	\$ -
Mounting on customer chassis	\$	2,600.00	\$ -
Hydraulic jack stand	\$	1,450.00	\$ -
Top-mounted hood air deflector	\$	1,950.00	\$ -
Chipper rear door assembly on chassis mount only	\$	2,575.00	\$ -
Choice of single top-hinged rear door or dual side-hinged rear doors		N/C	
Heavy duty blower housing	\$	750.00	\$ -
Heavy duty blower liner	\$	550.00	\$ -
Fluid coupler drive (in lieu of clutch)	\$	3,625.00	\$ -
Large fuel tank	\$	325.00	\$ -
Arrow stick LED	\$	1,600.00	\$ -
LED Flashing lights	\$	475.00	\$ -
Boom work light	\$	525.00	\$ -
Hydraulic level sight gauge	\$	500.00	\$ -
99HP 4-cylinder turbo diesel	\$	4,620.00	\$ -
			\$ -
Sale Price	\$	-	
Less STS 10% Discount		\$0.00	
Total Sale Price		\$0.00	

2012 State of Ohio
 Department of Administrative Services
 State Term Schedule

	Contract #	Index # STS515	
Customer		Equipment Discount 10%	
Dealer	Jack Doheny Supplies Ohio	Attachments Discount 10%	
American Road Machinery			
	25-Cubic Yard Leaf Collector		
	Trailer mounted	\$ 38,500.00	\$ -
	82HP John Deere 5030TIII82 5-cylinder turbo diesel engine; electronic throttle and digital engine gauges; 25 cubic yard hopper with 3-stage telescopic dump cylinder; 10'x16" heavy-duty rubber intake hose, 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6-blade fan; pneumatic tires; 18,000lb dual tandem axles; heavy-duty truck springs; electric brakes with safety breakaway, LED lighting, conspicuity tape, rear-mount bumper. Approximate weight 8,840lbs.		
	<i>20,000lb Dual Tandem Axles (7.5x16 10-ply Tires)</i>	\$ 39,500.00	
	<i>24,000lb Dual Tandem Axles (7.5x16 10-ply Tires)</i>	\$ 41,250.00	
	Chassis Mounted	\$ 36,250.00	\$ -
	82HP John Deere 5030TIII82 5-cylinder turbo diesel engine; electronic throttle and digital engine gauges; 25 cubic yard hopper with 3-stage telescopic dump cylinder; 10'x16" heavy-duty rubber intake hose, 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6-blade fan. LED lighting, conspicuity tape. Approximate weight 7,240lbs. Minimum cab-to-axle distance: 173".		
	Designed for Roll-off/Hook hoist	\$ 36,250.00	\$ -
	Same as Chassis Mounted with the following differences: Mounted on either Hook Lift or Winch Load Under frame. Approximate weight 6,800lbs. Required clear rail space: 238". Minimum cab-to-axle distance: 203". Minimum required chassis rating: Front axle - 8,000lbs / Rear axle - 20,000lbs.		
			\$ -
OPTIONS			
Quantity	Description	List Price	
	Single LED strobe warning light (top-hinged door only)	\$ 585.00	\$ -
	Dual top-mounted LED strobe light package	\$ 725.00	\$ -
	Dual top and bottom (4) mounted LED strobe light packa	\$ 850.00	\$ -
	Hinged auxiliary radiator screen	\$ 550.00	\$ -
	Hinged hose adapter	\$ 880.00	\$ -
	Paint other than white	\$ 815.00	\$ -
	Spare tire & wheel 7.50 - 16.0 10-ply rating	\$ 425.00	\$ -
	Spare tire and Wheel 9.50-16.5 load range E	\$ 425.00	\$ -
	30" dia. Fan upgrade	\$ 1,350.00	\$ -

**2012 State of Ohio
Department of Administrative Services
State Term Schedule**

	Quick disconnect (over-center clamp)	\$	450.00	\$	-
	Engine driven hyd. Hose boom	\$	2,600.00	\$	-
	4-way Hydraulic hose boom with tethered joystick controller	\$	6,725.00	\$	-
	4-way Hydraulic hose boom with wireless pendant controller	\$	6,650.00	\$	-
	6-way Hydraulic hose boom with tethered joystick controller	\$	7,575.00	\$	-
	6-way Hydraulic hose boom with wireless pendant controller	\$	7,900.00	\$	-
	Mounting on customer chassis	\$	2,600.00	\$	-
	Hydraulic jack stand	\$	1,450.00	\$	-
	Top-mounted hood air deflector	\$	1,950.00	\$	-
	Chipper rear door assembly on chassis mount only	\$	2,575.00	\$	-
	Choice of single top-hinged rear door or dual side-hinged rear doors		N/C		
	Heavy duty blower housing	\$	750.00	\$	-
	Heavy duty blower liner	\$	550.00	\$	-
	Fluid coupler drive (in lieu of clutch)	\$	3,625.00	\$	-
	Large fuel tank	\$	325.00	\$	-
	Arrow stick LED	\$	1,600.00	\$	-
	LED Flashing lights	\$	475.00	\$	-
	Boom work light	\$	525.00	\$	-
	Hydraulic level sight gauge	\$	500.00	\$	-
				\$	-
	Sale Price	\$	-		
	Less STS 10% Discount		\$0.00		
	Total Sale Price		\$0.00		

2012 State of Ohio
Department of Administrative Services
State Term Schedule

	Contract #	Index # STS515	
Customer		Equipment Discount 10%	
Dealer	Jack Doheny Supplies Ohio	Attachments Discount 10%	
American Road Machinery			
	Model 30/30 Leaf Collector		
	Trailer mounted 4-cyl. John Deere (80 HP) diesel engine; safety gauges; tach/hour meter; 30" dia. 6-blade fan; 30-cubic yard hopper; intake hose; hydraulic 3-stage telescopic dump cylinder; power control to assist in hitching; pneumatic tires; tri-axles; heavy duty truck springs; hinged hose adapter; electric brakes w/safety break-away		
	Trailer Mounted	\$ 44,500.00	\$ -
	82 HP John Deere 5030TIII82 5 cylinder turbo diesel engine; electronic throttle and digital engine gauges; 30 cubic yard hopper with 3-stage telescopic dump cylinder; 10' x 16" heavy-duty rubber intake hose, 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 30" diameter 6-blade fan; pneumatic tires; 24,000lb dual tandem axles; heavy-duty truck springs; electric brakes with safety breakaway, LED lighting, conspicuity tape, rear-mount bumper. Approximate weight 10,500lbs		
	Chassis Mounted	\$ 43,000.00	\$ -
	82 HP John Deere 5030TIII82 5 cylinder turbo diesel engine; electronic throttle and digital engine gauges; 30 cubic yard hopper with 3-stage telescopic dump cylinder; 10'x16" heavy-duty rubber intake hose, 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 30" diameter 6-blade fan, LED lighting, conspicuity tape. Approximate weight 8,100lbs. Minimum cab-to-axle distance: 208"		
	Designed for Roll-off/Hook Hoist	\$ 43,000.00	\$ -
	82 HP John Deere 5030TIII82 5 cylinder turbo diesel engine; electronic throttle and digital engine gauges; 30 cubic yard hopper; 10'x16" heavy-duty rubber intake hose, 45-degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 30" diameter 6-blade fan, LED lighting, conspicuity tape. Mounted on either Hook Lift or Winch Load Under Frame. Approximate weight 8,100lbs. Required clear rail space: 248"; Minimum cab-to-axle distance: 228"; Minimum required chassis rating: Front axle - 9,000lbs / Rear axle - 22,000lbs		
			\$ -
OPTIONS			
Quantity	Description	List Price	
	Dual top-mounted LED strobe light package	\$ 725.00	\$ -
	Dual top and bottom (4) mounted LED strobe light pkg	\$ 850.00	\$ -
	Hinged hose adapter	\$ 880.00	\$ -
	Quick disconnect - over center clamp for intake hose	\$ 450.00	\$ -
	4-way Hydraulic hose boom with tethered joystick controller	\$ 6,725.00	\$ -
	4-way Hydraulic hose boom with wireless pendant controller	\$ 6,650.00	\$ -
	6-way Hydraulic hose boom with tethered joystick controller	\$ 7,575.00	\$ -
	6-way Hydraulic hose boom with wireless pendant controller	\$ 7,900.00	\$ -
	Mounting on customer chassis	\$ 2,600.00	\$ -
	Hydraulic jack stand	\$ 1,450.00	\$ -

**2012 State of Ohio
Department of Administrative Services
State Term Schedule**

Top-mounted hood air deflector	\$	1,950.00	\$ -
Chipper rear door assembly on chassis mount only (flat rear door)	\$	2,575.00	\$ -
Choice of single top-hinged rear door or dual side-hinged rear doors		N/C	\$ -
Hinged auxiliary radiator screen	\$	550.00	\$ -
Paint other than white enamel	\$	815.00	\$ -
Spare tire 7.50 - 16.0 10 ply rating	\$	425.00	\$ -
Engine driven hyd. Hose boom	\$	2,600.00	\$ -
99HP 4-cyl turbo diesel	\$	4,620.00	\$ -
Heavy duty blower housing		750	\$ -
Heavy duty blower liner		550	\$ -
Fluid coupler drive (in lieu of clutch)	\$	3,625.00	\$ -
Large fuel tank		325	\$ -
Arrow stick LED		1600	\$ -
LED Flashing lights		475	\$ -
Boom work light		525	\$ -
Hydraulic level sight gauge		500	\$ -
			\$ -
Sale Price	\$	-	
Less STS 10% Discount		\$0.00	
Total Sale Price		\$0.00	

2012 State of Ohio
Department of Administrative Services
State Term Schedule

	Contract #	Index # STS515	
Customer		Equipment Discount 10%	
Dealer	Jack Doheny Supplies Ohio	Attachments Discount 10%	
American Road Machinery			
	Scavenge Vac		
	Truck Mounted catch basin cleaner mounted on a 60,000 GVW Tandem axle chassis, w/330 HP diesel engine, 5-speed automatic transmission		
	13-yd Chassis mounted	\$ 235,000.00	\$ -
	16-yd Chassis mounted	\$ 245,000.00	\$ -
			\$ -
STANDARD FEATURES			
	Six Cylinder (155 HP) - Diesel Engine	Standard	
	Side boom w/hydraulic controls and 90" long aluminum catch basin tube	Standard	
	340 Gallon Water jetting system above engine - stainless steel tank	Standard	
	Dust control - water at intake	Standard	
	33" diameter fan with fluid coupler design	Standard	
	Extended vacuum exhaust	Standard	
	Rear door direct / straight debris inlet	Standard	
	Drain valve for air changer left and right side	Standard	
	8" rubber debris hose	Standard	
	8' aluminum catch basin tube w/holder HD	Standard	
	External door prop	Standard	
	Installation w/air on hydraulic shaft PTO	Standard	
	Sealed electrical system	Standard	
	Plug in style boom pendant	Standard	
	Dual chassis mtd. Fuel tanks for both aux engine and chassis	Standard	
	Fluid Coupling PTO	Standard	
OPTIONS			
Quantity	Description	List Price	
	Yellow rotating Beacon	\$ 550.00	\$ -
	Paint other than white	\$ 3,800.00	\$ -
	Retriever	\$ 825.00	\$ -
	Spoon	\$ 425.00	\$ -
	Swivel ball joint	\$ 2,200.00	\$ -
	Top Revolving Boom w/hyd cyl; push button control; and (2) additional port holes	\$ 8,200.00	\$ -
	Front mounted boom assembly	\$ 25,000.00	\$ -
	Hand gun retractable hose reel w/50' hose	\$ 1,300.00	\$ -
	Behind cab aluminum tool box	\$ 2,100.00	\$ -
	Rear Arrow stick	\$ 1,450.00	\$ -
	DOT3 Style signal lights	\$ 2,800.00	\$ -
	High pressure hand gun water system - 1500 psi @ 20 gpm hydraulically driven	\$ 3,800.00	\$ -

**2012 State of Ohio
Department of Administrative Services
State Term Schedule**

	36 x 18 x 18 Aluminum tool box	\$	800.00	\$	-
	Stainless steel debris basket	\$	1,500.00	\$	-
	Protective debris coating (for entire debris body, including walls, floor, roof and rear door)	\$	4,400.00	\$	-
	EPA Tier 4i - if applicable	\$	9,100.00	\$	-
				\$	-
	Sale Price	\$	-		
	Less STS 10% Discount		\$0.00		
	Total Sale Price		\$0.00		