HYUNDAI
CONSTRUCTION EQUIPMENT U.S.A., INC.

6100 Atlantic Blvd
Norcross, GA 30071

January 22, 2013

Terri L. Villavicencio,
Ohio Dept. of Administrative Services
Office of Procurement Services
4200 Surface Rd.
Columbus, OH 43228

RE: Ohio STS Pricing

Dear Terri,

Our price pages have been updated to show F.O.B Destination, we have also removed models that are no longer available due to current emission standards, and updated all pricing, so be sure and use this current version.

Also, the discount that these units qualify for is 41%.

Sincerely,
Shane Sirmons
National Sales and Marketing Manager

ROBEX 80CR-9
HYDRAULIC CRAWLER MINI-EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 58 HP (SAE J1349, net) Yanmar 4TNV98
- 12 V electrical starting system (68 A.H.)
- 40 amp alternator
- 4 valve system (2 for intake and 2 for exhaust)

CONTROLS

- Pilot operated joystick and travel controls
- Three power modes
  - *(P) Power, (S) Standard, (E) Economy
- Centralized Monitoring System
- One-touch engine deceleration
- Automatic swing brake
- Boom and arm holding system
- Computer Aided Power Optimization system (CAPO)
- Two-speed, ind. hydrostatic drive per track
- Self diagnostic capability
- Travel motor with shockless relief system
- Engine restart protection

UNDERCARRIAGE

- Lubricated rollers (1 upper & 5 lower per track)
- Hydraulic track adjusters
- 5' 9" track gauge
- Track rail guide
- 18" track shoe
- Sealed track
- Dozer Blade

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Wide and deluxe cab with excellent visibility
- Sliding windows with tinted safety glass
- Steel cover sunroof
- A/C (20,000 BTU's)
- Heater/Defroster (30,000 BTU's)
- AM/FM/USB MP3 Player
- Intermittent windshield wiper
- 2 rearview mirrors
- Cigarette lighter
- Hot and cool box
- Dome light
- Floor mat

OTHERS

- 2 front working lights
- Battery master switch
- Oil drain valve for easy oil change
- Remote radio switch
- Counterweight (1,190 lbs.)
- Dial type engine speed switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
ME980000	STANDARD CONFIGURED MACHINE Base machine, 12' 2" one piece boom, 5' 6" arm, bucket linkage, 18" steel track shoes, cassette player and radio, 0.37 yd^3 HCE bucket, A/C, enclosed cab			$128,829
ME980002	BASE MACHINE (steel track) Price does not include boom, arm, bucket linkage, or HCE bucket			$113,645
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
ME980100	11' 2" BOOM (ASSY) ONE PIECE (std) Includes boom and arm cylinders, piping, and lights			$9,270
ME980111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$4,450
ME980121	5' 6" ARM (ASSY) (std)	Includes bucket cylinder		$3,332
ME980122	7' 2" ARM (ASSY)	Includes bucket cylinder		$4,017
ME980140	BUCKET LINKAGE	Includes connecting rod and pin		$926
ME980150	HYDRAULIC QUICK COUPLER Includes coupler, hydraulics, additional pin kit and switch			$4,943

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
ME980222	FULL AUTO A/C		IN BASE
ME980230	DC CONVERTER (24V → 12V)		IN BASE
ME980241	HEATED AIR SUSPENSION SEAT		IN BASE
ME980250	CD PLAYER AND RADIO		IN BASE
UNDERCARRIAGE			
ME980311	18" STEEL TRACKS (std)		IN BASE
ME980312	24" STEEL TRACKS (ILOS)		$900
ME980313	18" RUBBER TRACKS (ILOS)		$416
AUXILIARY HYDRAULIC			
ME980410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) piping, hoses, relief valve and control pedal for hammer or other single function attachments		$4,640
ME980411	HYUNDAI MULTI-FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)		$6,572
ME980430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE
OTHERS			
ME980510	TOOL KIT WITH BOX		$569
ME980341	CAB LIGHTS (70W X 2)		$361
ME980342	BEACON LAMP		$124
ME980570	HEAVIER COUNTERWEIGHT (ADD 882lbs)		$2,059
ATTACHMENTS			
ME980610	29.9" (26.2" without side cutters) x 0.37 yd^3 (HCE std. Bucket)		$1,656

ROBEX 110-7A
HYDRAULIC CRAWLER MINI-EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 84HP (SAE J1349, net) Mitsubishi D04FD-TAA water cooled, 4 cycle, 4 cylinder turbocharged and air cooled low emission diesel
- 24 V electrical starting system (80 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
- Three power modes
  - *(P) Power, (S) Standard, (E) Economy
- Arm flow regeneration system
- Auto engine warm-up system
- Self diagnostic capability
- Anti restart system
- Auto engine overheat system
- One-touch engine deceleration
- Hydraulic damper in travel pedal
- Power boost control system
- Boom and arm holding system
- Automatic swing brake

UNDERCARRIAGE

- Lubricated rollers (1 upper & 6 lower per track)
- Hydraulic track adjusters
- 10' 11" undercarriage length
- 6' 6" track gauge
- 18" track shoe
- 20" track shoe
- Sealed track
- 1 track guide

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Excellent ventilation with larger fresh air intake system
- Sliding windows with tinted safety glass
- Sliding, four position control console
- Heater/Defroster (30,000 BTU's)
- A/C (20,000 BTU's)
- Intermittent windshield wiper
- Accessory box and ashtray
- 2 rearview mirrors
- Cigarette lighter
- Hot and cool box

OTHERS

- 3 front working lights
- CD player & radio
- Remote radio switch
- Fuel-Water separator
- Cold starting aid (air grid heater)
- Removable clean out screen for oil cooler
- Electric horn
- Battery master switch
- Removable reservoir tank
- Tool box

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA711000	STANDARD CONFIGURED MACHINE Base machine, 14' 1" one piece boom, 7' 5" arm, bucket linkage, 20" steel track shoes, CD player and radio, 0.59 yd^3 HCE bucket		$136,549
EA711002	BASE MACHINE (steel track) Price does not include boom, arm, bucket linkage, or HCE bucket		$116,900
EA711004	R110D-7A DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 14' 1" one piece boom, 7' 5" arm, bucket linkage, 20" track shoes, CD player and radio, 0.59 yd^3 HCE bucket, 8' 6" X 22" dozer blade (available only with 20" shoe)		$145,842
EA711006	R110D-7A DOZER BLADE BASE MACHINE (steel track) Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		$126,193

FRONT ASSEMBLY (Factory installed – must be ordered with machine)

EA711100	14' 1" BOOM (ASSY) ONE PIECE (std) Includes boom and arm cylinders, piping, and lights		$12,647
EA711111	BOOM CYLINDERS ONLY	Factory Installed, l.h. and r.h.	$4,547
EA711121	7' 5" ARM (ASSY) (std)	Includes bucket cylinder	$4,015
EA711122	6' 5" ARM (ASSY)	Includes bucket cylinder	$3,896
EA711123	9' 3" ARM)ASSY)	Includes bucket cylinder	$4,967
EA711140	BUCKET LINKAGE	Includes connecting rod and pin	$1,070
EA711150	HYDRAULIC QUICK COUPLER Includes coupler, hydraulics, additional pin kit and switch		$6,580

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA711222	FULL AUTO A/C		IN BASE
EA711230	DC CONVERTER (24V → 12V)		IN BASE
EA711241	HEATED AIR SUSPENSION SEAT		$1,351
EA711250	CD PLAYER AND RADIO		IN BASE
UNDERCARRIAGE			
EA711310	TRACKS WITH 20" TRIPLE GROUSER (std)		IN BASE
EA711311	TRACKS WITH 24" TRIPLE GROUSER (ILOS)		$996
EA711312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		$1,710
EA711313	TRACKS WITH 20" TRIPLE GROUSER with BOLT-ON RUBBER PADS (ILOS)		$5,299
AUXILIARY HYDRAULIC			
EA711410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) piping, hoses, relief valve and control pedal for hammer or other single function attachments		$6,327
EA711411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)		$8,046
EA711420	BOOM SAFETY LOCK VALVE		$2,577
EA711421	ARM SAFETY LOCK VALVE		$1,478
EA711430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		$1,114
EA711440	ELECTRIC PUMP TRANSDUCER		$953
OTHERS			
EA711510	TOOL KIT WITH BOX		$552
ATTACHMENTS			
EA711610	37" (32.7" without side cutters) x 0.59 yd^3 (HCE std. Bucket)		$1,917
EA711611	28.3" x 0.39yd3 NARROW BUCKET		$2,290
EA711612	34.3" x 0.52yd3 NARROW BUCKET		$2,655
EA711613	39.8" x 0.65yd3 LIGHT BUCKET		$4,435
EA711614	44.5" x 0.77yd3 LIGHT BUCKET		$3,155

ROBEX 140LC-9
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 105 HP (SAE J1349, net) Mitsubishi D04FD-TAA water cooled, charged air cooled, 4-cycle, turbocharged 4-cylinder
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes: (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (1 upper & 7 lower per track)
- Hydraulic track adjusters
- 12' 4" Undercarriage length
- 6' 7" Track gauge
- Bottom swivel guard
- 24" track shoes
- 2 Track Guides
- Sealed track

CAB

- Pressurized ISO standard cab
- Adjustable suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rearview mirrors (outside)
- Hot / cold box
- Air conditioner (20,000BTU's)
- Heater and defroster (30,000BTU's)
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large/1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel tank service access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
E914000	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 0.76 yd^3 HCE bucket, 24" track shoes, CD Player & Radio with MP3 Input	30,820	$169,132
E914002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		$145,811
E914004	R140LCD-9 DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 24" track shoes, CD Player & Radio with MP3 input, 0.76 yd^3 HCE bucket, 8' 6" x 22" dozer blade (available only with 24" shoe)		$180,072
E914006	R140LCD-9 DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		$156,818

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

E914100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		$14,632
E914101	13' 5" BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights (TO BE USED ONLY WITH 6' 3" & 6' 11" ARMS)		$14,382
E914102	2 PIECE BOOM ASSY(16' 8") Incl. boom and arm cylinders, piping, and lights		$25,037
E914111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	$5,259
E914121	6' 3" ARM (ASSY)	Includes bucket cylinder	$4,857
E914122	6' 11" ARM (ASSY)	Includes bucket cylinder	$4,796
E914123	8' 2" ARM (ASSY)	Includes bucket cylinder	$5,014

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
FRONT ASSEMBLY CONTINUED (Factory installed -- must be ordered with machine)				
E914125	9' 10" ARM (ASSY) (std.)	Includes bucket cylinder		$5,217
E914140	BUCKET LINKAGE	Includes connecting rod and pin		$1,232
E914150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$7,116
CAB & ELECTRICAL				
E914222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)			IN BASE
E914230	DC CONVERTER (24V → 12V)			IN BASE
E914240	HEATED AIR SUSPENSION SEAT			IN BASE
E914250	CD PLAYER & RADIO WITH MP3 INPUT			IN BASE
E914253	REARVIEW CAMERA			IN BASE
E914260	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE
E914252	TRANSPARENT SKYLIGHT			IN BASE
UNDERCARRIAGE				
E914311	TRACKS WITH 24" TRIPLE GROUSER (std.)			IN BASE
E914312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)			$1,157
AUXILIARY HYDRAULIC				
E914410	SINGLE ACTING AUXILIARY HYDRAULICS			$6,212
E914411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)			$8,545
E914420	BOOM SAFETY LOCK VALVE			$2,773
E914421	ARM SAFETY LOCK VALVE			$1,671
E914430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)			IN BASE
OTHERS				
E914510	TOOL KIT WITH BOX			$589
E914341	EXTRA CAB LIGHTS (70W X 2)			$366
E914342	BEACON LAMP			$124
E914CG02	CAB WIRE NET GUARD			$1,522
E914CG03	CAB FOG GUARD			$3,960
E914CG04	CAB FINE NET GUARD			$2,894
E914570	HEAVIER COUNTERWEIGHT (ADD 660lbs)			$1,756
ATTACHMENTS				
E914607	29.9" x .52 yd3 Narrow Bucket			$2,089
E914608	42" x .76yd3 Bucket (Heavy Duty)			$4,434
E914609	36" x .76yd3 Bucket (HD)			$4,218
E914610	44.5"(40.6"w/o S/Cutter)x0.76yd BKT			$2,174

ROBEX 140LCM-9
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 105 HP (SAE J1349, net) Mitsubishi D04FD-TAA water cooled, charged air cooled, 4-cycle, turbocharged 4-cylinder
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes: (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (1 upper & 7 lower per track)
- Hydraulic track adjusters
- 12' 4" Undercarriage length
- 6' 7" Track gauge
- Bottom swivel guard
- 24" track shoes
- 2 Track Guides
- Sealed track

CAB

- Pressurized ISO standard cab
- Adjustable suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 3 rearview mirrors (outside)
- Hot / cold box
- Air conditioner (20,000BTU's)
- Heater and defroster (30,000BTU's)
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large/1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel tank service access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
E914000M	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 0.76 yd^3 HCE bucket, 24" track shoes, CD Player & Radio with MP3 Input		30,820	$180,001
E914002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$157,977
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
E914100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights			$14,632
E914101	13' 5" BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights (TO BE USED ONLY WITH 6' 3" & 6' 11" ARMS)			$14,354
E914102	2 PIECE BOOM ASSY(16' 8") Incl. boom and arm cylinders, piping, and lights			$25,037
E914111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$5,259
E914121	6' 3" ARM (ASSY)	Includes bucket cylinder		$4,857
E914122	6' 11" ARM (ASSY)	Includes bucket cylinder		$4,796
E914123	8' 2" ARM (ASSY)	Includes bucket cylinder		$5,014

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
FRONT ASSEMBLY CONTINUED (Factory installed -- must be ordered with machine)				
E914125	9' 10" ARM (ASSY) (std.)	Includes bucket cylinder		$5,217
E914140	BUCKET LINKAGE	Includes connecting rod and pin		$1,232
E914150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$7,116
CAB & ELECTRICAL				
E914222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)			IN BASE
E914230	DC CONVERTER (24V → 12V)			IN BASE
E914240	HEATED AIR SUSPENSION SEAT			IN BASE
E914250	CD PLAYER & RADIO WITH MP3 INPUT			IN BASE
E914253	REARVIEW CAMERA			IN BASE
E914260	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE
E914252	TRANSPARENT SKYLIGHT			IN BASE
UNDERCARRIAGE				
E914311	TRACKS WITH 24" TRIPLE GROUSER (std.)			IN BASE
E914312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)			$1,157
AUXILIARY HYDRAULIC				
E914411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)			$8,545
E914420	BOOM SAFETY LOCK VALVE			$2,773
E914421	ARM SAFETY LOCK VALVE			$1,671
E914430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)			IN BASE
OTHERS				
E914510	TOOL KIT WITH BOX			$589
ATTACHMENTS				
E914610	44.5" (40.6" without side cutters) x 0.76 yd^3 (HCE std. Bucket)			$2,174
E914611	36" x .76yd^3 bucket (Wear Guards)			$1,982
E914612	44" x .76yd^3 bucket (Wear Guards)			$2,464

ROBEX 145LCR-9
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 105 HP (SAE J1349, net) Mitsubishi D04FD-TAA water cooled, charged air cooled, 4-cycle, turbocharged 4-cylinder
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes: (P) Power, (S) Standard, (E) Economy
  - *2 work modes: Digger, Breaker
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (1 upper & 7 lower per track)
- Hydraulic track adjusters
- 11' 11" Undercarriage length
- 6' 7" Track gauge
- Bottom swivel guard
- 24" track shoes
- 2 Track Guides
- Sealed track

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable Sun Visor
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner (20,000BTU's)
- Heater and defroster (30,000BTU's)
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large/1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel tank service access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
E9145000	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 0.76 yd^3 HCE bucket, 24" track shoes, CD Player & Radio with MP3 Input	14,790	$172,469
E9145002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		$149,214
E9145004	R145LCR-9 DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 9' 10" arm, bucket linkage, 24" track shoes, CD Player & Radio with MP3 Input, 0.76 yd^3 HCE bucket, 8' 6" x 22" dozer blade (available only with 24" shoe)		$184,542
E9145006	R14LCR-9 DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		$161,287

FRONT ASSEMBLY (Factory Installed -- must be ordered with machine)

E9145100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		$14,632
E9145111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	$5,259
E9145121	6' 3" ARM (ASSY)	Includes bucket cylinder	$4,857
E9145122	6' 11" ARM (ASSY)	Includes bucket cylinder	$4,796
E9145123	8' 2" ARM (ASSY)	Includes bucket cylinder	$5,004

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
FRONT ASSEMBLY CONTINUED (Factory installed -- must be ordered with machine)				
E9145125	9' 10" ARM (ASSY) (std.)	Includes bucket cylinder		$5,217
E9145140	BUCKET LINKAGE	Includes connecting rod and pin		$1,232
E9145150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$7,116
CAB & ELECTRICAL				
E9145222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)			IN BASE
E9145230	DC CONVERTER (24V → 12V)			IN BASE
E9145240	HEATED MECHANICAL SEAT			IN BASE
E9145250	CD PLAYER & RADIO WITH MP3 INPUT			IN BASE
E9145253	REARVIEW CAMERA			IN BASE
E9145260	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE
E9145252	TRANSPARENT SKYLIGHT			IN BASE
UNDERCARRIAGE				
E9145311	TRACKS WITH 24" TRIPLE GROUSER (std.)			IN BASE
E9145312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)			$1,157
E9145313	24" RUBBER TRACKS			$28,840
E9145314	24" STEEL TRACKS W/ BOLT-ON RUBBER PADS			$27,295
AUXILIARY HYDRAULIC				
E9145410	SINGLE ACTING AUXILIARY HYDRAULICS			$6,212
E9145411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)			$8,545
E9145420	BOOM SAFETY LOCK VALVE			$2,773
E9145421	ARM SAFETY LOCK VALVE			$1,671
E9145430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)			IN BASE
E9145440	ELECTRIC PUMP TRANSDUCER			$1,102
OTHERS				
E9145510	TOOL KIT WITH BOX			$589
E9145341	EXTRA CAB LIGHTS (70W X 2)			$366
E9145342	BEACON LAMP			$124
E9145CG02	CAB WIRE NET GUARD			$1,522
E9145CG03	CAB FOG GUARD			$3,960
E9145CG04	CAB FINE NET GUARD			$2,894
ATTACHMENTS				
E9145608	42" x .76yd3 Bucket (Heavy Duty)			$4,434
E9145609	36" x .76yd3 bucket (Heavy Duty)			$4,218
E9145610	44.5" (40.6" without side cutters) x 0.76 yd^3 (HCE std. Bucket)			$2,174

ROBEX 160LC-9
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 120 HP (SAE J1349, net) Mitsubishi D04FD-TAA water cooled, 4 cycle, 4 cylinder in-line turbocharged and charge air cooled low emission diesel engine
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Computer Aided Power Optimization (CAPO)
- Pilot operated joystick and travel controls
- Power boost system
- Auto engine overheat prevention
- Centralized monitoring system
- Hydraulic system neutralizer
- Auto engine deceleration
- Auto warm-up system
- Swing holding brake
- Two-speed, ind. hydrostatic drive per track
- Arm holding valve
- Central lube points
- Boom holding valve

UNDERCARRIAGE

- Lubricated rollers (2 upper & 7 lower per track)
- 10' 5" Length of track on ground
- 13' 0" Undercarriage length
- Hydraulic track adjusters
- Bottom swivel guard
- 2 Track Guides
- 24" Track shoes
- Sealed track

CAB

- Electronic service monitor with adjustable LCD cluster
- Illuminated LCD panel with audible warning
- Mechanical suspension seat with heater
- Removable lower front window with storage
- Sliding windows with tinted safety glass
- Sliding, four-position control consoles
- Heater / Defroster (30,000 BTU's)
- Intermittent windshield wiper
- Additional top front window
- A/C (20,000 BTU's)
- Pressurized ISO standard cab
- AM/FM/USB MP3 Player
- 2 rear-view mirrors
- Cigarette lighter
- Dome light
- Floor mat

OTHER

- HI-mate (Remote Management System)
- On-board Diagnostic System w/ memory for easy maintenance
- 11-spool main control valve incl. 3 auxiliary hydraulic spools
- Four working lights (Boom and Cab mounted)
- Counterweight (6,390 lb.)
- Lockable side doors
- Coolant reservoir
- Tow eyes
- Travel alarm
- Rearview Camera

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
E9716000	STANDARD CONFIGURED MACHINE Base machine, 16' 9" one piece boom, 8' 6" arm, bucket linkage, 24" track shoes, CD Player & Radio, 0.92 yd^3 HCE bucket		38,360	$178,800
E9716002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		31,010	$155,016
E9716004	R160LCD-7A DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 16' 9" one piece boom, 8' 6" arm, bucket linkage, 24" track shoes, CD Player & Radio, 0.92 yd^3 HCE bucket, Dozer blade and controller (available only with 24" shoes)		40,570	$183,684
E9716005	R160LCD-7A DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		33,510	$159,900
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
E9716100	16' 9" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		2,760	$14,993
E9716111	BOOM CYLINDERS ONLY	Factory installed, L.H. and R.H.	541	$5,389
E9716122	7' 3" ARM (ASSY)	Includes bucket cylinder	1,700	$4,912
E9716123	8' 6" ARM (ASSY) (std.)	Includes bucket cylinder	1,760	$5,141
E9716125	10' 2" ARM (ASSY)	Includes bucket cylinder	1,980	$5,929
E9716140	BUCKET LINKAGE	Includes rod and pin	212	$1,267
E9716150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$7,713

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
E9716222	FULL AUTO A/C		IN BASE
E9716230	DC CONVERTER (24V → 12V)		IN BASE
E9716240	HEATED AIR SUSPENSION SEAT		IN BASE
E9716250	CD PLAYER & RADIO		IN BASE
E9716253	REARVIEW CAMERA		IN BASE
E9716260	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
E9716270	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
E9716310	TRACKS WITH 20" TRIPLE GROUSER (ILOS)		$0
E9716311	TRACKS WITH 24" TRIPLE GROUSER (std.)	4,669	IN BASE
E9716312	TRACKS WITH 28" TRIPLE GROUSER (ILOS)	5,216	$2,339
AUXILIARY HYDRAULIC	Note: All FACTORY INSTALLED hydraulics must be ordered in advance.		
E9716410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	155	$6,656
E9716411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	155	$8,121
E9716420	BOOM SAFETY LOCK VALVE		$3,028
E9716421	ARM SAFETY LOCK VALVE		$1,864
E9716430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S) (FACTORY INSTALLED)		IN BASE
E9716440	ELECTRIC PUMP TRANSDUCER		$1,102
OTHERS			
E9716510	TOOL KIT WITH BOX	55	$569
E9716570	HEAVIER COUNTERWEIGHT (ADDITIONAL 770 LBS.)	7,275	$1,716
E9716341	EXTRA CAB LIGHTS (70W X 2)		$366
E9716342	BEACON LAMP		$124
E9716CG02	CAB WIRE NET GUARD		$1,522
E9716CG03	CAB FOG GUARD		$3,960
E9716CG04	CAB FINE NET GUARD		$2,894
ATTACHMENTS			
E9716607	29.9" x .65yd3 Narrow Bucket		$2,808
E9716608	42" x 1.08yd3 Bucket (Heavy Duty		$4,499
E9716609	36" x .95yd3 Bucket (Heavy Duty)		$4,231
E9716610	43.7" (39" without side cutters) x 0.92 yd^3 (HCE std. Bucket)	1,190	$2,383
E9716617	29.1" (w/SC) x 0.51yd3 Narrow BKT		$3,533
E9716618	40.9" (w/SC) x 0.84yd3 Narrow BKT		$3,960
E9716619	39" (w/o SC) x 0.90yd3 HD Bucket		$5,482
E9716620	52.8" (w/SC) x 1.16yd3 Light Bucket		$5,178

ROBEX 180LC-9
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 120 HP (SAE J1349, net) Mitsubishi D04FD-TAA water cooled, 4 cycle, 4 cylinder in-line, direct injection, turbocharged, and charge air cooled diesel
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Auto engine deceleration
- Two-speed, ind. hydrostatic drive per track
- Computer Aided Power Optimization (CAPO)
- Centralized monitoring system
- Central lube points
- Swing holding brake
- Hydraulic system neutralizer
- Auto engine warm-up system
- Arm half control
- Arm holding valve

OTHER

- 11-spool main control valve incl. 3 auxiliary hydraulic spool
- Four work lights mounted on the boom and front frame
- AM/FM/USB MP3 Player
- Counterweight (6,500 lb.)
- Lockable side doors
- Coolant reservoir
- Tow eyes
- Travel alarm

CAB

- ISO standard size cab
- Mechanical suspension seat with seat belt
- Electronic service monitor
- Sliding windows with tinted safety glass
- Retractable front windshield
- Vandalism locks
- A/C (20,000 BTU's)
- Heater / Defroster (30,000 BTU's)
- Intermittent windshield wiper
- Two rear-view mirrors
- Cigarette lighter
- Dome light
- Floor mat

UNDERCARRIAGE

- 7' 5" Track gauge
- 13' 7" Undercarriage length
- Lubricated rollers (2 upper & 8 lower per track)
- Hydraulic track adjusters
- 2 track guides
- 28" Track shoe
- Sealed track
- Bottom swivel guard

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
E918000	STANDARD CONFIGURED MACHINE Base machine, 17' 1" one piece boom, 8' 6" arm, bucket linkage, 28" track shoes, CD Player & Radio, 0.99 yd^3 HCE bucket		40,120	$197,876
E918002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$173,818
E918004	R180LCD-7A DOZER BLADE STANDARD CONFIGURED MACHINE Base machine, 17' 1" one piece boom, 8' 6" arm, bucket linkage, 28" track shoes, CD Player & Radio, 0.99 yd^3 HCE bucket Dozer blade and controller (available only with 24" shoes)		43,010	$211,727
E918005	R180LCD-7A DOZER BLADE BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$187,669
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
E918100	17' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		2,890	$15,212
E918101	16' 5" TWO PIECE BOOM (ASSY) Includes boom and arm cylinders, piping, and lights		3,920	$33,671
E918111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	786	$6,291
E918119	7' 3" ARM (ASSY)	Includes bucket cylinder	1,680	$4,786
E918120	8' 6" ARM (ASSY) (std.)	Includes bucket cylinder	1,830	$5,097
E918121	9' 6" ARM (ASSY)	Includes bucket cylinder	2,050	$5,286
E918124	10' 2" ARM (ASSY)	Includes bucket cylinder	2,070	$5,967
E918140	BUCKET LINKAGE	Includes rod and pin	736	$1,267
E918150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$7,713

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
E918222	FULL AUTO A/C		IN BASE
E918230	DC CONVERTER (24V → 12V)		IN BASE
E918240	HEATED AIR SUSPENSION SEAT		IN BASE
E918250	CD PLAYER & RADIO		IN BASE
E918253	REARVIEW CAMERA		IN BASE
E918260	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
E918270	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
E918311	TRACKS WITH 24" TRIPLE GROUSER (ILOS)	6,000	$0
E918313	TRACKS WITH 28" TRIPLE GROUSER (std.)	6,720	IN BASE
E918315	TRACKS WITH 32" TRIPLE GROUSER (ILOS)	7,490	$1,420
AUXILIARY HYDRAULIC	Note: All FACTORY INSTALLED hydraulics must be ordered in advance.		
E918410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	400	$6,656
E918411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	400	$8,121
E918420	BOOM SAFETY LOCK VALVE		$3,119
E918421	ARM SAFETY LOCK VALVE		$1,920
E918430	LEVER PATTERN SELECTOR VALVE (ISO ↔ U.S) (FACTORY INSTALLED)		IN BASE
E918440	ELECTRIC PUMP TRANSDUCER		$1,102
OTHERS			
E918510	TOOL KIT WITH BOX	55	$569
E918341	EXTRA CAB LIGHTS (70W X 2)		$366
E918342	BEACON LAMP		$124
E918CG02	CAB WIRE NET GUARD		$1,522
E918CG03	CAB FOG GUARD		$3,960
E918CG04	CAB FINE NET GUARD		$2,894
ATTACHMENTS			
E916608	42" x 1.08yd3 HD bkt		$4,499
E916609	36" x .95yd3 HD bkt		$4,231
E918610	46.5" (41.7" without side cutters) x 0.99 yd^3 (HCE std. Bucket)	1,190	$2,482
E918615	29.1" X 0.51yd3 Narrow Bucke		$3,533
E918616	34.6" x 0.65yd3 Narrow Bucket		$3,960
E918617	40.9" x 0.84yd3 Narrow Bucket		$3,962
E918618	52.8" x 1.16yd3 Light Bucket		$5,178
E918619	59.8" x 1.37yd3 Light Bucket		$5,482
E918620	39" x 0.90yd3 Heavy Duty Bucket		$5,482

ROBEX 210LC-9
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 143 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7 water cooled, 4 cycle, 6 cylinder in-line, turbocharged and charge air cooled, Tier III diesel
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel
- Lever pattern selector valve (SAE - ISO)

UNDERCARRIAGE

- Sealed lubricated rollers (2 upper & 9 lower per each track)
- Hydraulic track adjusters
- 14' 7" undercarriage length
- 7' 10" track gauge
- 2 track guides, each track
- Bottom swivel guard
- Sealed track
- 32" track shoes

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 3 work lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Rear-view camera
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air pre-cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
E921000	STANDARD CONFIGURED MACHINE Base machine, 18' 8" one piece boom, 9' 7" arm, bucket linkage, 1.18yd^3 HCE Bucket, 32" track shoes, Heavier Counter Weight (9,240 lbs.), CD Player & Radio with MP3 Input		49,390	$231,080
E921002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$203,443
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
E921100	18' 8" BOOM (ASSY), ONE PIECE (STD) Includes boom and arm cylinders, piping, and lights			$16,818
E921111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$3,534
E921118	6' 7" ARM (ASSY)	Includes bucket cylinder		$5,892
E921119	7' 10" ARM (ASSY)	Includes bucket cylinder		$6,427
E921120	9' 7" ARM (ASSY) (STD.)	Includes bucket cylinder		$5,677
E921121	12' 10" ARM (ASSY)	Includes bucket cylinder		$9,427
E921140	BUCKET LINKAGE	Includes rod and pin		$1,393
E921150	HCE HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$8,548

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
E921222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E921230	DC CONVERTER (24V → 12V)		IN BASE
E921241	HEATED AIR-RIDE SUSPENSION SEAT W/ 3" SEAT BELT		IN BASE
E921250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E921253	REARVIEW CAMERA		IN BASE
E921260	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
E921270	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
E921313	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		($1,200)
E921315	TRACKS WITH 32" TRIPLE GROUSER (STD)		IN BASE
E921317	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		$4,017
AUXILIARY HYDRAULIC			
E921410	SINGLE ACTING AUXILIARY HYDRAULICS		$7,823
E921411	MULTI FUNCTION AUXILIARY HYDRAULICS W/ FOOT CONTROL (FACTORY INSTALLED)		$9,441
E921420	BOOM SAFETY LOCK VALVE		$3,106
E921421	ARM SAFETY LOCK VALVE		$1,928
E921430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE)		IN BASE
E921440	ELECTRIC PUMP TRANSDUCER		$1,102
OTHERS			
E921341	EXTRA CAB LIGHTS (70W X 2)		$366
E921342	BEACON LAMP		$124
E921CG02	CAB WIRE NET GUARD		$1,522
E921CG03	CAB FOG GUARD		$3,960
E921CG04	CAB FINE NET GUARD		$2,894
E921510	TOOL KIT WITH BOX		$589
E921570	HEAVIER COUNTERWEIGHT (9,240LBS)		$1,756
ATTACHMENTS			
E921608	42" (Wear Guards) x 1.18 yd^3 (Heavy Duty Plate Bucket)		$4,794
E921609	36" (Wear Guards) x .97 yd^3 (Heavy Duty Plate Bucket)		$4,596
E921610	49.2" (44.5" without side cutters) x 1.20 yd^3 (HCE Bucket)		$3,749

ROBEX 210LC-9 LONG REACH
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 143 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7 water cooled, 4 cycle, 6 cylinder in-line, turbocharged and charge air cooled, Tier III diesel
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Lever pattern selector valve (SAE - ISO)
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Sealed lubricated rollers (2 upper & 9 lower per each track)
- Hydraulic track adjusters
- 14' 7" undercarriage length
- 7' 10" track gauge
- 2 track guides, each track
- Bottom swivel guard
- Sealed track
- 32" track shoes

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for auxiliary attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 3 work lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Rear view camera
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air pre-cleaner
- Battery master switch

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
E921000L	STANDARD CONFIGURED MACHINE Base machine, 26' 11" one piece boom, 20' 8" arm, bucket linkage, 1.20 yd^3 HCE Bucket, 32" track shoes, Heavier Counter Weight (9,240 lbs.), CD Player & Radio with MP3 Input	54,000	$266,345
E921002L	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket incl. 11,680 lb. counterweight		$229,195
FRONT ASSEMBLY (Factory installed – must be ordered with machine)			
E921100L	26' 11" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping and lights		$21,456
E921111L	BOOM CYLINDERS ONLY Factory installed, l.h. and r.h.		$6,534
E921120L	20' 8" ARM (ASSY), ONE PIECE (std.) Includes Bucket Cylinder		$12,094
E921140L	BUCKET LINKAGE Includes rod and pin.		$1,414
E921150L	HCE HYDRAULIC QUICK COUPLER		$8,548

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
E921222L	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E921230L	DC CONVERTER (24V → 12V)		IN BASE
E921241L	HEATED AIR-RIDE SUSPENSION SEAT W/ 3" SEAT BELT		IN BASE
E921250L	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E921253L	REARVIEW CAMERA		IN BASE
E921260L	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
E921270L	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
E921315L	TRACKS WITH 32" TRIPLE GROUSER (std.)		IN BASE
E921317L	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		$4,017
AUXILIARY HYDRAULIC			
E921420L	BOOM SAFETY LOCK VALVE		$3,106
E921421L	ARM SAFETY LOCK VALVE		$1,928
E921430L	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE)		IN BASE
E921440L	ELECTRIC PUMP TRANSDUCER		$1,102
OTHERS			
E921341L	EXTRA CAB LIGHTS (70W X 2)		$366
E921342L	BEACON LAMP		$124
E921CG02L	CAB WIRE NET GUARD		$1,522
E921CG03L	CAB FOG GUARD		$3,960
E921CG04L	CAB FINE NET GUARD		$2,894
E921510L	TOOL KIT WITH BOX		$589
E921570L	HEAVIER COUNTERWEIGHT (11,680 LBS.)		IN BASE
ATTACHMENTS			
EA721610L	40.8" (36.8" without side cutters) x 0.76 yd^3 (HCE std. Bucket)		$2,186

ROBEX 210LC-9 HIGH CHASSIS
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 143 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7 water cooled, 4 cycle, 6 cylinder in-line, turbocharged and charge air cooled, Tier III diesel
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

UNDERCARRIAGE

- Sealed lubricated rollers (2 upper & 9 lower per each track)
- Hydraulic track adjusters
- 14' 7" undercarriage length
- 7' 10" track gauge
- 2 track guides, each track
- Bottom swivel guard
- Sealed track
- 32" track shoes

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel
- Lever pattern selector valve (SAE - ISO)

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for auxiliary attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 3 work lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Rear view camera
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air pre-cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
E921HC000	STANDARD CONFIGURED MACHINE Base machine, 18' 8" one piece boom, 9' 7" arm, bucket linkage, 1.18 yd^3 HCE Bucket, 28" Triple track shoes, Counter Weight (8,400 lbs.), CD Player & Radio with MP3 Input		49,390	$249,416
E921HC006	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$223,786
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
E921HC100	18' 8" BOOM (ASSY), ONE PIECE (STD) Includes boom and arm cylinders, piping, and lights			$16,002
E921HC111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$6,259
E921HC118	6'7" ARM(ASSY)			$5,014
E921HC119	7'10" ARM(ASSY)			$5,848
E921HC120	9' 7" ARM (ASSY) (STD.)	Includes bucket cylinder		$5,355
E921HC121	12' 10" ARM(ASSY)			$5,654
E921HC140	BUCKET LINKAGE	Includes rod and pin		$1,344
E921HC150	HCE HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$8,548

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
E921HC222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E921HC230	DC CONVERTER (24V → 12V)		IN BASE
E921HC240	HEATED AIR-RIDE SUSPENSION SEAT W/ 3" SEAT BELT		IN BASE
E921HC250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
UNDERCARRIAGE			
E921HC316	TRACKS WITH 28" DOUBLE GROUSER (ILOS)		$0
AUXILIARY HYDRAULIC			
E921HC410	SINGLE ACTING AUX. HYDRAULICS		$7,825
E921HC411	MULTI FUNCTION AUXILIARY HYDRAULICS W/ FOOT CONTROL (FACTORY INSTALLED)		$3,441
E921HC420	BOOM SAFETY LOCK VALVE		$3,119
E921HC421	ARM SAFETY LOCK VALVE		$1,920
E921HC430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE)		IN BASE
E921HC440	ELECTRIC PUMP TRANSDUCER		$1,060
OTHERS			
E921HC341	EXTRA CAB LIGHTS (70W X 2)		$366
E921HC342	BEACON LAMP		$124
E921HCCG02	CAB WIRE NET GUARD		$1,522
E921HCCG03	CAB FOG GUARD		$3,960
E921HCCG04	CAB FINE NET GUARD		$2,894
E921HC510	TOOL KIT WITH BOX		$589
E921HC570	HEAVIER COUNTERWEIGHT (9,920 LBS.)		$1,756
ATTACHMENTS			
E921HC610	49.2" (44.5" without side cutters) x 1.20 yd^3 Bucket		$2,929

ROBEX 210LC-9 HIGH CHASSIS
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 143 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7 water cooled, 4 cycle, 6 cylinder in-line, turbocharged and charge air cooled, Tier III diesel
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

UNDERCARRIAGE

- Sealed lubricated rollers (2 upper & 9 lower per each track)
- Hydraulic track adjusters
- 14' 7" undercarriage length
- 7' 10" track gauge
- 2 track guides, each track
- Bottom swivel guard
- Sealed track
- 32" track shoes

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel
- Lever pattern selector valve (SAE - ISO)

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for auxiliary attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 3 work lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Rear view camera
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air pre-cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
E9235000	STANDARD CONFIGURED MACHINE Base machine, 18' 8" one piece boom, 9' 7" arm, bucket linkage, 1.05 yd^3 HCE Bucket, 32" Triple grouser shoes, Cast Counter Weight CD Player & Radio with MP3 Input		53,620	$242,457
E9235002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$215,883
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
E9235100	18' 8" BOOM (ASSY), ONE PIECE (STD) Includes boom and arm cylinders, piping, and lights			$16,171
E9235111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$6,283
E9235118	6'7" ARM(ASSY)	Includes bucket cylinder		$5,664
E9235119	7'10" ARM(ASSY)	Includes bucket cylinder		$6,180
E9235120	9' 7" ARM (ASSY) (STD.)	Includes bucket cylinder		$5,459
E9235140	BUCKET LINKAGE	Includes rod and pin		$1,339
E9235150	HCE HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$8,219

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
E9235222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
E9235230	DC CONVERTER (24V → 12V)		IN BASE
E9235241	HEATED AIR-RIDE SUSPENSION SEAT W/ 3" SEAT BELT		IN BASE
E9235250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
E9235253	REAR VIEW CAMERA		IN BASE
E9235260	HI-MATE (REMOTE MANAGEMENT SYSTEM)		IN BASE
E9235270	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
E9235313	TRACKS WITH 28" TRIPLE GROUSER (ILOS)		($1,200)
E9235315	TRACKS w/ 32" TRIPLE GROUSER		IN BASE
E9235317	TRACKS w/ 36" TRIPLE GROUSER		$3,863
AUXILIARY HYDRAULIC			
E9235410	SINGLE ACTING AUX. HYDRAULICS		$7,825
E9235411	MULTI FUNCTION AUXILIARY HYDRAULICS W/ FOOT CONTROL (FACTORY INSTALLED)		$9,441
E9235420	BOOM SAFETY LOCK VALVE		$2,987
E9235421	ARM SAFETY LOCK VALVE		$1,854
E9235430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE)		IN BASE
OTHERS			
E9235341	EXTRA CAB LIGHTS (70W X 2)		$366
E9235342	BEACON LAMP		$124
E9235CG03	CAB FOG GUARD		$3,960
E9235510	TOOL KIT WITH BOX		$567
ATTACHMENTS			
E9235608	42" X 1.18yd3 HEAVY DUTY BUCKET		$4,609
E9235609	36" X .97YD3 HEAVY DUTY BUCKET		$4,419
E9235610	39.4"(44.1"w/o SC) x1.05 yd3 BUCKET (STD)		$3,605

ROBEX 260LC-9A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 183 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7 4 cycle, 6 cylinder in-line, direct injection, turbocharged charge air cooled, low emission diesel, Tier IVi engine
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per track)
- 15' 3" Undercarriage length
- 8' 6" Track gauge
- Hydraulic track adjusters
- Bottom swivel guard
- 24" Track shoe
- Sealed track
- 2 track guides

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 3 work lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA925000	STANDARD CONFIGURED MACHINE Base machine, 19' 7" one piece boom, 10' 0" arm, bucket linkage, 1.41yd^3 HCE bucket, 32" track shoes, CD Player & Radio with MP3 Input		56,200	$300,897
EA925002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$267,766
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA925100	19' 7" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		56,900	$17,743
EA925111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$7,885
EA925119	8' 2" ARM (ASSY)	Includes bucket cylinder		$9,087
EA925120	10' 0" ARM (ASSY) (std.)	Includes bucket cylinder		$9,539
EA925121	11' 10" ARM (ASSY)	Includes bucket cylinder		$12,917
EA925122	6'11" ARM (ASSY)	Includes bucket cylinder		$9,463
EA925123	10'0" HD ARM (ASSY)	Includes bucket cylinder		$11,238
EA925140	BUCKET LINKAGE	Includes rod and pin		$1,639
EA925150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$14,537
CAB & ELECTRICAL				
EA925222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)			IN BASE
EA925230	DC CONVERTER (24V → 12V)			IN BASE
EA925240	HEATED AIR SUSPENSION SEAT			IN BASE
EA925250	CD PLAYER & RADIO WITH MP3 INPUT			IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL CONTINUED			
EA925253	REARVIEW CAMERA		IN BASE
EA925260	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
EA925270	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
EA925313	TRACKS WITH 28" TRIPLE GROUSER (std.)		($1,296)
EA925315	TRACKS WITH 32" TRIPLE GROUSER (ILOS)		IN BASE
AUXILIARY HYDRAULIC			
EA925410	SINGLE ACTING AUXILIARY HYDRAULICS		$8,878
EA925411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)		$9,884
EA925420	BOOM SAFETY LOCK VALVE		$3,256
EA925421	ARM SAFETY LOCK VALVE		$2,022
EA925430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA925341	EXTRA CAB LIGHTS (70W X 2)		$383
EA925342	BEACON LAMP		$130
EA925CG02	CAB WIRE NET GUARD		$1,596
EA925CG03	CAB FOG GUARD		$4,153
EA925CG04	CAB FINE NET GUARD		$3,035
EA925510	TOOL KIT WITH BOX		$618
EA925570	HEAVIER COUNTERWEIGHT (ADD 1100 LBS)		$2,955
ATTACHMENTS			
EA925608	36" x 1.16 yd3 (Heavy Duty Plate Bucket)		$5,897
EA925609	42 x 1.43 yd3 HB BUCKET		$6,661
EA925610	49.2" (44.5" without side cutters) x 1.41 yd^3 HCE bucket		$4,156
EA925611	35" X 1.03 yd3 NARROW BKT		$6,505
EA925612	42.9" X 1.35yd3 NARROW BKT		$6,210
EA925613	29.9" X 0.78yd3 NARROW BKT		$5,618
EA925614	59" X 1.96yd3 LIGHT BKT		$7,098
EA925615	52.8" X 1.52yd3 ROCK BKT		$10,055
EA925616	45.3" X 1.40yd3 HD BKT		$8,575
EA925617	51.6" X 1.66yd3 HD BKT		$12,420
EA925618	57.7" X 1.91yd3 HD BKT		$9,463

ROBEX 260LC-9A HIGH CHASSIS
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 183 HP / 1900 rpm (SAE J1349, net) Cummins QSB6.7 4 cycle, 6 cylinder in-line, direct injection, turbocharged charge air cooled, low emission diesel, Tier IVi engine
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self diagnostic capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch and auto decel
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per track)
- 15' 3" Undercarriage length
- 8' 6" Track gauge
- Hydraulic track adjusters
- Bottom swivel guard
- 24" Track shoe
- Sealed track
- 2 track guides

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 3 work lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA926HC000	STANDARD CONFIGURED MACHINE Base machine, 19' 2" one piece boom, 10' 0" arm, bucket linkage, 1.41yd^3 HCE HD bucket, 28" track shoes, CD Player & Radio with MP3 Input		56,200	$341,680
EA926HC006	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$309,294
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA926HC100	19' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		56,900	$17,743
EA926HC111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$7,886
EA926HC119	8' 2" ARM (ASSY)	Includes bucket cylinder		$9,085
EA926HC120	10' 0" ARM (ASSY) (std.)	Includes bucket cylinder		$9,131
EA926HC121	11' 10" ARM (ASSY)	Includes bucket cylinder		$12,911
EA926HC122	6'11" ARM (ASSY)	Includes bucket cylinder		$9,463
EA926HC140	BUCKET LINKAGE	Includes rod and pin		$1,557
EA926HC150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$14,537
CAB & ELECTRICAL				
EA926HC222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)			IN BASE
EA926HC230	DC CONVERTER (24V → 12V)			IN BASE
EA926HC240	HEATED AIR SUSPENSION SEAT			IN BASE
EA926HC250	CD PLAYER & RADIO WITH MP3 INPUT			IN BASE
EA926HC260	REAR VIEW CAMERA			IN BASE
EA926HC270	HI-MATE (REMOTE MANAGEMENT SYSTEM)			IN BASE
EA926HC280	TRANSPARENT SKYLIGHT			IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
UNDERCARRIAGE			
EA926HC313	TRACKS WITH 28" DOUBLE GROUSER (std.)		IN BASE
EA926HC314	FULL TRACK GUARD		IN BASE
AUXILIARY HYDRAULIC			
EA926HC410	SINGLE ACTING AUX HYDRAULICS (FACTORY INSTALLED)		$8,878
EA926HC411	DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)		$9,884
EA926HC420	BOOM SAFETY LOCK VALVE		$3,703
EA926HC421	ARM SAFETY LOCK VALVE		$2,013
EA926HC430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA926HC341	EXTRA CAB LIGHTS (70W X 2)		$383
EA926HC342	BEACON LAMP		$130
EA926HCCG02	CAB WIRE NET GUARD		$1,596
EA926HCCG03	CAB FOG GUARD		$4,153
EA926HCCG04	CAB FINE NET GUARD		$3,035
EA926HC510	TOOL KIT WITH BOX		$596
EA926HC570	HEAVIER COUNTERWEIGHT (ADD1,100lbs)		$2,955
ATTACHMENTS			
EA926HC610	49.2" (44.5" without side cutters) x 1.41 yd^3 HYUNDAI bucket		$3,955

ROBEX 300LC-9A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 197 HP (SAE J1349, net) Cummins QSB6.7 Tier IVi
  water cooled, 4 cycle, 6 cylinders, turbocharged and charge air cooled, low emission diesel
- 24 V electrical starting system (160 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self Diagnostic Capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per each track)
- Hydraulic track adjusters
- 16' 2" undercarriage length
- 8' 6" track gauge
- 2 track guides, each track
- 24" track shoes
- Sealed track
- Bottom swivel guard

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large/ 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA929000	STANDARD CONFIGURED MACHINE Base machine, 20' 6" one piece boom, 10' 0" arm, bucket linkage, 1.66 yd^3 HCE bucket, 32" track shoes, CD Player & Radio with MP3 Input		65,870	$336,426
EA929001	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		55,130	$290,488
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA929100	20' 6" BOOM ONE PIECE (ASSY) (std.) Incl. boom & arm cylinders, piping, & lights		5,900	$30,326
EA929111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	1,144	$10,154
EA929115	6' 11" ARM (ASSY)	Includes bucket cylinder	3,110	$8,806
EA929120	8' 2" ARM (ASSY)	Includes bucket cylinder	3,060	$8,996
EA929121	10' 0" ARM (ASSY) (STD.)	Includes bucket cylinder	3,310	$9,547
EA929122	12' 4" ARM (ASSY)	Includes bucket cylinder	3,620	$12,299
EA929123	10'0" HD ARM (ASSY)	Includes bucket cylinder		$15,378
EA929140	BUCKET LINKAGE	Includes rod and pin	366	$1,909
EA929150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$14,119

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA929222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
EA929230	DC CONVERTER (24V → 12V)		IN BASE
EA929240	HEATED AIR SUSPENSION SEAT		IN BASE
EA929250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
EA929253	REARVIEW CAMERA		IN BASE
EA929260	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
EA929270	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
EA929313	TRACKS WITH 32" TRIPLE GROUSER (STD)	5,890	IN BASE
EA929317	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		$2,446
AUXILIARY HYDRAULIC			
EA929410	SINGLE ACTING AUXILIARY HYDRAULICS		$9,583
EA929411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)	190	$12,006
EA929420	BOOM SAFETY LOCK VALVE		$3,640
EA929421	ARM SAFETY LOCK VALVE		$1,976
EA929430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA929341	EXTRA CAB LIGHTS (70W X 2)		$383
EA929342	BEACON LAMP		$130
EA929CG02	CAB WIRE NET GUARD		$1,596
EA929CG03	CAB FOG GUARD		$4,153
EA929CG04	CAB FINE NET GUARD		$3,035
EA929510	TOOL KIT WITH BOX		$618
EA929570	HEAVIER COUNTERWEIGHT (ADDITIONAL 880 LBS.)		$1,182
ATTACHMENTS			
EA929608	42" x 1.43 yd^3 HD Bucket		$7,194
EA929609	48" x 1.67 yd^3 HD Bucket		$7,784
EA929610	55.5" (50.8" without side cutters) x 1.66 yd^3 HYUNDAI bucket		$4,156

ROBEX 300LC-9A LONG REACH
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 197 HP (SAE J1349, net) Cummins QSB6.7 Tier IVi
  water cooled, 4 cycle, 6 cylinders, turbocharged and charge air cooled, low emission diesel
- 24 V electrical starting system (160 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self Diagnostic Capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per each track)
- Hydraulic track adjusters
- 16' 2" undercarriage length
- 8' 6" track gauge
- 2 track guides, each track
- 24" track shoes
- Sealed track
- Bottom swivel guard

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA930000L	STANDARD CONFIGURED MACHINE Base machine, 33' 6" one piece boom, 25' 9" arm, bucket linkage, 32" track shoes, CD Player & Radio, 0.67 yd^3 HCE bucket		70,310	$372,372
EA930001L	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket includes 13,860 lb. counterweight			$300,034
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
EA930100L	33' 6" BOOM, ONE PIECE (ASSY) (std.) includes boom and arm cylinders, piping, and lights			$48,082
EA930111L	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.		$10,154
EA930120L	25' 9" ARM, ONE PIECE (ASSY) (Std.)	Includes bucket cylinder		$22,367
EA930140L	BUCKET LINKAGE			$1,909
EA930150L	HCE HYDRAULIC QUICK COUPLER			$14,119

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA930222L	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
EA930230L	DC CONVERTER (24V → 12V)		IN BASE
EA930241L	HEATED AIR SUSPENSION SEAT		IN BASE
EA930250L	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
EA930253L	REARVIEW CAMERA		IN BASE
EA930260L	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
EA930270L	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
EA930313L	TRACKS WITH 32" TRIPLE GROUSER (std.)		IN BASE
EA930317L	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		$2,446
AUXILIARY HYDRAULIC			
EA930420L	BOOM SAFETY LOCK VALVE		$3,640
EA930421L	ARM SAFETY LOCK VALVE		$1,976
EA930430L	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA930341L	EXTRA CAB LIGHTS (70W X 2)		$378
EA930342L	BEACON LAMP		$130
EA930CG02L	CAB WIRE NET GUARD		$1,596
EA930CG03L	CAB FOG GUARD		$4,153
EA930CG04L	CAB FINE NET GUARD		$3,035
EA930510L	TOOL KIT WITH BOX		$618
ATTACHMENTS			
EA930610L	40.8" (36.8" without side cutters) x 0.76yd^3 (std. HCE bucket)		$2,313

ROBEX 300LC-9A HIGH WALKER
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 197 HP (SAE J1349, net) Cummins QSB6.7 Tier IVi water cooled, 4 cycle, 6 cylinders, turbocharged and charge air cooled, low emission diesel
- 24 V electrical starting system (160 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes: Digger, Breaker, Crusher
  - *1 Programmable user mode
- Self Diagnostic Capability
- Variable engine speed control dial
- Auto engine overheat prevention
- Auto engine deceleration (multi-staged)
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Auto swing brake
- Auto hydraulic priority system (boom and swing)
- Auto power boost - also selectable by switch on joystick
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per each track)
- Hydraulic track adjusters
- 16' 2" undercarriage length
- 8' 6" track gauge
- 2 track guides, each track
- 24" track shoes
- Sealed track
- Bottom swivel guard

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA930HC000	STANDARD CONFIGURED MACHINE Base machine, 20' 6" one piece boom, 10' 0" arm, bucket linkage, 1.67 yd^3 HD HCE bucket, 28" track shoes, CD Player & Radio with MP3 input		72,140	$373,453
EA930HC001	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		59,190	$329,281
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
EA930HC100	20' 6" BOOM ONE PIECE (ASSY) (std.) Incl. boom & arm cylinders, piping, & lights		5,900	$29,160
EA930HC111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	1,144	$9,311
EA930HC115	6' 11" ARM (ASSY)	Includes bucket cylinder	3,110	$8,467
EA930HC120	8' 2" ARM (ASSY)	Includes bucket cylinder	3,060	$8,651
EA930HC121	10' 0" ARM (ASSY) (STD.)	Includes bucket cylinder	3,310	$9,180
EA930HC122	12' 4" ARM (ASSY)	Includes bucket cylinder	3,620	$11,826
EA930HC140	BUCKET LINKAGE	Includes rod and pin	366	$1,836
EA930HC150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$14,119

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA930HC222	AIR-CONDITIONER & HEATER (FULL AUTOMATIC TEMPERATURE CONTROL)		IN BASE
EA930HC230	DC CONVERTER (24V → 12V)		IN BASE
EA930HC240	HEATED AIR SUSPENSION SEAT		IN BASE
EA930HC250	CD PLAYER & RADIO WITH MP3 INPUT		IN BASE
EA930HC253	REARVIEW CAMERA		IN BASE
EA930HC260	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
EA930HC270	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE			
EA930HC313	TRACKS WITH 28" DOUBLE GROUSER (STD)	5,890	IN BASE
AUXILIARY HYDRAULIC			
EA930HC410	SINGLE ACTING AUXILIARY HYDRAULICS		$9,583
EA930HC411	MULTI FUNCTION AUXILIARY HYDRAULICS (FACTORY INSTALLED)	190	$12,006
EA930HC420	BOOM SAFETY LOCK VALVE		$3,499
EA930HC421	ARM SAFETY LOCK VALVE		$1,901
EA930HC430	LEVER PATTERN SELECTOR VALVE (ISO ↔ SAE) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA930HC341	EXTRA CAB LIGHTS (70W X 2)		$383
EA930HC342	BEACON LAMP		$130
EA930HCCG02	CAB WIRE NET GUARD		$1,596
EA930HCCG03	CAB FOG GUARD		$4,153
EA930HCCG04	CAB FINE NET GUARD		$3,035
EA930HC510	TOOL KIT WITH BOX		$594
EA930HC570	HEAVIER COUNTERWEIGHT (ADDITIONAL 880 LBS.)		$1,182
ATTACHMENTS			
EA930HC610	55.5" (50.8" without side cutters) x 1.66 yd^3	2,230	$3,996

ROBEX 330LC-9A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 263 HP (SAE J1349, net) Cummins QSC Tier IVi water cooled, 4 cycle, 6 cylinder in-line, turbocharged and charge air cooled, low emission diesel
- 24 V electrical starting system (160 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *2 power modes
  - *3 work modes: Digger, Breaker, Crusher
  - *2 User modes
- Self diagnosis system
- 10 step engine speed control by dial
- Auto engine overheat prevention
- Auto engine deceleration
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Swing holding brake
- Swing priority control system
- Power boost system
- Boom and Arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per track)
- Hydraulic track adjusters
- 16' 2" undercarriage length
- 8' 10" track gauge
- 2 track guides, each track
- 32" track shoes
- Sealed track
- Bottom swivel guard

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA932000	STANDARD CONFIGURED MACHINE Base machine, 21' 2" one piece boom, 10' 6" arm, bucket linkage, 32" track shoes, CD Player & Radio, 1.88 yd³ HCE bucket		71,000	$378,368
EA932002	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		59,730	$326,493
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA932100	21' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		6,680	$35,033
EA932111	BOOM CYLINDERS	Factory installed, l.h. and r.h.	1,289	$11,035
EA932120	7' 3" ARM (ASSY)	Includes bucket cylinder	3,310	$9,985
EA932121	8' 2" ARM (ASSY)	Includes bucket cylinder	3,510	$10,387
EA932122	10' 6" ARM (ASSY) (std.)	Includes bucket cylinder	3,700	$10,394
EA932123	13' 3" ARM (ASSY)	Includes bucket cylinder	4,170	$13,396
EA932124	10'6" ARM (ASSY)	Includes bucket cylinder		$18,333
EA932140	BUCKET LINKAGE	Includes rod and pin	418	$2,269
EA932150	HCE HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$19,813
CAB & ELECTRICAL				
EA932222	FULL AUTO A/C			IN BASE
EA932230	DC CONVERTER (24V → 12V)			IN BASE
EA932240	HEATED AIR RIDE SUSPENSION SEAT			IN BASE
EA932250	MP3 PLAYER & RADIO			IN BASE
EA932253	REARVIEW CAMERA			IN BASE
EA932260	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE
EA932270	TRANSPARENT SKYLIGHT			IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
EA932313	TRACKS WITH 32" TRIPLE GROUSER (std.)	9,960	IN BASE
EA932314	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		$2,446
AUXILIARY HYDRAULIC			
EA932410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	200	$9,583
EA932411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	200	$12,006
EA932420	BOOM SAFETY LOCK VALVE		$3,630
EA932421	ARM SAFETY LOCK VALVE		$1,973
EA932430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA932341	EXTRA CAB LIGHTS (70W X 2)		$378
EA932342	BEACON LAMP		$130
EA932CG02	CAB WIRE NET GUARD		$1,596
EA932CG03	CAB FOG GUARD		$4,153
EA932CG04	CAB FINE NET GUARD		$3,035
EA932510	TOOL KIT WITH BOX	55	$596
EA932570	HEAVIER COUNTERWEIGHT (ADDITIONAL 880 LBS.)	14,550	$3,550
ATTACHMENTS			
EA932608	46" x 1.82yd3 HB BKT	2,450	$7,452
EA932609	54" x 2.09yd3 HD BKT		$8,316
EA932610	59" (54.3" w/o SC) x1.88yd3		$4,179
EA932611	37.4" X 1.18yd3 BKT		$6,800
EA932612	63.8" X 2.28yd3 BKT		$8,575
EA932613	75.2" X 2.75yd3 BKT		$9,463
EA932614	57.9" X 1.88yd3 HD BKT		$10,055
EA932615	57.9" X 1.88yd3 ROCK BKT		$10,350
EA932616	67.3" X 2.26yd3 ROCK BKT		$11,533

ROBEX 330LC-9A HC
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 283 HP (SAE J1349, net) Cummins QSC Tier IVi water cooled, 4 cycle, 6 cylinder in-line, turbocharged and charge air cooled, low emission diesel
- 24 V electrical starting system (160 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - 2 power modes
  - 3 work modes: Digger, Breaker, Crusher
  - 2 User modes
- Self diagnosis system
- 10 step engine speed control by dial
- Auto engine overheat prevention
- Auto engine deceleration
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Swing holding brake
- Swing priority control system
- Power boost system
- Boom and Arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per track)
- Hydraulic track adjusters
- 16' 2" undercarriage length
- 8' 10" track gauge
- 2 track guides, each track
- 32" track shoes
- Sealed track
- Bottom swivel guard

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - Multiple language capability
  - Password security
  - Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for auxiliary attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA933HC000	STANDARD CONFIGURED MACHINE Base machine, 21' 2" one piece boom, 10' 6" arm, bucket linkage, 32" track shoes, CD Player & Radio, 1.66 yd^3 HCE bucket		71,000	$413,513
EA933HC001	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		59,730	$363,634
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
EA933HC100	21' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		6,680	$33,685
EA933HC111	BOOM CYLINDERS	Factory Installed, l.h. and r.h.	1,289	$10,870
EA933HC120	7' 3" ARM (ASSY)	Includes bucket cylinder	3,310	$3,610
EA933HC121	8' 2" ARM (ASSY)	Includes bucket cylinder	3,510	$9,988
EA933HC122	10' 6" ARM (ASSY) (std.)	Includes bucket cylinder	3,700	$9,994
EA933HC123	13' 3" ARM (ASSY)	Includes bucket cylinder	4,170	$12,881
EA933HC140	BUCKET LINKAGE	Includes rod and pin	418	$2,182
EA933HC150	HCE HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$19,813
CAB & ELECTRICAL				
EA933HC222	FULL AUTO A/C			IN BASE
EA933HC230	DC CONVERTER (24V → 12V)			IN BASE
EA933HC240	HEATED AIR RIDE SUSPENSION SEAT			IN BASE
EA933HC250	MP3 PLAYER & RADIO			IN BASE
EA933HC253	REARVIEW CAMERA			IN BASE
EA933HC260	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE
EA933HC270	TRANSPARENT SKYLIGHT			IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
UNDERCARRIAGE (Factory installed - must be ordered with machine)			
EA933HC313	TRACKS WITH 32" TRIPLE GROUSER (std.)	9,960	IN BASE
AUXILIARY HYDRAULIC			
EA933HC410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	200	$9,583
EA933HC411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	200	$12,006
EA933HC420	BOOM SAFETY LOCK VALVE		$3,491
EA933HC421	ARM SAFETY LOCK VALVE		$1,898
EA933HC430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA933HC341	EXTRA CAB LIGHTS (70W X 2)		$378
EA933HC342	BEACON LAMP		$130
EA933HCCG02	CAB WIRE NET GUARD		$1,596
EA933HCCG03	CAB FOG GUARD		$4,153
EA933HCCG04	CAB FINE NET GUARD		$3,035
EA933HC510	TOOL KIT WITH BOX	55	$573
EA933HC570	HEAVIER COUNTERWEIGHT (ADDITIONAL 880 LBS.)	14,550	$3,550
ATTACHMENTS			
EA933HC608	59" (54.3" W/O SC) X 1.88yd3 BKT	2,450	$4,018
EA933HC609	42" X 1.18yd3 BKT		$6,800
EA933HC610	66.5" X 2.28yd3 BKT		$8,575
EA933HC611	79.9" X 2.75yd3 BKT		$9,463
EA933HC612	57.9" X 1.88yd3 HD BKT		$10,055
EA933HC613	57.9" X 1.88yd3 ROCK BKT		$10,350
EA933HC614	67.3" X 2.28yd3 ROCK BKT		$11,533
EA933HC615	48" X 1.82yd3 HD BKT		$10,645
EA933HC616	54" X 2.09yd3 HD BKT		$12,420

ROBEX 380LC-9A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 271 HP (SAE J1349, net) Cummins QSL, Tier IVi water cooled, 4 cycle, 6 cylinder in-line, turbocharged, and charge air cooled low emission diesel
- 24 V electrical starting system (160 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes (Digger, Breaker, Crusher)
  - *1 Programmable User mode
- Self diagnostic capability
- 10 step engine speed control by dial
- Auto engine overheat prevention
- Auto engine deceleration
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Swing holding brake
- Swing priority control system
- Power boost system
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per track)
- Hydraulic track adjusters
- 17' 4" undercarriage length
- 9' 0" track gauge
- 32" track shoes
- 2 track guides, Each track
- Bottom swivel guard
- Sealed track

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for auxiliary attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 7-spool main control valve incl. aux. hydraulic spool lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
EA9736002	STANDARD CONFIGURED MACHINE Base machine, 21' 4" one piece boom, 12' 10" arm, bucket linkage, 32" track shoes, CD Player & Radio, 2.12 yd^3 HCE bucket		84,220	$427,788
EA9736002	BASE MACHINE Price does not include boom cylinders, boom, arm, bucket linkage, or HCE bucket		66,500	$357,453
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA9736100	21' 4" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		8,330	$44,642
EA9736111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	1,485	$12,347
EA9736112	10'6" HD ARM (ASSY)	Includes bucket cylinder		$16,263
EA9736120	10' 6" ARM (ASSY)	Includes bucket cylinder	4,320	$12,612
EA9736121	12'10" ARM (ASSY) (std)	Includes bucket cylinder	4,780	$15,278
EA9736140	BUCKET LINKAGE	Includes rod and pin	462	$2,727
EA9736150	HCE HYDRAULIC QUICK COUPLER			$19,813

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA9736222	FULL AUTO A/C		IN BASE
EA9736230	DC CONVERTER (24V → 12V)		IN BASE
EA9736240	HEATED AIR RIDE SUSPENSION SEAT		IN BASE
EA9736250	MP3 PLAYER & RADIO		IN BASE
EA9736251	REARVIEW CAMERA		IN BASE
EA9736252	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
EA9736253	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
EA9736315	TRACKS WITH 32" TRIPLE GROUSER (std.)	10,020	IN BASE
EA9736316	TRACKS WITH 36" TRIPLE GROUSER (ILOS)	11,110	$2,937
AUXILIARY HYDRAULIC			
EA9736410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	215	$10,527
EA9736411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	215	$13,168
EA9736420	BOOM SAFETY LOCK VALVE		$3,630
EA9736421	ARM SAFETY LOCK VALVE		$1,973
EA9736430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA9736341	EXTRA CAB LIGHTS (70W X 2)		$378
EA9736342	BEACON LAMP		$130
EA9736CG02	CAB WIRE NET GUARD		$1,596
EA9736CG03	CAB FOG GUARD		$4,153
EA9736CG04	CAB FINE NET GUARD		$3,035
EA9736510	TOOL KIT WITH BOX	55	$596
EA9736570	HEAVIER COUNTERWEIGHT (ADDITIONAL 1,100 LBS.)	15,430	$2,958
EA9736571	HEAVIER COUNTERWEIGHT (ADDITIONAL 3530 LBS.)		$9,463
ATTACHMENTS			
EA9736608	48" (Wear Guards) x 1.90 yd^3 (Heavy Duty Plate Bucket)		$8,237
EA9736609	54" (Wear Guards) x 2.18 yd^3 (Heavy Duty Plate Bucket)		$9,031
EA9736610	62.6" (56.7" without side cutters) x 2.12 yd^3 (std. HCE bucket)	2,740	$7,688
EA9736611	63.8" X 2.43yd3 BKT		$10,055
EA9736612	71.3" X 2.75yd3 BKT		$11,238
EA9736613	78.3" X 3.03yd3 BKT		$13,603
EA9736614	60.8" X 2.12yd3 ROCK BKT		$12,715
EA9736615	67.9" X 2.43yd3 ROCK BKT		$13,898
EA9736616	60.8" X 2.12yd3 HD BKT		$10,055

ROBEX 480LC-9A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 342 HP (SAE J1349, net) Cummins QSM11-C, Tier IVi water cooled, 4 cycle, 6 cylinder in-line, direct injected turbocharged and charge air cooled low emission diesel
- 24 V electrical starting system (200 A.H.)
- 70 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *2 power modes:
  - *3 work modes (Digger, Breaker, Crusher)
  - *2 user modes
- Self diagnostic capability
- 10 step engine speed control by dial
- Auto engine overheat prevention
- Auto engine deceleration
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Swing holding brake
- Swing priority control system
- Power boost system
- Boom and arm holding valve
- Two-speed, ind. hydrostatic drive at each track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per track)
- Hydraulic track adjusters
- 17' 11" undercarriage length
- 9' 0" track gauge
- 32" track shoes
- 2 track guides, Each track
- Sealed track
- Bottom swivel guard

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for auxiliary attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- HI-mate (Remote Management System)
- 9-spool main control valve incl. aux. hydraulic spool
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT	LIST PRICE AT DESTINATION
EA9945000	STANDARD CONFIGURED MACHINE Base machine, 23' 2" one piece boom, 13' 1" arm, bucket linkage, 32" track shoes, CD Player & Radio, 2.81 yd^3 HCE bucket		106,040	$566,042
EA9945002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		82,200	$489,397
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA9945100	21' 6" MASS BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights		9,562	$60,209
EA9945102	23' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		8,620	$45,087
EA9945103	29' 6" SUPER LONG BOOM (ASSY), ONE PIECE			$77,400
EA9945111	BOOM CYLINDERS	Factory installed, l.h. and r.h.	1,760	$16,435
EA9945120	7' 10" ARM (ASSY)	Includes bucket cylinder	4,560	$14,436
EA9945121	9' 6" ARM (ASSY)	Includes bucket cylinder	4,920	$16,182
EA9945122	11' 1" ARM (ASSY)	Includes bucket cylinder	4,630	$14,090
EA9945123	13' 1" ARM (ASSY) (std)	Includes bucket cylinder	5,220	$18,167
EA9945125	19' 2" SUPER LONG ARM (ASSY)	Includes bucket cylinder		$23,204
EA9945140	BUCKET LINKAGE	Includes rod and pin	467	$3,041
EA9945150	HCE HYDRAULIC QUICK COUPLER			$22,343

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA9945222	FULL AUTO A/C		IN BASE
EA9945230	DC CONVERTER (24V → 12V)		IN BASE
EA9945240	HEATED AIR SUSPENSION SE9T		IN BASE
EA9945250	CD PLAYER & RADIO		IN BASE
EA9945251	REARVIEW CAMERA		IN BASE
EA9945252	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
EA9945253	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
EA9945312	TRACKS WITH 32" TRIPLE GROUSER (std.)	10,660	IN BASE
EA9945313	TRACKS WITH 36" TRIPLE GROUSER (ILOS)		$3,523
AUXILIARY HYDRAULIC			
EA9945410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	255	$13,360
EA9945411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	255	$16,311
EA9945420	BOOM SAFETY LOCK VALVE		$3,701
EA9945421	ARM SAFETY LOCK VALVE		$3,013
EA9945430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA9945341	EXTRA CAB LIGHTS (70W X 2)		$378
EA9945342	BEACON LAMP		$130
EA9945CG02	CAB WIRE NET GUARD		$1,596
EA9945CG03	CAB FOG GUARD		$4,153
EA9945CG04	CAB FINE NET GUARD		$3,035
EA9945510	TOOL KIT WITH BOX	55	$596
EA9945570	HEAVIER COUNTERWEIGHT (ADDITIONAL 1,100 LBS.)	21,380	$590
EA9945571	HEAVIER COUNTERWEIGHT (ADDITIONAL 2210 LBS.)		$3,843
EA9945572	HEAVIER COUNTERWEIGHT (ADDITIONAL 3310 LBS.)		$7,095
EA9945580	TROPICAL KIT (FACTORY INSTALLED)		$181
ATTACHMENTS			
EA9945608	54" X 2.66yd3 HD BKT		$11,007
EA9945609	60" X 3.02yd3 HD BKT		$12,501
EA9945610	55.7" X 2.81yd3 BKT (STD)		$10,350
EA9945611	43.3" X 1.80yd3 BKT		$10,940
EA9945612	44.9" X 2.41yd3 BKT		$12,715
EA9945613	36" X 1.31yd3 BKT		$9,758
EA9945614	69.3" X 3.65yd3 BKT		$16,855
EA9945615	72.4" X 2.88yd3 ROCK BKT		$18,630
EA9945616	74.2" X 3.18yd3 ROCK BKT		$19,220

ROBEX 520LC-9A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 342 HP (SAE J1349, net) Cummins QSM11, Tier IVi water cooled, 4 cycle, 6 cylinder in-line, direct injected, turbocharged and charge air cooled low emission diesel
- 24 V electrical starting system (200 A.H.)
- 70 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- Computer Aided Power Optimization system (CAPO)
  - *3 Power modes (P) Power, (S) Standard, (E) Economy
  - *3 work modes (Digger, Breaker, Crusher)
  - *1 Programmable User mode
- Self diagnostic capability
- 10 step engine speed control by dial
- Auto engine overheat prevention
- Auto engine deceleration
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Swing holding brake
- Swing priority control system
- Power boost system
- Boom and Arm holding valve
- Two-speed, ind. hydrostatic drive per track
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (2 upper & 9 lower per track)
- Hydraulic track adjusters
- 17' 11" undercarriage length
- Track gauge: Extended - 9' 8", Retracted - 7' 10"
- Adjustable track frame
- 32" track shoes
- 2 track guides per track
- Sealed track
- Bottom swivel guard

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat belt
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - *Multiple language capability
  - *Password security
  - *Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for aux. attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- 9-spool main control valve incl. aux. hyd. spool
- Lights (boom mounted, front of tool box)
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Counterweight (22,490 lbs.)
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT	LIST PRICE AT DESTINATION
EA950000	STANDARD CONFIGURED MACHINE Base machine, 23' 2" one piece boom, 11' 1" arm, bucket linkage, 32" track shoes, CD Player & Radio, 2.81 yd^3 HCE bucket		112,430	$586,750
EA950002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$510,321
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA950100	21' 6" MASS BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights		9,562	$48,009
EA950102	23' 2" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		8,620	$43,785
EA950103	29' 6" LONG BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights			$74,611
EA950111	BOOM CYLINDERS	Factory installed, l.h. and r.h.	1,760	$15,961
EA950121	9' 6" ARM (ASSY)	Includes bucket cylinder	4,920	$15,682
EA950122	11' 1" ARM (ASSY)	Includes bucket cylinder	4,630	$13,684
EA950123	13' 1" ARM (ASSY) (std)	Includes bucket cylinder	5,220	$18,452
EA950125	19' 2" ARM (ASSY)	Includes bucket cylinder		$23,334
EA950140	BUCKET LINKAGE	Includes rod and pin	467	$2,954
EA950150	HCE HYDRAULIC QUICK COUPLER			$22,343

10/31/2012

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA950222	FULL AUTO A/C		IN BASE
EA950230	DC CONVERTER (24V → 12V)		IN BASE
EA950240	HEATED AIR SUSPENSION SE9T		IN BASE
EA950250	CD PLAYER & RADIO		IN BASE
EA950251	REARVIEW CAMERA		IN BASE
EA950252	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
EA950253	TRANSPARENT SKYLIGHT		IN BASE
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
EA950312	TRACKS WITH 32" TRIPLE GROUSER (std.)	10,660	IN BASE
AUXILIARY HYDRAULIC			
EA950410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments		$13,360
EA950411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)		$16,311
EA950420	BOOM SAFETY LOCK VALVE		$3,701
EA950421	ARM SAFETY LOCK VALVE		$3,013
EA950430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
OTHERS			
EA950341	EXTRA CAB LIGHTS (70W X 2)		$378
EA950342	BEACON LAMP		$130
EA950CG02	CAB WIRE NET GUARD		$1,596
EA950CG03	CAB FOG GUARD		$4,153
EA950CG04	CAB FINE NET GUARD		$3,035
EA950510	TOOL KIT WITH BOX	55	$596
EA950570	HEAVIER COUNTERWEIGHT (ADDITIONAL 1100 LBS.)	25,794	$3,253
EA950571	HEAVIER COUNTERWEIGHT (ADDITIONAL 3250 LBS.)		$5,915
EA950580	TROPICAL KIT (FACTORY INSTALLED)		$181
ATTACHMENTS			
EA950609	55.7" X 2.81yd3 BKT (STD)		$11,238
EA950610	44.9" X 2.16yd3 BKT		$11,533
EA950611	69.3" X 3.65yd3 BKT		$15,968
EA950612	74.4" X 3.96yd3 BKT		$15,968
EA950613	61.4" X 2.35yd3 ROCK BKT		$17,150
EA950614	82.5" X 4.19yd3 BKT		$16,855
EA950615	43.3" X 1.80yd3 BKT		$10,940
EA950616	60" X 3.02yd3 HD BKT		$19,220

ROBEX 800LC-7A
HYDRAULIC CRAWLER EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 490 HP (SAE J1349, net) Cummins QSX15, Tier-III water cooled, 4 cycle, 6 cylinder in-line, direct injection turbocharged, charge air cooled low emission diesel
- 24 V electrical starting system (200 AH)
- 100 amp alternator

CONTROLS

- Pilot operated two joystick
- Computer Aided Power Optimization system (CAPO)
  - 2 power modes
  - 3 work modes (Digger, Breaker, Crusher)
  - 2 user modes
- Self diagnostic capability
- Boom & arm holding valve
- Boom priority control system
- Swing priority control system
- Auto engine overheat prevention
- Auto engine deceleration
- One-touch deceleration
- Auto engine warm-up system
- Anti restart protection
- Power boost system
- Travel power boost - auto power boost engages during travel

UNDERCARRIAGE

- Lubricated rollers (3 upper & 9 lower per track)
- Hydraulic track adjusters
- 20' 9" undercarriage length
- Track gauge: Extended - 11' 6", Retracted - 9' 11"
- 28" two bar grouser shoe
- 2 track guards per track

CAB

- Pressurized ISO standard cab
- Adjustable heated suspension seat with seat bell
- Sliding, control consoles with adjustable height controls
- Illuminated 7" Color LCD cluster with sound for alarms
  - Multiple language capability
  - Password security
  - Jog shuttle dial for easy menu selection
- Sliding window and tinted safety glass
- Removable lower front window with storage
- Retractable sun visors (Front and Upper)
- 2 rear-view mirrors (outside)
- Hot / cold box
- Air conditioner
- Heater and defroster
- Intermittent windshield wiper
- 12 V auxiliary power outlet
- AM/FM/USB MP3 Player
- Joysticks pre-wired for auxiliary attachment control
- Lunch box storage area
- 1 Large / 1 small cup holder
- Ash tray insert
- Molded floor mat
- Dome light
- 24 V cigarette lighter
- Transparent sliding skylight

OTHERS

- Lights (boom mounted, front of tool box)
  - 4 work lights on Boom (2 per side)
  - 4 front lights on top of cabin
  - Guarded floodlight at both sides of machine.
  - Beacon lamp on top of cabin
- Lockable side doors
- Fuel filler cap access
- Variable speed engine fan clutch
- Lockable fuel cap
- Tow eyes
- Travel alarm
- Air Pre-Cleaner
- Battery master switch

ORDER CODE	DESCRIPTION		WEIGHT	LIST PRICE AT DESTINATION
EA780000	STANDARD CONFIGURED MACHINE Base machine, 23' 7" Boom, 11' 2" Arm, Bucket link, 5.9 yd^3 Bucket, 32" triple grouser shoe 27,500 lbs. counter weight		181,480	$1,059,543
EA780002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket			$893,130
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
EA780101	23' 7" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping and lights			$87,433
EA780102	26' 5" BOOM (Assy), ONE PIECE Includes boom and arm cylinders, piping and lights			$96,793
EA780111	BOOM CYLINDERS	Factory installed, l.h. and r.h.		$29,068
EA780121	9' 8" ARM (ASSY) (std.)	Includes bucket cylinder		$33,862
EA780122	11' 2" ARM (ASSY)	Includes bucket cylinder		$35,641
EA780140	BUCKET LINKAGE	Includes rod and pin		$5,379

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
EA780222	FULL AUTO A/C		IN BASE
EA780230	DC CONVERTER (24V → 12V)		IN BASE
EA780240	AIR SUSPENSION SEAT		IN BASE
EA780250	CD PLAYER & RADIO		IN BASE
EA780260	FOPS/FOG (STD)		$5,845
UNDERCARRIAGE (Factory Installed - must be ordered with machine)			
EA780312	TRACKS WITH 32" TRIPLE GROUSER (STD)		IN BASE
EA780316	TRACKS WITH 28" TWO BAR (std.)		IN BASE
EA780318	TRACKS WITH 36" TWO BAR (ILOS)		$8,819
EA780320	FULL TRACK GUARD (std.)		$6,136
AUXILIARY HYDRAULIC			
EA780410	SINGLE ACTING AUX HYDRAULICS		$12,370
EA780411	DOUBLE ACTING HYDRAULICS		$16,224
EA780420	BOOM SAFETY LOCK VALVE		$3,427
EA780421	ARM SAFETY LOCK VALVE		$2,790
EA780430	LEVER PATTERN SELECTOR VALVE		$2,184
OTHERS			
EA780520	FUEL FILLER PUMP		$714
ATTACHMENTS			
EA780610	4.4 yd^3 bucket		$23,764
EA780611	5.9 yd^3 (std HCE bucket)		$28,600

ROBEX 140W-9
HYDRAULIC RUBBER-TIRED EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 133 HP (SAE J1349, net) Cummins QSB 6.7 water cooled, 4 cycle, 6 cylinder in-line direct injection turbocharged and charge air cooled low emission diesel
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- 4 dig modes - Computer Aided Power Optimization (CAPO)
- One-touch engine deceleration
- Centralized Monitoring System
- Hydraulic system neutralizer
- Swing holding brake
- Central lube points

DRIVE SYSTEM

- Steering (orbital type)
- 4 wheel hydrostatic drive
- Gear transmission w/ 2 forward and 2 reverse speeds
- Eight 9 x 20, 14PR Tires with rims

CAB

- Adjustable suspension seat w/ seat belt
- Sliding windows with tinted safety glass
- Heater / Defroster (30,000 BTU's)
- A/C (20,000 BTU's)
- Sliding, 4-position control consoles
- Intermittent windshield wiper
- Electronic service monitor
- 2 rear-view mirrors
- Cigarette lighter
- Dome light
- Floor mat

OTHER

- 11-spool MCV including auxiliary hydraulic spool
- Counterweight (3,970 lb.)
- AM/FM/USB MP3 Player
- Lockable side doors
- Rear Dozer Blade
- Travel alarm
- Tow eyes
- Fenders

BRAKES

- Hydraulic multiple wet disc brakes on all 4 wheels
- Working and parking brakes
- Oscillating front and fixed rear axles

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
W9714000	STANDARD CONFIGURED MACHINE Base machine, 15' 1" one piece boom, 6' 11" arm, bucket linkage, 0.76 yd³ HCE bucket, CD Player & Radio, eight 9 x 20, 14 PR tires with rims, rear dozer blade, A/C		29,760	$203,750
W9714002	BASE MACHINE Price does not include boom, arm, bucket linkage, HCE bucket		22,710	$181,991
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
W9714100	15' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		2,270	$13,936
W9714101	13' 5" BOOM (ASSY), ONE PIECE Includes boom and arm cylinders, piping, and lights (TO BE USED ONLY WITH 6' 3" & 6' 11" ARMS)		1,920	$13,670
W9714102	2 PIECE BOOM ASSY(16' 8") Incl. boom and arm cylinders, piping, and lights		2,840	$23,845
W9714111	BOOM CYLINDERS	Factory installed, l.h. and r.h.	560	$5,010
W9714121	6' 3" ARM (ASSY)	Includes bucket cylinder	1,610	$4,627
W9714122	6' 11" ARM (ASSY) (std.)	Includes bucket cylinder	1,650	$4,568
W9714123	8' 2" ARM (ASSY)	Includes bucket cylinder	1,720	$4,776
W9714125	9' 10" ARM (ASSY)	Includes bucket cylinder	1,850	$4,964
W9714140	BUCKET LINKAGE	Includes rod and pin	142	$1,179
W9714150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$6,777

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
W9714222	FULL AUTO A/C		IN BASE
W9714230	DC CONVERTER (24V → 12V)		IN BASE
W9714240	AIR SUSPENSION SEAT W/ HEAT		IN BASE
W9714250	CD PLAYER & RADIO		IN BASE
W9714253	REAR-VIEW CAMERA		IN BASE
W9714260	HI-mate (REMOTE MANAGEMENT SYSTEM)		IN BASE
OUTRIGGERS & TIRES (Factory Installed - Must be ordered with machine)			
W9714340	REAR DOZER BLADE (std.)		IN BASE
W9714352	TWO REAR OUTRIGGERS ONLY (in lieu of DOZER BLADE)	2,580	$1,105
W9714360	TWO FRONT OUTRIGGERS with REAR DOZER BLADE Includes lines, cylinders, control, and mounting bracket	2,095	$7,651
W9714361	FRONT DOZER BLADE with TWO REAR OUTRIGGERS Includes lines, cylinders, control, and mounting bracket	2,095	$9,657
W9714370	FOUR OUTRIGGERS (in lieu of DOZER BLADE)	2,490	$8,750
W9714390	EIGHT 9 x 20, 14 PR TIRES WITH RIMS (std.)	1,840	IN BASE
AUXILIARY HYDRAULIC			
W9714410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	155	$6,212
W9714411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	155	$8,545
W9714420	BOOM SAFETY LOCK VALVE		$2,773
W9714421	ARM SAFETY LOCK VALVE		$1,671
W9714430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
OTHERS			
W9714510	TOOL KIT WITH BOX	55	$579
W9714570	HEAVIER COUNTERWEIGHT (ADD 660lbs)		$304
ATTACHMENTS			
W9714610	44.5" (40.6" without side cutters) x 0.76 yd^3 (HCE std. Bucket)	970	$2,076

ROBEX 170W-9
HYDRAULIC RUBBER-TIRED EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 116 HP (SAE J1349, net) Mitsubishi D04FD-TAA
  Water cooled, 4 cycle, 4 cylinder
  turbocharged and Charge air cooled
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- 4 dig modes - Computer Aided Power Optimization (CAPO)
- Pilot operated joystick and travel controls
- Auto engine overheat protection
- Centralized Monitoring System
- Hydraulic system neutralizer
- Auto engine deceleration
- Variable swing control
- Auto Warm-up
- Central lube points
- Swing holding brake

DRIVE SYSTEM

- Steering (orbital type)
- 4 wheel hydrostatic drive
- Gear transmission w/ 2 forward & 2 reverse speeds
- Eight 10 x 20, 14 PR Tires with rims
- Maximum drawbar pull 24,300 lb.

CAB

- Centralized monitoring system
- Adjustable KAB suspension seat w/ seat belt
- Sliding, 4-position control consoles
- Sliding windows w/ tinted safety glass
- Heater / Defroster (30,000 BTU's)
- A/C (20,000 BTU's)
- Intermittent windshield wiper
- 3 cab mounted lights
- Cigarette lighter
- Dome light
- Floor mat

OTHER

- 11-spool MCV incl. auxiliary hydraulic spool
- Rear dozer blade (2' 0" x 8' 2")
- Removable screen for radiator
- Counterweight (6,060 lb.)
- AM/FM/USB MP3 Player
- 2 boom mounted lights
- Lockable side doors
- Tow eyes
- Travel alarm
- Fenders

BRAKES

- Hydraulic multiple wet disc brakes on all 4 wheels
- Working and parking brakes
- Oscillating front and fixed rear axles

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
W9717000	STANDARD CONFIGURED MACHINE Base machine, 17' 1" one piece boom, 7' 3" arm, bucket linkage, 0.99 yd^3 HCE bucket, A/C, CD Player & Radio, eight 10 x 20, 14 PR tires with rims, rear dozer blade		35,710	$225,673
W9717002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		34,487	$201,925
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
W9717100	17' 1" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		2,890	$15,212
W9717101	16' 5" TWO PIECE BOOM (ASSY) Includes boom and arm cylinders, piping, and lights		3,920	$33,671
W9717111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	786	$6,291
W9717121	7' 3" ARM (ASSY) (std.)	Includes bucket cylinder	1,680	$4,787
W9717122	8' 6" ARM (ASSY)	Includes bucket cylinder	1,830	$5,097
W9717125	10' 2" ARM (ASSY)	Includes bucket cylinder	2,070	$5,967
W9717140	BUCKET LINKAGE	Includes rod and pin	736	$1,267
W9717150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$7,713
CAB & ELECTRICAL				
W9717222	FULL AUTO A/C			IN BASE
W9717230	DC CONVERTER (24V → 12V)			IN BASE
W9717240	AIR SUSPENSION SEAT			IN BASE
W9717250	CD PLAYER & RADIO			IN BASE
W9717253	REAR-VIEW CAMERA			IN BASE
W9717260	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
OUTRIGGERS, BLADE & TIRES (Factory Installed - must be ordered with Machine)			
W9717340	REAR DOZER BLADE (std.)		IN BASE
W9717352	TWO REAR OUTRIGGERS ONLY (in lieu of DOZER BLADE)	2,580	$1,120
W9717360	TWO FRONT OUTRIGGERS with REAR DOZER BLADE Includes lines, cylinders, control, and mounting bracket	2,095	$6,906
W9717361	FRONT DOZER BLADE with TWO REAR OUTRIGGERS Includes lines, cylinders, control, and mounting bracket	2,095	$8,718
W9717370	FOUR OUTRIGGERS (in lieu of DOZER BLADE)	2,490	$7,219
W9717380	EIGHT 10 x 20, 14 PR TIRES WITH RIMS	1,920	IN BASE
AUXILIARY HYDRAULIC			
W9717410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED) Piping, hoses, relief valve and control pedal for hammers or other single function attachments	400	$6,656
W9717411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	400	$8,121
W9717420	BOOM SAFETY LOCK VALVE		$3,119
W9717421	ARM SAFETY LOCK VALVE		$1,920
W9717430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
W9717440	ELECTRIC PUMP TRANSDUCER		$1,102
OTHERS			
W9717341	EXTRA CAB LIGHTS (70W X 2)		$366
W9717342	BEACON LAMP		$124
W9717CG02	CAB WIRE NET GUARD		$1,522
W9717CG03	CAB FOG GUARD		$3,960
W9717CG04	CAB FINE NET GUARD		$2,894
W9717510	TOOL KIT WITH BOX	55	$569
ATTACHMENTS			
W9717610	46.5" (41.7" without side cutters) x 0.99 yd^3 (HCE std. Bucket)	1,190	$2,482

ROBEX 210W-9
HYDRAULIC RUBBER-TIRED EXCAVATOR

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 153 HP (SAE J1349, net) Cummins QSB6.7 water cooled, 4 cycle, 6 cylinder turbocharged and Charge air cooled
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- 5 dig modes - Computer Aided Power Optimization (CAPO)
- One-touch engine deceleration
- Centralized Monitoring System
- Central lube points
- Hydraulic system neutralizer
- Swing holding brake

DRIVE SYSTEM

- Steering (orbital type)
- 4 wheel hydrostatic drive
- Gear transmission w/ 2 forward & 2 reverse speeds
- Eight 10 x 20, 14 PR Tires with rims

CAB

- Air Ride Seat w/ Heat
- Sliding, four-position control consoles
- Sliding windows with tinted safety glass
- Heater / Defroster (30,000 BTU's)
- A/C (20,000 BTU's)
- Intermittent windshield wiper
- Electronic service monitor
- 3 cab mounted lights
- 2 rear-view mirrors
- Cigarette lighter
- Dome light
- Floor mat

OTHER

- HI-mate(Remote Management)
- 9-spool MCV Incl. auxiliary hydraulic spool
- Counterweight (7,500 lb.)
- 2 boom mounted lights
- MP3 Player & Radio
- Lockable side doors
- Rear dozer blade
- Front outriggers
- Tow eyes
- Travel alarm
- Fenders
- Rear-View Camera

BRAKES

- Hydraulic multiple wet disc brakes on all four wheels
- Working and parking brakes
- Oscillating front and fixed rear axles

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
W9920000	STANDARD CONFIGURED MACHINE Base machine, 18' 6" one piece boom, 9' 6" arm, bucket linkage, 1.05 yd^3 HCE bucket, A/C, CD Player & Radio, eight 10 x 20, 14 PR tires with rims, rear dozer blade, 2 front outriggers		45,200	$262,849
W9920002	BASE MACHINE Price does not include boom, arm, bucket linkage, or HCE bucket		34,487	$237,225
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
W9920100	18' 6" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		4,422	$16,002
W9920101	2 PIECE BOOM	Includes boom and arm cylinders, piping, and lights	4,922	$31,858
W9920111	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	814	$6,259
W9920120	7' 10" ARM (ASSY)	Includes bucket cylinder	1,890	$6,082
W9920121	9' 6" ARM (ASSY) (std.)	Includes bucket cylinder	2,180	$5,355
W9920122	12' 10" ARM (ASSY)		2,650	$9,000
W9920140	BUCKET LINKAGE	Includes rod and pin	337	$1,344
W9920150	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$8,548
CAB & ELECTRICAL				
W9920222	FULL AUTO A/C			IN BASE
W9920230	DC CONVERTER (24V → 12V)			IN BASE
W9920240	HEATED AIR SUSPENSION SEAT			IN BASE
W9920250	CD PLAYER & RADIO			IN BASE
W9920253	REAR-VIEW CAMERA			IN BASE
W9920260	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
OUTRIGGERS, BLADE & TIRES (Factory Installed - must be ordered with machine)			
W9920350	FOUR OUTRIGGERS (in lieu of DOZER BLADE)	2,550	$3,561
	Includes lines, cylinders, control, and mounting bracket		
W9920351	FOUR OUTRIGGERS W/ IND. CONTROLS		$4,969
W9920360	TWO FRONT OUTRIGGERS with REAR DOZER BLADE		IN BASE
W9920361	FRONT DOZER BLADE with TWO REAR OUTRIGGERS		$3,697
	Includes lines, cylinders, control, and mounting bracket		
W9920370	EIGHT 10 x 20, 14 PR TIRES WITH RIMS	1,920	IN BASE
W9920372	Solid Tires (10.00-20)		$11,325
AUXILIARY HYDRAULIC			
W9920410	HYUNDAI SINGLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	170	$7,825
	Piping, hoses, relief valve and control pedal for hammers or other single function attachments		
W9920411	HYUNDAI DOUBLE ACTING AUXILIARY HYDRAULICS (FACTORY INSTALLED)	180	$9,442
W9920420	BOOM SAFETY LOCK VALVE		$3,119
W9920421	ARM SAFETY LOCK VALVE		$1,920
W9920430	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
W9920440	ELECTRIC PUMP TRANSDUCER		$1,102
OTHERS			
W9920341	EXTRA CAB LIGHTS (70W X 2)		$366
W9920342	BEACON LAMP		$124
W9920CG02	CAB WIRE NET GUARD		$1,522
W9920CG03	CAB FOG GUARD		$3,960
W9920CG04	CAB FINE NET GUARD		$2,894
W9920510	TOOL KIT WITH BOX	55	$569
ATTACHMENTS			
W9920610	44.1" (39.4" without side cutters) x 1.05 yd^3 (std. HCE bucket)	1,460	$2,923

ROBEX 210W-9 Material Handler
HYDRAULIC RUBBER-TIRED MATERIAL HANDLER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 153 HP (SAE J1349, net) Cummins QSB6.7 water cooled, 4 cycle, 6 cylinder turbocharged and Charge air cooled
- 24 V electrical starting system (100 A.H.)
- 50 amp alternator

CONTROLS

- Pilot operated joystick and travel controls
- 5 dig modes - Computer Aided Power Optimization (CAPO)
- One-touch engine deceleration
- Centralized Monitoring System
- Central lube points
- Hydraulic system neutralizer
- Swing holding brake

DRIVE SYSTEM

- Steering (orbital type)
- 4 wheel hydrostatic drive
- Gear transmission w/ 2 forward & 2 reverse speeds
- Eight 10 x 20, 14 PR Tires with rims

CAB

- Air Ride Seat w/ Heat
- Sliding, four-position control consoles
- Sliding windows with tinted safety glass
- Heater / Defroster (30,000 BTU's)
- A/C (20,000 BTU's)
- Intermittent windshield wiper
- Electronic service monitor
- 3 cab mounted lights
- Elevating-type cabin
- 2 rear-view mirrors
- Cigarette lighter
- Dome light
- Floor mat

OTHER

- HI-mate(Remote Management System)
- 9-spool MCV incl. auxiliary hydraulic spool
- Counterweight (7,500 lb.)
- 2 boom mounted lights
- MP3 Player & Radio
- Lockable side doors
- Rear dozer blade
- Front outriggers
- Tow eyes
- Travel alarm
- Fenders
- Rear-View Camera

BRAKES

- Hydraulic multiple wet disc brakes on all four wheels
- Working and parking brakes
- Oscillating front and fixed rear axles

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
W9920000MH	STANDARD CONFIGURED MACHINE Base machine, elevating-type cabin, 21'4" one piece boom, 14'9" arm, bucket linkage, A/C, CD Player & Radio, eight 10 x 20, 14 PR tires with rims,		45,200	$384,211
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)				
W9920100MH	21'4"" BOOM (ASSY), ONE PIECE (std.) Includes boom and arm cylinders, piping, and lights		4,422	IN BASE
W9920111MH	BOOM CYLINDERS ONLY	Factory installed, l.h. and r.h.	814	$6,259
W9920121MH	14'9"" ARM (ASSY) (std.)	Includes bucket and cylinder	2,180	IN BASE
W9920140MH	BUCKET LINKAGE	Includes rod and pin	337	IN BASE
W9920150MH	HYDRAULIC QUICK COUPLER Incl. coupler, hydraulics, add'l pin kit & switch			$8,548
CAB & ELECTRICAL				
W9920210MH	ELEVATING-TYPE CABIN			IN BASE
W9920222MH	FULL AUTO A/C			IN BASE
W9920230MH	DC CONVERTER (24V → 12V)			IN BASE
W9920240MH	HEATED AIR SUSPENSION SEAT			IN BASE
W9920250MH	CD PLAYER & RADIO			IN BASE
W9920253MH	REAR-VIEW CAMERA			IN BASE
W9920260MH	HI-mate (REMOTE MANAGEMENT SYSTEM)			IN BASE

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
OUTRIGGERS, BLADE & TIRES (Factory Installed - must be ordered with machine)			
W9920350MH	FOUR OUTRIGGERS	2,550	IN BASE
	Includes lines, cylinders, control, and mounting bracket		
W9920370MH	EIGHT 10 x 20, 14 PR TIRES WITH RIMS	1,920	IN BASE
W9920372MH	SOLID TIRES (10.00-20)		$19,812
AUXILIARY HYDRAULIC			
W9920160MH	ROTATING BREAKER PIPING		IN BASE
W9920420MH	BOOM SAFETY LOCK VALVE		$3,119
W9920421MH	ARM SAFETY LOCK VALVE		$1,920
W9920430MH	LEVER PATTERN SELECTOR VALVE (ISO ↔ US) (FACTORY INSTALLED)		IN BASE
OTHERS			
W9920341MH	EXTRA CAB LIGHTS (70W X 2)		$366
W9920342MH	BEACON LAMP		$124
W9920CG02MH	CAB WIRE NET GUARD		$1,522
W9920CG03MH	CAB FOG GUARD		IN BASE
W9920CG04MH	CAB FINE NET GUARD		$2,894
W9920510MH	TOOL KIT WITH BOX	55	$569
ATTACHMENTS			
W9920608MH	ORANGE GRAPPLE		$30,887
W9920609MH	WOOD GRAPPLE (Pendulum-type)		$32,262
W9920610MH	CLAMSHELL BUCKET		$30,710
W9920611MH	BEAM GRAPPLE		$34,117

HL730-9
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 123 HP (SAE J1349 Net) Cummins QSB4.5 4-cycle,turbocharged,charge air cooled direct injection, electronic controlled low emission diesel engine
- Fuel warmer & Fuel pre filter with Water separator
- 24 V electrical starting system (80 A.H.)
- 70 amp alternator (Air intake heater)

CONTROLS

- 2 Operating modes: Power & Econo
- Single joystick controls for boom and bucket
- Quick Gear Downshift Switch
- Tilt & Telescopic steering column
- Key start and stop switch
- Auto boom kick out
- Hydraulic safety lever
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated Air Suspension Seat
- Intermittent windshield wipers (front & rear)
- Waterproof connectors & wiring harness
- Electrical service monitor w/ gauges
- Tinted safety glass
- Fully automatic A/C (20,000 BTU's)
- Heater / Defroster (30,000 BTU's)
- Vandalism locks
- Wrist rest

DRIVE SYSTEM

- Planetary drive reduction at four wheels
- Limited slip front differential
- Conventional rear differential
- 26° oscillation rear axle

TRANSMISSION

- Full automatic power shift, 4-speed forward, 3-speed reverse, countershaft with electric kickdown control
- Transmission neutralizer
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Counterweight
- Drawbar
- Dual air cleaner-dry type
- Engine side panels
- Front fenders
- Backup alarm
- Steering knob
- Centralized lubrication
- Master Electric Switch
- Blower type hydraulic-driven fan
- Handrail
- Lifting eyes
- Access Ladders
- Fan guard
- Frame lock
- Electric double horn
- Muffler
- Cigarette lighter
- Cup holder
- 3rd spool valve
- MP3 Player & Radio
- Rear-View Camera

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
L9773000	STANDARD CONFIGURED MACHINE Base machine, 17.5 x 25 - 12 PR - L3 tires, front attachment with 2.4 yd3 HCE bucket, enclosed ROPS cab, MP3 Player & Radio HI-mate, Rear-view camera	21,390	$157,396
L9773002	BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tires		$139,488
L9773000XTD	HL730XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, 17.5 x 25 - 12 PR - L3 tires, front attachment with 2.40 yd3 HCE bucket, enclosed ROPS cab, CD Player & Radio	20,280	$160,639
L9773002XTD	EXTENDED REACH BASE MACHINE Price does not include front attachment, boom cylinders, bucket or tires		$140,823

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9773150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	$14,670
L9773150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	$16,578
L9773153	BOOM CYLINDERS ONLY		$4,570

TIRES AND RIMS (FACTORY INSTALLED ONLY)

L9773221	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY) (std.)	$0
L9773222	FOUR, 17.5 x 25, 12 PR, L2 TIRES (ASSY)	($757)
L9773228	FOUR 17.5 X 25 16 PR TRIANGLE TIRES	$2,972

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
L9773333	FULL AUTO A/C		IN BASE
L9773320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9773340	DC CONVERTER (24V → 12V)		IN BASE
L9773350	HEATED SIDE MIRRORS		IN BASE
L9773260	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
L9773253	REARVIEW CAMERA		IN BASE
L9773360	MP3 PLAYER & RADIO		IN BASE
L9773341	EXTRA CAB LIGHTS		$366
L9773342	BEACON LAMP		$124
AUXILIARY HYDRAULIC ARRANGEMENTS			
L9773451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd spool valve with controller		IN BASE
OTHERS			
L9773510	TOOL KIT WITH BOX		$808
L9773520	UNDER GUARD		$519
L9773530	EMERGENCY STEERING SYSTEM (Factory Installed)		$4,908
L9773540	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		$2,072
L9773550	REAR FENDERS (MUD GUARDS)		$2,887
L9773560	RIDE CONTROL KIT (Factory Installed)		$4,753
L9773561	RIDE CONTROL KIT (Field Installed)		$3,797
L9773570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 240 LBS.)	900	$307
L9773580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9773590	REVERSIBLE FAN		IN BASE
L9773591	AGRICULTURAL CONDENSER PACKAGE		$380
L9773591	DUAL BRAKE PEDAL		$366
ATTACHMENTS			
L9773610	96" x 2.5 yd^3 (with bolt-on cutting edge) (std. HCE bucket)	1,600	$3,238

HL730-9 TOOL MASTER
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 123 HP (SAE J1349 Net) Cummins QSB4.5 4-cycle,turbocharged,charge air-cooled direct injection, electronic controlled low emission diesel engine
- Fuel warmer & Fuel pre filter with Water separator
- 24 V electrical starting system (800 A.H.)
- 70 amp alternator (Air Intake Heater)

CONTROLS

- 2 Operating modes: Power & Econo
- Single joystick controls for boom and bucket
- Quick Gear Downshift Switch
- Tilt & Telescopic steering column
- Key start and stop switch
- Hydraulic safety lever
- Auto boom kick out
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated Air Suspension Seat
- Intermittent windshield wipers (front & rear)
- Waterproof connectors & wiring harness
- Electrical service monitor w/ gauges
- Tinted safety glass
- Fully automatic A/C (20,000 BTU's)
- Heater / Defroster (30,000 BTU's)
- Vandalism locks
- Wrist rest

DRIVE SYSTEM

- Planetary drive reduction at four wheels
- Limited slip front differential
- Conventional rear differential
- 26° oscillation rear axle

TRANSMISSION

- Full automatic power shift, 4-speed forward, 3-speed reverse, countershaft with electric kickdown control
- Transmission neutralizer
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Counterweight
- Drawbar
- Dual air cleaner-dry type
- Engine side panels
- Front fenders
- Backup alarm
- Steering knob
- Centralized lubrication
- Master Electric Switch
- Blower type hydraulic-driven fan
- Handrail
- Lifting eyes
- Access Ladders
- Fan guard
- Frame lock
- Electric double horn
- Muffler
- Cigarette lighter
- Cup holder
- 3rd spool valve
- MP3 Player & Radio
- Rear-View Camera

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
L9773000TM	STANDARD CONFIGURED MACHINE Base machine, 17.5 x 25 - 12 PR - L3 tires, front attachment with 2.2 yd^3 HCE bucket, enclosed ROPS cab, MP3 Player & Radio, HCE quick coupler HI-mate, Rear-View Camera	22,487	$162,057
L9773002TM	BASE MACHINE Price does not include front attachment, boom cylinders, bucket, quick coupler or tires		$141,222
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)			
L9773150TM	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket or quick coupler	$14,985
L9773153TM	BOOM CYLINDERS ONLY		$4,641
TIRES AND RIMS (FACTORY INSTALLED ONLY)			
L9773221TM	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY) (std.)		$0
L9773228TM	FOUR 20.5 X 25, 16 PR TRIANGLE RADIAL TIRES (ASSY)		($757)
L9773228TM	FOUR 17.5X 25 16 PR TRIANGLE TIRES		$2,972

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
L9773333TM	FULL AUTO A/C		IN BASE
L9773320TM	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9773340TM	DC CONVERTER (24V → 12V)		IN BASE
L9773350TM	HEATED SIDE MIRRORS		IN BASE
L9773260TM	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
L9773253TM	REARVIEW CAMERA		IN BASE
L9773360TM	MP3 PLAYER & RADIO		IN BASE
L9773341TM	EXTRA CAB LIGHTS		$366
L9773342TM	BEACON LAMP		$124
AUXILIARY HYDRAULIC ARRANGEMENTS			
L9773451TM	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd spool valve with controller		IN BASE
L9773456	EXTRA PIPING		$1,156
OTHERS			
L9773510TM	TOOL KIT WITH BOX		$80
L9773520TM	UNDER GUARD		$519
L9773530TM	EMERGENCY STEERING SYSTEM (Factory Installed)		$4,908
L9773540TM	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		$2,072
L9773550TM	REAR FENDERS (MUD GUARDS)		$2,999
L9773560TM	RIDE CONTROL KIT (Factory Installed)		$4,735
L9773561TM	RIDE CONTROL KIT (Field Installed)		$3,914
L9773580TM	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9773590TM	REVERSIBLE FAN		IN BASE
L9773590TM	DUAL BRAKE PEDAL		$366
ATTACHMENTS			
L9773610TM	94" x 2.2 yd^3 (with bolt-on cutting edge) (std. HCE bucket)	2,150	$2,888
L9773611TM	HCE QUICK COUPLER (std.)		$2,962

HL740-9
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 143 HP (SAE J1349 Net) Cummins QSB6.7 Tier III 4-cycle,turbocharged,charge air cooled direct injection, electronic controlled low emission diesel engine
- Fuel warmer & fuel pre filter with water separator
- 24 V electrical system (100 A.H.)
- 70 amp alternator
- Cold start aid (Air intake heater)

CONTROLS

- 3 Operating modes: Power, Standard, Economy
- Single joystick controls for boom and bucket
- Quick gear downshift switch
- Tilt & telescopic steering column
- Key start and stop switch
- Automatic boom kick out
- Hydraulic safety lever
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated air suspension seat
- Tinted safety glass
- Electrical service monitor with gauges
- Intermittent windshield wipers (front and rear)
- Vandalism locks
- Wrist rest
- Fully automatic A/C (20,000 BTU's)
- Heater / Defroster (30,000 BTU's)
- Waterproof connectors & wiring harness
- Cool & hot box

DRIVE SYSTEM

- Planetary drive reduction at four wheels
- Limited slip front differential
- Conventional rear differential
- 24° oscillation rear axle

TRANSMISSION

- Full automatic power shift, 4-speed forward, 3-speed reverse, countershaft with electric kickdown control
- Transmission oil cooler
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Counterweight (1,220 lbs.)
- Drawbar
- Dual air cleaner-dry type
- Engine side panels
- Front fenders
- Backup alarm
- Steering knob
- Remote type drain port
- Master electric switch
- Hydraulically driven blower fan
- Handrail
- Lifting eyes
- Access ladders
- Fan guard
- Frame lock
- Electric double horn
- Muffler
- Cigarette lighter
- Cup holder
- 3rd valve spool
- MP3 player & radio
- Rear-view camera

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
L9774000	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, front attachment with 2.7 yd^3 HCE bucket, enclosed ROPS cab, CD Player & Radio	25,460	$176,586
L9774002	BASE MACHINE Price does not include front attachment, boom cylinders,or bucket		$156,110
L9774000XTD	HL740XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, heavier counterweight, 20.5 x 25 - 16 PR - L3 tires, front attachment with 9' 1" boom, 2.6 yd^3 HCE bucket, enclosed ROPS cab, CD Player & Radio		$179,870
L9774002XTD	EXTENDED REACH BASE MACHINE Price does not include front attachment, boom cylinders, or bucket		$157,039

FRONT ASSEMBLY (Factory installed -- must be ordered with machine)

L9774150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	$16,941
L9774150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS		$19,296
L9774153	BOOM CYLINDERS ONLY		$5,280
L9774154	HCE QUICK COUPLER		$5,299
L9774154XTD	HCE QUICK COUPLER		$5,299

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
TIRES AND RIMS (FACTORY INSTALLED ONLY)			
L9774221	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY)		($1,042)
L9774222	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)		IN BASE
L9774228	FOUR 20.5 X 25, 16 PR TRIANGLE RADIAL TIRES (ASSY)		$6,418
CAB & ELECTRICAL			
L9774333	FULL AUTO A/C		IN BASE
L9774320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9774340	DC CONVERTER (24V → 12V)		IN BASE
L9774350	HEATED SIDE MIRRORS		IN BASE
L9774260	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
L9774253	REARVIEW CAMERA		IN BASE
L9774360	MP3 PLAYER & RADIO		IN BASE
L9774341	EXTRA CAB LIGHTS (70W X 2)		$366
L9774342	BEACON LAMP		$124
AUXILIARY HYDRAULIC ARRANGEMENTS			
L9774451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller		IN BASE
L9774452	EXTRA PIPING		$1,156
OTHERS			
L9774510	TOOL KIT WITH BOX		$808
L9774520	UNDER GUARD		$407
L9774530	EMERGENCY STEERING SYSTEM (Factory Installed)		$4,925
L9774540	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		$2,035
L9774550	REAR FENDERS (MUD GUARDS)		$3,266
L9774560	RIDE CONTROL KIT (Factory Installed)		$4,648
L9774561	RIDE CONTROL KIT (Field Installed)		$3,842
L9774570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 530 LBS.)	1,680	$1,063
L9774580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9774590	REVERSIBLE FAN		IN BASE
L9774591	DUAL BRAKE PEDAL		$366
ATTACHMENTS			
L9774610	100" x 3.0 yd^3 (with bolt-on cutting edge) (std. HCE bucket)	2,200	$3,535

HL740-9 TOOL MASTER
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 143 HP (SAE J1349 Net) Cummins QSB6.7
  4-cycle,turbocharged,charge air-cooled direct injection, electronic controlled low emission Tier III diesel engine
- Fuel warmer & fuel pre filter with water separator
- 24 V electrical starting system (70 A.H.)
- 70 amp alternator
- Air intake cold start heater

CONTROLS

- 2 Operating modes: Power & Econo
- Single joystick controls for boom and bucket
- Quick Gear Downshift Switch
- Tilt & Telescopic steering column
- Key start and stop switch
- Automatic boom kick out
- Hydraulic safety lever
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated air suspension seat
- Tinted safety glass
- LCD display with gauges
- Intermittent windshield wipers (front and rear)
- Vandalism locks
- Wrist rest
- Fully automatic A/C (20,000 BTU's)
- Heater / Defroster (30,000 BTU's)
- Waterproof connectors & wiring harness

DRIVE SYSTEM

- Planetary drive reduction at four wheels
- Limited slip front differential
- Conventional rear differential
- 24° oscillating rear axle

TRANSMISSION

- Full automatic power shift, 4-speed forward, 3-speed reverse, countershaft with electric kickdown control
- Variable shift control with 4 modes -Manual, Light, Normal, Heavy
- Transmission oil cooler
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Counterweight (1,220 lbs.)
- Drawbar with pin
- Dual air cleaner-dry type
- Engine side panels
- Front fenders
- Backup alarm
- Steering knob
- Remote service points
- Master Electric Switch
- Blower type hydraulic-driven fan
- Handrail
- Lifting eyes
- Access ladders
- Fan guard
- Frame lock
- Electric double horn
- Muffler
- Cigarette lighter
- Cup holder
- 3rd valve spool
- MP3 player & radio
- Rear view camera

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
L9774000TM	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, HCE Hyd. Q/Coupler front attachment with 3.0 yd^3 HCE bucket, 1,760 lb. CWT. Enclosed ROPS cab, CD Player & Radio HI-mate, Rear-view camera	27,778	$182,766
L9774002TM	BASE MACHINE Price does not include front attachment, boom cylinders, bucket, or quick coupler		$158,486
FRONT ASSEMBLY (Factory installed -- must be ordered with machine)			
L9774150TM	FRONT ATTACHMENT INCLUDING CYLINDERS	Not including bucket or quick coupler	$17,885
L974153TM	BOOM CYLINDERS ONLY		$5,280
TIRES AND RIMS (FACTORY INSTALLED ONLY)			
L9774221TM	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY)		($1,042)
L9774222TM	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)		IN BASE
L9774228TM	FOUR 20.5 X25, 16 PR TRIANGLE RADIAL TIRES (ASSY)		$6,418

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
L9774333TM	FULL AUTO A/C		IN BASE
L9774320TM	HEATED AIR SUSPENSION SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9774340TM	DC CONVERTER (24V → 12V)		IN BASE
L9774350TM	HEATED SIDE MIRRORS		IN BASE
L9774260TM	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
L9774253TM	REARVIEW CAMERA		IN BASE
L9774360TM	MP3 PLAYER & RADIO		IN BASE
L9774341TM	EXTRA CAB LIGHTS		$366
L9774342TM	BEACON LAMP		$124
AUXILIARY HYDRAULIC ARRANGEMENTS			
L9774451TM	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller		IN BASE
L9774452TM	EXTRA PIPING		$1,156
OTHERS			
L9774510TM	TOOL KIT WITH BOX		$808
L9774520TM	UNDER GUARD		$407
L9774530TM	EMERGENCY STEERING SYSTEM (Factory Installed)		$4,925
L9774540TM	REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		$2,035
L9774550TM	REAR FENDERS (MUD GUARDS)		$3,266
L9774560TM	RIDE CONTROL KIT (Factory Installed)		$4,648
L9774561TM	RIDE CONTROL KIT (Field Installed)		$3,842
L9774580TM	FORWARD/REVERSE SWITCH ON JOYS		IN BASE
L9774590TM	REVERSIBLE FAN		IN BASE
L9774590TM	DUAL BRAKE PEDAL		$369
ATTACHMENTS			
L9774610TM	100" x 3.0 yd^3 (with bolt-on cutting edge) (std. HCE bucket)	2,100	$3,042
L9774611TM	HCE QUICK COUPLER (std.)		$3,353

HL757-9
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 170 HP (SAE J1349) Cummins QSB6.7
  4-cycle,turbocharged,charge air-cooled direct injection,
  electronic controlled Tier III low emission diesel engine.
- Fuel warmer & fuel pre filter with water separator
- 24 V electrical starting system (130 A.H.)
- 70 amp alternator with Cold Start aid (Air intake heater)

CONTROLS

- 3 Operating modes: Power, Standard, Economy
- Single joystick controls for boom and bucket
- Quick gear downshift switch
- Tilt & telescopic steering wheel
- Key start and stop switch
- Hydraulic safety lever
- Auto boom kick out
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated air suspension seat
- Intermittent windshield wipers (front and rear)
- Waterproof connectors & wiring harness
- Electrical service monitor with gauges
- Heater / Defroster (30,000 BTU's)
- Fully automatic A/C (20,000 BTU's)
- Tinted safety glass
- Cool & Hot box
- Vandalism locks
- Wrist rest

DRIVE SYSTEM

- Front and rear limited slip differential
- 26° oscillating rear axle
- Planetary drive reduction at four wheels
- Variable shift control with 4 modes -Manual, Light, Normal, Heavy

TRANSMISSION

- Full Automatic power shift, 4-speed forward, 3-speed reverse,
  countershaft with electric kickdown control
- Transmission neutralizer
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Counterweight
- Drawbar with pin
- Dual air cleaner-dry type
- Engine side panels
- Front fenders
- Backup alarm
- Steering knob
- Centralized lubrication
- Blower type, hyd. driven fan
- Handrail
- Lifting eyes
- Access ladders
- Fan guard
- Frame lock
- Electric double horn
- Muffler
- Rear View Camera
- Cup holder
- 3rd valve spool
- MP3 player & radio

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
L9775000	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, front attachment with 3.5 yd^3 (108") HCE bucket, enclosed ROPS cab, CD Player & Radio		30,420	$212,185
L9775002	BASE MACHINE Price does not include front attachment, boom cylinders, or bucket		22,457	$188,215
L9775000XTD	HL757XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, heavier counterweight, 20.5 x 25 - 16 PR - L3 tires, front attachment with 3.5 yd^3 HCE bucket, enclosed ROPS cab, CD Player & Radio			$215,456
L9775002XTD	EXTENDED REACH BASE MACHINE Price does not include front attachment, boom cylinders, or bucket			$188,364
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
L9775150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	3,193	$19,576
L9775150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket		$22,698
L9775153	BOOM CYLINDERS ONLY		480	$6,033

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
TIRES AND RIMS (FACTORY INSTALLED ONLY)			
L9775221	FOUR, 17.5 x 25, 12 PR, L3 TIRES (ASSY)		($1,042)
L9775222	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)	3,300	IN BASE
L9775228	FOUR, 20.5 X 25, 16 PR, TRIANGLE RADIAL TIRES (ASSY)		$6,418
CAB & ELECTRICAL			
L9775333	FULL AUTO A/C		IN BASE
L9775320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9775340	DC CONVERTER (24V → 12V)		IN BASE
L9775350	HEATED SIDE MIRRORS		IN BASE
L9775260	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
L9775253	REARVIEW CAMERA		IN BASE
L9775360	MP3 PLAYER & RADIO		IN BASE
L9775341	EXTRA CAB LIGHTS		$366
L9775342	BEACON LAMP		$124
AUXILIARY HYDRAULIC ARRANGEMENTS			
L9775451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd spool valve with controller	100	IN BASE
L9775452	JOYSTICK STEERING		$3,749
L9775453	3 LEVER BOOM/ BUCKET CONTROL		$2,678
L9775454	EXTRA PIPING		$1,156
L9775598	QUICK COUPLER PIPING		$1,710
OTHERS			
L9775510	TOOL KIT WITH BOX	55	$808
L9775520	UNDER GUARD		$556
L9775530	EMERGENCY STEERING SYSTEM (Factory Installed)		$4,990
L9775540	LIMITED SLIP DIFFERENTIAL (Factory Installed)		IN BASE
L9775550	REAR FENDERS (MUD GUARDS)	198	$3,554
L9775560	RIDE CONTROL KIT (Factory Installed)		$5,357
L9775561	RIDE CONTROL KIT (Field Installed)		$4,428
L9775570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 620 LBS.)	1,830	$2,017
L9775580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9775590	REVERSIBLE FAN		IN BASE
L9775591	DUAL BRAKE PEDAL		$771
ATTACHMENTS			
L9775610	108" x 3.7 yd^3 (with bolt-on cutting edge) (std. HCE bucket)	2,570	$4,395
L9775611	108" x 3.4yd3 Bucket (with bolt-on teeth)		$4,635

HL757-9 TOOL MASTER
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 170 HP (SAE J1349) Cummins QSB6.7 4-cycle,turbocharged,charge air-cooled direct injection, electronic controlled low emission Tier III diesel engine
- Fuel warmer & fuel pre filter with water separator
- 24 V electrical starting system (130 A.H.)
- 70 amp alternator with cold start aid (air intake heater)

CONTROLS

- 3 Operating modes: Power, Standard, Economy
- Single joystick controls for boom and bucket
- Quick gear downshift switch
- Tilt & telescopic steering wheel
- Key start and stop switch
- Hydraulic safety lever
- Auto boom kick out
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated air suspension seat
- Intermittent windshield wipers (front and rear)
- Waterproof connectors & wiring harness
- Electrical service monitor with gauges
- Heater / Defroster (30,000 BTU's)
- Fully automatic A/C (20,000 BTU's)
- Tinted safety glass
- Cool & Hot box
- Vandalism locks
- Wrist rest

DRIVE SYSTEM

- Front and rear limited slip differential
- 26° oscillating rear axle
- Planetary drive reduction at four wheels
- Variable shift control with 4 modes -Manual, Light, Normal, Heavy

TRANSMISSION

- Full Automatic power shift, 4-speed forward, 3-speed reverse, countershaft with electric kickdown control
- Transmission neutralizer
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Counterweight
- Drawbar with pin
- Dual air cleaner-dry type
- Engine side panels
- Front fenders
- Backup alarm
- Steering knob
- Centralized lubrication
- Blower type, hyd. driven fan
- Handrail
- Lifting eyes
- Access ladders
- Fan guard
- Frame lock
- Electric double horn
- Muffler
- Cigarette lighter
- Cup holder
- 3rd valve spool
- MP3 Player & Radio

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
L9775000TM	STANDARD CONFIGURED MACHINE Base machine, 20.5 x 25 - 16 PR - L3 tires, HCE Hyd. Q/Coupler front attachment with 3.5 yd^3 HCE bucket, 1,830 lb. CWT. Enclosed ROPS cab, CD Player & Radio	33,070	$217,996
L9775002TM	BASE MACHINE Price does not include front attachment, boom cylinders, bucket, or quick coupler		$188,083
FRONT ASSEMBLY (Factory installed – must be ordered with machine)			
L9775150TM	FRONT ATTACHMENT INCLUDING CYLINDERS Not including bucket or quick coupler		$22,069
L9775153TM	BOOM CYLINDERS ONLY		$6,033
TIRES AND RIMS (FACTORY INSTALLED ONLY)			
L9775222TM	FOUR, 20.5 x 25, 16 PR, L3 TIRES (ASSY) (std.)	3,300	IN BASE
L9775228TM	FOUR 20.5 X 25, 16 PR TRAINGLE RADIAL TIRES (ASSY)		$6,418

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
L9775333TM	FULL AUTO A/C		IN BASE
L9775320TM	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
L9775340TM	DC CONVERTER (24V → 12V)		IN BASE
L9775350TM	HEATED SIDE MIRRORS		IN BASE
L9775260TM	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
L9775253TM	REARVIEW CAMERA		IN BASE
L9775360TM	MP3 PLAYER & RADIO		IN BASE
L9775341TM	EXTRA CAB LIGHTS		$366
L9775342TM	BEACON LAMP		$124
AUXILIARY HYDRAULIC ARRANGEMENTS			
L9775451TM	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller		IN BASE
L9775452TM	JOYSTICK STEERING		$3,749
L9775453TM	EXTRA PIPING		$1,156
OTHERS			
L9775510TM	TOOL KIT WITH BOX	55	$808
L9775520TM	UNDER GUARD		$556
L9775530TM	EMERGENCY STEERING SYSTEM (Factory Installed)		$4,990
L9775540TM	LIMITED SLIP DIFFERENTIAL (Factory Installed)		IN BASE
L9775550TM	REAR FENDERS (MUD GUARDS)	198	$3,417
L9775561TM	RIDE CONTROL KIT (Factory Installed)		$5,357
L9775560TM	RIDE CONTROL KIT (Field Installed)		$4,428
L9775580TM	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
L9775590TM	REVERSIBLE FAN		IN BASE
L9775591TM	DUAL BRAKE PEDAL		$771
ATTACHMENTS			
L9775610TM	108" x 3.5 yd^3 (with bolt-on cutting edge) (std. HCE bucket)		$3,871
L9775611TM	HCE QUICK COUPLER (std.)		$3,973

HL760-9A
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 212 HP (SAE J1349) Cummins QSB6.7 4-cycle,turbocharged,charge air cooled direct injection electronic controlled low emission Tier IVi diesel
- 24 V electrical starting system (130 A.H.)
- 70 amp alternator with cold start aid (Air Intake Heater)

CONTROLS

- Single joystick controls for boom and bucket
- Key start and stop switch
- Forward/Reverse switch on joystick
- Quick gear downshift switch
- Adjustable steering console
- Automatic boom kick out
- Hydraulic safety lever
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated air suspension seat
- Intermittent windshield wipers (front and rear)
- Waterproof connectors & wiring harness
- Electrical service monitor with gauges
- Heater / Defroster (30,000 BTU's)
- Fully automatic A/C (20,000 BTU's)
- Tinted safety glass
- Heated side mirrors
- Vandalism locks
- Wrist rest

DRIVE SYSTEM

- Front and rear limited slip differential
- 24° oscillating rear axle
- Planetary drive reduction at four wheels
- Variable shift control with 4 modes -Manual, Light, Normal, Heavy

TRANSMISSION

- Full automatic power shift, 4-speed forward, 3-speed reverse, countershaft with electric kickdown control
- Transmission neutralizer
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Reversible Fan
- Handrail / access ladders
- Dual air cleaner-dry type
- Engine side panels
- Front fenders
- Backup alarm
- Steering knob
- Centralized lubrication
- Blower type hydraulic-driven fan
- Rear-view camera
- Drawbar with pin
- Lifting eyes
- Fan guard
- Frame lock
- Electric double horn
- Muffler
- Cigarette lighter
- Cup holder
- 3rd valve spool
- Counterweight
- MP3 Player & Radio

BRAKES

- Full hydraulic multiple wet disc brakes on all 4 wheels
- Separate parking brake

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
LA9776000	STANDARD CONFIGURED MACHINE Base machine, 23.5 x 25 - 20 PR - L3 tires, front attachment with 4.3 yd³ (114") HCE bucket, enclosed ROPS cab, CD Player & Radio		39,460	$266,317
LA9776002	BASE MACHINE Price does not incl. front attachment, boom cylinders, or bucket		41,230	$232,807
LA9776000XTD	HL760XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, 23.5 x 25 - 20 PR - L3 tires, front attachment with 4.3 yd³ (114") HCE bucket, 11' 10" boom, enclosed ROPS cab, CD Player & Radio		41,013	$271,997
LA9776002XTD	EXTENDED REACH BASE MACHINE Price does not incl. front attachment, boom cylinders, or bucket			$234,661
FRONT ASSEMBLY (Factory installed – must be ordered with machine)				
LA9776150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	4,900	$28,007
LA9776150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket		$31,883
LA9776153	BOOM CYLINDERS ONLY		776	$7,388
TIRES AND RIMS (FACTORY INSTALLED ONLY)				
LA9776222	FOUR,23.5x25,20PR,L3 TIRES(ASSY)			IN BASE
LA9776228	23.5 x 25 TRIANGLE TIRES			$2,909

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
LA9776333	FULL AUTO A/C		IN BASE
LA9776320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
LA9776340	DC CONVERTER (24V → 12V)		IN BASE
LA9776350	HEATED SIDE MIRRORS		IN BASE
LA9776260	HI-mate REMOTE MANAGED SYSTEM		IN BASE
LA9776253	REARVIEW CAMERA		IN BASE
LA9776360	MP3 PLAYER & RADIO		IN BASE
AUXILIARY HYDRAULIC ARRANGEMENTS			
LA9776451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller	230	IN BASE
LA9776452	JOYSTICK STEERING		$3,931
LA9776454	EXTRA PIPING		$1,212
LA9776455	QUICK COUPLER PIPING		$2,492
LA9776460	3 LEVER BOOM/BUCKET CONTROL		$934
OTHERS			
LA9776510	TOOL KIT WITH BOX	55	$847
LA9776520	BELLY PAN GUARD		$603
LA9776530	EMERGENCY STEERING SYSTEM (Factory Installed)		$5,172
LA9776540	FRONT & REAR LIMITED SLIP DIFFERENTIAL (Factory Installed)		IN BASE
LA9776550	REAR FENDERS (MUD GUARDS)	220	$3,942
LA9776560	RIDE CONTROL KIT (Factory Installed)		$5,455
LA9776561	RIDE CONTROL KIT (Field Installed)		$4,686
LA9776570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 1,450 LBS.)	3,760	$3,952
LA9776580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
LA9776590	REVERSIBLE FAN		IN BASE
LA9776593	DUAL BRAKE PEDALS		$778
ATTACHMENTS			
LA9776610	114" x 4.3 yd^3 (with bolt-on cutting edge) (std. HCE bucket)	3,690	$5,503
LA9776611	114"x4.05yd3 GP BKT (1-PC)		$10,792
LA9776612	114"X4.05yd3 GP BKT (2-PCS)		$14,785

HL770-9A
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 277 HP (SAE J1349) Cummins QSL 4-cycle,turbocharged,charge air cooled direct injection, electronic controlled low emission Tier IVi diesel
- 24 V electrical starting system (160 A.H.)
- 70 amp alternator with Cold Start ald (Air Intake Heater)

CONTROLS

- Single joystick controls for boom and bucket
- Quick gear downshift switch
- Forward/reverse switch on joystick
- Adjustable steering console
- Key start and stop switch
- Bucket leveler
- Hydraulic safety lever
- Auto boom kick out

CAB

- Pressurized ROPS cab
- Heated air suspension seat
- Intermittent windshield wipers (front and rear)
- Waterproof connectors & wiring harness
- Electrical service monitor with gauges
- Heater / Defroster (30,000 BTU's)
- Fully automatic A/C (20,000 BTU's)
- Tinted safety glass
- Vandalism locks
- Heated side mirrors
- Wrist rest

DRIVE SYSTEM

- Front and rear limited slip differential
- 26° oscillation rear axle
- Planetary drive reduction at four wheels
- Variable shift control with 4 modes -Manual, Light, Normal, Heavy

TRANSMISSION

- Full automatic power shift, 4-speed forward, 3-speed reverse, countershaft with electric kickdown control
- Transmission neutralizer
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management Syste
- Handrail / Access ladders
- Air precleaner
- Dual air cleaner-dry type
- Reversible Fan
- Fan guard
- Drawbar with pin
- Frame lock
- Lifting eyes
- Electric double horn
- Engine side panels
- Muffler
- Front fenders
- Cigarette lighter
- Backup alarm
- Cup holder
- Steering knob
- 3rd valve spool
- Centralized lubrication
- MP3 Player & Radio
- Counterweight
- Rear-View Camera
- Blower type hydraulic-driven fan

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake-

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
LA9777000	STANDARD CONFIGURED MACHINE Base machine, 26.5 x 25 - 20PR - L3 tires, front attachment with 5.2 yd^3 (122") HCE bucket, enclosed ROPS cab, CD Player & Radio		50,300	$378,519
LA9777002	BASE MACHINE Price does not incl. Front attachment, boom cylinders, or bucket		38,240	$336,823
LA9777000XTD	HL770XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, 26.5 x 25 - 20PR - L3 tires, front attachment with 5.2 yd^3 (126") HCE bucket, enclosed ROPS cab, CD Player & Radio		51,920	$387,076
LA9777002XTD	BASE MACHINE Price does not include front attachment, boom cylinders, or bucket		39,460	$339,940
FRONT ASSEMBLY (Factory Installed -- must be ordered with machine)				
LA9777150	FRONT ATTACHMENT INCL. CYLINDERS	Not Including bucket	6,600	$35,684
LA9777150XTD	FRONT ATTACHMENT INCL. CYLINDERS	Not Including bucket		$41,124
LA9777153	BOOM CYLINDERS ONLY		1,014	$9,266
TIRES AND RIMS (FACTORY INSTALLED ONLY)				
LA9777222	FOUR, 26.5X25, 20PR, L3 TIRES(ASSY)			IN BASE
LA9777228	26.5X25 TRIANGLE TIRES			$3,596

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
LA9777333	FULL AUTO A/C		IN BASE
LA9777320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
LA9777340	DC CONVERTER (24V → 12V)		IN BASE
LA9777350	HEATED SIDE MIRRORS		IN BASE
LA9777260	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
LA9777253	REARVIEW CAMERA		IN BASE
LA9777360	MP3 PLAYER & RADIO		IN BASE
AUXILIARY HYDRAULIC ARRANGEMENTS			
LA9777451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller	287	IN BASE
LA9777452	JOYSTICK STEERING		$3,640
LA9777453	EXTRA PIPING		$1,212
LA9777454	QUICK COUPLER PIPING		$2,492
LA9777460	3 LEVER BOOM/ BUCKET CONTROL		$934
OTHERS			
LA9777510	TOOL KIT WITH BOX	55	$847
LA9777520	UNDER GUARD		$718
LA9777530	EMERGENCY STEERING SYSTEM (Factory Installed)		$5,938
LA9777540	REAR LIMITED SLIP DIFFERENTIALS		IN BASE
LA9777550	REAR FENDERS (MUD GUARDS)	397	$3,942
LA9777560	RIDE CONTROL KIT (Factory Installed)		$6,607
LA9777561	RIDE CONTROL KIT (Field Installed)		$5,674
LA9777570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 1,113 LBS.)	4,199	$4,387
LA9777580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
LA9777590	REVERSIBLE FAN		IN BASE
LA9777591	DUAL BRAKE PEDAL		$809
ATTACHMENTS			
LA9777610	122"x5.5yd3 BKT w/ BOCE		$6,012
LA9777611	122"X5.2yd3 GP BKT (1-PC)		$14,192
LA9777612	122"X5.2yd3 GP BKT (2-PC)		$13,308
LA9777613	122" X 4.8yd3 SPADE NOSE ROCK BKT		$17,743

HL780-9A
WHEEL LOADER

STANDARD EQUIPMENT (F.O.B. PORT OF ENTRY)

ENGINE

- 344 HP (SAE J1349) Cummins QSM11
  4 cycle, turbocharged, charge air cooled direct injection
  electronic controlled low emission Tier IVi diesel
- 24 V electrical starting system (220 A.H.)
- 70 amp alternator
- Air intake heater

CONTROLS

- Single joystick controls for boom and bucket
- Quick gear downshift switch
- Forward/reverse switch on joystick
- Adjustable steering console
- Key start and stop switch
- Auto boom kick out
- Hydraulic safety lever
- Bucket leveler

CAB

- Pressurized ROPS cab
- Heated air suspension seat
- Intermittent windshield wipers (front and rear)
- Waterproof connectors & wiring harness
- Electrical service monitor with gauges
- Heater / Defroster (30,000 BTU's)
- Fully automatic A/C (20,000 BTU's)
- Tinted safety glass
- Vandalism locks
- Heated side mirrors
- Wrist rest

DRIVE SYSTEM

- Front and rear limited slip differential
- 26° oscillating rear axle
- Planetary drive reduction at four wheels
- Variable shift control with 4 modes -Manual, Light, Normal, Heavy

TRANSMISSION

- Full automatic power shift, 4-speed forward, 3-speed reverse,
  countershaft with electric kickdown control
- Transmission neutralizer
- Clutch disconnect

OTHER STANDARD EQUIPMENT

- HI-mate (Remote Management System)
- Air precleaner
- Backup alarm
- Centralized lubrication
- Centralized test ports
- Counterweight
- Handrail / access ladders
- Engine side panels
- Front fenders
- Dual air cleaner-dry type
- Steering knob
- Reversible Fan
- 3rd spool valve
- Blower type fan
- Cigarette lighter
- Cup holder
- Lifting eyes
- Electric double horn
- Fan guard
- Frame lock
- Drawbar
- Muffler
- MP3 Player & Radio
- Rear-View Camera

BRAKES

- Full hydraulic multiple wet disc brakes on all four wheels
- Separate parking brake

ORDER CODE	DESCRIPTION		WEIGHT (lb.)	LIST PRICE AT DESTINATION
LA9778000	STANDARD CONFIGURED MACHINE Base machine, 29.5 x 25 - 22 PR - L3 tires, front attachment with 6.7 yd^3 HCE bucket, enclosed ROPS cab, CD Player & Radio		64,600	$455,799
LA9778002	BASE MACHINE Price does not include front attachment, boom cylinders, or bucket			$405,952
LA9778000XTD	HL780XTD-9 EXTENDED REACH CONFIGURED MACHINE Base machine, 29.5 x 25 - 22 PR - L3 tires, front attachment with 6.7 yd^3 HCE bucket, 12' 7" boom, enclosed ROPS cab, CD Player & Radio		65,040	$464,249
LA9778002XTD	BASE MACHINE Price does not include front attachment, boom cylinders, or bucket			$411,994
ATTACHMENTS (Factory installed -- must be ordered with machine)				
LA9778150	FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket	6,600	$42,822
LA978150XTD	EXTENDED FRONT ATTACHMENT INCL. CYLINDERS	Not including bucket		$45,230
LA978153	BOOM CYLINDERS ONLY		1,014	$11,561
TIRES AND RIMS (FACTORY INSTALLED ONLY)				
LA9778221	FOUR, 26.5X25, 20PR, L3 TIRES(ASSY)			($8,575)
LA9778222	FOUR, 29.5X25, 20PR, L3 TIRES (STD)			IN BASE
LA9778225	FOUR, 29.5X25, L5 TIRES (ASSY)			$15,967
LA9778228	FOUR, 29.5X25 L3 TRIANGLE TIRES			$4,920

ORDER CODE	DESCRIPTION	WEIGHT (lb.)	LIST PRICE AT DESTINATION
CAB & ELECTRICAL			
LA9778333	FULL AUTO A/C		IN BASE
LA9778320	HEATED AIR RIDE SEAT with 3" RETRACTABLE SEAT BELT		IN BASE
LA9778340	DC CONVERTER (24V → 12V)		IN BASE
LA9778350	HEATED SIDE MIRRORS		IN BASE
LA9778260	HI-mate REMOTE MANAGEMENT SYSTEM		IN BASE
LA9778253	REARVIEW CAMERA		IN BASE
LA9778360	MP3 PLAYER & RADIO		IN BASE
AUXILIARY HYDRAULIC ARRANGEMENTS			
LA9778451	HYDRAULIC ADAPTER KIT (additional cost above 2nd spool MCV) 3rd valve spool with controller	287	IN BASE
LA9778452	JOYSTICK STEERING		$3,931
LA9778453	THREE (3) LEVER BOOM/BUCKET CONTROL		$934
OTHERS			
LA9778510	TOOL KIT WITH BOX	55	$847
LA9778530	EMERGENCY STEERING SYSTEM (Factory Installed)		$6,201
LA9778560	RIDE CONTROL KIT (Factory Installed)		$7,254
LA9778561	RIDE CONTROL KIT (Field Installed)		$6,124
LA9778570	XTD COUNTERWEIGHT on STANDARD MACHINE (ADDITIONAL 1,240 LBS.)	4,110	$5,776
LA9778580	FORWARD/REVERSE SWITCH ON JOYSTICK		IN BASE
LA9778590	REVERSIBLE FAN		IN BASE
LA9778591	TWO PEDAL BRAKE		$778
ATTACHMENTS			
LA9778610	136" x 6.7 yd^3 (with bolt-on cutting edge) (std. HCE bucket)	5,890	$7,025
LA9778611	136" X 6.3yd3 SPADE NOSE ROCK BKT		$17,704
LA9778612	136" X 7.6yd3 GP BKT (1-PC) W/BOCE		$20,995
LA9778613	136" X 6.8yd3 GP BKT W/2BOT		$19,515
LA9778614	136" X 7.3yd3 GP BKT W/2BOT		$20,107