



Delivery: Approximately 210-240 Days after receipt of order at Horton Emergency Vehicles Company

Contract Type: Ambulances & Related Accessories
Index #: STS233
Schedule Number: 800330
Expiration Date: 12/31/2018
Manufacturer: Horton Emergency Vehicles Company

CUSTOM AMBULANCE GROUP BASE MODELS

| <u>Year</u> | <u>Model</u> | <u>Description</u> | <u>Price</u> |
|--------------------|---------------------|---|---------------------|
| 2015 | 453 Type I | Ambulance, <u>Ford</u> 164.8" wheel base F-450 (4x2) Super Duty (<u>Diesel Engine</u>), <u>145"</u> modular body, Horton Custom Series (6 Exterior Compartments) CRAWL THROUGH , with air ride | \$152,992.00 |
| 2015 | 453 Type 3 | Ambulance, <u>Ford</u> 138" wheel base E-350 Super Duty (<u>Gasoline Engine</u>), <u>145"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH | \$128,020.00 |
| 2015 | 457 Type I | Ambulance, <u>Ford</u> 164.8" wheel base F-450 (4x2) Super Duty (<u>Diesel Engine</u>), <u>157"</u> modular body, Horton Custom Series (6 Exterior Compartments) CRAWL THROUGH | \$154,940.00 |
| 2015 | 603 Type I | Ambulance, <u>Ford</u> 189" wheel base F-450 (4x2) Super Duty (<u>Diesel Engine</u>), <u>167"</u> modular body, Horton Custom Series (6 Exterior Compartments) CRAWL THROUGH | \$157,081.00 |
| 2015 | 623 Type I | Ambulance, <u>Ford</u> 189" wheel base F-450 (4x2) Super Duty (<u>Diesel Engine</u>), <u>173"</u> modular body, Horton Custom Series (6 Exterior Compartments) CRAWL THROUGH | \$160,107.00 |
| 2015 | 533 Type 3 | Ambulance, <u>Ford</u> , 158" wheel base E-450 Super Duty (<u>Gasoline Engine</u>), <u>163"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH | \$133,991.00 |
| 2015 | 553 Type 3 | Ambulance, <u>Ford</u> , 158" wheel base E-450 Super Duty (<u>Gasoline Engine</u>), <u>169"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH | \$136,508.00 |
| 2015 | 623 Type I | Ambulance, <u>Ford</u> 182" wheel base F-650 (4x2) Super Duty (<u>Diesel Engine</u>), <u>173"</u> modular body, Horton Custom Series (6 Exterior Compartments) CRAWL THROUGH | \$177,297.00 |
| 2014 | 553 Type 3 | Ambulance, <u>Chev/GMC</u> 159" wheel base G-4500 Cutaway, <u>169"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH (Model includes heated Velvac mirrors) | \$145,755.00 |
| 2015 | 603 Type I | Ambulance, <u>International</u> 169" wheel base 4300LP (4x2) cab/chassis, <u>167"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH <i>(with 2010 emissions)</i> | \$188,720.00 |
| 2015 | 623 Type I | Ambulance, <u>International</u> 175" wheel base 4300LP (4x2) cab/chassis, <u>173"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH <i>(with 2010 emissions)</i> | \$188,315.00 |
| 2015 | 623 Type I | Ambulance, <u>International Terrastar (4x2)</u> 183" wheel base SFA cab/chassis, <u>173"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH <i>(with 2010 emissions)</i> | \$174,443.00 |
| 2014 | 623 Type I | Ambulance, <u>Kenworth (4x2)</u> 176" wheel base T300 cab/chassis, <u>173"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH <i>(with 2010 emissions)</i> | \$191,528.00 |
| 2014 | 603 Type I | Ambulance, <u>Freightliner</u> 169" wheel base M2 (4x2) cab/chassis, <u>167"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH <i>(with 2010 emissions)</i> | \$181,902.00 |
| 2014 | 623 Type I | Ambulance, <u>Freightliner</u> 175" wheel base M2 (4x2) cab/chassis, <u>173"</u> modular body, Horton Custom Series (6 Exterior Compartments) WALK THROUGH <i>(with 2010 emissions)</i> | \$181,910.00 |
| 2015 | 457 Type I | Ambulance, <u>Dodge 4500 (4x2)</u> , 168.5" wheel base cab/chassis, <u>157"</u> modular body, Horton Custom Series (6 Exterior Compartments) CRAWL THROUGH | \$155,475.00 |
| 2015 | 623 Type I | Ambulance, <u>Dodge 4500 (4x2)</u> , 192" wheel base cab/chassis, <u>173"</u> modular body, Horton Custom Series (6 Exterior Compartments) CRAWL THROUGH | \$162,528.00 |

PACKAGED AMBULANCE GROUP BASE MODELS

| <u>Year</u> | <u>Model</u> | <u>Description</u> | <u>Price</u> |
|-------------|--------------|--|--------------|
| 2015 | 300S SERIES | Ambulance, Ford , 165" wheel base F-350 (4x2) Super Duty (Diesel Engine), 149" modular body, Horton Packaged LE Series (4 Exterior Compartments) NON-WALK THROUGH | \$136,663.00 |
| 2015 | 300S SERIES | Ambulance, Ford , 138" wheel base E-350 Super Duty (Gasoline Engine), 149" modular body, Horton Packaged LE Series (4 Exterior Compartments) WALK THROUGH | \$126,190.00 |
| 2014 | 300S SERIES | Ambulance, Chevrolet/GMC , 139" wheel base 3500 cut-a-way chassis (Diesel Engine), 149" modular body, Horton Packaged LE Series (4 Exterior Compartments) WALK THROUGH | \$134,068.00 |
| 2015 | 300L SERIES | Ambulance, Ford , 158" wheel base E-450 Super Duty (Gasoline Engine), 169" modular body, Horton Packaged LE Series (6 Exterior Compartments) WALK THROUGH | \$134,673.00 |
| 2014 | 300L SERIES | Ambulance, Chevrolet/GMC , 159" wheel base 4500 cut-a-way chassis (Diesel Engine), 169" modular body, Horton Packaged LE Series (6 Exterior Compartments) WALK THROUGH (Model includes heated Velvac mirrors) | \$143,238.00 |

(Note that only a select few options from AMBULANCE OPTIONS found in the Custom Group are available with models found in the 300 Series Packaged Group)

(The above 300 Series includes the following standardized features and no changes to these features are allowed on this model):

Interior cabinet and exterior compartment designs
2-bolt mounting system between body and chassis
Basic sound deadening package on module body (tubes not spray foamed or no interior Dolphin spray
Aluminum Composite interior cabinets, risers and walls, rather than all-aluminum fabricated

See Sales Representative For Limited Options Available On This Series

PRE-ENGINEERED (PE) AMBULANCE GROUP BASE MODELS

| <u>Year</u> | <u>Model</u> | <u>Description</u> | <u>Price</u> |
|-------------|--------------|--|--------------|
| 2015 | 553-PE | Ambulance, Ford , 158" wheel base E-450 Super Duty (Gasoline Engine), with <i>wheel simulators</i> , 169" modular body, Horton Pre-Engineered LE Series (6 Exterior Compartments) WALK THROUGH | \$138,659.00 |
| 2015 | 603-PE | Ambulance, Ford , 189" wheel base F-450 (4x2) Super Duty (Diesel Engine), with <i>OEM steel wheels</i> , 167" modular body, Horton Pre-Engineered LE Series (5 Exterior Compartments) NON-WALK THROUGH and with Liquid Spring Suspension | \$158,075.00 |

(Note that only a select few options from AMBULANCE OPTIONS found in the Custom Group are available with models found in the Pre-Engineered Group)

(The above PE Series includes the following standardized features and no changes to these features are allowed on this model):

Interior cabinet and exterior compartment designs
2-bolt mounting system between body and chassis
Basic sound deadening package on module body (tubes not spray foamed or no interior Dolphin spray
Aluminum Composite interior cabinets, risers and walls, rather than all-aluminum fabricated

See Sales Representative For Limited Options Available On This Series

REMOUNTED AMBULANCE GROUP BASE MODELS

| <u>Year</u> | <u>Model</u> | <u>Description</u> | <u>Price</u> |
|-------------|--------------|--|--------------|
| 2015 | Remount 1 | <p>Ambulance, <u>Ford F-450</u> Super Duty (<u>Gasoline Engine</u>), remounted to existing Horton body, with like chassis (wheel base/cab to axle) and mounting system (2-bolt or VITech installation) and maintaining same pass-through, crawl-through or walk-through modification.</p> <p><u>Remount includes:</u></p> <p>NEW BODY MOUNTS NEW CAB TO BODY SEAL NEW LED GRILL LIGHTS (500 SERIES) NEW LED INTERSECTION LIGHTS (700 SERIES) SWAP LIGHT BAR IF NEEDED NEW CAB RUNNING BOARDS NEW CAB WIRING HARNESS NEW SIREN SPEAKERS NEW WHEEL SIMULATORS NEW MUD FLAPS NEW EXTERIOR COMPARTMENT DOOR SEALS NEW HEAT/AC SYSTEM ON MODULE INCLUDES SINGLE PAINT STRIPE ON CAB INCLUDES NEW CONSOLE AND CONSOLE EXTENSION</p> | \$88,994.00 |
| 2014 | Remount 2 | <p>Ambulance, <u>Chev/GMC G-4500 cutaway (Duramax Diesel Engine)</u>, remounted to existing Horton body, with like chassis (wheel base/cab to axle) and mounting system (2-bolt or VITech installation) and maintaining same pass-through, crawl-through or walk-through modification.</p> <p><u>Remount includes:</u></p> <p>NEW BODY MOUNTS NEW CAB TO BODY SEAL NEW LED GRILL LIGHTS (500 SERIES) NEW LED INTERSECTION LIGHTS (700 SERIES) SWAP LIGHT BAR IF NEEDED NEW CAB RUNNING BOARDS NEW CAB WIRING HARNESS NEW SIREN SPEAKERS NEW WHEEL SIMULATORS NEW MUD FLAPS NEW EXTERIOR COMPARTMENT DOOR SEALS NEW HEAT/AC SYSTEM ON MODULE INCLUDES SINGLE PAINT STRIPE ON CAB NEW VELVAC HEATED MIRRORS INCLUDES NEW CONSOLE AND CONSOLE EXTENSION</p> | \$96,499.00 |
| 2015 | Remount 3 | <p>Ambulance, <u>Ford F-450</u> Super Duty (<u>Diesel Engine</u>), remounted to existing Horton body, with like chassis (wheel base/cab to axle) and mounting system (2-bolt or VITech installation) and maintaining same pass-through, crawl-through or walk-through modification.</p> <p><u>Remount includes:</u></p> <p>NEW BODY MOUNTS NEW CAB TO BODY SEAL NEW LED GRILL LIGHTS (500 SERIES) NEW LED INTERSECTION LIGHTS (700 SERIES) SWAP LIGHT BAR IF NEEDED NEW CAB RUNNING BOARDS NEW CAB WIRING HARNESS NEW SIREN SPEAKERS NEW WHEEL SIMULATORS NEW MUD FLAPS NEW EXTERIOR COMPARTMENT DOOR SEALS NEW HVAC PATIENT AREA EVAPORATOR INCLUDES SINGLE PAINT STRIPE ON CAB NEW MONROE AIR RIDE SYSTEM NEW UREA FILL SYSTEM (if Required) INCLUDES NEW CONSOLE AND CONSOLE EXTENSION</p> | \$112,515.00 |

REMOUNTED AMBULANCE GROUP (Cont.)

| | | | |
|------|-----------|--|--------------|
| 2014 | Remount 4 | <p>Ambulance, <u>Dodge 4500 cab/chassis (Diesel Engine)</u>, remounted to existing Horton body, with like chassis (wheel base/cab to axle) and mounting system (2-bolt or VITech installation) and maintaining same pass-through, crawl-through or walk-through modification.</p> <p>Remount includes:</p> <p>NEW BODY MOUNTS NEW CAB TO BODY SEAL NEW LED GRILL LIGHTS (500 SERIES) NEW LED INTERSECTION LIGHTS (700 SERIES) SWAP LIGHT BAR IF NEEDED NEW CAB RUNNING BOARDS NEW CAB WIRING HARNESS NEW SIREN SPEAKERS NEW WHEEL SIMULATORS NEW MUD FLAPS NEW EXTERIOR COMPARTMENT DOOR SEALS NEW HVAC PATIENT AREA EVAPORATOR INCLUDES SINGLE PAINT STRIPE ON CAB NEW MONROE AIR RIDE SYSTEM NEW UREA FILL SYSTEM (If Required) INCLUDES NEW CONSOLE AND CONSOLE EXTENSION</p> | \$112,652.00 |
| 2015 | Remount 5 | <p>Ambulance, <u>Navistar 4300LP (Diesel Engine)</u>, remounted to existing Horton body, with like chassis (wheel base/cab to axle) and mounting system (2-bolt or VITech installation) and maintaining same pass-through, crawl-through or walk-through modification.</p> <p>Remount includes:</p> <p>NEW BODY MOUNTS NEW CAB TO BODY SEAL NEW LED GRILL LIGHTS (500 SERIES) NEW LED INTERSECTION LIGHTS (700 SERIES) SWAP LIGHT BAR IF NEEDED NEW CAB RUNNING BOARDS NEW CAB WIRING HARNESS NEW SIREN SPEAKERS NEW WHEEL SIMULATORS NEW MUD FLAPS NEW EXTERIOR COMPARTMENT DOOR SEALS NEW HVAC PATIENT AREA EVAPORATOR AND CONDENSER (Positioned in same Location) INCLUDES SINGLE PAINT STRIPE ON CAB EXHAUST ROUTING PER EXISTING UNIT INCLUDES NEW CONSOLE AND CONSOLE EXTENSION</p> | \$136,343.00 |
| 2015 | Remount 6 | <p>Ambulance, <u>International Terrastar (Diesel Engine)</u>, remounted to existing Horton body, with like chassis (wheel base/cab to axle) and mounting system (2-bolt or VITech installation) and maintaining same pass-through, crawl-through or walk-through modification.</p> <p>Remount includes:</p> <p>NEW BODY MOUNTS NEW CAB TO BODY SEAL NEW LED GRILL LIGHTS (500 SERIES) NEW LED INTERSECTION LIGHTS (700 SERIES) SWAP LIGHT BAR IF NEEDED NEW CAB RUNNING BOARDS NEW CAB WIRING HARNESS NEW SIREN SPEAKERS NEW WHEEL SIMULATORS NEW MUD FLAPS NEW EXTERIOR COMPARTMENT DOOR SEALS NEW HVAC PATIENT AREA EVAPORATOR AND CONDENSER (Positioned in same Location) INCLUDES SINGLE PAINT STRIPE ON CAB EXHAUST ROUTING PER EXISTING UNIT INCLUDES NEW CONSOLE AND CONSOLE EXTENSION</p> | \$122,151.15 |



| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--------------------------------|---|--------------|
| <u>BODY OPTIONS (A)</u> | | |
| A01 | <u>BODY DROP, CURBSIDE WITH TWO STEP ENTRY</u> (standard in various models) or <i>STREET SIDE</i> The curbside skirt, forward of the rear wheel well shall be dropped 3 inches. Two integral aluminum diamond plate steps within the side patient door step well shall be available upon opening the side door for easier and lower access to the patient compartment. | \$658.83 |
| A02 | <u>ENERGY ABSORBING FLIP UP REAR STEP (Not available on Ford E Series or Terrastar chassis)</u> The rear bumper shall be rated to take a 5 MPH hit with no damage to the body. | \$959.18 |
| A03 | <u>SCBA MOUNTING PLATE IN ANY EXTERIOR COMPARTMENT</u> Install a .250" thick aluminum plate finished on a dual action sander and installed on adjustable shelf track for the purpose of mounting customer-supplied SCBA brackets | \$330.49 |
| A04 | <u>ADD SHELF, EXTERIOR COMPARTMENT</u> Install shelf in exterior compartment. Includes shelf matting and a light under the shelf. | \$177.63 |
| A05 | <u>FIXED DIVIDER, EXTERIOR COMPARTMENT</u> Install fixed divider in designated compartment | \$244.37 |
| A06 | <u>FIXED DIVIDER FOR ELECTRICAL, EXTERIOR COMPARTMENT</u> Install fixed divider in designated compartment for storage Horton electrical components | \$113.04 |
| A07 | <u>EXPANDED METAL CAGE FOR PROTECTION OF ELECTRICAL EQUIPMENT</u> Install fixed divider in designated compartment for storage Horton electrical components | \$59.21 |
| A08 | <u>DIAMOND PLATE CLOSE-OUT FOR INTERIOR CABINET SEPARATION</u> Install fixed divider in designated compartment for storage Horton electrical components | \$102.27 |
| A09 | <u>ADJUSTABLE DIVIDER, EXTERIOR COMPARTMENT</u> Install adjustable divider with Velcro strap. | \$330.49 |
| A10 | <u>RECESSED STAIR CHAIR POCKET</u> The interior door pan of a designated exterior door shall include a recessed diamond plate pan for a stair chair. | \$160.40 |
| A11 | <u>SWEEP OUT COMPARTMENT FLOOR</u> The designated exterior compartment to include a sweep out floor. | \$152.87 |
| A12 | <u>INSTALL RUBBER LINE BACKBOARD RETENTION SLOTS (EACH)</u> A ROK or Velcro retaining strap(s) shall be installed in designated areas | \$110.88 |
| A13 | <u>RETAINING STRAP</u> | \$29.07 |
| A14 | <u>WHEEL WELL COMPARTMENT, STREET SIDE OR CURBSIDE</u> Clear Door Opening: 35" wide x 8" high Actual Compartment: 36" wide x 6" high x 21" deep A compartment shall be installed above the street side curbside wheel well. The compartment shall be accessed through a hinge down door. A slide-out tray shall be installed in the compartment and shall be capable of carrying a minimum of 250 lbs. The tray shall lock in both the in and out position. | \$1,020.55 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|--|--------------|
| <u>BODY OPTIONS (A) (Cont.)</u> | | |
| A15 | <u>COMPARTMENT SIZE MODIFICATION</u> The standard compartment height or width to be modified. | \$921.51 |
| A16 | <u>COMPARTMENT ADDITION</u> An exterior compartment shall be added to the standard compartment design on the model selected | \$1,291.83 |
| A17 | <u>RELOCATE HORTON ELECTRICAL COMPONENTS</u> The location of the exterior position electrical components shall be moved to a separate compartment located above the Oxygen cylinder compartment (cost includes compartment size modification) | \$1,728.90 |
| A18 | <u>COMPARTMENT MATTING: MATAFLEX</u> All exterior compartments shall be equipped with color coordinated MATAFLEX flooring. Color to be determined by customer. | \$429.53 |
| A19 | <u>INCREASE or DECREASE INTERIOR HEADROOM</u> The standard of headroom of 72" to be increased or decreased in 2" increments (price per inch) | \$203.46 |
| A20 | <u>RECESSED, POCKETED REAR STEP (Not available on Ford E Series or Terrastar chassis)</u> The rear step shall flip up and into a pocket in the vertical diamond plate riser so it is flush. | \$526.42 |
| A21 | <u>CAST PRODUCTS RECESSED LICENSE PLATE HOLDER</u> | \$164.71 |
| A22 | <u>GRIP STRUT IN SIDE ENTRY DOOR STEP WELL</u> | \$164.71 |
| A23 | <u>CHANGE EXTERIOR COMPARTMENT MATERIAL FROM DIAMOND PLATE TO DA FINISH FLAT ALUMINUM (each)</u> | \$403.70 |
| A24 | <u>DELETION OF 'CRAWL THROUGH'/WALK-THROUGH MODIFICATION</u> The modification of the back of the chassis cab to access the patient area shall be deleted <i>on select custom models</i> , except for Type 3 units. A 'Pass Through' opening shall be provided. | (\$2,045.40) |
| <u>PAINT AND STRIPE OPTIONS (B)</u> | | |
| B01 | <u>PAINT CHASSIS (OTHER THAN STANDARD FACTORY WHITE (ALL MEDIUM DUTY STYLE CHASSIS)</u> The chassis cab shall be painted with the following special paint color and paint code: To be determined by customer | \$2,500.77 |
| B02 | <u>PAINT CHASSIS (OTHER THAN STANDARD FACTORY WHITE (ALL OTHER NON MEDIUM DUTY TYPE)</u> | \$1,445.77 |
| B03 | <u>PAINT MODULAR BODY (OTHER THAN STANDARD WHITE AND ON NEW UNIT ONLY, NOT REMOUNTS)</u> The modular body shall be painted with the following special paint color and paint code: To be determined by customer | \$538.26 |
| B04 | <u>STRIPE BOTTOM HALF</u> The bottom half of the modular body shall be painted with the following special paint color and paint code: To be determined by customer | \$1,599.72 |
| B05 | <u>PAINT ROOF OF BODY DIFFERENT COLOR FROM OVERALL COLOR</u> | \$1,599.72 |
| B06 | <u>STRIPE, 8 INCH BELTLINE - SCOTCHLITE</u> | \$980.72 |
| B07 | <u>STRIPE, 8 INCH BELTLINE - PAINT</u> | \$1,426.40 |
| B08 | <u>STRIPE, HORTON FLYING 'H' STYLE</u> | \$1,685.84 |
| B09 | <u>STRIPE, HORTON 523 STYLE</u> | \$2,860.33 |
| B10 | <u>ADDITIONAL SCOTCHLITE STRIPE, PER 1 INCH HEIGHT</u> An additional Scotchlite stripe shall be applied to the vehicle. Price is for each 1 inch high segment. | \$174.40 |
| B11 | <u>2-COLOR DIAMOND GRADE CHEVRON (BELOW STRIPE)</u> A 2-color 3M Diamond Grade Chevron shall be applied on the rear of the unit. The Chevron bands shall be 6" wide. A choice of Yellow, Red, White or Lime-Yellow colors shall be provided. The Chevron shall be positioned below the body stripe. | \$947.55 |
| B12 | <u>2-COLOR DIAMOND GRADE CHEVRON (OUTBOARD OF DOORS)</u> A 2-color 3M Diamond Grade Chevron shall be applied on the rear of the unit. The Chevron bands shall be 6" wide. A choice of Yellow, Red, White or Lime-Yellow colors shall be provided. The Chevron shall be positioned outboard of the rear doors. | \$1,345.66 |
| B13 | <u>2-COLOR DIAMOND GRADE CHEVRON (ENTIRE REAR OF BODY)</u> A 2-color 3M Diamond Grade Chevron shall be applied on the rear of the unit. The Chevron bands shall be 6" wide. A choice of Yellow, Red, White or Lime-Yellow colors shall be provided. The Chevron shall be positioned on the entire rear of the vehicle. | \$1,614.79 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|---|--------------|
| <u>INTERIOR PLEXIGLAS, DOOR AND COUNTERTOP OPTIONS (C)</u> | | |
| C01 | <u>SOLID SURFACE DOORS, INTERIOR CABINET (Price is each door)</u> The hinged cabinet door shall be constructed of SOLID SURFACE. All corners and edges to be radiused. | \$227.15 |
| C02 | <u>SOLID SURFACE COUNTERTOP (Price is each counter top)</u> Install SOLID SURFACE countertop in lieu of standard stainless steel. The joint of the vertical surface and horizontal lip shall have a radiused, coved appearance and there shall be no visible seams. | \$538.26 |
| C03 | <u>FRAMED DOORS WITH PLEXIGLAS INSERTS, INTERIOR CABINET (Price is each door)</u> The hinged cabinet door shall be constructed of framed Plexiglas. | \$227.15 |
| C04 | <u>MIRRORIZED STAINLESS STEEL INHALATION WALLS</u> | \$443.53 |
| C05 | <u>MIRRORIZED STAINLESS STEEL INHALATION PANEL</u> | \$610.39 |
| C06 | <u>STAINLESS STEEL INHALATION WALLS (NON POLISHED OR MIRRORIZED)</u> | \$191.62 |
| C07 | <u>STAINLESS STEEL INHALATION PANEL (NON POLISHED OR MIRRORIZED)</u> | \$435.99 |
| <u>INTERIOR COLOR AND MATERIALS OPTIONS (D)</u> | | |
| D01 | <u>CUSTOM FLOOR</u> A flooring material other than standard shall be installed in the patient module. | \$110.88 |
| D02 | <u>STAINLESS STEEL RISER, MAIN CABINET WALL</u> Install stainless steel on cabinet wall riser. | \$199.16 |
| D03 | <u>STAINLESS STEEL RISER, BENCH WALL</u> Install stainless steel on bench riser wall. | \$199.16 |
| D04 | <u>INTERIOR UPGRADE: CARBON FIBER</u> All interior door panels, inhalation panel and chassis console faceplate to be finished with Caron Fiber material (selection of colors). | \$1,345.66 |
| D05 | <u>INTERIOR UPGRADE: CG TECH</u> All interior walls, door panels and inhalation panel to be finished with CG Tech material (selection of colors). The risers and lower access door panels are to be covered in brushed stainless steel. | \$699.74 |
| <u>INTERIOR ACCESSORIES AND TRIM OPTIONS (E)</u> | | |
| E01 | <u>I.V. HOOKS, CAST RUBBER, ADDITIONAL BEYOND STANDARD TWO</u> Install additional Cast Products recessed I.V. hooks in ceiling. Hooks are installed into aluminum mounting plates and are to be fabricated from flexible rubber. | \$99.04 |
| E02 | <u>I.V. HOOKS, PERKO CLIPS (EACH)</u> | \$19.38 |
| E03 | <u>COT WHEEL FLOOR PLATES, FULL WIDTH</u> Install full width stainless steel cot wheel plates. | \$104.42 |
| E04 | <u>DELETE STANDARD FERNO OR STRYKER COT MOUNT</u> Note: requires selecting Stat Trac option below | (\$856.91) |
| E05 | <u>FERNO WASHINGTON STAT TRAC COT MOUNT SYSTEM</u> Install the Ferno Washington Stat Trac system in lieu of standard cot mounts. | \$1,581.42 |
| E06 | <u>PROVIDE, STRYKER POWER LOAD #6390 COT MOUNT (any applicable options not included)</u> A Horton provided Stryker #6390 Power-Load cot mount (without any applicable options) shall be included (<i>Installation charge below must be selected as it is not included in this option</i>) | \$24,114.19 |
| E07 | <u>INSTALL, CUSTOMER PROVIDED STRYKER POWER LOAD #6390 COT MOUNT ON SELECTED MODEL</u> The installation, including wiring shall be provided for a customer provided Stryker #6390 Power-Load cot mount system. | \$1,291.83 |
| E08 | <u>INSTALL, CUSTOMER PROVIDED STRYKER POWER LOAD 'MASS CASUALTY' FLOOR PLATE ON SELECTED MODEL</u> | \$217.46 |
| E09 | <u>INSTALL, UNDER-FLOOR PLATES ONLY FOR STRYKER POWER LOAD #6390 COT MOUNT ON SELECTED MODEL</u> Under-floor plates are to be installed for later addition of a Stryker #6390 Power-Load cot mount system. | \$425.00 |
| E10 | <u>INSTALL, CUSTOMER PROVIDED FW #601 ICS CHARGING SYSTEM FOR COT MOUNT</u> The installation, including wiring shall be provided for a customer provided FW #601 ICS charging system. | \$457.52 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|---|--------------|
| <u>INTERIOR ACCESSORIES AND TRIM OPTIONS (E)</u> | | |
| E11 | <u>COT SAFETY HOOK</u> | \$32.30 |
| E12 | <u>SUPPLY FW 28 COT</u> | \$4,999.00 |
| E13 | <u>SUPPLY FW 28Z COT</u> | \$5,850.00 |
| E14 | <u>SUPPLY FW 8159573 LOWER TRAY</u> | \$232.58 |
| E15 | <u>SUPPLY FW 822137 FLIP OUT HANDLES</u> | \$337.87 |
| E16 | <u>SUPPLY FW 0822178 SOFTNET, O2 HOLDER, POUCH</u> | \$194.30 |
| E17 | <u>DELETE WINDOW GLASS WITH PRIVACY TINT</u> All patient windows shall have standard tinted glass unless otherwise specified. The windows shall meet FMVSS glazing standards. No films are to be used. | (\$185.16) |
| E18 | <u>ELECTRONIC PRIVACY WINDOWS IN PATIENT MODULE DOORS</u> The patient area door windows shall include liquid crystal privacy control. When privacy is needed, a switch shall be activated to turn the windows solid so they cannot be seen through even at a very close distance. The windows shall return to clear with a second touch of the switch. All door windows to have fixed glass. The switches shall be labeled "PRIVACY WINDOWS." | \$1,848.40 |
| E19 | <u>ELECTRONIC PRIVACY WINDOW IN SIDE BODY WINDOW</u> The side body door window shall include liquid crystal privacy control. When privacy is needed, a switch shall be activated to turn the windows solid so they cannot be seen through even at a very close distance. The windows shall return to clear with a second touch of the switch. All door windows to have fixed glass. The switches shall be labeled "PRIVACY WINDOWS." | \$871.99 |
| E20 | <u>GRAB RAIL PADDING FOR STANDARD GRAB RAILS</u> Install removable padding on standard ceiling grab rail. Padding to be covered with upholstery to match the interior. | \$104.42 |
| E21 | <u>8 FOOT GRAB RAIL CENTERED IN CEILING</u> | \$171.17 |
| E22 | <u>GRAB RAIL PADDING, 6 FOOT BENCH RAIL</u> Install removable padding on standard ceiling grab rail. Padding to be covered with upholstery to match the interior. | \$104.42 |
| E23 | <u>2' GRAB RAIL, WITH ANTIMICROBIAL COATING</u> Install a 2' rail, with antimicrobial coating at a location to be determined | \$76.43 |
| E24 | <u>2' GRAB RAIL, ANTI SLIP, WITH ANTIMICROBIAL COATING</u> Install a 2' anti-slip rail, with antimicrobial coating at a location to be determined | \$133.49 |
| E25 | <u>UPGRADE ANGLED DOOR HANDLES TO ANTI-SLIP, WITH ANTIMICROBIAL COATING</u> All access door handles are to be anti-slip knurl type, with antimicrobial coating | \$193.77 |
| E26 | <u>UPGRADE REQUIRED GRAB HANDLES TO HIGH VISION YELLOW POWDER COAT, WITH ANTIMICROBIAL COATING (Each)</u> Grab handles as required are to be upgraded to yellow powder coat, with anti-microbial coating (price is each) | \$26.91 |
| E27 | <u>BENCH RESTRAINT, MANSAVER BAR</u> Install safety man drop down arm at head of squad bench. Reinforce wall with welded aluminum mounting plate. | \$526.42 |
| E28 | <u>STAINLESS STEEL LOWER DOOR TRIM</u> Finish lower section of inside patient compartment doors with stainless steel. | \$296.04 |
| E29 | <u>INSTALL 'A' BAR AT HEAD END OF BENCH (WITHOUT SHARPS OR WASTE)</u> | \$564.10 |
| E30 | <u>INSTALL 'A' BAR AT HEAD END OF BENCH (WITH SHARPS AND WASTE)</u> | \$680.36 |
| E31 | <u>INSTALL COAT HOOKS (Each)</u> | \$48.44 |
| E32 | <u>INSTALL HANDLE LOCK MOUNTS (Each)</u> | \$80.74 |
| E33 | <u>INSTALL 5# ABC EXTINGUISHER</u> | \$76.43 |
| E34 | <u>INSTALL AMEREX 240 EXTINGUISHER</u> | \$161.48 |
| E35 | <u>INSTALL AMEREX 1411 EXTINGUISHER</u> | \$102.27 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|---|--------------|
| <u>EXTERIOR ACCESSORY AND TRIM OPTIONS (F)</u> | | |
| F01 | <u>REAR TOW HOOKS</u> Install 2 tow hooks rear of vehicle. Attach to bumper frame. | \$83.97 |
| F02 | <u>RECESSED TOW EYES</u> Tow eyes shall be recessed into the rear step kick plate, with Cast Products Bezels utilized | \$560.87 |
| F03 | <u>HEATED, POWER REMOTE MIRRORS, TYPE III AMBULANCE ONLY</u> Install heated, power remote Velvac 2020 mirrors in place of the OEM mirrors. Weld over and paint over any unused holes left from the OEM mirrors. | \$756.80 |
| F04 | <u>ON SPOT SNOW CHAINS</u> Install automatic ON-SPOT air operated snow chains. Includes installation of system air compressor if chassis does not already have one. | \$2,693.47 |
| F05 | <u>KUSSMAUL MAINTENANCE AIR COMPRESSOR, MEDIUM DUTY TRUCK</u> Install a Kussmaul maintenance air compressor and wire into the shoreline circuit for automatic operation. | \$831.62 |
| F06 | <u>INSTALL QUICK CONNECT AIR FITTING FOR CHASSIS AIR SYSTEM</u> | \$193.77 |
| F07 | <u>RUBBER REAR FENDERS</u> Install rubber rear fenderettes in lieu of stainless steel | (\$232.53) |
| F08 | <u>FRONT TOP BODY MOUNT AC CONDENSER (MEDIUM DUTY CHASSIS)</u> Relocate AC condenser to front of body from underside and paint to match body. | \$322.96 |
| F09 | <u>INSTALL FRONT TOP BODY MOUNT AC CONDENSER (FORD E or F SERIES or CHEVROLET G CHASSIS)</u> Install added AC condenser to front of body and paint to match body. | \$1,469.46 |
| F10 | <u>INSTALL COOL TECH II CONDENSER WITH SOLAR PANEL</u> Install Cool Tech II 4-fan 100,000 BTU condenser system recessed into a flush mounted roof trough at the front of the body. A 1.2 amp solar panel power system shall be added to the electrical grid. | \$2,691.32 |
| F11 | <u>INSTALL 110 VAC DANHARD COMBINATION HEAT/AC SYSTEM</u> A Danhard 110VAC heat/AC system shall be installed in the patient area. Note that an additional 20amp shoreline must be added with this option | \$4,008.98 |
| F12 | <u>INSTALL ACTIVEPURE AIR DECONTAMINATION SYSTEM IN HEAT/AC DUCT WORK</u> | \$861.22 |
| F13 | <u>EXTEND FRONT CORNER GUARDS TO STRIPE HEIGHT</u> | \$83.97 |
| F14 | <u>INSTALL TURN-OUT ON VERTICAL EXHAUST</u> | \$160.40 |
| F15 | <u>UPGRADE REAR MUD FLAP TO UPS BRUSH STYLE</u> | \$161.48 |
| F16 | <u>INSTALL ADDITIONAL BATTERY THAT IS IN ADDITION TO STANDARD OEM CHASSIS BATTERY SYSTEM</u> | \$225.00 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|---|--------------|
| <u>RADIOS AND CONSOLES (G)</u> | | |
| G01 | <u>ADDITIONAL COAX PRE-WIRE, EACH</u> Install additional antenna coax and access plate in patient module roof. Coax is Belden brand RG-58. | \$61.36 |
| G02 | <u>CONSOLE EXTENSION</u> Install an aluminum extension onto the standard cab console for holding maps, books, radios, etc. | \$388.09 |
| G03 | <u>CUP HOLDER/WALKIE TALKIE POCKET HOLDERS</u> Install plastic fabricated cup holders or carpeted walkie-talkie pockets for customer provided equipment | \$80.74 |
| G04 | <u>RADIO OR RADIO HEAD PRE-CUT, CAB CONSOLE, EACH</u> Mount radio or radio head in front cab console. Does not include connecting cables, providing power or connecting antenna cables. | \$102.27 |
| G05 | <u>RADIO OR RADIO HEAD PRE-CUT, REAR INHALATION PANEL, EACH</u> Mount radio or radio head in rear inhalation panel. Does not include connecting cables, providing power or connecting antenna cables. | \$102.27 |
| G06 | <u>RADIO CABLE INSTALLATION, EACH RADIO</u> Does not include providing power or connecting antenna cables | \$59.21 |
| G07 | <u>3-STUD RADIO POWER AND GROUND STUDS, ADDITIONAL BEYOND STANDARD TWO</u> Install heavy gauge power (battery switched and hot) and ground studs for radio or cell phone power. | \$135.64 |
| G08 | <u>COMPUTER MOUNT INSTALLATION</u> Install customer provided computer mount at a position to be determined by purchaser. | \$161.48 |
| G09 | <u>COMPUTER/PRINTER MOUNT TRAY</u> Install Horton provided computer/printer tray at a position to be determined by purchaser. | \$188.39 |
| G10 | <u>SUPPLY AND INSTALL SIGTRONICS 3 HEADSET INTERCOM SYSTEM</u> Install Horton provided Sygtronics 3 headset intercom with position to be determined by purchaser. System to include radio connector, headsets, headset hooks and interface. | \$3,444.88 |
| <u>INTERIOR CABINET OPTIONS (H)</u> | | |
| H01 | <u>ADJUSTABLE VERTICAL DIVIDERS PER CABINET SEGMENT</u> Install adjustable shelf tracks recessed into the upper and lower cabinet walls. Fabricate Plexiglas dividers to fit vertically into the cabinet and between the recessed tracks. The dividers shall be adjustable within the track and held into position with cushioned track shelf supports. | \$263.75 |
| H02 | <u>LIFT UP FRAMES FOR SLIDING DOOR CABINET, STREET SIDE</u> Fasten the Plexiglas door frame extrusion to a piano hinge secured to the cabinet wall. The complete frame and doors shall hinge open upward providing total access to the cabinet behind. The frame shall be held open with gas charged cylinders and secured in the down position with a sliding dead bolt. | \$230.38 |
| H03 | <u>CPR SEAT DROP DOWN BACKREST</u> The side attendant seat shall have a drop down seat back to extend the action area counter space. Finish backside with stainless steel. | \$138.87 |
| H04 | <u>CPR SEAT STORAGE</u> A trimmed storage area shall be accessed by raising the hinged side attendant seat base cushion. | \$199.16 |
| H05 | <u>INSTALL RECESSED PADDLE LATCH FOR LIFT-UP CPR SEAT CUSHION</u> | \$261.60 |
| H06 | <u>INSTALL GAS SPRING HOLD-OPEN FOR LIFT-UP CPR SEAT CUSHION</u> | \$29.07 |
| H07 | <u>CPR SEAT WIDENED BEYOND STANDARD 28"</u> | \$247.60 |
| H08 | <u>SLIDING DRAWER, INTERIOR CABINET WALL</u> Install a pull out cabinet drawer mounted on grant slides. Drawer is made of aluminum. | \$388.63 |
| H09 | <u>PULL-OUT WRITING TABLE</u> | \$261.60 |
| H10 | <u>PULL-OUT WRITING TABLE, WITH STORAGE BELOW</u> | \$406.93 |
| H11 | <u>DRUG BOX, ENCLOSED</u> A separate drug storage box shall be fabricated and installed within the cabinet as designated by the customer. | \$199.16 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|---|--------------|
| <u>INTERIOR CABINET OPTIONS (H) (Cont.)</u> | | |
| H12 | <u>LOCKING DOOR, INTERIOR CABINET</u> Install a single lockable door on the customer's choice of cabinet. | \$39.83 |
| H13 | <u>PUSH BUTTON SIMPLEX LOCK, INTERIOR CABINET DOOR OR DRAWER</u> Install a Simplex push button lock on an interior door of the customer's choice. | \$208.85 |
| H14 | <u>LOCKING DOOR, ELECTRONIC RCI KEYPAD LOCK FOR INTERIOR CABINET</u> | \$648.07 |
| H15 | <u>HEAD ATTENDANT BUCKET SEAT WITH BUILT IN CHILD SAFETY SEAT & 3-POINT SEAT BELT</u> Delete the standard bucket attendant seat. Install a high back bucket seat with built in child seat restraints. The seat to be adjustable front to rear and shall include 3-point seat belt. | \$332.65 |
| H16 | <u>SHARPS / WASTE STORAGE COMPARTMENT, EACH</u> A sharps / waste storage compartment shall be installed in the patient module interior. Several designs are available. | \$422.00 |
| H17 | <u>LIFT UP FRAMES FOR SLIDING DOOR CABINET, CURBSIDE</u> Fasten the Plexiglas door frame extrusion to a piano hinge secured to the cabinet wall. The complete frame and doors shall hinge open upward providing total access to the cabinet behind. The frame shall be held open with gas charged cylinders and secured in the down position with a sliding dead bolt. | \$230.38 |
| H18 | <u>DUAL CABINET ACCESS, CURBSIDE OR STREET SIDE</u> Provide interior access to exterior compartment. Interior access to be trimmed with customer's choice of sliding Plexiglas doors, hinged solid Formica doors or hinged Plexiglas doors. | \$494.13 |
| H19 | <u>INVENTORY TAGS, TAMPER-RESISTANT, FOR INTERIOR CABINETS</u> Each cabinet door and cabinet extrusion shall be drilled to accept single use security seals. They shall keep closed the cabinet doors after an inventory has been performed. The presence of a intact seal indicates no inventory has been removed from the cabinet. | \$166.32 |
| H20 | <u>GLOVE CABINET, RECESSED, WITH PLEXIGLAS DOOR, EACH CABINET</u> The customer specified location shall provide storage for customer-supplied glove boxes. An elongated slot in the cabinet face shall allow for easy dispensing of the individual gloves through a flush cabinet face. The refill glove boxes shall easily be replaced from behind the cabinet dispensing surface. | \$461.83 |
| H21 | <u>GLOVE CABINET, RECESSED ABOVE FRONT WALL CABINET</u> | \$208.85 |
| H22 | <u>ROBINSON ROLL UP DOOR IN FRONT WALL CABINET</u> In lieu of hinged Plexiglas doors in the front wall cabinet, use a full height Robinson roll up door. | \$1,186.33 |
| H23 | <u>DOVER ROLL UP DOOR WITH CLEAR LEXAN SLATS INSTALLED IN ANY CABINET</u> | \$1,883.92 |
| H24 | <u>PROVIDE AND INSTALL LIFE PACK BRACKET</u> | \$807.39 |
| H25 | <u>HEATED CABINET (SMITHWORKS)</u> A heated IV storage cabinet shall be installed at a choice of location. The cabinet shall be heated with a Smithwork's heated tray system. | \$480.13 |
| H26 | <u>REFRIGERATOR</u> A Norcold 12v refrigerator shall be installed in the patient area at a choice of location (an added cabinet specifically for the refrigerator is an additional cost) | \$1,087.29 |
| H27 | <u>TEMPERATURE CONTROLLED CABINET</u> A MK11 temperature controlled cabinet shall be installed at a choice of location | \$3,493.33 |
| H28 | <u>CROSSOVER CABINET</u> A cabinet shall be installed above the walk-through in the patient area. | \$461.83 |
| H29 | <u>BENCH CABINET/ATTENDANT SEAT CABINET (Packaged Series Only-300/300s)</u> A cabinet shall be installed above the squad bench in the patient area. Storage shall also be provided behind the rear attendant seat. | \$1,614.79 |
| H30 | <u>DUCTED HEAT/AC SYSTEM</u> The rear heat/AC system shall be installed in the corner above the linen cabinet. The system shall include an aluminum chute system for air movement. The chute shall be located above the main cabinet wall. | \$1,453.31 |
| H31 | <u>ADD CUSTOM INTERIOR CABINET (Per unit cost without drawers or attachments)</u> | \$376.78 |
| H32 | <u>ADD CUSTOM MONITOR STORAGE WITH INSIDE/OUTSIDE ACCESS</u> | \$861.22 |
| H33 | <u>INSTALL UV LAMP IN AREA TO BE DESIGNATED</u> | \$296.04 |
| H34 | <u>INSTALL CUSTOMER PROVIDED KNOX MED VAULT or KEY VAULT</u> | \$134.57 |
| H35 | <u>INSTALL CARGO NET PROTECTION OVER OPEN CABINET FACE</u> | \$376.78 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|--|--------------|
| <u>ELECTRICAL OPTIONS (NON-WARNING SYSTEMS) (I)</u> | | |
| 101 | <u>UPGRADE BATTERY SWITCH FROM ROTARY STYLE TO AUTOMATIC 'IN-POWER' STYLE</u> | \$307.89 |
| 102 | <u>INVERTER PREWIRING, VANNER 1000 WATT 20-1000TUL WITH INTERFACE</u> Furnish wiring only to the designated electrical equipment location to power a Vanner 20-1000TUL inverter equipped with a Vanner interface module. Wiring shall also be furnished from the future inverter location to the area behind the inhalation panel to the control switch. | \$231.45 |
| 103 | <u>INSTALL INVERTER, VANNER 1000 WATT 20-1000TUL WITH INTERFACE</u> A Vanner #20-1000TUL inverter shall be installed in the vehicle's designated electrical equipment location. Included will be a Vanner Interface Module, Inverter Status Panel, and Control Switch. The switch will be installed in the inhalation panel for inverter activation. | \$2,045.40 |
| 104 | <u>UPGRADE BATTERY CHARGER FROM 45 AMP TO 75 AMP</u> | \$99.04 |
| 105 | <u>DELETE LED TYPE ICC REQUIRED RUNNING LIGHTS</u> Install red Whelen L.E.D. 700 or 'M6' series turn/marker lights on each rear side of the module body. Lights provide module body night time side lighting visibility and turning signal indication. | (\$435.99) |
| 106 | <u>ADD HALOGEN TYPE ICC REQUIRED RUNNING LIGHTS</u> Note: use only when selecting L09L LED type lights instead | \$331.57 |
| 107 | <u>LED RUNNING BOARD LIGHTS</u> Install Whelen Par 16 LED running board lights | \$242.22 |
| 108 | <u>LED SIDE DOOR STEP WELL LIGHT</u> Upgrade the side door step well light from halogen to Whelen Par 16 LED light | \$134.57 |
| 109 | <u>LED INTERIOR CABINET LIGHTING (Main Wall)</u> Install LED light strips in the closed compartments with Plexiglas doors | \$608.24 |
| 110 | <u>LED INTERIOR CABINET LIGHTING (Bench Wall)</u> Install LED light strips in the closed compartments with Plexiglas doors | \$160.40 |
| 111 | <u>MODULE DISCONNECT TIMER PROGRAMMING</u> The module disconnect shall be programmed to automatically shut down when inadvertently left in the on position, with the engine turned OFF and the battery switch in the ON position. | \$99.04 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|--|--------------|
| <u>ELECTRICAL OPTIONS (NON-WARNING SYSTEMS) (I) (Cont.)</u> | | |
| 112 | <u>AIRCRAFT TYPE CLOCK, ILLUMINATED, ON HINGED ACCESS PANEL</u> An aircraft style back lighted clock with sweep second hand shall be installed. Back lighting shall be 12 volt. Clock shall be installed on a hinge and secured with a ball catch to provide easy access for changing time and battery. | \$204.54 |
| 113 | <u>DIGITAL CLOCK, NEC MODEL 0150004</u> | \$683.59 |
| 114 | <u>DIGITAL CLOCK, INTELLITEC</u> | \$319.73 |
| 115 | <u>DIGITAL CLOCK, LARGE FACE LED WITHOUT SECONDS READOUT</u> | \$319.73 |
| 116 | <u>DIGITAL CLOCK, LARGE FACE LED WITH SECONDS READOUT</u> | \$462.91 |
| 117 | <u>CAB CEILING LIGHTS (HALOGEN or LED)</u> Two (2) Signal Stat or TecNiq lights shall be installed in the cab headliner. | \$190.55 |
| 118 | <u>LAMP TIMER, PROGRAMMABLE FOR DOME OR FLORESCENT LIGHTS</u> Install an electronic momentary touch timer switch where specified. The switch will enable time limited operation of the lights, with the battery switch in the off position. | \$157.17 |
| 119 | <u>FLORESCENT LIGHTS, 39 INCH, EACH</u> Install 39 inch, 12 volt fluorescent ceiling light fixtures. | \$244.37 |
| 120 | <u>UPGRADE STANDARD CONCEPT STYLE LED INTERIOR DOME LIGHTING TO WHELEN LED LIGHTING</u> (Upgrade Pricing is based on installation of 7 Whelen LED lights in lieu of standard) | \$339.11 |
| 121 | <u>INTERIOR 110 VOLT OUTLETS, ADDITIONAL, EACH</u> Install 110v interior AC duplex outlets. Outlets shall have integral illumination to turn on when power is present. | \$113.04 |
| 122 | <u>EXTERIOR 110 VOLT OUTLETS, EACH</u> Install 110v exterior 15 amp AC duplex outlets, including weatherproof cover. | \$174.40 |
| 123 | <u>INTERIOR 12 VOLT OUTLETS, CIGARETTE LIGHTER TYPE, ADDITIONAL, EACH</u> Install heavy duty cigarette lighter type 12 volt DC outlets. Each outlet shall install in a standard wall outlet plate and shall have a flip-up cover. | \$73.20 |
| 124 | <u>REAR SPEAKERS FOR CHASSIS CAB RADIO, PAIR</u> Install two rear speakers and wire to the chassis cab radio. Volume shall be controlled through the rear attendant panel via solid state switching. | \$178.70 |
| 125 | <u>FOG LIGHTS, HELLA, CLEAR OR AMBER, PAIR</u> Install two Hella fog lights and program to operate through a switch in the cab console. | \$220.69 |
| 126 | <u>FOG LIGHTS, PIAA ION CRYSTAL CLEAR OR AMBER, PAIR</u> Install two PIAA fog lights and program to operate through a switch in the cab console. | \$350.95 |
| 127 | <u>SHORELINE: ADD 3 PRONG 110VAC SHORELINE INLET (NON-EJECTING)</u> Note: requires selecting 20 Amp Super Auto Eject below | \$227.15 |
| 128 | <u>SHORELINE: DELETE CREDIT FOR KUSSMAUL 20 AMP SUPER AUTO EJECT SHORELINE INLET</u> Install a Kussmaul 20 amp Super Auto Eject shoreline inlet in lieu of standard. | (\$585.63) |
| 129 | <u>SHORELINE: DELETE CREDIT FOR POWER ON INDICATOR LIGHT</u> Install a pilot light to indicate presence of AC power at shoreline inlet. | (\$59.21) |
| 130 | <u>SHORELINE: ADD 2ND KUSSMAUL 20 AMP SUPER AUTO EJECT SHORELINE INLET</u> | \$585.63 |
| 131 | <u>WIRE ENGINE BLOCK HEATER TO SHORELINE</u> Wire the chassis engine block heater to the shoreline inlet circuit. Protect the block heater circuit with a circuit breaker that can also be used as an on/off switch for this feature. | \$199.16 |
| 132 | <u>LED LIGHTED RUB RAILS</u> Install custom made LED light strips flush mounted into the lower body aluminum diamond plate rub rails. The light strips shall have a scalloped integral lens strip for maximum light disbursement. Rub rails forward of the rear wheel opening shall have (3) LED strips. Rub rails behind the rear wheel opening shall have (2) LED strips. Steady burn on with headlight switch and flash with red flashing light circuit. Customer may request different programming if desired. | \$1,274.61 |
| 133 | <u>LED GROUND LIGHTING</u> | \$540.42 |
| 134 | <u>LED DOCKING LIGHTS</u> | \$317.58 |
| 135 | <u>CARBON MONOXIDE DETECTOR</u> Install a marine grade CO detector in interior of patient module. | \$257.29 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|--|--------------|
| <u>ELECTRICAL OPTIONS (NON-WARNING SYSTEMS) (I) (Cont.)</u> | | |
| 136 | <u>ELECTRIC DOOR LOCKS, EXTERIOR COMPARTMENTS</u> Power activated door locks shall be installed on all exterior compartment doors. Locks shall be activated by a switch at each patient area access door, a switch in the front radio console and controlled with the access door locks. Locks may be overridden by a manual slide lever or by the door key. | \$461.83 |
| 137 | <u>ELECTRIC DOOR LOCKS, MODULAR BODY ACCESS DOORS</u> Power activated door locks shall be installed on all exterior patient module doors. Locks shall be activated by a switch at each patient area access door, a switch in the front radio console and controlled with the access door locks. Locks may be overridden by a manual slide lever or by the door key. | \$199.16 |
| 138 | <u>ELECTRIC DOOR UNLOCK SWITCH, CONCEALED</u> Install a concealed electric door unlock switch in the chassis grille. | \$99.04 |
| 139 | <u>ELECTRIC DOOR UNLOCK SWITCH, TOUCH PAD</u> Install a 5 button touch pad assembly to lock or unlock designated electric door locks | \$625.46 |
| 140 | <u>DOOR LOCKS, PROGRAM TO OPERATE ON OEM CHASSIS SWITCH</u> Program all modular body and exterior compartment door power locks to operate on the same circuit as the chassis cab power locks. Any power lock switch in the chassis cab or modular body shall operate all locks in a common circuit. | \$131.34 |
| 141 | <u>SEAT BELT INDICATOR WITH VDR (Price per Each Belt Position)</u> A seat belt monitoring system with VDR shall be provided per designated locations. | \$424.15 |
| 142 | <u>SECURITY IDLE SYSTEM</u> Install a secure idle system to allow engine operation with transmission in park and ignition key removed. If the brake is depressed or transmission attempted to be shifted into gear, the engine will shut off, the marker lights will flash and the horn will sound. The system will be integrated into the Horton electrical system electronics, be activated by a switch on the control panel and provide a digital display to warn of the activated security mode. | \$314.35 |
| 143 | <u>PROGRAM BRAKE LIGHT FUNCTIONALITY ON REAR WARNING LIGHTS</u> Program rear warning lights to also function as brake lights | \$99.04 |
| 144 | <u>GUEST "BEAMER" or GOLIGHT 2020 ELECTRIC SPOTLIGHT ON CAB ROOF, WITH JOYSTICK CONTROL</u> | \$648.66 |
| 145 | <u>COLOR BACKUP CAMERA WITH MONITOR IN CAB</u> | \$1,247.69 |
| 146 | <u>COLOR BACKUP CAMERA AND PATIENT AREA CAMERA WITH MONITOR IN CAB</u> | \$1,695.53 |
| 147 | <u>INSTALL UPGRADED COLOR BACKUP CAMERA AND PATIENT AREA CAMERA WITH MONITOR IN CAB TO SAFETY VISION MODEL</u> | \$1,964.66 |
| 148 | <u>HAND HELD SPOT LIGHT</u> | \$113.04 |
| 149 | <u>STREAMLIGHT SL-45, EACH</u> | \$263.75 |
| 150 | <u>INSTALL CUSTOMER PROVIDED HAND HELD SPOT AND WIRE FOR OPERATION</u> | \$77.51 |
| 151 | <u>MOVE PRIMARY PANEL TO BENCH, WITH O2 OUTLET CUTOUT (OUTLET NOT INCLUDED)</u> | \$160.40 |
| 152 | <u>SECOND REAR INTELLIPLX CONTROL PANEL, SURFACE MOUNTED</u> | \$1,918.37 |
| 153 | <u>ADD A 3-SWITCH SEALED ELECTRICAL CONTROL PANEL (Price is each panel)</u> (Does not include applicable programming requirements) | \$209.92 |
| 154 | <u>MOVE PRIMARY CAB SWITCH PANEL IN NAVISTAR 4300 TO FLUSH MOUNT IN CHASSIS DASH</u> (Includes moving AM/FM radio to overhead chassis console) | \$376.78 |
| 155 | <u>PROVIDE AND INSTALL AN ENGINE HOUR METER SEPARATE FROM CHASSIS PROVIDED METER</u> | \$111.96 |
| 156 | <u>PROVIDE HORTON 'CONNECT'</u> | \$2,260.71 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|--|--------------|
| <u>VISUAL WARNING SYSTEM OPTIONS (J)</u> | | |
| J01 | <u>FLASHING HEADLIGHTS, PROGRAMMABLE</u> Program headlights to flash in alternating or pulsating manner when high beams are not selected and head light switch is in the 'off' position | \$150.71 |
| J02 | <u>HORTON LED DOOR OPEN WARNING LIGHTS, COMPARTMENT DOORS, EACH</u> Install custom made LED light strips on the interior of the exterior compartment door panels. The light strips shall have a scalloped integral lens strip for maximum light disbursement. Installation will be flush with the inner panel. The light strip shall flash when the compartment door is open, and the red flashing light circuit is activated or whenever the module disconnect is on. | \$152.87 |
| J03 | <u>WHELEN LED DOOR OPEN WARNING LIGHTS, COMPARTMENT DOORS, EACH</u> Install Whelen 500 Series TIR6 flashing lights on the interior of the exterior compartment door panels. | \$204.54 |
| J04 | <u>HORTON LED DOOR OPEN WARNING LIGHTS, PATIENT ENTRY DOOR, EACH</u> Install custom made LED light strips on the interior of the exterior patient door panels. The light strips shall have a scalloped integral lens strip for maximum light disbursement. Installation will be flush with the inner panel. The light strip shall flash when the patient door is open, and the red flashing light circuit is activated or whenever the module disconnect is on. | \$152.87 |
| J05 | <u>WHELEN LED DOOR OPEN WARNING LIGHTS, PATIENT DOORS, EACH</u> Install Whelen 500 Series TIR6 flashing lights on the interior of the exterior patient door panels. | \$204.54 |
| J06 | <u>TRUCKLITE SUPER 44 LED DOOR OPEN WARNING LIGHTS, PATIENT or COMPARTMENT DOORS, EACH</u> | \$46.32 |
| Note: All Whelen light bars referenced below do not include installation cost! | | |
| J07 | <u>LIGHT BAR, FRONT, WHELEN 45BF88A</u> <u>Layout:</u> RED CORNER-RED-WHITE-RED-RED-RED-WHITE-RED-RED CORNER | \$3,014.27 |
| J08 | <u>LIGHT BAR, REAR, WHELEN 45B88R</u> <u>Layout:</u> RED CORNER-RED-WHITE-LED LR11 LOAD LIGHT-AMBER-AMBER-LED LR11 LOAD LIGHT-WHITE-RED-RED CORNER | \$3,229.58 |
| J09 | <u>CHANGE LOADING LIGHTS IN REAR WHELEN 4500 LIGHT BAR FROM LED TO HALOGEN</u> | (\$296.04) |
| J10 | <u>DELETE RED OR AMBER LED FLASHER FROM WHELEN 4500 BAR, EACH</u> | (\$215.31) |
| J11 | <u>DELETE WHITE LED FLASHER FROM WHELEN 4500 BAR, EACH</u> | (\$247.60) |
| J12 | <u>ADD RED, WHITE or AMBER LINEAR SUPER LED TO WHELEN 4500 LIGHT BAR, EACH</u> | \$226.07 |
| J13 | <u>ADD WHITE or RED LED ROTATOR TO WHELEN 4500 LIGHT BAR, EACH</u> | \$247.60 |
| J14 | <u>ON SELECT MODELS DELETE: , WHELEN "FREEDOM" LINEAR SUPER LED LIGHT BAR WITH 8 LED MODULES</u> <u>Layout:</u> RED CORNER-RED-WHITE-RED-RED-RED-WHITE-RED-RED CORNER | \$2,637.49 |
| J15 | <u>ON SELECT MODELS ADD: , WHELEN "FREEDOM" LINEAR SUPER LED LIGHT BAR W/8 LED MODULES</u> <u>Layout:</u> RED CORNER-RED-WHITE-RED-RED-RED-WHITE-RED-RED CORNER | \$2,637.49 |
| J16 | <u>DELETE WHITE or RED LED FLASHER FROM FREEDOM BAR, EACH</u> | (\$254.06) |
| J17 | <u>ADD RED, CLEAR OR AMBER LINEAR SUPER LED TO WHELEN FREEDOM LIGHT BAR, EACH</u> | \$254.06 |
| J18 | <u>ADD LR-11 SUPER LED ALLEY LIGHT(S) TO LIGHT BAR (EACH)</u> | \$77.51 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|---|--------------|
| <u>VISUAL WARNING SYSTEM OPTIONS (J) Cont.</u> | | |
| J19 | <u>ADD LR-11 SUPER LED TAKE-DOWN LIGHT(S) TO LIGHT BAR (EACH)</u> | \$77.51 |
| J20 | <u>ADD LR-11 DUAL SUPER LED TAKE-DOWN LIGHT(S) TO LIGHT BAR (EACH)</u> | \$193.77 |
| J21 | <u>ADD OPTICOM TRAFFIC LIGHT CHANGER TO LIGHT BAR</u> | \$1,345.66 |
| J22 | <u>ADD WHELEN "TAL85" LINEAR 5MM LED LIGHT BAR WITH 8 LED MODULES</u> | \$850.46 |
| J23 | <u>LIGHT BAR, FRONT: DELTA 56.25" RB #DS2RRRR</u> <u>Layout:</u> (6) angled mirrors, (2) Super LED light head (wt-wt), (2) Super LED light head (rd-rd) (1) LR11 dual Take-Down, (1) lower level flasher, (2) white front/Red Rear Beacon, (1) Red Front/White Rear Super LED beacon | \$6,201.00 |
| J24 | <u>INSTALL FRONT LIGHT BAR ON CAB ROOF</u> | \$171.17 |
| J25 | <u>INSTALL FRONT LIGHT BAR ON FRONT FACE OF MODULE BODY</u> | \$171.17 |
| J26 | <u>INSTALL REAR LIGHT BAR ON REAR FACE OF MODULE BODY</u> | \$171.17 |
| J27 | <u>ADD WHELEN 900 SERIES HALOGEN LIGHT, EACH</u> | \$173.32 |
| J28 | <u>DELETE WHELEN 700 SERIES LED REAR AMBER KKK LIGHT</u> | (\$244.37) |
| J29 | <u>DELETE WHELEN 900 SERIES LINEAR SUPER LED or 'M9' SERIES RED OR AMBER FLASHING LIGHT, EACH</u> Note: includes 900 FLANGE mounting flange | (\$377.86) |
| J30 | <u>DELETE WHELEN LED GRILLE LIGHTS, PAIR (some models do not allow deletion of this option)</u> | (\$387.55) |
| J31 | <u>DELETE WHELEN LED INTERSECTION LIGHTS, PAIR (some models do not allow deletion of this option)</u> | (\$430.61) |
| J32 | <u>ADD WHELEN 900 SERIES LINEAR SUPER LED or 'M9' SERIES RED OR AMBER FLASHING LIGHT, EACH</u> Note: includes 900 FLANGE mounting flange | \$377.86 |
| J33 | <u>ADD WHELEN 900 SERIES or 'M9' SERIES LINEAR SUPER LED WHITE FLASHING LIGHT, EACH</u> Note: includes 900 FLANGE mounting flange | \$377.86 |
| J34 | <u>ADD WHELEN 900 SERIES LINEAR SUPER LED or 'M9' SERIES SPLIT COLOR FLASHING LIGHT, EACH</u> Note: includes 900 FLANGE or 'M' mounting flange | \$440.30 |
| J35 | <u>ADD 600/700 SERIES HALOGEN LIGHT, EACH</u> Note: includes 600/700 FLANGE mounting flange | \$175.47 |
| J36 | <u>ADD WHELEN 400 LED SERIES or M4 SERIES LED LIGHT</u> Note: includes 400 FLANGE or 'M' FLANGE mounting flange | \$263.75 |
| J37 | <u>ADD WHELEN 400 (1/2RED-1/2 WHITE) SERIES or 'M4' SERIES LED FLASHING LIGHT, EACH</u> Note: includes 400 FLANGE or 'M' FLANGE mounting flange | \$305.73 |
| J38 | <u>ADD WHELEN 600 to 700 LED SERIES or M6 or M7 SERIES LIGHT</u> Note: includes 600 or 700 FLANGE or 'M' FLANGE mounting flange | \$279.90 |
| J39 | <u>ADD WHELEN 600 or 700 (1/2RED-1/2 WHITE) SERIES or 'M6' 'M7' SERIES LED FLASHING LIGHT, EACH</u> Note: includes 700 FLANGE or 'M' FLANGE mounting flange | \$305.73 |
| J40 | <u>ADD 2ND SET OF WHELEN TIR6, 500 SERIES RED FLASHING LED GRILLE LIGHTS</u> | \$495.20 |
| J41 | <u>UPGRADE WHELEN 500 TIR6 TO 1/2RED-1/2 WHITE SUPER LED FLASHING LIGHT (Cost per pair)</u> Note: Includes 500 FLANGE (Lights do not independently flash!!) | \$53.83 |
| J42 | <u>IDENTITY LIGHTING (Side Only)</u> Install LED alternate flashing light strips at upper body sides and wire to warning light system | \$753.57 |
| J43 | <u>IDENTITY LIGHTING (Side and Rear)</u> Install LED alternate flashing light strips at upper body sides and rear side and wire to warning light system | \$861.22 |
| J44 | <u>CONSPICUITY LIGHTING</u> Amber and red LED strip lighting shall be applied to the outboard panels on the rear of the body. Five (5) lights shall be installed per panel. The lights shall be backed by a stainless steel panels. The lights shall flash in the Emergency Mode. (Does not include Chevron cost) | \$2,314.53 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|--|--------------|
| <u>VISUAL NON-WARNING SYSTEM OPTIONS (K)</u> | | |
| K01 | <u>ARROW TURN SIGNAL, WHELEN 600/700 SERIES HALOGEN, PAIR</u> Note: includes 600/700 FLANGE mounting flange | \$361.71 |
| K02 | <u>ARROW TURN SIGNAL, WHELEN 600/700 OR M6 SERIES LED, PAIR</u> Note: includes 600/700 FLANGE mounting flange | \$402.62 |
| K03 | <u>ARROW TURN SIGNAL, WHELEN 900 SERIES or 'M9' SERIES LED, PAIR</u> Note: includes 900 or 'M' SERIES FLANGE mounting flange | \$744.96 |
| K04 | <u>DELETE STANDARD TAIL LIGHTS, WHELEN 600/700 SERIES LED WITH HALOGEN BACKUP LIGHTS</u> Note: includes 600/700 SERIES FLANGE mounting flange Note: turn signal is arrow type | (\$1,063.61) |
| K05 | <u>ADD TAIL LIGHTS, WHELEN 600/700 SERIES LED WITH LED BACKUP LIGHTS</u> Note: includes 600/700 SERIES FLANGE mounting flange Note: turn signal is arrow type | \$1,967.89 |
| K06 | <u>ADD TAIL LIGHTS, WHELEN 'M6' SERIES LED WITH LED BACKUP LIGHTS</u> Note: includes 'M' SERIES FLANGE mounting flange Note: turn signal is arrow type | \$1,365.04 |
| K07 | <u>ADD TAIL LIGHTS, WHELEN 900 SERIES LED WITH HALOGEN BACKUP LIGHTS</u> Note: includes 900 Series mounting flange Note: turn signal is arrow type | \$1,825.79 |
| K08 | <u>ADD TAIL LIGHTS, WHELEN 900 SERIES LED WITH LED BACKUP LIGHTS or 'M9' SERIES LED LIGHTS</u> Note: includes 900 or 'M' Series mounting flange Note: turn signal is arrow type | \$2,661.17 |
| K09 | <u>ADD TAIL LIGHTS, WHELEN 600/700 SERIES HALOGEN WITH HALOGEN BACKUP LIGHTS</u> | \$1,022.70 |
| K10 | <u>SIDE SCENE LIGHTS, LED</u> Note: Includes (4) Whelen 900 SERIES or 'M' SERIES LED scene lights, with 2 per side | \$2,445.87 |
| K11 | <u>DELETE (4) STANDARD WHELEN HALOGEN SIDE SCENE LIGHTS</u> | (\$818.16) |
| K12 | <u>REAR LOADING LIGHTS, LED (900 or 9m Series)</u> Note: Includes (2) Whelen 900 SERIES or 'M' SERIES LED loading lights, with 2 on rear | \$1,186.33 |
| K13 | <u>REAR LOADING LIGHTS, LED (600/700 or M6/7 Series)</u> Note: Includes (2) Whelen 600/700 SERIES or 'M6/7' SERIES LED loading lights, with 2 on rear | \$754.64 |
| K14 | <u>DELETE (2) STANDARD REAR WHELEN 900/700 HALOGEN SERIES LOADING LIGHTS</u> | (\$426.30) |
| K15 | <u>INSTALL KWIK-RAZE 500 WATT TELESCOPIC LIGHT (Cost per each)</u> Install one Kwik-Raze 500 watt telescopic light at location to be determined | \$1,283.22 |
| K16 | <u>INSTALL HAVIS SHIELDS 12V HID SCENE LIGHTS (Cost per each)</u> Install one HAVIS SHIELD 12V HID scene light | \$1,387.64 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|--|--------------|
| <u>VISUAL NON-WARNING SYSTEM OPTIONS (K) (Cont.)</u> | | |
| K17 | <u>INSTALL A WHELEN PFP1 LED FLOODLIGHT WITH PBA103 SEMI RECESSED HOUSING</u> Note: The style of flange to be installed (if any) must be specified on the order | \$1,064.68 |
| K18 | <u>INSTALL A WHELEN PFP2 LED FLOODLIGHT WITH PBA203 SEMI RECESSED HOUSING</u> Note: The style of flange to be installed (if any) must be specified on the order | \$1,713.83 |
| K19 | <u>360 DEGREE ROLLED MARKED LIGHTS</u> Install rolled marker lights on the upper corners of the body front and rear. | \$403.70 |
| <u>AUDIBLE WARNING SYSTEM OPTIONS (L)</u> | | |
| Note: sirens and siren speakers below do not include installation charges. | | |
| L01 | <u>DELETE STANDARD SIREN, WHELEN 295SLSA1</u> | (\$410.16) |
| L02 | <u>ADDITIONAL WHELEN 295SLSA1 SIREN</u> | \$410.16 |
| L03 | <u>SIREN, WHELEN 295HFS2 SIREN</u> | \$563.02 |
| L04 | <u>SIREN, FEDERAL SIGNAL PA-300 SIREN</u> | \$442.45 |
| L05 | <u>SIREN, WHELEN 295HFSC9 DUAL AMP SIREN CONTROL OR SS MAGNUM CONTROL</u> | \$659.91 |
| L06 | <u>SIREN, FEDERAL SIGNAL Q2B MECHANICAL</u> Note: includes bumper guards to protect siren. | \$2,515.84 |
| L07 | <u>CODE 3 "UNDERCOVER" SIREN</u> | \$244.37 |
| L08 | <u>FEDERAL SIGNAL EQ2B ELECTRONIC "Q" SIREN</u> | \$1,649.24 |
| L09 | <u>FEDERAL SIGNAL 'RUMBLER' or WHELEN 'HOWLER' SIREN</u> | \$683.59 |
| L10 | <u>INSTALL ADDITIONAL SIREN BEYOND STANDARD ONE</u> | \$184.09 |
| L11 | <u>EXTENDED FRONT BUMPER, MEDIUM DUTY TRUCK, FOR Q2B SIREN</u> The front bumper shall be extended for installation of Q2b siren. The reinforced frame shall be trimmed with aluminum diamond plate top and side filler plates. | \$1,130.35 |
| L12 | <u>ADDITIONAL SIREN SPEAKERS, FEDERAL SIGNAL DYNAMAX or BP-100, PAIR</u> Supply two Federal Signal Dynamax or BR-100 speakers under the hood for a backup siren. | \$557.64 |
| L13 | <u>ADDITIONAL SIREN SPEAKERS, UNDER PRO, UNDER BUMPER, PAIR</u> | \$807.39 |
| L14 | <u>AIR HORN SYSTEM, BUELL (NOT FOR MEDIUM DUTY TRUCKS)</u> Buell air horns shall be installed on unit and shall include #1601 dual Grover trumpets, #5440 compressor and #2242 tank. | \$2,600.89 |
| L15 | <u>ADDED AIR TANK FOR AIR HORN SYSTEM</u> | \$435.99 |
| L16 | <u>ADD FOOT SWITCH TO ACTIVATE HORN OR SIREN</u> | \$87.20 |
| L17 | <u>INSTALL ADDITIONAL PAIR OF SIREN SPEAKERS BEYOND STANDARD ONE PAIR</u> | \$164.71 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|--|--------------|
| <u>OXYGEN SYSTEM OPTIONS (M)</u> | | |
| M01 | <u>ELECTRIC OXYGEN BOTTLE BRACKET, ZICO OTS</u> Electric operated oxygen bottle mount for cylinder loading and securing. Controls to be mounted on the inside of the compartment door. | \$2,833.42 |
| M02 | <u>HAND HELD REMOTE CONTROL FOR ELECTRIC OXYGEN BOTTLE BRACKET</u> The Zico QTS electric oxygen cylinder handler shall have a (2) button remote control attached via a 6 foot coiled cord. | \$296.04 |
| M03 | <u>OXYGEN BOTTLE ACCESS, PATIENT MODULE INTERIOR</u> A clear Plexiglas door shall be provided in the patient area wall for access to the oxygen cylinder valve. The door shall be hinged so that it swings into the oxygen cylinder storage compartment. The opening shall be trimmed with anodized aluminum edging. | \$94.25 |
| M04 | <u>OXYGEN OUTLET, ADDITIONAL</u> | \$236.84 |
| M05 | <u>OXYGEN OUTLET, ADDITIONAL, RECESSED IN WALL OF PATIENT AREA</u> | \$250.83 |
| M06 | <u>"D" or "E" CYLINDER STORAGE UNDER SQUAD BENCH WITH ACCESS DOOR</u> Provision for 4 "D" bottles shall be provided at the step well end of the squad bench. The cabinet door shall be hinged and include a Tri Mark handle. It shall be constructed of aluminum in the exact same manner as an exterior compartment door including a Nader pin in order to properly secure the "D" bottles <i>(Brackets are not included in price and must be chosen below)</i> | \$921.51 |
| M07 | <u>"D" or "E" CYLINDER STORAGE UNDER SQUAD BENCH OPEN WITHOUT ACCESS DOOR and WITH HOPS BOLSTER</u> <i>(Brackets are not included in price and must be chosen below)</i> | \$593.17 |
| M08 | <u>D' BOTTLE BRACKET</u> Provide and install a FW 521 O2 bottle bracket and specify choice of location | \$214.23 |
| M09 | <u>OXYGEN FLOWMETER</u> | \$221.76 |
| M10 | <u>RECESS SUCTION IN CABINET WALL</u> | \$578.09 |
| M11 | <u>DELETE ONBOARD SSCOR SUCTION UNIT</u> | (\$497.36) |
| M12 | <u>INSTALL CUSTOMER PROVIDED SUCTION UNIT AND WIRE FOR OPERATION</u> | \$109.81 |
| M13 | <u>INSTALL HORTON PROVIDED SSCOR VX2 PORTABLE SUCTION UNIT AND WIRE FOR OPERATION</u> | \$1,238.01 |
| M14 | <u>INSTALL 2nd BRACKET FOR PRIMARY OXYGEN SYSTEM</u> | \$308.96 |
| M15 | <u>INSTALL DUAL O2 BOTTLE SYSTEM AND 1-REGULATOR WITH CHECK VALVES</u> | \$521.04 |
| M16 | <u>INSTALL 8 CYLINDER 'D' O2 BOTTLE BRACKET TRAY IN EXTERIOR COMPARTMENT</u> | \$861.22 |
| M17 | <u>INSTALL 4 CYLINDER 'D' O2 BOTTLE BRACKET TRAY IN EXTERIOR COMPARTMENT</u> | \$538.26 |
| M18 | <u>PROVIDE 'M' or 'H' SIZED O2 CYLINDER</u> | \$430.61 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--------------------|---|------------------|
| | <u>LETTERING OPTIONS (N)</u> | |
| N01 | <u>DELETE A 4-6" SHADED SCOTCHLITE LETTER (NOT APPLICABLE TO ALL MODELS)</u> | (\$13.99) |
| N02 | <u>ADD A 4-6" SHADED SCOTCHLITE LETTER</u> | \$13.99 |
| N03 | <u>ADD A 4-6" SHADED VINYL LETTER</u> | \$11.84 |
| N04 | <u>ADD A 4-6" SHADED SIMULATED GOLD LEAF LETTER - AVERY ENGINE TURN GOLD</u> | \$19.38 |
| N05 | <u>FEDERAL LETTERING PACKAGE</u> Install Federal lettering package consisting of (2) 4" Stars of Life, (2) 12" Stars of Life, (2) 18" Stars of Life, (1) 36" Star of Life, 4" mirror image "AMBULANCE," 6" "AMBULANCE." | \$625.46 |
| N06 | <u>4" STAR OF LIFE</u> | \$10.77 |
| N07 | <u>12" STAR OF LIFE</u> | \$61.36 |
| N08 | <u>18" STAR OF LIFE</u> | \$61.36 |
| N09 | <u>36" STAR OF LIFE</u> | \$177.63 |
| N10 | <u>8" STAR OF LIFE</u> | \$48.44 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|----------------------------|---|--------------|
| CHASSIS OPTIONS (P) | | |
| P01 | Upgrade <u>International chassis</u> engine / transmission to 245HP, with Allison 2200 Transmission | \$683.59 |
| P02 | Upgrade <u>International chassis</u> engine / transmission to 245HP , with Allison EVS-3000 transmission | \$5,020.92 |
| P03 | Upgrade <u>International chassis</u> engine / transmission to 260HP , with Allison 2200 Transmission | \$1,184.18 |
| P04 | Upgrade <u>International chassis</u> engine / transmission to 260HP , with Allison EVS-3000 Transmission | \$5,587.17 |
| P05 | Upgrade <u>International chassis</u> (4400LP only) engine / transmission to 330HP , with Allison EVS-3000 Transmission | \$7,500.16 |
| P06 | Upgrade <u>International chassis</u> to extended cab , with 9,000 lb. front axle or 10,000 lb. steer, H40 hydraulic brakes and 22.5" tires and aluminum wheels | \$3,764.61 |
| P07 | Upgrade <u>International chassis</u> to 4 door crew cab , with 2 air suspension seats in rear | \$5,137.18 |
| P08 | Upgrade <u>International chassis</u> with SCBA passenger side seat with 'Secur-All' brackets | \$1,384.41 |
| P09 | Upgrade <u>International chassis</u> with 16 point Vogel Lube System | \$2,476.01 |
| P10 | Upgrade <u>International chassis</u> with Ping tanks on air system | \$430.61 |
| P11 | Upgrade <u>International chassis</u> with extended warranty (Code #0040DVV) 5 YEAR/300,000 MILES for engine, engine electronics and injectors | \$3,068.10 |
| P12 | Upgrade <u>International chassis</u> with extended warranty (Code #0040DVV) 6 YEAR/200,000 MILES for engine, engine electronics and injectors | \$3,068.10 |
| P13 | Upgrade <u>International chassis</u> with electronic exhaust brake | \$809.55 |
| P14 | Upgrade <u>International chassis</u> with fog lights | \$107.65 |
| P15 | Upgrade <u>International chassis</u> with fleet key feature | \$23.68 |
| P16 | Upgrade <u>Freightliner chassis</u> to 270 HP Cummins 'ISC' model engine and Allison EVS-3000 transmission | \$8,121.31 |
| P17 | Upgrade <u>Freightliner M2 chassis</u> to extended cab with 240 ISB engine and 2200 EVS transmission | \$4,722.72 |
| P18 | Upgrade <u>Freightliner M2 chassis</u> to 4 door crew cab with bench seat in rear | \$16,736.76 |
| P19 | Upgrade <u>Freightliner M2 chassis</u> to 4 door crew cab with 3 non-air suspension/SCBA seats in the rear | \$17,953.23 |
| P20 | Upgrade <u>Freightliner M2 chassis</u> to 4 door crew cab with 3 air suspension seats in the rear and passenger side air ride/SCBA seat | \$17,636.73 |
| P21 | Upgrade <u>Ford F-Series</u> or <u>Dodge 4500</u> Series wheels to aluminum alloy wheels | \$1,184.18 |
| P22 | Downgrade <u>Ford F-450 (165"WB) chassis</u> to <u>F-350 (165"WB) chassis</u> on select models | (\$3,131.00) |
| P23 | Upgrade <u>Ford F-350 (165"WB) chassis</u> to <u>F-450 (165"WB) chassis</u> on select models | \$3,131.00 |
| P24 | Delete air ride from Ford <u>F or Dodge 4500/5500</u> Series chassis on select models | (\$8,463.00) |
| P25 | Add Liquid Spring suspension or Monroe air ride suspension on select models | \$8,884.14 |
| P26 | Delete air ride from Navistar 4300 Series or Terrastar chassis | (\$1,476.99) |
| P27 | Substitute Liquid Spring suspension for air ride suspension on <u>Ford F or Dodge 4500/5500</u> manufactured chassis on select models that include air ride | \$453.22 |
| P28 | Upgrade <u>Ford F-450/F-550 or Dodge 4500</u> to four wheel drive (4X4) | \$3,148.84 |
| P29 | Upgrade <u>Ford F-450 to F-550 cab chassis</u> | \$1,152.00 |
| P30 | Upgrade <u>Dodge 4500HD to 5500HD cab chassis</u> | \$1,962.00 |
| P31 | Provide 'Cold Climate Option' for <u>Chevrolet/GMC G-4500</u> chassis | \$807.39 |
| P32 | Add Mud & Snow tires to <u>International, Freightliner or Kenworth</u> medium duty chassis | \$484.44 |
| P33 | Add IPD rear sway bar to any Medium chassis (POSSIBLY NOT AVAILABLE WITH AIR BRAKES) or <u>Dodge 4500</u> chassis or <u>Ford F</u> Series chassis (if available on selected chassis) | \$699.74 |
| P34 | Add IPD front sway bar to <u>International 4300 LP</u> or medium duty chassis or <u>Dodge 4500</u> chassis or <u>Ford F</u> Series chassis (if available on selected chassis) | \$775.10 |
| P35 | Add PING TANKS to <u>International 4300 LP</u> or medium duty chassis air supply system | \$430.61 |
| P36 | Upgrade <u>International chassis</u> (4300LP only) DT 466 engine to a Cummins ISB 300 | \$1,076.53 |
| P37 | Move batteries in separate compartment in curbs side forward portion of body (mount on sliding tray) | \$915.05 |
| P38 | Install lockable fill cover on 'urea' fill when available | \$99.04 |
| P100 | Chassis manufacturer rebate or discount <u>and/or</u> customer provided chassis cost deduction | |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--------------------|--------------------|--------------|
|--------------------|--------------------|--------------|

CHASSIS OPTIONS (P) (Cont.)

- | | | |
|-------------|--|--|
| P102 | Discount for in-stock prior model year chassis | |
| P103 | Chassis cost difference between 2014 , 2015 or 2016 model year chassis or for engine emission changes | |
| P200 | Allowance for Trade-In Vehicle (Vehicle to be mechanically sound, operational and undamaged, unless otherwise noted below) | |

Manufacturer: _____ **Year:** _____
Model: _____ **Mileage:** _____
Miscellaneous Condition Note: _____



| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|---|--------------|
| <i>PACKAGED OPTION GROUPS FOR REMOUNTS ONLY</i> | | |
| <i>INTERIOR REMOUNT TRIM PACKAGE FOR REMOUNTS</i> | | |
| X01 | <u>INTERIOR UPGRADE PACKAGE</u> REPLACE ALL CUSHIONS (Price does not include new high back seat if needed) REPLACE FLOOR | \$2,860.33 |
| <i>EXTERIOR REMOUNT TRIM PACKAGE FOR REMOUNTS</i> | | |
| X02 | <u>EXTERIOR UPGRADE PACKAGE</u> RE- PAINT ENTIRE MODULE (Includes paint prep and prime) NEW FENDERS NEW RUB RAILS NEW DIAMOND PLATE CORNERS AND RISERS | \$12,721.31 |
| <i>BODY and Chassis MODIFICATION OPTIONS FOR REMOUNTS (XA)</i> | | |
| <small>(May be applicable to remounts involving same chassis or remounting to different chassis)</small> | | |
| XA01 | <u>MODIFY BACK OF CAB TO 'CRAWL THROUGH or 'WALK-THROUGH WHEN CHANGING TO DIFFERENT STYLE CHASSIS</u> | \$2,603.04 |
| XA02 | <u>EXTERIOR FRONT MODIFICATION; MODIFY BODY FRONT TO ACCOMMODATE NEW CHASSIS</u> The front face of the module body is to be modified to accommodate new chassis if required on remount. (does not include paint on front body that may need to be added or interior front wall work that may need to be added, as noted below) | \$1,614.79 |
| XA03 | <u>MODIFY UNDER BODY FLOOR STRUCTURE TO ACCOMMODATE NEW MOUNTING SYSTEM</u> The underside mounting structure of the body to chassis mounting system shall be modified to accommodate new chassis if required on the remount (utilizing same mounting system as applied to old chassis) <i>(DOES NOT INCLUDE INTERIOR FLOOR OR SUBFLOOR MODIFICATIONS WHEN NEEDED)</i> | \$2,100.00 |
| XA04 | <u>MODIFY NAVISTAR or TERRASTAR CHASSIS FRAME RAIL LENGTH TO ACCOMMODATE BODY</u> The chassis frame rail shall be modified to accommodate the remount body. | \$1,325.00 |
| XA05 | <u>ADD UREA or FUEL FILL TO MODULE BODY</u> A urea fill or fuel fill with Cast products housing shall be added to the body side where applicable. (DOES NOT INCLUDE ANY REQUIRED PAINT WORK) | \$161.48 |
| XA06 | <u>INSTALL A STAINLESS PLATE OVER OLD FUEL FILL OR UREA FILL LOCATION</u> | \$80.74 |
| XA07 | <u>MODIFY EXTERIOR COMPARTMENT FOR PROPER LOCATION OF FUEL FILL</u> A urea fill with Cast products housing shall be added to the body side where applicable. | \$511.35 |
| <i>PAINT AND STRIPE OPTIONS FOR REMOUNTS (XB)</i> | | |
| XB01 | <u>COMPLETE REPAINT OF MODULE BODY ONLY (Not including Striping)</u> The modular body shall be painted with the following special paint with color and paint code to be determined. (Price does not include any trim changes) | \$11,411.18 |
| XB02 | <u>REPAINT OF MODULE BODY FRONT FOR PASS-THROUGH/WALK-THROUGH MODIFICATION</u> The front of the module body shall be repainted due to chassis model change and walk-through/pass through modifications. Paint work to be single color and to be applied inboard of the corner extrusions and below the upper body drip rail. | \$807.39 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|--|--------------|
| <u>INTERIOR COLOR AND MATERIALS OPTIONS FOR REMOUNTS (XD)</u> | | |
| <u>XD01</u> | <u>INSTALL NEW FLOOR and SUB-FLOOR MATERIAL (Requires new cot mount to be selected)</u> | \$2,126.14 |
| <u>XD02</u> | <u>INSTALL NEW SIDE and REAR ACCESS DOOR SILL PLATES:</u> | \$237.91 |
| <u>XD03</u> | <u>INSTALL NEW INTERIOR UPHOLSTERY (Does not include hi-back seats of any type)</u> | \$1,049.61 |
| <u>XD04</u> | <u>INSTALL NEW FORMICA COVERED DOOR PANELS (Price is each panel)</u> | \$207.77 |
| <u>XD05</u> | <u>INSTALL CEILING MATERIAL</u> | \$871.99 |
| <u>XD06</u> | <u>INSTALL NEW SIDE WALLS</u> | \$1,104.52 |
| <u>XD07</u> | <u>INSTALL NEW FORMICA COVERED STREET SIDE OR CURB SIDE WALL RISER (Each)</u> | \$199.16 |
| <u>XD08</u> | <u>INSTALL NEW SQUAD BENCH SCAB</u> | \$87.20 |
| <u>XD09</u> | <u>INSTALL NEW CUSHION EDGE TRIM (Price is for each side of patient area where needed)</u> | \$93.66 |
| <u>INTERIOR ACCESSORIES AND TRIM OPTIONS FOR REMOUNTS (XE)</u> | | |
| <u>XE01</u> | <u>PROVIDE and INSTALL NEW NON-POWERED FERNO (not including Stat Trac) OR STRYKER COT MOUNT</u> Note: Typically requires new floor and sub floor installation from above | \$856.91 |
| <u>XE02</u> | <u>PROVIDE and INSTALL NEW FERNO WASHINGTON STAT TRAC COT MOUNT SYSTEM</u> Note: Typically requires new floor and sub floor installation from above | \$1,581.42 |
| <u>XE03</u> | <u>INSTALL NEW DOOR HANDLE BEZELS (Each)</u> | \$87.20 |
| <u>XE04</u> | <u>INSTALL NEW HIGH BACK SEAT WITH 2-POINT BELT</u> | \$255.14 |
| <u>XE05</u> | <u>INSTALL NEW HIGH BACK SEAT WITH 3-POINT HARNESS</u> | \$800.94 |
| <u>XE06</u> | <u>INSTALL NEW HIGH BACK CHILD SAFETY SEAT WITH 3-POINT HARNESS</u> | \$1,133.58 |
| <u>XE07</u> | <u>INSTALL NEW BOXED BASE FOR HIGH BACK SEAT</u> | \$416.62 |
| <u>XE08</u> | <u>INSTALL NEW SWIVEL MOUNT BASE FOR HIGH BACK SEAT</u> | \$191.62 |
| <u>XE09</u> | <u>INSTALL NEW GAS HOLD OPEN FOR INTERIOR CUSHIONS OR DOORS</u> | \$113.04 |
| <u>XE10</u> | <u>INSTALL NEW GAS HOLD OPEN FOR INTERIOR RESTOCKING CABINET FRAMES</u> | \$43.06 |
| <u>XE11</u> | <u>INSTALL NEW HOLD DOWN LATCHES (Paddle Style)</u> | \$118.42 |
| <u>XE12</u> | <u>INTERIOR FRONT MODIFICATION: MODIFY FRONT INTERIOR WALL TO ACCOMMODATE NEW CHASSIS</u> | \$841.84 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|---|---|--------------|
| <u>EXTERIOR ACCESSORY AND TRIM OPTIONS FOR REMOUNTS (XF)</u> | | |
| XF01 | <u>INSTALL NEW EXTERIOR TRIM PACKAGE</u> The following items shall be installed on the module body: <i>Wheel well fenders, rub rails, diamond plate corner protectors, mirrorized stainless steel splash shields and rear kick plate</i> | \$1,937.75 |
| XF02 | <u>INSTALL NEW STAINLESS STEEL FENDERS (Price is for each fender)</u> | \$486.59 |
| XF03 | <u>INSTALL NEW STAINLESS STEEL or DIAMOND PLATE RUB RAILS (Price is for each rub rail)</u> | \$163.63 |
| XF04 | <u>INSTALL NEW MIRRORIZED STAINLESS STEEL FRONT SPLASH GUARDS (Price is for each plate)</u> | \$74.28 |
| XF05 | <u>INSTALL NEW DIAMOND PLATE CORNER GUARDS (Price is for each corner)</u> | \$54.90 |
| XF06 | <u>INSTALL NEW REAR DIAMOND PLATE STEP RISER</u> | \$249.75 |
| XF07 | <u>INSTALL NEW REAR STEP ASSEMBLY</u> A new hinged rear step with diamond plate corner guards shall be installed | \$968.87 |
| XF08 | <u>INSTALL NEW REAR DOOR HOLD OPENS</u> new 'Grabber' hold opens shall be installed on the rear of the vehicle. | \$102.27 |
| XF09 | <u>INSTALL NEW GAS SHOCK HOLD OPENS FOR DOORS (Each)</u> New gas shocks shall be installed where applicable on either exterior compartment or access doors | \$91.50 |
| XF10 | <u>INSTALL NEW COMPARTMENT AND ACCESS DOOR DRIP RAILS</u> | \$338.03 |
| XF11 | <u>COMPARTMENT OR ACCESS DOOR HARDWARE SERVICE (Each)</u> Module door hardware where needed shall be serviced | \$113.04 |
| XF12 | <u>INSTALL POWER VENT SYSTEM</u> | \$216.38 |
| XF13 | <u>INSTALL POWER VENT SYSTEM</u> | \$134.57 |
| <u>RADIOS AND CONSOLES FOR REMOUNTS (XG)</u> | | |
| XG01 | <u>INSTALL NEW 3-STUD RADIO POWER AND GROUND STUD GROUP (price per group)</u> | \$135.64 |
| <u>INTERIOR CABINET OPTIONS FOR REMOUNTS (H)</u> | | |
| XH01 | <u>REPLACE SLIDING PLEXIGLAS DOOR HANDLES (Each)</u> Interior sliding door handles shall be replaced where necessary. | \$12.92 |
| XH02 | <u>REPLACE STAINLESS STEEL SOUTHCO LATCHES (Each)</u> Interior hinged doors handles shall be replaced where necessary with non-locking Southco paddle latches | \$43.06 |
| XH03 | <u>REPLACE STAINLESS STEEL SOUTHCO HD LOCKING LATCHES (Each)</u> Interior hinged doors handles shall be replaced where necessary with locking Southco paddle latches | \$49.52 |
| XH04 | <u>REPLACE SLIDING PLEXIGLAS DOORS (Each)</u> | \$77.51 |
| XH05 | <u>REPLACE HINGED PLEXIGLAS DOORS (Each)</u> | \$118.42 |
| XH06 | <u>REPLACE COMBINATION FRAMED PLEXIGLAS DOORS (Each)</u> | \$227.15 |
| XH07 | <u>REMOVE COUNTER TOP FOR REPLACEMENT</u> | \$58.13 |
| XH08 | <u>INSTALL NEW STAINLESS STEEL COUNTER TOP (Each)</u> | \$150.71 |
| XH09 | <u>INSTALL NEW FORMICA COVERED INHALATION PANEL</u> | \$290.66 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|--|--------------|
| <u>ELECTRICAL OPTIONS (NON-WARNING SYSTEMS) FOR REMOUNTS (XI)</u> | | |
| XI01 | <u>REMOVE OLD ELECTRICAL SYSTEM AND INSTALL NEW INTELLIPLEX SYSTEM</u> Note: Includes new front and rear switch panels, new input/output modules and computer system | \$4,306.11 |
| XI02 | <u>REMOVE OLD MODULE BODY WIRING HARNESS AND INSTALL NEW WIRING HARNESS</u> | \$2,798.97 |
| XI03 | <u>INSTALL NEW 45 AMP BATTERY CHARGER</u> | \$461.83 |
| XI04 | <u>INSTALL NEW FLORESCENT LIGHTS, 24 INCH, EACH</u> Install 24 inch, 12 volt florescent ceiling light fixtures. | \$203.46 |
| XI05 | <u>UPGRADE INTERIOR LIGHTING TO WHELEN LED FIXTURES (WHELEN or WELDON) (Price is Each)</u> | \$296.04 |
| XI06 | <u>CHANGE SHORELINE TO: STRAIGHT 3 PRONG 110VAC SHORELINE INLET (NON-EJECTING)</u> | \$227.15 |
| XI07 | <u>CHANGE SHORELINE TO: KUSSMAUL 20 AMP SUPER AUTO EJECT SHORELINE INLET</u> Install a Kussmaul 20 amp Super Auto Eject shoreline inlet in lieu of standard. | \$585.63 |
| XI08 | <u>ADD POWER ON INDICATOR LIGHT FOR SHORELINE</u> Install a pilot light to indicate presence of AC power at shoreline inlet. | \$59.21 |
| XI09 | <u>INSTALL NEW SHORELINE COVER</u> | \$59.21 |
| XI10 | <u>INSTALL NEW REVERSE ALARM</u> | \$107.65 |
| XI11 | <u>INSTALL NEW STEP-WELL LIGHT</u> | \$152.00 |
| <u>VISUAL WARNING SYSTEM OPTIONS FOR REMOUNTS (XJ)</u> | | |
| XJ01 | <u>INSTALL NEW WHELEN "FREEDOM" LINEAR SUPER LED LIGHT BAR WITH 8 LED MODULES</u> <u>Layout: RED CORNER-RED-WHITE-RED-RED-WHITE-RED-RED CORNER</u> | \$2,637.49 |
| XJ02 | <u>INSTALLATION CHARGE FOR FRONT LIGHT BAR ON CAB ROOF</u> | \$171.17 |
| XJ03 | <u>INSTALLATION CHARGE FOR FRONT LIGHT BAR ON FRONT FACE OF MODULE BODY</u> | \$171.17 |
| XJ04 | <u>INSTALL NEW WHELEN 900 SERIES HALOGEN LIGHT (Price is each)</u> | \$173.32 |
| XJ05 | <u>INSTALL NEW WHELEN 900 SERIES LINEAR SUPER LED or "M9" SERIES RED OR AMBER FLASHING LIGHT, EACH</u> Note: includes 900 FLANGE mounting flange | \$377.86 |
| <u>VISUAL NON- WARNING SYSTEM OPTIONS FOR REMOUNTS (XK)</u> | | |
| XK01 | <u>INSTALL NEW TAIL LIGHTS, WHELEN 600/700 SERIES LED WITH HALOGEN BACKUP LIGHTS</u> Note: includes 600/700 SERIES FLANGE mounting flange, with arrow turn signal | \$1,063.61 |
| XK02 | <u>REPLACE INDIVIDUAL RED OR AMBER BODY ICC LIGHTS (Price is each light)</u> | \$47.37 |
| XK03 | <u>INSTALL NEW WHELEN HALOGEN SIDE SCENE LIGHTS (Price is each light)</u> | \$204.54 |
| XK04 | <u>INSTALL NEW REAR WHELEN 900/700 HALOGEN SERIES LOADING LIGHTS (Price is each light)</u> | \$213.15 |
| XK05 | <u>INSTALL NEW LED TYPE ICC REQUIRED RUNNING LIGHTS (Price is per pair)</u> | \$435.99 |

| <u>Option code</u> | <u>Description</u> | <u>Price</u> |
|--|--|--------------|
| <u>AUDIBLE WARNING SYSTEM OPTIONS FOR REMOUNTS (XL)</u> | | |
| Note: sirens below do not include installation charges. | | |
| XL01 | <u>INSTALL NEW WHELEN 295SLSA1</u> | \$410.16 |
| XL02 | <u>INSTALLATION CHARGE FOR NEW SIREN</u> | \$184.09 |
| <u>OXYGEN SYSTEM OPTIONS (XM)</u> | | |
| XM01 | <u>PROVIDE AND INSTALL NEW ONBOARD SSCOR SUCTION UNIT</u> | \$497.36 |