

GapVax Combination Jet / Vacuum Machine				Date:
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
	Number	Options	ALL	SELECTED
				Comments
<u>CUSTOMER INFORMATION</u>				
Company Name:				
Contact Name:				
Street Address:				
City, State & Zip:				
Phone:				
Cell:				
Fax:				
e-mail:				
Height Requirement:				
Length Requirement:				
Color Requirement:				
Aluminum Tube Type:				
Jetter Hose Type:				
Days Valid For:				
Proposal No.:				
<u>WARRENTIES AND KEY STANDARD FEATURES - COMBINATION MACHINES (see separate literature for all warranty details and limitations)</u>				
<u>Entire Unit</u>				
a)	Warranty: One-year. Against defects in materials and workmanship on entire unit.			
<u>Water Tank Material Std: 3/16" ASTM A-240 type 304L Stainless Steel</u>				
a)	Warranty: Ten-year. No rust through, cracking or distortion.			
b)	Warranty: Twenty-year. If upgrade to 1/4" SS Debris Body. No rust through, cracking or distortion.			
<u>Debris Tank Material Std: 3/16" Exten A-572 Grade 50 Steel</u>				
a)	Warranty: Five-year. No rust through, cracking or distortion			
b)	Warranty: Ten-year. If upgrade to 1/4" Exten A-572 Grade 50 Steel. No rust through, cracking or distortion			
c)	Warranty: Ten-year. If upgrade to 3/16" SS Debris Body. No rust through, cracking or distortion			
d)	Warranty: Twenty-year. If upgrade to 1/4" SS Debris Body. No rust through, cracking or distortion			
<u>Water Pump Std: 80 gpm @ 2,000 PSI</u>				
a)	Warranty: Five-year. Must be Giant or General pump, otherwise one-year			
<u>Positive Displacement Blower Std: 3,500 cfm or 16" Hg</u>				
a)	Warranty: One-year			
Boom - 26' reach from center of truck standard				
Hose reel capacity - 800 feet of 1" hose standard				
NEMA 4 labeled wiring standard				
DOT Lighting / Fenders / Rear mud flaps / Tank and rear door safety props, ICC lights - All Standard				
NOTE: GAPVAX, INC. FOLLOWS A POLICY OF CONTINUAL PRODUCT IMPROVEMENT AND REFINEMENT. AS A RESULT, CHANGES TO STANDARD EQUIPMENT, FEATURES, SPECIFICATIONS AND OPTIONAL EQUIPMENT MAY OCCUR AT ANY TIME				
Note: Customer supplied chassis specifications must be approved by GapVax Engineering department prior to acceptance of				

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	ALL	SELECTED	
	Number	Options		Comments
chassis. Chassis are subject to an additional modification charge.				
MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - SINGLE AXLE				
Combination Machine				
1000 Gallons Water / 5 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC1005	\$293,787		
1000 Gallons Water / 7 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis - Use for other custom sizes.	MC1007	\$296,757		
1200 Gallons Water / 4 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC1204	\$296,757		
500 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC0508	\$293,787		
Chassis - Base Standard - Single Axle				
Make/Model: Western Star	Std.	Std.		
Engine HP: 350 HP Diesel Engine	Std.	Std.		
Transmission Make/Model: Automatic Allison 3000 S+B108series+B139	Std.	Std.		
Engine Compression Brake	Std.	Std.		
GVW: 50,000 lbs.	Std.	Std.		
Front Axle: 20,000 lbs.	Std.	Std.		
Rear Axle: 30,000 lbs.	Std.	Std.		
AM/FM Weatherband Radio	Std.	Std.		
HVAC	Std.	Std.		
Driver Air Seat	Std.	Std.		
DOT Lighting / Fenders / Rear Mud Flaps / Body and Tailgate Safety Props, ICC Lights	Std.	Std.		
Back Up Alarm - 97 dBa	Std.	Std.		
Triangle Kit	Std.	Std.		
Fire Extinguisher 5 lbs.	Std.	Std.		
70 gallon hydraulic oil reservoir, level/temperature Gauge, suction line shut-off valve	Std.	Std.		
Transfer case Mounted hydraulic pump	Std.	Std.		
Chassis - Options - Single Axle				
Front Bumper - GapVax Manufactured - Not Required in Ohio	J0	\$590		
Front Bumper - California - GapVax Manufactured - Not Required in Ohio	J0b	\$1,200		
Step-up Front Bumper with 12"X16" Tool Box on Each Side - Limits Reel Movement - Requires J0b	J0c	\$1,950		
TWO Tool Boxes - Aluminum, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26b	\$2,000		
TWO Tool Boxes - Stainless Steel, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26c	\$2,400		
Allison 10 Bolt PTO Upgrade - Used with 80 GPM / 2500 PSI Water Pump - Options D3a, D3b, or D3c. J1a or J1B Required with Allison Transmission.	J1a	\$2,500		
Allison Automatic Transmission 10-Bolt PTO Upgrade for Auto Trans - Used with Options D0a and D0b and Water Recirculation (model 890). J1a or J1b Required with Allison Transmission	J1b	\$2,500		
Tow Hooks Front - Relocated	J3	\$375		
Tow Hooks Rear - Relocated	J4	\$375		
Pintle Hitch Assembly, 20 Ton - Bolt On - Requires Option J16	J5	\$425		
Back Up Alarm-Auto Sensor to Increase db as Approach Object (Not Available with Option J5 or J16)	J8	\$425		
Relocate Rear Axles - 18" or Less	J11	\$3,530		
Metal Mud Flaps in Front of Rear Tires	J12	\$345		
Drop Axle, 13,200 lbs. Self Steer	J14	\$14,115		
3/4" Welded Pintle Plate with Dual Gussets	J16	\$1,500		
Add "Hot Shift" Feature Transfer Case (consult factory)	J17	\$4,790		
Remote Lube for Boom Lift and Rotation - See E6, J18, M32	E6	\$2,545		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
Remote Lube of Tailgate Lift Components and Tailgate Locks - See E6, J18, M32	J18	\$2,740		
Remote Lube of Tailgate Components NOT Reachable from Ground	J18*	\$2,060		
Upgraded Auto Lube System-May require other options-May not include every point-See E6, J18, M32	M32	\$7,995		
Re-Program Allison Automatic Transmission	J30	\$1,175		
Hind Sight Back-up Warning 20/20	J31	\$1,150		
Passenger Air Seat ILO Std.	J60*	\$660		
Upgrade to Aluminum Wheels ILO Std.	J84* - Sin	\$1,975		
Heated Mirrors ILO Std.	J86*	\$848		
Power Mirrors ILO Std.	J87*	\$1,060		
Diff Lock	J83* - Sin	\$882		
Peterbilt Chassis ILO Western Star - May Change Some Standard Chassis Features	J98P - Sin	\$2,000		
International Chassis ILO Western Star - May Change Some Standard Chassis Features	J98I - Sin	\$5,000		
Freightliner 108SD Chassis ILO Western Star - May Change Some Standard Chassis Features	J98F1 - Sin	\$2,000		
Freightliner 114SD 370 hp Chassis ILO Western Star - May Change Some Standard Chassis Features	J98F2 - Sin	\$10,000		
Upgrade to Larger Chassis with Larger HP Engine and Larger Transmission	J98O - Sin	\$26,470		
CNG Upgrade	J98C - Sin	\$84,500		
2014 Chassis Model Year Update	J99-14	\$9,500		
2015 Chassis Model Year Update	J99-15	\$13,500		
2016 Chassis Model Year Update	J99-16	\$17,500		
2017 Chassis Model Year Update	J99-17	\$22,500		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Deduct	J92	(\$97,850)		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner	J92*	\$1,000		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner with Smart-Plex	J92**	\$6,000		
Five year warranty (some mileage restrictions) for: Allison Transmission, Base Chassis (3 years), Engine, Steer and Drive Axel, After Treatment.	J*	\$13,600		
MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - TANDEM AXLE				
Combination Machine				
1500 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1508	\$302,266		
2000 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - Use for other custom sizes.	MC2008	\$304,760		
1200 Gallons Water / 10 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1210	\$301,672		
1500 Gallons Water / 10 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1510	\$302,619		
1000 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1012	\$301,431		
MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - TANDEM AXLE WHICH MAY REQUIRE LIFT				
Combination Machine				
1500 Gallons Water / 11 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1511	\$305,837		
1300 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1312	\$305,837		
1500 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1512	\$306,051		
900 Gallons Water / 15 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC0915	\$306,051		
700 Gallons Water / 16 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC0716	\$306,051		
1300 Gallons Water / 15 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift -Includes 3/16" Stainless Steel Debris Tank Upgrade	MC1315	\$337,821		
Chassis - Base Standard - Tandem Axle				
Make/Model: Western Star	Std.	Std.		
Engine HP: 350 HP Diesel Engine	Std.	Std.		
Transmission Make/Model: Automatic Allison 3000 Series	Std.	Std.		
Engine Compression Brake	Std.	Std.		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
GVW: 60,000 lbs.	Std.	Std.		
Front Axle: 20,000 lbs.	Std.	Std.		
Rear Axle: 40,000 lbs.	Std.	Std.		
AM/FM Weatherband Radio	Std.	Std.		
HVAC	Std.	Std.		
Driver Air Seat	Std.	Std.		
DOT Lighting / Fenders / Rear Mud Flaps / Body and Tailgate Safety Props, ICC Lights	Std.	Std.		
Back Up Alarm - 97 dBA	Std.	Std.		
Triangle Kit	Std.	Std.		
Fire Extinguisher 5 lbs.	Std.	Std.		
70 gallon hydraulic oil reservoir, level/temperature Gauge, suction line shut-off valve	Std.	Std.		
Transfer case Mounted hydraulic pump	Std.	Std.		
Chassis - Options - Tandem Axle				
Front Bumper - GapVax Manufactured - Not Required in Ohio	J0	\$590		
Front Bumper - California - GapVax Manufactured - Not Required in Ohio	J0b	\$1,200		
Step-up Front Bumper with 12"X16" Tool Box on Each Side - Limits Reel Movement - Requires J0b	J0c	\$1,950		
TWO Tool Boxes - Aluminum, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26b	\$2,000		
TWO Tool Boxes - Stainless Steel, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26c	\$2,400		
Allison 10 Bolt PTO Upgrade - Used with 80 GPM / 2500 PSI Water Pump - Options D3a, D3b, or D3c. J1a or J1B Required with Allison Transmission.	J1a	\$2,500		
Allison Automatic Transmission 10-Bolt PTO Upgrade for Auto Trans - Used with Options D0a and D0b and Water Recirculation (model 890). J1a or J1b Required with Allison Transmission	J1b	\$2,500		
Tow Hooks Front - Relocated	J3	\$375		
Tow Hooks Rear - Relocated	J4	\$375		
Pintle Hitch Assembly, 20 Ton - Bolt On - Requires Option J16	J5	\$425		
Back Up Alarm-Auto Sensor to Increase db as Approach Object (Not Available with Option J5 or J16)	J8	\$425		
Relocate Rear Axles - 18" or Less	J11	\$3,530		
Metal Mud Flaps in Front of Rear Tires	J12	\$345		
Drop Axle, 13,200 lbs. Self Steer	J14	\$14,115		
3/4" Welded Pintle Plate with Dual Gussets	J16	\$1,500		
Add "Hot Shift" Feature Transfer Case (consult factory)	J17	\$4,790		
Remote Lube for Boom Lift and Rotation - See E6, J18, M32	E6	\$2,545		
Remote Lube of Tailgate Lift Components and Tailgate Locks - See E6, J18, M32	J18	\$2,740		
Remote Lube of Tailgate Components NOT Reachable from Ground	J18*	\$2,060		
Upgraded Auto Lube System-May require other options-May not include every point-See E6, J18, M32	M32	\$7,995		
Re-Program Allison Automatic Transmission	J30	\$1,175		
Hind Sight Back-up Warning 20/20	J31	\$1,150		
Passenger Air Seat ILO Std.	J60*	\$660		
Upgrade to Aluminum Wheels ILO Std.	J84* - Tan	\$2,750		
Heated Mirrors ILO Std.	J86*	\$848		
Power Mirrors ILO Std.	J87*	\$1,060		
Diff Lock - 40,000 lbs. back-end - Base	J83a-Tan	\$941		
Diff Lock - 40,000 lbs. back-end - Adv	J83b-Tan	\$1,588		
Diff Lock - 46,000 lbs. back-end - Based	J83c-Tan	\$2,000		
Diff Lock - 46,000 lbs. back-end - Adv	J83d-Tan	\$1,470		
64,000 or 66,000 GVRW Chassis ILO of 60,000	J85a-Tan	\$2,806		
Western Star 62K (66K actual) Chassis or Similar ILO Base - May Change Some Standard Chassis Features	J98W1 - Tan	\$4,000		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
Western Star 66K, DD 450hp, 4500 Trans Chassis or Similar ILO Base - May Change Some Standard Chassis Features	J98W2 - Tan	\$22,000		
Peterbilt Chassis ILO Western Star - May Change Some Standard Chassis Features	J98P - Tan	\$5,000		
International Chassis ILO Western Star - May Change Some Standard Chassis Features	J98I - Tan	\$6,000		
Freightliner 108SD Chassis or Similar ILO Western Star - May Change Some Standard Chassis Features	J98F1 - Tan	\$2,000		
Freightliner 114SD Chassis or Similar ILO Western Star - May Change Some Standard Chassis Features	J98F2 - Tan	\$5,000		
Freightliner 114SD 370hp Chassis or Similar ILO Western Star - May Change Some Standard Chassis Features	J98F3 - Tan	\$10,000		
Mack Granite GU433 60K, Cummins 345hp Chassis or Similar ILO Western Star	J98G1-Tan	\$0		
Mack Granite GU713 66K, Mack MP8-455, 4500 Trans Chassis or Similar ILO Western Star	J98G2-Tan	\$35,500		
Upgrade to Larger Chassis with Larger HP Engine and Larger Transmission	J98O-Tan	\$31,882		
CNG Upgrade	J98C - Tan	\$87,500		
2014 Chassis Model Year Update	J99-14	\$9,500		
2015 Chassis Model Year Update	J99-15	\$13,500		
2016 Chassis Model Year Update	J99-16	\$17,500		
2017 Chassis Model Year Update	J99-17	\$22,500		
Customer Supplied Chassis - Deduct	J93	(\$102,850)		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner	J92*	\$2,500		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner with Smart-Plex	J92**	\$6,000		
Five-Year Warranty (some mileage restrictions) for: Allison Transmission, Base Chassis (3 years), Engine, Steer and Drive Axle, After Treatment.	J*	\$13,600		
Section A - Debris Body Options				
3/16" ASTM A-572 Grade 50 Exten High Strength Steel Debris Tank	Std.	Std.		
Dual 10" Stainless Steel Float Balls Shut off in Debris Tank	Std.	Std.		
Top loading material backed debris deflection body inlet cannon with 8" cleanout on top	Std.	Std.		
Basket to hold 25' fire hose without need to disconnect curbside front	Std.	Std.		
Full opening rear tailgate with stainless steel "sure seal" rod and solid core gasket	Std.	Std.		
Four (4) adjustable hydraulic rear door locks with individual dedicated hydraulic cylinders	Std.	Std.		
Dual (2) tailgate hydraulic lift cylinders - open/close	Std.	Std.		
Front Mounted hoist cylinder, 55,000 lbs. capacity, power up and down	Std.	Std.		
Cam-Loc Fittings for Drain Hoses (per set) 6" - Includes Flanges	Std.	Std.		
Debris Body Baffle Plate - Required with HX Package or High Flow CFM Blower	Std.	Std.		
Debris Body Flush Out System. Standard Jet style = 6 jets to the rear, 2 fans to the front, two jets toward float balls	A1	\$1,780		GapVax Note: Jet style =
Upgrade Debris Body Flush Out System to Stainless Steel - Requires A1	A1*	\$550		
Drain Valve - Rear Door - 6" Knife with 15' of lay flat hose (for tailgate basket, add Option I20)	A2a	\$745		
Drain Valve - Rear Door - 6" Butterfly with 15' of lay flat hose (for tailgate basket, add Option I20)	A2b	\$1,200		
Drain Valve - Rear Door - 6" Knife with cylinder style pneumatic actuator	A2c	\$1,880		
Drain Valve - Rear Door - 6" SS Knife Valve with cylinder style pneumatic actuator	A2d	\$3,140		
Drain Valve - Rear Door - 6" Ball Valve (Requires 1/4" Debris Tank Upgrade) - separate port - not common with the sludge pump	A2e	\$2,400		
Level Indicator - Float Type / Mounted on Rear Door with External Pointer	A3	\$560		Required with Advanced System ACS-01
Upgrade Level Indicator - Float Type / Mounted on Rear Door with External Pointer to StainlessRequires A3	A3*	\$300		
Pump Off System / 3", 450 GPM (w/ 25' of lay flat & cam-loc fittings)	A5	\$5,530		
Pump Off System / 4", 800 GPM (w/ 25' of lay-flat and cam-loc fittings)	A6a	\$6,860		GapVax Note: Pump must be painted black or color of truck.
Pump Off System / 4", Sludge Pump w/ hydraulic oil cooler, 25' lay-flat hose, & fittings	A6b	\$8,950		
Pump Off System / 4", Sludge Pump w/ Silicone Carbide Seals, hydraulic oil cooler, 25' lay-flat hose, & fittings	A6c	\$10,000		
Brackets Only - Pump off System	A6d	\$500		
Cam-Loc Fittings for Drain Hoses (per set) 4"	A9	\$375		
Cam-Loc Fittings for Drain Hoses (per set) 3"	A10	\$345		
Filter Screens-Interior for Pump Off and Drain Valve (flange, elbow, screen)	A11	\$560		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
Upgrade Filter Screens-Interior for Pump Off and Drain Valve (flange, elbow, screen) to StainlessRequires A11	A11*	\$400		
24" Standpipe for Pump Off and Drain Valve	A12	\$370		
Splash Shield - Rear Door	A13	\$770		
Stainless Steel 3/16" Tank Material ILO Std. (PRICED PER CUBIC YARD - TEN YEAR WARRANTY) (FET APPLIES IF APPLICABLE)	A17	\$1,960		Check Qty.
Stainless Steel 1/4" Tank Material ILO Std. (PRICED PER CUBIC YARD - TWENTY YEAR WARRANTY) (FET APPLIES IF APPLICABLE)	A17*	\$2,175		Check Qty.
Purge Valve at Gravity Drain Valve (1-1/4" Ball Valve)	A18	\$345		
Sight Eyes - 5" Glass - 2 ea. Bolted in Glass	A19	\$585		
1/4" Exten A-572 Grade 50 Tank Material ILO Std. (PRICED PER CUBIC YARD - FIVE YEAR WARRANTY) (FET APPLIES IF APPLICABLE)	A20	\$345		Check Qty.
Ladder to Inspection Port Curbside Up to Cannon Area	A21	\$1,915		
Fold Down Ladder Mounted Over Tube Tray (Lower Section Only - From Ground to Tube Tray) Requires A21	A21b	\$950		
Expanded Splash Shield A012588-Rear Door-Not Available with Options A5/A6a,b or c	A22	\$2,205		
Electric Vibrator Mounted at the Bottom Rear of Debris Tank - (REQUIRES 1/4" DEBRIS BODY - CONSULT FACTORY PRIOR TO ORDERING AS MAY NOT BE AVAILABLE WITH CERTAIN CONFIGURATIONS)	A23	\$1,675		
Decant Valve Mounted 1/2 way up - 6" Brass Knife Valve with handle	A24a	\$745		
Decant Valve Mounted 1/2 way up - 6" Brass Knife Valve with cylinder style pneumatic actuator	A24b	\$1,880		
Decant Valve Mounted 1/2 way up - 6" SS Knife Valve with cylinder style pneumatic actuator	A24c	\$3,140		
Standpipe - 4" with Aluminum Camlock - No valve	A30	\$1,010		
Standpipe - 4" with Brass Valve	A31	\$1,250		
8" Stainless Steel Knife Valve with pneumatic actuator on 8" Body inlet pipe	A32	\$3,460		
Three (3) tie-off anchors on top of body 6' apart	A33	\$320		
Debris Body Baffle Plate - Required with HX Package or High Flow CFM Blower - SS ILO Standard Unpainted Carbon Steel Plate	A34b	\$775		
Stainless Steel Cyclone ILO Std.	A97*	\$5,925		
Debris Tank Gravity Drain off - Side Behind Passenger Door (chassis dependent). 3" maximum diameter	A98*	\$3,080		
Hi-Dump Debris Body - Hydraulic	A99*	\$26,500		
Hi-Dump Debris Body - Frame	A99**	\$15,500		
Sight Tube for Clean Water in Debris Tank - Weld 1" Nipple w/ Ball Valve on Decant with Tube to Top	A*	\$400		
6" Tee Inside of Tailgate w/ Cam Cap for Use of Tank Interconnect with 24" Standpipe	A**	\$550		
Section B - Water Tank Options				
Unitized, cylindrical water tank 3/16" ASTM A240 type 304L stainless steel with full sub-frame	Std.	Std.		
4" Anti-Siphon Ring with Four Each 2.5" Holes	Std.	Std.		
Water Tank Level Sight Tube on Curb Side - Clear Plastic Hose	Std.	Std.		
2" Drain Valve at bottom of water tank	Std.	Std.		
3" Fill Line with 2-1/2" Fire Hose Connection - Curbside	Std.	Std.		
3" Water Strainer with stainless steel screen on water tank fill line	Std.	Std.		
3" Supply line to water pump to be mounted at rear of tank and as low as point possible	Std.	Std.		
Automatic Water Tank Fill System	B2	\$2,820		
Tank Inter-Connect with Debris Tank (must also select A2)	B3	\$1,250		
3" Sight Eyes in Lieu of Sight Tube (3 each)	B5	\$585		
Extra Sight Tube	B6	\$265		
Stainless Steel 1/4" Tank Material ILO Std. - Up to 1500 gal - When 1/4" SS debris tank is also selected	B7a	\$2,529		Check Qty.
Stainless Steel 1/4" Tank Material ILO Std. - Up to 1500 gal - When 3/16" SS or Carbon Steel debris tank is also selected	B7b	\$4,529		Check Qty.
Stainless Steel 1/4" Tank Material ILO Std. - 2000 gal - When 1/4" SS debris tank is also selected	B7c	\$4,000		Check Qty.

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
Stainless Steel 1/4" Tank Material ILO Std. - 2000 gal - When 3/16" SS or Carbon Steel debris tank is also selected	B7d	\$6,000		Check Qty.
Additional 3" Filter at Tank Fill (3" Y-Strainer) 40 Mesh Stainless Steel Screen - Option B3 is required	B10	\$1,100		
Additional 3" Water Fill Line on Driver's Side (consult factory)	B11	\$2,075		
Baffles in Water Tank - Non Corroding (Not available on 500 & 750 Gallon Water Tanks) - Baffles are Not Standard	B23	\$940		
30" Bag Filter with SS-304 Housing on Water Tank Fill Line	B24	\$2,875		
Install Customer Supplied Water Meter (consult factory)	B25	\$320		
Stainless Steel Water Lines ILO of Std. - Not All Lines Included	B96	\$2,000		
Stainless Steel Manway ILO Std.	B98*	\$1,250		
Pump to Fill Water Tank from Pond with Filter - Requires Option B24	B99*	\$1,908		
Section C - Vacuum System Options				
True 8" diameter vacuum system	Std.	Std.		
Three (3) Vacuum Relief Valves set to crack at 16" Hg	Std.	Std.		
Discharge silencer w/ rain cap and bottom drain	Std.	Std.		
Centrifugal Cyclone Separator with 20" Chamber with Full Opening Clean-Out Door	Std.	Std.		
Vacuum pump driven via Transfer Case	Std.	Std.		
Rotary Lobe Positive Displacement Vacuum Pump 3,500 CFM & 16" Hg	Std.	Std.		
Noise and vibration dampening mounts on transfer case and vacuum pump	Std.	Std.		
Stainless Steel Vee-Wire Filter Screen at Blower Inlet with Full Opening Clean-Out Door	Std.	Std.		
Vacuum Relief Valve, 6" Air Operated, Externally Mounted, Controlled from Operator Panel	Std.	Std.		
Vacuum Relief Valve, 4" Manual	C1	\$720		
Vacuum Relief Valve, 6" Manual	C2	\$1,170		
Upgrade Cyclone Assembly (including the involute, 20" hopper & door, EZ Decon top, and vortex finder to Stainless Steel	C5	\$5,900		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump to 4,500 CFM and 16" Hg	C7	\$10,160		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump to 4,500 CFM and 18" Hg	C8	\$11,465		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump to 5,900 CFM and 18" Hg (Requires Options C11 & C16)	C10	\$22,075		
Dual Cyclone Upgrade (Required for Option C10 - 5,900 CFM Vacuum System)	C11	\$4,800		
Upgrade 6" Pneumatically Actuated Relief Valve to 8"	C16	\$2,400		
Upgrade to Rotary Lobe Positive Displacement Vacuum Pump 3,850 CFM and 27" Hg - Includes 1/4" Ex-Ten Steel Body Upgrade Option A20	C17	\$31,725		
Five-Year Non-Prorated Vacuum Pump (Blower) Warranty Against Defects in Materials and Workmanship - Parts Only. NOTE: The vacuum pump (blower) extended warranty does NOT cover any damage due to misuse (such as water damage, frozen water, dirt, rust, etc. in the vacuum pump), requires proof of completed oil changes per the interval maintenance chart posted on the unit or in the manual. Shipping is not included. These warranties are only available for municipal owned units only.	C20	\$6,750		
Five-Year Non-Prorated Transfer Case Warranty Against Defects in Materials and Workmanship - Parts Only. NOTE: The transfer case extended warranty does NOT cover any damage due to misuse (such as water damage, frozen water, dirt, rust, etc. in the vacuum pump), requires proof of completed oil changes per the interval maintenance chart posted on the unit or in the manual. Shipping is not included. These warranties are only available for municipal owned units only.	C21	\$4,200		
Vacuum Dry Ability - Add Wet Ring to Vacuum	C99*	\$875		
Section D - Water Pump System Options				
Adjustable Low Pressure Water Spray Gun w/50' x 1/2" Hose and Quick Connects, 800 PSI MAX	Std.	Std.		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	ALL	SELECTED	
	Number	Options		Comments
80 GPM / 2,000 PSI Direct Drive Triplex Water Pump Equipped with Pressure Regulator & Drain Valves	Std.	Std.		GapVax Note:
Pump Drain Valves (Lifters)	Std.	Std.		
Low Point Drain Valves	Std.	Std.		
Multi-Flow - Shaft Drive Water Pumps (MSUV Regulator)	Std.	Std.		
Water Pump Drive: Direct from PTO via Drive Shaft	Std.	Std.		
Air Purge System for MC Jet System	Std.	Std.		
Valve Before 3" Strainer	Std.	Std.		
Hydrostatically Drive Jetter Pump - 80 GPM @ 2,000 PSI (110hp) - Consult Factory	D0a	\$21,810		
Hydrostatically Drive Jetter Pump - 100 or 85 GPM @ 2,500 PSI (140 hp) - Consult Factory - May Require Other Options Such as D0b, D24b, J1b	D0b	\$25,960		
Giant Series Water Pump Rated 80 GPM @ 2000 PSI ILO Std.	D1a	\$2,940		GapVax Note:
General Water Pump Rated 80 GPM @ 2000 PSI ILO Std.	D1b	\$0		
Myers Water Pump Rated 80 GPM @ 2000 PSI ILO Std. Includes Auxiliary Gear Box	D2	\$3,685		
Giant Water Pump Rated 80 GPM @ 2500 PSI	D3a	\$3,550		
General Water Pump Rated 80 GPM @ 2500 PSI	D3b	\$610		
3,000 PSI Adjustable Water Spray Gun ILO Standard 800 PSI Max and Regulator (includes additional upgrades for increased pressure requirements)	D4	\$1,400		
Adjustable Regulator & Gauge for Side Gun Reel Mounted at Reel (PSI may not be adjustable below 1K)	D4*	\$882		
Giant Water Pump Rated 50 GPM @ 3,000 PSI	D5a	\$3,550		
General Water Pump Rated 50 GPM @ 3,000 PSI	D5b	\$610		
50' x 1/2" Hand Gun Reel, Retractable w/ 50' x 1/2" Hose - See D25 for 100' option	D7	\$1,170		
50' x 1/2" Hand Gun Reel, Retractable w/ 50' x 1/2" Hose - See D25 for 100' option - For Hydro Pump	D7*	\$1,170		
Extra Handgun Connections - Each - If water recirculation is required, this option not available	D8	\$375		
HX Gun, Ext. Lance, #12 Nozzle, 50' hose, and Adjustable Regulator. If water recirculation is required, this option not available. Requires Option D4 to also be selected. Hose reel not included. Disclaimer, GapVax does not recommend hydro excavating with jetter pump, bypass water will heat up and may damage the jetter pump. This is to be used intermittently only.	D8b	\$2,300		
Cold Weather Recirculation (Electric Pump) HX Pump System Only	D11	\$1,785		
Cold Weather Recirculation (Extreme Service Duty) (Manual Transmission)	D13	\$9,045		
Auxiliary Hydraulic Pump Drive - Consult Factory	D13a	\$3,140		
Auxiliary Hydraulic Pump Drive - FEPTO - Consult Factory	D13b	\$6,280		
1-1/4" High Pressure Plumbing to Front Hose Reel	D16	\$3,830		
5.5 GPM @ 2,500 PSI Hydraulic Drive Pump for Hydro-Excavation - includes 3/8" X 50' retractable reel	D17	\$10,160		
Air Purge System - HX System	D18	\$535		
Hydraulic Driven Charge Pump - Consult Factory	D19	\$9,045		
Lateral Cleaning Hose Reel w/ 150 x 1/2" Hose and Reel (crank rewind)	D20a	\$2,150		
Lateral Cleaning Hose Reel w/ 150 x 1/2" Hose & Reel (crank rewind)-Removable	D20b	\$2,900		
Lateral Reel Hydraulic Upgrade - Jet Out and Hydraulic In - (Cannot use option D20b with this option)	D20c*	\$3,300		
Lateral Reel Electronic Upgrade (Cannot use option D20b with this option)	D20d*	\$1,000		
Lateral Reel Additional 50'	D20e*	\$150		
Lateral Reel Additional 100'	D20f*	\$300		
Lateral Reel - Low Pressure Reel - 150'	D20g*	\$1,650		
Lateral Reel - Low Pressure Reel - 200'	D20h*	\$1,800		
Lateral Reel - Low Pressure Reel - 250'	D20i*	\$1,950		
MC Cold Weather Recirculation via Automatic Transmission	D21	\$1,010		
14 GPM @ 4,000 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22a	\$28,300		
19 GPM @ 2,900 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22b	\$28,300		
9.8 GPM @ 5,800 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22c	\$30,640		
12 GPM / 3,000 PSI Hydraulically Driven Pump upgrade for MC - Hose reel not included	D22e	\$20,500		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTEch				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
100 GPM @ 2,000 PSI Shaft Drive Water Pump - Includes Option D16 - 1 1/4" HP Plumbing to front hose reel and Option D19 is recommended - consult factory	D24a	\$6,760		
100 gpm @ 2500 psi Shaft Drive Water Pump General Pump or Similar - Includes Option D16 - 1 1/4" HP Plumbing to Front Hose Reel and Option D0b is Required - Consult Factory	D24b	\$8,485		
100' x 1/2" Hand Gun Reel, Retractable w/100' x 1/2" Hose ILO Std.	D25	\$1,650		
10 GPM @ 2,500 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27a	\$13,000		
5.5 GPM @ 4,000 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27b	\$13,000		
6.6 GPM @ 3,625 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27c	\$13,000		
8.2 GPM @ 2,900 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27d	\$13,000		
12.8 GPM @ 2,175 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose Reel Not Included	D27e	\$13,000		
Glycol Injection System - HX System	D28	\$745		
100 GPM @ 2,000 PSI Shaft Drive Water Pump - Includes Option D16 - 1-1/4" HP Plumbing to Front Hose Reel and Option D19 is Recommended - Consult Factory	D29a	\$10,900		
100 GPM @ 2,500 PSI Shaft Drive Water Pump - Includes Option D16 - 1-1/4" HP Plumbing to Front Hose Reel and Option D19 is Recommended - Consult Factory	D29b	\$14,200		
400,000 BTU SS Horizontal Burner System - Rated to 4250 PSI - 12V DC (Does not include Options D18 or D28) (Not Available with Option C17) Consult Factory	D29c	\$14,700		
Steel Box 72" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30d	\$4,575		
Aluminum Box 72" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30e	\$5,535		
Stainless Steel Box 72" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30f	\$6,490		
Pump, Hose Reel, and Regulator Mounted in Steel Box (72x28x24) (Requires Option D30a, D30b, D30c, or other approved box)	D31	\$5,265		
Insulate Hoses Outside Heated Box (3" supply line not included)	D32	\$1,125		
Insulate 72" Heated Box	D33	\$1,490		
Hot Water Heater Mounts Only - Heater Unit Not Included (See option D30 for a complete unit)	D34	\$500		
Remove the Standard Equipped: Adjustable Low Pressure Water Spray Gun with 50' x 1/2" Hose	D39	(\$590)		
Hydro-Excavating Lance with Turbo Nozzle	D40a	\$450		
Hydro-Excavating Lance with Triple Head	D40b	\$750		
5' Extension for Hydro-Excavating Nozzle	D40c	\$150		
8" x 5' Aluminum Vacuum Tube w/ Hydro-Excavating Ring	D41	\$1,250		
Section E - Boom Options				
8" Front Mounted telescoping tube-in-tube boom - inside is true 8" - Up/Down, In/Out, Right/Left	Std.	Std.		
Nine (9) foot telescoping extension - 26' reach from center of truck	Std.	Std.		
180 degree power rotation via direct hydraulic gear (worm) drive with manual override	Std.	Std.		
Dual lift cylinders	Std.	Std.		
Cab protection rack	Std.	Std.		
9" Rubber Connector Hose at Articulation Bearing	Std.	Std.		
3/16" Steel Boom Elbow	Std.	Std.		
Boom Docking Station	Std.	Std.		
3/16" Heavy Duty Boom Elbow w/ 6" Formed Channel Radius	E7	\$1,090		
Stainless Steel Cannon ILO Steel	E99*	\$2,500		
Section F- Hose Reel Options				
Front chassis frame mounted hose reel with 180 degrees pivot arc articulation toward the curb side	Std.	Std.		
Manual telescoping sewer hose level wind	Std.	Std.		
800' hose reel capacity of 1" hose powered via hydraulic motor & gear box mounted directly to the reel frame	Std.	Std.		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	ALL	SELECTED	
	Number	Options		Comments
1-1/2" Heavy duty swivel joint on hose reel spool for water, rated to 4000 PSI and 120 gpm working pressure	Std.	Std.		
Footage Counter on Level Wind - Counts hose deployed rather than rotations of the wheel	F1	\$742		
Footage Counter on level wind with side open feature	F1a	\$1,090		
GapVax Reel-Count Digital Footage Counter	F1c	\$3,060		Optional for Advanced System ACS-01
Angle Adapter for Manual Level Wind	F2	\$175		
Pinch Roller	F3*	\$3,450		
Hose Protection Sleeves through pivot bearing	F4	\$800		
Hose Reel Shaft modification for camera system (not included) - Note: this option will remove the hose spool lock down flange and latch	F5	\$375		
Upgrade front hose reel to Power Articulate	F6	\$5,200		
Automatic Hose Level Wind	F11	\$7,030		
Interior Hose Expansion Ribs - Highly Recommended for 600' of Hose or More	F13	\$530		
Additional Hose Docking Fitting	F14	\$215		
Section G- Controls, Gauges, Accessories Options				
Cab Mounted Control Panel for Blower, Water Pump, and Hydraulics	Std.	Std.		
Operator control panel is housed in a weather proof, sealed box rated to NEMA 4 standards	Std.	Std.		
Operator control panel includes: Light, reel speed and direction control, reel articulation control (band brake release), engine tachometer, water pressure gauge, hydraulic pressure gauge, vacuum gauge, electric engine throttle, water pump hour meter, blower hour meter, vacuum relief switch, joy stick for boom control, de-energize water pressure and relieve vacuum switch. Features may change based on options selected.	Std.	Std.		
3 Function Remote Pendant with Minimum of 25 Feet of Cable - Up/Down, In/Out, Left/Right for the Boom	Std.	Std.		
Emergency stop de-energize water flow valve and break vacuum	Std.	Std.		
If Automatic Transmission - Interlock for Throttle Control	Std.	Std.		
Low Water Level Display on Control Panel	G1	\$555		
Low Water Level Display on Control Panel & Alarm on Top of Control Box	G3a	\$935		
Low Water Level Display on Control Panel & Low Water Pump Shut Down (Requires IH Diamond Logic)	G3b	\$935		
Low Water Level Display on Control Panel & Low Water/Water Pressure Off/Return to Tank	G3c	\$935		Required with Advanced System ACS-01
High Level Debris Light & Alarm - Auto Blower Relief (Requires A3)	G4	\$665		Required with Advanced System ACS-01
High Level Debris Light & Alarm - Alarm at Operator Panel (Requires A3)	G4*	\$995		
Blower Temp Gauge	G5	\$345		
Blower Temp Gauge Wired to Air Operated Vacuum Relief	G6	\$530		Required with Advanced System ACS-01
Engine Oil Pressure and Water Temp at Operators Station	G7	\$880		
Body "Up" Light in Cab - Consult with Dealer on Transmission Lock	G14	\$770		Required with Advanced System ACS-01
Rear Door "Up" Light in Cab - Consult with Dealer on Transmission Lock	G15	\$770		Required with Advanced System ACS-01
Boom "Up" Light in Cab - Consult with Dealer on Transmission Lock	G16	\$770		Required with Advanced System ACS-01
Master Control - WL - Boom, Vacuum Relief and Throttle	G19	\$3,565		
Add Vacuum Break & Throttle to 25' Boom Pendant	G20	\$700		
Wireless Remote Control with Remote Water on/off Feature for front hose reel (includes option G22, but not the boom pendant - Option G20)	G21a	\$5,665		Required with Advanced System ACS-01
Wireless Remote Control with Remote Water on/off Feature for HX hose reel (includes option G22, but not the boom pendant - Option G20)	G21b	\$5,665		
Wireless Remote Control with Remote Water on/off Feature for both front and HX hose reels (includes option G22, but not the boom pendant - Option G20)	G21c	\$7,765		
Add remote water on/off control to control box and boom pendant (requires Option G20 to add to boom pendant)	G22	\$2,100		
Electrical Switch on Control Panel - Additional	G30	\$320		
Advanced Electronic Control System - Proportional Hydraulics	ACS-02	\$3,000		Required with Advanced System ACS-01
Advanced Electronic Control System - Wireless Body Dump Controls	ACS-03	\$3,000		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
Advanced Electronic Control System	ACS-01	\$9,500		
Section H - Lighting Options				
Strobe Beacon Light - Front	H1	\$585		
Strobe Beacon Light - Rear	H2	\$585		
Addition Strobe Light Front or Rear (ea.) Add	H3	\$295		
Wiring & Brackets for Strobes (each)	H16	\$505		
Strobe Beacon Light - Super LED	H31	\$1,065		
Strobe Beacon Light - LED	H32	\$825		
(1) Boom Work Light - Standard	H5	\$605		
(1) Rear Work Light - Standard	H6	\$455		
(1) Side of Truck / Pump Compartment Work Light	H7	\$455		
Additional Work Light - Boom, Rear, Side / Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8a	\$95		
Two Additional Work Light - Boom, Rear, Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8b	\$190		
Three Additional Work Light - Boom, Rear, Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8c	\$290		
Upgrade to Halogen Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - One Pair	H9a	\$160		
Upgrade to Halogen Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Two Pair	H9b	\$320		
Upgrade to Halogen Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Three Pair	H9c	\$480		
Upgrade to LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - One Pair	H9d	\$160		
Upgrade to LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Two Pair	H9e	\$320		
Upgrade to LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Three Pair	H9f	\$480		
Upgrade to HI LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - One Pair	H9g	\$475		
Upgrade to HI LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Two Pair	H9h	\$950		
Upgrade to HI LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Three Pair	H9i	\$1,425		
Hand Spot Light w/25' Cord	H10	\$345		
Hand Spot Light w/25' Cord and Retractable Reel	H11	\$425		
Extra Spot Light Plug In	H12	\$160		
Go-Light LED Cordless Rechargeable Work Light - Dual Hi/Low Modes	H38	\$595		
Truck-Lite LED. Stop, Turn, and Tail Lights (cab not included)	H13	\$445		
Truck-Lite LED. Running (Marker) Lights (cab not included)	H14	\$905		
Upgrade Stop/Tail/Turn Light Box to Polished Stainless Steel	H37	\$610		
Traffic Advisor - Straight - LED - 72" Wide	H17	\$3,776		
Traffic Advisor - Arrow Style - LED - 72" Wide	H29	\$7,049		
Traffic Advisor - Straight - LED - 44" Wide	H22	\$2,350		
Traffic Advisor - Arrow Style - LED - 44" Wide	H22*	\$3,327		
Traffic Advisor - Rear Arrow Light Box - LED - 30" x 60"	H36	\$4,140		
Cab Mounted Light Bar - LED - 72" Low Profile - Liberty	H20	\$4,335		
Cab Mounted Light Bar - LED - 72" Wide - Ultra Freedom	H30	\$5,265		
Cab Mounted Light Bar - LED - 72" Wide - Justice	H30*	\$6,125		
Whelen ION Super LED Flashers (non-synchronized), 2 on each side front @ 45 degrees, 2 on each side middle @ 45 degrees, 4 on each side rear (1 on side, 1 @ 45 degrees, 2 on rear), total quantity of 16 light heads, all light heads to be mounted with the 4" width horizontal	H15	\$5,000		
Rear LED Flashers (4 single)	H18	\$1,275		
Rear LED Flashers (8 single)	H23	\$3,350		
Rear Duplex Super LED Flashers (8 double)	H26	\$6,010		
Center LED Flashers (4 single)	H24	\$2,020		
Front LED Flashers (4 single)	H25	\$2,020		
LED Flashers - M4 - (Pair)	H91	\$490		
LED Flashers - M6 - (Pair)	H92	\$568		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
LED Flashers - M7 - (Pair)	H93	\$568		
LED Flashers - M9 - (Pair)	H94	\$806		
LED Flashers - M9 Scene - (Each)	H95	\$656		
Light Box - Single	H96	\$280		
Light Box - Double	H97	\$350		
Light Box - Triple	H98	\$480		
Light Box - Quad	H99	\$630		
Section I - Storage, Tool Boxes, Enclosure Options				Check Qty.
Tool Box - Steel, 30" Wide x 18" Tall x 24" Deep	Std.	Std.		
Two (2) Galvanized Steel Tube Trays Mounted over SINGLE axles / tires - 7-1/2 ft. long	Std.	Std.		
Two (2) Galvanized Steel Tube Trays Mounted over TANDEM axles / tires - 10 ft. long	Std.	Std.		
Two (2) Galvanized Steel Tube Trays Mounted over TRI axles / tires - 13-1/2 ft. long	I1	\$1,775		
Tool Box - Aluminum, 36" Wide x 18" Tall x 24" Deep	I3a	\$950		
Tool Box - Stainless Steel, 36" Wide x 18" Tall x 24" Deep	I3b	\$1,590		
Tool Box - Aluminum, - 72" Wide x 24" High x 28" Deep (consult factory)	I4b	\$2,530		
Tool Box - Stainless Steel, - 72" Wide x 24" High x 28" Deep (consult factory)	I4c	\$3,400		
Tool Box - Aluminum, - 96" Wide x 24" High x 28" Deep (consult factory)	I5b	\$3,005		
Tool Box - Stainless Steel, - 96" Wide x 24" High x 28" Deep (consult factory)	I5c	\$4,400		
Tool Box - Aluminum - 24" Wide x 30" High x 50" Deep - In Rack	I5e*	\$2,000		
Tool Box - Stainless Steel - 24" Wide x 30" High x 50" Deep - In Rack	I5f*	\$2,650		
Upgrade Std. Tool Box 36" Wide x 18" Tall x 24" Deep to Aluminum	I6a	\$450		
Upgrade Std. Tool Box 36" Wide x 18" Tall x 24" Deep to Stainless Steel	I6b	\$900		
Upgrade Std. Tool Box 30" Wide x 24" Tall x 24" Deep to Aluminum	I6c	\$450		
Upgrade Std. Tool Box 30" Wide x 24" Tall x 24" Deep to Stainless Steel	I6d	\$900		
Upgrade Std. Tool Box 36" Wide x 24" Tall x 24" Deep to Aluminum	I6e	\$530		
Upgrade Std. Tool Box 36" Wide x 24" Tall x 24" Deep to Stainless Steel	I6f	\$950		
Tool Box - Aluminum, 36" Wide x 24" Tall x 24" Deep	I7b	\$1,250		
Tool Box - Stainless Steel, 36" Wide x 24" High x 24" Deep	I7c	\$1,650		
Tool Box - Aluminum, 30" Wide x 24" Tall x 24" Deep	I8b	\$1,125		
Tool Box - Stainless Steel, 30" Wide x 24" High x 24" Deep	I8c	\$1,600		
Tool Box - Aluminum, 48" Wide x 24" Tall x 24" Deep	I9b	\$1,500		
Tool Box - Stainless Steel, 48" Wide x 24" High x 24" Deep	I9c	\$2,250		
Hand Gun Holder	I10	\$190		
Tube Rack- Rear Door - Two Tube Rack - Folding	I11	\$795		
Tube Rack- Rear Door - Two Tube Rack - Non-Folding	I12	\$530		
Tube Rack - Three Tube Rack - Non-Folding	I13	\$640		
Traffic Cone Holder	I14	\$185		
Water Cooler Holder	I15	\$250		
Wheel Chock Holder	I16	\$250		
Nozzle Rack - 6 Nozzles, 1"	I17	\$190		GapVax Note: Mount
Folding Rear Door Tube Rack (6 Tubes) - Folding (Tubes not included)	I18	\$1,675		
Brackets Only - Folding Rear Door Tube Rack	I18*	\$500		
Additional Fill Hose Rack	I19	\$185		
Rear Drain Hose Rack for 6" Layflat hose	I20	\$185		
Hose Hangers 12' long - both sides - not to rap back of tank	I21	\$2,370		
Upgrade Tube Trays to Polished Stainless Steel	I22	\$3,060		GapVax Note: Includes upgrade to SS if J16 medal mud flaps selected
Tube rack Mounted on tank - passenger side - four tube rack - non folding (tubes not included)	I23	\$1,060		
Tube rack Mounted on tank - drivers side - four tube tack - non folding (tubes not included)	I24	\$1,060		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	ALL	SELECTED	
	Number	Options		Comments
Tool Box - Aluminum, 24" Wide x 30" Tall x 50" Deep	I25b	\$2,075		
Lock out of Hydraulic Controls on Driver Side - Convert from hydraulic control valves to electrical switches Mounted in a sealed box - If electrical fails, may be overridden manually by replacing handles on hydraulic control valve	I99*	\$3,050		
Section K - Paint Options				
Paint body and boom - White	Std.	Std.		
Paint frame, blower, silencer, boom base - Black	Std.	Std.		
Body paint code # required if other than white (subject to add'l charge): Base Single Stage No Metallic: Some colors may not apply	Std.	Std.		GapVax Note:
Stripe - Cab (per stripe), Up to 12" Wide - Vinyl	K1	\$905		
Stripe - Body (per stripe), Up to 12" Wide - Vinyl	K2	\$1,040		
Paint Cab & Door Jamb - Single Color - Paint Code # required:	K3	\$5,000		
Rear Door Chevron Striping - Vinyl	K5	\$960		
Conspicuity Reflective Tape	K6	\$530		
Stripe Cab - Paint , Up to 12" Wide - per color - per stripe	K7	\$1,225		
Stripe Body - Paint , Up to 12" Wide - per color - per stripe	K8	\$1,225		
Paint frame other than black - Paint Code # required: Base Single Stage No Metallic: Some colors may not apply	K9	\$1,915		
Delfleet Metallic Paint Upgrade-Paint Code # Required Two Stage Metallic Base Clear: Body, Boom & Reel Only	K11	\$5,505		
Delfleet Frame Two Stage Base Clear Metallic	K12	\$5,505		
Coat Debris Body with Protective Coating - May Be Required for Extended Warranty on Tank	K20	\$6,000		
Section M - Miscellaneous Options				
25 Feet of Vacuum Tubing:	Std.	Std.		
* 3 each of 8" x 5'	Std.	Std.		
* 1 each of 8" x 5' with fluidizer holes	Std.	Std.		
* 1 each of 8"X5' w/bolt on crown	Std.	Std.		
* Six 8" tube clamps	Std.	Std.		
Two Sewer Cleaning Nozzles	Std.	Std.		
(1) Tiger Tail Hose Guide	Std.	Std.		
Operations and Maintenance Manual	Std.	Std.		
In-Field Training - One Day	Std.	Std.		
6" Lay Flat Hose per foot \$2.30	M1	\$2.30		Check Qty.
3" Lay Flat Hose per foot \$1.22	M2	\$1.22		Check Qty.
Fill Hose 25' x 2 1/2"	M3	\$200		
Fill Hose 50' x 2 1/2"	M4	\$295		
Adaptor for City Specific Thread	M4*	\$210		
1/2" Sewer Hose - 4,000 PSI Cost per 100 Feet	M5	\$271		
3/4" Sewer Hose - 2,500 PSI Cost per 100 Feet	M6	\$325		
1" Sewer Hose - 2,500 PSI x 500 ft. Plastic	M7b	\$1,730		
1" Sewer Hose - 2,500 PSI x 600 ft. Plastic	M8b	\$2,075		
1" Sewer Hose - 2,500 PSI x 800 ft. Plastic - See option F13	M9b	\$2,740		
1" Upgrade to 3,000 PSI - Per 100 Feet	M9*	\$60		
1 1/4" Sewer Hose - 2,500 PSI Cost per 100 Feet	M8c	\$499		
Hyd. Tool Spool & Needle Valve – Curb Side (Adj. 3-13 GPM)	M10	\$1,765		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
	Number	ALL	SELECTED	Comments
	Number	Options		Comments
Hydraulic Tool Circuit Hose Reel w/ 2 each 50' x 1/2" Hose	M11	\$3,530		
2600 Watt 120 Volt AC Power inverter (requires 160 Amp alternator & 3 batteries-not included)	M14	\$3,485		
Additional Operations and Maintenance Manual - each	M15	\$215		
1" four wire extender	M26	\$120		
Traffic Cones - 5	M28	\$190		
Back-up Camera System with Color Monitor - Advanced System	M29	\$3,140		Optional for Advanced System ACS-01
Back-up Camera System with Color Monitor - Stand Alone System	M29*	\$1,950		
Additional Camera for Camera System Each	M29a	\$800		Optional for Advanced System ACS-01
In-Field Training - Per Day	M96	\$1,220		
In-Shop Training - Per Day - Limit 4 people per Session	M97	\$1,220		
Customer Custom Changes - Per Day Labor	M98	\$1,220		
All Star Nozzle Kit (w/o Warthog) - 1/2"	N1a	\$1,643		
All Star Nozzle Kit (w/o Warthog) - 1"	N1b	\$2,755		
All Star Nozzle Kit (w/o Warthog) - 1 1/4"	N1c	\$3,497		
Warthog Nozzle - 1/2"	N2a	\$1,483		
Warthog Nozzle - 1"	N2b	\$1,907		
Warthog Nozzle - 1 1/4"	N2c	\$2,119		
Warthog Super Centralizer	N2d	\$300		
Warthog Descaling Head	N2e	\$400		
Spider 80 - Chain Cutter - 1 inch	N3	\$2,013		
Spider 250 - Chain Cutter - 1 Inch	N4	\$2,967		
Mechanical Root Cutter - 1 Inch	N5	\$1,165		
Leader Hose 10' x 1"	N6a	\$91		
Leader Hose 15' x 1"	N7a	\$137		
Leader Hose 25' x 1"	N8a	\$193		
Leader Hose 10' x 1 1/4"	N6b	\$232		
Leader Hose 15' x 1 1/4"	N7b	\$296		
Leader Hose 25' x 1 1/4"	N8b	\$412		
Boat Nozzle - 1"	N9	\$1,536		
Fluke Nozzle - 1"	N10	\$982		
Bulldozer Nozzle - 1"	N11	\$3,821		
LJ 200 Series -1"	N12	\$11,263		
LJ 50 Series -1"	N13	\$3,421		
Penetrator IB - 1/2" to 1"	N14	\$289		
Sled HH	N15	\$1,925		
HH Insert	N15A	\$105		
High Efficiency J	N16	\$2,562		
HEJ Insert	N16A	\$170		
Swiper Nozzle - 1"	N17	\$3,414		
Spinner	N18	\$1,812		
Confined Space Training 8 Hours - Ohio EPA Approved - Up to 15 People	P1	\$1,585		
Complete Tripod System - Tripod, 3 way SRL, Winch, Meter, Harness	P2	\$3,387		
LifeGuard System - Heavy Duty 5,000 lb. anchor point with SRL, Winch	P3	\$5,247		
Manhole Lifting Hook	Q1	\$45		
Grate Lifting Hook	Q2	\$178		
Magnetic Lid Lifter	Q3	\$1,723		
Adjustable Hydrant Wrench	R1	\$34		
Roller Guide Assembly for Upper Manhole	R2	\$451		
Safety manhole cover with 5 inch roller	R3	\$191		
Handi-Clam - 12" bucket	R5	\$461		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
	Number	ALL	SELECTED	Comments
	Options			
Handi-Clam - 16" bucket	R6	\$716		
Basin Shovel	R7	\$265		
Basin Spoon	R8	\$265		
Extend-a-Claw - 8' to 16' / 7' to 15' telescoping	R9	\$366		
Debris Catcher	R11	\$276		
Grit Catcher	R12	\$307		
Vac-Trap	R13	\$318		
Pole - One Section	R14	\$73		
Swage Kit - 1 1/4 Inch - Machine, Dies, Pusher	S1	\$1,484		
Swage Kit - 1 Inch - Machine, Dies, Pusher	S2	\$1,431		
Swage Kit - 3/4 Inch - Machine, Dies, Pusher	S3	\$1,378		
Swage Kit - 1/2 Inch - Machine, Dies, Pusher	S4	\$1,325		
(1) Tiger Tail Hose Guide - One is standard	T1	\$48		
Tube Handle - 8 Inch - 176-U189	T2	\$159		
Clamp - Debris Tube	T3	\$37		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 72"	T4	\$239		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 84"	T4a	\$259		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 96"	T4b	\$269		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 108"	T4c	\$279		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 120"	T5	\$292		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 60"	T6	\$196		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 72"	T7	\$207		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 84"	T7a	\$227		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 96"	T7b	\$247		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 108"	T7c	\$267		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 120"	T7d	\$287		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 180"	T8	\$371		
Clear Tube - 8" X 36"	T9	\$450		
Line Locator Receiver	U14	\$2,650		
Line Locator Sonde	U15	\$318		
Line Locator Transmitter	U16	\$954		
Sensit Gold - 4 Gas Air Monitor- With Compliance Kit for H2S	V1	\$2,396		
Sensit Gold - 4 Gas Air Monitor- With Compliance Kit for HCN	V1a	\$2,896		
Sensit Gold - 4 Gas Air Monitor- No compliance Kit	Vb	\$2,194		
4 Gas Air Monitor	V2	\$790		
PID Air Monitor	V3	\$3,300		
PID Air Monitor with Pump	V4	\$3,777		
4 Gas with CL2 Air Monitor	V5	\$1,399		
4 Gas with CL2 Air Monitor with Pump	V6	\$1,717		
4 Gas with HCN Air Monitor	V5B	\$1,876		
4 Gas with HCN Air Monitor with Pump	V6B	\$2,194		
Docking Station	V7	\$1,691		
Calibration Kit - Base	V8	\$398		
Calibration Kit - Exotic Gases	V8*	\$798		
Easement Machine	W1	\$27,135		
Easement Machine Tracks - Fits Over Wheels 11" Wide	W2	\$5,500		
Easement Machine Fixed Tracks System 9" Wide	W3	\$8,000		
Easement Machine Expanded Wheels or Tracks 35" to 46"	W4	\$4,300		
Easement Machine Auto Level Wind	W5	\$3,800		
Easement Machine Trailer with Electronic Brakes and Tool Box	W6	\$7,000		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
Easement Machine Dual Wheel Kit	W7	\$900		
Easement Machine Manual Outriggers (Each)	W8	\$250		
Laptop Installed in Cab "Tough Book" Type - Level 1	X1	\$4,500		
Laptop Installed in Cab "Tough Book" Type - Level 2	X2	\$5,500		
Demo Discount per Year Old - Deduct Two (2) Percent of Ohio STS Pricing	Y1			
Totals				
Base Unit List Price with Chassis			\$0	
Options List Price			\$0	
Total List Price			\$0	
* ALL PRICES ASSUME NO SALES TAX OR FET				
STS Discount Percent			5%	
STS Discount Dollars - (enter as a negative)			\$0	
Net Price After Discount			\$0	
Less: Trade-In (enter as a negative)				
Net Price After Discount and Trade-In			\$0	
Jet Flusher Machine				
Chassis - Base Standard - Single Axle				
1,000 Gallon Water - Jet Flusher - Single Axle 80/2000	GJET1000	\$203,373		
1,500 Gallon Water - Jet Flusher - Single Axle 80/2000	GJET1500	\$206,531		
2,000 Gallon Water - Jet Flusher - Single Axle 80/2000 (Exemption Required)	GJET2000	\$209,663		
Make/Model: Western Star or Similar				
Engine Make/Model: Cummins 350 hp or Similar				
Transmission Make/Model: Automatic Allison 3500 RDS				
GVW: 43,000 lbs.				
Front Axle: 20,000 lbs.				
Rear Axle: 23,000 lbs.				
1,000 Gallon Water - Jet Flusher - DV (700', 180 Degree, Pendant, Wireless)	DV1000	\$153,300		
1,500 Gallon Water - Jet Flusher - DV (700', 180 Degree, Pendant, Wireless)	DV1500	\$161,134		
Make/Model: Ford F750 or Similar				
Minimum 280 HP Diesel Engine				
Transmission Make/Model: Automatic Allison 3000 RDS				
GVW: 33,000 lbs.				
Front Axle: 13,000 lbs.				
Rear Axle: 20,000 lbs.				
Upgrade to International ILO Ford	Int	\$8,000		
Upgrade to Freightliner ILO Ford	FL	\$6,000		
Current Emissions	Emission	\$8,000		
See Other Possible Options in the MC Section Above - All Options May Not be Available				
Chassis - Base Standard - Tandem Axle				
2,000 Gallon Water - Jet Flusher - Tandem Axle 80/2000	GJET2000	\$217,531		
2,500 Gallon Water - Jet Flusher - Tandem Axle 80/2000	GJET2500	\$220,689		
3,000 Gallon Water - Jet Flusher - Tandem Axle 80/2000	GJET3000	\$223,847		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	ALL	SELECTED	
	Number	Options		Comments
Make/Model: Western Star or Similar				
Engine Make/Model: Cummins 350 hp or Similar				
Transmission Make/Model: Automatic Allison 3500 RDS				
GVW: 60,000 lbs.				
Front Axle: 20,000 lbs.				
Rear Axle: Tandem 40,000 lbs.				
See Other Possible Options in the MC Section Above - All Options May Not be Available				
Trailer - Base Standard				
325 Gallon Water - Jet Flusher - DV - 20@4000 - 75hp JD - 10K Tandem Axle	DJ20/40	\$49,056		
700 Gallon Water - Jet Flusher - DV - 40@2000 - 75hp JD - 12K Tandem Axle	DJ40/20	\$50,676		
700 Gallon Water - Jet Flusher - DV - 65@2000 - 115hp JD - 14K Tandem Axle	DJ65/20	\$76,769		
600 Gallon Debris - 300 Gallon Water - Jet Flusher with Vacuum	JV600HS	\$134,412		
750 Gallon Debris - 300 Gallon Water - Jet Flusher with Vacuum	JV750HS	\$136,319		
Trailer Mounted Sewer Rodder	SRSRT	\$57,105		
Truck Mounted Sewer Rodder - Chassis Provided by Customer	SRSRTR	\$50,763		
Hydraulic Tongue Jack	Jack	\$1,298		
See Other Possible Options in the MC Section Above - All Options May Not be Available				
Totals				
Base Unit List Price and Options with Chassis if Applicable				\$0
Options List Price - MC Series and Jet if Applicable				\$0
Total List Price				\$0
* ALL PRICES ASSUME NO SALES TAX OR FET				
STS Discount Percent				5%
STS Discount Dollars - (enter as a negative)				\$0
Net Price After Discount				\$0
Less: Trade-In (enter as a negative)				
Net Price After Discount and Trade-In				\$0
WetVac VT-10				
FEATURES AS BUILT				
Limited Warranty on Entire Unit - One year				
Debris Tank Material/Capacity: 1/4" Exten A-572 Grade 50 Steel				
Warranty - Twenty year if upgrade to 3/16" Stainless Steel Debris Body				
4,200 Gallon (100 Barrel)				
1/4" ASTM A-572 Grade 50 Material				
Full Length Longsills				
Two Inch Rubber Isolators				
Two (2) Internal Body Reinforcement Ribs				
Two (2) sets of Baffles				
20" Manway with Primary Shut-Off				
Secondary Shut-Off - 10 Gallon				
One (1) 25" Body Access Manway on Top				
Ladder to Manway				
Two (2) Body Lift Rings				

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
One (1) 25" Cleanout Door on Bottom Rear				
6" Decant on the 25" Clean Out Door				
4" Standpipe Bolt in Style Rear Decant with Brass Valve				
4" Rear Decant with Brass Valves				
Three (3) 5" Sight Eyes				
DOT Clearance Light Box on Top Rear with Two (2) Work Lights				
Two (2) Stainless Steel Hose Trays				
Bolt on Stainless Tail Light Boxes (LED Light)				
Hose Hangers on Rear Head				
Body Blasted, Primed and Painted with PPG Fleet Urethane Paint				
Paint Color – White				
Six (6) Spring Mounted Body Mounts				
New Massport HXL 400 WV Plug & Play Water-Cooled Pump & Accessories				
ICC Bumper				
Direct Drive PTO and Driveshaft				
See Other Possible Options in the MC Section Above - All Options May Not be Available				
Customer supplied chassis is NOT permitted with a VT-10 or VT-8 or DV-3600				
WetVac VT-10	VT-10	\$192,857		
WetVac VT-8 - 3400 Gallons Deduct from VT-10 Price	VT-8	(\$13,350)		
Chassis - Base Standard - Tandem Axle				
Make/Model: Volvo VHD64B200 or Similar				
405 Hp Volvo D13-405 Engine or Similar				
10 Speed Eaton Fuller FRO-14210C Transmission - Manual				
20,000 lbs. Volvo VF22 Front axle - 22,800 lbs. components				
44,000 lbs. Meritor RT44-145 Rear axle with pressure lubrication				
HVAC				
ABS Brakes				
Chassis - Options - Tandem Axle				
International 7600 or Similar Chassis ILO Volvo	J70	\$31,481		
Automatic Transmission - International Chassis ILO Manual	J71	\$15,961		
Automatic Transmission - Volvo Chassis ILO Manual	J72	\$24,942		
20,000 lb. Lift Axle complete w/New Cap Tires/ Steel Wheels - Volvo Chassis	J73	\$13,938		
Aluminum wheels add - Volvo Chassis	J74	\$734		
Passenger Air Seat	J60	\$1,559		
Chassis Software - Volvo	J61	\$3,790		
See Other Possible Options in the MC Section Above - All Options May Not be Available				
Back-End - Options - Tandem Axle				
Dual 4" Front Decants with Brass Valve	Z1	\$1,834		
Heavy Duty Replacement Front Bumper with Tow Loop and Bumper Blocks	Z2	\$4,548		
Heavy Duty Replacement Rear Bumper with Tow Loop and Chain Compartments	Z3	\$6,015		
Heavy Duty Steel Hubler Front Bumper with Tow Loop and Bumper Blocks	Z4	\$3,617		
Heavy Duty Steel Hubler Rear Bumper with Tow Loop and Chain Compartments	Z5	\$4,863		
Four 10' Heat Trace Lines - Two Switches for Shut-off Valves	Z6	\$1,596		
Paint Color Other than Black or White	Z7	\$1,761		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
Paint Color: Metal Flake/Pearl Base Coat/Clear Coat	Z8	\$4,695		
Two (2) Splash Trays over Drive Tires	Z9	\$352		
Stainless Steel Full Length Tank Skirt (bolt on to hose tray)	Z10	\$1,900		
18'-6" x 4" Hose with Camlock Fittings	Z11	\$425		
36" Steel Toolbox	Z12	\$917		
36" Aluminum Toolbox	Z13	\$1,137		
Debris and Collection Hose - 4" - Cost per foot	Z14	\$15		
Debris and Collection Hose - 6" - Cost per foot	Z15	\$24		
See Other Possible Options in the MC Section Above - All Options May Not be Available				
Totals				
Base Unit and Options List Price				\$0
Options List Price - MC Series				\$0
Total List Price				\$0
* ALL PRICES ASSUME NO SALES TAX OR FET				
STS Discount Percent				5.0%
STS Discount Dollars				\$0
Net Price After Discount				\$0
Less: Trade-In (enter as a negative)				\$0
Net Price After Discount and Trade-In				\$0
WetVac DV-3600				
FEATURES AS BUILT				
Limited Warranty on Entire Unit - One year				
Chassis: Freightliner M2, 56K GVWR, 3000 Allison Auto, 350 hp				
Debris Tank Material/Capacity: 5/16" Aluminum with flanged and dished heads				
3,600 Gallon				
Full Length Longsills				
Two (2) sets of Baffles				
20" Rear Clean-Out Hatch with 4" Dump				
20" Forward Hatch with Primary Shut-off Ball				
Ladder to Manway				
Two (2) Body Lift Rings				
Three (3) 5" Sight Eyes				
DOT Clearance Light Box on Top Rear with Two (2) Work Lights				
New Massport HXL 400 WV Plug & Play Water-Cooled Pump & Accessories				
ICC Bumper				
Direct Drive PTO and Driveshaft				
See Other Possible Options in the MC Section Above - All Options May Not be Available				
Customer supplied chassis is NOT permitted with a DV Series				
WetVac DV-3600				
	DV-3600	\$165,887		
WetVac DV-4200 Add to DV-3600 Price - May change chassis and other options				
	DV-4200	\$6,000		

GapVax Combination Jet / Vacuum Machine				Date: _____
Sales Proposal for:				
Ohio STS Pricing Effective March 1, 2014				Ohio STS: 800337 Index:STS670
Presented by: MTech				
	Option	List Price	List Price	
		ALL	SELECTED	
	Number	Options		Comments
WetVac DV-3200 Deduct to DV-3600 Price - May change chassis and other options				
	DV-3200	(\$2,000)		
Chassis - Options - Tandem Axle				
	International or Similar Chassis ILO Freightliner	J70	\$5,000	
Back-End - Options - Tandem Axle				
	Steel tank ILO of Standard Aluminum tank	J70	(\$12,000)	
Totals				
Base Unit and Options List Price			\$0	
Options List Price - MC Series			\$0	
Total List Price			\$0	
* ALL PRICES ASSUME NO SALES TAX OR FET				
STS Discount Percent			5.0%	
STS Discount Dollars			(\$0)	
Net Price After Discount			\$0	
Less: Trade-In (enter as a negative)			\$0	
Net Price After Discount and Trade-In			\$0	