



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



			Date:
	Proposed		
	List Price	List Price	Ohio STS: 800337 Index:STS670
Option	ALL	SELECTED	
Number	Options		Qty. Comments

CUSTOMER INFORMATION

Company Name:				
Contact Name:				
Street Address:				
City, State & Zip:				
Phone:				
Cell:				
Fax:				
e-mail:				
Height Requirement:				
Length Requirement:				
Color Requirement:				
Aluminum Tube Type:				
Jetter Hose Type:				
Days Valid For:	90 days			

WARRENTIES AND KEY STANDARD FEATURES - COMBINATION MACHINES (see separate literature for all warranty details and limitations)

<u>Entire Unit</u>				
a)	Warranty: One-year. Against defects in materials and workmanship on entire unit.			
<u>Water Tank Material Std: 3/16" ASTM A-240 type 304L Stainless Steel</u>				
a)	Warranty: Ten-year. No rust through, cracking or distortion.			
b)	Warranty: Twenty-year. If upgrade to 1/4" SS Debris Body. No rust through, cracking or distortion.			
<u>Debris Tank Material Std: 1/4" Exten A-572 Grade 50</u>				
a)	Warranty: Five-year. No rust through, cracking or distortion			
b)	Warranty: Ten-year. If option K20 is added. No rust through, cracking or distortion			Requires standard 1/4" Exten tank material
c)	Warranty: Ten-year. If upgrade to 3/16" SS Debris Body. No rust through, cracking or distortion			
d)	Warranty: Twenty-year. If upgrade to 1/4" SS Debris Body. No rust through, cracking or distortion			
<u>Water Pump Std: 80 gpm @ 2,000 PSI</u>				
a)	Warranty: Five-year. Must be Giant or General pump, otherwise one-year			
<u>Positive Displacement Blower Std: 3,500 cfm or 16" Hg</u>				
a)	Warranty: One-year			
Boom - 26' reach from center of truck standard				
Hose reel capacity - 800 feet of 1" hose standard				
NEMA 4 labeled wiring standard				
DOT Lighting / Fenders / Rear mud flaps / Tank and rear door safety props, ICC lights - All Standard				

NOTE: GAPVAX, INC. FOLLOWS A POLICY OF CONTINUAL PRODUCT IMPROVEMENT AND REFINEMENT. AS A RESULT, CHANGES TO STANDARD EQUIPMENT, FEATURES, SPECIFICATIONS AND OPTIONAL EQUIPMENT MAY OCCUR AT ANY TIME



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



			Date:
	Proposed		
	List Price	List Price	Ohio STS: 800337 Index:STS670
Option	ALL	SELECTED	
Number	Options		Qty. Comments

Note: Customer supplied chassis specifications must be approved by GapVax Engineering department prior to acceptance of chassis. Chassis are subject to an additional modification charge.

MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - SINGLE AXLE

Combination Machine

500 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC0508	\$323,143	
1000 Gallons Water / 5 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC1005	\$322,018	
1200 Gallons Water / 4 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis	MC1204	\$324,613	
1000 Gallons Water / 7 Cubic Yards Debris - To be Mounted on Single Rear Axle Chassis - Use for other custom sizes.	MC1007	\$325,738	

Chassis - Base Standard - Single Axle

Make/Model: Western Star	Std.	Std.	
Engine HP: 350 HP Diesel Engine	Std.	Std.	
Transmission Make/Model: Automatic Allison 3000 S+B108eries+B139	Std.	Std.	
Engine Compression Brake	Std.	Std.	
GVW: 50,000 lbs.	Std.	Std.	
Front Axle: 20,000 lbs.	Std.	Std.	
Rear Axle: 30,000 lbs. - High Entry	Std.	Std.	
AM/FM Weatherband Radio	Std.	Std.	
HVAC	Std.	Std.	
Driver Air Seat	Std.	Std.	
Passenger Air Seat	Std.	Std.	
Aluminum Wheels	Std.	Std.	
DOT Lighting / Fenders / Rear Mud Flaps / Body and Tailgate Safety Props, ICC Lights	Std.	Std.	
Back Up Alarm - 97 dBa	Std.	Std.	
Triangle Kit	Std.	Std.	
Fire Extinguisher 5 lbs.	Std.	Std.	
70 gallon hydraulic oil reservoir, level/temperature Gauge, suction line shut-off valve	Std.	Std.	
Transfer case Mounted hydraulic pump	Std.	Std.	

Chassis - Options - Single Axle

Front Bumper - GapVax Manufactured - Not Required in Ohio	J0	\$590	
TWO Tool Boxes - Aluminum, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26b	\$2,000	
TWO Tool Boxes - Stainless Steel, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26c	\$2,400	
Allison Automatic Transmission 10-Bolt PTO Upgrade for Auto Trans - Used with Options D0a and D0b and Water Recirculation (model 890). J1b Required with Allison Transmission	J1b	\$3,200	
Tow Hooks Front - Relocated	J3	\$375	
Tow Hooks Rear - Relocated	J4	\$375	
Pintle Hitch Assembly, 20 Ton - Bolt On - Requires Option J16	J5	\$275	
Relocate Rear Axles - 18" or Less	J11	\$3,530	
Metal Mud Flaps in Front of Rear Tires	J12	\$370	
Drop Axle, 13,200 lbs. Self Steer	J14	\$14,115	
TAG Axle, 9,000 lb , Self Steer	J14b	\$19,816	
3/4" Welded Pintle Plate with Dual Gussets	J16	\$1,500	
Remote Lube for Boom Lift and Rotation - See E6, J18, M32	E6	\$2,880	
Remote Lube of Tailgate Lift Components and Tailgate Locks - See E6, J18, M32	J18	\$3,050	
Remote Lube of Tailgate Components NOT Reachable from Ground	J18*	\$2,370	



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



Date:

Ohio STS: 800337 Index:STS670

800-362-0240

	Option Number	Proposed List Price	List Price ALL SELECTED	Qty.	Comments
2" Receiver tube (requires Option J16)	J19	\$415			
7-Pin trailer plug (requires Option J16)	J20	\$205			
License plate holder on back of tube tray (required for California)	J21	\$300			
Upgraded Auto Lube System-May require other options-May not include every point-See E6, J18, M32	M32	\$7,995			
Re-Program Allison Automatic Transmission	J30	\$1,175			
Standard Passenger Seat ILO Std.	J60*	(\$660)			
Painted Steel Wheels ILO Std.	J84* - Sin	(\$1,975)			
Heated Mirrors ILO Std.	J86*	\$848			
Power Windows	J88*	\$200			
Power Door Locks	J89*	\$175			
Power Mirrors ILO Std.	J87*	\$1,060			
Diff Lock	J83* - Sin	\$1,500			
Level 1 Chassis Upgrade - Freightliner, International, or similar. Must specify in comments	J981 - Sin	\$2,000			
Level 2 Chassis Upgrade - Peterbilt, Mack, or similar	J982 - Sin	\$4,500			
Level 3 Chassis Upgrade - Freightliner or similar (370 HP, Allison 4500)	J983 - Sin	\$8,000			
Level 4 Chassis Upgrade - Western Star or similar (370 HP, Allison 4500)	J984 - Sin	\$15,000			
CNG Upgrade	J98C - Sin	\$68,200			
- NGV1 and NGV2 nozzles installed on both sides of truck	J98C1 - Sin	\$1,000			
- Defueling Receptacle on LH side	J98C2 - Sin	\$1,000			
- NGV1 and NGV2 nozzles installed on front bumper of truck	J98C3 - Sin	\$3,250			
- (5) Five electronic shut-off valves installed to the CNG tanks	J98C4 - Sin	\$3,750			
- 5 Year / 200,000 mile chassis warranty	J98C5 - Sin	\$4,763			
- 5 Year towing warranty (\$550.00 per occurrence)	J98C6 - Sin	\$800			
- 5 Years / 150,000 mile Cummins CNG Engine Warranty	J98C7 - Sin	\$3,100			
- Allison Automatic Transmission Warranty to 5 years	J98C8 - Sin	\$950			
- 35 foot CNG fuel transfer hose	J98C9 - Sin	\$4,250			
2017 Chassis Model Year Update	J99-17	\$9,500			
2018 Chassis Model Year Update	J99-18	\$13,500			
2019 Chassis Model Year Update	J99-19	\$17,500			
2020 Chassis Model Year Update	J99-20	\$22,500			
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Deduct	J92	(\$97,850)			
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner	J92*	\$1,000			
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner with Smart-Plex	J92**	\$6,000			
Five-Year Warranty (some mileage restrictions) for: Allison Transmission, Chassis, Engine, Steer and Drive Axle, After Treatment. Will be adjusted based on actual selected warranties	J*	\$13,600			

MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - TANDEM AXLE

Combination Machine

1200 Gallons Water / 10 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1210	\$331,778			
1500 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1508	\$331,622			
1000 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1012	\$332,287			
1300 Gallons Water / 11 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1311	\$331,912			
1500 Gallons Water / 10 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis	MC1510	\$332,725			
2000 Gallons Water / 8 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - Use for other custom sizes.	MC2008	\$334,116			

MAIN UNIT OPTION - WITH CHASSIS - DELIVERED - TANDEM AXLE WHICH MAY REQUIRE LIFT

Combination Machine

1500 Gallons Water / 11 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1511	\$336,318			
---	--------	-----------	--	--	--



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



800-362-0240

Date:

Ohio STS: 800337 Index: STS670

	Option Number	Proposed List Price	List Price ALL SELECTED	Qty.	Comments
1300 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - May Require Lift	MC1312	\$336,693			
1100 Gallons Water / 13 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - Requires Lift Axle	MC1113	\$337,068			
1500 Gallons Water / 12 Cubic Yards Debris - To be Mounted on Tandem Rear Axle Chassis - Requires Lift Axle	MC1512	\$336,907			
Chassis - Base Standard - Tandem Axle					
Make/Model: Western Star	Std.	Std.			
Engine HP: 350 HP Diesel Engine	Std.	Std.			
Transmission Make/Model: Automatic Allison 3000 Series	Std.	Std.			
Engine Compression Brake	Std.	Std.			
GVW: 60,000 lbs.	Std.	Std.			
Front Axle: 20,000 lbs.	Std.	Std.			
Rear Axle: 40,000 lbs.	Std.	Std.			
AM/FM Weatherband Radio	Std.	Std.			
HVAC	Std.	Std.			
Driver Air Seat	Std.	Std.			
Passenger Air Seat	Std.	Std.			
Aluminum Wheels	Std.	Std.			
DOT Lighting / Fenders / Rear Mud Flaps / Body and Tailgate Safety Props, ICC Lights	Std.	Std.			
Back Up Alarm - 97 dBa	Std.	Std.			
Triangle Kit	Std.	Std.			
Fire Extinguisher 5 lbs.	Std.	Std.			
70 gallon hydraulic oil reservoir, level/temperature Gauge, suction line shut-off valve	Std.	Std.			
Transfer case Mounted hydraulic pump	Std.	Std.			
Chassis - Options - Tandem Axle					
Front Bumper - GapVax Manufactured - Not Required in Ohio	J0	\$590			
TWO Tool Boxes - Aluminum, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26b	\$2,000			
TWO Tool Boxes - Stainless Steel, 16" High x 12" Wide x 18" Deep with fold down door - mounted in front bumper	I26c	\$2,400			
Allison Automatic Transmission 10-Bolt PTO Upgrade for Auto Trans - Used with Options D0a and D0b and Water Recirculation (model 890). J1b Required with Allison Transmission	J1b	\$3,168			
Tow Hooks Front - Relocated	J3	\$375			
Tow Hooks Rear - Relocated	J4	\$375			
Pintle Hitch Assembly, 20 Ton - Bolt On - Requires Option J16	J5	\$275			
Relocate Rear Axles - 18" or Less	J11	\$3,530			
Metal Mud Flaps in Front of Rear Tires	J12	\$370			
Drop Axle, 13,200 lbs. Self Steer	J14	\$14,115			
TAG Axle, 9,000 lb , Self Steer	J14b	\$18,825			
3/4" Welded Pintle Plate with Dual Gussets	J16	\$1,500			
Remote Lube for Boom Lift and Rotation - See E6, J18, M32	E6	\$2,880			
Remote Lube of Tailgate Lift Components and Tailgate Locks - See E6, J18, M32	J18	\$3,050			
Remote Lube of Tailgate Components NOT Reachable from Ground	J18*	\$2,370			
2" Receiver tube (requires Option J16)	J19	\$415			
7-Pin trailer plug (requires Option J16)	J20	\$205			
License plate holder on back of tube tray (required for California)	J21	\$300			
Upgraded Auto Lube System-May require other options-May not include every point-See E6, J18, M32	M32	\$7,995			
Re-Program Allison Automatic Transmission	J30	\$1,175			
Standard Passenger Seat ILO Std.	J60*	(\$660)			
Painted Steel Wheels ILO Std.	J84* - Sin	(\$1,975)			



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



800-362-0240

		Proposed		Date:
		List Price	List Price	Ohio STS: 800337 Index:STS670
Option	ALL	SELECTED		
Number	Options		Qty.	Comments
Heated Mirrors ILO Std.	J86*	\$848		
Power Mirrors ILO Std.	J87*	\$1,060		
Power Windows	J88*	\$200		
Power Door Locks	J89*	\$175		
Diff Lock	J83c-Tan	\$2,000		
Upgrade GVW to higher rating	J85a-Tan	\$2,500		
Level 1 Chassis Upgrade - Peterbilt, Mack, Freightliner, Western Star, International. Must specify in comments	J981 - Tan	\$2,000		
Level 2 Chassis Upgrade - Western Star or similar. Must specify in comments	J982 - Tan	\$8,000		
Level 3 Chassis Upgrade - Freightliner, Western Star, International, or similar. Must specify in comments	J983 - Tan	\$17,000		
Level 4 Chassis Upgrade - Volvo, Mack, or similar. Must specify in comments	J984 - Tan	\$27,000		
CNG Upgrade	J98C - Tan	\$69,300		
- NGV1 and NGV2 nozzles installed on both sides of truck	J98C1 - Sin	\$1,000		
- Defueling Receptacle on LH side	J98C2 - Sin	\$1,000		
- NGV1 and NGV2 nozzles installed on front bumper of truck	J98C3 - Sin	\$3,250		
- (5) Five electronic shut-off valves installed to the CNG tanks	J98C4 - Sin	\$3,750		
- 5 Year / 200,000 mile chassis warranty	J98C5 - Sin	\$4,763		
- 5 Year towing warranty (\$550.00 per occurrence)	J98C6 - Sin	\$800		
- 5 Years / 150,000 mile Cummins CNG Engine Warranty	J98C7 - Sin	\$3,100		
- Allison Automatic Transmission Warranty to 5 years	J98C8 - Sin	\$950		
- 35 foot CNG fuel transfer hose	J98C9 - Sin	\$4,250		
2017 Chassis Model Year Update	J99-17	\$9,500		
2018 Chassis Model Year Update	J99-18	\$13,500		
2019 Chassis Model Year Update	J99-19	\$17,500		
2020 Chassis Model Year Update	J99-20	\$22,500		
Customer Supplied Chassis - Deduct	J93	(\$102,850)		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner	J92*	\$2,500		
Customer Supplied Chassis (Must be Approved by GapVax in Advance) - Add if Freightliner with Smart-Plex	J92**	\$6,000		
Five-Year Warranty (some mileage restrictions) for: Allison Transmission, Chassis, Engine, Steer and Drive Axel, After Treatment. Will be adjusted based on actual selected warranties	J*	\$13,600		

Section A - Debris Body Options

3/16" ASTM A-572 Grade 50 Exten High Strength Steel Debris Tank	Std.	Std.		
Dual 10" Stainless Steel Float Balls Shut off in Debris Tank	Std.	Std.		
Top loading material backed debris deflection body inlet cannon with 8" cleanout on top	Std.	Std.		
Basket to hold 25' fire hose without need to disconnect curbside front	Std.	Std.		
Full opening rear tailgate with stainless steel "sure seal" rod and solid core gasket	Std.	Std.		
Four (4) adjustable hydraulic rear door locks with individual dedicated hydraulic cylinders	Std.	Std.		
Dual (2) tailgate hydraulic lift cylinders - open/close	Std.	Std.		
Front Mounted hoist cylinder, power up and down	Std.	Std.		
Cam-Loc Fittings for Drain Hoses (per set) 6" - Includes Flanges	Std.	Std.		
Debris Body Baffle Plate - Required with HX Package or High Flow CFM Blower	Std.	Std.		
Debris Body Flush Out System. Standard Jet style = 6 jets to the rear, 2 fans to the front, two jets toward float balls	A1	\$1,950		
Upgrade Debris Body Flush Out System to Stainless Steel - Requires A1	A1*	\$650		
Drain Valve - Rear Door - 6" Knife with 15' of lay flat hose (for tailgate basket, add Option I20)	A2a	\$800		
Drain Valve - Rear Door - 6" Butterfly with 15' of lay flat hose (for tailgate basket, add Option I20)	A2b	\$1,200		
Drain Valve - Rear Door - 6" Knife with cylinder style pneumatic actuator	A2c	\$1,950		
Drain Valve - Rear Door - 6" SS Knife Valve with cylinder style pneumatic actuator	A2d	\$3,140		
Drain Valve - Rear Door - 6" Ball Valve (Requires 1/4" Debris Tank Upgrade) - separate port - not common with the	A2e	\$2,525		
Level Indicator - Float Type / Mounted on Rear Door with External Pointer	A3	\$800		Required with Advanced System ACS-01



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTech



800-362-0240

Date:

Proposed

List Price

List Price

Ohio STS: 800337 Index:STS670

Option

ALL

SELECTED

Number

Options

Qty.

Comments

General Water Pump Rated 80 GPM @ 2000 PSI ILO Std.	D1b	\$0		
Myers Water Pump Rated 80 GPM @ 2000 PSI ILO Std. Includes Auxiliary Gear Box	D2	\$4,100		
Giant Water Pump Rated 80 GPM @ 2500 PSI	D3a	\$3,880		
General Water Pump Rated 80 GPM @ 2500 PSI. Requires Allison 4500 transmission	D3b	\$610		
3,000 PSI Adjustable Water Spray Gun ILO Standard 800 PSI Max and Regulator (includes additional upgrades for increased pressure requirements)	D4	\$1,470		
Adjustable Regulator & Gauge for Side Gun Reel Mounted at Reel (PSI may not be adjustable below 1K)	D4*	\$882		
Giant Water Pump Rated 50 GPM @ 3,000 PSI	D5a	\$3,880		
General Water Pump Rated 50 GPM @ 3,000 PSI	D5b	\$610		
50' x 1/2" Hand Gun Reel, Retractable w/ 50' x 1/2" Hose - See D25 for 100' option	D7a	\$1,170		
50' x 1/2" Hand Gun Reel, Retractable w/ 50' x 1/2" Hose - See D25 for 100' option - For HX Pump	D7b	\$1,170		
Extra Handgun Connections - Each - If water recirculation is required, this option not available	D8	\$375		
HX Gun, Ext. Lance, #12 Nozzle, 50' hose, and Adjustable Regulator. If water recirculation is required, this option not available. Requires Option D4 to also be selected. Hose reel not included. Disclaimer, GapVax does not recommend hydro excavating with jetter pump, bypass water will heat up and may damage the jetter pump. This is	D8b	\$2,300		
Cold Weather Recirculation (Electric Pump) HX Pump System Only	D11	\$2,350		
Cold Weather Recirculation (Extreme Service Duty) (Manual Transmission)	D13	\$9,045		
Auxiliary Hydraulic Pump Drive - Volvo or Mach chassis only - Consult Factory	D13a	\$3,140		
Auxiliary Hydraulic Pump Drive - FEPTO - Consult Factory	D13b	\$6,280		
1-1/4" High Pressure Plumbing to Front Hose Reel	D16	\$3,830		
5.5 GPM @ 2,500 PSI Hydraulic Drive Pump for Hydro-Excavation - includes 3/8" X 50' retractable reel	D17	\$10,160		
Air Purge System - HX System	D18	\$535		
Hydraulic Driven Charge Pump - Consult Factory	D19	\$9,045		
Lateral Cleaning Hose Reel w/ 150 x 1/2" Hose and Reel (crank rewind)	D20a	\$2,470		
Lateral Cleaning Hose Reel w/ 150 x 1/2" Hose & Reel (crank rewind)-Removable	D20b	\$3,175		
Lateral Reel Hydraulic Upgrade - Jet Out and Hydraulic In - (Cannot use option D20b with this option)	D20c*	\$3,300		
Lateral Reel Electronic Upgrade (Cannot use option D20b with this option)	D20d*	\$1,000		
Lateral Reel Additional 50'	D20e*	\$150		
Lateral Reel Additional 100'	D20f*	\$300		
Lateral Reel - Low Pressure Reel - 150'	D20g*	\$1,650		
Lateral Reel - Low Pressure Reel - 200'	D20h*	\$1,800		
Lateral Reel - Low Pressure Reel - 250'	D20i*	\$1,950		
MC Cold Weather Recirculation via Automatic Transmission	D21	\$1,100		
14 GPM @ 4,000 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22a	\$28,300		
19 GPM @ 2,900 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22b	\$28,300		
9.8 GPM @ 5,800 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22c	\$30,640		
12 GPM / 3,000 PSI Hydraulically Driven Pump upgrade for MC - Hose reel not included	D22e	\$20,500		
100 GPM @ 2,000 PSI Shaft Drive Water Pump - Includes Option D16 - 1 1/4" HP Plumbing to front hose reel and Option D19 is recommended - consult factory	D24a	\$7,060		
100 gpm @ 2500 psi Shaft Drive Water Pump General Pump or Similar - Includes Option D16 - 1 1/4" HP Plumbing to Front Hose Reel and Option D19 is recommended - Consult Factory	D24b	\$8,825		
100' x 1/2" Hand Gun Reel, Retractable w/100' x 1/2" Hose ILO Std.	D25	\$1,760		
10 GPM @ 2,500 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27a	\$13,000		
5.5 GPM @ 4,000 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27b	\$13,000		
6.6 GPM @ 3,625 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27c	\$13,000		
8.2 GPM @ 2,900 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D27d	\$13,000		
12.8 GPM @ 2,175 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose Reel Not Included	D27e	\$13,000		
Glycol Injection System - HX System	D28	\$745		



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTech



800-362-0240

Date:

Ohio STS: 800337 Index: STS670

	Option Number	Proposed List Price	List Price ALL SELECTED	Qty.	Comments
400,000 BTU Burner System - Rated to 4250 PSI - 12V DC, includes remote body prop and control switch on the curbside (Does not include Options D18 or D28) (Not Available with Option C17) Consult Factory	D29a	\$11,600			
400,000 BTU Burner System - Rated to 5800 PSI -12V DC, includes remote body prop and control switch on the curbside (Does not include Options D18 or D28) (Not Available with Option C17) Consult Factory	D29b	\$14,200			
400,000 BTU SS Horizontal Burner System - Rated to 4250 PSI - 12V DC (Does not include Options D18 or D28) (Not Available with Option C17) Consult Factory	D29c	\$14,700			
Steel Box 78" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30d	\$5,160			
Aluminum Box 78" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30e	\$6,125			
Stainless Steel Box 78" Wide x 28" Deep x 24" Tall with Wabasto Heater (18,800 BTU)	D30f	\$7,075			
Pump, Hose Reel, and Regulator Mounted in Steel Box (72x28x24) (Requires Option D30a, D30b, D30c, or other)	D31	\$5,265			
Insulate Hoses Outside Heated Box (3" supply line not included)	D32	\$1,470			
Insulate 72" Heated Box	D33	\$1,490			
Hot Water Heater Mounts Only - Heater Unit Not Included (See option D30 for a complete unit)	D34	\$825			
Upgrade 1/4" HX Gun & Lance to 1/2" Gun, Lance, and Extension with 1/4" Turbo Tip	D35	\$325			
Remove the Standard Equipped: Adjustable Low Pressure Water Spray Gun with 50' x 1/2" Hose	D39	(\$590)			
Hydro-Excavating Lance with Turbo Nozzle	D40a	\$450			
Hydro-Excavating Lance with Triple Head	D40b	\$795			
5' Extension for Hydro-Excavating Nozzle	D40c	\$150			
8" x 5' Aluminum Vacuum Tube w/ Hydro-Excavating Ring	D41	\$1,800			
Section E - Boom Options					
8" Front Mounted telescoping tube-in-tube boom - inside is true 8" - Up/Down, In/Out, Right/Left	Std.	Std.			
Nine (9) foot telescoping extension - 26' reach from center of truck	Std.	Std.			
180 degree power rotation via direct hydraulic gear (worm) drive with manual override	Std.	Std.			
Dual lift cylinders	Std.	Std.			
Cab protection rack	Std.	Std.			
9" Rubber Connector Hose at Articulation Bearing	Std.	Std.			
3/16" Steel Boom Elbow	Std.	Std.			
Boom Docking Station	Std.	Std.			
3/16" Heavy Duty Boom Elbow w/ 6" Formed Channel Radius	E7	\$1,090			
Stainless Steel Cannon ILO Steel	E99*	\$2,500			
Section F- Hose Reel Options					
Front chassis frame mounted hose reel with 180 degrees pivot arc articulation toward the curb side	Std.	Std.			
Manual telescoping sewer hose level wind	Std.	Std.			
800' hose reel capacity of 1" hose powered via hydraulic motor & gear box mounted directly to the reel frame	Std.	Std.			
1-1/2" Heavy duty swivel joint on hose reel spool for water, rated to 4000 PSI and 120 gpm working pressure	Std.	Std.			
Footage Counter on side of reel.	F1a	\$1,090			
GapVax Reel-Count Digital Footage Counter	F1c	\$3,060			Optional for Advanced System ACS-01
Angle Adapter for Manual Level Wind	F2	\$235			
Upgrade front hose reel to Power Articulate	F6	\$5,300			
Automatic Hose Level Wind	F11	\$7,500			
Interior Hose Expansion Ribs - Highly Recommended for 600' of Hose or More	F13	\$560			
Extend handle height 12" (higher) for manual hose guide	F15	\$215			
Double Roller on manual hose guide with opening feature (no footage counter), PN: A051625	F16	\$700			



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTech



800-362-0240

Date:

Proposed

List Price

List Price

Ohio STS: 800337 Index:STS670

Option

ALL

SELECTED

Number

Options

Qty.

Comments

Section G- Controls, Gauges, Accessories Options

Cab Mounted Control Panel for Blower, Water Pump, and Hydraulics	Std.	Std.		
Operator control panel is housed in a weather proof, sealed box rated to NEMA 4 standards	Std.	Std.		
Operator control panel includes: Light, reel speed and direction control, reel articulation control (band brake release), engine tachometer, water pressure gauge, hydraulic pressure gauge, vacuum gauge, electric engine throttle, water pump hour meter, blower hour meter, vacuum relief switch, joy stick for boom control, de-energize water pressure and relieve vacuum switch. Features may change based on options selected.	Std.	Std.		
3 Function Remote Pendant with Minimum of 25 Feet of Cable - Up/Down, In/Out, Left/Right for the Boom	Std.	Std.		
Emergency stop de-energize water flow valve and break vacuum	Std.	Std.		
If Automatic Transmission - Interlock for Throttle Control	Std.	Std.		
Low Water Level Display on Control Panel	G1	\$885		
Low water level, high temp, & overspeed pump shut down (required for automatic transmissions), includes Water Pump On / Off switch in front control box	G2	\$1,750		
Low Water Level Display on Control Panel & Low Water/Water Pressure Off/Return to Tank	G3c	\$1,475		Required with Advanced System ACS-01
High Level Debris Light & Alarm - Auto Blower Relief (Requires A3)	G4	\$665		Required with Advanced System ACS-01
High Level Debris Light & Alarm - Alarm at Operator Panel (Requires A3)	G4*	\$995		
Blower Temp Gauge	G5	\$345		
Blower Temp Gauge Wired to Air Operated Vacuum Relief	G6	\$700		Required with Advanced System ACS-01
Engine Oil Pressure and Water Temp at Operators Station	G7	\$900		
Body "Up" Light in Cab - Consult with Dealer on Transmission Lock	G14	\$770		Required with Advanced System ACS-01
Rear Door "Up" Light in Cab - Consult with Dealer on Transmission Lock	G15	\$770		Required with Advanced System ACS-01
Boom "Up" Light in Cab - Consult with Dealer on Transmission Lock	G16	\$770		Required with Advanced System ACS-01
Master Control - WL - Boom, Vacuum Relief and Throttle	G19	\$3,565		
Add Vacuum Break & Throttle to 25' Boom Pendant	G20	\$950		
Wireless Remote Control with Remote Water on/off Feature for front hose reel (includes option G22, but not the boom pendant - Option G20)	G21a	\$5,665		Required with Advanced System ACS-01
Wireless Remote Control with Remote Water on/off Feature for HX hose reel (includes option G22, but not the boom pendant - Option G20)	G21b	\$5,665		
Wireless Remote Control with Remote Water on/off Feature for both front and HX hose reels (includes option G22, but not the boom pendant - Option G20)	G21c	\$7,765		
Add remote water on/off control to control box and boom pendant (requires Option G20 to add to boom pendant)	G22	\$2,100		
Water pump on / off switch in front control box (pump overspeed control)	G27	\$1,000		
Add body dump controls to Wireless Remote Control, requires either Option G19 or G21	G28	\$3,250		
Water Pump Tachometer / Hourmeter (space permitting)	G29a	\$590		
Blower Tachometer / Hourmeter (space permitting)	G29b	\$590		
Electrical Switch on Control Panel - Additional	G30	\$320		
Advanced Electronic Control System - Proportional Hydraulics	ACS-02	\$3,000		Required with Advanced System ACS-01
Advanced Electronic Control System - Wireless Body Dump Controls	ACS-03	\$3,000		
Advanced Electronic Control System	ACS-01	\$13,500		Required with Advanced System ACS-01

Section H - Lighting Options

Truck-Lite LED. Stop, Turn, and Tail Lights (cab not included)	Std.	Std.		
Truck-Lite LED. Running (Marker) Lights (cab not included)	Std.	Std.		
Upgrade Stop/Tail/Turn Light Box to Polished Stainless Steel	Std.	Std.		
Strobe Beacon Light - Front	H1	\$585		
Strobe Beacon Light - Rear	H2	\$585		
Addition Strobe Light Front or Rear (ea.) Add	H3	\$295		
Wiring & Brackets for Strobes (each)	H16	\$505		



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



800-362-0240

Date:

Proposed

List Price

List Price

Ohio STS: 800337 Index:STS670

Option

ALL

SELECTED

Number

Options

Qty.

Comments

Strobe Beacon Light - Super LED - Front or Rear	H31	\$1,065			
Additional Super LED strobe	H31*	\$400			
Strobe Beacon Light - LED	H32	\$825			
(1) Boom Work Light - Standard	H5	\$605			
(1) Rear Work Light - Standard	H6	\$455			
(1) Side of Truck / Pump Compartment Work Light	H7	\$455			
Additional Work Light - Boom, Rear, Side / Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8a	\$95			
Two Additional Work Light - Boom, Rear, Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8b	\$190			
Three Additional Work Light - Boom, Rear, Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8c	\$290			
One (1) High Intensity LED Work Light (HELLA PB1500) on front hose reel to shine into manhole	H39a	\$715			
Two (2) High Intensity LED Work Lights (HELLA PB1500) on front hose reel to shine into manhole	H39b	\$940			
Upgrade to LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - One Pair	H9d	\$160			
Upgrade to LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Two Pair	H9e	\$320			
Upgrade to LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Three Pair	H9f	\$480			
Upgrade to HI LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - One Pair	H9g	\$475			
Upgrade to HI LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Two Pair	H9h	\$950			
Upgrade to HI LED Work Lights Add (Per Pair) Must Have H5, H6, H7, and must have option H8 - Three Pair	H9i	\$1,425			
Hand Spot Light w/25' Cord	H10	\$345			
Hand Spot Light w/25' Cord and Retractable Reel	H11	\$425			
Extra Spot Light Plug In	H12	\$160			
Cordless Rechargeable Work Light	H38	\$595			
Traffic Advisor - Straight - LED - 36" x 72"	H17	\$2,820			
Traffic Advisor - Arrow Style - LED - 36" x 72"	H29	\$5,265			
Traffic Advisor - Straight - LED - 44" Wide	H22	\$2,350			
Traffic Advisor - Arrow Style - LED - 44" Wide	H22*	\$3,327			
Traffic Advisor - Rear Arrow Light Box - LED - 30" x 60"	H36	\$4,140			
Cab Mounted Light Bar - LED - 72" Low Profile - Liberty	H20	\$4,335			
Cab Mounted Light Bar - LED - 72" Wide - Ultra Freedom	H30	\$6,100			
Cab Mounted Light Bar - LED - 72" Wide - Ultra Freedom with 8-Super LED Front Traffic Advisor	H30a	\$7,950			
Whelen ION Super LED Flashers (non-synchronized), 2 on each side front @ 90 degrees, 2 on each side middle @ 45 degrees, 4 on each side rear (2 @ 45 degrees, 2 on rear), total quantity of 16 light heads	H15	\$5,000			
Whelen ION Super LED Flashers (non-synchronized), 2 on each side front @ 90 degrees, 2 on each side middle @ 45 degrees, 3 on each side rear (1 @ 45 degrees, 2 on rear), total quantity of 14 light heads	H15a	\$4,700			
Whelen ION Super LED Flashers (non-synchronized), 2 on each side front @ 90 degrees, 2 on each side middle @ 45 degrees, 2 on each side rear (1 @ 45 degrees, 1 on rear), total quantity of 12 light heads	H15b	\$4,400			
Whelen ION Super LED Flashers (non-synchronized), 2 on each side front @ 90 degrees, 2 on each side rear, total quantity of 8 light heads	H15c	\$2,950			
Rear basic LED Flashers (4 single non-sync light heads), SS Mounting Boxes	H18	\$1,500			
Rear Whelen ION Super LED Flashers (non-synchronized), 3 on each side (rear), total quantity of 6 light heads , SS Mounting Plate	H18c	\$1,750			
Center Whelen ION Super LED Flashers (non-synchronized), 2 on each side (middle), total quantity of 4 light heads, SS Mounting Plate	H24b	\$1,500			
Front Whelen ION Super LED Flashers (non-synchronized), 2 on each side (front), total quantity of 4 light heads, SS Mounting Plate	H25b	\$1,500			
Section I - Storage, Tool Boxes, Enclosure Options					Check Qty.
Tool Box - Steel, 30" Wide x 24" Tall x 24" Deep	Std.	Std.			
Two (2) Galvanized Steel Tube Trays Mounted over SINGLE axles / tires - 7-1/2 ft. long	Std.	Std.			



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



800-362-0240

Date:

Proposed

List Price

List Price

Ohio STS: 800337 Index:STS670

Option

ALL

SELECTED

Number

Options

Qty.

Comments

Two (2) Galvanized Steel Tube Trays Mounted over TANDEM axles / tires - 10 ft. long	Std.	Std.		
Two (2) Galvanized Steel Tube Trays Mounted over TRI axles / tires - 13-1/2 ft. long	I1	\$1,775		
Tool Box - Aluminum, 36" Wide x 18" Tall x 24" Deep	I3a	\$1,125		
Tool Box - Stainless Steel, 36" Wide x 18" Tall x 24" Deep	I3b	\$1,590		
Tool Box - Aluminum, - 72" Wide x 24" High x 28" Deep (consult factory)	I4b	\$2,530		
Tool Box - Stainless Steel, - 72" Wide x 24" High x 28" Deep (consult factory)	I4c	\$3,400		
Tool Box - Aluminum, - 96" Wide x 24" High x 28" Deep (consult factory)	I5b	\$3,250		
Tool Box - Stainless Steel, - 96" Wide x 24" High x 28" Deep (consult factory)	I5c	\$4,400		
Tool Box - Aluminum - 24" Wide x 30" High x 50" Deep - In Rack	I5e*	\$2,000		
Tool Box - Stainless Steel - 24" Wide x 30" High x 50" Deep - In Rack	I5f*	\$2,650		
Upgrade Std. Tool Box 36" Wide x 18" Tall x 24" Deep to Aluminum	I6a	\$265		
Upgrade Std. Tool Box 36" Wide x 18" Tall x 24" Deep to Stainless Steel	I6b	\$735		
Upgrade Std. Tool Box 30" Wide x 24" Tall x 24" Deep to Aluminum	I6c	\$300		
Upgrade Std. Tool Box 30" Wide x 24" Tall x 24" Deep to Stainless Steel	I6d	\$765		
Upgrade Std. Tool Box 36" Wide x 24" Tall x 24" Deep to Aluminum	I6e	\$410		
Upgrade Std. Tool Box 36" Wide x 24" Tall x 24" Deep to Stainless Steel	I6f	\$825		
Tool Box - Aluminum, 36" Wide x 24" Tall x 24" Deep	I7b	\$1,250		
Tool Box - Stainless Steel, 36" Wide x 24" High x 24" Deep	I7c	\$1,650		
Tool Box - Aluminum, 30" Wide x 24" Tall x 24" Deep	I8b	\$1,125		
Tool Box - Stainless Steel, 30" Wide x 24" High x 24" Deep	I8c	\$1,600		
Tool Box - Aluminum, 48" Wide x 24" Tall x 24" Deep	I9b	\$1,500		
Tool Box - Stainless Steel, 48" Wide x 24" High x 24" Deep	I9c	\$2,250		
Hand Gun Holder	I10	\$190		
Tube Rack - Three Tube Rack - Non-Folding	I13	\$640		
Traffic Cone Holder - Specify Location	I14	\$185		
Water Cooler Holder	I15	\$250		
Wheel Chock Holder - Specify Location	I16	\$250		
Nozzle Rack - 6 Nozzles, 1"	I17	\$190		GapVax Note: Mount
Folding Rear Door Tube Rack (6 Tubes) - Folding (Tubes not included)	I18	\$1,675		
Brackets Only - Folding Rear Door Tube Rack	I18*	\$500		
Additional Fill Hose Rack	I19	\$185		
Rear Drain Hose Rack for 6" Layflat hose	I20	\$185		
Hose Hangers 12' long - both sides - not to rap back of tank	I21	\$2,370		
Upgrade Tube Trays to Polished Stainless Steel	I22	\$3,060		GapVax Note: Includes upgrade to SS if J16 medal mud flaps selected
Tube rack Mounted on tank - passenger side - four tube rack - non folding (tubes not included)	I23	\$1,060		
Tube rack Mounted on tank - drivers side - four tube tack - non folding (tubes not included)	I24	\$1,060		
Tool Box - Aluminum, 24" Wide x 30" Tall x 50" Deep	I25b	\$2,055		
Tool Box - Stainless Steel, 24" Wide x 30" Tall x 50" Deep	I25c	\$2,500		

Section K - Paint Options

Paint body and boom - White	Std.	Std.		
Paint frame, blower, silencer, boom base - Black	Std.	Std.		
Body paint code # required if other than white (subject to add'l charge): Base Single Stage No Metallic: Some colors may not apply	Std.	Std.		GapVax Note:
Stripe - Cab (per stripe), Up to 12" Wide - Vinyl	K1	\$1,040		
Stripe - Body (per stripe), Up to 12" Wide - Vinyl	K2	\$1,040		
Paint Cab & Door Jamb - Single Color - Paint Code # required:	K3	\$8,250		



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



800-362-0240

		Proposed		Date:
		List Price	List Price	Ohio STS: 800337 Index:STS670
Option	ALL	SELECTED		
Number	Options		Qty.	Comments
Rear Door Chevron Striping - Vinyl	K5	\$1,250		
Conspicuity Reflective Tape	K6	\$530		
Stripe Cab - Paint , Up to 12" Wide - per color - per stripe	K7	\$1,750		
Stripe Body - Paint , Up to 12" Wide - per color - per stripe	K8	\$2,000		
Paint frame other than black - Paint Code # required: Base Single Stage No Metallic: Some colors may not apply	K9	\$1,915		
Body paint code # required if other than white (subject to add'l charge): Base Single Stage No Metallic: Some colors may not apply	K10	\$600		
Delfleet Metallic Paint Upgrade-Paint Code # Required Two Stage Metallic Base Clear: Body, Boom & Reel Only	K11	\$5,900		
Delfleet Frame Two Stage Base Clear Metallic	K12	\$5,900		
Paint Body parts to match body color (in lieu of black)	K13	\$600		
Coat Debris Body with Protective Coating - May Be Required for Extended Warranty on Tank	K20	\$6,350		
Section M - Miscellaneous Options				
25 Feet of Vacuum Tubing:	Std.	Std.		
* 3 each of 8" x 5'	Std.	Std.		
* 1 each of 8" x 5' with fluidizer holes	Std.	Std.		
* 1 each of 8"X5' w/bolt on crown	Std.	Std.		
* Six 8" tube clamps	Std.	Std.		
Two Sewer Cleaning Nozzles	Std.	Std.		
(1) Tiger Tail Hose Guide	Std.	Std.		
Operations and Maintenance Manual	Std.	Std.		
In-Field Training - One Day	Std.	Std.		
6" Lay Flat Hose per foot \$2.30	M1	\$2.30		Check Qty.
3" Lay Flat Hose per foot \$1.22	M2	\$1.22		Check Qty.
Fill Hose 25' x 2 1/2"	M3	\$200		
Fill Hose 50' x 2 1/2"	M4	\$295		
Adaptor for City Specific Thread	M4*	\$210		
1/2" Sewer Hose - 4,000 PSI Cost per 100 Feet	M5	\$271		
3/4" Sewer Hose - 2,500 PSI Cost per 100 Feet	M6	\$325		
1" Sewer Hose - 2,500 PSI x 500 ft. Plastic	M7b	\$1,730		
1" Sewer Hose - 2,500 PSI x 600 ft. Plastic	M8b	\$2,075		
1" Sewer Hose - 2,500 PSI x 800 ft. Plastic - See option F13	M9b	\$2,740		
1" Upgrade to 3,000 PSI - Per 100 Feet	M9*	\$75		
1 1/4" Sewer Hose - 2,500 PSI Cost per 100 Feet	M8c	\$499		
Hyd. Tool Spool & Needle Valve – Curb Side (Adj. 3-13 GPM)	M10	\$1,765		
Hydraulic Tool Circuit Hose Reel w/ 2 each 50' x 1/2" Hose	M11	\$3,530		
2600 Watt 120 Volt AC Power inverter (requires 160 Amp alternator & 3 batteries-not included)	M14	\$3,530		
Additional Operations and Maintenance Manual - each	M15	\$215		
1" four wire extender	M26	\$120		
Traffic Cones - 5	M28	\$265		
Back-up Camera System with Color Monitor - Advanced System tie in	M29	\$1,950		Optional for Advanced System ACS-01
Back-up Camera System with Color Monitor - Stand Alone System	M29*	\$1,950		Optional for Advanced System ACS-01
Additional Camera for Camera System Each	M29a	\$800		Optional for Advanced System ACS-01
In-Field Training - Per Day	M96	\$1,220		
In-Shop Training - Per Day - Limit 4 people per Session	M97	\$1,220		
Customer Custom Changes - Per Day Labor	M98	\$1,220		
All Star Nozzle Kit (w/o Warthog) - 1/2"	N1a	\$2,200		
All Star Nozzle Kit (w/o Warthog) - 1"	N1b	\$3,250		



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



Date:

Ohio STS: 800337 Index: STS670

800-362-0240

	Option	Proposed List Price	List Price	
	Number	Options	SELECTED	Qty. Comments
All Star Nozzle Kit (w/o Warthog) - 1 1/4"	N1c	\$4,200		
Warthog Nozzle - 1/2"	N2a	\$1,483		
Warthog Nozzle - 1"	N2b	\$1,907		
Warthog Nozzle - 1 1/4"	N2c	\$2,119		
Warthog Super Centralizer	N2d	\$300		
Warthog Descaling Head	N2e	\$400		
Warthog 1" Magnum	N2f	\$2,979		
Warthog 1" Switcher	N2g	\$4,108		
Spider 50 - Chain Cutter - 1/2 inch	N3a	\$1,363		
Spider 80 - Chain Cutter - 1 inch	N3	\$2,832		
Spider 250 - Chain Cutter - 1 Inch	N4	\$4,832		
Mechanical Root Cutter - 1 Inch	N5	\$1,362		
Leader Hose 10' x 1"	N6a	\$91		
Leader Hose 15' x 1"	N7a	\$137		
Leader Hose 25' x 1"	N8a	\$193		
Leader Hose 10' x 1 1/4"	N6b	\$232		
Leader Hose 15' x 1 1/4"	N7b	\$296		
Leader Hose 25' x 1 1/4"	N8b	\$498		
Fluke Nozzle - 1"	N10	\$1,258		
Bulldozer Nozzle - 1"	N11	\$3,885		
Spinner	N18	\$942		
Confined Space Training 8 Hours - Ohio EPA Approved - Up to 15 People	P1	\$1,585		
Complete Tripod System - Tripod, 3 way SRL, Winch, Meter, Harness	P2	\$3,387		
Davit Arm System - Heavy Duty 5,000 lb. anchor point with SRL, Winch	P3	\$8,205		
Manhole Lifting Hook	Q1	\$45		
Grate Lifting Hook	Q2	\$178		
Magnetic Lid Lifter	Q3	\$1,723		
Adjustable Hydrant Wrench	R1	\$34		
Roller Guide Assembly for Upper Manhole	R2	\$451		
Safety manhole cover with 5 inch roller	R3	\$438		
Handi-Clam - 12" bucket	R5	\$461		
Handi-Clam - 16" bucket	R6	\$716		
Basin Shovel	R7	\$265		
Basin Spoon	R8	\$265		
Extend-a-Claw - 8' to 16' / 7' to 15' telescoping	R9	\$366		
Debris Catcher	R11	\$276		
Grit Catcher	R12	\$307		
Vac-Trap	R13	\$318		
Pole - One Section	R14	\$73		
Swage Kit - 1 1/4 Inch - Machine, Dies, Pusher	S1	\$1,484		
Swage Kit - 1 Inch - Machine, Dies, Pusher	S2	\$1,431		
Swage Kit - 3/4 Inch - Machine, Dies, Pusher	S3	\$1,378		
Swage Kit - 1/2 Inch - Machine, Dies, Pusher	S4	\$1,325		
(1) Tiger Tail Hose Guide - One is standard	T1	\$48		
Tube Handle - 8 Inch - 176-U189	T2	\$159		
Clamp - Debris Tube	T3	\$37		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 60"	T4*	\$239		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 72"	T4	\$239		
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 84"	T4a	\$259		



GapVax Combination Jet / Vacuum Machine
Sales Proposal for:
Ohio STS Pricing Effective July 1, 2016
Presented by: MTECH



800-362-0240

Date:

Proposed

List Price

List Price

Ohio STS: 800337 Index:STS670

Option

ALL

SELECTED

Number

Options

Qty.

Comments

Aluminum Tube - Catch Basin with Crown and Flange - 8" X 96"	T4b	\$269		
Aluminum Tube - Catch Basin with Rubber Crown for Hydro Excavation - 8" X 60"	T5	\$235		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 60"	T6	\$196		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 72"	T7	\$207		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 84"	T7a	\$227		
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 96"	T7b	\$247		
Clear Tube - 8" X 36"	T9	\$450		
Line Locator Receiver	U14	\$2,650		
Line Locator Sonde	U15	\$318		
Line Locator Transmitter	U16	\$954		
4 Gas Air Monitor	V2	\$790		
Calibration Kit - Base	V8	\$398		
Calibration Kit - Exotic Gases	V8*	\$798		
Easement Machine	W1	\$27,500		
Easement Machine Tracks - Fits Over Wheels 11" Wide	W2	\$5,500		
Easement Machine Fixed Tracks System 9" Wide	W3	\$9,500		
Easement Machine Expanded Wheels or Tracks 35" to 46"	W4	\$4,300		
Easement Machine Auto Level Wind	W5	\$5,400		
Easement Machine Trailer with Electronic Brakes and Tool Box	W6	\$7,000		
Easement Machine Dual Wheel Kit	W7	\$900		
Easement Machine Manual Outriggers (Each)	W8	\$250		
Laptop Installed in Cab "Tough Book" Type - Level 1	X1	\$4,500		
Laptop Installed in Cab "Tough Book" Type - Level 2	X2	\$5,500		
Demo Discount per Year Old - Deduct Two (2) Percent of Ohio STS Pricing	Y1			
Totals				
Base Unit List Price with Chassis			\$0	
Options List Price			\$0	
Total List Price			\$0	
* ALL PRICES ASSUME NO SALES TAX OR FET				
STS Discount Percent			5%	
STS Discount Dollars - (enter as a negative)			\$0	
Net Price After Discount			\$0	
Less: Trade-In (enter as a negative)				
Net Price After Discount and Trade-In			\$0	