

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
Date
Attn
Rep
FOB

01/01/2016

Model	Description	List Price
W35Ri	<p>W35Ri BASE MACHINE: Milling Machine mounted on three wheels. Equipped with Deutz, 60 HP engine. Exhaust post-treatment diesel oxidation catalyst DOC Ancillary parts milling drum housing FB350 - for operation without discharge conveyor Hydraulic drive for discharge conveyor or hydraulic jack hammer Milling drum FB350 HT08 LA15 with 31 picks Mechanical milling depth display right and left Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen lighting package including rotating beacon</p>	
Options		
Modular additional weight 3086 lbs / 1400 kg Equipment of the operator's stand with a standing seat Pre-programmable height positions with automatic positioning		
TOTAL		\$173,585

NOTES:

Wirtgen America, Inc.
6030 Dana Way
Antioch, TN 37013
Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
Date
Attn
Rep
FOB

01/01/2016

Model	Description	List Price
W50	W50 BASE MACHINE: Milling Machine mounted on three wheels. Equipped with Deutz, 80,3 HP engine. Version without scaper system Milling drum FB500 (1 ft 8 in) HT08 LA15 with 52 picks Mech. lifting seal front Operators's seat standard cpl. Milling depth display clock Milling unit locking flaps without loading conveyor system Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Lighting package with 5 halogen headlights and rotary beacon Three-wheel crawler unit	
Options		
TOTAL		\$178,714

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/ Fax 615-501-0607

2016 OHIO STS
LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/01/2016

Model	Description	List Price
W50Ri	<p>W50Ri BASE MACHINE: Milling Machine mounted on four wheels. Equipped with Deutz, 140.8 HP engine. Milling drum housing FB500 (20") with scraper system. For use with discharge conveyor. Milling drum FB500 (20") HT08 LA15 with 60 picks Hydraulically adjustable front milling drum unit seal FB500 (20"), incl. overload sensor Standard operator's seat Digital milling depth indicator in the control display Machine with hydraulic preliminary equipment for a discharge conveyor - screw coupling Discharge conveyor 18 ft 4 in / 5600 mm long, 1 ft 2 in / 350 mm, with hydraulic folding device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) LED / halogen lighting package including rotary beacon</p>	
Options		
	<p>Precision steering by pushbuttons for machine with 4-wheel chassis Increase traveling speed (3-wheel up to 8 km/h / 5 mph, 4-wheel up to 12 km/h / 7.5 mph)</p>	
TOTAL		\$270,957

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
Date
Attn
Rep
FOB

01/01/2016

Model	Description	List Price
W60Ri	<p>W60Ri BASE MACHINE: Milling Machine mounted on three/ four wheels. Equipped with Deutz, 141 HP engine. Milling drum housing FB600 (24") with scraper system. For use with discharge conveyor. Milling drum housing FB600 (24") HT08 LA15 with 70 picks Hydraulically adjustable front milling drum unit seal FB600 (24"), incl. overload sensor Standard operator's seat Digital milling depth indicator in the control display Machine with hydraulically preliminary equipment for a discharge conveyor - screw coupling discharge conveyor 18 ft 4 in / 5600 mm long, 1 ft 2 in / 350 mm, with hydraulic folding device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) LED / halogen lighting package including rotary beacon</p>	
Options		
	<p>Precision steering by pushbuttons for machine with 4-wheel chassis Increased traveling speed (3-wheel up to 8 km/h / 5 mph, 4 wheel up to 12km/h / 7.5 mph)</p>	
TOTAL		\$278,085

NOTES:

Wirtgen America, Inc.
6030 Dana Way
Antioch, TN 37013
Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/01/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
W100i	<p>W100i BASE MACHINE: Milling Machine mounted on four wheels. Equipped with Tier 4i engine Milling drum housing FB1000 (3 ft 3 in) Milling drum FB1000 (3 ft 3 in) HT22 LA15 with 100 picks Hydraulically lifting seal at front Operator's stand without roof Milling depth display clock Preliminary equipment for additional hydraulic functions Discharge conveyor 26 ft 4 in / 8020 mm long, 1 ft 8 in / 500mm wide, with manual folding device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen lighting package including rotary beacon</p>	
Options		
TOTAL		\$321,514

NOTES:

Wirtgen America, Inc.
6030 Dana Way
Antioch, TN 37013
Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/01/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
W100CFi	<p>W100CFI BASE MACHINE: 4 driven crawler units - standard Equipped with Cummins, 333 HP engine. Milling drum housing FB1000 (3 ft 3 in) FCS Milling drum FB1000 (3 ft 3 in) HT22 LA15 FCS with 102 picks Standard operator's seat Machine with hydraulic standard coupling for the discharge conveyor Discharge conveyor, 26 ft 9 in / 8150 mm long, 2 ft / 600 mm wide, with hydraulic folding device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen / LED lighting package including rotating beacon</p>	
Options		
	Precision steering by pushbuttons FCS tandem scraper FB1000 (39") RAPID SLOPE sensor for LEVEL PRO PLUS leveling system Electrohydraulic unit Job data acquisition in the control display Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)	
TOTAL		\$582,686

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
Date
Attn
Rep
FOB

01/01/2016

Model	Description	List Price
W120CFi	<p>W120CFI BASE MACHINE: 4 driven crawler units - standard Equipped with Cummins, 333 HP engine. Milling drum housing FB1200 (3 ft 11 in) FCS Milling drum FB1200 (3 ft 11 in) HT22 LA15 FCS with 115 picks Standard operator's seat Machine with hydraulic standard coupling for the discharge conveyour Discharge conveyour, 26 ft 9 in / 8150mm long, 2 ft / 600mm wide, with hydraulic folding device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen / LED lighting package including rotating beacon</p>	
	Options	
	Precision steering by pushbuttons FCS tandem scraper FB1200 (3 ft 11 in) RAPID SLOPE sensor for LEVEL PRO PLUS leveling system Electrohydraulic unit Job data acquisition in the control display Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)	
	TOTAL	\$591,929

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/01/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
W130CFi	<p>W130CFI BASE MACHINE: 4 driven crawler units - standard Equipped with Cummins, 333 HP engine. Milling drum housing FB1300 (4 ft 3 in) FCS Milling drum FB1300 (4 ft 3 in) HT22 LA15 FCS with 121 picks Standard operator's seat Machine with hydraulic standard coupling for the discharge conveyor Discharge conveyor, 26 ft 9 in / 8150mm long, 2 ft / 600mm wide, with hydraulic folding device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen / LED lighting package including rotating beacon</p>	
Options		
	Precision steering by pushbuttons FCS tandem scraper FB1300 (4 ft 3 in) RAPID SLOPE sensor for LEVEL PRO PLUS leveling system Electrohydraulic unit Job data acquisition in the control display Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)	
TOTAL		\$607,985

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS
LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/01/2016

Model	Description	List Price
W150CFi	W150CFi BASE MACHINE: Milling Machine mounted on four tracks. Equipped with Cummins, 380 HP engine. Exhaust post-treatment diesel oxidation catalyst DOC Milling drum housing FB1500 (4 ft 11 in) FCS Milling drum FB1200 (4 ft 11 in) HT22 LA15 FCS with 136 picks Standard operator's seat Machine with hydraulic standard coupling for the discharge conveyor Discharge conveyor, 26 ft 9 in / 8150mm long, 2 ft / 600mm wide, with hydraulic folding device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen / LED lighting package including rotating beacon Electrohydraulic unit	
Options		
	Precision steering by pushbuttons Additional control unit for operating the machine from the ground, left Scanning in front of the milling drum unit RAPID SLOPE sensor for LEVEL PRO PLUS leveling system Pneumatic hammer with pick ejector/ inserter WITOS FleetView telematics system incl. 3-year operating period (US) Monitor system with 2 cameras and screen Cold milling technology package 2016	
TOTAL		\$628,000

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
Date
Attn
Rep
FOB

01/01/2016

Model	Description	List Price
W200i	<p>W200i BASE MACHINE: Equipped with Cummins, 600 HP engine. Milling drum housing FB2200 (7 ft 3 in) FCS-L Milling drum FB2200 (7 ft 3 in) HT22 LA15 FCS with 181 picks Operator's stand with comfort seat package Exterior mirror standard Discharge conveyor, 25 ft 11 in / 7900mm long, 2 ft 9 in / 850mm wide, with hydraulic folding device Water tank filling from rear of machine Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen lighting package 24 V with rotary beacons</p>	
Options		
Additional weight 3748 lbs / 1700 kg Supporting device discharge conveyor 1 Pc. Operating display LEVEL PRO Transverse tilt sensor Milling drum rotation device 1 Pc. Pneumatic hammer with pick ejector/insertor Additional seats for pick change with storage compartment Milling depth measurement and display in the LEVEL PRO display Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)		
TOTAL		\$754,685

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
Date
Attn
Rep
FOB

01/01/2016

Model	Description	List Price
W200Hi	<p>W200Hi BASE MACHINE: Equipped with Cummins, 580 HP engine. Milling drum housing FB2100 (6 ft 11 in) without milling drum Milling drum FB2100 (6 ft 11 in) HT22 LA15 with 190 picks Operator's stand with single standing seats and a large storage compartment Exterior mirror standard Discharge conveyor, 25 ft 11 in / 7900mm long, 2 ft 9 in / 850 mm wide, with hydraulic folding device Water tank filling from rear of machine Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen lighting package 24 V with rotary beacons</p>	
Options		
Additional weight 2425 lbs / 1100 kg One ultrasonic sensor for scanning in front of the milling drum right or left 1 Pc. Operating display LEVEL PRO Transverse tilt sensor Pneumatic hammer with pick ejector/ inserter Additional seats for pick change with Milling depth measurement and display in the LEVEL PRO display Monitor system with 2 cameras Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)		
TOTAL		\$785,286

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/01/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
W210i	W210i BASE MACHINE Equipped with Cummins, 690 HP engine. Milling drum housing FB2200 (7 ft 3 in) FCS-L Milling drum FB2200 (7 ft 3 in) HT22 LA15 FCS with 181 picks Operator's stand with comfort seat package Exterior mirror standard Discharge conveyor, 25 ft 11 in / 7900mm long, 2 ft 9 in / 850 mm wide, with hydraulic folding device Water tank filling from rear of machine Paint standard cream white RAL 9001 Technical documentation - North America country version (US) spare part and application documentation English (EN) Halogen lighting package 24 V with rotary beacons	
Options		
Additional weight 3748 lbs / 1700 kg Supporting device discharge conveyor 1 Pc. Operating display LEVEL PRO Transverse tilt sensor Milling drum rotation device 1 Pc. Pneumatic hammer with pick ejector/ inserter Additional seats for pick change with storage compartment Milling depth measurement and display in the LEVEL PRO display Monitor system with 2 cameras Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)		
TOTAL		\$800,771

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS
LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/01/2016

Model	Description	List Price
W220	<p>W220 BASE MACHINE Equipped with CAT, 766 HP engine Milling drum housing FB2200 (7 ft 3 in) FCS-L Milling drum FB2200 (7 ft 3 in) HT22 LA15 FCS-L with 188 picks Operator's stand with comfort seat package Exterior mirror standard Discharge conveyor, 26 ft 9 in / 8150mm long, 3 ft 3 in / 1000 mm wide, with hydraulic folding device Water tank filling from rear of machine Paint standard cream white RAL 9001 Technical documentation - North America country version (US) spare part and application documentation English (EN) Halogen lighting package 24 V with rotary beacons</p>	
Options		
	<p>Supporting device discharge conveyor Hydraulic sensor for scanning ahead of the milling drum right 1 Pc. Operating display LEVEL PRO Multiplex 3-way right with 2 ultrasonic sensors, including Multiplex preliminary equipment Transverse tilt sensor Milling drum rotation device 1 Pc. Pneumatic hammer with pick ejector/ inserter Additional seats for pick change with storage compartment Milling depth measurement and display in the LEVEL PRO display Monitor system with 2 cameras Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)</p>	
TOTAL		\$829,871

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
Date
Attn
Rep
FOB

01/01/2016

Model	Description	List Price
W250i	<p>W250i BASE MACHINE High performance milling machine mounted on four crawler tracks. Equipped with 6-cyl Cummins QSX15 and QSL 9 engines for max of 991 HP Milling drum housing FB2200 (7 ft 3 in) Milling drum FB2200 (7 ft 3 in) HT22 LA15 FCS with 188 picks Operator's stand with comfortseat package Exterior mirror standard Discharge conveyor, 26 ft 9 in / 8150mm long, 3 ft 7 in / 1100mm wide, with hydraulic folding device Water tank filling from rear of machine Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen lighting package 24 V with rotary beacons</p>	
Options		
	<p>Supporting device discharge conveyor Hydraulic sensor for scanning ahead of the milling drum right 1 Pc. Operating display LEVEL PRO Multiplex 3-way right with 2 ultrasonic sensors, including Multiplex preliminary equipment Transverse tilt sensor Milling drum rotation device 1 Pc. Pneumatic hammer with pick ejector/ inserter Additional seats for pick change with storage compartment Milling depth measurement and display in the LEVEL PRO display Monitor system with 2 cameras Cold milling technology package 2016 WITOS FleetView telematics system incl. 3-year operating period (US)</p>	
TOTAL		\$1,005,678

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS

LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/01/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
W250i	<p>W250i BASE MACHINE</p> <p>High performance milling machine mounted on four crawler tracks. Equipped with 6-cyl Cummins QSX15 and QSL 9 engines for max of 991 HP</p> <p>Milling drum housing FB3800 (12 ft 6 in)</p> <p>Milling drum FB3800 (12 ft 6 in) HT22 LA15 FCS with 314 picks</p> <p>Operator's stand with comfortseat package</p> <p>Exterior mirror standard</p> <p>Discharge conveyor, 26 ft 9 in / 8150mm long, 3 ft 7 in / 1100mm wide, with hydraulic folding device</p> <p>Water tank filling from rear of machine</p> <p>Paint standard cream white RAL 9001</p> <p>Technical documentation - North America country version (US)</p> <p>Spare part and application documentation English (EN)</p> <p>Halogen lighting package 24 V with rotary beacons</p>	
Options		
	<p>Supporting device discharge conveyor</p> <p>Hydraulic sensor for scanning ahead of the milling drum right</p> <p>1 Pc. Operating display LEVEL PRO</p> <p>Multiplex 3-way right with 2 ultrasonic sensors, including Multiplex preliminary equipment</p> <p>Transverse tilt sensor</p> <p>Milling drum rotation device</p> <p>1 Pc. Pneumatic hammer with pick ejector/ inserter</p> <p>Additional seats for pick change with storage compartment</p> <p>Milling depth measurement and display in the LEVEL PRO display</p> <p>Monitor system with 2 cameras</p> <p>Cold milling technology package 2016</p> <p>WITOS FleetView telematics system incl. 3-year operating period (US)</p>	
TOTAL		\$1,117,914

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS
LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/01/2016

Model	Description	List Price
WR200XLi	WR200XLi BASE MACHINE WORKING WIDTH 2.4M: High performance cold recycler. Equipped with Mercedes OM 460, 429 HP engine. Milling and mixing rotor FB2400 bolt on holders LA20 D20 with 170 picks Version without spraying system Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen lighting package 24 V with rotary beacons	
Options		
Air conditioner Transverse tilt sensor WITOS FleetView telematics system incl. 3-year operating period (US)		
TOTAL		\$521,800

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS
LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/01/2016

Model	Description	List Price
WR240i	WR240i BASE MACHINE: High performance cold recycler. Milling drum FB2400 HT22 LA20 D22 with 170 picks Version without spraying system Version without binder spreader device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (US) Halogen lighting package 24 V with rotary beacons Version without waste air filtering	
Options		
	Air conditioner Transverse tilt sensor Milling drum rotation device WITOS FleetView telematics system incl. 3 year operating period (US)	
TOTAL		\$718,414

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607

2016 OHIO STS
LIST PRICE



WIRTGEN AMERICA

Customer			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/01/2016

Model	Description	List Price
WR250	WR250 BASE MACHINE: High performance cold recycler. 6-CYLINDER DIESEL ENGINE MODEL CAT C18 766 HP Milling drum FB2400 HT22 LA30x2 D22 with 208 picks Version without spraying system Version without binder spreader device Paint standard cream white RAL 9001 Technical documentation - North America country version (US) Spare part and application documentation English (EN) Halogen lighting package 24 V with rotary beacons Version without waste air filtering	
Options		
Air conditioner Transverse tilt sensor Pneumatic hammer with pick ejector/ inserter WITOS FleetView telematics system incl. 3-year operating period (US) 3 camera system		
TOTAL		\$819,100

NOTES:

Wirtgen America, Inc.
 6030 Dana Way
 Antioch, TN 37013
 Phone 615-501-0600/Fax 615-501-0607