



WIRTGEN AMERICA

HAMM COMPACTION PRODUCTS

List Price Book



Hamm Compaction Products

***All items herein are F.O.B. Destination - Prepaid even though the pricelist states otherwise. Prices are not subject to change without notice.

Effective: August 1, 2013



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz D 2011 L04 W, water-cooled, 4 cylinder, diesel, 64 HP at 2,500 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

DRUM: 54" wide x 39" diameter.

OTHER: ROPS/FOPS (2 post) with seat belt. Back-up alarm.

Model	Description	Operating Weight	List Price
3205	Smooth drum with drum drive and traction control.	11,585 lbs	\$87,216
3205 P	Pad foot drum with drum drive and traction control.	12,335 lbs	\$94,474
3205 PB	Pad foot drum with drum drive, traction control and strike-off blade.	13,075 lbs	\$109,273

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/FOPS (factory installed only)	\$21,218
Lights - front work, front and rear turn signals and flashers Field conversion kit (part # 870684)	\$2,455
Factory Installed	\$2,800
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear) Field conversion kit (part # 2156443)	\$1,115
Factory Installed	\$1,485
HCQ Compaction Meter and speedometer (required) (factory installed only)	\$8,500
Pad foot shell - 3 piece Field conversion kit (part # 2174319)	\$11,860
Strike-off blade Field conversion kit (part # H873039)	\$13,981
Factory Installed	\$16,975



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

DRUM: 66" wide x 48" diameter.

OTHER: ROPS/FOPS (2 post) with seat belt. Back-up alarm.

Model	Description	Operating Weight	List Price
3307	Smooth drum with drum drive and traction control.	14,594 lbs	\$107,681
3307 P	Pad foot drum with drum drive and traction control.	14,594 lbs	\$117,442
3307 PB	Pad foot drum with drum drive, traction control and strike-off blade.	15,454 lbs	\$132,082

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/FOPS (factory installed only)	\$21,218
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$2,455
Factory Installed	\$2,800
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,115
Factory Installed	\$1,485
HCQ Compaction Meter and speedometer (required) (factory installed only)	\$8,500
Pad foot shell - 3 piece	
Field conversion kit (part # 2174320)	\$13,550
Strike-off blade	
Field conversion kit (part # H864676)	\$14,817
Factory Installed	\$17,877

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

DRUM: 66" wide x 48" diameter.

OTHER: ROPS/FOPS (2 post) with seat belt. Back-up alarm.

Model	Description	Operating Weight	List Price
3307 HT	Smooth drum with drum drive and Hammtronic system.	14,594 lbs	\$115,108
3307 HT P	Pad foot drum with drum drive and Hammtronic system.	14,594 lbs	\$124,868
3307 HT PB	Pad foot drum with drum drive, Hammtronic system and strike-off blade.	15,454 lbs	\$139,508

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/FOPS (factory installed only)	\$21,218
Lights - front work, front and rear turn signals and flashers Field conversion kit (part # H870684)	\$2,455
Factory Installed	\$2,800
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear) Field conversion kit (part # 2156443)	\$1,115
Factory Installed	\$1,485
HCQ Compaction Meter and speedometer (required) (factory installed only)	\$8,500
Pad foot shell - 3 piece Field conversion kit (part # 2174320)	\$13,550
Strike-off blade Field conversion kit (part # H864676)	\$14,817
Factory Installed	\$17,877

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



SINGLE DRUM SELF-PROPELLED VIBRATORY / OSCILLATORY COMPACTOR

ENGINE: Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

DRUM: 66" wide x 48" diameter.

OTHER: ROPS/FOPS (2 post) with seat belt. Back-up alarm.

Model	Description	Operating Weight	List Price
3307 VIO	Smooth drum with drum drive, vibration or oscillation and traction control.	13,558 lbs	\$126,777

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/FOPS (factory installed only)	\$21,218
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$2,455
Factory Installed	\$2,800
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,115
Factory Installed	\$1,485
HCQ Compaction Meter and speedometer (required) (factory installed only)	\$8,500



SINGLE DRUM SELF-PROPELLED VIBRATORY / OSCILLATORY COMPACTOR

ENGINE: Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

DRUM: 66" wide x 48" diameter.

OTHER: ROPS/FOPS (2 post) with seat belt. Back-up alarm.

Model	Description	Operating Weight	List Price
3307 HT VIO	Smooth drum with drum drive, vibration or oscillation and Hammtronic system.	13,558 lbs	\$134,204

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/FOPS (factory installed only)	\$21,218
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$2,455
Factory Installed	\$2,800
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,115
Factory Installed	\$1,485
HCQ Compaction Meter and speedometer (required) (factory installed only)	\$8,500



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 140.7 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection. Speedometer. Engine tachometer. Vibration frequency indicator.

DRUM: 84" wide x 59" diameter.

OTHER: ROPS/canopy (2 post) with seat belt. Back-up alarm. Machine mounted front and rear work / driving lights, turn signals and flashers. Hammtronic drive system.

Model	Description	Operating Weight	List Price
H 11i	Smooth drum with drum drive and Hammtronic.	24,857 lbs	\$134,020
H 11i P	Pad foot drum with drum drive and Hammtronic.	25,574 lbs	\$145,803

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/canopy (factory installed only)	\$21,354
ROPS/canopy mounted front and rear work lights (2-front, 2-rear)	
ROPS/canopy work lights wiring kit (parts # 2235514)	\$810
ROPS/canopy work lights - 2 - front & 2 - rear (parts # 2235515)	\$500
Factory Installed	\$1,500
HCQ Compaction Meter (factory installed only)	\$8,000
Pad foot shell - 3 piece	
Field conversion kit (part # 2173639)	\$18,292



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 140.7 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection. Speedometer. Engine tachometer. Vibration frequency indicator.

DRUM: 84" wide x 59" diameter.

OTHER: ROPS/canopy (2 post) with seat belt. Back-up alarm. Machine mounted front and rear work / driving lights, turn signals and flashers. Hammtronic drive system.

Model	Description	Operating Weight	List Price
H 13i	Smooth drum with drum drive and Hammtronic.	28,285 lbs	\$150,958
H 13i P	Pad foot drum with drum drive and Hammtronic.	29,046 lbs	\$162,740

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/canopy (factory installed only)	\$21,354
ROPS/canopy mounted front and rear work lights (2-front, 2-rear)	
ROPS/canopy work lights wiring kit (parts # 2235514)	\$810
ROPS/canopy work lights - 2 - front & 2 - rear (parts # 2235515)	\$500
Factory Installed	\$1,500
HCQ Compaction Meter (factory installed only)	\$8,000
Pad foot shell - 3 piece	
Field conversion kit (part # 2173639)	\$18,292

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 140.7 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection. Speedometer. Engine tachometer. Vibration frequency indicator.

DRUM: 84" wide x 59" diameter.

OTHER: ROPS/canopy (2 post) with seat belt. Back-up alarm. Machine mounted front and rear work / driving lights, turn signals and flashers. Hammtronic drive system.

Model	Description	Operating Weight	List Price
H 13i VIO	Smooth drum with drum drive, vibration or oscillation and Hammtronic.	27,503 lbs	\$180,413

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/canopy (factory installed only)	\$21,354
ROPS/canopy mounted front and rear work lights (2-front, 2-rear)	
ROPS/canopy work lights wiring kit (parts # 2235514)	\$810
ROPS/canopy work lights - 2 - front & 2 - rear (parts # 2235515)	\$500
Factory Installed	\$1,500
HCQ Compaction Meter (factory installed only)	\$8,000



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 140.7 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection. Speedometer. Engine tachometer. Vibration frequency indicator.

DRUM: 84" wide x 59" diameter.

OTHER: ROPS/canopy (2 post) with seat belt. Back-up alarm. Machine mounted front and rear work / driving lights, turn signals and flashers. Hammtronic drive system.

Model	Description	Operating Weight	List Price
H 16i	Smooth drum with drum drive and Hammtronic.	35,186 lbs	\$180,413
H 16i P	Pad foot drum with drum drive and Hammtronic.	35,373 lbs	\$192,194

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/canopy (factory installed only)	\$21,354
ROPS/canopy mounted front and rear work lights (2-front, 2-rear)	
ROPS/canopy work lights wiring kit (parts # 2235514)	\$810
ROPS/canopy work lights - 2 - front & 2 - rear (parts # 2235515)	\$500
Factory Installed	\$1,500
HCQ Compaction Meter (factory installed only)	\$8,000
Pad foot shell - 3 piece	
Field conversion kit (part # 2173639)	\$18,292

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TCD 6.1 L6, turbo-charged, water-cooled, 6 cylinder, Tier 4i, diesel, 214.4 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection. Speedometer. Engine tachometer. Vibration frequency indicator.

DRUM: 84" wide x 63" diameter.

OTHER: ROPS/canopy (2 post) with seat belt. Back-up alarm. Machine mounted front and rear work / driving lights, turn signals and flashers. Hammtronic drive system. Electric opening engine cover.

Model	Description	Operating Weight	List Price
H 18i	Smooth drum with drum drive and Hammtronic.	39,996 lbs	\$215,022
H 18i P	Pad foot drum with drum drive and Hammtronic.	40,834 lbs	\$229,750

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/canopy (factory installed only)	\$21,354
ROPS/canopy mounted front and rear work lights (2-front, 2-rear)	
ROPS/canopy work lights wiring kit (parts # 2235514)	\$810
ROPS/canopy work lights - 2 - front & 2 - rear (parts # 2235515)	\$500
Factory Installed	\$1,500
HCQ Compaction Meter (factory installed only)	\$8,000
Pad foot shell - 3 piece	
Field conversion kit (part # 2181535)	\$21,875

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TCD 6.1 L6, turbo-charged, water-cooled, 6 cylinder, Tier 4i, diesel, 214.4 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection. Speedometer. Engine tachometer. Vibration frequency indicator.

DRUM: 84" wide x 63" diameter.

OTHER: ROPS/canopy (2 post) with seat belt. Back-up alarm. Machine mounted front and rear work / driving lights, turn signals and flashers. Hammtronic drive system. Electric opening engine cover.

Model	Description	Operating Weight	List Price
H 20i	Smooth drum with drum drive and Hammtronic.	42,906 lbs	\$229,750
H 20i P	Pad foot drum with drum drive and Hammtronic.	43,744 lbs	\$244,477

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/canopy (factory installed only)	\$21,354
ROPS/canopy mounted front and rear work lights (2-front, 2-rear)	
ROPS/canopy work lights wiring kit (parts # 2235514)	\$810
ROPS/canopy work lights - 2 - front & 2 - rear (parts # 2235515)	\$500
Factory Installed	\$1,500
HCQ Compaction Meter (factory installed only)	\$8,000
Pad foot shell - 3 piece	
Field conversion kit (part # 2181535)	\$21,875



SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR

ENGINE: Model: Deutz TCD 6.1 L6, turbo-charged, water-cooled, 6 cylinder, Tier 4i, diesel, 214.4 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection. Speedometer. Engine tachometer. Vibration frequency indicator.

DRUM: 84" wide x 63" diameter.

OTHER: ROPS/canopy (2 post) with seat belt. Back-up alarm. Machine mounted front and rear work / driving lights, turn signals and flashers. Hammtronic drive system. Electric opening engine cover.

Model	Description	Operating Weight	List Price
H 25i	Smooth drum with drum drive and Hammtronic.	53,599 lbs	\$294,551

OPTIONS

ROPS Cab with heater, AC and front and rear work lights - in lieu of ROPS/canopy (factory installed only)	\$21,354
ROPS/canopy mounted front and rear work lights (2-front, 2-rear)	
ROPS/canopy work lights wiring kit (parts # 2235514)	\$810
ROPS/canopy work lights - 2 - front & 2 - rear (parts # 2235515)	\$500
Factory Installed	\$1,500
HCQ Compaction Meter (factory installed only)	\$8,000
Pad foot shell - 3 piece	
Field conversion kit (part # 2181535)	\$21,875



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Kubota D1005-E3B, water-cooled, 3 cylinder, diesel, 20 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 20 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 8 VV	Drums - 31.5" wide X 24.4" diameter. Fixed 2.2" offset. Front only / rear only / both drums vibrate.	3,373 lbs	\$36,230
HD 10C VV	Drums - 39.4" wide X 24.4" diameter. Fixed 2.2" offset. Front only / rear only / both drums vibrate.	3,682 lbs	\$37,997

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # H2036473).	\$234
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156444).	\$290
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156445).	\$461
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$860 \$1,761
Aluminum sun shade canopy. Field conversion kit only (part # 2156435)	\$606

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Kubota D1503-M-E3B, water-cooled, 3 cylinder, diesel, 30 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 48 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 10 VV	Drums - 39.4" wide X 28.3" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	5,467 lbs	\$44,919
HD 12 VV	Drums - 47.2" wide X 28.3" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	5,964 lbs	\$46,835

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$290
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$334
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$517
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$860 \$1,761
Aluminum sun shade canopy. Field conversion kit only (part # 2156436)	\$606

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Kubota D1503-M-E3B, water-cooled, 3 cylinder, diesel, 30 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 48 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 10 VO	Drums - 39.4" wide X 28.3" diameter. 2" drum offset. Front vibratory drum / rear oscillatory drum.	5,567 lbs	\$54,492
HD 12 VO	Drums - 47.2" wide X 28.3" diameter. 2" drum offset. Front vibratory drum / rear oscillatory drum.	6,074 lbs	\$56,407

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$290
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$334
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$517
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$860 \$1,761
Aluminum sun shade canopy. Field conversion kit only (part # 2156436)	\$606

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, diesel, 46.4 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 76.6 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 13 VV	Drums - 51.2" wide X 35.4" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	8,752 lbs	\$64,065
HD 14 VV	Drums - 54.3" wide X 35.4" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	9,579 lbs	\$67,747

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$290
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$334
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$517
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$891 \$1,857
Aluminum sun shade canopy. Field conversion kit only (part # 2156437)	\$606

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, diesel, 46.4 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 76.6 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 13 VO	Drums - 51.2" wide X 35.4" diameter. 2" drum offset. Front vibratory drum / rear oscillatory drum.	8,851 lbs	\$75,847
HD 14 VO	Drums - 54.3" wide X 35.4" diameter. 2" drum offset. Front vibratory drum / rear oscillatory drum.	9,778 lbs	\$79,529

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$290
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$334
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$517
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$891 \$1,857
Aluminum sun shade canopy. Field conversion kit only (part # 2156437)	\$606

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 74 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 185 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 70i VV	Drums - 59" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate.	15,830 lbs	\$131,812
HD+ 70i VV HF	Drums - 59" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate.	15,830 lbs	\$135,493

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: August 1, 2013



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 74 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 185 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 70i VO	Drums - 59" wide X 45" diameter. 5.3" hydraulic offset. Front vibratory drum / rear oscillatory drum.	16,005 lbs	\$153,166

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: August 1, 2013



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 74 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 185 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 80i VV	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate.	16,623 lbs	\$140,649
HD+ 80i VV-S	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate. Front and rear drums split.	17,020 lbs	\$170,840
HD+ 80i VV HF	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate.	16,623 lbs	\$144,330

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894).	\$4,159
Factory installed.	\$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630).	\$4,742
Factory installed.	\$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444).	\$1,818
Field conversion kit - rear mount (part # 2141855).	\$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: August 1, 2013



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 74 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 185 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 80i VO	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front vibratory drum / rear oscillatory drum.	16,800 lbs	\$164,949
HD+ 80i VO-S	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front vibratory drum / rear oscillatory drum. Front, vibratory drum, split.	16,998 lbs	\$183,947

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: August 1, 2013



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 114 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 90i VV	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	20,327 lbs	\$148,749
HD+ 90i VV-S	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate. Front and rear drums split.	21,383 lbs	\$185,700
HD+ 90i VV HF	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	20,327 lbs	\$153,166

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 114 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 90i VO	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	20,327 lbs	\$178,203
HD+ 90i VO-S	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum. Front, vibratory drum, split.	20,855 lbs	\$201,550

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 114 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 110i VV	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	22,862 lbs	\$156,112
HD+ 110i VV HF	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	22,862 lbs	\$160,530

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 114 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 110i VO	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	22,388 lbs	\$185,567

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 154 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 120i VV	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	27,569 lbs	\$178,203
HD+ 120i VV HF	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	27,569 lbs	\$184,095

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 154 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 120i VO	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	28,164 lbs	\$207,659

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 154 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 140i VV	Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	28,936 lbs	\$200,295
HD+ 140i VV HF	Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	28,936 lbs	\$206,186

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 154 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 140i VO	Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	29,310 lbs	\$234,169

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Kubota D1503-M-E3B, water-cooled, 3 cylinder, diesel, 30 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 50 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 10 VT	Front drum - 39.4" wide X 28.3" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	5,148 lbs	\$48,601
HD 12 VT	Front drum - 47.2" wide X 28.3" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	5,776 lbs	\$50,516

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$290
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$334
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$517
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$860 \$1,761
Aluminum sun shade canopy. Field conversion kit only (part # 2156436)	\$606

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, diesel, 46.4 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 76.6 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 13 VT	Front drum - 51.2" wide X 35.4" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	8,422 lbs	\$68,483
HD 14 VT	Front drum - 54.3" wide X 35.4" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	8,785 lbs	\$72,165

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$290
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$334
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$517
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$891 \$1,857
Aluminum sun shade canopy. Field conversion kit only (part # 2156437)	\$606



VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 74 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for front drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 185 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 70i VT	Front drum - 66" wide X 45" diameter. 4 pneumatic rubber tires in rear. 5.3" offset capability.	15,135 lbs	\$141,384
HD+ 80i VT	Front drum - 66" wide X 45" diameter. 4 pneumatic rubber tires in rear. 5.3" offset capability.	15,895 lbs	\$153,166

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING

- ENGINE:** Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 114 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for front drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

Model	Description	Operating Weight	List Price
HD+ 90i VT	Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability.	19,371 lbs	\$164,949
HD+ 90i VT-S	Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability. Front drum split.	19,899 lbs	\$177,650
HD+ 110i VT	Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability.	21,300 lbs	\$173,784

OPTIONS

ROPS - Cab with heater and AC - in lieu of open ROPS/canopy. Factory installed only.	\$21,797
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$4,159 \$4,659
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$513
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,742 \$5,242
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$641
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,818 \$1,818

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



SEVEN (7) WHEEL, ARTICULATED, PNEUMATIC RUBBER TIRED COMPACTOR

- ENGINE:** Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, diesel, 46.4 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- TIRES:** Seven (7) - 10.5 / 80-16
- TIRE SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 76.6 US gallons.
- OTHER:** 2 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
HD 14 TT	Seven wheel pneumatic rubber tired compactor.	7,651 lbs	\$72,054

OPTIONS

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$290
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$334
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$517
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$891 \$1,857
Aluminum sun shade canopy. Field conversion kit only (part # 2156437)	\$606

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



EIGHT (8) WHEEL PNEUMATIC RUBBER TIRED COMPACTOR

ENGINE: Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 114 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, vandalism protection, speedometer.

TIRES: Eight (8) - 11.00-R20, 12 ply rated.

TIRE SPRAY SYSTEM: Pressurized spray system with electric pump, interval switch, water level gauge. Water tank capacity - 51 US gallons.

OTHER: 2 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

Model	Description	Operating Weight	List Price
GRW 280i-10T	Eight wheel pneumatic rubber tired compactor.	19,171 lbs	\$146,539
GRW 280i-15T	Eight wheel pneumatic rubber tired compactor.	29,076 lbs	\$159,057

OPTIONS

ROPS Cab with heater and AC - in lieu 2 post ROPS (factory installed only).	\$22,386
Winter Aprons (heat retention skirts) (includes four (4), side mounted, tie down eyes) (factory installed only).	\$9,991
Tire inflation system (air on the run) (factory installed only).	\$5,665
Spare wheel and tire assembly.	\$2,421



EIGHT (8) WHEEL PNEUMATIC RUBBER TIRED COMPACTOR

ENGINE: Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 114 HP at 2,300 RPM.

INSTRUMENTS: Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, vandalism protection, speedometer.

TIRES: Eight (8) - 11.00-R20, 12 ply rated.

TIRE SPRAY SYSTEM: Pressurized spray system with electric pump, interval switch, water level gauge. Water tank capacity - 51 US gallons.

OTHER: 2 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and front disc brakes.

Model	Description	Operating Weight	List Price
GRW 280i-20T	Eight wheel pneumatic rubber tired compactor.	38,209 lbs	\$184,094
GRW 280i-25T	Eight wheel pneumatic rubber tired compactor.	49,754 lbs	\$197,349
GRW 280i-30T	Eight wheel pneumatic rubber tired compactor.	58,947 lbs	\$210,605

OPTIONS

ROPS Cab with heater and AC - in lieu 2 post ROPS (factory installed only).	\$22,386
Winter Aprons (heat retention skirts). (includes four (4), side mounted, tie down eyes) (factory installed only).	\$9,991
Tire inflation system (air on the run) (factory installed only).	\$5,665
Spare wheel and tire assembly.	\$2,421

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)



HCQ GPS Navigator

- * **Soil compaction:** the HCQ GPS Navigator for soil is a documentation system for CCC (= continous compaction control)
- * **Asphalt compaction:** the HCQ-GPS-Navigator for asphalt links the number of passes and asphalt temperature with the GPS position coordinates and illustrates the result graphically on the panel PC

Availability:

- * **Soil compactors = 3000 series and H series**
- * **Asphalt compactors = HD+ and DV series**

	Comments	List Price
Preparation - HCQ		
Preparation - HCQ GPS system includes Compaction meter - soil compactor		\$10,815
Preparation - HCQ GPS system includes Compaction meter - asphalt compactor		\$10,815
HCQ basis case - without HCQ-components		
		\$1,050
HCQ application version		
HCQ-GPS Navigator panel PC - for soil and asphalt - includes software		\$41,000
GPS receiver / signal type		
Receiver with WAAS signal (accuracy - 3 ft)	Soil	\$12,020
Receiver with VBS signal (accuracy - 30 in)	Soil	\$12,020
Receiver with HP signal (accuracy - 3 in)	Soil / Asphalt	\$19,800
Receiver with RTK signal (accuracy - 1 in)	Soil / Asphalt	\$30,000

Requirement:		
Soil: speedometer on 3000 series compactors only	standard - steering	\$850
Asphalt: HCQ asphalt thermometer front and rear		\$3,636

GPS modem / ground station		
requirement: receiver with RTK signal		
GPS RTK modem		\$13,300
GPS RTK ground station		\$66,500
requiriement: GPS RTK modem		

Licenses

A list of all licenses can be found in each case. Depending on accuracy and run time the license can be ordered and activated through the service department

Costs for training and instruction are not included in the above prices. Inquiries are handled through the Service Department of Wirtgen America, Antioch, TN

(PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE)

List Prices in US Dollars, FOB Port of Entry

Price List Effective: June 1, 2013



HCQ GPS Navigator

NOTES

WAAS signal

Preset GPS-receiver for differential signal WAAS = accuracy 3 feet
WAAS: only available for the US - **license free of charge**

VBS signal

Preset GPS-receiver for differential signal VBS = accuracy 30 inches
available worldwide, however limited to certain regions (has to be checked case by case)
License available for a fee

HP signal

Preset GPS-receiver for differential signal HP = accuracy 3 inches
HP signal available in Europe, North America, Australia, Asia, India, Middle East, North Africa
Availability has to be checked case by case
License available for a fee

RTK signal

Preset GPS-receiver for differential signal RTK = accuracy 1 inch
The high accuracy can only be achieved with the help of a stationary ground station
which transmits the data to the receiver via modem

GPS-RTK radio modem

Requirement to be able to use communication to a GPS ground station with RTK signal
Thus, high accuracy can be achieved.

GPS-RTK ground station

Stationary reference station (jobsite)
Consisting of a case, mobile modem, RTK base, Geodetic antenna and tripod
Attention: The ground station will only be supervised for HAMM machines. For external
machines like crawlers, excavators etc.. no support can be granted.

Note regarding GPS receiver

Receiving restrictions caused by high buildings, valleys, tree overhangs etc. have to be
considered.