

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/17/2014

Qty	Description	Unit Price	TOTAL
	Wirtgen SP15 Multipurpose Slipform Paver Equipped as follows: Deutz 123.4 engine Digital control system Proportional electric/hydraulic leveling and steering Three hydraulic driven crawlers Curb and gutter mold up to 32" Two straight vibrators Level pro System with additional control Belt conveyor reversible Trimmer with LH discharge 39.4		
	SP15 LISTING PRICE		\$ 215,000.00

SubTotal
 Shipping

Payment
TERMS: _____

TOTAL NET DUE

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W35DC BASE MACHINE: Milling Machine mounted on three wheels. Equipped with Deutz, 57,4 HP engine. Stand on operator station. Front wheel steering. 350mm cutting width and depth up to 110mm in one pass. Hydraulic depth and slope adjustment. All wheel drive included. Capable of milling manhole covers of only 600mm diameter. STANDARD OPTIONS INCLUDED: Operator's station with stand-up seat. Hydraulic power take-off connection. Extra manuals.		
	W35DC LISTING PRICE		\$ 128,030.00

SubTotal	_____
Shipping	_____

Payment
TERMS: _____

TOTAL NET DUE _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W50 BASE MACHINE: Milling Machine mounted on three wheels. Equipped with Deutz, 80,3 HP engine. Operators station with drivers seat. Hydraulic side plate lifters. 500mm cutting width and depth up to 160mm in one pass. Hydraulic depth and slope adjustment. Rear view mirror. Proportional rear milling depth adjustment. STANDARD OPTIONS INCLUDED: Extra manuals.		
	W50 LISTING PRICE		\$148,731.00

SubTotal	_____
Shipping	_____
TOTAL NET DUE	_____

Payment
TERMS: _____

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W50DC BASE MACHINE: Milling Machine mounted on three wheels. Equipped with Deutz, 123 HP engine. Operators station with drivers seat. Hydraulic side plate lifters. 500mm cutting width and depth up to 210mm in one pass. One stage detachable conveyor system - 400mm wide belt. Proportional rear milling depth adjustment. Rear view mirror. Infinitely variable hydraulic, all wheel drive with three speed ranges. STANDARD OPTIONS INCLUDED: 4 WHEELS IN LIEU OF 3 Tandem scraper FCS to allow reduced milling widths in case additional drums are ever purchased. WIFMS (Interface for machine information)		
	W50DC 4 WHEEL LISTING PRICE		\$ 216,041.00

SubTotal	_____
Shipping	_____

TOTAL NET DUE	_____

Payment
TERMS: _____

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W50DC BASE MACHINE: Milling Machine mounted on three wheels. Equipped with Deutz, 123 HP engine. Operators station with drivers seat. Hydraulic side plate lifters. 500mm cutting width and depth up to 210mm in one pass. One stage detachable conveyor system - 400mm wide belt. Proportional rear milling depth adjustment. Rear view mirror. Infinitely variable hydraulic, all wheel drive with three speed ranges. STANDARD OPTIONS INCLUDED: Tandem scraper FCS to allow reduced milling widths in case additional drums are ever purchased. WIFMS (interface for machine info) Extra manuals.		
	W50DC LISTING PRICE		\$ 208,008.00

SubTotal	
Shipping	
TOTAL NET DUE	

Payment
TERMS: _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W60i BASE MACHINE: Milling Machine mounted on three wheels. WITH 6-CYLINDER DIESEL ENGINE MODEL DEUTZ TCD 6.1 L6 - power rated at 2300 min-1: 160 kW / 215 HP / 218 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right-hand wheel support assy swivels in front of drum for milling close to the curb. 600mm cutting width and depth up to 300mm in one pass. One stage detachable conveyor system - 500mm wide belt. Illuminated control panel for night. Infinitely variable hydraulic, all wheel drive with four speed ranges. STANDARD OPTIONS INCLUDED: Basic FCS milling drum housing with easily accessible door. Hydraulic connection for additional equipment. Rear right wheel swings hydraulically. FCS 600mm drum with HT 11 quick change holder system. Level Pro Grade control with one display as well as LH & RH wire rope sensors. Front seal. Extra manuals.		
	W60i LISTING PRICE		\$261,492.00

SubTotal	
Shipping	
TOTAL NET DUE	

Payment
TERMS: _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/17/2014

Qty	Description	Unit Price	TOTAL
	W60i BASE MACHINE: Milling Machine mounted on three wheels. WITH 6-CYLINDER DIESEL ENGINE MODEL DEUTZ TCD 6.1 L6 - power rated at 2300 min-1: 160 kW / 215 HP / 218 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right-hand wheel support assy swivels in front of drum for milling close to the curb. 600mm cutting width and depth up to 300mm in one pass. One stage detachable conveyor system - 500mm wide belt. Illuminated control panel for night. Infinitely variable hydraulic, all wheel drive with four speed ranges. STANDARD OPTIONS INCLUDED: Basic FCS milling drum housing with easily accessible door. Hydraulic connection for additional equipment. Rear right wheel swings hydraulically. FCS 600mm drum with HT 11 quick change holder system. Level Pro Grade control with one display as well as LH & RH wire rope sensors. Front seal. Extra manuals. 4 Wheel in lieu of std. W60i LISTING PRICE		
			\$272,473.00

SubTotal
 Shipping

Payment
TERMS: _____

TOTAL NET DUE

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W100Fi BASE MACHINE: EQUIPPED WITH 6-CYLINDER DIESEL ENGINE CUMMINS QSL 9 - power rated at 2,100 min- 224 kW / 300 HP / 305 PS - maximum power at 1,900 - 2,000 min-1: 239 kW / 320 HP / 325 PS - emission standard : EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right wheel assy swivels in front of drum for milling close to the curb. 1000mm cutting width and depth up to 320mm in one pass. Two stage detachable conveyor system - 650/600mm wide belt. Hydraulic side plate lifters. Infinitely variable hydraulic, all wheel drive with three speed ranges. STANDARD OPTIONS INCLUDED: 4 tracks in lieu of wheels 1000mm drum with HT11 quick change holder system. Level Pro Grade control one display with RH and LH wire rope sensors. Folding conveyor in lieu of std Slope control. Rear steering. Extra manuals. WIFMS (interface for for machine info) Water suction pressure pump W100Fi LISTING PRICE		
			\$ 466,637.00

SubTotal	
Shipping	

Payment
TERMS: _____

TOTAL NET DUE

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/17/2014

Qty	Description	Unit Price	TOTAL
	W100i BASE MACHINE: Milling Machine mounted on four wheels. Equipped with Tier 4i engine Operators station with drivers seat. Rear right-hand wheel support assy swivels in front of drum for milling close to the curb. 1000mm cutting width and depth up to 300mm in one pass. One stage detachable conveyor system - 500mm wide belt. Illuminated control panel for night. Infinitely variable hydraulic, all wheel drive with four speed ranges. STANDARD OPTIONS INCLUDED: 1000mm drum with HT 11 quick change holder system. Milling drum housing with easily accessible door. Hydraulic connection Rear right wheel swings hydraulically. Level Pro Grade control with one display and a RH & LH wire rope sensor. Hydraulic side plate lifters Front seal. Extra manuals. W100i LISTING PRICE		
			\$280,597.00

SubTotal
 Shipping

Payment
TERMS: _____

TOTAL NET DUE

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W120Fi BASE MACHINE: WITH 6-CYLINDER DIESEL ENGINE MODEL CUMMINS QSL9 -300 - Rated power at 2100 min-1: 224 kW / 300 HP / 305 PS - Maximum power at 1900 min-1: 239 kW / 320 HP / 325 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right wheel assy swivels in front of drum for milling close to the curb. 1200mm cutting width and depth up to 320mm in one pass. Two stage detachable conveyor system - 650/600mm wide belt. Hydraulic side plate lifters. Infinitely variable hydraulic, all wheel drive with three speed ranges. STANDARD OPTIONS INCLUDED: 4 tracks in lieu of wheels FCS 1200mm drum with HT 11 quick change holder system. Basic FCS milling drum housing. LEVEL PRO Grade control with one display as well as one wire rope RH & LH side sensors. Slope control. Rear steering. Extra manuals. Hydraulic folding conveyor in lieu of std. Tandem scraper		
	W120Fi FCS LIST PRICE		\$ 492,670.00

SubTotal	
Shipping	
TOTAL NET DUE	

Payment
TERMS: _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W120Fi BASE MACHINE: WITH 6-CYLINDER DIESEL ENGINE MODEL CUMMINS QSL9 -300 - Rated power at 2100 min-1: 224 kW / 300 HP / 305 PS - Maximum power at 1900 min-1: 239 kW / 320 HP / 325 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right wheel assy swivels in front of drum for milling close to the curb. 1200mm cutting width and depth up to 320mm in one pass Two stage detachable conveyor system - 650/600mm wide belt. Hydraulic side plate lifters. Infinitely variable hydraulic, all wheel drive with three speed ranges. STANDARD OPTIONS INCLUDED: 4 tracks in lieu of wheels 1200mm drum with HT 11 quick change holder system. LEVEL PRO Grade control with one display as well as one wire rope RH & LH side sensors. Slope control. Rear steering. Extra manuals. Hydraulic folding conveyor in lieu of std. WIFMS (machine interface)		
	W120Fi LISTING PRICE		\$ 474,865.00

SubTotal	
Shipping	

Payment
TERMS: _____

TOTAL NET DUE

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W150i BASE MACHINE: Milling Machine mounted on four tracks. EQUIPPED WITH 6-CYLINDER DIESEL ENGINE CUMMINS QSL 9 - power rated at 2,100 min- 283 kW / 380 HP / 385 PS - maximum power at 1,900 - 2,000 min-1: 298 kW / 400 HP / 405 PS - emission standard : EU Stage 3b / US Tier 4i LH & RH access to operators station. Hydraulic lifting primary conveyor. Additional lock valve. Hydraulic side plate lifters. Air Compressor STANDARD OPTIONS INCLUDED: Hydraulic folding conveyor in lieu of std. Basic FCS System FCS 1200mm drum with HT 11 quick change holder system. LEVEL PRO Grade control with one display as well as one wire rope sensor on RH & LH sideplates. Slope control. Knockout tool. Extra Manuals. Pre-filter air cleaner W150i LISTING PRICE		
			\$ 506,739.00

SubTotal	
Shipping	
TOTAL NET DUE	

Payment
TERMS: _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W150i BASE MACHINE: Milling Machine mounted on four tracks. EQUIPPED WITH 6-CYLINDER DIESEL ENGINE CUMMINS QSL 9 - power rated at 2,100 min- 283 kW / 380 HP / 385 PS - maximum power at 1,900 - 2,000 min-1: 298 kW / 400 HP / 405 PS - emission standard : EU Stage 3b / US Tier 4i LH & RH access to operators station. 1500mm cutting width and depth up to 320mm in one pass. Two stage detachable conveyor system Infinitely variable hydraulic, all wheel drive with three speed ranges. Air Compressor. STANDARD OPTIONS INCLUDED: Hydraulic folding conveyor in lieu of std. FCS Light milling drum housing. FCS 1500mm drum with HT 11 quick change holder system. LEVEL PRO Grade controlwith one display as well as one wire rope sensor on RH & LH sideplates. Slope control. Hydraulic side plate lifters. Additional lock valve. Hydraulic lifting primary conveyor. Knockout tool. Extra Manuals. Pre-filter air cleaner.		
	W150i LISTING PRICE		\$ 496,247.00

SubTotal	
Shipping	
TOTAL NET DUE	

Payment
TERMS: _____

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/17/2014

Qty	Description	Unit Price	TOTAL
	W200i BASE MACHINE: WITH 6-CYLINDER DIESEL ENGINE CUMMINS QSX 15 - power rated at 2,100 min-1: - maximum power at 1,800 min-1: 432 kW / 579 HP / 588 PS - operating speed at 1,600 min-1: 427 kW / 573 HP / 581 PS - emission standard EU Stage 3b / US Tier 4i Milling Machine mounted on four tracks. Machine frame with dual wasp waist Two stage detachable conveyor system Rear water fill STANDARD OPTIONS INCLUDED: 2200mm FCS Light drum housing. 2200mm FCS drum with HT11 Bolt-on holder system - std pattern. Operators Platform with comfort seats. Level pro system. Additional level pro. Additional weight. Slope control. Drum turning jig. Knockout tool. Conveyor support. Extra manuals. Actual milling depth display Seats for pick change with storage WIFMS (interface for machine operations)		
	W200i 2.2M LISTING PRICE		\$ 608,788.00

SubTotal
 Shipping

TOTAL NET DUE

Payment
TERMS: _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W210i BASE MACHINE WITH two 6-CYLINDER DIESEL ENGINES CUMMINS QSL 9 - power rated at 2,100 min-1: 507 kW / 680 HP / 690 PS - maximum power at 1,900 min-1: 537 kW / 720 HP / 730 PS - operating speed at 1,600 min-1: 495 kW / 664 HP / 673 PS - emission standard: EU Stage 3b / US Tier 4i Milling machine on four tracks Machine frame w/ dual wasp waist Two stage detachable conveyor system STANDARD OPTIONS INCLUDED: 2200mm FCS Light drum housing. 2200mm FCS drum with HT11 Bolt-on holder system-std pattern. Operators Platform with comfort seats. Level pro system. Additional level pro. Additional weight. Slope control. Conveyor support legs. Folding conveyor. Drum turning jig. Knockout tool. Extra manuals. Additional seats for tooth exchange with storage Actual milling depth display WIFMS (interface for machine information)		
	W210i 2.2M LISTING PRICE		\$ 676,422.00

SubTotal _____
 Shipping _____

Payment
TERMS: _____

TOTAL NET DUE _____

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W220 BASE MACHINE CAT C18 engine with 766 HP Two stage conveyor system complete with covers. Automatic Level Pro leveling system RH & LH STANDARD OPTIONS INCLUDED: Pressurized gradation control beam w/integrated conveyor shoe 2200 mm FCS drum assy 2200mm FCS drum with HT11 Bolt-on holder system. Operators stand with comfort seat package Level Pro LH & RH Sensor in front of the cutter RH side Additional Level Pro display Folding conveyor in lieu of std Slope sensor Knockout tool Camera system with two cameras Drum turning device Extra set of manuals Conveyor support legs Additional seats for tooth change Wirtgen interface for machine knowledge Actual milling depth display Multiplex one side W220 LISTING PRICE		\$ 692,049.00

SubTotal	
Shipping	
TOTAL NET DUE	

Payment
TERMS: _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	W250i BASE MACHINE High performance milling machine mounted on four crawler tracks. Equipped with 6-cyl Cummins QSX15 and QSL 9 engines for max of 991 HP Widrive intelligent mgmt system hydraulic gradation control beam with conveyor lifting function PTS - Parallel to Road Surface Technology 2200mm basic FCS drum assy Prewired for longitudinal leveling Rear water fill Conveyor system with manually or automatically adjustable conveying speed LEVEL PRO levelling system with hydraulic milling depth sensors RH + LH STANDARD OPTIONS INCLUDED: FCS 2200mm with HT22 holders Operators stand with comfort seat package Sensor in front of the cutter RH side Additional Level Pro display Slope sensor Knockout tool Camera system with two cameras Drum turning device Extra set of manuals Folding conveyor in lieu of std. Seats for tooth exchange with storage WIFMS (interface for machine operation) Actual milling depth display		
	W250i LISTING PRICE		\$ 746,133.00

SubTotal	
Shipping	
TOTAL NET DUE	

Payment
TERMS: _____

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	_____
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	W250i BASE MACHINE High performance milling machine mounted on four crawler tracks. Equipped with 6-cyl Cummins QSX15 and QSL 9 engines for max of 991 HP Widrive intelligent mgmt system hydraulic gradation control beam with conveyor lifting function PTS - Parallel to Road Surface Technology 3800mm cutting width and depth up to 350mm in one pass. Prewired for longitudinal leveling Rear water fill Conveyor system with manually or automatically adjustable conveying speed LEVEL PRO levelling system with hydraulic milling depth sensors RH + LH STANDARD OPTIONS INCLUDED: FCS 3800mm drum assy 3800mm FCS drum with HT22 Bolt-on holder system. Operators stand with comfort seat package Sensor in front of the cutter RH side Additional Level Pro display Slope sensor Knockout tool Camera system with two cameras Drum turning device Extra set of manuals Folding conveyor in lieu of std. Seats for tooth exchange with storage WIFMS (interface for machine operation) Actual milling depth display W250i LISTING PRICE		\$ 830,547.00

SubTotal	_____
Shipping	_____

Payment
TERMS: _____

TOTAL NET DUE _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

Misc	
Date	01/17/2014
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	WR2000 BASE MACHINE WORKING WIDTH 2.4M: High performance cold recycler. Equipped with Mercedes OM 460, 422 HP engine. Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators stand with seat. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. 2400mm working width and depth up to 500mm in one pass. Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. 2400mm drum with welded HT13 holder. STANDARD OPTIONS INCLUDED: Slope control. Scraper blade with beam. Knockout tool. Cab Air Conditioner Type 11 bolt on holders in lieu of welded. Extra Manuals.		
	WR2000 2.4M LISTING PRICE		\$ 500,185.00

SubTotal	_____
Shipping	_____

TOTAL NET DUE	_____

Payment
TERMS: _____

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/17/2014

Qty	Description	Unit Price	TOTAL
	WR2000 BASE MACHINE WORKING WIDTH 2.4M: High performance cold recycler. Equipped with Mercedes OM 460, 422 HP engine. Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators stand with seat. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. 2400mm working width and depth up to 500mm in one pass. Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. 2400mm drum with welded HT13 holder. STANDARD OPTIONS INCLUDED: Slope control. Scraper blade with beam. Knockout tool. Extra Manuals.		
	WR2000 2.4M LISTING PRICE		\$ 444,043.00

SubTotal
 Shipping

Payment
TERMS: _____

TOTAL NET DUE

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc	
Date	01/14/2017
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	WR2500S BASE MACHINE: High performance cold recycler. 8-CYLINDER DIESEL ENGINE MODEL DEUTZ TCD 2015 V08 Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators cabin with heater. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. 2438mm working width and depth up to 500mm in one pass. Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. 2438mm drum with HT11 quick change holder system. STANDARD OPTIONS INCLUDED: Air conditioner. Slope control. Scraper blade with beam. Knockout tool. Extra Manuals.		
	WR2500S LISTING PRICE		\$ 653,419.00

SubTotal	_____
Shipping	_____

Payment
TERMS: _____

TOTAL NET DUE	\$ 653,419.00
----------------------	----------------------

--

--

WIRTGEN AMERICA, INC.
 6030 DANA WAY
 ANTIOCH, TN 37013
 PHONE 615-501-0600/FAX 615-501-0607



2014 LIST PRICE

Customer			
Name	OHIO DAS		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc
 Date
 Attn
 Rep
 FOB

01/17/2014

Qty	Description	Unit Price	TOTAL
	WR2500S BASE MACHINE: High performance cold recycler. 8-CYLINDER DIESEL ENGINE MODEL DEUTZ TCD 2015 V08 Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators cabin with heater. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. 2438mm working width and depth up to 500mm in one pass. Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. 2438mm drum with HT11 quick change holder system. STANDARD OPTIONS INCLUDED: Air conditioner. Slope control. Scraper blade with beam. Knockout tool. 2 Pump system with 2 spray bars. One for bitumen emulsion or water and the other for foamed bitumen. Hydraulically operated jet cleaner (max 200 bar). Extra Manuals.		
	WR2500S TWO PUMP FOAM SYSTEM LISTING PRICE		\$ 842,382.00

SubTotal
 Shipping

Payment
TERMS: _____

TOTAL NET DUE \$ 842,382.00

--

--