500 Lincoln County Parkway Ext.
Lincolnton, NC 28092

Order Entry Process:

All orders for LeeBoy / Rosco brand equipment need to be submitted on the current LeeBoy Equipment Pricing & Order Form. Each unit must have the Form completely filled out along with your Company's Purchase Order number (One P.O. number per unit). Please fill out ***ALL*** of the following fields on the Order Form or we will not be able to accept & process your order in a timely manner:

- ***Dealer***
- ***Date***
- ***PO Number***
- ***Floor Plan*** **(If Yes, please list the Finance Company you would like to use)
- ***Contact Email***
- ***Ship To Address***
- ***Ship VIA***
- ***Requested Need by date*** **(This is our target this date but are not obligated to ship by this date)
- ***Stock Order*** **(If unit is SOLD, please list the customer it is sold to)
- ***If a Specification (BID) is linked to this order, it must be submitted at the time of order***
- ***Check the appropriate machine you would like to order***
- ***Check any options*** (if applicable)
- ***Signature*** **(Signature must be hand written, not typed)

Please e-mail or fax all orders to the attention of the Sales Department.

LeeBoy Equipment Sales Department Email: ***Sales@LeeBoy.com***

LeeBoy Equipment Sales Department Fax # ***704-919-5350***

Once your order is received, we will process your order (s) and send an order acknowledgement via email. Please check these acknowledgements for accuracy and let us know if there are any questions or issues. If you have not received an acknowledgement within 24-48 hours, please contact us at the above email.

There will be a promise date on the acknowledgement; this is our target date to ship your order.

If you have any questions or concerns, please feel free to contact us. Have a Great day!

Thanks,
LeeBoy Sales Dept.
P: 704-966-3300
F: 704-919-5350

VT LeeBoy
A company of VT Systems

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

EQUIPMENT PRICING & ORDER FORM

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

Maximizer 3B Distributor

ROSCO
A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

RATED CAPACITY	LIST PRICE	ORDER NUMBER	CK
1,000 Gallon	$ 88,000	MAX 3B 1000	
1,500 Gallon	$ 91,900	MAX 3B 1500	
1,900 Gallon	$ 92,500	MAX 3B 1900	
3,000 Gallon	$ 98,900	MAX 3B 3000	
3,500 Gallon	$ 100,900	MAX 3B 3500	
4,000 Gallon	$ 104,250	MAX 3B 4000	
STANDARD FEATURES			

Truck Prices NOT Included Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.

ALL CUSTOMER SUPPLIED CHASSIS REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE

All Maximizer 3B Asphalt Distributors are equipped with: low profile elliptical steel tank with 7 GA flat, flanged, and reinforced heads; tank shell supporting sills; full section 10-gauge surge plates and 22" diameter manhole, dual 8" diameter heating flues with 90-degree flue bends designed for more effective heat transfer, 2" Rockwool insulation and stainless steel exhaust stack, variable displacement hydrostatic pump driven by chassis engine crankshaft (truck chassis must be suitable for front live power), Viking 400 GPM positive displacement asphalt pump, diesel-fired burner with heat limit control, 8-ft to 16-ft Rosco EZ-Spray telescoping spraybar, GPS ground speed sensor, full circulating spraybar that extend/retract via cab controls and automatically turn on nozzles when extended and shut off when retracted, Plus-1 CAN-Bus control and onboard diagnostic system w/DP700 (7",800x400 pixel) Color Graphic Display: controller for automatic application rate control and automatic valves for cab control of distributor functions, exclusive enviro-flush system, single nozzle handspray wand with 25-ft rubber hose, front and rear dial content gauges, 5" dial thermometer, sampling valve, I.C.C. clearance lights and reflectors, back-up alarm. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis	$ 1,900	0000	
PTO Transmission (required if not using front live power)	$ 2,950	1020	
LPG burner in lieu of diesel burner (includes 52 gallon LP tank)	$ 1,875	1005599	
Diesel Burners with outfire protection and heat limit control	$ 2,400	1005605	
LPG Burners with electronic ignition 100% outfire protection and heat limit control	$ 4,800	1005601	
Heated Asphalt Pump	$ 6,500	000	
Washdown System with pump and hose & self winding hose reel	$ 1,650	1005612	
Loading Hose, 3" X 15' flexible steel, with quick couplers	$ 1,100	1005608	
Loading Hose, 3" X 15' rubber, with quick couplers	$ 1,600	1005607	
Electric Overnight Heat (Contact Factory for Specific Ratings/Requirements)	$ 12,850	1005611	
Radar Horn in lieu of GPS	$ 825	1005609	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

Maximizer 2B Distributor

ROSCO A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

RATED CAPACITY	LIST PRICE	ORDER NUMBER	CK
1000 Gallon	$ 84,250	MAX 2B 1000	
1500 Gallon	$ 86,900	MAX 2B 1500	
1900 Gallon	$ 88,900	MAX 2B 1900	
3000 Gallon	$ 94,750	MAX 2B 3000	
3500 Gallon	$ 97,250	MAX 2B 3500	
4000 Gallon	$ 100,250	MAX 2B 4000	

STANDARD FEATURES

Truck Prices NOT Included Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.

ALL CUSTOMER SUPPLIED CHASSIS REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE

All Maximizer 2B Asphalt Distributors are equipped with: low profile elliptical steel tank with 7 GA flat, flanged, and reinforced heads; tank shell supporting sills; full section 10-gauge surge plates and 22" diameter manhole, dual 8" diameter heating flues with 90-degree flue bends designed for more effective heat transfer, 2" Rockwool insulation and stainless steel exhaust stack, variable displacement hydrostatic pump driven by chassis engine crankshaft (truck chassis must be suitable for front live power), Viking 400 GPM positive displacement asphalt pump, GPS ground speed sensor, diesel-fired burner with heat limit control,12-ft full circulating spraybar, cab control spraybar on/off in 1-ft increments, cab control folding spraybar wings, Plus-1 CAN-Bus control and onboard diagnostic system w/DP 700 (7",800x400 pixel) Color Graphic Display: controller for automatic application rate control and automatic valves for cab control of distributor functions, exclusive enviro-flush system, single nozzle handspray wand with 25-ft rubber hose, front and rear dial content gauges, 5" dial thermometer, sampling valve, I.C.C. clearance lights and reflectors, back-up alarm. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS

DESCRIPTION		LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis		$ 1,900	0000	
PTO Transmission (required if not using front live power)		$ 2,950	1020	
LPG burner in lieu of diesel burner (includes 52 gallon LP tank)		$ 1,875	1005722	
LPG Burners with electronic ignition 100% outfire protection and heat limit control		$ 4,800	1005723	
Diesel Burners with outfire protection and heat limit control		$ 2,400	1005725	
Heated Asphalt Pump		$ 6,500	000	
Washdown System with pump and hose & self winding hose reel		$ 1,650	1005731	
Spraybar Extensions - 1' lengths (Max 4 ea)	QTY:	$ 1,250	0000	
Spraybar Extensions - 2' lengths (Max 2 ea)	QTY:	$ 1,850	0000	
Loading Hose, 3" X 15' flexible steel, with quick couplers		$ 1,100	1005727	
Loading Hose, 3" X 15' rubber, with quick couplers		$ 1,600	1005726	
Electric Overnight Heat (Contact Factory for Specific Ratings/Requirements)		$ 12,850	1005730	
Radar Horn in lieu of GPS		$ 825	1005728	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)		Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

RMT Maintenance Trailer

RDSCO
A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	ENGINE	BURNERS	CAPACITY	LIST PRICE	ORDER NUMBER	CK
RMT	20 HP Diesel Kubota	Diesel	1,000 Gallon	$ 71,900	RMT 1000D	

STANDARD FEATURES

All RMT Maintenance Trailers includes *Tier 4F engine* and equipped with: steel elliptical cross-section tank with flat, flanged and reinforced heads, surge plate, 2" rockwool insulation and stainless steel exhaust stack, mounted on a tandem axle trailer with Pintle eye hitch, one 8" diameter heating flue with 90-degree flue bends designed for more effective heat transfer, variable displacement, hydrostatic pump driven by engine crankshaft, Viking 150 GPM positive displacement asphalt pump, diesel-fired burner with outfire protection, 25-gallon fuel tank, 12-ft full circulating spraybar, spraybar On/Off control, pump GPM display, distributor functions controlled from the towing vehicle cab, exclusive clean-out recirculation valve for cleanup of spray system, single nozzle handspray wand with 25-ft rubber hose, steel measuring stick and front & rear dial contents gauge, and I.C.C. Bumper, clearance lights and reflectors. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS

DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
LPG Burners in lieu of Diesel Burners (includes 52 gallon LP tank)	$ 1,875	1005804 & 1005792	
Loading Hose 3" x 12' rubber with quick couplers	$ 1,450	1005799	
Washdown System	$ 1,375	1005800	
Air Compressor System	$ 1,400	1005798	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

RA 400 Patcher

ROSCO
A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
RA 400	65 HP Enclosed Kubota Aux Eng Patch On-The-Go, *Tier 4 FINAL*	$ 127,900	RA400AP	
STANDARD FEATURES				
Truck Prices NOT Included Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.				
ALL CUSTOMER SUPPLIED CHASSIS REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE				

All RA-400 Spray Patchers are designed for one-man control from the cab of the truck.

Units are equipped with: 300-gallon heated emulsion tank, overnight heating with two electric heat elements located in the water heat exchanger tube, hydraulically-driven, low pressure positive displacement blower and the exclusive "Patch On The Go" system, welded rectangular aggregate hopper w/aggregate hopper heat included, vibration system, adjustable feed control slide gate, in-cab & driver's side emulsion level indicator, tank-mounted 5" dial thermometer, one-piece double-acting boom, 3-stage telescoping aggregate delivery tube, emulsion hose E-Chain hose protection, 30" x 60" 13-bulb multi-function arrow board with separate arrow board control panel, control panel with fuses, Features a Joystick controller for extending/retracting, swing of boom, boom raise/lower, Rock on/off, and a trigger for maximum Blower output. Functions driven by a variable displacement hydrostatic pump controlled by the Plus 1 system with DP200 Graphic Display for system monitoring and settings adjustment; Driven by Auxiliary engine with a PV480 Color Graphic Display for engine monitoring. Switch Panel includes switches for blower, work lights, and beacon light.

ICC Bumpers are standard on all LeeBoy Truck Chassis

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Back-up / Reverse camera w/in cab color display	$ 3,350	1007953	
LED Lights in the 30" x 60" Arrow Board (13 light)	$ 2,150	37686	
Larger Arrow Board, 48" to 96"	$ 1,975	985623	
LED Night Work Light Package (2 front, 1 rear work lights)	$ 1,100	1006026	
LED Lights; stop, turn signals and tail lights	$ 1,950	1005379	
240 V Heater Conversation in lieu of 120V	$ 950	22766	
Emergency Triangle Kit, Flare Kit, Fire Extinguisher	$ 1,650	1005478	
Jet Flush System	$ 1,975	1003459	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

RA 2000 Patcher

ROSCO
A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	MOUNTING	ENGINE	LIST PRICE	ORDER NUMBER	CK
RA2000	Trailer	74 HP Kubota	$ 84,900	RA2000K	
STANDARD FEATURES					

All RA2000 Spray Patchers are equipped with: *Tier 4i* diesel engine, high volume blower directly driven by engine, 24-gallon fuel tank, four (4) 225/75 x 15 - 6 ply tubeless highway tread radial tires, 3" Pintle eye, height adjustable hitch, stop/tail & turn lights, pedestal-mounted strobe, 300-gallon pressurized emulsion tank with 5" dial thermometer and heavy-duty direct read external contents gauge, tank heat, overnight heating, gravity-fed outlet box with 5" flexible hose, 9.5-gallon capacity non-pressurized flush tank with connections for complete system cleanout, rear-facing control panel with engine tachometer, hourmeter, water temperature, oil pressure, strobe light switch, and key-type ignition switch, and electrical controls located near the main discharge nozzle (include engine throttle, aggregate ON/OFF and signal horn).

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Arrow Board	$ 1,450	26880	
Crack Filling Attachment	$ 2,550	25866	
240v Heater Conversion	$ 950	22766	
Filter Element Kit	$ 850	1002187	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

Quality 1st

VT LeeBoy
A company of VT Systems
Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

EQUIPMENT PRICING & ORDER FORM

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

DS Water Truck

ROSCO A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

Specification are required with orders linked to bids

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	RATED CAPACITY	LIST PRICE	ORDER NUMBER	CK
DS 2000	2000 Gallon Base Unit	$ 36,900	DS2000	
DS 3000	3000 Gallon Base Unit	$ 38,900	DS3000	
DS 4000	4000 Gallon Base Unit	$ 46,900	DS4000	

STANDARD FEATURES

Truck Prices NOT Included Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.

ALL CUSTOMER SUPPLIED CHASSIS, NEW or USED, REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE

All DS Water Trucks are equipped with: low profile elliptical steel tank with flat, flanged, and reinforced heads; tank shell supporting sills; full section 7-gauge surge plates and 22" diameter manhole; single stage Berkeley centrifugal water pump rated at 550 GPM @ 55 psi turning 2200 RPM directly coupled to PTO from truck transmission; two (2) sprinkler heads mounted horizontally at front of truck, two (2) sprinkler heads mounted horizontally at rear of truck, and one(1) midship nozzle, complete with electric solenoid over water pressure-controlled valves and cab control; air gap fill on tank top; I.C.C. clearance lights and reflectors; full width fenders with mud flaps; ladder over fender for easy access to the tank opening; hose hooks; rear bumper; back-up alarm; 3/4" pressurized hose faucet; and 1-1/2" pressurized hose outlet also included. Exterior of tank is primed and painted in white. Interior is sandblasted and coated with epoxy coating.

OPTIONS

DESCRIPTION		LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis		$ 1,900	0000	
Eight-foot Spraybar		$ 2,050	1015	
Suction Filling Attachment (including primer pump and foot valve strainer)		$ 1,990	1305	
Fire Fighting Valve, 2-1/2"		$ 990	1320	
Push Bumper		$ 1,050	1410	
Hose Reel (rear-mounted with manual rewind)		$ 2,500	1202	
Hose Reel (electric rewind)		$ 3,000	1205	
2" Brass Flusher Nozzles (in lieu of sprinkler caps)	QTY:	$ 675	0720	
Water Cannon with Cab Control		$ 12,900	0000	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)		Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems
Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

EQUIPMENT PRICING & ORDER FORM

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

Hydrostatic Chip Spreader (CSH)

RDSCO A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	ENGINE	Drive	HOPPER WIDTH	LIST PRICE	ORDER NUMBER	CK
CSHF2	202 HP CAT	Front Wheel Drive	10-ft	$ 175,900	CSHF2202	
CSHF4	202 HP CAT	All Wheel Drive	10-ft	$ 188,500	CSHF4202	

STANDARD FEATURES

All Hydrostatic Chip Spreaders are front wheel drive and equipped with: *Tier 3 Engine;* infinitely variable speed hydrostatic drive system, 385/65R Duplex radial tires, 12' wide receiving hopper with Folding Wings at 4 cu.yd. truck capacity, rubber skirting and feed control gates adjustable from deck, 10-ft aggregate spread hopper, hydraulic-driven spread roll and agitator bar with quick disconnects, hydraulically-released & hydraulically adjustable height truck hitch, right-hand and left-hand driver's station with swing over steering wheel and Operators Station Control Console includes; ignition switch, automatic conveyor control and application rate control, Plus 1 CAN-Bus control and onboard diagnostic system w/DP 600TM(6.5",400x240 pixel) Color Graphic Display: gauges include engine water temperature, engine oil pressure, tachometer, fuel gauge, voltmeter, hydraulic temperature, hour meter, speed and direction controls, engine throttle, spread hopper/conveyor controls, remote walkway control; hitch release hitch-height, conveyor on/off & horn, handrail mounted Amber Safety Strobe, light package (includes headlamps, taillights, stop and turn signals, and four-way hazard warning flasher).

OPTIONS

DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
11-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 1,450	40873-02	
12-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 1,875	40873-03	
13-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 2,350	40873-08	
13-ft. 6-in. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 2,950	40873-04	
14-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 3,675	40873-05	
15-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 4,150	40873-06	
Front Hopper Walkway & Railing (all widths)	$ 2,750	1120	
10-ft. Aggregate Spread Hopper with Individual Gate Controls- (in lieu of STD 10-ft)	$ 8,450	1003516-01	
11-ft. Aggregate Spread Hopper with *Individual Gate Controls* - (in lieu of *STD* 10-ft)	$ 9,825	1003516-02	
12-ft. Aggregate Spread Hopper with *Individual Gate Controls* - (in lieu of *STD* 10-ft)	$ 10,850	1003516-03	
13-ft. Aggregate Spread Hopper with *Individual Gate Controls* - (in lieu of *STD* 10-ft)	$ 12,250	1003516-08	
13.5-ft. Aggregate Spread Hopper with *Individual Gate Controls* - (in lieu of *STD* 10-ft)	$ 12,750	1003516-04	
14-ft. Aggregate Spread Hopper with *Individual Gate Controls* - (in lieu of *STD* 10-ft)	$ 13,625	1003516-05	
15-ft. Aggregate Spread Hopper with *Individual Gate Controls* - (in lieu of *STD* 10-ft)	$ 16,250	1003516-06	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

Mechanical Chip Spreader (CSM)

ROSCO
A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	ENGINE	HOPPER WIDTH	LIST PRICE	ORDER NUMBER	CK
CSM	160 HP Cummins	10-ft	$ 155,750	CSMR160H	

STANDARD FEATURES

All CSM Chip Spreaders are equipped with: *Tier 3 engine,* with truck-type 5-speed manual transmission, single speed rear drive axle, 11.00 x 22.5 G radial tires, horn, back-up alarm, 9'6" wide receiving hopper with 3.5 cu.yd. truck capacity and rubber skirting, 10' spread hopper with 1.7 cu. yd. struck capacity, hydraulic power assist gate open/close, hitch control at operator's walkway, hydraulically- released truck hitch, left- and right-hand driver's station with steering wheel, hand throttle (cushioned and adjustable), suspension seat, DP 200 Graphic Display; w/onboard diagnostic system, voltmeter, gauges for engine temperature, oil pressure, hour meter, tachometer, fuel gauge, and hydraulic temperature gauge, handrail mounted Amber Safety Strobe, light package including headlamps, taillights, stop and turn signals, and four-way hazard warning flasher.

OPTIONS

DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Hydraulic Reverse - Allows Increased Speeds in Reverse	$ 6,450	40399	
11-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 1,450	40873-02	
12-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 1,875	40873-03	
13-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 2,350	40873-08	
13-ft. 6-in. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 2,950	40873-04	
14-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 3,675	40873-05	
15-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	$ 4,150	40873-06	
Front Hopper Walkway & Railing (all widths)	$ 2,750	40939	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

Effective: 15 December 2015

2016 OH STS Model Year Pricing

Prices in US Dollars

Challenger 6 Broom

ROSCO A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	ENGINE	TRACTOR	LIST PRICE	ORDER NUMBER	CK
Challenger 6	74 HP Cummins	*7'-6" Heavy Duty Frame - Poly/Steel Tube Brush*	$ 76,750	CHAL6CMN	

STANDARD FEATURES

All Challenger 6 Brooms are equipped with a fully enclosed ROPS cab that includes: *7'-6" Heavy Duty Frame* - Poly / Steel Tube Brush (32" OD x 90"), Tier 4i* engine, air conditioner, heater, defroster fan, front windshield wiper, seat with safety belt, gauge package (including engine oil pressure, water temperature, voltmeter, tachometer, hourmeter and fuel gauges), horn, dual West coast-style mirrors and dome light, vandalism protection, joystick control of forward/reverse and all brush functions, equipped with variable down pressure control, *variable brush speed control* , brush watering system with 150-gallon tank, rotary pre-cleaner, LT 225/75 R15 load range E tires, two LED headlights, stop/tail and turn signals, block heater, LED rear work lights, back-up alarm and amber strobe light.

OPTIONS

DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
8' Heavy Duty Frame - Poly / Steel Tube Brush	$ 1,975	TBD	
Front Windshield Washer (wiper is standard)	$ 650	21167	
Rear Wiper and Washer Assembly	$ 1,350	21166	
Suspension Seat Assembly	$ 650	1010416	
Radio/CD Cab Install	$ 1,375	1000705	
Spare Tire and mount	$ 975	1010485	
Engine Shut Down/Low Oil/High Temp with light and buzzer	$ 875	1005562	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

EQUIPMENT PRICING & ORDER FORM

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

SweepPro Broom

ROSCO
A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	ENGINE	FRONT-MOUNTED BRUSH	LIST PRICE	ORDER NUMBER	CK
SweepPro	74 HP Cummins	*7' 6" with Poly Tube*	$ 62,500	SWPROCMN	
STANDARD FEATURES					

All SweepPro Brooms are equipped with a fully enclosed ROPS cab that includes: *Tier 4i* engine, air conditioner, heater, defroster fan, front windshield wiper, seat with safety belt, gauge package (including engine oil pressure, water temperature, voltmeter, tachometer, hourmeter and fuel gauges), horn, dual West coast-style mirrors and dome light, vandalism protection, joystick control of forward/reverse and brush positioning, front-mounted 7'6" long covered tube-type poly brush with variable down pressure control, brush watering system with 150-gallon capacity, rotary pre-cleaner, ST 225/75-15R load range E tires, two LED headlights, stop/tail and turn signals, block heater, LED rear work light and amber strobe light.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Combination Poly Wafers (in lieu of Poly Tube)	$ 775	1005054	
Combination Poly/Steel Wafers (in lieu of Poly Tube)	$ 800	1005055	
Poly/Steel Tube Brush (in lieu of Poly Tube)	$ 775	38831	
Rear Wiper and Washer Assembly	$ 1,350	21166	
Front Windshield Washer (wiper is standard)	$ 650	21167	
Spare Tire and mount	$ 975	1011742	
Suspension Seat Assembly	$ 650	1010416	
Radio/CD Cab Install	$ 1,375	1000705	
Engine Alarm & Shut Down/Low Oil/High Temp (Light and buzzer for low oil pressure or high engine temp.)	$ 875	19683 & 1005561	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

Effective: 15 December 2015

Prices in US Dollars

2016 OH STS Model Year Pricing

RB48A Broom

ROSCO
A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

Specification are required with orders linked to bids

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	ENGINE	BRUSH	LIST PRICE	ORDER NUMBER	CK
RB48	74 HP Cummins	*7'6" with Poly Tube*	$ 58,900	RB48CMN	
STANDARD FEATURES					

All RB48 Brooms are equipped with a fully enclosed ROPS cab that includes: *Tier 4i* engine, defroster fan, front windshield wiper, seat with safety belt, gauge package (including engine oil pressure, water temperature, voltmeter, tachometer, hourmeter and fuel gauges), horn, dual West coast-style mirrors and dome light, vandalism protection, exclusive joystick control of forward/reverse and brush positioning, 7'6" long covered "Quick Change" tube-type poly brush with variable down pressure control, rotary pre-cleaner, ST 225/75-15R load range E tires, two LED headlights, stop/tail and turn signals, block heater, LED rear work light and amber strobe light.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Air Conditioning & Heater	$ 4,625	1010149	
150 gallon water tank	$ 2,575	28241	
Combination Poly Wafers (in lieu of Poly Tube)	$ 775	1005054	
Combination Poly/Steel Wafers (in lieu of Poly Tube)	$ 800	1005055	
Poly/Steel Tube Brush (in lieu of Poly Tube)	$ 775	38831	
Rear Wiper and Washer Assembly	$ 1,350	21166	
Front Windshield Washer (wiper is standard)	$ 650	21167	
Front Snow Blade	$ 5,500	28753 & 1005026	
Curb Brush	$ 3,750	1005053	
Spare Tire and mount	$ 975	1011742	
Suspension Seat Assembly	$ 650	1010416	
Radio/CD Cab Install	$ 1,375	1000705	
Engine Alarm & Shut Down/Low Oil/High Temp (Light and buzzer for low oil pressure or high engine temp.)	$ 875	19683 & 1005561	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____

VT LeeBoy
A company of VT Systems

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2016 OH STS Model Year Pricing

Effective: 15 December 2015

Prices in US Dollars

Tru-Pac 915B Roller

ROSCO A LeeBoy Company

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

Specification are required with orders linked to bids

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR GOV / MUNI GSA NJPA

MODEL	ENGINE	LIST PRICE	ORDER NUMBER	CK
TRUPAC 915B	74HP Cummins	$ 97,900	TP915CMN	
STANDARD FEATURES				

All Tru-Pac 915B Rollers are equipped with: *Tier 4 Final* engine, rotary pre-cleaner, full hydraulic powered articulated frame steering for Tru-tracking compaction and all-wheel oscillation, ballastable from 6 to 15 tons, PV480 Color Graphic Display for engine and fault monitoring; gauges include: engine oil pressure, engine coolant temperature, voltmeter, hourmeter, electric fuel gauge, and hydraulic oil temperature, 7:50x15 14-ply smooth compaction tires with spring-loaded nylon scrapers, pressurized water spray system with 150-gallon water tank and coco mats, back-up alarm, suspension seat with slide/swivel & seatbelt, ROPS with Canopy, anti-vandalism package, Amber Safety Strobe, slow-moving vehicle emblem, and electric horn.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
11-Wheel Roller Option, 2 additional compaction tires	$ 8,775	27759 & 27919	
Heat Shield Group	$ 3,350	19591	
FOPS Canopy	$ 1,950	36256	
Light Combination and Work Lights (turn, tail and 2 front, 2 rear work lights)	$ 1,150	19676	
Engine Alarm & Shut Down/Low Oil/High Temp (Light and buzzer for low oil pressure or high engine temp.)	$ 850	19683 & 19684	
Engine Tachometer / RPM gauge	$ 975	988021-06	
Cold Weather Package	$ 550	1003631	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

Quality 1st

(LeeBoy Use Only) Rec'd by:_____ Rec'd Date:_____ Promise Date:_____