

Phone: 704.966.3300

eFax: 704.919.5350

Sales@LeeBoy.com

**2015 OH STS Model Year Pricing**

Effective:

10 December 2014

Prices in US Dollars

**Maximizer 3B Distributor**



DEALER: \_\_\_\_\_

DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_

FLOOR PLAN: YES / NO

WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_

STOCK ORDER: YES / NO

CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

**SOLD ORDER - CUSTOMER CLASS:**

SHIP TO ADDRESS: \_\_\_\_\_

CONTRACTOR

GOV / MUNI

GSA

NJPA



RATED CAPACITY	LIST PRICE	ORDER NUMBER	CK
1,000 Gallon	\$ 85,990	MAX 3B 1000	
1,500 Gallon	\$ 89,750	MAX 3B 1500	
1,900 Gallon	\$ 90,250	MAX 3B 1900	
3,000 Gallon	\$ 96,500	MAX 3B 3000	
3,500 Gallon	\$ 98,700	MAX 3B 3500	
4,000 Gallon	\$ 101,800	MAX 3B 4000	
<b>STANDARD FEATURES</b>			

**\*\* "Truck Prices NOT INCLUDED" All chassis must be approved by V.T. LeeBoy prior to placing order. \*\***

**All Maximizer 3B Asphalt Distributors are equipped with:** low profile elliptical steel tank with 7 GA flat, flanged, and reinforced heads; tank shell supporting sills; full section 10-gauge surge plates and 22" diameter manhole, dual 8" diameter heating flues with 90-degree flue bends designed for more effective heat transfer, 2" Rockwool insulation and stainless steel exhaust stack, variable displacement hydrostatic pump driven by chassis engine crankshaft (truck chassis must be suitable for front live power), Viking 400 GPM positive displacement asphalt pump, diesel-fired burner with heat limit control, 8-ft to 16-ft Rosco EZ-Spray telescoping spraybar, GPS ground speed sensor, full circulating spraybar that extend/retract via cab controls and automatically turn on nozzles when extended and shut off when retracted, **Plus-1 CAN-Bus control and onboard diagnostic system w/DP610 (6.5",400x240 pixel) Color Graphic Display:** controller for automatic application rate control and automatic valves for cab control of distributor functions, exclusive enviro-flush system, single nozzle handspray wand with 25-ft rubber hose, front and rear dial content gauges, 5" dial thermometer, sampling valve, I.C.C. clearance lights and reflectors, back-up alarm. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis	\$ 1,900	0000	
PTO Transmission (required if not using front live power)	\$ 2,900	1020	
LPG burner in lieu of diesel burner (includes 52 gallon LP tank)	\$ 1,850	1005599	
Diesel Burners with outfire protection and heat limit control	\$ 2,350	1005605	
LPG Burners with electronic ignition 100% outfire protection and heat limit control	\$ 4,750	1005601	
Heated Asphalt Pump	\$ 6,450	000	
Washdown System with pump and hose & self winding hose reel	\$ 1,600	1005612	
Loading Hose, 3" X 15' flexible steel, with quick couplers	\$ 1,050	1005608	
Loading Hose, 3" X 15' rubber, with quick couplers	\$ 1,550	1005607	
Electric Overnight Heat (Contact Factory for Specific Ratings/Requirements)	\$ 12,750	1005611	
Radar Horn in lieu of GPS	\$ 790	1005609	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

**Maximizer 2B Distributor**



DEALER: \_\_\_\_\_

DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_

FLOOR PLAN: YES / NO

WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_

STOCK ORDER: YES / NO

CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

**SOLD ORDER - CUSTOMER CLASS:**

SHIP TO ADDRESS: \_\_\_\_\_

CONTRACTOR

GOV / MUNI

GSA

NJPA



RATED CAPACITY	LIST PRICE	ORDER NUMBER	CK
1000 Gallon	\$ 82,500	MAX 2B 1000	
1500 Gallon	\$ 84,950	MAX 2B 1500	
1900 Gallon	\$ 86,990	MAX 2B 1900	
3000 Gallon	\$ 92,500	MAX 2B 3000	
3500 Gallon	\$ 94,980	MAX 2B 3500	
4000 Gallon	\$ 97,990	MAX 2B 4000	

**STANDARD FEATURES**

**\*\* "Truck Prices NOT INCLUDED" All chassis must be approved by V.T. LeeBoy prior to placing order. \*\***

**All Maximizer 2B Asphalt Distributors are equipped with:** low profile elliptical steel tank with 7 GA flat, flanged, and reinforced heads; tank shell supporting sills; full section 10-gauge surge plates and 22" diameter manhole, dual 8" diameter heating flues with 90-degree flue bends designed for more effective heat transfer, 2" Rockwool insulation and stainless steel exhaust stack, variable displacement hydrostatic pump driven by chassis engine crankshaft (truck chassis must be suitable for front live power), Viking 400 GPM positive displacement asphalt pump, GPS ground speed sensor, diesel-fired burner with heat limit control, 12-ft full circulating spraybar, cab control spraybar on/off in 1-ft increments, cab control folding spraybar wings, **Plus-1 CAN-Bus control and onboard diagnostic system w/DP 610 (6.5", 400x240 pixel) Color Graphic Display;** controller for automatic application rate control and automatic valves for cab control of distributor functions, exclusive enviro-flush system, single nozzle handspray wand with 25-ft rubber hose, front and rear dial content gauges, 5" dial thermometer, sampling valve, I.C.C. clearance lights and reflectors, ack-up alarm. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis	\$ 1,900	0000	
PTO Transmission (required if not using front live power)	\$ 2,900	1020	
LPG burner in lieu of diesel burner (includes 52 gallon LP tank)	\$ 1,850	1005722	
LPG Burners with electronic ignition 100% outfire protection and heat limit control	\$ 4,750	1005723	
Diesel Burners with outfire protection and heat limit control	\$ 2,350	1005725	
Heated Asphalt Pump	\$ 6,450	000	
Washdown System with pump and hose & self winding hose reel	\$ 1,600	1005731	
Spraybar Extensions - 1' lengths (Max 4 ea)	QTY: \$ 1200 / Ext	0000	
Spraybar Extensions - 2' lengths (Max 2 ea)	QTY: \$ 1800 / Ext	0000	
Loading Hose, 3" X 15' flexible steel, with quick couplers	\$ 1,050	1005727	
Loading Hose, 3" X 15' rubber, with quick couplers	\$ 1,550	1005726	
Electric Overnight Heat (Contact Factory for Specific Ratings/Requirements)	\$ 12,750	1005730	
Radar Horn in lieu of GPS	\$ 790	1005728	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

# RMT Maintenance Trailer



DEALER: \_\_\_\_\_

DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_

FLOOR PLAN: YES / NO

WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_

STOCK ORDER: YES / NO

CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

**SOLD ORDER - CUSTOMER CLASS:**

SHIP TO ADDRESS: \_\_\_\_\_

CONTRACTOR

GOV / MUNI

GSA

NJPA



MODEL	ENGINE		BURNERS	CAPACITY	LIST PRICE	ORDER NUMBER	CK
RMT	20 HP Diesel	Kubota	Diesel	1,000 Gallon	\$ 69,990	RMT 1000D	
<b>STANDARD FEATURES</b>							

**All RMT Maintenance Trailers includes Tier 4F engine and equipped with:** steel elliptical cross-section tank with flat, flanged and reinforced heads, surge plate, 2" rockwool insulation and stainless steel exhaust stack, mounted on a tandem axle trailer with Pintle eye hitch, one 8" diameter heating flue with 90-degree flue bends designed for more effective heat transfer, variable displacement, hydrostatic pump driven by engine crankshaft, Viking 150 GPM positive displacement asphalt pump, diesel-fired burner with outfire protection, 25-gallon fuel tank, 12-ft full circulating spraybar, spraybar On/Off control, pump GPM display, distributor functions controlled from the towing vehicle cab, exclusive clean-out recirculation valve for cleanup of spray system, single nozzle handspray wand with 25-ft rubber hose, steel measuring stick and front & rear dial contents gauge, and I.C.C. Bumper, clearance lights and reflectors. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
23 HP Gas engine in lieu of Diesel engine	\$ 5,750	1005789	
24 HP LPG engine in lieu of Diesel engine	\$ 2,500	1005790 & 1005804	
LPG Burners in lieu of Diesel Burners (includes 52 gallon LP tank)	\$ 1,790	1005804 & 1005792	
Loading Hose 3" x 12' rubber with quick couplers	\$ 1,400	1005799	
Washdown System	\$ 1,350	1005800	
Air Compressor System	\$ 1,400	1005798	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

Phone: 704.966.3300

eFax: 704.919.5350

[Sales@LeeBoy.com](mailto:Sales@LeeBoy.com)

Effective:

10 December 2014

Prices in US Dollars

## 2015 OH STS Model Year Pricing

# RA 400 Patcher



DEALER: \_\_\_\_\_ DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_ FLOOR PLAN: YES / NO WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_ STOCK ORDER: YES / NO CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

SHIP TO ADDRESS: \_\_\_\_\_

<b>SOLD ORDER - CUSTOMER CLASS:</b>			
CONTRACTOR	GOV / MUNI	GSA	NJPA

MODEL	DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
<b>RA 400</b>	74 HP Kubota Aux Eng Patch On-The-Go, <i>Tier 4 Interim</i>	\$ 114,000	RA400AP	

### STANDARD FEATURES

\*\* "Truck Prices NOT INCLUDED" All chassis must be approved by V.T. LeeBoy prior to placing order. \*\*

**All RA-400 Spray Patchers are designed for one-man control from the cab of the truck.**

Units are equipped with: 300-gallon heated emulsion tank, overnight heating with two electric heat elements located in the water heat exchanger tube, hydraulically-driven, low pressure positive displacement blower and the exclusive "Patch On The Go" system, welded rectangular aggregate hopper w/aggregate hopper heat included, vibration system, adjustable feed control slide gate, in-cab & driver's side emulsion level indicator, tank-mounted 5" dial thermometer, one-piece double-acting boom, 3-stage telescoping aggregate delivery tube, emulsion hose E-Chain hose protection, 30" x 60" 13-bulb multi-function arrow board with separate arrow board control panel, control panel with fuses, Plus 1 system controlled with Graphic Display output for system monitoring and settings adjustment, switches for blower, variable displacement hydrostatic pump driven by Auxiliary engine, rock on/off, and boom raise/lower, joystick control for extending/retracting and swing of boom, hour-meter, and beacon light switch.

**\*\*ICC Bumpers are standard on all LeeBoy Truck Chassis\*\***

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Back-up / Reverse camera w/in cab color display	\$ 3,250	1007953	
LED Lights in the 30" x 60" Arrow Board (13 light)	\$ 2,050	37686	
Larger Arrow Board, 48" to 96"	\$ 1,950	985623	
Night Work Light Package (2 front, 1 rear work lights)	\$ 1,050	1006026	
LED Lights; stop, turn signals and tail lights	\$ 1,950	1005379	
240 V Heater Conversation in lieu of 120V	\$ 950	22766	
Emergency Triangle Kit, Flare Kit, Fire Extinguisher	\$ 1,650	1005478	
Jet Flush System	\$ 1,950	1003459	
Engine Enclosure (special option)	\$ 2,550	1008267	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

A company of VT Systems  
**Phone: 704.966.3300**  
**eFax: 704.919.5350**  
[Sales@LeeBoy.com](mailto:Sales@LeeBoy.com)

Effective: 10 December 2014  
 Prices in US Dollars

## 2015 OH STS Model Year Pricing

# RA 2000 Patcher



DEALER: _____	DATE: _____	
P. O. NO: _____	FLOOR PLAN: YES / NO	WITH: _____
NEED BY DATE: _____	STOCK ORDER: YES / NO	CUSTOMER: _____
SHIP VIA: _____	<b>***Specification are required with orders linked to bids***</b>	
CONTACT EMAIL: _____	<b>SOLD ORDER - CUSTOMER CLASS:</b>	
SHIP TO ADDRESS: _____	CONTRACTOR	GOV / MUNI
	<input type="checkbox"/>	<input type="checkbox"/>
	GSA	NJPA
	<input type="checkbox"/>	<input type="checkbox"/>

MODEL	MOUNTING	ENGINE	LIST PRICE	ORDER NUMBER	CK
RA2000	Trailer	74 HP Kubota	\$ 79,990	RA2000K	
<b>STANDARD FEATURES</b>					

All RA2000 Spray Patchers are equipped with: **Tier 4i** diesel engine, high volume blower directly driven by engine, 24-gallon fuel tank, four (4) 225/75 x 15 - 6 ply tubeless highway tread radial tires, 3" Pintle eye, height adjustable hitch, stop/tail & turn lights, pedestal-mounted strobe, 300-gallon pressurized emulsion tank with 5" dial thermometer and heavy-duty direct read external contents gauge, tank heat, overnight heating, gravity-fed outlet box with 5" flexible hose, 9.5-gallon capacity non-pressurized flush tank with connections for complete system cleanout, rear-facing control panel with engine tachometer, hourmeter, water temperature, oil pressure, strobe light switch, and key-type ignition switch, and electrical controls located near the main discharge nozzle (include engine throttle, aggregate ON/OFF and signal horn).

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Arrow Board	\$ 1,450	26880	
Crack Filling Attachment	\$ 2,550	25866	
240v Heater Conversion	\$ 950	22766	
Filter Element Kit	\$ 850	1002187	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_ PHONE: \_\_\_\_\_

**DS Water Truck**



DEALER: \_\_\_\_\_ DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_ FLOOR PLAN: YES / NO WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_ STOCK ORDER: YES / NO CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

CONTACT EMAIL: \_\_\_\_\_

SHIP TO ADDRESS: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

**SOLD ORDER - CUSTOMER CLASS:**

CONTRACTOR	GOV / MUNI	GSA	NJPA
[ ]	[ ]	[ ]	[ ]

MODEL	RATED CAPACITY	LIST PRICE	ORDER NUMBER	CK
DS 2000	2000 Gallon Base Unit	\$ 35,900	DS2000	
DS 3000	3000 Gallon Base Unit	\$ 37,900	DS3000	
DS 4000	4000 Gallon Base Unit	\$ 45,900	DS4000	

**STANDARD FEATURES**

**\*\* "Truck Prices NOT INCLUDED" All chassis must be approved by V.T. LeeBoy prior to placing order. \*\***

**All DS Water Trucks are equipped with:** low profile elliptical steel tank with flat, flanged, and reinforced heads; tank shell supporting sills; full section 7-gauge surge plates and 22" diameter manhole; single stage Berkeley centrifugal water pump rated at 550 GPM @ 55 psi turning 2200 RPM directly coupled to PTO from truck transmission; two (2) sprinkler heads mounted horizontally at front of truck, two (2) sprinkler heads mounted horizontally at rear of truck, and one(1) midship nozzle, complete with electric solenoid over water pressure-controlled valves and cab control; air gap fill on tank top; I.C.C. clearance lights and reflectors; full width fenders with mud flaps; ladder over fender for easy access to the tank opening; hose hooks; rear bumper; back-up alarm; 3/4" pressurized hose faucet; and 1-1/2" pressurized hose outlet also included. Exterior of tank is primed and painted in white. Interior is sandblasted and coated with epoxy coating.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis	\$ 1,900	0000	
Eight-foot Spraybar	\$ 2,050	1015	
Suction Filling Attachment (including primer pump and foot valve strainer)	\$ 1,990	1305	
Fire Fighting Valve, 2-1/2"	\$ 990	1320	
Push Bumper	\$ 1,050	1410	
Hose Reel (rear-mounted with manual rewind)	\$ 2,500	1202	
Hose Reel (electric rewind)	\$ 3,000	1205	
2" Brass Flusher Nozzles (in lieu of sprinkler caps) QTY:	\$ 675 / EA	0720	
Water Cannon with Cab Control	\$ 12,900	0000	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

Phone: 704.966.3300

eFax: 704.919.5350

[Sales@LeeBoy.com](mailto:Sales@LeeBoy.com)

Effective:

10 December 2014

Prices in US Dollars

## 2015 OH STS Model Year Pricing

# Hydrostatic Chip Spreader (CSH)



DEALER: \_\_\_\_\_

DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_

FLOOR PLAN: YES / NO

WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_

STOCK ORDER: YES / NO

CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

**SOLD ORDER - CUSTOMER CLASS:**

SHIP TO ADDRESS: \_\_\_\_\_

CONTRACTOR	GOV / MUNI	GSA	NJPA
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MODEL	ENGINE	Drive	HOPPER WIDTH	LIST PRICE	ORDER NUMBER	CK
CSHF2	173 HP CAT	Front Wheel Drive	10-ft	\$ 165,900	CSHF2173	
CSHF2	202 HP CAT	Front Wheel Drive	10-ft	\$ 168,450	CSHF2202	
CSHF4	173 HP CAT	All Wheel Drive	10-ft	\$ 178,990	CSHF4173	
CSHF4	202 HP CAT	All Wheel Drive	10-ft	\$ 183,250	CSHF4202	
<b>STANDARD FEATURES</b>						

**All Hydrostatic Chip Spreaders are front wheel drive and equipped with:** infinitely variable speed hydrostatic drive system, 385/65R Duplex radial tires, 12' wide receiving hopper with Folding Wings at 4 cu.yd. truck capacity, rubber skirting and feed control gates adjustable from deck, 10-ft aggregate spread hopper, hydraulic-driven spread roll and agitator bar with quick disconnects, hydraulically-released & hydraulically adjustable height truck hitch, right-hand and left-hand driver's station with swing over steering wheel and Operators Station Control Console includes; ignition switch, automatic conveyor control and application rate control, Plus 1 CAN-Bus control and onboard diagnostic system w/DP 600TM(6.5",400x240 pixel) Color Graphic Display: gauges include engine water temperature, engine oil pressure, tachometer, fuel gauge, voltmeter, hydraulic temperature, hour meter, speed and direction controls, engine throttle, spread hopper/conveyor controls, remote walkway control; hitch release hitch-height, conveyor on/off & horn, light package (includes headlamps, taillights, stop and turn signals, and four-way hazard warning flasher).

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
11-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 1,250	40873-02	
12-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 1,750	40873-03	
13-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 2,125	40873-08	
13-ft. 6-in. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 2,800	40873-04	
14-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 3,550	40873-05	
15-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 3,975	40873-06	
Front Hopper Walkway & Railing (all widths)	\$ 2,650	1120	
Amber Strobe (handrail-mounted)	\$ 810	40657	
10-ft. Aggregate Spread Hopper with <b>Individual Gate Controls</b> - (in lieu of <b>STD</b> 10-ft)	\$ 8,250	1003516-01	
11-ft. Aggregate Spread Hopper with <b>Individual Gate Controls</b> - (in lieu of <b>STD</b> 10-ft)	\$ 9,650	1003516-02	
12-ft. Aggregate Spread Hopper with <b>Individual Gate Controls</b> - (in lieu of <b>STD</b> 10-ft)	\$ 10,750	1003516-03	
13-ft. Aggregate Spread Hopper with <b>Individual Gate Controls</b> - (in lieu of <b>STD</b> 10-ft)	\$ 12,100	1003516-08	
13.5-ft. Aggregate Spread Hopper with <b>Individual Gate Controls</b> - (in lieu of <b>STD</b> 10-ft)	\$ 12,600	1003516-04	
14-ft. Aggregate Spread Hopper with <b>Individual Gate Controls</b> - (in lieu of <b>STD</b> 10-ft)	\$ 13,500	1003516-05	
15-ft. Aggregate Spread Hopper with <b>Individual Gate Controls</b> - (in lieu of <b>STD</b> 10-ft)	\$ 15,950	1003516-06	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

**2015 OH STS Model Year Pricing**

**Mechanical Chip Spreader (CSM)**



DEALER: \_\_\_\_\_

DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_

FLOOR PLAN: YES / NO

WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_

STOCK ORDER: YES / NO

CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

**SOLD ORDER - CUSTOMER CLASS:**

SHIP TO ADDRESS: \_\_\_\_\_

CONTRACTOR	GOV / MUNI	GSA	NJPA
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MODEL	ENGINE	HOPPER WIDTH	LIST PRICE	ORDER NUMBER	CK
CSM	160 HP Cummins	10-ft	\$ 153,500	CSMR160H	
<b>STANDARD FEATURES</b>					

All CSM Chip Spreaders are equipped with: **Tier 3 engine**, with truck-type 5-speed manual transmission, single speed rear drive axle, 11.00 x 22.5 G radial tires, horn, back-up alarm, 9'6" wide receiving hopper with 3.5 cu.yd. truck capacity and rubber skirting, 10' spread hopper with 1.7 cu. yd. struck capacity, hydraulic power assist gate open/close, hitch control at operator's walkway, hydraulically- released truck hitch, left- and right-hand driver's station with steering wheel, hand throttle (cushioned and adjustable), suspension seat, DP 200 Graphic Display; w/onboard diagnostic system, voltmeter, gauges for engine temperature, oil pressure, hour meter, tachometer, fuel gauge, and hydraulic temperature gauge, light package including headlamps, taillights, stop and turn signals, and four-way hazard warning flasher.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Hydraulic Reverse - Allows Increased Speeds in Reverse	\$ 5,980	40399	
11-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 1,250	40873-02	
12-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 1,750	40873-03	
13-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 2,125	40873-08	
13-ft. 6-in. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 2,800	40873-04	
14-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 3,550	40873-05	
15-ft. Aggregate Spread Hopper - (in lieu of 10-ft - 40873-01)	\$ 3,975	40873-06	
Front Hopper Walkway & Railing (all widths)	\$ 2,650	40939	
Amber Strobe (handrail mounted)	\$ 810	40657	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

Phone: 704.966.3300

 Effective: 10 December 2014

eFax: 704.919.5350

## 2015 OH STS Model Year Pricing

Prices in US Dollars

[Sales@LeeBoy.com](mailto:Sales@LeeBoy.com)

# Challenger 6 Broom



DEALER: \_\_\_\_\_ DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_ FLOOR PLAN: YES / NO WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_ STOCK ORDER: YES / NO CUSTOMER: \_\_\_\_\_

 SHIP VIA: **\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

SHIP TO ADDRESS: \_\_\_\_\_

<b>SOLD ORDER - CUSTOMER CLASS:</b>			
CONTRACTOR	GOV / MUNI	GSA	NJPA

MODEL	ENGINE	TRACTOR	LIST PRICE	ORDER NUMBER	CK
<i>Challenger 6</i>	74 HP Cummins	<i>7'-6" Heavy Duty Frame - Poly/Steel Tube Brush</i>	\$ 72,990	CHAL6CMN	
<b>STANDARD FEATURES</b>					

All *Challenger 6* Brooms are equipped with a fully enclosed ROPS cab that includes: *7'-6" Heavy Duty Frame\* - Poly / Steel Tube Brush (32" OD x 90")*, *Tier 4i* engine, air conditioner, heater, defroster fan, front windshield wiper, seat with safety belt, gauge package (including engine oil pressure, water temperature, voltmeter, tachometer, hourmeter and fuel gauges), horn, dual West coast-style mirrors and dome light, vandalism protection, joystick control of forward/reverse and all brush functions, equipped with variable down pressure control, *variable brush speed control*, brush watering system with 150-gallon tank, rotary pre-cleaner, LT 225/75 R15 load range E 10ply tires, two headlights, stop/tail and turn signals, block heater, rear work lights, back-up alarm and amber strobe light.

<b>OPTIONS</b>			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
8' Heavy Duty Frame - Poly / Steel Tube Brush	\$ 1,950	TBD	
Front Windshield Washer (wiper is standard)	\$ 625	21167	
Rear Wiper and Washer Assembly	\$ 1,350	21166	
Suspension Seat Assembly	\$ 625	1010416	
Radio/CD Cab Install	\$ 1,350	1000705	
Spare Tire and mount	\$ 950	1010485	
Engine Shut Down/Low Oil/High Temp with light and buzzer	\$ 850	1005562	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_ PHONE: \_\_\_\_\_

**2015 OH STS Model Year Pricing**

**SweepPro Broom**



DEALER: \_\_\_\_\_ DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_ FLOOR PLAN: YES / NO WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_ STOCK ORDER: YES / NO CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

SHIP TO ADDRESS: \_\_\_\_\_

<b>SOLD ORDER - CUSTOMER CLASS:</b>			
CONTRACTOR	GOV / MUNI	GSA	NJPA
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MODEL	ENGINE	FRONT-MOUNTED BRUSH	LIST PRICE	ORDER NUMBER	CK
SweepPro	74 HP Cummins	7' 6" with Poly Tube	\$ 60,150	SWPROC MN	
<b>STANDARD FEATURES</b>					

All SweepPro Brooms are equipped with a fully enclosed ROPS cab that includes: Tier 4i engine, air conditioner, heater, defroster fan, front windshield wiper, seat with safety belt, gauge package (including engine oil pressure, water temperature, voltmeter, tachometer, hourmeter and fuel gauges), horn, dual West coast-style mirrors and dome light, vandalism protection, joystick control of forward/reverse and brush positioning, front-mounted 7'6" long covered tube-type poly brush with variable down pressure control, brush watering system with 150-gallon capacity, rotary pre-cleaner, ST 225/75-15R load range E tires, two headlights, stop/tail and turn signals, block heater, rear work light and amber strobe light.

<b>OPTIONS</b>			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Combination Poly Wafers (in lieu of Poly Tube)	\$ 800	1005054	
Combination Poly/Steel Wafers (in lieu of Poly Tube)	\$ 850	1005055	
Poly/Steel Tube Brush (in lieu of Poly Tube)	\$ 750	38831	
Rear Wiper and Washer Assembly	\$ 1,350	21166	
Front Windshield Washer (wiper is standard)	\$ 625	21167	
Spare Tire and mount	\$ 950	1011742	
Suspension Seat Assembly	\$ 625	1010416	
Radio/CD Cab Install	\$ 1,350	1000705	
Engine Alarm & Shut Down/Low Oil/High Temp (Light and buzzer for low oil pressure or high engine temp.)	\$ 1,025	19683 & 1005561	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

## 2015 OH STS Model Year Pricing

### RB48A Broom



DEALER: \_\_\_\_\_

DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_

FLOOR PLAN: YES / NO

WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_

STOCK ORDER: YES / NO

CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

#### SOLD ORDER - CUSTOMER CLASS:

SHIP TO ADDRESS: \_\_\_\_\_

CONTRACTOR	GOV / MUNI	GSA	NJPA
[ ]	[ ]	[ ]	[ ]

MODEL	ENGINE	BRUSH	LIST PRICE	ORDER NUMBER	CK
RB48	74 HP Cummins	7'6" with Poly Tube	\$ 56,750	RB48CMN	
<b>STANDARD FEATURES</b>					

All RB48 Brooms are equipped with a fully enclosed ROPS cab that includes: *Tier 4i* engine, defroster fan, front windshield wiper, seat with safety belt, gauge package (including engine oil pressure, water temperature, voltmeter, tachometer, hourmeter and fuel gauges), horn, dual West coast-style mirrors and dome light, vandalism protection, exclusive joystick control of forward/reverse and brush positioning, 7'6" long covered "Quick Change" tube-type poly brush with variable down pressure control, rotary pre-cleaner, ST 225/75-15R load range E tires, two headlights, stop/tail and turn signals, block heater, rear work light and amber strobe light.

OPTIONS				
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK	
Air Conditioning & Heater	\$ 4,600	1010149		
150 gallon water tank	\$ 2,550	28241		
Combination Poly Wafers (in lieu of Poly Tube)	\$ 800	1005054		
Combination Poly/Steel Wafers (in lieu of Poly Tube)	\$ 850	1005055		
Poly/Steel Tube Brush (in lieu of Poly Tube)	\$ 750	38831		
Rear Wiper and Washer Assembly	\$ 1,325	21166		
Front Windshield Washer (wiper is standard)	\$ 625	21167		
Front Snow Blade	\$ 5,250	28753 & 1005026		
Curb Brush	\$ 3,550	1005053		
Spare Tire and mount	\$ 950	1011742		
Suspension Seat Assembly	\$ 625	1010416		
Radio/CD Cab Install	\$ 1,350	1000705		
Engine Alarm & Shut Down/Low Oil/High Temp (Light and buzzer for low oil pressure or high engine temp.)	\$ 850	19683 & 1005561		
Front Fender option	\$ 1,025	1008024		

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

PHONE: \_\_\_\_\_

**2015 OH STS Model Year Pricing**

**Tru-Pac 915 Roller**



DEALER: \_\_\_\_\_ DATE: \_\_\_\_\_

P. O. NO: \_\_\_\_\_ FLOOR PLAN: YES / NO WITH: \_\_\_\_\_

NEED BY DATE: \_\_\_\_\_ STOCK ORDER: YES / NO CUSTOMER: \_\_\_\_\_

SHIP VIA: \_\_\_\_\_

**\*\*\*Specification are required with orders linked to bids\*\*\***

CONTACT EMAIL: \_\_\_\_\_

SHIP TO ADDRESS: \_\_\_\_\_

<b>SOLD ORDER - CUSTOMER CLASS:</b>			
CONTRACTOR	GOV / MUNI	GSA	NJPA
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MODEL	ENGINE	LIST PRICE	ORDER NUMBER	CK
TRUPAC 915	85 HP KUB	\$ 89,990	TP915KUB	
STANDARD FEATURES				

All Tru-Pac 915 Rollers are equipped with: **Tier 3** engine, rotary pre-cleaner, full hydraulic powered articulated frame steering for Tru-tracking compaction and all-wheel oscillation, ballastable from 6 to 15 tons, gauges (including engine oil pressure, engine coolant temperature, voltmeter, hourmeter, electric fuel gauge, and hydraulic oil temperature), 7:50x15 14-ply smooth compaction tires with spring-loaded nylon scrapers, pressurized water spray system with 150-gallon water tank and coco mats, back-up alarm, suspension seat with slide/swivel & seatbelt, ROPS with Canopy, anti-vandalism package, slow-moving vehicle emblem, glow plugs, and electric horn.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
11-Wheel Roller Option, 2 additional compaction tires	\$ 8,625	27759 & 27919	
HEAT SHIELD GROUP, OPTION	\$ 3,250	19591	
FOPS Canopy	\$ 1,725	36256	
Light Combination and Work Lights (turn, tail and 2 front, 2 rear work lights)	\$ 1,125	19676	
Engine Alarm & Shut Down/Low Oil/High Temp (Light and buzzer for low oil pressure or high engine temp.)	\$ 825	19683 & 19684	
Engine Tachometer / RPM gauge	\$ 950	988021-06	
Block Heater option	\$ 525	1003631	

COMMENTS: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_ PHONE: \_\_\_\_\_