



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

2016 STS Prices  
REV. 1  
15% STS Discount Applies to List Pricing

## Table of Contents

Item	Page
Snow and Ice Control- Truck Packages	1-4
TG 505 Roll Gate Spreader	5
Triton Series Straight Mold Board Plows	6
Talon Series J Moldboard Plows	7
Hercules One Way Series Plows	8
Truck Hitches	9
Model 1500 Leaf Loader	10
Model 2000 Leaf Loader	11
ALC 17 – 17 Cubic Yard Leaf Collector	12-13
ALC 25 – 25 Cubic Yard Leaf Collector	14-15
ALC 30-30 Cubic Yard Leaf Collector	16-17



STS Discount 15% from List Prices

## SNOW & ICE TRUCK SPECIFICATIONS

### DUMP BODY

ARM SS Medium Duty Dump Box  
(10' Or 11')x30"x38" Stainless Steel Cross-memberless  
Cab to Axle Requirement: Minimum 84" -10ft & 96" -11ft  
Sides & Front: 7 Gauge, 304 SS One Piece Formed  
Sides: 304 SS Smooth one piece formed  
Floor: 3/16" Brinell 450 Floor  
Floor Spray: Dump Body Floor Painted Black  
Tailgate: 7 Gauge 304 SS  
Tailgate Panel: 2 panel Straight Tailgate with Flame Cut SS Hardware  
Latching: Air Operated Opening and Latching  
Tailgate: Single Acting Tailgate & SS tailgate latch system  
Tailgate Safety: (2) Tailgate Safety door Lock-Chains & Anchors  
Air Cylinder: Air Cylinder Tailgate  
Longsills: 6" I-Beam 3/16" Brinell 250  
Cab Shield Width: 87" Wide x 24" Projection  
Cab Shield Projection: 24" Projection SS  
Cab Shield Light Box: (2) Enclosed corner strobe box  
Cab Shield Cut outs: 2 front facing LED Class 1 Amber oval Strobes  
Cab Shield Cut Outs: 2 Side Facing LED Class 1 Amber Oval Strobes  
Cab Shield Cut Outs: 2 Rear Facing LED Class 1 Amber Oval Strobes  
Corner Posts: Front & Rear  
Banjo Eyes: (2) Banjo Eyes on rear, low & high position  
Rear Post Cut Outs: (1 Set) LED S/T/T light  
Rear Post Cut Outs: (1 Set) LED Class 1 Amber Oval Strobes  
Rear Post Cut Outs: (1 Set) LED Back up light  
Body Prop: Driver Side  
Ladder: SS Under Body Retractable Ladder  
Walk Rail: Grip Strut Safety Walk Rail (both sides of body)  
Board Holders: Front & Rear with 2"x10"x10' Wood Boards Painted Black  
Shovel Holder: SS Shovel Holder Driver Side- Bolt on- Mid Mount of body  
Hoist: Mailhot Telescopic Trunnion Mount Double Acting Cylinder  
Cylinder Mount: 35 Ton Cylinder block & 24 ton Cradle  
Hoist Spec: NTEA Class 50

**Back up Alarm:** (1) Back up alarm  
**Fenders:** (1 Set) Poly Fenders w/powder coated blk stl mounting fenders  
**Mud Flaps:** (1) Set ARM Mud flaps  
**SS Flap Brackets:** (1 set) SS quick release mud flap brackets  
**Under Body Paint:** Painted Black  
**Salt Light:**(1) 4.5" LED amber work light rear mounted for spreader discharge

#### **ARM CENTRAL HYDRAULIC SYSTEM:**

Central Hydraulic System:  
Standard ARM Central Hydraulic System: Air Controls & Electric Spreader Controls.  
ARM Console Stand Mounted in cab on swivel stand with integrated functions  
The American Road Machinery Company electric ground speed spreader control  
High volume constant flow pump with flow divider for Hot shift PTO with switch mounted on the dash  
Stainless steel 35 gallon valve enclosure reservoir with in tank filter and sight gauge  
Air controlled valve sections for plow up/down & left/right and dump body up/down  
Stainless steel flared hydraulic lines mounted ridged to frame for spreader auger/spinner & dump body up/down  
Stainless steel quick connect couplers w/ dust caps for spreader spinner/auger and plow up/down, left/right  
Spreader stainless steel couplers are mounted on the rear/underside of dump body on stainless steel brackets  
Hydraulic system is fully calibrated with laminated schematic  
Stainless Steel Guard Blocks installed at rear on both sides to protect SS couplers  
25 Gallons Hydraulic Oil  
Power Distribution Panel In Cab

#### **ARM SNOW PLOW:**

**Snow Plow:** ARM Triton- series 10'x36"  
**Moldboard Length:** 10'  
**Moldboard Height:** 36"  
**Overhang Radius from Leading Edge:** 12" overhang  
**Moldboard Material:** Steel Moldboard  
**Semi-Circle:** 5"x5"x5/16" wall Tube Design and tube A-Frame  
**Rubber Snow Deflector top of moldboard:** Yes: 12"x10' w/top angle  
**Moldboard Trip:** Trip Edge with 5 extension springs  
**Cutting Edge:** 5/8" x 8" x 10'

Power Reverse: 4"x12" D.A. Infinite positions power reverse w/ hydraulic cushion cross-over relief valve

Paint: Orange Face, Black Rear

Level Lift Chains : Yes

Moldboard Ribs: 10 vertical moldboard ribs.

Snow Plow Markers: (2) polyethylene high visibility plow markers

QCP loop Male portion on plow: Yes

**ARM HITCH:**

Model: ARM Snow Plow Hitch

Quick Hitch: QCP Style Heavy Duty Snow plow Hitch

Lift Arm: Telescopic lift arm with multi-positions & lock down point

Lift Cylinder: 4"x10" Lift cylinder

Side Plates: Integral

Snow Plow Lights: (1) Pair Snow Plow Lights

Snow Plow light Bracket: (1) SS Snow plow light bracket

**PINTLE PLATE:**

5/8" Pintle Plate

Multiple pintle hook mounting positions

(2) 1" D-Rings with brackets

(1) 7 Pin Trailer electrical adapter

(1) 25-Ton Pintle Hook

(1) Rear ICC light Mounted on Hinge

**ARM UTG SS SPREADER:**

ARM Stainless Steel Under Tailgate Spreader

Self Leveling Swing Mount 18" poly Spinner

(2) independent direct drive hydraulic motors

Hydraulic power drives auger and spinner standard discharge

6" continuous 3/8" flighted auger & full SS trough

Safety Lock out feature

**All dump systems to require pre-build meeting and customer sign off on final.**

<b>Snow &amp; Ice Package Selection</b>	<b>List Price</b>	<b>Quantity</b>
ARM SNOW & ICE TRUCK PACKAGE with 10 Ft Dump Body: As detailed in spec above: C/T Requirements: 84"	\$60,000	
ARM SNOW & ICE TRUCK PACKAGE with 11 Ft Dump Body: As detailed in spec above: C/T Requirements: 96"	\$61,178	
<b>Optional Equipment</b>		
<b>Plow Options</b>		

Upgrade to 11'x42" Moldboard	\$295	
Upgrade to 12'x42" Moldboard	\$588	
Polymer Moldboard	\$412	
Stainless Steel Moldboard	\$1,535	
Adjustable Caster Shoes	\$1,588	
Adjustable 8" Caster Wheels	\$1,650	
<b>Accessories</b>		
Mountain Tarp Electric Flip Tarp System with Vinyl Tarp	\$2,118	
Turnbuckle tailgate safety kit (1) Set	\$235	
Coal Chute (location to be determined) Per Chute	\$530	
Swing Gate: Integrated Tailgate with Manual Release	\$1,060	
Dump Body Vibrator-Vibco DC-3500	\$1,150	
<b>V-Box Spreaders: Overrides UTG Spreader</b>		
V-Box SS Spreader: 10' 304 Stainless Steel Slide In Hopper Spreader with Drag Chain Conveyor, Polyurethane spinner disk, heavy duty top grate screens, inverted V above conveyor	\$13,000	
V-Box SS Spreader: 11' 304 Stainless Steel Slide In Hopper Spreader with Drag Chain Conveyor, Polyurethane spinner disk, heavy duty top grate screens, inverted V above conveyor	\$14,120	
Total Before Discounts		
STS 15% Discount		
STS Selling Price		

Truck disclaimer:

Final approval of this quotation is subject to physical review and inspection of the chassis' to be utilized to accomplish above work scope. Other than the items specifically listed in the quotation above, American Road Machinery ("Seller") reserves the right to hold the completion of this order if upon inspection it is found chassis differs in scope than that presented for quotation. All modifications required to move battery boxes, air tanks, axles, DEF tanks, fuel tanks or other chassis items that cause interference with the normal installation of body components will have an added labor and material cost. If such interference issues are found during pre-build inspection of the chassis, American Road Machinery shall estimate chassis modifications at Time and Materials with a fixed labor rate of \$75.00 per hour. The customer will be required to sign and approve a Change Order.



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

2016 Spreader Equipment STS Prices  
REV. 1  
15% STS Discount Applies to List Pricing

## TG-505 SERIES ROLLSPREAD TAILGATE MOUNT SPREADER

Model	Standard Features	List Price
TG-505	Spreader only less truck hydraulics	\$3866.00
TG-505SS	Stainless steel spreader less truck hydraulics	\$5075.00

APPROXIMATE WEIGHT: 500 LBS.

NOTE: Above units include necessary attaching parts with standard quick disconnects, hopper hangers, and pins.

### OPTIONAL EQUIPMENT (When purchased with original Unit)

Description	List Price
Paint other than Standard Omaha Orange	225.00
Flow Control Valve	580.00
Hinged Hopper Cover	667.00
Stainless Steel Hinged Hopper Cover	1334.00

Item	Amount
Base Equipment List Price	
Optional Equipment List Price	
STS Discount 15% (minus)	
Subtotal	
Total Quote	



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

### Triton Series Plows- 15% STS Discount Applies

Moldboard Size	Semi Circle Outside Centers with 3/4" Grade 5 Bolts 115"	Base Price- Pin Lock Power Reverse External Trip Springs	Semi Circle Outside Centers with 3/4" Grade 5 Bolts 115"	Base Price- Infinite Power Reverse - External Trip Springs	Semi Circle Outside Centers with 3/4" Grade 5 Bolts 115"	Base Price- Trip Edge- Pin Lock Power Reverse	Semi Circle Outside Centers with 3/4" Grade 5 Bolts 115"	Base Price- Trip Edge- Infinite Power Reverse	SQ Series Square Tube Design Including Infinite Power Reverse Trip Edge Only 120"	Base Price
10'x30"	PLET1030	\$6,175.00	IPET1030	\$6,595.00	PLTR1030	\$6,975.00	IPTR1030	\$7,275.00	SQ1030	\$7,695.00
10'x 36"	PLET1036	\$6,225.00	IPET1036	\$6,645.00	PLTR1036	\$7,025.00	IPTR1036	\$7,325.00	SQ1036	\$7,745.00
10'x42"	PLET1042	\$6,275.00	IPET1042	\$6,695.00	PLTR1042	\$7,075.00	IPTR1042	\$7,375.00	SQ1042	\$7,795.00
10'x48"	PLET1048	\$6,325.00	IPET1048	\$6,745.00	PLTR1048	\$7,125.00	IPTR1048	\$7,425.00	SQ1048	\$7,845.00
11'x30"	PLET1130	\$6,375.00	IPET1130	\$6,795.00	PLTR1130	\$7,175.00	IPTR1130	\$7,475.00	SQ1130	\$7,895.00
11'x36"	PLET1136	\$6,425.00	IPET1136	\$6,845.00	PLTR1136	\$7,225.00	IPTR1136	\$7,525.00	SQ1136	\$7,945.00
11'x42"	PLET1142	\$6,475.00	IPET1142	\$6,895.00	PLTR1142	\$7,275.00	IPTR1142	\$7,575.00	SQ1142	\$7,995.00
11'x48"	PLET1148	\$6,525.00	IPET1148	\$6,945.00	PLTR1148	\$7,325.00	IPTR1148	\$7,625.00	SQ1148	\$8,045.00
12'x30"	PLET1230	\$6,575.00	IPET1230	\$6,995.00	PLTR1230	\$7,375.00	IPTR1230	\$7,675.00	SQ1230	\$8,095.00
12'x36"	PLET1236	\$6,625.00	IPET1236	\$7,045.00	PLTR1236	\$7,425.00	IPTR1236	\$7,725.00	SQ1236	\$8,145.00
12'x42"	PLET1242	\$6,675.00	IPET1242	\$7,095.00	PLTR1242	\$7,475.00	IPTR1242	\$7,775.00	SQ1242	\$8,195.00
12'x48"	PLET1248	\$6,725.00	IPET1248	\$7,145.00	PLTR1248	\$7,525.00	IPTR1248	\$7,825.00	SQ1248	\$8,245.00
10'x34" 12" OH	PLET1034DC	\$6,225.00	IPET1034DC	\$6,645.00	PLTR1034DC	\$7,325.00	IPTR1034DC	\$7,745.00	SQ1034DC	\$7,745.00
10'x42" 12" OH	PLET1042DC	\$6,275.00	IPET1042DC	\$6,695.00	PLTR1042DC	\$7,375.00	IPTR1042DC	\$7,795.00	SQ1042DC	\$7,795.00
11'x34" 12" OH	PLET1134DC	\$6,325.00	IPET1134DC	\$6,745.00	PLTR1134DC	\$7,425.00	IPTR1134DC	\$7,845.00	SQ1134DC	\$7,845.00
11'x42" 12" OH	PLET1142DC	\$6,375.00	IPET1142DC	\$6,795.00	PLTR1142DC	\$7,475.00	IPTR1142DC	\$7,895.00	SQ1142DC	\$7,895.00
12'x42" 12" OH	PLET1242DC	\$6,425.00	IPET1242DC	\$6,845.00	PLTR1242DC	\$7,525.00	IPTR1242DC	\$7,945.00	SQ1242DC	\$7,945.00
12'x48" 12" OH	PLET1248DC	\$6,475.00	IPET1248DC	\$6,895.00	PLTR1248DC	\$7,575.00	IPTR1248DC	\$7,995.00	SQ1248DC	\$7,995.00
14'x48" 12" OH	PLET1448DC	\$6,375.00	IPET1448DC	\$6,795.00	PLTR1448DC	\$7,495.00	IPTR1448DC	\$7,895.00	SQ1448DC	\$7,895.00

Base plows include moldboard, semi circle, pushframe, Steel 6"x1/2" cutting edge, lift chain, 21" Center Pin Mounts  
Choice of Moldboard Profile- Shallow-Standard- Deep C

### Options-With Plow Only

Adjustable caster shoes	\$1,350.00
Adjustable 8" caster wheels	\$1,400.00
Jack Stand	\$85.00
Wrap around curb guards- each	\$105.00
Lift Chain Springs- each	\$78.00
Rubber snow shield 8"x3/8"	\$12/foot
Rubber snow shield with angle reinforcing strip	\$15/foot
QCP quick hitch loop - plow portion	\$1,100.00
Paint other than standard orange	\$135.00
Additional ribs welded onto moldboard - each	\$135.00
End Markers	\$65.00
Mail Box Cut Top Edges	\$140.00
Poly Moldboard	\$350.00
Stainless Moldboard	\$1,305.00



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

## Talon J Series Plows-15% STS Discount Applies

Moldboard Size	Base Price- Pin Lock Power Reverse External Trip Springs	Semi Circle Outside Centers with 3/4" Grade 5 Bolts	Base Price- Infinite Power Reverse - External Trip Springs	Semi Circle Outside Centers with 3/4" Grade 5 Bolts	Base Price- Trip Edge- Pin Lock Power Reverse	Semi Circle Outside Centers with 3/4" Grade 5 Bolts	Base Price- Trip Edge- Infinite Power Reverse	SQ Series Square Tube Design Including Infinite Power Reverse Trip Edge Only	Base Price
		115"		115"		115"		120"	
10'x42"	7,575.00	JIPET1030	\$7,995.00	JPLTR1030	\$8,675.00	JIPTR1042	\$9,095.00	JSQ1042	\$9,095.00
10'x48"	7,625.00	JIPET1048	\$8,045.00	JPLTR1048	\$8,725.00	JIPTR1048	\$9,145.00	JSQ1048	\$9,145.00
11'x42"	7,675.00	JIPET1142	\$8,095.00	JPLTR1142	\$8,775.00	JIPTR1142	\$9,195.00	JSQ1142	\$9,195.00
11'x48"	7,725.00	JIPET1148	\$8,145.00	JPLTR1148	\$8,825.00	JIPTR1148	\$9,245.00	JSQ1148	\$9,245.00
12'x42"	7,775.00	JIPET1242	\$8,195.00	JPLTR1242	\$8,875.00	JIPTR1242	\$9,295.00	JSQ1242	\$9,295.00
12'x48"	7,825.00	JIPET1248	\$8,245.00	JPLTR1248	\$8,925.00	JIPTR1248	\$9,345.00	JSQ1248	\$9,345.00

Base plows include moldboard, semi circle, pushframe,  
lift chain, steel cutting edge 1/2" x 6", 21 inch pin mount centers on pushframe  
J Moldboard Profile

### Options-With Plow Only

Adjustable caster shoes	\$1,350.00
Adjustable 8" caster wheels	\$1,400.00
Jack Stand	\$85.00
Wrap around curb guards- each	\$105.00
Lift Chain Springs- each	\$78.00
Rubber snow shield 8"x3/8"	\$12/foot
Rubber snow shield with angle reinforcing strip	\$15/foot
QCP quick hitch loop - plow portion	\$1,100.00
Paint other than standard orange	\$135.00
Additional ribs welded onto moldboard - each	\$135.00
End Markers	\$65.00
Mail Box Cut Top Edges	\$140.00
Poly Moldboard	\$350.00
Stainless Moldboard	\$1,305.00



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

## Hercules One Way Series Plows-15% STS Discount Applies

Moldboard Size	Semi Circle Outside Centers with 3/4" Grade 5 Bolts 84"	Base Price Manual Reverse- Trip Cannon	Semi Circle Outside Centers with 3/4" Grade 5 Bolts 84"	Base Price Pin Lock Power Reverse- Trip Cannon 84"	Semi Circle Outside Centers with 3/4" Grade 5 Bolts 84	Base Price- Trip Edge- Pin Lock Power Reverse
10'3"x46"x27"	HMRTC84-1046	\$6,050.00	HPLTC84-1046	\$7,225.00	HPLTR84-1046	\$8,325.00
11'3"x47"x27"	HMRTC84-1147	\$6,250.00	HPLTC84-1147	\$7,425.00	HPLTR84-1147	\$8,525.00
12'x52"x27"	HMRTC84-1252	\$6,450.00	HPLTC84-1252	\$7,625.00	HPLTR84-1252	\$8,725.00

Base plows include moldboard, semi circle, pushframe, lift chain, steel cutting edge 1/2"x6", 21 inch pin mount centers on pushframe

### Options-With Plow Only

### Price

Adjustable caster shoes	\$1,350.00
Adjustable 8" caster wheels	\$1,400.00
Jack Stand	\$85.00
Wrap around curb guards- each	\$105.00
Lift Chain Springs- each	\$78.00
Rubber snow shield 8"x3/8"	\$12/foot
Rubber snow shield with angle reinforcing strip	\$15/foot
QCP quick hitch loop - plow portion	\$1,100.00
Paint other than standard orange	\$135.00
Additional ribs welded onto moldboard - each	\$135.00
End Markers	\$65.00
Mail Box Cut Top Edges	\$140.00
Poly Moldboard	\$350.00
Stainless Moldboard	\$1,305.00



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

## Plow Hitch

<u>Hitch</u>	<u>Type</u>	<u>Price</u>
SPX00000009	AMERICAN ROAD HEAVY DUTY PLOW HITCH *Full 5/8" thick structural steel tubing construction *4"x2"x10" nitride lift cylinder double acting *Telescoping boom arm with adjustments for level lift *5/8" hitch to frame side plates *Primed and painted black for added corrosion protection *Fold flat telescoping arm for storage *Pin and loop style plow hitch with locking lever	\$3,950.00



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

2016 Leaf Equipment STS Prices  
REV. 1  
15% STS Discount Applies to List Pricing

### Model 1500 Leaf Loader

	Model	Standard Features	Price
	1500-2	Trailer Mounted with 74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges; 25" diameter 6 blade fan; Hinged radiator screen; adjustable swing away jack; over center direct drive clutch; swiveling boom hose support; pneumatic tires; springs; fenders; Convertible right or left 16" diameter x 10' rubber hose leaf pickup.  Approximate weight 2,800 lbs.	\$29,644.00
	1503-2	Same features as Model 1500-2 but with rear intake hose	\$30,127.00

### OPTIONAL EQUIPMENT (When purchased with original Unit)

	Description	Price
	LED Strobe Warning Light	\$690.00
	Electric Brakes	\$675.00
	90 degree Intake Elbow/16" End	\$1,025.00
	Bolt on Hopper Collar	\$250.00
	Paint other than white enamel	\$485.00
	Hydraulic Hose Boom	\$1,400.00
	Quick Hose Disconnect/Over Center Clamp	\$525.00
	Spare Tire 7.00-15 - 8 Ply Rating	\$335.00
	Fluid Coupler in place of Over Center Clutch	\$4,350.00
	John Deere 4045TIII99 - 99 hp 4 cylinder turbo diesel	\$6,275.00
	John Deere 4045T III- 85hp 4 cylinder turbo diesel	\$5,100.00
	Leaf Loader Hopper 8 ft. Standard	\$4,500.00
	Leaf Loader Hopper 8 ft. to 12 ft. custom length	\$5,300.00
	Hopper painted other than white enamel	\$630.00

Item	Amount
Base Equipment List Price	
Optional Equipment List Price	
Subtotal	
STS Discounts (minus) 15%	
Total Quote	



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

2016 Leaf Equipment Prices  
REV 1  
15% STS Discount Applies to List Pricing

### Model 2000 Leaf Loader

Model	Standard Features	Price
2000-2	Trailer Mounted with 74 HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges; 30" diameter 6 blade fan; adjustable swing away jack; over center direct drive clutch; hinged radiator screen; swiveling boom hose support; pneumatic tires; springs; fenders; Convertible Right or Left 16" diameter x 10' Heavy Duty Rubber Hose.  Approximate weight 3,200 lbs.	\$29,821.00
2003-2	Same as above with Rear Intake Hose	\$30,304.00

### OPTIONAL EQUIPMENT (When purchased with original Unit)

Description	Price
LED Strobe Warning Light	\$690.00
Electric Brakes	\$675.00
90 degree Intake Elbow/16" End	\$1,025.00
Bolt on Hopper Collar	\$250.00
Paint other than white enamel	\$485.00
Hydraulic Hose Boom	\$1,400.00
Quick Hose Disconnect/Over Center Clamp	\$525.00
Spare Tire 7.00-15 - 8 Ply Rating	\$335.00
Fluid Coupler in place of Over Center Clutch	\$4,350.00
John Deere 4045TIII99 - 99 hp 4 cylinder turbo diesel	\$6,275.00
John Deere 4045T III- 85hp 4 cylinder turbo diesel	\$5,100.00
Leaf Loader Hopper 8 ft. Standard	\$4,500.00
Leaf Loader Hopper 8 ft. to 12 ft. custom length	\$5,300.00
Hopper painted other than white enamel	\$630.00

Item	Amount
Base Equipment List Price	
Optional Equipment List Price	
Subtotal	
STS Discounts (minus) 15%	
Total Quote	



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

2016 Leaf Equipment Prices  
REV 1  
15% STS Discount Applies to List Pricing

### ALC17 - 17 Cubic Yard Leaf Collector

Model	Standard Features	Price
Trailer Mounted	<p>74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges;; 17 cubic yard hopper with 2 stage telescopic dump cylinder; 10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6 blade fan; pneumatic tires; tandem axles; heavy duty truck springs; electric brakes with safety break away. LED lighting, conspicuity tape, rear mount bumper</p> <p>Approximate weight 5,725 lbs.</p>	\$55,975.00
Chassis Mounted	<p>74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges;17 cubic yard hopper with 2 stage telescopic dump cylinder; 10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6 blade fan. LED lighting, conspicuity tape.</p> <p>Approximate weight 5,000 lbs.</p> <p>Minimum cab to axle distance: 148 inches</p>	\$58,512.00
Roll- Off Mounted	<p>74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges;; 17 cubic yard hopper;10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6 blade fan. LED lighting, conspicuity tape.</p> <p>Mounted on either Hook Lift or Winch Load Under frame</p> <p>Approximate weight 4,800 lbs. Required clear rail space: 208 inches Minimum cab to axle distance: 168 inches</p> <p>Minimum required chassis rating Front axle - 7,000 lbs. Rear axle - 18,000 lbs.</p>	\$53,678.00

**See next page for optional equipment**

**OPTIONAL EQUIPMENT**  
(When purchased with original Unit)

Description	Price
Single LED strobe warning light (top hinged door only) (G5)	\$690.00
Dual bottom mounted LED strobe light package (G2)	\$850.00
Dual top mounted LED strobe light package (G4)	\$850.00
Dual top and bottom (4) mounted LED strobe light package (G3)	\$1,025.00
Hinged Hose Adapter	\$1,060.00
Paint other than white enamel	\$975.00
Spare tire 8.00-14.5 12 ply rating	\$485.00
Intake hose quick disconnect - over center clamp	\$510.00
Engine driven hydraulic hose boom	\$3,200.00
4 way Hydraulic hose boom with tethered joystick controller	\$8,100.00
4 way Hydraulic hose boom with wireless pendant controller	\$8,300.00
6 way Hydraulic hose boom with tethered joystick controller	\$9,200.00
6 way Hydraulic hose boom with wireless pendant controller	\$9,600.00
Fluid coupler in place of over center clutch	\$4,350.00
Hydraulic jack stand	\$1,725.00
Top mounted hood air deflector	\$2,350.00
Chipper rear door assembly on chassis mount only	\$3,125.00
Dual side hinged rear doors in place of top hinged door	N/C
30" fan upgrade	\$1,580.00
John Deere 4045TIII99 - 99 hp 4 cylinder turbo diesel	\$6,275.00
John Deere 4045TIII 85hp 4 cylinder turbo diesel	\$5,100.00

Item	Amount
Base Equipment List Price	
Optional Equipment List Price	
Subtotal	
STS Discounts (minus) 15%	
Total Quote	



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

2016 Leaf Equipment Prices  
REV 1  
15% STS Discount Applies to List Pricing

### ALC25 - 25 Cubic Yard Leaf Collector

Model	Standard Features	Price
Trailer Mounted	74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges; 25cubic yard hopper with 3 stage telescopic dump cylinder; 10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6 blade fan; pneumatic tires; 18,000 lb. dual tandem axles; heavy duty truck springs; electric brakes with safety break away, LED lighting, Conspicuity tape, rear mount bumper  Approximate weight 8840 lbs.	\$57,477.00
	20,000 lb. Dual Tandem Axles (7.5x16 10 Ply Tires)	\$58,877.00
	24,000 lb. Dual Tandem Axles (7.5x16 10 Ply Tires)	\$59,427.00
Chassis Mounted	74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges; 25cubic yard hopper with 3 stage telescopic dump cylinder; 10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6 blade fan. LED lighting, Conspicuity tape  Approximate weight 7,240 lbs.  Minimum cab to axle distance: 173 inches	\$58,691.00
Roll- Off Mounted	74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges.; 25 cubic yard hopper;10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 25" diameter 6 blade fan, LED lighting, Conspicuity tape.  Mounted on either Hook Lift or Winch Load Under frame  Approximate weight 6,800 lbs. Required clear rail space: 238 inches Minimum cab to axle distance: 203 inches  Minimum required chassis rating Front axle - 8,000 lbs. Rear axle - 20,000 lbs.	\$53,857.00

**See next page for optional equipment**

**OPTIONAL EQUIPMENT**  
(When purchased with original Unit)

Description	Price
Single LED strobe warning light (top hinged door only) (G5)	\$690.00
Dual bottom mounted LED strobe light package (G2)	\$850.00
Dual top mounted LED strobe light package (G4)	\$850.00
Dual top and bottom (4) mounted LED strobe light package (G3)	\$1,025.00
Hinged Hose Adapter	\$1,060.00
Paint other than white enamel	\$975.00
Spare tire 7.50 - 16.0 10 ply rating	\$485.00
Intake hose quick disconnect - over center clamp	\$510.00
Engine driven hydraulic hose boom	\$3,200.00
4 way Hydraulic hose boom with tethered joystick controller	\$8,100.00
4 way Hydraulic hose boom with wireless pendant controller	\$8,300.00
6 way Hydraulic hose boom with tethered joystick controller	\$9,200.00
6 way Hydraulic hose boom with wireless pendant controller	\$9,600.00
Fluid coupler in place of over center clutch	\$4,350.00
Hydraulic jack stand	\$1,725.00
Top mounted hood air deflector	\$2,350.00
Chipper rear door assembly on chassis mount only	\$3,125.00
Dual side hinged rear doors in place of single top hinged rear door or	N/C
30" fan upgrade	\$1,580.00
John Deere 4045TIII99 - 99 hp 4 cylinder turbo diesel	\$6,275.00
John Deere 4045TIII 85hp 4 cylinder turbo diesel	\$5,100.00

Item	Amount
Base Equipment List Price	
Optional Equipment List Price	
Subtotal	
STS Discounts (minus) 15%	
<b>Total Quote</b>	



3026 Saratoga Ave SW, Canton, Ohio 44706 USA  
844-294-5862

2016 Leaf Equipment Prices  
REV 1  
15% STS Discount Applies to List Pricing

### ALC30 - 30 Cubic Yard Leaf Collector

Model	Standard Features	Price
Trailer Mounted	<p>74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges; 30cubic yard hopper with 3 stage telescopic dump cylinder; 10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 30" diameter 6 blade fan; pneumatic tires; 24,000 lb. dual tandem axles; heavy duty truck springs; electric brakes with safety break away, LED lighting, conspicuity tape, rear mount bumper.</p> <p>Approximate weight 10,500 lbs.</p>	\$59,495.00
Chassis Mounted	<p>74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges; 30 cubic yard hopper with 3 stage telescopic dump cylinder; 10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 30" diameter 6 blade fan, LED lighting, conspicuity tape.</p> <p>Approximate weight 8,100 lbs.</p> <p>Minimum cab to axle distance: 208 inches</p>	\$60,709.00
Roll- Off Mounted	<p>74HP John Deere 4045T Tier 4 Diesel Engine; vernier type throttle and manual engine gauges; 30 cubic yard hopper; 10'x16" heavy duty rubber intake hose, 45 degree hose adapter, electric hydraulic hose boom; hinged auxiliary radiator screen; 30" diameter 6 blade fan, LED lighting, conspicuity tape.</p> <p>Mounted on either Hook Lift or Winch Load Under frame</p> <p>Approximate weight 8,100 lbs. Required clear rail space: 248 inches Minimum cab to axle distance: 228 inches</p> <p>Minimum required chassis rating Front axle - 9,000 lbs. Rear axle - 22,000 lbs.</p>	\$55,876.00

**See next page for optional equipment**

**OPTIONAL EQUIPMENT**  
(When purchased with original Unit)

Description	Price
Single LED strobe warning light (top hinged door only) (G6)	\$690.00
Dual bottom mounted LED strobe light package (G2)	\$850.00
Dual top mounted LED strobe light package (G4)	\$850.00
Dual top and bottom (4) mounted LED strobe light package (G3)	\$1,025.00
Hinged hose adapter	\$1,060.00
Paint other than white enamel	\$975.00
Spare tire 7.50 - 16.0 10 ply rating	\$485.00
Quick disconnect - over center clamp for intake hose	\$510.00
Engine driven hydraulic hose boom	\$3,200.00
4 way Hydraulic hose boom with tethered joystick controller	\$8,100.00
4 way Hydraulic hose boom with wireless pendant controller	\$8,300.00
6 way Hydraulic hose boom with tethered joystick controller	\$9,200.00
6 way Hydraulic hose boom with wireless pendant controller	\$9,600.00
Fluid coupler in place of over center clutch	\$4,350.00
Hydraulic jack stand	\$1,725.00
Top mounted hood air deflector	\$2,350.00
Chipper rear door assembly on chassis mount only (flat rear door)	\$3,125.00
Choice of single top hinged rear door or dual side hinged rear doors	N/C
John Deere 4045TIII99 - 99 hp 4 cylinder turbo diesel	\$6,275.00
John Deere 4045T III- 85hp 4 cylinder turbo diesel	\$5,100.00

Item	Amount
Base Equipment List Price	
Optional Equipment List Price	
Subtotal	
STS Discounts (minus) 15%	
Total Quote	