

**Prices Effective: September 12, 2015**

**Price List Worksheet**

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
<b>P-SI</b>	Principal - System Integration	Services time of a "principal" of the company during project activities	\$ 175.00	\$ 140.00	Integration Services	
<b>RE</b>	Registered Engineer	Services time of a "registered engineer" of the company during project activities	\$ 165.00	\$ 132.00	Integration Services	
<b>SDE</b>	Systems Design Engineer	Services time of a "design engineer" of the company during project activities	\$ 150.00	\$ 120.00	Integration Services	
<b>SSE</b>	Systems Software Engineer	Services time of a "software engineer" of the company during project activities	\$ 150.00	\$ 120.00	Integration Services	
<b>SSTE</b>	Systems Startup Engineer	Services time of a "startup engineer" of the company during project activities	\$ 150.00	\$ 120.00	Integration Services	
<b>SSTT</b>	Systems Startup Technician	Services time of a "startup technician" of the company during project activities	\$ 95.00	\$ 76.00	Integration Services	
<b>AEE-CEM</b>	AEE CEM Energy Manager	Services time of a "certified energy manager" of the company during project activities	\$ 140.00	\$ 112.00	Audit Services	
<b>AEE-CEA</b>	AEE CEA Energy Auditor	Services time of a "certified energy auditor" of the company during project activities	\$ 125.00	\$ 100.00	Audit Services	
<b>AEE-CBCP</b>	AEE CBCP Commissioning Agent	Services time of a "certified commissioning professional" of the company during project activities	\$ 125.00	\$ 100.00	Commissioning Services	
<b>AV-D</b>	AutoCadd / Visio drafts person	Services time of a "computer drawing technician" of the company during project activities	\$ 75.00	\$ 60.00	Documentation - Computer Generated	
<b>CLER</b>	Clerical	Services time of a "clerical / business technician" of the company during project activities	\$ 42.50	\$ 34.00	Clerical	
AGM Part #	VYKON DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
<b>ALM-CONSOLE-AX</b>	Alarm Console for AX	The Alarm Console client. No separate server is required. Supports both Supervisor and Niagara device alarm monitoring.	\$ 230.00	\$ 133.40	AX SUPERVISOR	Supervisor Drivers and Options
<b>DR-BACNET-AX</b>	BACNet® IP Client	BACNet® IP Client over Ethernet	\$ 690.00	\$ 400.20	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® Client Drivers
<b>DR-CCN-AX</b>	CCN Driver	Carrier Comfort Network Driver	\$ 3,145.00	\$ 1,824.10	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® Legacy Building Automation Drivers
<b>DR-LON-AX</b>	LON®	LON® over twisted pair.	\$ 410.00	\$ 237.80	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® Client Drivers
<b>DR-MDB-RTU-AX</b>	Modbus RTU	Modbus RTU over RS-232 or RS-485	\$ 690.00	\$ 400.20	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® Client Drivers
<b>DR-MDB-TCP-AX</b>	Modbus TCP	Modbus TCP over Ethernet	\$ 690.00	\$ 400.20	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® Client Drivers
<b>DR-MSTP-AX</b>	BACNet® MS/TP	BACNet® MS/TP Client over RS-232 or RS-485. Available on embedded devices only.	\$ 690.00	\$ 400.20	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® Client Drivers
<b>DR-OPC-CL-AX</b>	OPC Client	OPC Client over Ethernet	\$ 740.00	\$ 429.20	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	SoftJACE®/ NXT Client Drivers
<b>DR-SNMP-AX</b>	SNMP	SNMP over Ethernet	\$ 690.00	\$ 400.20	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® Client Drivers
<b>ENC-001</b>	Small Enclosure	12" X 18" X 4" Enclosure with 24 VAC Transformer	\$ 765.00	\$ 443.70	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® 2, JACE® 3E, JACE® 6, JACE® 6E and JACE® 7 Enclosure Hardware
<b>ENC-002</b>	Large Enclosure	12" X 28" X 4" Enclosure with 24 VAC Transformer	\$ 890.00	\$ 516.20	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® 2, JACE® 3E, JACE® 6, JACE® 6E and JACE® 7 Enclosure Hardware
<b>ENC-BKP-1</b>	Backplate (8" X 11")	8" X 11" Perforated back plate option with mounting spacers (4) and mounting nuts (4)	\$ 130.00	\$ 75.40	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® 2, JACE® 3E, JACE® 6, JACE® 6E and JACE® 7 Enclosure Hardware
<b>ENC-BKP-2</b>	Backplate (11"X11")	11" X 11" Perforated back plate option with mounting spacers (4) and mounting nuts (4)	\$ 165.00	\$ 95.70	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® 2, JACE® 3E, JACE® 6, JACE® 6E and JACE® 7 Enclosure Hardware
<b>IO-16</b>	16 IO	J2, J3E, J6, and J6E Only - Includes 8 Universal Inputs, 4 Form A Relay Outputs, and 4 0-10 VDC Analog Outputs Contains removable screw terminal connectors, and status indication LEDs. Intended for DIN rail mounting.	\$ 510.00	\$ 295.80	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® 2, JACE® 3E, JACE® 6, JACE® 6E and JACE® 7 Hardware Options
<b>IO-16-485</b>	16 Remote IO	Includes 8 Universal Inputs, 4 Form A Relay Outputs, and 4 0-10 VDC Analog Outputs Contains removable screw terminal connectors, and status indication LEDs. Intended for DIN rail mounting. NOTE: Up to 4 remote IO-16-485 modules max per JACE (JACE 6,6E, and 7 can support up to 16) Manufactured in the USA	\$ 750.00	\$ 435.00	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	JACE® 2, JACE® 3E, JACE® 6, JACE® 6E and JACE® 7 Hardware Options

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
IO-16-A	16 IO USA	J2, J3E, J6, and J6E Only - Includes 8 Universal Inputs, 4 Form A Relay Outputs, and 4 0-10 VDC Analog Outputs Contains removable screw terminal connectors, and status indication LEDs. Intended for DIN rail mounting. Manufactured in the USA	\$ 575.00	\$ 333.50	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
IO-34	34 IO	J2, J3E, J6, and J6E Only - Includes 16 Universal Inputs, 10 Form A Relay Outputs, and 8 0-10 VDC Analog Outputs. Contains removable screw terminal connectors and status indication LEDs. Intended for DIN rail mounting. This IO-34 also contains an on-board 24V AC/DC power supply.	\$ 1,140.00	\$ 661.20	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
IO-34-A	34 IO USA	J2, J3E, J6, and J6E Only - Includes 16 Universal Inputs, 10 Form A Relay Outputs, and 8 0-10 VDC Analog Outputs. Contains removable screw terminal connectors and status indication LEDs. Intended for DIN rail mounting. This IO-34 also contains an on-board 24V AC/DC power supply. Manufactured in the USA	\$ 1,285.00	\$ 745.30	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
J-300E	JACE@ 3E Controller	Includes 256MB RAM, 128MB Flash, 2 10/100 Mb Ethernet ports, 1 RS-485 serial port, 1 RS-232 serial port, NDIO port, 2 communication card option slots, and SRAM module. Standard features include Niagara station and Web User Interface. Standard drivers include oBIX Client / Server and Niagara Network (Fox) Client / Server. The JACE@ 3E is designed for Battery less operation and DIN rail mounting. Memory upgrade and Embedded Workbench is available - see Software Options. Requires AX release 3.7.106 or higher. Power supply is not included - see Hardware Options. Battery is not included - see Hardware Options	\$ 2,410.00	\$ 1,397.80	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3, JACE@ 6, and JACE@ 7 Hardware
J-600E	JACE@ 6E Controller	Includes 256 MB RAM/128 MB Flash, 2 10/100 Mb Ethernet ports, 1 RS-485 serial port, 1 RS-232 serial port, NDIO port, 2 communication card option slots, and SRAM module. Standard features include Niagara station and Web User Interface. Standard drivers include oBIX Client / Server and Niagara Network (Fox) Client / Server. The JACE@ 6E is designed for Battery less operation and DIN rail mounting. Memory upgrade and Embedded Workbench is available - see Software Options. Requires AX release 3.6 or higher. Power supply is not included - see Hardware Options. Battery is not included - see Hardware Options	\$ 4,655.00	\$ 2,699.90	AX JACE@ 2, JACE@ 6, and JACE@ 7	JACE@ 2, JACE@ 6, and JACE@ 7 Hardware
J-600E-A	JACE@ 6E Controller USA	Includes 256 MB RAM/128 MB Flash, 2 10/100 Mb Ethernet ports, 1 RS-485 serial port, 1 RS-232 serial port, NDIO port, 2 communication card option slots, and SRAM module. Standard features include Niagara station and Web User Interface. Standard drivers include oBIX Client / Server and Niagara Network (Fox) Client / Server. The JACE@ 6E is designed for Battery less operation and DIN rail mounting. Memory upgrade and Embedded Workbench is available - see Software Options. Requires AX release 3.6 or higher. Power supply is not included - see Hardware Options. Battery is not included - see Hardware Options Manufactured in the USA.	\$ 4,945.00	\$ 2,868.10	AX JACE@ 2, JACE@ 6, and JACE@ 7	JACE@ 2, JACE@ 6, and JACE@ 7 Hardware
J-603	JACE@ 603 Controller	NPM6E based controller w/encl, UI,DO, 120VAC, (2) Ethernet ports, (1) RS-485, isolated port, (1) RS-232 (1) LON@Works FTT 10 port w/driver, 6 universal inputs (analog or contact/pulse input), 4 form C (SPDT) relay outputs and one option card expansion slot. Standard features include Niagara station and Web User Interface. Standard drivers include LonWorks, BACnet, BACnet MSTP, oBIX Client / Server, and Niagara Network (Fox) Client / Server. Individual NiagaraAX drivers are purchased separately. Requires NiagaraAX version 3.6.47 or higher and Niagara R2 version r2.301.535 or higher	\$ 6,625.00	\$ 3,842.50	AX JACE@ 2, JACE@ 6, and JACE@ 7	Niagara R2 Compatible Products
J-603I	JACE@ 603I Controller	NPM6E based controller w/encl, UI,DO, 230VAC, (2) Ethernet ports, (1) RS-485, isolated port, (1) RS-232 (1) LON@Works FTT 10 port w/driver, 6 universal inputs (analog or contact/pulse input), 4 form C (SPDT) relay outputs and one option card expansion slot. Standard features include Niagara station and Web User Interface. Standard drivers include LonWorks, BACnet, BACnet MSTP, oBIX Client / Server, and Niagara Network (Fox) Client / Server. Individual NiagaraAX drivers are purchased separately. Requires NiagaraAX version 3.6.47 or higher and Niagara R2 version r2.301.535 or higher	\$ 6,625.00	\$ 3,842.50	AX JACE@ 2, JACE@ 6, and JACE@ 7	Niagara R2 Compatible Products

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
J-645	JACE@ 645 Controller	NPM6E based controller w/encl, serial IO, 120VAC, (2) Ethernet ports, (2) RS-232 serial ports, (4) RS-485 isolated ports, (1) LON@Works FTT 10 port w/driver and one option card expansion slot. Standard features include Niagara station and Web User Interface. Standard drivers include LonWorks, BACnet, BACnet MSTP, oBIX Client / Server, and Niagara Network (Fox) Client / Server. Individual NiagaraAX drivers are purchased separately. Requires NiagaraAX version 3.6.47 or higher and Niagara R2 version r2.301.535 or higher	\$ 7,045.00	\$ 4,086.10	AX JACE@ 2, JACE@ 6, and JACE@ 7	Niagara R2 Compatible Products
J-645I	JACE@ 645I Controller	NPM6E based controller w/encl, UI.DO, 230VAC, (2) Ethernet ports, (2) RS-232 serial ports, (4) RS-485 isolated ports, (1) LON@Works FTT 10 port w/driver and one option card expansion slot. Standard features include Niagara station and Web User Interface. Standard drivers include LonWorks, BACnet, BACnet MSTP, oBIX Client / Server, and Niagara Network (Fox) Client / Server. Individual NiagaraAX drivers are purchased separately. Requires NiagaraAX version 3.6.47 or higher and Niagara R2 version r2.301.535 or higher	\$ 7,045.00	\$ 4,086.10	AX JACE@ 2, JACE@ 6, and JACE@ 7	Niagara R2 Compatible Products
J-700	JACE@ 7 Controller	Includes 1GB RAM/512 MB Flash memory, 1 RS-232 and 1 RS-485 port, 2 Gigabit Ethernet ports, 2 standard JACE@ communication card slots, and internal battery backup; power module must be selected separately. Standard features include Niagara station and Web User Interface. Standard drivers include oBIX Client / Server and Niagara Network (Fox) Client / Server. The JACE@ 7 is designed for DIN rail or surface mounting. Requires AX Release 3.5 or higher. Notes: Only the universal power supply; Wall Adaptor and remote IO module can be with this JACE@. Wall Adaptor requires modification.	\$ 8,600.00	\$ 4,988.00	AX JACE@ 2, JACE@ 6, and JACE@ 7	JACE@ 2, JACE@ 6, and JACE@ 7 Hardware
JACE-MA-AX	Annual Maintenance	Annual software maintenance agreement for one JACE@ controller. Includes new and interim releases for one year from date of purchase.	\$ 400.00	\$ 232.00	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ Controller Software Maintenance
JEC-334	JACE Equipment Controller	JACE@-3E with 34 point I/O module. Features include Niagara station and Web User Interface. Standard drivers include oBIX Client / Server and Niagara Network (Fox) Client / Server. Includes Modbus, BACnet and LON drivers limited to a total of 5 devices or 150 points per controller. Requires 24 VAC or 24 VDC Power Source. Option cards required for communication to remote devices are not included. Battery not included. Requires AX 3.8 or later.	\$ 1,872.00	\$ 1,085.76	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3, JACE@ 6, and JACE@ 7 Hardware
LIC-CHG	License Change	License change fee to change an existing license at the request of a customer or partner. Applies to all license changes except when a driver, upgrade, other software is purchased or when the change involves a demo license. Demo license changes are free of charge.	\$ 320.00	\$ 185.60	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ Controller Software Maintenance
NPB-232	RS 232 Card	Single Port RS 232 Option Card Manufactured in the USA	\$ 400.00	\$ 232.00	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
NPB-2X-485	RS 485 Card	Dual Port RS 485 Option Card	\$ 435.00	\$ 252.30	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
NPB-BATT	JACE@ 2, 3E, 6 and 6E Batt	Replacement battery assembly for JACE@-200 and 600. Optional extended runtime battery for JACE 3E, 6E.	\$ 145.00	\$ 84.10	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Spare Parts
NPB-BATT	JACE@ 2, 3E, 6 and 6E Batt	Replacement battery assembly for JACE@-200 and 600. Optional extended runtime battery for JACE 3E, 6E.	\$ 145.00	\$ 84.10	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Spare Parts
NPB-GPRS-W	GPRS Modem with Wyleess SIM Card	GPRS Modem option, bundled with Wyleess SIM card Manufactured in the USA	\$ 805.00	\$ 466.90	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
NPB-J-700-BATT	JACE@ 7 Batt	Replacement battery assembly for JACE@-700 Optional extended runtime battery if used with SRAM Option Card (NPB-SRAM)	\$ 155.00	\$ 89.90	AX JACE@ 2, JACE@ 6, and JACE@ 7	JACE@ 2, JACE@ 6, and JACE@ 7 Spare Parts
NPB-LON	LON@ Card	78 Kbps FTT 10 A LON@ adapter. Uses one of the two communication slots in the JACE@ 2/3E/6/6E. LON@ driver must be purchased separately. Manufactured in the USA	\$ 375.00	\$ 217.50	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
NPB-PWR	24 V Power Module	J2, J3E, J6, and J6E Only - 24 V AC/DC Power Supply Module, DIN Rail Mountable Not required with purchase of IO-34 Manufactured in the USA	\$ 305.00	\$ 176.90	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
NPB-PWR-UN	Universal Power Supply	90 - 263 V AC 50 / 60 Hz Auto sensing Power Supply Module, DIN Rail Mountable Not required with purchase of IO-34	\$ 305.00	\$ 176.90	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E and JACE@ 7 Hardware Options
NPB-SRAM	SRAM Option Card	Static RAM data backup card for JACE-2, -6, -7, or -XPR series This card allows for the elimination of a battery in a JACE. If used in conjunction with a battery it allows for longer battery runtime on a JACE 2,6, or 7. Requires Niagara AX 3.6M or later to be used with a battery.	\$ 185.00	\$ 107.30	AX JACE@ 2, JACE@ 6, and JACE@ 7	JACE@ 2, JACE@ 6, and JACE@ 7 Hardware Options
NPM-256	JACE@ 3E/6/6E Memory Expansion	JACE@ 3E,6,6E Memory Expansion License. Adds maxHeap feature and enables up to 96MB or JAVA Heap space.	\$ 1,450.00	\$ 841.00	AX JACE@ 2, JACE@ 3E, JACE@ 6, JACE@ 6E, and JACE@ 7	Software Options

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
S-AX-100	AX Supervisor for Windows	AX Supervisor software for Windows XP or Windows 2000 limited to 100 JACE® controllers; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. NOTE: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 7,750.00	\$ 4,495.00	AX SUPERVISOR	Supervisor Upgrade Options
S-AX-100	AX Supervisor for Windows	AX Supervisor software for Windows XP or Windows 2000 limited to 100 JACE® controllers; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. NOTE: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 7,750.00	\$ 4,495.00	AX SUPERVISOR	Supervisor Upgrade Options
S-AX-3	Small Building AX Supervisor for Windows	Small Building AX Supervisor software for Windows XP or Windows 2000 limited to 3 JACE® controllers; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. NOTE: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 4,615.00	\$ 2,676.70	AX SUPERVISOR	Supervisor Upgrade Options
S-AX-3	Small Building AX Supervisor for Windows	Small Building AX Supervisor software for Windows XP or Windows 2000 limited to 3 JACE® controllers; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. NOTE: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 4,615.00	\$ 2,676.70	AX SUPERVISOR	Supervisor Upgrade Options
S-AX-ENT	AX Supervisor for Enterprise Systems on Windows Platform	AX Supervisor software for Windows 32 and 64 bit platforms; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. No Licensed limit on station connections. Note: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 12,575.00	\$ 7,293.50	AX SUPERVISOR	Supervisor Upgrade Options
S-AX-LNX-100	AX Supervisor for Linux	AX Supervisor software on Linux limited to 100 JACE® controllers; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. NOTE: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 7,750.00	\$ 4,495.00	AX SUPERVISOR	Supervisor Upgrade Options
S-AX-LNX-3	Small Building AX Supervisor for Linux	Small Building AX Supervisor software on Linux limited to 3 JACE® controllers; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. NOTE: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 4,615.00	\$ 2,676.70	AX SUPERVISOR	Supervisor Upgrade Options
S-AX-LNX-ENT	AX Supervisor for Enterprise Systems on Linux Platform	AX Supervisor software for Linux platforms; Includes Niagara Historical Database and Workbench AX. Includes OBIX client / server driver for connecting to Niagara based controllers only. No Licensed limit on station connections. Note: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 12,575.00	\$ 7,293.50	AX SUPERVISOR	Supervisor Upgrade Options
S-DB-CSV	CSV Driver	Allows Excel and CSV file data to be imported into Niagara AX	\$ 2,230.00	\$ 1,293.40	AX SUPERVISOR	Supervisor Drivers and Options
S-U-AX-UNL	AX Supervisor for Windows Upgrade	AX Supervisor on Windows Upgrade (increase JACE® controller limit from 100 to unlimited). NOTE: OBIX integration with Niagara R2 devices will require build r2.301.522 or greater.	\$ 6,930.00	\$ 4,019.40	AX SUPERVISOR	Supervisor Upgrade Options
SUP-MA-AX	Annual Maintenance	Annual software maintenance agreement for one AX Supervisor. Includes new and interim releases for one year from date of shipment.	\$ 500.00	\$ 290.00	AX SUPERVISOR	Supervisor Maintenance
WP-AX	WorkPlace AX	Stand-alone copy of WorkPlace AX. Supports both Supervisor and Niagara devices. Allows for multiple station connections to engineer Niagara devices. NOTE: You cannot run a station on your local machine with WorkPlace AX.	\$ 3,310.00	\$ 1,919.80	AX SUPERVISOR	Supervisor Drivers and Options
WP-AX-WEB	JACE® Embedded WorkPlace AX	Embedded WorkPlace AX	\$ 400.00	\$ 232.00	AX JACE® 2, JACE® 3E, JACE® 6, JACE® 6E, and JACE® 7	Software Options
J-NC-8005	Niagara 4 Jace 8000	Jace including branding & USD card & 5 device core	for pricing contact AGM	for pricing contact AGM		
J-NC-8010	Niagara 4 Jace 8000	Jace including branding & USD card & 10 device core	for pricing contact AGM	for pricing contact AGM		
J-NC-8025	Niagara 4 Jace 8000	Jace including branding & USD card & 25 device core	for pricing contact AGM	for pricing contact AGM		
J-NC-8100	Niagara 4 Jace 8000	Jace including branding & USD card & 100 device core	for pricing contact AGM	for pricing contact AGM		
J-NC-8200	Niagara 4 Jace 8000	Jace including branding & USD card & 200 device core	for pricing contact AGM	for pricing contact AGM		
SMA-8005-1YR	Niagara 4 Jace 8000, Maintenance	Jace 8000 Maintenance agreement, 1 year	for pricing contact AGM	for pricing contact AGM		

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
SMA-8005-3YR	Niagara 4 Jace 8000, Maintenance	Jace 8000 Maintenance agreement, 3 year	for pricing contact AGM	for pricing contact AGM		
SMA-8005-5YR	Niagara 4 Jace 8000, Maintenance	Jace 8000 Maintenance agreement, 5 year	for pricing contact AGM	for pricing contact AGM		
DEVICE-UP-10	Niagara 4 Jace 8000, Upgrades	Jace Upgrade for 10 devices	for pricing contact AGM	for pricing contact AGM		
DEVICE-UP-25	Niagara 4 Jace 8000, Upgrades	Jace Upgrade for 25 devices	for pricing contact AGM	for pricing contact AGM		
DEVICE-UP-50	Niagara 4 Jace 8000, Upgrades	Jace Upgrade for 50 devices	for pricing contact AGM	for pricing contact AGM		
NPB-8000-2X-485	Niagara 4 Jace 8000 Option card	Niagara 4 Jace 8000, 485 serial card, 2 ports	for pricing contact AGM	for pricing contact AGM		
NPB-8000-LON	Niagara 4 Jace 8000 Option card	Niagara 4 Jace 8000, LON FTT10A expansion card, 4 ports	for pricing contact AGM	for pricing contact AGM		
NPB-8000-232	Niagara 4 Jace 8000 Option card	Niagara 4 Jace 8000, 232 serial card, 4 ports	for pricing contact AGM	for pricing contact AGM		
IO-16-485	16 Remote IO	Includes 8 Universal Inputs, 4 Form A Relay Outputs, and 4 0-10 VDC Analog Outputs Contains removable screw terminal connectors, and status indication LEDs. Intended for DIN rail mounting. NOTE: Up to 4 remote IO-16-485 modules max per JACE (JACE 6.6E, and 7 can support up to 16) Manufactured in the USA	\$ 750.00	\$ 435.00		
SUP-0	Niagara 4 Web Supervisor	Niagara 0 Network Connections	for pricing contact AGM	for pricing contact AGM		
SUP-1	Niagara 4 Web Supervisor	Niagara 1 Network Connections	for pricing contact AGM	for pricing contact AGM		
SUP-10	Niagara 4 Web Supervisor	Niagara 10 Network Connections	for pricing contact AGM	for pricing contact AGM		
SUP-UNL	Niagara 4 Web Supervisor	Niagara Unlimited Network Connections	for pricing contact AGM	for pricing contact AGM		
SUP-DEVICE-10	Niagara 4 Web Supervisor	10 Device Core (Standard drivers included)	for pricing contact AGM	for pricing contact AGM		
SUP-DEVICE-25	Niagara 4 Web Supervisor	25 Device Core (Standard drivers included)	for pricing contact AGM	for pricing contact AGM		
SUP-DEVICE-50	Niagara 4 Web Supervisor	50 Device Core (Standard drivers included)	for pricing contact AGM	for pricing contact AGM		
SUP-DEVICE-100	Niagara 4 Web Supervisor	100 Device Core (Standard drivers included)	for pricing contact AGM	for pricing contact AGM		
SUP-0-SMA-1YR	Niagara 4 Web Supervisor	Supervisor Maintenance agreement, 1 year	for pricing contact AGM	for pricing contact AGM		
SUP-0-SMA-3YR	Niagara 4 Web Supervisor	Supervisor Maintenance agreement, 3 year	for pricing contact AGM	for pricing contact AGM		
SUP-0-SMA-5YR	Niagara 4 Web Supervisor	Supervisor Maintenance agreement, 5 year	for pricing contact AGM	for pricing contact AGM		

AGM Part #	JOHNSON DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
FX-PCG1611-0	JCI Fx Controller	10-point General Purpose Programmable Controller with 2 UI, 1 BI, 3 BO, and 4 CO	\$ 601.66	\$ 345.95	JCI_Fx CONTROLLER LINE	
FX-PCG1611-0ET	JCI Fx Controller	10-point General Purpose Programmable Controller with 2 UI, 1 BI, 3 BO, and 4 CO, Extended Temperature Version	\$ 631.75	\$ 363.26	JCI_Fx CONTROLLER LINE	
FX-PCG1611-0G	JCI Fx Controller	10-point General Purpose Programmable Controller with 2 UI, 1 BI, 3 BO, and 4 CO, Buy American	\$ 633.55	\$ 364.29	JCI_Fx CONTROLLER LINE	
FX-PCG1621-0	JCI Fx Controller	10-point General Purpose Programmable Controller with 2 UI, 1 BI, 3 BO, and 4 CO, with integral LCD/keypad	\$ 979.21	\$ 563.05	JCI_Fx CONTROLLER LINE	
FX-PCG1621-0G	JCI Fx Controller	10-point General Purpose Programmable Controller with 2 UI, 1 BI, 3 BO, and 4 CO, with integral LCD/keypad, Buy American	\$ 1,031.11	\$ 592.89	JCI_Fx CONTROLLER LINE	
FX-PCG2611-0	JCI Fx Controller	17-point General Purpose Programmable Controller with 6 UI, 2 BI, 3 BO, 2 AO, and 4 CO	\$ 866.43	\$ 498.20	JCI_Fx CONTROLLER LINE	
FX-PCG2611-0ET	JCI Fx Controller	17-point General Purpose Programmable Controller with 6 UI, 2 BI, 3 BO, 2 AO, and 4 CO, Extended Temperature Version	\$ 909.76	\$ 523.11	JCI_Fx CONTROLLER LINE	
FX-PCG2611-0G	JCI Fx Controller	17-point General Purpose Programmable Controller with 6 UI, 2 BI, 3 BO, 2 AO, and 4 CO, Buy American	\$ 912.35	\$ 524.60	JCI_Fx CONTROLLER LINE	
FX-PCG2621-0	JCI Fx Controller	17-point General Purpose Programmable Controller with 6 UI, 2 BI, 3 BO, 2 AO, and 4 CO, with integral LCD/keypad	\$ 1,243.94	\$ 715.27	JCI_Fx CONTROLLER LINE	
FX-PCG2621-0G	JCI Fx Controller	17-point General Purpose Programmable Controller with 6 UI, 2 BI, 3 BO, 2 AO, and 4 CO, with integral LCD/keypad, Buy American	\$ 1,309.87	\$ 753.18	JCI_Fx CONTROLLER LINE	
FX-PCV1615-0	JCI Fx Controller	5-point BACnet Programmable 32-bit VAV Box Controller with integrated actuator and digital pressure sensor, 3 UI and 2 BO	\$ 560.98	\$ 322.56	JCI_Fx CONTROLLER LINE	
FX-PCV1615-0G	JCI Fx Controller	5-point BACnet Programmable 32-bit VAV Box Controller with integrated actuator and digital pressure sensor, 3 UI and 2 BO, Buy American	\$ 590.72	\$ 339.66	JCI_Fx CONTROLLER LINE	

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
FX-PCV1630-0	JCI Fx Controller	8-point BACnet Programmable VAV Box Controller with integrated actuator and digital pressure sensor, 3 UI, 3 BO, and 2 CO	\$ 614.39	\$ 353.27	JCI_Fx CONTROLLER LINE	
FX-PCV1630-0G	JCI Fx Controller	8-point BACnet Programmable VAV Box Controller with integrated actuator and digital pressure sensor, 3 UI, 3 BO, and 2 CO, Buy American	\$ 646.96	\$ 372.00	JCI_Fx CONTROLLER LINE	
FX-PCV1832-0	JCI Fx Controller	8-point N2 Programmable VAV Box Controller with integrated actuator and digital pressure sensor, 3 UI, 3 BO, and 2 CO	\$ 852.53	\$ 490.20	JCI_Fx CONTROLLER LINE	
FX-PCA2611-0	JCI Fx Controller	17-Point Advanced Application Programmable Controller with 6 UI, 2 BI, 4 CO, 3 triac type BO, and 2 AO; 24 VAC, FC Bus; SA Bus; Integral Real-Time Clock with Time-Based Control Functionality	\$ 1,068.84	\$ 614.58	JCI_Fx CONTROLLER LINE	
FX-PCA2612-1	JCI Fx Controller	18-Point Advanced Application Programmable Controller with 5 UI, 4 BI, 4 CO, 2 SPDT relay type BO, and 3 SPST relay type BO; 24 VAC, FC Bus; SA Bus; Integral Real-Time Clock with Time-Based Control Functionality; 24 VAC	\$ 1,131.69	\$ 650.72	JCI_Fx CONTROLLER LINE	
FX-PCA2612-2	JCI Fx Controller	18-Point Advanced Application Programmable Controller with 5 UI, 4 BI, 4 CO, 2 SPDT relay type BO, and 3 SPST relay type BO; 90-240 VAC, FC Bus; SA Bus; Integral Real-Time Clock with Time-Based Control Functionality; 24 VAC	\$ 1,098.73	\$ 631.77	JCI_Fx CONTROLLER LINE	
FX-PCX1711-0	JCI Fx IO Module	4-point Expansion I/O Module: 4 BI	\$ 392.71	\$ 225.81	JCI_Fx CONTROLLER LINE	
FX-PCX1711-0G	JCI Fx IO Module	4-point Expansion I/O Module: 4 BI, Buy American	\$ 413.50	\$ 237.76	JCI_Fx CONTROLLER LINE	
FX-PCX2711-0	JCI Fx IO Module	6-point Expansion I/O Module: 2 UI, 2 UO, 2 RO	\$ 490.87	\$ 282.25	JCI_Fx CONTROLLER LINE	
FX-PCX2711-0G	JCI Fx IO Module	6-point Expansion I/O Module: 2 UI, 2 UO, 2 RO, Buy American	\$ 516.88	\$ 297.21	JCI_Fx CONTROLLER LINE	
FX-PCX2721-0	JCI Fx IO Module	10-point Expansion I/O Module: 8 UI, 2 AO	\$ 525.59	\$ 302.21	JCI_Fx CONTROLLER LINE	
FX-PCX3711-0	JCI Fx IO Module	12-point Expansion I/O Module: 4 UI, 4 UO, 4 RO	\$ 638.14	\$ 366.93	JCI_Fx CONTROLLER LINE	
FX-PCX3711-0G	JCI Fx IO Module	12-point Expansion I/O Module: 4 UI, 4 UO, 4 RO, Buy American	\$ 671.96	\$ 386.38	JCI_Fx CONTROLLER LINE	
FX-PCX3721-0	JCI Fx IO Module	16-point Expansion I/O Module: 16 BI	\$ 584.94	\$ 336.34	JCI_Fx CONTROLLER LINE	
FX-PCX3731-0	JCI Fx IO Module	16-point Expansion I/O Module: 8 BI, 8 BO	\$ 644.27	\$ 370.46	JCI_Fx CONTROLLER LINE	
FX-PCX4711-0	JCI Fx IO Module	17-point Expansion I/O Module: 6 UI, 2 BI, 3 BO, 2 AO, 4 CO	\$ 657.77	\$ 378.22	JCI_Fx CONTROLLER LINE	
FX-PCX4711-0G	JCI Fx IO Module	17-point Expansion I/O Module: 6 UI, 2 BI, 3 BO, 2 AO, 4 CO, Buy American	\$ 692.63	\$ 398.26	JCI_Fx CONTROLLER LINE	
FX-DIS1710-0	JCI Controller Display	Local controller display for use with FX-PCG and FX-PCV	\$ 420.35	\$ 241.70	JCI_Fx CONTROLLER LINE	
FX-DIS1710-0G	JCI Controller Display	Local controller display for use with FX-PCG and FX-PCV, Buy American	\$ 442.65	\$ 254.52	JCI_Fx CONTROLLER LINE	
FX-PCT-0	JCI Programming & Commissioning	Programming and Commissioning Tool software, delivered on DVD. For new user.	\$ 436.25	\$ 250.84	JCI_Fx CONTROLLER LINE	
FX-PCT-6	JCI Programming & Commissioning	Programming and Commissioning Tool software, delivered on DVD. For upgrading existing users only.	\$ 35.10	\$ 20.18	JCI_Fx CONTROLLER LINE	
FX-BTCVT-1	JCI Programming & Commissioning	Bluetooth Commissioning Converter	\$ 919.69	\$ 528.82	JCI_Fx CONTROLLER LINE	
FX-BTCVTCBL-700	JCI Programming & Commissioning	Cable replacement set for the FX-BTCVT-1 or the FX-ATV7003-0; includes one 5 ft (1.5 m) retractable cable.	\$ 23.06	\$ 13.26	JCI_Fx CONTROLLER LINE	
NS-ATA7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, modular jack	\$ 169.18	\$ 97.28	JCI_Fx CONTROLLER LINE	
NS-ATA7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, screw terminals	\$ 169.18	\$ 97.28	JCI_Fx CONTROLLER LINE	
NS-ATA7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, screw terminals, addressable	\$ 169.18	\$ 97.28	JCI_Fx CONTROLLER LINE	
NS-ATB7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack	\$ 178.47	\$ 102.62	JCI_Fx CONTROLLER LINE	
NS-ATB7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack, Buy American	\$ 192.72	\$ 110.81	JCI_Fx CONTROLLER LINE	
NS-ATB7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals	\$ 178.47	\$ 102.62	JCI_Fx CONTROLLER LINE	
NS-ATB7002-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, Buy American	\$ 178.47	\$ 102.62	JCI_Fx CONTROLLER LINE	
NS-ATB7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, addressable	\$ 178.47	\$ 102.62	JCI_Fx CONTROLLER LINE	
NS-ATC7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, fan control button, modular jack	\$ 190.37	\$ 109.46	JCI_Fx CONTROLLER LINE	
NS-ATC7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, fan control button, modular jack, Buy American	\$ 227.34	\$ 130.72	JCI_Fx CONTROLLER LINE	

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
NS-ATC7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, fan control button, screw terminals	\$ 190.37	\$ 109.46	JCI_Fx CONTROLLER LINE	
NS-ATD7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, fan control button, modular jack	\$ 192.50	\$ 110.69	JCI_Fx CONTROLLER LINE	
NS-ATD7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, fan control button, screw terminals	\$ 192.50	\$ 110.69	JCI_Fx CONTROLLER LINE	
NS-ATF7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, warmer/cooler dial, occupancy override button, F/C button, modular jack	\$ 169.18	\$ 97.28	JCI_Fx CONTROLLER LINE	
NS-ATF7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, warmer/cooler dial, occupancy override button, F/C button, screw terminals	\$ 169.18	\$ 97.28	JCI_Fx CONTROLLER LINE	
NS-ATN7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, modular jack	\$ 136.84	\$ 78.68	JCI_Fx CONTROLLER LINE	
NS-ATN7001-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with modular jack	\$ 136.84	\$ 78.68	JCI_Fx CONTROLLER LINE	
NS-ATN7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, screw terminals, addressable	\$ 136.84	\$ 78.68	JCI_Fx CONTROLLER LINE	
NS-ATN7003-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with screw terminals, addressable	\$ 136.84	\$ 78.68	JCI_Fx CONTROLLER LINE	
NS-ATP7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, modular jack	\$ 148.73	\$ 85.52	JCI_Fx CONTROLLER LINE	
NS-ATP7001-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with warmer/cooler dial, occupancy override button, modular jack	\$ 148.73	\$ 85.52	JCI_Fx CONTROLLER LINE	
NS-ATP7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, screw terminals	\$ 148.73	\$ 85.52	JCI_Fx CONTROLLER LINE	
NS-ATP7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, screw terminals, addressable	\$ 148.73	\$ 85.52	JCI_Fx CONTROLLER LINE	
NS-ATP7003-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with warmer/cooler dial, occupancy override button, screw terminals, addressable	\$ 148.73	\$ 85.52	JCI_Fx CONTROLLER LINE	
NS-ATV7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, light bulb button, modular jack, VAV balancing feature	\$ 204.16	\$ 117.39	JCI_Fx CONTROLLER LINE	
NS-ATV7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, light bulb button, modular jack, VAV balancing feature, Buy American	\$ 204.16	\$ 117.39	JCI_Fx CONTROLLER LINE	
NS-ATV7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, light bulb button, screw terminals, VAV balancing feature	\$ 204.16	\$ 117.39	JCI_Fx CONTROLLER LINE	
NS-ATV7002-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, light bulb button, screw terminals, VAV balancing feature, Buy American	\$ 204.16	\$ 117.39	JCI_Fx CONTROLLER LINE	
NS-BTB7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack	\$ 184.41	\$ 106.04	JCI_Fx CONTROLLER LINE	
NS-BTB7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack, Buy American	\$ 220.72	\$ 126.91	JCI_Fx CONTROLLER LINE	
NS-BTB7001-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with LCD, setpoint dial, occupancy override button, F/C button, modular jack	\$ 184.41	\$ 106.04	JCI_Fx CONTROLLER LINE	
NS-BTB7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals	\$ 184.41	\$ 106.04	JCI_Fx CONTROLLER LINE	
NS-BTB7002-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, Buy American	\$ 184.41	\$ 106.04	JCI_Fx CONTROLLER LINE	
NS-BTB7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, addressable	\$ 184.41	\$ 106.04	JCI_Fx CONTROLLER LINE	

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
NS-BTB7003-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, addressable, Buy American	\$ 252.81	\$ 145.37	JCI_Fx CONTROLLER LINE	
NS-BTF7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, warmer/cooler dial, occupancy override button, F/C button, modular jack	\$ 184.41	\$ 106.04	JCI_Fx CONTROLLER LINE	
NS-BTF7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, warmer/cooler dial, occupancy override button, F/C button, screw terminals	\$ 184.41	\$ 106.04	JCI_Fx CONTROLLER LINE	
NS-BTN7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, modular jack	\$ 144.18	\$ 82.90	JCI_Fx CONTROLLER LINE	
NS-BTN7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, modular jack, Buy American	\$ 181.07	\$ 104.12	JCI_Fx CONTROLLER LINE	
NS-BTN7001-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with modular jack	\$ 144.18	\$ 82.90	JCI_Fx CONTROLLER LINE	
NS-BTN7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, screw terminals, addressable	\$ 142.77	\$ 82.09	JCI_Fx CONTROLLER LINE	
NS-BTN7003-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, screw terminals, addressable, Buy American	\$ 201.52	\$ 115.87	JCI_Fx CONTROLLER LINE	
NS-BTP7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, modular jack	\$ 151.66	\$ 87.20	JCI_Fx CONTROLLER LINE	
NS-BTP7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, modular jack, Buy American	\$ 182.40	\$ 104.88	JCI_Fx CONTROLLER LINE	
NS-BTP7001-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with warmer/cooler dial, occupancy override button, modular jack	\$ 151.66	\$ 87.20	JCI_Fx CONTROLLER LINE	
NS-BTP7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, screw terminals	\$ 151.66	\$ 87.20	JCI_Fx CONTROLLER LINE	
NS-BTP7002-2	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with warmer/cooler dial, occupancy override button, screw terminals	\$ 151.66	\$ 87.20	JCI_Fx CONTROLLER LINE	
NS-BTP7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, screw terminals, addressable	\$ 151.66	\$ 87.20	JCI_Fx CONTROLLER LINE	
NS-BTP7003-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, screw terminals, addressable, Buy American	\$ 220.51	\$ 126.79	JCI_Fx CONTROLLER LINE	
NS-BTV7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with setpoint dial, occupancy override button, F/C button, light bulb button, modular jack, VAV balancing feature	\$ 210.01	\$ 120.76	JCI_Fx CONTROLLER LINE	
NS-BTV7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, setpoint dial, occupancy override button, F/C button, light bulb button, screw terminals, VAV balancing feature	\$ 210.01	\$ 120.76	JCI_Fx CONTROLLER LINE	
NS-AHA7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, modular jack	\$ 667.73	\$ 383.94	JCI_Fx CONTROLLER LINE	
NS-AHA7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, screw terminals	\$ 679.84	\$ 390.91	JCI_Fx CONTROLLER LINE	
NS-AHB7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack	\$ 679.84	\$ 390.91	JCI_Fx CONTROLLER LINE	
NS-AHB7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals	\$ 679.84	\$ 390.91	JCI_Fx CONTROLLER LINE	
NS-AHB7002-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, Buy American	\$ 679.84	\$ 390.91	JCI_Fx CONTROLLER LINE	
NS-AHB7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, addressable	\$ 572.09	\$ 328.95	JCI_Fx CONTROLLER LINE	
NS-AHN7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, modular jack	\$ 441.96	\$ 254.13	JCI_Fx CONTROLLER LINE	

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
NS-AHP7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, modular jack	\$ 462.58	\$ 265.98	JCI_Fx CONTROLLER LINE	
NS-APA7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, modular jack	\$ 834.66	\$ 479.93	JCI_Fx CONTROLLER LINE	
NS-APA7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, screw terminals	\$ 849.80	\$ 488.64	JCI_Fx CONTROLLER LINE	
NS-APB7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack	\$ 834.66	\$ 479.93	JCI_Fx CONTROLLER LINE	
NS-APB7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals	\$ 849.80	\$ 488.64	JCI_Fx CONTROLLER LINE	
NS-APB7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 80 x 80 mm, surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, addressable	\$ 715.11	\$ 411.19	JCI_Fx CONTROLLER LINE	
NS-BHB7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack	\$ 685.51	\$ 394.17	JCI_Fx CONTROLLER LINE	
NS-BHB7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack, Buy American	\$ 719.58	\$ 413.76	JCI_Fx CONTROLLER LINE	
NS-BHB7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals	\$ 685.51	\$ 394.17	JCI_Fx CONTROLLER LINE	
NS-BHB7002-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, Buy American	\$ 685.51	\$ 394.17	JCI_Fx CONTROLLER LINE	
NS-BHB7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, addressable	\$ 611.33	\$ 351.51	JCI_Fx CONTROLLER LINE	
NS-BHN7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, modular jack	\$ 500.20	\$ 287.62	JCI_Fx CONTROLLER LINE	
NS-BHN7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, modular jack, Buy American	\$ 535.46	\$ 307.89	JCI_Fx CONTROLLER LINE	
NS-BHP7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, modular jack	\$ 523.53	\$ 301.03	JCI_Fx CONTROLLER LINE	
NS-BHP7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature and 3% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, warmer/cooler dial, occupancy override button, modular jack, Buy American	\$ 549.73	\$ 316.09	JCI_Fx CONTROLLER LINE	
NS-BPB7001-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack	\$ 855.48	\$ 491.90	JCI_Fx CONTROLLER LINE	
NS-BPB7001-0G	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, modular jack, Buy American	\$ 1,034.64	\$ 594.92	JCI_Fx CONTROLLER LINE	
NS-BPB7002-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals	\$ 855.48	\$ 491.90	JCI_Fx CONTROLLER LINE	
NS-BPB7003-0	JCI Fx Series SA Bus Sensor	Network Room Temperature and 2% Humidity Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, LCD, setpoint dial, occupancy override button, F/C button, screw terminals, addressable	\$ 814.74	\$ 468.48	JCI_Fx CONTROLLER LINE	
NS-BCN7004-0	JCI Fx Series SA Bus Sensor	Network Room CO2 Sensor: 120 x 80 mm, wall box or surface mount, with Johnson Controls logo, modular jack and screw terminals, addressable	\$ 1,122.81	\$ 645.62	JCI_Fx CONTROLLER LINE	
NS-MNN7001-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, occupancy (PIR) sensing only; wall box or surface mount, modular jack	\$ 360.71	\$ 207.41	JCI_Fx CONTROLLER LINE	
NS-MNN7003-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, occupancy (PIR) sensing only; wall box or surface mount, screw terminals, addressable	\$ 360.71	\$ 207.41	JCI_Fx CONTROLLER LINE	

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
NS-MTL7001-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, temperature and occupancy (PIR) sensing, occupancy override button, wall box or surface mount, modular jack	\$ 605.64	\$ 348.24	JCI_Fx CONTROLLER LINE	
NS-MTL7002-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, temperature and occupancy (PIR) sensing, occupancy override button, wall box or surface mount, screw terminals	\$ 605.64	\$ 348.24	JCI_Fx CONTROLLER LINE	
NS-MTB7001-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, temperature and occupancy (PIR) sensing, LCD, setpoint dial, F/C button, wall box or surface mount, modular jack	\$ 605.64	\$ 348.24	JCI_Fx CONTROLLER LINE	
NS-MTB7002-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, temperature and occupancy (PIR) sensing, LCD, setpoint dial, F/C button, wall box or surface mount, screw terminals	\$ 605.64	\$ 348.24	JCI_Fx CONTROLLER LINE	
NS-MHL7001-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, temperature, humidity, and occupancy (PIR) sensing, occupancy override button, wall box or surface mount, modular jack	\$ 806.28	\$ 463.61	JCI_Fx CONTROLLER LINE	
NS-MHL7002-0	JCI Fx Series SA Bus Sensor	Network Room Sensor: 120 x 80 mm, temperature, humidity, and occupancy (PIR) sensing, occupancy override button, wall box or surface mount, screw terminals	\$ 806.28	\$ 463.61	JCI_Fx CONTROLLER LINE	
NS-FTN7003-2	JCI Fx Series SA Bus Sensor	Flush mount temperature sensor, with screw terminals, addressable	\$ 191.06	\$ 109.86	JCI_Fx CONTROLLER LINE	
NS-DTN7043-0	JCI Fx Series SA Bus Sensor	Duct mountable network temperature sensor with 4 in. probe, 10 ft. (305 cm) wiring leads, screw terminal blocks, addressable	\$ 188.75	\$ 108.53	JCI_Fx CONTROLLER LINE	
NS-DTN7043-0G	JCI Fx Series SA Bus Sensor	Duct mountable network temperature sensor with 4 in. probe, 10 ft. (305 cm) wiring leads, screw terminal blocks, addressable, Buy American	\$ 223.38	\$ 128.44	JCI_Fx CONTROLLER LINE	
NS-DTN7083-0	JCI Fx Series SA Bus Sensor	Duct mountable network temperature sensor with 8 in. probe, 10 ft. (305 cm) wiring leads, screw terminals blocks, addressable	\$ 188.75	\$ 108.53	JCI_Fx CONTROLLER LINE	
FX-ATV7003-0	JCI Programming & Commissioning	Handheld VAV Box Balancing Tool	\$ 202.27	\$ 116.31	JCI_Fx CONTROLLER LINE	
FX-BTCVTCBL-700	JCI Programming & Commissioning	Cable replacement Set for the FX-BTCVT-1 or the FX-ATV7003-0; includes one 5 ft (1.5 m) retractable cable.	\$ 23.06	\$ 13.26	JCI_Fx CONTROLLER LINE	
FX-ZFRCBL-0	JCI Programming & Commissioning	Wire harness which allows an FX-PCV1610/1620 to be connected to an SA Bus device (VAV Balancing Tool, FX-BTCVT, FX-DIS Display, NS Sensor) when its SA Bus RJ-12 jack is occupied by an FX-ZFR1811 router.	\$ 30.58	\$ 17.58	JCI_Fx CONTROLLER LINE	
FX-ZFRCBL-0G	JCI Programming & Commissioning	Wire harness which allows an FX-PCV to be connected to an SA Bus device (VAV Balancing Tool, FX-BTCVT, FX-DIS Display, NS Sensor) when its SA Bus RJ-12 jack is occupied by an FX-ZFR1811 router. Buy American	\$ 32.20	\$ 18.52	JCI_Fx CONTROLLER LINE	
FX-ZFR1810-0	JCI Wireless	Wireless Field Bus Coordinator	\$ 615.87	\$ 354.13	JCI_Fx CONTROLLER LINE	
FX-ZFR1810-0G	JCI Wireless	Wireless Field Bus Coordinator. <i>Made in the USA</i>	\$ 648.51	\$ 372.89	JCI_Fx CONTROLLER LINE	
FX-ZFR1811-0	JCI Wireless	Wireless Field Bus Router	\$ 209.00	\$ 120.18	JCI_Fx CONTROLLER LINE	
FX-ZFR1811-0G	JCI Wireless	Wireless Field Bus Router. <i>Made in the USA</i>	\$ 220.08	\$ 126.55	JCI_Fx CONTROLLER LINE	
FX-ZFRRPT-0	JCI Wireless	24 VAC to 15 VDC power supply and 4 x 4 in. electrical box with cover. Provides power to FX-ZFR1811 Router when used as a Repeater	\$ 107.84	\$ 62.01	JCI_Fx CONTROLLER LINE	
FX-ZFRRPT-0G	JCI Wireless	24 VAC to 15 VDC power supply and 4 x 4 in. electrical box with cover. Provides power to FX-ZFR1811 Router when used as a Repeater. <i>Made in the USA</i>	\$ 113.56	\$ 65.30	JCI_Fx CONTROLLER LINE	
FX-ZFRCBL-0	JCI Wireless	Wire harness which allows an FX-PCV to be connected to an SA Bus device (FX-BTCVT, FX-DIS Display, NS Sensor) when its SA Bus RJ-12 jack is occupied by an FX-ZFR1811 router.	\$ -	\$ -	JCI_Fx CONTROLLER LINE	
FX-ZFRCBL-0G	JCI Wireless	Wire harness which allows an FX-PCV to be connected to an SA Bus device (FX-BTCVT, FX-DIS Display, NS Sensor) when its SA Bus RJ-12 jack is occupied by an FX-ZFR1811 router. <i>Made in the USA</i>	\$ 32.20	\$ 18.52	JCI_Fx CONTROLLER LINE	
FX-WRZSST-120	JCI Wireless	Wireless System Site Survey Tool: Includes FX-WRZ7860-0 plus battery pack. Directly replaces FX-WRZSST-110.	\$ 290.65	\$ 167.12	JCI_Fx CONTROLLER LINE	
FX-WRZTTB00-0	JCI Wireless	Wireless room temperature sensor with LCD, configurable adjustment dial, occupancy override button, and F/C button. AA batteries included.	\$ 245.32	\$ 141.06	JCI_Fx CONTROLLER LINE	
FX-WRZTTB00-0G	JCI Wireless	Wireless room temperature sensor with LCD, configurable adjustment dial, occupancy override button, and F/C button. AA batteries included. <i>Made in the USA</i>	\$ 258.32	\$ 148.53	JCI_Fx CONTROLLER LINE	
FX-WRZTTD00-0	JCI Wireless	Wireless room temperature sensor with LCD, configurable adjustment dial, fan speed control button, occupancy override button, and F/C button. AA batteries included.	\$ 245.32	\$ 141.06	JCI_Fx CONTROLLER LINE	
FX-WRZTTD00-0G	JCI Wireless	Wireless room temperature sensor with LCD, configurable adjustment dial, fan speed control button, occupancy override button, and F/C button. AA batteries included. <i>Made in the USA</i>	\$ 258.32	\$ 148.53	JCI_Fx CONTROLLER LINE	
FX-WRZTTP00-0	JCI Wireless	Wireless room temperature sensor with warmer/cooler adjustment dial and occupancy override button. Two AA batteries included.	\$ 247.68	\$ 142.42	JCI_Fx CONTROLLER LINE	

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
FX-WRZTTP00-0G	JCI Wireless	Wireless room temperature sensor with warmer/cooler adjustment dial and occupancy override button. Two AA batteries included. <i>Made in the USA</i>	\$ 260.81	\$ 149.97	JCI_Fx CONTROLLER LINE	
FX-WRZTTR00-0	JCI Wireless	Wireless room temperature sensor with occupancy override button. AA batteries included.	\$ 239.97	\$ 137.98	JCI_Fx CONTROLLER LINE	
FX-WRZTTR00-0G	JCI Wireless	Wireless room temperature sensor with occupancy override button. AA batteries included. <i>Made in the USA</i>	\$ 252.69	\$ 145.30	JCI_Fx CONTROLLER LINE	
FX-WRZTTS00-0	JCI Wireless	Wireless room temperature sensor with setpoint adjustment dial and occupancy override button. AA batteries included.	\$ 247.68	\$ 142.42	JCI_Fx CONTROLLER LINE	
FX-WRZTTS00-0G	JCI Wireless	Wireless room temperature sensor with setpoint adjustment dial and occupancy override button. AA batteries included. <i>Made in the USA</i>	\$ 260.81	\$ 149.97	JCI_Fx CONTROLLER LINE	
FX-WRZSTR00-0	JCI Wireless	Wireless refrigerator/freezer temperature transmitter and probe assembly with LCD and F/C button. AA batteries included.	\$ 827.17	\$ 475.62	JCI_Fx CONTROLLER LINE	
FX-WRZSTR00-0G	JCI Wireless	Wireless refrigerator/freezer temperature transmitter and probe assembly with LCD and F/C button. AA batteries included. <i>Made in the USA</i>	\$ 871.01	\$ 500.83	JCI_Fx CONTROLLER LINE	
FX-WRZTHB00-0	JCI Wireless	Wireless room temperature and humidity sensor with LCD, configurable adjustment dial, occupancy override button, and F/C button. AA batteries included.	\$ 412.09	\$ 236.95	JCI_Fx CONTROLLER LINE	
FX-WRZTHN00-0	JCI Wireless	Wireless room temperature and humidity sensor with occupancy override button. AA batteries included.	\$ 367.45	\$ 211.28	JCI_Fx CONTROLLER LINE	
FX-WRZTHP00-0	JCI Wireless	Wireless room temperature and humidity sensor with warmer/cooler adjustment dial and occupancy override button. AA batteries included.	\$ 373.68	\$ 214.87	JCI_Fx CONTROLLER LINE	
FX-WRZMNN01-0	JCI Wireless	Wireless Room Sensor: occupancy (PIR) sensing only, occupancy override button, battery level/signal strength LED	\$ 376.00	\$ 216.20	JCI_Fx CONTROLLER LINE	
FX-WRZMTN01-0	JCI Wireless	Wireless Room Sensor: temperature and occupancy (PIR) sensing, occupancy override button, battery level/signal strength LED	\$ 620.00	\$ 356.50	JCI_Fx CONTROLLER LINE	
FX-WRZMTB01-0	JCI Wireless	Wireless Room Sensor: temperature and occupancy (PIR) sensing, LCD, setpoint dial, F/C button, occupancy override button	\$ 636.00	\$ 365.70	JCI_Fx CONTROLLER LINE	
FX-WRZMHN01-0	JCI Wireless	Wireless Room Sensor: temperature, humidity, and occupancy (PIR) sensing, occupancy override button, battery level/signal strength LED	\$ 840.00	\$ 483.00	JCI_Fx CONTROLLER LINE	
FX-WRZRMT10K-0	JCI Wireless	Wireless Remote Temperature Transmitter: Includes: <ul style="list-style-type: none"> <li>• One temperature transmitter assembly (consisting of one temperature transmitter, one mounting base, and strips of double-sided adhesive foam tape all factory assembled)</li> <li>• One strain relief bushing</li> <li>• One DIP switch overlay for a Mesh Network Application Using an FX-ZFR1811 Router</li> <li>• One DIP switch overlay for a One-to-One Wireless Sensing System</li> <li>• Two AA alkaline batteries</li> </ul>	\$ 712.80	\$ 409.86	JCI_Fx CONTROLLER LINE	
MAGNET-BASE-PLW	JCI Wireless	Magnetic backplate for mounting the wireless transmitter on metal surfaces. Includes five magnetic backplates.	\$ 64.80	\$ 37.26	JCI_Fx CONTROLLER LINE	
AGM Part #	HONEYWELL DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
32002517-001	Honeywell Excel Programming Software	Cable to Connect Serial Lon Talk Adapter to a Standard Modem	\$ 260.58	\$ 149.83	Honeywell Excel CONTROLLER LINE	
50000591-001	Honeywell Excel Programming Software	Rapid Link Accessories Kit	\$ 150.56	\$ 86.57	Honeywell Excel CONTROLLER LINE	
Q7740A1008	Honeywell Excel Programming Software	Two-way Repeater for US- E w/ Free Topology Trans Ceiver (FTT) Lonworks N- Etwrks.	\$ 1,268.20	\$ 729.22	Honeywell Excel CONTROLLER LINE	
Q7740B1006	Honeywell Excel Programming Software	Four-way Repeater for U- SE w/ Free Topology Tran Sceiver (FTT) Lonworks Networks	\$ 1,549.87	\$ 891.18	Honeywell Excel CONTROLLER LINE	
Q7751A2010	Honeywell Excel Programming Software	FTT10 TO FTT10 Router	\$ 2,036.73	\$ 1,171.12	Honeywell Excel CONTROLLER LINE	
Q7752B2009	Honeywell Excel Programming Software	PCMCIA Serial Lon Talk Adapter for Lonmark FTT Networks Includes 2 Conductor Cable Assembly	\$ 1,565.32	\$ 900.06	Honeywell Excel CONTROLLER LINE	
Q7770A1001	Honeywell Excel Programming Software	Rapidlink, High-speed Lon Network Interface Device for LCBS, Serves as Replacement for SLTA	\$ 1,569.47	\$ 902.45	Honeywell Excel CONTROLLER LINE	
32000180-004	Honeywell Excel Programming Software	USB To Lon Network Cable	\$ 193.53	\$ 111.28	Honeywell Excel CONTROLLER LINE	
W7760A2011	Honeywell Excel Controllers	XL 15A Building Manager- Time Clock ( 4 DI, 8 AI, 8 DO, 2 AO )	\$ 2,271.74	\$ 1,306.25	Honeywell Excel CONTROLLER LINE	
W7760B2001	Honeywell Excel Controllers	XL15B Building Manager- SLTA / Ethernet / Web Graphical Interface	\$ 8,800.85	\$ 5,060.49	Honeywell Excel CONTROLLER LINE	
W7760C2017	Honeywell Excel Controllers	XL15C Plant Controller Freely Programmable ( 8 DI, 8 AI, 8 DO, 6 AO )	\$ 2,825.84	\$ 1,624.86	Honeywell Excel CONTROLLER LINE	
T7350H1009	Honeywell Excel Controllers & Modules	Communicating Thermostat, Conventional or Heat Pump Applications Staged Outputs	\$ 827.14	\$ 475.61	Honeywell Excel CONTROLLER LINE	
T7350H1017	Honeywell Excel Controllers & Modules	Communicating Thermostat, Modulating Outputs	\$ 899.39	\$ 517.15	Honeywell Excel CONTROLLER LINE	
W7750A2005	Honeywell Excel Controllers & Modules	XL10 Constant Volume AHU Controller ( 3 DI, 3 AI, 6 DO, 0 AO )	\$ 742.81	\$ 427.12	Honeywell Excel CONTROLLER LINE	
W7750B2011	Honeywell Excel Controllers & Modules	XL10 Constant Volume AHU Controller ( 4 DI, 4 AI, 8 DO, 0 AO )	\$ 907.55	\$ 521.84	Honeywell Excel CONTROLLER LINE	

AGM Services #	SERVICE DESCRIPTION	LONG DESCRIPTION	LIST PRICE	STATE TERM	CATEGORY	SUB-CATEGORY
<b>W7750C2001</b>	Honeywell Excel Controllers & Modules	XL10 Constant Volume AHU Controller ( 4 DI, 4 AI, 5 DO, 3 AO )	\$ 950.98	\$ 546.81	Honeywell Excel CONTROLLER LINE	
<b>W7753A2002</b>	Honeywell Excel Controllers & Modules	XL 10 Unit Ventilator Controller-ASHRAE 1, 2, or 3 (4 DI, 6 AI, 8 DO, 0 AO)	\$ 920.98	\$ 529.56	Honeywell Excel CONTROLLER LINE	
<b>ML6161B2024</b>	Honeywell Excel Controllers & Modules	24V 50/60HZ. 45 TO 90 DEG Stroke, 90 Sec Timing, with Declutch, with Min, Position Set Screw Adjustment, with 4074ENJ Accessory, Shipped in CW Position	\$ 127.50	\$ 73.31	Honeywell Excel CONTROLLER LINE	
<b>W7751H2025</b>	Honeywell Excel Controllers & Modules	XL10 Smart VAVII Controller and Actuator	\$ 738.82	\$ 424.82	Honeywell Excel CONTROLLER LINE	
<b>Y7751F2001</b>	Honeywell Excel Controllers & Modules	XL10 Pack Including W7751F Controller and a ML6161B Damper Actuator	\$ 944.55	\$ 543.12	Honeywell Excel CONTROLLER LINE	
<b>W7752F2002</b>	Honeywell Excel Controllers & Modules	XL10 Fan Coil Unit Controller with 115 VAC Transformer and 250 VAC 10 a Electric Reheat Relay	\$ 920.98	\$ 529.56	Honeywell Excel CONTROLLER LINE	
<b>W7762B1027</b>	Honeywell Excel Controllers & Modules	XL10 Hydronic	\$ 587.95	\$ 338.07	Honeywell Excel CONTROLLER LINE	
<b>W7763C1016</b>	Honeywell Excel Controllers & Modules	XL10 Hydronic Controller w/ Built in Wall Module	\$ 667.70	\$ 383.93	Honeywell Excel CONTROLLER LINE	
<b>W7761A2010</b>	Honeywell Excel Controllers & Modules	Excel 10 Remote I/O UUKL-UL 864 Listed	\$ 1,174.48	\$ 675.33	Honeywell Excel CONTROLLER LINE	
<b>XIO-10DI</b>	Honeywell Excel Controllers & Modules	Compact 10 Module Ten (10) Digital Inputs	\$ 769.95	\$ 442.72	Honeywell Excel CONTROLLER LINE	
<b>XIO-4AO</b>	Honeywell Excel Controllers & Modules	Compact 10 Module Four (4) Analog Outputs	\$ 769.95	\$ 442.72	Honeywell Excel CONTROLLER LINE	
<b>XIO-4DI</b>	Honeywell Excel Controllers & Modules	Compact 10 Module Four (4) Digital Inputs	\$ 708.97	\$ 407.66	Honeywell Excel CONTROLLER LINE	
<b>XIO-4DO</b>	Honeywell Excel Controllers & Modules	Compact 10 Module Four (4) Digital Outputs	\$ 708.97	\$ 407.66	Honeywell Excel CONTROLLER LINE	
<b>XIO-8AI</b>	Honeywell Excel Controllers & Modules	Compact 10 Module Eight (8) Analog Inputs	\$ 1,074.98	\$ 618.11	Honeywell Excel CONTROLLER LINE	