

STATE OF OHIO
DEPARTMENT OF ADMINISTRATIVE SERVICES
GENERAL SERVICES DIVISION
OFFICE OF PROCUREMENT SERVICES
4200 SURFACE ROAD, COLUMBUS, OH 43228-1395

MANDATORY USE CONTRACT FOR: UNIFORM ACCESSORIES FOR THE OHIO HIGHWAY PATROL; LEATHER ACCESSORIES, SIDEARM DUTY HOLSTERS, RAIN AND SAFETY APPAREL AND TROOPER HATS

CONTRACT No.: OT900312

EFFECTIVE DATES: 10/01/11 to 09/30/14

The Department of Administrative Services has accepted bids submitted in response to Invitation to Bid No. OT900312 AND OT900412 that opened on 06/01/11. The evaluation of the bid response(s) has been completed. The bidder(s) listed herein have been determined to be the lowest responsive and responsible bidder(s) and have been awarded a contract for the items(s) listed. The respective bid response, including the [Terms and Conditions for Bidding, Standard Contract Terms and Conditions, and Supplemental Contract Terms and Conditions](#), special contract terms & conditions, any bid addenda, specifications, pricing schedules and any attachments incorporated by reference and accepted by DAS become a part of this Requirements Contract.

This Requirements Contract is effective beginning and ending on the dates noted above unless, prior to the expiration date, the Contract is renewed, terminated or cancelled in accordance with the Contract Terms and Conditions.

This Requirements Contract is available to OHIO DEPARTMENT OF PUBLIC SAFETY, STATE HIGHWAY PATROL, 1970 WEST BROAD STREET, COLUMBUS, OH 43223, as applicable.

Agencies are eligible to make purchases of the listed supplies and/or services in any amount and at any time as determined by the agency. The State makes no representation or guarantee that agencies will purchase the volume of supplies and/or services as advertised in the Invitation to Bid.

SPECIAL NOTE: State agencies may make purchases under this Requirements Contract up to \$2500.00 using the state of Ohio payment card. Any purchase that exceeds \$2500.00 will be made using the official state of Ohio purchase order (ADM-0523). Any non-state agency, institution of higher education or Cooperative Purchasing member will use forms applicable to their respective agency.

Questions regarding this and/or the Requirements Contract may be directed to:

Walter Schneider, CPPB
walter.schneider@das.state.oh.us

This Requirements Contract and any Amendments thereto are available from the DAS Web site at the following address:

<http://www.ohio.gov/procure>

Partial Minority Business Enterprise Award in accordance with ORC CH. 125.081

Signed: _____
Robert Blair, Director Date

TABLE OF CONTENTS

<u>CLAUSES</u>	<u>PAGE NO.</u>
Amendments to Contract Terms and Conditions	3
Authorized Distributor or Manufacturers Representative	3
Brand Name or Equal Specification	3
Contract Award	3
Delivery and Acceptance	3
Evaluation	3
Fixed-Price With Economic Adjustment	4
Minimum Order	4
Sweatshop Free	4
Usage Reports	4
Item Specifications	5 – 17
Contract Prices	18 - 20
Contractor Index	21

AMENDMENTS TO CONTRACT TERMS AND CONDITIONS: The following Amendments to the Contract Terms and Conditions do hereby become a part hereof. In the event that an amendment conflicts with the Contract Terms and Conditions, the Amendment will prevail.

DELIVERY AND ACCEPTANCE: Supplies will be delivered to the participating agency within sixty (60) days after receipt of order and, in accordance with paragraphs S-8, S-9, and S-10 of the SUPPLEMENTAL CONTRACT TERMS AND CONDITIONS. The delivery location will be noted on the purchase order issued by the participating agency. Acceptance (transfer of title) will occur upon the inspection and written confirmation by the ordering agency that the supplies delivered conform to the requirements set forth in the Contract. Unless otherwise provided in the Contract, acceptance shall be conclusive except as regards to latent defects, fraud, or such gross mistakes as amount to fraud.

AUTHORIZED DISTRIBUTOR OR MANUFACTURERS REPRESENTATIVE: Bidders responding to this Bid must be authorized distributors, manufacturers or representatives of manufacturers of the items bid. Bidders may be required to submit proof of the above. If requested, bidders will have seven (7) calendar days to provide proof of the relationship. If requested Bidders shall submit certification attesting that they are the manufacturer or an authorized dealer, distributor or manufacturer's representative of the products being bid. This certification must be on the manufacturer's letterhead, signed by a duly authorized employee of the manufacturer.

EVALUATION: Bids will be evaluated in accordance with Article I-17 of the "Instructions to Bidders". In addition, the state will multiply the bid unit price per item times the estimated annual usage per item and sum the totals for all items to arrive at the lowest overall cost for all items. Failure to bid all items may result in the bidder being deemed not responsive.

CONTRACT AWARD: The contract will be awarded to the lowest responsive and responsible bidder by low lot total.

BRAND SPECIFIC AND BRAND NAME OR EQUAL SPECIFICATIONS: Where specified, the products in this Invitation To Bid (ITB) are being bid as BRAND SPECIFIC. Category A, Items 1a. 1b. 1c. 1d. 1e. and 1f. and all items in Category B. are being bid as brand specific. That signifies that no alternates will be accepted for award. Bid is in accordance with the Ohio Administrative Code 123:5-1-10 (I). Elsewhere in this bid, brand names are included as a "brand name or equal specification", in accordance with paragraph I-32 of the INSTRUCTIONS, TERMS AND CONDITIONS FOR BIDDING.

FIXED-PRICE WITH ECONOMIC ADJUSTMENT: The contract prices(s) will remain firm for the first six (6) months duration of the contract. Thereafter, the Contractor may submit a request to increase their price(s) to be effective thirty (30) calendar days after acceptance by DAS. No price adjustment will be permitted prior to the effective date of the increase received by the Contractor from his suppliers, or on purchase orders that are already being processed, or on purchase orders that have been filled and are awaiting shipment. If the Contractor receives orders requiring quarterly delivery, the increase will apply to all deliveries made after the effective date of the price increase.

The price increase must be supported by a general price increase in the cost of the finished supplies, due to increases in the cost of raw materials, labor, freight, Workers' Compensation and/or Unemployment Insurance, etc. Detailed documentation, to include a comparison list of the contract items and proposed price increases, must be submitted to support the requested increase. Supportive documentation should include, but is not limited to: copies of the old and the current price lists or similar documents which indicate the original base cost of the product to the Contractor and the corresponding increase, and/or copies of correspondence sent by the Contractor's supplier on the supplier's letterhead, which contain the above price information and explains the source of the increase in such areas as raw materials, freight, fuel or labor, etc.

Should there be a decrease in the cost of the finished product due to a general decline in the market or some other factor, the Contractor is responsible to notify DAS immediately. The price decrease adjustment will be incorporated into the contract and will be effective on all purchase orders issued after the effective date of the decrease. If the price decrease is a temporary decrease, such should be noted on the invoice. In the event that the temporary decrease is revoked, the contract pricing will be returned to the pricing in effect prior to the temporary decrease. For quarterly deliveries, any decrease will be applied to deliveries made after the effective date of the decrease. Failure to comply with this provision will be considered as a default and will be subject to the provisions of Article 6, "Contract Terms and Conditions".

SPECIAL CHARGES: There are to be no assessments, up-charges, single item charge, surcharge, re-stocking fee, minimum order charge nor will any additional charges be allowed that are not specifically mentioned under the provisions of the standard terms and conditions of this bid and any ensuing contract awarded pursuant to this bid.

MINIMUM ORDER: No order shall be placed against a contract awarded pursuant to this bid for less than two hundred (\$200.00) dollars.

TRANSPORTATION CHARGES: Any item(s) ordered from a contract awarded pursuant to this bid will be shipped F.O.B. destination, freight prepaid. Shipment will be made as indicated on the purchase order.

USAGE REPORTS: Every six (6) months, the contractor must submit a report (written or on disk or via email in Excel format) indicating sales generated by this contract. The report shall list usage by customer, by line item, showing the quantities/dollars generated by this contract. . The report must be submitted thirty (30) days following the completion of the reporting period. The report shall be forwarded to the Office of State Purchasing, 4200 Surface Road, Columbus, OH 43228-1395, Attn: Walter Schneider, CPPB

SWEATSHOP FREE: By the signature affixed to this ITB, Bidder certifies that all facilities used for the production of the supplies or performance of services offered in the bid are in compliance with applicable domestic labor, employment, health and safety, environmental and building laws. This certification applies to any and all suppliers and/or subcontractors used by the Bidder in furnishing the supplies or services described in the bid and awarded to the Bidder. If DAS receives a complaint alleging non-compliance with sweatshop free requirements, DAS may enlist the services of an independent monitor to investigate allegations of such non-compliance on the part of the Contractor, any sub-contractors or suppliers used by the Contractor in performance of the Contract. If allegations are proven to be accurate, the Contractor will be advised by DAS of the next course of action to resolve the complaint and the Contractor will be responsible for any costs associated with the investigation. Items that will be considered in an investigation include, but are not limited to standards for wages, occupational safety and work hours.

DISCLOSURE OF SUBCONTRACTORS / JOINT VENTURES (See Standard Contract Terms and Conditions, Section (roman numeral) V. General Provisions:, Paragraph Q.):

List names of subcontractors who will be performing work under the Contract.

_____	_____
_____	_____
_____	_____

By the signature affixed to Page 1 of this Bid, Bidder hereby certifies that the above information is true and accurate. The Bidder agrees that no changes will be made to this list of subcontractors or locations where work will be performed or data will be stored without prior written approval of DAS. Any attempt by the Bidder/Contractor to change or otherwise alter subcontractors or locations where work will be performed or locations where data will be stored, without prior written approval of DAS, will be deemed as a default. If a default should occur, DAS will seek all legal remedies as set forth in the Terms and Conditions which may include immediate cancellation of the Contract. Failure to complete this page may deem your bid not responsive.

Bid Automobile Liability Checklist:

Contractor will indicate, by checking the appropriate box(es) below, which mode of transportation will apply to this contract.

- Bidder/Broker ("The Contractor") or their Sub Contractor will make delivery or be performing services using a vehicle that is owned, leased or rented. Provide Certificate of Insurance documenting automobile liability with a Combined Single Limit of \$500,000.00.
- Goods/Services will be delivered via common carrier.
- No employee or representative of the contractor will have cause to be on state property to make deliveries or to perform services.

DISCLOSURE OF FULFILLMENT HOUSES:

Fulfillment Houses are defined as follows: A third party that performs outsourced storage, order picking, packing, shipment and/or tracking activities for the Contractor. Bidders seeking to enter into a materials contract shall disclose the following: (use additional sheets if necessary)

If awarded a contract under this Invitation To Bid, do you intend to use Fulfillment Houses as defined above to fulfill your obligations under any ensuing contract? Yes: No:

If you answered yes above, complete the following information.

a) Principal location of business for the contractor (Name/City/State/Country)

b) Principal location of all Fulfillment Houses (Name/City/State/Country)

c) Location where inventory to support the Contract will be maintained (Name/City/State/Country)

d) Has this Fulfillment House ever been asked to withdraw from a contract with the state of Ohio, either as a Fulfillment House or as a direct contractor to the State? Yes No

e) Has this Fulfillment House ever been asked to withdraw from a contract with another state or government body?
Yes No

The state of Ohio neither approves nor disapproves of any Fulfillment House. The State reserves the right to authorize or fail to authorize the use of any Fulfillment House. Prior removal from a contract or contracts may be cause for disqualification.

By the signature affixed to Page 1 of this Bid, Bidder hereby certifies that the above information is complete, correct, true and accurate. The Bidder agrees that no changes will be made to this list of fulfillment houses without amendment to the contract issued subsequent to the analysis of bids. Any attempt by the Bidder/Contractor to change or otherwise alter Fulfillment House locations where services will be performed without prior amendment to the contract, will be deemed as a default. If a default should occur, DAS will seek all legal remedies as set forth in the Terms and Conditions which may include immediate cancellation of the Contract. Failure to complete this page may deem your bid not responsive.

SPECIFICATIONS

I. SCOPE

These specifications cover the purchase of selected uniform apparel and accessories and Trooper hats for the Ohio State Highway Patrol with delivery required to specific locations in Columbus, OH.

SPECIFICATIONS (CONT'D)

II. REQUIREMENTS

- A. Where applicable instructions on measurements and/or applicable sizing charts should accompany this bid. If not submitted with the bid, Bidder(s) will have seven (7) calendar days after notification to provide same. Failure to provide instructions on measurements and/or applicable sizing charts as requested may result in the bidder being deemed not responsive. Bidders must specify if they are using standard or metric system measurements in their measurement and/or sizing charts.
- B. Each item shall be packaged and marked for the individual or ordering agency as specified.
- C. All items shall be stamped or labeled, including care instructions where applicable, indicating size, product origin and other information pertinent to labeling laws.
- D. Where applicable all items shall have loose threads removed and be pressed, shaped and finished properly in accordance with industry standards.
- E. All materials shall be first quality, new, unused and without flaws or defects which adversely affect appearance, durability or function.
- F. Where applicable, emblems supplied by the agency(s) shall be sewn on or affixed as specified at no charge.
- G. Any items found to be defective, improperly sized, or not in accordance with specifications, although accepted through oversight or otherwise, shall be replaced, repaired or altered at the expense of the vendor, including all transportation costs.
- H. Any order placed pursuant to this contract the delivery of such which contains items which do not conform with these item specifications which is received through oversight or otherwise, may be rejected at any time. Any part of the order found not in compliance with specifications due to the fault of the contractor (e.g., color, defective or improper sizing), shall be altered or replaced by the contractor at his/her expense, including all transportation costs. Any rejected item that cannot be altered to meet all terms and conditions of the specifications shall not be offered for sale to anyone else or otherwise disposed of as a wearable garment by the contractor or manufacturer without approval of the Superintendent of the State of Ohio Highway Patrol.

III. ITEM CATEGORIES

A. Category A. Sidearm Duty Holsters and Leather Accessory Items

- Item 1a. 1b. Sidearm Duty Holster System – Brand Specific – Safariland Model 295
- Item 1c. 1d. 1e. 1f. Sidearm Duty Holster System – Brand Specific – Gould & Goodrich Models H391 & T391
- Item 2a. 2b. Sam Browne Belt and Shoulder Strap
- Item 3. Handcuff Case
- Item 4. Double Magazine Pouch
- Item 5. Chemical Mace Holder
- Item 6. Leather Trouser Belt

B. Category B. Rain and Safety Apparel

- Item 1a. 1b. 1c. 1d. Light Weight Rain Jacket (Civilian Units) – Brand Specific – Blauer GTX 9691 Only
- Item 2a. 2b. 2c. Featherweight Rain Shell Trousers (Civilian Units) – Brand Specific – Blauer 9134 Only
- Item 3a. 3b. 3c. 3d, 3e. 3f. Rain Suit, Jacket and Pants (Sworn Units) – Brand Specific – Jacket Blauer GTX 9691
OSP Only, Pants Blauer GTX 9561
- Item 4a. 4b. High Visibility Safety Vest – Brand Specific – Blauer # 339 OSP Only

C. Category C. Trooper Hats

- Item 1. Fur Felt Hat
- Item 2. Straw Hat

SPECIFICATIONS (CONT'D)

IV. ITEM SPECIFICATIONS

CATEGORY A. SIDEARM DUTY HOLSTERS AND LEATHER ACCESSORY ITEMS

Category A. Items 1a. and 1b. Sidearm Duty Holster System Right and Left Hand Models (Brand Specific Only – Safariland Model 295 Holster)

1. General Description

Duty holster designed to accommodate the SigArms Model P-226 DAK, .40 S&W caliber, semi-automatic pistol. Holster designed for use on the Sam Browne belt. Holster shall be identified as either right-handed Model Number 295-177-91 or left-handed Model Number 295-177-92.

1. Product Function

Holster shall maintain handgun in a stable, tactically ready configuration. Holster shall have medium height ride and straight drop carry. Front unlocking design shall utilize wraparound retaining flap with conventional snap assembly with stiff socket. Internal trigger guard lock shall hold weapon on each side of the trigger guard. Holster shall have a belt loop tension device, a covered trigger guard, and shall be weatherproof.

3. Belt Loop

Model 2955 shall accommodate a one and one half (1.5") inch drop in the worn height of the holster. Belt loop shall be identified as either right-handed Model Number 2955-177-91 or left-handed Model Number 2955-177-92.

4. Construction Materials

The holster body shall be constructed of a lamination of engineered materials, polyurethane and orthopedic grade suede leather, sewn with 207 and 277 grade nylon cord stitching. Holster shall have case hardened Nyloc screws and tee-nuts. Holster shall have Aeron 120 Engineered Synthetics as reinforcement in strategic areas. Holster shall have a conventional snap assembly with stiff socket. Holster shall have an injected molded, three-piece trigger guard mechanism.

5. Finish

Holster shall have a high gloss Porvair finish.

6. Manufacturing Process

Holster body shall be heat and pressure molded with a wraparound, weltless construction to accommodate the SigArms P-226 DAK .40 S&W caliber pistol. The sight channel shall be molded into the holster body. The belt shank shall be heat and pressure molded for body curvature. The shank shall be bolted onto the holster body with case hardened hardware. The injected molded trigger guard shall be bolted into the holster with case hardened screws.

7. Brand Specific

The product(s) specified in this Category/item(s) of this Invitation To Bid (ITB) is/are being bid as Brand Specific. That signifies that no alternates will be accepted for award. This Bid is in accordance with the Ohio Administrative Code 123:5-1-10, Section I, Items 1 through 4.

8. Letter of Authorization

All Bid submissions should include a letter from Safariland LTD. Inc., that the vendor is authorized to represent Safariland in this bid effort. The letter must guarantee that all requirements of this bid will be supported by the manufacturer to include, at least as a minimum: delivery of product within the specified time frame and compliance with all OSHP (Ohio State Highway Patrol) product specifications and requirements as stated in this bid. Failure to submit the letter with the ITB may deem your bid non-responsive and no further consideration for award shall be given.

SPECIFICATIONS (Cont'd)

Category A. Items 1c, 1d, 1e, 1f. SRT Sidearm Duty Holster (Brand Specific Only) – Gould and Goodrich QKB-26K (Kydex Finish – both Right and Left Handed) AND H391-26KCL (High Gloss Finish both Right and Left Handed)

1. General Description

Duty holster designed to accommodate the SigArms Model P-226 DAK with light rail Both holster designs are suede lined (to protect the weapon) with two locking mechanisms for triple retention security.

2. Detailed Description

a. Holster Body.

1. QKB - The 2-layer holster body is composed of .090 Kydex. The body of the holster incorporates a hardened steel reinforcement plate to help resist any forced removal of the weapon by an assailant. The body is lined with urethane suede that is permanently bonded to the core. The body is thermoformed to securely fit a specific handgun. Holster body finish is plain.
2. H391 - The 3-layer holster body is composed of .090 Kydex laminated to a black high gloss patent leather-look urethane. The body of the holster incorporates a hardened steel reinforcement plate to help resist any forced removal of the weapon by an assailant. The body is lined with urethane suede that is permanently bonded to the core. The body is thermoformed to securely fit a specific handgun. Holster body finish is high gloss.

- b. The body is bolted in 7 places to a patented trigger guard locking mechanism. It is both secure and easy for the wearer to operate. When the gun is inserted in the holster a ½ inch thick locking bolt automatically secures the trigger guard with no further motion required. Release of the lock is by a simple motion of the thumb as the hand tightens its grip on the gun and draws straight up.
- c. The jacket-slot belt loop is injection molded of a durable polymer and is anatomically shaped to be comfortable when worn on a duty belt. The belt loop is secured in position on a duty belt with a simple and secure device that does not mark or harm the belt.
- d. All hardware used in the assembly of this holster is stainless steel or brass.
- e. In addition to the internal locking mechanism, the H391 and QKB series holsters incorporate a rotating cover strap. This strap may be released independently of the main trigger guard lock, or will automatically release when the main lock is cycled.

3. Brand Specific

The product(s) specified in this Category/Item(s) of this Invitation To Bid (ITB) is/are being bid as BRAND SPECIFIC. That signifies that NO ALTERNATES WILL BE ACCEPTED FOR AWARD. Bid is in accordance with the Ohio Administrative Code 123:5-1-10, Section I, Items 1 through 4.

4. Letter Of Authorization

All Bid submissions should include a letter from Gould and Goodrich that the vendor is authorized to represent Gould and Goodrich in this bid effort. The letter must guarantee that all requirements of this bid will be supported by the manufacturer to include, at least as a minimum: delivery of product within the specified time frame and compliance with all OSHP (Ohio State Highway Patrol) product specifications and requirements as stated in this bid. Failure to submit the letter with the ITB may deem your bid non-responsive and no further consideration for award shall be given.

SPECIFICATIONS (Cont'd)

Category A. Items 2a. and 2b. Sam Browne Belt and Shoulder Strap – Equal to Gould & Goodrich KPA-CL and H99-CL

1. General Description

All outside finish material shall be high gloss Porvair. Belt constructed with ambidextrous "D" rings. Belt width 2 ¼ inches. Buckle and "D" ring to be nickel plated solid brass. Shoulder cross strap made of leather lined high gloss Porvair with nickel plated solid brass buckle.

2. Detailed Description

- a. Materials: Sam Browne Belt made of high gloss Porvair outer layer laminated to a full grain tanned leather liner. Overall thickness of the belt is 13-14 oz. Belt buckle and "D" rings nickel plated solid brass. Hook and stud are matte black finish. Shoulder strap made of high gloss Porvair laminated to 6/7 oz. russet leather. Buckle and studs nickel plated solid brass.
- b. Design: The belt shall be 2 ¼" wide and shall be furnished with two (2) nickel plated, solid brass D rings held in place by a sewn down keeper that uses a snap closure. All belts shall be equipped with four (4) snap fasteners for easy removal from the Sam Browne belt and shoulder strap. The location of the four (4) snap fasteners shall enable the utilization of the Sam Browne belt by either left or right-handed shooters. Belt shall have a nickel plated solid brass belt buckle measuring 1 7/8" x 2 7/8". Buckle chafe on the hook end 3" wide. Belts shall be sized in two inch increments, with five adjustment holes per belt. An additional two inches to be added to the length of the belt to ensure good fit. Belt edges to be rounded and burnished. Belt shall have one keeper loop 3/4" wide.
- c. Shoulder strap shall be sewn with Dacron polyester thread. Strap shall have six adjustment holes spaced 3/4" apart. Lead up strap to be 8 ¼" long, 1 ¼" wide tapering to 7/8" wide at the buckle. There shall be loops at each end of the strap for placement of Dee rings. The loops shall hook over a matte black stud for ease of replacing the Dee rings. The lead up strap shall also have a snap that allows the buckle to be changed from a chrome finish to brass finish. The shoulder strap shall have one 3/8" belt keeper.
- d. All material and workmanship must match existing equipment presently being worn by the Ohio State Highway Patrol.
- e. The size of the belt or shoulder strap must be stamped on the back of the item in such a manner that the size of the item is easily readable.

3. Sizes

- a. Shoulder Straps: Shall be offered in size range 30" to 50".
- b. Sam Browne Belt: Shall be offered in size range 28" to 48".

Category A. Item 3. Handcuff Case – Equal to Gould & Goodrich H583CLHS

1. Detailed Description

Rugged and stylish handcuff case has full flap held closed with a hidden snap. The case will be slotted to slide onto a Sam Browne belt that is 2 ¼ inches in width. The handcuff case must accommodate a pair of Peerless brand double hinged handcuffs. The case shall be manufactured from high gloss Porvair laminated to a 4 to 5 ounce russet leather liner. Handcuff case is to be head and pressure molded with a 4 to 5 ounce black insert. Thread shall be Dacron polyester with 5 to 7 stitches per inch. All edges are to be finished with black dye and rubbed. The flap is to have a single hidden snap for closure.

SPECIFICATIONS (Cont'd)

Category A. Item 4. Double Magazine Pouch – Equal to Gould & Goodrich H647CLHS

1. Detailed Description

The magazine pouch shall be black and accommodate two magazines for a 40 caliber Sig Sauer model P-226 DAK pistol. There are to be separate compartment for each magazine. Shall be high gloss Porvair finish and be manufactured with four slots to allow it to be worn in either the vertical or horizontal position. The overall size of the pouch shall be approximately 4" wide by 6" long. The depth of the compartments shall be approximately 3 ½". The magazine pouch is to be constructed of high gloss Porvair laminated to a 4 to 5 ounce vegetable tanned cowhide. The pouches are to be molded using heat and pressure. All stitching is to be 6 to 7 stitches per inch using black Dacron polyester thread. All edges are to be burnished to a smooth finish and dyed black. The covers shall be secured using a single hidden snap on each cover. During the evaluation of this bid the Ohio State Highway Patrol determined to accept an alternate item submitted; Safariland item 77-083-BHS as equal to the G&G H647CLHS.

Category A. Item 5. Chemical Mace Holder

1. Detailed Description

Mace holder shall be black and designed to accommodate an MK III style aerosol canister mace. Top flap to have hidden snap closure. Holder shall be designed to attach to a 2 ¼" wide duty belt. Easy on and off removal from belt via snap closure connected to the back of the canister pouch. Overall height of pouch when snapped approximately 5". Holder to be constructed of high gloss Porvair laminated to 4 to 5 ounce cowhide. Thread shall be Dacron polyester with 5 to 7 stitches per inch. All edges are to be finished with black dye and burnished to a smooth finish. The flap shall have a single hidden snap for closure.

Category A. Item 6. Leather Trouser Belt – Equal to Gould & Goodrich H52CL

1. Design and Detailed Description

- a. Trouser belt is to be black, 1 ¾" wide finished in high gloss Porvair. At the buckle end of the belt there shall be two snaps to allow for the removal of the buckle to allow for replacement with a new buckle if needed. After the buckle is in place a ½ inch belt keeper will be placed between the two snaps. The snaps are to be black on the finished side to match the belt material. On the opposite end of the belt starting approximately 3 ½ inches from the end there shall be five or six round or oval holes spaced approximately 1 inch apart for adjustment of the buckle.
- b. The belt is to be finished full grain tanned leather weighing 4 ½ to 5 ounces finished with high gloss Porvair. A trouser belt with a synthetic backing laminated to a Porvair outer layer will not be accepted. (see g. below).
- c. The buckle is to be style 8402 solid brass finished in nickel.
- d. Thread shall be vat dyed black three strand Polyester to match the color finish of the belt. Stitching shall be approximately six to seven stitches per inch.
- e. All edges are to be finished and dyed to match the belt.
- f. All belts are to be shipped in individual zip lock bags with one belt per bag. The belt and the bag must be clearly marked with the belt size.
- g. During the evaluation of this bid the Ohio State Highway Patrol determined to accept the submittal of an alternate item bid without leather backing. (see b. above).

2. Sizes:

Belts shall be offered in size range 24" to 66".

CATEGORY B. RAIN AND SAFETY APPAREL

Category B. Items 1a, 1b, 1c, and 1d. Light Weight Rain Jacket and Hood (Civilian Units) Brand Specific Only, Blauer as Detailed.

1. General Description

Blauer GTX 9691 rain jacket and hood (Blauer 9123). Reversible, lightweight waterproof, windproof, breathable raincoat, black in color, reversible to high visibility fluorescent yellow with reflective trim. Jacket and hood can be ordered separately and are priced separately.

SPECIFICATIONS (Cont'd)

2. General Requirements

- a. Samples may be subjected to laboratory testing. Bidders shall be responsible for all testing costs of samples.
- b. Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style.
- c. All products must have a warranty covering defects in materials and work for a minimum of three (3) years.
- d. All garment details not specifically described herein including tailoring, styling, construction, materials, and components must match the standard reference sample.
- e. Garments must meet ANSI/ISEA 107-2004 class II requirements.
- f. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1103)
- g. Emblems (supplied by the agency) sewn on as specified.
- h. Name tabs
- i. Waterproof hood. Blauer #9123.
- j. NSI/ISEA 107-2004 Class II certified.

3. Shell Fabric

Gore-Tex waterproof-breathable membrane laminated between a 2.18 oz. per square yard, 100% textured polyester, 70-denier plain weave face fabric and a knit polyester tricot backing fabric (Color: fluorescent yellow. resulting in a washable waterproof material with high moisture vapor transmission and durable water repellent finish on both sides.

4. Trim

- a. Illuminite™ trim: 4.25 oz per square yard, 100% nylon 3-ply 70 denier Taslan, plain weave fabric with Illuminite reflective material printed in a ripstop pattern with 30% coverage.
- b. Interlining: 100% Cotton Osnaburg
- c. Seam tape: 3-layer Gore-Seam tape 1 inch wide compatible with Gore-Tex membrane. (Color: match high visibility side of jacket)
- d. Snaps: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure.

5. Design And Construction

- a. Water repellent treated on both hi-vis and dark sides
- b. Adjustable neck and cuff closures.
- c. Double snap-over storm fly front.
- d. Scotchlite™ reflective trim around chest, back, sleeves and cuffs.
- e. Snap equipment side openings.
- f. Reversible to high visibility fluorescent with reflective trim.
- g. Sport-collar
- h. Illuminite™ trim 2-1/4" wide sewn on cuff, front fly, and around the hem of coat on black side.

6. Size Range And Measurement

- a. Unisex: Regular XS – 5XL
- b. Measurements: Regular Length: Size: L
Chest: 53 (plus or minus 0.75 inches)
Sweep: 59 (plus or minus 0.75 inches)
Back Length: 32 (plus or minus 0.75 inches)
Sleeve Inseam: 20 (plus or minus 0.5 inches)

7. Brand Specific

The product(s) specified in this Category of this Invitation To Bid (ITB) are being bid as Brand Specific. That signifies that no alternates will be accepted for award. Bid is in accordance with the Ohio Administrative Code 123:5-1-10, Section I, Items 1 through 4.

SPECIFICATIONS (Cont'd)

Category B. Items 2a, 2b, and 2c. Featherweight Shell Rain Trousers (Civilian Units) Brand Specific Only, Blauer as Detailed.

1. General Description

Blauer 9134 rain pants. Gore-Tex waterproof breathable membrane laminated between a 2.18 oz per square yard, 100% textured polyester 70 denier plain weave face fabric, black, and a 32 gauge 2-bar knit polyester tricot backing fabric.

2. General Requirements

- a. Samples may be subjected to laboratory testing. Bidders shall be responsible for all testing costs of samples.
- b. Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style.
- c. All products must have a warranty covering defects in materials and work for a minimum of three (3) years.
- d. Removable insulated liner.
- e. Garments must be manufactured to ISO 9001 quality assurance standards.

3. Shell Fabric

Gore-Tex waterproof breathable membrane laminated between a 2.18 oz per square yard, 100% textured polyester 70 denier plain weave face fabric, black, and a 32 gauge 2-bar knit polyester tricot backing fabric. Fabric must be able to withstand dry cleaning or machine washing.

4. Trim

- a. Illuminite Trim: 4.25 oz per square yard, 100% nylon 3-ply 70 denier Taslan, plain weave fabric with Illuminite reflective material printed in a ripstop pattern with 30% coverage.
- b. Waistband Elastic: 1 inch webbing. (Color: natural)
- c. Seam Tape: 3 layer Gore-Seam tape 1" wide, compatible with the Gore-Tex membrane (black).
- d. Snaps: non-rusting, 24 ligne gunmetal or brass finish, heavy duty closure, nylon cap.
- e. Zipper: Black, waterproof nylon #5 coil, 17" length.

5. Design and Construction

- a. Waterproof by design.
- b. Elasticized back and snap-over side vent.

6. Size Range and Measurements

- a. Unisex: XS - 5XL
- b. Measurements, Regular Length: Size: L

Outseam	44 (plus or minus 0.75 inches)
Seat:	52 (plus or minus 0.75 inches)
Inseam:	30 (plus or minus 0.75 inches)

7. Brand Specific

The product(s) specified in this Section of this Invitation To Bid (ITB) are being bid as Brand Specific. That signifies that no alternates will be accepted for award. Bid is in accordance with the Ohio Administrative Code 123:5-1-10, Section I, Items 1 through 4.

SPECIFICATIONS (Cont'd)

Category B. Items 3a. 3b. 3c. 3d. 3e. and 3f. Rain Suit: Jacket and Pants (Sworn Units) Brand Specific Only, Blauer as Detailed

1. General Description

Blauer GTX 9691 OSP rain jacket and Blauer GTX 9561 rain pants. Gore-Tex rain jacket and pants with a 4 inch Scotchlite reflective graphic logo "TROOPER" applied to the back of high visibility yellow side of the jacket. Specifications listed apply to both rain jackets and rain pants except as noted. Items ordered as individual pieces.

2. Requirements:

- a. All products will have a printed warranty hangtag covering (at minimum) defects in materials and workmanship for three (3) years.
- b. Garments must be manufactured to ISO 9001 quality assurance standard.

3. Shell Fabric

Gore-Tex waterproof-breathable membrane laminated between a 2.18 oz. per square yard, 100% textured polyester, 70 denier plain weave face fabric (Color: Black). The rain coat will have a knit polyester tricot backing fabric, the rain pants a 32 gauge, 2 - bar knit polyester tricot backing fabric, both resulting in a dry cleanable and washable waterproof material with high moisture vapor transmission.

4. Rain Jacket Trim

- a. Illuminite trim: 4.25 oz. per square yard, 100% nylon 3-ply 70 denier Taslan, plain weave fabric with Illuminite reflective material printed in a ripstop pattern with 30% coverage.
- b. Silver reflective trim: silver 3M Scotchlite 1.5 inch silver reflective fabric.
- c. Seam Tape: 3 layer Gore-Seam tape 1 inch wide compatible with Gore-Tex membrane. (Color: match high visibility side of jacket)
- d. Snaps: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure.
- e. Hook and Loop: woven nylon base. (Color: black)
- f. Interlining: 100% Cotton Osnaburg

5. Rain Pant Trim

- a. Illuminite Trim: 4.25 oz. per square yard, 100% nylon 3-ply 70 denier Taslan, plain weave fabric with Illuminite reflective material printed in a ripstop pattern with 30% coverage.
- b. Waistband: elastic: Spandex, 2 inch webbing, dry cleanable (Color: black)
- c. Seam Tape: 3-layer Gore-Seam tape, 1 inch wide, compatible with the Gore-Tex membrane. (Color: black or grey.)
- d. Wicking Barrier Tape: 2-layer Gore-Seam tape, 2 inches wide, compatible with the Gore-Tex membrane. (Color: clear)
- e. Snaps: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure, black nylon cap.
- f. Hook and Loop: woven nylon base. (Color Black)

6. Design and Construction – Rain Jacket

- a. Waterproof by design.
- b. Fully cut raglan shoulder design.
- c. Reversible to high visibility fluorescent yellow.
- d. Shirt-style collar.
- e. Illuminite trim 2-1/4" wide sewn on cuff, front fly, and around hem of coat on black side of coat.
- f. Snap front with inner and outer storm flies.
- g. Scotchlite package sewn on chest, back, and cuffs on hi-vis side.
- h. Side vents with snap closure.
- i. Hook and loop closure on neck and cuff.
- j. Badge tabs on left breast of both black and high visibility side.

SPECIFICATIONS (Cont'd)

7. Design and Construction – Rain Pant

- a. Waterproof by design.
- b. Front to back side snap closures.
- c. Elasticized waistband.
- d. Hook and loop fastener belt tabs.
- e. Reflective trim 2-1/4" wide sewn to hem of pants.
- f. Gusseted leg openings with snap fasteners.
- g. Bellows side cargo pockets on each thigh.

8. Customization – Rain Jacket

Reflective graphic logo: "TROOPER" in 4 inch Scotchlite applied to back of high-vis yellow side of jacket.

9. Standard Size Range – Rain Coat and Rain Pants

Sizes shall be available in the following standard sizes: (All sizes shall be unisex)

- a. Rain Jacket
 1. Short: XS through 3XL
 2. Regular : XS through 3XL
 3. Long: XS-through 3XL
 4. Extra Long: XS-through 3XL
- b. Rain Pants
 1. Short: XS through 3XL
 2. Regular: XS through 3XL
 3. Long: XS through 3XL
 4. Extra Long: XS through 3XL

10. Measurements

- a. Rain Jacket: Regular Length: Size: L
 - Chest: 53 (plus or minus 0.75 inches)
 - Back Length: 32 (plus or minus 0.75 inches)
 - Sweep: 59 (plus or minus 0.75 inches)
 - Sleeve Inseam: 20 (plus or minus 0.5 inches)
- b. Rain Pants Regular Length: Size: L
 - Outseam: 44 (plus or minus 0.75 inches)
 - Seat: 52 (plus or minus 0.75 inches)
 - Inseam: 30 (plus or minus 0.75 inches)

11. Ordering:

Items may be ordered as a complete set or as individual pieces.

12. Brand Specific: The product(s) specified in this Category of this Invitation To Bid (ITB) are being bid as Brand Specific. That signifies that no alternates will be accepted for award. Bid is in accordance with the Ohio Administrative Code 123:5-1-10, Section I, Items 1 through 4.

SPECIFICATIONS (Cont'd)

Category B. Items 4a. and 4b. High Visibility Safety Vest, Sworn Units (Customized) and Non-Sworn Units - Brand Specific Only, Blauer as Detailed.

1. General Description

Blauer #339 High visibility, full cut, fluorescent yellow safety vest with breakaway shoulder tabs and high contrast Scotchlite™ reflective trim across back of vest. (U.S. Patent #6,820,280).

2. General Requirements:

- a. Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style.
- b. All products must have a warranty covering defects in materials and work for a minimum of two years.
- c. All garment details not specifically described herein including tailoring, styling, construction, materials, and components must match the standard reference sample.
- d. Samples may be subjected to laboratory testing at the discretion the Department of Administrative Services. Bidders are responsible for all testing costs of their sample garments.
- e. Garments must meet ANSI/ISEA 107-1999 class II I requirements.

3. Shell Fabric: 2.5 oz. per square yard, 100% polyester plain weave taffeta.

4. Trim:

- a. Binding shall be 100% nylon plain weave taffeta (COLOR: BLACK)
- b. Hook and loop: Woven nylon base (fluorescent yellow)
- c. Eyelets: aluminum with black enamel finish
- d. Ribbon: 2.25 inches grosgrain (black)
- e. Reflective trim: 2.0 inches wide, 3M Scotchlite™ silver reflective fabric

5. Design and Construction:

- a. Full cut vest
- b. High contrast Scotchlite™ striping
- c. Fully adjustable waist
- d. Breakaway shoulder and side tabs
- e. Pen and penlight openings
- f. Microphone tabs on each shoulder

6. Size Range and Measurements:

- a. Unisex
Regular: SM-M, L-XL, 2XL-3XL
- b. Measurements
Across chest: 18.5"
Center front length: 13.625"
Across back: 19.5
Center back length: 21.375

7. Customization (Sworn Units Only)

Reflective graphic logo: "STATE TROOPER" 2 ¾" LH 10 ½" X 6 ½" in Silver Reflective Lettering on Back of Vest.

8. Brand Specific: The product(s) specified in this Category of this Invitation To Bid (ITB) are being bid as Brand Specific. That signifies that no alternates will be accepted for award. Bid is in accordance with the Ohio Administrative Code 123:5-1-10, Section I, Items 1 through 4.

SPECIFICATIONS (Cont'd)

CATEGORY C. TROOPER HATS

Category C. Item 1. Fur Felt Hat

1. General:

Shall be Stratton hat, F-40GG quality or another manufacturer's hat that meets or exceeds the F-40GG Stratton specification. Felt shall be made from fur mixture of virgin fur fibers from fine hare's fur (Arete 1-HXXX, all best white). This mixture shall not contain any piece furs which are cut, boiled or chopped nor any reused or reprocessed fibers. Weight shall be eight (8) ounces for medium size and shall be proportionately plus or minus for larger and smaller sizes. All bidders offering other than the specified hat shall bid a hat that meets, at a minimum, the specifications established herein.

2. Shape:

Shall be four dent crown Montana Peak 3¼" double thick stiff brim heavily sized and straight flat with narrow black band.

3. Eyelets:

Shall have four (4) eyelet's in crown, eyelet in front of crown shall be 2 1/8" above brim. Eyelet in rear and side shall be 2¾" above brim. Shall have two (2) oval eyelet's (for leather chin strap) located 1" off center toward front of hat.

4. Color:

The felt shall be Graphite Gray color and shall match that presently in use. Must evidence a minimum discoloration at 100 hours FADE-O-METER test.

5. Finish:

Felt shall be properly ironed on appropriate size of block and pressed. Shall be free of dags, welts, shoves, streaks, crown marks and other imperfections. The felt shall be pounced evenly to remove excess hair, full nap and all extraneous matters to produce a clean and clear surface of uniform appearance.

6. Chin Straps: Are not to be furnished with these hats.

7. Sweat Bands: Shall be foam/oil silk.

8. Required Sizes:

Regulars	Wide Ovals	Long Ovals
Reg 6+3/8	WO 6+3/8	LO 6+3/8
Reg 6+1/2	WO 6+1/2	LO 6+1/2
Reg 6+5/8	WO 6+5/8	LO 6+5/8
Reg 6+3/4	WO 6+3/4	LO 6+3/4
Reg 6+7/8	WO 6+7/8	LO 6+7/8
Reg 7	WO 7	LO 7
Reg 7+1/8	WO 7+1/8	LO 7+1/8
Reg 7+1/4	WO 7+1/4	LO 7+1/4
Reg 7+3/8	WO 7+3/8	LO 7+3/8
Reg 7+1/2	WO 7+1/2	LO 7+1/2
Reg 7+5/8	WO 7+5/8	LO 7+5/8
Reg 7+3/4	WO 7+3/4	LO 7+3/4

SPECIFICATIONS (Cont'd)

Category C. Item 2. Straw Hat

1. General:

Shall be #1 quality Bedford Hem Braid tight weave. 5-5½ MM width. Shall be Stratton hat, NO. S-40TB quality or another manufacturer's hat that meets or exceeds the S-40TB Stratton specification. All bidders offering other than the specified hat shall bid a hat that meets, at a minimum, the specifications established herein.

2. Color: Shall be graphite gray.

3. Crown: Shall be traditional four dent style (Montana Peak).

4. Sweat Band: Shall be head culture foam sweat with oil silk leather.

5. Ribbon: Shall be nine ligne yarn dyed grosgrain.

6. Crown Eyelets: Shall have three to serve as vents, one on each side and one in the back located 2¾" above the brim.

7. Brim: Shall be 3" wide straight flat to be sewn triple thickness to same material and a like number of rows per inch. Two brims shall be sewn together with a third inserted within, all sewn and attached to form one. Shall be made from 5 - 5½ MM Bedford Hemp.

8. Badge Eyelet: Shall have one in front located 2 1/8" above the brim.

9. Brim Eyelet: Shall be 5/8" oval one on each side to accommodate a chin strap located 1" off center toward the front of hat.

10. Stiffening: Crown shall be double dipped and brim triple dipped with #21 sizing by Kempen paint.

11. Required Sizes:

Regulars	Wide Ovals	Long Ovals
Reg 6+3/8	WO 6+3/8	LO 6+3/8
Reg 6+1/2	WO 6+1/2	LO 6+1/2
Reg 6+5/8	WO 6+5/8	LO 6+5/8
Reg 6+3/4	WO 6+3/4	LO 6+3/4
Reg 6+7/8	WO 6+7/8	LO 6+7/8
Reg 7	WO 7	LO 7
Reg 7+1/8	WO 7+1/8	LO 7+1/8
Reg 7+1/4	WO 7+1/4	LO 7+1/4
Reg 7+3/8	WO 7+3/8	LO 7+3/8
Reg 7+1/2	WO 7+1/2	LO 7+1/2
Reg 7+5/8	WO 7+5/8	LO 7+5/8
Reg 7+3/4	WO 7+3/4	LO 7+3/4

CONTRACT PRICES

CATEGORY A. - SIDEARM DUTY HOLSTERS AND LEATHER ACCESSORY ITEMS – Contractor: Roy Tailors Uniform Company, Inc. 0000042544

OAKS Item ID#	UNSPSC Code	Item Description	UoM	Manufacturer	Mfg Item/Style Number	Price (USD)
4147	461018	1a. Sidearm Duty Holster Right Hand	Ea.	Safariland	295-177-91	\$ 87.39
9240	461018	1b. Sidearm Duty Holster Left Hand	Ea.	Safariland	295-177-92	\$ 87.39
19301	461018	1c. SRT Sidearm Duty Holster Right Hand - High Gloss	Ea.	Gould & Goodrich	H391-26KCL	\$ 76.20
19302	461018	1d. SRT Sidearm Duty Holster Left Hand - High Gloss	Ea.	Gould & Goodrich	H391-26KCLLH	\$ 76.20
19303	461018	1e. SRT Sidearm Duty Holster Right Hand - Kydex	Ea.	Gould & Goodrich	QKB-26K	\$ 60.25
19304	461018	1f. SRT Sidearm Duty Holster Left Hand - Kydex	Ea.	Gould & Goodrich	QKB-26KLH	\$ 60.25
4145	461815	2a. Sam Browne Belt	Ea.	Gould & Goodrich	HPA-CL	\$ 49.74
4146	461815	2b. Shoulder Strap for Sam Browne Belt	Ea.	Gould & Goodrich	H99SP-CL	\$ 32.59
9239	461815	3. Handcuff Case	Ea.	Gould & Goodrich	H583-CL	\$ 21.23
19422	461815	4. Double Magazine Pouch	Ea.	Safariland	77-083-BHS	\$ 19.89
19423	461815	5. Chemical Mace Holder	Ea.	Safariland	38-13	\$ 14.50
19424	531025	6. Leather Trouser Belt	Ea.	Gould & Goodrich	H52-CL	\$ 21.95

CONTRACT PRICES

CATEGORY B. – RAIN APPAREL AND SAFETY ACCESSORIES – Contractor: Roy Tailors Uniform Company, Inc. 0000042544

OAKS Item ID#	UNSPSC Code	Item Description	UoM	Manufacturer	Mfg Item/Style Number	Price (USD)
255	531018	1a. Light Weight Rain Jacket (Civilian Units) Size XS - XL	Ea.	Blauer	GTX 9691	\$ 183.45
6275	531018	1b. Light Weight Rain Jacket (Civilian Units) Size 2XL - 3XL	Ea.	Blauer	GTX 9691	\$ 187.45
256	531018	1c. Light Weight Rain Jacket (Civilian Units) Size 4XL - 5XL	Ea.	Blauer	GTX 9691	\$ 187.45
398	531018	1d. Rain Hood for Jacket	Ea.	Blauer	9123	\$ 16.90
6278	531018	2a. Featherweight Shell Rain Trousers (Civilian Units) Size XS – XL	Ea.	Blauer	9134	\$ 98.60
259	531018	2b. Featherweight Shell Rain Trousers (Civilian Units) Size 2XI – 3XL	Ea.	Blauer	9134	\$ 103.60
6279	531018	2c. Featherweight Shell Rain Trousers (Civilian Units) Size 4XL –5XL	Ea.	Blauer	9134	\$ 103.60
254	531018	3a. Rain Jacket (Sworn Units) Size XS - XL	Ea.	Blauer	GTX 9691 OSP	\$ 213.80
6274	531018	3b. Rain Jacket (Sworn Units) Size 2XL - 3XL	Ea.	Blauer	GTX 9691 OSP	\$ 218.90
19305	531018	3c. Rain Jacket (Sworn Units) Size 4XL - 5XL	Ea.	Blauer	GTX 9691 OSP	\$ 218.90
399	531018	3d. Rain Trousers (Sworn Units) Size XS – XL	Ea.	Blauer	GTX 9561	\$ 181.45
5657	531018	3e. Rain Trousers (Sworn Units) Size 2XL – 3XL	Ea.	Blauer	GTX 9561	\$ 186.50
19306	531018	3f. Rain Trousers (Sworn Units) Size 4XL – 5XL	Ea.	Blauer	GTX 9561	\$ 186.50

CONTRACT PRICES

CATEGORY B. (CONT'D) – RAIN APPAREL AND SAFETY ACCESSORIES – Contractor: Roy Tailors Uniform Company, Inc. 0000042544

OAKS Item ID#	UNSPSC Code	Item Description	UoM	Manufacturer	Mfg Item/Style Number	Price (USD)
6276	531031	4a. High Visibility Safety Vest (Non-Sworn Units)	Ea.	Blauer	339 OSP	\$ 37.20
6211	531031	4b. High Visibility Safety Vest Customized (Sworn Units)	Ea.	Blauer	339 OSP	\$ 43.15

Please complete the following: ITEMS IN THIS BID CONTAIN RECYCLED MATERIALS - Y/N: N . IF SO _____%.
 The foregoing will not be a part of the bid evaluation.

CATEGORY C. - TROOPER HATS – Contractor: Roger Elliott - 0000142092

Minority Business Enterprise Award Issued In Accordance With Ohio Revised Code Chapter 125.081

OAKS Item ID#	UNSPSC Code	Item Description	UoM	Manufacturer	Mfg Item/Style Number	Price (USD)
342	531015	1. Fur Felt Hat	Ea.	Stratton	F-40GG	\$ 77.45
344	531015	2. Straw Hat	Ea.	Stratton	S-40TB	\$ 57.85

CONTRACTOR'S INDEX

CONTRACTOR AND TERMS

CONTRACT NO.: OT900312-1 (09/30/14)



0000042544
Roy Tailors Uniform Company, Inc.
1905 Dalton Avenue
Cincinnati, OH 45214

DELIVERY: 60 Days ARO

TERMS: Net 30 Days

CONTRACTOR'S CONTACT: Randy Loftspring

Toll Free: (800) 543 0379
Telephone: (513) 621 4787, Ext 103
FAX: (513) 621 0483

Email: rloftspring@roytailors.com

CONTRACTOR'S IT/MIS CONTACT: Dennis Fries

Telephone: (513) 621 4787 Ext 104

PLACEMENT OF PURCHASE ORDERS:

Purchase Orders are to be FAXed to:

FAX: (513) 621 0483

OAKS Item Identification Number: 11314 – Freight as applicable Roy Tailors Uniform Co. on Orders Less Than Minimum

CONTRACTOR AND TERMS

CONTRACT NO.: OT900312-3 (09/30/14)



Minority Business Enterprise

0000142092
Roger Elliott
P.O. Box 29665
Columbus, OH 43229

DELIVERY: 60 Days ARO

TERMS: Net 30 Days

CONTRACTOR'S CONTACT: Roger Elliott

Telephone: (614) 882 2783
FAX: (614) 882 2781

Email: rogerelliott@att.net

PLACEMENT OF PURCHASE ORDERS:

Purchase Orders are to be FAXed to:

FAX: (614) 882 2781

OAKS Item Identification Number: 11313 – Freight as applicable, Roger Elliott on Orders Less Than Minimum