

# INVITATION TO BID

State of Ohio  
Department of Administrative Services  
General Services Division  
Office of Procurement Services

The Original Signed Bid must be submitted to the Office of Procurement Services to receive consideration for award.		BIDDER NAME	
BID NUMBER <u>OT900216</u>	OPENING DATE (1:00 p.m.) <u>MAY 29, 2015</u>	STREET ADDRESS <input type="checkbox"/> Check if remit address is different and list on separate sheet	
General Services Division Office of Procurement Services 4200 Surface Road Columbus, OH 43228-1395 Attn: Bid Desk		CITY STATE ZIP	
		COUNTY	MBE/EDGE CERTIFICATE NUMBER
		TELEPHONE NO. ( )	TOLL FREE NO. 1 - ( )
		CONTACT PERSON	FAX NO. ( )
REQ./INDEX NO. DPS013	BID NOTICE DATE MAY 6, 2015	CONTRACTOR'S E-MAIL ADDRESS	
SELECT YOUR PREFERRED METHOD OF RECEIVING PURCHASE ORDERS AND ENTER THE E-MAIL OR FAX NUMBER INFORMATION (ONLY SELECT ONE METHOD) <input type="checkbox"/> E-Mail <input type="checkbox"/> Fax			
In addition to the standard terms for payment, the payment terms for state agency(ies) will be 2%, 10 Days, Net 30 Days unless otherwise stated in the following space. If no discount is offered, bidder should circle "Net 30 Days". ____%, ____ Days, Net 30 Days			
<b>PARTICIPATING AGENCY(IES):</b> OHIO DEPARTMENT OF PUBLIC SAFETY, STATE HIGHWAY PATROL, 1970 WEST BROAD STREET, COLUMBUS, OH 43223; as applicable			
<b>THE DEPARTMENT OF ADMINISTRATIVE SERVICES, OFFICE OF PROCUREMENT SERVICES, IS SOLICITING BIDS FOR:</b> <b>UNIFORM ACCESSORIES FOR THE OHIO HIGHWAY PATROL; SIDEARM DUTY HOLSTERS, UNIFORM ACCESSORIES, RAIN AND SAFETY APPAREL</b>			
<b>TERM OF CONTRACT:</b> This Invitation to Bid is to establish a requirements contract to procure the described supplies or services on behalf of the above participating agency(ies). The agency(ies) may place orders against the Contract beginning <u>10/01/15</u> or upon the date when DAS signs the Contract, whichever is later in time. The Contract will expire <u>09/30/18</u> unless DAS terminates the Contract based upon reasons set forth in Article I-C of the Standard Contract Terms and Conditions. No agencies may place purchase orders against the Contract beyond the expiration date unless DAS renews the Contract by amendment. The Contractor may begin performance under the Contract only upon receipt of a valid order from a participating agency.			
<b>INSTRUCTIONS TO BIDDERS AND CONTRACT TERMS AND CONDITIONS</b> , Revised 10/2013, are a part of this Invitation to Bid. Copies may be downloaded by clicking the link above. All prior versions of Instructions to Bidders, Contract Terms and Conditions are null and void.			
By submitting this Invitation to Bid, the Contractor certifies that Contractor has truthfully disclosed the location(s) where all services are to be performed; the location(s) where all applicable State contract data is to be maintained or made available; and the principal location of business for the Contractor and all subcontractors. The Contractor further certifies and acknowledges that Contractor will not change the country of the location(s) where services are performed and will not change the country of the location(s) where data is maintained or made available without prior written consent of the State.			
<b>INQUIRIES:</b> All inquiries should be submitted a minimum of five (5) working days prior to the bid opening date through the Procurement website, <a href="http://www.procure.ohio.gov">www.procure.ohio.gov</a> . Click "Find it Fast," select "Doc/Bid/Schedule#" in Step 1, enter the Bid Number in Step 2, click "Find it Fast." The "Submit Inquiry" button is at the bottom of the Opportunity Detail page. Bidders will not receive a personalized e-mail response to their question, nor will they receive notification when the question is answered. Responses may be viewed by clicking the "View Q & A" button located beneath the "Submit Inquiry" button.			
		AUTHORIZED SIGNATURE (ORIGINAL SIGNATURE ONLY) (Please sign in blue ink)	DATE

The ORIGINAL signed Bid must be submitted to the Office of Procurement Services by 1:00 o'clock p.m., on the above listed opening date to receive consideration for award. It is requested that the Bidder NOT sign their bid in BLACK ink. BIDDER CERTIFIES, by signature affixed to its bid, that the information provided by it in its bid including the certified statements, is accurate and complete. Bidder declares to have read and understood and agrees to be bound by all of the instructions, terms, conditions and specifications of this Invitation to Bid and agrees to fulfill the requirements of any awarded contract at the prices bid.



## SPECIAL CONTRACT TERMS AND CONDITIONS

AMENDMENTS TO CONTRACT TERMS AND CONDITIONS: The following Amendments to the Contract Terms and Conditions do hereby become a part hereof. In the event that an amendment conflicts with the Contract Terms and Conditions, the Amendment will prevail.

DELIVERY AND ACCEPTANCE: Supplies will be delivered to the participating agency within sixty (60) days after receipt of order and, in accordance with paragraphs S-8, S-9, and S-10 of the SUPPLEMENTAL CONTRACT TERMS AND CONDITIONS. The delivery location will be noted on the purchase order issued by the participating agency. Acceptance (transfer of title) will occur upon the inspection and written confirmation by the ordering agency that the supplies delivered conform to the requirements set forth in the Contract. Unless otherwise provided in the Contract, acceptance shall be conclusive except as regards to latent defects, fraud, or such gross mistakes as amount to fraud.

MANUFACTURER'S SPECIFICATIONS: Manufacturer's specification sheets should be submitted with the bid for each item/manufacturer bid. Specification sheets are to be labeled with the name of the manufacturer, the style number and the category bid. The state acknowledges that it may receive bids from multiple distributors bidding the same manufacturer's product. In such situations, specification sheets may be submitted by manufacturer(s) on behalf of multiple distributors, provided that such specification sheets are accompanied by written documentation, on manufacturer's letterhead, signed by an authorized representative of the manufacturer, listing the named distributor(s) for whom the specification sheets/samples are provided. If not provided as part of the bid response, the Bidder must provide said specification sheets within seven (7) calendar days after request/notification by the Office of State Purchasing to do so. Any references, that may appear in the manufacturer's specification sheets, that may alter the terms and conditions and specifications of the bid (i.e. F.O.B. Shipping Point or Prices Subject to Change), will not be part of any contract and will be disregarded by the state of Ohio. Failure of the bidder to furnish manufacturer's specification sheets either as part of their bid response or within the time specified herein will deem the bidder not responsive.

PRODUCT SAMPLES: The Bidder(s) may be required to submit samples of the supplies being offered. The samples will be used in the evaluation process to determine the lowest responsive and responsible bidder. If not included as part of their bid response, the bidder will be required to provide the samples within seven (7) calendar days after notification. Failure to provide the samples within the stated time period will result in the bidder being deemed not responsive. After award of the contract, the samples will be used as a basis of comparison with actual product delivered under contract. Any variation between the samples and product being delivered will be considered as an event of default. Any variations between the samples and actual product being delivered that are due to manufacturer changes may be acceptable and shall require prior written approval from DAS.

AUTHORIZED DISTRIBUTOR OR MANUFACTURERS REPRESENTATIVE: Bidders responding to this Bid must be authorized distributors, manufacturers or representatives of manufacturers of the items bid. Bidders may be required to submit proof of the above. If requested, bidders will have seven (7) calendar days to provide proof of the relationship. If requested Bidders shall submit certification attesting that they are the manufacturer or an authorized dealer, distributor or manufacturer's representative of the products being bid. This certification must be on the manufacturer's letterhead, signed by a duly authorized employee of the manufacturer.

EVALUATION: Bids will be evaluated in accordance with Article I-17 of the "Instructions to Bidders". In addition, the state will multiply the bid unit price per item times the estimated annual usage per item and sum the totals for all items to arrive at the lowest overall cost for all items. Failure to bid all items may result in the bidder being deemed not responsive.

CONTRACT AWARD: The contract will be awarded to one lowest responsive and responsible bidder by low lot total.

BRAND SPECIFIC AND BRAND NAME OR EQUAL SPECIFICATIONS: Where specified, the products in this Invitation To Bid (ITB) are being bid as BRAND SPECIFIC. Category A, Items 1a. 1b. 1c. 1d. 1e. and 1f. and all items in Category B. are being bid as brand specific. That signifies that no alternates will be accepted for award. Bid is in accordance with the Ohio Administrative Code 123:5-1-10 (K). Elsewhere in this bid, brand names are included as a "brand name or approved specification", in accordance the Ohio Administrative Code 123:5-1-10 (I) and with paragraph I-32 of the INSTRUCTIONS, TERMS AND CONDITIONS FOR BIDDING.

FIXED-PRICE WITH ECONOMIC ADJUSTMENT: The contract prices(s) will remain firm for the first twelve (12) months duration of the contract. Thereafter, the Contractor may submit a request to increase their price(s) to be effective thirty (30) calendar days after acceptance by DAS. No price adjustment will be permitted prior to the effective date of the increase received by the Contractor from his suppliers, or on purchase orders that are already being processed, or on purchase orders that have been filled and are awaiting shipment. If the Contractor receives orders requiring quarterly delivery, the increase will apply to all deliveries made after the effective date of the price increase.

### SPECIAL CONTRACT TERMS AND CONDITIONS

The price increase must be supported by a general price increase in the cost of the finished supplies, due to increases in the cost of raw materials, labor, freight, Workers' Compensation and/or Unemployment Insurance, etc. Detailed documentation, to include a comparison list of the contract items and proposed price increases, must be submitted to support the requested increase. Supportive documentation should include, but is not limited to: copies of the old and the current price lists or similar documents which indicate the original base cost of the product to the Contractor and the corresponding increase, and/or copies of correspondence sent by the Contractor's supplier on the supplier's letterhead, which contain the above price information and explains the source of the increase in such areas as raw materials, freight, fuel or labor, etc.

Should there be a decrease in the cost of the finished product due to a general decline in the market or some other factor, the Contractor is responsible to notify DAS immediately. The price decrease adjustment will be incorporated into the contract and will be effective on all purchase orders issued after the effective date of the decrease. If the price decrease is a temporary decrease, such should be noted on the invoice. In the event that the temporary decrease is revoked, the contract pricing will be returned to the pricing in effect prior to the temporary decrease. For quarterly deliveries, any decrease will be applied to deliveries made after the effective date of the decrease. Failure to comply with this provision will be considered as a default and will be subject to the provisions of Article 6, "Contract Terms and Conditions".

**SPECIAL CHARGES:** There are to be no assessments, up-charges, single item charge, surcharge, re-stocking fee, minimum order charge nor will any additional charges be allowed that are not specifically mentioned under the provisions of the standard terms and conditions of this bid and any ensuing contract awarded pursuant to this bid.

**MINIMUM ORDER:** No order shall be placed against a contract awarded pursuant to this bid for less than two hundred (\$200.00) dollars.

**USAGE REPORTS:** Every six (6) months for the periods January through June and July through December the contractor must submit a report (written or on disk, zip drive or via email in Excel format) indicating sales generated by this contract. The report shall list usage by customer, by line item, showing the quantities/dollars generated by this contract. The report must be submitted within thirty (30) days following the completion of the reporting period. The report shall be forwarded to the Office of State Purchasing, 4200 Surface Road, Columbus, OH 43228-1395, Attn: Walter Schneider, CPPB or to: [walter.schneider@das.ohio.gov](mailto:walter.schneider@das.ohio.gov)

**SWEATSHOP FREE:** By the signature affixed to this ITB, Bidder certifies that all facilities used for the production of the supplies or performance of services offered in the bid are in compliance with applicable domestic labor, employment, health and safety, environmental and building laws. This certification applies to any and all suppliers and/or subcontractors used by the Bidder in furnishing the supplies or services described in the bid and awarded to the Bidder. If DAS receives a complaint alleging non-compliance with sweatshop free requirements, DAS may enlist the services of an independent monitor to investigate allegations of such non-compliance on the part of the Contractor, any sub-contractors or suppliers used by the Contractor in performance of the Contract. If allegations are proven to be accurate, the Contractor will be advised by DAS of the next course of action to resolve the complaint and the Contractor will be responsible for any costs associated with the investigation. Items that will be considered in an investigation include, but are not limited to standards for wages, occupational safety and work hours.

## SPECIFICATIONS

### I. SCOPE

These specifications cover the purchase of specified uniform apparel and accessories for the Ohio State Highway Patrol with delivery required to locations in Columbus, OH as specified by individual purchase orders.

### II. REQUIREMENTS

- A. Where applicable instructions on measurements and/or applicable sizing charts should accompany this bid. If not submitted with the bid, Bidder(s) will have seven (7) calendar days after notification to provide same. Failure to provide instructions on measurements and/or applicable sizing charts as requested may result in the bidder being deemed not responsive. Bidders must specify if they are using standard or metric system measurements in their measurement and/or sizing charts.
- B. Each item shall be packaged and marked for the individual or ordering agency as specified.
- C. All items shall be stamped or labeled, including care instructions where applicable, indicating size, product origin and other information pertinent to labeling laws.
- D. Where applicable all items shall have loose threads removed and be pressed, shaped and finished properly in accordance with industry standards.
- E. All materials shall be first quality, new, unused and without flaws or defects which adversely affect appearance, durability or function.
- F. Where applicable, emblems supplied by the agency(s) shall be sewn on or affixed as specified at no charge.
- G. Any items found to be defective, improperly sized, or not in accordance with specifications, although accepted through oversight or otherwise, shall be replaced, repaired or altered at the expense of the contractor, including all transportation costs.
- H. Any order placed pursuant to this contract the delivery of such which contains items which do not conform with these item specifications which is received through oversight or otherwise, may be rejected at any time. Any part of the order found not in compliance with specifications due to the fault of the contractor (e.g., color, defective or improper sizing), shall be altered or replaced by the contractor at his/her expense, including all transportation costs. Any rejected item that cannot be altered to meet all terms and conditions of the specifications shall not be offered for sale to anyone else or otherwise disposed of as a wearable garment by the contractor or manufacturer without approval of the Superintendent of the State of Ohio Highway Patrol.

### III. ITEM CATEGORIES

#### A. Category A. Sidearm Duty Holsters and Accessory Items

Item 1a. 1b.	Sidearm Duty Holster System – Brand Specific – Safariland Model 295
Item 1c. 1d. 1e. 1f.	Sidearm Duty Holster System – Brand Specific – Safariland Model 6280
Item 2a. 2b.	Sam Browne Belt and Shoulder Strap
Item 3a. 3b.	Handcuff Case
Item 4a. 4b.	Double Magazine Pouch
Item 5a. 5b.	Chemical Mace Holder
Item 6a. 6b.	Belt Keeper, 2 Snap
Item 7.	Leather Trouser Belt

#### B. Category B. Rain and Safety Apparel

Item 1a. 1b.	Rain Suit, Jacket – Brand Specific – Blauer #GTX 9691 OSP Only,
Item 1c. 1d.	Rain Suit, Pants – Brand Specific - Blauer #9972
Item 2a. 2b.	High Visibility Safety Vest – Brand Specific – Blauer #339 OSP Only

SPECIFICATIONS (CONT'D)

IV. ITEM SPECIFICATIONS

A. CATEGORY A. SIDEARM DUTY HOLSTERS AND ACCESSORY ITEMS

1. Category A. Items 1a. and 1b. Sidearm Duty Holster System Right and Left Hand Models. Brand Specific Only Safariland Model 295 Holsters as specified below.

- a. General Description

Duty holster designed to accommodate the SigArms Model P-226 DAK, .40 S&W caliber, semi-automatic pistol. Holster designed for use on the Sam Browne belt. Holster shall be identified as either right-handed Model Number 295-177-91 or left-handed Model Number 295-177-92.

- b. Product Function

Holster shall maintain handgun in a stable, tactically ready configuration. Holster shall have medium height ride and straight drop carry. Front unlocking design shall utilize wraparound retaining flap with conventional snap assembly with stiff socket. Internal trigger guard lock shall hold weapon on each side of the trigger guard. Holster shall have a belt loop tension device, a covered trigger guard, and shall be weatherproof.

- c. Belt Loop

Model 2955 shall accommodate a one and one half (1.5") inch drop in the worn height of the holster. Belt loop shall be identified as either right-handed Model Number 2955-177-91 or left-handed Model Number 2955-177-92.

- d. Construction Materials

The holster body shall be constructed of a lamination of engineered materials, polyurethane and orthopedic grade suede leather, sewn with 207 and 277 grade nylon cord stitching. Holster shall have case hardened Nyloc screws and tee-nuts. Holster shall have Aeron 120 Engineered Synthetics as reinforcement in strategic areas. Holster shall have a conventional snap assembly with stiff socket. Holster shall have an injected molded, three-piece trigger guard mechanism.

- e. Finish

Holster shall have a high gloss Porvair finish.

- f. Manufacturing Process

Holster body shall be heat and pressure molded with a wraparound, weltless construction to accommodate the SigArms P-226 DAK .40 S&W caliber pistol. The sight channel shall be molded into the holster body. The belt shank shall be heat and pressure molded for body curvature. The shank shall be bolted onto the holster body with case hardened hardware. The injected molded trigger guard shall be bolted into the holster with case hardened screws.

- g. Letter of Authorization

All Bid submissions should include a letter from Safariland LTD. Inc., that the vendor is authorized to represent Safariland in this bid effort. The letter must guarantee that all requirements of this bid will be supported by the manufacturer to include, at least as a minimum: delivery of product within the specified time frame and compliance with all OSHP (Ohio State Highway Patrol) product specifications and requirements as stated in this bid. Failure to submit the letter with the ITB may deem your bid non-responsive and no further consideration for award shall be given.

SPECIFICATIONS (Cont'd)

2. Category A. Items 1c, 1d 1e, and 1f. Sidearm Duty Holster System Right and Left Hand Models (Brand Specific Only – Safariland Model 6280 holsters (Kydex and high gloss finish) as specified below

a. General Description

Duty holster designed to accommodate the SigArms Model P-226 DAK, .40 S&W caliber, semi-automatic pistol. Holster designed for use on the Sam Browne belt. Holster shall be identified as one of the following models:

- 1) 6280-277-131 (right handed, STX tactical finish)
- 2) 6280-277-132 (left handed, STX tactical finish)
- 3) 6280-277-91 (right handed, STX high gloss finish)
- 4) 6280-277-92 (left handed, STX high gloss finish)

b. Product Function

Product features a Self-Locking System (SLS) rotating hood and the Universal Belt Loop (UBL) that mounts to a 2 in. (50 mm) or 2.25 in. (58 mm) duty belt. It features a tensioning device which, when firmly adjusted, provides for Level III Retention. Includes a molded sight track, suede lining.

c. Finish

Holster shall be available in two distinct finishes, the STX hardshell tactical finish and the STX high gloss finish.

d. Letter of Authorization

All Bid submissions should include a letter from Safariland LTD. Inc., that the vendor is authorized to represent Safariland in this bid effort. The letter must guarantee that all requirements of this bid will be supported by the manufacturer to include, at least as a minimum: delivery of product within the specified time frame and compliance with all OSHP (Ohio State Highway Patrol) product specifications and requirements as stated in this bid. Failure to submit the letter with the ITB may deem your bid non-responsive and no further consideration for award shall be given.

3. Category A. Items 2a, 2b, and 2c. Sam Browne Belt, Sam Browne Shoulder Strap and Duty Belt. Brand name or approved equal as specified below.

a. General Description – Item 2a and 2b – Sam Browne Belt and Shoulder Strap

All outside finish material shall be high gloss Porvair. Belt constructed with ambidextrous “D” rings. Belt width 2 ¼ inches. Buckle and “D” ring to be nickel plated solid brass. Shoulder cross strap made of leather lined high gloss Porvair with nickel plated solid brass buckle.

b. Detailed Description- Item 2a Sam Browne Belt, Equal to Gould & Goodrich KPA-CL and item 2b Sam Browne Shoulder Strap – Equal to Gould & Goodrich H99-CL

- 1) Materials: Sam Browne Belt made of high gloss Porvair outer layer laminated to a full grain tanned leather liner. Overall thickness of the belt is 13-14 oz. Belt buckle and “D” rings nickel plated solid brass. Hook and stud are matte black finish. Shoulder strap made of high gloss Porvair laminated to 6/7 oz. russet leather. Buckle and studs nickel plated solid brass.
- 2) Design: The belt shall be 2 ¼” wide and shall be furnished with two (2) nickel plated, solid brass D rings held in place by a sewn down keeper that uses a snap closure. All belts shall be equipped with four (4) snap fasteners for easy removal from the Sam Browne belt and shoulder strap. The location of the four (4) snap fasteners shall enable the utilization of the Sam Browne belt by either left or right-handed shooters. Belt shall have a nickel plated solid brass belt buckle measuring 1 7/8” x 2 7/8”. Buckle chafe on the hook end 3” wide. Belts shall be sized in two inch increments, with five adjustment holes per belt. An additional two inches to be added to the length of the belt to ensure good fit. Belt edges to be rounded and burnished. Belt shall have one keeper loop 3/4” wide.

SPECIFICATIONS (Cont'd)

- c. Detailed Description – Item 2b – Sam Browne Shoulder Strap, Equal to Gould& Goodrich H99-CL
- 1) Sam Browne shoulder strap shall be sewn with Dacron polyester thread. Strap shall have six adjustment holes spaced 3/4" apart. Lead up strap to be 8 1/4" long, 1 1/4" wide tapering to 7/8" wide at the buckle. There shall be loops at each end of the strap for placement of Dee rings. The loops shall hook over a matte black stud for ease of replacing the Dee rings. The lead up strap shall also have a snap that allows the buckle to be changed from a chrome finish to brass finish. The shoulder strap shall have one 3/8" belt keeper.
  - 2) All material and workmanship must match existing equipment presently being worn by the Ohio State Highway Patrol.
  - 3) The size of the belt or shoulder strap must be stamped on the back of the item in such a manner that the size of the item is easily readable.
- d. General Description – Item 2c – Duty Belt – Brand name or equal to Bianchi 7980 – Plain Finish
- Duty Belt – Four part laminate construction for firmness and holster support. It features a Duraskin exterior with loop lining. It features a tri-release shatter-resistant polymer buckle. Its 3-point release provides extra security from inadvertent release. Plain black finish, 2.25" wide belt.
- e. Sizes
- 1) Item 2a Sam Browne Belt: Shall be offered in size range 28" to 48".
  - 2) Item 2b Shoulder Straps: Shall be offered in size range 30" to 50".
  - 3) Item 2c Duty belt shall be offered in size range 28-34, 34-40, 40-46, and 46-52.
4. Category A. Item 3a and 3b. Handcuff Case. Brand name or approved equal as specified below.
- a. Detailed Description – Item 3a – Handcuff Case, Equal to Gould & Goodrich H583CLHS
- Rugged and stylish handcuff case has full flap held closed with a hidden snap. The case will be slotted to slide onto a Sam Browne belt that is 2 1/4 inches in width. The handcuff case must accommodate a pair of Peerless brand double hinged handcuffs. The case shall be manufactured from high gloss Porvair laminated to a 4 to 5 ounce russet leather liner. Handcuff case is to be head and pressure molded with a 4 to 5 ounce black insert. Thread shall be Dacron polyester with 5 to 7 stitches per inch. All edges are to be finished with black dye and rubbed. The flap is to have a single hidden snap for closure.
- b. Detailed Description – Item 3b Handcuff Case, Equal to Safariland 90H-22HS
- Designed to fit Peerless brand double hinged handcuffs. The case is constructed of durable SafariLaminate material and is designed for 2.25 in. (58 mm) duty belts. This unit has a full flap with a single hidden snap for closure. Hardshell STX, with STX tactical finish..
5. Category A. Item 4a and 4b, Double Magazine Pouch. Brand name or approved equal as specified below.
- a. Detailed Description – Item 4a, Double Magazine Pouch, Equal to Safariland 77-76-9HS
- The magazine pouch shall be black and accommodate two magazines for a 40 caliber Sig Sauer model P-226 DAK pistol. There are to be separate compartment for each magazine. Shall be high gloss Porvair finish and be manufactured with four slots to allow it to be worn in either the vertical or horizontal position. The overall size of the pouch shall be approximately 4" wide by 6" long. The depth of the compartments shall be approximately 3 1/2". The magazine pouch is to be constructed of high gloss Porvair laminated to a 4 to 5 ounce vegetable tanned cowhide. The pouches are to be molded using heat and pressure. All stitching is to be 6 to 7 stitches per inch using black Dacron polyester thread. All edges are to be burnished to a smooth finish and dyed black. The covers shall be secured using a single hidden snap on each cover.

SPECIFICATIONS (Cont'd)

b. Detailed Description – Item 4b, Double Magazine Pouch, Equal to Safariland 77-76-13PBL

The magazine pouch shall be black and accommodate two magazines for a 40 caliber Sig Sauer model P-226 DAK pistol. There are to be separate compartment for each magazine. Holder is designed to carry two magazines on a 2.25 in. (58 mm) duty belt. Holder features both vertical and horizontal belt slots, allowing it to ride in either a vertical or low-profile horizontal position. A magazine tension screw located between the two pouches allows for easy retention adjustment. Hardshell STX, with STX tactical finish.

6. Category A. Item 5a and 5b. Chemical Mace Holder. Brand name or approved equal as specified below.

a. Detailed Description- Item 5a, Chemical Mace Holder, Equal to Safariland 38-4-9HS

Mace holder shall be black and designed to accommodate an MK III style aerosol canister mace. Top flap to have hidden snap closure. Holder shall be designed to attach to a 2 ¼" wide duty belt. Overall height of pouch when snapped approximately 5". Holder to be constructed of high gloss Porvair laminated to 4 to 5 ounce cowhide. Thread shall be Dacron polyester with 5 to 7 stitches per inch. All edges are to be finished with black dye and burnished to a smooth finish. The flap shall have a single hidden snap for closure.

b. Detailed Description – Item 5b, Chemical Mace Holder, Equal to Safariland 38-4-13PBL

The holder is designed for 2.25 in. (58 mm) duty belts to accommodate an MKIII style aerosol canister mace. Top flap to have black snap closer. Hardshell STX with STX tactical finish.

7. Category A, Item 6a. and 6b. Belt Keeper, 2 snap. Brand name or approved equal as specified below.

a. Detailed Description Item 6a, Belt Keeper, 2 snap, Equal to Safariland 65-4-2PBL

2 snap belt keeper designed for a 2.25" wide duty belt. Each individual keeper approximately 8' long with plain black finish and black snap closure. Each package includes 4 keepers.

b. Detailed Description for Item 6b. High Gloss Belt Keeper 2 snap, Equal to Gould & Goodrich H76CLHS.

2 snap belt keeper designed for a 2.25: wide duty belt. Each keeper shall be constructed of black dyed leather approximately 1" by 8" in length finished in high gloss Porvair. Closure design shall be hidden snap.

8. Category A. Item 7. Leather Trouser Belt

a. Design and Detailed Description, item 7. Leather Trouser Belt

1) Trouser belt is to be black, 1 ¾" wide finished in high gloss Porvair. At the buckle end of the belt there shall be two snaps to allow for the removal of the buckle to allow for replacement with a new buckle if needed. After the buckle is in place a ½ inch belt keeper will be placed between the two snaps. The snaps are to be black on the finished side to match the belt material. On the opposite end of the belt starting approximately 3 ½ inches from the end there shall be five or six round or oval holes spaced approximately 1 inch apart for adjustment of the buckle.

2) The belt is to be finished full grain tanned leather weighing 4 ½ to 5 ounces finished with high gloss Porvair. A trouser belt with a synthetic backing laminated to a Porvair outer layer will not be accepted.

3) The buckle is to be style 8402 solid brass finished in nickel.

4) Thread shall be vat dyed black three strand Polyester to match the color finish of the belt. Stitching shall be approximately six to seven stitches per inch.

5) All edges are to be finished and dyed to match the belt.

6) All belts are to be shipped in individual zip lock bags with one belt per bag. The belt and the bag must be clearly marked with the belt size.

b. Sizes:

1) Belts shall be offered in size range 24" to 66".

SPECIFICATIONS (Cont'd)

**B. CATEGORY B. RAIN AND SAFETY APPAREL**

1. Category B. Items 1a. 1b. 1c. 1d. Rain Suit: Jacket and Pants (Brand Specific Only, Blauer as specified below.
  - a. General Description, Rain Jacket, items 1a. and 1b. - Rain Pant Items 1c. and 1d. – Brand Specific – Blauer GTX9691 OSP Rain Jacket and Blauer 9972 Rain Pants.
    - 1) Gore-Tex rain jacket and pants with a 4 inch Scotchlite™ reflective graphic logo “TROOPER” applied to the back of high visibility yellow side of the jacket. Specifications listed below apply to both rain jackets and rain pants except as noted. Items ordered as individual pieces.
    - 2) Requirements:
      - a) All products will have a printed warranty hangtag covering (at minimum) defects in materials and workmanship for three (3) years.
      - b) Garments must be manufactured to ISO 9001 quality assurance standard.
    - 3) Shell Fabric
      - a) Gore-Tex waterproof-breathable membrane laminated between a 2.18 oz. per square yard, 100% textured polyester, 70 denier plain weave face fabric (Color: Black). The rain coat will have a knit polyester tricot backing fabric, the rain pants a 32 gauge, 2 - bar knit polyester tricot backing fabric, both resulting in a dry cleanable and washable waterproof material with high moisture vapor transmission.
    - 4) Rain Jacket Trim
      - a) Seam Tape: 3 layer Gore-Seam tape 1 inch wide compatible with Gore-Tex membrane. (Color: match high visibility side of jacket)
      - b) Snaps: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure.
      - c) Hook and Loop: woven nylon base. (Color: black)
      - d) Interlining: 100% Cotton Osnaburg
    - 5) Rain Pant Trim
      - a) Waistband: elastic: Spandex, 2 inch webbing, dry cleanable (Color: black)
      - b) Seam Tape: 3-layer Gore-Seam tape, 1 inch wide, compatible with the Gore-Tex membrane. (Color: black or grey.
      - c) Wicking Barrier Tape: 2-layer Gore-Seam tape, 2 inches wide, compatible with the Gore-Tex membrane. (Color: clear)
      - d) Snaps: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure, black nylon cap.
      - e) Hook and Loop: woven nylon base. (Color Black)
    - 6) Design and Construction – Rain Jacket
      - a) Waterproof by design.
      - b) Fully cut raglan shoulder design.
      - c) Reversible to high visibility fluorescent yellow.
      - d) Shirt-style collar.
      - e) Snap front with inner and outer storm flaps.
      - f) Scotchlite package sewn on chest, back, and cuffs on hi-vis side.
      - g) Side vents with snap closure.
      - h) Hook and loop closure on neck and cuff.
      - i) Badge tabs on left breast of both black and high visibility side.
    - 7) Design and Construction – Rain Pant
      - a) Waterproof by design.
      - b) Front to back side snap closures.
      - c) Elasticized waistband.
      - d) Hook and loop fastener belt tabs.
      - e) Reflective trim 2-1/4” wide sewn to hem of pants.
      - f) Gusseted leg openings with snap fasteners.
      - g) Bellows side cargo pockets on each thigh.

SPECIFICATIONS (Cont'd)

8) Customization – Rain Jacket

Reflective graphic logo: "TROOPER" in 4 inch Scotchlite™ applied to back of high-vis yellow side of jacket.

9) Standard Size Range – Rain Coat and Rain Pants - Sizes shall be available in the following standard sizes: (All sizes shall be unisex)

- a) Rain Jacket
  - 1) Short: XS through 3XL
  - 2) Regular: XS through 3XL
  - 3) Long: XS-through 3XL
  - 4) Extra Long: XS-through 3XL
- b) Rain Pants
  - 1) Short: XS through 3XL
  - 2) Regular: XS through 3XL
  - 3) Long: XS through 3XL
  - 4) Extra Long: XS through 3XL

10) Measurements

- a) Rain Jacket: Regular Length: Size: L
  - Chest: 53 (plus or minus 0.75 inches)
  - Back Length: 32 (plus or minus 0.75 inches)
  - Sweep: 59 (plus or minus 0.75 inches)
  - Sleeve Inseam: 20 (plus or minus 0.5 inches)
- b) Rain Pants Regular Length: Size: L
  - Outseam: 44 (plus or minus 0.75 inches)
  - Seat: 52 (plus or minus 0.75 inches)
  - Inseam: 30 (plus or minus 0.75 inches)

11) Ordering:

Items may be ordered as a complete set or as individual pieces.

2. Category B. Items 4a. High Visibility Safety Vest. Brand Specific, Blauer #339 as specified

a. General Description

Blauer #339 High visibility, full cut, fluorescent yellow safety vest with breakaway shoulder tabs and high contrast Scotchlite™ reflective trim across back of vest. (U.S. Patent #6,820,280).

b. General Requirements:

- 1) Bidders must enclose evidence (dated manufacturers catalogs or similar) that this item is currently a commercial in-stock style.
- 2) All products must have a warranty covering defects in materials and work for a minimum of two years.
- 3) All garment details not specifically described herein including tailoring, styling, construction, materials, and components must match the standard reference sample.
- 4) Samples may be subjected to laboratory testing at the discretion the Department of Administrative Services. Bidders are responsible for all testing costs of their sample garments.

c. Shell Fabric: 2.5 oz. per square yard, 100% polyester plain weave taffeta.

SPECIFICATIONS (Cont'd)

d. Trim:

- 1) Binding shall be 100% nylon plain weave taffeta (COLOR: BLACK)
- 2) Hook and loop: Woven nylon base (fluorescent yellow)
- 3) Eyelets: aluminum with black enamel finish
- 4) Ribbon: 2.25 inches grosgrain (black)
- 5) Reflective trim: 2.0 inches wide, 3M Scotchlite™ silver reflective fabric

e. Design and Construction:

- 1) Full cut vest
- 2) High contrast Scotchlite™ striping
- 3) Fully adjustable waist
- 4) Breakaway shoulder and side tabs
- 5) Pen and penlight openings
- 6) Microphone tabs on each shoulder

f. Size Range and Measurements:

- 1) Unisex  
Regular: SM-M, L-XL, 2XL-3XL
- 2) Measurements  
Across chest: 18.5"  
Center front length: 13.625"  
Across back: 19.5  
Center back length: 21.375

g. Customization

Reflective graphic logo: "STATE TROOPER" 2 ¾" LH 10 ½" X 6 ½" in Silver Reflective Lettering on Back of Vest.

PRICE SCHEDULE  
Page 1 of 3

**INSTRUCTIONS TO BIDDERS:**

1. Bidders must submit all bids in United States Dollars (\$USD)
2. Bid amounts in \$.USD must contain no more than three (3) places to the right of the decimal point. DAS will disregard any numbers more than three places to the right of the decimal point.
3. Bidders are to complete manufacturer name, manufacturer item / style number where indicated and bid price.

<b>CATEGORY A SIDEARM DUTY HOLSTERS AND ACCESSORY ITEMS</b>							
Bid Item #	UNSPSC Code	Item Description	Unit of Measure (UoM)	Estimated Annual Usage	Manufacturer	Mfg. Item / Style Number	Bid Price (\$USD) Per UoM
1a.	461018	Sidearm Duty Holster, Right Hand, Brand Specific	Ea.	600	Safariland	295-177-91	
1b.	461018	Sidearm Duty Holster, Left Hand, Brand Specific	Ea.	70	Safariland	295-177-92	
1c.	461018	Sidearm Duty Holster, Right Handed, STX Hardshell Tactical Finish, Brand Specific	Ea.	10	Safariland	6280-277-131	
1d.	461018	Sidearm Duty Holster, Left Handed, STX Hardshell Tactical Finish, Brand Specific	Ea.	2	Safariland	6280-277-132	
1e.	461018	Sidearm Duty Holster, Right Handed, STX High Gloss Finish, Brand Specific	Ea.	20	Safariland	6280-277-91	
1f.	461018	Sidearm Duty Holster, Left Handed, STX High Gloss Finish, Brand Specific	Ea.	4	Safariland	6280-277-92	
2a.	461815	Sam Browne Belt	Ea.	575			
2b.	461815	Sam Browne Shoulder Strap	Ea.	145			
2c.	461815	Duty Belt	Ea.	500			
3a.	461815	Handcuff Case, High Gloss	Ea.	400			
3b.	461815	Handcuff Case, Hardshell	Ea.	150			
4a.	461815	Double Magazine Pouch, High Gloss	Ea.	400			
4b.	461815	Double Magazine Pouch, Hardshell	Ea.	120			
5a.	461815	Chemical Mace Holder, High Gloss	Ea.	250			
5b.	461815	Chemical Mace Holder, Hardshell	Ea.	100			
6a.	461815	Belt Keeper; 2 Snap	Ea.	225			
6b.	461815	Belt Keeper, 2 Snap High Gloss	Ea.	225			
7	461815	Leather Trousar Belt	Ea.	800			

PRICE SCHEDULE  
Page 2 of 3

<b>CATEGORY B RAIN APPAREL AND HIGH VISIBILITY SAFETY VEST</b>							
Bid Item #	UNSPSC Code	Item Description	Unit of Measure (UoM)	Estimated Annual Usage	Manufacturer	Mfg. Item / Style Number	Bid Price (\$USD) Per UoM
1a.	531018	Rain Jacket Size XS - XL, Short, Reg, Long, Extra Long, Brand Specific	Ea.	275	Blauer	GTX 9691 OSP	
1b.	531018	Rain Jacket , Size 2XL - 3XL, Short, Reg, Long, Extra Long, Brand Specific	Ea.	5	Blauer	GTX 9691 OSP	
1c.	531018	Rain Trousers, Size XL - XL, Short, Reg, Long, Extra Long, Brand Specific	Ea.	130	Blauer	9972	
1d.	531018	Rain Trousers, Size 2XL - 3XL, Short, Reg, Long, Extra Long, Brand Specific	Ea.	2	Blauer	9972	
2	461815	High Visibility Safety Vest, Brand Specific	Ea.	360	Blauer	339	

BIDDERS SHALL COMPLETE THE FOLLOWING

Items offered above contain recycled materials – Y/N: \_\_\_\_\_ if Yes \_\_\_\_\_%. (Not be part of the evaluation).

DISCLOSURE OF FULFILLMENT HOUSES: Fulfillment Houses are defined as follows: A third party that performs outsourced storage, order picking, packing, shipment and/or tracking activities for the Contractor. Bidders seeking to enter into a materials contract shall disclose the following: (use additional sheets if necessary)

If awarded a contract under this Invitation To Bid, do you intend to use Fulfillment Houses as defined above to fulfill your obligations under any ensuing contract? Yes:[] No: []

If you answered yes above, complete the following information.

a) Principal location of business for the contractor (Name/City/State/Country)

---

b) Principal location of all Fulfillment Houses (Name/City/State/Country)

---



---

c) Location where inventory to support the Contract will be maintained (Name/City/State/Country)

---



---

d) Has this Fulfillment House ever been asked to withdraw from a contract with the state of Ohio, either as a Fulfillment House or as a direct contractor to the State? Yes [] No []

e) Has this Fulfillment House ever been asked to withdraw from a contract with another state or government body? Yes [] No []

PRICE SCHEDULE  
Page 3 of 3

The state of Ohio neither approves nor disapproves of any Fulfillment House. The State reserves the right to authorize or fail to authorize the use of any Fulfillment House. Prior removal from a contract or contracts may be cause for disqualification.

By the signature affixed to Page 1 of this Bid, Bidder hereby certifies that the above information is complete, correct, true and accurate. The Bidder agrees that no changes will be made to this list of fulfillment houses without amendment to the contract issued subsequent to the analysis of bids. Any attempt by the Bidder/Contractor to change or otherwise alter Fulfillment House locations where services will be performed without prior amendment to the contract, will be deemed as a default. If a default should occur, DAS will seek all legal remedies as set forth in the Terms and Conditions which may include immediate cancellation of the Contract. Failure to complete this page may deem your bid not responsive.

Bid Automobile Liability Checklist:

Contractor will indicate, by checking the appropriate box(es) below, which mode of transportation will apply to this contract.

- Bidder/Broker ("The Contractor") or their Sub Contractor will make delivery or be performing services using a vehicle that is owned, leased or rented. Provide Certificate of Insurance documenting automobile liability with a Combined Single Limit of \$500,000.00.
- Goods/Services will be delivered via common carrier.
- No employee or representative of the contractor will have cause to be on state property to make deliveries or to perform

DISCLOSURE OF SUBCONTRACTORS / JOINT VENTURES (See Standard Contract Terms and Conditions, Section (roman numeral) V. General Provisions:, Paragraph Q.):

List names of subcontractors who will be performing work under the Contract.

_____	_____
_____	_____
_____	_____

By the signature affixed to Page 1 of this Bid, Bidder hereby certifies that the above information is true and accurate. The Bidder agrees that no changes will be made to this list of subcontractors or locations where work will be performed or data will be stored without prior written approval of DAS. Any attempt by the Bidder/Contractor to change or otherwise alter subcontractors or locations where work will be performed or locations where data will be stored, without prior written approval of DAS, will be deemed as a default. If a default should occur, DAS will seek all legal remedies as set forth in the Terms and Conditions which may include immediate cancellation of the Contract. Failure to complete this page may deem your bid not responsive.