



Allianz Sweeper Company, 4651 Schaefer Ave., Chino, CA 91710 ◦ Phone (909) 613-5600 ◦ Fax (909) 613-5736 ◦ Email (sales@allianzsweeper.com)

# 3000 SERIES

MECHANICAL BROOM SWEEPER

Prices Effective  
**Jan. 1, 2009**

## SWEEPER:

High Dump, Dual Gutter Broom, A/C- Heater  
Hydrostatic Drive, John Deere 4045T 100 HP (75 Kw @ 2500 RPM) Engine,  
White Powder Coating

List  
U.S. Dollar

----- **\$134,150**

### STANDARD SWEEPER EQUIPMENT

Sound Suppressed Cab	5.6 cu yd (4.3 cu meter) Hopper ( <i>Volumetric</i> )
82 dBa In-Cab Noise Level	Hopper Dump Alarm
Dust & Weather Sealed Cab	47" (1194 mm) dia Gutter Brooms
Multi-Adjustable Suspension Seat	In-Cab Gutter Broom Pressure Adjustment
Tilt & Telescoping Steering Wheel	Tuf-Grip Disposable Gutter Broom Segments
Tinted Safety Windows & Windshield	32" x 56.5" (813 mm x 1435 mm) Tube Type Pickup Broom
Left & Right Dual West Coast Mirrors	58" (1473 mm) Wide Squeegee Type Elevator
Windshield Wiper/Washer	Gutter Broom Spotlights
Ergonomic Go Pedal	Sealed Beam Headlights
Coolant Temp, Oil Pressure & Voltmeter Gauges	Stop/Tail Lights, Clearance Lights
Coolant, Eng Oil Pressure & Low Hyd Oil Warning Lights	Two 18 gal (68 L) Hydraulic Oil Tanks
Speedometer, Tachometer & Hourmeter	Hydraulic Manifolds in LH Fender
Fuel Level Gauge	14' (4.3 m) Turning Radius with Front Suspension
200 gal (833L) Polyethylene Water Tank	120 amp Heavy-Duty Alternator
15' (4.6 m) Hydrant Hose with Coupling & Wrench	Sheet Metal Surfaces Primer Powder Coated
Gutter Broom Water Spray Jets	Sheet Metal Surfaces Powder Coated
Pickup Broom Water Spray Jets	Fender Mounted Tool Box
Low Water Level Light in Cab	Integral Cab Limb Guard Protection (Black)
Front Spray Bar	Front & Rear Tie Downs with Tow Hooks
Buddy Seat	2 Sweeper Service Manuals in English
Dual Front Tires with Front Suspension	2 Sweeper Parts Manuals in English
Electric Controls systems Locker	1 Sweeper Operator Manual in English

QTY	PART NO.	DESCRIPTION	US \$ PRICE (List)
<b>RECOMMENDED OPTIONS</b>			
1	323148	Elevator Flusher	425
1	323150	Elevator & Hopper Flusher	1,025
1	323466	Elevator Assy 2-pc bottom 11squeegee(ILOS)	2,725
1	323753	GB Speed Control	1,087
1	323743	GB Tilt, Left Single	2,087
1	323744	GB Tilt, Right Single	2,087
1		In cab leaf gate	3,487
1	323495SS	Stainless Steel Hopper (Hopper Only)	11,250
1	M3JHFS	Comfort Glide Rear Suspension / John Deere	6,237
1	322913	Triple Pump Option (ILOS 318058)	2,950
<b>CAB</b>			
1	318717	Air Restriction Ind-In Cab	250
1	325256	AM/FM w/ CD	450
1	901325	Cigarette Lighter/add 313073 Ash Tray	100
1	318806	Seat, High Back Air Gray (ILOS 317052)	925
<b>SAFETY &amp; LIGHTING</b>			
1	325206	ECCO Arrowstick (Halogen #3035H)	1,237
1	325229	Strobe, Amber-Cab	387
1	310544	Strobe, Amber-Rear	425
1	302523	Limb Guard (Cab Beacon/Strobe)	237
1	302224	Fire Extinguisher 2 1/2#	250
<b>MISC.</b>			
1	303305	Paint – Special Powder Blends	2,062
1	375004	JD Parts Manual-Engine	150
1	375005	JD Technical Manual	150
1	322397	Microtrap (PM-10 Option)	3,062
1	320164	Washdown Hose 25' (7.6 m)	462
<b>EXPORT</b>			
1	303419	Export Processing (Includes exterior protective coating)	1,112
1	303419-1	Export Prep (Ready to ship)	237

**Other options available, consult factory**



Allianz Sweeper Company, 4651 Schaefer Ave., Chino, CA 91710 ° Phone (909) 613-5600 ° Fax (909) 613-5736 ° Email (sales@allianzsweeper.com)

# 4000 SERIES

## MECHANICAL BROOM SWEEPER

Prices Effective  
Jan. 1, 2009

### SWEEPER:

High Dump, Dual Gutter Broom, A/C-Heater  
Hydrostatic Drive, Cummins ISB 280 HP (167 Kw @ 2600 RPM) Engine,  
White Powder Coating

List  
U.S. Dollar

----- \$195,255

### STANDARD SWEEPER EQUIPMENT

Sound Suppressed Cab	5.6 cu yd (4.3 cu meter) Hopper ( <i>Volumetric</i> )
69 dBA In-Cab Noise Level	Hopper Dump Alarm
Dust & Weather Sealed Cab	47" (1194 mm) dia Gutter Brooms
Multi-Adjustable Suspension Seat	In-Cab Gutter Broom Pressure Adjustment
Tilt & Telescoping Steering Wheel	Tuff-Grip Disposable Gutter boom Segments
Tinted Safety Windows & Windshield	32" x 56.5" (813 mm x 1435 mm) Tube Type Pickup Broom
Windshield Wiper/Washer	58" (1473 mm) Wide Squeegee Type Elevator
Ergonomic Go Pedal	Gutter Broom Spotlights
Coolant Temp, Oil Pressure & Voltmeter Gauges	Sealed Beam Headlights
Coolant, Eng Oil Pressure & Low Hyd Oil Warning Lights	Stop/Tail Lights, Clearance Lights
Speedometer, Tachometer & Hourmeter	Two 18 gal (68 L) Hydraulic Oil Tanks
In-Cab Air Restriction Indicator	Hydraulic Manifolds in LH Fender
130 amp Heavy-Duty Alternator	18.5' (5.6 m) Turning Radius
250 gal (945 L) Polyethylene Water Tank ( <i>Nominal</i> )	Front & Rear Suspension
Gutter Broom Water Spray Jets	All Sheet Metal Surfaces Primer Powder Coated
Pickup Broom Water Spray Jets	All Sheet Metal Surfaces Powder Coated
Low Water Level Light in Cab	Fender Mounted Tool Box
15' (4.6 m) Hydrant Hose with Coupling & Wrench	Front & Rear Tie Downs with Tow Hooks
Front Spray Bar	Left & Right Dual West Coast Mirrors
Engine Block Heater	Buddy Seat
Centauri Precleaner	2 Sweeper Service Manuals in English
Electric Controls Systems Locker	2 Sweeper Parts Manuals in English
ABS Brake System	1 Sweeper Operator Manual in English

QTY	PART NO.	DESCRIPTION	US \$ PRICE (List)
<b>RECOMMENDED OPTIONS</b>			
1	323145	Elevator Flusher	425
1	323147	Elevator & Hopper Flusher (4000)	1,025
1	323466	Elevator Assy 2-pc bottom 11squeegee (ILOS)	2,725
1	323753	GB Speed Control	1,087
1	323743	GB Tilt, Left Single	2,087
1		In cab leaf gate	3,487
1	323744	GB Tilt, Right Single	2,087
1	323495SS	Stainless Steel Hopper (Hopper Only)(ILOS 320140)	11,250
1	325288	Triple Pump Option (ILOS 317785) <b>CAB</b>	2,950
1	325256	AM/FM w/ CD	250
1	901325	Cigarette Lighter	450
1	318806	Seat, High Back Air Gray (ILOS 317052)	925
<b>SAFETY &amp; LIGHTING</b>			
1	322206	ECCO Arrowstick (Halogen #3035H)	1,237
1	325229	Strobe, Amber-Cab	387
1	310544	Strobe, Amber-Rear	425
1	302523	Limb Guard (Cab Beacon/Strobe)	237
1	302224	Fire Extinguisher 2 1/2#	250
<b>MISC.</b>			
1	303305	Paint – Special Powder Blends	2,062
1	320164	Washdown Hose 25' (7.6 m)	462
1	381290	Cummins Parts Manual	156
1	381292	Cummins Troubleshooting	200
1	322397	Microtrap (PM-10 Option)	3,062
<b>EXPORT</b>			
1	303419	Export Processing (Includes exterior protective coating)	1,112
1	303419-1	Export Prep (Ready to ship)	237

**Other options available, consult factory**

# MS350 SERIES

## MECHANICAL BROOM SWEEPER

Prices Effective  
Jan 1, 2009

### SWEEPER:

High Dump, Dual Gutter Broom, A/C-Heater  
2009 Freightliner M2 Conventional Chassis Cat 230 HP Diesel engine  
Transmission: Allison 3500 RDS  
128" wheelbase, Right Side Air Ride Seat

List  
U.S. Dollar

**\$182,060**

### STANDARD SWEEPER EQUIPMENT

Dual steering controls	4.5 Cu Yd. Hopper (Volumetric)
Twin 30 gallon step type diesel tanks	120" Variable height side dump discharge
Chalmers rubber spring suspension system	44" Diameter digger style gutterbrooms
Right side air suspension seat	In cab Gutterbroom down pressure controls
Left side fixed bucket seat	"non handed" interchangeable gutterbroom assy.
Tinted Safety Windows & Windshield	34.5" x 58" Pickup Broom
Left & Right Dual West Coast Mirrors	Adjustable PUB spring down pressure control
8" Diameter mounted convex sweeping mirrors	58" Squeegee type Elevator
Dual dash mounted instrumentation	In cab elevator height adjustment
12 Volt, 130amp alternator	Cab controlled elevator forward/reverse
Horizontal Muffler	In cab elevator stall alarm
HOT Shift PTO on Transmission	Centralized Component Systems Locker
Full air brakes with 13.2cfm compressor	L.E.D. Status indicators on all control
Low oil pressure/high engine temperature	Test ports for all systems
375gal. Polyethylene Water Tank (Nominal)	Load sensing hydraulic system
Gutter Broom Water Spray Jets	Gutterbroom and PUB worklights
Pickup Broom Water Spray Jets	Pre programmed 'ergo' master sweep switch
Water tank gauge with low water warning light	1 Sweeper Operator Manual in English
Back up alarm	2 Sweeper Service Manuals in English
All sheet metal surfaces Powder Coated	2 Sweeper Parts Manuals in English

<b>QTY</b>	<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>US \$ PRICE (List)</b>
<b>RECOMMENDED OPTIONS</b>			
1		Elevator Flusher	425
1		Elevator & Hopper Flusher	1,085
1		In Cab Variable Gutterbroom Speed Control	1,200
1		Gutterbroom Side Tilt, per side	1,760
1		Carbide Inserts on Dirt Shoes	1,260
1		Stainless Steel Hopper (Hopper Only)	11,125
1		Hopper Urethane Coating	4,910
1		Gutter Broom Extension Override (allows gutter brooms to extend an additional 12 inches from vehicle) per side.	1,060
1		In Cab Variable Elevator Speed Control	1,085
1		Pickup Broom Odometer	310
1		Pickup Broom Hour Meter	310
1		Ultra High Dump (138" Dump Height)	2,250
1		Hopper Full Indicator	585
<b>CAB</b>			
1		Remote Heated Mirrors	1,125
1		Cigarette Lighter	100
1		Left hand air suspension seat	925
1		AM/FM Stereo Cassette	460
1		Tilt Steering Wheels(M2 Chassis Only)	2,725
<b>SAFETY &amp; LIGHTING</b>			
1		ECCO Arrowstick	1,260
1		Strobe, Amber-Cab	375
1		Strobe, Amber-Rear	375
1		Limb Guard (Cab beacon/strobe)	225
1		Fire Extinguisher 2 1/2#	250
1		Bendix AD-9 Air Dryer	1,325
<b>MISC.</b>			
1		Paint – Special Powder Blends	2,125
1		Washdown Hose 25'	450
1		PM10 Microtrap Kit	3,035
1		Autolube Automatic Greasing System	5,410
1		Dual Spray Water Pumps for Higher Pressure	710



Allianz Sweeper Company, 4651 Schaefer Ave., Chino, CA 91710 ° Phone (909) 613-5600 ° Fax (909) 613-5736 ° Email (sales@allianzsweeper.com)

# MT350 SERIES

## MECHANICAL BROOM SWEEPER

Prices Effective  
**Jan 1, 2009**

### SWEEPER:

High Dump, Dual Gutter Broom, A/C-Heater  
2009 Freightliner M2 Conventional Chassis Cat 190 HP Diesel engine  
Transmission: Allison 2500  
128" wheelbase, Right Side Air Ride Seat

**List  
U.S. Dollar**

**\$182,060**

**\$13,000**

For a International 4300 series chassis in lieu of Freightliner, add :

If GMC 7500 cab over style is preferred over conventional chassis, add :

**\$6,250**

### STANDARD SWEEPER EQUIPMENT

- |  |  |
|--|--|
| Dual steering controls                         | 4.5 Cu Yd. Hopper (Volumetric)                 |
| Twin 30 gallon step type diesel tanks          | 120" Variable height side dump discharge       |
| Chalmers rubber spring suspension system       | 44" Diameter digger style gutterbrooms         |
| Right side air suspension seat                 | In cab Gutterbroom down pressure controls      |
| Left side fixed bucket seat                    | "non handed" interchangeable gutterbroom assy. |
| Tinted Safety Windows & Windshield             | 34.5" x 58" Pickup Broom                       |
| Left & Right Dual West Coast Mirrors           | Adjustable PUB spring down pressure control    |
| 8" Diameter mounted convex sweeping mirrors    | 58" Squeegee type Elevator                     |
| John Deere 5030TW 75HP Diesel Engine           | In cab elevator height adjustment              |
| 12 Volt electrical system                      | Cab controlled elevator forward/reverse        |
| Keyless start with integral heat start feature | In cab elevator stall alarm                    |
| 65 AMP Alternator                              | Centralized Component Systems Locker           |
| Aluminum muffler and exhaust pipe              | L.E.D. Status indicators on all control        |
| Low oil pressure/high engine temperature       | Test ports for all systems                     |
| 375gal. Polyethylene Water Tank (Nominal)      | Load sensing hydraulic system                  |
| Gutter Broom Water Spray Jets                  | Gutterbroom and PUB worklights                 |
| Pickup Broom Water Spray Jets                  | Pre programmed 'ergo' master sweep switch      |
| Water tank gauge with low water warning light  | 1 Sweeper Operator Manual in English           |
| Back up alarm                                  | 2 Sweeper Service Manuals in English           |
| All sheet metal surfaces Powder Coated         | 2 Sweeper Parts Manuals in English             |

QTY	PART NO.	DESCRIPTION	US \$ PRICE (List)
<b>RECOMMENDED OPTIONS</b>			
1		Elevator Flusher	425
1		Elevator & Hopper Flusher	1,085
1		In Cab Variable Gutterbroom Speed Control	1,200
1		Gutterbroom, Side Tilt, perside	1,760
1		Carbide Inserts on Dirt Shoes	1,260
1		Stainless Steel Hopper (Hopper Only)	11,125
1		Hopper Urethane Coating	4,910
1		Gutter Broom Extension Override (allows gutter brooms to extend an additional 12 inches from vehicle) per side.	1,060
1		In Cab Variable Elevator Speed Control	1,085
1		Pickup Broom Odometer	310
1		Pickup Broom Hour Meter	310
1		Ultra High Dump (138" Dump Height)	2,250
1		Hopper Full Indicator	585
<b>CAB</b>			
1		Remote Heated Mirrors	1,125
1		Cigarette Lighter	100
1		Left hand air suspension seat	925
1		AM/FM Stereo Cassette	460
1		Tilt Steering Wheels(M2 Chassis Only)	2,725
<b>SAFETY &amp; LIGHTING</b>			
1		ECCO Arrowstick	1,260
1		Strobe, Amber-Cab	375
1		Strobe, Amber-Rear	375
1		Limb Guard (Cab/rear strobe)	225
1		Fire extinguisher 2 1/2#	250
1		Bendix AD-9 Air Dryer	1,325
<b>MISC.</b>			
1		Paint – Special Powder Blends	2,125
1		Washdown Hose 25'	450
1		PM10 Microtrap Kit	3,035
1		Autolube Automatic Greasing System	5,410
1		Dual spray water pumps for higher pressure	710
1			



Allianz Sweeper Company, 4651 Schaefer Ave., Chino, CA 91710 ° Phone (909) 613-5600 ° Fax (909) 613-5736 ° Email (sales@allianzsweeper.com)

# MX450

## HIGH PERFORMANCE BROOM SWEEPER

Prices Effective  
Jan. 1, 2009

### SWEEPER:

#### High Dump, Dual Gutter Broom, A/C- Heater

Hydrostatic Drive, John Deere 4045T 115 HP (86 Kw @ 2500 RPM) Engine,  
White Powder Coating, Stainless Steel Hopper, High Performance Sweep Package, Leaf Gate,  
Full Suspension, Air Ride Seat, AM/FM Radio w/ CD, and Dual Gutter Broom Tilt.

Dealer Net  
U.S. Dollar

----- \$151,000

### STANDARD SWEEPER EQUIPMENT

Sound Suppressed Cab	5.6 cu yd (4.3 cu meter) Hopper ( <i>Volumetric</i> )
82 dBa In-Cab Noise Level	Hopper Dump Alarm
Dust & Weather Sealed Cab	47" (1194 mm) dia Gutter Brooms
Multi-Adjustable Suspension Seat	In-Cab Gutter Broom Pressure Adjustment
Tilt & Telescoping Steering Wheel	Tuf-Grip Disposable Gutter Broom Segments
Tinted Safety Windows & Windshield	32" x 56.5" (813 mm x 1435 mm) Tube Type Pickup Broom
Left & Right Dual West Coast Mirrors	58" (1473 mm) Wide Squeegee Type Elevator
Windshield Wiper/Washer	Gutter Broom Spotlights
Ergonomic Go Pedal	Sealed Beam Headlights
Coolant Temp, Oil Pressure & Voltmeter Gauges	Stop/Tail Lights, Clearance Lights
Coolant, Eng Oil Pressure & Low Hyd Oil Warning Lights	Two 18 gal (68 L) Hydraulic Oil Tanks
Speedometer, Tachometer & Hourmeter	Hydraulic Manifolds in LH Fender
Fuel Level Gauge	14' (4.3 m) Turning Radius with Front Suspension
220 gal (833L) Polyethylene Water Tank	120 amp Heavy-Duty Alternator
15' (4.6 m) Hydrant Hose with Coupling & Wrench	Sheet Metal Surfaces Primer Powder Coated
Gutter Broom Water Spray Jets	Sheet Metal Surfaces Powder Coated
Pickup Broom Water Spray Jets	Fender Mounted Tool Box
Low Water Level Light in Cab	Front & Rear Tie Downs with Tow Hooks
Front Spray Bar	2 Sweeper Service Manuals in English
Buddy Seat	2 Sweeper Parts Manuals in English
Dual Front Tires with Front Suspension	1 Sweeper Operator Manual in English
Electric Controls systems Locker	

<b>QTY</b>	<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>US \$ PRICE (Net)</b>
<b>RECOMMENDED OPTIONS</b>			
1	323148	Elevator Flusher	425
1	323150	Elevator & Hopper Flusher	1,025
1	323753	GB Speed Control	1,087
<b>CAB</b>			
1	901325	Cigarette Lighter/add 313073 Ash Tray	100
1	318717	Air Restriction Ind-In Cab	250
<b>SAFETY &amp; LIGHTING</b>			
1	325206	ECCO Arrowstick ( <b>Halogen #3035H</b> )	1,237
1	325229	Strobe, Amber-Cab	387
1	310544	Strobe, Amber-Rear	425
1	302523	Limb Guard ( <b>Cab Beacon/Strobe</b> )	237
1	302224	Fire Extinguisher 2 1/2#	250
<b>MISC.</b>			
1	303305	Paint – Special Powder Blends	2,062
1	375004	JD Parts Manual-Engine	150
1	375005	JD Technical Manual	150
1	322397	Microtrap (PM-10 Option)	3,062
1	320164	Wash down Hose 25' (7.6 m)	462
<b>EXPORT</b>			
1	303419	Export Processing (Includes exterior protective coating)	1,112
1	303419-1	Export Prep (Ready to ship)	237

**Other options available, consult factory**

# RT655

## RECIRCULATING AIR SWEEPER

Prices Effective  
**Jan. 1, 2009**

### SWEEPER:

**Dealer Net  
U.S. Dollar**

**Dual Gutter Broom, Auxiliary Engine Hopper Dump  
99 HP (75 kW @ 2200 RPM) John Deere 4045T Engine**

----- **\$ 100,525**

### STANDARD SWEEPER EQUIPMENT

Covered Auxiliary Engine Compartment	Gear Box Driven Vacuum Blower
Coolant/Oil Pressure Shutdown System	14" (350 mm) dia Vacuum & Blast Hoses
Electrically Operated Throttle Actuator	In-Cab Large Object Hood Hop/Lift
58 gal (220 L) Auxiliary Engine Fuel Tank	43" (1100 mm) dia Gutter Brooms
8.5 cu yd (6.5 cu meter) Hopper ( <i>Volumetric</i> )	In-Cab Variable Gutter Broom Speed Control
Continuously Welded Mild Steel Body	In-Cab Variable Gutter Broom Pressure Control
55 Degree Dump Angle	Steel Gutter Broom Segments
Two Rear Door Drain Ports	140" (3550 mm) Wide Sweeping Path
Hopper Access Door In Rear Door	Turbo II Precleaner - Auxiliary Engine
25' (3.6 m) Hydrant Hose with Coupling	18.5 gal (70 L) Hydraulic Oil Tank
250 gal (956 L) Rotomolded plastic Water Tanks	Backup Alarm
Front & Side Gutter Broom Water Spray Jets	125 Micron Hydraulic Suction Filtration
Vacuum Hood Water Spray Jets	Handheld Pendant Dump Controls
Air Restriction Indicator Gauge on Air Cleaner	Automatic Safety Body Prop with Manual Retraction
Stainless Steel Aux Engine Exhaust System	Dust Separator Flush Out System
Body Paint Two Pack Epoxy	Stainless Steel Water Manifold
Engine Pack Powder Coated Gray	L.E.D.'s on all Solenoid Plugs
Sweep Gear Powder Coated Gray	1 Sweeper Operator Manual in English
Fuel Gauge	2 Sweeper Parts/Service Manuals in English
	Convex mirrors and Brackets

### SUGGESTED TRUCK CHASSIS TYPE (cab-over):

<b>2009 GMC 7500</b>	<b>NET</b>	<b>\$72,500</b>
(W.B. 152"), Allison 2500RDS Transmission with Temperature Gauge, Dual instruments Dual Steer, with Duramax 7.8L - 210HP (160 Kw) Chassis GVWR of 33,000 lbs.		

<b>2009 Freightliner M2 Chassis, Conventional</b>	<b>NET</b>	<b>\$66,000</b>
(W.B. 176"), A/C, AM/FM Radio, Allison 2500RDS Transmission Dual Steer, Dual instruments with 200HP (149 Kw) Chassis GVWR of 33,000 lbs.		

QTY	PART NO.	DESCRIPTION	US \$ PRICE (Net)
<b>Safety &amp; Lighting</b>			
1		Mirror, Remote w/Clearance Light	1,030
1		Arrow Board Option	1,150
1		Arrow stick	1,150
1		Fire Extinguisher – 2.5#	220
1		Strobe, Amber	337
1		Limb Guard, Strobe	250
1		Rear Work Lights	240
<b>Performance &amp; Productivity</b>			
1		Gutter Broom Tilt LH (ILOS)	1,500
1		Gutter Broom Tilt RH (ILOS)	1,500
		Pneumatic Exhaust Screen Vibrator	2,000
1		John Deere 115hp auxiliary engine	2,625
<b>Catch Basin Cleaner</b>			
1		Catch Basin Extension, Serrated	718
1		Catch Basin, Manual(Spring Assist)	3,500
1		Catch Basin, Hydraulic	5,125
1		Light Weight Rear Mount Litter Hose	2,750
1		Storm Grate Lift, Electric	2,185
1		Powawash, 2 gpm, 1000 psi (7.6 L, 69 Bar)	2,625
1		CATwash, 4 gpm, 1500 PSI (15.2 L, 103 Bar)	4,250
1		Supawash, 8 gpm, 1500 psi (30.3 L, 103 Bar) Hand lance and Front Mount Street Washing Spray Bar	7,500
<b>Misc.</b>			
1		Cat Walk	335
1		Automatic body prop	1,032
1		PM-10	2,700
1		Special Paint – Cab Only (Dealer to Provide Color Sample)	1,250
1		Paint – Special Powder Blends – Body Only	2,000
1		Stainless Steel Hopper Body and Engine Cover	6250

# VT650 SERIES

VACUUM SWEEPER

Prices Effective  
**Jan. 1, 2009**

## SWEEPER:

List  
U.S. Dollar

Single Gutter Broom, Catch Basin Cleaner

In Cab Hopper Dump, John Deere 4045T 99 HP @ 2,200 RPM Turbocharged Diesel Engine

**\$115,000**

Dual Gutter Broom, Catch Basin Cleaner

In Cab Hopper Dump, Pneumatic Flaps, John Deere Turbocharged Diesel Engine -- **\$118,775**

### STANDARD SWEEPER EQUIPMENT

Sealed Auxiliary Engine Compartment	Gear Box Driven Vacuum Blower
Coolant/Oil Pressure Shutdown System	10" (254 mm) dia Vacuum Hose
Variable Speed Throttle Switch	Maxigap Nozzle Tilt System
51 gal (190 L) Shared Fuel Tank	16" x 50" (406 mm x 1275 mm) wide sweep Broom
8.5 cu yd Hopper (6.4 cu meter) ( <i>Volumetric</i> )	28" (711 mm) dia. Gutter Brooms
All Chromium Stainless Steel Body	Steel Gutter Broom Segments
54 degree Dump Angle	96" (2425 mm) Wide Sweeping Path
2 Hopper Drain Hoses on Rear Door	Powder Coated Sweep Gear
Twin, side mounted Hopper Access Doors	20 gal (75 L) Hydraulic Oil Tank
343 gal (1250 L) Chromium Stainless Steel Water Tank	Backup Alarm
Front & Side Gutter Broom Water Spray Jets	125 micron Suction Hydraulic Filtration
Widesweep Water Spray Jets	Remote Oil Drain
Dual Widesweep Regulators	Turbo III Precleaner - Auxiliary Engine
Remote Widesweep Greaser	25' (3.6 m) Hydrant Hose with Coupling
Vacuum Nozzle Water Spray Jets	Weatherproof Systems Locker
Dual Beacons with Limb Guards	25' (7.6 m) Washdown Hose
Gutter Broom Work lights	2 Sweeper Parts/Service Manuals in English
IP67 External electrical Connectors	1 Sweeper Operator Manual in English
L.E.D.'s on all Solenoid Plugs	Convex mirrors and Brackets

### SUGGESTED TRUCK CHASSIS TYPE (cab-over):

<b>2009 Isuzu/GMC T-F Series Chassis</b>	<b>NET</b>	<b>\$72,500</b>
(W.B. 133"), A/C, AM/FM Radio, Allison 2500RDS Transmission		
Dual Steer, Dual instruments with 215HP (149 Kw) Chassis GVWR of 33,000 lbs.		

### Alternate:

<b>2009 Freightliner M2 Chassis, Conventional</b>	<b>NET</b>	<b>\$66,000</b>
(W.B. 176"), A/C, AM/FM Radio, Allison 2500RDS Transmission		
Dual Steer, Dual instruments with 200HP (149 Kw) Chassis GVWR of 33,000 lbs.		

QTY	PART NO.	DESCRIPTION	US \$ PRICE (List)
<b>Safety &amp; Lighting</b>			
1	322426	Mirror, Remote w/Clearance Light	1,110
1	Kit #31	Arrow Board Option	1,235
1	180297	Arrowstick	1,235
1	215686	Fire Extinguisher – 2.5#	260
1	10851-1	Strobe, Amber (Cab Mounted)	375
1	323292	Limb Guard, Strobe	225
1	10414-3	Work Lights Set of two(Rear)	215
<b>Performance &amp; Productivity</b>			
1		John Deere 4045TF275 115 HP@2500 RPM Engine	2,985
1	Kit #38	Powasave/Thrust (Single)	700
1	Kit #39	Powasave/Thrust (Dual)	1,400
1	Kit #215	Rotatilt - Single	1,685
1	Kit #219	Rotatilt - Dual	3,375
1	NPN	VariBrush	810
1	NPN	Simultaneous Sweeping	935
1	NPN	PowaScrub	900
1	Kit #161	GB, Front Mount (Left)	9,375
1	Kit #162	GB, Front Mount (Right)	9,375
1	Kit #163	GB, Front Mount (Dual)	17,250
1	40072-51	Bonded Inlet Duct (Per Side)	1,135
1	40225-54	Bonded Inlet Seat (Per Side)	1,135
1	49168-1	Weedkill Assy – Single	5,175
1	49168-2	Weedkill Assy – Dual	5,900
<b>Catch Basin Cleaner</b>			
1	Deduct	Catch Basin Cleaner ( <b>DEDUCT</b> )	-1,125
1	180395	Catch Basin, Powaboom ( <b>ILOS, CV205</b> )	4,725
1	NPN	Litasnatch	2,800
1	180885	Storm Grate Lift, Electric	2,385
1	NPN	Water Recirculating Water System	8,175
1	Kit #13	Powawash, 2 gpm @ 1,000 PSI (7.6 L, 69 Bar)	2,700
1	180138	CATwash, 4 gpm @ 1,500 PSI (15.2 L, 103 Bar)	4,635
1		Supawash, 8 gpm, 1500 psi Hand Lance only	8,175
1	6798-13	High Pressure Nozzle Spray Bar Assy - LH	625
1	6798-14	High Pressure Nozzle Spray Bar Assy - RH	625
<b>Misc.</b>			
1	381744	Cat Walk	375
1	NPN	Auto Body Prop	1,125
1	Kit #213	PM-10 Dual	3,035
1	Kit #214	PM-10 Single	2,285
<b>Export</b>			
1	303419	Export Processing (Includes exterior protective coating)	1,125
1	303419-1	Export Prep (Ready to ship)	250

**Other options available, consult factory**