



**WIRTGEN AMERICA**

HAMM COMPACTION DIVISION

# List Price Book



# Hamm Compaction Products

Effective: January 1, 2012



**SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR**

**ENGINE:** Model: Deutz D 2011 L04 W, water-cooled, 4 cylinder, diesel, 64 HP at 2,500 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 54" wide x 39" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3205</b>	Smooth drum with drum drive and traction control.	11,585 lbs	\$84,676
<b>3205 P</b>	Pad foot drum with drum drive and traction control.	12,335 lbs	\$91,722
<b>3205 PB</b>	Pad foot drum with drum drive, traction control and strike-off blade.	13,075 lbs	\$106,090

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$1,854
Factory Installed	\$2,163
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622
Pad foot shell - 3 piece	
Field conversion kit (part # 2174319)	\$9,064
Strike-off blade	
Field conversion kit (part # H873039)	\$13,444
Factory Installed	\$16,480



**SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR**

**ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 66" wide x 48" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3307</b>	Smooth drum with drum drive and traction control.	14,594 lbs	\$104,545
<b>3307 P</b>	Pad foot drum with drum drive and traction control.	14,594 lbs	\$114,021
<b>3307 PB</b>	Pad foot drum with drum drive, traction control and strike-off blade.	15,454 lbs	\$128,235

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$1,854
Factory Installed	\$2,163
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622
Pad foot shell - 3 piece	
Field conversion kit (part # 2174320)	\$11,330
Strike-off blade	
Field conversion kit (part # H864676)	\$14,266
Factory Installed	\$17,356



**SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR**

**ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 66" wide x 48" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3307 HT</b>	Smooth drum with drum drive and Hammtronic system.	14,594 lbs	\$111,755
<b>3307 HT P</b>	Pad foot drum with drum drive and Hammtronic system.	14,594 lbs	\$121,231
<b>3307 HT PB</b>	Pad foot drum with drum drive, Hammtronic system and strike-off blade.	15,454 lbs	\$135,445

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$1,854
Factory Installed	\$2,163
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622
Pad foot shell - 3 piece	
Field conversion kit (part # 2174320)	\$11,330
Strike-off blade	
Field conversion kit (part # H864676)	\$14,266
Factory Installed	\$17,356



**SINGLE DRUM SELF-PROPELLED VIBRATORY / OSCILLATORY COMPACTOR**

**ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 66" wide x 48" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3307 VIO</b>	Smooth drum with drum drive, vibration or oscillation and traction control.	13,558 lbs	\$123,085

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$1,854
Factory Installed	\$2,163
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622



**SINGLE DRUM SELF-PROPELLED VIBRATORY / OSCILLATORY COMPACTOR**

**ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 91 HP at 2,600 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 66" wide x 48" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3307 HT VIO</b>	Smooth drum with drum drive, vibration or oscillation and Hammtronic system.	13,558 lbs	\$130,295

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H870684)	\$1,854
Factory Installed	\$2,163
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622



**SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR**

**ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 84" wide x 59" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3410</b>	Smooth drum with drum drive and traction control.	22,730 lbs	\$123,085
<b>3410 P</b>	Pad foot drum with drum drive and traction control.	23,975 lbs	\$132,870

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers Field conversion kit (part # H2048201) Factory Installed	\$3,090 \$3,605
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear) Field conversion kit (part # 2156443) Factory Installed	\$1,082 \$1,442
Hamm Compaction Meter (factory installed only)	\$7,622
Pad foot shell - 3 piece Field conversion kit (part # 2174362)	\$14,420



**SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR**

**ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 84" wide x 59" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3412</b>	Smooth drum with drum drive and traction control.	26,411 lbs	\$139,565
<b>3412 P</b>	Pad foot drum with drum drive and traction control.	26,631 lbs	\$149,350
<b>3412 PB</b>	Pad foot drum with drum drive, traction control and strike-off blade.	29,365 lbs	\$176,130

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H2048201)	\$3,090
Factory Installed	\$3,605
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622
Pad foot shell - 3 piece	
Field conversion kit (part # 2174362)	\$14,420
Strike-off blade	
Field conversion kit (part # 2052224)	\$16,995
Factory Installed	\$20,600



**SINGLE DRUM SELF-PROPELLED VIBRATORY COMPACTOR**

**ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 84" wide x 59" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3412 HT</b>	Smooth drum with drum drive and Hammtronic system.	26,411 lbs	\$146,775
<b>3412 HT P</b>	Pad foot drum with drum drive and Hammtronic system.	26,631 lbs	\$156,560
<b>3412 HT PB</b>	Pad foot drum with drum drive, Hammtronic system and strike-off blade.	29,365 lbs	\$183,340

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H2048201)	\$3,090
Factory Installed	\$3,605
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622
Pad foot shell - 3 piece	
Field conversion kit (part # 2174362)	\$14,420
Strike-off blade	
Field conversion kit (part # 2052224)	\$16,995
Factory Installed	\$20,600



**SINGLE DRUM SELF-PROPELLED VIBRATORY / OSCILLATORY COMPACTOR**

**ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 84" wide x 59" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3412 VIO</b>	Smooth drum with drum drive, vibration or oscillation and traction control.	25,794 lbs	\$166,345

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H2048201)	\$3,090
Factory Installed	\$3,605
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622



**SINGLE DRUM SELF-PROPELLED VIBRATORY / OSCILLATORY COMPACTOR**

**ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.

**INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.

**DRUM:** 84" wide x 59" diameter.

**OTHER:** ROPS/FOPS (2 post) with seat belt. Back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>3412 HT VIO</b>	Smooth drum with drum drive, vibration or oscillation and Hammtronic system.	25,794 lbs	\$173,555

**OPTIONS**

ROPS Cab with heater and AC - in lieu of ROPS/FOPS (factory installed only)	\$20,600
Lights - front work, front and rear turn signals and flashers	
Field conversion kit (part # H2048201)	\$3,090
Factory Installed	\$3,605
ROPS/FOPS mounted front and rear work lights (2-front, 2-rear)	
Field conversion kit (part # 2156443)	\$1,082
Factory Installed	\$1,442
Hamm Compaction Meter (factory installed only)	\$7,622



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Kubota D1005-E3B, water-cooled, 3 cylinder, diesel, 20 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 20 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 8 VV</b>	Drums - 31.5" wide X 24.4" diameter. Fixed 2.2" offset. Front only / rear only / both drums vibrate.	3,373 lbs	\$36,710
<b>HD 10C VV</b>	Drums - 39.4" wide X 24.4" diameter. Fixed 2.2" offset. Front only / rear only / both drums vibrate.	3,682 lbs	\$38,460

**OPTIONS**

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # H2036473).	\$227
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156444).	\$278
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156445).	\$445
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$834 \$1,710
Aluminum sun shade canopy. Field conversion kit only (part # 2156435)	\$583



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Kubota D1503-M-E3B, water-cooled, 3 cylinder, diesel, 30 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 48 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 10 VV</b>	Drums - 39.4" wide X 28.3" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	5,467 lbs	\$45,155
<b>HD 12 VV</b>	Drums - 47.2" wide X 28.3" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	5,964 lbs	\$47,215

**OPTIONS**

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$279
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$321
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$499
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$834 \$1,710
Aluminum sun shade canopy. Field conversion kit only (part # 2156436)	\$583



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, diesel, 46.4 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 76.6 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 13 VV</b>	Drums - 51.2" wide X 35.4" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	8,752 lbs	\$65,240
<b>HD 14 VV</b>	Drums - 54.3" wide X 35.4" diameter. 2" drum offset. Front only / rear only / both drums vibrate.	9,579 lbs	\$68,330

**OPTIONS**

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$279
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$321
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$499
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$865 \$1,803
Aluminum sun shade canopy. Field conversion kit only (part # 2156437)	\$583



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 84 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, water level gauge, horn, emergency stop button, digital vibration meter, vandalism protection, speedometer, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 190 US gallons.
- OTHER:** ROPS/FOPS (4 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 70 HV</b>	Drums - 59" wide X 45" diameter. 3.9" hydraulic offset. Front only / rear only / both drums vibrate.	15,432 lbs	\$123,085

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
HAMM pavement temperature sensor. Field conversion kit (part # H2077548).	\$4,703
ROPS/FOPS mounted, "night paving", quartz-halogen, adjustable, work lights, (3 - front and 3 - rear). Field conversion kit only (part # 2156440). Factory installed.	\$536 \$927



**TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 84 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, water level gauge, horn, emergency stop button, digital vibration meter, vandalism protection, speedometer, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 190 US gallons.
- OTHER:** ROPS/FOPS (4 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD O70V</b>	Drums - 59" wide X 45" diameter. 3.9" hydraulic offset. Front, split, vibratory drum / rear oscillatory drum.	16,402 lbs	\$153,470

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
HAMM pavement temperature sensor. Field conversion kit (part # H2077548).	\$4,703
ROPS/FOPS mounted, "night paving", quartz-halogen, adjustable, work lights, (3 - front and 3 - rear). Field conversion kit only (part # 2156440). Factory installed.	\$536 \$927



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 84 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, water level gauge, horn, emergency stop button, digital vibration meter, vandalism protection, speedometer, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 190 US gallons.
- OTHER:** ROPS/FOPS (4 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 75 HV</b>	Drums - 66" wide X 45" diameter. 3.9" hydraulic offset. Front only / rear only / both drums vibrate.	16,347 lbs	\$126,175

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
HAMM pavement temperature sensor. Field conversion kit (part # H2077548).	\$4,703
ROPS/FOPS mounted, "night paving", quartz-halogen, adjustable, work lights, (3 - front and 3 - rear). Field conversion kit only (part # 2156440). Factory installed.	\$536 \$927



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 90 VV</b>	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	20,327 lbs	\$143,255
<b>HD+ 90 VV HF</b>	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	20,327 lbs	\$147,375

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 90 VO</b>	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	20,327 lbs	\$173,640

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 110 VV</b>	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	22,862 lbs	\$153,040
<b>HD+ 110 VV HF</b>	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	22,862 lbs	\$157,160

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 110 VO</b>	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	22,388 lbs	\$180,335

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 120 VV</b>	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	27,569 lbs	\$169,520
<b>HD+ 120 VV HF</b>	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	27,569 lbs	\$176,730

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 120 VO</b>	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	28,164 lbs	\$195,785

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**TANDEM VIBRATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 140 VV</b>	Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	28,936 lbs	\$195,270
<b>HD+ 140 VV HF</b>	Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	28,936 lbs	\$202,480

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**TANDEM VIBRATORY / OSCILLATORY COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for each drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 306 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 140 VO</b>	Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	29,310 lbs	\$222,565

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Kubota D1503-M-E3B, water-cooled, 3 cylinder, diesel, 30 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 50 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 10 VT</b>	Front drum - 39.4" wide X 28.3" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	5,148 lbs	\$48,348
<b>HD 12 VT</b>	Front drum - 47.2" wide X 28.3" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	5,776 lbs	\$50,511

**OPTIONS**

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$279
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$321
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156448).	\$499
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$834 \$1,710
Aluminum sun shade canopy. Field conversion kit only (part # 2156436)	\$583



**VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, diesel, 46.4 HP at 2,700 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, horn, emergency stop button.
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 76.6 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 13 VT</b>	Front drum - 51.2" wide X 35.4" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	8,422 lbs	\$68,845
<b>HD 14 VT</b>	Front drum - 54.3" wide X 35.4" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	8,785 lbs	\$72,450

**OPTIONS**

ROPS mounted work lights - two (2), includes wiring harness for lights and beacon. Field conversion kit only (part # 2156446).	\$279
ROPS mounted flashing beacon light, includes wiring harness for lights and beacon. Field conversion kit only (part # 2156447).	\$321
ROPS mounted work lights - two (2) and flashing beacon, includes wiring harness. Field conversion kit only (part # 2156447).	\$499
Folding ROPS (2 post). Factory installed in lieu of standard ROPS (appropriate lead time will be required). Field installed - shipped loose.	\$865 \$1,803
Aluminum sun shade canopy. Field conversion kit only (part # 2156437)	\$583



**VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TD 2011 L04 W, turbo-charged, water-cooled, 4 cylinder, diesel, 84 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, water level gauge, horn, emergency stop button, digital vibration meter, vandalism protection, speedometer, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 190 US gallons.
- OTHER:** ROPS/FOPS (4 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD 70 K</b>	Front drum - 59" wide X 45" diameter. 4 pneumatic rubber tires in rear. 3.9" offset capability.	14,782 lbs	\$129,265
<b>HD 75 K</b>	Front drum - 66" wide X 45" diameter. 4 pneumatic rubber tires in rear. 3.9" offset capability.	15,597 lbs	\$141,934

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
HAMM pavement temperature sensor. Field conversion kit (part # H2077548).	\$4,703
ROPS/FOPS mounted, "night paving", quartz-halogen, adjustable, work lights, (3 - front and 3 - rear). Field conversion kit only (part # 2156440). Factory installed.	\$536 \$927



**VIBRATORY COMBINATION COMPACTOR WITH ARTICULATED STEERING**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, digital vibration meter for front drum, vandalism protection, speedometer, automatic speed control, offset indicator light.
- DRUM SPRAY SYSTEM:** Pressurized spray system with primary and secondary pumps, interval switch, water filter and hand serviceable spray nozzles. Water tank capacity - 211 US gallons.
- OTHER:** 4 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and 4 - ROPS/canopy mounted, quartz-halogen, work lights. Dual, seat mounted, 5-in-1 control levers.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HD+ 90 VT</b>	Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability.	19,371 lbs	\$154,000
<b>HD+ 110 VT</b>	Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability.	21,300 lbs	\$162,000

**OPTIONS**

ROPS - Cab with heater and AC - in lieu of open ROPS/FOPS. Factory installed only.	\$21,630
Cab mounted, "night paving", xenon, work lights (in lieu of standard quartz-halogen lights), (2 - front and 2 - rear). Field conversion kit only (part # 2120894). Factory installed.	\$3,875 \$4,390
Cab mounted, beacon light. Field conversion kit only (part # 2092632).	\$495
ROPS/canopy mounted, "night paving", xenon, work lights, (2 - front and 2 - rear). Field conversion kit only (part # 2169630). Factory installed.	\$4,491 \$5,006
ROPS/canopy mounted, beacon light. Field conversion kit only (part # 2164334).	\$618
HAMM pavement temperature sensor. Field conversion kit - front mount (part # 2137444). Field conversion kit - rear mount (part # 2141855).	\$1,709 \$1,709



**EIGHT (8) WHEEL PNEUMATIC RUBBER TIRED COMPACTOR**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, vandalism protection, speedometer.
- TIRES:** Eight (8) - 11.00-R20, 12 ply rated.
- TIRE SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water level gauge. Water tank capacity - 51 US gallons.
- OTHER:** 2 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>GRW 280-10T</b>	Eight wheel pneumatic rubber tired compactor.	21,074 lbs	\$136,880
<b>GRW 280-15T</b>	Eight wheel pneumatic rubber tired compactor.	30,912 lbs	\$151,815

**OPTIONS**

ROPS Cab with heater and AC - in lieu 2 post ROPS (factory installed only).	\$22,660
Winter Aprons (heat retention skirts) (includes four (4), side mounted, tie down eyes) (factory installed only).	\$9,991
Tire inflation system (air on the run) (factory installed only).	\$5,665
Spare wheel and tire assembly.	\$2,421



**EIGHT (8) WHEEL PNEUMATIC RUBBER TIRED COMPACTOR**

- ENGINE:** Model: Deutz TCD 2012 L04 2V, turbo-charged, water-cooled, 4 cylinder, diesel, 134 HP at 2,300 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, high engine coolant temperature indicator light, hydraulic oil temperature indicator light, water level gauge, horn, emergency stop button, vandalism protection, speedometer.
- TIRES:** Eight (8) - 11.00-R20, 12 ply rated.
- TIRE SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch, water level gauge. Water tank capacity - 51 US gallons.
- OTHER:** 2 post ROPS/canopy with seat belt, front and rear work lights, turn signals, flashers, back-up alarm and front disc brakes.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>GRW 280-20T</b>	Eight wheel pneumatic rubber tired compactor.	40,382 lbs	\$171,900
<b>GRW 280-25T</b>	Eight wheel pneumatic rubber tired compactor.	51,013 lbs	\$184,260
<b>GRW 280-30T</b>	Eight wheel pneumatic rubber tired compactor.	60,789 lbs	\$197,135

**OPTIONS**

ROPS Cab with heater and AC - in lieu 2 post ROPS (factory installed only).	\$22,660
Winter Aprons (heat retention skirts). (includes four (4), side mounted, tie down eyes) (factory installed only).	\$9,991
Tire inflation system (air on the run) (factory installed only).	\$5,665
Spare wheel and tire assembly.	\$2,421



**THREE (3) WHEEL STATIC COMPACTOR**

- ENGINE:** Model: Deutz BF4L 2011, air-cooled, 4 cylinder, diesel, 72 HP at 2,500 RPM.
- INSTRUMENTS:** Hour meter, parking brake indicator light, low engine oil pressure warning light, alternator charge light, air cleaner restriction indicator light, fuel gauge, engine temperature gauge, hydraulic oil temperature gauge, horn, emergency stop button, vandalism protection.
- DRUMS:** Front drum - 43.3" wide X 49.2" diameter, rear drums - 24.0" wide X 61.0" diameter.  
Total rolling width = 79.5".
- DRUM SPRAY SYSTEM:** Pressurized spray system with electric pump, interval switch.  
Water tank capacity - 106 US gallons.
- OTHER:** ROPS (2 post) with seat belt, front and rear work lights, turn signals, flashers and back-up alarm.

<b>Model</b>	<b>Description</b>	<b>Operating Weight</b>	<b>List Price</b>
<b>HW 90B - 10T</b>	Three (3) wheel static compactor. 10 to 12 ton capacity.	23,567 lbs	\$116,390
<b>HW 90B - 12T</b>	Three (3) wheel static compactor. 12 to 14 ton capacity.	27,525 lbs	\$123,600

**OPTIONS**

Cab with heater and AC (factory installed only).	\$23,690
Flow divider valve	\$2,987
Water level indicator	\$515
Work light guards	\$773



# List Price Book



# VOGELE PAVERS

Wirtgen America, Inc  
6030 Dana Way  
Anioch, TN 37013  
Phone: 615-501-0600  
Fax: 615-501-0691

Ohio STS Pricing

List Pricing

Basic Tractor		List Pricing
13820000	VOGELE 5100-2 Tractor	\$293,467
Screed Options		
<b>Note:</b> Must pick one of next two items.		
13820003	Carlson EZ-III-08 Screed (CCW)	\$88,525
13820004	Carlson EZ-IV 815 Screed (CCW)	\$94,495
Optional Equipment		
<b>Note:</b> Must pick one of next two items.		
2087034	Oscillating Push Rollers	\$3,463
2112383	Truck Hitch	\$15,683
2087290	• Additional Umbrella for opposite side of paver	\$198
2082587	• Back-up Alarm	\$562
2076296	• Rotary Beacon	\$562
2094281	• Hand Held, Magnetic Base Working Light with Cord (Maximum of two per machine)	\$109
2082634	• Xenon work light Kit (In lieu of Standard Halogen work lights) 4 Xenon lights & 2 Halogen lights	\$4,358
2077011	• Washdown System with 6.6 gallon tank for Cleaning Agent	\$562
2087003	• Automatic lubrication system	\$1,570
2062893-1	• Balloon light kit (includes mounting brackets and hardware)	\$2,860
2062893	Balloon Light with Pole	
2060883	Balloon Light Mounting Kit	
2013518	• Toolbox with metric tools	\$686
2087101	• Hydraulic Screed Lock	\$671
2135646	• Hopper Insert	\$13,926
SHS	• Screed horn different sound from operator's horn	\$338
2074194	• Special Paint Color (Custom)-- one color only replacing only standard green painted items (Consult factory for pricing) (Please consult factory for delivery time after supplying paint chip when selecting this option)	
Screed Automation		
Sonic		
NPSDGS	• Niveltronic Plus Sonic Dual Grade & Slope	\$19,282
	1 x 2063352 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSDGS-2	• Niveltronic Plus Sonic Dual Grade & Slope	\$12,428
	1 x 2063352 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSSGS	• Niveltronic Plus Sonic Single Grade & Slope	\$11,825
	1 x 2063352 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSSGS-2	• Niveltronic Plus Sonic Single Grade & Slope	\$8,424
	1 x 2063352 Niveltronic Plus Controller	
	1 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSDG	• Niveltronic Plus Sonic Dual Grade	\$18,554
	1 x 2063352 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSDG-2	• Niveltronic Plus Sonic Dual Grade	\$11,690
	1 x 2063352 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG	• Niveltronic Plus Sonic Single Grade	\$11,128
	1 x 2063352 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG-2	• Niveltronic Plus Sonic Single Grade	\$7,696
	1 x 2063352 Niveltronic Plus Controller	
	1 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
515462	• TSD Integrated Controls - Sonic System V - Dual Grade & Slope	\$20,176
515457	• TSD Integrated Controls - Sonic System V - Single Grade & Slope	\$16,078
515456-2	• TSD Integrated Controls - Sonic System V - Dual Grade Only	\$16,858
515456	• TSD Integrated Controls - Sonic System V - Single Grade Only	\$8,429
510466-1	• External AGS Interface - Used to connect existing Auto Grade & Slope controls to tractor (includes 2112391)	\$1,446
505038-2	• 2 Tow Arm Brackets (with mounting Hardware) to Support Customer's Existing Topcon Smoothtrac	\$400
13144134	• 1 Tow Arm Bracket (with mounting Hardware) to Support Customer's Existing Topcon Grade Sensor	\$244
515472	• 1 End Gate Bracket (with mounting Hardware) to Support Customer's Existing Topcon Grade Sensor on Carlson Screed	\$213

**Mechanical**

<b>NPMDGS</b>	<ul style="list-style-type: none"> <li>• <b>Niveltronic Plus Mechanical Dual Grade &amp; Slope</b></li> <li>1 x 2063352 Niveltronic Plus Controller</li> <li>2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor</li> <li>2 x 2083066 Niveltronic Plus Tow Arm Fixture</li> <li>2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor</li> <li>1 x 2090106 Niveltronic Plus Slope Sensor</li> </ul>	\$9,932
<b>NPMSG</b>	<ul style="list-style-type: none"> <li>• <b>Niveltronic Plus Mechanical Single Grade &amp; Slope</b></li> <li>1 x 2063352 Niveltronic Plus Controller</li> <li>1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor</li> <li>1 x 2083066 Niveltronic Plus Tow Arm Fixture</li> <li>1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor</li> <li>1 x 2090106 Niveltronic Plus Slope Sensor</li> </ul>	\$7,176
<b>NPMDG</b>	<ul style="list-style-type: none"> <li>• <b>Niveltronic Plus Mechanical Dual Grade</b></li> <li>1 x 2063352 Niveltronic Plus Controller</li> <li>2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor</li> <li>2 x 2083066 Niveltronic Plus Tow Arm Fixture</li> <li>2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor</li> </ul>	\$9,256
<b>NPMSG</b>	<ul style="list-style-type: none"> <li>• <b>Niveltronic Plus Mechanical Single Grade</b></li> <li>1 x 2063352 Niveltronic Plus Controller</li> <li>1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor</li> <li>1 x 2083066 Niveltronic Plus Tow Arm Fixture</li> <li>1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor</li> </ul>	\$6,448

**Grade Reference Systems**

2083037	• Niveltronic Plus Big Ski (Sonic averaging beam)	\$20,774
2132218	• Niveltronic Plus Big Ski (Sonic averaging system less beam)	\$15,080
505072	• TSD Integrated Controls - Sonic System V - Smoothtrac Averaging System	\$16,728
2042515	• Niveltronic Plus 2m Ski (for mechanical grade sensor)	\$114

**Carlson Screed**

**Features of Carlson EZ-III-08 and EZ-IV 815 Screed:**

- Electric heat elements powered by a 25kW Generator tractor mounted
- Adjustable angle of attack on extension screed plate allows matching texture and density to main screed plate.
- Hydraulic extensions are supported by an adjustable chromed slide track assembly.
- Optional, bolt-on extensions and cut-off shoes are available for paving from 6' (1.83 m) to 19' (5.8 m) wide with EZ-III and EZ-IV.
- End gates with springs, replaceable runners and side handle jacks.
- Electric Hydraulic control valves for extension in and out; vertical and slope functions in lieu of manual valves including control boxes mounted on end gates for auger override and extension in and out.

**Carlson Screed Berm Extension Options**

Berm-LH-12	LH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-LH-18	LH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-LH-24	LH hydraulic extension with 24" berm (Factory Installed)	\$4,285
Berm-RH-12	RH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-RH-18	RH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-RH-24	RH hydraulic extension with 24" berm (Factory Installed)	\$4,285

**Carlson Paving Kits and Options**

508546	• Bolt on 12" (305 mm) screed extension LH	\$2,132
508547	• Bolt on 12" (305 mm) screed extension RH	\$2,132
508785	• Bolt on 18" (457 mm) screed extension LH	\$2,132
508786	• Bolt on 18" (457 mm) screed extension RH	\$2,132
508584	• Bolt on 24" (610 mm) Screed extension LH	\$2,132
508585	• Bolt on 24" (610 mm) Screed extension RH	\$2,132
508548	• Y-cable for attaching two bolt-on screed extensions together	\$520
511462	• 6" left hand cut-off shoes (first set required to bolt to end gate)	\$364
511461	• 6" right hand cut-off shoes (first set required to bolt to end gate)	\$364
515313	• Additional 6" cut-off shoe (fits either side)	\$322
BEP-12	• 12" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-18	• 18" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-24	• 24" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
515699	• Heated End Gates (1 pair)	\$2,028
511702	• Thickness Control Screws (CW to increase depth) in lieu of CCW Thickness Control Screws	

**Auger and Tunnel Extensions**

PWRTNL8T	Hydraulic Power Tunnels (to be released in June 2012) Call Mark Stang for information	\$0
----------	---	-----

2089188	<ul style="list-style-type: none"> <li>• <b>2 ft auger extension kit</b> (Total 13.5 ft of augers)</li> <li>One pair 2 ft. by 16" diameter cantilevered augers with tunnel extension and support</li> </ul>	\$3,120
---------	---	---------



2160119-1	<ul style="list-style-type: none"> <li>• <b>3.25 ft auger extension kit</b> (Total 16 ft of augers)</li> <li>One pair 3.25 ft. by 16" diameter cantilevered augers with tunnel extension and support</li> <li>2089245 Auger Assembly Install Kit</li> <li>4606302115 Auger Left</li> <li>4606302116 Auger Right</li> <li>4618242237 Auger Bolt (qty. 4)</li> <li>9500201587 Auger Nut (qty. 4)</li> </ul>	\$4,680
-----------	---	---------



**Maintenance Kits**

2087480	• Set of Filters for Engine and Hydraulic Oil (after 50 service hours)	\$494
2087481	• Set of Filters for Engine and Hydraulic Oil (after 500 service hours)	\$307
2087482	• Set of Filters for Engine and Hydraulic Oil (after 1000 service hours)	\$884

Wirtgen America, Inc  
 6030 Dana Way  
 Anioch, TN 37013  
 Phone: 615-501-0600  
 Fax: 615-501-0691

Ohio STS List Pricing

		List Pricing
<b>Basic Tractor</b>		
		<b>Note:</b> Must pick one of next two items.
9830062	VOGELE 5103-2 (6 x 2) Tractor (no FWA)	\$256,391
9830064	VOGELE 5103-2 (6 x 4) Tractor (Two Wheel FWA)	\$275,028
<b>Screed Options</b>		
		<b>Note:</b> Must pick one of next two items.
13820003	Carlson EZ-III-08 Screed (CCW)	\$88,525
13820004	Carlson EZ-IV 815 Screed (CCW)	\$94,495
<b>Optional Equipment</b>		
		<b>Note:</b> Must pick one of next two items.
2087034	Oscillating Push Rollers	\$3,463
2112383	Truck Hitch	\$15,683
2087290	• Additional Umbrella for opposite side of paver	\$198
2082587	• Back-up Alarm	\$562
2076296	• Rotary Beacon	\$562
2094281	• Hand Held, Magnetic Base Working Light with Cord (Maximum of two per machine)	\$109
2082634	• Xenon work light Kit (In lieu of Standard Halogen work lights) 4 Xenon lights & 2 Halogen lights	\$4,358
2077011	• Washdown System with 6.6 gallon tank for Cleaning Agent	\$562
2087003	• Automatic lubrication system	\$1,570
2062893-1	• Balloon light kit (includes mounting brackets and hardware)	\$2,860
	2062893 Balloon Light with Pole	
	2060883 Balloon Light Mounting Kit	
2013518	• Toolbox with metric tools	\$686
2087101	• Hydraulic Screed Lock	\$671
2135646	• Hopper Insert	\$13,926
SHS	• Screed horn different sound from operator's horn	\$338
2074194	• Special Paint Color (Custom)- one color only replacing only standard green painted items (Consult factory for pricing) (Please consult factory for delivery time after supplying paint chip when selecting this option)	
<b>Screed Automation</b>		
<b>Sonic</b>		
NPSDGS	• Niveltronic Plus Sonic Dual Grade & Slope	\$19,282
	1 x 2063352 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSDGS-2	• Niveltronic Plus Sonic Dual Grade & Slope	\$12,428
	1 x 2063352 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSSGS	• Niveltronic Plus Sonic Single Grade & Slope	\$11,825
	1 x 2063352 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSSGS-2	• Niveltronic Plus Sonic Single Grade & Slope	\$8,424
	1 x 2063352 Niveltronic Plus Controller	
	1 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
NPSDGS	• Niveltronic Plus Sonic Dual Grade	\$18,554
	1 x 2063352 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSDGS-2	• Niveltronic Plus Sonic Dual Grade	\$11,690
	1 x 2063352 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG	• Niveltronic Plus Sonic Single Grade	\$11,128
	1 x 2063352 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG-2	• Niveltronic Plus Sonic Single Grade	\$7,696
	1 x 2063352 Niveltronic Plus Controller	
	1 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
515462	• TSD Integrated Controls - Sonic System V - Dual Grade & Slope	\$20,176
515457	• TSD Integrated Controls - Sonic System V - Single Grade & Slope	\$16,078
515456-2	• TSD Integrated Controls - Sonic System V - Dual Grade Only	\$16,858
515456	• TSD Integrated Controls - Sonic System V - Single Grade Only	\$8,429
510466-1	• External AGS Interface - Used to connect existing Auto Grade & Slope controls to tractor (includes 2112391)	\$1,446
505038-2	• 2 Tow Arm Brackets (with mounting Hardware) to Support Customer's Existing Topcon Smoothtrac	\$400

13144134	• 1 Tow Arm Bracket (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Grade Sensor	\$244
515472	• 1 End Gate Bracket (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Grade Sensor on Carlson Screed	\$213

**Mechanical**

<b>NPMDGS</b>	• <b>Niveltronic Plus Mechanical Dual Grade &amp; Slope</b>	\$9,932
	1 x 2063352 Niveltronic Plus Controller	
	2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
<b>NPMSG</b>	• <b>Niveltronic Plus Mechanical Single Grade &amp; Slope</b>	\$7,176
	1 x 2063352 Niveltronic Plus Controller	
	1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2090106 Niveltronic Plus Slope Sensor	
<b>NPMDG</b>	• <b>Niveltronic Plus Mechanical Dual Grade</b>	\$9,256
	1 x 2063352 Niveltronic Plus Controller	
	2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
<b>NPMSG</b>	• <b>Niveltronic Plus Mechanical Single Grade</b>	\$6,448
	1 x 2063352 Niveltronic Plus Controller	
	1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	

**Grade Reference Systems**

2083037	• Niveltronic Plus Big Ski (Sonic averaging beam)	\$20,774
2132218	• Niveltronic Plus Big Ski (Sonic averaging system less beam)	\$15,080
505072	• TSD Integrated Controls - Sonic System V - Smoothtrac Averaging System	\$16,728
2042515	• Niveltronic Plus 2m Ski (for mechanical grade sensor)	\$114

**Carlson Screed**

**Features of Carlson EZ-III-08 and EZ-IV 815 Screed:**

- Electric heat elements powered by a 25kW Generator tractor mounted
- Adjustable angle of attack on extension screed plate allows matching texture and density to main screed plate.
- Hydraulic extensions are supported by an adjustable chromed slide track assembly.
- Optional, bolt-on extensions and cut-off shoes are available for paving from 6' (1.83 m) to 19' (5.8 m) wide with EZ-III and EZ-IV.
- End gates with springs, replaceable runners and side handle jacks.
- Electric Hydraulic control valves for extension in and out; vertical and slope functions in lieu of manual valves including control boxes mounted on end gates for auger override and extension in and out.

**Carlson Screed Berm Extension Options**

Berm-LH-12	LH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-LH-18	LH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-LH-24	LH hydraulic extension with 24" berm (Factory Installed)	\$4,285
Berm-RH-12	RH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-RH-18	RH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-RH-24	RH hydraulic extension with 24" berm (Factory Installed)	\$4,285

**Carlson Paving Kits and Options**

508546	• Bolt on 12" (305 mm) screed extension LH	\$2,132
508547	• Bolt on 12" (305 mm) screed extension RH	\$2,132
508785	• Bolt on 18" (457 mm) screed extension LH	\$2,132
508786	• Bolt on 18" (457 mm) screed extension RH	\$2,132
508584	• Bolt on 24" (610 mm) Screed extension LH	\$2,132
508585	• Bolt on 24" (610 mm) Screed extension RH	\$2,132
508548	• Y-cable for attaching two bolt-on screed extensions together	\$520
511462	• 6" left hand cut-off shoes (first set required to bolt to end gate)	\$364
511461	• 6" right hand cut-off shoes (first set required to bolt to end gate)	\$364
515313	• Additional 6" cut-off shoe (fits either side)	\$322
BEP-12	• 12" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-18	• 18" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-24	• 24" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
515699	• Heated End Gates (1 pair)	\$2,028
511702	• Thickness Control Screws (CW to increase depth) in lieu of CCW Thickness Control Screws	

**Auger and Tunnel Extensions**

PWRTNL8T	Hydraulic Power Tunnels (to be released in June 2012) Call Mark Stang for information	\$0
----------	---	-----

2089188	• <b>2 ft auger extension kit</b> (Total 13.5 ft of augers) One pair 2 ft. by 16" diameter cantilevered augers with tunnel extension and support	\$3,120
---------	---	---------



2160119-1	• <b>3.25 ft auger extension kit</b> (Total 16 ft of augers) One pair 3.25 ft. by 16" diameter cantilevered augers with tunnel extension and support	\$4,680
-----------	---	---------

- 2089245 Auger Assembly Install Kit
- 4606302115 Auger Left
- 4606302116 Auger Right
- 4618242237 Auger Bolt (qty. 4)
- 9500201587 Auger Nut (qty. 4)



**Maintenance Kits**

2087480	• Set of Filters for Engine and Hydraulic Oil (after 50 service hours)	\$494
2087481	• Set of Filters for Engine and Hydraulic Oil (after 500 service hours)	\$307
2087482	• Set of Filters for Engine and Hydraulic Oil (after 1000 service hours)	\$884

Wirtgen America, Inc  
6030 Dana Way  
Anioch, TN 37013  
Phone: 615-501-0600  
Fax: 615-501-0691

OHIO STS LIST PRICING

Add Qty		List Pricing
<b>Basic Tractor</b>		
7740000	VOGELE 5200-2 Tractor	\$377,364
<b>Screed Options</b>		
Note: Must pick one of next three items.		
7740500	HR 500-1E Screed (CCW)	\$113,360
7740003	Carlson EZ-III 1017 Screed (CCW)	\$91,405
7740004	Carlson EZ-IV 1019 Screed (CCW)	\$95,689
<b>Optional Equipment</b>		
Note: Must pick one of next two items.		
2062391	Oscillating Push Rollers	\$3,666
2112383	Truck Hitch	\$15,683
2087290	• Additional Umbrella for opposite side of the paver	\$198
2071389	• Back-up Alarm	\$562
2073434	• Rotary Beacon	\$562
2094281	• Hand Held, Magnetic Base Working Light with Cord (Maximum of two per machine)	\$109
2100984	• Xenon work light Kit (In lieu of Standard Halogen work lights) 4 Xenon lights & 2 Halogen lights	\$4,358
2054030	• Washdown System with 15 gallon tank for Cleaning Agent	\$562
2053729	• Automatic lubrication system	\$1,570
2072883	• Deflector (Track Plow) One pair	\$1,014
2062893-1	• Balloon light kit (includes mounting brackets and hardware)	\$2,860
	2062893 Balloon Light with Pole	
	2060883 Balloon Light Mounting Kit	
2013518	• Toolbox with metric tools	\$686
2075585	• Hydraulic Screed Lock	\$671
2075654	• Screed Assist	\$2,600
2135646	• Hopper Insert	\$13,926
SHS	• Screed horn different sound from operator's horn	\$338
2074194	• Special Paint Color (Custom)– one color only replacing only standard green painted items (Consult factory for pricing)	
	(Please consult factory for delivery time after supplying paint chip when selecting this option)	
<b>Screed Automation</b>		
<b>Sonic</b>		
NPSDGS	• Niveltronic Plus Sonic Dual Grade & Slope	\$19,282
	1 x 2043471 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSDGS-2	• Niveltronic Plus Sonic Dual Grade & Slope	\$12,428
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSSGS	• Niveltronic Plus Sonic Single Grade & Slope	\$11,825
	1 x 2043471 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSSGS-2	• Niveltronic Plus Sonic Single Grade & Slope	\$8,424
	1 x 2043471 Niveltronic Plus Controller	
	1 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSDGS	• Niveltronic Plus Sonic Dual Grade	\$18,554
	1 x 2043471 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSDGS-2	• Niveltronic Plus Sonic Dual Grade	\$11,690
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG	• Niveltronic Plus Sonic Single Grade	\$11,128
	1 x 2043471 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG-2	• Niveltronic Plus Sonic Single Grade	\$7,696
	1 x 2043471 Niveltronic Plus Controller	

1 x 2076282	Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
1 x 2083066	Niveltronic Plus Tow Arm Fixture	
1 x 4620304154	Niveltronic Plus Bracket for Grade Sensor	
515462	• TSD Integrated Controls - Sonic System V - Dual Grade & Slope	\$20,176
515457	• TSD Integrated Controls - Sonic System V - Single Grade & Slope	\$16,078
515456-2	• TSD Integrated Controls - Sonic System V - Dual Grade Only	\$16,858
515456	• TSD Integrated Controls - Sonic System V - Single Grade Only	\$8,429
510466	• Wiring for Connecting <b>Customer's Existing</b> Topcon System V to Tractor	\$941
505038-2	• 2 Tow Arm Brackets (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Smoothtrac	\$400
13144134	• 1 Tow Arm Bracket (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Grade Sensor	\$244
515472	• 1 End Gate Bracket (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Grade Sensor on Carlson Screed	\$213

#### Mechanical

NPMDGS	• <b>Niveltronic Plus Mechanical Dual Grade &amp; Slope</b>	\$9,932
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPMSG	• <b>Niveltronic Plus Mechanical Single Grade &amp; Slope</b>	\$7,176
	1 x 2043471 Niveltronic Plus Controller	
	1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPMDG	• <b>Niveltronic Plus Mechanical Dual Grade</b>	\$9,256
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPMSG	• <b>Niveltronic Plus Mechanical Single Grade</b>	\$6,448
	1 x 2043471 Niveltronic Plus Controller	
	1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	

#### Grade Reference Systems

2083037	• Niveltronic Plus Big Ski (Sonic averaging beam)	\$20,774
2132218	• Niveltronic Plus Big Ski (Sonic averaging system less beam)	\$15,080
505072	• TSD Integrated Controls - Sonic System V - Smoothtrac Averaging System	\$16,084
2042515	• Niveltronic Plus 2m Ski (for mechanical grade sensor)	\$114

#### Screed Options

##### Features of VOGELE HR500E Screed:

- 10' (3.04 m) to 19' 6" (5.94 m) hydraulic extendable screed.
- 4 hydraulically driven screed vibrators.
- Electric heat elements powered by 25 kW Generator tractor mounted
- Optional, quick attach extensions and cut-off shoes are available for paving from 8' (2.44 m) to 25' 6" (8.5 m) wide.
- Screed has box-type frame with large diameter, horizontally mounted, hard-chromed guide shafts
- Screed has full length, non-skid walkway.
- Pre-strike-offs meter the flow of material to main screed and the extension screeds.
- Hydraulic power crown of main screed is adjustable from 2.5" (63 mm) positive to 1" (25 mm) negative.
- Hydraulic power slope & vertical adjustment for hydraulic extensions

#### Vogele HR 500-1E Screed

##### Paving Kits and Options for Vogele HR 500-1E Screed

513238	• 1' (305 mm) LH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$8,268
513235	• 1' (305 mm) RH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$8,268
513443	• 2' (610 mm) LH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$10,478
513439	• 2' (610 mm) RH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$10,478
515225	• 12" left hand cut-off shoe	\$411
515226	• 12" right hand cut-off shoe	\$411
512334	• Thickness Control Screws (CW to increase depth) in lieu of CCW Thickness Control Screws	

#### Carlson EZ-III-1017 and Carlson EZ-IV 1019 Screeds

##### Features of Carlson EZ-III 1017 and EZ-IV 1019 Screed:

- Electric heat elements powered by 25 kW Generator tractor mounted
- Adjustable angle of attack on extension screed plate allows matching texture and density to main screed plate.
- Hydraulic extensions are supported by an adjustable chromed slide track assembly.
- Optional, bolt-on extensions and cut-off shoes are available for paving from 8' (2.44 m) to 25' (7.6 m) wide with EZ-III and 27' (8.2 m) wide with EZ-IV.
- End gates with springs, replaceable runners and side handle jacks.
- Electric Hydraulic control valves for extension in and out; vertical and slope functions in lieu of manual valves including control boxes mounted on end gates for auger override and extension in and out.

##### Main Screed Options

Berm-LH-12	LH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-LH-18	LH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-LH-24	LH hydraulic extension with 24" berm (Factory Installed)	\$4,285
Berm-RH-12	RH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-RH-18	RH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-RH-24	RH hydraulic extension with 24" berm (Factory Installed)	\$4,285

##### Paving Kits and Options

508546	• Bolt on 12" (305 mm) screed extension LH	\$2,132
508547	• Bolt on 12" (305 mm) screed extension RH	\$2,132
508785	• Bolt on 18" (457 mm) screed extension LH	\$2,132
508786	• Bolt on 18" (457 mm) screed extension RH	\$2,132
508584	• Bolt on 24" (610 mm) Screed extension LH	\$2,132
508585	• Bolt on 24" (610 mm) Screed extension RH	\$2,132
508548	• Y-cable for attaching two bolt-on screed extensions together	\$520

511462	• 6" left hand cut-off shoes (first set required to bolt to end gate)	\$364
511461	• 6" right hand cut-off shoes (first set required to bolt to end gate)	\$364
808802	• Additional 6" cut-off shoe (fits either side)	\$322
BEP-12	• 12" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-18	• 18" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-24	• 24" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
515699	• Heated End Gates (1 pair)	\$2,028
511702	• Thickness Control Screws (CW to increase depth) in lieu of CCW Thickness Control Screws	

#### Auger and Tunnel Extensions


2112385	• Hydraulic Extendable Tunnel Plates	\$8,268
2072059	• <b>2 ft auger extension kit</b> (Total 12/14 ft of augers) One pair 2 ft. by 16" diameter cantilevered augers with tunnel extension and support	\$3,120



2160119-1	• <b>3.25 ft auger extension kit</b> (Total 14.5/16.5 ft of augers) 2160119 One pair 3.25 ft. by 16" diameter cantilevered augers with tunnel extension and support 2073614 Assembly, Auger install kit	\$4,680
-----------	---	---------



2054131-1	• <b>5.5 foot auger extension kit</b> (Total 21 ft of actual auger width which is inclusive of 12/14 ft. auger configuration) 2054131 Auger Kit 17 ft. - One pair 3.5' by 16" diameter augers with bearing support, tunnel and support 2072059 Auger Extension 2 x 2 ft.	\$10,587
-----------	--	----------



2054131-2	• <b>6.75 foot auger extension kit</b> (Total 23.5 ft of actual auger width which is inclusive of 14.5/16.5 ft. auger configuration) 2054131 Auger Kit 17 ft. - One pair 3.5' by 16" diameter augers with bearing support, tunnel and support 2160119 Auger Extensions 2 x 3.25 ft. 2073614 Assembly, Auger install kit	\$11,596
-----------	--	----------



#### Maintenance Kits

2075492	• Set of Filters for Engine and Hydraulic Oil (after 50 service hours)	\$374
2075493	• Set of Filters for Engine and Hydraulic Oil (after 500 service hours)	\$343
2075498	• Set of Filters for Engine and Hydraulic Oil (after 1000 service hours)	\$952

Wirtgen America, Inc  
 6030 Dana Way  
 Anioch, TN 37013  
 Phone: 615-501-0600  
 Fax: 615-501-0691

Ohio STS Pricing

Add Qty		List Pricing
<b>Basic Tractor</b>		
	<b>Note:</b> Must pick one of next three items.	
7750062	VOGELE 5203-2 (6 x 2) Tractor (no FWA)	\$334,990
7750064	VOGELE 5203-2 (6 x 4) Tractor (Two Wheel FWA)	\$353,444
7750066	VOGELE 5203-2 (6 x 6) Tractor (Four Wheel FWA)	\$361,654
<b>Screed Options</b>		
	<b>Note:</b> Must pick one of next three items.	
7740500	HR 500-1E Screed (CCW)	\$113,360
7740003	Carlson EZ-III 1017 Screed (CCW)	\$91,405
7740004	Carlson EZ-IV 1019 Screed (CCW)	\$95,689
<b>Optional Equipment</b>		
	<b>Note:</b> Must pick one of next two items.	
2062391	Oscillating Push Rollers	\$3,666
2112383	Truck Hitch	\$15,683
2087290	• Additional Umbrella for opposite side of the paver	\$198
2071389	• Back-up Alarm	\$562
2073434	• Rotary Beacon	\$562
2094281	• Hand Held, Magnetic Base Working Light with Cord (Maximum of two per machine)	\$109
2100984	• Xenon work light Kit (In lieu of Standard Halogen work lights) 4 Xenon lights & 2 Halogen lights	\$4,358
2054030	• Washdown System with 15 gallon tank for Cleaning Agent	\$562
2053729	• Automatic lubrication system	\$1,570
2072883	• Deflector (Track Plow) One pair	\$1,014
2062893-1	• Balloon light kit (includes mounting brackets and hardware)	\$2,860
2062893	Balloon Light with Pole	
2060883	Balloon Light Mounting Kit	
2013518	• Toolbox with metric tools	\$686
2075585	• Hydraulic Screed Lock	\$671
2075654	• Screed Assist	\$2,600
2135646	• Hopper Insert	\$13,926
SHS	• Screed horn different sound from operator's horn	\$338
2074194	• Special Paint Color (Custom)-- one color only replacing only standard green painted items (Consult factory for pricing)	
	(Please consult factory for delivery time after supplying paint chip when selecting this option)	
<b>Screed Automation</b>		
<b>Sonic</b>		
NPSDGS	• Niveltronic Plus Sonic Dual Grade & Slope	\$19,282
	1 x 2043471 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSDGS-2	• Niveltronic Plus Sonic Dual Grade & Slope	\$12,428
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSSGS	• Niveltronic Plus Sonic Single Grade & Slope	\$11,825
	1 x 2043471 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSSGS-2	• Niveltronic Plus Sonic Single Grade & Slope	\$8,424
	1 x 2043471 Niveltronic Plus Controller	
	1 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPSDG	• Niveltronic Plus Sonic Dual Grade	\$18,554
	1 x 2043471 Niveltronic Plus Controller	
	2 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSDG-2	• Niveltronic Plus Sonic Dual Grade	\$11,690
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG	• Niveltronic Plus Sonic Single Grade	\$11,128
	1 x 2043471 Niveltronic Plus Controller	
	1 x 4624210110 Niveltronic Plus Sonic Grade Sensor (5 eye)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPSSG-2	• Niveltronic Plus Sonic Single Grade	\$7,696
	1 x 2043471 Niveltronic Plus Controller	
	1 x 2076282 Niveltronic Plus Sonic Grade Sensor (1 eye with Bail)	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
515462	• TSD Integrated Controls - Sonic System V - Dual Grade & Slope	\$20,176

515457	• TSD Integrated Controls - Sonic System V - Single Grade & Slope	\$16,078
515456-2	• TSD Integrated Controls - Sonic System V - Dual Grade Only	\$16,858
515456	• TSD Integrated Controls - Sonic System V - Single Grade Only	\$8,429
510466	• Wiring for Connecting <b>Customer's Existing</b> Topcon System V to Tractor	\$941
505038-2	• 2 Tow Arm Brackets (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Smoothtrac	\$400
13144134	• 1 Tow Arm Bracket (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Grade Sensor	\$244
515472	• 1 End Gate Bracket (with mounting Hardware) to Support <b>Customer's Existing</b> Topcon Grade Sensor on Carlson Scream	\$213

**Mechanical**

NPMDGS	• <b>Niveltronic Plus Mechanical Dual Grade &amp; Slope</b>	\$9,932
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPMMSG	• <b>Niveltronic Plus Mechanical Single Grade &amp; Slope</b>	\$7,176
	1 x 2043471 Niveltronic Plus Controller	
	1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
	1 x 2462560026 Niveltronic Plus Slope Sensor	
NPMDG	• <b>Niveltronic Plus Mechanical Dual Grade</b>	\$9,256
	1 x 2043471 Niveltronic Plus Controller	
	2 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	2 x 2083066 Niveltronic Plus Tow Arm Fixture	
	2 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	
NPMMSG	• <b>Niveltronic Plus Mechanical Single Grade</b>	\$6,448
	1 x 2043471 Niveltronic Plus Controller	
	1 x 2041380 Niveltronic Plus Variable Mechanical Grade Sensor	
	1 x 2083066 Niveltronic Plus Tow Arm Fixture	
	1 x 4620304154 Niveltronic Plus Bracket for Grade Sensor	

**Grade Reference Systems**

2083037	• Niveltronic Plus Big Ski (Sonic averaging beam)	\$20,774
2132218	• Niveltronic Plus Big Ski (Sonic averaging system less beam)	\$15,080
505072	• TSD Integrated Controls - Sonic System V - Smoothtrac Averaging System	\$16,084
2042515	• Niveltronic Plus 2m Ski (for mechanical grade sensor)	\$114

**Screed Options**

**Features of VOGELE HR500E Screed:**

- 10' (3.04 m) to 19' 6" (5.94 m) hydraulic extendable screed.
- 4 hydraulically driven screed vibrators.
- Electric heat elements powered by 25 kW Generator tractor mounted
- Optional, quick attach extensions and cut-off shoes are available for paving from 8' (2.44 m) to 25' 6" (8.5 m) wide.
- Screed has box-type frame with large diameter, horizontally mounted, hard-chromed guide shafts
- Screed has full length, non-skid walkway.
- Pre-strike-offs meter the flow of material to main screed and the extension screeds.
- Hydraulic power crown of main screed is adjustable from 2.5" (63 mm) positive to 1" (25 mm) negative.
- Hydraulic power slope & vertical adjustment for hydraulic extensions

**Vogele HR 500-1E Screed**

**Paving Kits and Options for Vogele HR 500-1E Screed**

513238	• 1' (305 mm) LH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$8,268
513235	• 1' (305 mm) RH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$8,268
513443	• 2' (610 mm) LH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$10,478
513439	• 2' (610 mm) RH Quick Attach Heated Extension - Includes Pre-Strike-Off Extension	\$10,478
515225	• 12" left hand cut-off shoe	\$411
515226	• 12" right hand cut-off shoe	\$411
512334	• Thickness Control Screws (CW to increase depth) in lieu of CCW Thickness Control Screws	

**Carlson EZ-III-1017 and Carlson EZ-IV 1019 Screeds**

**Features of Carlson EZ-III 1017 and EZ-IV 1019 Screed:**

- Electric heat elements powered by 25 kW Generator tractor mounted
- Adjustable angle of attack on extension screed plate allows matching texture and density to main screed plate.
- Hydraulic extensions are supported by an adjustable chromed slide track assembly.
- Optional, bolt-on extensions and cut-off shoes are available for paving from 8' (2.44 m) to 25' (7.6 m) wide with EZ-III and 27' (8.2 m) wide with EZ-IV.
- End gates with springs, replaceable runners and side handle jacks.
- Electric Hydraulic control valves for extension in and out; vertical and slope functions in lieu of manual valves including control boxes mounted on end gates for auger override and extension in and out.

**Main Screed Options**

Berm-LH-12	LH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-LH-18	LH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-LH-24	LH hydraulic extension with 24" berm (Factory Installed)	\$4,285
Berm-RH-12	RH hydraulic extension with 12" berm (Factory Installed)	\$4,285
Berm-RH-18	RH hydraulic extension with 18" berm (Factory Installed)	\$4,285
Berm-RH-24	RH hydraulic extension with 24" berm (Factory Installed)	\$4,285

**Paving Kits and Options**

508546	• Bolt on 12" (305 mm) screed extension LH	\$2,132
508547	• Bolt on 12" (305 mm) screed extension RH	\$2,132
508785	• Bolt on 18" (457 mm) screed extension LH	\$2,132
508786	• Bolt on 18" (457 mm) screed extension RH	\$2,132
508584	• Bolt on 24" (610 mm) Screed extension LH	\$2,132
508585	• Bolt on 24" (610 mm) Screed extension RH	\$2,132
508548	• Y-cable for attaching two bolt-on screed extensions together	\$520
511462	• 6" left hand cut-off shoes (first set required to bolt to end gate)	\$364
511461	• 6" right hand cut-off shoes (first set required to bolt to end gate)	\$364
808802	• Additional 6" cut-off shoe (fits either side)	\$322
BEP-12	• 12" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-18	• 18" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
BEP-24	• 24" beveled edger plate for tapered notched wedge joint. (1 pair)	\$6,000
515699	• Heated End Gates (1 pair)	\$2,028
511702	• Thickness Control Screws (CW to increase depth) in lieu of CCW Thickness Control Screws	

**Auger and Tunnel Extensions**

2112385	• Hydraulic Extendable Tunnel Plates	\$8,268
2072059	• <b>2 ft auger extension kit</b> (Total 12/14 ft of augers) One pair 2 ft. by 16" diameter cantilevered augers with tunnel extension and support	\$3,120



---

2160119-1	• <b>3.25 ft auger extension kit</b> (Total 14.5/16.5 ft of augers)	\$4,680
2160119	One pair 3.25 ft. by 16" diameter cantilevered augers with tunnel extension and support	
2073614	Assembly, Auger install kit	



---

2054131-1	• <b>5.5 foot auger extension kit</b> (Total 21 ft of actual auger width which is inclusive of 12/14 ft. auger configuration)	\$10,587
2054131	Auger Kit 17 ft. - One pair 3.5' by 16" diameter augers with bearing support, tunnel and support	
2072059	Auger Extension 2 x 2 ft.	



---

2054131-2	• <b>6.75 foot auger extension kit</b> (Total 23.5 ft of actual auger width which is inclusive of 14.5/16.5 ft. auger configuration)	\$11,596
2054131	Auger Kit 17 ft. - One pair 3.5' by 16" diameter augers with bearing support, tunnel and support	
2160119	Auger Extensions 2 x 3.25 ft.	
2073614	Assembly, Auger install kit	



---

**Maintenance Kits**

2075492	• Set of Filters for Engine and Hydraulic Oil (after 50 service hours)	\$374
2075493	• Set of Filters for Engine and Hydraulic Oil (after 500 service hours)	\$343
2075498	• Set of Filters for Engine and Hydraulic Oil (after 1000 service hours)	\$952

---

Wirtgen America, Inc  
6030 Dana Way  
Anioch, TN 37013  
Phone: 615-501-0600  
Fax: 615-501-0691

Add Qty	Basic Tractor	List Pricing
Super 1300 /1303-2		\$220,366
	Optional Equipment	
	<ul style="list-style-type: none"><li>• Back-up Alarm</li><li>• Rotary Beacon</li><li>• Wash down tank</li><li>• Screed Assist</li></ul>	\$562 \$562 \$562 \$2,600
	Screed Automation	
	Sonic	
	• Niveltronic Plus Sonic Dual Grade & Slope	\$19,282
	Paving Kits and Options	
	1'4" Ft. Extensions	\$7,748

Wirtgen America Inc  
 6030 Dana Way  
 Anioch, TN 37013  
 Phone: 615-501-0600  
 Fax: 615-501-0691

Ohio STS List Pricing

Add Qty		Basic Tractor	List Pricing
<b>S700</b>	<b>Standard Super 700 with AB 200V</b>		\$ 144,420
<b>Tractor Options</b>			
2029970	• Asymmetrical Hopper, Left Side		\$ 10,254
SP	• Special Paint Color - one color only replacing standard green painted items		\$ 801
<b>Screed Automation</b>			
<b>NSCBSDBGS</b>	<b>• Niveltronic SC Basics Sonic Dual Grade &amp; Slope</b>		\$ 21,736
	2 x 2030210 Niveltronic SC Basics		
	2 x 2031341 Sonic Sensor SC		
	2 x 2032250 Niveltronic Tubular Bracket		
	2 x 4620303817 Adjusting Spindle for Grade Sensor SC		
	1 x 2041684 Adaptor Box for Slope Sensor		
	1 x 2462560026 Slope Sensor		
<b>NSCBMDGS</b>	<b>• Niveltronic SC Basics Mechanical Dual Grade &amp; Slope</b>		\$ 17,368
	2 x 2030210 Niveltronic SC Basics		
	2 x 2452260014 Mechanical Grade Sensor		
	2 x 2472560017 Level Sensor		
	2 x 2032250 Niveltronic Tubular Bracket		
	2 x 4620303817 Adjusting Spindle for Grade Sensor SC		
	1 x 2041684 Adaptor Box for Slope Sensor		
	1 x 2462560026 Slope Sensor		
<b>NSCBSGSGS</b>	<b>• Niveltronic SC Basics Sonic Single Grade &amp; Slope</b>		\$ 11,960
	1 x 2030210 Niveltronic SC Basics		
	1 x 2031341 Sonic Sensor SC		
	1 x 2032250 Niveltronic Tubular Bracket		
	1 x 4620303817 Adjusting Spindle for Grade Sensor SC		
	1 x 2041684 Adaptor Box for Slope Sensor		
	1 x 2462560026 Slope Sensor		
<b>NSCBMSGSGS</b>	<b>• Niveltronic SC Basics Mechanical Single Grade &amp; Slope</b>		\$ 9,776
	1 x 2030210 Niveltronic SC Basics		
	1 x 2452260014 Mechanical Grade Sensor		
	1 x 2472560017 Level Sensor		
	1 x 2032250 Niveltronic Tubular Bracket		
	1 x 4620303817 Adjusting Spindle for Grade Sensor SC		
	1 x 2041684 Adaptor Box for Slope Sensor		
	1 x 2462560026 Slope Sensor		
<b>NSCBSBDG</b>	<b>• Niveltronic SC Basics Sonic Dual Grade</b>		\$ 19,552
	2 x 2030210 Niveltronic SC Basics		
	2 x 2031341 Sonic Sensor SC		
	2 x 2032250 Niveltronic Tubular Bracket		
	2 x 4620303817 Adjusting Spindle for Grade Sensor SC		
<b>NSCBMDG</b>	<b>• Niveltronic SC Basics Mechanical Dual Grade</b>		\$ 15,184
	2 x 2030210 Niveltronic SC Basics		
	2 x 2452260014 Mechanical Grade Sensor		
	2 x 2472560017 Level Sensor		
	2 x 2032250 Niveltronic Tubular Bracket		
	2 x 4620303817 Adjusting Spindle for Grade Sensor SC		
<b>NSCBSBSSG</b>	<b>• Niveltronic SC Basics Sonic Single Grade</b>		\$ 9,776
	1 x 2030210 Niveltronic SC Basics		
	1 x 2031341 Sonic Sensor SC		
	1 x 2032250 Niveltronic Tubular Bracket		
	1 x 4620303817 Adjusting Spindle for Grade Sensor SC		
<b>NSCBMSG</b>	<b>• Niveltronic SC Basics Mechanical Single Grade</b>		\$ 7,592
	1 x 2030210 Niveltronic SC Basics		
	1 x 2452260014 Mechanical Grade Sensor		
	1 x 2472560017 Level Sensor		
	1 x 2032250 Niveltronic Tubular Bracket		
	1 x 4620303817 Adjusting Spindle for Grade Sensor SC		
510466	• Wiring for connecting <b>Customer's Existing</b> Topcon Control Boxes		\$ 941
515343	• Bracket for mounting <b>Customer's Existing</b> Topcon Control Box		\$ 140
514955	• Bracket for mounting <b>Customer's Existing</b> Topcon Slope Sensor		\$ 406
<b>Screed Options</b>			
2028424	• Set of Bolt-on Extensions 0.35m (1.15' on each side) For A Total Paving Width of 8' 11"		\$ 6,370
2056195	• Set of Bolt-on Extensions 0.6m (2' on each side) For A Total Paving Width of 10' 6"		\$ 7,748
2030193	• Long Auger Kit - Includes Augers, Tunnel Plates, Walkway and Hardware		\$ 3,848
2030085	• Set of Cut-Off Shoes 1' (.3 m) LH & RH		\$ 1,232
2036189	• Set of Deflectors LH & RH (Pre-Strikeoffs)		\$ 1,201



# List Price Book



## WIRTGEN MILLS/STABILIZERS

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W120Fi BASE MACHINE:</b> <b>WITH 6-CYLINDER DIESEL ENGINE MODEL CUMMINS QSL9 -300</b> - Rated power at 210( 224 kW / 300 HP / 305 PS - Maximum power at 1900 min-1: 239 kW / 320 HP / 325 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right wheel assy swivels in front of drum for milling close to the curb. <b>1200mm cutting width and depth up to 320mm in one pass.</b> Two stage detachable conveyor system - 650/600mm wide belt. Hydraulic side plate lifters. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> <b>4 tracks in lieu of wheels</b> <b>1200mm drum with HT 11 quick change holder system.</b> LEVEL PRO Grade control with one display as well as one wire rope RH & LH side sensors. Slope control. Rear steering. Extra manuals. Hydraulic folding conveyor in lieu of std. WIFMS (interface for information)	\$474,865.00	\$ 474,865.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____

--

**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W210i BASE MACHINE:</b> Milling Machine mounted on four tracks.  Machine frame with dual wasp waist. Two stage detachable conveyor. <b>STANDARD OPTIONS INCLUDED:</b> <b>2200mm drum housing.</b> <b>2200mm drum with HT11 Bolt-on holder system.</b> Operators Platform with comfort seats. Level pro system. Additional level pro. Additional weight. Slope control. Conveyor support legs. Folding conveyor. Drum turning jig. Knockout tool. Extra manuals. Tooth change seats with storage Actual milling depth display WIFMS (interface for machine operation)	\$ 676,422.00	\$ 676,422.00
	<b>W210i 2.2M Ohio STS List Price</b> <b>WITH two 6-CYLINDER DIESEL ENGINES CUMMINS QSL 9</b> - power rated at 2,1507 kW / 680 HP / 690 PS - maximum power at 1,900 min-1: 537 kW / 720 HP / 730 PS - operating speed at 1,600 min-1: 495 kW / 664 HP / 673 PS - emission standard: EU Stage 3b / US Tier 4i		

SubTotal \_\_\_\_\_  
 Shipping \_\_\_\_\_

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE** \_\_\_\_\_



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W2200 BASE MACHINE:</b> High performance milling machine mounted on four tracks. Equipped with CAT C27, 950 HP engine. Four Track Steering - Crabbing and Coordinated preset modes. <b>2200mm cutting width and depth up to 350mm in one pass.</b> Automatic depth control w/ two wire rope sensors. Two stage conveyor system complete with covers. Automatic Level Pro leveling system RH & LH <b>Basic FCS housing - 2200-3000</b> <b>STANDARD OPTIONS INCLUDED:</b> Pressurized gradation control beam w/integrated conveyor shoe.		
1	<b>2200mm drum with HT11 Bolt-on holder system.</b>		
1	Slope control.		
1	Hydraulic side plate lifters.		
1	Air compressor.		
1	Adjustable conveyor belt speed.		
1	Additional lock valve.		
1	Hydraulic conveyor lift.		
1	Rear water refill.		
1	Conveyor support legs.		
1	Prewired for longitudinal leveling.		
1	Additional sonic sensor left.		
1	Knockout tool.		
1	Extra manuals.		
1	<b>W2200 Ohio STS List Price</b>	\$743,332.00	\$ 743,332.00

**SubTotal**

**Shipping**

**TOTAL NET DUE \$ 743,332.00**

<b>Payment</b>
TERMS: _____
_____
_____
_____

**ALL QUOTES SUBJECT TO AVAILABILITY.**

**WIRTGEN AMERICA, INC.**  
**6030 DANA WAY**  
**ANTIOCH, TN 37013**  
**PHONE 615-501-0600/FAX 615-501-0607**



**2012 CUSTOMER QUOTE SUMMARY**


<b>Customer</b>			
Name	Ohio STS _____		
Address	_____		
City	State	ZIP	_____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W2200 BASE MACHINE:</b> High performance milling machine mounted on four tracks. Equipped with CAT C27, 950 HP engine. Four Track Steering - Crabbing and Coordinated preset modes. <b>3800mm cutting width and depth up to 350mm in one pass.</b> Automatic depth control w/ two wire rope sensors. Pressurized gradation control beam w/integrated conveyor shoe. Two stage conveyor system complete with covers. Automatic Level Pro system LH & RH. <b>STANDARD OPTIONS INCLUDED:</b> 1 <b>Basic FCS housing - 3500-4400.</b> 1 <b>3800mm FCS drum with HT11 Bolt-on holder system.</b> 1 <b>Trolley for 3.8m drum assy.</b> 1 Slope control. 1 Hydraulic side plate lifters. 1 Air compressor. 1 Adjustable conveyor belt speed. 1 Additional lock valve. 1 Hydraulic conveyor lift. 1 Rear water refill. 1 Conveyor support legs. 1 Prewired for longitudinal leveling. 1 Additional sonic sensor left. 1 Knockout tool. 1 Extra manuals.		
1	<b>W2200 3.8M Ohio STS List Price</b>	\$857,966.00	\$ 857,966.00

<b>SubTotal</b>	
<b>Shipping</b>	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

**WIRTGEN AMERICA, INC.**  
**6030 DANA WAY**  
**ANTIOCH, TN 37013**  
**PHONE 615-501-0600/FAX 615-501-0607**



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	_____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	<b>W250 BASE MACHINE:</b> High performance milling machine mounted on four tracks. Equipped with Cummins QSX15 and QSL 8.9 engines for total Total of 980 HP Widrive intelligent mgmt system PTS - Parallel to Road Surface Technology <b>3800mm cutting width and depth up to 350mm in one pass.</b> Two stage conveyor system complete with covers. Automatic Level Pro leveling system RH & LH <b>Basic FCS housing - 2200</b> <b>STANDARD OPTIONS INCLUDED:</b> Pressurized gradation control beam w/integrated conveyor shoe. <b>3800 mm drum with HT11 Bolt-on holder system.</b> <b>Operators stand with comfort seat package</b> Rear water fill Sensor in front of the cutter RH side Additional Level Pro display Prewired for longitudinal leveling. Slope sensor Knockout tool. Camera system with two cameras Drum turning device Extra set of manuals Folding conveyor in lieu of std Seats for tooth exchange with storage WIFMS (interface for machine operation) Actual milling depth display  <b>W250 Ohio STS List Price</b>	<b>\$869,264.00</b>	<b>\$869,264.00</b>

	SubTotal	
	Shipping	
	<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____



*ALL QUOTES SUBJECT TO AVAILABILITY.*

**WIRTGEN AMERICA, INC.**  
**6030 DANA WAY**  
**ANTIOCH, TN 37013**  
**PHONE 615-501-0600/FAX 615-501-0607**



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W250 BASE MACHINE</b> High performance milling machine mounted on four tracks. Equipped with Cummins QSX15 and QSL 8.9 engines for total Total of 980 HP Widrive intelligent mgmt system PTS - Parallel to Road Surface Technology <b>2200mm cutting width and depth up to 350mm in one pass.</b> Two stage conveyor system complete with covers. Automatic Level Pro leveling system RH & LH <b>Basic FCS housing 220</b> <b>STANDARD OPTIONS INCLUDED:</b> Pressurized gradation control beam w/integrated conveyor shoe		
1	<b>2200mm drum with HT11 Bolt-on holder system.</b>		
1	Operators stand with comfort seat package		
	Rear water fill		
1	Sensor in front of the cutter RH side		
1	Additional Level Pro display		
	Prewired for longitudinal leveling		
1	Slope sensor		
1	Knockout tool		
1	Camera system with two cameras		
1	Drum turning device		
1	Extra set of manuals		
1	Folding conveyor in lieu of std.		
1	Seats for tooth exchange with storage		
1	WIFMS (interface for machine operation)		
1	Actual milling depth display		
1	<b>W250 Ohio STS List Price</b>	\$ 772,297.00	\$ 772,297.00

SubTotal	
Shipping	

<b>Payment</b>
TERMS: _____
_____
_____

<b>TOTAL NET DUE</b>	
----------------------	--



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W100Fi BASE MACHINE:</b> <b>EQUIPPED WITH 6-CYLINDER DIESEL ENGINE MODEL CUMMINS QSL9 -300</b> - Rated power at 210( 224 kW / 300 HP / 305 PS - Maximum power at 1900 min-1: 239 kW / 320 HP / 325 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right wheel assy swivels in front of drum for milling close to the curb. <b>1000mm cutting width and depth up to 320mm in one pass.</b> Two stage detachable conveyor system - 650/600mm wide belt. Hydraulic side plate lifters. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> <b>4 tracks in lieu of wheels</b> 1000mm drum with HT11 quick change holder system. Level Pro Grade control LH & RH sides. Folding conveyor in lieu of std Slope control. Rear steering. Extra manuals. WIFMS (interface for for machine info) Water suction pressure pump	\$466,637.00	\$ 466,637.00

SubTotal	
Shipping	

<b>Payment</b>
TERMS: _____
_____
_____
_____

<b>TOTAL NET DUE</b>	<b>\$ 466,637.00</b>
----------------------	----------------------



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**

Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W100i BASE MACHINE:</b> Milling Machine mounted on four wheels. Equipped with Tier 4i engine Operators station with drivers seat. Rear right-hand wheel support assy swivels in front of drum for milling close to the curb. <b>1000mm cutting width and depth up to 300mm in one pass.</b> One stage detachable conveyor system - 500mm wide belt. Illuminated control panel for night. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> Milling drum housing with easily accessible door. Hydraulic connection for additional equipment. Rear right wheel swings hydraulically. 1000mm drum with HT 11 quick change holder system. Level Pro Grade control with one display and a RH & LH wire rope sensor. Hydraulic side plate lifters. Front seal. Extra manuals.	\$280,597.00	\$ 280,597.00

SubTotal  
 Shipping

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE**


**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W120Fi BASE MACHINE:</b> <b>WITH 6-CYLINDER DIESEL ENGINE MODEL CUMMINS QSL9 -300</b> - Rated power at 210( 224 kW / 300 HP / 305 PS - Maximum power at 1900 min-1: 239 kW / 320 HP / 325 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right wheel assy swivels in front of drum for milling close to the curb. <b>1200mm cutting width and depth up to 320mm in one pass.</b> Two stage detachable conveyor system - 650/600mm wide belt. Hydraulic side plate lifters. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> <b>4 tracks in lieu of wheels</b> <b>Basic FCS milling drum housing.</b> <b>FCS 1200mm drum with HT 11 quick change holder system.</b> LEVEL PRO Grade control with one display as well as wire rope RH & LH side sensors. Slope control. Rear steering. Extra manuals. Hydraulic folding conveyor in lieu of std. Tandem Scraper	\$492,670.00	\$ 492,670.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		


<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W150 BASE MACHINE:</b> Milling Machine mounted on four tracks. Equipped with Cummins QSL 8.9 350 HP engine. LH & RH access to operators station. <b>1500mm cutting width and depth up to 320mm in one pass.</b> Two stage detachable conveyor system Infinitely variable hydraulic, all wheel drive with three speed ranges. Air Compressor. <b>STANDARD OPTIONS INCLUDED:</b> <b>Hydraulic folding conveyor in lieu of std.</b> <b>FCS light milling drum housing.</b> <b>FCS 1500mm drum with HT 11 quick change holder system.</b> LEVEL PRO Grade control with one display as well as one wire rope sensor on RH & LH sides. Slope control. Hydraulic side plate lifters. Additional lock valve. Hydraulic lifting primary conveyor. Knockout tool. Extra Manuals. Pre-filter air cleaner.	\$488,896.00	\$ 488,896.00

SubTotal	
Shipping	

<b>Payment</b>
TERMS: _____
_____
_____
_____

<b>TOTAL NET DUE</b>	<b>\$ 488,896.00</b>
----------------------	----------------------



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**

Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W150 BASE MACHINE:</b> Milling Machine mounted on four tracks. Equipped with Cummins QSL 8.9 350 HP engine. LH & RH access to operators station. Additional lock value. Hydraulic lifting primary conveyor. Hydraulic side plate lifters. Air Compressor. <b>STANDARD OPTIONS INCLUDED:</b> <b>Hydraulic folding conveyor in lieu of std.</b> <b>Basic FCS System</b> <b>FCS 1200mm drum with HT 11 quick change holder system.</b> LEVEL PRO Grade control with one display as well as one wire rope sensor on RH & LH sides. Slope control. Knocking tool. Extra Manuals. Pre-filter air cleaner.	\$500,548.00	\$ 500,548.00

SubTotal  
 Shipping

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE**

--

--

**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	<b>W150i BASE MACHINE:</b> Milling Machine mounted on four tracks. EQUIPPED WITH 6-CYLINDER DIESEL ENGINE CUMMINS QSL 9 - power rated at <b>2,100 min- 283 kW / 380 HP / 385 PS</b> - maximum power at <b>1,900 - 2,000 min-1: 298 kW / 400 HP / 405 PS</b> - emission standard : EU Stage 3b / US Tier 4i LH & RH access to operators station. <b>1500mm cutting width and depth up to 320mm in one pass.</b> Two stage detachable conveyor system Infinitely variable hydraulic, all wheel drive with three speed ranges. Air Compressor. <b>STANDARD OPTIONS INCLUDED:</b> <b>Hydraulic folding conveyor in lieu of std.</b> <b>FCS light milling drum housing.</b> <b>FCS 1500mm drum with HT 11 quick change holder system.</b> LEVEL PRO Grade control with one display as well as one wire rope sensor on RH & LH sides. Slope control. Hydraulic side plate lifters. Additional lock valve. Hydraulic lifting primary conveyor. Knocking tool. Extra Manuals. Pre-filter air cleaner.		
1	<b>W150i Ohio STS List Price</b>	\$496,247.00	\$ 496,247.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		


<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
	<b>W150i BASE MACHINE:</b> Milling Machine mounted on four tracks. EQUIPPED WITH 6-CYLINDER DIESEL ENGINE CUMMINS QSL 9 - power rated at <b>2,100 min- 283 kW / 380 HP / 385 PS</b> - maximum power at <b>1,900 - 2,000 min-1: 298 kW / 400 HP / 405 PS</b> - emission standard : EU Stage 3b / US Tier 4i LH & RH access to operators station. Additional lock value. Hydraulic lifting primary conveyor. Hydraulic side plate lifters. Air Compressor. <b>STANDARD OPTIONS INCLUDED:</b> <b>Hydraulic folding conveyor in lieu of std.</b> <b>Basic FCS System</b> <b>FCS 1200mm drum with HT 11 quick change holder system.</b> LEVEL PRO Grade control with one display as well as one wire rope sensor on RH & LH sides. Slope control. Knocking tool. Extra Manuals. Pre-filter air cleaner.		
1	<b>W150i Ohio STS List Price</b>	\$506,739.00	\$ 506,739.00

SubTotal	
Shipping	

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE** \_\_\_\_\_



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

2/13/2012
_____
_____
_____

Qty	Description	Unit Price	TOTAL
1	<b>W200 BASE MACHINE:</b> Milling Machine mounted on four tracks. Equipped with Cummins QSX 15 550 HP engine. Machine frame with dual wasp waist. Two stage detachable conveyor system. Rear water fill. <b>STANDARD OPTIONS INCLUDED:</b> <b>2200mm drum housing.</b> <b>2200mm drum with HT11 Bolt-on holder system.</b> Operators Platform with comfort seats. Level pro system. Additional level pro. Additional weight. Slope control. Drum turning jig. Knockout tool. Conveyor support. Extra manuals.		
1	<b>W200 Ohio STS List Price</b>	\$572,258.00	\$ 572,258.00

SubTotal  
 Shipping

<b>Payment</b>	
TERMS:	_____
	_____
	_____
	_____

**TOTAL NET DUE**

_____
_____
_____
_____

_____
-------

**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**


<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W200i BASE MACHINE:</b> Milling Machine mounted on four tracks.  Machine frame with dual wasp waist. Two stage detachable conveyor system. Rear water fill. <b>STANDARD OPTIONS INCLUDED:</b> <b>2200mm FCS Light drum housing.</b> <b>2200mm FCS Light drum with HT11 Bolt-on holders with std patt.</b> Operators Platform with comfort seats. Level pro system. Additional level pro. Additional weight. Slope control. Drum turning jig. Knockout tool. Conveyor support. Extra manuals. Seats for pick change with storage. Actual milling depth display WIFMS (interface for machine information)		
1	<b>W200i Ohio STS List Price</b> <b>WITH 6-CYLINDER DIESEL ENGINE CUMMINS QSX 15</b> - power rated at 2,1399 kW / 535 HP / 543 PS - maximum power at 1,800 min-1: 432 kW / 579 HP / 588 PS - operating speed at 1,600 min-1: 427 kW / 573 HP / 581 PS - emission standard EU Stage 3b / US Tier 4i	\$608,788.00	\$ 608,788.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

**WIRTGEN AMERICA, INC.**  
**6030 DANA WAY**  
**ANTIOCH, TN 37013**  
**PHONE 615-501-0600/FAX 615-501-0607**



**2011 CUSTOMER QUOTE SUMMARY**


<b>Customer</b>			
Name	Ohio STS _____		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W2100 BASE MACHINE:</b> High performance milling machine mounted on four tracks. Equipped with CAT C18, 700 HP engine. Four Track Steering - Crabbing and Coordinated preset modes. <b>2200mm cutting width and depth up to 320mm in one pass.</b> Automatic depth control w/ two wire rope sensors. Pressurized gradation control beam w/integrated conveyor shoe. Two stage conveyor system complete with covers. Automatic Level Pro leveling system LH &RH <b>STANDARD OPTIONS INCLUDED:</b> 1 <b>2200mm drum with HT11 Bolt-on holder system.</b> 1 Slope control. 1 Hydraulic side plate lifters. 1 Air compressor with knockout tool. 1 Adjustable conveyor belt speed. 1 Additional lock valve. 1 Hydraulic conveyor lift. 1 Rear water refill. 1 Conveyor support legs. 1 Cyclonic pre-cleaner. 1 Prewired for longitudinal leveling. 1 Additional sonic sensor left. 1 Knockout tool. 1 Extra manuals.		
1	<b>W2100 2.2M Ohio STS List Price</b>	\$ 654,786.00	\$ 654,786.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	<b>\$ 654,786.00</b>

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W220 BASE MACHINE</b>		
	<b>CAT C18 engine with 766 HP</b>		
	Two stage conveyor system complete with covers.		
	Automatic Level Pro leveling system RH & LH		
	<b>STANDARD OPTIONS INCLUDED:</b>		
1	Pressurized gradation control beam w/integrated conveyor shoe		
1	2200 mm FCS drum assy		
1	<b>2200mm FCS drum with HT11 Bolt-on holder system.</b>		
1	Operators stand with comfort seat package		
1	Level Pro LH & RH		
1	Sensor in front of the cutter RH side		
1	Additional Level Pro display		
1	Folding conveyor in lieu of std		
1	Slope sensor		
1	Knockout tool		
1	Camera system with two cameras		
1	Drum turning device		
1	Extra set of manuals		
1	Conveyor support legs		
1	Additional seats for tooth change		
1	Wirtgen interface for machine knowledge		
1	Actual milling depth display		
1	Multiplex one side	\$ 692,049.00	\$ 692,049.00
	<b>W220 Ohio STS List Price</b>		

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	_____
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W35DC BASE MACHINE:</b> Milling Machine mounted on three wheels. Equipped with Deutz, 57,4 HP engine. Stand on operator station. Front wheel steering. <b>350mm cutting width and depth up to 110mm in one pass.</b> Hydraulic depth and slope adjustment. All wheel drive included. Capable of milling manhole covers of only 600mm diameter. <b>STANDARD OPTIONS INCLUDED:</b> 1 Operator's station with stand-up seat. 1 Hydraulic power take-off connection. 1 Extra manuals.		
1	<b>W35DC Ohio STS</b>	\$128,030.00	\$ 128,030.00

SubTotal  
 Shipping

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE**



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W50DC BASE MACHINE:</b> Milling Machine mounted on three wheels. Equipped with Deutz, 123 HP engine. Operators station with drivers seat. Hydraulic side plate lifters. <b>500mm cutting width and depth up to 210mm in one pass.</b> One stage detachable conveyor system - 400mm wide belt. Proportional rear milling depth adjustment. Rear view mirror. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> 1 <b>4 WHEELS IN LIEU OF 3</b> 1 Tandem scraper FCS to allow reduced milling widths in case additional drums are ever purchased. 1 WIFMS (interface for machine information)		
1	<b>W50DC 4 WHEEL Ohio STS List Price</b>	\$216,041.00	\$ 216,041.00

SubTotal  
 Shipping

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE**

--

*ALL QUOTES SUBJECT TO AVAILABILITY.*

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>W50DC BASE MACHINE:</b> Milling Machine mounted on three wheels. Equipped with Deutz, 123 HP engine. Operators station with drivers seat. Hydraulic side plate lifters. <b>500mm cutting width and depth up to 210mm in one pass.</b> One stage detachable conveyor system - 400mm wide belt. Proportional rear milling depth adjustment. Rear view mirror. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> 1 Tandem scraper FCS to allow reduced milling widths in case additional drums are ever purchased. 1 WIFMS (interface for machine information) 1 Extra manuals.		
1	<b>W50DC Ohio STS</b>	\$208,008.00	\$ 208,008.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	<b>\$ 208,008.00</b>

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W50 BASE MACHINE:</b> Milling Machine mounted on three wheels. Equipped with Deutz, 80,3 HP engine. Operators station with drivers seat. Hydraulic side plate lifters. <b>500mm cutting width and depth up to 160mm in one pass.</b> Hydraulic depth and slope adjustment. Rear view mirror. Proportional rear milling depth adjustment. <b>STANDARD OPTIONS INCLUDED:</b> Extra manuals.		
1	<b>W50 Ohio STS List Price</b>	\$ 148,732.00	\$ 148,732.00

SubTotal  
 Shipping

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE**


**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**

Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W60 BASE MACHINE:</b> Milling Machine mounted on three wheels. Equipped with Deutz, 208 HP engine. Operators station with drivers seat. Rear right-hand wheel support assy swivels in front of drum for milling close to the curb. <b>600mm cutting width and depth up to 300mm in one pass.</b> One stage detachable conveyor system - 500mm wide belt. Illuminated control panel for night. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> Basic FCS milling drum housing with easily accessible door. Hydraulic connection for additional equipment. Rear right wheel swings hydraulically. FCS 600mm drum with HT 11 quick change holder system. Level Pro Grade control LH & RH sides. Hydraulic side plate lifters. Front seal. Extra manuals.	\$248,172.00	\$ 248,172.00

SubTotal  
 Shipping

**TOTAL NET DUE**

<b>Payment</b>
TERMS: _____
_____
_____
_____


**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W60i BASE MACHINE:</b> Milling Machine mounted on three wheels. WITH 6-CYLINDER DIESEL ENGINE MODEL DEUTZ TCD 6.1 L6 - power rated at 2300 min-1: 160 kW / 215 HP / 218 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right-hand wheel support assy swivels in front of drum for milling close to the curb. <b>600mm cutting width and depth up to 300mm in one pass.</b> One stage detachable conveyor system - 500mm wide belt. Illuminated control panel for night. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> Basic FCS milling drum housing with easily accessible door. Hydraulic connection for additional equipment. Rear right wheel swings hydraulically. FCS 600mm drum with HT 11 quick change holder system. Level Pro Grade control LH & RH sides. Hydraulic side plate lifters. Front seal. Extra manuals.	\$261,492.00	\$ 261,492.00

SubTotal  
 Shipping

<b>Payment</b>	
TERMS:	_____
	_____
	_____
	_____

**TOTAL NET DUE \$ 261,492.00**



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>W60i BASE MACHINE:</b> <b>Milling Machine mounted on four wheels.</b> <b>WITH 6-CYLINDER DIESEL ENGINE MODEL DEUTZ TCD 6.1 L6</b> - power rated at 2300 min-1: 160 kW / 215 HP / 218 PS - Emission standard: EU Stage 3b / US Tier 4i Operators station with drivers seat. Rear right-hand wheel support assy swivels in front of drum for milling close to the curb. <b>600mm cutting width and depth up to 300mm in one pass.</b> One stage detachable conveyor system - 500mm wide belt. Illuminated control panel for night. Infinitely variable hydraulic, all wheel drive with three speed ranges. <b>STANDARD OPTIONS INCLUDED:</b> Basic FCS milling drum housing with easily accessible door. Hydraulic connection for additional equipment. Rear right wheel swings hydraulically. 600mm drum with HT 11 quick change holder system. Level Pro Grade control LH & RH sides. Hydraulic side plate lifters. Front seal. Extra manuals. <b>4 Wheel in lieu of std.</b>	\$272,473.00	\$ 272,473.00

SubTotal  
 Shipping

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE**

--

**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>WR2000 BASE MACHINE WORKING WIDTH 2.4M:</b> High performance cold recycler. Equipped with Mercedes OM 460, 422 HP engine. Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators stand with seat. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. <b>2400mm working width and depth up to 500mm in one pass.</b> Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. <b>2400mm drum with welded HT13 holder.</b> <b>STANDARD OPTIONS INCLUDED:</b> 1 Slope control. 1 Scraper blade with beam. 1 Knockout tool. 1 Cab 1 Air Conditioner. 1 Type 11 bolt on holders in lieu of welded. 1 Extra Manuals.		
1	<b>WR2000 2.4M Ohio STS List Price</b>	\$500,185.00	\$ 500,185.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	<b>\$ 500,185.00</b>

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

2/13/2012

Qty	Description	Unit Price	TOTAL
1	<b>WR2000 BASE MACHINE WORKING WIDTH 2.4M:</b> High performance cold recycler. Equipped with Mercedes OM 460, 422 HP engine. Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators stand with seat. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. <b>2400mm working width and depth up to 500mm in one pass.</b> Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. <b>2400mm drum with welded HT13 holder.</b> <b>STANDARD OPTIONS INCLUDED:</b> 1 Slope control. 1 Scraper blade with beam. 1 Knockout tool. 1 Extra Manuals.		
1	<b>WR2000 2.4M Ohio STS List Price</b>	\$444,043.00	\$ 444,043.00

SubTotal  
 Shipping

<b>Payment</b>
TERMS: _____
_____
_____
_____

**TOTAL NET DUE \$ 444,043.00**



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>WR2400 BASE MACHINE:</b> High performance cold recycler. Equipped with Mercedes, 563 HP engine. Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators cabin with heater. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. <b>2400mm working width and depth up to 500mm in one pass.</b> Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. <b>2400mm drum with HT11 quick change holder system.</b> <b>STANDARD OPTIONS INCLUDED:</b> 1 Air conditioner. 1 Slope control. 1 Scraper blade with beam. 1 Knockout tool. 1 Extra Manuals.		
1	<b>WR2400 Ohio STS List Price</b>	\$531,936.00	\$ 531,936.00

Subtotal	
Shipping	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____



**ALL QUOTES SUBJECT TO AVAILABILITY.**

WIRTGEN AMERICA, INC.  
 6030 DANA WAY  
 ANTIOCH, TN 37013  
 PHONE 615-501-0600/FAX 615-501-0607



**2012 CUSTOMER QUOTE SUMMARY**

<b>Customer</b>			
Name	Ohio STS		
Address	_____		
City	_____	State	_____ ZIP _____
Phone	_____		

<b>Misc</b>	
Date	2/13/2012
Attn	_____
Rep	_____
FOB	_____

Qty	Description	Unit Price	TOTAL
1	<b>WR2500 BASE MACHINE:</b> High performance cold recycler. 8-CYLINDER DIESEL ENGINE MODEL DEUTZ TCD 2015 V08 Four cutting depth speeds. Machine can operate in up milling or down milling mode. Operators cabin with heater. Automatic adaptation of mixing compartment size according to working depth - variable mixing chamber concept. <b>2438mm working width and depth up to 500mm in one pass.</b> Hydraulically adjustable scraper blades. Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock. <b>2438mm drum with HT11 quick change holder system.</b> <b>STANDARD OPTIONS INCLUDED:</b> Air conditioner. Slope control. Scraper blade with beam. Knockout tool. Extra Maunals.		
1	<b>WR2500S Ohio STS List Price</b>	\$653,419.00	\$653,419.00

SubTotal	
Shipping	
<b>TOTAL NET DUE</b>	

<b>Payment</b>
TERMS: _____
_____
_____
_____

--

**ALL QUOTES SUBJECT TO AVAILABILITY.**