



Pierce Manufacturing STS 7761800208 Trucks & Related Equipment

Pierce Custom Pumper Saber Chassis	\$	268,938.15
Pierce Custom Pumper Impel Chassis	\$	275,530.15
Pierce Custom Pumper Velocity Chassis	\$	289,742.09
Pierce Custom Pumper Quantum Chassis	\$	327,997.32
Pierce Custom Pumper Arrow XT Chassis	\$	306,798.89
Pierce Custom Rear Mount Pumper Impel Chassis	\$	285,883.71
Pierce Custom Rear Mount Pumper Velocity Chassis	\$	299,500.31
Pierce Custom Rear Mount Pumper Quantum Chassis	\$	333,603.61
Pierce Custom Rear Mount Pumper Arrow XT Chassis	\$	320,539.09
Pierce Custom Contender PUC Pumper	\$	287,995.00
Pierce PUC Pumper Saber chassis	\$	319,205.24
Pierce PUC Pumper Impel chassis	\$	341,085.00
Pierce PUC Pumper Velocity chassis	\$	350,192.79
Pierce PUC Pumper Arrow chassis	\$	354,978.17
Pierce PUC Pumper Quantum chassis	\$	369,546.49
Pierce Custom Pumper Contender Chassis	\$	241,455.00
Kenworth Pumper	\$	178,403.21
Freightliner Pumper	\$	177,499.90
International Pumper	\$	179,562.99
Pierce Custom Impel 75' Quint Aerial	\$	517,225.00
Pierce Custom Velocity 75' Quint Aerial	\$	524,386.39
Pierce Custom Quantum 75' Quint Aerial	\$	557,233.09
Pierce Custom Arrow XT 75' Quint Aerial	\$	543,295.13
Pierce Custom Velocity 100' Quint Aerial	\$	617,259.43
Pierce Custom Quantum 100' Quint Aerial	\$	624,986.49
Pierce Custom Arrow XT 100' Quint Aerial	\$	611,143.29
Pierce Custom Rear Mount Aerial Platform	\$	747,600.78
Pierce Custom Mid Mount Aerial Platform	\$	908,238.55
Pierce Custom Mid Mount Ladder	\$	706,461.55
Custom Saber Rescue / Sepecialty Vehicle	\$	248,735.73
Custom Impel Rescue/ Sepecialty Vehicle	\$	268,305.73
Custom Velocity Rescue/ Sepecialty Vehicle	\$	298,955.44
Custom Arrow XT Rescue/ Sepecialty Vehicle	\$	280,139.40
Custom Quantum Rescue/ Sepecialty Vehicle	\$	313,006.70
Custom Contender Rescue	\$	238,435.73
Comercial (Kenworth, IHC, Freightliner) Rescue	\$	168,142.35
Medium Rescue Ford F450	\$	111,245.15
Kenworth Tanker	\$	197,302.68
Freightliner Tanker	\$	196,282.98
International Tanker	\$	199,713.91
DX Tanker 2100 Gallon w/ 500 GPM Pump	\$	162,419.67
DX Tanker 3000 Gallon w/ 500 GPM Pump	\$	172,822.67
Ford F550 Mini Pumper	\$	139,819.41
GMC Mini Pumper	\$	164,788.67
International Hawk Pumper	\$	265,631.85

Delivery shall be with in **90 - 365 calendar** days after receipt of order.

CUSTOM PUMPERS


SABER, IMPEL, VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
370hp engines
Allison 3000 EVS P automatic transmission
16,000 lb – 18,000 lb front axle, spring suspension with shock absorbers
24,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
65-gallon rear fuel tank
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

136" Full-height compartments on driver side and low compartments on passenger side
45" Pump house (Side Control)
Full depth lower extended rear compartments both sides
Full height rear compartment with roll-up door
Anodized aluminum roll-up doors
Aluminum body
750-gallon polypropylene water tank with 1.50" tank fill
Minimum one adjustable hosebed divider
LED warning light package
Ladders: 24' 2-section, 14' roof and 10' folding
Waterous 1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
3.00" deluge riser outlet
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




CUSTOM REAR MOUNT PUMPER SABER, IMPEL, VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

- Aluminum cab with 6-person seating capacity
- 370hp engines
- Allison 3000 EVS P automatic transmission
- 16,000 lb – 18,000 lb front axle, spring suspension with shock absorbers
- 24,000 lb rear axle, spring suspension
- ABS anti-lock braking system, front disc and rear cam
- Four (4) Exide group 31 950CCA each
- Telescoping and tilt steering wheel
- West Coast mirrors with additional 6" round convex mirror
- 270-amp alternator
- Auxiliary brake
- Electric over hydraulic cab lift
- Drivers seat 911 knee action, air ride high back
- Officer seat 911 with SCBA and radio compartment under seat
- Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
- 65-gallon rear fuel tank
- Air inlet (DS step well)
- SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

- 191" Full-height compartments on both side
- Driver side rear Pump house (Side Control)
- Anodized aluminum roll-up doors
- Aluminum body
- 500-gallon polypropylene water tank with 1.50" tank fill
- Minimum one adjustable hosebed divider
- LED warning light package
- Ladders: 24' 2-section, 14' roof and 10' folding in hose bed
- Waterous rear mount 1500 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
- Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays in hose bed
- Extruded aluminum rub-rails
- 10" white Scotchlite stripe and rear chevron



CUSTOM PUC PUMPER


AVAILABLE ON CONTENDER, SABER, IMPEL, VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
370hp engines
Allison 3000 EVS P automatic transmission
16,000 lb – 18,000 lb front axle, spring suspension with shock absorbers
24,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
65-gallon rear fuel tank
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

177" Full-height compartments on driver side and low compartments on passenger side
175" WB (Side Control)
Full height compartments both sides
Anodized aluminum roll-up doors
Aluminum body
750-gallon polypropylene water tank with 1.50" tank fill
Minimum one adjustable hosebed divider
LED warning light package
Ladders: 24' 2-section, 14' roof and 10' folding
Pierce 1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), two 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




CONTENDER CUSTOM PUMPER

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
360hp engines
Allison 3000 EVS P automatic transmission
16,000 lb front axle, 16,000 lb spring suspension with shock absorbers
24,000 lb rear axle, 31,000 lb spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
18.7 CFM air compressor
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
65-gallon rear fuel tank
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

152" Full-height compartments on driver side and low compartments on passenger side
45" Pump house (Side Control)
Full depth lower extended rear compartments both sides
Full height rear compartment with roll-up door
Anodized aluminum roll-up doors
Aluminum body
750-gallon polypropylene water tank with 1.50" tank fill
Minimum one adjustable hosebed divider
LED warning light package
Ladders: 24' 2-section, 14' roof and 10' folding
Waterous 1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
3.00" deluge riser outlet
Extruded aluminum rub-rails
10" white Scotchlite stripe and Pierce number 90 red paint




COMERCIAL PUMPERS

STANDARD CHASSIS FEATURES

Three man bench seat two (2) door chassis
300hp
West Coast mirrors with convex
Electronic siren with 100 watt speaker
50 gallon fuel tank
270amp alternator
EVS 3000 5-speed automatic transmission
35,000# GVW two (2) door chassis (12,000# front and 23,000# rear)
Tilt steering
Air conditioning
Exhaust brake 4 door only (Diamond Logic)

STANDARD BODY FEATURES

152" Full-height compartments on driver's side and 152" low compartments on passenger's side
45" Pump house (Side Control)
42" Pump house (Top Mount)
Aluminum body
Full height rear compartment
Anodized aluminum Gortite roll-up doors
750 gallon polypropylene water tank with 1.5-inch tank fill
One adjustable hosebed divider
LED lighting package
Engine pump panel gauges and controls (ENF04)
Tail lights, Weldon Tri-Light cluster (Includes backup light)
Stainless Steel, Brass, and Flex Hose For All Plumbing
Waterous 1250 gpm pump
Akron Valves
Pressure governor
Two (2) 2.50" discharge outlets (driver's side), one (1) 2.50" outlet (passenger's side) and one (1) rear 2.50" discharge outlet
Two (2) 1.75" crosslays with 2.00" piping
3.00" deluge riser
Ladder Brackets PS
Extruded aluminum rubrail
6" white Scotchlite stripe & rear chevron
Pierce number 90 red paint
Standard Pierce body and paint warranties



75' Aerials


IMPEL, VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
425hp engines
Allison 3000 EVS P automatic transmission
19,500 lb front axle, spring suspension with shock absorbers
31,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

75' Aerial ladder w/ 1500 GPM waterway
500-750 lb tip load
Full-height compartments on driver side and hose bed on passenger side
45" Pump house (Side Control)
Aluminum body
Hose bed
500-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
Waterous 1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




100' -105' Aerials VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
20,500 lb front axle, spring suspension with shock absorbers
48,000 lb rear axle, spring suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

100' – 105' Aerial ladder w/ waterway
500-750 lb tip load
Full-height compartments on driver side and hose bed on passenger side
45" Pump house (Side Control)
Aluminum body
Hose bed
500-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
Waterous 1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




85' & 100' Aerial Platform VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
22,500 lb front axle, spring suspension with shock absorbers
54,000 lb rear axle, rubber suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

100' Aerial Platform w/ waterway
1000 lb tip load
Full-height compartments on each side
45" Pump house (Side Control)
Aluminum body
Hose bed
300-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
Waterous 1250 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




95' Mid Mount Aerial Platform VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
22,500 lb front axle, spring suspension with shock absorbers
58,000 lb rear axle, rubber suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

95' Mid Mount Aerial Platform w/ waterway
1000 lb tip load
Full-height compartments driver side, Hose bed passenger side
Aluminum body
300-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
Waterous or Hale 2000 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron




100' Mid Mount Aerial Ladder VELOCITY, ARROW & QUANTUM CHASSIS

STANDARD CHASSIS FEATURES

Aluminum cab with 6-person seating capacity
450hp engine
Allison 4000 EVS P automatic transmission
22,500 lb front axle, spring suspension with shock absorbers
58,000 lb rear axle, rubber suspension
ABS anti-lock braking system, front disc and rear cam
Four (4) Exide group 31 950CCA each
Telescoping and tilt steering wheel
West Coast mirrors with additional 6" round convex mirror
270-amp alternator
Auxiliary brake
Electric over hydraulic cab lift
Drivers seat 911 knee action, air ride high back
Officer seat 911 with SCBA and radio compartment under seat
Two (2) forward facing SCBA crew seats & two (2) rear facing SCBA crew cab seats
Air inlet (DS step well)
SCBA air bottle brackets (seats)

STANDARD BODY FEATURES

100' Mid Mount Aerial ladder w/ waterway
750 lb tip load
Full-height compartments driver side, Hose bed passenger side
Aluminum body
300-gallon polypropylene water tank with 1.50" tank fill
LED warning light package
Ladders: 35' 3-section, 24' 2-section, 16' roof and 10' folding
Waterous or Hale 2000 gpm pump w/ Stainless steel, brass, and flex hose for all plumbing & Pressure governor
Outlets - Two 2.50" discharge outlets (DS), one 2.50" outlet (PS), one rear 2.50" discharge outlet, and two cross-lays
Extruded aluminum rub-rails
10" white Scotchlite stripe and rear chevron



16' CUSTOM RESCUE

STANDARD CHASSIS FEATURES

Air ride drivers seat, stationary SCBA Officers seat and two crew cab SCBA seats, Four (4) door Cab with air bottle brackets in seats

330hp engine

Air conditioning

Tow hooks

Intermittent wipers

Keyless ignition

West Coast mirrors with square convex, both sides

Whelen siren 100 watt speaker

50-gallon fuel tank

270-amp alternator

Allison 3000 EVS P Automatic Transmission

16,000 lb front and 22,000 lb rear

Tilt steering wheel

STANDARD BODY FEATURES

Aluminum body using front, rear and roof radius extrusions

Transverse compartments forward of and over the rear axle

Aluminum tread-plate overlay on front of body

Aluminum tread-plate roof

Anodized aluminum roll-up doors

Spatter paint compartment interior finish

594 cubic feet of equipment storage space

Whelen LED warning light package

Side and rear upper scene lights

Extruded aluminum rub-rails

10" white Scotchlite stripe

Pierce number 90 red paint

Standard Pierce body and paint warranties




16' COMMERCIAL RESCUE

STANDARD CHASSIS FEATURES

Air ride drivers seat, stationary SCBA Officers seat and three (3) crew cab SCBA seats, Four (4) door chassis with air bottle brackets in seats
310hp engine
Air conditioning
Deluxe interior
Chrome grille
Tow hooks
Intermittent wipers
Keyless ignition
West Coast mirrors with square convex, both sides
Whelen siren 100 watt speaker
50-gallon fuel tank
270-amp alternator
Load Manager (2-channel)
Allison 3000 EVS P Automatic Transmission
31,000 lb GVW (12,000 lb front and 19,000 lb rear)
Tilt steering wheel
One (1) air horn behind the bumper, controlled by the horn button and separate momentary switch on PS
Factory steps both sides
LED Step Lights

STANDARD BODY FEATURES

Aluminum body using front, rear and roof radius extrusions
Hatch compartments
Transverse compartments forward of and over the rear axle
Aluminum tread-plate overlay on front of body
Aluminum tread-plate roof
Anodized aluminum roll-up doors
Spatter paint compartment interior finish
594 cubic feet of equipment storage space
Whelen LED warning light package
Side and rear upper scene lights
Extruded aluminum rub-rails
10" white Scotchlite stripe
Pierce number 90 red paint
Standard Pierce body and paint warranties




12' LIGHT DUTY RESCUE

STANDARD CHASSIS FEATURES

Tow eyes (2) front and rear
Bucket seats/red belts with center console for switches, radios, and map storage (2 door & 4 door model)
3 man bench seat/red belts in crew compartment (4 door model only)
Electronic siren with 100-watt speaker
Air conditioning
300 hp turbo diesel
5-speed Allison 1000 EVS automatic transmission with overdrive
8,000 lb front axle
13,500 lb rear drive axle, limited slip differential
40-gallon fuel tank
Chassis fuel cooler (4 door only)
Dual 105-amp alternators
Load Manager (2-channel)
Back-up alarm
Painted bumper
GVWR 19,500 lb

STANDARD BODY FEATURES

Aluminum body
Transverse compartments forward of and over the rear axle
Aluminum tread-plate roof
Aluminum tread-plate overlay on front of body
Anodized aluminum roll-up doors
440 cubic feet storage in 12' rescue
12" deep treadplate rear bumper
Spatter paint compartment interior finish
LED warning light package
Side and rear upper scene lights
Tail lights, Weldon Tri-Light cluster (includes backup light)
Extruded aluminum rub-rails
6" Scotchlite stripe
Red red paint
Standard Pierce body and paint warranties




CONTENDER DRY SIDE TANKER

Air ride drivers seat, two (2) men bench seat with under seat storage compartment
300hp engine
Air conditioning
Keyless ignition
West Coast style mirrors with square convex, both sides
Intermittent wipers
Tilt steering wheel
Chrome grille
Tow hooks
Electronic siren with 100 watt speaker
50-gallon fuel tank
270-amp alternator
Exhaust brake
Allison 3000 EVS P Automatic Transmission
38,000 lb GVW two (2) door chassis (12,000 lb front, 26,000 lb rear) with 1,800-gallon tank
44,000 lb GVW two (2) door chassis (14,000 lb front, 30,000 lb rear) with 2,000-gallon tank
One air horn behind the bumper controlled by the horn button and separate momentary switch on passenger side
Factory steps both sides
LED Step Lights

STANDARD BODY FEATURES

Compartment ahead of wheel each side with roll-up door
Aluminum body
Hose bed and grating
Spatter paint compartment interior finish
One (1) 10" manual Newton dump valve at rear
90 Degree dump chute
Dry Side polypropylene water tank with provisions for future installation of 10" side dumps
One (1) 2.50" rear tank fill (passenger side)
Code-3 LED warning light package
Tail lights, Weldon Tri-Light cluster (includes backup light)
Models with Waterous 500 gpm pump or Hale Q-Pak 1000 gpm pump
Stainless steel, brass, and flex hose for all plumbing
Class One pressure governor
Outlets-One 2.50" discharge outlet (DS), one 2.50" outlet (PS), and two 1.5" cross-lays
NFPA hose restraints
Color-coded tags
Extruded aluminum rub-rails
10" white Scotchlite stripe & rear chevron
Pierce number 90 red paint
Standard Pierce body and paint warranties



CONTENDER DX TANKER

BASE MODEL STOCK COMMERCIAL UNITS

2100 Gallon, Kenworth T300, Single axle, w/PTO (Pump in motion)

3000 Gallon, Kenworth T300, Tandem axle, w/PTO pump (Pump in motion)

STANDARD CHASSIS FEATURES

Pump in motion PX8

330 horsepower engine w/exhaust brake

Air conditioning

EVS 3000 5 speed automatic transmission

Air ride driver seat and two person bench

50 gallon steel fuel tank

270 amp alternator

40,600 lb GVW -2100 gallon tank- (14.6k front & 26k rear)

54,600 lb GVW -3000 gallon tank- (14.6k front & 40k tandem rear)

West Coast mirrors with convex

Code 3 3692 siren with 100 watt speaker

Painted steel front bumper

Tilt steering

LED Step Lights

STANDARD BODY FEATURES

Wet Side painted Polypropylene water tank

Compartments ahead of rear axle(s) both sides

Portable tank compartment integral to water tank

Hard Suction Storage integral to water tank

One (1) 2.50" direct tank fill at rear

Rear 10" tank dump with manual valve and swivel chute

500 gpm Darley PTO pump (set for pump and roll)

(2) Speedlays with removable trays

NFPA hose restraints

Two (2) 2.50" discharge outlets on the driver's side

One 2.00" tank refill line

Fire Research Auto Controller

Code-3 NFPA lighting package


Engine pump panel gauges and controls (ENF04)

Scene lights at rear

Mud flaps with Contender logo at rear

4" White Scotchlite stripe

Pierce #90 red paint




MINI PUMPER

STANDARD CHASSIS FEATURES

Aluminum tread-plate step/running board package
Single start (2) 750 CCA batteries
Whelen 295SLSA1 siren with 100 watt speaker
AM/FM stereo with clock
Air conditioning
V8 300 hp turbo diesel
6-speed manual transmission with overdrive
40-gallon fuel tank
Dual 130-amp alternators
Load Manager
GVW 17,950 lb
LED Step Lights

STANDARD BODY FEATURES

Full height and depth compartment ahead and behind wheel each side with one over the wheel
Rear compartment
Roll-up doors
Aluminum body
Spatter paint compartment interior finish
12' Duo-Safety 1000A two-section ladder in storage tray above passenger side compartment top
300-gallon polypropylene water tank
Whelen LED warning light package
Tail lights, combination Tri-Light cluster (includes backup light)
Two (2) cross-lay beds
500 gpm pump
Stainless steel, brass, and flex hose used in plumbing
One (1) 2.50" discharge outlet (driver side), one (1) 2.50" outlet (passenger side), two (2) 1.5" cross-lays
One (1) 2.50" inlet (driver side)
Pump in Motion
1.50" Tank refill
3.00" Tank to pump
6" white Scotchlite stripe
Pierce number 213 red paint
Standard Pierce body and paint warranties



HAWK WILDLAND PUMPER

STANDARD CHASSIS FEATURES

International 7400 series chassis with a 4 door cab
179" wheelbase with a GVW of 35,000 lbs.
12,000 lb front Meritor axle with 4X4 transfer Case
23,000 lb rear Meritor axle
Top Speed of Vehicle - 70 to 73
Diamond Logic Exhaust Brake
MaxxFace 9 330 hp engine
Engine heater
70 gal. steel fuel tank
Allison 3000 EVS automatic transmission with a 5 year warranty
Air ride driver and officer seats with a 3 man bench seat in the crew cab
Air conditioning is standard
(3) Group 31, 650 CCA batteries
Battery Charging receptacle located by the driver step
270 amp Leece-Neville alternator
Antenna Mount for 2-way radio
2-Way radio wiring as provided by the chassis mfg. 45

STANDARD BODY FEATURES

500 Gallon water tank with 2" tank fill
Hose bed with over 40 cubic feet of storage
500 GPM Darley pump, with mechanical seals, and pump and roll ability
Valve, Pump Relief w/ Indicator Lights, Darley
Stainless steel, brass and high pressure hose plumbing
4" main pump inlets
Akron 8000 series valves
Inlet, LH Side, 2.50" Gated, Wildland
Line, (1) 3.00" Tank to Pump w/4" Plumb, Reverse Control,
Outlet(s), LH Side, 2.50",
Outlet, LH, 2.50" w/2.00" valve, Below Deadlays, Valve at Outlet
Outlet(s), RH Side, 2.50", Contender Wildland
Outlet, RH, 2.50" w/2.00" valve, Below Deadlays, Valve at Outlet
Fire Research Throttle
Whelen 295SLSA1 siren
Whelen SA314A, 100 watt speaker
Whelen, LED, NFPA lightbar
Whelen LED's for all zone lighting
Gray spatter paint in the body compartments
White 6" reflective band

Cab Options

Saber / CC	STD	\$ -
Saber / CC 12" Extended cab Raised Roof PUC	STD	\$ -
Saber / CC 12" Extended cab Raised Roof	IPOS	\$ 4,748
Saber / CC 22" Raised Roof Enclosed top mount	IPOS	\$ 9,147
Impel, 60"	STD	\$ -
Impel, 60" w/10" Raised Roof	IPOS	\$ 3,482
Impel, 60" w/20" Raised Roof	IPOS	\$ 5,381
Impel, 70" w/10" Raised Roof	IPOS	\$ 5,222
Impel, 70" w/20" Raised Roof	IPOS	\$ 8,704
Velocity, 60"	STD	\$ -
Velocity, 60" w/10" Raised Roof	IPOS	\$ 1,481
Velocity, 60" w/20" Raised Roof	IPOS	\$ 2,788
Velocity, 70" w/10" Raised Roof	IPOS	\$ 1,692
Velocity, 70" w/20" Raised Roof	IPOS	\$ 3,064
Velocity, 84" w/10" Raised Roof	IPOS	\$ 6,252
Velocity, 84" w/20" Raised Roof	IPOS	\$ 7,811
Velocity, 80" Split Tilt Cab Flat Roof	IPOS	\$ 5,709
Velocity, 80" Split Tilt Cab w/10" Raised Roof	IPOS	\$ 8,188
Velocity, 80" Split Tilt Cab w/20" Raised Roof	IPOS	\$ 9,179
Velocity, 90" Split Tilt Cab Flat Roof	IPOS	\$ 7,443
Velocity, 90" Split Tilt Cab w/10" Raised Roof	IPOS	\$ 9,706
Velocity, 90" Split Tilt Cab w/20" Raised Roof	IPOS	\$ 11,078
Arrow-XT, 103" H, 67"	STD	\$ -
Arrow-XT, 103" H, 67" w/10" Raised Roof	IPOS	\$ 1,475
Arrow-XT, 103" H, 67" w/16" Raised Roof	IPOS	\$ 2,274
Arrow-XT, 103" H, 67" w/20" Raised Roof	IPOS	\$ 2,876
Arrow-XT, 103" H, Two Door, No Crew Cab	IPOS	\$ (5,996)
Quantum,Bright Finish, Side Door	STD	\$ -
Quantum,Bright Finish, Side Door, With 12" Raised Roof	IPOS	\$ 2,747
Quantum,Bright Finish,Side Door, With 22" Raised Roof	IPOS	\$ 4,174
Quantum,Bright Finish, Side Door, 10man	IPOS	\$ 2,279
Quantum,Bright Finish,Side Door 10man, With 12" Raised Roof	IPOS	\$ 5,157

International

IHC7400 Cab and chassis IPO 4400	IPOS	\$ 1,604
IHC7600 Cab and chassis IPO 4400 (Includes a Cummins ISM 410hp w/ EVS4000 trans.)	IPOS	\$ 31,604
26" extended 2 door cab	IPOS	\$ 2,474
Four door crew cab w/ rear bench seat	IPOS	\$ 7,590
Front Axle 12,000lbs	STD	
Front Axle 14,000lbs	IPOS	\$ 840
Front Axle 16,000lbs (7400 & 7600 chassis only)	IPOS	\$ 2,584
Rear Axle 24,000lbs	STD	
Rear Axle 26,000lbs	IPOS	\$ 2,680
Rear Axle 30,000lbs	IPOS	\$ 4,431
Rear Axle 40,000lbs (7400 & 7600 chassis only)	IPOS	\$ 14,500
Rear Axle 46,000lbs (7400 & 7600 chassis only)	IPOS	\$ 16,170
WHEELBASES 189" TO 256"	IATS	\$ 947
WHEELBASES 242" TO 256" w/C-CHANNEL REINF	IATS	\$ 1,229
ABS w/AUTO TRACTION CONTROL	IATS	\$ 172
POLISHED ALUM DISC WHEELS	IPOS	\$ 1,988

300 HP ENGINE	STD	
330 HP ENGINE	IPOS	\$ 1,291
370 HP Engine w/ Allison EVS4000 (7600 chassis only)		
410 HP Engine w/ Allison EVS4000 (7600 chassis only)		
DIAMOND LOGIC EXHAUST BRAKE	IATS	\$ 518
DIAMOND LOGIC EXHAUST BRAKE & ENGINE BRAKE COMBINATION	IATS	\$ 1,178
ALLISON RETARDER	IATS	\$ 5,562
Air conditioning,	IATS	\$ 820
AIR SUSPENSION DRIVER W/2-MAN BENCH PASSENGER	IPOS	\$ 402
SEATS INC AIR Driver, with SCBA Officer	IPOS	\$ 585
(3) SEATS INC SCBA seats in the rear crew cab	IATS	\$ 1,630
EXTERIOR VISOR w/Internal Marker Lights	IATS	\$ 175
Aluminum tread plate step package 2 door	IATS	\$ 909
Aluminum tread plate step package 4 door	IATS	\$ 1,974
Compartment, Extended cab w/ roll-up doors on each side	IATS	\$ 5,300

Freightliner M2 106

26" extended 2 door cab	IPOS	\$ 2,474
Four door crew cab w/ rear bench seat	IPOS	\$ 8,790
Front Axle 12,000lbs	STD	
Front Axle 14,000lbs	IPOS	\$ 840
Front Axle 16,000lbs	IPOS	\$ 2,466
Rear Axle 23,000lbs	STD	
Rear Axle 24,000lbs	IPOS	\$ 540
Rear Axle 26,000lbs	IPOS	\$ 2,480
Rear Axle 30,000lbs	IPOS	\$ 6,331
WHEELBASES 181" TO 226"	IATS	\$ 597
WHEELBASES 226" TO 256"	IATS	\$ 1,200
ABS w/AUTO TRACTION CONTROL	IATS	\$ 198
POLISHED ALUM DISC WHEELS	IPOS	\$ 1,988
300 HP ENGINE	STD	
315 HP ENGINE	IPOS	\$ 934
330 HP ENGINE	IPOS	\$ 1,291
Air conditioning,	IATS	\$ 820
AIR SUSPENSION DRIVER W/2-MAN BENCH PASSENGER	IPOS	\$ 402
SEATS INC AIR Driver, with SCBA Officer	IPOS	\$ 585
(3) SEATS INC SCBA seats in the rear crew cab	IATS	\$ 1,830
Aluminum tread plate step package 2 door	IATS	\$ 909
Aluminum tread plate step package 4 door	IATS	\$ 1,774
Compartment, Extended cab w/ roll-up doors on each side	IATS	\$ 5,300

Kenworth T300

Four door crew cab w/ (3) rear SCBA seats	IPOS	\$ 13,890
Four door Multi cab w/ (4) rear SCBA seats	IPOS	\$ 29,335
Front Axle 12,000lbs	STD	
Front Axle 14,000lbs	IPOS	\$ 1,140
Rear Axle 23,000lbs	STD	
Rear Axle 26,000lbs	IPOS	\$ 1,780
Rear Axle 30,000lbs	IPOS	\$ 4,890
Rear Axle Tandem 40,000lbs	IPOS	\$ 5,890
C-Channel frame insert	IATS	\$ 1,734

ABS w/AUTO TRACTION CONTROL	IATS	\$ 386
POLISHED ALUM DISC WHEELS	IPOS	\$ 1,388
315 HP ENGINE Cummins	STD	
330 HP ENGINE Cummins	IPOS	\$ 890
360 HP ENGINE Cummins	IPOS	\$ 1,290
Cummins C Brake	IATS	\$ 2,174
Air conditioning,	IATS	\$ 620
AIR SUSPENSION DRIVER W/2-MAN BENCH PASSENGER	STD	
SEATS INC AIR Driver, with SCBA Officer	IPOS	\$ 585
Aluminum tread plate step package 2 door	IATS	\$ 609
Aluminum tread plate step package 4 door	IATS	\$ 2,174
Axle, Rear, Meritor RS30-185, 31,000 lb	IPOS	\$ 5,678
Axle, Rear, Meritor RS30-185, 33,500 lb	IPOS	\$ 6,671
Axle, Rear, Meritor RT40-145, 40,000 lb,	IPOS	\$ 15,702
Axle, Rear, Meritor RT44-145, 44,000 lb	IPOS	\$ 18,345
Axle, Rear, Meritor RT46-160, 48,000 lb	IPOS	\$ 19,888
Axle, Rear, Meritor RT50-160, 52,000 lb	IPOS	\$ 24,988
Axle, Rear, Meritor RT52-185, 54,000 lb	IPOS	\$ 26,438
Axle, Rear, Meritor RT58-185, 58,000 lb	IPOS	\$ 31,713
		\$ -
Axle Accessories,		\$ -
Driver Controlled Differential Lock, Single Axle	IATS	\$ 1,163
Driver Controlled Differential Lock, Tandem Axle	IATS	\$ 2,323
ATC Wabco System, Single Rear Axle	IATS	\$ 865
ATC Wabco System, Tandem rear axle	IATS	\$ 865
		\$ -
Suspension, Rear		\$ -
Suspen, Rear, Air, 24,000 lb – 27,000 lb	IPOS	\$ 2,517
Suspen, Rear, Dynalastic, 48,000 lb – 54,000 lb	IPOS	\$ 4,194
Suspen, Rear, Dynalastic, 58,000 lb IPOS \$5,905		\$ -
Suspen, Rear, Hendrickson FMX , Air Ride, 44,000 lb – 54,000 lb	IPOS	\$ 4,539
		\$ -
Wheels, Front		\$ -
Wheels, Frt, Alum, Alcoa, 22.50" x 8.25" – 9"	IPOS	\$ 928
Wheels, Frt, Alum, Alcoa, 22.50" x 12.25" & 13" (425/ & 385/)	IPOS	\$ 1,287
		\$ -
Wheels, Rear		\$ -
Wheels, Rr, Alum, Alcoa, – 9" single rear	IPOS	\$ 2,525
Wheels, Rr, Alum, Alcoa – 9" sngl rear, OUTSIDE ONLY	IPOS	\$ 571
Wheels, Rr, Alum, Alcoa, – 9" tandem rear	IPOS	\$ 3,483
Wheels, Rr, Alum, Alcoa, – 9" tandem rear OUTSIDE ONLY	IPOS	\$ 1,473
		\$ -
Tire & Wheel Accessories		\$ -
Bands, Wheel Safety Bands, Tyron, Custom Chassis (each wheel)	IATS	\$ 545
Tire Pressure Management, Custom Chassis	IATS	\$ 1,239
Chains, Onspot automatic tire, Custom	IATS	\$ 3,464
Chains, Rud automatic tire, 18 strand	IATS	\$ 3,657
Tire, "Crossfire" Air Pressure Equalization	IATS	\$ 246
Tire, "Crossfire" Air Pressure Equalization (tandem)	IATS	\$ 448
Wheel liners, S/S, 8.25/9.00" disc, rear, pair	IATS	\$ 488
Wheel cover, S/S, 9.00" (front pair)	IATS	\$ 549

Tow Bars, (2) w/Hitch Receiver, Rear/Sides, Under Body	IATS	\$ 1,335
Front wheel hub covers	IATS	\$ 79
Rear wheel hub covers, hat	IATS	\$ 166
		\$ -
Brake Accessories		\$ -
Air Tank, Additional for Air Tools w/Outlet	IATS	\$ 568
Air Tank, Additional for Extra Air Horn Capacity	IATS	\$ 305
Air Tank, Additional for Extra Capacity	IATS	\$ 305
All Wheel Lock-up	IATS	\$ 572
Compressor, Air, Kussmaul 091-9 B-1 120V Brake Sys	IATS	\$ 972
Compressor, Air, Kussmaul 091-9 12V Brake System	IATS	\$ 953
Air Inlet, with Kussmaul Air Eject	IPOS	\$ 257
		\$ -
Brakes, Auxiliary		\$ -
Engine Brake, Jacobs	STD	\$ -
Retarder, Telma driveline, focal mount,single axle	IPOS	\$ 7,013
Retarder, Telma Inline-Driveline, Tandem Axle	IPOS	\$ 12,649
Credit Jake brake w/ use of transmission retarder	IPOS	\$ (4,158)
		\$ -
Brakes,		\$ -
Brakes, Meritor, EX225, 17", Disc Plus, Front	IPOS	\$ 934
Brakes, Meritor, EX225, Disc Plus, Rear, Single Axle,	IPOS	\$ 852
Brakes, Meritor, EX225, Disc Plus, Rear, Tandem Axle	IPOS	\$ 1,699
		\$ -
Backup Warning Accessories		\$ -
Backup Camera, Safety Vision, , Single	IATS	\$ 1,430
Camera, Backup, Safety Vision, w/ Command Zone monitor,	IATS	\$ 847
Cover, Alum 4-way For Rear Body Camera	IATS	\$ 96
		\$ -
Alternators		\$ -
Alternator, 320 amp, Leece-Neville 4962PA, Sgl Sys	STD	\$ -
Alternator, 340 amp, Niehoff C615	IPOS	\$ 350
Alternator, 400 amp Niehoff C656	IPOS	\$ 1,684
		\$ -
Battery Systems		\$ -
Batteries, (4) Grp 31, 950 CCA each, SAE Post	STD	\$ -
Batteries, (6) Grp 31, 750 CCA each, SAE Posts	IPOS	\$ 691
Batteries, (6) Grp 31, 700 CCA each, Threaded Post	IPOS	\$ 620
Batteries, (6) Grp 31, 950 CCA each, Threaded Post	IPOS	\$ 691
		\$ -
Battery Accessories		\$ -
Battery Energizer, Canadus, HD-12, Single Unit	IATS	\$ 410
Jumper Studs,	IATS	\$ 242
Kussmaul "Super" Auto-Eject Recep,15A (batt chrg)	IATS	\$ 446
Saver, Battery, Kussmaul 091-35-HO	IATS	\$ 1,305
Charger, Sngl system, Kussmaul Auto Charge 12 HO	IATS	\$ 1,093
Charger, Sngl system, Kussmaul 1000 w/ Battery Saver,	IATS	\$ 1,490
Charger, Sngl system, Kussmaul Auto Charge 1200	IATS	\$ 1,421
Charger, Sngl system, Kussmaul Pump Plus 1000	IATS	\$ 2,203
Charger, Sngl System, Kussmaul Pump Plus 1200,	IATS	\$ 2,661
Charger, Sngl System, IOTA 45 amp,	IATS	\$ 765

Charger, Sngl System, IOTA 75 amp,	IATS	\$ 923
		\$ -
Bumpers		\$ -
Bumper, Non-extended,	STD	\$ -
Bumper, 10" extended	IPOS	\$ 1,061
Bumper, 13" extended	IPOS	\$ 1,062
Bumper, 16" extended	IPOS	\$ 1,164
Bumper, 19" extended	IPOS	\$ 1,168
Bumper, 22" extended	IPOS	\$ 1,269
Bumper, 26" extended	IPOS	\$ 1,379
		\$ -
Bumper Accessories		\$ -
Box, Tool (no cover),	IATS	\$ 340
Box, Tool w/cover,	IATS	\$ 665
Cover, Alum Treadplate, For Hose Tray	IATS	\$ 365
Hard PVC Hose & Strainer, Bumper Ext, Recess Tray	IATS	\$ 1,852
Notch/Tray, "California" Style Front Inlet	IATS	\$ 759
Rods, Sight on Bumper, Marker/Directional Capability	IATS	\$ 369
Strap, Black Nylon Hold-down, Velcro, Hose Tray	IATS	\$ 130
Tray, Hose	IATS	\$ 358
		\$ -
Chassis Accessories		\$ -
Full length frame liner (required on tandem axle and WB + 215")	IATS	\$ 1,284
Lube System, Vogel,	IATS	\$ 4,302
Hitch, Receiver, Front, Custom Chassis	IATS	\$ 612
Winch, Warn, 9,000 lb. Portable Receiver Type	IATS	\$ 1,577
Winch, Warn, 12000 lb. Fixed, Front	IATS	\$ 3,850
Winch, Warn, 15000 lb. Fixed, Front	IATS	\$ 4,494
Winch, 20,000 lb. Hyd Rear	IATS	\$ 23,380
		\$ -
Chocks, Wheel		\$ -
Chocks, Wheel, SAC-44-E, Folding, Mounted, Horizontal	IATS	\$ 704
Chocks, Wheel, AC-32, Mounted, Horizontal	IATS	\$ 428
		\$ -
Air Horns		\$ -
Air Horns, (2) Hadley 6" Round,	IATS	\$ 752
Air Horns, (2) Grover,	IATS	\$ 942
		\$ -
Air Horn Control		\$ -
One (1) Foot Switch Control for Air Horn(s)	IPOS	\$ -
Two (2) Foot Switch Controls	IPOS	\$ 167
Horn Button Only	IPOS	\$ -
Lanyard Control for Air Horns	STD	\$ -
Two (2) Lanyard Controls for Air Horns	IPOS	\$ 274
Push Button Control for Air Horns	IATS	\$ 101
		\$ -
Siren		\$ -
Siren, Federal E-Q2B	IATS	\$ 1,783
Siren, Federal Q2B	IATS	\$ 2,962
Wiring & Mount, Siren, Federal Q2B, Cust Installed	IATS	\$ 617
Additional Speaker	IATS	\$ 765

		\$	-
Mirrors		\$	-
West coast style w/ convex	STD	\$	-
Ramco, heated & remote cab corner mnt	IPOS	\$	1,265
Ramco, w/convex, htd/rmt, Door mnt	IPOS	\$	906
Velvac 2010, West Coast Style, heated, remote	IPOS	\$	616
Velvac #2025 w/convex, heated & remote	IPOS	\$	839
Heated/Remote, w/ LED Turn Signal, One-Eleven Imp & Vel	IPOS	\$	1,118
Forward Mtd, Manual, One-Eleven Imp & Vel	IPOS	\$	158
Moto-Plus, Heated/Remote, w/Convex	IPOS	\$	802
West Coast, Lang Mekra w/Integral Convex, Heated & Remote,	IPOS	\$	580
		\$	-
Instrument Panel Accessories		\$	-
Clock, Class 1 Digital, 12/24 hour, Overhead	IATS	\$	366
Ammeter, Cab Instrument Panel	IATS	\$	265
Ammeters, Cab Instrument Panel, (Dual)	IATS	\$	529
Speedometer, Class 1 w/LED, Officer overhead	IATS	\$	454
Vehicle Roll Alert System, Stability Dynamics, LG Alert	IATS	\$	3,158
Radio, Panasonic w/CD and NOAA Weatherband	IATS	\$	976
Conduit, 1.00" to pump panel	IATS	\$	399
		\$	-
Electrical, Accessory		\$	-
Cigarette Lighter and Plug	IATS	\$	118
Terminal Strip (12VDC), (5) w/grd, "Battery Direct	IATS	\$	246
Window defrost fan (1) on DS	IATS	\$	206
Light, Map w/Goose Neck, Sunnex, w/Red Lens	IATS	\$	234
Light, Marker End Outline, Rubber Arm, LED Marker Lamp	IATS	\$	197
Manager, Kusssmaul Mark IV, (10) channel, IPOS	IPOS	\$	999
		\$	-
Intercom System		\$	-
Intercom, David Clark, 5-Pos, 3-Radio, D,O,2C,P	IATS	\$	7,306
Intercom, Fire-Com 3010, 5-Pos, 3-Radio, D,O,2C,P	IATS	\$	5,174
		\$	-
Circuit Breaker Panel		\$	-
Circuit Breaker Panel with out Generator	IATS	\$	562
		\$	-
Body Models		\$	-
Pumper, Short, Aluminum	IPOS	\$	-
Pumper, Med, Aluminum,	STD	\$	-
Pumper, Long, , Aluminum	IPOS	\$	4,251
Heavy Duty Rescue Pumper Aluminum	IPOS	\$	23,637
Tanker/Pumper body (tandem)	IPOS	\$	15,197
177" PUC Body	STD	\$	-
189" PUC Body	IPOS	\$	6,776
214" PUC Body	IPOS	\$	12,192
		\$	-
Body Options		\$	-
Stainless Steel body	IPOS	\$	11,018
Gortite Roll-up doors (Painted or Satin)	IPOS	\$	-
ROM Roll-up doors, Satin finish (each door)	IPOS	\$	194
ROM Roll-up doors, Painted finish (each door)	IPOS	\$	545

		\$ -
		\$ -
		\$ -
		\$ -
Medium Body Compartment Options		
DS 136" Full Hght&Dpth Ft&Rr	IPOS	\$ 2,379
DS 136" High 2 Liftups	IPOS	\$ 634
DS 136" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$ 3,688
DS 136" Rollup Full Hght Ft&Rr	IPOS	\$ 1,309
DS 136" Rollup 2 Uppers	IPOS	\$ 2,379
DS 152" Full Hght Ft&Rr, FDLER	IPOS	\$ 3,072
DS 152", 3 Lift-ups, FDLER	IPOS	\$ 4,832
DS 152" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$ 4,930
DS 152" Rollup Full Hght Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$ 3,946
DS 152" Rollup, 3 Uppers	IPOS	\$ 5,021
PS 136" Broom	IPOS	\$ 1,428
PS 136" 3/4 Hght Ft & Rr, 1 Broom	IPOS	\$ 1,428
PS 136" Full Hght&Dpth Ft&Rr	IPOS	\$ 4,837
PS 136" Full Hght Ft&Rr	IPOS	\$ 2,459
PS 136" 2 Liftups	IPOS	\$ 3,093
PS 152" 3/4 Hght Ft&Rr, 1 Broom,Full Dp Lr Extd Rr	IPOS	\$ 4,501
PS 152" Full Hght&Dpth Ft&Rr	IPOS	\$ 6,954
PS 152" Full Hght Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$ 5,532
PS 152" Low, Full Dp Lr Extd Rr	IPOS	\$ 3,072
PS 152" Rollup, 3/4 Hght Ft&Rr, 1 Lap Broom	IPOS	\$ 3,907
PS 152" Roll, 3/4 Ft&Rr, 1 Lap Broom, FDpthLwrExRr	IPOS	\$ 4,839
PS 152" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$ 7,824
PS 152" Rollup, FH Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$ 6,403
PS 152" Rollup, Low, Full Dp Extd Rr	IPOS	\$ 3,385
Long Body Compartment Options (Requires Long Body Model)		\$ -
DS 145" Full Hght&Dpth Ft&Rr	IPOS	\$ 4,674
DS 145" High 3 Liftups	IPOS	\$ 1,979
DS 145" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$ 4,199
DS 145" Rollup Full Hght Ft&Rr	IPOS	\$ 1,668
DS 145" Rollup 3 Uppers	IPOS	\$ 3,823
DS 161" Full Hght&Dpth Ft&Rr	IPOS	\$ 7,645
DS 161" Full Hght Ft & Rr, FDLER	IPOS	\$ 3,396
DS 161" Low, FDLER	IPOS	\$ 1,197
DS 161" 3 Lift-up	IPOS	\$ 4,423
DS 161" 3 Lift-up, FDLER	IPOS	\$ 5,461
DS 161" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$ 6,461
DS 161" Rollup Full Hgt Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$ 4,030
PS 145" Broom	IPOS	\$ 1,189
PS 145" 3/4 Hght Ft&Rr, 1 Broom	IPOS	\$ 1,189
PS 145" Full Hght Ft&Rr	IPOS	\$ 2,760
PS 145" Full Hght&Dpth Ft&Rr	IPOS	\$ 7,067
PS 145" 3 Liftups	IPOS	\$ 3,587
PS 145" Rollup, Low	IPOS	\$ 456
PS 145" Rollup, 3/4 Hght Ft&Rr, 1 Lap Broom	IPOS	\$ 1,400
PS 145" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$ 6,901
PS 145" Rollup, High 3 Uppers	IPOS	\$ 4,995
PS 145" Rollup, Full Hght Ft&Rr	IPOS	\$ 3,953

PS 161" 3/4 Hght Ft&Rr, 1 Broom	IPOS	\$ 3,464
PS 161" Full Hght&Dpth Ft&Rr	IPOS	\$ 9,087
PS 161" Full Hght Ft&Rr, Full Dp Lr Extd Rr	IPOS	\$ 5,727
PS 161" Rollup, Full Hght&Dpth Ft&Rr	IPOS	\$ 9,572
PS 161" Rollup, FH Ft&Rr, FDLER	IPOS	\$ 6,422
PS 161" Rollup, Low, Full Dp Lr Extd Rr	IPOS	\$ 2,923
All Roll-up doors	IPOS	\$ 1,013
DS 171" Rollup, (1) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$ 1,124
DS 191" Rollup, (1) 62" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$ 1,151
DS 206" Rollup, (2) 42" Fwd, (1) 42" RR, Rear Mount Pump	IPOS	\$ 1,925
DS 216" Rollup, (2) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$ 3,060
PS 171" Rollup, (1) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$ 1,124
PS 191" Rollup, (1) 62" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$ 1,151
PS 206" Rollup, (2) 42" Fwd, (1) 42" RR, Rear Mount Pump	IPOS	\$ 1,925
PS 216" Rollup, (2) 42" Fwd, (1) 52" RR, Rear Mount Pump	IPOS	\$ 3,060
DS, 191", Tanker, Full Hght Front & Rear, 2-Lift-Up, Lap Doors	IPOS	\$ 3,804
DS, 191", Tanker, High-Side Compartments W/Double Doors	IPOS	\$ 5,821
DS, 191", Tanker, High-Side Compartments W/Lift-Up Doors	IPOS	\$ 5,353
DS, 191" Tanker, 4-Lift-up, w/Side Dump	IPOS	\$ 5,353
DS, 191" Tanker, Portable Tank Compt, Enclosed w/Door@Rear	IPOS	\$ 3,837
DS, 191" Tanker, Portable Tank & Forward Compartment	IPOS	\$ 4,415
DS, 191" Tanker, Roll-up, Full Hght Front & Rear, 2-Upper	IPOS	\$ 4,773
DS, 191" Tanker, Roll-up, 4 High Compt	IPOS	\$ 7,292
DS, 191" Tanker, Roll-up, Low, Tanker	IPOS	\$ 447
DS, 211" Tanker, (4) Lift-Up Dump, Low	IPOS	\$ 7,467
DS, 211" Tanker, Low-Side,	IPOS	\$ 2,300
DS, 211" Tanker, Low , W/ Side Dump, Full Dp Lwr Rr Exd Rr	IPOS	\$ 10,473
DS, 211" Tanker, Roll-up, 4 High Compts,	IPOS	\$ 9,676
DS, 211" Tanker, Roll-up, FIHghtFrt, FDLExtRr w/Side Dump	IPOS	\$ 4,064
DS, 211" Tanker, Roll-up, Full Ht Front & Rear, Lwr Ext Full Dp Rr	IPOS	\$ 7,188
DS, 211" Tanker, Roll-up, Low, w/Side Dump Full Dpth Extd Rr	IPOS	\$ 1,463
DS, 211" Tanker, Roll-up, Broom, Low, Fl Dp Lr Rr Ext.	IPOS	\$ 2,790
PS, 191" Tanker, Full Hght Front & Rear, 2-Lift-Up, Lap Doors	IPOS	\$ 3,909
PS, 191" Tanker, High-Side Compartments W/Double Doors	IPOS	\$ 5,942
PS, 191" Tanker, High-Side Compartments W/Lift-Up Doors	IPOS	\$ 5,353
PS, 191" Tanker, Portable Tank Compt, Enclosed w/Door@Rear	IPOS	\$ 3,837
PS, 191" Tanker, Portable Tank & Forward Compartment	IPOS	\$ 4,310
PS, 191" Tanker, Roll-up, 4 High Compt, Tanker	IPOS	\$ 7,081
PS, 191" Tanker, Roll-up, Full Hght Front & Rear, 2-Upper	IPOS	\$ 4,764
PS, 211" Tanker, Roll-up, Full Ht Front & Rear, FDLRE	IPOS	\$ 7,117
PS, 211" Tanker, Roll-up, Low, w/Side Dump, FDLRE	IPOS	\$ 1,400
PS, 211" Tanker, Roll-up, Low, FDLRE	IPOS	\$ 2,579
		\$ -
HDR BODY OPTIONS		\$ -
90" Body Height NWI	IPOS	\$ 2,374
98" Body Height NWI	IPOS	\$ 4,257
17.5' body 36,36,57,60	IPOS	\$ 11,605
18.5' body 36,48,57,60	IPOS	\$ 15,298
19.5' body 48,48,57,60	IPOS	\$ 18,990
20.5' body 48,60,57,60	IPOS	\$ 20,108
21.5' body 60,60,57,60	IPOS	\$ 24,793

22.5' body 36,48,48,57,60	IPOS	\$ 27,483
Rear compartment reduced from 60" to 48"	IPOS	\$ (4,009)
Recessd area for light tower	IATS	\$ 727
Hatch Compartments w/ walkway	IATS	\$ 11,394
Walk In Body IPOS NWI	IPOS	\$ 32,969
Stainless steel HDR Body IPOS Aluminum	IPOS	\$ 15,245
75" Interior walk-in height	IPOS	\$ 1,583
78" Interior walk-in height	IPOS	\$ 3,190
Mobile Command white interior	IPOS	\$ 13,610
Automatic leveling system	IATS	\$ 7,913
Zico Quik Ladder	IATS	\$ 1,583
Awwning Zip Dee	IATS	\$ 2,458
Awwning Zip Dee AutoAwn Electric	IATS	\$ 6,931
Retractable Stairway	IATS	\$ 4,927
		\$ -
Hatch Compartments		\$ -
Hatch, 28" Width, (2) Lift-up, Pumper	IATS	\$ 2,941
Hatch, 14" Width, (2) Lift-up, Pumper	IATS	\$ 2,470
181" Hatch, (2) Lift-up, Rear Mount & Heavy Rescue Pumpers, each	IATS	\$ 3,467
161" Hatch, (2) Lift-up, Rear Mount Pumper, each	IATS	\$ 3,225
191" Hatch, (2) Lift-up, Rear Mount Pumper each	IATS	\$ 3,588
206" Hatch, (2) Lift-up, Rear Mount Pumper, each	IATS	\$ 3,709
229" Hatch, (2) Lift-up, Rear Mount Pumper, each	IATS	\$ 3,830
Hatch compartments each side , 14" Width, (2) Lift-up, 177" body	IATS	\$ 6,158
Hatch compartments each side 21" Width, (2) Lift-up, 177" body	IATS	\$ 7,022
Hatch compartments each side 28" Width, (2) Lift-up, 177" body	IATS	\$ 7,885
Hatch compartments each side , 14" Width, (2) Lift-up, 189" body	IATS	\$ 6,590
Hatch compartments each side 21" Width, (2) Lift-up, 189" body	IATS	\$ 7,478
Hatch compartments each side 28" Width, (2) Lift-up, 189" body	IATS	\$ 7,022
Hatch compartments each side , 14" Width, (2) Lift-up, 214" body	IATS	\$ 7,034
Hatch compartments each side 21" Width, (2) Lift-up, 214" body	IATS	\$ 7,922
Hatch compartments each side 28" Width, (2) Lift-up, 214" body	IATS	\$ 8,811
		\$ -
Engineer Compartment		\$ -
Eng Compt, Lap Doors	IATS	\$ 2,187
Eng Compt, 18", Roll-up Door	IATS	\$ 3,163
Eng Compt, Trans, Full-Width, Lap Dr	IATS	\$ 3,737
Eng Compt, Trans, Lap Door	IATS	\$ 2,883
Eng Compt, Trans, Roll-up Door	IATS	\$ 3,859
Eng Compt, Trans, Full-Width, Spcl Hgt, Lap Dr	IATS	\$ 3,484
Eng Compt, Trans, 70" H, Full-Width, Lap Dr	IATS	\$ 3,737
		\$ -
Compt Accessories		\$ -
Backboard Storage, Inside Rear Trans	IATS	\$ 598
Backboard Storage, Inside RearTrans, (2)	IATS	\$ 927
Compt, Crib w/Slide Tray, 215 lb, , Frnt-Long	IATS	\$ 1,999
Compt, Crib, Under Front Body, Side, 8" High,	IATS	\$ 1,864
Heater, Hot Water, Inside Compt, Thermostat	IATS	\$ 1,098
Hopper, Oil Dry, 250, In compt, with flip down chute	IATS	\$ 1,456
Partition, Vertical Compartment (each)	IATS	\$ 205
Pegboard, Alum, Rear Wall Compt,w/Track (each)	IATS	\$ 441

Plywood, Ext. Grade .75" Walls of Compt	IATS	\$ 442
Rack, Portable Tank, S/S Tubing, Manually Operated	IATS	\$ 2,608
Rack, Zico PTS, Folding Tank, , QUIC-LIFT	IATS	\$ 7,684
Rack, Zico PTS-TCH, Fold-Da-Tank, w/Treadplate Cover	IATS	\$ 8,630
Rack, Zico Quic-Lift, w/Painted Cover	IATS	\$ 9,329
Access Door Cargo Compt, D S, Alum. 4-way, Vertical Hinge	IATS	\$ 303
Compt, Backboards, Rear of Crosslay, (2)	IATS	\$ 1,372
Cover, Over Cargo, Vinyl,	IATS	\$ 294
Tray, Hose, Running Board, 100' of 1.5" Hose	IATS	\$ 421
Tray, Hose, Top of Catwalk, 200' of 4.0"	IATS	\$ 743
Vinyl Covers (2) for Portable Tank Racks	IATS	\$ 1,409
Shelves, Adjustable,	IATS	\$ 117
Box, Tool	IATS	\$ 217
Rack, Air Bags, Four Slots	IATS	\$ 779
Rack, Air Bags, Six Slots	IATS	\$ 869
Rack, Air Bags, Eight Slots	IATS	\$ 977
Rack, Air Bags, Nine Slots	IATS	\$ 993
Rack, Air Bags, Ten Slots	IATS	\$ 1,098
Tool Board, Slide-Out, Adjustable, .	IATS	\$ 1,085
Tool Board, Slide Out, .188" Alum,	IATS	\$ 909
Tool Board, Slide Out, .75" Plywood,	IATS	\$ 909
Tool Board, Swing Out,	IATS	\$ 725
Tray, Slide Out, Adjustable Height,	IATS	\$ 453
Tray, Slide Out, Floor Mounted,	IATS	\$ 471
Tray, Adj., 30 Deg., Tilt/Slide-out	IATS	\$ 500
Compt, (2) Pike & (1) Foldg Ladder, Below tank tee	IATS	\$ 888
Doors, Roll-up, Robinson, (each door)	IPOS	\$ 212
Doors, Roll-up, Robinson Painted, (each door)	IPOS	\$ 545
Guard, Drip Pan, S/S, Roll-up Door	IATS	\$ 113
Keyed Locks for Latches, Lap Doors,	IATS	\$ 53
Pull Strap for Doors	IATS	\$ 53
Scuffplate, S/S, Inside Compt Door (each)	IATS	\$ 151
Equipment Deck, Std Config HDRP	IATS	\$ 675
Crowns, Rear Fender - Rubber	IATS	\$ 357
Rear Fender Crowns, Rubber, Two Pair	IATS	\$ 702
Crowns, Rear Fender – SS	IATS	\$ 693
Rear Fender Crowns, S/S, Two Pair	IATS	\$ 1,254
Compt, Air Bottle in Fender Panel	IATS	\$ 455
Compt, Air Bottle in Fndr, Dbl W, Cast Prod Door	IATS	\$ 757
Compt, Air Bottle in Fender, Cast Products Door	IATS	\$ 518
Compt, Air Bottle in Fender Panel, Dbl Wide	IATS	\$ 714
Compt, Extinguisher in Fender Panel	IATS	\$ 532
Holder, Air Bottle mounted in Compt w/Tracks	IATS	\$ 152
Horizontal Mounting Tracks for Air Bottle Holders	IATS	\$ 120
Storage Bin, Air Bottle (each)	IATS	\$ 129
Cover, Hose Bed, Roller Shutter, Pumper	IATS	\$ 6,093
Cover, Hose Bed, Alum Treadplate	IATS	\$ 4,640
Cover, Hose Bed, Alum Treadplate, Tanker	IATS	\$ 5,245
Cover, Hose Bed, Lift-a-Dot	IATS	\$ 635
Cover, Hose Bed, Shock Cord & Velcro @ Frt	IATS	\$ 679
Cover, Hose Bed, Shock Cord & 1/4 Turn @ Front	IATS	\$ 679

Cover, Hose Bed, Red w/Snap Fasteners, Contender	IATS	\$ 635
Cover, Hose Bed, Snap Fasteners	IATS	\$ 635
Cover, Hose Bed, Twist and Turn Fasteners	IATS	\$ 635
Cover, Hose Bed, Velcro Hold-Down	IATS	\$ 812
Flap, Rear of Alum Hose Bed Cover, Vinyl	IATS	\$ 277
Divider, Unpainted Hose Bed (each)	IATS	\$ 423
		\$ -
Ladders		\$ -
Ladder, 24' 2-Sect	STD	\$ -
Ladder, 28' 2-Sect	IATS	\$ 207
Ladder, 28' 2-Sect, Fiberglass	IATS	\$ 736
Ladder, 35' 3-Sect	IATS	\$ 515
Ladder, Folding, 10' 585A, Duo-Safety, w/Mtg	STD	\$ -
Little Giant 17' ladder	IATS	\$ 515
Ladder, 14' Duo-Safety 775A Roof	STD	\$ -
Ladder, 16' Duo-Safety 875A Roof	IPOS	\$ 40
Ladder, 20' Duo-Safety 875A Roof	IPOS	\$ 209
Ladder, 14' Duo-Safety 775A Roof	IATS	\$ 379
Ladder, 16' Duo-Safety 875A Roof	IATS	\$ 420
Ladder, 20' Duo-Safety 875A Roof	IATS	\$ 583
		\$ -
Ladder Storage		\$ -
Brackets, Adjustable,PS	STD	\$ -
Ladders Btwn Tank & S.Sht, Ext'd Rr, Encl'd Complete, RPH	IPOS	\$ 3,220
Rack, Hydraulic Ladder,	IPOS	\$ 6,999
Rack, Hydraulic Ladder, w/Air Clamps	IPOS	\$ 7,436
Rack, Hydraulic Ladder, HDRP,	IPOS	\$ 7,924
Rack, Hydraulic Ladder , HDRP, w/Air Clamps	IPOS	\$ 8,272
Rack, Ladder in Hose Bed, Banked Horiz Grate & Door, Cut	IPOS	\$ 1,351
Rack, Zico Quic-Lift	IPOS	\$ 5,005
Thru-Tunnel, Ladder/Pike Pole, Water Tank,	IPOS	\$ 1,977
Equipment Storage Compt Below Hose Bed Enclosed	IPOS	\$ 1,752
		\$ -
Pike Poles & Accessories		\$ -
6ft pike pole	IATS	\$ 74
8ft pike pole	IATS	\$ 89
10ft pike pole	IATS	\$ 97
Pike pole storage tubes	IATS	\$ 124
		\$ -
Hard Suction Hose Trough		\$ -
Hose Trough In Equipment Deck	IATS	\$ 800
Troughs, (2), H.S.H., DS High Side	IATS	\$ 800
Trough, H.S.H., High Side, Single	IATS	\$ 499
Troughs, H.S.H., Stacked in Hose Bed	IATS	\$ 1,362
Troughs, H.S.H., Side of Hydraulic Ladder Rack 2000, (1)	IATS	\$ 495
Troughs, H.S.H., Side of Hydraulic Ladder Rack 2000, (2)	IATS	\$ 1,095
Troughs, H.S.H., Top of Zico Rack	IATS	\$ 1,247
Trough, H.S.H., Below Tank Tee (1)	IATS	\$ 1,514
Troughs, H.S.H., Below Tank Tee , Stacked, (2)	IATS	\$ 2,316
Troughs, H.S.H., Below Tank T, (1) Each Side	IATS	\$ 3,028
Light Shield		\$ -

Step/Light Shield Ass'bly, 8" Depth, Side Mount	IPOS	\$ 248
Step/Light Shield, Additional 4-Way, 8" Depth, PS	IATS	\$ 407
		\$ -
Warning Lights, upper zone		\$ -
Lightbar, LED JUSTICE	STD	\$ -
Lightbar, Whelen, Freedom, LED, 6-R LED, 2-C LED, 4-RC LED	IPOS	\$ 1,959
Lightbar, Whelen, Freedom, LED, 8-R LED, 2-C LED, 4-RC LED	IPOS	\$ 2,930
Whelen #B6TM-1P, rear upper zone beacons w/700 LED's	IPOS	\$ 951
LED beacons at rear	IPOS	\$ 928
		\$ -
Lower Zone		\$ -
LED, One pair front, two pair each side, one pair rear	STD	\$ -
Whelen 600 LED pair	IATS	\$ 422
Whelen 900 LED pair	IATS	\$ 713
		\$ -
Warning Lights, Accessories		\$ -
Flasher, Headlight Alternating	IATS	\$ 409
Lights, Code 3, 5100, pair, over cab doors	IATS	\$ 948
Lights, Code 3, 718A1, pair, over cab doors	IATS	\$ 1,158
Light, Opticom Emitter, on Cab Roof	IATS	\$ 2,005
Lights, Whelen Freedom FNMINI, 28.5", Pair, 4-Red	IATS	\$ 2,651
Lights, Whelen Mini Edge 94MEDGEP, Pair/ Cab Drs	IATS	\$ 2,114
Light, Traffic Directing, Code 3, NASL847 LED Deluxe Control	IATS	\$ 1,406
Light, Rear, Code 3 Arrowstik AS-839, Recessed	IATS	\$ 1,411
Light, Traffic Directing, Rear, Whelen TAL65, LED, 36"	IATS	\$ 1,161
Light, Traffic Directing, Rear, Whelen TAL85, LED, 46"	IATS	\$ 1,266
		\$ -
Lights, Tail, Accessories		\$ -
Lights, Tail, Weldon model 3884 Tri-Light Cluster	STD	\$ -
Lights, Bezel, Cast bezel or chrome flanges w Whelen 600 LED lights	IPOS	\$ 1,002
		\$ -
		\$ -
Lighting, Compartment		\$ -
Lights, Compt, Truck-Lite		\$ -
Lights, Compt, Krystal-lite, Super Brite", (each)	IPOS	\$ 104
Lights, Compt, Truck-Lite LED model 44207C (each)	IPOS	\$ 169
Lights, Compt, Whelen Super 600 LED, IPOS (each)	IPOS	\$ 155
		\$ -
		\$ -
Lights, 12V		\$ -
Lights, Federal Night-Fighter w/Telescoping Pole, (each)	IATS	\$ 1,457
Lights, FRC, Optimum Lamp Head, HID 150w, Top Raise, (each)	IATS	\$ 1,435
Lights, FRC, Optimum Lamp Head, HID150w, Visor (each)	IATS	\$ 1,263
Handheld Cab Spotlight, Collins CL-12	IATS	\$ 371
Hand Held Cab Spotlight, Optronics Blue-Eye KB-4003	IATS	\$ 473
Handlight, Streamlight, LiteBox, 12v, Orange	IATS	\$ 347
Handlight, Streamlight, Fire Vulcan, Dual-Filament/LED 12v	IATS	\$ 213
		\$ -
		\$ -
Generators complete with circuit breaker box		\$ -
6 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$ 14,367
8 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$ 16,146
10 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$ 16,988
15 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$ 24,777
20 kW Hydraulic, PTO (Harrison, Onan or Smart Power)	IATS	\$ 28,013
30 kW Hydraulic, PTO, (Harrison, Onan or Smart Power)	IATS	\$ 31,354
Honda EM3800 SX w/ electric start- Gas,	IATS	\$ 4,547

Honda EM5000 SXKI w/ electric start - Gas,	IATS	\$ 5,782
Honda EM6500 SXKI w/ electric start- Gas,	IATS	\$ 7,044
		\$ -
Lights, 12 volt		\$ -
Fire Research, 150W	IATS	\$ 1,300
		\$ -
Lights, 120/240volt		\$ -
Fire Research, 500W tele	IATS	\$ 1,048
Fire Research, 750W Visor, S75 Focus	IATS	\$ 1,100
Fire Research, 750W tele,	IATS	\$ 1,170
Fire Research, 1500W tele	IATS	\$ 1,233
Any of the above lights to be on Tri-Pod, add per light	IATS	\$ 252
Switch, Remote for Flood Light, (each)	IATS	\$ 407
		\$ -
Light Towers 120/240volt		\$ -
Will-Burt, Light, Mast, TMD 6-25 Dual-Tilt Controlled	IATS	\$ 13,932
Will-Burt, Light, Mast, TMD 7-30, Dual-Tilt Controlled	IATS	\$ 14,310
Will-Burt Night Scan Powerlite Mod NS15-6000 M, Dual Tilt	IATS	\$ 14,559
Will-Burt Night Scan Powerlite Mod NS15-9000 OPT, Dual Tilt	IATS	\$ 15,614
Will-Burt Night Scan Chief Mod NS6-3000 OP /Optimum Lights	IATS	\$ 9,611
Enclosure Around Night Scan	IATS	\$ 793
		\$ -
Electrical Receptacles		\$ -
Receptacle, 15 or 20 Amp 120V	IATS	\$ 239
Receptacle, Outlet, 6-Place, 120 Volt,20 Amp	IATS	\$ 265
Receptacle, 30A 220V	IATS	\$ 369
		\$ -
Reel, Electric Cord		\$ -
Reel, Electric Cable (3-wire) complete with 200'	IATS	\$ 1,852
Box, Junc, Akron, EJB-L5-20	IATS	\$ 436
Junction box holder	IATS	\$ 215
		\$ -
Pumps		\$ -
500 - 1000 GPM Hale QPAK	IPOS	\$ (5,564)
1250 GPM Single Stage Pump (Hale or Waterous)	STD	\$ -
1500 - 2000 GPM Single Stage Pump (Hale or Waterous)	IPOS	\$ 3,402
1250 -1500 GPM Pierce Pump PUC	STD	\$ -
		\$ -
Pump Accessories		\$ -
Enclosure, Heat	IATS	\$ 1,638
Flame Plated Impeller hub, Waterous	IATS	\$ 549
Thermal Relief Valve,Hale	IATS	\$ 300
Thermal Relief Valve, OPM, Waterous	IATS	\$ 829
Thermal Relief Valve, TRV-L 120 w/Buzzer & Indicator Light	IATS	\$ 785
Thermal Relief Valve, Pierce PUC	IATS	\$ 829
Seal, Mechanical, Waterous	IATS	\$ 699
Seal, Mechanical, Hale (Standard on QFLO & QPAK)	IATS	\$ 586
Anode, Zinc, Pair, Pump Inlets	IATS	\$ 280
Recirculation line	IATS	\$ 277
Valve, MIV w/Relief, Side Inlet, 6", manual Cntrl, Hale Pump	IATS	\$ 3,426

Valve, MIV w/Relief, Side Inlet, 6", Electric Cntrl, Hale Pump	IATS	\$ 4,059
Valve, w/Relief, Side Inlet, 6", Air Cntrl, Waterous Pump	IATS	\$ 5,313
Valve, w/Relief, Side Inlet, 6", Air Cntrl, Waterous Pump	IATS	\$ 5,430
Valve, w/Relief, Main Inlet, 6", Electric, Rear Mount	IATS	\$ 4,906
Valve, w/Relief, Main Inlet, 6", Handwheel,	IATS	\$ 4,494
Valve, w/Relief, Side Inlet, 6", Air Cntrl, Waterous Pump	IATS	\$ 5,430
Inlet, 4" to 6" Frt w/5" plmb Thru-Bumpr,	IATS	\$ 5,599
Inlet, 4" to 6" Front w/5" plumbing	IATS	\$ 6,060
Travel Stops, Front Swivel	IATS	\$ 247
Inlet, Rear, 2.50" Gated,	IATS	\$ 1,388
Inlet, Rear, 4"-6"	IATS	\$ 4,286
Inlet, LH Side, 2.50" gated	STD	\$ -
Inlet, LH Side, 3.00" gated	IPOS	\$ 354
Inlet, RH Side, 2.50" gated	IATS	\$ 999
Inlet, RH Side, 3.00" gated	IATS	\$ 1,354
Inlet, RH Side, 2.50" gated	IATS	\$ 999
Inlet, RH Side, 3.00" gated	IATS	\$ 1,354
Outlet, Frt 1.5" w/2" Plmb, Swivel, In Bmpr Tray	IATS	\$ 1,790
Outlet, Front, 2.50" w/2.50" plumbing, Top of Bumper	IATS	\$ 2,220
Turret, Front Bump, Elk. Sidewinder Joystick.,2", 95 gpm Nozzle	IATS	\$ 10,008
Outlet, Rear, 2.50"	STD	\$ -
Outlet, Rear, 3.00"	IPOS	\$ 610
Outlet, Rear, 2.50"	IATS	\$ 1,700
Outlet, Rear, 3.00"	IATS	\$ 2,355
Outlet, Front of Hose bed to Rear, 2.50"	IATS	\$ 1,425
Outlet, side, 3.00" w/ elbow	IATS	\$ 3,893
Outlet, 1.50" Tank Fill	STD	\$ -
Outlet, 1.50" Tank Fill, Electric	IPOS	\$ 1,455
Outlet, 2.00" Tank Fill	IPOS	\$ 522
Outlet, 2.50" Tank Fill	IPOS	\$ 549
Cover, Crosslay, Alum Treadplate	IATS	\$ 439
Cover, Crosslay, Bi-fold Alum Treadplate	IATS	\$ 553
Cover, Crosslay, Vinyl, Twist and Turn Fasteners	IATS	\$ 294
Crosslays, (2) 1.50", Std. Cap, Package	STD	\$ -
Crosslay, (1) 1.50", Spl. Cap/Arrangement	IATS	\$ 2,169
Crosslay, (1) 1.50", Std. Cap	IATS	\$ 1,922
Crosslay(s), 1.50", w/ 2.5" plumbing, Spl. Cap/Arrangement	IATS	\$ 2,880
Crosslay, (1) 2.50" Std Cap, Pan Style	IATS	\$ 2,632
Crosslay, (1) 2.50" Spl Cap/Arrangement,	IATS	\$ 2,851
Crosslay, 2.5", 3" Plb, Special Capacity or Single Stack	IATS	\$ 3,099
Deadlay(s) No Plumbing, Spl Capacity,	IATS	\$ 1,033
Credit for standard crosslays	IPOS	\$ (3,267)
Speed, (2) 1.5", Speed, (1) 2.5", Top Mt/Side Cntrl	IATS	\$ 6,644
Speed, (2) 1.5", Top Mt/Side Cntrl,	IATS	\$ 4,121
Speed, (2) 1.5" W/ Poly Tray, Top Mt/Side Cntrl,	IATS	\$ 5,729
Speed, (2) 1.5" W/ Tray, Top Mt/Side Cntrl,	IATS	\$ 5,729
Speed, (3) 1.5" Top Mt/Side Cntrl, Std. Cap.	IATS	\$ 6,262
Speed, (3) 1.5" W/Poly Trays, Side Mt,	IATS	\$ 9,744
Speed, (2) 1.5" (1) 2.5" w/Poly Tray, Top Mt/Side Cntrl,	IATS	\$ 9,843
Outlet, 3.00" Deluge	IATS	\$ 1,557
Monitor, Akron 3416,	IATS	\$ 1,516

Monitor, Akron, 3440 DeckMaster, w\remote tether	IATS	\$ 11,703
Monitor, Elkhart, Vulcan RF, Electric, remote control	IATS	\$ 9,619
Monitor, Elkhart "Stinger" 8297	IATS	\$ 2,690
Flange, 4 bolt	IATS	\$ 96
Reel, Booster - Over Pump, Side	IATS	\$ 3,305
Reel, Booster, In Comp,	IATS	\$ 4,447
Blowout, Hose Reel - Valve at Panel	IATS	\$ 312
Turret, Front Bump, Elk. Sidewinder Joystick.,2", 95 gpm Nozzle	IATS	\$ 10,008
		\$ -
Foam Systems		\$ -
Foam Sys, Akron Eductor 3096-95 (Single Agent) with 20 gallon cell	IATS	\$ 3,416
Foam Sys, FoamPro 1600, Single Agent with 20-30 gallon cell	IATS	\$ 8,029
Foam Sys, FoamPro 2001 (Single Agent) with 20-30 gallon cell	IATS	\$ 13,203
Foam Sys, FoamPro 2002 (Single Agent) with 20-30 gallon cell	IATS	\$ 15,245
Foam Sys, Hale Foam Logix 2.1), with 20-30 gallon cell	IATS	\$ 8,041
Foam Sys, Hale 5.0, (Single Agent) with 20-30 gallon cell	IATS	\$ 17,377
Foam Sys, Husky 12 (Single Agent) with 20-30 gallon cell	IATS	\$ 15,023
Foam Sys, Husky 12, (Dual Agent) with (2) 20-30 gallon cells	IATS	\$ 18,758
Foam Sys, Husky 30 with (2) 20-30 gallon cells	IATS	\$ 28,014
Refill, Foam Tank, Dual Tank, Husky	IATS	\$ 767
Refill, Foam Tank, Single Tank, Husky	IATS	\$ 1,535
Foam System class room/demonstration @ factory	IATS	\$ 569
		\$ -
CAF Compressor System		\$ -
Compressor, Hercules CAFS (includes three outlets)	IATS	\$ 24,160
Additional CAFS outlets (each)	IATS	\$ 1,018
		\$ -
Pump Operators panel		\$ -
Side mount control	STD	\$ -
Top mount control	IPOS	\$ 4,513
Electric control valve in place of manual (each)	IPOS	\$ 1,053
		\$ -
Pump Panel Accessories		\$ -
Gauge Heater Strip each	IATS	\$ 101
Gauge, Fuel	IATS	\$ 407
Ammeter, At Pump Panel	IATS	\$ 258
Control, Air Horn at Pump Panel	IATS	\$ 147
Enclosure, Roll-up door, DS Pump Panel,	IATS	\$ 4,142
Enclosure, Roll-up Door, PS Pump Panel,	IATS	\$ 4,142
Heater, Hot Water	IATS	\$ 753
Light/Alarm, Pump Overheat Indicator	IATS	\$ 459
Primer, Trident, Air operated, w/ (3) Additional Priming Valves	IATS	\$ 936
Flowmeter, Class1 Flowminder w/2.5" Class1 Press Gauges	IATS	\$ 1,929
Microphone & Speaker	IATS	\$ 496
Pump hour meter	IATS	\$ 168
		\$ -
Water Tanks		\$ -
500 Gallon tank	IPOS	\$ -
750 Gallon tank	STD	\$ -
1000 Gallon Tank	IPOS	\$ 1,108
1250 Gallon Tank	IPOS	\$ 2,374

1500 Gallon Tank	IPOS	\$ 4,167
2000 Gallon Tank	IPOS	\$ 5,583
2500 Gallon Tank	IPOS	\$ 9,284
3000 Gallon Tank	IPOS	\$ 12,502
Tank Fill, Direct, 2.5", Rear,	IATS	\$ 1,030
Tank Fill, Direct, Rear 4.0"	IATS	\$ 1,914
Water Level Gauge, Whelen PSTANK, LED 1-Light, 4-Level (each)	IATS	\$ 491
Gauge, Water Level, Slave	IATS	\$ 335
		\$ -
		\$ -
Tank Dumps		
Tank Dump, 8" Air Control, Bray	IATS	\$ 6,879
Tank Dump, 10" Air Control, Bray	IATS	\$ 7,976
Dump, Manual 10" Newton, Rear, Tanker	IATS	\$ 1,837
Dump, 10" Newton, Rear, S/S, Tanker	IATS	\$ 2,582
		\$ -
		\$ -
Hydraulic Tool Equipment		
Reel, Hydraulic, w/ 100' hose Mounted in Front Bumper, Any Make	IATS	\$ 4,838
Reel, Hydraulic, w/ 100' hose Dual Hose(Hannay) (Any Make Tool)	IATS	\$ 4,177
Reel, Mounting Provisions for Customer Installed Hydraulic Reel	IATS	\$ 262
		\$ -
		\$ -
Reel, Tool Air		
Reel, Air, Tools, w/150' Hose	IATS	\$ 2,825
		\$ -
		\$ -
AerialOptions / Accessories		
AC Power To Aerial Tip,	IATS	\$ 1,434
Collision Avoidance, Align For Stowing,	STD	\$ -
Brackets Only, Halligan Tool, Aerial Fly Section	IATS	\$ 165
Brackets only, Ax (6lb or 8lb) @ Aerial Fly Section	IATS	\$ 165
Brackets, Pike Pole @ Aerial Fly Section (No Pole)	IATS	\$ 165
Brackets, Roof Ladder @ Aerial Fly Section	IATS	\$ 385
Brackets, Stokes Storage @ Aerial Base Section	IATS	\$ 576
Control, Air Horn at Turntable	IATS	\$ 370
Indicator, Exten.-In & Outside Handrails	IATS	\$ 469
Raised Pedestal, Aerial Ladder	IATS	\$ 1,098
Intercom, 2-Way Atkinson	STD	\$ -
Intercom, 3-Way Atkinson	IPOS	\$ 1,034
Intercom, 3-Way Fire Com Panther System	IPOS	\$ 2,149
Breathing Air to Tip, (1) 4500 PSI, No Mask	IATS	\$ 7,936
Breathing Air to Tip, (1) 6000 PSI, No Mask	IATS	\$ 9,842
Aerial Options		\$ -
Snozzle, Aerial Water Nozzle, Basic Model P50	IATS	\$142,960
Snozzle, Aerial Water Nozzle, Basic Model P50A	IATS	\$112,788
Automatic Nozzle Leveling, "AL", Snozzle	IATS	\$ 2,277
Color Camera w/Zoom, "V-CAM", Snozzle	IATS	\$ 14,098
Color Camera w/o Zoom, "V-CAM", Snozzle	IATS	\$ 11,963
Low Pressure Nozzle, "LP", Snozzle	IATS	\$ 427
Nightsight 2000,"INFR", Infrared Camera, Snozzle	IATS	\$ 9,024
Piercing Nozzle, "FF2", Snozzle	IATS	\$ 7,114
Radio Remote Control, "RRC", IPOS, Snozzle	IATS	\$ 9,818
"VCR", for Color Camera, Snozzle	IATS	\$ 2,281
Remote Tip Controls, Ladder	IATS	\$ 6,342

Remote Pmp Panel Control w/o Tip Control	IATS	\$ 7,134
Remote Pmp Panel Control IAT Tip Control	IATS	\$ 4,549
Remote Monitor Control @ Pump Panel	IATS	\$ 1,063
Remote Pnl Cntrl,Ladder & Mnitor w/o Tip	IATS	\$ 8,272
Remote Panel Cntrl, Ladder & Monitor, IAT, Tip	IATS	\$ 4,537
Outlet, 2.50" Gated Auxiliary, Aerial Tip,	IATS	\$ 2,082
Waterway Shutoff Valve, Elect.	IATS	\$ 3,741
		\$ -
Misc. Graphics		\$ -
Reflective Band, 1"- 6"- 1",	IPOS	\$ 414
Stripe, Chevron/Inverted "V", rear compt. door only	IATS	\$ 570
Stripe, Chevron/Inverted "V", rear body only	IATS	\$ 570
Stripe Reflective, Chevron, interior cab doors,	IATS	\$ 396
Lettering Gold Leaf 3" (61-80),	IPOS	\$ 338
		\$ -
Misc. Tools & Equipment		\$ -
6# F/G Flathead axe, w/brackets	IATS	\$ 151
6# F/G Pickhead axe, w/brackets	IATS	\$ 151
2.5 Gal. Pressurized water extinguisher, w/bracket	IATS	\$ 159