

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012

**BFI Products, Inc.
Price List**

TABLE OF CONTENTS

<u>DESCRIPTION</u>	<u>ITEM #:</u>	<u>PRICE</u>
Profit, Latex Smooth Finish Powder Free Gloves	PPC	\$6.48
Bio-Flex Gel, Latex Polymer Coated, Textured Powder Free Gloves	BPF	\$6.77
Bio-Shield Plus, Latex Textured Powder Free Gloves	BSP	\$6.00
Bio-Flex Blue Nitrile, Textured Latex Free, Powder Free Gloves	BNTP	\$6.45
Soft Elastik Nitrile, Textured Latex Free, Powder Free Gloves	SNT	\$5.95
Vinyl, Lightly Powdered, Latex Free Gloves	BFV	\$4.11
Vinyl, Powder Free, Latex Free Gloves	BVP	\$4.24
Bio-Hazard, High Risk Latex Textured Powder Free Gloves	BHZ	\$8.17
Profit, Latex Lightly Powdered Gloves	PFT	\$5.02
Bio-Hazard EC, Nitrile, Extended Cuff, Textured Latex Free, Powder Free Gloves	BHN	\$8.75

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
PRO-FIT, SMOOTH FINISH
POWDER FREE
LATEX EXAMINATION GLOVE

Features and Benefits

- .. Anatomically designed for comfortable fit
- .. Excellent barrier protection with low AQL
- .. Beaded cuff for added strength and ease of donning
- .. Smooth finish provides tactile sensitivity even in wet environment
- .. Easy donning, extremely durable and tear resistant.
- .. Low Modulus Latex Formulation makes the gloves soft and reduces hand fatigue
- .. Powder free to reduce risk of powder contamination or interference with hospital, dental and laboratory tests
- .. Manufactured to rigorous quality standards (ISO 9001)
- .. Non-sterile, for single use only

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 1.50%

Glove Length: 240 mm

Palm Width:

XS	76 mm + 8 mm
S	84 mm + 8 mm
M	94 mm + 8 mm
L	105 mm + 8 mm
XL	110 mm + 8 mm

Fingertip Thickness: 0.22 mm + 0.08 mm (8.66 mils)

Palm Thickness: 0.19 mm + 0.08 mm (7.48 mils)

Cuff Thickness: 0.11 mm + 0.08 mm (4.33 mils)

Protein Level: Less than 50 mcg/g

Available Sizes &	X-Small	PPC1055	Price: \$6.48 Per Box / \$64.80 Per Case any size
Order Number:	Small	PPC1065	
	Medium	PPC1075	
	Large	PPC1085	
	X-Large	PPC1095	

Country of Origin: Malaysia

PPC

STS CONTRACT #: 7765200108-3 Effective:

2/27/2012

**BIO-FLEX GEL
POWDER FREE
LATEX EXAMINATION GLOVE**

Features and Benefits

- .. Polymer Coated inside and outside for added protection
- .. Anatomically designed for comfortable fit
- .. Excellent barrier protection with low AQL
- .. Beaded cuff for added strength and ease of donning
- .. Micro-Textured surface for enhanced tactile sensitivity even in a wet environment
- .. Easy donning, extremely durable and tear resistant.
- .. Low Modulus Latex Formulation makes the gloves soft and reduces hand fatigue
- .. Powder free to reduce risk of powder contamination or interference with hospital, dental and laboratory tests
- .. Manufactured to rigorous quality standards (ISO 9001)
- .. Non-sterile, for single use only

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 1.50%

Glove Length: 240 mm

Palm Width:	XS	76 mm + 4 mm
	S	84 mm + 4 mm
	M	94 mm + 4 mm
	L	105 mm + 4 mm
	XL	110 mm + 4 mm

Fingertip Thickness: 0.22 mm + 0.04 mm (8.66 mils)

Palm Thickness: 0.19 mm + 0.04 mm (7.48 mils)

Cuff Thickness: 0.11 mm + 0.04 mm (4.33 mils)

Protein Level: Less than 50 mcg/g

Available Sizes & Order Number:	X-Small	BPF1055
	Small	BPF1065
	Medium	BPF1075
	Large	BPF1085
	X-Large	BPF1095

**Price: \$6.77 Per Box / \$67.70 Per Case
any size**

Country of Origin: Malaysia

BPF

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
BIO-SHIELD PLUS
POWDER FREE
LATEX EXAMINATION GLOVE

Features and Benefits

- .. Anatomically designed for comfortable fit
- .. Outstanding barrier protection with low AQL
- .. Beaded cuff for added strength and ease of donning
- .. Micro-Textured surface for superior fingertip sensitivity even in a wet environment
- .. Easy donning, extremely durable and tear resistant.
- .. Low Modulus Latex Formulation makes the gloves soft and reduces hand fatigue
- .. Powder free to reduce risk of powder contamination or interference with hospital, dental and laboratory tests
- .. Manufactured to rigorous quality standards (ISO 9001)
- .. Non-sterile, for single use only

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 1.50%

Glove Length: 240 mm

Palm Width:

XS	76 mm + 4 mm
S	84 mm + 4 mm
M	94 mm + 4 mm
L	105 mm + 4 mm
XL	114 mm + 4 mm

Fingertip Thickness: 0.19 mm + 0.04 mm (7.48 mils)

Palm Thickness: 0.15 mm + 0.04 mm (5.91 mils)

Cuff Thickness: 0.11 mm + 0.04 mm (4.33 mils)

Protein Level: Less than 50 mcg/g

Available Sizes & Order Number:	X-Small	BSP1055	Price: \$6.00 Per Box / \$60.00 Per Case any size
	Small	BSP1065	
	Medium	BSP1075	
	Large	BSP1085	
	X-Large	BSP1095	

Country of Origin: Malaysia

BSP

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
BIO-FLEX BLUE NITRILE
TEXTURED, LATEX FREE, POWDER FREE GLOVES

Features and Benefits

- .. Excellent alternative for latex sensitive healthcare professionals
- .. Contains no natural rubber latex
- .. Superior barrier protection with low AQL
- .. Durable yet soft to reduce hand fatigue
- .. Anatomically designed for comfortable fit
- .. Beaded cuff for added strength and ease of donning
- .. Micro-Textured surface for enhanced tactile sensitivity even in a wet environment
- .. Easy donning, extremely durable and tear resistant.
- .. Powder free to reduce risk of powder contamination or interference with hospital, dental and laboratory tests
- .. Manufactured to rigorous quality standards (ISO 9001)
- .. Non-sterile, for single use only

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 1.50%

Glove Length : 240 mm

Palm Width:

XS	83 mm + 4 mm
S	86 mm + 4 mm
M	100 mm + 4 mm
L	107 mm + 4 mm
XL	115 mm + 4 mm

Fingertip Thickness: 0.15 mm + 0.02 mm (6 mils)

Palm Thickness: 0.12 mm + 0.02 mm (5 mils)

Cuff Thickness: 0.09 mm + 0.02 mm (3.5 mils)

Available Sizes &

Order Number:

Medium	BNTP1075
Large	BNTP1085
X-Large	BNTP1095

**Price: \$6.45 Per Box / \$64.50 Per Case
any size**

Country of Origin: Malaysia

BNTP

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
SOFT ELASTIK NITRILE, TEXTURED, LATEX FREE
POWDER FREE GLOVES

Features and Benefits

- .. Excellent alternative for latex sensitive healthcare professionals
- .. Contains no natural rubber latex
- .. Superior barrier protection with low AQL
- .. Durable with elasticity and soft to reduce hand fatigue
- .. Anatomically designed for comfortable fit
- .. Beaded cuff for added strength and ease of donning
- .. Micro-Textured surface for enhanced tactile sensitivity even in a wet environment
- .. Easy donning, extremely durable and tear resistant.
- .. Powder free to reduce risk of powder contamination or interference with hospital, dental and laboratory tests
- .. Manufactured to rigorous quality standards (ISO 9001)
- .. Non-sterile, for single use only

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 1.50%

Glove Length : 240 mm

Palm Width:

XS	76 mm + 4 mm
S	86 mm + 4 mm
M	98 mm + 4 mm
L	107 mm + 4 mm
XL	115 mm + 4 mm

Fingertip Thickness: 0.09 mm + 0.03 mm (5.51 mils)

Palm Thickness: 0.11 mm + 0.03 mm (4.33 mils)

Cuff Thickness: 0.08 mm + 0.03 mm (3.15 mils)

Available Sizes &	X-Small	SNT1055	Price: \$5.95 Per Box / \$59.50 Per Case any size
Order Number:	Small	SNT1065	
	Medium	SNT1075	
	Large	SNT1085	
	X-Large	SNT1095	

Country of Origin: Malaysia

SNT

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
BIO-FLEX
POWDERED
VINYL EXAMINATION GLOVE

Features and Benefits

- .. Excellent alternative for latex sensitive healthcare professionals
- .. Contains no natural rubber latex
- .. Lightly powdered with USP Cornstarch for ease of donning
- .. Excellent barrier protection with low AQL
- .. Beaded cuff for added strength
- .. Designed to provide superior fit and comfort
- .. Durable yet soft to reduce hand fatigue
- .. Smooth finish provides excellent tactile sensitivity

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 2.50%

Glove Length: 230 mm + 6 mm for size S
240 mm + 6 mm for sizes M, L, XL

Palm Width:

S	100 mm + 6 mm
M	110 mm + 6 mm
L	120 mm + 6 mm
XL	134 mm + 6 mm

Fingertip Thickness: 0.08 mm + 0.03 mm
Palm Thickness: 0.11 mm + 0.03 mm
Cuff Thickness: 0.08 mm + 0.03 mm

Available Sizes & Order Number	Small	BFV1065	Price: \$4.11 Per Box / \$41.10 Per Case any size
	Medium	BFV1075	
	Large	BFV1085	
	X-Large	BFV1095	

Country of Origin: China

BFV

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
BIO-FLEX
POWDER FREE
VINYL EXAMINATION GLOVE

Features and Benefits

- .. Excellent alternative for latex sensitive healthcare professionals
- .. Contains no natural rubber latex
- .. Excellent barrier protection with low AQL
- .. Beaded cuff for added strength
- .. Designed to provide superior fit and comfort
- .. Durable yet soft to reduce hand fatigue
- .. Smooth finish provides excellent tactile sensitivity

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 2.50%

Glove Length: 230 mm + 6 mm for size S
240 mm + 6 mm for sizes M, L, XL

Palm Width:

S	100 mm + 6 mm
M	110 mm + 6 mm
L	120 mm + 6 mm
XL	134 mm + 6 mm

Fingertip Thickness: 0.08 mm + 0.03 mm

Palm Thickness: 0.11 mm + 0.03 mm

Cuff Thickness: 0.08 mm + 0.03 mm

Available Sizes & Order Number	Small	BVP1065	Price: \$4.24 Per Box / \$42.40 Per Case any size
	Medium	BVP1075	
	Large	BVP1085	
	X-Large	BVP1095	

Country of Origin: China

BVP

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
BIO-FLEX BIO-HAZARD EMS
HIGH RISK POWDER FREE
LATEX EXAMINATION GLOVE

Features and Benefits

- .. UL® Classified to meet NFPA 1999 Standard, 1997 edition
- .. Maximum protection for high risk procedures
- .. Gel coated for added protection
- .. Anatomically designed for comfortable fit
- .. Manufactured to consistent high quality standard (ISO 9001) with low AQL
- .. Beaded cuff for added strength and ease of donning
- .. Micro-Textured surface for excellent tactile sensitivity
- .. Low Modulus Latex Formulation makes the gloves soft and reduces hand fatigue
- .. Excellent for pre-hospital emergency professionals and fire departments
- .. In-hospital use includes superior barrier protection from known hazards, decontamination or when double-gloving occurs
- .. Non-sterile, for single use only

Packaging: 50 gloves per box / 10 boxes per case.

AQL (Pinhole Test): 1.50%

Glove Length: 295 mm

Palm Width:	S	84 mm + 4 mm
	M	94 mm + 4 mm
	L	105 mm + 4 mm
	XL	110 mm + 4 mm

Fingertip Thickness: 0.29 mm + 0.04 mm (11.42 mils)

Palm Thickness: 0.26 mm + 0.04 mm (10.24 mils)

Cuff Thickness: 0.16 mm + 0.04 mm (6.30 mils)

Protein Level: Less than 50 mcg/g

Available Sizes & Order Number:	Small	BHZ1065	Price: \$8.17 Per Box / \$81.70 Per Case any size
	Medium	BHZ1075	
	Large	BHZ1085	
	X-Large	BHZ1095	

Country of Origin: Malaysia

BHZ

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
BIO-FLEX PRO-FIT
POWDERED
LATEX EXAMINATION GLOVE

Features and Benefits

- .. Lightly powdered with USP Cornstarch for ease of donning
- .. Excellent barrier protection with low AQL
- .. Beaded cuff for added strength
- .. Designed to provide superior fit and comfort
- .. Durable yet soft to reduce hand fatigue
- .. Virtually odorless and tasteless
- .. Smooth finish provides excellent tactile sensitivity
- .. Manufactured to rigorous quality standards (ISO 9002)
- .. Non-sterile, for single use only

Packaging: 100 gloves per box.
10 boxes per case.

AQL (Pinhole Test): 1.50%

Glove Length: 240 mm

Palm Width:	XS	75 mm + 3 mm
	S	79 mm + 3 mm
	M	93 mm + 3 mm
	L	104 mm + 3 mm
	XL	108 mm + 3 mm

Fingertip Thickness: 0.15 mm + 0.05 mm

Palm Thickness: 0.16 mm + 0.05 mm

Cuff Thickness: 0.11 mm + 0.05 mm

Protein Level: Less than 200 mcg/g

Available Sizes & Order Number:	X-Small	PFT1055	Price: \$5.02 Per Box / \$50.20 Per Case any size
	Small	PFT1065	
	Medium	PFT1075	
	Large	PFT1085	
	X-Large	PFT1095	

Country of Origin: Malaysia

PFT

STS CONTRACT #: 7765200108-3 Effective: 2/27/2012
BIO-HAZARD EC®, NITRILE
EXTENDED CUFF, TEXTURED, LATEX FREE
POWDER FREE GLOVES

Features and Benefits

- ASTM D6319-00a, Standard Specification for Nitrile Examination Gloves
- UL® Classified to meet NFPA 1999 Standard, 2008 edition
- ASTM D412, Tensile properties of Vulcanized Rubbers
- ASTM D5151-99, Standard Test for Detection of Holes in Medical Gloves
- ANSI/ASQC Z1.4, Sampling Procedures and Tables for Inspection by Attributes
- Maximum protection for high risk procedures
- Anatomically designed for comfortable fit
- Manufactured to consistent high quality standard (ISO 9001) with low AQL
- Beaded cuff for added strength and ease of donning
- Micro-Textured surface for excellent tactile sensitivity
- Synthetic Latex and compounding materials safe for use in medical
- Excellent for pre-hospital emergency professionals and fire departments
- In-hospital use includes superior barrier protection from known hazards, decontamination or when double-gloving occurs
- Non-sterile, for single use only

Packaging: 100 gloves per box / 10 boxes per case.

AQL (Pinhole Test): 1.5%

Glove Length: 295 mm

Palm Width: S 86 mm + 4 mm
M 98 mm + 4 mm
L 107mm + 4 mm
XL 115 mm + 4 mm

Fingertip Thickness 0.13 mm + 0.03 mm (5.00 mils)
0.10 mm + 0.03 mm (4.00 mils)

Available Sizes & Order Number:	Small BHN1065 Medium BHN1075 Large BHN1085 X-Large BHN1095	Price: \$8.75 Per Box / \$87.50 Per Case any size
--	---	--

Country of Origin: Malaysia

BHN