



PRODUCT LINES OF HI-VAC CORPORATION

AQUATECH and O'BRIEN

SEWER CLEANING EQUIPMENT AND ACCESSORIES



HI-VAC CORPORATION

AQUATECH AND O'BRIEN

EQUIPMENT AND OPTIONS

TABLE OF CONTENTS

| AQUATECH EQUIPMENT | page no. |
|----------------------------|----------|
| Model B5 | 3 |
| Model B6 | 4 |
| Model B10 | 5 |
| Model B15 | 6 |
| Model B52 | 7 |
| Model CB10 | 8 |
| Model CB15 | 9 |
| Model JV1000HPD | 10-11 |
| Model SJ1650 | 12 |
| Model SJR | 13 |
| Options | 14-22 |
| | |
| O'BRIEN EQUIPMENT | |
| Models 1111 & 1113 Toolbox | 23 |
| Model 1220-J Cart | 24 |
| Model 2010-JK Skid | 25 |
| Model 2500 Cart | 26 |
| Model 3510-E Trailer | 27 |
| Model 3510-FC Trailer | 28 |
| Model 3515-CF Trailer | 29 |
| Model 3518-SC Trailer | 30 |
| Model 7030-SC Trailer | 31 |
| Model 7040-SC Trailer | 32 |
| Model 7065-SC & SH Trailer | 33 |
| Model 704030-SC Trailer | 34 |
| Model JVLT Trailer | 35 |
| Notes | 36 |

B5 Rear Mounted 000063

| Part # | Description | List Price |
|---------------|--|-------------------|
| Unit Price | (Includes hydraulic door locking system at \$4615) | \$ 142,890.00 |

B6 Rear Mounted 280300

| Part # | Description | List Price |
|------------|--|---------------|
| Unit Price | (Includes hydraulic door locking system at \$4615) | \$ 131,446.00 |

B10 Rear Mounted 270000

| Part # | Description | List Price |
|------------|--|---------------|
| Unit Price | (Includes hydraulic door locking system at \$4615) | \$ 145,170.00 |

B15 Rear Mounted 271000

| Part # | Description | List Price |
|------------|--|---------------|
| Unit Price | (Includes hydraulic door locking system at \$4615) | \$ 156,788.00 |

B52 Rear Mounted 280020

| Part # | Description | List Price |
|------------|--|---------------|
| Unit Price | (Includes hydraulic door locking system at \$4615) | \$ 160,773.00 |

CB10 Rear Mounted 235000

| Part # | Description | List Price |
|------------|--|---------------|
| Unit Price | (Includes hydraulic door locking system at \$4615) | \$ 129,032.00 |

CB15 Rear Mounted 235003

| Part # | Description | List Price |
|------------|--|---------------|
| Unit Price | (Includes hydraulic door locking system at \$4615) | \$ 140,856.00 |

JV1000HPD TRAILER MOUNTED 000040

| Part # | Description | List Price |
|---------------------------------------|---|--------------|
| | Unit Price | \$ 82,845.00 |
| | Diesel Power | |
| JVHPD and JVPD SERIES OPTIONS: | | |
| <i>PAINT</i> | | |
| 225030 | Undercoating by Aquatech | \$ 856.00 |
| 222980 | Reflective stripe tape-rear door | \$ 451.50 |
| <i>TRAILER</i> | | |
| 000414 | Hydraulic surge brakes Consult factory for truck mounted units | \$ 1,356.00 |
| 120600 | Brake controller for towing vehicle | \$ 162.10 |
| 120701 | Male trailer connector for towing vehicle | \$ 17.65 |
| <i>TANK</i> | | |
| 220320 | 5" dia. sight eye | \$ 188.00 |
| 153100 | Mechanical float level indicator, mild steel | \$ 499.45 |
| 150722 | 6" gate valve and lay flat hose | \$ 712.25 |
| 000387 | 22" dia. manway | \$ 798.00 |
| 000326 | Pump off system | \$ 4,001.00 |
| 150721 | 4" gate valve and lay flat hose | \$ 457.50 |
| <i>GAUGES</i> | | |
| 241378 | Fuel gauge | \$ 290.00 |
| 000372 | Exhauster hour meter | \$ 341.00 |
| <i>LIGHTS</i> | | |
| 120111 | 20' retractable cord & halogen spotlight | \$ 397.00 |
| 120121 | 50' retractable cord & halogen spotlight | \$ 335.00 |
| 120395 | Light board, installed on unit | \$ 1,029.00 |
| 120401 | Flood light (specify location) | \$ 384.00 |
| 120101 | Control panel light | \$ 291.00 |
| 120705 | 12-volt electrical outlet | \$ 197.00 |
| 000403 | Strobe light on unit | \$ 591.00 |
| 220180 | Limb guard for large beacon or strobe | \$ 203.00 |
| 241853 | Limb guard for standard beacon or strobe | \$ 131.00 |

JV1000HPD TRAILER MOUNTED 000040

| Part # | Description | List Price |
|--|--|-------------------|
| <i>ALUMINUM INTAKE TUBES AND EXTENSIONS</i> | | |
| 150161 | 6" x 3' intake tube | \$ 228.00 |
| 150181 | 6" x 6' intake tube | \$ 270.00 |
| 150171 | 6" x 4' intake tube | \$ 251.00 |
| 150461 | 6" x 3' extension tube | \$ 228.00 |
| 150471 | 6" x 4' extension tube | \$ 251.00 |
| 150475 | 6" x 5' extension tube | \$ 259.00 |
| 150481 | 6" x 6' extension tube | \$ 259.00 |
| 244262 | 6" intake tube handle | \$ 272.00 |
| 240805 | 6" fluidizer nozzle | \$ 274.00 |
| <i>HOSE, ELBOWS AND FITTINGS</i> | | |
| 176310 | 6" x 10' lightweight rubber hose with fittings | \$ 772.85 |
| 176415 | 6" plastic hose, without fittings, per foot | \$25.00/ft |
| 190760 | 6" O-ring for coupler and cap | \$ 9.50 |
| 152935 | 6" steel ring for coupler | \$ 62.00 |
| 220720 | Hose bands (requires installation tool below) | \$ 8.50 |
| 220750 | Hose banding tool | \$ 244.00 |
| <i>SHOVELS, SPOONS, HOOKS</i> | | |
| 220081 | Basin spoon, 10 ft. | \$ 373.00 |
| 220082 | Basin scraper | \$ 374.00 |
| <i>MANHOLE TRAPS, CLAM CLEANERS AND MANHOLE TONGS</i> | | |
| 220030 | Large manhole trap 15" - 18" | \$ 874.00 |
| 220040 | 6' manhole clam cleaner | \$ 313.00 |
| 220050 | 8' manhole clam cleaner | \$ 454.00 |
| 220060 | 10' manhole clam cleaner | \$ 573.00 |
| 220070 | 12' manhole clam cleaner | \$ 614.00 |
| 220080 | 15' manhole clam cleaner | \$ 834.00 |
| 234585 | Grapple tong, 8 foot | \$ 225.00 |
| <i>MISCELLANEOUS</i> | | |
| 237063 | Unit manual | \$ 125.00 |
| 180428 | Spare wheel and tire | \$ 308.00 |

SJ1650 TRUCK MOUNTED 280200

| Part # | Description | List Price |
|---------------|---|-------------------|
| | Unit Price | \$ 85,176.00 |
| 280201 | PIVART™ | \$ 6,615.00 |
| NPN | Heated enclosure with sliding top door and full rear opening doors. 44,000 BTU heater | \$ 22,499.00 |

SJR1500 REAR MOUNTED 239331

| Part # | Description | List Price |
|---------------|--------------------|-------------------|
| Unit Price | | \$ 91,662.00 |

SJR2000 REAR MOUNTED 239332

| | | |
|------------|--|--------------|
| Unit Price | | \$ 96,912.00 |
|------------|--|--------------|

SJR2500 REAR MOUNTED 239333

| | | |
|------------|--|---------------|
| Unit Price | | \$ 101,912.00 |
|------------|--|---------------|

SJR3000 REAR MOUNTED 239334

| | | |
|------------|--|---------------|
| Unit Price | | \$ 106,912.00 |
|------------|--|---------------|

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

All base machine prices and options are eligible for a 15% STS discount

AQUATECH PRODUCTS ONLY

| Part # | Description | List Price |
|--|--|-------------|
| PAINT | | |
| 000252 | Export prep | \$ 577.50 |
| CHASSIS, BODY MODIFICATIONS | | |
| 000799 | Relocate horizontal exhaust to vertical <i>NOTE: Above option N/A on 2007 EPA engines.</i> | \$ 1,417.50 |
| TOOL BOXES, SHROUDING, SKIRTING | | |
| 238078 | 48"Wx20.5"Dx10"H aluminum tool box (space permitting) | \$ 743.00 |
| 270760 | 24"Wx20.5"Dx10"H aluminum tool box (space permitting) | \$ 609.00 |
| 180552-1 | 30"Wx18"Dx18"H aluminum tool box (space permitting) | \$ 861.00 |
| 180555-1 | 60"Wx24"Dx24"H aluminum tool box (space permitting) | \$ 1,283.00 |
| 270763 | 72"Wx15"Dx36"H behind cab tool box (space permitting) | \$ 1,806.00 |
| <i>NOTE: Requires additional Cab to Axle length and approved factory layout.</i> | | |
| 000720 | Side mounted tube racks for 6" tubes (Holds two lengths of tubes on each side, space permitting) | \$ 1,263.00 |
| 000364-1 | Side mounts tube racks, one side only | \$ 580.00 |
| 000364-2 | Single 8" vertical tube holder | \$ 665.00 |
| 000364-3 | Tube racks under splash shield | \$ 553.00 |
| 243924-1 | Side steps | \$ 457.00 |
| 243923 | Tool rack (perforated metal) | \$ 395.00 |
| WATER TANKS | | |
| 238210 | Tank inter-connect for B6, B10, B15, B52 | \$ 833.00 |
| <i>NOTE: Must also order Part #121708 - Water load limit alarm</i> | | |
| 224640 | Tank inter-connect for B5 only | \$ 1,331.00 |
| 221370 | Fill line strainer | \$ 250.00 |
| 241629 | Dual fill system | \$ 524.00 |
| 235373 | Tank top strainer | \$ 775.00 |
| NPN | B10/1300 Tank--Additional 300 gallons inside front of debris tank | \$ 5,250.00 |
| NPN | B10/1500 Tank--Additional 500 gallons inside front of debris tank | \$ 7,524.00 |

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

DEBRIS TANK

| | | |
|----------|---|--------------|
| 130635 | B10 internal tank flusher, high flow | \$ 1,575.00 |
| 130635-1 | B6 internal tank flusher, high flow | \$ 1,568.00 |
| 130636 | B15 internal tank flusher, high flow | \$ 2,398.00 |
| 130639 | B5 internal tank flusher | \$ 1,847.00 |
| 220320 | 5" diameter sight eye | \$ 188.00 |
| 120079 | Liquid level probe and alarm | \$ 1,169.00 |
| 000368 | Pump-off system (180 GPM) | \$ 4,001.00 |
| 249023 | Pump-off system (300 GPM) | \$ 4,606.00 |
| 380383 | Pump-off system (500 GPM) | \$ 10,632.00 |
| 238425 | Waste water recycling and pump-off system | \$ 5,777.00 |
| CYCLNE | Cyclone separator with collection chamber and discharge valve | \$ 4,000.00 |
| 221850 | Tank top strainer for B5 only | \$ 550.00 |
| NPN | KevGuard interior coating | \$2,000.00 |
| BTEL | Telescopic boom- -23 foot | \$ 12,585.00 |
| B23B | 23 foot extendable boom | \$ 2,772.00 |
| B25B | 25 foot extendable boom | \$ 4,872.00 |
| 382413 | Splash shield, 1/2 rear door | \$ 1,142.00 |
| 246155 | 6" Butterfly drain valve, in lieu of gate valve | \$ 571.00 |
| 380741 | High dump debris body option | \$ 21,428.00 |
| 381999 | Wet ring for debris inlet | \$ 1,428.00 |

HOSE REEL

| | | |
|----------|---|--------------|
| BFR | Front reel in lieu of rear reel (includes hydraulic tilt for reel assembly) | \$ 12,658.00 |
| BFRRR | Front reel in addition to rear reel | \$ 22,512.00 |
| 000367 | Front reel hand crank | \$ 810.00 |
| AULEV | Automatic hose levelwind | \$ 9,974.00 |
| 239978 | Level wind without counter for front reel | \$ 461.00 |
| 240695 | Counter for level wind for rear reel units only | \$ 616.00 |
| 240099 | Front reel level wind with counter | \$ 593.00 |
| 381960 | Clamshell opening level wind for front or rear reel | \$ 1,091.00 |
| 241966 | Control panel cover - rear reel | \$ 1,035.00 |
| 242322 | Street side articulation | \$ 578.00 |
| 220230-1 | Hose reel counter (o-ring type) | \$ 909.00 |
| 242312 | Rear reel hand crank | \$ 514.50 |
| OBJIaC | IntelACount digital hose counter | \$ 4,035.00 |

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

WATER SYSTEM

(65 or 80 GPM @ 2000 PSI standard)

| | | |
|--------------|--|--------------|
| 215523 | 80 GPM @ 2500 PSI water system | \$ 4,120.00 |
| | NOTE: Engine must supply 300 Horse Power minimum | |
| 215555-1 | Unloader valve - standard rear reel machines | \$ 4,853.00 |
| 215555-13-FR | Unloader valve - front reel machines only | \$ 5,954.00 |
| 131401 | Cold weather recirculation for units with front reels | \$ 858.00 |
| 131402 | Cold weather recirculation for units with rear reels | \$ 858.00 |
| NPN | 700,000 BTU Water heater (Utilizes existing cold weather recirculation system) | \$ 16,148.00 |
| 130561 | 1/2" hose reel - 100' cap. (order hose separately) | \$ 976.50 |
| 130568 | 1/2" hose reel - 200' cap. (order hose separately) | \$ 976.50 |
| 130572 | 1/2" retractable hose reel -100' cap. (order hose separately) | \$ 2,042.00 |
| 131471 | Cold weather recirculation for 1/2" hose reel | \$ 1,058.00 |
| 239902 | Air purge system, runs off air brakes to purge pump (requires air brakes) | \$ 300.00 |
| 120045 | Water pump over pressure indicator light | \$ 514.00 |
| 130651 | Rear hand gun connection, front reel B5, B10 | \$ 350.00 |
| 130652 | Rear hand gun connection, front reel B15 | \$ 371.00 |
| 130655 | Side hand gun connection, rear reel B5, B10 | \$ 437.00 |
| 130656 | Front hand gun connection, rear reel B5, B10 | \$ 426.00 |
| 270740 | Lateral cleaning kit installed on unit with plumbing (Does not include 1/2" hose reel) | \$ 3,959.00 |
| 249182 | Hydro-Excavation kit w/ 50' x 1/2" hose, no reel | \$ 3,918.00 |

SEWER HOSE

1" 2500 PSI hose, 400' standard with unit. Additional price:

| | | |
|--------|--|-------------|
| 175241 | 500' sewer hose installed on unit | \$ 365.00 |
| 175252 | 600' sewer hose installed on unit | \$ 731.00 |
| 175261 | 700' sewer hose installed on unit | \$ 1,096.00 |
| 175271 | 800' sewer hose installed on unit | \$ 1,462.00 |
| | 1" 3000 PSI hose, 400 feet, additional price over 2500 PSI hose included in base price of unit | \$ 328.00 |
| | 500 feet of 3000 PSI hose, additional | \$ 447.00 |
| | 600 feet of 3000 PSI hose, additional | \$ 895.00 |
| | 700 feet of 3000 PSI hose, additional | \$ 1,342.00 |
| | 800 feet of 3000 PSI hose, additional | \$ 1,789.00 |
| 220250 | 3/4" - 1" swage tool | \$ 958.00 |
| 220254 | 1" pusher | \$ 91.00 |
| 220252 | 1" die set | \$ 155.00 |
| 176100 | 10' leader hose, 1" | \$ 151.00 |
| 176110 | 20' leader hose, 1" | \$ 207.00 |
| 131629 | 1/2" x 50' hose assembly with fittings | \$ 334.00 |
| 130690 | 1" swivel for connecting 2 hoses | \$ 9.50 |

EXHAUSTERS/BLOWERS

| | | |
|--------|---|--------------|
| 340405 | ROOTS Model 824 (3600cfm) | \$ 10,431.00 |
| 340407 | ROOTS Model 827 (4200cfm) | \$ 12,587.00 |
| NPN | HIBON Model 8702 (5250 cfm, 27" Hg.)Requires tower pto in lieu of split shaft | \$ 38,709.00 |
| NPN | HIBON Model 840 (3850 cfm, 27" Hg.) | \$ 25,059.00 |

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

ELECTRICAL AND GAUGES

| | | | |
|-----------|---|----|----------|
| 121708 | Water load limit alarm (Indicates when GVWR of axles are exceeded when water only is in debris/water tanks) | \$ | 516.00 |
| 120063 | Low water warning light | \$ | 459.00 |
| 120094 | Low water warning shutdown on auxiliary engine | \$ | 451.50 |
| 120096 | Low water warning horn | \$ | 482.00 |
| 120051 | Water pump hour meter | \$ | 414.00 |
| 120041 | Engine hour meter | \$ | 386.00 |
| 249043 | Wireless radio remote boom control | \$ | 3,031.00 |
| 1110452-1 | 6 way boom control joy stick | \$ | 1,877.00 |
| 000372 | Exhauster hour meter | \$ | 341.00 |
| 131781 | Hydraulic oil pressure gauge | \$ | 207.00 |
| 120002 | Back up alarm, 12 volt electric | \$ | 216.00 |
| 120705 | 12 volt electrical outlet | \$ | 197.00 |
| 120111-2 | (Cigarette) quick disconnect for 20' light | \$ | 397.00 |
| 120141 | Automatic Shutdown to boom | \$ | 665.00 |
| 120058 | PTO hour meter | \$ | 460.00 |
| 120124 | hydraulic Temperature Gauge | \$ | 489.00 |
| 120134 | Temp gauge for blower | \$ | 741.00 |
| 120135 | Trans. temp. warning light | \$ | 364.00 |
| 121704 | Tank up warning light | \$ | 694.00 |

LIGHTS

| | | | |
|----------|--|----|----------|
| 120111 | 20' retractable cord & halogen spotlight | \$ | 335.00 |
| 120121 | 50' retractable cord & halogen spotlight | \$ | 397.00 |
| 120378 | Dual retractable halogen work lights on boom | \$ | 602.00 |
| 120401 | Flood light (Specify desired location) | \$ | 294.00 |
| 000402 | Rotating beacon on cab | \$ | 551.00 |
| 000403 | Strobe light on unit | \$ | 591.00 |
| 000404 | Strobe light on chassis cab | \$ | 829.50 |
| 220180 | Limb guard for beacon or strobe | \$ | 203.00 |
| 120011 | Rotating beacon on unit | \$ | 462.00 |
| 120373 | Arrowstik, installed on unit | \$ | 939.00 |
| 120395 | Light board, installed on unit | \$ | 1,029.00 |
| 120101 | Control panel light | \$ | 291.00 |
| 120109 | Dual strobe lights on boom | \$ | 1,011.00 |
| 241853 | Limb guard, standard beacon | \$ | 131.00 |
| 120395-4 | Arrowboard, split, two piece, oversized | \$ | 2,142.00 |
| 249066-1 | Safety strobe lights in turn signals | \$ | 1,042.00 |
| LED000 | All lights LED | \$ | 780.00 |
| 380282 | Boom clearance lights | \$ | 374.00 |

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

INTAKE TUBES AND EXTENSIONS

| | | | |
|--------|----------------------------------|----|----------|
| 238008 | 8" x 8' aluminum extension tube | \$ | 362.00 |
| 238007 | 8" x 6' aluminum extension tube | \$ | 341.00 |
| 238006 | 8" x 5' aluminum extension tube | \$ | 332.00 |
| 238005 | 8" x 3' aluminum extension tube | \$ | 268.00 |
| 238010 | 8" x 8' aluminum intake tube | \$ | 384.00 |
| 238012 | 8" x 4' aluminum extension tube | \$ | 230.00 |
| 241499 | 8" X 6' aluminum intake tube | \$ | 360.00 |
| 238083 | 8" intake tube handle | \$ | 376.00 |
| 238213 | 8" female to 6" male reducer | \$ | 218.00 |
| 244262 | 6" intake tube handle | \$ | 272.00 |
| 238080 | Jet digger nozzle | \$ | 414.00 |
| 150157 | 6" x 2' aluminum intake tube | \$ | 182.00 |
| 150171 | 6" x 4' aluminum intake tube | \$ | 251.00 |
| 150461 | 6" x 3' aluminum extension tube | \$ | 228.00 |
| 150471 | 6" x 4' aluminum extension tube | \$ | 243.00 |
| 150481 | 6" x 6' aluminum extension tube | \$ | 259.00 |
| 150491 | 6" x 10' aluminum extension tube | \$ | 410.00 |
| 240879 | 8" x 4" x 4" "Y" reducer | \$ | 334.00 |
| 240805 | 6" fluidizer nozzle | \$ | 274.00 |
| 240806 | 8" fluidizer nozzle | \$ | 293.00 |
| 381546 | Soil Surgeon | \$ | 3,885.00 |
| 244263 | 8" Vacuum tube handle | \$ | 220.00 |

HOSE, ELBOWS AND FITTINGS

| | | | |
|--------|---|----|----------|
| 176630 | 8" x 80" suction hose, without fittings | \$ | 403.00 |
| 176620 | 8" x 19' suction hose, without fittings | \$ | 1,943.00 |
| 171240 | 8" female hose coupler, weld type | \$ | 44.00 |
| 171290 | 8" male hose coupler, weld type | \$ | 17.00 |
| 171300 | 8" male coupler ring | \$ | 12.00 |
| 191080 | 8" coupler O-ring | \$ | 18.00 |
| 190760 | 6" O-ring for coupler and cap | \$ | 9.50 |
| 152930 | 6" coupler steel ring | \$ | 62.00 |
| 238213 | 8" x 6" reducer | \$ | 218.00 |
| 220720 | Hose bands for 6" and 8" hose (requires tool below) | \$ | 8.50 |
| 238082 | 8" x 70 degree elbow and quick coupler | \$ | 459.00 |
| 238227 | Tube connector tool | \$ | 45.00 |
| 176831 | 8" plastic hose x 20' w/fittings | \$ | 1,259.00 |
| 220750 | Banding tool | \$ | 244.00 |
| 238083 | Manhole vacuum tube support, for 8" tube | \$ | 358.00 |

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

MISCELLANEOUS

| | | | |
|--------|---|----|-----------|
| 176150 | 25' fill hose | \$ | 173.00 |
| 176154 | 50' fill hose | \$ | 288.00 |
| 220260 | Traffic cone holder, behind cab(space permitting) | \$ | 423.00 |
| 220271 | Left tow hook | \$ | 184.00 |
| 220281 | Right tow hook | \$ | 184.00 |
| 220330 | Hydrant wrench | \$ | 71.00 |
| 222240 | Aquatech mud flap | \$ | 82.00 |
| 237004 | Manual (unit) | \$ | 139.00 |
| 243920 | Ladder rack on side of poly tank | \$ | 335.00 |
| 243921 | Pendent control basket on level wind | \$ | 109.00 |
| 220327 | 5 lb. ABC fire extinguisher | \$ | 191.00 |
| 380903 | Petcock valve on Y strainer | \$ | 83.00 |
| 380493 | Grate lifting hook | \$ | 7.00 |
| 380495 | Lifting chain (per foot) | \$ | 15.00 |
| NPN | "Live Drive" from split shaft or tower, includes hydraulic pump, hose, valves | \$ | 9,899.00 |
| NPN | Tower PTO in lieu of split shaft. Required for Hibon 8702 blower. | \$ | 3,885.00 |
| NPN | 700,000 BTU Water heater | \$ | 16,148.00 |
| NPN | Full enclosure around powerdeck | \$ | 7,499.00 |
| LBEMND | Lubrication bank manifold | \$ | 1,571.00 |
| VOGEL | Automatic lubrication system | \$ | 10,500.00 |
| CAMERA | Jet Cam System | \$ | 20,000.00 |
| RRMR01 | Rear mounted mirror | \$ | 250.00 |

NOZZLES, ROOT CUTTER, ETC.

| | | | |
|--------|---------------------------------|----|----------|
| 130645 | Nozzle rack for (3) 1" nozzles | \$ | 129.00 |
| 136000 | 15° radial, 1" | \$ | 106.00 |
| 136005 | 35° radial, 1" | \$ | 88.00 |
| 136007 | 15° radial, 1" | \$ | 93.50 |
| 136010 | Vortex radial, 1" | \$ | 88.00 |
| 136011 | Vortex radial, 1" 80@2000 | \$ | 127.00 |
| 136013 | Vortex radial, 1" 80@2500 | \$ | 132.00 |
| 136023 | 15° radial, 1" 80@2500 | \$ | 73.50 |
| 136024 | 35 degree,1" 80@2500 | \$ | 141.00 |
| 136028 | 15 degree radial, 1" 80@2000 | \$ | 143.00 |
| 136029 | 35 degree radial, 1" 80@2500 | \$ | 143.00 |
| 136018 | 15° stub lance, 1" | \$ | 209.00 |
| 136019 | 35° stub lance, 1" | \$ | 209.00 |
| 136151 | Ellipse nozzle, 1" 80@2000 | \$ | 230.00 |
| 130152 | Ellipse nozzle, 1" 80@2500 | \$ | 162.00 |
| 136182 | Torpedo,1" Swivel | \$ | 1,344.00 |
| 130340 | Thrust nozzle, 1" | \$ | 217.00 |
| 130350 | Bayonet nozzle, 1" | \$ | 302.00 |
| 136360 | Bayonet nozzle, 1" 80@2000 | \$ | 303.00 |
| 136361 | Bayonet nozzle, 1" 80@2500 | \$ | 303.00 |
| 130380 | Single Storm Nozzle, 1" | \$ | 273.00 |
| 130390 | Vortex nozzle, 1" | \$ | 288.00 |
| 130403 | Vortex nozzle, 1" 80@2500 | \$ | 288.00 |
| 130420 | Double storm nozzle, 1" | \$ | 587.00 |
| 130422 | Double storm nozzle, 1" 80@2000 | \$ | 570.00 |

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

NOZZLES, ROOT CUTTER, ETC.

| | | | |
|--------|--|----|----------|
| 130423 | Double storm nozzle, 1" 80@2500 | \$ | 570.00 |
| 130428 | Culvert nozzle, 1" 80@2000 | \$ | 782.00 |
| 130433 | Missile nozzle, 1" | \$ | 465.00 |
| 136060 | 1" spin clean nozzle, 65 GPM | \$ | 1,032.00 |
| 136061 | 1" spin clean nozzle, 80 GPM | \$ | 1,032.00 |
| 136130 | 120° rotating carbide cutter | \$ | 1,259.00 |
| 136135 | 60° rotating carbide cutter | \$ | 417.00 |
| 130452 | 80GPM Root Cutter Ass'y 1" | \$ | 2,441.00 |
| 136100 | Rotating root cutter 65@2000 | \$ | 597.00 |
| 136101 | Rotating root cutter 80@2000 | \$ | 597.00 |
| 136150 | 1" ellipse nozzle, 65 GPM | \$ | 208.00 |
| 136180 | 1" torpedo nozzle, 65 GPM | \$ | 1,782.00 |
| 136245 | 1" root buster | \$ | 1,515.00 |
| 136210 | 1" sting ray nozzle, 65 GPM | \$ | 1,298.00 |
| 136220 | 1" sting ray nozzle, 80 GPM | \$ | 1,430.00 |
| 130425 | Culvert cleaning nozzle, 1" | \$ | 1,758.00 |
| 130195 | 12 hole grease nozzle, 1" | \$ | 88.00 |
| 136299 | Tadpole nozzle 80 GPM@2000 | \$ | 796.00 |
| 136300 | Tadpole nozzle, 65 GPM@2000, with coupling | \$ | 1,077.00 |
| 130001 | 12" nozzle extension, 1" | \$ | 59.00 |
| 130010 | 6" - 8" nozzle guard, 1" | \$ | 85.00 |
| 130020 | 10" - 12" nozzle guard, 1" | \$ | 149.00 |
| 130460 | 65 GPM 1" root cutter assembly lines with blades for 6" - 12" lines | \$ | 1,921.50 |
| 130520 | 10" root saw | \$ | 269.00 |
| 130530 | 12" root saw | \$ | 290.00 |
| 130535 | 15" root saw | \$ | 314.00 |
| 130470 | 6" brush assembly | \$ | 246.00 |
| 130471 | 8" brush assembly | \$ | 279.00 |
| 130472 | 10" brush assembly | \$ | 361.00 |
| 130473 | 12" brush assembly | \$ | 372.00 |
| 130480 | 6" carbide lateral cut-off tool | \$ | 2,896.00 |
| 130485 | 8" carbide lateral cut-off tool | \$ | 3,280.00 |
| NPN | <i>Set of 6 AQUATECH SEC nozzles in briefcase, includes the following:</i> | \$ | 7,639.00 |
| | 1 each Grand slam 3D, Superior penetrator 3D, Chisel cone, Flying 3D, Grenade, Ultimate chisel, All 1", stainless steel inserts, 80GPM @2000PSI, (65 GPM Optional) | | |

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS

CLEANING ACCESSORIES

| | | | |
|--------|-----------------------------------|----|----------|
| 235006 | Flexible hose guide with 20' rope | \$ | 124.00 |
| 239183 | Lower manhole roller assembly | \$ | 680.00 |
| 221520 | 3/4" x 60" straight pipe for shoe | \$ | 46.00 |
| 221530 | 3/4" x 60" curved pipe for shoe | \$ | 69.00 |
| 234585 | Grapple tongs | \$ | 225.00 |
| 220081 | Basin spoon, 10' | \$ | 373.00 |
| 220082 | Basin scraper | \$ | 374.00 |
| 220030 | Large manhole trap - 15" - 18" | \$ | 874.00 |
| 220120 | Top manhole roller | \$ | 596.00 |
| 220100 | Over the ground rollers | \$ | 839.00 |
| 220090 | Easement kit roller | \$ | 186.00 |
| 220040 | 6' manhole clam cleaner | \$ | 313.00 |
| 220050 | 8' manhole clam cleaner | \$ | 454.00 |
| 220060 | 10' manhole clam cleaner | \$ | 573.00 |
| 220070 | 12' manhole clam cleaner | \$ | 614.00 |
| 220080 | 15' manhole clam cleaner | \$ | 834.00 |
| 220110 | Slant jack roller for manhole | \$ | 1,026.00 |
| 238061 | Basin lance agitator | \$ | 678.00 |
| 235259 | 90° hose shoe guide | \$ | 572.00 |

ADDITIONAL OPTIONS

| | | | |
|-----------|---|----|-----------|
| 383023 | 14 function wireless boom control | \$ | 7,280.00 |
| 130635-5 | Additional tank flush-out nozzle in front of debris tank, B10 | \$ | 1,715.00 |
| 130638-FN | Additional tank flush-out nozzle in front of debris tank, B15 | \$ | 2,850.00 |
| 380712 | Vulcan brand on-board digital scale system | \$ | 11,565.00 |
| 110210 | Dual boom extension cylinders | \$ | 1,588.00 |
| 235363 | Tool basket behind cab | \$ | 1,125.00 |
| 381917 | Tool trays, left and right sides | \$ | 2,740.00 |
| 381557 | Provision back up camera system | \$ | 1,875.00 |

NOTE: THERE ARE MANY OTHER ACCESSORIES IN OUR CLEANING ACCESSORIES CATALOG. CONSULT US FOR IDEAS AND INFORMATION ON ACCESSORIES FOR SPECIAL CLEANING NEEDS.

AQUATECH B5, B10, B15, B52, CB10, CB15 SERIES OPTIONS


Truck Chassis (Not subject to any discounts, subject to availability)

International 7400 6x4 SBA #54,000GVWR **\$86,567.00**


Freightliner M2 6x4 SBA #64,000GVWR **\$87,150.00**
#18,000 Front axle, #40,000 rear axle

Toolbox Jetter

“Make your PUMPER
a Jetter”



Model 1113-JE (pictured)



NEW DESIGN!!!

Reinforced channel under engine for added support & stability; Louvered Doors equipped w/gas struts; Double-Lock for added Security; Gas Tank can be mounted where it is convenient for YOU; Easy access to ALL Component Parts: Top Mount Hose Reel with tool storage underneath

Model 1113-JE

Pumpers can offer a value-added service with this space-saving unit. It packs the punch of a 13hp cart model in a convenient toolbox you can mount anywhere. Standard with Electric start. Can be used to clean laterals back to house, other jetter line cleaning applications, clean the suction hose, even wash the truck.

- 13hp gasoline engine
- Triplex pump—4.8 GPM @ 3,000 psi
- Electric Start
- Adjustable Pressure
- Pulsator
- Thermal Relief Valve
- Inlet Filter
- 200' of 3/8" High Impact Polymer Hose
- 350' Capacity Electric Hose Reel

- Shutoff valve,
- Washdown gun & nozzle
- 15° Penetrating Nozzle
- 30° Flushing Nozzle
- 5,000 psi Liquid-Filled Gauge
- Nozzle Rack
- Entire unit measures 24"x24"x48" and weighs less than 315 lbs.

Optional Components

- Polished aluminum tool box [230](#)

Model 1111-JE

Pumpers can offer a value-added service with this space-saving unit. It packs the punch of an 11hp cart model in a convenient toolbox you can mount anywhere. Standard with Electric start. Can be used to clean laterals back to house, other jetter line cleaning applications, clean the suction hose, even wash the truck. When mounting location is a factor, this compact unit comes in a 48" toolbox.

- 11hp gasoline engine
- Triplex pump—4.0 GPM @ 3,000 psi
- Electric Start
- Adjustable Pressure
- Pulsator
- Thermal Relief Valve
- Inlet Filter
- 150' of 3/8" High Impact Polymer Hose
- 150' Capacity Hose Reel

- Shutoff valve
- Washdown gun & nozzle
- 15° Penetrating Nozzle
- 30° Flushing Nozzle
- 5,000 psi liquid-filled gauge
- Nozzle Rack
- Entire unit measures 24"x24"x48" and weighs less than 300 lbs.

Optional Components

- Polished aluminum tool box [230](#)

MODEL (PLEASE CHECK ONE)

1113-JE \$4,657.00 1113-J \$4,324.00

1111-JE \$3,807.00 1111-J \$3,484.00

1220-J HydroJetterTM

O'BRIEN MANUFACTURING

This economical and portable electric unit is perfect for pumper/cleaners dedicated to small residential applications with 4" diameter lines or smaller.

Includes:

- 2.0hp motor—19.8 amp @ 110 volts*
- Triplex pump—1.7 GPM @ 1,500 psi
- Durable powder-coated cart
- 10" semi-pneumatic tires
- Front bumper bar protects pump and motor
- ¼" 15° penetrating nozzle
- ¼" 30° flushing nozzle
- 150' capacity hose reel
- 100' ¼" high impact sewer hose
- 25' cord with ground fault circuit interrupter
- 3,000 psi liquid-filled gauge
- Thermal relief valve
- Garden hose inlet with strainer
- Electric Plug w/GFCI
- Easy-to-clean inline filter
- 220-volt capability*

*(cord, plug and circuit breaker not included)



Available options: (Please check all that apply)

104.94 25' of ½" trap hose with swivel and nozzle (PN OBJ-1723K)

Dimensions of 2-wheel cart:

Height – 50 1/2"

Width – 17 1/2"

Length – 31"

Weight -- 283 lbs.

2010-JK Skid Mount

*Hydro***Jetter**TM
O'BRIEN MANUFACTURING

The Big Machine at Home or the Office

For the toughest residential and commercial jobs on lines up to 10" in diameter, this unit takes your modest jetting service to the next level. As a truck-mounted model, it carries its own water supply for ample water flow. This, combined with its horsepower, facilitates the use of a root cutter accessory.

Standard unit color is safety yellow or white - Customer Choice. Can be custom painted to match almost any color for an additional charge.

Available Options (Check all that apply)

- 450.80** 100' 1/2" 4000PSI Extra Hose on Main Reel (PN OBJ-100-12AH)
- 460** Garden Hose Reel 1/2" - 50' Reel (PN OBJ-123000L)
- 138** Hand Held Tethered Remote (OBJ-9061)
- 2645** IntelACount (OBJ-2430H)
- 1247.75** Aux Hose Reel w/Long Handle, Foot Control (PN OBJ-40027A)
- 533.60** Level Wind Guide w/Counter (PN OBJ-2430A)
- 143.75** Low Water shutdown (PN OBJ-2424)
- 575** Custom Paint (Paint Code Required)
- 224.24** Pulsator P420 (PN 22735)
- 322** Recirculation System (PN OBJ-9009)
- 287.50** Rotating Beacon-Fixed (PN OBJ-241A)
- 1907.85** Control box, variable speed with wireless capability for wireless remote



2010-JK Skid Mount

Standard Components

300' of 1/2" thermoplastic sewer hose
Hose reel capacity is 420' of 1/2"
Compatible with OBJ-1468 root cutter

Standard Components

200 Gallon Polyethylene Tank
Plate mounted with sump and side baffles
Crowned top & side stabilizers for added strength
Sufficient water supply for necessary water flow.

Electric Reel
Oversized high-torque motor for rewind.
Positive forward/reverse switch.

Giant-Triplex Pump
Standard 10 GPM @ 2,500 psi

Honda Engine
Twin-cylinder/20hp
Electric start with charging system

Note: Battery not included.

Available Accessories (check all that apply)

- 343.85** Artillery Nozzle Kit (PN 121025AR)
- 867.10** Aux Hose Reel w/Wheels & Long Handle (PN OB40027A)
- 543.95** Cavalry Nozzle Kit (PN 121025CA)
- 21.85** Cone Safety Red 18" Tall (PN OBJ-714)
- 86.25** Fill Hose 25' (PN J-2439)
- 188.60** Foot Control Valve (PN OBJ-20027A)
- 172.50** Grit Catcher - 6" (PN OB00016A)
- 187.45** Grit Catcher - 8" (PN OB00018A)
- 332.35** Infantry Nozzle Kit (PN 121025IN)
- 1399.55** Lateral Cleaning Kit 150' (PN J-2432)
- 1466.25** Lateral Cleaning Kit 200' (PN J-2432-2)
- 65.55** Manhole Cover Hook (PN 015-438)
- 64.40** Nozzle Extension - Finned 1/2" (PN J-40-7)
- 27.60** Nozzle Extension - NonFinned 1/2" (PN J-40-3)
- 1107.45** Root Cutter Kit (PN OBJ-1468)
- 111.55** Rotating Beacon - Magnetic Mount (PN RL650A)
- 113.85** Strobe Light - Magnetic Mount (PN SL650)

High-Impact Thermoplastic Sewer Hose
Easy to clean off (leaves no bacteria-causing residue).

Maintains stiffness and is abrasion resistant.

Length: 92.5"

Width: 48"

Height: 46"

Weight: 585 lbs.

Other Standard Components

Two nozzles: one penetrator & one flusher
PVC tank drain valve with strainer
Air purge system
20' Leader hose contrasting color



2500 Series

Cart Jetter

HydroJetter

O'BRIEN MANUFACTURING

| | |
|----------------------------------|--------------------------|
| Model: Please mark choice | |
| 2511-J | <u>\$2,692.00</u> |
| 2511-JE (Electric start) | <u>\$2,849.00</u> |
| 2513-J | <u>\$2,731.00</u> |
| 2513-JE (Electric start) | <u>\$3,014.00</u> |


2-wheel cart is easy to load and unload in your vehicle and transport up and down steps.

2511-J Includes:

- 11hp manual start gasoline engine
- Triplex pump - 4.0 GPM @ 3,000 psi

2513-J Includes:

- 13hp manual start gasoline engine
- Triplex pump - 4.8 GPM @ 3,000 psi



2500 Series Complete Kit Includes:

- Durable powder-coated cart
- 10" semi-pneumatic tires
- Two Nozzles - 3/8" Penetrator and 3/8" Flusher
- Nozzle storage rack
- 300' capacity hose reel w/positive locking
- 200' of 3/4" High-Impact sewer hose
- Thermal relief valve
- Throttle control valve
- 3/8" 3,000 psi ball valve
- Unloader
- Pulsator
- 5,000 psi liquid-filled gauge
- Drip pan
- Tool storage tray
- Adjustable pressure control
- Garden Hose inlet with strainer

Available Options:
(Please check all that apply)

- 32.20** Filter Inlet (p/n 22145B)
- 56.35** Washdown Gun Package (OBJ-1720K)
- 1132.75** Lateral Cleaning Kit Package (OBJ-1724K)
- 132.25** 3/16" Trap Hose Package (OBJ-1722K)
- 79.35** Luggage Style Hose Reel Handle (30027A)
- 110.40** 4-Wheel Conversion Kit (OBJ-9064)
- 867.10** Auxiliary Hose Reel with Luggage Style Handle and Wheels (OB40027A)

4-Wheel Option

4-Wheel Capability - Bolt-on and off front wheels enable the unit to be utilized as a 2 or 4 wheel machine, depending on the application.

**Battery not included.*

Dimensions of 2-wheel cart:

- Height – 46"
- Width – 24"
- Length – 59"
- Weight -- 328 lbs.

Cart Jettors

These user-friendly models are geared for residential and commercial sewer lines up to 8" in diameter. The optional lateral cleaning kit package allows you to leave the engine outside a building while you clean an inside line. With an automatic throttle control valve, the engine responds to your water usage. Open the flow, and it revs up to maintain maximum pressure. Cut the flow, and it idles down for reduced noise, pump wear, and engine wear.

3510-E
Trailer Jetter
*Hydro***Jetter**
O'BRIEN MANUFACTURING



3510-E
Standard Components

200' of 3/8" thermoplastic sewer hose
 Hose Reel capacity - 350' of 3/8" hose
 (3510-E not compatible w/root cutter)

The Big Machine
at Home or the Office

For the toughest residential and commercial jobs on lines up to 10" in diameter, this unit takes your modest jetting service to the next level. As a trailer-mounted model, it carries its own water supply for ample water flow. Plus, the electric hose reel supports wireless remote control capabilities.

Standard unit color is Safety yellow or white - Customer Choice. Can be custom painted to match almost any color.

Standard Components

350 Gallon Polyethylene Tank

Plate mounted with sump and side baffles
 Crowned top & side stabilizers for added strength

Sufficient water supply for necessary water flow.

Cat Walk Fenders

Electric Reel

Oversized high-torque motor for rewind.
 Positive forward/reverse pressure switch.
 Variable-speed control.

Giant-Triplex Pump

Standard 10 GPM @ 2,500 psi

Honda Engine

Twin-cylinder/20hp
 Electric start with charging system

High-Impact Thermoplastic Sewer Hose

Easy to clean off (leaves no bacteria-causing residue).

Maintains stiffness and is abrasion resistant.

Trailer

The Trailer Jetter is rated to carry a full tank of water to the job ...

- 3" channel frame
- A-frame hitch
- 2" ball hitch
- 6,000 lb. DOT-rated axle
- ST-225 x 75R15 tires, Load Range D, 8 ply
- Electric brakes

Other Standard Components

Two nozzles: one penetrator & one flusher

Toolbox

PVC tank drain valve with stainless steel strainer

Air purge system

20' Leader hose contrasting color

Available Options (Check all that apply)

115 Fill Pipe Assembly (PN OBJ-351EFPA)

143.75 Low Water Shutdown

575 Custom Paint (Paint Code Required)

STD Paint - Safety Yellow

STD Paint - White Enamel

224.25 Pulsator P420 (PN 22735)

Available Accessories (check all that apply)

21.85 Cone Safety Red 18" tall (PN OBJ-714)

172.50 Grit Catcher - 6" (PN OB00016A)

187.45 Grit Catcher - 8" (PN OB00018A)

65.55 Manhole Cover Hook (PN 015-438)

113.85 Rotating Beacon - Magnetic Mount (PN RL650A)

113.85 Strobe Light - Magnetic Mount (PN SL650A)

69 Tiger Tail - 2" x 36" (PN J-2204)

69 Tiger Tail - 3" x 36" (PN J-2203)

69 Tiger Tail - 3" x 42" (PN J-2205)

241.50 Tire & Rim 15" Spare (PN J-700-9)

232.30 Upstream Pulley Guide (PN J-2401)

201.25 Washdown Gun w/Hose (PN 15007-B)

115 Work Light- Magnetic Mount (PN OBJ-500R)

\$13,875.00

**3510-FC
 Trailer Jetter**



**The Big Machine
 at Home or the Office**

For the toughest residential and commercial jobs on lines up to 10" in diameter, this unit takes your modest jetting service to the next level. As a trailer-mounted model, it carries its own water supply for ample water flow. This, combined with its horsepower, facilitates the use of a root cutter accessory. Plus, the electric hose reel supports wireless remote control capabilities.

Standard unit color is Safety yellow or white - Customer Choice. Can be custom painted to match almost any color for an additional charge.

Available Options (Check all that apply)

- 450.80** 100' 1/2" 4000PSI Extra Hose on Main Reel (PN OBJ-100-12AH)
- 113.85** Cone Holder Only (PN OBJ-137)
- 460** Garden Hose Reel 1/2" - 50' Reel (PN OBJ-123000L)
- 862.50** Garden Hose Reel Man.100' Cox (PN OBJ-293)
- 138** Hand Held Tethered Remote (OBJ-9061)
- 2645** IntelACount (OBJ-2430H)
- 1247.75** Aux Hose Reel w/Long Handle, Foot Control (PN OBJ-40027A)
- 533.60** Level Wind Guide w/Counter (PN OBJ-2430A)
- 143.75** Low Water shutdown (PN OBJ-2424)
- 575** Custom Paint (Paint Code Required)
- 86.25** Pintle Hitch (PN OBJ-4001PW)
- 224.25** Pulsator P420 (PN 22735)
- 322** Recirculation System (PN OBJ-9009)
- 287.50** Rotating Beacon-Fixed (PN OBJ-241A)
- 687.70** Wireless Remote (PN OBJ-102)



3510-FC

Standard Components

- 300' of 1/2" thermoplastic sewer hose
- Hose reel capacity is 420' of 1/2"
- Compatible with OBJ-1468 root cutter

350 Gallon Polyethylene Tank

Plate mounted with sump and side baffles
 Crowned top & side stabilizers for added strength

Sufficient water supply for necessary water flow.

Electric Reel

Oversized high-torque motor for rewind.
 Positive forward/reverse pressure switch.
 Variable-speed control.

Giant-Triplex Pump

Standard 10 GPM @ 2,500 psi

Honda Engine

Twin-cylinder/20hp
 Electric start with charging system

CatWalk Fenders

Note: Battery not included.

Available Accessories

(check all that apply)

- 343.85** Artillery Nozzle Kit (PN 121025AR)
- 543.95** Cavalry Nozzle Kit (PN 121025CA)
- 21.85** Cone Safety Red 18" Tall (PN OBJ-714)
- 86.25** Fill Hose 25' (PN J-2439)
- 247.25** Foot Control for Hose Reel Wind/UnWind (PN OBJ-20027C)
- 188.60** Foot Control Valve (PN OBJ-20027A)
- 172.50** Grit Catcher - 6" (PN OB00016A)
- 187.45** Grit Catcher - 8" (PN OB00018A)
- 332.35** Infantry Nozzle Kit (PN 121025IN)
- 1399.55** Lateral Cleaning Kit 150' (PN J-2432)
- 1466.25** Lateral Cleaning Kit 200' (PN J-2432-2)
- 67.85** Manhole Cover Hook (PN 015-438)
- 64.40** Nozzle Extension - Finned 1/2" (PN J-40-7)
- 27.60** Nozzle Extension - NonFinned 1/2" (PN J-40-3)
- 1107.45** Root Cutter Kit (PN OBJ-1468)
- 113.85** Rotating Beacon - Magnetic Mount (PN RL650A)
- 113.85** Strobe Light - Magnetic Mount (PN SL650)
- 69** Tiger Tail - 2" x 36" (PN J-2204)
- 69** Tiger Tail - 3" x 36" (PN J-2203)
- 69** Tiger Tail - 3" x 42" (PN J-2205)
- 241.50** Tire & Rim 15" Spare (PN J-700-9)
- 232.30** Upstream Pulley Guide (PN J-2401)
- 201.25** Washdown Gun w/Hose (PN 15007-B)
- 115** Work Light- Magnetic Mount (PN OBJ-500R)

High-Impact Thermoplastic Sewer Hose

Easy to clean off (leaves no bacteria-causing residue).

Maintains stiffness and is abrasion resistant.

Trailer

The Trailer Jetter is rated to carry a full tank of water to the job . . .

- 3" channel frame
- A-frame hitch
- 2" ball hitch
- 6,000 lb. DOT-rated axle
- ST-225 x 75R15 tires, Load Range D, 8 ply
- Electric brakes

Other Standard Components

- Two nozzles: one penetrator & one flusher
- Toolbox
- PVC tank drain valve with stainless steel strainer
- Air purge system
- 20' Leader hose contrasting color
- Level wind guide

3515-CF
Trailer Jetter
*Hydro***Jetter**
O'BRIEN MANUFACTURINGTM

**The Big Machine
at Home or the Office**

For the toughest residential and commercial jobs on lines up to 16" in diameter, this unit takes your modest jetting service to the next level. As a trailer-mounted model, it carries its own water supply for ample water flow. This, combined with its horsepower, facilitates the use of a root cutter accessory. Plus, the hydraulic reel provides hydraulic power for even the toughest jobs.

Standard unit color is Caterpillar yellow or white - Customer Choice. Can be custom painted to match almost any color for an additional charge.

Available Options (Check all that apply)

- 450.80** 100' 1/2" 4000PSI Extra Hose on Main Reel (PN OBJ-100-12AH)
- 679.65** 200' 1/2" 4000PSI Extra Hose on Main Reel (PN OBJ-200-12AH)
- 1146.55** Anti-Freeze System (PN OBJ-234)
- 113.85** Cone Holder Only (PN OBJ-137)
- 439.30** E-Stop Assembly (PN100405-01)
- 460** Garden Hose Reel 1/2" - 50' Reel (PN OBJ-123000L)
- 997.05** Garden Hose Reel Electric 100' (PN OBJ-294)
- 862.50** Garden Hose Reel Man. 100' Cox (PN OBJ-293)
- 966** Hydraulic Surge Brakes (PN 4500SB)
- 2645** IntelACount (w/parts & labor) (OBJ-2430G)
- 533.60** Level Wind Guide w/Counter (PN OBJ-24305)
- 143.75** Low Water shutdown (PN OBJ-2424)
- 575** Custom Paint (Paint Code Required)
- STD** Paint - Safety Yellow (PNPAINT-1Y)
- STD** Paint - White Enamel (PN PAINT-3W)
- 86.25** Pintle Hitch (PN OBJ-1081P)
- 224.25** Pulsator LP400 (PN 22740)
- 322** Recirculation System (PN OBJ-9009)
- 287.50** Rotating Beacon-Fixed (PN OBJ-241A)
- 609.50** Spare Tire Holder w/Tire 16" (PN OBJ-9060-700016)



3515-CF =

Standard Components

350 Gallon Polyethylene Tank
Plate mounted with sump and side baffles
Crowned top & side stabilizers for added strength
Sufficient water supply for necessary water flow.
12" manhole with strainer basket
'Catwalk' fenders

Hydraulic Reel
Oversized high-torque motor
Positive forward/reverse pressure switch.
Variable-speed control.

Giant-Triplex Pump
Standard 15 GPM @ 3,000 psi
Compatible with OBJ-1467 root cutter

STD - Cummins Diesel Engine 37hp
Murphy safety gauges with auto-shutdown
Variable vernier throttle control

Note: Battery not included.

Available Accessories
(check all that apply)

- 343.85** Artillery Nozzle Kit (PN 121536AR)
- 1247.75** Aux Hose Reel w/Wheels, Long Handle & Foot Pedal (PN OBJ-40027A)
- 543.95** Cavalry Nozzle Kit (PN 121536CA)
- 21.85** Cone Safety Red 18" Tall (PN OBJ-714)
- 72.45** Emergency Hand Crank (PN OBJ-300)
- 86.25** Fill Hose 25' (PN J-2439)
- 172.50** Grit Catcher - 6" (PN OB00016A)
- 187.45** Grit Catcher - 8" (PN OB00018A)
- 332.35** Infantry Nozzle Kit (PN 121536IN)
- 36.80** Jack Wheel Swivel (PN 80552)
- 67.85** Manhole Cover Hook (PN 015-438)
- 64.40** Nozzle Extension - Finned 1/2" (PN J-40-7)
- 27.60** Nozzle Extension - NonFinned 1/2" (PN J-40-3)
- 1107.45** Root Cutter Kit (PN OBJ-1467)
- High-Impact Thermoplastic Sewer Hose**
Easy to clean off (leaves no bacteria-causing residue).
Maintains stiffness and is abrasion resistant.
Standard 400' of 1/2" hose (reel capacity is 620' of 1/2' hose).
- Trailer**
The Trailer Jetter is rated to carry a full tank of water to the job
 - 4" channel frame
 - A-frame hitch
 - 2 5/16" ball hitch
 - 6,000 lb. DOT-rated axle
 - LT-235 x 85R16 tires
 - Electric brakes
- Other Standard Components**
Two nozzles: one penetrator & one flusher
PVC tank drain valve with stainless steel strainer
Air purge system
20' Leader hose contrasting color
One (1) aux 12V power supply outlet
2" PVC fill pipe
 - 113.85** Rotating Beacon - Magnetic Mount (PN RL650A)
 - 113.85** Strobe Light - Magnetic Mount (PN SL650)
 - 69** Tiger Tail - 2" x 36" (PN J-2204)
 - 69** Tiger Tail - 3" x 36" (PN J-2203)
 - 69** Tiger Tail - 3" x 42" (PN J-2205)
 - 473.80** Tire & Rim 16" Spare (PN J-700-19)
 - 232.30** Upstream Pulley Guide (PN J-2401)
 - 201.25** Washdown Gun w/Hose (PN 15007-B)
 - 115** Work Light- Magnetic Mount (PN OBJ-500R)

3518-SC Trailer Jetter



The Ultimate Workhorse

With a water tank that doubles the capacity of any smaller trailer unit and a powerful engine/pump combination, this model efficiently tackles a wide range of line cleaning duties all the way up to 24" mains. The rigid chassis and axle design give it stability, so you can haul a full tank of water at highway speeds.

Standard unit color is safety yellow or white - customer choice. Can be custom painted to match almost any color, for an additional charge. 500

Available Options

- 450.80** 100' 1/2" Extra Hose on Main Reel (PN OBJ-100-12AH)
- 679.65** 200' 1/2" Extra Hose on Main Reel (PN OBJ-200-12AH)
- 1146.55** Anti-Freeze System (PN OBJ-234)
- 733.70** Arrow Board (PN OBJ-144)
- 3050.95** Auto Level Wind Guide Mounted (PN OBJ-9032)
- 113.85** Cone Holder Only (PN OBJ-137)
- 326.60** Custom Decals (two)
- 1725** 73HP Kubota Diesel Engine (PN OBJ-73KO)
- 4324** 80HP JohnDeere Diesel Engine (PN OBJ-80JDO)
- 1265** 85HP Cummins Diesel Engine (PN OBJ-85CO)
- 439.88** E-Stop Assembly (PN IC-100405-01)
- 373.75** Foot Control Swinger (PN OBJ-187A)
- 460** Garden Hose Reel 1/2" - 50' (PN OBJ-123000L)
- 997.05** Garden Hose Reel Electric 100' (PN OBJ-294)
- 862.50** Garden Hose Reel Manual 100' COX (PN OBJ-293)
- 966** Hydraulic Surge Brakes (PN 3500SB)
- 6434.25** IntelAControl Complete Package (PN OBJ-630CP)
- 2645** IntelAControl (PN OBJ-2430E)
- 143.75** Low Water Shutdown
- 533.60** Level Wind Guide w/Counter (PN OBJ-2430A)
- 575** Paint Custom (Paint Code Required) (PN PAINT-CUSTOM)
- STD Paint - Safety Yellow (PN PAINT-1Y)
- STD Paint - White Enamel (PN PAINT-3W)
- 86.25** Pintle Hitch (PN OBJ-1081P)
- 224.25** Pulsator LP301A (PN 22737)
- 322** Recirculation System (PN OBJ-9009)
- 287.50** Rotating Beacon-Fixed (PN OBJ-241A)
- 543.95** Side Panels (two) - Painted (PN OBJ-2523P)
- 609.50** Spare Tire Holder w/Tire 16" (PN OBJ-9060-700016)
- 1368.50** Tank Shroud Aluminum (PN 3500ADS)
- 977.50** Tank Shroud Steel (PN 3500SS)
- 915.40** Wireless Remote (PN OBJ-101)

"Swinger" Reel—190° Pivot

Makes line cleaning a simple job because it allows for:

- Easy access to the manhole regardless of how trailer is parked
- Tethered hand control
- Variable-speed control
- Hydraulic driven
- 'Catwalk' fenders

Standard Components

350 Gallon Polyethylene Tank

Plate mounted with sump and side baffles
Crowned top & side stabilizers for added strength
Sufficient water supply for necessary water flow
12" Manhole with basket

High-Impact Thermoplastic Sewer Hose

Easy to keep clean (retains no bacteria-causing residue).
Maintains stiffness and is abrasion resistant.

Standard 400' of 1/2" hose reaches from manhole to manhole.
Reel capacity is 1,000' of 1/2" hose.

STD - Cummins Diesel Engine 65hp

Murphy safety gauges with auto - shutdown
Variable electronic throttle control

Available Accessories

- 343.85** Artillery Nozzle Kit (PN 121840AR)
- 543.95** Cavalry Nozzle Kit (PN 121840CA)
- 21.85** Cone Safety Red 18" tall (PN OBJ-714)
- 86.25** Fill Hose 25' (PN J-2439)
- 861.35** Footpedal Transmitter IntelAControl (PN OBJ-2530FT)
- 172.50** Grit Catcher 6" (PN OB00016A)
- 187.45** Grit Catcher 8" (PN OB00018A)
- 1006.25** Hand Held Transmitter IntelAControl (PN OBJ-2530HT)
- 332.35** Infantry Nozzle Kit (PN 121840IN)
- 36.80** Jack Wheel Swivel (PN 80552)
- 72.45** Kit -Emergency Hand Crank (PN OBJ-300)
- 67.85** Manhole Cover Hook (PN 015-438)
- 64.40** Nozzle Extension - Finned 1/2" (PN J-40-7)
- 27.60** Nozzle Extension - NonFinned 1/2" (PN J-40-3)
- 1107.45** Root Cutter Kit (PN OBJ-1467)
- 113.85** Rotating Beacon - Magnetic Mount (PN RL650A)
- 113.85** Strobe Light - Magnetic Mount (PN SL650A)
- 69** Tiger Tail - 2" x 36" (PN J-2204)
- 69** Tiger Tail - 3" x 36" (PN J-2203)
- 69** Tiger Tail - 3" x 42" (PN J-2205)

18GPM@4,000 PSI Pump

- Giant pump

Single-Axle Trailer

The Trailer Jetter is rated to carry a full tank of water to the job . . .

- 6" channel frame
- A-frame hitch
- 2" /16" ball hitch
- 7,000 lb. DOT-rated axle
- ST-235 x 85R16 tires, Load Range G, 14 ply
- Electric brakes

Other Standard Components

- Two nozzles: penetrator & flusher
- PVC tank drain valve with stainless steel strainer
- Direct driven "live" hydraulic system with 17-gallon tank
- 17-gallon fuel tank with cap-mounted gauge.
- Air purge system
- 20' Leader hose contrasting color
- Two (2) aux 12V power supply outlets
- 2" PVC fill pipe
- Level Wind Guide

- 473.80** Tire & Rim 16" Spare 8 lug (PN J-700-19)

- 232.30** Upstream Pulley Guide (PN J-2401)
- 201.25** Washdown Gun w/Hose (PN 15007-B)
- 569.25** Wireless Repeater IntelAControl (PN OBJ-2530WR)
- 115** Work Light - Magnetic Mount (PN OBJ-500R)

7030-SC
*Hydro***Jetter**
O'BRIEN MANUFACTURING



Unit pictured with:
✓ INTELACONTROL
✓ INTELACOUNT

**Looks Professional.
Performs Like One.**

This unit is specially designed for the professional day-to-day sewer line cleaner. Municipalities and pumper/cleaner contractors rely on its power and versatility for cleaning a wide range of pipes. The unit has "catwalk" fenders.

Standard unit color is Safety yellow or white - customer choice. Can be custom painted to match almost any color for an additional charge.

Available Options

- 393.30** 100' 3/4" Extra Hose on Main Reel (PN OBJ-100-34AH)
- 785.45** 200' 3/4" Extra Hose on Main Reel (PN OBJ-200-34AH)
- 1146.55** Anti-Freeze System (PN OBJ-234)
- 733.70** Arrow Board (PN OBJ-144)
- 3050.95** Auto Level Wind Guide Mounted (PN OBJ-9032-34)
- 113.85** Cone Holder Only (PN OBJ-137)
- 326.60** Custom Decals (two) (PN CUSTOM-DECAL)
- 4324** 80HP John Deere Diesel Engine (PN OBJ-80JDO)
- 1265** 85HP Cummins Diesel Engine (PN OBJ-85CO)
- 1725** 87.4 Kubota Diesel Engine (PN OBJ-87KO)
- 440.45** E-Stop Assembly (PN IC-100405-01)
- 373.75** Foot Control (PN OBJ-187A)
- 460** Garden Hose reel 1/2" - 50' (PN OBJ-123000L)
- 997.05** Garden Hose reel Electric 100' (PN OBJ-294)
- 862.50** Garden Hose reel Manual 100' (PN OBJ-293)
- 1193.70** Hose-Reel 42" Weldment (PN J-700-42W)
- 1246.60** Hydraulic Surge Brakes (PN 7000SB)
- 6434.25** INTELACONTROL Complete Package (PN OBJ-2530CP)
- 2645** INTELACOUNT with Parts & Labor (PN OBJ-2430E)
- 533.60** Level Wind Guide w/Counter (PN OBJ-2430A)
- 143.75** Low Water Shutdown (PN OBJ-2424)
- 575** Paint Company Color (Paint Code Required)
- STD** Paint - Safety Yellow (PN PAINT-1Y)
- STD** Paint - White Enamel (PN PAINT-3W)
- 86.25** Pintle Hitch (PN OBJ-1081P)
- 345** Recirculation system (PN OBJ-9002)
- 287.50** Rotating Beacon-Fixed (PN OBJ-241A)
- 718.75** Side Panels (two) - Painted (PN OBJ-2524P)
- 486.45** Spare Tire Holder w/Tire 16" (PN OBJ-9060-16)
- 3323.50** Tank Shroud Aluminum (PN 7000ADS)
- 1552.50** Tank Shroud Steel (PN 7000SS)
- 915.40** Wireless Remote (PN OBJ-101)

Standard Components

- 700 Gallon Polyethylene Tanks**
Plate mounted with sump and side baffles
- Crowned top & side stabilizers for added strength*
- 12" Manhole with strainer basket*

"Swinger" Reel—190° Pivot

Makes line cleaning a simple job because it allows for:

- Easy access to the manhole regardless of how trailer is parked.
- Tethered hand operated reel control.
- Variable-speed control.
- Hydraulic driven

Engine

*Std. 65HP Cummins Diesel Engine
Murphy safety gauges with auto-shutdown
Variable electronic throttle control*

Catwalk Fenders

Available Accessories

- 21.85** Cone Safety Red 18" tall (PN OBJ-714)
- 86.25** Fill Hose 25' (PN J-2439)
- 861.35** Foot Pedal Transmitter INTELACONTROL (PN OBJ-2530FT)
- 172.50** Grit Catcher 6" (PN OB00016A)
- 187.45** Grit Catcher 8" (PN OB00018A)
- 1006.25** Hand Held Transmitter INTELACONTROL (PN OBJ-2530HT)
- 36.80** Jack Wheel Swivel (PN 80522)
- 72.45** Kit - Emergency Hand Crank (PN OBJ-300)
- 1437.50** Lateral Cleaning Kit 150' 3000PSI (PN J-241230)
- 67.85** Manhole Cover Hook (PN 015-438)
- 69** Nozzle Extension - Finned 3/4" (PN J-40-5)
- 33.35** Nozzle Extension - NonFinned 3/4" (PN J-40-1)
- 113.85** Rotating Beacon - Magnetic Mount (PN RL650A)
- 113.85** Strobe Light - Magnetic Mount (PN SL650A)
- 69** Tiger Tail 3" x 36" (PN J-2203)
- 69** Tiger Tail 3" x 42" (PN J-2205)
- 69** Tiger Tail 4" x 36" (PN J-2206)
- 287.50** Tire & Rim 16" Spare (PN J-16614)
- 232.30** Upstream Pulley Guide (PN J-2401)
- 204.25** Washdown Gun w/Hose (PN 15007-B)
- 569.25** Wireless Repeater INTELACONTROL (PN OBJ-2530WR)
- 115** Work Light - Magnetic Mount (PN OBJ-500R)

High-Impact Thermoplastic Sewer Hose

*Easy to keep clean (retains no bacteria-causing residue).
Maintains stiffness and is abrasion resistant.
Std. 30/30 pump = 400' of 3/4" hose
Standard 400' hose reaches from manhole to manhole.
Reel capacity is 750' of 3/4" hose.*

Tandem-Axle Trailer

The Trailer Jetter is rated to carry a full tank of water to the job . . .

- 6" channel frame
- A-frame hitch with storage
- 2 5/8" ball hitch (pintle opt.)
- (2) 6,000 lb. DOT-rated axles
- LT245/75R16 14 ply tires
- Electric brakes

Other Standard Components

*Two nozzles: penetrator & flusher
Toolbox—integrated enclosed tool & battery storage
PVC tank drain valve with stainless steel strainer
Direct driven "live" hydraulic system w/17 gal. tnl
17-gallon fuel tank with cap-mounted gauge.
Air purge system
20' Leader hose contrasting color
Level wind guide
Two (2) aux 12V power supply outlets
2" PVC fill pipe*

7040-SC
*Hydro***Jetter**TM
O'BRIEN MANUFACTURING



**Unit pictured with
INTELACOUNT**

**Looks Professional.
Performs Like One.**

This unit is specially designed for the professional day-to-day sewer line cleaner. Municipalities and pumper/cleaner contractors rely on its power and versatility for cleaning a wide range of pipes. The unit has "catwalk" fenders.

Standard unit color is safety yellow or white -customer choice. Can be custom painted to match for add'l cost.

Standard Components

700 Gallon Polyethylene Tanks

Plate mounted with sump and side baffles

Crowned top & side stabilizers for added strength

12" Manhole with strainer basket

"Swinger" Reel—190° Pivot

Makes line cleaning a simple job because it allows for:

- Easy access to the manhole regardless of how trailer is parked.
- Tethered hand operated reel control.
- Variable-speed control.
- Hydraulic driven

Engine

Std. 65HP Cummins Diesel Engine

Murphy safety gauges with auto-shutdown

Variable electronic throttle control

Giant Tri-plex Pump

40GPM@2,000PSI

Catwalk Fenders

Available Accessories

431.25 Artillery Nozzle Kit (PN 344020AR)

519.80 Cavalry Nozzle Kit (PN 344020CA)

21.85 Cone Safety Red 18" tall (PN OBJ-714)

86.25 Fill Hose 25' (PN J-2439)

861.35 Footpedal Transmitter- INTELACONTROL (PN OBJ-2530FT)

172.50 Grit Catcher 6" (PN OB00016A)

187.45 Grit Catcher 8" (PN OB00018A)

1006.25 Hand Held Transmitter INTELACONTROL (PN OBJ-2530HT)

394.45 Infantry Nozzle Kit (PN 344020IN)

36.80 Jack Wheel Swivel (PN 80552)

72.45 Kit - Emergency Hand Crank (PN OBJ-300)

1437.50 Lateral Cleaning Kit 150' (PN J-2434)

67.85 Manhole Cover Hook (PN 015-438)

69 Nozzle Extension - Finned 3/4" (PN J-40-5)

33.35 Nozzle Extension - NonFinned 3/4" (PN J-40-1)

976.35 Root Cutter Kit (PN J-3201)

113.85 Rotating Beacon - Magnetic Mount (PN RL650S)

113.85 Strobe Light - Magnetic Mount (PN SL650S)

High-Impact Thermoplastic Sewer Hose

Easy to keep clean (retains no bacteria-causing residue).

Maintains stiffness and is abrasion resistant.

Std. 40I20 pump = 400' of 3/4" hose

Standard 400' hose reaches from manhole to manhole.

Reel capacity is 750' of 3/4" hose.

Tandem-Axle Trailer

The Trailer Jetter is rated to carry a full tank of water to the job . . .

- 6" channel frame
- A-frame hitch with storage
- 2 5/16" ball hitch (pintle opt.)
- (2) 6,000 lb. DOT-rated axles
- LT245/75R16 14 ply tires
- Electric brakes

Other Standard Components

Two nozzles: penetrator & flusher

Toolbox—integrated enclosed tool & battery storage

PVC tank drain valve with stainless steel strainer

Direct driven "live" hydraulic system w/17 gal. ntq

17-gallon fuel tank with cap-mounted gauge.

Air purge system

20' Leader hose contrasting color

Level wind guide

Two (2) aux 12V power supply outlets

2" PVC fill pipe

69 Tiger Tail 3" x 36" (PN J-2203)

69 Tiger Tail 3" x 42" (PN J-2205)

69 Tiger Tail 4" x 36" (PN J-2206)

287.50 Tire & Rim 16" Spare (PN J-16614)

232.30 Upstream Pulley Guide (PN J-2401)

201.25 Washdown Gun w/Hose (PN 15007-B)

569.25 Wireless Repeater INTELACONTROL (PN OBJ-2530WR)

Available Options

393.30 100' 3/4" Extra Hose on Main Reel (PN OBJ-100-34AH)

785.45 200' 3/4" Extra Hose on Main Reel (PN OBJ-200-34AH)

1146.55 Anti-Freeze System (PN OBJ-234)

733.70 Arrow Board (PN OBJ-144)

3050.95 Auto Level Wind Guide Mounted (PN OBJ-9032-34)

113.85 Cone Holder Only (PN OBJ-137)

326.60 Custom Decals (two)

4324 80hp JohnDeere Diesel Engine (PN OBJ-80JDO)

1265 85HP Cummins Diesel Engine (PN OBJ-85CO)

1725 87.4HP Kubota Diesel Engine (PN OBJ-87KO)

440.45 E-Stop Assembly (PN IC-100405-01)

373.75 Foot Control Swinger (PN OBJ-187A)

460 Garden Hose Reel 1/2" - 50' (PN OBJ-123000L)

997.05 Garden Hose Reel Electric 100' (PN OBJ-294)

862.50 Garden Hose Reel Manual 100' (PN OBJ-293)

1193.70 Hose -Reel 42" Weldment (PN J-700-42W)

1246.60 Hydraulic Surge Brakes (PN 70005B)

6434.25 INTELACONTROL Complete Package (PN OBJ-2530CP)

2645 INTELACOUNT w/Parts & Labor (PN OBJ-2430E)

533.60 Level Wind Guide w/Counter (PN OBJ-2430A)

143.75 Low Water Shutdown (PN OBJ-2424)

575 Paint - Custom (Paint Code Required)

STD Paint - Safety Yellow (PN PAINT-1Y)

STD Paint - White Enamel (PN PAINT-3W)

86.25 Pintle Hitch (PN OBJ-1081P)

2070 Pump Option 40GPM@2000PSI Myers Pump (PN OBJ-4020MO)

345 Recirculation System (PN OBJ-9002)

287.50 Rotating Beacon-Fixed (PN OBJ-241A)

718.75 Side Panels (two) - Painted (PN OBJ-2524P)

486.45 Spare Tire Holder w/Tire 16" (PN OBJ-9060-16)

3323.50 Tank Shroud Aluminum (PN 7000ADS)

1552.50 Tank Shroud Steel (PN 7000SS)

915.40 Wireless Remote (PN OBJ-101)



Unit pictured w/opt auto level wind guide.

7065-SC \$51,758.00

7065-SH \$53,458.00

Culvert Cleaner/Trailer Jetter
*Hydro***Jetter™**
O'BRIEN MANUFACTURING

**Looks Professional.
 Performs Like One.**

This unit is specially designed for the professional day-to-day culvert cleaner or sewer line cleaner. Municipalities and pumper/cleaner contractors rely on its power and versatility for cleaning culverts and a wide range of pipes.

Standard unit color is Safety yellow or white - customer choice. Can be custom painted to match almost any color for an additional charge.

7065-SH
Culvert Cleaner/Trailer Jetter



Pictured w/optional pole mounted strobe.

The shroud protects the tank from the elements and provides a sleek billboard surface for your company or city logotype.

Standard Components

- 700 Gallon Polyethylene Tanks**
 Plate mounted with sump and side baffles
- Crowned top & side stabilizers for added strength
- 12" Manhole with strainer basket

"Swinger" Reel—190° Pivot

Makes line cleaning a simple job because it allows for:

- Easy access to the manhole regardless of how trailer is parked.
- Tethered hand operated reel control.
- Variable-speed control.
- Hydraulic driven

Engine

- Std: Cummins 85hp diesel
- OPT: Cummins 116hp diesel (OBJ-116CO) _____
- OPT: John Deere 100hp diesel _____

Murphy safety gauges with auto-shutdown
 Variable electronic throttle control

High-Impact Thermoplastic Sewer Hose

Easy to keep clean (retains no bacteria-causing residue).

Maintains stiffness and is abrasion resistant.

Std. 65/20 pump = 400' of 1" hose

Standard 400' hose and 20' contrasting color leader hose reaches from manhole to manhole.

Tandem-Axle Trailer

Our Trailer Jetter is rated to carry a full tank of water to the job at highway speeds.

- 6" channel frame
- A-frame hitch with storage
- 2 5/16" ball hitch (pintle opt.)
- (2) 7,000 lb. DOT-rated axles
- LT-245 x 75R16 tires
- Electric brakes

Other Standard Components

- Two nozzles: penetrator & flusher
- Toolbox—integrated enclosed tool & battery storage
- PVC tank drain valve with stainless steel strainer
- Direct driven "live" hydraulic system w/15 gal. tank
- 15-gallon fuel tank with cap-mounted gauge.
- Air purge system
- 20' Leader hose contrasting color
- Level wind guide
- Two (2) aux 12V power supply outlets
- 2" PVC fill pipe

Options/Accessories Available:

- 733.70** Arrowboard **287.50** Beacon light
- 1246.60** Surge brakes **113.85** Cone Holder Only
- 287.50** Strobe light _____ (OBJ-137)
- 2645** IntelACount **21.85** Cone Safety Red 18" tall
- 718.75** Side Panels _____ (OBJ-714)
- 86.25** Pintle hitch **373.75** Foot control for hose reel
- 915.40** Wireless remote control reel (tethered)
- 486.45** Spare tire w/mount _____
- 533.60** Level wind guide w/counter
- 201.25** 25' of hose with handgun & high pressure nozzle
- 345** Recirculation system
- _____
- _____
- 1146.55** Anti-freeze system
- 69** Tiger Tail **287.50** Work Light

Model (Please circle one)

7065-SC
 7065-SH

Engine (Please circle one)

Std: Cummins 85hp diesel
 Opt: Cummins 116hp diesel
 Opt: John Deere 100hp diesel

www.obrienmfg.com
toll-free phone: 800-638-1901

704030-SC

HydroJetter™

O'BRIEN MANUFACTURING



**Looks Professional.
Performs Like One.**

This unit is specially designed for the professional day-to-day sewer line cleaner. Municipalities and pumper/cleaner contractors rely on its power and versatility for cleaning a wide range of pipes. The unit has "catwalk" fenders.

Standard unit color is Safety yellow or white - customer choice. Can be custom painted to match almost any color for an additional charge.

Available Options

- 393—100' 3/4" Extra Hose on Main Reel (PNOBJ-100-34AH)
- 785—200' 3/4" Extra Hose on Main Reel (PNOBJ-200-34AH)
- 1146—Anti-Freeze System (PN OBJ-234)
- 733—Arrow Board (PN OBJ-144)
- 8050—Auto Level Wind Guide Mounted (PNOBJ-9032-34)
- 113—Cone Holder Only (PN OBJ-137)
- 326—Custom Decals (two)
-
-
-
- STD—E-Stop Assembly (PN IC-100405-01)
- 373—Foot Control (PN OBJ-187A)
- 460—Garden Hose reel 1/2" - 50' (PN OBJ-123000L)
- 997—Garden Hose reel Electric 100' (PN OBJ-294)
- 862—Garden Hose reel Manual 100' (PN OBJ-293)
- 1193—Hose-Reel 42" Weldment (PN J-700-42W)
- 1246—Hydraulic Surge Brakes (PN 7000SB)
-

- 2645—IntelACount® with Parts & Labor (PNOBJ-2430E)
- 533—Level Wind Guide w/Counter (PN OBJ-2430A)
- 143—Low Water Shutdown (PN OBJ-2424)
- 500—Paint Company Color (Paint Code Required)
- STD—Paint - Safety Yellow (PN PAINT-1Y)
- STD—Paint - White Enamel (PN PAINT-3W)
- 86—Pintle Hitch (PN OBJ-1081P)
- 300—Recirculation system (PN OBJ-3/4"RECIRC)
- 287—Rotating Beacon-Fixed (PN OBJ-241B)
- 718—Side Panels (two) - Painted (PN OBJ-2524P)
- 486—Spare Tire Holder w/Tire 16" (PN OBJ-9060-16)
- 3323—Tank Shroud Aluminum (PN 7000ADS)
- 1552—Tank Shroud Steel (PN 7000SS)
- 915—Wireless Remote (PN OBJ-101)

Standard Components

700 Gallon Polyethylene Tanks
Plate mounted with sump and side baffles
Crowned top & side stabilizers for added strength
12" Manhole with strainer basket

"Swinger" Reel—190° Pivot
Makes line cleaning a simple job because it allows for:

- Easy access to the manhole regardless of how trailer is parked.
- Tethered hand operated reel control.
- Variable-speed control.
- Hydraulic driven

Engine

Std. 85HP Diesel Engine
Murphy safety gauges with auto-shutdown
Variable electronic throttle control

Triplex Pump - 40 GPM @ 3000 psi

Available Accessories

- 21—Cone Safety Red 18" tall (PN OBJ-714)
- 86—Fill Hose 25' (PN J-2439)
-
- 172—Grit Catcher 6" (PN OB00016A)
- 187—Grit Catcher 8" (PN OB00018A)
-
-
- 72—Kit - Emergency Hand Crank (PN OBJ-300)
- 1437—Lateral Cleaning Kit 150' 3000PSI (PN J-241230)
- 67—Manhole Cover Hook (PN 015-438)
- 69—Nozzle Extension - Finned 3/4" (PN J-40-5)
- 33—Nozzle Extension - NonFinned 3/4" (PN J-40-1)
- 113—Rotating Beacon - Magnetic Mount (PN RL650A)
- 113—Strobe Light - Magnetic Mount (PN SL650A)
- 69—Tiger Tail 3" x 36" (PN J-2203)
- 69—Tiger Tail 3" x 42" (PN J-2205)
-

High-Impact Thermoplastic Sewer Hose

Easy to keep clean (retains no bacteria-causing residue).
Maintains stiffness and is abrasion resistant.
Standard 400' hose reaches from manhole to manhole.
Reel capacity is 750' of 3/4" hose.

Tandem-Axle Trailer

The Trailer Jetter is rated to carry a full tank of water to the job . . .

- 6" channel frame
- A-frame hitch with storage
- 2 5/8" ball hitch (pintle opt.)
- (2) 6,000 lb. DOT-rated axles
- LT245/75R16
- Electric brakes

Other Standard Components

Two nozzles: penetrator & flusher
Toolbox—integrated enclosed tool & battery storage
PVC tank drain valve with stainless steel strainer
Direct driven "live" hydraulic system w/17 gal. tnl
17-gallon fuel tank with cap-mounted gauge.
Air purge system
20' Leader hose contrasting color
Level wind guide
Two (2) aux 12V power supply outlets
2" PVC fill pipe

- 287—Tire & Rim 16" Spare (PN J-16614)
- 232—Upstream Pulley Guide (PN J-2401)
- 201—Washdown Gun w/Hose (PN 15007-B)
-

- 115—Work Light - Magnetic Mount (PNOBJ-500R)

Signature: _____ Printed Name: _____ Date: _____

JVLT Combo Trailer - **\$111,775.00**



General Specifications:

- 500 gallon debris capacity
- 325 gallon water capacity
- Stainless steel water tanks
- 2 ½" water fill hook-up
- 95 hp water cooled diesel engine
- High temperature/low oil shutdown on engine for safety and longevity
- Simple controls located on the swing arm of the trailer
- 800CFM positive displacement blower
- Vacuum capability of 16" Hg
- 180° hydraulic reel articulation
- 360° hydraulic boom rotation with pendant control
- Hydraulic door locks
- Centrifugal strainer with perforated stainless steel insert
- Water pump capable of 18 GPM @ 3500 psi
- 400' of ½" jetting hose
- Low water level shutdown
- Easy winterization hook-up to protect water pump and hoses
- Gear driven hydraulic pump mounted on engine
- Water pump and vacuum blower capable of being operated independently or simultaneously
- 45° dump angle on debris tank
- Top-opening rear door for safe and easy access or cleaning
- Easy opening rear door with dual sight-level gauges
- 6" gate valve on rear door
- Rugged 12,000 GVW trailer built to heavy-duty construction specifications
- Balanced trailer layout to maintain even weight distribution
- Tool/accessory holders
- Approx. overall length – 22'
- Approx. overall width – 96"
- Four - 4" x 6' extension tubes, cam lock style
- One - 4" x 6' intake tube, cam lock style

Available Options:

- Hydro-excavating package - **\$8,700.00**
- Remote control - **\$1,400.00**
- Hydraulic tool kit - **\$5,375.00**
- Internal tank flush out system - **\$2,650.00**
- IntelACount - **\$2,645.00**

NOTES: _____