

October 2013  
STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE  
STATE TERM SCHEDULE 7767000109

<b>Rapidview/IBAK</b>			
<b>Dealer: JACK DOHENY COMPANIES</b>			
QTY	PART NO.		PRICE
<b>CAMERA</b>			
	V0000160	ORION 2 Pan & Tilt Camera with Carry Case	\$ 16,518.00
	V0494018	ORION 2 Pan & Tilt, 3x Digital Zoom Camera with Laser Measurement & Carry Case	\$ 19,147.00
	V0494019	ORION -L Pan & Tilt, 3x Digital Zoom Lateral Navigating Camera with Carry Case	\$ 19,147.00
	V4004001	ORPHEUS Pan & Tilt, 40x Zoom Camera with Carry Case (Minimum 6" pipe inspection)	\$ 23,060.00
	V4005001	ARGUS Pan & Tilt, 40x Zoom, High Intensity Lighting System (Minimum 8" pipe inspection)	\$ 36,617.00
	V4011001	RETRUS Back-Eye Camera (Between Cable & Tractor for reverse viewing)	\$ 5,279.00
	V4007001	CEREBUS Handheld Camera with 10X Optical zoom, Integrated pressure monitor, Adjustable high-power lighting, Laser measurement***	\$ 12,719.00
		***( <i>requires V7034001 kit for integration to KW</i> )	
	V7034001	Extension Kit for CERBERUS (for BK3.5 or BE3.1)	\$ 6,863.00
	703420891	Extension Kit for CERBERUS (for BS3.5)	\$ 4,310.00
	704400090	Extension Kit for CERBERUS (for BS5 or BS7)	\$ 6,080.00
	V8017003	Extension Kit to connect a KT180 to Mainline Cable from BS5 or BS7	\$ 7,584.00
	704420031	Extension Kit for CERBERUS only to Mainline Cable from BS5 or BS7	\$ 2,720.00
	803250020	Manhole Camera Adapter (Connects mainline camera to cable & poles)	\$ 5,939.00
	V000021	Manhole Camera Adapter Poles (18' total length, includes insertion adapter)	\$ 834.00
	901601040	Pressure Test Set for ORION/ORPHEUS, Hand pump with air dehumidifier & pressure gauge	\$ 486.00
<b>CAMERA TRACTOR</b>			
	V9052001	<b>T66 SMALL STEERABLE TRACTOR</b>	<b>\$ 12,538.00</b>
	905200831	Type 1 Connector - Flexible front connector for small access points	\$ 2,502.00
	905201121	Type 4 Connector - Manual scissor lift assembly that allows connection of ZSW65 lighthouse	\$ 3,027.00
	V6021001	ZSW65 Auxiliary Light in LED technology for ORION operating range from 8" and upwards	\$ 3,992.00
	V9052005	Camera Tractor Height Attachment - Adds height & weight to pull further distances in large pipelines	\$ 4,619.00
	905210091	Treaded Wheel Set for 5" Pipe	\$ 628.00
	905210191	Treaded Wheel Set for 6" Pipe	\$ 859.00
	905210291	Granulated Wheel Set for 5" Pipe	\$ 727.00
	905210591	Granulated Wheel Set for 6" Pipe	\$ 892.00
	HT0006	High Traction Wheels for Relined Pipe for 6" and over	\$ 715.00
	902202191	Wheel Set Adapters to adapt T76 wheels to T66 tractor	\$ 684.00
	902211090	Pneumatic Tires and extenders adaptors for KRA65 (required Height Carriage)	\$ 1,338.00
	V0000228	Inclinometer Unit without adjusting device	\$ 3,168.00
	900600130-65	Inclinometer Adjustment Tool for calibration of the camera systems for tilt measurement	\$ 1,056.00
	V9044001	<b>T76 STEERABLE TRACTOR</b>	<b>\$ 21,114.00</b>
	904020021	T76 Camera Base - Required to attach camera to tractor for use in mainline applications	\$ 3,432.00
	904116031	T76 Camera Elevator - Required to remotely raise/lower camera while inspecting pipe	\$ 7,168.00
	V6023001	ZSW75 Large Light Ring (for inspection in larger pipes 15" and up)	\$ 5,279.00
	V6021001	ZSW65 Auxiliary Light in LED technology for ORION Operating Range from 8" & upwards	\$ 3,992.00
	903911531	Additional Weight for T76 - 17lbs	\$ 1,216.00
	900406690	Small Pneumatic Tires (Grey)	\$ 1,320.00
	900400290	Large Pneumatic Tires (Black)	\$ 1,155.00
	903915531	Oval Pipe Overturn Protection for T76	\$ 2,243.00
	V0000228	Inclinometer Unit without Adjusting Device	\$ 3,168.00
	900600130	Inclinometer Adjustment Tool for calibration of the camera systems for tilt measurement	\$ 1,056.00
	900410391	Treaded Wheel Set - Brown/Hard rubber for 8" & up	\$ 1,387.00
	900411042	Replacement Treaded Wheel - Brown/Hard rubber (per/each)	\$ 64.00
	900410491	Treaded Wheel Set - Black/Soft rubber for 8" & up	\$ 1,320.00
	900411142	Replacement Treaded Wheel - Black/Soft rubber (per/each)	\$ 54.00
	900401691	Set of Granulated Wheels (Tractor Wheels) RAD 100	\$ 496.00

October 2013  
STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE  
STATE TERM SCHEDULE 7767000109

	900401491	Set of Granulated Wheels (Tractor Wheels) RAD 120	\$ 496.00
	900401591	Set of Granulated Wheels (Tractor Wheels) RAD 150	\$ 694.00
	<b>V9045001</b>	<b>T86 Steerable Tractor</b>	<b>\$ 22,104.00</b>
	904020021	T76 Camera Base - Required to attach camera to tractor for use in mainline applications	\$ 3,432.00
	904116031	T76 Camera Elevator - Required to remotely raise/lower camera while inspecting pipe	\$ 7,168.00
	V6021001	ZSW65 Auxiliary Light in LED technology for ORION Operating Range from 8" & upwards	\$ 3,992.00
	V6023001	ZSW75 Large Light Ring (for inspection in larger pipes 15" and up)	\$ 5,279.00
	904115031	Additional Weight for T86 - 20lbs	\$ 1,587.00
	900406690	Small Pneumatic Tires (Grey)	\$ 1,320.00
	904110390	Large Pneumatic Tires (Black)	\$ 1,155.00
	940111031	Oval Pipe Overturn Protection for T86	\$ 1,815.00
	V0000228	Inclinometer Unit without Adjusting Device	\$ 3,168.00
	900600130	Inclinometer Adjustment Tool for calibration of the camera systems for tilt measurement	\$ 1,056.00
	900410391	Treaded Wheel Set - Brown/Hard rubber for 8" & up	\$ 1,387.00
	900411042	Replacement Treaded Wheel - Brown/Hard rubber (per/each)	\$ 64.00
	900410491	Treaded Wheel Set - Black/Soft rubber for 8" & up	\$ 1,320.00
	900411142	Replacement Treaded Wheel - Black/Soft rubber (per/each)	\$ 54.00
	900401491	Set of Granulated Wheels (Tractor Wheels) RAD 120	\$ 496.00
	900401591	Set of Granulated Wheels (Tractor Wheels) RAD 150	\$ 694.00
<b>LISY3 LATERAL LAUNCH MODULE (Attaches to T76 or T86 Tractor)</b>			
	<b>V9053010</b>	<b>LISY 3 MANUAL LATERAL LAUNCH MODULE PACKAGE</b>	<b>\$ 52,784.00</b>
		Without Camera or Tractor	incl
		For inspection of laterals from mainline	incl
		LISY 3 Extension for T76/T86 Tractor (Required)	incl
		LISY Cable deflection pulley included	incl
		Manual Lateral Cable Winch	incl
		Includes 300' Mainline + 100' Lateral Push = 400' total	incl
	<b>V9053011</b>	<b>LISY 3 - SYNCH LATERAL LAUNCH MODULE PACKAGE - NO CAMERA HEAD [V9053011]</b>	<b>\$ 59,052.00</b>
		Without Camera or Tractor	incl
		For inspection of laterals from mainline	incl
		LISY 3 Extension for T76/T86 Tractor (Required)	incl
		LISY Cable deflection pulley included	incl
		Synchronized Lateral Cable Winch	incl
		Includes 500' Mainline + 100' Lateral Push = 600' total	incl
		<b>Note: KW Reel Rack required on all truck mount installations!</b>	
	<b>V9053004</b>	<b>LISY 3 LARGE DIAMETER PACKAGE</b>	<b>\$ 7,919.00</b>
		Enables the LISY 3 to launch in 12" & up	incl
		Includes color observation camera	incl
		Additional high power LED lighting	incl
		Pneumatic tires & extenders	incl
	<b>V9053305</b>	<b>LISY 3 EXTRA LARGE DIAMETER PACKAGE</b>	<b>\$ 3,207.00</b>
		Requires V9053005 Large Diameter Package	incl
		Enables the LISY 3 to launch in 24" - 48" & up	incl
		Requires, but does not include, the large diameter pneumatic	incl
	<b>V9053014</b>	<b>LISY 3 CLEANING ACCESSORY PACKAGE</b>	<b>\$ 8,103.00</b>
		To clean and inspect in a single operation in pipes 10" & up	incl
		Includes Jet Nozzle PHOBOS 2, funnel, guide spring, lateral hose guide & 100' cleaning hose	incl
	<b>V9050010</b>	<b>Cleaning Accessory Package for LISY</b>	<b>\$ 1,120.00</b>
<b>SYSTEM CONTROL UNIT</b>			
	<b>v0000158</b>	<b>BOP 3 Pushrod Control Unit for HSP40 &amp; HSP60 Push rods only</b>	<b>\$ 7,758.00</b>
		<i>*Mount for HSP reels is included</i>	
	<b>V1972001</b>	<b>BK3.5 Portable Control Panel for all Non-Fiberoptic equipment</b>	<b>\$ 16,727.00</b>
	<b>V1974002</b>	<b>BS3.5 Vehicle Mounted Control Panel for all Non-Fiberoptic Equipment</b>	<b>\$ 16,576.00</b>

October 2013  
STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE  
STATE TERM SCHEDULE 7767000109

V1976002	BS7 Vehicle Mounted Control Panel for Fiberoptic Systems Up To 1,640' of Cable	\$ 31,400.00
V1962002	BS5 Vehicle Mounted Control Panel for Fiberoptic Systems Up To 2,000' of Cable	\$ 34,310.00
1966012	BEV5 Power Distribution Unit Required for BS5	\$ 3,008.00
<b>CABLE AND REEL</b>		
V0000164	<u>Cable Reel KT180 Portable (Power-assisted, non-level winding)</u>	\$ 11,515.00
80016940	656' Standard 524/11 cable	\$ 4,290.00
902313020	KUV5.5 Cable deflection pulley for standard cable	\$ 380.00
V0000165	<u>KW180 Synchronized Cable Reel for 656' Standard Cable</u>	\$ 13,088.00
802007021	Swivel Boom, folding, for KW180 For installation at cable winch KW180 (Optional)	\$ 1,870.00
802010090	Boom Work Light (optional)	\$ 298.00
V8026001	<u>KW305 Synchronized Cable Reel for 1,000' standard cable</u>	\$ 29,395.00
80017040	1000' Standard 524/11 cable	\$ 5,378.00
802617031	Upper deflection pulley to keep tension on cable for off-site use	\$ 1,287.00
800500841	Up/Down footswitch for winch	\$ 991.00
V8029001	<u>KW505 Synchronized Power Reel for 00/12 Fiberoptic cables</u>	\$ 32,660.00
80068230	FO Camera Cable - 1640', Type 00/12 - BS5 OR BS7 COMPATIBLE	\$ 14,048.00
80068330	FO Camera Cable - 2000', Type 00/12 - BS5 COMMAND MODULE REQUIRED	\$ 15,947.00
904350020	KUV2.7 Cable Deflection Pulley For Fiber Optic Cable	\$ 1,123.00
802617031	Upper Deflection Pulley To Keep Tension On Cable For Off-Site Use	\$ 1,287.00
800500841	Up/Down footswitch for winch	\$ 991.00
VZ000306	KW Reel Rack With Slide-out Tractor Storage Compartment & Slide-out Tray For LISY Synchronized Reel. <b>Highly recommended on all vehicle installations &amp; required for LISY reel installation.</b>	\$ 2,200.00
V4420471	Fiber Optic Cable Retermination Tool Kit	\$ 4,819.00
V000021	Guide Poles For Tractor Retrieval Or Manhole Repair	\$ 834.00
<b>PANORAMO SYSTEMS</b>		
V4008001	<b>PANORAMO SI Manhole Inspection Unit (Camera head only)</b> 360° Scanning of manholes Incredibly fast - spend only minutes per manhole Includes camera, adapter, and tools Includes Panoramo scanning software to created PF files For 16" to 60" manholes	\$ 90,722.00
802970021	Positioning device for Panoramo SI - For use on KW505 reel only	\$ 859.00
<b>PANORAMO SI Portable Unit Items - <i>MUST SELECT ALL OF THE FOLLOWING:</i></b>		
V0000250	Mounting Kit for PANORAMO SI Portable Unit <i>Required cables and controls for PANORAMO SI Portable System --</i>	\$ 2,488.00
V8020011	<b>KW180 FO Cable Winch for SI Only</b> <i>Powered cable winch and remote control pendant for Panoramo SI</i>	\$ 26,739.00
80066030	<b>Cable 100m (Fiber Optic) for KW180 (FO)</b>	\$ 6,170.00
V0000238	<b>BE5 PANORAMO SI Controller (SI Only)</b> <i>Specialized SI control unit for Panoramo SI applications</i>	\$ 9,555.00
VZ000307	<b>PANORAMO SI Stand-Alone Control Case and Reel Platform</b> <i>Protected case for computer and electronics KW180 Rack with ability to be moved in and out of vehicle</i>	\$ 9,332.00
V0001017SIA	<b>19" Industrial Panoramo PC Package for Portable unit only</b> <i>Includes a 1U Self-Contained KVM (Keyboard, Video, Mouse) built into case Requires Panoramo PCI Card #4702018 - ordered seperately</i>	\$ 5,307.00

October 2013  
STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE  
STATE TERM SCHEDULE 7767000109

V9051001	<b>PANORAMO 2 - 360° CAMERA SYSTEM - Requires Fiber Optic system</b> <i>For 8" and up pipelines</i> <i>Includes Panoramio tractor and scanner cameras</i> <i>Large pneumatic tires and spacers</i> <i>Lowering claw, toolset and spare parts</i> <i>Includes PANORAMO scanning software</i>	<b>\$ 148,056.00</b>
V0001020	<b>Panoramio 2 Height adjusting device (elevator) required for pipe sizes above 8"</b>	<b>\$ 7,523.00</b>
905135031	<b>Panoramio 2 Overturn protection (Optional for large diameter pipe inspection)</b>	<b>\$ 1,618.00</b>
905131041	<b>Panoramio 2 Inclinometer Module (Optional measurement of incline of pipe &lt;Reporting</b>	<b>\$ 5,742.00</b>
V9055001	<b>PANORAMO 150 - 360° CAMERA SYSTEM - Requires Fiber Optic system</b> <i>For 6" through 12" pipe inspections</i> <i>Includes Panoramio tractor and scanner cameras</i> <i>Includes 6", 8" &amp; 12" pipe diameter wheel sets</i> <i>Lowering claw, toolset and spare parts</i> <i>Includes integrated manual lift</i> <i>Includes PANORAMO scanning software</i>	<b>\$ 101,939.00</b>
905210091	<b>Treaded Wheel set for 5" Pipe</b>	<b>\$ 628.00</b>
905210191	<b>Treaded Wheel set for 6" Pipe</b>	<b>\$ 859.00</b>
905210291	<b>Granulated Wheel set for 5" Pipe</b>	<b>\$ 727.00</b>
905210591	<b>Granulated Wheel set for 6" Pipe</b>	<b>\$ 892.00</b>
V0000228	<b>Panoramio 150 Inclinometer Module (Optional measurement of incline of pipe &lt;Reporting</b>	<b>\$ 3,168.00</b>
905501631	<b>Additional Weight Kit for Panoramio 150 (Heavy and Light)</b>	<b>\$ 718.00</b>
<b><u>PANORAMO SPECIFIC RACKMOUNT COMPUTER AND SPECIALIZED INTERFACE CARD REQUIRED FOR VEHICLE MOUNTED SYSTEMS!</u></b>		
<b><u>SEE COMPUTER AND SOFTWARE SECTION BELOW</u></b>		
<b>COMPUTER HARDWARE</b>		
V0001017	<b>19" Industrial PC Package - <u>These specifications or greater:</u></b> Intel Dual Core Processor minimum 4GB DDR3 RAM 120 GB Solid State Hard Drive for Operating System and Hardware 2TB SATA Hard Drive for data collection DVD-Multi Read/Write Drive Keyboard and Optical Mouse 19" Wide Screen LCD Monitor Microsoft Windows 7 Home Premium 64-Bit Operating System (software) Aver Media USB video capture device	<b>\$ 3,500.00</b>
V0001017L	<b>Laptop PC - <u>These specifications or greater:</u></b> Intel Dual Core Processor minimum 4GB DDR3 RAM 300 GB hard disk DVD-Multi Read/Write Drive Microsoft Windows 7 Home Premium 64-Bit Operating System (software)	<b>\$ 2,800.00</b>
V0001017L	<b>19" Industrial PANORAMO PC Package - <u>These specifications or greater:</u></b> Intel Dual Core Processor minimum 4GB DDR3 RAM 120 GB Solid State Hard Drive for Operating System and Hardware 2TB SATA Hard Drive for data collection DVD-Multi Read/Write Drive Keyboard and Optical Mouse Intel Dual Core Processor minimum Microsoft Windows 7 Home Premium 64-Bit Operating System (software)	<b>\$ 4,000.00</b>

October 2013  
STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE  
STATE TERM SCHEDULE 7767000109

		Panoramo - PCI Baumer Interface card <i>(Required for all Fiber-optic systems!)</i>	\$ 2,457.00
		Printer Ink Jet	\$ 300.00
<b>PIPELOGIX (Flexidata) REPORTING SOFTWARE SYSTEMS</b>			
		<u>Truck or Office / Analysis License</u>	
	FDLITECI	Pipelogix Lite Reporting Module	\$ 4,100.00
	FDVSCI	Pipelogix Full Reporting Module	\$ 8,400.00
	FDDVS	Pipelogix DVS (Digital Video Survey) Module added to any license	\$ 4,500.00
	FDMuni-SX	Muni-XS software	\$ 3,000.00
	FDLITE360	Pipelogix Lite Reporting Module with 360 Panoramo Capture (No Analysis at Inspection Site)	\$ 5,100.00
	FDVS360	Pipelogix Full Reporting Module with 360 Panoramo Capture & Analysis	\$ 16,605.00
		<u>Truck/Capture License</u>	
	FD360CAPTURE	Capture module added to Lite Reporting License for truck	\$ 1,000.00
	FD360ANALYSIS	Capture & Analysis module added to Full Reporting	\$ 9,850.00
	FDMH360	Manhole License with 360 Panoramo SI Module Includes Capture & Analysis)	\$ 10,780.00
	FDMH360CAPTURE	360 Panoramo SI Lite License with Capture module	\$ 3,400.00
	FD-3D	3D Measurement added to existing 360 Panoramo SI Analysis License	\$ 2,900.00
	FDMH	Manhole Module	\$ 2,400.00
		<u>Reporting Module Options</u>	
	FDGIS	GIS Module Added to any License	\$ 2,350.00
	FD-ESRI	ESRI ArcGIS Runtime License	\$ 750.00
		<u>Factory Provided Training &amp; Support</u>	
	FDSSP	Pipelogix (Flexidata) 12-month support program (Factory support and latest version releases)	\$ 1,900.00
	Setup & Train	Pipelogix (Flexidata) Factory personnel setup and training at customer site (1 day classroom	\$ 4,500.00
<b>PENINSULAR TECHNOLOGIES (PipeTech) REPORTING SOFTWARE SYSTEMS</b>			
	Scan 5.x	PipeTech Scan 5.x w/MPEG-1,2,4 Compression - PACP Certified	\$ 8,250.00
		GIS Module with ArcEngine License	\$ 1,600.00
		Lateral Module	\$ 950.00
		Manhole Module	\$ 950.00
	Check 5.x	PipeTech Check 5.x Editing Software	\$ 925.00
		Lateral Module	\$ 350.00
		Manhole Module	\$ 350.00
	View 5.x	PipeTech View 5.x Database Management Software	\$ 2,425.00
		Editing Module	\$ 850.00
		GIS Module	\$ 1,250.00
		<u>Inspection Interface (Data display overlay)</u>	
		Basic Sentinel (Mainline)	\$ 2,600.00
		Deluxe Sentinel (Lateral video input, auxiliary data port)	\$ 3,100.00
	PT Panoramo	PipeTech Panoramo (Requires Scan 5.x)	\$ 2,500.00
<b>LOCATING EQUIPMENT</b>			

October 2013  
STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE  
STATE TERM SCHEDULE 7767000109

		<b>Radiodetection Locating Receiver:</b> Digital receiver to pick up 512Hz, 8kHz, 33kHz & 64kHz radio frequencies; can be used in conjunction with a "tape-on" sonde transmitter, which can be fastened to a jet hose, crawler camera or fish tape; features continuous depth readout, directional compass showing camera/line direction, auto-adjustable gain sensitivity and passive locating.	
	<b>RD700DL+</b>	<b>Receiver and padded bag</b>	<b>\$ 1,800.00</b>
		<b>Rycom Locating Receiver:</b> Digital Receiver To Pick Up 512Hz Frequencies. Ideal For Push Camera Systems, Tape-on Sonde Transmitters And 512Hz Line Locating.	
	<b>8873</b>	<b>Receiver And Padded Protective Sleeve</b>	<b>\$ 1,300.00</b>
	<b>19-557</b>	<b>CST/Berger Magnetic Stick Locator (Location of Ferrous Metals)</b>	<b>\$ 800.00</b>
		<b><u>Sondes and Transmitters:</u></b>	
	<b>001-00116-03</b>	<b>Rycom 8846 512Hz tape-on sonde transmitter (Up to 12' deep signal / AA battery)</b>	<b>\$ 350.00</b>
	<b>AS1336-M10</b>	<b>Radiodetection 512Hz Bendi Sonde (Up to 20' deep signal/AA batteries)</b>	<b>\$ 975.00</b>
	<b>SB0338-33R</b>	<b>Radiodetection 33kHz Super Sonde (Up to 50' deep signal/9volt battery)</b>	<b>\$ 700.00</b>
	<b>001-00381-00</b>	<b>Rycom 8869 Triple Frequency, 1-Watt Utility Line Energizing Transmitter (C-cell batteries)</b>	<b>\$ 750.00</b>
	<b>001-00323-01</b>	<b>Rycom 8879 Quad Frequency, 5-Watt Utility Line Energizing Transmitter (D-cell batteries)</b>	<b>\$ 1,800.00</b>
		<i>*Utility transmitters include conductive clamps, grounding stake &amp; batteries</i>	
<b>VUTEK PUSH CAMERA SYSTEM</b>			
	<b>GT200R-SL</b>	<b>VuTek 200' Fiberglass Push Rod camera system with Self-Leveling Color Camera, detachable command module and 512Hz sonde transmitter. AC/DC and battery pack operation; 3" &amp; 4" skid assemblies; padded accessory bag</b>	<b>\$ 8,900.00</b>
	<b>GT300R-SL</b>	<b>VuTek 300' Fiberglass Push Rod camera system with Self-Leveling Color Camera, detachable command module and 512Hz sonde transmitter. AC/DC and battery pack operation; 3" &amp; 4" skid assemblies; padded accessory bag</b>	<b>\$ 9,200.00</b>
	<b>GT150S-M</b>	<b>VuTek 150' Micro Fiberglass Push Rod camera system with Micro Color Camera, detachable command module and 512Hz sonde transmitter. AC/DC and battery pack operation; small skid assembly; padded accessory bag</b>	<b>\$ 7,550.00</b>
		<b>Roller skid assembly for 6" &amp; 8" pipe diameter inspection</b>	<b>\$ 300.00</b>
<b>INSTALLATION OPTIONS</b>			
		<b>6' x 12' SINGLE AXLE TRAILER ECONOMY INSTALLATION PACKAGE</b>	<b>\$ 12,000.00</b>
		<i>"Open Format Floor Plan - No Partitioning Wall In Center"</i>	STD
		(2) Roof mounted strobe lights	STD
		Rear Work Light And Roof Mount Strobe Lights	STD
		Back-Up Alarm	STD
		Roof Mounted 13,500BTU Air Conditioner With 5,600 BTU Heat Strip	STD
		Command Center Desk with Portable Component Recessed Into Desktop	STD
		Inspection cable reel to be fix mounted to rear of trailer	STD
		Black vinyl diamond plate seamless floor covering	STD
		Aluminum Tread Plate Flooring In Equipment Room	STD
		12 Volt Overhead lighting	STD
		Shore power acquired by unplugging trailer from generator and plugging in provided extension cable.	STD
		Free standing 3,500 watt gasoline generator mount on tongue of trailer	STD
		(2) Roof-mounted strobe lights	STD
		Kemlite (Fiberglass Reinforced Panel) On Walls and Ceiling	STD
		<b>7' x 14' TANDEM AXLE TRAILER FULL INSTALLATION PACKAGE</b>	<b>\$ 21,000.00</b>
		<i>Independent Studio Viewing Room and Rear Work Area Layout including:</i>	
		(2) Roof-mounted Amber Strobe Lights, mounted on each corner of roof	STD
		(2) High Intensity White Safety Flashers Mounted On Side Body	STD

October 2013  
**STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE**  
**STATE TERM SCHEDULE 7767000109**

	Roof-mounted 13,500BTU Air Conditioner	STD
	Shore Power Acquired By Unplugging Trailer From Generator and Plugging In Provided Extension	STD
	Ethernet Computer Hookup Mounted On Driver Side of Trailer Box Body	STD
	Free-standing 5,000 Watt Gasoline Generator Mount On Tongue Of Trailer	STD
	<b>Hi Intensity LED Direction Arrow Stick With Control Mounted In Cab</b>	<b>\$ 1,075.00</b>
	<u>Studio Area To Include:</u>	
	Large Command Center Desk With Rack-mounting For Camera Components And Computer, Printer Shelf Above and Pull-out Desk Height File Cabinet	STD
	Industrial-rated Ergotron Pivot Mounting For All Viewing and Computer Monitors	STD
	Kemlite (Fiberglass Reinforced Panel) On Walls and Ceiling	STD
	Black Vinyl Diamond Plate Seamless Floor Covering	STD
	12 Volt Overhead Lighting	STD
	<u>Work Area To Include:</u>	
	Partition Wall Between Work Area and Studio To Include Aluminum Diamond-Plated Lockable Access Door With Dual Smoked Plexiglass Windows	STD
	Large Butcher Block Work Area Countertop	STD
	Rear-facing 17" Hi-resolution LCD Monitor and Pivoting Mounting Bracket	STD
	7 Drawer Toolbox	STD
	15 Gallon Water Washdown System With Hose and Nozzle	STD
	Aluminum Shelving Unit About Work Area Counter Top For Added Storage.	STD
	Kemlite (Fiberglass Reinforced Panel) On Walls and Ceiling	STD
	Black Vinyl Diamond Plate Seamless Floor Covering	STD
	12 Volt Overhead Lighting	STD
<b>WMH</b>	<b>Wall-mounted Ceramic Space Heater</b>	<b>\$ 300.00</b>
	<b>FREIGHTLINER SPRINTER INSTALLATION (For Diesel Chassis)</b>	<b>\$ 36,000.00</b>
	<u>Independent Studio Viewing Room and Rear Work Area Layout including:</u>	STD
	(2) Roof-mounted Amber Strobe Lights, Mounted On Each Corner of Roof	STD
	(2) High Intensity White Safety Flashers Mounted On Side Body	STD
	Back-Up Alarm	STD
	Roof-mounted 13,500BTU Air Conditioner	STD
	Shore Power Hookup Mounted On Driver Side of Van Body	STD
	Ethernet Computer Hookup Mounted On Driver Side of Van Body	STD
	<b>Hi Intensity LED Direction Arrow Stick With Control Mounted In Cab</b>	<b>\$ 1,075.00</b>
	<b>Rearview Back-up Camera With Monitor Mounted In Cab</b>	<b>\$ 850.00</b>
	<u>Studio Area To Include:</u>	
	Large Command Center Desk With Rack-mounting For Camera Components And Computer, Printer Shelf Above and Pull-out Desk Height File Cabinet	STD
	Floor-to-Ceiling Storage Cabinet	STD
	Industrial-rated Ergotron Pivot Mounting For All Viewing and Computer Monitors	STD
	Kemlite (Fiberglass Reinforced Panel) On Walls and Ceiling	STD
	Black Vinyl Diamond Plate Seamless Floor Covering	STD
	12 Volt Overhead Lighting	STD
	<u>Work Area To Include:</u>	
	Partition Wall Between Work Area and Studio To Include Aluminum Diamond-Plated Lockable Access Door With Dual Smoked Plexiglass Windows	STD
	Large Butcher Block Work Area Countertop	STD
	Rear-facing 17" Hi-resolution LCD Monitor and Pivoting Mounting Bracket	STD
	7 Drawer Toolbox	STD
	10 Gallon Water Washdown System With Hose and Nozzle	STD
	Aluminum Shelving Unit About Work Area Counter Top For Added Storage.	STD
	Kemlite (Fiberglass Reinforced Panel) On Walls and Ceiling	STD
	Black Vinyl Diamond Plate Seamless Floor Covering	STD
	12 Volt Overhead Lighting	STD
	Onan 5,000 watt diesel RV rated "Quiet" generator with access door; fuel line plumbed to truck chassis fuel tank	STD
<b>WMH</b>	<b>Wall mounted ceramic space heater</b>	<b>\$ 300.00</b>
	<b>16' HI-CUBE VAN BOX OR SPRINTER VAN</b>	<b>\$ 32,000.00</b>
	<u>Independent Studio Viewing Room &amp; Rear Work Area Layout Buildout Includes:</u>	STD
	(4) Roof-mounted Amber Strobe Lights, Mounted On Each Corner of Roof	STD
	(2) High Intensity White Safety Flashers Mounted On Side Body of Box	STD

October 2013  
**STATE OF OHIO DEPARTMENT OF ADMINISTRATIVE SERVICE**  
**STATE TERM SCHEDULE 7767000109**

	Back-Up Alarm	STD
	Roof Mounted 13,500BTU Air Conditioner With 5,600 BTU Heat Strip	STD
	Shore Power Hook-up Mounted On Driver Side of Van Body	STD
	Ethernet Computer Hook-up Mounted On Driver Side of Van Body	STD
	<u>Studio area to include:</u>	
	Large Command Center Desk With Components Mounted Below Desk And Printer Shelf Above And Trac Lighting And Large Observation Window To Equipment Room	STD
	Floor To Ceiling Cabinet With 5 Shelves And Padded Observation Bench With Storage Below And Storage Shelf Above	STD
	Pedestal Mounting For All Viewing And Computer Monitors	STD
	Large Bench Seat With Padded Cushion For Added Viewing Room Seating & Underneat Storage	STD
	Kemlite (Fiberglass Reinforced Panel) on walls and ceiling	STD
	Black vinyl diamond plate seamless floor covering	STD
	12 volt overhead lighting	STD
	<u>Work area to include:</u>	
	Partition wall between work area and studio to include Aluminum Diamond-plated lockable access door with dual smoked plexiglass windows	STD
	Large butcher block work area counter top	STD
	Rear Facing 17" Hi-Resolution LCD Monitor & Pivoting Mounting Bracket	STD
	15 Gallon Water Washdown System With Hose & Nozzle	STD
	Aluminum shelving unit about work area counter top for added storage	STD
	Aluminum shelving unit for added storage	STD
	Kemlite (Fiberglass Reinforced Panel) on walls and ceiling	STD
	Black vinyl diamond plate seamless floor covering	STD
	12 volt overhead lighting	STD
	Onan 5,000 Watt Gasoline RV-rated "Quiet" Generator With Access Door; Fuel Line Plumbed to	STD
	3 Utility Shelf Storage Unit, Vertical Storage Brackets, And Storage Hook	STD
<b>DIESEL</b>	<b>If vehicle chassis is Diesel; Upgrade to Diesel Onan generator</b>	<b>\$ 4,000.00</b>
<b>WMH</b>	<b>Wall mounted ceramic space heater</b>	<b>\$ 300.00</b>
<b>BR</b>	<b>Bathroom (16' Hi Cube Box van minimum required)</b>	<b>\$ 4,500.00</b>
<b>Sink</b>	<b>Addition of sink and gray water tank to water washdown system (Hi-Cube Only)</b>	<b>\$ 640.00</b>
<b>ACMP</b>	<b>Small Compressor with automatic 25' self-rewind reel</b>	<b>\$ 635.00</b>
<b>TRAINING</b>		
	<b>JDS Personnel Training: (2) Days for Vehicle &amp; Equipment (per 6 operators)</b>	<b>\$ 2,400.00</b>
	<b>JDS Personnel Training: (1) Day for Software &amp; Computer (per 6 operators)</b>	<b>\$ 1,200.00</b>
	<b>JDS PACP Training (per person)</b>	<b>\$ 950.00</b>
	<b>JDS MACP &amp; LACP Training (per person)</b>	<b>\$ 150.00</b>
	<b>JDS PACP 2-day Re-certification Training (per person)</b>	<b>\$ 450.00</b>
<b>CHASSIS OPTIONS</b>		
	<b>Sprinter 3500 Diesel 11030 GVWR Raised Roof 170" WB</b>	<b>\$ 47,000.00</b>
	<b>Ford E450 Gasoline 14,200 GVWR with 16' Hi-Cube Body</b>	<b>\$ 38,000.00</b>
	<b>Ford F550 Diesel 19,500 GVWR with 16' Hi-Cube Body</b>	<b>\$ 50,000.00</b>
	<b>GMC 4500 Diesel 13,900 GVWR with 16' Hi-Cube Walkthrough</b>	<b>\$ 48,000.00</b>
	<b>Ford E350 Gasoline 12,500 GVWR with 14' Hi-Cube Body &amp; Curb-Side Entry Door</b>	<b>\$ 35,000.00</b>
	<b>7' x 14' Tandem Axle Trailer</b>	<b>\$ 5,000.00</b>
	<b>6' x 12' Single Axle Trailer</b>	<b>\$ 2,500.00</b>
	<b>FINAL TOTAL</b>	<b>\$ -</b>