

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			<b>List Price</b>
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>ALL</b>
		<b>Number</b>	<b>Options</b>
			<b>SELETED</b>
<b><u>CUSTOMER INFORMATION</u></b>			
Contact Name:			
Company Name:			
Street Address:			
City, State & Zip:			
Phone:			
Cell:			
Fax:			
e-mail:			
Height Requirement:			
Length Requirement:			
Color Requirement:			
Aluminum Tube Type:			
Jetter Hose Type:			
Proposal Date:			
Days Valid For:			
Proposal No.:			
<b><u>FEATURES AS BUILT</u></b>			
Limited Warranty on Entire Unit - One year			
Water Tank Material/Capacity: 3/16" ASTM A-240 type 302 Stainless Steel - Warranty - Ten year, no rust through or corrosion			
Debris Tank Material/Capacity: 3/16" Exten A-572 Grade 50 Steel - Warranty - One year, no rust through or cracking			
Warranty - Five year if upgrade to 1/4" Exten A-572 Grade 50 Steel			
Warranty - Ten year if upgrade to 3/16" Stainless Steel Debris Body			
Water Pump: 80 gpm @ 2,000 PSI Warranty - One year			
Positive Displacement Blower: Warranty - One year			
Boom - 26 feet from center of truck - 8.5 feet from front of hose reel			
Hose Reel Capacity - 800 feet of 1" hose			
<b><u>MAIN UNIT OPTION - WITH CHASSIS - DELIVERED</u></b>			
<b><u>Combination Machine</u></b>			
1000 Gallons Water / 5 Cubic Yards Debris - To be mounted on Single Rear Axle Chassis	MC1005	\$260,972	
1000 Gallons Water / 7 Cubic Yards Debris - To be mounted on Single Rear Axle Chassis	MC1007	\$263,747	
500 Gallons Water / 8 Cubic Yards Debris - To be mounted on Single Rear Axle Chassis	MC0508	\$260,972	
<b><u>Chassis</u></b>			
Year: Current Model Year - As of 2/1/09 Model Year = 2010			
Make/Model: International 7500			
Engine Make/Model/HP: International MaxxForce 330 HP Diesel Engine			
Transmission Make/Model: Automatic Allison 3000 RDS			
GVW: 50,000 lbs.			
Front Axle: 20,000 lbs.			
Rear Axle: 30,000 lbs.			
Upgrade Engine to 350 HP - International Only - Add		\$500	
Peterbilt Chassis ILO International - Deduct		(\$1,000)	

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			
<b>Presented by: The Safety Company, LLC - dba M Tech</b>	<b>Option</b>	<b>List Price</b>	<b>List Price</b>
	<b>Number</b>	<b>ALL</b>	<b>SELECTED</b>
		<b>Options</b>	
Volvo Chassis ILO International - Add		\$17,500	
2000 Gallons Water / 8 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis	MC2008	\$272,052	
1200 Gallons Water / 10 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis	MC1210	\$269,167	
1500 Gallons Water / 10 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis	MC1510	\$270,052	
1000 Gallons Water / 12 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis	MC1012	\$268,942	
1300 Gallons Water / 12 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis - Requires Lift Axle on International and Must Use Chassis Price Below - Tandem on Peterbilt or Volvo Must Add Change Below	MC1312	\$270,942	
<b>Chassis</b>			
Year: Current Model Year - As of 2/1/09 Model Year = 2010			
Make/Model: International 7500			
Engine Make/Model/HP: International MaxxForce 330 HP Diesel Engine			
Transmission Make/Model: Automatic Allison 3000 RDS			
GVW: 60,000 lbs.			
Front Axel: 20,000 lbs.			
Rear Axel: Tandem 40,000 lbs.			
Upgrade Engine to 350 HP - International Only - Add			
Peterbilt Chassis ILO International - Deduct			
Volvo Chassis ILO International - Add			
1300 Gallons Water / 12 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis - Requires Lift Axle on International	MC1312	\$283,592	
1500 Gallons Water / 12 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis - Requires Lift Axle	MC1512	\$283,808	
900 Gallons Water / 15 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis - Requires Lift Axle	MC0915	\$283,808	
700 Gallons Water / 16 Cubic Yards Debris - To be mounted on Tandem Rear Axle Chassis - Requires Lift Axle	MC0716	\$283,808	
<b>Chassis</b>			
Year: Current Model Year - As of 2/1/09 Model Year = 2010			
Make/Model: International 7500 with Lift Axle			
Engine Make/Model/HP: International MaxxForce 330 HP Diesel Engine			
Transmission Make/Model: Automatic Allison 3000 RDS			
GVW: 73,200 lbs.			
Front Axel: 20,000 lbs.			
Rear Axel: Tandem 40,000 lbs.			
Lift Axle: 13,200 Lbs.			
Upgrade Engine to 350 HP - International Only - Add			
Peterbilt Chassis ILO International - Deduct			
Volvo Chassis ILO International - Add			
<b>MAIN UNIT OPTION - WITH CHASSIS - DELIVERED</b>			
<b>Jet Flusher Machine (certain options and standard features may not apply to the Jet Flusher Series - Consult dealer)</b>			
1,000 Gallon Water - Jet Flusher - Single Axel 80/2000	GJET1000	\$176,521	
1,500 Gallon Water - Jet Flusher - Single Axel 80/2000	GJET1500	\$179,471	
2,000 Gallon Water - Jet Flusher - Single Axel 80/2000 (Exemption Required)	GJET2000	\$182,396	

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			<b>List Price</b>
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>ALL</b>
		<b>Number</b>	<b>Options</b>
<b>Chassis</b>			
Year: Current Model Year - As of 2/1/09 Model Year = 2010			
Make/Model: International 7400			
Engine Make/Model/HP: International MaxxForce DT 285 HP Diesel Engine			
Transmission Make/Model: Automatic Allison 3500 RDS			
GVW: 43,000 lbs.			
Front Axle: 20,000 lbs.			
Rear Axle: 23,000 lbs.			
2,000 Gallon Water - Jet Flusher - Tandem Axle 80/2000		GJET2000	\$190,575
2,500 Gallon Water - Jet Flusher - Tandem Axle 80/2000		GJET2500	\$193,525
3,000 Gallon Water - Jet Flusher - Tandem Axle 80/2000		GJET3000	\$196,475
<b>Chassis</b>			
Year: Current Model Year - As of 2/1/09 Model Year = 2010			
Make/Model: International 7400			
Engine Make/Model/HP: International MaxxForce DT 285 HP Diesel Engine			
Transmission Make/Model: Automatic Allison 3500 RDS			
GVW: 60,000 lbs.			
Front Axle: 20,000 lbs.			
Rear Axle: Tandem 40,000 lbs.			
<b>Section A - Debris Body Options (N/A on GJET)</b>			
3/16" ASTM A-572 Grade 50 Exten High Strength Steel Debris Tank		Std	
12" Stainless Steel Float Ball Shut off in debris tank		Std	
Top loading material backed debris deflection body inlet cannon with 8" cleanout on top		Std	
Basket to hold 25' fire hose without need to disconnect always curbside front		Std	
Full opening rear tailgate with stainless steel "sure seal" rod and solid core gasket		Std.	
Four (4) Hydraulic rear door locks		Std	
Dual (2) tailgate hydraulic lift cylinders - open/close		Std	
Front mounted hoist cylinder, 55,000# capacity, power up and down		Std.	
Debris Body Flush Out System		A1	\$1,675
Drain Valve - Rear Door - 6" Knife (w/ 15' of lay flat) - for a disconnectable hose add Option A8		A2	\$855
Basket on tailgate to hold 6" Lay-Flat Hose		Std. w/ A2	
Level Indicator - Float Type / External Pointer		A3	\$525
Sight Eyes - Rear Door - 3" Plastic - 2 ea. Threaded style		A4	\$375
Pump Off System / 3", 450 GPM (w/ 25' of lay flat) - Plastic Molded		A5	\$5,200
Pump Off System / 4", 800 GPM (w/25' of lay flat) - All Steel Construction - Includes Cam-Loc fittings		A6	\$6,450
Cam-Loc Fittings for Drain Hoses (per set) 6" - Includes Flanges		A8	\$400
Cam-Loc Fittings for Drain Hoses (per set) 4"		A9	\$350
Cam-Loc Fittings for Drain Hoses (per set) 3"		A10	\$325
Filter Screens - Interior for Pump Off and Drain Valve (flange, elbow and screen)		A11	\$525
24" Standpipe for Pump Off and Drain Valve (requires Option A11)		A12	\$350
Splash Shield - Rear Door		A13	\$725
Stainless Steel 3/16" Tank Material ( <b>PRICED PER CUBIC YARD - TEN YEAR WARRANTY</b> )		A17	\$1,840
Purge Valve at Gravity Drain Valve (1-1/4" Ball Valve)		A18	\$325
Sight Eyes - 5" Glass - 2 ea. Bolted in Glass		A19	\$550
1/4" Exten A-572 Grade 50 Tank Material ( <b>PRICED PER CUBIC YARD - FIVE YEAR WARRANTY</b> )		A20	\$325
Ladder to Inspection Port Curbside up to cannon area ( <b>may get option on GJET</b> )		A21	\$1,800
A012588 Expanded splash shield - rear door - NOT Available with option A5 or A6		A22	\$2,070
Electric Vibrator Mounted at the Bottom Rear of Debris Tank - ( <b>REQUIRES 1/4" DEBRIS BODY - CONSULT FACTORY PRIOR TO ORDERING AS MAY NOT BE AVAILABLE WITH CERTAIN CONFIGURATIONS</b> )		A23	\$1,575

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			<b>List Price</b>
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>ALL</b>
	<b>Number</b>	<b>Options</b>	<b>SELECTED</b>
Standpipe - 4" with Aluminum Camlock - No valve	A30	\$950	
Standpipe - 4" with Brass Valve	A31	\$1,175	
8" Stainless Steel Knife Valve with pneumatic actuator on 8" Body inlet pipe	A32	\$2,950	
Three (3) tie-off anchors on top of body 6' apart	A33	\$300	
Heresite Epoxy Phenolic Coating of Debris Tank - Steel tank only - Not on Stainless	A99	\$3,120	
<b>Section B - Water Tank Options</b>			
Water Tank 3/16 " ASTM A-240 type 304 Stainless Steel	Std		
4" high anti-siphon ring with (4) 2-1/2" holes	Std		
Water tank level sight tube on curb side - clear plastic hose	Std		
2" Drain Valve at bottom of water tank	Std		
2" Fill line with 2-1/2" fire hose connection	Std		
3" Supply line to water pump to be mounted at rear of tank as low as point possible	Std		
Filter at Tank Fill (2" Y-Strainer)	B1	\$325	
Tank Inter-Connect with Debris Tank (must also select A2 and A8)	B3	\$875	
3" Sight Eyes in Lieu of Sight Tube (3 each)	B5	\$550	
Extra Sight Tube	B6	\$250	
Upgrade fill line to 3"	B9	\$1,250	
3" Filter at Tank Fill (3" Y-Strainer) (Requires B9 Option)	B10	\$450	
Drain Valve - Bottom Rear of Tank - 6" Brass knife valve with camlock (GJET only)	B20	\$1,200	
Level Indicator - Float Type / External Pointer (GJET only)	B21	\$525	
Sight Eyes - 5" Glass - 3 ea. - Bolted in Glass (GJET only)	B22	\$705	
Baffle for 1000 Gallon Water Tank (GJET only)	B23	\$885	
<b>Section C - Vacuum System Options (NA on GJET)</b>			
True 8" diameter vacuum system	Std.		
Three (3) Vacuum Relief Valves set to crack at 16" HG	Std		
Stoddard sound silencer w/ rain cap and bottom drain	Std		
Cyclone Separator with 20" chamber	Std		
Vacuum pump driven via Transfer Case rated 500 HP	Std.		
Roots Type Vacuum Pump 3,500 CFM and 16" Hg	Std.		
Noise and vibration dampening mounts on transfer case and vacuum pump	Std.		
Stainless Steel Vee-Wire Filter Screen at Blower Inlet	Std.		
Vacuum Relief Valve, 6" Air Operated	Std.		
Vacuum Relief Valve, 4" Manual	C1	\$675	
Vacuum Relief Valve, 6" Manual	C2	\$1,100	
Upgrade to Roots Type Vacuum Pump 4,500 CFM and 16" Hg - Likely a Roots 824 or Hibon TS56 (180HP)	C7	\$9,550	
Upgrade to Roots Type Vacuum Pump 4,500 CFM and 18" Hg (210 HP)	C8	\$10,775	
Upgrade to Roots Type Vacuum Pump 3,850 CFM and 27" Hg - Includes 1/4" Ex-Ten Steel Body Upgrade (225HP)	C17	\$29,820	
Vacuum Dry Ability - Add Wet Ring to Vacuum - Customer to select location at tip or near tank.	C99	\$825	
<b>Section D - Water Pump System Options</b>			
3" Water Strainer w/ stainless steel screen between water tank and pump - below rear hinge pin	Std		
Adjustable low pressure water spray gun w/50' x 1/2" hose and quick connects, mounted rear of cab on curb side, 800 PSI MAX	Std		
80 GPM / 2,000 PSI Shaft Drive Water Pump from Transmission Mounted PTO, Heavy duty 1410 Drive Shaft - Likely a Uraca 716 (N/A on GJET)	Std		
Pump Drain Valves (lifters) (NA on GJET)	Std		
Low point drain valves - water lines	Std		

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>List Price</b>
		<b>Number</b>	<b>ALL</b>
		<b>Options</b>	<b>SELECTED</b>
Multi-Flow - Shaft Drive Water Pumps (MSUV Regulator)	Std		
Water pump drive: Direct from PTO via drive shaft (Std on GJET only)	Std		
Air Purge System for Hoses (Std on GJET only)	Std		
80 GPM / 2,000 PSI Standard Duty Water Pump (DEDUCT)	D1	(\$2,850)	
Myers pump in lieu of standard - includes auxiliary gear box	D2	\$2,350	
Giant Pump in Lieu of Standard - 80/2500	D2*	\$500	
Upgrade High Pressure Water Pump to URACA KD716 or Giant 8000 or Myers DP80 Series or General MKS (150 HP frame)	D3	\$5,320	
2000 PSI Adjustable water spray gun in lieu of the standard 800 PSI Max system	D4	\$200	
50 GPM / 3,000 PSI Water Pump - Requires option D3	D5	\$570	
Valve before 3" Strainer	D6	\$500	
50' x 1/2" Hand Gun Reel, Retractable w/ 50' x 1/2" Hose - See D25 for 100' option	D7	\$1,100	
Extra Handgun Connections - Each - If water recirculation is required, this option not available	D8	\$350	
Drain Valves for high pressure water cylinders (or valve lifters on Uraca) - GJET Only	D9	\$455	
Cold Weather Recirculation (Electric Pump) HX Pump System Only	D11	\$1,675	
Cold Weather Recirculation ( Extreme Service Duty) (Manual Transmission)	D13	\$8,500	
<b>Engine must have auxiliary drive source - not included - Consult Factory (Volvo Code UBQ9 &amp; T1K1)</b>			
Air Purge System - MC System	D14	\$500	
1-1/4" High Pressure Plumbing	D16	\$3,600	
5.5 GPM / 2,500 PSI Hydraulic Drive Pump for Hydro-Excavation - includes 3/8" X 50' retractable reel	D17	\$9,550	
Air Purge System - HX System	D18	\$500	
Hydraulic Driven Charge Pump	D19	\$8,500	
<b>Engine must have auxiliary drive source - not included - Consult Factory (Volvo Code UBQ9 &amp; T1K1)</b>			
Lateral Cleaning Hose Reel w/ 150 x 1/2" Hose and Reel (crank rewind)	D20	\$2,020	
MC Cold Weather Recirculation via Automatic Transmission	D21	\$950	
14 GPM / 3,000 PSI Hydraulic Drive Pump for Hydro-Excavation - Hose reel not included	D22	\$25,500	
100 GPM / 2,000 PSI Shaft Drive Water Pump (716) - Includes Option D16 - 1 1/4" HP Plumbing to front hose reel and Option D19 is recommended - consult factory	D24	\$3,600	
100' x 1/2" Hand Gun Reel, Retractable w/100' x 1/2" Hose	D25	\$1,550	
10 GPM / 2,200 PSI Hydraulic Drive Pump for Hydro-Excavation mounted in Box - Hose reel not included	D27	\$11,675	
Glycol Injection System - HX System	D28	\$700	
400,000 BTU Burner System - 12V DC (Does not include Options D18 or D28)	D29	\$10,250	
Steel Box 72" Wide x 28" Deep x 24" Tall with Heaters	D30a	\$1,900	
Aluminum Box 72" Wide x 28" Deep x 24" Tall with Heaters	D30b	\$2,785	
Stainless Steel Box 72" Wide x 28" Deep x 24" Tall with Heaters	D30c	\$3,670	
Pump, Hose Reel, and Regulator Mounted in Steel Box (72x28x24) (Requires Option D30a, D30b, D30c, or other approved box)	D31	\$4,950	
Insulate hoses outside heated box (3" supply line not included) - HX System only	D32	\$1,150	
Insulate 72" heated box	D33	\$1,400	
<b>Section E - Boom Options (N/A on GJET)</b>			
8" Front mounted telescoping tube-in-tube boom - inside is true 8" - Up/Down, In/Out, Right/Left	Std		
Nine (9) foot telescoping extension - 26' reach from center of truck - 8' 5" reach from front of hose reel.	Std		
180 degree power rotation via direct hydraulic gear (worm) drive = (80 degree driver side, 100 degree curb side)	Std.		
Dual 4" lift cylinders	Std.		
Cab protection rack	Std.		
Upgraded 9" Boom articulation boom hose	Std.		
Remote Lube for Boom Lift and Rotation	E6	\$2,390	

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			<b>List Price</b>
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>ALL</b>
	<b>Number</b>	<b>Options</b>	<b>SELECTED</b>
3/16" Heavy Duty Boom Elbow w/ 6" Formed Channel Radius	E7	\$1,025	
<b>Section F- Hose Reel Options</b>			
Front frame mounted hose reel with 180 degrees articulation, hose reel spool driven via hydraulically powered gear box	Std.		
Telescoping Level Wind	Std.		
800' Hose reel capacity of 1" hose	Std.		
Hydraulic shut-off valves at suction, return and filter line	Std.		
Low point drains throughout	Std.		
Footage Counter - Counts hose deployed rather than rotations of the wheel	F1	\$700	
Splash Shield - Lexan	F3	\$1,050	
Hose Protection Sleeves through pivot bearing	F4	\$750	
Upgrade front hose reel to power articulate	F6	\$4,890	
Automatic Hose Level Wind	F11	\$6,610	
Interior Hose Expansion Ribs	F13	\$500	
Additional Hose Docking Fitting	F14	\$200	
<b>Section G- Controls, Gauges, Accessories Options (Only G1, G3, G7, G8 available on GJET)</b>			
Cab Mounted Air Shift Control Panel for Blower (NA on GJET), Water Pump, and Hydraulics (console at floor standard)	Std		
Operator control panel to include: sewer hose level wind, reel speed and direction, articulation control (band brake release), blower tachometer (N/A on GJET), water pump tachometer, water pressure gauge, hydraulic pressure gauge, vacuum gauge, joystick for boom electric engine throttle (NA on GJET) - (Consult dealer for additional changes at control panel on GJET)	Std		
Joy stick for boom controls in operator box (N/A on GJET)	Std		
Weather tight operator box for controls	Std		
3 Function remote pendant with 30 Feet of Cable - up/down, in/out, left/right for the boom (N/A on GJET)	Std		
Emergency stop de-energize water flow valve and break vacuum	Std		
If automatic transmission - interlock for throttle control	Std **		
Low Water Light	G1	\$520	
Low Water Light & Alarm	G3	\$880	
High Level Debris Light & Alarm (Requires A3)	G4	\$625	
Blower Temp Gauge	G5	\$325	
Blower Temp Gauge Wired to Air Operated Vacuum Relief	G6	\$500	
Engine Oil Pressure and Water Temp at Operators Station	G7	\$825	
Hydraulic pressure gauge on control panel	G8	\$350	
Inches of Water Gauge in operator box	G13	\$325	
Body "Up" Light in Cab	G14	\$725	
Rear Door "Up" Light in Cab	G15	\$725	
Wireless Remote Control	G19	\$3,350	
Add Vacuum Break & Throttle to 35' Boom Pendant	G20	\$550	
Wireless Remote Control with Remote Water on/off Feature (includes option G22)	G21	\$5,325	
Add remote water on/off control to control box, boom pendant (requires Option G20)	G22	\$1,975	
Electrical Switch on control panel - Additional	G30	\$300	
<b>Section H - Lighting Options</b>			
Strobe Beacon Light - Front - Whelen 2519	H1	\$550	
Strobe Beacon Light - Rear - Whelen 2519	H2	\$550	
Addition Strobe Light Front or Rear (ea.) Add	H3	\$275	
Rear Arrow Light - Halogen - 44" Wide Low Profile - Whelen TA837A	H4	\$1,100	
(1) Boom Work Light - Standard (Truck-Lite 80360) - (N/A on GJET)	H5	\$570	

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			<b>List Price</b>
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>ALL</b>
		<b>Number</b>	<b>Options</b>
			<b>SELECTED</b>
(1) Rear Work Light - Standard (Truck-Lite 80360)	H6	\$425	
(1) Pump Compartment Work Light (Truck-Lite 80360)	H7	\$425	
Additional Work Light - Boom, Rear, Pump Compartment (Per Pair) Must Match with H5 or H6 or H7	H8	\$90	
Upgrade to Halogen Work Lights (Truck-Lite 80511) Add (Per Pair) Must Have H5, H6, H7, or H8	H9	\$150	
Hand Spot Light w/25' Cord	H10	\$325	
Hand Spot Light w/25' Cord and Retractable Reel	H11	\$400	
Extra Spot Light Plug In	H12	\$150	
Truck-Lite LED. Stop, Turn, and Tail Lights (cab not included)	H13	\$415	
Truck-Lite LED. Running (Marker) Lights (cab not included)	H14	\$850	
Wiring & Brackets for Strobes (each)	H16	\$475	
Rear Arrow Light - LED - 72" Wide - Whelen TA870L	H17	\$2,650	
Rear LED Flashers (4 single non-sync light heads), SS Mounting Boxes	H18	\$1,200	
Whelen Hide-A-Way Strobes - Cab Only - Consult Factory	H19	\$1,175	
Cab Mounted Light Bar - LED - 72" Low Profile - Whelen Liberty Series	H20	\$4,075	
Rear Arrow Light - Halogen - 72" Wide - Whelen T870A	H21	\$1,725	
Rear Arrow Light - LED - 44" Wide Low Profile - Whelen TA837M	H22	\$1,650	
Rear Linear LED Flashers (8 single non-sync. Light heads), SS Mounting Box	H23	\$3,150	
Center Linear LED Flashers (4 single non-sync. Light heads), SS Mounting Box	H24	\$1,900	
Front Linear LED Flashers (4 single non-sync light heads), SS Mounting Box	H25	\$1,900	
Rear Duplex Linear Super LED Flashers (8 double light heads), SS Mounting Box	H26	\$5,650	
Center Duplex Linear Super LED Flashers (4 double light heads), SS Mounting Box	H27	\$3,150	
Front Duplex Linear Super LED Flashers (4 double light heads), SS Mounting Box	H28	\$3,150	
Rear Arrow Light - LED - 36" x 72" Wanco WFB6-LSAC-03 with 25 Light Heads	H29	\$4,950	
Cab Mounted Light Bar - LED - 72" Wide - Whelen Ultra Freedom	H30	\$4,950	
Strobe Beacon Light - Super LED - Whelen L31	H31	\$1,000	
Rotating Amber Beacon Light - Federal Model 100	H35	\$550	
Rear Arrow Light - LED - 30" x 60" Trafcon MB 315 with 15 Light Heads	H36	\$3,890	
Upgrade Stop/Tail/Turn Light Box to Polished Stainless Steel	H37	\$570	
<b>Section I - Storage, Tool Boxes, Enclosure Options</b>			
Tool Box - Steel , 36" Wide x 18" Tall x 24" Deep	Std		
Two (2) Galvanized Steel Tube Trays mounted over SINGLE axles / tires - 7-1/2 ft long	Std		
Two (2) Galvanized Steel Tube Trays mounted over TANDEM axles / tires - 10 ft long	Std		
Two (2) Galvanized Steel Tube Trays mounted over TRI axles / tires - 13-1/2 ft long	I1	\$1,400	
Tool Box - Steel, 36" Wide x 18" Tall x 24" Deep	I2	\$675	
Tool Box - Aluminum, 36" Wide x 18" Tall x 24" Deep	I3	\$850	
Upgrade Std. Tool Box 36" Wide x 18" Tall x 24" Deep to Aluminum	I6	\$160	
Tool Box - Aluminum, 36" Wide x 24" Tall x 24" Deep	I7	\$900	
Tool Box - Steel , 30" Wide x 24" Tall x 24" Deep	I8	\$800	
Tool Box - Aluminum, 30" Wide x 24" Tall x 24" Deep	I9	\$850	
Hand Gun Holder - Side by Reel	I10	\$175	
Tube Rack- Rear Door - Two Tube Rack - Folding	I11	\$750	
Tube Rack- Rear Door - Two Tube Rack - Non-Folding	I12	\$500	
Tube Rack - Three Tube Rack - Non-Folding	I13	\$600	
Traffic Cone Holder	I14	\$175	
Water Cooler Holder	I15	\$235	
Wheel Chock Holder	I16	\$235	
Nozzle Rack - 6 Nozzles, 1"	I17	\$175	
Folding Rear Door Tube Rack ( 6 Tubes) - Folding (Tubes not included)	I18	\$1,575	
Additional Fill Hose Rack	I19	\$175	
Additional Rear Drain Hose Rack	I20	\$175	
Hose Hangers 12' long - both sides - not to rap back of tank	I21	\$2,225	
Upgrade Tube Trays to Polished Stainless Steel	I22	\$2,875	
Tube rack mounted on tank - passenger side - four tube rack - non folding (tubes not included)	I23	\$995	

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>List Price</b>
		<b>Number</b>	<b>ALL</b>
		<b>Options</b>	<b>SELECTED</b>
Tube rack mounted on tank - drivers side - four tube tack - non folding (tubes not included)	I24	\$995	
Lock out of Hydraulic Controls on Driver Side - Convert from hydraulic control valves to electrical switches mounted in a sealed box - If electrical fails, may be overridden manually by replacing handles on hydraulic control valve	I98	\$2,941	
Tool Box behind Cab - 16X42X92. Will add to overall length of unit - Not available on all models	I99	\$3,738	
<b>Section J - Chassis Options</b>			
DOT Lighting / Fenders / Mud flaps / Body and Tailgate Safety Props, ICC Lights	Std		
70 (35 on GJET) Gallons AW-46 Hydraulic Oil, Level/Temperature Gauge, Shutoff on Suction	Std		
Rear DOT Bumper	Std		
Rear mud flaps	Std		
Triangle Kit	Std		
Fire Extinguisher 5 Lb.	Std		
Transmission mounted 6-Bolt for hydraulics and 8-Bolt PTO for water pump (GJET Only)	Std		
Front Bumper - may not be required in all states	J0	\$555	
Step-up front bumper with small tool box on each side	J0*	\$955	
Allison MD&HD 10 Bolt PTO Upgrade - Required for chassis with automatic transmission - (N/A on GJET)	J1	\$1,620	
Allison Automatic Transmission 10-Bolt PTO upgrade for automatic transmission (GJET only)	J1b	\$3,240	
Driveline split shaft gear box upgrade - required when two transmission PTO's are not available or not rated for torque requirements of high pressure water pump (note: If Option J2 is selected, then Option J1b should not be used)	J2	\$6,860	
Tow Hooks Front	J3	\$350	
Tow Hooks Rear	J4	\$350	
Pintle Hitch Assembly, 15,000 Lb.- Bolt On	J5	\$1,025	
Back Up Alarm - Standard	J7	\$200	
Back Up Alarm - Auto Sensor to Increase db as approach object - (not available with option J5 or J16)	J8	\$400	
Relocate Rear Axles - 18" or Less	J11	\$2,400	
Metal Mud Flaps in Front of Rear Tires	J12	\$325	
Drop Axle, 13,200 lb , Self Steer - Model MC1512, MC0915, MC0716	J14	\$11,775	
Drop Axle ,13,200 lb. Non Steer - Model MC1512, MC0915, MC0716	J15	\$10,550	
3/4" Welded pintle plate with dual gussets	J16	\$950	
Add "Hot Shift" feature Transfer Case (consult factory)	J17	\$3,270	
Remote lube of tailgate lift components and tailgate locks - 27 grease points of which six not reachable from ground	J18	\$2,575	
Volvo Service Manual an CD to match truck VIN	J19	\$300	
Re-program Allison automatic transmission	J30	\$1,725	
Hind Sight Back-up Warning 20/20 Model 1300 Mounted in Cab - Model HS-300	J31	\$1,080	
Back-Up Camera with LCD in Cab	J*	\$3,118	
Upgrade to International from Sterling	N/A	N/A	
Passenger Air Seat	J60	\$1,471	
Chassis Software - Volvo	J61	\$3,575	
EPA Surcharge	J90	In Base Price	
Steel Surcharge	J91	In Base Price	
Increase Chassis Engine Horsepower from 300 HP to 350 HP	J92	In Base Price or See Above	
Increase Chassis Engine to Big Block 380 HP from 300 HP & Trans to Allison 4000 Series	J93	N/A	
<b>Section K - Paint Options</b>			

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>List Price</b>
		<b>Number</b>	<b>ALL</b>
		<b>Options</b>	<b>SELECTED</b>
Paint body and boom - White		Std	
Paint frame, blower, silencer, boom base - Black		Std	
Stripe - Cab (per stripe), Up to 12" Wide - Vinyl		K1	\$850
Stripe - Body (per stripe), Up to 12" Wide - Vinyl		K2	\$975
Paint Cab & Door Jamb - Single Color - Paint Code # required:		K3	\$3,882
Rear Door Chevron Striping - Vinyl		K5	\$900
Conspicuity Reflective Tape		K6	\$500
Stripe Cab - Paint , Up to 12" Wide - per color - per stripe		K7	\$1,025
Stripe Body - Paint , Up to 12" Wide - per color - per stripe		K8	\$1,150
Paint frame other than black - Paint Code # required: Base Single Stage No Metallic: Some colors may not apply		K9	\$1,800
Body paint code # required. If white or basic single stage color then no additional charge. Add non-standard color. No Metallic. Some colors may not apply.		K10	\$5,294
Delfleet Metallic Paint Upgrade-Paint Code # Required Two Stage Metallic Base Clear: Body, Boom & Reel Only		K11	\$5,175
Delfleet Frame Two Stage Base Clear Metallic		K12	\$5,175
<b>Section M - Miscellaneous Options</b>			
25 Feet of Vacuum Tubing: (N/A on GJET)		Std	
* 3 each of 8" x 5'			
* 1 each of 8" x 5' with fluidizer holes			
* 1 each of 8"X5' w/bolt on crown			
* Six 8" tube clamps			
Two 65 GPM Sewer Cleaning Nozzles: (1) 30 degree and (1) 15 degree		Std	
(1) Tiger Tail Hose Guide		Std	
Operations and Maintenance Manual		Std	
6" Lay Flat Hose per foot \$2.30		M1	
3" Lay Flat Hose per foot \$1.22		M2	
Fill Hose 25' x 2 1/2"		M3	\$190
Fill Hose 50' x 2 1/2"		M4	\$280
Leader Hose 10' x 1"		M5	\$190
1" Sewer Hose - 2,500 PSI x 400 ft Plastic		M6	\$1,082
1" Sewer Hose - 2,500 PSI x 500 ft Plastic		M7	\$1,325
1" Sewer Hose - 2,500 PSI x 600 ft Plastic		M8	\$1,590
1" Sewer Hose - 2,500 PSI x 800 ft Plastic		M9	\$2,120
Hyd. Tool Spool & Needle Valve – Curb Side (Adj. 3-13 GPM)		M10	\$875
Hydraulic Tool Circuit Hose Reel w/ 2 each 50' x 1/2" Hose		M11	\$1,900
Vanner 2600 Watt 120 Volt AC Power inverter (requires 160 Amp alternator & 3 batteries - not included)		M14	\$3,275
Additional Operations and Maintenance Manual - each		M15	\$200
JA Chassis and Component Auto Lube System - Requires Option E6 - Does NOT Require Option J18 - Does not lube the front hose reel bearing.		M99	\$8,725
Lindhorst All Star Nozzle Kit (w/o Warthog)		N1	\$2,525
Warthog Nozzle		N2	\$1,632
Spider 80 - Chain Cutter - 1 inch		N3	\$1,889
Spider 250 - Chain Cutter - 1 Inch		N4	\$2,737
Mechanical Root Cutter - 1 Inch		N5	\$1,069
Confined Space Training 8 Hours - Ohio EPA Approved - Up to 15 People		P1	\$1,500
Complete Tripod System - Tripod, 3 way SRL, Winch, Meter, Harness		P2	\$3,363
Lifeguard System - Heavy Duty 5,000 lb anchor point with SRL, Winch		P3	\$6,000
Manhole Lifting Hook		Q1	\$42
Grate Lifting Hook		Q2	\$168
Magnetic Lid Lifter - Aluminum Dolly, 450-900 lb magnet		Q3	\$1,625
Adjustable Hydrant Wrench		R1	\$32
Roller Guide Assembly for Upper Manhole		R2	\$425
Safety manhole cover with 5 inch roller		R3	\$180

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>List Price</b>
		<b>ALL</b>	<b>SELECTED</b>
		<b>Number</b>	<b>Options</b>
Handi-Clam - 12" bucket	R5	\$435	
Handi-Clam - 16" bucket	R6	\$675	
Basin Shovel	R7	\$250	
Basin Spoon	R8	\$250	
Extend-a-Claw - 8' to 16' telescoping	R9	\$345	
Manhole Inspection Mirror with Telescoping Pole	R10	\$225	
Swage Kit - 1 Inch - Machine, Dies, Pusher	S1	\$1,350	
(1) Tiger Tail Hose Guide - One is standard	T1	\$45	
Tube Handle - 8 Inch - 176-U189	T2	\$150	
Clamps	T3	\$35	
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 72"	T4	\$185	
Aluminum Tube - Catch Basin with Crown and Flange - 8" X 120"	T5	\$225	
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 60"	T6	\$155	
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 72"	T7	\$165	
Aluminum Tube - Intake Tube - With Flanges on Both ends - 8" X 180"	T8	\$325	
ProCam DVD Push Camera System - Self-Leveling Color Head, Transmitter, Data Display	U1	\$7,579	
Predator Advantage DVD w/250' push reel & CH3 camera head75-0800-800	U2	\$11,574	
Predator Advantage DVD w/CH3 camera head75-0800-900	U3	\$10,521	
Data Display I75-0150-284PA	U4	\$1,047	
Data Display II (55 pre-defined codes, title page, free format page, etc.)75-0150-283A	U5	\$2,105	
Mainline Reel with 500' of cable07-0700-500	U6	\$5,026	
Motorized Rewind option for mainline reel31-0700-100	U7	\$2,663	
Automatic Level wind option for mainline reel 30-0700-000	U8	\$1,132	
Trax Jr. Transporter forward neutral & reverse75-8500-400	U9	\$5,868	
Prowler Transporter (w/3 sets of wheels, manual gantry) 75-8700-000	U10	\$12,632	
Pan & Tilt Camera kit 75-5000-000	U11	\$14,626	
Zoom Pan & Tilt Camera kit 75-5100 100	U12	\$19,047	
Camera Cable - 7/16" OD - 10 conductors (18 gauge) plus coax (in & out) w/ 12 pin - connector and steel jacket - Priced per foot	U13	\$4	
Sensit Gold 100 H - 4 Gas Air Monitor- With Compliance Kit	V1	\$2,260	
GFG G450 4 Gas Air Monitor	V2	\$745	
GFG G460 4 Gas with PID Air Monitor	V3	\$2,320	
GFG G460 4 Gas with PID Air Monitor with Pump	V4	\$2,770	
GFG G460 4 Gas with CL2 Air Monitor	V5	\$1,320	
GFG G460 4 Gas with CL2 Air Monitor with Pump	V6	\$1,620	
GFG Docking Station	V7	\$1,595	
Monthly Maintenance Program - Price per month up to 60 months - Tier 1	W1	\$499	
Monthly Maintenance Program - Price per month up to 60 months - Tier 2	W2	\$999	
Monthly Maintenance Program - Price per month up to 60 months - Tier 3	W3	\$1,199	
<b>Totals</b>			
Base Unit List Price			\$0
Options List Price			\$0
Total List Price			\$0
* ALL PRICES ASSUME NO SALES TAX OR FET			
STS Discount Percent			5.00%
STS Discount Dollars			\$0
Net Price After Discount			\$0
<b>WetVac VT-10</b>			
Chassis Volvo VHD64B200 Chassis - Standard Chassis	VT-10	\$167,529	
• 405 Hp Volvo D13-405 Engine			
• 10 Speed Eaton Fuller FRO-14210C Transmission			
• 20,000# Volvo VF22 Front axle (22,800# components)			

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			<b>List Price</b>
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>ALL</b>
		<b>Number</b>	<b>Options</b>
			<b>SELECTED</b>
· 44,000# Meritor RT44-145 Rear axle with pressure lubrication			
· Rear axle gear ratio of 4.63			
· 46,000 # Hendrickson RT463 rear suspension			
· 100 Gallon fuel tank			
· Air Conditioning			
· ABS Brakes			
<u>Chassis International 7600 Chassis - Upgraded Chassis</u>			\$17,088
· 425 HP Cummins ISM Diesel Engine			
· 10 Speed Eaton Fuller FRO-15210C Transmission			
· 20,000 LB Front axle			
· 40,000 LB Rear axle - Tandem			
· 20,000 LB pusher lift axle			
· 100 Gallon fuel tank			
· Air Conditioning			
· ABS Brakes			
· Alumium wheels			
<u>GapVax WetVac VT-10</u>			
· 4,200 Gallon (100 Barrel)			
· ¼" ASTM A-572 Grade 50 Material			
· Full Length Longsills			
· Two Inch Rubber Isolators			
· Two (2) Internal Body Reinforcement Ribs			
· Two (2) sets of Baffles			
· Epoxy Coating in Body			
· 20" Manway with Primary Shut-Off			
· Secondary Shut-Off – 10 Gallon			
· One (1) 25" Body Access Manway on Top			
· Ladder to Manway			
· Two (2) Body Lift Rings			
· One (1) 25" Cleanout Door on Bottom Rear			
· 6" Decant on the 25" Clean Out Door			
· 4" Standpipe Bolt in Style Rear Decant with Brass Valve			
· 4" Rear Decant with Brass Valves			
· Three (3) 5" Sight Eyes			
· DOT Clearance Light Box on Top Rear with Two (2) Work Lights			
· Two (2) Stainless Steel Hose Trays			
· Bolt on Stainless Tail Light Boxes (LED Light)			
· Hose Hangers on Rear Head			
· Body Blasted, Primed and Painted with PPG Fleet Urethane Paint			
· Paint Color – White			
· Six (6) Spring Mounted Body Mounts			
· New Massport HXL 400 WV Plug & Play Water-Cooled Pump & Accessories			
· ICC Bumper			
· Direct Drive PTO and Driveshaft			
<u>Option VT-10</u>			
· Dual 4" Front Decants with Brass Valve			\$1,730
· Heavy Duty Replacement Front Bumper with Tow Loop and Bumper Blocks			\$4,291
· Heavy Duty Replacement Rear Bumper with Tow Loop and Chain Compartments			\$5,675
· Heavy Duty Steel Hubler Front Bumper with Tow Loop and Bumper Blocks			\$3,412
· Heavy Duty Steel Hubler Rear Bumper with Tow Loop and Chain Compartments			\$4,588
· Four 10' Heat Trace Lines - Two Switches for Shut-off Valves			\$1,506
· Paint Color Other than Black or White			\$1,661
· Paint Color: Metal Flake/Pearl Base Coat/Clear Coat			\$4,429
· Two (2) Splash Trays over Drive Tires			\$332
· Stainless Steel Full Length Tank Skirt (bolt on to hose tray)			\$1,792

<b>GapVax MC Series Combination Jet / Vacuum Machine</b>			
<b>Sales Proposal</b>			<b>List Price</b>
<b>Presented by: The Safety Company, LLC - dba M Tech</b>		<b>Option</b>	<b>ALL</b>
	<b>Number</b>	<b>Options</b>	<b>SELECTED</b>
· 18'-6" x 4" Hose with Camlock Fittings			\$401
· 36" Steel Toolbox			\$865
· 36" Aluminum Toolbox			\$1,073
· Automatic Transmission - Volvo Chassis			\$23,530
· 20,000 lb. Lift Axle complete w/New Cap Tires/ Steel Wheels - Volvo Chassis			\$13,149
Aluminum wheels add - Volvo Chassis			\$692
· Automatic Transmission - International Chassis			\$15,058
· Debris and Collection Hose - 4" - Cost per foot			\$14
· Debris and Collection Hose - 6" - Cost per foot			\$23
<b>Totals</b>			
Base Unit List Price			\$0
Options List Price			\$0
Total List Price			\$0
* ALL PRICES ASSUME NO SALES TAX OR FET			
STS Discount Percent			5.00%
STS Discount Dollars			\$0
Net Price After Discount			\$0
<b>Used and Demo Equipment</b>			
MC 1510 - 044 - Peterbilt Chassis - 2007 - With one year warranty			\$305,000
MC 1007 - 074 - Peterbilt Chassis - 2007 - With one year warranty			\$297,000
MC 1005 - 036 Sterling Chassis - 2005 - With one year warranty			\$249,000
<b>Totals</b>			
Base Unit List Price			\$0
Options List Price - NA on Used and Demo Equipment			\$0
Total List Price			\$0
* ALL PRICES ASSUME NO SALES TAX OR FET			
STS Discount Percent			5.00%
STS Discount Dollars			\$0
Net Price After Discount			\$0