

Commercial Sales Practices

Airflow Wardrobe Lockers

The following discount schedule is authorized for State Term Schedule purchasers. The intended use is to determine the "Net Sales Value" for ONLY those items that appear in this "Sentinel" **Net Price** schedule that follows in the designated sections and pages. Prices are F.O.B. Destination to all of Ohio . All terms of sale are Net 30 Days from invoice date.

Airflow Wardrobe Lockers: These lockers are specifically designed to meet the rigorous demands of Law Enforcement Personnel. The locker has roomy compartments allowing constant airflow, facilitates the drying and odor venting of clothing, footwear, with special attentions to body armor. Lockers are available in 18", 24" and 36" widths. Optional drawer unit allows for additional storage. Lockers are available in various door combinations and are finished in a tough powder coat finish. Standard color is Warm Beige Texture.

Pricing – Volume Levels

Currently, products located in this section are priced at various levels, based on quantity. The quantity levels listed for our wardrobe lockers are determined by competitive pressure, market conditions and cost associated with the production run.

PRODUCT SPECIFICATIONS

18" wide **AIRFLOW** Wardrobe Locker

The Sentinel **AIRFLOW Wardrobe Locker** is designed to allow optimum airflow and ventilation, which increases the longevity of clothing and equipment, especially Body Armor. Areas where clothing or equipment has moisture and/or odor problems can benefit from this locker system.

Features

- Ventilation ductwork can be built on top of each locker or a header may be installed by customer.
- Lockers can be connected to create a complete drying system by using an in-line exhaust fan
- Designed to facilitate the drying of equipment such as clothing, footwear or body armor and vent odors
- All Powder Coated Steel Construction

SPECIFICATIONS

1.0 General

Manufacturers

The products listed herein are based on a specific manufacturer to establish a standard of quality and minimum requirements. The Drawings and Specifications are based upon metal lockers, as manufactured by **Tiffin Metal Products 1-800-537-0983**. Products by any other manufacturers will be considered provided they comply with technical requirements and match the specified product in layout, configuration, construction, appearance and finish, in accordance with the design concept and intent and must be approved by the Department and/or Architect. US manufactured product to be preferred over non-US manufactured products.

1.1 Number and Size

Lockers should be ordered in specification to the quantity and size listed. Lockers are factory assembled. The lockers are 18" W x 24" D x 72" H

2.0 Product Description

2.1 Locking Mechanism

Combination Lock with master key override.

Key operated (Optional). Master keys allow for easy access when keys are lost.

2.2 Locker Material

Painted Steel - Top, bottom and sides, 14-gauge. Shelf, door and reinforcements 16-gauge. Hinges 14-gauge.

2.3 Finish

Painted Steel - Minimum 4 mil baked on powder coat finish.

2.4 Locker Fabrication

A: Frames:

Formed as integrated part of sides and tops with doors installed.

B: Body Parts:

Formed shelves, tops, bottoms, back panels and sides. All body parts to be attached to assembly by using corrosion resistant nuts/bolts and 3/16" steel rivets.

C: Doors:

One door, louvered and formed on all sides; top and bottom latch operated equipped with combination lock or optional keyed lock cylinder with locking cam. Door can be opened with one-handed operation. No twist handles. Number plates included and shipped loose for customer installation in factory punched mounting holes.

NOTE: All shelves stop 2" from rear of locker to allow a positive flow of fresh air.

- + Three small shelves 8"H x 7"W x 13-15/16"D. Separate lockable compartment, 8"H x 7"W x 13-15/16"D for storage of sidearm and/or other valuables.
- + Two large shelves, one for briefcases, 4-15/16"H x 18"W x 13-15/16"D, and one for headgear, etc., 7-7/8"H x 18"W x 20-11/16"D.
- + Clothing section, with coat rack bar, 55-5/16"H x 22-3/4"D x 11"W.
- + A perforated metal boot tray allows dirt/sand to fall thru, easily removable for cleaning, shall sit below the clothing section for the storage and drying of footwear.
- + Separate compartment for body armor, allowing a full flow of air around it, 29-5/16"H x 22-3/4"D x 7"W with hook.
- + Single hooks on each side of interior.
- + Door equipped with pegboard type panel with hooks to allow hanging of duty belt and furnished with large pocket for police clipboard.
- + Unbreakable mirror with magnetic attachment (shipped loose).

3.0 Accessories

(Optional at extra cost)

A separate compartment under the locker, 18"H x 36"D x 18"W, complete with a drawer, nominal 36"D x 18"H x 16"W, on 28" heavy-duty 200# drawer slides and flush mounted handles. Lock will use the same key as locker (if locker is equipped with key lock).

A hardwood bench (9-1/2" wide in lengths as needed) will be attached to the top of drawer unit (shipped separately).

A florescent light complete with one 110V outlet is available for customer installation (mounting holes installed)

2/4/05 mw

PRODUCT SPECIFICATIONS

24" wide **AIRFLOW** Wardrobe Locker

The Sentinel **AIRFLOW** Wardrobe Locker is designed to allow optimum airflow and ventilation, which increases the longevity of clothing and equipment, especially Body Armor. Areas where clothing or equipment has moisture and/or odor problems can benefit from this locker system.

Features

- Ventilation ductwork can be built on top of each locker or a header may be installed by customer.
- Lockers can be connected to create a complete drying system by using an in-line exhaust fan
- Designed to facilitate the drying of equipment such as clothing, footwear or body armor and vent odors
- All Powder Coated Steel Construction

SPECIFICATIONS

1.0 General

Basis of design shall be SENTINEL **AIRFLOW** Wardrobe Lockers by TIFFIN METAL PRODUCTS, Tiffin, Ohio USA 800-537-0983. Products by other manufacturers will be considered provided they comply with technical requirements and match the specified product in layout, configuration, construction, appearance and finish, in accordance with the design concept and intent. Substitutions must have prior approval by the Architect and/or Department. Preference to be given to US manufactured products.

1.1 Number and Size

The lockers are 24" W x 24" D x 72" H

Lockers shall be factory assembled to specifications, quantity and size listed.

2.0 Product Description

2.1 Locking Mechanism

Combination Lock with master key override.

(Optional)

Key type. Built-in cam locks with 5 pin tumbler keyway, keyed separately and master keyed.

2.2 Locker Material

Top, bottom and sides, 14-gauge. Shelves, door and reinforcements 16-gauge, cold-rolled steel conforming to ASTM A366.

All steel to be free from imperfections and capable of taking a high-grade power coat finish. Surfaces shall be free be cleaned in multi-stage process to inhibit corrosion.

2.3 Finish

All parts shall be finished with heavy (4 mil min) baked on powder coat finish.

2.4 Locker Fabrication

A: Frames:

Formed as integrated part of sides and tops with doors installed.

B: Body Parts:

Formed shelves, tops, bottoms, back panels and sides. All body parts to be attached to assembly by using corrosion resistant nuts/bolts and aluminum or stainless steel rivets.

C: Doors:

Two doors, formed on all sides, louvered. Lift latch operated, right door top and bottom bayonet engaged. Equipped with combination lock or optional keyed lock cylinder with locking cam. Left door is secured in place by right door overlap. Doors can be opened with one-handed operation.

Doors to open at least 130 degrees, with steel, continuous full length hinges.

Recessed door latch, Painted cup with integral door latch/pull so locking device does not protrude beyond face of door, pry resistant.

Number plates shipped loose for customer installation (Mounting holes and installation hardware included)

D: Interior Equipment:

NOTE: All shelves stop 2" from rear of locker to allow a positive flow of fresh air.

- + Three small shelves 8"H x 7"W x 13-15/16"D. Separate lockable compartment, 8"H x 7"W x 13-15/16"D for storage of sidearm and/or other valuables.
- +Two large shelves, one for briefcases, 4-15/16"H x 24"W x 13-15/16"D, and one for headgear, etc., 7-7/8"H x 24"W x 20-11/16"D.
- +Clothing section, with coat rack bar, 55-5/16"H x 22-3/4"D x 17"W.
- +A perforated metal boot tray allows dirt/sand to fall thru, easily removable for cleaning, shall sit below the clothing section for the storage and drying of footwear.
- +Separate compartment for body armor, allowing a full flow of air around it, 29-5/16"H x 22-3/4"D x 7"W with hook.
- +Single hooks on each side of interior.
- +Left door equipped with pegboard type panel with hooks to allow hanging of duty belt and furnished with large pocket for police clipboard.
- +Unbreakable mirror with magnetic attachment (shipped loose).

3.0 Accessories

(Optional at extra cost)

A separate compartment under the locker, 18"H x 36"D x 24"W, complete with a drawer, nominal 36"D x 18"H x 22"W, on 28" heavy-duty 200# drawer slides and flush mounted handles (also available: 15"H x 36"D x 24"W unit on 4"H base – see below). Lock will use the same key as locker (if locker is equipped with key lock). A hardwood bench 9-1/2" wide in lengths of 2', 4', 6', 8', 10' and/or 12' (as required) will be attached to the top of drawer unit (shipped separately for customer installation).

4" metal base fabricated in lengths as long as practicable to enclose base and base end of lockers, finished to match lockers. Metal base is not required for lockers installed on concrete or wood bases but notation should be made as to bench height (15" or 18" drawer unit)

A florescent light complete with one 110V outlet is available for customer installation (mounting holes installed).

5/18/07 mw

PRODUCT SPECIFICATIONS

36" wide **AIRFLOW** Wardrobe Locker

The Sentinel **AIRFLOW** Wardrobe Locker is designed to allow optimum airflow and ventilation, which increases the longevity of clothing and equipment, especially Body Armor. Areas where clothing or equipment has moisture and/or odor problems can benefit from this locker system.

Features

- Ventilation ductwork can be built on top of each locker or a header may be installed by customer.
- Lockers can be connected to create a complete drying system by using an in-line exhaust fan
- Designed to facilitate the drying of equipment such as clothing, footwear or body armor and vent odors
- All Powder Coated Steel Construction

SPECIFICATIONS

1.0 General

Basis of design shall be SENTINEL **AIRFLOW** Wardrobe Lockers by TIFFIN METAL PRODUCTS, Tiffin, Ohio USA 800-537-0983. Products by other manufacturers will be considered provided they comply with technical requirements and match the specified product in layout, configuration, construction, appearance and finish, in accordance with the design concept and intent. Substitutions must have prior approval by the Architect and/or Department. Preference to be given to US manufactured products.

1.1 Number and Size

The lockers are 36" W x 24" D x 72" H

Lockers shall be factory assembled to specifications, quantity and size listed.

2.0 Product Description

2.1 Locking Mechanism

Combination Lock with master key override.

(Optional) Key type. Built-in, flush, cam locks with 5 pin tumbler keyway, keyed separately and master keyed. Cylinder may be removed using master key, without opening door. Furnish two change keys for each lock and master keys in quantities as required (up to 5)

2.2 Locker Material

Top, bottom and sides, 14-gauge. Shelves, door and reinforcements 16-gauge, cold-rolled steel conforming to ASTM A366. All steel to be free from imperfections and capable of taking a high-grade power coat finish. Surfaces shall be free be cleaned in multi-stage process to inhibit corrosion.

2.3 Finish

Painted Steel - Minimum 4 mil baked on powder coat finish.

2.4 Locker Fabrication

A: Frames:

Formed as integrated part of sides and tops with doors installed.

B: Body Parts:

Formed shelves, tops, bottoms, back panels and sides. All body parts to be attached to assembly by using corrosion resistant nuts and bolts and aluminum or stainless steel rivets.

C: Doors:

Two doors, formed on all sides, louvered. Lift latch operated, right door top and bottom bayonet engaged. Equipped with combination lock or optional keyed lock cylinder with locking cam. Left door is secured in place by right door overlap. Doors can be opened with one-handed operation. No twist handles.

Doors to open at least 130 degrees, with stainless steel, continuous full length hinges.

Recessed door latch, Painted cup with integral door latch/pull so locking device does not protrude beyond face of door, pry resistant.

Number plates shipped loose for customer installation (Mounting holes and installation hardware included)

D: Interior Equipment:

NOTE: All shelves stop 2" from rear of locker to allow a positive flow of fresh air.

- + Three small shelves 8"H x 7"W x 13-15/16"D. Separate lockable compartment, 8"H x 7"W x 13-15/16"D for storage of sidearm and/or other valuables.
- + Two large shelves, one for briefcases, 4-15/16"H x 36"W x 13-15/16"D, and one for headgear, etc., 7-7/8"H x 36"W x 20-11/16"D.
- + Clothing section, with coat rack bar, 55-5/16"H x 22-3/4"D x 28-21/32"W.
- + A perforated metal boot tray allows dirt/sand to fall thru, easily removable for cleaning, shall sit below the clothing section for the storage and drying of footwear.
- + Separate compartment for body armor, allowing a full flow of air around it, 29-5/16"H x 22-3/4"D x 7"W with hook.
- + Single hooks on each side of interior.
- + Left door equipped with pegboard type panel with hooks to allow hanging of duty belt and furnished with large pocket for police clipboard.
- + Unbreakable mirror with magnetic attachment (shipped loose).

3.0 Accessories

(Optional at extra cost)

A separate compartment under the locker, 36"W x 36"D x 18"H, complete with a drawer, nominal 34"W x 36"D x 18"H, on 28" heavy-duty 200# drawer slides and flush mounted handles (also available: 36"W x 36"D x 15"H unit on 4"H base – see below). Lock will use the same key as locker (if locker is equipped with key lock). A hardwood bench 9-1/2" wide in lengths of 2', 4', 6', 8', 10' and/or 12' (as required) will be attached to the top of drawer unit (shipped separately for customer installation).




4" metal base fabricated in lengths as long as practicable to enclose base and base end of lockers, finished to match lockers. Metal base is not required for lockers installed on concrete or wood bases but notation should be made as to bench height (15" or 18" drawer unit)

A florescent light complete with one 110V outlet is available for customer installation (mounting holes installed).

051807mw



SENTINEL LOCKERS

FEBRUARY 15, 2005

DESCRIPTION	Painted	W x D x H	PRODUCT NO.	APPROX. SHIP WEIGHT	NET PRICE (U.S.)
<p>Airflow 18 Wardrobe Locker</p> 	<p>Compartmentalized storage: vented for optimum airflow throughout . Size: 18"W X 24"D X 72"H Combination lock. Single door Optional drawer base provides storage ; hard wood bench; key lock. Size: 18"WX36'DX18'H Standard color: Warm Beige Texture</p>				
	Warm Beige	18" 24" 72"	AF18CBT	218#	1-25 \$ 741.00 26-75 \$ 480.00 75+ \$ 448.00
	Warm Beige	Drawer Base 18" 36" 18"	AFB183618RBT	128#	1-25 \$ 433.00 26-75 \$ 338.00 75+ \$ 322.00
	<p>Airflow 24 Wardrobe Locker</p> 	<p>Compartmentalized storage: vented for optimum airflow throughout . Size: 24"W X 24"D X 72"H Combination lock. Double doors Optional drawer base provides storage ; hard wood bench; key lock. Size: 24"WX36'DX18'H Standard color: Warm Beige Texture</p>			
Warm Beige		24" 24" 72"	AF24CBT	246#	1-25 \$ 881.00 26-75 \$ 580.00 75+ \$ 542.00
Warm Beige		Drawer Base 24" 36" 18"	AFB243618RBT	144#	1-25 \$ 454.00 26-75 \$ 357.00 75+ \$ 340.00
<p>Airflow 36 Wardrobe Locker</p> 		<p>Compartmentalized storage: vented for optimum airflow throughout . Size: 36"W X 24"D X 72"H Combination lock. Double doors Optional drawer base provides storage ; hard wood bench; key lock. Size: 36"WX36'DX18'H Standard color: Warm Beige Texture</p>			
	Warm Beige	36" 24" 72"	AF36CBT	330#	1-25 \$ 965.00 26-75 \$ 656.00 75+ \$ 616.00
	Warm Beige	Drawer Base 36" 36" 18"	AFB363618RBT	225#	1-25 \$ 501.00 26-75 \$ 398.00 75+ \$ 381.00

SENTINEL LOCKERS

May 1, 2005

DESCRIPTION	Painted	W x D x H	PRODUCT NO.	APPROX. SHIP WEIGHT	NET PRICE (U.S.)
<p>Pass-thru Evidence Locker</p>  <p>M5312</p>	<p>Warm Beige</p>	<p>36" 24" 72"</p>	<p>KM5312</p>	<p>#</p>	<p>1-25 \$ 2995.00</p>
<p>Pass-thru Evidence Locker</p> 	<p>Warm Beige</p>	<p>18" 24" 72"</p>	<p>KM5308</p>	<p>#</p>	<p>1 \$ 3150.00 5 \$ 1545.00 15 \$ 1250.00 20 \$ 1220.00 25 \$ 1175.00</p>