



2014 Aerial and Digger Derrick Packages



Ohio STS Contract #800028
Index #STS515W
Pricelist
October 6th, 2014

Table of Contents

Aerial/Digger Price Summary.....	3
40' Telescopic Articulated Aerial Unit (LT)	4
40' Telescopic Articulated Material Handling Aerial Unit (LTM)	8
41' – 45' Telescopic Articulated Material Handling Aerial Unit (TL)	12
50' Telescopic Articulated Material Handling Aerial Unit (TL).....	16
55' – 60' Telescopic Articulated Material Handling Aerial Unit (TL)	20
52' – 55' – 65' Non-Overcenter Material Handling Aerial Unit (TC)	24
55' – 60' Non-Overcenter Material Handling Aerial Unit (TCX).....	29
42' – 45' Overcenter Aerial Unit (SC)	34
46' – 50' Overcenter Material Handling Aerial Unit (HRM).....	40
52' – 55' – 60' Overcenter Material Handling Aerial Unit (HRX)	44
55' Overcenter Material Handling Aerial Unit (SCM).....	48
55' – 60' Tree Trimmer – Chipper Body Package (XT)	52
City of Cleveland 60' Aerial Unit (TCX60).....	54
45' – 47' – 50' Over Rear Axle Medium Duty Derrick (C4000)	59
45' – 47' – 50' Corner Mount Medium Duty Derrick (C4000).....	65
48' – 50' – 52' – 55' Over Rear Axle Heavy Duty Derrick (C5000).....	70
54' – 60' Over Rear Axle Heavy Duty Derrick (C6000).....	76
Chassis Selections	81
Ford F550 - 19,500 lb. GVW 4x2 Chassis.....	81
Ford F750 - 33,000 lb. GVW 4x2 Chassis.....	83
International 4300 ISB - 27,500 lb. GVWR 4x2 Chassis	85
International 4300 DT - 27,500 lb. GVWR 4x2 Chassis	87
International 4400 DT - 27,500 lb. GVWR 4x2 Chassis	89
International 7300 - 27,500 lb. GVWR 4x2 Chassis	91
International 7400 - 27,500 lb. GVWR 4x2 Chassis	93
International 7300 - 27,500 lb. GVWR 4x4 Chassis	95
International 7400 - 27,500 lb. GVWR 4x4 Chassis	97
International 7400 - 52,000 lb. GVWR 6x4 Chassis	99
International 7400 - 52,000 lb. GVWR 6x6 Chassis	101
Freightliner M2 106 - 33,000 lb. GVWR 4x2 Chassis	103
Freightliner M2 106 - 33,000 lb. GVWR 4x2 Chassis (City of Cleveland)	105
Freightliner M2 106 - 37,000 lb. GVWR 4x2 Chassis (City of Cleveland)	106

**Aerial/Digger Price Summary**

Base Model	Contract Price
38' – 40' Telescopic Articulated Aerial Unit (LT)	\$64,659.00
40' Telescopic Articulated Material Handling Aerial Unit (LTM)	\$81,029.00
41' – 45' Telescopic Articulated Material Handling Aerial Unit (TL)	\$84,114.00
50' Telescopic Articulated Material Handling Aerial Unit (TL)	\$93,324.00
55' – 60' Telescopic Articulated Material Handling Aerial Unit (TL)	\$109,140.00
52' – 55' – 65' Non-Overcenter Material Handling Aerial Unit (TC)	\$100,303.00
55' – 60' Non-Overcenter Material Handling Aerial Unit (TCX)	\$105,676.00
42' – 45' Overcenter Aerial Unit (SC)	\$77,578.00
42' – 46' – 50' Overcenter Material Handling Aerial Unit (HRM)	\$99,623.00
52' – 55' – 60' Overcenter Material Handling Aerial Unit (HRX)	\$109,182.00
48' – 50' – 55' Overcenter Material Handling Aerial Unit (SCM)	\$112,577.00
55' – 60' Tree Trimmer – Chipper Body Package (XT)	\$77,878.00
City of Cleveland 60' Aerial Unit (TCX60)	\$165,919.00
45' – 47' – 50' Over Rear Axle Medium Duty Derrick (C4000)	\$111,506.00
45' – 47' – 50' Corner Mount Medium Duty Derrick (C4000)	\$118,704.00
48' – 50' – 52' – 55' Over Rear Axle Heavy Duty Derrick (C5000)	\$124,134.00
54' – 60' Over Rear Axle Heavy Duty Derrick (C6000)	\$150,514.00

40' Telescopic Articulated Aerial Unit (LT)

Hi-Ranger Model LT40 Aerial Device

- 40 feet ground to bottom of basket- 45 feet working height
- 27.9 feet horizontal side reach
- Behind cab mounted pedestal with integral hydraulic oil tank
- Fiberglass telescoping upper boom
- Fiberglass lower boom insert
- Category "C" dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man end mount work basket - 350 lbs. rated capacity
- Hydraulic basket leveling with tilt control at basket
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle 4-function upper basket control with safety interlock trigger
- 180 degree hydraulic platform rotator
- Single Hydraulic tool outlets at basket
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- One set, vertical outriggers mounted between cab and body
- Upper boom tie down clamp
- Two (2) sets operator, maintenance, parts manuals
- One safety harness with lanyard
- Electric shift hydraulic pump, engine mounted

Heavy Duty Steel Service Body

- 125" overall length x 40" high x 93" wide
- 16 gauge galvaneal steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvaneal floor
- 6" structural channel cross sills
- Keyed, stainless two stage rotary latches
- Positive spring door holders, vertical doors
- Vinyl covered cable, horizontal doors
- Automotive bulb rubber door seals
- Rubber fender crowns
- Body Undercoating
- FMVSS # 108 LED lighting package
- Compartmentation includes adjustable shelving, trays, hooks
- Full Length hotstick shelf with rear drop down door streetside
- Boom rest mounted through floor of body



- 24” treadplate tailshelf with through compartment and drop down doors on each side
- ICC channel bumper with step
- Pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Grab rail at rear
- Brake controller
- One (1) amber strobe light installed above cab
- Two (2) wheel chocks with body storage
- Two (2) outrigger pads with underbody storage
- Rear mudflaps
- Triangle reflector kit
- 10 lb. fire extinguisher
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer’s facility

LT40 Standard Retail Sale Price:	\$66,599.00
Contract Discount:	<u>\$1,940.00</u>
LT40 Net Sale Price, FOB your location:	\$64,659.00

Available Options for LT40

Boom Options

Option #	Option Description	Add or Deduct	Price
A15	400 lbs. platform capacity. Note: Side reach limited to 26.6'.	Add	\$1,470.00
A25	Automatic boom latch.	Add	\$802.00
A26	Torsion bar stabilizer in lieu of outriggers.	Deduct	(\$1,926.00)
A27	Torsion bar stabilizer in addition to outriggers.	Add	\$1,163.00
A55	400 lbs. platform capacity with extended reach of 29.4'. (Requires outriggers)	Add	\$1,848.00

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$3,229.00

B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$473.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$407.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$581.00
B15	Gripstrut side access steps in lieu of vertical compartment.	Add	\$869.00
B16	Gang Lock door security system.	Add	\$493.00
B17	Three (3) pull out drawer assembly per vertical compartment, line or service body.	Add	\$393.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B23	Steel ladder rack for steel body.	Add	\$448.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$788.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$502.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$948.00
B29	Steel storage box, top mount with lid: 72" L x 18" W x 12" H.	Add	\$975.00
B30	Aluminum storage box, top mount with lid: 72" L x 18" W x 12" H.	Add	\$1,030.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00



C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D01	Electric rear mount capstan, 1000 lb. includes capstan head.	Add	\$6,746.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00

40' Telescopic Articulated Material Handling Aerial Unit (LTM)

Hi-Ranger Model LTM40 Aerial Device

- 40 feet ground to bottom of basket- 45 feet working height
- 30.8 feet horizontal side reach
- Behind cab mounted pedestal with integral hydraulic oil tank
- Fiberglass telescoping upper boom
- Fiberglass lower boom insert
- Category "C" dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man 24" x 30" side mount work basket - 350 lbs. rated capacity
- Hydraulic basket leveling with tilt control at basket
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle 4-function upper basket control with safety interlock trigger
- Side mount, 800 lb. jib/winch with hydraulic articulation and hydraulic extension under load.
- 105 degree basket rotator
- Hydraulic tool outlets at basket level
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- One set, modified 'A' frame outriggers with interlocks
- Upper boom tie down clamp
- Two (2) sets operator, maintenance, parts manuals
- One safety harness with lanyard
- Electric shift PTO / pump

Fiberglass Service Body

- 132" overall body length
- 94" overall body width
- 54" floor width
- 20" compartment depth
- 42" compartment height pack
- 25" mounting height
- FBCA 81"
- Steel treadplate flooring
- Smooth aluminum header panel
- One (1) black plastic gas fill cup
- Stainless steel rotary latches
- 304 stainless steel hardware
- 304 stainless steel door hinges

- Positive spring door holders, vertical doors
 - Vinyl covered cable, horizontal doors
 - Non-skid compartment tops
 - Clear vinyl rock guards
 - Automotive grade bubble gasket
 - One piece molded doors with automotive finish
 - Recessed door jambs
 - Flow through ventilation system
 - Body undercoating
 - FMVSS # 108 LED lighting package
 - Compartmentation includes adjustable shelving, trays, hooks
 - Full Length hotstick shelf with rear drop down door streetside
 - Boom Rest
 - 36” steel treadplate tailshelf with through compartment and drop down doors on each side
 - ICC channel bumper with step
 - Pintle hook with frame reinforcements
 - Safety chain anchors, 6 prong trailer socket
 - Grab rail at rear
 - Brake controller
 - One (1) amber strobe light installed above cab
 - Two (2) wheel chocks with body storage
 - Two (2) plywood outrigger pads with underbody storage
 - Rear mudflaps
 - Triangle reflector kit
 - 10 lb. fire extinguisher
 - Back up alarm
-
- Aerial device and accessories painted white urethane enamel, body gelcoat white.
 - Cargo floor area painted black non-skid coating
 - Stability, operational, dielectric test documentation upon delivery
 - In-service training provided at customer’s facility

LTM40 Standard Retail Sale Price:	\$83,460.00
Contract Discount:	<u>\$2,431.00</u>
LTM40 Net Sale Price, FOB your location:	\$81,029.00

Available Options for LTM40

Boom Options

Option #	Option Description	Add or Deduct	Price
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$568.00
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$2,908.00
A23	Top mount cobra style jib and winch package in lieu of side mount. Includes end mount platform with 180 degree rotator.	Add	\$1,996.00

Body Options

Option #	Option Description	Add or Deduct	Price
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$473.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$407.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$581.00
B15	Gripstrut side access steps in lieu of vertical compartment.	Add	\$869.00
B16	Gang Lock door security system.	Add	\$493.00
B17	Three (3) pull out drawer assembly per vertical compartment, line or service body.	Add	\$393.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$502.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$948.00
B30	Aluminum storage box, top mount with lid: 72" L x 18" W x 12" H.	Add	\$1,030.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D01	Electric rear mount capstan, 1000 lb. includes capstan head.	Add	\$6,746.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00

41' – 45' Telescopic Articulated Material Handling Aerial Unit (TL)**Hi-Ranger Model TL41M Aerial Device**

- 41 feet ground to bottom of basket- 46 feet working height
- 30.5 feet horizontal side reach
- Behind cab mounted pedestal with integral hydraulic oil tank
- Fiberglass telescoping upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man 24” x 30” side mount work basket - 350 lbs. rated capacity
- Hydraulic basket leveling with tilt control at basket
- Hydraulic basket rotator
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle 4-function upper basket control with safety interlock trigger
- Side mount, 1500 lb. jib/winch with hydraulic articulation and extension. Jib includes hydraulic extension under load.
- Hydraulic tool outlets at basket level
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Two-speed throttle control at basket and lower controls
- One set, ‘A’ frame outriggers with interlocks
- Upper boom tie down clamp
- Two (2) sets operator, maintenance, parts manuals
- One safety harness with lanyard
- Electric shift PTO / pump

Heavy Duty Steel Line Body

- 132” overall length x 47” high x 93” wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6” structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders, vertical doors
- Vinyl covered cable, horizontal doors



- Compartmentation includes adjustable shelving, dividers, trays, hooks
- Full length hotstick compartment with drop down rear door
- Gripstrut side access steps, with grab handles
- Boom rest mounted through floor of body
- 24” treadplate tailshelf with drop down doors, each side
- ICC channel bumper with step
- 30,000 lb. capacity pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Brake controller
- Two (2) amber strobe lights mounted above cab
- Two (2) wheel chocks with body storage
- Two (2) plywood outrigger pads with underbody storage
- Rear mudflaps
- Triangle reflector kit
- 10 lb. fire extinguisher
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer’s facility

TL41M Standard Retail Sale Price: \$86,637.00
 Contract Discount: \$2,523.00

TL41M Net Sale Price, FOB your location: \$84,114.00

Available Options for TL41M

Boom Options

Option #	Option Description	Add or Deduct	Price
A03	45' aerial in lieu of standard.	Add	\$1,999.00
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$568.00
A19	180 degree platform rotator without jib and winch package.	Deduct	(\$4,447.00)
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$2,908.00
A23	Top mount cobra style jib and winch package in lieu of side mount. Includes end mount platform with 180 degree rotator.	Add	\$1,996.00
A24	Single conductor wire holder, jib attachment.	Add	\$738.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

A25	Automatic boom latch.	Add	\$1,170.00
-----	-----------------------	-----	------------

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$6,131.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$629.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$629.00
B09	Flatbed with two (2) vertical saddle compartments, one per side in lieu of standard body.	Deduct	(\$1,825.00)
B16	Gang Lock door security system.	Add	\$598.00
B17	Three (3) pull out drawer assembly per vertical compartment, line or service body.	Add	\$393.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$471.00
B23	Steel ladder rack for steel body.	Add	\$448.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$788.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$502.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$948.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D01	Electric rear mount capstan, 1000 lb. includes capstan head.	Add	\$6,746.00
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

50' Telescopic Articulated Material Handling Aerial Unit (TL)

Hi-Ranger Model TL50 Aerial Device

- 49.5 feet ground to bottom of basket- 54.6 feet working height
- 36.0 feet horizontal side reach
- Behind cab mounted pedestal with integral hydraulic oil tank
- Fiberglass telescoping upper boom
- Fiberglass lower boom insert
- Category "C" dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man 24" x 30" side mount work basket - 350 lbs. rated capacity
- Hydraulic basket leveling with tilt control at basket
- Hydraulic basket rotator
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle 4-function upper basket control with safety interlock trigger
- Side mount, 1500 lb. jib/winch with hydraulic articulation and extension. Jib includes hydraulic extension under load.
- Hydraulic tool outlets at basket level
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Two-speed throttle control at basket and lower controls
- One set, 'A' frame outriggers with interlocks
- Upper boom tie down clamp
- Two (2) sets operator, maintenance, parts manuals
- One safety harness with lanyard
- Electric shift PTO / pump

Heavy Duty Steel Line Body

- 156" overall length x 47" high x 93" wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6" structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Body Undercoating
- Positive spring door holders, vertical doors
- Vinyl covered cable, horizontal doors
- Compartmentation includes adjustable shelving, dividers, trays, hooks



- Gripstrut side access steps with grab handles
- Full length hotstick compartment with drop down rear door
- Boom rest
- 24” treadplate tailshelf with drop down doors, each side
- FMVSS # 108 LED lighting package
- ICC channel bumper with step
- 30,000 lb. capacity pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Brake Controller
- Two (2) amber strobe lights mounted above cab
- Four (4) wheel chocks with body storage
- Two (2) plywood outrigger pads with underbody storage
- Rear mudflaps
- Triangle reflector kit
- 10 lb. fire extinguisher
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted with black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer’s facility

TL50M Standard Retail Sale Price:	\$96,124.00
Contract Discount:	<u>\$2,800.00</u>
TL50M Net Sale Price, FOB your location:	\$93,324.00

Available Options for TL50M

Boom Options

Option #	Option Description	Add or Deduct	Price
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$568.00
A19	180 degree platform rotator without jib and winch package.	Deduct	(\$4,447.00)
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$2,908.00
A23	Top mount cobra style jib and winch package in lieu of side mount. Includes end mount platform with 180 degree rotator.	Add	\$1,996.00
A24	Single conductor wire holder, jib attachment.	Add	\$738.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

A25	Automatic boom latch.	Add	\$1,170.00
A28	One set of auxiliary under-slung outriggers. Includes upgrade to full length subframe.	Add	\$7,412.00

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$7,942.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$743.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B09	Flatbed with two (2) vertical saddle compartments, one per side in lieu of standard body.	Deduct	(\$3,096.00)
B16	Gang Lock door security system.	Add	\$598.00
B17	Three (3) pull out drawer assembly per vertical compartment, line or service body.	Add	\$393.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$557.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
----------	--------------------	---------------	-------

C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D01	Electric rear mount capstan, 1000 lb. includes capstan head.	Add	\$6,746.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

55' – 60' Telescopic Articulated Material Handling Aerial Unit (TL)**Hi-Ranger Model TL60 Aerial Device**

- 60 feet ground to bottom of basket- 65 feet working height
- 40.0 feet horizontal side reach
- Behind cab mounted pedestal with integral hydraulic oil tank
- Fiberglass telescoping upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man 24” x 30” side mount work basket - 350 lbs. rated capacity
- Hydraulic basket leveling with tilt control at basket
- Hydraulic basket rotator
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle 4-function upper basket control with safety interlock trigger
- Side mount, 1500 lb. jib/winch with hydraulic articulation and extension. Jib includes hydraulic extension under load.
- Hydraulic tool outlets at basket level
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Two-speed throttle control at basket and lower controls
- One set of hydraulic A Frame outriggers behind cab with rear mounted controls
- One set of hydraulic rear mount auxiliary outriggers with rear mounted controls
- Upper boom tie down clamp
- Two (2) sets operator, maintenance, parts manuals
- One safety harness with lanyard
- Electric shift PTO / pump

Heavy Duty Steel Line Body

- 158” overall length x 47” high x 93” wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6” structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Body undercoating
- Positive spring door holders, vertical doors
- Vinyl covered cable, horizontal doors

- Compartmentation includes adjustable shelving, dividers, trays, hooks
- Gripstrut side access steps with grab handles
- Full length hotstick compartment with drop down rear door
- Boom rest
- 24" treadplate tailshelf with drop down door, each side
- FMVSS # 108 LED lighting package
- ICC channel bumper with step
- 30,000 lb. capacity pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Brake Controller
- Two (2) amber strobe lights mounted above cab
- Four (4) wheel chocks with body storage
- Four (4) plywood outrigger pads with underbody storage
- Rear mudflaps
- Triangle reflector kit
- 10 lb. fire extinguisher
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer's facility

TL60M Standard Retail Sale Price:	\$112,414.00
Contract Discount:	<u>\$3,274.00</u>

TL60M Net Sale Price, FOB your location: \$109,140.00

Available Options for TL60M

Boom Options

Option #	Option Description	Add or Deduct	Price
A07	55' aerial in lieu of standard.	Deduct	(\$2,776.00)
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$568.00
A19	180 degree platform rotator without jib and winch package.	Deduct	(\$4,447.00)
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$2,908.00
A23	Top mount cobra style jib and winch package in lieu of side mount. Includes end mount platform with 180 degree rotator.	Add	\$1,996.00

A24	Single conductor wire holder, jib attachment.	Add	\$738.00
A25	Automatic boom latch.	Add	\$1,170.00
A52	10' single hydraulic longitudinal lift.	Add	\$29,986.00

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$7,856.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$743.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B10	Flatbed with transverse saddle compartment with one (1) fixed shelf in lieu of standard body.	Deduct	(\$2,797.00)
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B16	Gang Lock door security system.	Add	\$598.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$557.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D01	Electric rear mount capstan, 1000 lb. includes capstan head.	Add	\$6,746.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

52' – 55' – 65' Non-Overcenter Material Handling Aerial Unit (TC)**Hi-Ranger Model TC52 Aerial Device**

- 52 feet ground to bottom of basket - 57 feet working height
- 36.6 feet horizontal side reach
- Rear axle mount with basket to rear of unit
- Fiberglass upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 2 man side mount work basket - 700 lbs. rated capacity
- Hydraulic basket rotator - 90 degrees
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle “3D” upper basket control with safety interlock trigger
- Power assist control system with automatic throttle
- Compensated upper boom / lower boom movement
- Under slung, 1500 lb. jib/winch with hydraulic articulation and manual extension.
- Hydraulic basket tilt/rescue at upper and lower controls
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Hydraulic tool outlets at basket level
- Automatic throttle control
- Two sets, A frame outriggers with rear controls, interlocks
- Two safety harnesses with lanyards
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO/pump

Heavy Duty Steel Line Body

- 158” overall length x 47” high x 93” wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6” structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Body undercoating
- Positive spring door holders, vertical doors
- Vinyl covered cable, horizontal doors
- Compartmentation includes adjustable shelving, trays, rope hooks



- Full Length Hotstick Shelf, with rear drop down door
- FMVSS # 108 LED lighting package
- Grip strut side access steps with grab handle
- Full width grip strut walkway, curbside compartment top
- Gripstrut access ladder to gain access to side pack from tailshelf
- Gripstrut bucket access platform mount to the turret , 24” x 24”
- Gripstrut access step in load area
- Boom rest
- 24” treadplate tailshelf with drop down door each side
- ICC channel bumper with step
- 30,000 lb. pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with body storage
- Four (4) outrigger pads with underbody storage
- Rear mudflaps
- 10 lb. fire extinguisher
- Triangle reflector kit
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer’s facility

TC52 Standard Retail Sale Price:	\$103,312.00
Contract Discount:	<u>\$3,009.00</u>
 TC52 Net Sale Price, FOB your location:	 \$100,303.00

Available Options for TC52

Boom Options

Option #	Option Description	Add or Deduct	Price
A08	55' aerial in lieu of standard.	Add	\$567.00
A10	65' aerial in lieu of standard.	Add	\$9,514.00
A14	End mount 2-man platform (24" x 48") with 180 degree platform rotator in lieu of jib and winch package.	Deduct	(\$3,433.00)
A21	Hydraulic extend jib and winch package in lieu of manual extend.	Add	\$676.00
A25	Automatic boom latch.	Add	\$1,327.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$7,856.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$743.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B16	Gang Lock door security system.	Add	\$598.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$557.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D11	Expanded metal cab guard. Note boom support will be repositioned to front of cab guard as required.	Add	\$2,708.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00
-----	-----------------------------------------------------------------------------------	-----	----------

55' – 60' Non-Overcenter Material Handling Aerial Unit (TCX)**Hi-Ranger Model TCX55 Aerial Device**

- 55 feet ground to bottom of basket - 60 feet working height
- 39.2 feet non-over center side reach
- 110° lower boom articulation
- Rear axle mount with basket to rear of unit
- Fiberglass upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man side mount work basket - 400 lbs. rated capacity
- 90 degree platform rotator
- Hydraulic tilt at platform and lower controls
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle “3D” upper basket control with safety interlock trigger
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Hydraulic tool outlets at basket level
- Automatic throttle control
- Side mount, 2000 lb. jib/winch with hydraulic articulation and extension. Jib includes hydraulic extension under load.
- Two sets of X-frame outriggers with rear controls, interlocks
- One safety harness with lanyard
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO/pump

Heavy Duty Steel Line Body

- 158” overall length x 47” high x 93” wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6” structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Rustproofing, Undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders all vertical compartments
- Vinyl coated cable holders, horizontal



- Compartmentation includes adjustable shelving, trays, rope hooks
- Grip strut side access steps with grab handle
- Full length hotstick shelf with rear access door
- Full width grip strut walkway, curbside compartment top
- Compartment top basket access gripstrut access platform
- Boom rest mounted between cab and body
- 24” treadplate tailshelf with drop down doors, 1 each side
- ICC channel bumper with two gripstrut steps each side
- 30,000 lb. pintle hook with frame reinforcements
- Safety chain anchors
- 6 prong trailer socket
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with body storage
- Four (4) plywood outrigger pads with underbody storage
- 10 lb. fire extinguisher
- Rear mudflaps
- Triangle reflector kit
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, and dielectric test documentation upon delivery
- In-service training provided at customer’s facility

TCX55 Standard Retail Sale Price:	\$108,846.00
Contract Discount:	<u>\$3,170.00</u>
TCX55 Net Sale Price, FOB your location:	\$105,676.00

Available Options for TCX55

Boom Options

Option #	Option Description	Add or Deduct	Price
A09	60' aerial in lieu of standard.	Add	\$8,501.00
A11	120 degree lower boom articulation with ground access.	Add	\$1,032.00
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$554.00
A14	End mount 2-man platform (24" x 48") with 180 degree platform rotator in lieu of jib and winch package.	Deduct	(\$3,672.00)
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$3,319.00
A24	Single conductor wire holder, jib attachment.	Add	\$738.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

A25	Automatic boom latch.	Add	\$1,327.00
-----	-----------------------	-----	------------

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$8,210.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$743.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B16	Gang Lock door security system.	Add	\$598.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$557.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
----------	--------------------	---------------	-------

C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D11	Expanded metal cab guard. Note boom support will be repositioned to front of cab guard as required.	Add	\$2,708.00

D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

42' – 45' Overcenter Aerial Unit (SC)

Hi-Ranger Model SC45 Aerial Device

- 45 feet ground to bottom of basket- 50 feet working height
- 37.8 feet overcenter horizontal side reach; 34.3 feet non-over center side reach
- -5 to 120° lower boom articulation
- Rear axle mount with basket to rear of unit
- Fiberglass upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man side mount work basket - 350 lbs. rated capacity
- 90 degree hydraulic platform rotator
- Hydraulic tilt at platform and lower controls
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle “3D” upper basket control with safety interlock trigger
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Hydraulic tool outlets at basket
- Automatic throttle control
- One set of A -frame outriggers with rear controls, interlocks
- One safety harness with lanyard
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO/pump

Heavy Duty Steel Flatbed Body

- Steel Flatbed Body with Transverse Saddle Compartments
- 12' x 96" wide flatbed with 3/16" galvaneal treadplate floor deck, stake pockets
- 44" H x 44" W x 96" long saddle mount cross box
- 16 gauge galvaneal construction with double overlapping doors
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders
- Full length fixed shelf in transverse compartment
- (3) three adjustable shelves with dividers in curbside, rear half of saddle compartment
- (6) locking swivel hooks in streetside, rear half of saddle compartment
- Treadplate compartment top, saddle pack
- ICC channel bumper with step



- Curbside stairwell gripstrut access steps with 3-Point access
- Third double belted step at accessway
- Platform access ladder, grab rail and grab handle.
- 30,000 lb. capacity pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Brake controller
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with underbody storage
- Four (4) outrigger pads with underbody storage
- Rear mudflaps
- 10 lb. fire extinguisher
- Triangle reflector kit
- Back up alarm

- Aerial, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer's facility

SC45 Over Rear Axle Mount Standard Retail Sale Price: \$79,905.00

Contract Discount: \$2,327.00

SC45 Net Sale Price, FOB your location: \$77,578.00

Available Options for SC45

Boom Options

Option #	Option Description	Add or Deduct	Price
A02	42' aerial in lieu of standard.	Deduct	(\$620.00)
A25	Automatic boom latch.	Add	\$1,327.00

Body Options

Option #	Option Description	Add or Deduct	Price
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B20	D-rings, six (6) recessed in flatbed body floor (specify locations).	Add	\$168.00

B21	Perforated steel "fence" around perimeter of saddle pack, 12" H.	Add	\$719.00
B22	Plastic composite stake boards, 6" H x 2" W around perimeter of flatbed.	Add	\$1,355.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00

D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D11	Expanded metal cab guard. Note boom support will be repositioned to front of cab guard as required.	Add	\$2,708.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

Available Options for SC45

Boom Options

Option #	Option Description	Add or Deduct	Price
A02	42' aerial in lieu of standard.	Deduct	(\$620.00)
A25	Automatic boom latch.	Add	\$1,327.00

Body Options

Option #	Option Description	Add or Deduct	Price
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B20	D-rings, six (6) recessed in flatbed body floor (specify locations).	Add	\$168.00
B21	Perforated steel "fence" around perimeter of saddle pack, 12" H.	Add	\$719.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

B22	Plastic composite stake boards, 6" H x 2" W around perimeter of flatbed.	Add	\$1,355.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00

D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D11	Expanded metal cab guard. Note boom support will be repositioned to front of cab guard as required.	Add	\$2,708.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00



46' – 50' Overcenter Material Handling Aerial Unit (HRM)

Hi-Ranger Model HRM50 Aerial Device

- 50 feet ground to bottom of basket- 55 feet working height
- 45.4 feet overcenter horizontal side reach; 35.6 feet non-over center side reach
- 103° lower boom articulation
- Rear axle mount with basket to rear of unit
- Fiberglass upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man side mount work basket - 700 lbs. rated capacity
- 90 degree platform rotator
- Hydraulic tilt at platform and lower controls
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle “3D” upper basket control with safety interlock trigger
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Hydraulic tool outlets at basket level
- Automatic throttle control
- Side mount, 2000 lb. jib/winch with hydraulic articulation and extension. Jib includes hydraulic extension under load.
- Two sets of A -frame outriggers with rear controls, interlocks
- One safety harness with lanyard
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO/pump

Heavy Duty Steel Line Body

- 158” overall length x 47” high x 93” wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6” structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Positive spring door holders, vertical doors
- Vinyl covered cable, horizontal doors
- Compartmentation includes adjustable shelving, trays, rope hooks
- Grip strut side access steps with grab handle



- Full length hotstick shelf with rear access door
- Full width grip strut walkway, curbside compartment top
- FMVSS # 108 LED lighting package
- Compartment top basket access gripstrut access platform
- 24" treadplate tailshelf
- Body undercoating
- Boom rest
- ICC channel bumper with step
- 30,000 lb. pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with body storage
- Four (4) outrigger pads with underbody storage
- Rear mudflaps
- 10 lb. fire extinguisher
- Triangle reflector kit
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer's facility

HRM50 Standard Retail Sale Price:	\$102,612.00
Contract Discount:	<u>\$2,989.00</u>

HRM50 Net Sale Price, FOB your location: \$99,623.00

Available Options for HRM50

Boom Options

Option #	Option Description	Add or Deduct	Price
A04	46' aerial in lieu of standard. Note: Platform capacity reduced to 400 lbs.	Deduct	(\$2,735.00)
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$544.00
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$2,701.00
A24	Single conductor wire holder, jib attachment.	Add	\$738.00
A25	Automatic boom latch.	Add	\$1,327.00

Body Options

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$7,856.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$743.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B16	Gang Lock door security system.	Add	\$598.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$557.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs.	Add	\$1,229.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

	(ea.)		
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D11	Expanded metal cab guard. Note boom support will be repositioned to front of cab guard as required.	Add	\$2,708.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

52' – 55' – 60' Overcenter Material Handling Aerial Unit (HRX)**Hi-Ranger Model HRX52 Aerial Device**

- 52 feet ground to bottom of basket - 57 feet working height
- 45.25 feet overcenter horizontal side reach; 40.25 feet non-over center side reach
- 110° lower boom articulation
- Rear axle mount with basket to rear of unit
- Fiberglass upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man side mount work basket - 400 lbs. rated capacity
- 90 degree platform rotator
- Hydraulic tilt at platform and lower controls
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle “3D” upper basket control with safety interlock trigger
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Hydraulic tool outlets at basket level
- Automatic throttle control
- Side mount, 2000 lb. jib/winch with hydraulic articulation and extension. Jib includes hydraulic extension under load.
- Two sets of X-frame outriggers with rear controls, interlocks
- One safety harness with lanyard
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO/pump

Heavy Duty Steel Line Body

- 160” overall length x 47” high x 98” wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6” structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders, vertical doors
- Vinyl covered cable, horizontal doors

- Compartmentation includes adjustable shelving, trays, rope hooks
- Grip strut side access steps with grab handle
- Full length hotstick shelf with rear access door
- Full width grip strut walkway, curbside compartment top
- Compartment top basket access
- Boom rest
- 24" treadplate tailshelf with drop down doors, 1 each side
- ICC channel bumper with step
- 30,000 lb. pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with body storage
- Four (4) plywood outrigger pads with underbody storage
- Rear mudflaps
- 10 lb. fire extinguisher
- Triangle reflector kit
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer's facility

HRX52 Standard Retail Sale Price:	\$112,457.00
Contract Discount:	<u>\$3,275.00</u>

HRX52 Net Sale Price, FOB your location: \$109,182.00

Available Options for HRX52

Boom Options

Option #	Option Description	Add or Deduct	Price
A08	55' aerial in lieu of standard.	Add	\$315.00
A09	60' aerial in lieu of standard.	Add	\$1,623.00
A11	120 degree lower boom articulation with ground access.	Add	\$1,032.00
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$575.00
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$2,821.00
A24	Single conductor wire holder, jib attachment.	Add	\$738.00
A25	Automatic boom latch.	Add	\$1,327.00

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$8,210.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$743.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B16	Gang Lock door security system.	Add	\$598.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$557.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D11	Expanded metal cab guard. Note boom support will be repositioned to front of cab guard as required.	Add	\$2,708.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

55' Overcenter Material Handling Aerial Unit (SCM)

Hi-Ranger Model SCM55 Aerial Device

- 55 feet ground to bottom of basket - 60 feet working height
- 46.1 feet overcenter horizontal side reach; 39.5 feet non-over center side reach
- 110° lower boom articulation
- Rear axle mount with basket to rear of unit
- Fiberglass upper boom
- Fiberglass lower boom insert
- Category “C” dielectric rating per ANSI regulations
- 360 degrees continuous rotation
- Fiberglass 1 man side mount work basket - 700 lbs. rated capacity
- 90 degree platform rotator
- Hydraulic tilt at platform and lower controls
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Vinyl basket cover
- Single handle “3D” upper basket control with safety interlock trigger
- Full overriding lower ground controls with safety interlock
- Auxiliary 12 volt let down control at basket and lower controls
- Remote Start / stop control at basket and lower controls
- Hydraulic tool outlets at basket level
- Automatic throttle control
- Side mount, 2000 lb. jib/winch with hydraulic articulation and extension. Jib includes hydraulic extension under load.
- Two sets of X-frame outriggers with rear controls, interlocks
- One safety harness with lanyard
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO/pump

Heavy Duty Steel Line Body

- 152” overall length x 47” high x 93” wide
- 16 gauge galvanized steel construction
- 16 gauge double panel compartment doors
- 12 gauge treadplate galvanized floor
- 6” structural channel cross sills
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Rubber fender crowns
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders, vertical doors

- Vinyl covered cable, horizontal doors
- Compartmentation includes adjustable shelving, trays, rope hooks
- Grip strut side access steps with grab handle
- Full length hotstick shelf with rear access door
- Full width grip strut walkway, curbside compartment top
- Compartment top basket access
- Boom rest
- 24" treadplate tailshelf with drop down doors, 1 each side
- ICC channel bumper with step
- 30,000 lb. pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with body storage
- Four (4) plywood outrigger pads with underbody storage
- Rear mudflaps
- 10 lb. fire extinguisher
- Triangle reflector kit
- Back up alarm

- Aerial device, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer's facility

SCM55 Standard Retail Sale Price: \$115,954.00

Contract Discount: \$3,377.00

SCM55 Net Sale Price, FOB your location: \$112,577.00

Available Options for SCM55

Boom Options

Option #	Option Description	Add or Deduct	Price
A12	120 degree lower boom articulation.	Add	\$1,032.00
A13	2-man platform (24" x 48") in lieu of 1-man platform.	Add	\$575.00
A20	24" hydraulic platform lifter (reduces boom tip capacity by 100 lbs.).	Add	\$2,821.00
A24	Single conductor wire holder, jib attachment.	Add	\$738.00
A25	Automatic boom latch.	Add	\$1,495.00
A54	Jib on same side of boom as platform.	Add	\$1,433.00

Body Options

Option #	Option Description	Add or Deduct	Price
B03	Fiberglass body in lieu of standard body.	Add	\$8,210.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B07	Aluminum floor and tailshelf for fiberglass body in lieu of steel.	Add	\$743.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B16	Gang Lock door security system.	Add	\$598.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B19	Gripstrut mounted on compartment tops, each side.	Add	\$557.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$5,847.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D07	6" mechanics vise with removable bracket and socket.	Add	\$415.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D11	Expanded metal cab guard. Note boom support will be repositioned to front of cab guard as required.	Add	\$2,708.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

55' – 60' Tree Trimmer – Chipper Body Package (XT)**Hi-Ranger Model XT60 Aerial Device**

- Terex Hi-Ranger XT60 Lift (Painted White)
- 65' Working Height
- 24" x 30" x 42" Platform & Liner with Scuff Pad
- 24" x 30" x 42" Vinyl Platform and Control Cover
- "3D" One Hand Control
- On Demand Throttle (RPM Automatically Increases or Decreases When Needed)
- Hydraulic Reservoir with Shut-Off Valve
- Full Body Harness with Attached Lanyard
- Upper Boom Rest Tie Down
- Mechanical Platform Tilt
- Full Pressure, Open Center Hydraulic System
- Self-Locking Hydraulic Rotational Gear Box
- Continuous Unrestricted Rotation
- Dual Hydraulic Tool Outlets at Platform
- Platform Tool Pressure Set at 2,000 PSI
- One Set Hydraulic Outriggers (Painted White)
- One Set Outrigger Pads with Holders
- Two Sets Outrigger Controls
- Outrigger Interlock with Hydraulic Roller Valves
- Full Hydraulic Pressure at 1100 RPM Engine Speed
- 10 Year Maintenance Free Leveling Chain
- One Piece Molded Control Covers
- Category "C" dielectric rating per ANSI regulations

Chipper Body

- 12 ½' Chip Box & Hoist Assembly with Holding Valve (Painted White)
- 4-Door Thru Box (Painted White)
- Spring Loaded Cab Guard with Access Steps & Grab Handles (Painted Black)
- Wheel Chocks with Underbody Storage
- Trailer Brake Controller
- 6-Prong Trailer Socket
- Standard PTO with Electric Dash Switch Installed in Cab
- Rear Bumper with T100 Pintle Hook
- All Lights on Body Package to be LED
- Lighting Kit to Meet FMVSS #108 Standards
- 4-Point LED Strobe Package
- Rear mudflaps
- 10 lb. ABC Fire Extinguisher
- Triangle Reflector Kit



- Back up alarm
- DOT Inspection
- Parking Brake Interlock
- Road Tested and Safety Inspected
- In-service training provided at customer’s facility

XT60 Standard Retail Sale Price: \$80,288.00

Contract Discount: \$2,410.32

XT60 Net Sale Price, FOB your location: \$77,878.00

Available Options for XT60

Boom Options

Option #	Option Description	Add or Deduct	Price
F01	55' aerial and 11' chipbox in lieu of standard.	Deduct	(\$6,074.00)
F02	60' over rear axle mount aerial with flatbed, saddle compartment and four (4) outriggers.	Add	\$7,374.00
F03	60'/70' over rear axle mount aerial unit with flatbed and 10' transverse elevator. Elevator increases unit working height to 75'.	Add	\$32,219.00
F04	60'/70' behind cab mount aerial unit with 11' chipbox and 10' transverse elevator. Elevator increases unit working height to 75'.	Add	\$29,093.00
F05	Auxiliary power at platform including a switch at lower controls.	Add	\$1,741.00
F06	Custom paint color for aerial lift, toolbox and chipbox.	Add	\$2,703.00
F07	Custom paint color for aerial lift, toolbox and flatbed.	Add	\$1,838.00

City of Cleveland 60' Aerial Unit (TCX60)**Hi-Ranger Model TCX60 Aerial Device**

- 60 feet ground to bottom of basket- 65 feet working height
- 120 degree lower boom articulation with ground access
- 46.3 feet horizontal side reach
- Utility mounted pedestal with integral heavy duty 6"x6" full length subframe
- 35 gallon hydraulic pedestal mounted oil reservoir with replaceable filter, dip stick, sight gauge
- Thermostatically controlled hydraulic oil tank heater
- Aviation hydraulic oil
- Heavy duty, replaceable bronze bearings at all hinge points.
- Fiberglass filament wound upper boom
- Fiberglass filament wound lower boom insert
- 2,000 lbs. capacity, 24" hydraulic extension, hydraulic tilt, easy pin jib with nylon winch line and safety swivel hook
- Single conductor wire holder
- Three phase lifting attachment
- Outrigger/boom interlock system
- Outrigger motion alarm system
- ANSI category "C" dielectric rating 46 KV and below per ANSI regulations
- 360 degrees continuous rotation, shear ball rotation bearing
- Fiberglass, 2 man 24" x 48" side mount work basket - 600 lbs. rated capacity
- Roller chain basket leveling with hydraulic tilt control at basket and at lower controls
- 90 degrees hydraulic basket rotator
- 24" hydraulic basket lifter
- Polyethylene 50 KV AC rated basket liner with molded inside step
- Hastings hang-on bucket step for inside of platform
- Vinyl platform and control cover
- PTI 1TB-W hang on platform tool tray
- Single handle, "3-D" full function upper basket control with safety interlock trigger
- Two safety harnesses with lanyards
- Dual hydraulic tool outlets at basket level with couplers, dust covers
- Hydraulic tool outlets at rear with couplers, dust covers
- Full overriding lower ground controls with safety interlock
- Electric shift PTO with dash mounted cab control
- Pressure compensated load sensing hydraulic pump system
- Auxiliary 12 volt let down control at basket level and at lower controls
- Remote Start / stop control at basket level and at lower controls
- On demand, automatic throttle control at basket level, lower controls
- One set hydraulic X-frame outriggers behind cab with rear mounted controls
- One set hydraulic rear mounted X-frame outriggers with rear mounted controls
- Hydraulic upper boom latch mechanism

- Pivoting rubber basket rest.
- Two sets operator, maintenance, service manuals
- Aerial device and accessories painted white urethane enamel
- Stability, operational, dielectric test documentation upon delivery
- Four (4) Year Parts and Labor Warranty in lieu of standard one year warranty.

Brand FX Fiberglass Line Body

- Approx. 165" overall length x 48" high x 98" wide, designed for 120" cab/chassis
- 30" compartment height above cargo floor
- Brand FX fiberglass body construction
- Standard gelcoat white
- Aluminum treadplate floor cargo area and tailshelf floor
- 6" aluminum understructure
- Aluminum treadplate wall liners, compartment tops
- Full width aluminum gripstrut walkway, curbside compartment top from access way to rear of body.
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Molded fiberglass fender crowns
- Undercoating
- Four recessed wheel chock holders, two in each fender panel
- Over center door checks
- Push/pull door rod locking system

Body Compartmentation - Curbside

- First vertical - Transverse compartment with 72" long shelf, open to curbside, mounted 12" down from the top. Aluminum treadplate compartment top with approximately 40" x 18" treadplate door, hinged at front of body to provide access to top shelf. Hinged door to have rubber door seals, gas struts, locking hasp. Full width 6" high x 72" long pull out drawer below transverse shelf, pull out to curbside only. Drawer to be mounted on heavy duty rollers with spring loaded retaining latch.
- Second vertical - 24" side access steps to cargo area. Two gripstrut steps, evenly spaced, bottom step to be flush with bottom of body. Auxiliary step to be provided and (2) angled stainless grab handles, one on each side of access opening. 6" high removable composite retainer board installed across access opening.
- Third vertical - (4) adjustable shelves with dividers
- Horizontal - (2) full length shelves with (8) adjustable dividers each, one shelf centered one on bottom of compartment.
- Rear vertical - (9) swivel hooks, mounted as high as possible, 2-5-2. Outrigger cut outs for rear outriggers.

Body Compartmentation - Streetside

- Hotstick shelf installed in top of streetside side box, 10” down from the top, starting at the front of the 2nd vertical compartment to the rear of the body, with drop down access door.
- First vertical – (4) adjustable shelves with adjustable dividers
- Second vertical – (3) adjustable shelves with adjustable dividers
- 12” high x 16” wide bottom opening in the compartment divider bulkhead between second and third vertical compartments, vented on back wall near bottom.
- Third vertical – Three (3) adjustable divider shelves with dividers
- Horizontal – Two (2) adjustable full length divider shelves with dividers
- Rear vertical – Full height vertical partition to divide compartment into two equal sections below hotstick shelf.
 - Two (2) adjustable divider shelves on the left side of partition above outrigger housing
 - Nine (9) swivel hooks on right side of partition, installed as high as possible, location to be determined
 - Outrigger cut outs for rear outriggers

Body Accessories

- Full width 30” aluminum treadplate tailshelf with 6” tailshelf riser.
 - 20” wide transverse through compartment with drop down door, each side.
 - 6” removable, composite tailboards around perimeter of tailshelf, with retainers.
- ICC structural channel rear bumper, reinforced to bottom of pintle hook mounting channel. Install gripstrut on each side of bumper. Gripstrut to extend beyond the rear edge of tailshelf.
- BP 100A pintle hook installed at 20” throat height with frame reinforcements, safety chain eyes.
- Two (2) Reese hitch receivers, one each side at rear on outside of frame rail, for use with removable accessories. Includes removable vise bracket and removable ring style inverted cone holder. Each holder to be furnished with a retainer pin and keeper.
- Round aluminum grab rail each side at rear near outside edge of body, running from top of rear body panel down to rear edge of tailshelf.
- Ground wire carrier installed at rear for 2-3 12 inch diameter copper reels, final design to be determined.
- Aluminum gripstrut steps on curbside in cargo area as required for access to compartment top and platform.
- Four (4) DICA D2424 outrigger pads and holders, two each side under body.
- 144” long x 20” wide x 10” high wide aluminum treadplate ladder box, with rear roller and tie down straps installed on top of streetside side box.
- 108” long x 18” wide x 10” high aluminum treadplate storage box with two (2) independent top opening weatherproof lids, covered with aluminum gripstrut, held open with gas struts. Box to mount on curbside compartments aft of access opening. Box to be lined with rubberized coating on bottom and sides and to have vents and drains.

- Loop style grab rail at curbside rear top of storage box to assist operator platform access.
- 14" high x 20" wide strand wire reel carrier in rear of tailshelf, exact location to be determined
- Aluminum bicycle style wire storage rack with (4) storage slots, shipped loose with completed unit.
- Four (4) rubber wheel chocks
- One (1) Roboreel # 5478 triplex wire reel shipped loose with completed unit.
- Five gallon water cask, plastic cask stand and wedge type cup holder shipped loose with completed unit.
- 72" aluminum material rail with four (4) sliding hooks installed in cargo area, location to be determined.
- Post type cone holder installed on each front outrigger
- Extend chassis furnished trailer air brake system and install glad hands near pintle hook.
- Mud flaps installed behind rear wheels.
- Two (2) 5 lb. fire extinguishers with brackets, mounted in cab with location decals
- Zee # 42 first aid kit shipped loose with completed unit.
- 3 piece triangle reflector kit shipped loose with completed unit.
- Non-skid paint applied to cargo floor area and tailshelf.
- Body Undercoating

Electrical Accessories

- Truck Lite LED FMVSS # 108 lighting package. All rear lights are recessed in tailshelf riser including one combination stop/tail/turn signal and back up light on each side.
- Aerial tower auxiliary letdown control components are integral to the main controller and are protected inside the cab. Auxiliary letdown DC pump is located in a protected location in or near the tower pedestal.
- Two (2) Whelen model L32LAF super LED beacons, one each side on boom rest, visible above cab, including a single switch on dash controller for all strobes.
- Four (4) corner strobe light system with two strobes mounted at front of chassis and two in the rear tailshelf or rear body compartment wall.
- Two (2) Unity 6" halogen spotlights, one each side on cab door post.
- Go-Light model 3067 remote control spotlight with wireless dash mounted and remote controls, mounted curbside of front boom rest, visible above cab.
- LED rope lighting installed on three sides of each compartment, wired to single lighted switch on dash.
- Two (2) flush mounted cargo lights, mounted high on curbside side box in cargo area; one at rear, and one just aft of access opening with weatherproof switch at access opening.
- Electric back up alarm at rear under body, wired to chassis back up light.
- Tekonsha/Voyager electronic brake controller installed in cab
- Two (2) 7 prong trailer sockets, one for electric brakes and one for ABS. Note: ABS socket to be provided by chassis manufacturer.
- Chassis controller with hour meter for medium and light duty chassis.



- All 12 volt wiring is to be color coded, protected with split loom and secured at regular intervals.
- All body lighting connections to be terminated in a TruckLite weatherproof junction box located in an accessible location at rear under body.
- Dimensions 12U12U 1200 watt inverter installed in a convenient location inside chassis cab including a weatherproof duplex GFI receptacle on curbside rear body panel, switch in cab.
- Hannay SGCR -10-17-19 spring retractable ground wire reel with 40 feet yellow insulation 1/0 copper grounding cable and clamp. Includes 4 point grounding system with chassis, tower, body, and rear grounding loop to a single point on chassis frame. Reel location to be determined.

City of Cleveland TCX60 Standard Retail Sale Price:	\$170,897.00
Contract Discount:	<u>\$4,978.00</u>
City of Cleveland TCX60 Net Sale Price, FOB your location:	\$165,919.00

45' – 47' – 50' Over Rear Axle Medium Duty Derrick (C4000)**Terex Telelect Model C4045 Digger Derrick**

- 45 foot sheave height
- 27,000 lb. maximum lift capacity
- Rear axle mount with booms stowed over chassis cab
- 3 section boom; 3rd stage fiberglass with hydraulic extension
- Hydraulic tilt, open / close, boom tip mount pole claw assembly
- 15,000 lb. turret winch with 120 feet nylon winch rope, shackle, hook
- 360 degrees continuous rotation
- Command seat with “T” handle 3 function, full hydraulic controls
- 12,000 lb. 2 speed hydraulic digger motor, nylon wind up rope
- 18” auger with carbide teeth
- Hydraulic overload protection on rotation; disables boom extend, winch up, and digger dig when rotation senses an overloaded condition.
- 6” x 6” full length subframe
- 50 gallon bed mount hydraulic tank with filters, shut off, sight gauge
- Start / stop control at rider seat
- Illuminated controls
- Operating pressure monitoring gauge
- Behind cab mount boom rest
- Two (2) sets, HD ‘A’ frame outriggers with interlocks, rear controls
- Hydraulic tool outlets at rear with couplers, dust caps
- Two speed throttle control at outriggers
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO / pump
- Anti-two block device and load moment limiter hydraulic overload protection for boom down are declined as standard.

Heavy Duty Steel Flatbed Body

- Steel Flatbed Body with Transverse Saddle Compartments
- 12’ x 96” wide flatbed with 3/16” galvanized treadplate floor deck, stake pockets
- 44” H x 44” W x 96” long saddle mount cross box
- 16 gauge galvanized construction with double overlapping doors
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders
- Full length fixed shelf in transverse compartment
- (3) three adjustable shelves with dividers in curbside, rear half of saddle compartment
- (6) locking swivel hooks in streetside, rear half of saddle compartment

- Treadplate compartment top, saddle pack
- ICC channel bumper with step
- Curbside stairwell gripstrut access steps with 3-Point access
- Derrick access steps to command seat
- 30,000 lb. capacity pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Brake controller
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with underbody storage
- Four (4) outrigger pads with underbody storage
- Rear mudflaps
- Triangle reflector kit
- 10 lb. fire extinguisher
- Back up alarm

- Derrick, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer's facility

C4045 Over Rear Axle Mount Standard Retail Sale Price:	\$114,851.00
Contract Discount:	<u>\$3,345.00</u>

C4045 Over Rear Axle Mount Net Sale Price, FOB your location:	\$111,506.00
---------------------------------------------------------------	--------------

Available Options for C4045 Over Rear Axle Mount

Boom Options

Option #	Option Description	Add or Deduct	Price
A29	47' digger in lieu of standard.	Add	\$2,975.00
A30	50' digger in lieu of standard.	Add	\$8,942.00
A34	Boom tip winch in lieu of turret winch.	Add	\$318.00
A36	Console controls for operator standing on bed of truck. Installed at rear of body in lieu of standard command post.	Add	\$2,346.00
A37	Radio controls with turret mounted control levers in lieu of standard full pressure controls	Add	\$6,120.00
A38	Radio controls with command post above rotation in lieu of standard full pressure command post.	Add	\$8,961.00
A39	1-man (24" x 30") fiberglass pin-on platform including top controls.	Add	\$7,728.00

A40	1-man (24" x 30") fiberglass pin-on platform for units with radio controls. Includes docking station for radio controls at platform. Must select option A37 or A38.	Add	\$2,790.00
A41	Hydraulic Tools at platform for units with radio controls. Must select option A37 or A38 and A40.	Add	\$4,220.00
A42	Hollow 2 5/8" kelly bar in lieu of standard. (Permits screw anchor installation).	Add	\$1,281.00
A43	Solid 2 1/2" kelly bar in lieu of standard. Note: Standard auger changes to 2 1/2" hex shaft to match the kelly bar.	Add	\$240.00
A44	10" anchor auger, shipped loose. Note: If option A43 is selected auger will be 2 1/2" hex, otherwise 2 5/8" hex will be provided as standard.	Add	\$1,004.00
A45	Hydraulic overload protection for boom and rotation systems. Disables boom extend, winch up, and digger dig when boom lift or rotation senses an overloaded condition.	Add	\$802.00
A48	Hydraulic overload protection on rotation for units with radio controls. Disables boom extend, winch up, and digger dig when rotation senses an overloaded condition. Required if option A37 or A38 are selected.	Add	\$229.00
A49	X-boost option to increase load capacity in 10' load radius.	Add	\$1,863.00
A50	8 Ton Snatch Block for two part line-lifting	Add	\$693.00

Body Options

Option #	Option Description	Add or Deduct	Price
B01	Steel single axle line body with shelving and hooks in lieu of standard body.	Add	\$4,360.00
B04	Fiberglass single axle line body in lieu of standard body.	Add	\$12,000.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00

B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B20	D-rings, six (6) recessed in flatbed body floor (specify locations).	Add	\$168.00
B21	Perforated steel "fence" around perimeter of saddle pack, 12" H.	Add	\$719.00
B22	Plastic composite stake boards, 6" H x 2" W around perimeter of flatbed.	Add	\$1,355.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$6,509.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D13	Hydraulic hose reel with 50' hoses, couplers and dust caps.	Add	\$1,584.00
D14	Tiiger 401D Hydraulic pole puller including base plate, chain, and outrigger storage brackets.	Add	\$2,905.00
D15	60" Fairmount H4802 hydraulic pole tamper.	Add	\$1,966.00
D16	20,000 lb. planetary bed mount hydraulic winch including extension shaft, 200' of 1/2" wire rope, hook, 4-way roller, emergency stop at rear, and controls at rear. Note: Winch and boom operation is non-simultaneous.	Add	\$12,230.00
D17	Double pole carrier rack with ratchet tie downs.	Add	\$1,613.00



D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00
-----	--------------------------------------------------------------------------------------	-----	----------

45' – 47' – 50' Corner Mount Medium Duty Derrick (C4000)**Terex Telelect Model C4045 Digger Derrick**

- 45 foot sheave height
- 27,000 lb. maximum lift capacity
- Corner mount with booms stowed over chassis cab
- 3 section boom; 3rd stage fiberglass with hydraulic extension
- Hydraulic tilt, open / close, boom tip mount pole claw assembly
- 15,000 lb. turret winch with 120 feet nylon winch rope, shackle, hook
- 360 degrees continuous rotation
- Control console with multi-lever, full hydraulic controls
- 12,000 lb. 2 speed hydraulic digger motor, nylon wind up rope
- 18" auger with carbide teeth
- Hydraulic overload protection on rotation; disables boom extend, winch up, and digger dig when rotation senses an overloaded condition.
- 6" x 6" full length subframe
- 50 gallon bed mount hydraulic tank with filters, shut off, sight gauge
- Start / stop control at rider seat
- Illuminated controls
- Operating pressure monitoring gauge
- Behind cab mount boom rest
- One (1) set of heavy duty A-frame outriggers at front. One (1) swing/slant outrigger and one (1) modified A-frame outrigger at rear installed on corner mount pedestal. Includes rear controls and interlocks at every outrigger.
- Hydraulic tool outlets at rear with couplers, dust caps
- Two speed throttle control at outriggers
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO / pump
- Anti-two block device and load moment limiter hydraulic overload protection for boom down are declined as standard.

Heavy Duty Steel Flatbed Body

- Steel flatbed body with transverse saddle compartments
- 12' x 96" wide flatbed with 3/16" galvanized treadplate floor deck, stake pockets
- 44" H x 44" W x 96" long saddle mount cross box
- 16 gauge galvanized construction with double overlapping doors
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders
- Full length fixed shelf in transverse compartment

- (3) three adjustable shelves with dividers in curbside, rear half of saddle compartment
- (6) locking swivel hooks in streetside, rear half of saddle compartment
- Treadplate compartment top, saddle pack
- ICC channel bumper with step
- Curbside stairwell gripstrut access steps with 3-Point access
- Fold down operators platform for control console
- 30,000 lb. capacity pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Brake controller
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with underbody storage
- Four (4) outrigger pads with underbody storage
- Rear mudflaps
- Triangle reflector kit
- 10 lb. fire extinguisher
- Back up alarm

- Derrick, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer's facility

C4045 Corner Mount Standard Retail Sale Price:	\$122,265.00
Contract Discount:	<u>\$3,561.00</u>

C4045 Corner Mount Net Sale Price, FOB your location:	\$118,704.00
-------------------------------------------------------	--------------

Available Options for C4045 Corner Mount

Boom Options

Option #	Option Description	Add or Deduct	Price
A29	47' digger in lieu of standard.	Add	\$2,402.00
A30	50' digger in lieu of standard.	Add	\$8,368.00
A34	Boom tip winch in lieu of turret winch.	Add	\$838.00
A37	Radio controls with turret mounted control levers in lieu of standard full pressure controls	Add	\$4,928.00
A39	1-man (24" x 30") fiberglass pin-on platform including top controls.	Add	\$7,728.00
A40	1-man (24" x 30") fiberglass pin-on platform for units with radio controls. Includes docking station for radio controls at platform. Must select option	Add	\$2,790.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

	A37 or A38.		
A41	Hydraulic Tools at platform for units with radio controls. Must select option A37 or A38 and A40.	Add	\$4,220.00
A42	Hollow 2 5/8" kelly bar in lieu of standard. (Permits screw anchor installation).	Add	\$1,281.00
A43	Solid 2 1/2" kelly bar in lieu of standard. Note: Standard auger changes to 2 1/2" hex shaft to match the kelly bar.	Add	\$240.00
A44	10" anchor auger, shipped loose. Note: If option A43 is selected auger will be 2 1/2" hex, otherwise 2 5/8" hex will be provided as standard.	Add	\$1,004.00
A45	Hydraulic overload protection for boom and rotation systems. Disables boom extend, winch up, and digger dig when boom lift or rotation senses an overloaded condition.	Add	\$802.00
A48	Hydraulic overload protection on rotation for units with radio controls. Disables boom extend, winch up, and digger dig when rotation senses an overloaded condition. Required if option A37 or A38 are selected.	Add	\$229.00
A49	X-boost option to increase load capacity in 10' load radius.	Add	\$1,863.00
A50	8 Ton Snatch Block for two part line-lifting	Add	\$693.00

Body Options

Option #	Option Description	Add or Deduct	Price
B01	Steel single axle line body with shelving and hooks in lieu of standard body.	Add	\$4,360.00
B04	Fiberglass single axle line body in lieu of standard body.	Add	\$12,000.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00

B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B20	D-rings, six (6) recessed in flatbed body floor (specify locations).	Add	\$168.00
B21	Perforated steel "fence" around perimeter of saddle pack, 12" H.	Add	\$719.00
B22	Plastic composite stake boards, 6" H x 2" W around perimeter of flatbed.	Add	\$1,355.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$6,509.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D13	Hydraulic hose reel with 50' hoses, couplers and dust caps.	Add	\$1,584.00
D14	Tiiger 401D Hydraulic pole puller including base plate, chain, and outrigger storage brackets.	Add	\$2,905.00
D15	60" Fairmount H4802 hydraulic pole tamper.	Add	\$1,966.00
D16	20,000 lb. planetary bed mount hydraulic winch including extension shaft, 200' of 1/2" wire rope, hook, 4-way roller, emergency stop at rear, and controls at rear. Note: Winch and boom operation is non-simultaneous.	Add	\$12,230.00
D17	Double pole carrier rack with ratchet tie downs.	Add	\$1,613.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

48' – 50' – 52' – 55' Over Rear Axle Heavy Duty Derrick (C5000)**Terex Telelect Model C5048 Digger Derrick**

- 48 feet sheave height
- 30,000 lb. maximum lift capacity
- Rear axle mount with booms stowed over chassis cab
- 3 section boom: 3rd stage fiberglass with hydraulic extension
- Hydraulic tilt, open/close, boom tip mount pole claw assembly
- 15,000 lb. turret winch with 120 feet nylon winch rope, shackle, hook
- 360 degrees continuous planetary slip brake rotation
- Inside access command seat with “T” handle 3 function full hydraulic controls
- 12,000 lb. 2 speed hydraulic digger motor, nylon wind up rope
- 18” auger with carbide teeth
- 6 inch x 6 inch full length subframe
- 50 gallon bed mount hydraulic tank with filters, shut off, sight gauge
- Start/stop control at rider seat
- Illuminated controls
- Operating pressure monitoring gauge
- Behind cab mount boom rest
- Two (2) sets extra heavy duty ‘A’ frame outriggers with interlocks, rear controls
- Hydraulic tool outlets at rear with couplers, dust caps
- Two speed throttle control at outriggers
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO / pump
- Anti-two block device and load moment limiter hydraulic overload protection for boom down are declined as standard.

Heavy Duty Steel Flatbed Body

- Steel Flatbed Body with Transverse Saddle Compartments
- 12' x 96” wide flatbed with 3/16” galvanized treadplate floor deck, stake pockets
- 44” H x 44” W x 96” long saddle mount cross box
- 16 gauge galvanized construction with double overlapping doors
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders
- Full length fixed shelf in transverse compartment
- (3) three adjustable shelves with dividers in curbside, rear half of saddle compartment
- (6) locking swivel hooks in streetside, rear half of saddle compartment
- Treadplate compartment top, saddle pack



- ICC channel bumper with step
 - Curbside stairwell gripstrut access steps with 3-Point access
 - Derrick access steps to command seat
 - 30,000 lb. capacity pintle hook with frame reinforcements
 - Safety chain anchors, 6 prong trailer socket
 - Brake controller
 - Two (2) amber strobe lights mounted on boom rest
 - Four (4) wheel chocks with underbody storage
 - Four (4) outrigger pads with underbody storage
 - Rear mudflaps
 - Triangle reflector kit
 - 10 lb. fire extinguisher
 - Back up alarm
-
- Derrick, body, and accessories painted white urethane enamel
 - Cargo floor area painted black non-skid coating
 - Stability, operational, dielectric test documentation upon delivery
 - In-service training provided at customer's facility

C5048 Standard Retail Sale Price: \$127,858.00

Contract Discount: \$3,724.00

C5048 Net Sale Price, FOB your location: \$124,134.00

Available Options for C5048

Boom Options

Option #	Option Description	Add or Deduct	Price
A30	50' digger in lieu of standard.	Add	\$2,538.00
A31	52' digger in lieu of standard.	Add	\$4,152.00
A33	55' digger in lieu of standard.	Add	\$8,898.00
A35	Boom tip winch in lieu of turret winch.	Add	\$2,169.00
A36	Console controls for operator standing on bed of truck. Installed at rear of body in lieu of standard command post.	Add	\$2,176.00
A37	Radio controls with turret mounted control levers in lieu of standard full pressure controls	Add	\$5,704.00
A38	Radio controls with command post above rotation in lieu of standard full pressure command post.	Add	\$8,544.00
A39	1-man (24" x 30") fiberglass pin-on platform including top controls.	Add	\$12,386.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

A40	1-man (24" x 30") fiberglass pin-on platform for units with radio controls. Includes docking station for radio controls at platform. Must select option A37 or A38.	Add	\$2,790.00
A41	Hydraulic Tools at platform for units with radio controls. Must select option A37 or A38 and A40.	Add	\$4,220.00
A42	Hollow 2 5/8" kelly bar in lieu of standard. (Permits screw anchor installation).	Add	\$1,281.00
A43	Solid 2 1/2" kelly bar in lieu of standard. Note: Standard auger changes to 2 1/2" hex shaft to match the kelly bar.	Add	\$240.00
A44	10" anchor auger, shipped loose. Note: If option A43 is selected auger will be 2 1/2" hex, otherwise 2 5/8" hex will be provided as standard.	Add	\$1,004.00
A46	Hydraulic overload protection for boom systems. Disables boom extend, winch up, and digger dig when boom lift senses an overloaded condition.	Add	\$1,720.00
A47	Hydraulic overload protection for boom systems for units with radio controls. Disables boom extend, winch up, and digger dig when boom lift senses an overloaded condition. Required if option A37 or A38 are selected.	Add	\$2,276.00
A49	X-boost option to increase load capacity in 10' load radius.	Add	\$1,863.00
A50	8 Ton Snatch Block for two part line-lifting	Add	\$693.00

Body Options

Option #	Option Description	Add or Deduct	Price
B01	Steel single axle line body with shelving and hooks in lieu of standard body.	Add	\$4,360.00
B02	Steel tandem axle line body in lieu of standard body.	Add	\$6,985.00
B04	Fiberglass single axle line body in lieu of standard body.	Add	\$12,000.00
B05	Fiberglass tandem axle line body in lieu of standard body	Add	\$15,130.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$686.00
B11	16' steel flatbed body in lieu of 12' standard length	Add	\$1,074.00

B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B20	D-rings, six (6) recessed in flatbed body floor (specify locations).	Add	\$168.00
B21	Perforated steel "fence" around perimeter of saddle pack, 12" H.	Add	\$719.00
B22	Plastic composite stake boards, 6" H x 2" W around perimeter of flatbed.	Add	\$1,355.00
B23	Steel ladder rack for steel body.	Add	\$477.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$860.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$621.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,090.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4)	Add	\$948.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

	lights		
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$6,509.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D13	Hydraulic hose reel with 50' hoses, couplers and dust caps.	Add	\$1,584.00
D14	Tiiger 401D Hydraulic pole puller including base plate, chain, and outrigger storage brackets.	Add	\$2,905.00
D15	60" Fairmount H4802 hydraulic pole tamper.	Add	\$1,966.00



D16	20,000 lb. planetary bed mount hydraulic winch including extension shaft, 200' of 1/2" wire rope, hook, 4-way roller, emergency stop at rear, and controls at rear. Note: Winch and boom operation is non-simultaneous.	Add	\$12,230.00
D17	Double pole carrier rack with ratchet tie downs.	Add	\$1,613.00
D18	Chassis battery relocation to front outrigger. Required on all Ford F750 chassis.	Add	\$817.00

54' – 60' Over Rear Axle Heavy Duty Derrick (C6000)

Terex Telelect Model C6060 Digger Derrick

- 60 feet sheave height
- 38,000 lb. maximum lift capacity
- Rear axle mount with booms stowed over chassis cab
- 3 section boom: 3rd stage fiberglass with hydraulic extension
- Hydraulic tilt, open/close, boom tip mount pole claw assembly
- 15,000 lb. turret winch with 120 feet nylon winch rope, shackle, hook
- 360 degrees continuous planetary slip brake rotation
- Inside access command seat with “T” handle 3 function, full hydraulic controls
- 12,000 lb. 2 speed hydraulic digger motor, nylon wind up rope
- 18” auger with carbide teeth
- 6 inch x 6 inch full length subframe
- 50 gallon bed mount hydraulic tank with filters, shut off, sight gauge
- Start/stop control at rider seat
- Illuminated controls
- Operating pressure monitoring gauge
- Behind cab mount boom rest
- Two (2) sets extra heavy duty ‘A’ frame outriggers with interlocks, rear controls
- Hydraulic tool outlets at rear with couplers, dust caps
- Two speed throttle control at outriggers
- Two (2) sets operator, maintenance, parts manuals
- Electric shift PTO / pump
- Anti-two block device and load moment limiter hydraulic overload protection for boom down are declined as standard.

Heavy Duty Steel Flatbed Body

- Steel Flatbed Body with Transverse Saddle Compartments
- 16' x 96” wide flatbed with 3/16” galvanneal treadplate floor deck, stake pockets
- 44” H x 44” W x 96” long saddle mount cross box
- 16 gauge galvanneal construction with double overlapping doors, each side
- Keyed, stainless two stage rotary latches
- Automotive bulb rubber door seals
- Body undercoating
- FMVSS # 108 LED lighting package
- Positive spring door holders
- Full length fixed shelf in transverse compartment
- (3) three adjustable shelves with dividers in curbside, rear half of saddle compartment
- (6) locking swivel hooks in streetside, rear half of saddle compartment
- Treadplate compartment top, saddle pack
- ICC channel bumper with step



- Curbside stairwell gripstrut access steps with 3-Point access
- Derrick access steps to command seat
- 30,000 lb. capacity pintle hook with frame reinforcements
- Safety chain anchors, 6 prong trailer socket
- Brake controller
- Two (2) amber strobe lights mounted on boom rest
- Four (4) wheel chocks with underbody storage
- Four (4) outrigger pads with underbody storage
- Rear mudflaps
- 10 lb. fire extinguisher
- Triangle reflector kit
- Back up alarm

- Derrick, body, and accessories painted white urethane enamel
- Cargo floor area painted black non-skid coating
- Stability, operational, dielectric test documentation upon delivery
- In-service training provided at customer’s facility

C6060 Standard Retail Sale Price: \$155,029.00

Contract Discount: \$4,515.00

C6060 Net Sale Price, FOB your location: \$150,514.00

Available Options for C6060

Boom Options

Option #	Option Description	Add or Deduct	Price
A32	54' digger in lieu of standard.	Deduct	(\$495.00)
A37	Radio controls with turret mounted control levers in lieu of standard full pressure controls	Add	\$5,704.00
A38	Radio controls with command post above rotation in lieu of standard full pressure command post.	Add	\$8,544.00
A40	1-man (24" x 30") fiberglass pin-on platform for units with radio controls. Includes docking station for radio controls at platform. Must select option A37 or A38.	Add	\$2,790.00
A41	Hydraulic Tools at platform for units with radio controls. Must select option A37 or A38 and A40.	Add	\$4,220.00
A42	Hollow 2 5/8" kelly bar in lieu of standard. (Permits screw anchor installation).	Add	\$1,281.00

A43	Solid 2 1/2" kelly bar in lieu of standard. Note: Standard auger changes to 2 1/2" hex shaft to match the kelly bar.	Add	\$240.00
A44	10" anchor auger, shipped loose. Note: If option A43 is selected auger will be 2 1/2" hex, otherwise 2 5/8" hex will be provided as standard.	Add	\$1,004.00
A46	Hydraulic overload protection for boom systems. Disables boom extend, winch up, and digger dig when boom lift senses an overloaded condition.	Add	\$1,751.00
A47	Hydraulic overload protection for boom systems for units with radio controls. Disables boom extend, winch up, and digger dig when boom lift senses an overloaded condition. Required if option A37 or A38 are selected.	Add	\$2,742.00
A49	X-boost option to increase load capacity in 10' load radius.	Add	\$1,863.00
A50	8 Ton Snatch Block for two part line-lifting	Add	\$693.00
A53	Radial main outriggers in lieu of A-frame outriggers.	Add	\$4,670.00

Body Options

Option #	Option Description	Add or Deduct	Price
B02	Steel tandem axle line body in lieu of standard body.	Add	\$5,911.00
B05	Fiberglass tandem axle line body in lieu of standard body	Add	\$14,056.00
B06	Non-standard, non-metallic fiberglass body color (specify) in lieu of white.	Add	\$576.00
B08	Aluminum treadplate cargo walls for fiberglass body.	Add	\$833.00
B12	Transverse compartment with one (1) fixed shelf for steel body.	Add	\$529.00
B13	Transverse compartment with one (1) fixed shelf for fiberglass body.	Add	\$577.00
B14	Full length pull out drawer on Grant style slides for transverse compartment (each).	Add	\$561.00
B18	16 drawer Durham cabinet.	Add	\$346.00
B20	D-rings, six (6) recessed in flatbed body floor (specify locations).	Add	\$168.00
B21	Perforated steel "fence" around perimeter of saddle pack, 12" H.	Add	\$719.00

B22	Plastic composite stake boards, 6" H x 2" W around perimeter of flatbed.	Add	\$1,420.00
B23	Steel ladder rack for steel body.	Add	\$537.00
B24	Steel ladder box, vertical or horizontal for steel body.	Add	\$937.00
B25	Aluminum ladder rack for fiberglass line body.	Add	\$699.00
B26	Aluminum ladder box, vertical or horizontal, for fiberglass line body.	Add	\$1,168.00
B27	Steel storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,177.00
B28	Aluminum storage box, top mount with lid: 84" L x 18" W x 12" H.	Add	\$1,479.00
B31	Lift up lid on horizontal compartment for cargo area access. Only available with line or service bodies. (ea.)	Add	\$327.00
B32	Lift up lid on transverse compartment for cargo area access. Only available with line or service bodies.	Add	\$327.00
B33	Treadplate overlay on transverse compartment. Only available with fiberglass line or service bodies.	Add	\$351.00

Lighting Options

Option #	Option Description	Add or Deduct	Price
C01	Front and rear LED warning lights, includes two in front grill and two in the tailshelf.	Add	\$845.00
C02	Golight remote control spot light. (ea.)	Add	\$506.00
C03	StarBeam wireless light SB101 and two LT401 bulbs. (ea.)	Add	\$1,229.00
C04	Underbody LED lighting package, includes four (4) lights	Add	\$948.00
C05	Post mount spot light, each. Note only door mount spotlights are available with Freightliner chassis.	Add	\$403.00
C06	Cargo area work light, each.	Add	\$173.00
C07	Two (2) auxiliary back-up/work lights installed in tailshelf	Add	\$283.00
C08	Compartment lights in body, LED rope lighting or incandescent dome lights, each. Specify at time of order. (price is per compartment)	Add	\$134.00

Hydraulic, Electrical, and Miscellaneous Options

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

Option #	Option Description	Add or Deduct	Price
D02	4,000 lb. hydraulic rear mount capstan including capstan head. Note: Capstan and boom operation is non-simultaneous.	Add	\$6,509.00
D03	2000 Watt quasi-sine wave Dimensions inverter includes one GFI outlet at rear of body.	Add	\$2,250.00
D04	Three point grounding system with front and rear stainless steel grounding lugs.	Add	\$207.00
D05	50' of 1/0 grounding cable including a clamp. Requires option D04.	Add	\$240.00
D06	Spring rewind grounding reel including 50' of 1/0 cable, clamp. Requires option D04.	Add	\$1,574.00
D08	Composite outrigger pads, 24" x 24" x 1". (ea.)	Add	\$145.00
D09	Fold down front bumper cone holder, horizontal pivoting.	Add	\$244.00
D10	Possum belly storage with drop down door at rear.	Add	\$826.00
D12	20,000 lb. planetary recovery hydraulic winch installed at the front bumper including extension shaft, 200' of 1/2" wire rope, hook, enclosure with storage, 4-way roller, emergency stop at winch, and cab controls. Note: Winch and boom operation is non-simultaneous.	Add	\$9,694.00
D13	Hydraulic hose reel with 50' hoses, couplers and dust caps.	Add	\$1,584.00
D14	Tiiger 401D Hydraulic pole puller including base plate, chain, and outrigger storage brackets.	Add	\$2,905.00
D15	60" Fairmount H4802 hydraulic pole tamper.	Add	\$1,966.00
D16	20,000 lb. planetary bed mount hydraulic winch including extension shaft, 200' of 1/2" wire rope, hook, 4-way roller, emergency stop at rear, and controls at rear. Note: Winch and boom operation is non-simultaneous.	Add	\$12,230.00
D17	Double pole carrier rack with ratchet tie downs.	Add	\$1,613.00

Chassis Selections

Ford F550 - 19,500 lb. GVW 4x2 Chassis

- 2015 Ford F550 XL 4 x 2 regular cab chassis
- 165” wheelbase, 84” cab / axle
- 7000 lb. front axle, 7000 lb. front springs, shock absorbers
- 14,700 lb. rear axle, 15,000 rear springs, shock absorbers
- Limited slip rear axle
- Power steering
- 4 wheel hydraulic disc brakes with ABS
- 6.7 liter turbo diesel engine: 300 HP, 660 lb. ft. torque
- Engine block heater
- 6 speed automatic transmission
- Air Conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench seat: 40/20/40
- Deluxe interior –XL Trim
- 40 gallon fuel tank
- Cruise control & tilt wheel
- Cigar lighter and auxiliary power point
- Front tow hooks
- 200 amp alternator, dual 39 amp/hr. batteries
- 225/70R19.5 front and rear tires - traction tires at rear

Ford F550 4x2 Chassis Sale Price: \$38,117.00

Available Options for Ford F550 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E01	4X4 front drive axle	Add	\$2,675.00
E19	V-10 gasoline engine in lieu of diesel engine including 5 speed automatic transmission.	Deduct	\$6,871.00
E44A	Super (extended) cab, includes rear 60/40 folding bench seat. Note: Only compatible with 4x2 chassis.	Add	\$1,993.00
E44B	Super (extended) cab, includes rear 60/40 folding bench seat. Note: Must be used in conjunction with option E01, 4x4 front drive axle	Add	\$2,537.00
E47A	Crew cab, includes rear 60/40 folding bench seat. Note: Only compatible with 4x2 chassis.	Add	\$2,906.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E47B	Crew cab, includes rear 60/40 folding bench seat. Note: Must be used in conjunction with option E01, 4x4 front drive axle	Add	\$3,459.00
E55	Power door locks, windows, and mirrors (standard cab).	Add	\$763.00
E56	Power door locks, windows, and mirrors (extended/crew cab).	Add	\$942.00
E57	Running boards, molded black.	Add	\$273.00

**Chassis Controller Options: Please select one, required for DUECO or customer
furnished chassis**

Option #	Option Description	Add or Deduct	Cost
E61	Chassis controller with hour meter.	Add	\$1,181.00
E62	Chassis controller with 8-position switch panel and digital hour meter.	Add	\$2,284.00

Ford F750 - 33,000 lb. GVW 4x2 Chassis

- 2015 Ford F750 XL 4x2 regular cab chassis
- 158” wheel base, 84” cab / axle
- 12,000 lb. front axle, 12,000 lb. front springs, shock absorbers
- 21,000 lb. rear axle, 23,500 rear springs, shock absorbers
- Power steering
- Full air brakes, air dryer, ABS
- Automatic slack adjusters, front and rear
- 6.7 liter turbo diesel engine; 270 HP, 675 lb. ft. torque
- Engine block heater
- 6 speed automatic transmission
- Air conditioning
- AM-FM radio
- Tinted windows
- Vinyl Bucket Seat 70/Bench 30
- Deluxe interior – XL trim
- 50 gallon fuel tank
- Cruise control & tilt wheel
- Cigar lighter and auxiliary power point
- 7 way trailer connector
- Front tow hooks
- 185 amp alternator, (2) 900 CCA batteries
- Front Tires, two 295/75R22.5G Goodyear G661 HSA
- Rear Tires, four 295/75R22.5G Goodyear G182 RSD

Ford F750 4x2 Chassis Sale Price: \$63,422.00

Available Options for Ford F-750 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E11	33,000 lb. GVWR in lieu of standard including 14,000 lb. front axle and 19,000 lb. rear axle.	Add	\$1,579.00
E18	300HP diesel engine in lieu of standard.	Add	\$975.00
E21	102" cab to axle in lieu of standard.	Add	\$122.00
E22	108" cab to axle in lieu of standard.	Add	\$207.00
E23	120" cab to axle in lieu of standard.	Add	\$178.00
E36	Front frame rail extensions with fixed grille.	Add	\$674.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$514.00
E42	Driver controlled locking differential.	Add	\$1,973.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E44A	Super (extended) cab, includes rear 60/40 folding bench seat. Note: Only compatible with 4x2 chassis.	Add	\$3,127.00
E50	Air ride driver seat.	Add	\$549.00
E52	Air ride passenger seat.	Add	\$549.00

Chassis Controller Options: Please select one, required for DUECO or customer furnished chassis

Option #	Option Description	Add or Deduct	Cost
E62	Chassis controller with 8-position switch panel and digital hour meter.	Add	\$2,284.00

International 4300 ISB - 27,500 lb. GVWR 4x2 Chassis

- 2015 International 4300 4x2 conventional cab chassis
- 152" wheel base, 84" cab / axle
- 27,500 lb. GVWR
- 10,000 lb. front axle with 10,000 lb. capacity front springs
- 17,500 lb. rear axle with 17,500 rear springs
- Power steering
- Air brakes with air dryer
- Auto slack adjusters, front and rear
- Cummins ISB SCR diesel engine; 240 HP, 560 lb. torque
- Vertical Exhaust
- 5 speed Allison 3500 RDS automatic transmission
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- 50 Gallon street side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1950 CCA batteries
- 10R 22.5 Tires with mud/snow rear treads

International 4300 ISB 4x2 Chassis Sale Price:

\$65,661.00

Available Options for International 4300 ISB 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E02	12,000 lb. front axle in lieu of standard.	Add	\$51.00
E03	13,000 lb. front axle in lieu of standard.	Add	\$297.00
E04	14,000 lb. front axle in lieu of standard.	Add	\$845.00
E08	21,000 lb. rear axle in lieu of standard.	Add	\$144.00
E09	23,000 lb. rear axle in lieu of standard.	Add	\$865.00
E16	260HP diesel engine in lieu of standard.	Add	\$818.00
E18	300HP diesel engine in lieu of standard.	Add	\$1,467.00
E30	Cab to axle change up to 129".	N/C	\$0.00
E31	Cab to axle change between 131" to 186".	Add	\$218.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$247.00
E42	Driver controlled locking differential.	Add	\$373.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,260.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,301.00
E50	Air ride driver seat.	Add	\$274.00
E53	Power door locks and windows.	Add	\$229.00
E54	Heated power mirrors.	Add	\$338.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 4300 DT - 27,500 lb. GVWR 4x2 Chassis

- 2015 International 4300 4x2 conventional cab chassis
- 152" wheel base, 84.9" cab / axle
- 27,500 lb. GVWR
- 10,000 lb. front axle with 10,000 lb. capacity front springs
- 17,500 lb. rear axle with 17,500 rear springs
- Power steering
- 4 wheel ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- DT466 non-SCR diesel engine; 230 HP, 620 lb. torque
- 5 speed Allison 3500 RDS automatic transmission
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1800 CCA batteries
- 10R 22.5 Tires with mud/snow rear treads

International 4300 DT 4x2 Chassis Sale Price:

\$66,474.00

Available Options for International 4300 DT 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E02	12,000 lb. front axle in lieu of standard.	Add	\$51.00
E03	13,000 lb. front axle in lieu of standard.	Add	\$297.00
E04	14,000 lb. front axle in lieu of standard.	Add	\$845.00
E08	21,000 lb. rear axle in lieu of standard.	Add	\$144.00
E09	23,000 lb. rear axle in lieu of standard.	Add	\$865.00
E15	245HP diesel engine in lieu of standard.	Add	\$511.00
E16	260HP diesel engine in lieu of standard.	Add	\$921.00
E30	Cab to axle change up to 129".	N/C	\$0.00
E31	Cab to axle change between 131" to 186".	Add	\$218.00
E37	Bolt on front frame rail extensions.	Add	\$230.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E39	Vertical exhaust.	Add	\$783.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$247.00
E42	Driver controlled locking differential.	Add	\$373.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,260.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,301.00
E50	Air ride driver seat.	Add	\$274.00
E53	Power door locks and windows.	Add	\$229.00
E54	Heated power mirrors.	Add	\$338.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 4400 DT - 27,500 lb. GVWR 4x2 Chassis

- 2015 International 4400 4x2 conventional cab chassis
- 152" wheel base, 84.9" cab / axle
- 27,500 lb. GVWR
- 120,000 PSI single channel frame rails
- 10,000 lb. front axle with 10,000 lb. capacity front springs, shock absorbers
- 17,500 lb. rear axle with 18,500 rear springs
- Rear auxiliary springs
- Power steering
- Full ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- DT466 inline non-SCR diesel engine; 270 HP, 860 lb torque
- 5 speed Allison 3500 RDS automatic transmission
- Cab rear suspension, air bag type
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1800 CCA batteries
- 11R 22.5 Tires with mud/snow rear treads

International 4400 DT 4x2 Chassis Sale Price:

\$69,445.00

Available Options for International 4400 DT 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E02	12,000 lb. front axle in lieu of standard.	Add	\$51.00
E03	13,000 lb. front axle in lieu of standard.	Add	\$297.00
E04	14,000 lb. front axle in lieu of standard.	Add	\$845.00
E08	21,000 lb. rear axle in lieu of standard.	Add	\$144.00
E09	23,000 lb. rear axle in lieu of standard.	Add	\$865.00
E17	285HP diesel engine in lieu of standard.	Add	\$95.00
E18	300HP diesel engine in lieu of standard.	Add	\$189.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

E30	Cab to axle change up to 129".	N/C	\$0.00
E31	Cab to axle change between 131" to 186".	Add	\$218.00
E37	Bolt on front frame rail extensions.	Add	\$230.00
E39	Vertical exhaust.	Add	\$783.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$247.00
E42	Driver controlled locking differential.	Add	\$373.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,260.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,301.00
E50	Air ride driver seat.	Add	\$274.00
E53	Power door locks and windows.	Add	\$229.00
E54	Heated power mirrors.	Add	\$338.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 7300 - 27,500 lb. GVWR 4x2 Chassis

- 2015 International 7300 4x2 conventional cab chassis
- 152" wheel base, 84.9" cab / axle
- 27,500 lb. GVWR
- 120,000 PSI single channel frame rails
- 10,000 lb. front axle with 10,000 lb. capacity front springs, shock absorbers
- 17,500 lb. rear axle with 17,500 rear springs
- Power steering
- Full ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- Air horn
- DT466 non-SCR diesel engine; 230 HP, 620 lb. torque
- 5 speed Allison 3500 RDS automatic transmission
- Cab rear suspension, air bag type
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- Cab rear suspension, air bag type
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1800 CCA batteries
- 10R 22.5 Tires with mud/snow rear treads

International 7300 4x2 Chassis Sale Price:

\$68,178.00

Available Options for International 7300 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E02	12,000 lb. front axle in lieu of standard.	Add	\$82.00
E04	14,000 lb. front axle in lieu of standard.	Add	\$1,030.00
E05	16,000 lb. front axle in lieu of standard.	Add	\$1,960.00
E06	18,000 lb. front axle in lieu of standard.	Add	\$2,287.00
E07	20,000 lb. front axle in lieu of standard.	Add	\$2,530.00
E08	21,000 lb. rear axle in lieu of standard.	Add	\$109.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E09	23,000 lb. rear axle in lieu of standard.	Add	\$868.00
E15	245HP diesel engine in lieu of standard.	Add	\$538.00
E16	260HP diesel engine in lieu of standard.	Add	\$969.00
E28	Cab to axle change up to 120".	N/C	\$0.00
E29	Cab to axle change between 122" and 188".	Add	\$372.00
E38	Integral front frame rail extensions.	Add	\$518.00
E39	Vertical exhaust.	Add	\$825.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$260.00
E42	Driver controlled locking differential.	Add	\$393.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,380.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,579.00
E50	Air ride driver seat.	Add	\$286.00
E53	Power door locks and windows.	Add	\$242.00
E54	Heated power mirrors.	Add	\$354.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 7400 - 27,500 lb. GVWR 4x2 Chassis

- 2015 International 7400 4x2 conventional cab chassis
- 152" wheel base, 84.9" cab / axle
- 27,500 lb. GVWR
- 10,000 lb. front axle with 10,000 lb. capacity front springs, shock absorbers
- 17,500 lb. rear axle with 18,500 rear springs
- Power steering
- Full ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- Air horn
- DT466 non-SCR diesel engine; 270 HP, 860 lb. torque
- 5 speed Allison 3500 RDS automatic transmission
- Cab rear suspension, air bag type
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- Cab rear suspension, air bag type
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1800 CCA batteries
- 11R 22.5 Tires with mud/snow rear treads

International 7400 4x2 Chassis Sale Price:

\$71,846.00

Available Options for International 7400 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E02	12,000 lb. front axle in lieu of standard.	Add	\$82.00
E04	14,000 lb. front axle in lieu of standard.	Add	\$1,030.00
E05	16,000 lb. front axle in lieu of standard.	Add	\$1,960.00
E06	18,000 lb. front axle in lieu of standard.	Add	\$2,287.00
E07	20,000 lb. front axle in lieu of standard.	Add	\$2,530.00
E08	21,000 lb. rear axle in lieu of standard.	Add	\$109.00
E09	23,000 lb. rear axle in lieu of standard.	Add	\$868.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

E17	285HP diesel engine in lieu of standard.	Add	\$99.00
E18	300HP diesel engine in lieu of standard.	Add	\$197.00
E28	Cab to axle change up to 120".	N/C	\$0.00
E29	Cab to axle change between 122" and 188".	Add	\$372.00
E38	Integral front frame rail extensions.	Add	\$518.00
E39	Vertical exhaust.	Add	\$825.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$260.00
E42	Driver controlled locking differential.	Add	\$393.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,380.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,579.00
E50	Air ride driver seat.	Add	\$286.00
E53	Power door locks and windows.	Add	\$242.00
E54	Heated power mirrors.	Add	\$354.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 7300 - 27,500 lb. GVWR 4x4 Chassis

- 2015 International 7300 4x4 conventional cab chassis
- 160" wheel base, 85" cab / axle
- 27,500 lb. GVWR
- 120,000 PSI single channel frame rails
- 10,000 lb. front axle with 10,000 lb. capacity front springs, shock absorbers
- 17,500 lb. rear axle with 18,500 rear springs
- Rear auxiliary springs
- Cab rear suspension, air bag type
- Power steering
- Full ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- Air horn
- DT466 non-SCR diesel engine; 230 HP, 620 lb. torque
- Vertical exhaust
- 5 speed Allison 3500 RDS automatic transmission
- 2 speed transfer case
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- Cab rear suspension, air bag type
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1800 CCA batteries
- 10R 22.5 Tires aggressive rear treads

International 7300 4x4 Chassis Sale Price

\$84,113.00

Available Options for International 7300 4x4 Chassis

Option #	Option Description	Add or Deduct	Cost
E02	12,000 lb. front axle in lieu of standard.	Add	\$350.00
E04	14,000 lb. front axle in lieu of standard.	Add	\$726.00
E05	16,000 lb. front axle in lieu of standard.	Add	\$2,961.00
E06	18,000 lb. front axle in lieu of standard.	Add	\$4,546.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order

E08	21,000 lb. rear axle in lieu of standard.	Add	\$113.00
E09	23,000 lb. rear axle in lieu of standard.	Add	\$894.00
E15	245HP diesel engine in lieu of standard.	Add	\$538.00
E16	260HP diesel engine in lieu of standard.	Add	\$1,181.00
E25	Cab to axle change up to 104".	N/C	\$0.00
E26	Cab to axle change between 106" and 130".	Add	\$0.00
E27	Cab to axle change between 132" and 179".	Add	\$1,374.00
E38	Integral front frame rail extensions.	Add	\$534.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$267.00
E42	Driver controlled locking differential.	Add	\$412.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,282.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,497.00
E50	Air ride driver seat.	Add	\$345.00
E53	Power door locks and windows.	Add	\$249.00
E54	Heated power mirrors.	Add	\$354.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 7400 - 27,500 lb. GVWR 4x4 Chassis

- 2015 International 7400 4x4 conventional cab chassis
- 160" wheel base, 85" cab / axle
- 27,500 lb. GVWR
- 10,000 lb. front axle with 10,000 lb. capacity front springs, shock absorbers
- 17,500 lb. rear axle with 18,500 rear springs
- Rear auxiliary springs
- Power steering
- Full ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- Air horn
- DT466 non-SCR diesel engine; 270 HP, 8600 lb. torque
- Vertical exhaust
- 5 speed Allison 3500 automatic transmission
- 2 speed transfer case
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- Cab rear suspension, air bag type
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 amp alternator, 1800 CCA batteries
- 11R 22.5 Tires with aggressive rear treads

International 7400 4x4 Chassis Sale Price:

\$91,757.00

Available Options for International 7400 4x4 Chassis

Option #	Option Description	Add or Deduct	Cost
E02	12,000 lb. front axle in lieu of standard.	Add	\$350.00
E04	14,000 lb. front axle in lieu of standard.	Add	\$726.00
E05	16,000 lb. front axle in lieu of standard.	Add	\$2,961.00
E06	18,000 lb. front axle in lieu of standard.	Add	\$4,546.00
E08	21,000 lb. rear axle in lieu of standard.	Add	\$113.00
E09	23,000 lb. rear axle in lieu of standard.	Add	\$894.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E17	285HP diesel engine in lieu of standard.	Add	\$101.00
E18	300HP diesel engine in lieu of standard.	Add	\$204.00
E25	Cab to axle change up to 104".	N/C	\$0.00
E26	Cab to axle change between 106" and 130".	Add	\$0.00
E27	Cab to axle change between 132" and 179".	Add	\$1,374.00
E38	Integral front frame rail extensions.	Add	\$534.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$267.00
E42	Driver controlled locking differential.	Add	\$412.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,282.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,497.00
E50	Air ride driver seat.	Add	\$345.00
E53	Power door locks and windows.	Add	\$249.00
E54	Heated power mirrors.	Add	\$354.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 7400 - 52,000 lb. GVWR 6x4 Chassis

- 2015 International 7400 6x4 cab chassis
- 187" wheel base, 120" cab / axle
- 52,000 lb. GVWR
- 12,000 lb. front axle with 12,000 lb. capacity front springs, shock absorbers
- 40,000 lb. rear axle with 40,000 rear springs
- Rear auxiliary springs
- Cab rear suspension, air bag dryer
- Power steering
- Full ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- Air horn
- Vertical exhaust
- DT466 non-SCR diesel engine; 270 HP, 860 lb. torque
- Vertical exhaust
- 5 speed Allison 3500 automatic transmission
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1800 CCA batteries
- 11R 22.5 Tires with aggressive rear treads

International 7400 6x4 Chassis Sale Price:

\$79,991.00

Available Options for International 7400 6x4 Chassis

Option #	Option Description	Add or Deduct	Cost
E04	14,000 lb. front axle in lieu of standard.	Add	\$629.00
E05	16,000 lb. front axle in lieu of standard.	Add	\$1,057.00
E06	18,000 lb. front axle in lieu of standard.	Add	\$1,164.00
E07	20,000 lb. front axle in lieu of standard.	Add	\$1,357.00
E17	285HP diesel engine in lieu of standard.	Add	\$98.00
E18	300HP diesel engine in lieu of standard.	Add	\$196.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E32	Cab to trunnion change up to 152".	N/C	\$0.00
E38	Integral front frame rail extensions.	Add	\$517.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$259.00
E42	Driver controlled locking differential.	Add	\$984.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,209.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,321.00
E50	Air ride driver seat.	Add	\$284.00
E53	Power door locks and windows.	Add	\$241.00
E54	Heated power mirrors.	Add	\$354.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

International 7400 - 52,000 lb. GVWR 6x6 Chassis

- 2015 International 7400 6x6 cab chassis
- 195" wheel base, 120" cab / axle
- 52,000 lb. GVWR
- 12,000 lb. front axle with 12,000 lb. capacity front springs, shock absorbers
- 40,000 lb. rear axle with 40,000 rear springs
- 2 speed transfer case
- Cab rear suspension, air bag dryer
- Power steering
- Full ABS air brakes with air dryer
- Auto slack adjusters, front and rear
- Air horn
- Vertical exhaust
- DT466 non-SCR diesel engine; 270 HP, 860 lb. torque
- 5 speed Allison 3500 automatic transmission
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- Deluxe interior with overhead storage pockets
- 50 Gallon curb side step fuel tank
- Cruise control
- Cigar lighter and auxiliary power point
- Intermittent wipers
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1800 CCA batteries
- 11R 22.5 Tires with aggressive rear treads

International 7400 6x6 Chassis Sale Price:

\$96,559.00

Available Options for International 7400 6x6 Chassis

Option #	Option Description	Add or Deduct	Cost
E04	14,000 lb. front axle in lieu of standard.	Add	\$645.00
E05	16,000 lb. front axle in lieu of standard.	Add	\$2,482.00
E06	18,000 lb. front axle in lieu of standard.	Add	\$3,656.00
E17	285HP diesel engine in lieu of standard.	Add	\$98.00
E18	300HP diesel engine in lieu of standard.	Add	\$197.00
E33	Cab to trunnion change up to 142".	N/C	\$0.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E34	Cab to trunnion change between 144" and 186".	Add	\$1,112.00
E38	Integral front frame rail extensions.	Add	\$518.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$259.00
E42	Driver controlled locking differential.	Add	\$987.00
E45	Extended cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$2,217.00
E48	Crew cab with rear bench seat. Note: Vertical exhaust not available with this option. Chassis with vertical exhaust as standard will automatically be switched to horizontal exhaust.	Add	\$5,340.00
E50	Air ride driver seat.	Add	\$285.00
E53	Power door locks and windows.	Add	\$241.00
E54	Heated power mirrors.	Add	\$354.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

Freightliner M2 106 - 33,000 lb. GVWR 4x2 Chassis

- 2016 Freightliner M2 106 4x2 cab chassis
- 177" wheel base, 111" cab / axle
- 33,000 lb. GVWR – Chassis de-rated to remain below FET
- 13,220 lb. front axle
- 21,000 lb. rear axle
- Rear auxiliary springs
- Power steering
- Full ABS air brakes
- Auto slack adjusters, front and rear
- Electric horn
- Cummins ISB SCR diesel engine; 240 HP
- RH horizontal tailpipe
- Allison 3500 automatic transmission with PTO provision
- Air conditioning
- AM-FM radio
- Tinted windows
- Full width vinyl bench
- 50 Gallon fuel tank
- Cruise control
- Wipers with delay
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 1900 CCA batteries
- 11R22.5 16 ply radial front and rear tires

Freightliner M2 106 4x2 Chassis Sale Price:

\$64,621.00

Available Options for Freightliner M2 106 4x2 Chassis

Option #	Option Description	Add or Deduct	Cost
E01	4X4 front drive axle	Add	\$17,540.00
E12	37,000 lb. GVWR in lieu of standard including 14,000 lb. front axle and 23,000 lb. rear axle.	Add	\$1,000.00
E13	39,000 lb. GVWR in lieu of standard including 16,000 lb. front axle and 23,000 lb. rear axle.	Add	\$2,300.00
E16	260HP diesel engine in lieu of standard.	Add	\$2,000.00
E23	120" cab to axle in lieu of standard.	Add	\$250.00
E24	138" cab to axle in lieu of standard.	Add	\$400.00
E35	Reinforced frame.	Add	\$1,200.00

NOTE: Chassis selection or specification to be reviewed by DUECO prior to order



E37	Bolt on front frame rail extensions.	Add	\$1,000.00
E39	Vertical exhaust.	Add	\$500.00
E41	Trailer air brake connections. Requires air brake package on chassis, if not standard.	Add	\$800.00
E42	Driver controlled locking differential.	Add	\$755.00
E46	Extended cab with rear bench seat and dual non-suspension front bucket seats.	Add	\$5,000.00
E49	Crew cab with rear bench seat.	Add	\$8,000.00
E51	Air ride driver seat with stationary passenger seat.	Add	\$200.00
E53	Power door locks and windows.	Add	\$300.00
E54	Heated power mirrors.	Add	\$300.00
E59	Standard exterior color in lieu of white.	N/C	\$0.00

Chassis Controller Options: Please select one, required for DUECO or customer furnished chassis

Option #	Option Description	Add or Deduct	Cost
E62	Chassis controller with 8-position switch panel and digital hour meter.	Add	\$2,629.00

Freightliner M2 106 - 33,000 lb. GVWR 4x2 Chassis (City of Cleveland)

- 2014 Freightliner M2 106 4x2 cab chassis
- 33,000 lb. GVWR - Chassis de-rated to remain below FET
- 13,000 lb. front axle
- 21,000 lb. rear axle
- Rear auxiliary springs
- 180" wheel base, 114.5" cab / axle
- Power steering
- Full ABS air brakes
- Auto slack adjusters, front and rear
- Electric horn
- Cummins ISL 330 HP
- RH horizontal tailpipe
- Allison 3000 RDS automatic transmission with PTO provision
- Air conditioning
- AM-FM radio
- Tinted windows
- Premium high back air suspension driver and passenger seat
- 50 Gallon fuel tank
- Cruise control
- Wipers with delay
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 2250 CCA batteries
- 11R22.5 14 ply radial front tires
- 11R22.5 16 ply radial rear tires
- Vogel Automatic Lubrication System
- Extended Warranties:
 - Freightliner base vehicle warranty for 5 years / 250,000 miles
 - Freightliner front and rear axle warranty for 5 years / 250,000 miles
 - Cummins L9 Protection Plan 1 warranty for 5 years / 250,000 miles
 - Cummins after treatment system warranty for 5 years / 250,000 miles
 - Allison 3000RDS transmission warranty for 5 years / unlimited miles

Freightliner M2 106 4x2 Chassis (City of Cleveland) Sale Price:

\$92,994.00

Freightliner M2 106 - 37,000 lb. GVWR 4x2 Chassis (City of Cleveland)

- 2014 Freightliner M2 106 4x2 cab chassis
- 37,000 lb. GVWR
- 14,000 lb. front axle
- 23,000 lb. rear axle
- Rear auxiliary springs
- 190" wheel base, 124.5" cab / axle
- Power steering
- Full ABS air brakes
- Auto slack adjusters, front and rear
- Electric horn
- Cummins ISL 330 HP
- RH horizontal tailpipe
- Allison 3000 RDS automatic transmission with PTO provision
- Air conditioning
- AM-FM radio
- Tinted windows
- Premium high back air suspension driver and passenger seat
- 50 Gallon fuel tank
- Cruise control
- Wipers with delay
- West coast mirrors with convex spot mirrors
- Front tow hooks
- 160 Amp alternator, 2250 CCA batteries
- 12R22.5 16 ply radial front tires
- 11R22.5 16 ply radial rear tires
- Vogel Automatic Lubrication System
- Extended Warranties:
 - Freightliner base vehicle warranty for 5 years / 250,000 miles
 - Freightliner front and rear axle warranty for 5 years / 250,000 miles
 - Cummins L9 Protection Plan 1 warranty for 5 years / 250,000 miles
 - Cummins after treatment system warranty for 5 years / 250,000 miles
 - Allison 3000RDS transmission warranty for 5 years / unlimited miles

Freightliner M2 106 4x2 Chassis (City of Cleveland) Sale Price:

\$95,457.00