



JACOBSSEN CUSHMAN - GSA PRICE LIST
GS-07F-0013M Modification #PO-0008 Effective March 18, 2009

Model No.	Description	GSA Price
Groom Master II		
<i>Groom Master II Sand Trap Rake and Athletic Field Groomers are 18 hp Gas and 19 hp Kubota Diesel 3-wheel series parallel hydrostatic drive, all welded frame with polymer body, 20.00 x 11.00 – 10, 5 psi flotation tires, park brake, headlight, adjustable seat, power steering, tilt steering column, hydraulic lift for rear rake implement, 3-spool valve for hydraulic accessories, hand rake holders, cup holder and accessory bin, 9.3 mph transport speed.</i>		
88009	Groom Master II, 18 hp, 2 cyl. gas	\$12,328.32
88008	Groom Master II, 19 hp, 3 cyl. water cooled Diesel	\$14,280.48
Groom Master II Options and Accessories		
Factory Installed		
88023	Crating (stackable)	\$436.96
Dealer Installed		
88019	Blade, manual lift	\$484.90
88114	Cultivator (includes hydraulic controls - choice of feet below must be ordered as a separate item)	\$686.09
4139789	Straight blade feet (less aggressive than duck feet below)	\$93.52
4139788	Duck feet (as previously supplied with old cultivator)	\$162.68
88115	Hydraulic controls for blade or scarifier (GM II only)	\$301.78
891768	Drag mat with carrier	\$625.57
891763	Fan rake, add-on	\$296.28
891605	Hydraulic controls for blade or scarifier (previous GM I only) (must be used with 088019 to convert manual blade to hydraulic control)	\$309.64
894134	Rear rake implement	\$466.04
891717	Scarifier with leveling blade (Requires 088115)	\$620.07
CUSHMAN TURF-TRUCKSTER – GAS & DIESEL MODELS		
84056	TURF-TRUCKSTER, 32 hp Gas, 4-Wheel, 5 Spd. Manual transmission (2850 lb Rated Capacity) Suzuki K6-YH6, 3-cylinder, 4 cycle, 12-valve, liquid-cooled engine with Electronic Fuel Injection, 5-speed manual transmission, 14.21:1 ratio hypoid rear axle with built in 2-speed 3.2:1 ratio auxiliary transmission, e-coated heavy-duty carbon steel channel frame, one-piece polyethylene front storage area with hinged and latched polyurethane hood, fuel gauge, tachometer, hour meter, temperature gauge, low oil pressure light, low brake fluid light, volt meter, governor and hand throttle controls, head lights, horn, key ignition switch, phone/cup holder, 12V power plug outlet, glove box area, bucket-type high-back seats, Cushman pin disconnect system, hydraulics with auxiliary outlets, hydraulic brakes, 20.00 x 10.00 - 10 4-ply rib tread front tires, 24.00 x 13.00 - 12 4-ply turf tread rear tires.	\$16,791.42
84057	TURF-TRUCKSTER, 32 hp Gas, 3 Spd Automatic transmission (2850 lb Rated Capacity) Suzuki K6-YH6, 3-cylinder, 4 cycle, 12-valve, liquid-cooled engine with Electronic Fuel Injection, 3-speed automatic transmission, 14.21:1 ratio hypoid rear axle with built in 2-speed 3.2:1 ratio auxiliary transmission, e-coated heavy-duty carbon steel channel frame, one-piece polyethylene front storage area with hinged and latched polyurethane hood, fuel gauge, tachometer, hour meter, temperature gauge, low oil pressure light, low brake fluid light, volt meter, governor and hand throttle controls, head lights, horn, key ignition switch, phone/cup holder, 12V power plug outlet, glove box area, bucket-type high-back seats, Cushman pin disconnect system, hydraulics with auxiliary outlets, hydraulic brakes, 20.00 x 10.00 - 10 4-ply rib tread front tires, 24.00 x 13.00 - 12 4-ply turf tread rear tires.	\$17,508.94
84063	TURF-TRUCKSTER, 24.8 hp Diesel, 4 Spd Manual transmission (2850 lb Rated Capacity) Kubota D1105 Diesel, 3-cylinder, 4-cycle, liquid-cooled engine, 4-speed manual transmission, 11.16:1 ratio hypoid rear axle with built in 2-speed 3.2:1 ratio auxiliary transmission, e-coated heavy-duty carbon steel channel frame, one-piece polyethylene front storage area with hinged and latched polyurethane hood, fuel gauge, tachometer, hour meter, temperature gauge, low oil pressure light, low brake fluid light, glow plug light, volt meter, governor and hand throttle controls, head lights, horn, key ignition switch, phone/cup holder, 12V power plug outlet, glove box area, bucket-type high-back seats, Cushman pin disconnect system, hydraulics with auxiliary outlets, hydraulic brakes, 20.00 x 10.00 - 10 4-ply rib tread front tires, 24.00 x 13.00 - 12 4-ply turf tread rear tires.	\$19,149.10
84061	TURF-TRUCKSTER, 32 hp Gas, 5 Spd Manual transmission with 26 mph top speed and w/ 4-Post ROPS. (Certified to SAE J1040) (2850 lb Rated Capacity) Suzuki K6-YH6, 3-cylinder, 4 cycle, 12-valve, liquid-cooled engine, standard ROPS (4-Post Rollover Protection Structure w/seat belts Certified to SAE J1040), 5-speed manual transmission for 26 mph top speed, 11.16:1 ratio hypoid rear axle with built in 2-speed 3.2:1 ratio auxiliary transmission, e-coated heavy-duty carbon steel channel frame, one-piece polyethylene front storage area with hinged and latched polyurethane hood, fuel gauge, tachometer, hour meter, temperature gauge, low oil pressure light, low brake fluid light, volt meter, governor and hand throttle controls, head lights, horn, key ignition switch, phone/cup holder, 12V power plug outlet, glove box area, bucket-type high-back seats, Cushman pin disconnect system, hydraulics with auxiliary outlets, hydraulic brakes, 20.00 x 10.00 - 10 4-ply rib tread front tires, 24.00 x 13.00 - 12 4-ply turf tread rear tires.	\$25,046.45



JACOBSSEN CUSHMAN - GSA PRICE LIST
GS-07F-0013M Modification #PO-0008 Effective March 18, 2009

Model No.	Description	GSA Price
CUSHMAN TURF-TRUCKSTER MODIFICATIONS (Factory Installed)		
53773	Ransomes green color (on hood & seat pan) Fits: 057 056 063 061	\$307.28
4158181	Axle Truss Kit Fits: 057 056 063 061	\$337.93
53721	Cab, installed, black (includes ROPS (Certified to SAE J1040), windshield with wiper & rear window) Fits: 057 056 063	\$1,860.21
53723	Crating (Can be double stacked in container). Fits: 057 056 063	\$387.45
53603	Doors, steel, Jacobsen orange Fits: 057 056 063	\$2,118.77
53602	Doors, steel, Ransomes green (Requires 53773) Fits: 057 056 063	\$2,118.77
53743	Heater / defroster Fits: 057 056	\$590.21
53745	Heater / defroster Fits: 063	\$589.42
53718	Hydraulics, high/low (Diesel) Fits:063	\$770.96
4147942	Hydraulics, high/low (gas) Fits: 057 056 061	\$642.08
53728	Light, dome (requires factory installed cab) Fits: 057 056 063	\$94.31
53716	P.T.O., heavy-duty, hydraulic Fits: 057 056 063 061 (requires hydraulics mod 4147942 for 056/057/061 or 053718 for 063)	\$790.61
53726	P.T.O., heavy-duty, mechanical Fits:063	\$800.83
53715	4-Post ROPS - Roll Over Protection System Fits: 057 056 063 061-STD (includes seat belts) (Certified to SAE J1040)	\$912.42
53735	Turn signals Fits: 057 056 063	\$289.99
53772	"All Function" wire harness & Ram Mount, use with Turf Master (can not be used with heater/defroster) Model 53777 Deleted; Fits: 057 056 063	\$461.32
CUSHMAN TURF-TRUCKSTER ACCESSORIES (Dealer Installed)		
4158161	Axle Truss Kit Fits: 057 056 063 061	\$327.72
2703183	Alarm, back-up kit, variable pitch Fits: 057 056 063 061	\$164.25
4119630	"All Function" wire harness (use with Turf Master) Fits: 057 056 063	\$334.79
890010	Box assembly, 47", sides and tailgate with automatic tailgate release (requires 889983 flatbed) Fits: 057 056 063 061	\$601.99
2703394	Box assembly, 60", sides and tailgate with automatic tailgate release (requires 894769 flatbed) Fits: 057 056 063 061	\$1,202.42
889983	Flatbed, 47", quick disconnect Fits: 057 056 063 061	\$594.92
894769	Flatbed, 60", quick disconnect Fits: 057 056 063 061	\$657.01
892530	Box assembly, poly box 42.5Lx46"Wx13"Deep Fits: 057 056 063 061	\$1,045.24
888532	Box liner (for 890010 box assembly) Fits: 057 056 063 061	\$266.42
894778	Bumper, front Fits: 057 056 063 061	\$189.40
894810	Conversion Kit to mount Core Harvester (mounts old core harvester to new truck) Fits: 057 056 063 061	\$325.36
894809	Conversion Kit to mount Top Dresser (mounts old top dresser to new truck) Fits: 057 056 063 061	\$110.81
894807	Conversion Kit to mount older Vicon Spreaders (models 888486 and 888401) (Limited Availability) Fits: 057 056 063 061	\$120.24
4119652	CORE HARVESTER, for mounting to 47" or 60" steel bed Fits: 057 056 063 061	\$4,439.52
892820	Mounting kit for Core Harvester to poly box Fits: 057 056 063 061	\$168.18
894761	4-Post ROPS – Roll Over Protection System (includes seat belts) (Certified to SAE J1040) Fits: 057 056 063 061-STD	\$702.59
2701303	Door, orange steel, left only (Requires 894761 ROPS) Fits: 057 056 063	\$1,383.17
2701304	Door, orange steel, right only (Requires 894761 ROPS) Fits: 057 056 063	\$1,383.17
894755	Door, green steel, left only (Requires 894761 ROPS) Fits: 057 056 063	\$1,383.17
894756	Door, green steel, right only (Requires 894761 ROPS) Fits: 057 056 063	\$1,383.17
894758	Window, rear (requires 894761 ROPS) Fits: 057 056 063	\$495.90
894757	Windshield with wiper (requires 894761 ROPS) Fits: 057 056 063	\$717.52
894764	Turn signals (includes R.H. taillight) Fits: 057 056 063	\$290.78
894760	Heater/defroster Fits: 057 056 063	\$910.85



JACOBSSEN CUSHMAN - GSA PRICE LIST
GS-07F-0013M Modification #PO-0008 Effective March 18, 2009

Model No.	Description	GSA Price
* 882574	Exhaust spark arrestor Fits: 057 056 063 061	\$206.38
894690	Fifth wheel ball hitch, includes electric brake controller (fits new truck only) Fits: 057 056 063 061	\$1,798.91
890170	Fifth wheel ball hitch, includes electric brake controller (fits old truck) Fits: 057 056 063 061	\$2,105.41
4114386	Hitch, receiver style w/ drawbar (male insert 1-1/2") Fits: 057 056 063 061	\$305.71
4114566	Hitch, flat bar style Fits: 057 056 063 061	\$178.40
4147940	Hydraulics, high/low (gas) Fits: 057 056 061	\$872.34
894712	Hydraulics, high/low (gas) (for YH5 and older gas trucks ONLY)	\$694.73
894713	Hydraulics, high/low (diesel) Fits: 063	\$694.73
892493	Implement Lift ("A" frame) Fits: 057 056 063 061	\$1,256.64
894768	Mirrors, outside (left and right) Fits: 057 056 063	\$161.89
4112981	P.T.O., heavy-duty, mechanical Fits: 063	\$854.27
894644	P.T.O., hydraulic (requires 4147940 hydraulics for 056/057/061 or 894713 hydraulics for 063) Fits: 057 056 063 061	\$754.46
2701529	Quick Aerator (includes deep slicing knives) Fits: 057 056 063 061	\$3,736.14
4119631	Ram Mount (Sprayer control mount) Fits: 057 056 063	\$58.16
2701650	TOP DRESSER 1500 (fits old or new truck) Textured 'crescent' belt with V guide Fits: 057 056 063 061	\$5,428.17
2701601	VICON hydraulic power kit (requires hi/lo hydraulics) Fits: 057 056 063 061	\$991.01
2701602	VICON mechanical power kit (Truckster requires PTO) Fits: 057 056 063 061	\$770.18
2701600	VICON SPREADER (requires power kit) Fits: 057 056 063 061	\$4,076.43
4114481	Drawbar (male insert only) (requires 4114386) Fits: 057 056 063 061	\$114.74
* 893492	Tire AY, 24x13-12 w/ 10.5" Rim Fits: 057 056 063 061	\$243.67
Herd (Formerly Thompson) Equipment (Limited Availability)		
816851	Extension hopper (for 892815, 883325 and 894765 spreaders) Fits: 057 056 063 061	\$133.60
892815	Seed & fertilizer SPREADER (for poly box - requires P.T.O. option) Fits: 057 056 063 061	\$635.79
894765	Seed and fertilizer SPREADER (requires 47" metal box assembly and P.T.O. option) Fits: 057 056 063 061	\$608.28
2700858	Seed and fertilizer SPREADER (requires 47" metal box assembly, electric powered) Fits: 057 056 063 061	\$647.58

* Considered a Service Item and can only be Purchased through the Parts Department

ALL SPRAYTEK SPRAYER MODELS HAVE THE FOLLOWING FEATURES:

Custom molded fiberglass tanks that provide superior strength, yet lightweight, SDI hydro mix jet agitation, deep sump suction with anti-vortex plate, leak proof screw lid with pillow gasket, large air vent, external calibrated liquid level sight tube, strainer basket and high capacity bowl suction strainer with stainless screen, steel channel frames. Plus new Hypro 316 stainless steel centrifugal spray pump with LifeGuard® silicon carbide seal.

DEDICATED SPRAYERS

84055	SPRAYTEK DS-175 26 HP Gas 5 Speed Manual Transmission Suzuki K6-YH6, liquid-cooled gas engine, 26 hp @ 3200 rpm, 4 wheel hydraulic brakes, 5 speed manual transmission, e-coated heavy-duty carbon steel channel frame, 14.21:1 ratio 2 speed auxiliary transmission, power steering, front storage with hinged and latched hood, dedicated "All Function" wire harness, Ram mount for controller, temperature gauge, fuel gauge, tachometer, hour meter, ground speed governor, headlights, taillight, 12v power plug outlet, low profile 175 gallon fiberglass tank, offset fill well, V-belt direct drive engine-driven 80 gpm max. 130 psi max. Hypro 316 stainless steel centrifugal spray pump engaged through 56 lb electric clutch, deep well 10 gallon deep suction sump, V-6 hydro mix ceramic tip Venturi jet agitator, leak proof screw lid with pillow gasket.	\$20,143.25
84062	SPRAYTEK DS-300 24.8 HP Diesel, 4 Speed Manual Transmission Kubota D11105 Diesel, liquid-cooled, 3 cylinder engine, 24.8 hp @ 3000 rpm, 4 wheel hydraulic brakes, 4 speed manual transmission, 14.21:1 ratio 2 speed auxiliary transmission, e-coated heavy-duty carbon steel channel frame, power steering, front storage with hinged and latched hood, dedicated "All Function" wire harness, Ram mount for controller, temperature gauge, fuel gauge, tachometer, hour meter, ground speed governor, headlights, taillight, 12v power plug outlet, low profile 300 gallon fiberglass tank with load control baffles, offset fill well, V-belt direct drive engine-driven 80 gpm max. 130 psi max. Hypro 316 stainless steel centrifugal spray pump engaged through 56 lb electric clutch, deep well 10 gallon deep suction sump, SDI exclusive hydro mix ceramic tip Venturi jet agitation, leak proof screw lid with pillow gasket.	\$26,265.37



JACOBSSEN CUSHMAN - GSA PRICE LIST
GS-07F-0013M Modification #PO-0008 Effective March 18, 2009

Model No.	Description	GSA Price
MODIFICATIONS FOR SPRAYTEK (Factory Installed)		
53780	Cab, black, installed (includes 4-Post ROPS, windshield with wiper and rear window) (Certified to SAE J1040)	\$1,860.21
(N) 53782	Crating. (Will not double stack in container.)	\$442.46
53605	Doors, orange steel (requires 053780)	\$2,084.98
53728	Light, dome (requires factory installed cab)	\$94.31
53779	4-Post ROPS – Roll Over Protection System (includes seat belts) (Certified to SAE J1040)	\$888.06
(N) 4158181	Axle Truss Kit for DS-175 (Standard equipment on DS-300)	\$337.93
ACCESSORIES FOR SPRAYTEK (Dealer Installed)		
2701303	Door, orange steel, left only (Requires 894761 ROPS)	\$1,383.17
2701304	Door, orange steel right only (Requires 894761 ROPS)	\$1,383.17
894761	4-Post ROPS - Roll Over Protection System (includes seat belts) (Certified to SAE J1040)	\$702.59
894758	Window, rear (requires 894761 ROPS)	\$495.90
894757	Windshield with wiper (requires 894761 ROPS)	\$717.52
(N) 4158161	Axle Truss Kit for DS-175 (Standard equipment on DS-300)	\$327.72
TURFMASTER SPRAYERS, PIN-MOUNTED MODELS		
<i>Basic pin-mounted sprayer system includes orange fiberglass sprayer tank, 60 gpm at 100 psi, corrosion resistant durable Hypro 316 stainless steel centrifugal spray pump Truckster hydraulic system, jet agitation with SDI exclusive ceramic orifice system and pin disconnect system for easy mounting of sprayer.</i>		
4119804	160 Gallon Sprayer Deep sump, hydraulic driven, pin mounting system, Hypro 316 stainless steel centrifugal spray pump, Hexajet (6) orifice jet agitator, less boom and controls – for Truckster w/ standard hydraulics	\$4,573.12
4119805	160 Gallon Sprayer , same as above for Truckster with Hi/Lo hydraulics	\$4,741.30
4119806	225 Gallon Sprayer , Deep sump, hydraulically driven, pin mounting system, Hypro 316 stainless steel centrifugal spray pump, Hexajet (6) orifice jet agitator, less boom and controls - for heavy-duty 4-wheel Turf Truckster only – for Truckster w/ standard hydraulics	\$4,991.21
4119807	225 Gallon Sprayer , same as above for Truckster with Hi/Lo Hydraulics.	\$4,692.57
SDI ELECTRIC CONTROLLER & OPTIONS		
<i>(For use with SprayTek "All Function" wire harness) Dealer Installed</i>		
4119052	SDI "All Function" Electric Control System (SDI motorized boom valves, Triple on/off valves, pressure regulator valve, feed hoses, fittings and "All Function" control box less wire harness)	\$1,390.25
4119053	Quick Foam Marker System (Less switch box and wire harness, requires 4119052, SDI Control System)	\$1,361.95
4119054	Actuators, Electric Boom Lift (one pair) (Converts Deluxe manual lift booms to electric lift. For use with Deluxe Booms 4132046, 4132048 & Convertible boom 4132044, and Windbreaker 2000, 2702229. Requires 4119052 SDI Control System)	\$1,553.71
4119055	Actuator, Electric Center Section Lift (For center section of shielded boom) (For use with Windbreaker 2000, 2702229. Requires 4119052 SDI Control System)	\$877.84
Truckster Options		
<i>(for use with TurfMaster pin mount models)</i>		
4119630	All Function Wire Harness	\$334.79
4119631	RAM Mount (Sprayer Control Mount) (All Function Wire Harness and RAM Mount required for use with TurfMaster sprayers if not already provided on Truckster as a factory MOD) (not for use on 061 Trucksters) (All function wire harness is standard on Spraytek)	\$58.16



JACOBSSEN CUSHMAN - GSA PRICE LIST
GS-07F-0013M Modification #PO-0008 Effective March 18, 2009

Model No.	Description	GSA Price
RAVEN ELECTRIC CONTROLLER & OPTIONS		
<i>(For use with Spraytek "All Function wire harness) Dealer Installed</i>		
4119056	Raven SCS330 Control System (Includes SDI motorized boom valves, pressure regulator, flow meter, control console and special wire harness from Raven Console to wire harness connector, all hoses and fittings, less speed sensor)	\$2,967.54
4119057	Raven SCS440 Control System (Includes SDI motorized boom valves, pressure regulator, flow meter control console and special wire harness from Raven Console to wire harness connector, all hoses and fittings, less speed sensor)	\$3,591.54
4119058	Quick Foam Marker System (Includes switch box, requires 4119056 or 4119057, Raven Control System)	\$1,301.44
4119059	Actuators, Electric Boom Lift (one pair) (Converts Deluxe manual lift booms to electric lift. For use with Deluxe Booms 4132046, 4132048 & Convertible boom 4132044, and Windbreaker 2000, 2702229. (Requires 4119056 or 4119057 Raven Control System.)	\$1,511.27
4119060	Actuator, Electric Center Section Lift (For center section of shielded boom) (Requires 4119056 or 4119057 Raven Control System)	\$888.85
SPEED SENSORS (Dealer Installed)		
895074	Radar gun speed sensor for Raven 330 or 440 system when mounted on any Truckster or SprayTek (includes mounting bracket)	\$1,365.10
4119061	Wheel drive speed sensor for Raven 330 or 440 when mounted on any Truckster or SprayTek (for use with 4119056 or 4119057)	\$361.51
DELUXE BOOMS (Dealer Installed)		
4132044	CONVERTIBLE DELUXE SPRAY BOOM, 15 - 21 ft Full 21 ft. fairway boom (13 triple nozzles on 20" centers) when in fully extended position. Fold wing extensions up and covert to a 15 ft. greens and tee boom (9 triple nozzles on 20" centers). Includes 13 diaphragm check (drip free) triple nozzle bodies with 8003 tips, dual wing extension on/off valve, breakaway hinge assembly, cable support system and 3/4" UV resistant hose.	\$1,861.78
4119050	Ground contour wheel kit for Deluxe boom (10" spacing boom)	\$353.65
4119051	Ground contour wheel kit for Deluxe & Convertible boom (20" spacing boom) .	\$337.15
4132046	15 ft. dry Deluxe manual lift boom, 9 triple nozzles on 20" centers	\$1,453.90
4132048	15 ft. dry Deluxe manual lift boom, 17 triple nozzles on 10" centers	\$1,849.99
4132049	Gage wheel (one pair) Deluxe booms are heavy construction, spring-loaded breakaway, manual lift cable support. Can add ground contour wheel kit and electric lift. Requires only eight (8) bolts to dealer install.	\$146.96
WINDBREAKER 2000 BOOM (Dealer Installed)		
2702229	WINDBREAKER 2000 Shielded Turf Boom, 15 ft. Three custom molded fiberglass hoods, tubular frame, forward/rear breakaway hinge on wing sections, also allows vertical carriage for travel and forward carriage for low height storage. Frame mounts to any SprayTek or Turfmaster sprayer. Spray height on all 3 sections can be controlled with adjustable height, heavy-duty gauge wheels. Center section can be locked in spray position with gauge wheel removed if desired (center section boom lift kit and wing section boom lift kit are optional). 9 drip-free single nozzle bodies with 8003 tips.	\$3,730.64
2702231	Wilger Spray Tip Monitor Kit, 3 modular flow columns, mounting bracket, hose, fittings, clamps, installation instructions	\$178.40
ACCESSORIES (Dealer Installed)		
893304	Air gap-anti siphon filler assembly (fold down type)	\$67.59
889907	Chrome roller and spool assembly	\$248.34
889895	Hose reel, electric, includes mounting bracket, less spray hose	\$1,074.32
889896	Hose reel, manual, includes mounting bracket, less spray hose	\$484.11
889951	Spray gun (GreenGarde JD9CT)	\$214.55
889950	Spray gun (Spraying System 43H brass)	\$142.25
889908	Spray kit, 25 ft, includes hose, fittings, 43HA gun and hose hanger	\$233.41
891638	Spray kit, 50 ft, includes hose, fittings, 43HA gun and hose hanger	\$293.92
891376	Spray hose, 100 ft, includes fittings	\$173.68
891377	Spray hose, 150 ft, includes fittings	\$244.41
891378	Spray hose, 200 ft, includes fittings	\$314.36
4160320	Lightweight Walking Boom with standard carrier bracket	\$1,077.46
4160321	Speedometer Option for Lightweight Walking Booms	\$227.91