

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
G=Gray, R=Red, W=White, I=Ivory, B=Black, P=Platinum		
INTRUSION PANELS		
DMP-Digital Monitoring Products IP Intrusion/Fire/Access		
		G R Ohio STS
PRO-XRSuper6-G	Panel, in 340 enclosure	x 95.55
PRO-XRSuper6M-G	Panel, in 349 enclosure	x 108.55
PRO-XRSuper6PCB	Panel, Board only	81.90
PRO-XR20-G	Panel, in 340 enclosure	x 152.10
PRO-XR20K-G	Panel, in 341 large ATM enclosure	170.95
PRO-XR20K-GATM	Panel, in 341 large ATM enclosure w/special ATM features	x 170.95
PRO-XR20M-G	Panel, in 349 enclosure	x 170.95
PRO-XR20PCB	Panel, Board only	132.60
PRO-XR40A-G	Panel, in 350A enclosure	x 228.15
PRO-XR40-G	Panel, in 340 enclosure	x 170.95
PRO-XR40M-G	Panel, in 349 enclosure	x 189.80
PRO-XR40PCB	Panel, Board only	151.45
PRO-XR100A-G	Panel, in 350A enclosure	x 382.20
PRO-XR100F KIT	XR100PCB, 350-R, 893A, 866, 715, 318, (2) 358, (2) 356-7, ES501	662.35
PRO-XR100L-G	Panel, in 350 enclosure	364.00
PRO-XR100L-R	Panel, in 350 enclosure	364.00
PRO-XR100NA-G	Panel, in 350A enclosure	579.80
PRO-XR100NF KIT	XR100PCB, 350-R, 893A, 866, 715, 318, (2) 358, (2) 356-7, ES501	854.10
PRO-XR100NL-G	Panel, in 350 enclosure	560.95
PRO-XR100NL-R	Panel, in 350 enclosure	560.95
PRO-XR100NPCB	Panel, board only	489.45
PRO-XR100PCB	Panel, board only	292.50
PRO-XR200L-G	Panel, in 350 enclosure	x 364.00
PRO-XR200L-R	Panel, in 350 enclosure	x 364.00
PRO-XR500A-G	Panel, in 350A enclosure (includes 50 VA Transformer)	x 449.80
PRO-XR500K-G	Panel, in 341 ATM kiosk enclosure (includes 50 VA Transformer)	x x 430.30
PRO-XR500L-G	Panel, in 350 enclosure (includes 50 VA Transformer)	x x 430.30
PRO-XR500L-R	Panel, in 350 enclosure (includes 50 VA Transformer)	x x 430.30
PRO-XR500pcb	Panel, Board only (includes 50VA Transformer)	358.15
PRO-XR500X-G	Panel, in 352 enclosure (includes wire-in 56 VA Transformer)	x x 724.10
PRO-XR500XP-G	Panel, in 352 enclosure, 505-12 (56 VA, 100VA)	x x 878.15
PRO-XR500NA-G	Panel, Built-in iCom, in 350A enclosure (includes 50 VA Transformer)	x 655.85
PRO-XR500NF KIT	XR100PCB, 350-R, 893A, 866, 715, 318, (2) 358, (2) 356-7, ES501	921.05
PRO-XR500NK-G	Panel, Built-in iCom, in 341 ATM enclosure (includes 50 VA Transformer)	637.00
PRO-XR500NL-G	Panel, Built-in iCom, in 350 enclosure (includes 50 VA Transformer)	637.00
PRO-XR500NL-R	Panel, Built-in iCom, in 350 enclosure (includes 50 VA Transformer)	637.00
PRO-XR500NPCB	Panel, Built-in iCom, Board Only (includes 50 VA Transformer)	564.85
PRO-XR500NX-G	Panel, Built-in iCom, in 352 enclosure (includes wire-in 56 VA Transformer)	939.25
PRO-XR500NXP-G	Panel, Built-in iCom, in 352 enclosure, 505-12 (56 VA, 100VA Transformer)	1,093.30
PRO-XR500EA-G	Panel, Built-in iCom-E, in 350A enclosure (includes 50VA Transformer)	939.25
PRO-XR500EK-G	Panel, Built-in iCom-E, in ATM kiosk enclosure (includes 50VA Transformer)	919.75
PRO-XR500EL-G	Panel, Built-in iCom-E, in 350 enclosure (includes 50VA Transformer)	919.75
PRO-XR500EL-R	Panel, Built-in iCom-E, in 350 enclosure (includes 50VA Transformer)	919.75
PRO-XR500EPCB	Panel, Built-in iCom-E, Board Only (includes 50VA Transformer)	846.30
PRO-XR500EX-G	Panel, Built-in iCom-E, in 352 enclosure (includes wire-in 56 VA Transformer)	1,221.35
PRO-XR500EXP-G	Panel, Built-in iCom-E, in 352 enclosure, 505-12 (56 VA, 100 VA)	1,375.40
PRO-XR500F KIT	XR500PCB, 350-R,893A,866,715,318, (2) 358, (2) 356-7, 327, ES501	718.25
PRO-XR2500FPCB	Panel, Board only	596.05
FIRE PANELS		
DMP - Digital Monitoring Products		
		R
PRO-XR5FC-R	Commercial Fire in 340FC enclosure	x 265.20
PRO-XR5FCPCB	Panel, Board only	222.30
PRO-XR5SL-R	Slave Communicator in 340SL enclosure	x 211.25
PRO-XR5SLPCB	Panel, Board only	158.60
PRO-XR5FC PKG	XR5FC-81, 692F-R, 866, 320, (2) 356-7	x 394.55
PRO-XR5FC690F PKG	XR5FC-81, 690F-R, 866, 320, (2) 356-7	x 453.70
PRO-XR5FC WFPKG	XR5FC-81, 692F-R, 866, 320, (2) 356-7, 823-81, 521B, 850S, (2) 358	x 488.80
PRO-XR5FC690F WFPKG	XR5FC-81, 690F-R, 866, 320, (2) 356-7, 823-81, 521B, 850S, (2) 358	x 546.00
PRO-XR200F KIT	XR200PCB, 350R, 893, 866, 715, 318, 320, 325, (2) 356-7	x 600.60
PRO-XR2500F-R	XR2500F Fire Alarm Control Panel, 24 VDC, 2 NAC, Built-in Network Communication	x 1,265.55

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



www.protech-security.com

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price					
<b>KEYPADS</b>		<b>DMP - Digital Monitoring Products</b>					
		B	P	W	I	B	R
PRO-ePAD	Virtual Keypad						228.15
PRO-7060	Keypad, LCD Display (ivory also available)	x		x			129.35
PRO-7063	Keypad, LCD Display, built-in prox (ivory also available)	x	x				189.80
PRO-7070	Keypad, LCD Display, 4 zones (ivory also available)	x		x			163.15
PRO-7073	Keypad, LCD Display, 4 zones, built-in prox, door strike (ivory also available)	x		x			265.85
PRO-7060A	LCD Display, blue display	x	x	x		x	157.95
PRO-7063A	LCD Display, built-in prox, blue display	x	x	x		x	217.75
PRO-7070A	LCD Display, 4 zones, Blue Display	x	x	x		x	191.75
PRO-7073A	LCD Display, 4 Zones, built-in prox, door strike, blue display	x	x	x		x	293.80
PRO-7360	Thinline Icon keypad	x		x	x		63.05
PRO-7363	Thinline Icon Keypad with built-in prox reader	x		x	x		63.05
PRO-7760	Glass LCD keypad	x	x	x		x	375.05
PRO-778	Backplate for 7760 Clear Touch				x		26.65
PRO-778L	Large backplate for 7760 Clear Touch				x		31.85
PRO-630F-R	Remote Fire Annunciator, LCD Display					x	196.30
PRO-635-R	Conduit Backbox for 630F keypad, 1-3/4", red						27.95
PRO-690	Keypad, LCD Display (ivory and red also available)	x		x	x	x	124.15
PRO-690F-R	Keypad, LCD Display, Fire Command					x	124.15
PRO-692	Keypad, LED Display (ivory and red also available)	x		x	x	x	57.85
PRO-692F-R	Keypad, LED Display, Fire Command					x	64.35
PRO-693	Keypad, LCD Display Built-in prox (ivory and red also available)	x		x	x	x	183.30
PRO-770	Keypad, VFD Display (ivory also available)			x	x	x	219.70
PRO-790	Keypad, LCD Display, 4 zones (ivory and red also available)	x		x	x	x	157.30
PRO-790F-R	Keypad, LCD Display, 4 zones, Fire Command					x	157.30
PRO-793	LCD Display, 4 zones, Built-in prox, door strike (ivory and red also available)	x		x	x	x	259.35
<b>KEYPAD ACCESSORIES</b>		<b>DMP - Digital Monitoring Products</b>					
		B	I	W	I	B	R
PRO-695	Conduit Backbox for LCD series keypads, 1-1/2"	x	x	x	x	x	21.45
PRO-696	Backbox for LCD series keypads, 1/2"	x	x	x	x	x	21.45
PRO-697	Plastic Keypad wall cover 9"x9"						9.75
PRO-698	Plastic keypad wall cover 7.4"x11"						9.75
PRO-699	Deskstand for LCD series keypads						32.50
PRO-777	Cover, Clear w/Lock						87.75
PRO-780	Keypad Demonstrator Module for any DMP LCD						89.05
PRO-THIN LCD	Keypad Housing, Aqualite and Thinline series keypads (Platinum also available)	x	x	x	x	x	13.65
PRO-LCD	Keypad Housing, 690, 790 series keypads (red also available)	x	x	x	x	x	12.35
PRO-LED	Keypad Housing, Model 692 (red also available)	x	x	x	x	x	12.35
PRO-300	Replacement Harness for keypads (4 wire)						3.90
PRO-300-5	Replacement Reader Harness for 793, 7000 series keypads (5 wire)						4.55
PRO-300-12	Replacement Harness for 770, 790, 793, 7073, 7073A, 7070, 7070A (12 wire)						7.80
PRO-300-512	5 ft. Harness for 770, 790, 793, 7073, 7073A, 7070, 7070A (12 wire)						17.55
PRO-694	Plate, Keypad wall replacement				x		34.45
<b>EXPANSION MODULES</b>		<b>DMP - Digital Monitoring Products</b>					
				W	I	G	R
PRO-708	Bus Extender (set of two modules)			x			506.63
PRO-710	Bus Splitter/Repeater				x		52.00
PRO-710F	Fire Bus Splitter/Repeater for 725 Module				x		55.90
PRO-711	Single Point Zone Expander, rotary switch addressing				x		29.90
PRO-712-8	Eight Point Zone Expander, no enclosure, 3-hole mount						57.20
PRO-714	Four Point Zone Expander						59.15
PRO-714-8	Eight Point Zone Expander in 340 Enclosure (red available)					x	128.05
PRO-714-8L	Eight Point Zone Expander in 350 Enclosure (gray and red available)					x	175.50
PRO-7148PCB	Eight Point Zone Expander, Board Only					x	108.55
PRO-714-16	Sixteen Point Zone Expander in 340 Enclosure (red available)					x	217.10
PRO-714-16L	Sixteen Point Zone Expander in 350 Enclosure (gray and red available)					x	265.20
PRO-714-16PCB	Sixteen Point Zone Expander, Board Only						196.30
PRO-714-18T	Four Point Zone Expander w/ terminal block				x		72.15
PRO-714-19T	Four Point Zone Expander w/ terminal block, EOL resistors				x		85.80
PRO-714-X	Four Point Zone Expander in Plastic Extrusion						53.30
PRO-714-X-18T	Four Point Zone Expander w/terminal block, EOL resistors						62.40
PRO-715	Four Point Zone Expander			x			74.75
PRO-715-8	Eight Point Zone Expander, for two-wire smoke detectors					x	150.15
PRO-715-8PCB	Eight Point Zone Expander, for two-wire smoke detectors, panel only						118.30
PRO-715-16	Sixteen Point Zone Expander, for two-wire smoke detectors					x	266.50
PRO-715-16PCB	Sixteen Point Zone Expander, for two-wire smoke detectors, panel only						224.25

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-717	Graphic Annunciator	87.75
PRO-718T	Plug-in Screw Terminal for 714/715	13.65
PRO-719T	Terminal Board w/ EOL Resistors for 714	27.30
PRO-720T	Terminal Board w/ EOL Resistors for 715	28.60
PRO-721-T	Terminal Block Module w/harness, EOL	14.30
PRO-725	24 VDC Four Point Zone Expander (requires 710F)	116.35
PRO-736P	Radionics™ Popit Interface Module	116.35
PRO-738A	Ademco™ Interface Module	52.00
PRO-738I	ITI™ Interface Module	52.00
PRO-739	X-10 Interface Module	72.80
<b>INTERFACE CARDS</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-461	Interface Adaptor for XR500 series	78.00
PRO-462N	Network Interface for XR500 series	98.15
PRO-462N-DC	RS-232 interface to Direct Program the XR500 series	117.65
PRO-462P	Printer Interface for XR500 series	116.35
PRO-472	Inovonics 900MHz Interface for XR500 series	78.00
PRO-481	Zone Expansion Interface for XR500 series	66.95
<b>AUXILIARY MODULES</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-860	Relay Output Module	27.30
PRO-861	Power Distribution/4-wire Bus Module	31.20
PRO-865	Style Y/Z Notification Module	116.35
PRO-866	Style W Notification Module	74.10
PRO-867	LX-Bus Notification Module	117.65
PRO-869	Style D Initiating Module	79.30
PRO-893A	Dual Line Phone Module, snap on version (XR500 series)	81.90
<b>POWER SUPPLIES</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-502-12-G	Power Supply, 2 Amp, 12V, in 340 enclosure (Non-UL)	108.55
PRO-502-12PCB	Power Supply, 2 Amp, 12V, board only (Non-UL)	92.95
PRO-505-12A-G	Power Supply, 5 Amp, 12V, in 350A enclosure	312.00
PRO-505-12	Power Supply, 5 Amp, 12V	273.00
PRO-505-12L-G	Power Supply, 5 Amp, 12 V, in 350 Enclosure	293.15
PRO-505-12LX	Power Booster, 5 Amp, 12V, with 2 NAC circuits	457.60
PRO-505-12 PCB	Power Supply, 5 Amp, 12V, pcb only	122.85
PRO-505-12	Power Supply, 5 Amp, 12V	273.00
<b>PULL STATIONS</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-850S	Pull station, single action	31.85
PRO-850D	Pull station, dual action	37.05
PRO-850S/711	Pull station, single action with zone expander	59.15
PRO-850D/711	Pull station, dual action with zone expander	65.00
PRO-850-SB	Backbox, surface mount	11.05
PRO-850-WP	Weatherproof backbox, surface mount	40.95
PRO-850-AR	Scored acrylic breakrods (1 dozen)	7.80
<b>SMOKE/HEAT DETECTORS AND ACSMOKE/HEAT DETECTORS &amp; ACCESSORIES</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-521B	Smoke Detector, CleanMe, 8-35 VDC, 2-wire	68.90
PRO-521B/10	Smoke Detector, CleanMe, 8-35 VDC, 2-wire (package of 10)	460.20
PRO-521BXT	Smoke Detector, CleanMe w/Heat, 8-35 VDC, 2-wire	73.45
PRO-521BXT/10	Smoke Detector, CleanMe w/Heat, 8-35 VDC, 2-wire (package of 10)	488.80
PRO-521LX	Addressable Smoke Detector, LX-Bus, CleanMe	112.45
PRO-521LX/10	Addressable Smoke Detector, LX-Bus, CleanMe (package of 10)	748.15
PRO-521LXPCB	Addressable Smoke Detector, Board only	34.45
PRO-521LXT	Addressable Smoke Detector, LX-Bus, CleanMe & Heat Detector	117.65
PRO-521LXT/10	Addressable Smoke Detector, LX-Bus, CleanMe w/Heat (package of 10)	786.50
PRO-525	Replacement Optical Chamber (package of 10)	3.25
PRO-526	Smoke! in a can	15.60
PRO-NS6-100W	Conventional smoke or Heat Detector Base	6.50
PRO-SLR-835B	Photoelectric smoke detector 8-35 VDC, 2-wire with base	47.45
PRO-SLR-835BH	Photoelectric smoke/heat detector 8-35 VDC, 2-wire with base	54.60
PRO-SLR-835H	Photoelectric smoke/heat head 8-35 VDC, 2-wire (uses NS6-100W)	53.30
PRO-SLR-835	Photoelectric smoke head 8-35 VDC, 2-wire (uses NS6-100W)	44.85
<b>INTRUSION DETECTORS</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-1076C	1" Door Contact	15.60
PRO-1085TW	Surface Mount Contact, Wide Gap	7.15
PRO-1085TW-M	Surface Mount Contact, Wide Gap Brown	7.15

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-GP-23/10	Hidden Wire Surface Mount Door Contact (package of 10)	21.45
PRO-2505A	Sentrol Industrial Wide Gap Contact	44.20
PRO-2707A	Sentrol High Security Contact	155.35
PRO-2727A	Sentrol High Security Overhead Door Contact	187.85
PRO-2747A	Sentrol High Security Gate Contact	200.20
PRO-TANE 22WH	3/4 Ball Push Button w/leads	3.90
PRO-2804T	Sentrol Explosion-proof Contact	285.35
PRO-HSC Bracket	L-Bracket for Mounting HSC-1 and HSC-2	12.35
PRO-HSC-1	High Security Contact Switch	119.60
PRO-HSC-2	High Security Contact Switch	165.75
PRO-MET-44WG-18	Overhead Door Contact	22.75
PRO-PB-52TC	Push-button Reed With Terminal Connects	6.50
PRO-PB-52/10TC	Push-button Reed With Terminal Connects (package of 10)	44.85
PRO-SD205	5 port Ethernet Switch	63.05
PRO-SD-70	Steel Door 1.25" Recessed Contact	6.50
PRO-SD-70/10	Steel Door 1.25" Recessed Contact (package of 10)	44.20
PRO-SM-20WG	3" Wide Gap Door Contact	7.80
PRO-STB-10	3/8" Recessed Door Contact	3.90
PRO-STB-10/10	3/8" Recessed Door Contact (package of 10)	24.05
PRO-TANE-60	Quick Connect Door Contact	4.55
PRO-TANE-60/10	Quick Connect Door Contact (package of 10)	32.50
PRO-TANE-WS1	Water Sensor	2.60
PRO-5812A	ShatterPro II Glassbreak w/tamper & latching LED	58.50
PRO-5709C-W	Glassbreak Simulator	143.65
PRO-5820A	ShatterPro II Glassbreak, Recess mount	65.65
PRO-5845LX	ShatterPro II Glassbreak w/ single pt. zone expander	85.80
PRO-5422-W	4-Wire Shock Sensor, Gray	63.70
PRO-FG-730	Glassbreak Detector	55.90
PRO-PI6000	Sharpshooter PIR, 40"x40" w/ pet immunity	34.45
PRO-6155	Sharpshooter PIR, 45"x45"	70.85
PRO-6155LX	Sharpshooter PIR, 45"x45" w/ single pt. zone expander	94.25
PRO-AP-633	Sentrol High Security PIR	210.60
PRO-AP-669	Sentrol 360 PIR	166.40
PRO-AP-750	Sentrol Wall Mount PIR	83.85
PRO-EVD-1	Electronic Vibration Detector	298.35
PRO-EVD-2	Vibration Detection System	497.25
PRO-EVD-R	Electronic Vibration Detector Remote Pickup	112.45
PRO-PSD-100	Vault Audio Detector	106.60
PRO-VSA-S	Vault Sound Alarm System	729.30
PRO-HUB-M	Hold-up Button	15.60
PRO-HUB-T	Two-set Hold-up Button	27.30
PRO-RP-44	Push Button	22.75
PRO-572	Remote Indicator LED	12.35
<b>OPTEX DETECTORS</b>	<b>DMP - Digital Monitoring Products</b>	<b>W I B G</b>
PRO-CX-702	Optex PIR, 70" x 70"	131.95
PRO-DX-40	Optex PIR and Microwave Detector, 40" x 40"	87.75
PRO-DX-60	Optex PIR and Microwave Detector, 60" x 60"	104.00
PRO-EX-35T	Optex PIR, 35" x 35"	29.25
PRO-FL-60N	Extremely Dense Curtain Lense (Set of 6)	12.35
PRO-FX-360	Optex 360 PIR, ceiling mount	77.35
PRO-KX-08	Optex PIR, ceiling mount	52.65
PRO-LX-402	Optex Outdoor PIR 40" x 50"	122.85
PRO-MX-40	Optex PIR and Microwave Detector	52.65
PRO-OP-08CB	REX PIR Motion detector (black also available)	107.90
PRO-OP-08CW	REX PIR MOTION DETECTOR, WHITE	120.25
PRO-RX-40PI	Optex PIR, 40"x40" w/ pet immunity	25.35
PRO-RX-40PI/10	Optex PIR, 40"x40" w/ pet immunity (package of 10)	248.30
PRO-SX-360Z	Optex 360 PIR, ceiling mount	137.80
<b>ACCESS CONTROL PRODUCTS</b>	<b>DMP - Digital Monitoring Products</b>	<b>W I B G</b>
PRO-734	Wiegand Interface Module	113.75
PRO-PB-2	REX Exit Control Push Button	105.95
PRO-333	Noise Suppressor for 733/734	14.95
PRO-PP-6005B	ProxPoint Plus Proximity Reader with beeper	143.65
PRO-MP-5365	MiniProx Proximity Reader	299.00

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION					STS Price
<b>ACCESS CONTROL PRODUCTS</b>		<b>DMP - Digital Monitoring Products</b>				
PRO-1306P	Prox Patch-HID			x		11.70
PRO-1306P/10	Prox Patch (package of 10) - HID				x	79.30
PRO-1306PW	Prox Patch Standard 26-bit Wiegand - HID				x	11.70
PRO-1306PW/10	Prox Patch Standard 26-bit Wiegand (package of 10) - HID				x	79.30
PRO-1326	ProxCard II Card -HID					5.85
PRO-1326/10	ProxCard II Card (package of 10) - HID		x			38.35
PRO-1346	ProxKey II Access Device - HID					9.75
PRO-1346/10	ProxKey II Access Device (package of 10) - HID				x	66.95
PRO-1346-RING	Ring for 1346 ProxKey II - HID					0.65
PRO-1351	ProxPass. Active credential for automobiles - HID		x			44.20
PRO-1386	ISOProx II Card - HID					12.35
PRO-1386/10	ISOProx II Card (package of 10) - HID		x			80.60
PRO-570	Easy Entry RF Series Receiver with LED Plate					66.30
PRO-571	Easy Entry Replacement LED Plate					3.90
PRO-575	Easy Entry RF Series Keyring Transmitter					30.55
<b>WIRELESS TRANSMITTERS, RECEIVERS, etc.</b>		<b>DMP - Digital Monitoring Products</b>				
PRO-1100D-W	DMP Wireless Receiver		x		x	94.25
PRO-1100X-W	DMP Wireless Receiver for XR100 and XR500 Series		x			132.60
PRO-1101-W	DMP Wireless Universal Transmitter		x		x	52.00
PRO-1101MAG-B/10 (W/10)	Magnet with mounting accessories (package of 10)		x			34.45
PRO-1102-W	Universal Wireless Transmitter, external contacts only (black also available)		x			47.45
PRO-1114-W	Wireless zone expander		x			146.25
PRO-1116-W	Wireless Relay Output		x			146.25
PRO-1117R-W	Wireless LED Annunciator		x			90.35
PRO-1118R-W	Wireless Remote Indicator Light		x			182.65
PRO-1121-W	Wireless PIR w/pet immunity (black also available)		x			141.70
PRO-1124-W	Wireless 360 PIR		x			168.35
PRO-1125-W	DMP Wireless PIR Motion Detector		x			170.95
PRO-1129-W	DMP Wireless Glassbreak		x	x		143.65
PRO-1139-J	Wireless Bill Trap					128.05
PRO-11422BC-W	2 Button Wireless Panic Device, with Belt Clip (Black also Available)		x			68.25
PRO-1142-W	2 Button Wireless Panic Device (black also available)		x			68.25
PRO-1145-B	Wireless Four-button Keyfob					76.70
PRO-1146-B	Wireless Two-button Keyfob					68.90
PRO-1147-B	Wireless One-button Keyfob					65.00
PRO-1161-W	Wireless Smoke Detector					152.75
PRO-1162-W	Wireless Smoke/ Heat Detector					159.90
PRO-CR123	3V Lithium Battery					3.90
PRO-CR123-FIRE	3V Lithium Battery					6.50
PRO-CR2032/10	3V Coincell Lithium Battery for 1145, 1146, 1146 Key Fobs (package of 10)					4.55
PRO-CR2450/10	3V Coincell Lithium Battery for 1139 Bill Trap (package of 10)					33.80
PRO-KIT-1100-BASIC	(1) 1100D W, (2) 1102-W, (1) 1121-W					330.85
PRO-KIT-1100-STANDARD	(1) 1100D W, (2) 1101-W, (1) 1121-W, (1) 1129					482.30
PRO-ACC620	Programming Cable			x		3.90
PRO-BAT601	Battery, 4.5 V					9.10
PRO-BAT601B	Battery, 4 Pack of 4.5 V					33.80
PRO-BAT603	Battery, Rechargeable 1.2 AH-12V					33.80
PRO-BAT604	Lithium Battery (3.0V)					9.10
PRO-BAT605	Lithium Battery (3.6V) for FA204 and FA206					9.10
PRO-BAT606	Lithium Battery (3.6V) for FA100					13.00
PRO-BAT607	Battery, 3V for FA204					9.75
PRO-BAT608	Lithium Battery (3.0V) for FA203, 205, and FA113					9.10
PRO-BAT609	Lithium Battery (3.0V) for FA209					5.20
PRO-FA113	Keychain Remote Control				x	102.70
PRO-FA116	Handheld Programmer				x	170.95
PRO-FA202	Smoke Detector/Transmitter		x			162.50
PRO-FA203S	Necklace Pendant, single transmitter			x		86.45
PRO-FA203D	Necklace Pendant, double button transmitter			x		86.45
PRO-FA205S	Beltclip Transmitter, single button transmitter				x	92.95
PRO-FA205D	Beltclip Transmitter, double button transmitter				x	92.95
PRO-FA206I	Inovonics PIR			x		154.05
PRO-FA206S	Sharpshooter PIR			x		187.85
PRO-FA207	ShatterPro Glassbreak			x		158.60

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-FA223S	Water Resistant Pendant Transmitter	92.95
PRO-FA250	High Power Transmitter	144.30
PRO-FA400-DMP	DMP Remote Receiver	179.40
PRO-FA426	16 Point Receiver	135.20
PRO-FA575	Real-Time Repeater	484.90
PRO-FA715	Wireless Survey Kit	735.15
<b>NETWORK ROUTERS</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-ePAD	Virtual Keypad	228.15
PRO-iCOM	Network Alarm Router, enclosure mount	751.40
PRO-iCOM-E	Encrypted High-Security Network Alarm Router, enclosure mount *NOW WITH 462N INCLUDED	939.25
PRO-iCOMSL-12V/AA	For 12V Non-DMP Intrusion panels	401.70
PRO-iCOMSL-12V/NACT	For 12V Non-DMP Fire Systems	419.90
PRO-iCOMSL-24V/NACT	For 24V Non-DMP Fire Systems	419.90
PRO-iCOMSLPCB	Replacement Board. Includes PCB, housing and mounting hardware	363.35
PRO-iCOMSL-XR/AA	For XRSUPER6M, XR20M, and XRM40M Command Processor Panels	363.35
PRO-iCOMSL-XR5/NACT	For XR5FC Fire Command Panels	393.90
<b>SYSTEM ACCESSORIES</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-Accessory Pack	Technicians Accessory Pack	35.75
PRO-301	Replacement Enclosure Lock	2.60
PRO-302	Two-Pin Jumper (package of 10)	2.60
PRO-303	Silence/Reset Push Button Kit	11.05
PRO-305	Plug-in Output Relay	6.50
PRO-305/10	Plug-in Output Relay (package of 10)	62.40
PRO-306	Tamper Harness	1.95
PRO-307	Clip-on Tamper Switch	13.65
PRO-307-S	Screw-on Tamper Switch	4.55
PRO-308	10K Ohm Replacement EOL Resistor with wire leads	1.95
PRO-309	3.3K Ohm Replacement EOL Resistor with wire leads	1.95
<b>SYSTEM ACCESSORIES cont'd</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-310	1K Ohm Resistor with wire leads	1.95
PRO-311	1K Ohm Replacement EOL Resistor (package of 10)	1.95
PRO-318	Battery Harness for standard battery leads	12.35
PRO-318EXT	Battery Harness Extension	14.95
PRO-318-R	Battery Harness for ring-style battery leads	6.65
PRO-319	3 Amp Fuses (for use with SCS-1RReceiver) (pkg of 5)	5.20
PRO-320	16.5 VAC 40 VA Wire-in Transformer	26.65
PRO-321	16.5 VAC 40 VA Plug-in Transformer	8.45
PRO-322	16.5 VAC 56 VA Wire-in Transformer with enclosure	72.80
PRO-323	56 VA Transformer Mounting Kit for 350 Enclosure or 350A	66.30
PRO-325	Terminal Strip with Cover for wire-in transformers and bracket	5.20
PRO-327	16.5 VAC 50 VA Plug-in Transformer	11.05
PRO-330	Dual-ended 4-wire harness	6.50
PRO-333	Noise Suppressor for 733/734	14.95
PRO-335	Indoor siren	9.10
PRO-356-2	RJ Phone Cable, 2 ft. long cord	3.25
PRO-356-7	RJ Phone Cable, 7 ft. long cord	3.90
PRO-356-10	10 ft. Cat-5 Cable for XR500, 10ft	3.90
PRO-357-3	3 ft. Cat-5 Cable for XR500 series	1.95
PRO-357-X-10	10 ft. Cat-5 Crossover Cable for XR500 series	9.75
PRO-357-X	Cat -5 Crossover Cable for XR500 series	5.85
PRO-358	RJ Phone block	1.95
PRO-365	12 VDC Lead-Acid Battery (9.0 Ah)	33.15
PRO-366	12 VDC Lead-Acid Battery (18.0 Ah)	47.45
PRO-367	12 VDC Lead-Acid Battery (7.7 Ah)	40.30
PRO-368	12 VDC 4.5 Ah Battery	14.95
PRO-369	12 VCD Battery (7.0 Ah)	18.85
PRO-370	Lightning Suppressor	69.55
PRO-370RJ	Lightning Suppressor with dual RJ jacks	57.85
PRO-374	Surge Voltage Suppressor	8.45
PRO-376	12VDC Plug-in Power Supply	24.70
PRO-377	Trouble Annunciator Module for XR5FC and XR5SL	32.50
PRO-378	12VDC Barrell connector with leads	5.85
PRO-390	Standard 462N Data Cable	26.00
PRO-393	Printer Data Cable for 462P	26.00

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-397	XR500 RS-232 Cable	26.00
PRO-398	462P DB9 Printer Cable	26.00
PRO-399	XR 100 Series Direct Connect Update/ Programming Cable	32.50
PRO-431	Output Harness for XR500 series	6.50
PRO-3012	Clip on Tamper Switch	5.20
PRO-SL-5-12B	Conical strobe, blue lens	85.80
<b>ENCLOSURES</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-340	Small Enclosure	
PRO-340FC-R	Panel Enclosure for XR5FC	27.30
PRO-340SL-R	Panel Enclosure for XR5SL	42.25
PRO-341	ATM Enclosure for all DMP panels	42.25
PRO-349	Medium Panel Enclosure for all DMP panels	47.45
PRO-349S-G	Medium Panel Enclosure Shelf	55.90
PRO-350	Large Panel Enclosure for	20.15
PRO-350A-G	Large Grade A Panel Enclosure for all DMP panels	78.00
PRO-350B	Slide in 3-hole module bracket for Grade A enclosure	95.55
PRO-350C-G	Conduit Backbox for 350 and 350A enclosures	5.20
PRO-350D-92	Mounting Plate	24.70
PRO-350S-G	Large Panel Enclosure Shelf	6.50
PRO-351-G	Universal mounting plate (1812 and Radionics enclosures)	36.40
PRO-352S-G	Extra Large battery Enclosure	56.55
PRO-352X-G	Extra Large Enclosure, 56 VA Transformer	373.75
PRO-353-G	Wire Pull Box, 12x15x4	356.85
PRO-354A-G	Enclosure for two 714-XX mounts in 350/350A	230.10
PRO-354-G	Enclosure for one 714XX, Retrofit Plate	50.70
PRO-ESS01	Transformer Enclosure	31.20
PRO-ESS02	Transformer Enclosure	26.00
<b>CENTRAL STATION RECEIVERS</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-SCS-1R	Rack Mount Security Control Receiver (SCS-101 Included)	5,638.75
PRO-SCS-RACK	Rack Mount Conversion kit for SCS-1	1,111.50
PRO-SCS1R-SPARES	SCS-1R Receiver Spares Kit	3,537.30
PRO-SCS-100	Line Card	479.05
PRO-SCS-101	Network Line Card	774.80
PRO-SCS-105	Single Line Service Receiver	386.75
PRO-SCS-110	Modem Power Card	208.65
PRO-SCS-120	Multibus Power Card	566.15
PRO-SCS-130	Transformer Card	434.85
PRO-186T	Serial Printer w/Cable	836.55
PRO-SCS-202	Convenience Panel for SCS-1R	130.00
PRO-SCS-204	Host Cable	44.20
PRO-SCS-208	12 ft. AC Power Cord	79.30
PRO-SCS-PTR	Printer with cable	726.70
PRO-SCS-1062	Main Processor Card	3,572.40
PRO-SG-DPU-414	Thermal Printer	784.55
<b>COMPUTER SOFTWARE</b>		
<b>DMP - Digital Monitoring Products</b>		
PRO-REMOTE LINK	Remote Programming Software on CD with Manual FREE Download Remote Link and Updates from <a href="http://dmp.com/dealer">http://dmp.com/dealer</a>	117.00
PRO-SYSTEM LINK	End-User Management Software on CD with Manual	466.70
<b>Alarm Monitoring Module for use with Remote Link and System Link to add Alarm Monitoring Capabilities</b>		
PRO-ALRM MON 10	Alarm Monitoring (1-10 accounts)	366.60
PRO-ALRM MON 50	Alarm Monitoring (1-50 accounts)	827.45
PRO-ALRM MON 100	Alarm Monitoring (1-100 accounts)	1,472.25
PRO-ALRM MON 500	Alarm Monitoring (1-500 accounts)	2,761.85
PRO-ALRM MON 1000	Alarm Monitoring (1-1000 accounts)	3,682.90
PRO-ALRM MON 2500	Alarm Monitoring (1-2500 accounts)	7,368.40
PRO-ALRM MON 5000	Alarm Monitoring (1-5000 accounts)	12,896.00
PRO-ALRM ADD	Alarm Monitoring Additional Single Workstation License	204.75
<b>Command Center Module for use with Remote Link and System Link to add Visual Command and Control Capabilities</b>		
PRO-COMMAND 10	Command Center (1-10 accounts)	735.15
PRO-COMMAND 50	Command Center (1-50 accounts)	1,196.00
PRO-COMMAND100	Command Center (1-100 accounts)	2,209.35
PRO-COMMAND 500	Command Center (1-500 accounts)	4,420.00
PRO-COMMAND 1000	Command Center (1-1000 accounts)	6,078.80
PRO-COMMAND 2500	Command Center (1-2500 accounts)	12,158.90

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price	
PRO-ADVANCED 10	Advanced Reporting (1-10 accounts)	182.65	
PRO-ADVANCED 50	Advanced Reporting (1-50 accounts)	329.55	
PRO-ADVANCED 100	Advanced Reporting (1-100 accounts)	551.20	
PRO-ADVANCED 500	Advanced Reporting (101-500 accounts)	919.10	
PRO-ADVANCED 1000	Advanced Reporting (501-1000 accounts)	1,287.65	
PRO-ADVANCED 2500	Advanced Reporting (1001-2500 accounts)	2,393.30	
PRO-ADVANCED 5000	Advanced Reporting (2501-5000 accounts)	4,051.45	
PRO-ADVANCED ADD	Advanced Reporting Additional Single Workstation License	87.75	
<b>Admin Reader for use with Remote Link and System Link to add Proximity Enrollment Features</b>			
PRO-ADMIN READER USB	Computer Proximity Reader (for use with Remote Link™ and System Link™)	339.30	
PRO-LINK CUSTOMIZER	System Link™ Customization Software	668.85	
PRO-LINK SERVER	Provides a Server database for Remote Link and System Link	1,829.10	
PRO-ACCOUNT GROUPS 10	Account groups (1-10 accounts)	551.20	
PRO-ACCOUNT GROUPS 100	Account groups (1-100 accounts)	1,840.80	
PRO-ACCOUNT GROUPS 1000	Account groups (1-1000 accounts)	4,051.45	
PRO-ACCOUNT GROUPS 2500	Account groups (1-2500 accounts)	8,105.50	
PRO-ACCOUNT GROUPS 50	Account groups (1-50 accounts)	1,011.40	
PRO-ACCOUNT GROUPS 500	Account groups (1-500 accounts)	3,130.40	
PRO-ACCOUNT GROUPS 5000	Account groups (1-5000 accounts)	14,738.10	
PRO-ACCOUNT GROUPS ADD	Account groups Additional Single Workstation License	438.75	
<b>TECHNICAL TRAINING MATERIALS</b>			
<b>DMP - Digital Monitoring Products</b>			
PRO-TECH NOTEBOOK	Technical Notebook, 3 volumes	55.25	
PRO-A&E Binder	Product Documentation for Architects and Engineers	31.85	
<b>ENTRE</b>			
<b>DMP-Digital Monitoring Products</b>			
<b>Base System Software</b>			
PRO-ENTRE LITE	Entre Lite (1-4 panels) (16 doors included, 16 doors max**)(1 std client incl.)	734.50	
PRO-ENTRE BUS	Entre Business (1-24 panels) (16 doors included, expandable to 96 doors max)(1 std client incl.)	1,840.15	
PRO-ENTRE ENT	Entre Enterprise (unlimited panels*)(96 doors included, unlimited doors max)(1 std client incl.)	7,367.75	
<b>System Expansion</b>			
<b>DMP-Digital Monitoring Products</b>			
PRO-ENTRE-4DR	4 Door Add On (Bus. Or Enterp.)	237.25	
<b>User Expansion</b>			
<b>DMP-Digital Monitoring Products</b>			
PRO-ENTRE-STD	Standard Client (1)	273.65	
PRO-ENTRE-WEB	Web Client (1) concurrent	273.65	
<b>Software Plug Ins</b>			
<b>DMP-Digital Monitoring Products</b>			
PRO-ENTRE-MAPS	Alarm Graphics	182.65	
PRO-ENTRE-AUTO	Automation Module	1,287.00	
PRO-ENTRE-DVR	DVR/NVR Modules (per mfg)	734.50	
PRO-ENTRE-CCTV	Universal CCTV Switcher/Driver	551.20	
PRO-ENTRE-PART	Database Partitioning	827.45	
PRO-ENTRE-LANG	Multilanguage	551.20	
PRO-ENTRE-LDAP	LDAP	2,670.20	
PRO-ENTRE-IMAGE	Personnel Image Capture	182.65	
PRO-ENTRE-BADGE	Custom Badge Designer	182.65	
PRO-ENTRE-SIGN	Signature Capture	182.65	
PRO-ENTRE-DEMO	DEMO SOFTWARE	N/A	
<b>MOBOTIX</b>			
<b>MOBOTIX IP Camera/Recording Solutions</b>			
<b>HiRes IP Cameras</b>			
<b>MOBOTIX</b>			
	PRO-MX-M22M-IT-D22	In/outdoor, weatehr proof, Super Wide Angle (2mm), 32mm, 43mm, 65mm, 135mm, VGA (640x480 pixels) color	758.10
	PRO-MX-M22M-IT-N22	Mono-lens, 480 line resolution camera with B&W (low light) sensor including 22mm Super Wide Angle lens	758.10
	PRO-MX-M22M-Sec	In/outdoor, weatehr proof, Super Wide Angle (2mm), 32mm, 43mm, 65mm, 135mm 3MEGA (2048x1536 pixels) color	948.10
	PRO-MX-M22M-Sec-Night	In/outdoor, weatehr proof, Super Wide Angle (2mm), 32mm, 43mm, 65mm, 135mm MEGA (1280x960 pixels) b/w	948.10
	PRO-MX-M22M-SEC-CSVARIO	In/outdoor, weatherproof, CS-mount Vario, 3MEGA (2048x1536 pixels), color	1,328.10
	PRO-M22M-SEC-R8	In/outdoor, weatherproof, Super Wide Angle(22mm) 32mm, 43mm, 65mm,135mm, 3MEGA (2048x1536 pixels), color	1,233.10
	PRO-M12M-WEB-D43	In/outdoor, weatherproof, Wide-Angle only (43mm) no other lens available, 3MEGA (2048x1536 pixels), color	948.10
	PRO-M12D-IT-DNIGHT-D43N43	Dual lens outdoor, 2 wide angle (43mm) Dnight: automatic Day/night Switching, 2xVGA (640x480pixels), color & b/w	1,138.10
	PRO-M12D-SEC-D22D135	Dual Lens outdoor, Super Wide Angle (22mm) tele (135mm), 2x 3MEGA (2084x1536 pixels), color	1,518.10
	PRO-M12D-SEC-DNIGHT-D43N43	Dual lens outdoor, 2 wide angle (43mm) Dnight: automatic Day/night Switching, 1x3MEGA color, 1x MEGA b/w	1,423.10
	PRO-M12D-SEC-DNIGHT-D22N22	Dual lens outdoor, 2 wide angle (43mm) Dnight: automatic Day/night Switching, 1x3MEGA color, 1x MEGA b/w	1,518.10
	PRO-M12D-SEC-R8	Dual lens outdoor, Super Wide Angle (22mm)43mm, 135mm, 1x 3MEGA (2084x1536 pixels) color, 1x MEGA (1280x 960 pixels) b/w	1,755.60

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
 PRO-D22M-IT-D22	in/outdoor, weatherproof, super wide angle (22mm) vga (640x480) color	710.60
PRO-D22M-SEC	in/outdoor, weatherproof, super wide angle (22mm) 32mm, 43mm, 65mm, 135mm, 3MEGA (2048x 1536 pixels) color	900.60
PRO-D22M-SEC-NIGHT	in/outdoor, weatherproof, Super wide angle (22mm), 32mm, 43mm, 65mm, 135 mm, MEGA (2048x1536) color	900.60
 PRO-D12Di-IT	dual lens indoor, ip54, Super wide angle (22mm), 2xVGA (640x480) color & b/w	1,138.10
PRO-D12Di-SEC	dual lens indoor, IP54, super wide angle (22mm), 32mm, 43mm, 65mm, 135mm, 1x 3MEGA color, 1x MEGA B/W	1,375.60
PRO-D12Di-SEC-180	dual lens indoor IP54, Super Wide Angle (22mm), 1x 3MEGA color, 1x MEGA B/W	948.10
 PRO-Q22M-BASIC	indoor, IP54, Hemispheric, Super Wide angle, VGA (640x480) color	663.10
PRO-Q22M-SEC	in/outdoor, weatherproof, Hemispheric, Super Wide Angle, 3MEGA, color	853.10
<b>MONO LENS IN/OUTDOOR (IP65) D22M VGA</b>		<b>MOBOTIX</b>
PRO-MX-D22M-IT-NIGHT	Mono lens, 480 line resolution camera w/BW (night) sensor including 22mm Super Wide Angle lens w/ceiling mount	710.60
<b>DUAL LENS, OUTDOOR (IP65) M12D VGA CA</b>		<b>MOBOTIX</b>
PRO-MX-M12D-IT-D43-D135	Dual lens, 480 line resolution camera w/2 color (day) sensors including 1x43mm Wide angle + 1x135mm Tele lens	1,138.10
PRO-MX-M12D-IT-DNight-D43N43	Dual lens, 480 line resolution camera with 1 color (day) & 1 B & W (low light) sensors including 2x43mm wide angle lenses	1,138.10
PRO-MX-M12D-IT-Dnight-D135-N135	Dual lens, 480 line resolution camera w/1 color (day) & 1BW (low light) sensors including 2x135mm Tele lenses	1,138.10
<b>DUAL LENS, OUTDOOR (IP65)M12 MEGA PI</b>		<b>MOBOTIX</b>
PRO-MX-M12d-SEC-D22-D43	Dual lens, 960 line resolution camera w/2 color (day) sensors including 1x22mm Super Wide + 1x43mm Wide Angle lenses	1,518.10
PRO-MX-M12-SEC-D22-D135	Dual lens, 960 line resolution camera w/2 color (day) sensors including 1x22mm Super Wide + 1x135mm Wide Angle lenses	1,518.10
PRO-MX-M12-SEC-D43-D135	Dual lens, 960 line resolution camera w/2 color (day) sensors including 1x43mm Super Wide + 1x135mm Wide Angle lenses	1,423.10
<b>DUAL LENS, OUTDOOR (IP65) M12D MEGAP</b>		<b>MOBOTIX</b>
PRO-MX-M12D-SEC-N22-N43	Dual lens, 960 line resolution camera w/2 BW (low light) sensors including 1x22mm Super Wide + 1x43mm Wide Angle lenses	1,518.10
PRO-MX-M12D-SEC-N22-N135	Dual lens, 960 line resolution camera w/2 BW (low light) sensors including 1x22mm Super Wide + 1x135mm Wide Angle lenses	1,423.10
PRO-MX-M12D-SEC-N43-N135	Dual lens, 960 line resolution camera w/2 BW (low light) sensors including 1x43mm Super Wide + 1x135mm Wide Angle lenses	1,423.10
<b>DUAL LENS, OUTDOOR (IP65) M12D MEGAP</b>		<b>MOBOTIX</b>
PRO-MX-M12D-SEC-D22-N22	Dual lens, 960 line resolution camera w/1 color (day) & 1 BW (low light) sensors including 2x22mm Super Wide Angle lenses	1,518.10
PRO-MX-M12D-SEC-D43-N43	Dual lens, 960 line resolution camera w/1 color (day) & 1 BW (low light) sensors including 2x43mm Super Wide Angle lenses	1,423.10
PRO-MX-M12D-SEC-D135-N135	Dual lens, 960 line resolution camera w/1 color (day) & 1 BW (low light) sensors including 2x135mm Tele lenses	1,423.10
<b>LENS MODULES FOR D12Di CAMERAS</b>		<b>MOBOTIX</b>
PRO-MX-D12 MODULE-D22	Day sensor Module with 22mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-D32	Day sensor Module with 32mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-D43	Day sensor Module with 43mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-D65	Day sensor Module with 65mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-D135	Day sensor Module with 135mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-N22	Night sensor Module with 22mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-N32	Night sensor Module with 32mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-N43	Night sensor Module with 43mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-N65	Night sensor Module with 65mm Super Wide Angle Lens	169.10
PRO-MX-D12 MODULE-N135	Night sensor Module with 135mm Super Wide Angle Lens	169.10
<b>INDOOR V12 VADALISM MEGAPIXEL CAMERAS (960 LINES)</b>		<b>MOBOTIX</b>
PRO-MX-V12M-SEC-D**	960 line resolution, mono lens vandal proof camera with single color (day) sensor & special NPR-2 power supply **please specify lens type 22mm Super Wide Angle or 43mm Wide Angle lens	2,658.10
PRO-MX-V12M-SEC-N**	960 line resolution, mono lens vandal proof camera w/single B&W (low light) sensor & special NPR-2 power supply ** please specify lens type 22mm Super Wide Angle or 43mm Wide Angle lens	2,658.10
PRO-MX-V12D-SEC-D**-D**	960 line resolution, mono lens vandal proof camera w/2 color (day) sensors & special NPR-2 power supply **please specify lens type 22mm Super Wide Angle or 43 mm Wide Angle lens	2,753.10
PRO-MX-V12D-SEC-N**-N**	960 line resolution, mono lens vandal proof camera w/2 BW sensors & special NPR-2 power supply	2,753.10
PRO-MX-V12D-SEC-D**-N**	960 line resolution, mono lens vandal proof camera w/1 color (day) & 1 BW (low light) sensors & special NPR-2 power supply ** please specify lens	2,753.10
<b>M12-DevKit MEGAPIXEL CAMERAS (960 LIN</b>		<b>MOBOTIX</b>
PRO-MX-M12-DevKit-Board	M12-board incl. Audio module and Secure Firmware to connect up to 2 camera lenses via flat cable (flat cables, camera module and lenses not	1,084.90
<b>M12 WITH LONG PASS FILTER</b>		<b>MOBOTIX</b>
PRO-MX-M12-SEC-N43 LPF	Dual 143mm Telephoto Lenses w/special Long Pass Filter which eliminates the light below 680nm	1,898.10
PRO-MX-M12-SEC-N135 LPF	Dual 135mm Telephoto Lenses w/special Long Pass Filter which eliminates the light below 680nm	1,898.10
<b>ACCESSORIES for M12-DEVKIT CAMERAS</b>		<b>MOBOTIX</b>
PRO-MX-M12-DevKit-D22	Color (day) sensor module w/22mm Super Wide Angle lens	169.10
PRO-MX-M12-DevKit-D43	Color (day) sensor module w/43mm Wide Angle lens	169.10
PRO-MX-M12-DevKit-D135	Color (day) sensor module w/135mm Tele lens	169.10
PRO-MX-M12-DevKit-N22	B&W (low light) sensor module with 22mm Super Wide Angle lens	169.10
PRO-MX-M12-DevKit-N43	B&W (low light) sensor module with 43mm Wide Angle lens	169.10
PRO-MX-M12-DevKit-N135	B&W (low light) sensor module w/135mm Tele lens	169.10
<b>ACCESSORIES for M12/M22 CAMERAS</b>		<b>MOBOTIX</b>
PRO-MX-WH-SecureFlex	SecureFlex wall and ceiling mount w/2 flexible joints and cable protection for M10/M12/M22 cameras	64.60
PRO-MX-MH-SecureFLEX	Pole and corner mount for M10/M12/M22 cameras	121.60
<b>CamIO Accessories for M12</b>		<b>MOBOTIX</b>
PRO-MX-CAMIO-PoE	2 input contacts, 2 output contacts, one audio line-in and an amplified audio channel	378.10
PRO-MX-CAMIO-AC-115	powered w/integrated power supply 2 input contacts, 2 output contacts, one audio line-in and an amplified audio channel	473.10

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-MX-CAMIO-OPT-M12	Interface Cable	36.10
<b>LENS OPTIONS for M22 MONO &amp; D12 FIXED</b>		
<b>MOBOTIX</b>		
PRO-MX-OPT14-L22	Super Wide angle lens 22mm (90 degrees x 67 degrees)	93.10
PRO-MX-OPT14-L32	Wide-angle lens 32mm (62 degrees x 45 degrees)	93.10
PRO-MX-OPT14-L43	Wide-angle lens 32mm (45 degrees x 34 degrees)	93.10
PRO-MX-OPT14-L65	Tele lens 65mm (31 degrees x 23 degrees)	93.10
PRO-MX-OPT14-L135	Tele lens 65mm (15 degrees x 11 degrees)	93.10
<b>ACCESSORIES for D22M CAMERAS</b>		
<b>MOBOTIX</b>		
PRO-MX-D22M-VANDAL	Reinforced Dome (3mm Polyc.) Stainless steel vandalism ring (matt, polished or white, silver, black powder-coated)	140.60
PRO-MX-D22M-OPT-AP	On-wall mount incl mounting parts Concealed cabling	140.60
PRO-MX-D22M-OPT-IC	In-ceiling set incl mounting parts Concealed camera positioning	140.60
PRO-MX-D22M-OPT-MH	Pole Mount 3mm Stainless steel, powder-coated Pole Diam:60-180mm/2.4-7.1 in incl mounting supplies	140.60
PRO-MX-D22M-OPT-WH	Wall Mount Weather protection (IP65) for D22. Covers RJ45 wall outlets. Space for expansion modules	140.60
<b>ACCESSORIES FOR D12 CAMERAS</b>		
<b>MOBOTIX</b>		
PRO-MX-WH-DOME	Outdoor wall mount for D12 cameras. IP 65 weather rated	140.60
PRO-MX-MH-DOME	Pole and Corner Mount for D12 cameras	140.60
PRO-MX-D12-VANDALL	Reinforced dome, stainless steel vandalism ring (matt, polished or white, silver, black power-coated)	235.60
<b>ACCESSORIES for all cams</b>		
<b>MOBOTIX</b>		
PRO-MX-NPA-3-RJ	Network-Power-Adaptor w/RJ45	84.55
PRO-MX-SNT-US01-30-RJ	US-plug Power Supply w/RJ45 (30VDC)	23.75
PRO-MX-NPA-SET	Network Power Adaptor Set Power supply via network cabling	93.10
PRO-MX-NPR-4	Network-Power-Supply 4 Cameras (MX30V) Power supply for DIN rails	378.10
PRO-MX-NPR-8	19" Network-Power-Rack 8 Cameras	948.10
PRO-MX-NPR-20	19" Network-Power-Rack 20 Cameras	1,423.10
PRO-MX-ExtIO	Each with 2IN- and Output contactss 8-24V , Microphone with adjustable volume control, speaker, status LEDs, USB interface, temperature sensor	283.10
<b>MOBOTIX</b>		
PRO-Q22M-SEC-D11	ultra-compact, weatherproof IP-Dome camera- All around view	853.10
PRO-Q22M-BASIC-D11	ultra-compact, weatherproof IP-Dome camera- All around view	663.10
<b>MILESTONE SYSTEMS A/S</b>		
<b>MILESTONE Software for IP Cameras</b>		
<b>ENTERPRISE</b>		
PRO-XPEBL	Xprotect Enterprise Base License	1,899.05
PRO-DXPEBL	1 DAY PMA FOR XPEBL	0.94
PRO-YXPEBL	1year PMA for XPEBL	342.00
PRO-Y2XPEBL	2 years PMA for XPEBL	570.00
PRO-Y3XPEBL	3 years PMA for XPEBL	741.00
PRO-Y4XPEBL	4 YEAR PMA	988.00
PRO-Y5XPEBL	5 YEAR PMA	1,140.00
PRO-XPECL	Xprotect Enterprise Camera License	255.55
PRO-DXPECL	1 DAY PMA FOR XPECL- SINGLE DAY PURCHASE	0.13
PRO-YXPECL	1 year PMA for XPECL (1-499 cameras)	46.55
PRO-Y2XPECL	2 YEARS PMA FOR XPECL	76.95
PRO-Y3XPECL	3 YEARS PMA FOR XPECL	99.75
PRO-Y4XPECL	4 YEARS PMA FOR XPECL	133.00
PRO-Y5XPECL	5 YEARS PMA FOR XPECL	153.90
PRO-YXPECLB	1 year PMA for XPECL (500-999 cameras)	41.80
PRO-YXPECLC	1 year PMA for XPECL (1000-4999 cameras)	36.10
PRO-YXPECLD	1 year PMA for XPECL (5000 cameras or more)	33.25
PRO-Y2XPECL	2 years PMA for XPECL (1-499 cameras)	76.95
PRO-Y2XPECLB	2 years PMA for XPECL (500-999 cameras)	66.50
PRO-Y2XPECLC	2 years PMA for XPECL (1000-4999 cameras)	61.75
PRO-Y2XPECLD	2 years PMA for XPECL (5000 cameras or more)	57.00
PRO-Y3XPECL	3 years PMA for XPECL (1-499 cameras)	99.75
PRO-Y3XPECLB	3 years PMA for XPECL (500-999 cameras)	84.55
PRO-Y3XPECLC	3 years PMA for XPECL (1000-4999 cameras)	76.95
PRO-Y3XPECLD	3 years PMA for XPECL (5000 cameras or more)	69.35
PRO-XPEPC	Xprotect PDA Client	189.05
<b>TRANSACT</b>		
<b>MILESTONE</b>		
PRO-XPTBS	Xprotect Transact 2.5 Base Server incl. 1 Connection	284.05
PRO-YXPTBS	PMA 1 year	52.25
PRO-XPTC1	Xprotect Transact 2.5 Connection License	255.55

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-XPALPB	Xprotect Analytics- LPR Base Package (1)	3,795.25
PRO-YXPALPB	PMA 1 year	684.00
PRO-XPALPA	Xprotect Analytics- LPR Additional Camera (2)	3,320.25
PRO-YXPALPA	PMA 1 year	598.50
<b>*General XPA Licenses * (3)</b>		
PRO-XPASB	Xprotect Analytics Server Base License	755.25
PRO-YXPASB	PMA 1 year	136.80
PRO-XPASF	Xprotect Analytics Server Feed License	280.25
PRO-YXPASF	PMA 1 year	51.30
<b>*LPR Analytics Behaviours* (4)</b>		
PRO-XPALC	Analytics LPR Camera License	2,465.25
PRO-YXPALC	PMA 1 year	444.60
PRO-XPALP	Analytics LPR License Plate Library	612.75
PRO-YXPALP	PMA 1 year	111.15
<b>*XPA 2.0 SERVER AND CHANNEL LICENSES*</b>		
PRO-XPASBL	XPA 2.0- SERVER LICENSE: BASE LICENSE	380.00
PRO-YXPASBL	PMA (1-YEAR)	68.40
PRO-XPALIF	XPA 2.0- CHANNEL LICENSE: LPR (3)	166.25
PRO-YXPALIF	PMA (1-YEAR)	30.40
PRO-XPAGIF	XPA 2.0- CHANNEL LICENSE: GENERIC API INTEGRATION (2)	166.25
PRO-YXPAGIF	PMA (1-YEAR)	30.40
PRO-XPAAIF	XPA 2.0- CHANNEL LICENSE: AGENTVI INTEGRATION	166.25
PRO-YXPAAIF	PMA (1-YEAR)	30.40
PRO-XPABIF	XPA 2.0- CHANNEL LICENSE: BOSCH INTEGRATION (2)	166.25
PRO-YXPABIF	PMA (1-YEAR)	30.40
<b>MATRIX MILESTONE</b>		
PRO-XPMSL	Xprotect Matrix Server 2.1 w/1 monitor	498.75
PRO-YXPMSL	PMA 1 year	90.25
PRO-XPMEM	Xprotect Matrix 2.1- 1 extra monitor	422.75
PRO-YXPMEM	PMA 1 year	80.75
<b>BASIS MILESTONE</b>		
PRO-XPB16	Xprotect Basis for 16 cameras	474.05
PRO-XPB16-10	Xprotect Basis for 16 cameras (10 Packages)	3,320.25
<b>BASIS+ MILESTONE</b>		
PRO-XPB+04	Xprotect Basis+ 6.0 for 4 cameras	474.05
PRO-XPB+04-10	Xprotect Basis+ 6.0 for 4 cameras (10 packages)	1,899.05
PRO-XPB+06	Xprotect Basis+ for 6 cameras	664.05
PRO-XPB+09	Xprotect Basis+ for 9 cameras	949.05
PRO-XPB+16	Xprotect Basis+ for 16 cameras	1,424.05
PRO-XPB+25	Xprotect Basis+ for 25 cameras	1,899.05
<b>PROFESSIONAL MILESTONE</b>		
PRO-XPP01	Xprotect Professional 6.0 for 1 camera	375.25
PRO-YXPP01	PMA 1 year	71.25
PRO-XPP04	Xprotect Professional 6.0 for 4 cameras	1,135.25
PRO-YXPP04	PMA 1 year	209.00
PRO-XPP09	Xprotect Professional 6.0 for 9 cameras	1,990.25
PRO-YXPP09	PMA 1 year	361.00
PRO-XPP16	Xprotect Professional 6.0 for 16 cameras	2,845.25
PRO-YXPP16	PMA 1 year	513.00
PRO-XPP25	Xprotect Professional 6.0 for 25 cameras	3,795.25
PRO-YXPP25	PMA 1 year	684.00
PRO-XPP36	Xprotect Professional 6.0 for 36 cameras	5,220.25
PRO-YXPP36	PMA 1 year	940.50
PRO-XPP50	Xprotect Professional 6.0 for 50 cameras	7,120.25
PRO-YXPP50	PMA 1 year	1,282.50
PRO-XPP64	Xprotect Professional 6.0 for 64 cameras	9,020.25
PRO-YXPP64	PMA 1 year	1,624.50
<b>CENTRAL MILESTONE</b>		
PRO-XPCBS	Xprotect Central 3.5 Server incl. 1 Connection	1,899.05
PRO-YXPCBS	PMA 1 year	342.00
PRO-XPCC1	Xprotect Central 3.5 Connection License	284.05
PRO-YXPCC1	PMA 1 year	52.25
<b>CORPORATE MILESTONE</b>		

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-Y2XPCOBS	PMA 2 year	1,282.50
PRO-Y3XPCOBS	PMA 3 year	1,667.25
PRO-Y4XPCOBS	PMA 4 YEAR	2,223.00
PRO-Y5XPCOBS	PMA 5 YEAR	2,565.00
PRO-XPCODL	Xprotect Corporate 1.5 Device Channel License	312.55
PRO-DXPCODL	1 DAY PAM FOR XPCODL- SINGLE DAY PURCHASE	0.16
PRO-YXCOCL	PMA 1 year	57.00
PRO-Y2XPCODL	PMA 2 year	95.00
PRO-Y3XPCODL	PMA 3 year	123.50
PRO-Y4XPCODL	PMA 4 YEAR	166.25
PRO-Y5XPCODL	PMA 5 YEAR	190.00
PRO-XPCORL	Xprotect Corporate 1.5 Recording Server License	949.05
PRO-YXPCORL	PMA 1 year	171.00
PRO-Y2XPCORL	PMA 2 year	285.00
PRO-Y3XPCORL	PMA 3 year	370.50

S2 SECURITY CORP		S2 SECURITY Corp. IP Access/Video/Identity Management System	STS Price
PRO-S2-NBSB1-C	S2 NETBOX SYSTEM BUNDLE 2 READERS, 4INPUTS, 4 OUTPUT CAPABILITY		2,698.00
PRO-S2-NBSB1-WM	AS ABOVE W/FULL SIZE WALL ENCLOSURE FOR 7 EXPANSION BLADES		2,698.00
PRO-S2-NBSB1-RM	AS ABOVE EXCEPT IN 4U RACK MOUNT ENCLOSURE: NO LOCK, EXTERNAL BACKUP POWER ONLY		2,983.00
PRO-S2-NBSB1-MN-C	S2 NETBOX SYSTEM LICENSED FOR UP TO 4 READERS AND 2 CAMERAS AND 1 S2 CONTROLLER ONLY HEAD-END CABINET		3,404.80
PRO-S2-NBSB1-MN-WM	S2 NETBOX SYSTEM LICENSED FOR UP TO 4 READERS AND 2 CAMERAS AND 1 COMBINATION S2 CONTROLLER-ONLY HEAD-END CABINET		3,849.40
PRO-S2-NBSB2-C	S2 NETBOX SYSTEM BUNDLE FOR 4 READERS, 8 INPUTS, 8 OUTPUTS CAPABILITY		3,497.90
PRO-S2-NBSB2-WM	AS ABOVE WITH FULL SIZE WALL ENCLOSURE FOR 7 EXPANSION BLADES		3,497.90
PRO-S2-NBSB2-RM	AS ABOVE EXCEPT IN 4U RACK MOUNT ENCLOSURE: NO LOCK, EXTERNAL BACKUP POWER ONLY		3,794.30
PRO-S2-NBSB2-MN-C	S2 NETBOX SYSTEM LICENSED FOR UP TO 4 READERS AND 2 CAMERAS AND 1 S2 CONTROLLER ONLY HEAD-END CABINET		4,905.80
PRO-S2-NBSB2-MN-RM	S2 NETBOX SYSTEM LICENSED FOR UP TO 4 READERS AND 2 CAMERAS AND 1 S2 CONTROLLER ONLY HEAD-END CABINET		5,390.30
<b>S2 ENTERPRISE</b>		<b>S2 SECURITY CORP.</b>	
PRO-S2-ENT-64	1U HIGH RACK MOUNT SERVER		9,167.50
PRO-S2-ENT-128	1U HIGH RACK MOUNT SERVER		12,967.50
PRO-S2-ENT-192	1U HIGH RACK MOUNT SERVER		20,567.50
PRO-S2-ENT-256	1U HIGH RACK MOUNT SERVER		24,367.50
PRO-S2-ENT-320	1U HIGH RACK MOUNT SERVER		28,167.50
PRO-S2-ENT-384	1U HIGH RACK MOUNT SERVER		31,967.50
PRO-S2-ENT-448	1U HIGH RACK MOUNT SERVER		35,767.50
PRO-S2-ENT-512	1U HIGH RACK MOUNT SERVER		39,567.50
PRO-S2-ENT-DBP	DATABASE PARTITIONING FOR ENTERPRISE SYSTEMS- SYSTEM PARTITIONING LICENSE		7,600.00
PRO-S2-ENT-R64	64 READER EXPANSION FOR AN EXISTING ENTERPRISE SYSTEM		4,750.00
<b>S2 ENTERPRISE ULTRA</b>		<b>S2 SECURITY CORP.</b>	
PRO-S2-ULTRA-128	2U HIGH RACK MOUNT SERVER		22,800.00
PRO-S2-ULTRA-192	2U HIGH RACK MOUNT SERVER		26,600.00
PRO-S2-ULTRA-256	2U HIGH RACK MOUNT SERVER		30,400.00
PRO-S2-ULTRA-320	2U HIGH RACK MOUNT SERVER		34,200.00
PRO-S2-ULTRA-384	2U HIGH RACK MOUNT SERVER		38,000.00
PRO-S2-ULTRA-448	2U HIGH RACK MOUNT SERVER		41,800.00
PRO-S2-ULTRA-512	2U HIGH RACK MOUNT SERVER		45,600.00
PRO-S2-ULTRA-R64	63 READER EXPANSION FOR AN EXISTING ENTERPRISE ULTRA SYSTEM		4,750.00
<b>S2NETDOOR MICRONODE</b>		<b>S2 SECURITY CORP.</b>	
PRO-S2-NDMN	S2 NETDOOR MICRONODE		1,320.50
PRO-S2-NDMN-MP	S2 NETDOOR MICRONODE		1,282.50
<b>S2 NETBOX SYSTEM MODELS</b>		<b>S2 SECURITY CORP.</b>	
PRO-S2-NC-M100	S2 NETBOX SYSTEM MODEL 100		1,890.50
PRO-S2-NC-M200	S2 NETBOX SYSTEM MODEL 200		3,705.00
PRO-S2-NC-M300	S2 NETBOX SYSTEM MODEL 300		8,156.70
PRO-S2-NC-M400	S2 NETBOX SYSTEM MODEL 400		12,967.50
PRO-S2-NC-M500	S2 NETBOX SYSTEM MODEL 500		18,990.50
PRO-S2-NC-CNTL-C	S2 SELF CONTAINED NETWORK CONTROLLER, COMPACT ENCLOSURE		1,377.50
PRO-S2-NC-CNTL-WM	S2 SELF CONTAINED NETWORK CONTROLLER, WALL MOUNT ENCLOSURE		1,377.50
PRO-S2-NC-CNTL-RM	S2 SELF CONTAINED NETWORK CONTROLLER, RACK MOUNT ENCLOSURE		1,643.50
PRO-S2-NBXL-128	S2 NETBOX 1U RACK MOUNT NETWORK CONTROLLER		25,650.00
PRO-S2-XL-R64	ADDITIONAL 64 READER LICENSE BLOCK UPGRADE FOR S2-NB-XL		4,750.00
<b>S2 NETBOX SYSTEM LICENSE UPGRADES</b>		<b>S2 SECURITY CORP.</b>	
PRO-S2-NBXL-128	S2 NETBOX LICENSE UPGRADE MODEL 100 & 200		2,698.00

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-S2-SL5	S2 NETBOX LICENSE UPGRADE MODELS 400 & 500	14,250.00
PRO-SL-SL-ENT	MODEL 300 TO 1U RACK MOUNT SERVER	7,427.10
PRO-S2-SL-ULTRA	MODEL 300 TO 2U RACK MOUNT SERVER	14,441.90
PRO-S2-LSS1	S2 NETBOX LICENSE UPGRADE SPECIAL LTD CAP MOD 100	1,620.70
<b>S2 NETWORK NODE STANDARD PACKAGE: S2 SECURITY CORP.</b>		
PRO-S2-NN-E2R-WM	S2 NETWK NODE W/2 READERS, 4 INPUTS,4 OUTPUTS	2,226.80
PRO-S2-NN-E2R-C	S2 NETWK NODE W/2 READERS, 4 INPUTS,4 OUTPUTS	2,175.50
PRO-S2-NN-E2R-RM	S2 NETWK NODE W/2 READERS, 4 INPUTS,4 OUTPUTS	2,530.80
PRO-S2-NN-E4R-WM	S2 NETWK NODE W/4 READERS, 8 INPUTS,8 OUTPUTS	2,937.40
PRO-S2-NN-E4R-C	S2 NETWK NODE W/4 READERS, 8 INPUTS,8 OUTPUTS	2,886.10
PRO-S2-NN-E4R-RM	S2 NETWK NODE W/4 READERS, 8 INPUTS,8 OUTPUTS	3,243.30
PRO-S2-NN-E6R-WM	S2 NETWK NODE W/6 READERS, 12 INPUTS,12 OUTPUTS	3,649.90
PRO-S2-NN-E6R-RM	S2 NETWK NODE W/6 READERS, 12 INPUTS,12 OUTPUTS	3,953.90
PRO-S2-NN-E8R-WM	S2 NETWK NODE W/8 READERS, 16 INPUTS, 16 OUTPUTS	4,360.50
PRO-S2-NN-E8R-RM	S2 NETWK NODE W/8 READERS, 16 INPUTS, 16 OUTPUTS	4,666.40
PRO-S2-NN-E10R-WM	S2 NETWK NODE W/10 READERS, 20 INPUTS,20 OUTPUTS	5,073.00
PRO-S2-NN-E10R-RM	S2 NETWK NODE W/10 READERS, 20 INPUTS,20 OUTPUTS	5,377.00
PRO-S2-NN-E12R-WM	S2 NETWK NODE W/12 READERS, 24 INPUTS,24 OUTPUTS	5,783.60
PRO-S2-NN-E12R-RM	S2 NETWK NODE W/12 READERS, 24 INPUTS,24 OUTPUTS	6,089.50
PRO-S2-NN-E14R-WM	S2 NETWK NODE W/14 READERS, 28 INPUTS,28 OUTPUTS	6,496.10
PRO-S2-NN-E14R-RM	S2 NETWK NODE W/14 READERS, 28 INPUTS,28 OUTPUTS	6,800.10
PRO-S2-NN-ERM	S2 NETWK NODE (NO ACCESSORY BLADES INCLUDED)	2,405.40
PRO-S2-RMK	S2 NETWK NODE RACK MOUNT ENCLOSURE RAILS	152.00
PRO-S2-NN-E-WM	S2 NETWK NODE (NO ACCESSORY BLADES INCLUDED)	2,099.50
PRO-S2-NN-E-C	S2 NETWK NODE (NO ACCESSORY BLADES INCLUDED)	2,050.10
<b>S2 NETBOX APPLICATION BLADES AND SP S2 SECURITY CORP.</b>		
PRO-S2-ACM	S2NETBOX ACCESS EXT MODULE: 2 READERS,4 IN/OUTPUTS	712.50
PRO-S2-INP	S2NETBOX SUPV INPUT EXTENSION MODULE-8 INPUTS	416.10
PRO-S2-OUTP	S2NETBOX RELAY CONTROLLED OUTPUT EXT MOD - 8 OUT	549.10
PRO-S2-TEMP	TEMPERATURE INPUT APPLICATION EXTENSION BLADE: 8 TEMPERATURE INPUTS	509.20
PRO-S2-TEMP-PR	TEMPERATURE SENSOR, EACH	142.50
PRO-S2-CNCBM	S2 NETWORK CONTROLLER/NETWORK NODE COMBINATION- SERIES II	1,896.20
PRO-S2-FLASH	COMPACT FLASH UPGRADE FOR SERIES II INTEGRATOR DEMO SYSTEMS TO VERSION 3.1	95.00
PRO-S2-S2NC	S2NC SERIES 1 BLADE INCLS MOD 100 SYS LICENSE,24V	2,441.50
PRO-S2-BM	S2NN NETWORK NODE BLADE ONLY, 24V	1,119.10
PRO-S2-ENCL	S2NETBOX ENCLOSURE,PWR SUP,CABLE,NO BOARDS,24V	870.20
PRO-S2-S2NCBM	S2NETWK CONTROLLER/NODE,SERIES II BLADE,NO LIC,12V	1,896.20
PRO-S2-CBM	S2NN NETWORK NODE BLADE ONLY, 24V	1,197.00
PRO-S2-ENCL-WM	S2NETBOX WALL MOUNT ENCL,PWR SUP,CAB,NO BLADES,12V	929.10
PRO-S2-ENCL-RM	S2NETBOX RACK MOUNT ENCL,PWR SUP,CAB,NO BLADES,12V	1,214.10
PRO-S2-ENCL-C	S2NETBOX RACK MOUNT ENCL,PWR SUP,CAB,NO BLADES,12V	881.60
PRO-S2-INST	INSTALL KIT S2 NETWK NODE NOT USING STANDARD ENCL	142.50
<b>S2 NETBOX IDENTITY MANAGEMENT SOLU S2 SECURITY CORP.</b>		
PRO-S2-ID-M100	1 USER ID BADGE DESIGNER/PRNT STA LICENSE/10,000	1,472.50
PRO-S2-IDC-M100	IDENTITY MGMT MODEL 100 W/CANON CAMERA DRIVER SUPPORT	1,890.50
PRO-S2-ID-M200	1 USER ID BADGE DESIGNER/PRNT STA LICENSE/20,000	2,422.50
PRO-S2-IDC-M200	IDENTITY MGMT MODEL 200 W/CANON CAMERA DRIVER SUPPORT	2,840.50
PRO-S2-IDA-M200	ADD'L MODEL 200 ID BADGE DESIGNER/PRNT STA LICENSE	1,890.50
PRO-S2-ID-M300	1 USER ID BADGE DESIGNER/PRNT STA LICENSE/40,000	4,750.00
PRO-S2-IDC-M300	IDENTITY MGMT MODEL 300 W/CANON CAMERA DRIVER SUPPORT	5,215.50
PRO-S2-IDA-M300	ADD'L MODEL 300 ID BADGE DESIGNER/PRINT STA LICENSE	3,325.00
PRO-S2-ID-M400	1 USER ID BADGE DESIGNER/PRNT STA LICENSE/80,000	6,222.50
PRO-S2-IDC-M400	ID MGMT FOR MODEL 100 W/CANON CAMERA DRIVER	6,640.50
PRO-S2-IDA-M400	ADD'L MODEL 400 ID BADGE DESIGNER/PRINT STA LICENSE	4,275.00
<b>S2 NETBOX VIDEO MANAGEMENT SOLUTIO S2 SECURITY CORP.</b>		
PRO-S2-DVR-DM	DEDICATED MICROS DVIP OR DS2-AD INTEGRATION	475.00
PRO-S2-DVR-CAM	LICENSE FEE PER CAMERA BEYOND INITIAL 4 LICENSES	142.50
PRO-S2-NVR-MS	MILESTONE SYSTEMS NVR SERVER SOFTWARE	2,850.00
PRO-S2-NVR-MSCAM	MILESTONE SYSTEMS NVR LICENSE FEE PER CAMERA	383.80
PRO-S2-NVR-MSCAM-11	NETBOX PER CAMERA INTEGRATION LICENSE FOR 11 CAMERAS AND BEYOND	526.30
PRO-S2-NVR-XMS	12 MO SUPPORT EXTENSION FOR MILESTONE NVR SERVER	513.00
PRO-S2-NVR-XMC	12 MO PERIODIC MAINTENANCE AGREEMENT FOR MILESTONE XPROTECT CAMERA PER CAMERA	72.20
PRO-S2-NVR-SMS	VIDEO MGMT, MILESTONE SYSTEMS UP TO 4 CAMERAS	475.00
PRO-S2-NVR-CAM	VMSI OPTION LICENSE FEE BEYOND INITIAL 4 LICENSES	142.50
PRO-S2-NVR-CAM	VMSI OPTION, ONSSI INCLUDES UP TO 4 CAMERAS	522.50

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-S2-M100-SUSP	1 YR UPGRADE/SUPPORT (MODEL 100 OR 2/4 READER)	475.00
PRO-S2-M200-SUSP	1 YR SOFTWARE UPGRADE/SUPPORT PLAN MODEL 200	855.00
PRO-S2-M300-SUSP	1 YR SOFTWARE UPGRADE/SUPPORT PLAN MODEL 300	2,375.00
PRO-S2-M400-SUSP	1 YR SOFTWARE UPGRADE/SUPPORT PLAN MODEL 400	3,610.00
PRO-S2-M500-SUSP	1 YR SOFTWARE UPGRADE/SUPPORT PLAN MODEL 500	5,510.00
PRO-S2-ENT-SUSP	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN FOR S2 ENTERPRISE/ULTRA 128 PORTALS	4,750.00
PRO-ENT-S64-SUSP	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN ADDER FOR S2 ENTERPRISE/ULTRA SYSTEMS LARGER THAN 128 PORTALS, PRICED PER BLOCK OF 64 PORTALS BEYOND THE BASE OF 128	950.00
PRO-SUSP-V8	UPGRADE/SUPPORT PLAN-VIDEO,MFR DVR AND NVR, PER 8 CHANLS	190.00
PRO-S2-NBXL-SUSP	1 YEAR SOFTWARE UPGRADE AND SUPPORT PLAN FOR S2-NBXL-128	4,750.00
	1 YEAR SOFTWARE UPGRADE AND SUPPORT PLAN ADDER FOR S2-NBXL SYS LARGER THAN 128 READERS, PRICED PER BLOCKOF 64 READERS BEYOND THE BASE 128	950.00
PRO-S2-NBXL-S64	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN FOR MODEL 100- SYSTEMS OUT OF WARRANTY AND NOT COVERED BY CURRENT	665.00
PRO-S2-M100-UPG	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN FOR MODEL 200- SYSTEMS OUT OF WARRANTY AND NOT COVERED BY CURRENT	1,140.00
PRO-S2-M200-UPG	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN FOR MODEL 300- SYSTEMS OUT OF WARRANTY AND NOT COVERED BY CURRENT	3,040.00
PRO-S2-M300-UPG	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN FOR MODEL 400- SYSTEMS OUT OF WARRANTY AND NOT COVERED BY CURRENT	4,560.00
PRO-S2-M400-UPG	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN FOR S2 ENTERPRISE/ULTRA SYSTEMS OUT OF WARRANTY AND NOT COVERED BY CURRENT SUPPORT PLAN	6,080.00
PRO-S2-ENT-UPG	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN ADDER FOR S2 ENTERPRISE/ULTRA SYSTEMS LARGER THAN 128 READERS, PRICED PER BLOCK OF 64 READERS BEYOND THE BASE OF 128. FOR SYSTEMS OUT OF WARRANTY AND NOT COVERED BY A CURRENT	1,330.00
PRO-S2-ENT-S64-UPG	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN FOR S2 ENTERPRISE ULTRA SYSTEMS OUT OF WARRANTY AND NOT COVERED BY CURRENT SUPPORT PLAN	6,080.00
PRO-S2-NBXL-UPG	1 YR SOFTWARE UPGRADE AND SUPPORT PLAN ADDER FOR S2 ENTERPRISE/ULTRA SYSTEMS LARGER THAN 128 READERS FOR SYSTEMS OUT OF WARRANTY AND NOT COVERED BY CURRENT SUPPORT PLAN	1,330.00
PRO-S2-NBXL-S64-UPG		
<b>S2 SYSTEM CONTINUITY OPTIONS</b>		
<b>S2 SECURITY CORP.</b>		
PRO-S2-S2NCBM	S2-NCBM REOPPLACEMENT BLADE FOR MODEL 100-500 AND NBSB2 SYS	1,805.00
PRO-S2-NCR-M200	NETWORK CONTROLLER BLADE AND BASE SOFTWARE LICENSE FOR MODEL 200	2,840.50
PRO-S2-NCR-M300	NETWORK CONTROLLER BLADE AND BASE SOFTWARE LICENSE FOR MODEL 300	4,729.10
PRO-S2-NCR-M400	NETWORK CONTROLLER BLADE AND BASE SOFTWARE LICENSE FOR MODEL 400	8,006.60
PRO-S2-NCR-M500	NETWORK CONTROLLER BLADE AND BASE SOFTWARE LICENSE FOR MODEL 500	10,372.10
PRO-S2-NXBLR-128	NETWORK CONTROLLER APPLIANCE AND BASE SOFTWARE FOR S2-NETBOX-XL 128 READERS	13,300.00
PRO-S2-NBXL-256	NETWORK CONTROLLER APPLIANCE AND BASE SOFTWARE FOR S2-NETBOX-XL 256 READERS	15,200.00
<b>Altronix- Power Supplies</b>		
<b>LINEAR POWER SUPPLY/CHARGER BOARD</b>		
<b>Altronix</b>		
PRO-AL624	6VDC, 12VDC @1.2 amp or 24 VDC @750mA.	16.64
PRO-AL62412C	6 VDC @1.2 amp, 12VDC/4AH battery & 16.5 VAC/20VA plug-in transformer	57.40
PRO-AL62412CX	6VDC @1.2 amp, 12VDC/7AH batteries & 16.5VAC/20VA plug-in transformer	61.60
PRO-AL62424C	24VDC @ 750 mA, two 12 VDC/4AH batteries & 24VAC/20VA plug-in transformer	85.60
PRO-AL6246C	6VDC @ 1.2 amp, 6VDC/4AH battery & 12VAC/20VA plug-in transformer	52.60
PRO-LPS3	12VDC or 24 VDC @ 2.5 amp, over voltage protection	58.80
PRO-LPS3AC	12VDC or 24VDC @ 2.5 amp, over voltage protection and AC monitoring	80.00
<b>LINEAR POWER SUPPLY/CHARGERS WITH</b>		
<b>Altronix</b>		
PRO-AL624E	6VDC, 12 VDC @ 1.2 amp or 24VDC @750mA, grey enclsoure 8.5"H x 7.5"W x 3.5"D	47.80
PRO-AL624ET	6VDC, 12 VDC @ 1.2 amp or 24VDC @750mA, 16VAC/20VA Plug-in Transformer, grey enclosure 8.5"Hx 7.5"H x 3.5"D	57.20
PRO-LPS3C12X	12VDC @ 2.5 amp, over voltage protection, grey enclosure 13"H x 13.5" Wx 3.25"D	189.00
PRO-LPS3C24X	24VDC @2.5 amp, over voltage protection, grey enclosure 13"Hx 13.5 "W x 3.25"D	189.00
PRO-LPS3WP12	12 VDC @ 2.5 amp, over voltage protection, NEMA4/IP65 outdoor rated enclosure 12"H x 8"W x 6"D	269.00
PRO-LPS3WP24	24 VDC @ 2.5amp, over voltage protection, NEMA4/IP 65 outdoor rated enclosure 12"H x 8"Wx 6"D	269.00
PRO-LPS5C12X	12VDC @ 3.5 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"H x 13.5" Wx 3.25"D	218.00
PRO-LPS5C24X	24VDC @ 3.5 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"H x 13.5" Wx 3.25"D	218.00
<b>HIGH CURRENT POWER SUPPLY/ CHARGER</b>		
<b>Altronix</b>		
PRO-SMP3	6VDC, 12VDC or 24VDC @2.5amp	43.32
PRO-SMP312C	12VDC @2.5 amp, 12VDC/4AH battery & 16.5VAC/40VA plug-in transformer	89.80
PRO-SMP312CX	12VDC @2.5 amp, 12VDC/7AH battery & 16.5VAC/40VA plug-in transformer	92.50
PRO-SMP5	6VDC, 12VDC or 24VDC @4amp	63.90
PRO-SMP7	12VDC or 24VDC @6amp board	121.80
PRO-SMP10	12VDC or 24 VDC @10amp board	178.50
<b>HIGH CURRENT POWER SUPPLY/CHARGER</b>		
<b>Altronix</b>		
PRO-SMP3E	6vdc, 12vdc OR 24vdc @2.5AMP, GREY ENCLOSURE 8.5"Hx7.5"Wx 3.5"D	73.32

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>SUPERVISED POWER SUPPLY/CHARGERS</b>		
<b>Altronix</b>		
PRO-SMP3PMCTX	12VDC or 24VDC @2.5 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"Hx13.5"Wx3.5"D	197.40
PRO-SMP5PMCTX	12VDC or 24VDC @4 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"Hx13.5"Wx3.5"D	226.80
PRO-SMP7PMCTX	12VDC or 24VDC @6 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"Hx13.5"Wx3.5"D	290.00
PRO-SMP10PMC12X	12VDC @10 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"Hx13.5"Wx3.5"D	347.00
PRO-SMP10PMC24X	24VDC @10 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"Hx13.5"Wx3.5"D	480.00
PRO-SMP16PMC12X	12VDC @16 amp, 115VAC input, AC and battery monitoring, grey enclosure 13"Hx13.5"Wx3.5"D	480.00
<b>HIGH CURRENT POWER SUPPLY/CHARGER</b>		
<b>Altronix</b>		
PRO-SMP10PM12P4	12VDC @10amp, 115VAC input, AC and battery monitoring, Four fuse protected outputs, grey enclosure 13"Hx13.5"Wx3.25"D	373.00
PRO-SMP10PM12P4CB	12VDC @10amp, 115VAC input, AC and battery monitoring, Four PTC protected outputs, grey enclosure 13"Hx13.5"Wx3.25"D	373.00
PRO-SMP10PM12P8	12VDC @10amp, 115VAC input, AC and battery monitoring, Eight fuse protected outputs, grey enclosure 13"Hx13.5"Wx3.25"D	381.00
PRO-SMP10PM12P8CB	12VDC @10amp, 115VAC input, AC and battery monitoring, Eight PTC protected outputs, grey enclosure 13"Hx13.5"Wx3.25"D	381.00
PRO-SMP10PM12P16	12VDC @10amp, 115VAC input, AC and battery monitoring, Sixteen fuse protected outputs, grey enclosure 13"Hx13.5"Wx3.25"D	421.00
PRO-SMP10PM12P16CB	12VDC @10amp, 115VAC input, AC and battery monitoring, Sixteen PTC protected outputs, grey enclosure 13"Hx13.5"Wx3.25"D	421.00
PRO-SMP10PM24P4	24VDC @10amp, 115VAC input, AC and battery monitoring, Four fuse protected outputs, grey enclosure 15.5"Hx12"Wx4.5"D	553.00
PRO-SMP10PM24P4CB	24VDC @10amp, 115VAC input, AC and battery monitoring, Four PTC protected outputs, grey enclosure 15.5"Hx12"Wx4.5"D	553.00
PRO-SMP10PM24P8	24VDC @10amp, 115VAC input, AC and battery monitoring, Eight fuse protected outputs, grey enclosure 15.5"Hx12"Wx4.5"D	526.00
PRO-SMP10PM24P8CB	24VDC @10amp, 115VAC input, AC and battery monitoring, Eight PTC protected outputs, grey enclosure 15.5"Hx12"Wx4.5"D	526.00
PRO-SMP10PM24P16	24VDC @10amp, 115VAC input, AC and battery monitoring, Sixteen fuse protected outputs, grey enclosure 15.5"Hx12"Wx4.5"D	586.60
PRO-SMP10PM24P16CB	24VDC @10amp, 115VAC input, AC and battery monitoring, Sixteen PTC protected outputs, grey enclosure 15.5"Hx12"Wx4.5"D	586.60
<b>OFF-LINE SWITCHING POWER SUPPLY/CH</b>		
<b>Altronix</b>		
PRO-OLS20	12 VDC @1amp or 24VDC@ 500mA, 115VAC input	34.00
PRO-OLS75	12VDC or 24VDC @2.5amp, 115VAC input, AC and battery monitoring	130.00
PRO-OLS120	12VDC or 24VDC @4amp, 115VAC input, AC and battery monitoring	160.00
PRO-OLS180	12VDC or 24VDC @6amp, 115VAC input, AC and battery monitoring	230.00
PRO-OLS200	12VDC @10amp, 115VAC input, AC and battery monitoring	230.00
PRO-OLS250	24VDC @10amp, 115VAC input, AC and battery monitoring	360.00
PRO-OLS300	12VDC @16amp, 115VAC input, AC and battery monitoring	360.00
<b>U.L. RECOGNIZED POWER SUPPLY/CHARG</b>		
<b>Altronix</b>		
PRO-AL125ULB	12VDC or 24VDC @1amp, Latching/Non-latching Fire Alarm disconnect, UL Recognized component	56.00
PRO-AL175ULB	12VDC or 24VDC @1.75amp, Latching/Non-latching Fire Alarm disconnect, UL Recognized component	84.00
PRO-AL176ULB	12VDC or 24VDC @1.75amp Board, AC fail and low battery reporting, UL Recognized component	84.00
PRO-AL201ULB	12VDC or 24VDC @1.75amp, AC fail and low battery reporting, UL Recognized component	84.00
PRO-AL300ULB	12VDC or 24VDC@2.5 amp, AC and battery monitoring, Class 2 Rated power limited output, UL Recognized component	108.50
PRO-AL300ULXB	12VDC or 24VDC@2.5 amp, 115VAC input and battery monitoring, Class 2 Rated power limited output, UL Recognized component	159.00
PRO-AL400ULB	12VDC @4amp or 24VDC @3amp, 115VAC input, AC and battery monitoring, Class 2 Rated power limited output, UL Recognized component	142.80
PRO-AL400ULXB	12VDC @4amp or 24VDC @3amp, 115VAC input, AC and battery monitoring, Class 2 Rated power limited output, UL Recognized component	188.50
PRO-600ULB	12VDC or 24VDC @ 6amp, AC battery monitoring, non-power limited output, UL Recognized component	170.00
PRO-AL600ULXB	12VDC or 24 VDC @ 6amp, 115VAC input, AC and battery monitoring, Class 2 Rated power limited output, UL Recognized component	300.00
PRO-AL1012ULXB	12VDC @10amp, 115VAC input, AC and battery monitoring, UL Recognized component	340.00
PRO-AL1024ULXB	power supply/Charger-24VDC @10amp Board, AC fail and low battery monitoring, UL Recognized	380.00
<b>U.L. LISTED SINGLE OUTPUT POWER SUPP</b>		
<b>Altronix</b>		
PRO-AL100UL	12VDC @0.75amp, grey enclosure 8.5"Hx7.5"Wx3.5"D, UL Listed (UL603), ULC.	92.40
PRO-AL201UL	12VDC@1.75 amp, 115VAC input, AC and battery monitoring, Class 2 Rated power limited output, grey enclosure 8.5"Hx7.5"Wx3.5"D UL Listed (UL294), (UL603).	119.70
PRO-AL300ULX	12 VDC or 24 VDC @2.5 amp, 115VAC input, AC and battery monitoring, Class 2 Rated power limited output, grey enclosure 13"Hx13.5"Wx3.25"D, UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481). CSFM and MEA approved	218.50
PRO-AL300ULXR	Same features as PRO-AL300ULX with red enclosure	218.50
PRO-AL300ULXD	12VDC or 24VDC @2.5amp, 115VAC or 220VAC input, AC and battery monitoring, Class 2 Rated power limited output, grey enclosure 13"Hx13.5"Wx3.5"D, UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481).CSFM and MEA approved	239.00
PRO-AL400UL	12VDC @4amp or 24VDC@3amp, 115VAC input, AC and battery monitoring, Class 2 Rated power limited output, grey enclosure 12.25"Hx7.5"Wx4.5"D, UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481). CSFM and Mea approved	241.50
PRO-AL400ULX	12VDC @4amp or 24VDC@3amp, 115VAC input, AC and battery monitoring, Class 2 Rated power limited output, grey enclosure 13"Hx13.5"Wx3.25"D, UL/CUL listed (UL294), (UL603), (UL1069), (UL1481). CSFM, MEA and FM approved	273.00
PRO-AL400ULXR	Same features as PRO-AL400ULX with red enclosure	273.00
PRO-AL600ULX	12VDC or 24VDC @6amp, 115 VAC input, AC and battery monitoring, non-power limited output, grey enclosure 13"Hx13.5"Wx3.25"D, UL/CUL Listed (UL294), (UL1481). CSFM, MEA and FM approved.	390.00
PRO-AL600ULXR	Same features as PRO-AL600ULX with red enclosure	390.00
PRO-AL600ULXD	12VDC or 24VDC @6amp, 115 VAC or 220 VAC input, AC and battery monitoring, Class 2 Rated power limited output, grey enclosure 15.5"Hx 12"Wx4.5"D, UL/CUL Listed (UL294), (UL1481).	410.00
PRO-AL1012ULX	12VDC @ 10amp, 115VAC input, AC and battery monitoring, nonpower limited output, grey enclosure 15.5"Hx 12"Wx 4.5"D, UL/CUL Listed (UL294), (UL1481). CSFM, MEA and FM Approved	420.00
PRO-AL1024ULX	24VDC @10amp, 115VAC input, AC and battery Monitoring, nonpower limited output, grey enclosure 15.5"Hx12"Wx4.25"D, UL/CUL Listed (UL294), (UL1481). CSFM and MEA Approved	500.00

ProTech Security, Inc.

7026 Sunset Strip Ave. NW

North Canton, OH 44720-7077

Price List Effective Date: January 1, 2009



www.protech-security.com

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-AL125UL	12vdc OR 24vdc @1AMP, Latching/Non Latching Fire Alarm disconnect, grey enclosure 8"H x 7.25"W x3.5"D and open frame transformer, UL/CUL Listed (UL294)	106.70
PRO-AL125ULX	12VDC or 24VDC @1amp, Latching/NonLatching Fire Alarm disconnect, red enclosure 8"Hx 7.25"Wx 3.5"D and open frame transformer, UL/CUL Listed (UL294)	126.70
PRO-AL125ULE	12VDC or 24VDC @1amp, Latching/NonLatching Fire Alarm disconnect, grey enclosure 13.5"Hx 13"Wx 3.25"D cam lock and transformer, UL/CUL Listed (UL294)	86.70
PRO-AL125ULP	12VDC @1amp or 24VDC @0.5amp, Latching/Non Latching Fire Alarm disconnect, Grey enclosure 8.5"Hx 7.5"W x3.5"D, TP2440 Plug-in transformer, UL/CUL Listed (UL294)	106.70
PRO-AL175UL	12VDC or 24 VDC @1.75 amp, Latching/Non Latching Fire Alarm Disconnect, grey enclosure 8.5"Hx 7.5"Wx 3.5"D, UL/CUL Listed (UL294)	150.00
PRO-AL175ULX	Same features as PRO-AL175UL in larger enclosure 13.5"Hx 13"Wx 3.25"D.	170.00
PRO-AL175ULX2	12 or 24VDC @1.75 amp Latching/Non Latching Fire Alarm Disconnect, Class 2 Rated power limited output, grey enclosure 13.5"Hx 13"Wx 3.25"D, UL/CUL Listed (UL294)	240.00
PRO-AL176UL	12VDC or 24VDC @1.75amp cULus Listed. Access control (UL294), AC fail and low battery reporting. With grey enclosure 8.5"Hx 7.5"Wx 3.5"D	150.00
PRO-AL176ULX	Same features as PRO-AL176UL in larger enclosure 13.5"Hx13"Wx3.25"D	170.00
PRO-AL300ULM	12VDC or 24VDC @2.5 amp, 115VAC input, AC and battery monitoring. Fire Alaem interface. Five individually PTC protected Class 2 Rated power limited outputs, grey enclosure 13"Hx 13.5"W x3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	278.50
PRO-AL300ULMR	Same features as PRO-AL300ULM with red enclosure	278.50
PRO-AL300ULPD4	12VDC or 24 VDC @2.5amp, 115VAC input, AC and battery monitoring. Four (4) fuse protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"Wx 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	266.50
PRO-AL300ULPD4CB	12VDC or 24VDC @2.5 amp, 115VAC input, AC and battery monitoring. Four (4) PTC protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	266.50
PRO-AL300ULPD8	12VDC or 24 VDC @2.5amp, 115VAC input, AC and battery monitoring. Eight (8) fuse protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"Wx 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	274.50
PRO-AL300ULPD8CB	12VDC or 24VDC @2.5 amp, 115VAC input, AC and battery monitoring. Eight (8) PTC protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	274.50
PRO-AL300ULXPD16	12VDC or 24 VDC @2.5amp, 115VAC input, AC and battery monitoring. Sixteen (16) fuse protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"Wx 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	330.50
PRO-AL300ULXPD16CB	12VDC or 24VDC @2.5 amp, 115VAC input, AC and battery monitoring. Sixteen (16) PTC protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	330.50
PRO-AL400ULM	12VDC @ 4amp or 24VDC @ 3amp, 115VAC input, AC and Battery monitoring. Fire Alarm interface. Five (5) individually PTC protected Class 2	332.00
PRO-AL400ULMR	Same features as PRO-AL400ULM with red enclosure	332.00
PRO-AL400ULPD4	12VDC @4amp or 24VDC @ 3amp, 115VAC input, AC and battery monitoring. Four (4) fuse protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	303.00
PRO-AL400ULPD4CB	12VDC @ 4 amp or 24VDC @3amp, 115VAC input, AC and battery monitoring. Four (4) PTC protected Class 2 rated power limited outputs, grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	303.00
PRO-AL400ULPD8	12VDC @ 4 amp or 24VDC @ 3amp, 115VAC input, AC and battery monitoring. Eight (8) fuse protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"W x3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	311.00
PRO-AL400ULPD8CB	12VDC @ 4amp or 24VDC @ 3amp, 115VAC input, AC and Battery monitoring. Eight (8) PTC protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"Wx 3.25" D. UL/CUL Listed (UL294), (UL603) (UL1069) (UL1481)	311.00
PRO-AL400ULXPD16	12VDC @4amp or 24VDC @3amp, 115VAC input, AC and battery monitoring. Sixteen (16) fuse protected Class 2 Rated power limited outputs, grey enclosure 15.5"H x 12"W x 4.25"D. UL/CUL Listed (UL294) (UL603) (UL1069) (UL1481)	385.00
PRO-AL400ULXPD16CB	12VDC @ 4amp or 24VDC @3amp, 115VAC input, AC and battery monitoring. Sixteen (16) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"Hx 12"W x 4.25"D UL/CUL Listed (UL294), (UL603) (UL1069) (UL1481)	385.00
PRO-AL600ULM	12VDC or 24VDC @ 6amp, 115VAC input, AC and battery monitoring. Fire Alarm interface. Five(5) individually PTC protected Class 2 Rated power limited outputs, grey enclosure 13"Hx 13.5"W x 3.25"D. UL/CUL Listed (UL294) (UL1481)	450.00
PRO-AL600ULMR	Same features as PRO-AL600ULM with red enclosure	450.00
PRO-600ULPD4	12VDC or 24VDC @6 amp, 115VAC input, AC and battery monitoring. Four (4) fuse protected outputs, grey enclosure 13"H x 13.5"W x 3.25"D UL/CUL Listed (UL294) (UL1481)	438.00
PRO-AL600ULPD4CB	12VDC or 24VDC @ 6 amp, 115VAC input, AC and battery monitoring Four (4) PTC protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL294)(UL1481)	438.00
PRO-AL600ULPD8	12VDC or 24VDC @6amp, 115VAC input, AC and battery monitoring. Eight (8) fuse protected outputs, grey enclosure 13"H x 13.5"Wx 3.25"D UL/CUL Listed (UL294)(UL1481)	446.00
PRO-AL600ULPD8CB	12VDC or 24VDC @ 6amp, 115VAC input, AC and battery monitoring. Eight (8) PTC protected Class 2 Rated power limited outputs, grey enclosure 13"H x 13.5"Wx 3.25"D. UL/CUL Listed (UL294)(UL1481)	446.00
PRO-AL600ULXPD16	12VDC or 24VDC @ 6amp , 115VAC input, AC and battery monitoring. Sixteen (16) fuse protected outputs, grey enclosure 15.5"Hx 12"Wx 4.5"D. UL/CUL Listed (UL294) (UL1481)	502.00
PRO-AL600ULXPD16CB	12VDC or 24VDC @ 6amp, 115VAC input, AC and battery monitoring. Sixteen (16) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"H x 12"W x 4.5" D. UL/CUL Listed (UL294) (UL1481)	502.00
PRO-AL1012ULM	12VDC @10 amp, 115VAC input, AC and battery monitoring. Fire Alarm interface. Five (5) individually PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"H x 12"W x 4.5"D UL/CUL Listed (UL294)	480.00
PRO-AL1012ULXPD4	12VDC @10amp, 115VAC input, AC and battery monitoring. Four (4) fuse protected outputs, grey enclosure 15.5"H x 12"W x 4.5"D. UL/CUL Listed	469.00
PRO-AL1012ULXPD4CB	12VDC @ 10 amp, 115VAC input, AC and battery monitoring. Four (4) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"H x 12"W x 4.5"D. UL/CUL Listed (UL294)	469.00
PRO-AL1012ULXPD8	12VDC @10amp, 115VAC input, AC and battery monitoring. Eight (8) PTC protected outputs, grey enclosure 15.5"H x 12"W x 4.5"D. UL/CUL Listed	476.00
PRO-AL1012ULXPD8CB	12VDC @ 10 amp, 115VAC input, AC and battery monitoring. Eight (8) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"Hx 12"W x 4.5"D. UL/CUL Listed (UL294)	476.00

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-AL1012ULXPD16CB	12VDC @10 amp, 115VAC input, AC and battery monitoring. Sixteen (16) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"H x 12"W x 4.5"D UL/CUL Listed (UL294)	530.00
PRO-AL1024ULM	24VDC @10amp, 115VAC input, AC and battery monitoring. Fire Alarm interface. Five (5) individually PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"H x 12"W x 4.5"D. UL/CUL Listed (UL294), (UL1481). CSFM and MEA approved	560.00
PRO-AL1024ULMR	Same features as PRO-AL1024ULM with red enclosure	560.00
PRO-AL1024ULXPD4	24VDC @10amp, 115VAC input, AC and battery monitoring. Four(4) fuse protected outputs, grey enclosure 15.5"H x 12"W x 4.5"D. UL/CUL Listed (UL294) (UL1481)	548.00
PRO-AL1024ULXPD4CB	24VDC @ 10amp, 115VAC input, AC and battery monitoring. Four (4) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"Hx 12"W x 4.5"D UL/CUL Listed (UL294)(UL1481)	548.00
PRO-AL1024ULXPD8	24VDC @10amp, 115VAC input, AC and battery monitoring. Eight (8) fuse protected outputs, grey enclosure 15.5"H x 12"W x 4.5"D. UL/CUL Listed (UL294) (UL1481)	558.00
PRO-AL1024ULXPD8CB	24VDC @ 10amp, 115VAC input, AC and battery monitoring. Eight (8) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"Hx 12"W x 4.5"D UL/CUL Listed (UL294)(UL1481)	558.00
PRO-AL1024ULXPD16	24VDC @10amp, 115VAC input, AC and battery monitoring. Sixteen (16) fuse protected outputs, grey enclosure 15.5"H x 12"W x 4.5"D. UL/CUL Listed (UL294) (UL1481)	616.00
PRO-AL1024ULXPD16CB	24VDC @ 10amp, 115VAC input, AC and battery monitoring. Sixteen (16) PTC protected Class 2 Rated power limited outputs, grey enclosure 15.5"Hx 12"W x 4.5"D UL/CUL Listed (UL294)(UL1481)	616.00
PRO-AL400UL3	Simultaneous Power Outputs: 5VDC @1.75 amp, 12VDC @ 1.75 amp and 24VDC @1.5amp, 115VAC input, AC and battery monitoring. Three (3) Class 2Rated power limited outputs, grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL294), (UL603), (UL1069), (UL1481)	353.00
PRO-AL400UL3X	Same features as PRO-AL400UL3 in larger enclosure 15.5"H x 12"Wx 4.5"D	373.00
PRO-AL600UL3	Simultaneous Power Outputs: 5VDC and 12VDC @ 1.75 amp, and 24VDC @ 3amp, 115VAC input, AC and battery monitoring. Two (2) Class 2 Rated power limited outputs (5VDC and 12VDC), single nonpower limited output(24VDC), grey enclosure 13"Hx 13.5"W x 3.25"D UL/CUL Listed (UL294), (UL1481), CSFM and MEA approved	470.00
PRO-AL600UL3X	Same features as PRO-AL600UL3 in larger enclosure 15.5"H x 12"W x 4.5"D	490.00
<b>ACM SERIES-8 OUTPUT ACCESS POWER C Altronix</b>		
PRO-AL400ULACM	Access power controller providing a total of eight (8) fuse protected FailSafe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC @ 4 amp or 24VDC @3amp, 115VAC input, AC and battery monitoring. Grey enclosure 15.5"H x 12"W x 4.5"D. Accomidates up to two(2) 12VDC/12AH batteries. UL/CUL Listed (UL294) CSFM and MEA approved	355.00
PRO-AL400ULACMJ	Same features as PRO-AL400ULACM in larger enclosure 18"Hx 14.5"W x 4.625"D	379.00
PRO-AL600ULACM	Access power controller providing a total of eight (8) fuse protected FailSafe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC or 24VDC @ 6 amp, 115VAC input, AC and battery monitoring. Grey enclosure 15.5"H x 12"W x 4.5"D. Accomidates up to two(2) 12VDC/12AH batteries. UL/CUL Listed (UL294) CSFM and MEA approved	472.00
PRO-AL600ULACMJ	Same features as PRO-AL600ULACM in larger enclosure 18"Hx 14.5"W x 4.625"D	496.00
PRO-AL1012ULACM	Access power controller providing a total of eight (8) fuse protected FailSafe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC @ 10amp, 115VAC input, AC and battery monitoring. Grey enclosure 15.5"H x 12"W x 4.5"D. Accomidates up to two(2) 12VDC/12AH batteries. UL/CUL Listed (UL294)	502.00
PRO-AL1012ULACMJ	Same features as PRO-AL1012ULACM in larger enclosure 18"Hx 14.5"W x 4.625"D	526.00
PRO-AL1024ULACM	Access power controller providing a total of eight (8) fuse protected FailSafe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 24VDC @ 10amp, 115VAC input, AC and battery monitoring. Grey enclosure 15.5"H x 12"W x 4.5"D. Accomidates up to two(2) 12VDC/12AH batteries. UL/CUL Listed (UL294)	582.00
PRO-AL1024ULACMJ	Same features as PRO-AL1024ULACM in larger enclosure 18"Hx 14.5"W x 4.625"D	606.00
<b>ACM SERIES- 8 OUTPUT ACCESS POWER C Altronix</b>		
PRO-AL400ULACMCB	Access power controller providing total of eight (8) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC @4amp or 24VDC @3amp, 115 input, AC and battery monitoring. Grey enclosure 15.5"H x 12" W x 4.5"D Accommodates up to two (2) 12VDC/12AH batteries. UL/CUL Listed (UL294) CSfm and MEA approved.	355.00
PRO-AL400ULACMCBJ	Same features as PRO-AL400ULACMCB in larger enclosure 18"Hx 14.5"Wx 4.625"D	379.00
PRO-AL600ULACMCB	Access power controller providing total of eight (8) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC or 24VDC @6amp, 115 input, AC and battery monitoring. Grey enclosure 15.5"H x 12" W x 4.5"D Accommodates up to two (2) 12VDC/12AH batteries. UL/CUL Listed (UL294) CSfm and MEA approved.	472.00
PRO-AL600ULACMCBJ	Same features as PRO-AL600ULACMCB in larger enclosure 18"Hx 14.5"Wx 4.625"D	496.00
PRO-AL1012ULACMCB	Access power controller providing total of eight (8) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC @10amp, 115 input, AC and battery monitoring. Grey enclosure 15.5"H x 12" W x 4.5"D Accommodates up to two (2) 12VDC/12AH batteries. UL/CUL Listed (UL294)	502.00
PRO-AL1012ULACMCBJ	Same features as PRO-AL1012ULACMCB in larger enclosure 18"Hx 14.5"Wx 4.625"D	526.00
PRO-AL1024ULACMCB	Access power controller providing total of eight (8) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 24VDC @10amp, 115 input, AC and battery monitoring. Grey enclosure 15.5"H x 12" W x 4.5"D Accommodates up to two (2) 12VDC/12AH batteries. UL/CUL Listed (UL294)CSFM and MEA Approved	582.00
PRO-AL1024ULACMCBJ	Same features as PRO-AL1024ULACMCB in larger enclosure 18"Hx 14.5"Wx 4.625"D	606.00
<b>MAXIM SERIES-16 OUTPUT ACCESS POWER Altronix</b>		
PRO-MAXIM5	Access power controller providing a total of sixteen (16) fuse protected Fail-Safe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC @10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"H x 19"W x 6.25" D Accommodates up to four (4) 12VDC/12AH batteries	663.00
	Access power controller providing a total of sixteen (16) fuse protected Fail-Safe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC @10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"H x 19"W x 6.25" D Accommodates up to four (4) 12VDC/12AH batteries	

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-MAXIM11	Access power controller providing a total of sixteen (16) fuse protected Fail-Safe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes two (2) power supply/charger which is 12VDC @4amp or 24VDC @3amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"H x 19"W x 6.25" D Accommodates up to four (4) 12VDC/12AH batteries	700.00
PRO-MAXIM33	Access power controller providing a total of sixteen (16) fuse protected Fail-Safe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes two (2) power supply/charger which is 12VDC or 24VDC @6amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"H x 19"W x 6.25" D Accommodates up to four (4) 12VDC/12AH batteries	923.00
PRO-MAXIM55	Access power controller providing a total of sixteen (16) fuse protected Fail-Safe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes two (2) power supply/charger which is 12VDC @10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"H x 19"W x 6.25" D Accommodates up to four (4) 12VDC/12AH batteries	1,003.00
PRO-MAXIM77	Access power controller providing a total of sixteen (16) fuse protected Fail-Safe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes two (2) power supply/charger which is 24VDC @10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"H x 19"W x 6.25" D Accommodates up to four (4) 12VDC/12AH batteries	1,083.00
PRO-MAXIM75	Access power controller providing a total of sixteen (16) fuse protected Fail-Safe and/or Fail-Secure power outputs or dry form "C" outputs, Fire Alarm disconnect selectable by output. Unit includes one(1) power supply/charger which is 12VDC @ 10 amp and one (1) power supply/charger which is 24VDC @10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"H x 19"W x 6.25" D Accommodates up to four (4) 12VDC/12AH	1,043.00
PRO-MAXIM3D	Access power controller providing a total of sixteen (16) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC or 24VDC @ 6amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"Hx 19"W x 6.25"D. Accommodates up to four (4) 12 VDC/12AH batteries	623.00
PRO-MAXIM7D	Access power controller providing a total of sixteen (16) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 24VDC @ 10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"Hx 19"W x 6.25"D. Accommodates up to four (4) 12 VDC/12AH batteries	703.00
PRO-MAXIM11D	Access power controller providing a total of sixteen (16) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes TWO (2) power supply/charger which are 12VDC @ 4amp or 24VDC @ 3amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"Hx 19"W x 6.25"D. Accommodates up to four (4) 12 VDC/12AH batteries	700.00
PRO-MAXIM33D	Access power controller providing a total of sixteen (16) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes TWO (2) power supply/charger which are 12VDC or 24VDC @ 6amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"Hx 19"W x 6.25"D. Accommodates up to four (4) 12 VDC/12AH batteries	923.00
PRO-MAXIM55D	Access power controller providing a total of sixteen (16) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes TWO (2) power supply/charger which are 12VDC @ 10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"Hx 19"W x 6.25"D. Accommodates up to four (4) 12 VDC/12AH batteries	1,003.00
PRO-MAXIM77D	Access power controller providing a total of sixteen (16) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes TWO (2) power supply/charger which are 24VDC @ 10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"Hx 19"W x 6.25"D. Accommodates up to four (4) 12 VDC/12AH batteries	1,083.00
PRO-MAXIM75D	Access power controller providing a total of sixteen (16) PTC protected Fail-Safe and/or Fail-Secure power outputs, Fire Alarm disconnect selectable by output. Unit includes one (1) power supply/charger which is 12VDC @10amp and one (1) which is 24VDC @ 10amp, 115VAC input, AC and battery monitoring. Grey enclosure 26"Hx 19"W x 6.25"D. Accommodates up to four (4) 12 VDC/12AH batteries	1,043.00
<b>MAXIM SERIES-EXPANDED</b>		
<b>Altronix</b>		
PRO-MAXIM11E	Unit includes two (2) power supply/chargers which are 12VDC @4amp or 24VDC @3amp, 115VAC input, AC and battery monitoring. System can be expanded with field installed Altronix UL listed Power Controllers/Power Distribution Sub-assemblies designed for specific applications (sub-assemblies purchased separately). Grey enclosure 26"H x 19"W x 6.25"D. Accommodates up to four (4) 12VDC/12AH batteries.	547.00
PRO-MAXIM13E	Unit includes one (1) power supply/chargers which is 12VDC @4amp or 24VDC @3amp and one (1) power supply/ charger which is 12VDC or 24VDC @6amp, 115VAC input, AC and battery monitoring. System can be expanded with field installed Altronix UL listed Power Controllers/Power Distribution Sub-assemblies designed for specific applications (sub-assemblies purchased separately). Grey enclosure 26"H x 19"W x 6.25"D. Accommodates up to four (4) 12VDC/12AH batteries.	660.00
PRO-MAXIM35E	Unit includes one (1) power supply/chargers which is 12VDC @4amp or 24VDC @6amp and one (1) power supply/ charger which is 12VDC @10amp, 115VAC input, AC and battery monitoring. System can be expanded with field installed Altronix UL listed Power Controllers/Power Distribution Sub-assemblies designed for specific applications (sub-assemblies purchased separately). Grey enclosure 26"H x 19"W x 6.25"D.	810.00
PRO-MAXIM37E	Unit includes one (1) power supply/chargers which is 12VDC or 24VDC @6amp and (1) power supply/ charger which is 24VDC @10amp, 115VAC input, AC and battery monitoring. System can be expanded with field installed Altronix UL listed Power Controllers/Power Distribution Sub-assemblies designed for specific applications (sub-assemblies purchased separately). Grey enclosure 26"H x 19"W x 6.25"D. Accommodates up to four (4)	850.00
PRO-MAXIM55E	Unit includes two (2) power supply/chargers which are 12VDC @ 10amp, 115VAC input, AC and battery monitoring. System can be expanded with field installed Altronix UL listed Power Controllers/Power Distribution Sub-assemblies designed for specific applications (sub-assemblies purchased separately). Grey enclosure 26"H x 19"W x 6.25"D. Accommodates up to four (4) 12VDC/12AH batteries.	850.00
PRO-MAXIM77E	Unit includes two (2) power supply/chargers which are 24VDC @ 10amp, 115VAC input, AC and battery monitoring. System can be expanded with field installed Altronix UL listed Power Controllers/Power Distribution Sub-assemblies designed for specific applications (sub-assemblies purchased separately). Grey enclosure 26"H x 19"W x 6.25"D. Accommodates up to four (4) 12VDC/12AH batteries.	930.00
PRO-MAXIM75E	Unit includes one (1) power supply/chargers which is 12VDC @10amp and (1) power supply/ charger which is 24VDC @10amp, 115VAC input, AC and battery monitoring. System can be expanded with field installed Altronix UL listed Power Controllers/Power Distribution Sub-assemblies designed for specific applications (sub-assemblies purchased separately). Grey enclosure 26"H x 19"W x 6.25"D. Accommodates up to four (4) 12VDC/12AH	890.00
<b>ALTRONIX-STRIKEIT-PANIC DEVICE POWER</b>		
<b>Altronix</b>		
PRO-STRIKEIT1	Two (2) 24VDC independently or simultaneously controlled lock outputs for panic hardware devices. Programmable timed lock release, two (2) follower relay outputs, two (2) delayed momentary relay outputs, one (1) 12VDC and one (1) 24VDC aux output rated @ 1amp each, Fire Alarm disconnect. Grey enclosure:13.5"H x 13"W x 3.25"D. Accommodates up to two 12VDC/7AH batteries. UL Listed	470.00



**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-ALTV244UL	FOUR FUSE PROTECTED OUTPUTS. 24vac @ 3.5 AMP (85VA) or 28VAC @3amp(85VA), 115VAC input. Grey enclosure 8.5"H x 7.5"Wx 3.5"D. UL/CUL Listed (UL2044) and CE Approved.	75.00
PRO-ALTV244175UL	FOUR FUSE PROTECTED OUTPUTS. 24vac @ 7 AMP (175VA) or 28VAC @6.25amp(175VA), 115VAC input. Grey enclosure 12.25"H x 7.75"Wx 4.5"D. UL/CUL Listed (UL2044) and CE Approved.	129.00
PRO-ALTV248UL	Eight Fuse protected outputs. 24VAC @3.5amp (85VA) or 28VAC @ 3amp (85VA), 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D UL/CUL Listed (UL2044) and CE approved	99.44
PRO-ALTV248175UL	Eight fuse protected outputs. 24VAC @ 7amp (175VA) or 28VAC @ 6.25amp (175VA), 115VAC input. Grey enclosure 12.25"H x 7.75"W x 4.5"D. UL/CUL Listed (UL2044) and CE approved.	140.00
PRO-ALTV248300UL	Eight fuse protected outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10amp (280VA), 115 VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) CE approved.	202.40
PRO-ALTV248300ULM	Eight fuse protected outputs. 24VAC @12.5amp (330VA) or 28VAC @10amp (280VA), 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044)	192.00
PRO-ALTV248600UL	Eight fuse protected outputs. 24VAC @25amp (600VA) or 28VAC @20amp (560VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044)	275.00
PRO-ALTV2416ULX	Sixteen fuse protected outputs. 24VAC @ 7amp (170VA) or 28VAC @ 6amp (170VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25 "D. UL/CUL Listed (UL2044) and CE approved.	167.78
PRO-ALTV2416300UL	Sixteen fuse protected outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10amp (280VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25 "D. UL/CUL Listed (UL2044) and CE approved.	219.00
PRO-ALTV2416300ULM	Sixteen fuse protected outputs. 24VAC @12.5 amp (300VA) or 28VAC @10amp (280VA), 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044) and CE approved	209.00
PRO-ALTV2416600UL	Sixteen fuse protected outputs. 24VAC @25 amp (600VA) or 28VAC @20amp (560VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE approved	291.00
PRO-ALTV2432300UL	Thirty-two fuse protected outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10amp (280VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25 "D. UL/CUL Listed (UL2044) and CE approved.	270.00
PRO-ALTV2432600UL	Thirty-two fuse protected outputs. 24VAC @25 amp (600VA) or 28VAC @20amp (560VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE approved	311.00
<b>U.L. LISTED CCTV POWER (PTC/PROTECTED) Altronix</b>		
PRO-ALTV244ULCB	Four PTC protected Class 2 Rated power limited outputs. 24VAC @3.5amp (85VA) or 28VAC @ 3amp (85VA), 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044) and CE Approved	75.00
PRO-ALTV244175ULCB	Four PTC protected Class 2 Rated power limited outputs. 24VAC @ 7amp (175VA) or 28VAC @ 6.25 amp (175VA), 115VAC input. Grey enclosure 12.25"H x 7.75"W x 4.5"D. UL/CUL Listed (UL2044) and CE Approved	129.00
PRO-ALTV248ULCB	Four PTC protected Class 2 Rated power limited outputs. 24VAC @ 3.5amp (85VA) or 28VAC @3 amp (85VA), 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044) and CE Approved	99.44
PRO-ALTV248175ULCB	Eight PTC protected Class 2 Rated power limited outputs. 24VAC @ 7amp (175VA) or 28VAC @ 6.25 amp (175VA), 115VAC input. Grey enclosure 12.25"H x 7.75"W x 4.5"D. UL/CUL Listed (UL2044) and CE Approved	140.00
PRO-ALTV248300ULCB	Eight PTC protected Class 2 Rated power limited outputs. 24VAC @12.5amp (300VA) or 28VAC @ 10 amp (280VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE Approved	202.40
PRO-ALTV248300ULCBM	Eight PTC protected Class 2 Rated power limited outputs. 24VAC @12.5amp (300VA) or 28VAC @ 10 amp (280VA), 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044) and CE Approved	192.00
PRO-ALTV248600ULCB	Eight PTC protected Class 2 Rated power limited outputs. 24VAC @25amp (600VA) or 28VAC @ 20 amp (560VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE Approved	275.00
PRO-ALTV2416ULCBX	Sixteen PTC protected Class 2 Rated power limited outputs. 24VAC @ 7amp (170VA) or 28VAC @ 6 amp (170VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE Approved	167.78
PRO-ALTV2416300ULCB	Sixteen PTC protected Class 2 Rated power limited outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10 amp (280VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE Approved	219.00
PRO-ALTV2416300UCBM	Sixteen PTC protected Class 2 Rated power limited outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10 amp (280VA), 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044) and CE Approved	209.00
PRO-ALTV2416600ULCB	Sixteen PTC protected Class 2 Rated power limited outputs. 24VAC @ 25amp (600VA) or 28VAC @ 20 amp (560VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE Approved	291.00
PRO-ALTV2432300ULCB	Thirty-two PTC protected Class 2 Rated power limited outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10 amp (280VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE Approved	270.00
PRO-ALTV243600ULCB	Thirty-two PTC protected Class 2 Rated power limited outputs. 24VAC @ 25amp (600VA) or 28VAC @ 20 amp (560VA), 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL Listed (UL2044) and CE Approved	311.00
<b>U.L. LISTED CCTV POWER (ISOLATED fuse) Altronix</b>		
PRO-ALTV248ULHI	Eight individually electronically isolated fuse protected outputs rated @ 1.56amp each. 24VAC@ 12.5amp (300VAC), 115VAC input. Grey enclosure 12.25" H x 7.75"W x 4.5"D. UL/CUL Listed (UL2044)	213.00
PRO-ALTV248ULMI	Eight individually electronically isolated fuse protected outputs rated @ 1.56amp each. 24VAC@ 12.5amp (300VAC), 115VAC input. Grey enclosure 8.5" H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044)	205.00
PRO-ALTV2416ULI	Sixteen individually electronically isolated fuse protected outputs rated @1.56 amp each. 24VAC @ 25 amp (600VA), 115VAC input. Grey enclosure 13.5"H x 13"Wx 3.25"D. UL/CUL Listed (UL2044)	310.00
<b>U.L. LISTED CCTV POWER (ISOLATED PTC) Altronix</b>		
PRO-ALTV248ULCBHI	Eight individually electronically isolated PTC protected outputs rated @ 1.56amp each. 24VAC @12.5 Amp (330VA), 115VAC input. Grey enclosure 12.25"H x 7.75"W x 4.5"D. UL/CUL Listed (UL2044)	213.00
PRO-ALTV248ULCBMI	Eight individually electronically isolated PTC protected outputs rated @ 1.56amp each. 24VAC @12.5 Amp (330VA), 115VAC input. Grey enclosure 8.5" H x 7.5"W x 3.5"D. UL/CUL Listed (UL2044)	205.00

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>U.L. LISTED CCTV POWER (FUSE PROTECT)</b>		
<b>Altronix</b>		
PRO-ALTV615DC4UL	Four fuse protected outputs, 5.5-12VDC @2.5 amp or 12-15VDC @ 2amp, 24VAC 40VA or 24VAC 50VA Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL (UL2044) and CE approved	97.00
PRO-ALTV615DC44ULM	Four fuse protected outputs, 6-12VDC @4 amp, 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL (UL2044) and CE approved	127.00
PRO-ALTV615DC8UL	Eight fuse protected outputs, 6-12VDC @4 amp, 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL (UL2044) and CE approved	180.00
PRO-ALTV615DC48ULM	Eight fuse protected outputs, 6-12VDC @4 amp, 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL (UL2044) and CE approved	147.00
PRO-ALTV615DC416UL	Sixteen fuse protected outputs, 6-12VDC @4 amp, 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL (UL2044)	200.00
PRO-ALTV615DC616UL	Sixteen fuse protected outputs, 6-12VDC @6 amp, 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL (UL2044)	220.00
<b>U.L. LISTED CCTV POWER (PTC PROTECT)</b>		
<b>Altronix</b>		
PRO-ALTV615DC44UCBM	Four PTC protected Class 2 Rated power limited outputs. 6-15VDC@ 4amp, 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL (UL2044) and CE Approved	127.00
PRO-ALTV615DC8ULCB	Eight PTC protected Class 2 Rated power limited outputs. 6-15VDC@ 4amp, 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL (UL2044) and CE Approved	180.00
PRO-ALTV615DC48UCBM	Eight PTC protected Class 2 Rated power limited outputs. 6-15VDC@ 4amp, 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL (UL2044) and CE Approved	147.00
PRO-ALTV615DC416UCB	Sixteen PTC protected Class 2 Rated power limited outputs. 6-15VDC@ 4amp, 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL	200.00
PRO-ALTV615DC416UBM	Sixteen PTC protected Class 2 Rated power limited outputs. 6-15VDC@ 4amp, 115VAC input. Grey enclosure 8.5"H x 7.5"W x 3.5"D. UL/CUL	171.00
PRO-ALTV615DC616UCB	Sixteen PTC protected Class 2 Rated power limited outputs. 6-15VDC@ 6amp, 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D. UL/CUL	220.00
<b>CCTV POWER (fuse PROTECTED DC OUTP)</b>		
<b>Altronix</b>		
PRO-ALTV615DC1016	Sixteen fuse protected outputs, 6-15VDC @ 10amp, 115VAC input. Grey enclosure 13"H x 13.5"W x 3.25"D	250.00
PRO-ALTV1224DC	Eight fuse protected outputs, 12VDC or 24 VDC @ 4amp, 115VAC input. Grey enclosure 15.5"H x 12"W x 4.5"D	190.00
PRO-ALTV1224DC1	Sixteen fuse protected outputs, 12VDC or 24 VDC @ 4amp, 115VAC input. Grey enclosure 15.5"H x 12"W x 4.5"D	208.00
PRO-ALTV1224DC2	Sixteen fuse protected outputs, 12VDC or 24 VDC @ 6amp, 115VAC input. Grey enclosure 15.5"H x 12"W x 4.5"D	220.00
<b>CCTV POWER (PTC PROTECTED DC OUTP)</b>		
<b>Altronix</b>		
PRO-ALTV1224C	Sixteen PTC Outputs, 6-15VDC @10amp, 115VAC input. Grey Enclosure 13"H x 13.5"W x 3.25"D	250.00
<b>CCTV POWER (fuse PROTECTED AC &amp; DC)</b>		
<b>Altronix</b>		
PRO-ALTV1224C	Eight fuse protected outputs @ 24VAC 3.5 amp plus Eight fuse protected outputs @ 12VDC 3.5 amp, 7amp total current output, 115VAC input. Grey enclosure 15.5"H x 12"W x 4.5"D	224.00
<b>U.L. LISTED RACK MOUNT CCTV POWER (f)</b>		
<b>Altronix</b>		
PRO-R248UL	Eight fuse protected outputs. 24VAC @ 3.5amp (85VA) or 28VAC @3amp (85VA), 115VAC input. 2u rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	255.50
PRO-R2416UL	Sixteen fuse protected outputs. 24VAC @ 7amp (175VA) or 28VAC @6amp (175VA), 115VAC input. 2u rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	339.50
PRO-R2416300UL	Sixteen fuse protected outputs. 24VAC @ 12.5amp (300VA) or 28VAC @10amp (280VA), 115VAC input. 2u rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	370.00
PRO-R2416600UL	Sixteen fuse protected outputs. 24VAC @ 25amp (600VA) or 28VAC @20amp (560VA), 115VAC input. 2u rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	440.00
PRO-R24300UL	Thirty-two fuse protected outputs. 24VAC @ 12.5amp (300VA) or 28VAC @10amp (280VA), 115VAC input. 2u rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	470.00
PRO-R2432600UL	Thirty-two fuse protected outputs. 24VAC @ 25amp (600VA) or 28VAC @20amp (560VA), 115VAC input. 2u rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	540.00
<b>U.L. LISTED RACK MOUNT CCTV POWER (P)</b>		
<b>Altronix</b>		
PRO-R248ULCB	Eight PTC protected Class 2 Rated power limited outputs. 24VAC @ 3.5amp (85VA) or 28VAC @ 3amp (85VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"Hx 19.125" W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	255.50
PRO-R2416ULCB	Sixteen PTC protected Class 2 Rated power limited outputs. 24VAC @ 7amp (175VA) or 28VAC @ 6amp (175VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"Hx 19.125" W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	339.50
PRO-R2416300ULCB	Sixteen PTC protected Class 2 Rated power limited outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10amp (280VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"Hx 19.125" W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	370.00
PRO-R2416600ULCB	Sixteen PTC protected Class 2 Rated power limited outputs. 24VAC @ 25amp (600VA) or 28VAC @ 20amp (560VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"Hx 19.125" W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	440.00
PRO-R2432300ULCB	Thirty-two PTC protected Class 2 Rated power limited outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10amp (280VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"Hx 19.125" W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	470.00
PRO-R2432600ULCB	Thirty-two PTC protected Class 2 Rated power limited outputs. 24VAC @ 25amp (600VA) or 28VAC @ 20amp (560VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"Hx 19.125" W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	540.00
<b>ALTRONIX-U.L. LISTED RACK MOUNT CCTV</b>		
<b>Altronix</b>		
PRO-R248ULI	Eight Electronically Isolated fuse protected outputs rated @ 1.56 amp each, 24VAC @ 12.5 amp (300VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044)	335.00
PRO-R2416ULI	Sixteen Electronically Isolated fuse protected outputs rated @ 1.56 amp each, 24VAC @ 25 amp (600VA), 115VAC input. 2U rack mount chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044)	461.00
<b>U.L. LISTED RACK MOUNT CCTV POWER (IS)</b>		
<b>Altronix</b>		
PRO-R248ULCBI	Eight Electronically Isolated PTC protected Class 2 rated power limited outputs rated @ 1.56 amp each, 24VAC @ 12.5 amp (300VA), 115VAC input. 2U rack mounted chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed(UL2044)	335.00
PRO-R2416ULCBI	Eight Electronically Isolated PTC protected Class 2 rated power limited outputs rated @ 1.56 amp each, 24VAC @ 25 amp (600VA), 115VAC input. 2U rack mounted chasis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed(UL2044)	461.00

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-R615DC416UL	Sixteen fuse protected Class 2 Rated power limited outputs. 6-15VDC @ 4amp, 115VAC input. 2U rack mount chassis for use in standard EIA 19" rack 3.25"Hx 19.125"Wx 8.5"D. UL/CUL Listed (UL2044) and CE Approved	350.00
PRO-R615DC616UL	Sixteen fuse protected Class 2 Rated power limited outputs. 6-15VDC @ 6amp, 115VAC input. 2U rack mount chassis for use in standard EIA 19" rack 3.25"Hx 19.125"Wx 8.5"D. UL/CUL Listed (UL2044) and CE Approved	370.00
<b>U.L. LISTED RACK MOUNT CCTV POWER (P</b>		
<b>Altronix</b>		
PRO-R615DC8ULCB	Eight PTC Class 2 Rated power limited outputs. 6-15VDC @4amp, 115VAC input. 2U rack mount chassis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	340.00
PRO-R615DC416ULCB	Sixteen PTC Class 2 Rated power limited outputs. 6-15VDC @4amp, 115VAC input. 2U rack mount chassis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	350.00
PRO-R615DC616ULCB	Sixteen PTC Class 2 Rated power limited outputs. 6-15VDC @6amp, 115VAC input. 2U rack mount chassis for use in standard EIA 19" rack 3.25"H x 19.125"W x 8.5"D. UL/CUL Listed (UL2044) and CE Approved	370.00
<b>RACK MOUNT CCTV POWER (fuse PROTEC</b>		
<b>Altronix</b>		
PRO-R615DC1016	Sixteen fuse protected outputs. 6-15VDC @10amp, 115VAC input. 2U rack mount chassis for use in standard EIA 19" rack 3.25"H x 19.125"W x	390.00
<b>RACK MOUNT CCTV POWER (PTC PROTEC</b>		
<b>Altronix</b>		
PRO-R615DC1016CB	Sixteen PTC protected outputs. 6-15VDC @10amp, 115VAC input. 2U rack mount chassis for use in standard EIA 19" rack 3.25"H x 19.125"W x	390.00
<b>U.L. LISTED OUTDOOR CCTV POWER (AC C</b>		
<b>Altronix</b>		
PRO-WPTV244175UL	Three PTC Class 2 Rated power limited outputs rated @ 2.5amp and one 10 amp fuse output. 24VAC @ 7amp (175VA) or 28VAC @ 6.25amp (175VA), 115VAC input. NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and CE approved	199.00
PRO-WPTV244300UL	Three PTC Class 2 Rated power limited outputs rated @ 2.5amp and one 15amp fuse output. 24VAC @ 12.5amp (300VA) or 28VAC @10amp (280VA), 115VAC input. NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and CE approved	244.00
PRO-WPTV248UL	Eight fuse protected outputs. 24VAC @ 3.5amp (85VA), 115VAC input. NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and	206.00
PRO-WPTV248ULCB	Eight PTC Class 2 Rated power limited outputs. 24VAC @ 3.5amp (85VA), 115VAC input. NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and CE approved	206.00
PRO-WPTV248175UL	Eight fuse protected outputs. 24VAC @ 7amp (175VA) or 28VAC @ 6.25amp (175VA), 115VAC input. NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and CE approved	219.00
PRO-WPTV248175ULCB	Eight PTC Class 2 Rated power limited outputs. 24VAC @ 7amp (175VA) or 28VAC @6.25 amp (175VA), 115VAC input. NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and CE approved	219.00
PRO-WPTV248300UL	Eight fuse protected outputs. 24VAC @ 12.5amp (300VA) or 28VAC @ 10amp (280VA), cULus Listed. NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and CE approved	264.00
PRO-WPTV248300ULCB	Eight PTC Class 2 Rated power limited outputs. 24VAC @ 12.5amp (300VA) or 28VAC @10 amp (280VA). NEMA 4 outdoor enclosure 12"Hx 8"W x 6"D. UL/CUL Listed (UL2044) and CE approved	264.00
<b>OUTDOOR CCTV POWER (AC OUTPUT)</b>		
<b>Altronix</b>		
PRO-T2428300WP	Single Output, 24VAC@ 14amp (300VA) or 28VAC @ 12.5amp (300VA), 115VAC input. NEMA 4 outdoor enclosure 12"H x 8"W x 6"D	280.00
PRO-T2428100WP	Single Output, 24VAC@ 4amp (100VA) or 28VAC @ 3.5amp (100VA), 115VAC input. NEMA 4 outdoor enclosure 12"H x 8"W x 6"D	160.00
<b>OUTDOOR CCTV POWER (DC OUTPUT)</b>		
<b>Altronix</b>		
PRO-SMP3WP	Single output 6,12 or 24VDC @ 2.5amp, 115VAC input. NEMA 4 outdoor enclosure 12"Hx 8"Wx 6"D	249.50
PRO-SMP5WP	Single output, 12 or 24 VDC @ 4amp, 115VAC input. NEMA 4 outdoor enclosure 12"H x 8"W x 6"D	290.00
PRO-SMP7WP	Single output, 12 or 24 VDC @ 6amp, 115VAC input. NEMA 4 outdoor enclosure 12"H x 8"W x 6"D	369.50
<b>OPEN FRAME TRANSFORMERS</b>		
<b>Altronix</b>		
PRO-T16100	16.5VAC/100VA, 120VAC input	55.00
PRO-T1656	16VAC/56VA, 120VAC input	42.00
PRO-T2428100	24VAC/100VA or 28VAC/100VA, 120VAC input. UL Recognized component	43.00
PRO-T24130D	24VAC/100VA, 120VAC or 220VAC input	43.00
PRO-T2428175	24VAC @ 7.25A or 28VAC @6.25A, 120VAC input	58.80
PRO-T2428300	24VAC/300VA or 28VAC/300VA, 120VAC input. UL Recognized component	157.50
PRO-T2856	28VAC/56VA, 120VAC input	42.00
PRO-T2885D	28VAC/100VA, 120VAC or 220VAC input	48.00
PRO-T28140D	28VAC/175VA, 120VAC or 220VAC input	69.00
<b>PLUG-IN TRANSFORMERS</b>		
<b>Altronix</b>		
PRO-TP1220	12VAC/20VA, 120VAC input	9.40
PRO-TP1620	16VAC/20VA, 120VAC input	9.40
PRO-TP1640	16VAC/40VA, 120VAC input	12.00
PRO-TP1650	16VAC/50VA, 120VAC input	13.20
PRO-TP2420	24VAC/20VA, 120VAC input	10.30
PRO-TP2440	24VAC/40VA, 120VAC input	12.00
PRO-TP2450	24VAC/50VA, 120VAC input	14.00
PRO-DVT1	Dual Voltage 24VAC or 28VAC, 80VA total. 120VAC input, enclosed in high impact plastic case	60.00
<b>TRANSFORMERS WITH ENCLOSURES</b>		
<b>Altronix</b>		
PRO-T2428100C	24VAC or 28VAC/100VA, 120VAC input, red enclosure 5.625"H x 7"Wx 4.5"D	99.00
PRO-T2428175C	24VAC or 28VAC 175VA, 120VAC input, red enclosure 5.625"H x 7"Wx 4.5"D	115.00
PRO-T2428300E	24VAC or 28VAC/300VA, 120VAC input, grey enclosure 12.25"H x 7.75"W x 4.5"D	216.00
PRO-T2856C	28VAC/56VA, 120VAC input, red enclosure 5.625"H x 7"W x 4.5"D	99.00
<b>RELAY MODULES</b>		
<b>Altronix</b>		
PRO-RAC24	UL Recognized relay and base- 24VAC operation 10amp/120VAC/28VDC or 10amp/277VAC DPDT contacts. 50mA current draw	23.10

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-RB1224	12VDC or 24VDC operation. 5amp/115VAC/28VDC DPDT contacts. Coil draws 50mA	13.00
PRO-RBR1224	Electronic Ratchet/Toggle Relay- 12VDC or 24VDC operation. Positive or negative ultra sensitive trigger. 2 amp/115VAC/28VDC dpdt contacts	28.40
PRO-RB30	12VDC or 24VDC operation. 30amp/115VAC 28VDC/277VAC SPDT contact. Heavy Duty load switching applications. Coils draw 75mA	21.00
PRO-RB610	Break Away Relay 6pack-12VDC or 24VDC operation. 10amp/120VAC/28VDC SPDT contact. Coil draws 50mA	39.00
PRO-RBSN	Sensitive Relay-12VDC or 24VDC operation. 2amp/115VAC/28VDC DPDT contacts. 1000ohm coil draws only 10mA	13.00
PRO-RBSNTTL	Ultra Sensitive Relay- 12VDC or 24VDC operation. 3VDC to 24VDC, 1mA positive or negative trigger. 2amp/115VAC/28VDC DPDT contacts	18.00
PRO-RBST	6VDC, 12VDC or 24VDC operation. 2amp/115VAC/28VDC DPDT contacts. Coil draws 25mA	13.00
PRO-RB7	Ultra Sensitive Cluster- 12VDC or 24VDC operation. Seven independent (3VDC to 24VDC @2mA minimum) positive triggers. Seven isolated 1amp/115VAC/28VDC spdt contacts.	90.00
PRO-RBOC7	Open Collector Module- 12VDC or 24VDC operation. Seven independent (3VDC to 24VDC @ 2mA minimum) positive triggers. Seven open collector outputs capable of sinking 100mA each.	70.00
PRO-RDC12	UL recognized relay base- 12VDC operation 10amp/120VAC/28VADC or 10amp/277VAC DPDT contacts. 80mA current draw	23.10
PRO-RDC24	ULRecognized relay and base-24VDC operation 10amp/120VAC/28VDC or 10amp/277VAC DPDT. 40mA current draw	23.10
PRO-RDC48	UL Recognized relay and base- 48VDC operation 10amp/120VAC/28VDC or 10amp/277VAC DPDT contacts. 20mA current draw	23.10
<b>U.L. LISTED RELAY MODULES</b>		
<b>Altronix</b>		
PRO-RBUL	12VDC or 24VDC operation, 1amp/120VAC SPDT contact. Coil draws 30mA. UL Listed Burg (UL749R). Includes Snap Track	13.70
PRO-RBTUL	Ultra-Sensitive, 12VDC or 24VDC operation. 1amp/120VAC SPDT contact. 3VDC to 24VDC, 2mA positive trigger. UL Listed Burg (UL749R) Includes	23.10
<b>PROGRAMMABLE TIMERS</b>		
<b>Altronix</b>		
PRO-6062	Multi-Function Timer, 12VDC or 24VDC operation. 1 sec. to 60min. Adjustable timing range. One second momentary relay activation at the end of	26.40
PRO-AT4	Four channel Annual Event Timer-12 to 24 volt AC or DC operation. 365day/24hr. Timer. Programmable features per channel: 254 individual daily/weekly events, 1778 block events per week, 254 holiday dates. Grey enclosure 12.25"H x 7.75"W x 4.5"D	250.00
PRO-AT4B	Four channel Annual Event Timer-12 to 24 volt AC or DC operation. 365day/24hr. Timer. Programmable features per channel: 254 individual daily/weekly events, 1778 block events per week, 254 holiday dates. Board only	230.00
PRO-DL1	Door Control Timer, 12 to 24 Volt AC or DC operation. Use with magnetic locks and electric strikes	46.20
PRO-DL3	Door Control Timer w/sounder, 12 to 24 Volt AC or DC operation. Use with magnetic locks and electric strikes	60.00
PRO-LB2032	3y Lithium battery for AT4, PT2724, PT724A and PT724AE	4.00
PRO-PT2724	Two Channel Annual Event Timer-12 to 24 volt AC or DC operation. 365 day/24hr. Timer. Programmable features per channel: 50 individual daily/weekly events, 350 block events per week, 10 holiday dates	1,600.00
PRO-PT724A	Single Channel Annual Event Timer-12 to 24 volt AC or DC operation. 365 day/24hr. Timer. Programmable features per channel: 50 individual daily/weekly events, 350 block events per week, 10 holiday dates	107.00
PRO-PT724AE	Single Channel Annual Event Timer-12 to 24 volt AC or DC operation. 365 day/24hr. Timer. Programmable features per channel: 50 individual daily/weekly events, 350 block events per week, 10 holiday dates. Grey enclosure 8.5"H x 7.5"W x 3.5"D	144.00
PRO-TEMPO2	Universal Two Stage Timer, 12 or 24 volts AC or DC operation, 1-60 seconds timed door release, daily weekly test mode, one shot activation, Eeprom memory, LCD Displays, door prop. Alarm. Supersedes TT1	58.80
<b>AUXILIARY MODULES</b>		
<b>Altronix</b>		
PRO-ACM8	UL Recognized Access Power Controller. Eight fuse protected Access Control System outputs with FACP interface for Access Control applications. Eight Access Control System trigger inputs. Fire Alarm Disconnect. Board Dimensions (approx) 8"L x 4.5"W x 1.25"H	120.00
PRO-ACM8CB	UL Recognized Access Power Controller. Eight PTC protected Access Control System outputs with FACP interface for Access Control applications. Eight Access Control System trigger inputs. Fire Alarm Disconnect. Board Dimensions (approx) 8"L x 4.5"W x 1.25"	120.00
PRO-ACM8E	Access Power Controller. Eight fuse protected Access Control System outputs with FACP interface for Access Control Applications. Eight Access Control System trigger inputs. Fire Alarm Disconnect. Grey enclosure 13"H x 13.5"W x 3.25"D	182.00
PRO-ACM8CBE	Access Power Controller. Eight PTC protected Access Control System outputs with FACP interface for Access Control Applications. Eight Access Control System trigger inputs. Fire Alarm Disconnect. Grey enclosure 13"H x 13.5"W x 3.25"D	182.00
PRO-MOM5	UL recognized Mult-Output Power Distribution Module. Five individually PTC protected Class 2 Rated power limited outputs. 12VDC or 24VDC @ 2.5 amp per output. Fire Alarm interface. Board dimensions (approx) 5.25"L x 3.5"W x 1"H	98.00
PRO-MOM5C	Mult-output Power Distribution Module. Five individually PTC protected Class 2 Rated power limited outputs. 12VDC or 24VDC @2.5amp per output. Fire Alarm interface. Grey enclosure 8"h x 7.25"W x 3.5"D. UL Listed (UL294, 1481). CSFM and MEA Approved	138.00
PRO-LPD	12/24VDC Low Power Disconnect Module Disconnects at 10.5/21VDC	16.00
PRO-PD4	Power Distribution Module-Converts one input to four fuse protected outputs	28.00
PRO-PD4CB	Power Distribution Module-Converts one input to four PTC protected outputs	28.00
PRO-PD8	Power Distribution Module-Converts one input to Eight fuse protected outputs	36.00
PRO-PD8CB	Power Distribution Module-Converts one input to Eight PTC protected outputs	36.00
PRO-PD4UL	UL Recognized Power Distribution module- Converts one input to Four fuse protected outputs. Handles up to 28VAC/VDC	30.00
PRO-PD4ULCB	UL Recognized Power Distribution module- Converts one input to Four PTC protected outputs. Handles up to 28VAC/VDC	30.00
PRO-PD8UL	UL Recognized Power Distribution module- Converts one input to Eight fuse protected outputs. Handles up to 28VAC/VDC	38.00
PRO-PD8ULCB	UL Recognized Power Distribution module- Converts one input to Eight PTC protected outputs. Handles up to 28VAC/VDC	38.00
<b>POWER CONVERSION MODULES</b>		
<b>Altronix</b>		
PRO-VR1	24VAC or 24VDC input to 12VDC @ 1 amp output. Modular connector/cable assembly. High impact insulated housing	37.20
PRO-VR1T	24VAC or 24VDC input to 12VDC @ 1 amp output with screw terminals. High impact insulated housing	34.50
PRO-VR2T	24VAC or 24VDC input to 12VDC @ .5 amp output with screw terminals. High impact insulated housing	26.70
PRO-VB1	12-24VDC input to regulated 24VDC @.75amp output. Modular connector/cable assembly. High impact insulated housing.	37.20
PRO-VB1T	12-24VDC input to regulated 24VDC @.75amp output. Screw terminal block. High impact insulated housing.	34.50
<b>SIREN DRIVERS</b>		
<b>Altronix</b>		
PRO-ALSD1	6VDC to 12VDC operation. Two channel (Yelp & Steady). High output. Current draw .5 to 1.8amp (based on speaker resistance and supplied	18.60

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-ST2	Snap Track Mounting for: RB7, RBOC7	6.00
PRO-ST3	Snap Track Mounting for: SMP3, SMP5, AL624, 6062, PT724, PT724A	8.00
<b>BATTERY &amp; GENERAL PURPOSE ENCLOSURE Altronix</b>		
PRO-BC100	Grey enclosure 8.5"H x 7.5"W x 3.5"D, 19 gauge steel. Fits either two 12VDC/4AH batteries or one 12VDC/7AH battery	34.00
PRO-BC200	Grey enclosure 12.25"H x 7.75"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to two 12VDC/7AH batteries	42.00
PRO-BC300	Grey enclosure 13.5"H x 13"W x 3.25"D, 19 gauge steel, includes cam lock. Fits up to two 12VDC/7AH batteries	58.00
PRO-BC300R	Red enclosure 13.5"H x 13"W x 3.25"D, 19 gauge steel, includes cam lock. Fits up to two 12VDC/7AH batteries	58.00
PRO-BC400	Grey enclosure 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to two 12VDC/7AH batteries	84.00
PRO-BC400R	Red enclosure 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to two 12VDC/7AH batteries	84.00
PRO-BC600	Red enclosure 18"H x 14.5"W x 4.5"D, 19 gauge steel, includes cam lock. Fits up to two 12VDC/7AH batteries	108.00
PRO-BC800	Expandable Access/Fire power system grey enclosure 26"H x 19"W x 6.25"D, 16 gauge steel, includes cam lock. Enclosure accommodates: up to two power supply/chargers and up to three UL Listed subassembly boards and up to four 12VDC/12AH battery	216.00
PRO-BC1240	Grey enclosure 9.5"H x 9.5"W x 7.5"D, 19 gauge steel, includes cam lock. Fits one 12VDC/40AH battery	79.00
PRO-CAB4	Red enclosure 5.63"H x 7"W x 4.5"D, 19 gauge steel, includes cam lock. Fits one 12VDC/40AH battery	50.00
PRO-BCS4G	Grey battery shelf for BC400	30.00
PRO-BCS4R	Red battery shelf for BC400R	30.00
PRO-BC400SG	Grey enclosure 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes battery shelf (BCS4G) and cam lock. Fits up to two 12VDC/12AH batteries	116.00
PRO-BC400SR	Red enclosure 15.5"H x 12"W x 4.5"D, 19 gauge steel, includes battery shelf (BCS4R) and cam lock. Fits up to two 12VDC/12AH batteries	116.00
PRO-WP1	NEMA 4/IP65 outdoor rated enclosure. Enclosure 12"H x 7.75"W x 6"D	130.00
<b>DIN RAIL PRODUCTS Altronix</b>		
PRO-DP4	Power Distribution Board- Four individually fuse protected outputs. Handles up to 28VAC/VDC. Includes Snap Track and mounting clips	48.00
PRO-DPS1	Power/Supply Charger-6VDC or 12VDC @ 1.2amp or 24VDC @ 750mA output. Includes Snap track and mounting clips	29.64
PRO-DPS3	Power/Supply Charger-6VDC, 12VDC or 24VDC @ 2.5amp output. Includes Snap track and mounting clips	56.30
PRO-DPS5	Power/Supply Charger-6VDC, 12VDC or 24VDC @ 4amp output. Includes Snap track and mounting clips	76.90
PRO-DPT724A	Annual event Timer- 12 to 24 volt AC or DC operation. 365day/24hr timer. Programmable features:50 individual daily/weekly events, 350 block events per week, 10 holiday dates	125.00
PRO-D10	DIN rail pre-cut 10" length for mounting DIN rail products	6.00
PRO-DTMR1	Multi-function Timer, 12VDC or 24VDC operation. 1sec. To 60 min. adjustable timing range. One second momentary relay activation at the end of timing cycle. Includes Snap Track and mounting clip	46.40
PRO-RAC24	UL Recognized relay and bade-24VAC operation 10amp/120VAC/28VDC or 10 amp/277VAC DPDT contacts. 50mA current draw	23.10
PRO-RAC120	UL Recognized relay and bade-120VAC operation 10amp/120VAC/28VDC or 10 amp/277VAC DPDT contacts. 30mA current draw	23.10
PRO-RDC12	UL Recognized relay and bade-12VDC operation 10amp/120VAC/28VDC or 10 amp/277VAC DPDT contacts. 80mA current draw	23.10
PRO-RDC24	UL Recognized relay and bade-24VDC operation 10amp/120VAC/28VDC or 10 amp/277VAC DPDT contacts. 40mA current draw	23.10
PRO-RDC48	UL Recognized relay and bade-48VDC operation 10amp/120VAC/28VDC or 10 amp/277VAC DPDT contacts. 20mA current draw	23.10
<b>COMPONENT ACCESSORIES Altronix</b>		
PRO-BL2	Red and Black 8" Battery leads	1.00
PRO-BL3	Red and Black 18" Battery leads	2.00
PRO-BL4	Yellow 8" Battery jumper lead	2.00
PRO-CAM1	Cam lock w/mounting hardware	6.00
PRO-CAP1	Conversion plate for mounting 2 pd8 or 2 mom5 boards in BC400 enclosure	14.00
PRO-FUSE1	3.5amp glass fuse. Used in CCTV power supplies. Package of 100	50.00
PRO-FUSE2	5amp glass fuse. Used in CCTV power supplies. Package of 100	50.00
PRO-GL1	Green 8" Gound Lead	1.00
PRO-LC1	2 conductor 6ft line cord	2.40
PRO-LC2	6ft 3-wire line cord	5.00
PRO-SPACER1	5/8" nylon spacer. Package of 25	7.50
<b>SECURITRON-Electromagnetic Locks</b>		
PRO-SEC-ASB-32	SPACER BRACKET/MDL 32 MAG 1/2" (BLACK OR CLEAR)	34.20
PRO-SEC-ASB-62	SPACER BRACKET/MDL 62 MAG 1/2" (BLACK OR CLEAR)	34.20
PRO-SEC-CWB-32CL	CONCRETE WOOD BRACKET MODEL 32 1/2"B ACCESS	41.80
PRO-SEC-CWB-62BK	BRACKET CONCRETE/WOOD MDL62 BLACK	42.75
PRO-SEC-CWB-62CL	SPACER BRACKET MAG62 CONCRETE/WOOD 1/2 CLEAR	43.70
PRO-SEC-DC-32BK	BLACK ANODIZED COVER MODULE 32	25.65
PRO-SEC-DC-32BP	POLISHED BRASS COVER MODULE 32	85.50
PRO-SEC-DC-32CL	DRESS COVER MDL 32 CLEAR ANODIZED	21.38
PRO-SEC-DC-62BK	BLACK ANODIZED COVER MODULE 62	20.90
PRO-SEC-M32F	MAGNALOCK 32 SERIES MULTI VOLTAGE	305.90
PRO-SEC-M62-12/24	MAGNALOCK 12/24VDC	380.00
PRO-SEC-M62F-24	MAGNALOCK FACE MOUNT	470.25
PRO-SEC-M62FG	MAGNALOCK FACE MOUNT CONDUIT FITTING	438.90

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-SEC-Z-32CL	Z BRACKET CLEAR ANODIZED MODULE 32	81.70
PRO-SEC-Z-62	Z BRACKET MODEL 62 (STAINLESS STEEL OR BLACK)	94.05
PRO-SEC-EEB2	REX BUTTON SINGLE GANG W/30 SEC TIMER	
PRO-SEC-EEB3N	EMERGENCY EXIT BUTTON-MULLION-TIMER	

**HANCHETT ENTRY SYSTEMS INC.- Electric Strikes**

PRO-HES-1000N	STRIKE "N" OPTION	38.00
PRO-HES-1006-630	HES 12/24VDC FAIL/SECURE BODY ONLY	393.30
PRO-HES-1006-J	FACEPLATE FOR 1006 SERIES LOCKS	26.13
PRO-HES-1006-K-630	STRIKE PLATE FOR 1006 LOCK	26.13
PRO-HES-10006-KD-630	FACEPLATE KIT MORTISE ABOVE LATCHBL	26.13
PRO-HES-1006-KM-630	FACEPLATE MORTISE W/DEADLTCH BELOW	26.13
PRO-HES-1006-N2-630	FACEPLATE KIT 9" x 1-3/8"	47.50
PRO-HES-5000-12/24D	STRIKE ELECTRIC 12/24VDC	138.70
PRO-HES-5000-501-630	ELECT STRIKE 12/24V w/501 FCPLT	140.60
PRO-HES-5000-503-630	ELECT STRIKE 12/24V w/503 FCPLT	155.80
PRO-HES-9600	STRIKE 12/24V RIM MNT DL LOCK HD	389.50

**Video Server ACTi Corporation- IP Cameras & Accessories ACTi Corp.**

PRO-SED-2120	MPEG-4 Video Server supports up to Full D1 resolution, w/ Power Adapter, BNC connectors, ACTi Streaming Activator, 8MB flash with ActiveX Control integrated	521.55
PRO-SED-2140	MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Adapter, BNC connectors, ACTi Streaming Activator, 8MB flash with ActiveX Control integrated, same casing as SED-3200	616.55
PRO-SED-2140T	MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Adapter, BNC connectors, ACTi Streaming Activator, 8MB flash with ActiveX Control integrated, same casing as SED-3200, extended temperature	664.05
PRO-SED-2320Q	4-Channel MPEG-4 Quad Processor Integrated Video Server, supports up to Full D1 resolution, w/ two-way audio, Power Adapter, BNC Connector, ACTi Streaming Activator	616.55
PRO-SED-2320QT	MPEG-4 Quad processor Integrated Video Server, supports up to Full D1 resolution, w/two-way audio, Power Adapter, ACTi Streaming Activator S/W, Extended temperature	759.05
PRO-SED-2420	2-channel MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Adapter, BNC connectors, ACTi Streaming Activator	759.05
PRO-ACD2200	4-Channel MPEG-4 Video Server supports up to Full D1 resolution w/two-way audio, Power Adapter, BNC connectors, ACTi Streaming Activator S/W	1,140.00
PRO-SED-2610	8-CHANNEL MPEG-4 VIDEO SERVER SUPPORTS UP TO FULL D1 RESOLUTION, W/TWO-WAY AUDIO, POWER SUPPLY, ACTI STREAMING ACTIVATOR S/W	3,609.05

**ENTRY LEVEL VIDEO SERVER ACTi Corp.**

PRO-ACD-2100	Entry-Level 1-channel MPEG-4 Video Server supports up to Full D1 resolution, w/two-way audio, Power Adapter, BNC connectors, ACTi Streaming Activator S/W	346.75
--------------	---	--------

**TRANSCODER ACTi Corp.**

PRO-SED-3300	MPEG-4 Transcoder supports up to full D1 video resolution for regular TV system and digital TV, w/ Power Adapter, BNC connectors	521.55
PRO-SED-3320	MPEG-4 Transcoder supports up to full D1 video resolution for regular TV system and digital TV, w/ two-way audio, Power Adapter	616.55

**LOW COST IP CUBE CAMERA ACTi Corp.**

PRO-ACM-4100	Low-cost MPEG-4 Indoor IP Cube Camera supports up to VGA resolution w/two-way audio, Micron Super CMOS module, f3.8mm/F2.0, DC3.3V, Power Adapter, ACTi Streaming Activator S/W	208.05
--------------	---	--------

PRO-ACM-4001	CUBE CAMERA VGA MPEG-4-SP	178.60
--------------	---------------------------	--------

**IP CAMERA ACTi Corp.**

PRO-CAM-5200N	MPEG-4 NTSC IP Camera supports up to Full D1 resolution, w/ one-way audio, 480 TV line, Sony SuperHAD CCD module, Power Adapter, BNC connector, ACTi Streaming Activator S/W	616.55
PRO-CAM-5201N	MPEG-4 NTSC IP Camera supports up to Full D1 resolution, w/ one-way audio, 480 TV line, Sony SuperHAD CCD module, PoE, ALTERNATIVE A, Power Adapter, BNC connector, ACTi Streaming Activator S/W	664.05
PRO-CAM-5220N	MPEG-4 NTSC Day and Night IP Camera supports up to Full D1 resolution, w/ one-way audio, 480 TV line Sony Exview CCD module, DC12V, Power Adapter, ACTi Streaming Activator S/W	873.05
PRO-CAM-5221N	MPEG-4 NTSC DAY AND NIGHT IP CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/ ONE-WAYAUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, DC 12V, POWER ADAPTER, ACTI STREAMING ACTIVATOR S/W	920.55
PRO-CAM-5300N	MPEG-4 NTSC IP CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/480 TV LINE, SONY SUPERHAD CCD MODULE, DC12V, POWER ADAPTOR, ACTI STREAMING ACTIVATOR S/W	569.05
PRO-CAM-5301N	MPEG-4 NTSC IP CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/480 TV LINE, SONY SUPERHAD CCD MODULE, PoE, ALTERNATIVE A, POWER ADAPTOR, ACTI STREAMING ACTIVATOR S/W	616.55
PRO-CAM-5320N	MPEG-4 NTSC DAY AND NIGHT IP CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/480 TV LINE, SONY EXVIEW CCD MODULE, DC12V, POWER ADAPTER, ACTI STREAMING ACTIVATOR S/W	825.55

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-CAM-5322N	MPEG-4 NTSC DAY AND NIGHT IP CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/480 TV LINE, SONY EXVIEW CCD MODULE, AC24V, POWER ADAPTER (DC12V), ACTI STREAMING ACTIVATOR S/W	873.05
<b>ENTRY-LEVEL IP BULLET CAMERA ACTI Corp.</b>		
PRO-ACM-1100N	ENTRY-LEVEL MPEG-4 INDOOR IP BULLET CAMERA SUPPORTS UP TO VGA RESOLUTION W/TWO-WAY RADIO, MICRON SUPER CMOS MODULE, F3.5MM/F2.0, DC12V, POWER ADAPTER, ACTI STREAMING ACTIVATOR S/W, W/O IR	301.15
PRO-ACM-1101N	ENTRY-LEVEL MPEG-4 INDOOR IP BULLET CAMERA SUPPORTS UP TO VGA RESOLUTION W/TWO-WAY RADIO, MICRON SUPER CMOS MODULE, F3.5MM/F2.0, POE, POWER ADAPTER, ACTI STREAMING ACTIVATOR S/W, W/O IR	338.20
PRO-ACM1111N	ENTRY-LEVEL MPEG-4 INDOOR IR DAY AND NIGHT IP BULLET CAMERA SUPPORTS UP TO VGA RESOLUTION W/TWO-WAY RADIO, MICRON SUPER CMOS MODULE, F3.5MM/F2.0, POE, MECHANICAL IR CUT FILTER, POWER ADAPTER, ACTI STREAMING ACTIVATOR S/W	380.00
PRO-ACM-1311N	ENTRY-LEVEL MPEG-4 INDOOR IP BULLET CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/420 TV LINE, FIXED LENS CCD, SUPERHAD, f4.3mm, F2.0, IR, PoE, ALTERNATIVE A&B, POWER ADAPTER, ACTI STREAMING ACTIVATOR S/W	445.55
PRO-ACM-1431N	ENTRY-LEVEL MPEG-4 OUTDOOR IP BULLET CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/540 TV LINE, SUPERHAD CCD, f3.8-9.5mm LENS, PoE, ALTERNATIVE A&B, IR, IP-66, POWER ADAPTER, ACTI STREAMING ACTIVATOR	650.75
PRO-ACM-1432N	ENTRY-LEVEL MPEG-4 OUTDOOR IR DAY AND NIGHT IP BULLET CAMERA SUPPORTS UP TO FULL D1 RESOLUTION, W/TWO-WAY RADIO, 540 TV LINE, SONY SUPERHAD CCD MODULE, F3.8-9.5MM/F1.2, AC24V, POWER ADAPTER (DC12V), ACTI STREAMING ACTIVATOR S/W	650.75
PRO-ACM-3011	3" IP DOME 640X480 AT 30FPS	429.40
<b>IP FIXED DOME ACTI Corp.</b>		
PRO-CAM-7200N	MPEG-4 NTSC/PAL INDOOR IP DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION W/ONE-WAY AUDIO, 480 TV LINE, SONEY SUPERHAD CCD MODULE, DC12V, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE MOUNT	623.20
PRO-CAM-7201N	MPEG-4 NTSC/PAL INDOOR IP DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/ ONE-WAY AUDIO, 480 TV LINE, SONY SUPERHAD CCD MODULE, PoE, ALTERNATIVE A&B, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE	671.65
PRO-CAM-7220N	MPEG-4 NTSC/PAL INDOOR DAY AND NIGHT IP DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/ONE-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, DC12V, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE MOUNT	765.70
PRO-CAM-7221N	MPEG-4 NTSC/PAL INDOOR DAY AND NIGHT IP DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/ONE-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, PoE, ALTERNATIVE A&B, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W	814.15
PRO-CAM-7300N	MPEG-4 NTSC/PAL OUTDOOR IP RUGGED DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/TWO-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, DC12V, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE MOUNT,	854.05
PRO-CAM-7301N	MPEG-4 NTSC/PAL OUTDOOR IP RUGGED DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/TWO-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, PoE, ALTERNATIVE A&B, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE MOUNT, VANDAL PROOF	901.55
PRO-CAM-7302N	MPEG-4 NTSC/PAL OUTDOOR IP RUGGED DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/TWO-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, AC24V, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE MOUNT, VANDAL	949.05
PRO-CAM-7320N	MPEG-4 NTSC/PAL OUTDOOR DAY AND NIGHT IP RUGGED DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/2-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, DC12V, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE	996.55
PRO-CAM-7321N	MPEG-4 NTSC/PAL OUTDOOR DAY AND NIGHT IP RUGGED DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/2-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, PoE, ALTERNATIVE A&B, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE MOUNT, VANDAL PROOF	1,044.05
PRO-CAM-7322N	MPEG-4 NTSC/PAL OUTDOOR DAY AND NIGHT IP RUGGED DOME CAMERA, SUPPORTS UP TO FULL D1 RESOLUTION, W/2-WAY AUDIO, 480 TV LINE, SONY EXVIEW CCD MODULE, AC24V, POWER ADAPTER, 3.8-9.5mm LENS, ACTI STREAMING ACTIVATOR S/W, SURFACE	1,091.55
<b>ENTRY-LEVEL DOME CAMERA ACTI Corp.</b>		
PRO-ACM3100N	Entry-Level MPEG-4 Indoor IP 3" Dome Camera supports up to VGA resolution w/two-way audio, Micron Super CMOS module, f3.6mm/f2.0, DC12V, Power Adapter, ACTI Streaming Activator S/W, w/o IR	302.10
PRO-ACM3101N	Entry-Level MPEG-4 Indoor IP 3" Dome Camera supports up to VGA resolution w/two-way audio, Micron Super CMOS module, f3.6mm/f2.0, PoE, Power Adapter, ACTI Streaming Activator S/W, w/o IR	338.20
PRO-ACM3111N	Entry-Level MPEG-4 Indoor IR Day and Night IP 3" Dome Camera supports up to VGA resolution w/two-way audio, Micron Super CMOS module, f3.6mm/f2.0, PoE, Mechanical IR Cut Filter, Power Adapter, ACTI Streaming Activator S/W, w/o IR	408.50
PRO-ACM3211N	Entry-Level MPEG-4 Indoor IR IP Dome Camera supports up to Full D1 resolution w/two-way audio, 420 TV line, Sony SuperHAD CCD module, f4.3mm/f2.0, PoE, Power Adapter, ACTI Streaming Activator S/W	474.05
PRO-ACM3311N	Entry-Level MPEG-4 IR IP 3" Dome Camera supports up to Full D1 resolution w/two-way audio, 420 TV line, Sony SuperHAD CCD module, f4.3mm/f2.0, PoE, Power Adapter, ACTI Streaming Activator S/W	445.55
<b>IP SPEED DOME ACTI Corp.</b>		
PRO-CAM-6500N	MPEG-4 NTSC/PAL Indoor IP Speed Dome supports up to Full D1, w/2-way audio, Progressive CCD, Power Adapter, ACTI Streaming Activator, Surface mount, 22x optical zoom	2,183.10
PRO-CAM-6510N	MPEG-4 NTSC/PAL Indoor Day and Night IP Speed Dome supports up to Full D1, w/2-way audio, Sony Exview CCD, Power Adapter, ACTI Streaming Activator, Surface mount, 18x optical zoom, Vandal Proof	2,490.90
PRO-CAM-6520N	MPEG-4 NTSC/PAL Indoor Day and Night IP Speed Dome supports up to Full D1, w/2-way audio, Progressive CCD, Power Adapter, ACTI Streaming Activator, Surface mount, 23x optical zoom, Vandal Proof	2,689.45
PRO-CAM-6600N	MPEG-4 NTSC/PAL Outdoor IP Speed Dome supports up to Full D1, w/2-way audio, Progressive CCD, Power Adapter, ACTI Streaming Activator, Mounting Brackets Available, 22x optical zoom, Heater and Blower	2,521.30
PRO-CAM-6610N	MPEG-4 NTSC/PAL Outdoor Day and Night IP Speed Dome supports up to Full D1, w/2-way audio, Sony Exview CCD, Power Adapter, ACTI Streaming Activator, Mounting Brackets Available, 18x optical zoom, Heater and Blower	2,828.15
PRO-CAM-6620N	MPEG-4 NTSC/PAL Outdoor Day and Night IP Speed Dome supports up to Full D1, w/2-way audio, Progressive CCD, Power Adapter, ACTI Streaming Activator, Mounting Brackets Available, 23x optical zoom, Heater and Blower	3,126.45
<b>LENSES ACTI Corp.</b>		

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-SEM-1110	MPEG-4 IP Module supports up to Full D1 resolution, 2-way audio, w/o casing	407.55
PRO-SEM-1110C	MPEG-4 IP Module supports up to Full D1 resolution, 2-way audio	423.70
PRO-SEM-1120	MPEG-4 IP Module supports up to Full D1 resolution, w/o Casing	362.90
PRO-SEM-1120C	MPEG-4 IP Module supports up to Full D1 resolution	378.10
PRO-EVB-2100	Reference Design I/O Board for SEM-1100x and SEM-1120x	44.65
<b>NVR ACTi Corp.</b>		
PRO-APP-2000-16	Network Video Recorder S/W, supports 16 channels	0.00
PRO-APP-2000-32	Network Video Recorder S/W, supports 32 channels	1,824.00
PRO-APP-2000-48	Network Video Recorder S/W, supports 48 channels	2,918.40
PRO-APP-2000-64	Network Video Recorder S/W, supports 64 channels	3,830.40
<b>RACKMOUNT KIT ACTi Corp.</b>		
PRO-RMK-2000	4U Rackmount Kit for Wall-mount type devices, for all video servers and transcoders except SED-2100R, w/8front bezels	749.55
PRO-R306-00003-000	Front bezel for 2-ch video server, for RMK-2000	14.25
PRO-R306-00004-000	Front bezel for 1-ch video server and transcoder, for RMK-2000	14.25
PRO-R306-00006-000	Front bezel for 1-ch NB2, for RMK-2000	14.25
PRO-R306-00007-000	Blank front bezel for RMK-2000	14.25
PRO-RMK-3000	4U Rackmount Kit for Wall-mount type devices, for all video servers and transcoders except SED-2100R, w/8front bezels	445.55
PRO-R306-00008-000	Front bezel for 4-ch video server, for RMK-3000	14.25
PRO-R306-00009-000	Blank front bezel for RMK-3000	14.25
PRO-R306-00010-000	Front bezel for 2-ch video server, for RMK-3000	14.25
PRO-R306-00013-000	Front bezel for Quad video server, for RMK-3000	14.25
PRO-R306-00014-000	Front bezel for 1-ch video server and transcoder, for RMK-3000	14.25
<b>ACCESSORIES (Lens for IP Camera) ACTi Corp.</b>		
PRO-0690-00002-000	F1.0, CS mount, f3.0~8mm, Format 1/3", for CAM-5100, CAM-5200	112.10
PRO-0690-00004-000	F1.4, CS mount, f5.0~55mm, Format 1/3", for CAM-5100, CAM-5200	203.30
PRO-0690-00005-000	F2.0, Fixed IRIS, f6.0mm, Format 1/3", for CAM-5100, CAM-5200	20.90
PRO-0690-00012-000	F1.0, CS mount, f3.0~8.5mm, Format 1/3", for CAM-5120, CAM-5220	135.85
PRO-0690-00013-000	F1.3, CS mount, f7.5~50mm, Format 1/3" for CAM-5120, CAM-5220	248.90
<b>ACCESSORIES (Housing for IP Camera) ACTi Corp.</b>		
PRO-0692-00001-000	GL-606, Outdoor Housing for CAM-5100, CAM-5120, CAM-5200, and CAM-5220, supports IP-66, CE	44.65
PRO-0692-00006-000	GL-606B, Outdoor Housing with blower for CAM-5100, CAM-5120, CAM-5200, and CAM-5220, supports 220V, IP-66, CE	67.45
PRO-0692-00007-000	GL-606HB, Outdoor Housing with blower and heater for CAM-5100, CAM-5120, CAM-5200, and CAM-5220, supports 220V, IP-66, CE	74.10
PRO-0693-00003-000	GL-606H, Outdoor Housing with heater for CAM-5100, CAM-5120, CAM-5200, and CAM-5220, supports 220V, IP-66, CE	56.05
PRO-0693-00009-000	GL-606HB, Outdoor Housing with blower and heater for CAM-5100, CAM-5120, CAM-5200, and CAM-5220, supports AC24V, IP-66, CE	77.90
<b>ACCESSORIES (BRACKETS FOR IP BOX CA) ACTi Corp.</b>		
PRO-0695-00004-000	GL-205N, Camera Mounting Bracket for CAM-5130, CAM-5140, and CAM-5150	21.85
PRO-0695-00011-000	GL-201, Camera Mounting Bracket for CAM-5100, CAM-5120, CAM-5200, and CAM-5220	14.25
PRO-69-GL220E-R0	GL220E, Silver Camera Mounting Bracket for ACM-11xx, and ACM-13xx	14.25
PRO-R695-00004-001	GL-205N, Silver Camera Mounting Bracket for ACM-14xx	21.85
<b>ACCESSORIES (BRACKETS FOR CAM-62XX) ACTi Corp.</b>		
PRO-QA-302	CAM-62XX Speed Dome Corner Mount Bracket	86.45
PRO-QA-305	CAM-62XX Speed Dome Pole Mount Bracket	71.25
PRO-0692-00017-000	CAM-62XX Speed Dome Vandal Proof Cover	141.55
PRO-0692-00021-000	CAM-62XX Speed Dome Cover (spare part), indoor use	104.50
PRO-0692-00022-000	CAM-62XX Speed Dome Cover (spare part), outdoor use	104.50
<b>ACCESSORIES (BRACKETS FOR CAM-65XX) ACTi Corp.</b>		
PRO-61-PDH700106A1	5.4" transparent cover for CAM-65xxfor spare use	44.65
PRO-61-PDH700108A1	5.4" smoke cover for CAM-65xx	44.65
PRO-61-PDH700109A1	Vandal proof cover for CAM-65xx	44.65
PRO-69-DH8111CT1	5.4" clear cover for CAM-66xx for spare use	90.25
PRO-69-DH8111CS1	5.4" smoke cover for CAM-66xx	90.25
PRO-69-DH8111CV1	Vandal proof cover for CAM-66xx	122.55
PRO-D77H05WIMK	Indoor mount kit	96.90
PRO-D77H06-TB	T-Bar ceiling mount bracket	65.55
PRO-D77H05-WPTB	Pole thin mount bracket	214.70
PRO-D77H05-WCTB	Corner thin box bracket	196.65
PRO-D77H05-WWBM	Wall box mount bracket	214.70
PRO-D77H03-WGT	Gooseneck tube	114.95
PRO-D77H03-WST2	50cm straight tube	79.80
PRO-D77H03-WST1	25cm straight tube	79.80
PRO-D77H05-WPTD	Pole thin direct	71.25
PRO-D77H05-WCST	Corner plate	57.00
PRO-D77H07-EPB13	IP-66 power box for 10~115V AC power box	196.65
PRO-D77H07-EPB23	IP-66 power box for 220~230V AC power box	196.65

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-MTB-503	Flush mount bracket	30.40
<b>ACTI-ACCESSORIES (BRACKETS FOR CAM)</b> <b>ACTi Corp.</b>		
PRO-0695-00020-000	Flush mount bracket	44.65
PRO-0695-00019-001	Wall mount bracket	18.05
<b>ACTI-ACCESSORIES (CONTROL PANEL)</b> <b>ACTi Corp.</b>		
PRO-0695-00002-000	KB2000-2A, Control Panel for IP speed dome CAM-62xx	510.15
PRO-0697-00003-000	D7312H, Control Panel for IP speed dome CAM-65xx & CAM-66xx	1,362.30
<b>IQ510 Kits</b>		
<b>IQInvision IP CAMERAS</b>		
PRO-IQ510NLPNE	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, No Power Supply, No Enclosure	486.53
PRO-IQ510NLNPD1	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, No Power Supply, IQ51x Interior In-Ceiling Dome	608.40
PRO-IQ510NLNPD2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, No Power Supply, IQ51x Interior In-Ceiling Dome	632.78
PRO-IQ510NLNPD3	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, No Power Supply, IQ51x Interior In-Ceiling Dome w/ Wall Mount	676.65
PRO-IQ510NLNPD2D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, No Power Supply, IQ51x Interior In-Ceiling Dome w/ Wall Mount	754.65
PRO-IQ510NLNPN1E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 110VAC PS, No Enclosure	525.53
PRO-IQ510NLNPN1D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 110VAC PS, IQ51x interior In-Ceiling Dome	647.40
PRO-IQ510NLNPN1D2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 110VAC PS, IQ51x interior In-Ceiling Dome	671.78
PRO-IQ510NLNPN1D3	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 110VAC PS, IQ51x interior In-Ceiling Dome w/ Wall Mount	715.65
PRO-IQ510NLNPN2E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 220 VAC PS, No Enclosure	525.53
PRO-IQ510NLNPN2D1	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 220 VAC PS, Interior IN-Ceiling Dome	647.40
PRO-IQ510NLNPN2D2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 220 VAC PS, Interior Pendant Dome	671.78
PRO-IQ510NLNPN2D3	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, 220 VAC PS, Interior Pendant Dome w/Wall Mount	715.65
PRO-IQ510NLNPN2E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, IEEE 802.3af PoE module, No Enclosure	579.15
PRO-IQ510NLNPN2D1	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, IEEE 802.3af PoE module, Interior In-Ceiling Dome	701.03
PRO-IQ510NLNPN2D2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, IEEE 802.3af PoE module, Interior In-Ceiling Dome	725.40
PRO-IQ510NLNPN2D3	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, No Lens, IEEE 802.3af PoE module, Interior Pendant Dome w/ Wall Mount	769.28
PRO-IQ510V3NPN1E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, No Power Supply, No Enclosure	593.78
PRO-IQ510V3NPN1D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, No Power Supply, IQ 51x Interior In-Ceiling	715.65
PRO-IQ510V3NPN2D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, No Power Supply, IQ 51x Interior Pendant	740.03
PRO-IQ510V3NPN3D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, No Power Supply, IQ 51x Interior Pendant Dome w/Wall Mount	783.90
PRO-IQ510V3NPNX2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, No Power Supply, IQ 51x Outdoor Housing, IP 65/NEMA 4	861.90
PRO-IQ510V3PN1E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 110 VAC PS, No Enclosure	632.78
PRO-IQ510V3PN1D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 110 VAC PS, IQ51x Interior In-Ceiling Dome	754.65
PRO-IQ510V3PN1D2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 110 VAC PS, IQ51x Interior Pendant Dome	779.03
PRO-IQ510V3PN1D3	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 110 VAC PS, IQ51x Interior Pendant Dome w/Wall Mount	822.90
PRO-IQ510V3PN2E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 220 VAC PS, No Enclosure	632.78
PRO-IQ510V3PN2D1	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 220 VAC PS, IQ51x Interior In-Ceiling Dome	754.65
PRO-IQ510V3PN2D2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 220 VAC PS, IQ51x Interior Pendant Dome	779.03
PRO-IQ510V3PN2D3	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, 220 VAC PS, IQ51x Interior Pendant Dome w/ Wall Mount	822.90
PRO-IQ510V3PN2E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, IEEE 802.3af PoE Module, No Enclosure	686.40
PRO-IQ510V3PN2D1	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, Interior In-Ceiling Dome	808.28
PRO-IQ510V3PN2D2	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, Interior Pendant Dome	832.65
PRO-IQ510V3PN2D3	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal Lens for IQ51x, Interior Pendant Dome w/ Ceiling Mount	876.53
PRO-IQ510V4NPN1E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Telephoto Lens for IQ51x, No Power Supply, No Enclosure	730.28
PRO-IQ510V4NPN1D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Telephoto Lens for IQ51x, No Power Supply, IQ51x Outdoor Housing, IP	998.40
PRO-IQ510V4NPN2E	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Telephoto Lens for IQ51x, 110 VAC, PS, No Enclosure	769.28
PRO-IQ510V4NPN2D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Telephoto Lens for IQ51x, 220 VAC PS, No Enclosure	769.28
PRO-IQ510V4NPN2D1	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Telephoto Lens for IQ51x, IEEE 802.3af PoE Module, No Enclosure	822.90
PRO-IQ510B1NPDV	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, No Power Supply, No	730.28
PRO-IQ510B1PDV	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, 110 Vac PS, No	769.28
PRO-IQ510B1PD2D	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, 220 VAC PS, No	769.28
PRO-IQ510B1PEDV	Kit includes IQ510-Wide Dynamic Range, WVGA Camera, 60fps, 0.4 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, IEEE 802.3 af PoE Module, Interior/Exterior Vandal Dome	822.90
<b>IQInvision-IQ511 Kits</b> <b>IQInvision</b>		
PRO-IQ511NLPNE	Kit Includes IQ511-1.3 MP Camera, 15fps, 0.1 Lux, No Lens, No Power Supply, No Enclosure	730.28
PRO-IQ511NLNPD1	Kit Includes IQ511-1.3 MP Camera, 15fps, 0.1 Lux, No Lens, No Power Supply, IQ5xx Interior In-ceiling Dome	852.15
PRO-IQ511NLNPD2	Kit Includes IQ511-1.3 MP Camera, 15fps, 0.1 Lux, No Lens, No Power Supply, IQ5xx Interior Pendant Dome	876.53

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-IQ511NLP1D1	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, 110VAC PS, IQ5xx Interior In-Ceiling Dome	891.15
PRO-IQ511NLP1D2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, 110VAC PS, IQ5xx Interior Pendant Dome	915.53
PRO-IQ511NLP1D3	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, 110VAC PS, IQ5xx Interior Pendant Dome w/Wall Mount	959.40
PRO-IQ511NLP2NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, 220VAC PS	769.28
PRO-IQ511NLP2D1	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, 220VAC PS, No Enclosure	891.15
PRO-IQ511NLP2D2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, 220VAC PS, Interior In-Ceiling Dome	915.53
PRO-IQ511NLP2D3	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, 220VAC PS, Interior Pendant Dome w/Wall Mount	959.40
PRO-IQ511NLP2NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, IIEEE802.3af PoE Module, No Enclosure	822.90
PRO-IQ511NLPED1	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, IIEEE802.3af PoE Module, IQ5xx Interior In-Ceiling Dome	944.78
PRO-IQ511NLPED2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, IIEEE802.3af PoE Module, IQxx Interior Pendant Dome	969.15
PRO-IQ511NLPED3	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, No Lens, IIEEE802.3af PoE Module, IQxx Interior Pendant Dome w/Wall Mount	1,013.03
PRO-IQ511V3NPNE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, No Power Supply, No Enclosure	837.53
PRO-IQ511V3NPD1	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, No Power Supply, IQ5xx Interior In-Ceiling Dome	959.40
PRO-IQ511V3NPD2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, No Power Supply, IQ5xx Interior Pendant Dome	983.78
PRO-IQ511V3NPD3	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, No Power Supply, IQ5xx Interior Pendant Dome w/Wall Mount	1,027.65
PRO-IQ511V3NXP2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, No Power Supply, IQ5xx Outdoor Housing, IP65/NEMA 4	1,105.65
PRO-IQ511V3P1NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 110VAC PS, No Enclosure	876.53
PRO-IQ511V3P1D1	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 110VAC PS, IQ5xx Interior In-Ceiling Dome	998.40
PRO-IQ511V3P1D2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 110VAC PS, IQ5xx Interior Pendant Dome	1,022.78
PRO-IQ511V3P1D3	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 110VAC PS, IQ5xx Interior Pendant Dome w/ Wall Mount	1,066.65
PRO-IQ511V3P2NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 220VAC PS, No Enclosure	876.53
PRO-IQ511V3P2D1	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 220VAC PS, IQ5xx Interior In-Ceiling Dome	998.40
PRO-IQ511V3P2D2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 220VAC PS, IQ5xx Interior Pendant Dome	1,022.78
PRO-IQ511V3P2D3	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, 220VAC PS, IQ5xx Interior Pendant Dome w/Wall Mount	1,066.65
PRO-IQ511V3P2NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, IIEEE 802.3af PoE Module, No Enclosure	930.15
PRO-IQ511V3PED1	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, IIEEE 802.3af PoE Module, IQ5xx Interior In-Ceiling Dome	1,052.03
PRO-IQ511V3PED2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, IIEEE 802.3af PoE Module, IQ5xx Interior Pendant Dome	1,076.40
PRO-IQ511V3PED3	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Wide arifocal Lens for IQ51x, IIEEE 802.3af PoE Module, IQ5xx Interior Pendant Dome w/Wall	1,120.28
PRO-IQ511V4NPNE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Telephoto Varifocal Lens for IQ51x, No Power Supply, No Enclosure	974.03
PRO-IQ511V4NXP2	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Telephoto Varifocal Lens for IQ51x, No Power Supply, IQ5xx Outdoor Housing, IP 65/NEMA 4	1,242.15
PRO-IQ511V4P1NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Telephoto Varifocal Lens for IQ51x, 110VAC PS, No Enclosure	1,013.03
PRO-IQ511V4P2NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Telephoto Varifocal Lens for IQ51x, 220VAC PS, No Enclosure	1,013.03
PRO-IQ511V4P2NE	Kit Includes IQ511-1.3 MP Camera, 15ips, 0.1 Lux, Telephoto Varifocal Lens for IQ51x, IIEEE 802.3af PoE Module, No Enclosure	1,066.65
PRO-IQ511B1NPDV	Kit Includes IQ511-1.3 MP Camera, 15 ips, 0.2 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, No Power Supply, No Enclosure	974.03
PRO-IQ511B1P1DV	Kit Includes IQ511-1.3 MP Camera, 15 ips, 0.2 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, 110 VAC PS, Interior/ Exterior Vandal Dome	1,013.03
PRO-IQ511B1P2DV	Kit Includes IQ511-1.3 MP Camera, 15 ips, 0.2 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, 220 VAC PS, Interior/ Exterior Vandal Dome	1,013.03
PRO-IQ511B1PEDV	Kit Includes IQ511-1.3 MP Camera, 15 ips, 0.2 lux, Wide Varifocal M12 Lens for IQ51x Vandal Dome, IIEEE 802.3af Module, interior/ Exterior Vandal	1,066.65
<b>IQinvision-IQ701 Kits</b>	<b>IQinvision</b>	
PRO-IQ701NLPNPNE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, No Lens, No Power Supply, No Enclosure	749.25
PRO-IQ701NLP1NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, No Lens, 110VAC PS, No Enclosure	779.25
PRO-IQ701NLP2NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, 220VAC PS, No Enclosure	779.25
PRO-IQ701NLP2NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, IIEEE 802.3af PoE Module, No Enclosure	820.50
PRO-IQ701V1NPNE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Wide Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	831.75
PRO-IQ701V1P1NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	861.75
PRO-IQ701V1P2NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	861.75
PRO-IQ701V1P2NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Wide Varifocal Lens for IQ30x/IQ70x, IIEEE 802.3af PoE Module, No Enclosure	903.00
PRO-IQ701V2NPNE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Telephoto Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	936.75
PRO-IQ701V2P1NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Telephoto Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	966.75
PRO-IQ701V2P2NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Telephoto Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	966.75
PRO-IQ701V2P2NE	Kit Includes IQ701-1.3 MP Camera, 30ips, 0.1 Lux, Telephoto Varifocal Lens for IQ30x/IQ70x, IIEEE 802.3af PoE Module, No Enclosure	1,008.00
<b>IQinvision-IQ702 Kits</b>	<b>IQinvision</b>	
PRO-IQ702NLPNPNE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, No Lens, No Power Supply, no Enclosure	1,095.90
PRO-IQ702NLP1NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, No Lens, 110VAC PS, no Enclosure	1,134.90
PRO-IQ702NLP2NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, No Lens, 220 VAC PS, No Enclosure	1,134.90
PRO-IQ702NLP2NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, No Lens, IIEEE 802.3af PoE Module, No Enclosure	1,188.53
PRO-IQ702V1NPNE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Wide Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,203.15
PRO-IQ702V1P1NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,242.15
PRO-IQ702V1P2NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,242.15
PRO-IQ702V1P2NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Wide Varifocal Lens for IQ30x/IQ70x, IIEEE 802.3af PoE Module, No Enclosure	1,295.78
PRO-IQ702V2NPNE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Telephoto Varifocal Lens for IQ30x/IQ701x, No Power Supply, No Enclosure	1,339.65
PRO-IQ702V2P1NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Telephoto Varifocal Lens for IQ30x/IQ701x, 110VAC PS, no Enclosure	1,378.65
PRO-IQ702V2P2NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Telephoto Varifocal Lens for IQ30x/IQ701x, 220VAC PS, No Enclosure	1,378.65
PRO-IQ702V2P2NE	Kit Includes IQ702-2.0MP Camera, 20ips, 0.2 Lux, Telephoto Varifocal Lens for IQ30x/IQ701x, IIEEE 802.3af PoE Module, No Enclosure	1,432.28
<b>IQinvision-IQ703 Kits</b>	<b>IQinvision</b>	

ProTech Security, Inc.

7026 Sunset Strip Ave. NW

North Canton, OH 44720-7077

Price List Effective Date: January 1, 2009



www.protech-security.com

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-IQ703NLPENE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, No Lens, IEEE 802.3af PoE Module, No Enclosure	1,310.40
PRO-IQ703V1NPNE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Wide Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,325.03
PRO-IQ703V1P1NE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,364.03
PRO-IQ703V1P2NE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,364.03
PRO-IQ703V1PENE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Wide Varifocal Lens for IQ30x/IQ70x, IEEE 802.3af PoE Module, No Enclosure	1,417.65
PRO-IQ703V2NPNE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Telephoto Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,461.53
PRO-IQ703V2P1NE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Telephoto Varifocal lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,500.53
PRO-IQ703V2P2NE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Telephoto Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,500.53
PRO-IQ703V2PENE	Kit Includes IQ703-3.1 MP Camera, 12ips, 0.3 Lux, Telephoto Varifocal Lens for IQ30x/IQ70x, IEEE 802.3af PoE Module, No Enclosure	1,554.15
<b>IQinvision-IQ705 Kits</b>	<b>IQinvision</b>	
PRO-IQ705NLPNPNE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, No Lens, No power Supply, No Enclosure	1,461.53
PRO-IQ705NLP1NE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, No Lens, 110VAC PS, No Enclosure	1,500.53
PRO-IQ705NLP2NE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, 220VAC PS, No Enclosure	1,500.53
PRO-IQ705NLPENE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, No Lens, IEEE 802.3af PoE Module, No Enclosure	1,554.15
PRO-IQ705V7NPNE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, Wide Varifocal 3MP IR Corrected Lens for IQ7xx, No Power Supply, No Enclosure	1,754.03
PRO-IQ705V7P1NE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, Wide Varifocal 3MP IR Corrected Lens for IQ7xx, 110VAC PS, No Enclosure	1,793.03
PRO-IQ705V7P2NE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, Wide Varifocal 3MP IR Corrected Lens for IQ7xx, 220VAC PS, No Enclosure	1,793.03
PRO-IQ705V7PENE	Kit Includes IQ705-5.0 MP Camera, 10ips, 0.3 Lux, Wide Varifocal 3MP IR Corrected Lens for IQ7xx, IEEE 802.3af PoE Module, No Enclosure	1,846.65
<b>IQinvision-IQ751 Kits</b>	<b>IQinvision</b>	
PRO-IQ751NLPNE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, No Lens, No Power Supply, No Enclosure	1,169.03
PRO-IQ751NLP1NE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, No Lens, 110VAC PS, No Enclosure	1,208.03
PRO-IQ751NLP2NE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, No Lens, 220VAC PS, No Enclosure	1,208.03
PRO-IQ751NLPENE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, No Lens, IEEE 802.3af PoE module, No Enclosure	1,261.65
PRO-IQ751V5NPNE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Wide Varifocal Day/Night Lens for IQ7xx, No Power Supply, No Enclosure	1,276.28
PRO-IQ751V5P1NE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Wide Varifocal Day/Night Lens for IQ7xx, 110VAC PS, No Enclosure	1,315.28
PRO-IQ751V5P2NE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Wide Varifocal Day/Night Lens for IQ7xx, 220VAC PS, No Enclosure	1,315.28
PRO-IQ751V5PENE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Wide Varifocal Day/Night Lens for IQ7xx, IEEE 802.3af PoE Module, No Enclosure	1,368.90
PRO-IQ751V6NPNE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Telephoto Varifocal Day/Night Lens for IQ7xx, No Power, No Enclosure	1,339.65
PRO-IQ751V6P1NE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Telephoto Varifocal Day/Night Lens for IQ7xx, 110VAC PS, No Enclosure	1,378.65
PRO-IQ751V6P2NE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Telephoto Varifocal Day/Night Lens for IQ7xx, 220VAC PS, No Enclosure	1,378.65
PRO-IQ751V6PENE	Kit Includes IQ751-1.3 MP Day/Night Camera, 30ips, Telephoto Varifocal Day/Night Lens for IQ7xx, IEEE 802.3af PoE Module, No Enclosure	1,432.28
<b>IQinvision-IQ752 KITS</b>	<b>IQinvision</b>	
PRO-IQ752NLPNE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, No Lens, No Power Supply, No Enclosure	1,290.90
PRO-IQ752NLP1NE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, No Lens, 110VAC PS, No Enclosure	1,329.90
PRO-IQ752NLP2NE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, No Lens, 220VAC PS, No Enclosure	1,329.90
PRO-IQ752NLPENE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, No Lens, IEEE 802.3af PoE Module, No Enclosure	1,383.53
PRO-IQ752V5NPNE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Wide Varifocal Day/Night Lens for IQ7xx, No Power Supply, No Enclosure	1,398.15
PRO-IQ752V5P1NE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Wide Varifocal Day/Night Lens for IQ7xx, 110VAC PS, No Enclosure	1,437.15
PRO-IQ752V5P2NE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Wide Varifocal Day/Night Lens for IQ7xx, 220VAC PS, No Enclosure	1,437.15
PRO-IQ752V5PENE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Wide Varifocal Day/Night Lens for IQ7xx, IEEE802.3af PoE Module, No Enclosure	1,490.78
PRO-IQ752V6NPNE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Telephoto Varifocal Day/Night Lens for IQ7xx, No Power Supply, No Enclosure	1,461.53
PRO-IQ752V6P1NE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Telephoto Varifocal Day/Night Lens for IQ7xx, 110VAC PS, No Enclosure	1,500.53
PRO-IQ752V6P2NE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Telephoto Varifocal Day/Night Lens for IQ7xx, 220VAC PS, No Enclosure	1,500.53
PRO-IQ752V6PENE	Kit Includes IQ752-2.0 MP Day/Night Camera, 20ips, Telephoto Varifocal Day/Night Lens for IQ7xx, IEEE 802.3af PoE Module, No Enclosure	1,554.15
<b>IQinvision-IQ753 KITS</b>	<b>IQinvision</b>	
PRO-IQ753NLPNE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, No Lens, No Power Supply No Enclosure	1,412.78
PRO-IQ753NLP1NE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, No Lens, 110VAC PS, No Enclosure	1,451.78
PRO-IQ753NLP2NE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, No Lens, 220VAC PS, No Enclosure	1,451.78
PRO-IQ753NLPENE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, No Lens, IEEE 802.3af PoE Module, No Enclosure	1,505.40
PRO-IQ753V5NPNE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Wide Varifocal Day/Night Lens for IQ7xx, No Power Supply, No Enclosure	1,520.03
PRO-IQ753V5P1NE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Wide Varifocal Day/Night Lens for IQ7xx, 110VAC PS, No Enclosure	1,559.03
PRO-IQ753V5P2NE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Wide Varifocal Day/Night Lens for IQ7xx, 220VAC PS, No Enclosure	1,559.03
PRO-IQ753V5PENE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Wide Varifocal Day/Night Lens for IQ7xx, IEEE 802.3af PoE Module, No Enclosure	1,612.65
PRO-IQ753V6NPNE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Telephoto Varifocal Day/Night Lens for IQ7xx, No Power, No Enclosure	1,583.40
PRO-IQ753V6P1NE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Telephoto Varifocal Day/Night Lens for IQ7xx, 110VAC PS, No Enclosure	1,622.40
PRO-IQ753V6P2NE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Telephoto Varifocal Day/Night Lens for IQ7xx, 220VAC PS, No Enclosure	1,622.40
PRO-IQ753V6PENE	Kit Includes iq753-3.1 NP Day/Night Camera, 12ips, Telephoto Varifocal Day/Night Lens for IQ7xx, IEEE 802.3af PoE Module, No Enclosure	1,676.03
<b>IQinvision-IQ755 KITS</b>	<b>IQinvision</b>	
PRO-IQ755NLPNPNE	Kit Includes IQ755-5 MP Day/Night Camera, 10ips, No Lens, No Power, No Enclosure	1,656.53
PRO-IQ755NLP1PNE	Kit Includes IQ755-5 MP Day/Night Camera, 10ips, No Lens, 110VAC PS, No Enclosure	1,695.53
PRO-IQ755NLP2PNE	Kit Includes IQ755-5 MP Day/Night Camera, 10ips, No Lens, 220VAC PS, No Enclosure	1,695.53
PRO-IQ755NLPENE	Kit Includes IQ755-5 MP Day/Night Camera, 10ips, No Lens, IEEE 802.3af PoE Module, No Enclosure	1,749.15
PRO-IQ755V7NPNE	Kit Includes IQ755-5 MP Day/Night Camera, 10ips, Wide Varifocal 3MP IR Corrected Lens for IQ7xx, No Power, No Enclosure	1,949.03
PRO-IQ755V71PNE	Kit Includes IQ755-5 MP Day/Night Camera, 10ips, Wide Varifocal 3MP IR Corrected Lens for IQ7xx, 110VAC PS, No Enclosure	1,988.03

ProTech Security, Inc.

7026 Sunset Strip Ave. NW

North Canton, OH 44720-7077

Price List Effective Date: January 1, 2009



www.protech-security.com

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-IQ301NLPNE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, No Lens, No Power Supply, No Enclosure	1,236.30
PRO-IQ301NLP1NE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, No Lens, 110VAC PS, No Enclosure	1,275.30
PRO-IQ301NLP2NE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, No Lens, 220VAC PS, No Enclosure	1,275.30
PRO-IQ301NLPQNE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, No Lens, IQPoE Module for IQ30x, Power Supply Required, No Enclosure	1,304.55
PRO-IQ301V1PNE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,343.55
PRO-IQ301V1P1NE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,382.55
PRO-IQ301V1P2NE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,382.55
PRO-IQ301V1PQNE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, IQPoE Module for IQ30x, Power Supply Required, No	1,411.80
PRO-IQ301V2NPNE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,480.05
PRO-IQ301V2P1NE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,519.05
PRO-IQ301V2P2NE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,519.05
PRO-IQ301V2PQNE	Kit Includes IQ301-1.3 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, IQPoE Module for IQ30x, Power Supply Required, No	1,548.30
<b>IQinvision-IQ302 Kits</b>		
<b>IQinvision</b>		
PRO-IQ302NLPNE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, No Lens, No Power Supply, No Enclosure	1,405.95
PRO-IQ302NLP1NE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, No Lens, 110VAC PS, No Enclosure	1,444.95
PRO-IQ302NLP2NE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, No Lens, 220VAC PS, No Enclosure	1,444.95
PRO-IQ302NLPQNE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, No Lens, IQPoE Module for IQ30x, Power Supply Required, No Enclosure	1,474.20
PRO-IQ302V1PNE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,513.20
PRO-IQ302V1P1NE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,552.20
PRO-IQ302V1P2NE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,552.20
PRO-IQ302V2NPNE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, IQPoE Module for IQ30x, Power Supply Required, No	1,581.45
PRO-IQ302V2P1NE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,649.70
PRO-IQ302V2P2NE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,688.70
PRO-IQ302V2PQNE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,688.70
PRO-IQ302V2PQNE	Kit Includes IQ302-2.0 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, IQPoE Module for IQ30x, Power Supply Required, No	1,717.95
<b>IQinvision-IQ303 Kits</b>		
<b>IQinvision</b>		
PRO-IQ303NLPNE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, No Lens, No Power Supply, No Enclosure	1,573.65
PRO-IQ303NLP1NE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, No Lens, 110VAC PS, No Enclosure	1,612.65
PRO-IQ303NLP2NE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, No Lens, 220VAC PS, No Enclosure	1,612.65
PRO-IQ303NLPQNE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, No Lens, IQPoE Module for IQ30x, Power Supply Required, No Enclosure	1,641.90
PRO-IQ303V1PNE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,680.90
PRO-IQ303V1P1NE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,719.90
PRO-IQ303V1P2NE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, 220 VAC PS, No Enclosure	1,719.90
PRO-IQ303V1PQNE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Wide Varifocal Lens for IQ30x/IQ70x, IQPoE Module for IQ30x, Power Supply Required, No	1,749.15
PRO-IQ303V2NPNE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, No Power Supply, No Enclosure	1,817.40
PRO-IQ303V2P1NE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, 110VAC PS, No Enclosure	1,856.40
PRO-IQ303V2P2NE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	1,856.40
PRO-IQ303V2PQNE	Kit Includes IQ303-3.1 MP DPTZ Smart IP Camera, Telephoto Varifocal Lens for IQ30x/IQ70x, IQPoE Module for IQ 30x, Power Supply Required, No	1,885.65
<b>IQinvision-IQ8xx Sentinel Series</b>		
<b>IQinvision</b>		
PRO-IQ811V3NPSS	Sentinel 811 1.3 MP All- Weather Camera System, 30ips, 0.1 lux, Wide Varifocal Lens, No Power Supply	1,325.03
PRO-IQ811V3P3SS	Sentinel 811 1.3 MP All- Weather Camera System, 30ips, 0.1 lux, Wide Varifocal Lens, Universal 110-220 VAC Power Supply	1,364.03
PRO-IQ811V3PESS	Sentinel 811 1.3 MP All- Weather Camera System, 30ips, 0.1 lux, Wide Varifocal Lens, 802.3af POE Power Module	1,417.65
PRO-IQ811V4NPSS	Sentinel 811 1.3 MP All- Weather Camera System, 30ips, 0.1 lux, Telephoto Varifocal Lens, No Power Supply	1,461.53
PRO-IQ811V4P3SS	Sentinel 811 1.3 MP All- Weather Camera System, 30ips, 0.1 lux, Telephoto Varifocal Lens, Universal 110-220 VAC Power Supply	1,500.53
PRO-IQ811V4PESS	Sentinel 811 1.3 MP All- Weather Camera System, 30ips, 0.1 lux, Telephoto Varifocal Lens, 802.3af POE Power Module	1,554.15
PRO-IQ802V1NPSS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Wide Varifocal Lens, No Power Supply	1,446.90
PRO-IQ802V1P3SS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Wide Varifocal Lens, Universal 110-220 VAC Power Supply	1,485.90
PRO-IQ802V1PESS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Wide Varifocal Lens, 802.3af POE Power Supply	1,539.53
PRO-IQ802V2NPSS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Telephoto Varifocal Lens, No Power Module	1,583.40
PRO-IQ802V2P3SS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Telephoto Varifocal Lens, Universal 110-220 VAC Power Supply	1,622.40
PRO-IQ802V2PESS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Telephoto Varifocal Lens, 802.3af POE Power Module	1,676.03
PRO-IQ802V7NPSS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Wide IR-Corrected Varifocal Lens, No Power Supply	1,632.15
PRO-IQ802V7P3SS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Wide IR-Corrected Varifocal Lens, Universal 110-220 VAC Power Supply	1,671.15
PRO-IQ802V7PESS	Sentinel 802 2 mp All Weather Camera System, 20ips, 0.2 lux, Wide IR-Corrected Varifocal Lens, 802.3af POE Power Module	1,724.78
PRO-IQ803V2NPSS	Sentinel 803 2 mp All Weather Camera System, 12 ips, 0.3 lux, Telephoto Varifocal Lens, No Power Supply	1,705.28
PRO-IQ803V2P3SS	Sentinel 803 2 mp All Weather Camera System, 12 ips, 0.3 lux, Telephoto Varifocal Lens, Universal 110-220 VAC Power Supply	1,744.28
PRO-IQ803V2PESS	Sentinel 803 2 mp All Weather Camera System, 12 ips, 0.3 lux, Telephoto Varifocal Lens, 802.3af POE Power Module	1,797.90
PRO-IQ803V7NPSS	Sentinel 803 2 mp All Weather Camera System, 12 ips, 0.3 lux, Wide IR-Corrected Varifocal Lens, No Power Supply	1,754.03
PRO-IQ803V7P3SS	Sentinel 803 2 mp All Weather Camera System, 12 ips, 0.3 lux, Wide IR-Corrected Varifocal Lens, Universal 110-220 VAC Power Supply	1,793.03
PRO-IQ803V7PESS	Sentinel 803 2 mp All Weather Camera System, 12 ips, 0.3 lux, Wide IR-Corrected Varifocal Lens, 802.3af POE Power Module	1,846.65
PRO-IQ805V7NPSS	Sentinel 805 2 mp All Weather Camera System, 10ips, 0.3 lux, Wide IR-Corrected Varifocal Lens, No Power Supply	1,997.78
PRO-IQ805V7P3SS	Sentinel 805 2 mp All Weather Camera System, 10ips, 0.3 lux, Wide IR-Corrected Varifocal Lens, 110-220 VAC Power Supply	2,036.78
PRO-IQ805V7PESS	Sentinel 805 2 mp All Weather Camera System, 10ips, 0.3 lux, Wide IR-Corrected Varifocal Lens, 802.3af Power Module	2,090.40
PRO-IQ852V5NPSS	Sentinel 852 2 mp All Weather Camera System, 20ips, Wide Varifocal Day/ Night Lens, No Power Supply	1,641.90

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-IQ852V6P3SS	Sentinel 852 2 mp All Weather Camera System, 20ips, Telephoto Varifocal Day/Night Lens, Universal 110-220 VAC Power Supply	1,744.28
PRO-IQ852V6PESS	Sentinel 852 2 mp All Weather Camera System, 20ips, Telephoto Varifocal Day/Night Lens, 802.3af POE Power Module	1,797.90
PRO-IQ852V7NPSS	Sentinel 852 2 mp All Weather Camera System, 20ips, Wide Varifocal IR-Controlled Lens, No Power Supply	1,827.15
PRO-IQ852V7P3SS	Sentinel 852 2 mp All Weather Camera System, 20ips, Wide Varifocal IR-Controlled Lens, Universal 110-220 Power Supply	1,866.15
PRO-IQ852V7PESS	Sentinel 852 2 mp All Weather Camera System, 20ips, Wide Varifocal IR-Controlled Lens, 802.3af POE Power Module	1,919.78
PRO-IQ853V6NPSS	Sentinel 853 2 mp All Weather Camera System, 12ips, Telephoto Varifocal Day/Night Lens, No Power Supply	1,827.15
PRO-IQ853V6P3SS	Sentinel 853 2 mp All Weather Camera System, 12ips, Telephoto Varifocal Day/Night Lens, Universal 110-220 VAC Power Supply	1,866.15
PRO-IQ853V6PESS	Sentinel 853 2 mp All Weather Camera System, 12ips, Telephoto Varifocal Day/Night Lens, 802.3af POE Power Module	1,919.78
PRO-IQ853V7NPSS	Sentinel 853 2 mp All Weather Camera System, 12ips, Wide Varifocal IR-Controlled Lens, No Power Supply	1,949.03
PRO-IQ853V7P3SS	Sentinel 853 2 mp All Weather Camera System, 12ips, Wide Varifocal IR-Controlled Lens, Universal 110-220 VAC Power Supply	1,988.03
PRO-IQ853V7PESS	Sentinel 853 2 mp All Weather Camera System, 12ips, Wide Varifocal IR-Controlled Lens, 802.3af POE Power Module	2,041.65
PRO-IQ855V7NPSS	Sentinel 855 2 mp All Weather Camera System, 10ips, Wide Varifocal IR-Controlled Lens, No Power Supply	2,192.78
PRO-IQ855V7P3SS	Sentinel 855 2 mp All Weather Camera System, 10ips, Wide Varifocal IR-Controlled Lens, Universal 110-220 VAC Power Supply	2,231.78
PRO-IQ855V7PESS	Sentinel 855 2 mp All Weather Camera System, 10ips, Wide Varifocal IR-Controlled Lens, 802.3af Power Module	2,285.40
<b>IQinvision-IQvav Kits</b>		
<b>IQinvision</b>		
IQvavV1P1NE	Kit Includes Iqvav-IQ Video Alarm Verification System w/IQPoe Module for 30x, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, no Enclosure	925.28
IQvavV1P2NE	Kit Includes Iqvav-IQ Video Alarm Verification System w/IQPoe Module for 30x, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, No Enclosure	925.28
<b>IQinvision-IQers Kits</b>		
<b>IQinvision</b>		
PRO-IQersV1P1X1	Kit Includes IQers-2.0 MP Event Recording System, Wide Varifocal Lens for IQ30x/IQ70x, 100VAC PS, PoE Outdoor Housing, IP 65/NEMA 4	1,720.88
PRO-IQersV1P2X1	Kit Includes IQers-2.0 MP Event Recording System, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, PoE Outdoor Housing, IP 65/NEMA 4	1,720.88
<b>IQinvision-IQerw Kits</b>		
<b>IQinvision</b>		
PRO-IQerwV1P1X1	Kit Includes IQerw-2.0 MP Event Recording System w/Storage, Wide Varifocal Lens for IQ30x/IQ70x, 110VAC PS, PoE Outdoor Housing, IP	1,915.88
PRO-IQerwV1P2X1	Kit Includes IQerw-2.0 MP Event Recording System w/Storage, Wide Varifocal Lens for IQ30x/IQ70x, 220VAC PS, PoE Outdoor Housing, IP	1,915.88
<b>IQinvision-IQeye Components and Accessor</b>		
<b>IQinvision</b>		
PRO-IQ510	Wide Dynamic Range, WVGA Camera, 60 ips, 0.4 lux	486.53
PRO-IQ511	1.3MP Camera, 15ips, 0.1 Lux	730.28
PRO-IQ701	1.3MP Camera, 30ips, 0.1 Lux	974.03
PRO-IQ702	2.0MP Camera, 20ips, 0.2 Lux	1,095.90
PRO-IQ703	3.1MP Camera, 12ips, 0.3 Lux	1,217.78
PRO-IQ705	5.0MP Camrea, 10ips, 0.3 Lux	1,461.53
PRO-IQ751	1.3MP Day/Night Camera, 30ips	1,169.03
PRO-IQ752	2.0MP Day/Night Camera, 20ips	1,290.90
PRO-IQ753	3.1MP Day/Night Camera, 12ips	1,412.78
PRO-IQ755	5.0MP Day/Night Camera, 10ips	1,656.53
PRO-IQ301	1.3MP DPTZ Smart IP Camera	1,236.30
PRO-IQ301m	1.3MP DPTZ Smart IP Camera, Monochrome	1,348.43
PRO-IQ301w	1.3MP DPTZ Smart IP Camera, PC Card Slot	1,405.95
PRO-IQ302	2.0MP DPTZ Smart IP Camera	1,405.95
PRO-IQ302w	2.0MP DPTZ Smart IP Camera, PC Card Slot	1,573.65
PRO-IQ303	3.1MP DPTZ Smart IP Camera	1,573.65
PRO-IQ303w	3.1MP DPTZ Smart IP Camera, PC Card Slot	1,743.30
PRO-V1	Wide Varifocal Lens for IQ30x/70x	107.25
PRO-V2	Telephoto Varifocal Lens for IQ30x/IQ70x	243.75
PRO-V3	Wide Varifocal Lens for IQ51x	107.25
PRO-V4	Telephoto Varifocal Lens for IQ51x	243.75
PRO-V5	Wide Varifocal Day/Night Lens for IQ7xx	107.25
PRO-V6	Telephoto Varifocal Day/Night Lens for IQ7xx	170.63
PRO-V7	Wide Varifocal 3MP IR Corrected Lens for IQ7xx	292.50
PRO-W1	Ultra Wide Varifocal Lens for IQ51x/IQ70x	146.25
PRO-CR	C/CS Adapter Ring	9.75
PRO-PE	IEEE 802.3af PoEModule	92.63
PRO-PQ	IQPoe Module for IQ30x, Power Supply Required	68.25
PRO-P1	110VAC PS	39.00
PRO-P2	220VAC PS	39.00
PRO-D1	IQ5xx Interior In-Ceiling Dome	121.88
PRO-D2	IQ5xx Interior Pendant Dome	146.25
PRO-D3	IQ5xx Interior Pendant Dome w/ Wall Mount	190.13
PRO-M1	Wall Mount for IQ5xx Interior Pendant Dome	43.88
PRO-X2	IQ5xx Outdoor Housing, IP 65/NEMA 4	268.13
PRO-IQRECORDERSW	On-Camera Network Video Recording Software	96.53
PRO-IQAUTHENTSW	On-Camera Digital image Authentication Software	135.53
PRO-IQINTELTESW	Low-Light Exposure Control Software	219.38
PRO-IQFASTBOTSW	Fast Boot Software for IQ30x	219.38
PRO-IQPEOPLECSW	People Counting Software for IQ30x	894.08

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>PANASONIC SECURITY SYSTEMS</b>		
<b>PANASONIC SECURITY IP CAMERAS</b>		
<b>FIXED COLOR CAMERAS</b>		
PRO-WV-CP480	SDIII, 1/3" CCD COLOR DSP, AUTO BACK FOCUS, DAY/NIGHT OPERATION, 120V AC	570.00
PRO-WV-CP484	SDIII, 1/3" CCD COLOR DSP, AUTO BACK FOCUS, DAY/NIGHT OPERATION, 24V AC & 12 V DC	570.00
PRO-WV-CW374	SELF-CONTAINED, OUTDOOR DAY/NIGHT CAMERA W/SDIII TECHNOLOGY, 8X VARIFOCUL LENS	1,083.00
<b>NETWORK/IP CAMERAS</b>		
<b>PANASONIC SECURITY IP CAMERAS</b>		
PRO-WV-NM100	COLOR NETWORK CAMERA, BUILT IN LENS & PTZ	484.50
PRO-WV-NP244	NETWORK CAMERA W/DUAL MPEG4 & JPEG OUTPUT W/PoE, SD MEMORY, CARD BACKUP, VMD & ALARM OUTPUT	445.31
PRO-WV-NP472	COLOR NETWORK CAMERA, SDII, HYBRID W/STANDARD ANALOG OUTPUT, 12V DC	1,244.50
PRO-WV-NP1004	COLOR NETWORK CAMERA, 1.3 megapixels, MPEG4, JPEG, SD memory slot LINES, SD MEMORY CARD FOR BACKUP, ABF	1,662.50
PRO-WV-NS324	UNITIZED NETWORK COLOR DOME CAMERA W/PAN TILT, ZOOM, HYBRID	2,232.50
<b>VANDAL-PROOF CAMERAS</b>		
<b>PANASONIC SECURITY IP CAMERAS</b>		
PRO-WV-NW474S	HYBRID VANDAL-PROOF NETWORK CAMERA, SURFACE MOUNT, SDII, DAY/NIGHT	1,396.50
<b>LENSES - 1/3"</b>		
<b>PANASONIC SECURITY IP CAMERAS</b>		
PRO-LZA62/2	2.8 - 6mm HIGH RESOLUTION LENS, VARI-FOCAL, FOR WV-NP1004 NETWORK CAMERA	304.00
<b>PANASONIC SECURITY IP CAMERAS</b>		
PRO-WVQ151S	RECESSED CEILING MOUNT W/ SMOKED DOME COVER FOR NS202	191.36
PRO-WV202A	I-PRO NETWORK COLOR DOME CAMERA- PTZ	1,117.20
<b>HOUSINGS</b>		
<b>PANASONIC SECURITY IP CAMERAS</b>		
PRO-PIH15W	INDOOR HOUSING WITH WALL MOUNT	142.50
PRO-PMEH8	METAL INDOOR WEDGE HOUSING	228.00
PRO-POD7C	DOME HOUSING, OUTDOOR, 7", PENDANT MOUNT, F/UNITIZED CAMERAS	598.50
PRO-POD7CW	DOME HOUSING, OUTDOOR, 7", WALL MOUNT, F/UNITIZED CAMERAS	598.50
PRO-POD8CB	OUTDOOR DOME HOUSING FOR UNITIZED CAMERAS INCL WV-CS954	494.00
PRO-POD8CF	OUTDOOR DOME HOUSING FOR FIXED CAMERAS	532.00
PRO-POD8CW	OUTDOOR DOME HOUSING FOR UNITIZED CAMERAS WITH WALL MOUNT	532.00
PRO-POD8CWF	OUTDOOR DOME HOUSING FOR FIXED CAMERAS WITH WALL MOUNT	532.00
PRO-POD9C	OUTDOOR DOME HOUSING FOR UNITIZED PTZ CAMERAS, INCL WV-CS954 - PENDANT MOUNT	532.00
PRO-POD9CT	OUTDOOR DOME HOUSING - WHITE FOR UNITIZED PTZ CAMERAS, INCLUDING WV-CS954 - PENDANT MOUNT	532.00
PRO-POD9CW	OUTDOOR DOME HOUSING FOR UNITIZED PTZ CAMERAS, INCL WV-CS954 - WALL MOUNT	532.00
PRO-POD9CWT	OUTDOOR DOME HOUSING - WHITE FOR UNITIZED PTZ CAMERAS, INCLUDING WV-CS954 - WALL MOUNT	779.95
PRO-POH1000	11" INDOOR/OUTDOOR HOUSING FOR 1/3" CCD CAMERAS W/FIXED LENSES	779.95
PRO-POH1000HB	POH1000 W/FACTORY INSTALLED 24V AC HEATER AND BLOWER	779.95
PRO-POH1500	16" INDOOR/OUTDOOR HOUSING FOR 1/3" CCD CAMERAS W/ZOOM LENSES	779.95
PRO-POH1500HB	POH1500 W/FACTORY INSTALLED 24V AC HEATER AND BLOWER	779.95
PRO-PPEH8	PLASTIC WEDGE HOUSING	779.95
PRO-PPFD8C	PRESSURIZED DOME CAMERA HOUSING	779.95
PRO-PPH14	PRESSURIZED HOUSING, OUTDOOR	779.95
PRO-PRC201C	LOW PROFILE RECESSED CEILING HOUSING	779.95
PRO-PSS10	SUN SHIELD FOR POH1000 INDOOR/OUTDOOR CAMERA HOUSING	779.95
<b>MOUNTING BRACKETS</b>		
<b>PANASONIC SECURITY IP CAMERAS</b>		
PRO-PACA2	CORNER MOUNT BRACKET, BLACK	76.00
PRO-PACA2B	CORNER MOUNT BRACKET, BEIGE	76.00
PRO-PAPM3	POLE MOUNT BRACKET, BLACK	57.00
PRO-PAPM3B	POLE MOUNT BRACKET WITHOUT STRAPS, BEIGE	57.00
PRO-PCM474SA	CORNER MOUNT BRACKET FOR WV-CW474S, WV-CW244S, WV-NW474S	256.50
PRO-PHM220	POLE MOUNT BRACKET, LIGHTWEIGHT ALUMINUM, POWDER COAT	85.50
PRO-PHM240	PEDESTAL MOUNT BRACKET, LIGHTWEIGHT ALUMINUM, POWDER COAT	76.00
PRO-PHM260	CEILING MOUNT BRACKET, LIGHTWEIGHT ALUMINUM, POWDER COAT	85.50
PRO-PHM474SA	HANGING MOUNT FOR VANDAL-PROOF CAMERAS (WV-CW244 AND	

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-PWM20GB	GOOSE NECK WALL MOUNT BRACKET, BEIGE	123.50
PRO-PWM30G	PARAPET MOUNT BRACKET FOR POD7C (OUTSIDE WALL), BLACK	427.50
PRO-PWM30GB	PARAPET MOUNT BRACKET WITHOUT EXTENSION, BEIGE	427.50
PRO-PWM474SA	WALL MOUNT BRACKET FOR WV-CW474S, WV-CW244S, WV-NW474S	190.00
PRO-PWM800	WALL/POLE MOUNT BRACKET, BLACK, MEDIUM DUTY	47.50
PRO-WV-7010	BRACKET, UNIVERSAL LD, CEILING FOR WV-7120D	57.00
PRO-WV-7015	BRACKET, UNIVERSAL LD, INDOOR, WALL FOR WV-7120D	66.50
PRO-WV-831P	BRACKET, WALL FOR WV-7130D/POH1000/POH1500 HOUSINGS	95.00
<b>PAN / TILT UNITS PANASONIC SECURITY IP CAMERAS</b>		
PRO-WV-7225	PAN/TILT, INDOOR, REMOTE CONTROLLED, WITH AUTO PAN	1,197.00
PRO-WV-7260D	PAN/TILT, HD, OUTDOOR	1,985.50
<b>NETWORK INTERACES-NT SERIES PANASONIC SECURITY IP CAMERAS</b>		
PRO-WV-Q204/1	MOUNTING BRACKET FOR WJ-NT104 & WJ-MP204 & WJ-GXE900 (1 UNIT ONLY)	152.00
PRO-WV-Q204/2	MOUNTING BRACKET FOR WJ-NT104 & WJ-MP204 & WJ-GXE900 (1 UNIT ONLY)	133.00
<b>VIDEO STREAMING (GX SERIES) PANASONIC SECURITY IP CAMERAS</b>		
PRO-WJ-GXD900	MPEG 2 CODEC DECODER	7,134.50
PRO-WJ-GXE900	MPEG 2 CODEC ENCODER	6,251.00
PRO-WJ-MPU955	MANAGEMENT CPU FOR GX SERIES	23,351.00
PRO-WV-AS900	DECODER SOFTWARE FOR GX SERIES	1,634.00
<b>FIBER OPTICS - RECEIVERS PANASONIC SECURITY IP CAMERAS</b>		
PRO-MR404	4 CHANNEL FM VIDEO MODULE RECEIVER - MULTIMODE	1,415.50
PRO-MR440	4 CHANNEL FM VIDEO MODULE RECEIVER - MULTIMODE	1,681.50
PRO-MRM100	LOW PROFILE MODULE FM VIDEO RECEIVER - MULTIMODE	294.50
PRO-MRM1485	VIDEO/RS-485 MODULE RECEIVER - MULTIMODE	1,064.00
PRO-MRM1600P	VIDEO/PANASONIC UP-THE-COAX MODULE RECEIVER - MULTIMODE	836.00
PRO-MRR880	8 CHANNEL VIDEO MODULE, RACK CARD RECEIVER - MULTIMODE	4,161.00
PRO-MRX8485	VIDEO RECEIVER / RS-232, RS-422, RS-485 TRANSCEIVER - MULTIMODE	3,249.00
PRO-MRX8885	VIDEO RECEIVER / RS-232, RS-422, RS-485 TRANSCEIVER - MULTIMODE	5,339.00
PRO-RR404	4 CHANNEL FM VIDEO RACK CARD RECEIVER - MULTIMODE	1,415.50
PRO-RR440	4 CHANNEL FM VIDEO RACK CARD RECEIVER - MULTIMODE	1,681.50
PRO-RRM100	RACK CARD FM VIDEO RECEIVER - MULTIMODE	361.00
PRO-RRM30	3 CHANNEL FM VIDEO RACK CARD RECEIVER - MULTIMODE	826.50
<b>TRANSMITTERS PANASONIC SECURITY IP CAMERAS</b>		
PRO-MRT880	8 CHANNEL VIDEO MODULE/TRACK CARD TRANSMITTER - MULTIMODE	4,161.00
PRO-MT404	4 CHANNEL FM VIDEO MODULE TRANSMITTER - MULTIMODE	1,415.50
PRO-MT440	4 CHANNEL FM VIDEO MODULE TRANSMITTER - MULTIMODE	1,681.50
PRO-MTM100	LOW PROFILE MODULE FM VIDEO TRANSMITTER - MULTIMODE	294.50
PRO-MTM1485	VIDEO/RS-485 MODULE TRANSMITTER - MULTIMODE	1,064.00
PRO-RT404	4 CHANNEL FM VIDEO RACK CARD TRANSMITTER - MULTIMODE	1,415.50
PRO-RT440	4 CHANNEL FM VIDEO RACK CARD TRANSMITTER - MULTIMODE	1,681.50
PRO-RTM100	RACK CARD FM VIDEO TRANSMITTER	361.00
PRO-RTM30	3 CHANNEL FM VIDEO RACK CARD TRANSMITTER - MULTIMODE	826.50
PRO-SR20/2	EIA 19: FRAME WITH UNIVERSAL SWITCHING, POWER SUPPLY	1,168.50
<b>MONITORS AND PLASMA DISPLAYS PANASONIC SECURITY IP CAMERAS</b>		
PRO-WV-LC1710	17" LCD MONITOR WITH 500 LINES OF RESOLUTION	1,396.50
PRO-WV-LD1500	15" TFT LCD MONITOR WITH 450 TV LINES OF RESOLUTION	798.00
PRO-WV-LD2000	20" TFT LCD MONITOR WITH 450 TV LINES OF RESOLUTION	1,130.50
PRO-WQ-LM171	RACK MOUNT FOR WV-LC1710	95.00
<b>PLASMA DISPLAYS PANASONIC SECURITY IP CAMERAS</b>		
PRO-PT37CASEPK	ATA HARD CARRYING CASE FOR 32" PLASMA DISPLAY	1,349.00
PRO-PT42CASEPK	ATA HARD CARRYING CASE FOR 42" PLASMA DISPLAY	1,691.00
PRO-PT50CASEPK	ATA HARD CARRYING CASE FOR 50" PLASMA DISPLAY	1,805.00
PRO-TH-37PHD8UK	37" HIGH DEFINITION PLASMA DISPLAY	2,465.25
PRO-TH-37PWD8UK	37" PLASMA DISPLAY	1,800.25
PRO-TH-42PHD8UK	42" HIGH DEFINITION PLASMA DISPLAY	2,845.25
PRO-TH-42PWD8UK	42" PLASMA DISPLAY	1,990.25
PRO-TH-59PHD8UK	50" HIGH DEFINITION PLASMA DISPLAY	3,795.25
PRO-TY-42TM6A	BNC COMPONENT VIDEO TERMINAL	123.50
PRO-TY-42TM6B	BNC COMPOSITE VIDEO TERMINAL	161.50
PRO-TY-42TM6D	DVI/HDCP BOARD	161.50
PRO-TY-42TM6G	RGB ADTIVE THROUGH TERMINAL	180.50
PRO-TY-42TM6P	PC INPUT TERMINAL	123.50
PRO-TY-42TM6V	RCA COMPOSITE VIDEO TERMINAL	161.50
PRO-TY-42TM6Z	RCA COMPONENT VIDEO TERMINAL	123.50

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-TY-SP50P5WK	STEREO SPEAKER KIT FOR 52" PLASMA DISPLAY	332.50
PRO-TY-STO8K	DESKTOP STAND FOR 37", 42" & 50" DISPLAYS	166.25
PRO-TY-ST42PF3	FLOOR MOBILE STAND FOR 42" & 50" DISPLAYS	1,064.00
PRO-TY-ST42PW1	WALL STAND FOR 37", 42" & 50" DISPLAYS	665.00
PRO-TY-UPK42HV7	COOLING FAN KIT FOR TH-42PHD7UY	142.50
PRO-TY-UPK50HV7	COOLING FAN KIT FOR TH-50PHD7UY	142.50
PRO-TY-WK37PV3	FLUSH WALL MOUNT FOR 37" PLASMA DISPLAY	351.50
PRO-TY-WK42DR1	DRAWER TYPE WALL MOUNT BRACKET FOR 42" & 50" PLASMA DISPLAY	826.50
PRO-TY-WK42PR7	WALL MOUNT (ANGLED) FOR 37", 42" & 50" PLASMA DISPLAY	494.00
PRO-TY-WK42PV7	FLUSH WALL MOUNT FOR 37", 42" & 50" PLASMA DISPLAY	399.00

**Qorvus**

MESHCAM		Qorvus	
PRO-STANDARD	Single radio with M22-IT cam		2,530.13
PRO-DUAL	Dual radio with M22-IT cam		2,725.13
PRO-ULTRA RESOLUTION	Single-radio with M22-SEC cam		2,920.13
PRO-DUAL ULTRA	Dual radio with M22-SEC cam		3,115.13
PRO-SUPER HI POWER RADIO	ADD \$200 to the above		195.00
QNODEJR		Qorvus	
PRO-STANDARD	Single radio		1,652.63
PRO-DUAL	Dual radio		1,847.63
PRO-SUPER HI POWER RADIO	Add \$200 to the above		195.00
Qcell		Qorvus	
PRO-360 DEGREE HIGH-BANDWIDTH TRI-SECTOR REPEATER ARRAY	Four radio cellular array system (tower section) for high-bandwidth backhaul of data from multiple mesh nodes		11,695.13
Accy Kit		Qorvus	
PRO-ACCYKIT 1 (STANDARD ACCESSORY	Antennas, lightning protection, ethernet static protection, antenna cables, hardware ount or mast, etc. as needed per specific application		658.13
PRO-ACCYKIT 2 (FOR MESHCAM)	Depends on antennas and mounts needed (150-300)		
Mobotix IP cams (with Qorvus firmware load)		Qorvus	
PRO-CAM2001	Standard (wide angle 90degree lens)3-megapixel sensor, 640x480 output, internal cache, VOIP audio		826.80
PRO-CAM2002	Ultra Resolution (any lens)3-megapixel sensor, 1280x1024 output, internal cache, VOIP audio		1,021.80
PRO-CAM2003	Ultra Resolution (dual lens) 3-megapixel sensor, 1280x1024 output, internal cache, VOIP audio		1,655.55
PRO-POE	Cam power supply & injector 48-volt POE power supply and injector		82.88
PRO-OTHER LENSES	15, 31,45, 60 and 90 degree lenses (no charge for CAM2002/3)		105.30
ENGINEERING SERVICES		Qorvus	
PRO-FIELD ENGINEERING	Site-survey, equipment installation, adjustment, and certification of proper operation, including rooftop & tower climbs		1,262.63
PRO-PRE INSTALLATION CONFIGURATION	Wireless software setup, documentation and test emulation of final installation at our facility		219.38
PRO-CUSTOM ENGINEERING	Device or server software or hardware for specialized client applications or installations (135/hour)		131.63

**SONY IP CAMERAS**

**SONY IPELA series IP CAMERAS**

PRO-DF40	Network Mini Fixed Dome Camera	845.50
PRO-DF70	Network Day/Night Mini Fixed Dome Camera	1,045.00
PRO-RZ25	High Speed pan/tilt mechanism w/integral 18x auto-focus zoom lens	1,520.00
PRO-RZ50	High Speed pan/tilt PCMCIA slot Compact Flash for wireless LAN connectivity or flash media. 50 user capability.	2,185.00
PRO-SNC-RX550N	Network Dome PTZ Camera w/26x Optical Zoom Day/Night Advanced Video Motion Detection	2,375.00
PRO-SH-SNCCS50N	NETWORK CAM 540 TVL AI VF 3.5- 8MM	991.30
PRO-SH-SNCF70N	RUGGED MINIDOME NETWORK CAMERA	842.27
PRO-SH-YTICB70	CEILING KIT FOR SNCF70N	112.20
PRO-SH-SNCRZ50N	MULTI CODE PTZ NETWORK CAMERA	1,304.45
PRO-SH-SNCRZ30N	NETW COLOR CAM W/ PAN TILT ZOOM	1,377.87
PRO-SH-SNCID7C1	7" CEILING MOUNT- CLR- HOUSING	186.57
PRO-SH-UNIIRS7C1	RUGGED CLEAR DOME/RZ50N, RZ30N	554.27
PRO-SH-UNIIRS7T1	HSG RUGGED IND/OUTD TINTED DM	559.70
PRO-SH-SNCUNIHB1	OUTDOOR HSGN 24 AC H/B CS50N	214.55
PRO-SH-SNCUNI	INDOOR HOUSING FOR SNCZ20N	135.85

##

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

**MODEL NO. \*see note below**      **MANUFACTURER/DESCRIPTION**      STS Price

**SE1**      **SELECT ENGINEERED SYSTEMS INC.**

PRO-SE1-A-SUP-1000      SUPPRESSION KIT      33.25

**BOSCH**      **BOSCH**

PRO-DS-150i      REX SENSOR (GREY)      114.00  
 PRO-DS-151i      REX SENSOR (BLACK)      142.50

**VIKING**      **VIKING**

PRO-VIK-C-200      CONTROLLER SINGLE DOOR      307.80  
 PRO-VIK-C-2000A      DOOR CONTROL ADVANCED      628.90  
 PRO-VIK-E-40SS      DOOR PHONE STAINLESS      389.50

**MIRITONE- Fire Panels & Fire Accessories**

**ACCESSORIES**

PRO-12V10A	11 Ah Sealed Lead Acid Battery	88.73
PRO-12V17A	17 Ah Sealed Lead Acid Battery	96.81
PRO-12V24A	26 Ah Sealed Lead Acid Battery	157.32
PRO-12V40A	40 Ah Sealed Lead Acid Battery	203.68
PRO-12V4A	4.5 Ah Sealed Lead Acid Battery	48.45
PRO-12V50A	50 Ah Sealed Lead Acid Battery	398.15
PRO-12V65A	65 Ah Sealed Lead Acid Battery	604.77
PRO-12V6A5	7.2 Ah Sealed Lead Acid Battery	58.52
PRO-1501-AQN	Door holder, Single, Floor Mount-24Vac/24Vdc/120Vac	95.76
PRO-1501-N5	Door holder, Single, Floor Mount-120Vac	95.76
PRO-1502-AQ	Door holder, Double, Floor Mount- 24Vac/dc	141.17
PRO-1502-AQN	Door Holder, Double, Floor Mount- 24Vac/24Vdc/120Vac	141.17
PRO-1502-N5	Door Holder, Double, Floor Mount- 120 Vac	141.17
PRO-1504-AQ	Door Holder, Flush, Wall Mount - 24 Vac/dc	72.57
PRO-1504-AQN	Door Holder, Flush, Wall Mount - 24Vac/24Vdc/120Vac	72.58
PRO-1505-AQN	Door Holder, Flush, Wall Mount, Short Catch Plate - 24Vac/24Vdc/120Vac	72.58
PRO-1508-AQ	Door Holder, Surface, Wall Mount - 24 Vac/dc	74.67
PRO-1508-AQN	Door Holder, Surface, Wall Mount - 24Vac/24Vdc/120Vac	74.67
PRO-1508-N5	Door Holder, Surface, Wall Mount - 120 Vac	74.58
PRO-1509-AQ	Door Holder, Completely Flush, Wall Mount - 24 Vac/dc	76.60
PRO-1509 AQN	Door Holder, Completely Flush, Wall Mount - 24Vac/24Vdc/120Vac	76.67
PRO-27193-11	Surface Mount Box - Indoor, RED, 1-gang	11.78
PRO-27193-16	Surface Mount Box - Indoor, WHITE, 1-gang	11.78
PRO-27193-21	Surface Mount Box - Indoor, RED, 2-gang	11.78
PRO-27193-26	Surface Mount Box - Indoor, WHITE, 2-gang	11.78
PRO-6V10A	12Ah Sealed Lead Acid Battery - 6 Vdc. 5.9"l x 2.0"w x 3.7"h x 3.9"ot	38.38
PRO-6V8A	8.0Ah Sealed Lead Acid Battery - 6 Vdc. 3.9"l x 2.2"w x 4.7"h x 4.7"ot.	42.37
PRO-AB4G-SB	Surface box - for soulder base (use with -AB4G models only)	12.26
PRO-MR101/C	Single SPDT with LED in Metal Enclosure	28.31
PRO-MR101/T	Single SPDT with LED Track Mounting	17.67
PRO-MR104C	4-Position SPDT with LED in Metal Enclosure	100.80
PRO-MR104T	4-Position SPDT with LED Track Mounting	65.55
PRO-MR199X13	DPDT, 24 Vdc, Relay Only	39.90
PRO-MR199X13/C	DPDT, 24 Vdc, Relay Mounted in Enclosure	80.66
PRO-MR199X14	DPDT, 120 Vac, Relay Only	39.90
PRO-MR199X14/C	DPDT, 120 Vac, Relay Mounted in Enclosure	80.66
PRO-MR201/T	Single SPDT with LED Track Mounting	22.23
PRO-MR204/C	4-Position SPDT with LED in Metal Enclosure	119.51
PRO-MR204/T	4-Position SPDT with LED Track Mounting	84.74
PRO-MR601/S	One SPDT with LED Switch Mounting Spacers	17.67
PRO-MR601/T	One SPDT with LED Switch & Mounting Track	17.67
PRO-MR604/S	4-Pos. SPDT with LED Switch Mounting Spacers	66.05
PRO-MR604/T	4-Pos. SPDT with LED Switch & Mounting Track	68.12

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-MR701/T	Single SPDT with LED track Mounting Hardware	14.16
PRO-MR704/S	4-Pos. SPDT with LED & Mounting Spacers	51.49
PRO-MR704/T	4-Pos. SPDT with LED Track Mounting Hardware	51.49
PRO-MR708/S	8-Position SPDT with LED & Mounting Spacers	93.77
PRO-MR708/T	8-Pos. SPDT with LED Track Mounting Hardware	93.77
PRO-MR801/S	Single SPDT with LED & Mounting Spacers	14.16
PRO-MR801/T	Single SPDT with LED Track Mounting Hardware	14.16
PRO-MR804/S	4-Position SPDT with LED & Mounting Spacers	51.49
PRO-MR804/T	4-Pos. SPDT with LED Track Mounting Hardware	51.49
PRO-MR808/S	8-Position SPDT with LED & Mounting Spacers	93.77
PRO-MR808/T	8-Pos. SPDT with LED Track Mounting Hardware	93.77
PRO-PAM1	Single SPDT with LED (Adhesive Tape Mounting)	19.19
PRO-VMR201/C	Single SPDT Relay with LED - Red Metal Enclosure	36.29
<b>COMPUTER GRAPHIC ANNUNCIATORS</b>		<b>MIRITONE</b>
PRO-EV1	Graphic Annunciator. Graphic has white lines and text on smoked Plexiglas background. LED area 17.5" x 10.5". Order EV1B wall box, EV1T trim, features, LEDs, switches, & driver boards separately.	1,411.04
PRO-EV1B	EV1 Wallbox - Textured Black Finish. Wall Box - 24"W x 18"H x 3-1/2"D	131.10
PRO-EV1T	EV1 Trim - Textured Black Finish. Overall dimensions 26"W x 20"H, fits EV1B wall box.	35.34
PRO-EV2	Graphic Annunciator. Graphic has white lines and text on smoked Plexiglas background. LED area 17.5" x 15.75". Order EV2B wall box, EV2T trim, features, LEDs, switches, driver boards separately.	1,965.36
PRO-EV24VDC	Provision for 32 individual zone wires plus a common wire. LEDs are wired with positive commons.	106.88
PRO-EV2B	EV2 Wallbox - Textured Black Finish. Wall Box - 24"W x 24"H x 3-1/2"D	141.17
PRO-EV2T	EV2 Trim - Textured Black Finish. Overall dimensions 26"W x 26"H, fits EV2B wall box	42.37
PRO-EV3	Graphic Annunciator. Graphic has white lines and text on smoked Plexiglas background. LED area 17.5" x 26.25". Order EV3B wall box, EV3T trim, features, LEDs, switches, driver boards separately.	2,670.83
PRO-EV3B	EV3 Wallbox - Textured Black Finish. Wall Box - 24"W x 36"H x 3-1/2"D	161.31
PRO-EV3T	EV3 Trim - Textured Black Finish. Overall dimensions 26"W x 38"H, fits EV3B wall box.	50.45
PRO-EV4	Graphic Annunciator. Graphic has white lines and text on smoked Plexiglas background. LED area 30" x 40". Order EV4B wall box, EV4T trim, features, LEDs, switches, driver boards separately.	3,426.75
PRO-EV4B	EV4 Wallbox - Textured Black Finish. Wall Box - 36"W x 48"H x 3-1/2"D	252.04
PRO-EV4T	EV4 Trim - Textured Black Finish. Overall dimensions 38"W x 50"H, fits EV4B wall box.	60.52
PRO-EVBLED	Zone LED - BLUE. Order one for each zone display.	30.31
PRO-EVCOLOR	Color Lines Adder (each). Price per color for lines and text. Up to six colors available including, RED, light GREEN, light BLUE, bright ORANGE, YELLOW and PURPLE (magenta)	284.24
PRO-EVDRILL	Drill Switch. Located behind locked graphic door. Common control module required to support this feature.	23.28
PRO-EVLT	Lamp Test Push Button. Located behind locked graphic door. Common control module required to support this feature.	23.28
PRO-EVLTPS	Lamp Test Power Supply. The power supply requires a 120 Vac power source. This power supply is not required when using SAN style driver modules. A common control module is required to support lamp test with all systems.	92.82
PRO-EVMA	Modification of Graphic Artwork. One transfer with maximum dimensions 10" x 10". Transfer contains one color only. Order LED Modification EVML separately if required.	284.24
PRO-EVML	Modification of LEDs. Provision to add up to 4 LEDs on a 2" x 2" interface board. Comes with "Y" cable interface. Specify the color of LEDs required. Order Control Panel Software separately if required.	100.80
PRO-EVPLED	Power "On" LED. Common control module required to support this feature	12.16
PRO-EVRP	Reset Push-button. Located behind locked graphic door. Common control module required to support this feature.	23.28
PRO-EVSP	Spare Push-button. Located behind locked graphic door. Can be used for other fire alarm system common control functions, specify function when	23.28
PRO-EVSSP	Signal Silence Push-button. Located behind locked graphic door. Common control module required to support this feature.	23.28
PRO-EVTLED	Trouble LED. Common control module required to support this feature	12.16
PRO-EVTS	Trouble Silence Switch. Located behind locked graphic door. Common control module required to support this feature.	23.28
PRO-EVZLED	Zone LED. Order one for each zone display. Specify RED or YELLOW color.	12.16
PRO-IOP3A	Isolator Module - RS232. For use with short haul modems, VDU-3, CCA Series, CGP Series and FCOM-232, requires 1/2 size cabinet footprint.	617.41
PRO-MIR-PRT/S	System Printer - Desk Top Style	1,007.86
PRO-RSA4-COM/D	Common Strip - use with ENVOY Graphics	252.04
PRO-RSA4-CPU	CPU & Power Card. Annunciator Power Supply and communications card. Up to 4 per control panel, mounts to back of Annunciator cabinet. One required for each Annunciator.	367.08
PRO-SAN-CPU	CPU & Power Card. Power supply and communications card for SAN series annunciators. Uses 1 panel address (96 inputs, 96 outputs), mounts to back of SAN-4, SAN-8 or to the RSAN-6 cabinet. One required for each SAN Annunciator.	233.89
PRO-SDR-32	Thirty-two Open/Collector Outputs. Uses one Annunciator module slot. Uses 32 output addresses. May be used for interface to graphic Annunciator. Power for external devices must be provided by external P.S. 16 mA maximum per output @ 24 VDC.	373.92
<b>CONVENTIONAL INITIATING DEVICES</b>		<b>MIRITONE</b>
PRO-0201-01-A	Fireray 2000 Beam Alignment Aid - for quick alignment of beam detector transmitter and receiver heads.	100.80
PRO-1206B	Detector Wire Guard. Provides physical protection for heat detectors and smoke detectors without affecting detector performance.	29.26
PRO-204-12/24VG	E.O.L., Power Supervision Relay - for 4-wire applications	36.29
PRO-22310-18-01	Fireray 2000 Beam Smoke Detector (by Fire Fighting Enterprises) - includes controller and remote mount transmitter and receiver head	1,222.56
PRO-23901-00	Fireray 2000 Beam Detector Prism - use to reflect beam when mounting transmitter and receiver heads on same wall.	60.52

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-276-GLR	Glass Rods - for 276, 277, 278, 279 Series Manual Stations (1 package w/12 rods per package)	24.23
PRO-276-K2	Key & Tag (for Presignal Manual Stations)	17.20
PRO-276B-RSB	Surface Back Box - RED, Steel	14.63
PRO-276M-1310	Fire Alarm Pull Station, single action, 1-stage, terminal block, double pole, tool reset.	64.60
PRO-276M-2110	Fire Alarm Pull Station, Presignal, Single Pole	70.59
PRO-277M-1110	Fire Alarm Manual Station - single action, single pole, tool reset, wire leads	26.32
PRO-279M-1110	Fire Alarm Manual Station - double action, single pole, tool reset	28.31
PRO-280A-MPL	Metal Mounting Plate, Reversible - for 280 Series Detectors	3.04
PRO-281B-PL	Heat Detector, ROR/FT, 135°F, with Plastic Mounting Plate	14.16
PRO-282B-PL	Heat Detector, ROR/FT, 194°F, with Plastic Mounting Plate	14.16
PRO-283B-PL	Heat Detector, FT, 135°F, with Plastic Mounting Plate	14.16
PRO-284B-PL	Heat Detector, FT, 194°F, with Plastic Mounting Plate	14.16
PRO-302-194	Heat Detectors - Rate Compensation, Interior Vertical Surface Mount FM&P; UL - 194 degrees	36.48
PRO-302-AW-135	Heat Detector - Rate Compensation, All-weather Vertical Mounting FM &P; UL - 135 degrees	39.52
PRO-302-AW-194	Heat Detector - Rate Compensation, All-weather Vertical Mounting FM & UL - 194 degrees	39.52
PRO-302-EPM-135	Heat Detectors - Rate Compensation, Explosion Proof Mounting UL - 135 degrees F	76.00
PRO-6260A-CU	Duct Smoke Detector Housing. Includes 6" exhaust tube. Detector, detector base, sampling tube and optional led (EC-LED) or test station (C-DTS) must be ordered separately.	88.73
PRO-6263-EC	Air Velocity Test Kit - for 6260A-CU Duct Detector Housing. Includes air velocity meter, psychrometer and test fixture for measurement of velocity of duct air flow and relative humidity.	655.12
PRO-73681-1	Air Sampling Tube - 8" Long	9.03
PRO-73681-10	Air Sampling Tube - 120" Long	22.42
PRO-73681-2	Air Sampling Tube - 24" Long	12.35
PRO-73681-3	Air Sampling Tube - 42" Long	12.35
PRO-73681-6	Air Sampling tube - 78" Long	15.77
PRO-C-DTS	Remote LED/Test Station. Provides the 6260A-CU duct smoke detector with remote LED alarm indicator, key operated test switch and 2 keys. 1-gang SS faceplate can be remote or mounted direct on duct housing.	31.07
PRO-C-PST	Smoke Detector Picker/Sensitivity Test Tool - for EC/MC/SC series detector. Use for unlatching and removing detectors from bases and for sensitivity testing of smoke detectors.	403.18
PRO-C-TRIM	Surface Trim Ring - for covering 4" square box when mounting smoke/heat detectors	3.04
PRO-CF135-2	Heat Detector, 135F Fixed Temperature	35.34
PRO-CF200-2	Heat Detector, 200F Fixed Temperature	35.34
PRO-CR135-2	Heat Detector, 135F ROR/Fixed Temperature	35.34
PRO-CR200-2	Heat Detector, 200F ROR/Fixed Temperature	35.34
PRO-CRB4U-1	Detector base w/relay - 4" sq. mount (UL)	35.34
PRO-CSB4U-1	Standard Detector Base w/terminals for 4" sq box.	5.13
PRO-CSBU-1	Standard Detector Base with Terminals. Use for mounting/wiring smoke detectors.	3.04
PRO-CSBU-3	Standard Detector Base with Resistor. Use for connection to non-current limited panels.	8.08
PRO-EC-100R	Reflective Beam Detector (160-330ft)	1,310.24
PRO-EC-50R	Reflective Beam Detector (15-160ft)	1,108.65
PRO-EC-LED	Remote LED Alarm Indicator, 1-gang plastic plate - for remote indication of smoke detector alarm	20.24
PRO-EC-LLT	Remote Test Station - for EC-50R/100R Reflective Beam Detectors	252.04
PRO-EC30DU-3	Photoelectric Duct Detector. For use only with 6260A-CU Duct Detector Housing. Order detector mounting/wiring base separately.	74.67
PRO-EPMBPB504	Heat Detector, Explosion and Moisture Proof - 190F Fixed Temperature, N.O. contacts	226.86
PRO-JALX11	Explosion proof outlet body with cover (1/2" thread hubs back, four sides and cover) - Killark Model	164.35
PRO-M270A-DPO	Fire Alarm Manual Station - Double Pole, 6" Wire Leads	58.52
PRO-270A-SPO	Fire Alarm Manual Station - Single Pole, 6" Wire Leads	26.32
PRO-M2M-4PD	Smoke Detector - 4-wire, Photoelectric	64.03
PRO-M2M-4PDH	Smoke Detector - 4-wire, Photoelectric w/FT & ROR Heat, multi-criteria algorithms	321.10
PRO-MC10U-3	Smoke Detector - Ionization type. Requires CSBU-1 base.	45.41
PRO-MC20FTU-3	Heat Detector - 135 deg F fixed temperature type. Requires CSBU-1 Base.	32.30
PRO-MC20RRU-3	Heat Detector - 135 deg F rate-of-rise/rate compensation type. Requires CSBU-1 Base.	32.30
PRO-MC30U-3	Smoke Detector - Photoelectric Type. Requires CSBU-1 Base.	42.37
PRO-MPSR1-SHTW-GE	FA Man Stat, WP Single Action, SPST, Hex Key, Term.	101.65
PRO-MPSRGR10	GlassRods for MSPR stations	19.00
PRO-MPSRHEX	Replacement Hex Key for MPSR Stations	9.50
PRO-OSY-2	Detector, Gate Valve - Metal, RED	86.74
PRO-P-024953	Key - for Presignal Manual Pull Stations	4.09
PRO-PIBV2	Detector, Post Indicator Butterfly Valve - Metal, RED	86.74
PRO-RR-32RL	ADA Pull Station Relocator - lowers existing pull station to regulation ADA height	66.60
PRO-SD-2W	Conventional SuperDuct Detector	192.11
PRO-SD-2WPCB	Replacement PCB, 2-wire sensor kit	79.89
PRO-SD-4WJ	SuperDuct, Controller w/sensor (RJ45), 4-wire	228.38
PRO-SD-CJ	SuperDuct, Controller (RJ45), 4-wireJ	115.90
PRO-SD-CT	SuperDuct Controller (Terminals), 4-wire	115.90

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-SD-RJ10	SuperDuct, RJ45 wiring harness kit - 10 ft	23.66
PRO-SD-RJ15	SuperDuct 4-wire, RJ45 wiring harness kit - 15 ft	31.16
PRO-SD-RJ5	SuperDuct, RJ45 wiring harness kit - 5 ft	16.15
PRO-SD-ST	SuperDuct, Sensor (terminals), 4-wire	106.50
PRO-SDT120	SuperDuct, Air sample tube, 120 inch	20.24
PRO-SD-T18	SuperDuct, Air sample tube, 18 inch	11.12
PRO-SD-T24	SuperDuct, Air sample tube, 24 inch	11.12
PRO-SD-T36	SuperDuct, Air sample tube, 36 inch	11.12
PRO-SD-T42	SuperDuct, Air sample tube, 42 inch	11.12
PRO-SD-T60	SuperDuct, Air sample tube, 60 inch	12.16
PRO-SD-T78	SuperDuct, Air sample tube, 78 inch	14.16
PRO-SD-T8	SuperDuct, Air sample tube, 8 inch	8.08
PRO-SD-TRK	SuperDuct, Remote test station, keyed - 2-wire and Siga	55.58
PRO-SD-TRK4	SuperDuct, Remote test/reset station, keyed - 4-wire	55.58
PRO-SD-TRM	SuperDuct, Remote test station, magnetic - 2-wire and Siga	37.43
PRO-SD-TRM4	SuperDuct, Remote test/reset station, magnet - 4-wire	37.43
PRO-SD-VTK	SuperDuct, Air velocity test kit (stoppers only, etc)	68.78
PRO-SM-EXT1	Extension Tube Applicator (Homeguard #1490) for Smoke Detector test spray.	20.24
PRO-SM-TEST	Canned Smoke (Test Spray), 1-case (contains 24 cans of spray (p/n P-047546-0025) and 1 - 1490 applicator tube).	670.04
PRO-STI-1100	Stopper II with Horn (9V battery) - for Flush Stations	166.35
PRO-STI-1130	Stopper II with Horn (9V battery) - for Surface Stations, includes STI-3100	185.54
PRO-STI-1200	Stopper II without Horn - for Flush Stations	110.87
PRO-STI-1230	Stopper II without Horn - for Surface Stations, includes STI-3100	116.00
PRO-STI-1250	Stopper II without Horn, Weatherproof - for Flush Stations	136.14
PRO-STI-3002	Weatherproofing Gasket - for converting STI-1200 to weatherproof (2 gaskets required for each cover)	13.11
PRO-STI-3003	Weatherproofing Gasket - for Conduit Entry into STI-3100	10.17
PRO-STI-3004	Conduit Insert - for plugging unused conduit entry into STI-3100	10.17
PRO-STI-3100	2" Spacer - for converting flush cover to surface cover	26.22
PRO-STI-3150	Stopper II without Horn, Weatherproof - for Surface Stations	151.24
PRO-STONCO27	Weatherproof, octagon backbox and cover (1/2" thread hubs back, four sides and cover)	19.61
PRO-WFDT	Detector, Waterflow with Retard - Pipe Tee Mount	151.24
PRO-XAL53	9E,F,G	755.92
<b>DOCUMENTS FOR MIR</b>		<b>MIRITONE</b>
PRO-302-135	Heat Detector - Rate Compensation, Interior Vertical Surface Mount FM amp; UL - 135 degrees F	36.48
PRO-302-ET-135	Heat Detector - Rate Compensation, All-weather Vertical, Box mount (1/2 NPT) FM & UL - 194 deg F	39.52
<b>FIRESHIELD</b>		<b>MIRITONE</b>
PRO-3100353	FireShield Technical Reference Manual - 3, 5 & 10 zone - English	14.73
PRO-BC-2	Battery Cabinet, GRAY 22" X 15" X 3.75"; holds up to two 12V17A batteries.	140.79
PRO-BC-2R	Battery Cabinet - RED 22" X 15" X 3.75"; holds up to two 12V17A batteries.	136.71
PRO-CTM4.7	City Tie module	97.85
PRO-EOL3.6-1.1	Resistor Kit includes 1-3.6K and 1-1.1K (46071-0409)	6.94
PRO-EOL47PK7	4.7k UL End of line resistor (pack of 7) Included with FireShield Panels	13.78
PRO-FSAT2	Remote Annunciator Trim Plate - 2 Gang - WHITE	11.78
PRO-FSAT3	Remote Annunciator Trim Plate - 3 Gang - WHITE	17.67
PRO-FSAT4	Remote Annunciator Trim Plate - 4 Gang - White	27.46
PRO-FSCDF10	10 Zone Cabinet Deadfront Cover	14.25
PRO-FSCDF35	3/5 Zone Cabinet Deadfront Cover	11.40
PRO-FSCU	Configuration / Download Software	17.20
PRO-FSDACT	DACT(Dialer)/Modem - English	234.84
PRO-FSRRM	Remote Relay Module	97.85
PRO-FSRRM-S11	11" Snap Track Holds 2-4 RRRMs. Used to Mount FSRRMs in MFC-A or other listed enclosure. MFC-A will hold two FSRRM-11s.	33.35
PRO-FSRSI	Remote System Indicator	58.71
PRO-FSRZI-A	Remote Zone Indicator - Alarm LED per zone	58.71
PRO-FSTRIM10G	Trim Ring for ICP1004 - GRAY	48.93
PRO-FSTRIM10R	Trim Ring for ICP1004 - RED	48.93
PRO-FSTRIM35G	Trim Ring for ICP302 & ICP502 - GRAY	39.14
PRO-FSTRIM35R	Trim Ring for ICP302 & ICP502 - RED	39.14
PRO-MFC-A	Multifunction Fire Cabinet, 8" x 14" x 3.5" - RED. Supports one -MP1, two -MP2, or two -MP2L Signature module mounting plates, or one URSM, or one -UIO2R, one -UIO6, or one -UIO6R Signature plug-in module motherboards, or one -REL Signature releasing module.	91.58
PRO-MIR-FS1004G	Conv. FACP 10 zone - English 120 volt GRAY	677.35
PRO-MIR-FS1004R	Conv. FACP 10 zone - English 120 volt RED	677.35
PRO-MIR-FS302G	Conv. FACP 3 zone - English 120 volt GRAY	369.55
PRO-MIR-FS302R	Conv. FACP 3 zone - English 120 volt RED	369.55
PRO-MIR-FS502G	Conv. FACP 5 zone - English 120 volt GRAY	431.30
PRO-MIR-FS502R	Conv. FACP 5 zone - English 120 volt RED	431.30

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-RPM	Reverse Polarity Module. Provides: (1) alarm reverse polarity circuit; (1) supervisory reverse polarity circuit; (1) trouble reverse polarity circuit. Requires 1/2 size cabinet footprint and 24 VDC.	290.32
PRO-XTR3A120	120 volt Power Expander Transformer for 1004	86.17
<b>INTELLIGENT SIGNATURE DEVICES</b>		
<b>MIRITONE</b>		
PRO-235196P	Transient Protector - for Bell and Horn Circuits. Provides transient protection to -CC1, -MCC1, -CC2, -MCC2, -UM and -MAB modules.	3.04
PRO-270659	Signature Series Intelligent Smoke and Heat Detectors - Applications Bulletin	40.76
PRO-270683	Signature Series Component Installation Manual	45.79
PRO-6263-GSA	Air Velocity Test Kit - for Signature Series Duct Housing. Includes air velocity meter, psychrometer and test fixture for measurement of velocity of duct air flow and relative humidity.	809.78
PRO-73681-1	Air Sampling Tube - 8" Long	9.03
PRO-73681-10	Air Sampling Tube - 120" Long	22.42
PRO-73681-2	Air Sampling Tube - 24" Long	12.35
PRO-73681-3	Air Sampling Tube - 42" Long	12.35
PRO-73681-6	Air Sampling tube - 78" Long	15.77
PRO-AB4G-SB	Surface box - for sounder base (use with -AB4G models only)	12.26
PRO-GSA-AB4G	Audible (Sounder) Base. Mounts to 4" square (2-1/8" deep) North American electrical box.	66.12
PRO-GSA-CC1	Single Input (Riser) Module. Features a built-in RING TONE generator; use for switching a single signal or audio circuit.	91.58
PRO-GSA-CC2	Dual Input (Riser) Module. Use for switching (selecting) either of two signal or audio input circuits to one signal output circuit.	117.99
PRO-GSA-CR	Control Relay Module. Select for either N.O. or N.C. operation. Rated at 2 amps (24Vdc)	85.41
PRO-GSA-CRR	Polarity Reversal Relay Module. Reverses polarity of 24 Vdc riser to sound a group of audible bases.	86.45
PRO-GSA-CT1	Single Input Module. Single circuit input module for use with Normally Open Contact devices. Four selectable personality codes for Alarm latching, or Alarm Delayed latching, or non-latching monitor or latching supervisory.	62.04
PRO-GSA-CT2	Dual Input Module. Two circuit input module for use with Normally Open Contact devices. Four selectable personality codes (on each circuit) for Alarm latching, or Alarm Delayed latching, or non-latching monitor or latching supervisory.	105.74
PRO-GSA-DH	Duct Smoke Detector Housing. For Signature Series Detectors only. Use in ducts up to 10 feet wide. Use with GSA-PS, GSA-PHS detector only. Requires GSA-SB, GSA-IB, or GSA-RB Detector Base for wiring. Requires 73681 series Air Sampling Tube.	157.99
PRO-GSA-DMP	Detector Mounting Plate. For raised floor and plenum applications. Order detector mounting base and detector separately. Compatible with -PS, and PHS detectors and -SB, -RB and -IB bases.	91.58
PRO-GSA-DTS	Duct Smoke Detector Test Station. 2-gang plastic plate c/w key switch, 2 keys. Use with Duct Detector Only	86.45
PRO-GSA-HFS	Intelligent Fixed Temperature Heat Detector - 135F	61.09
PRO-GSA-HRS	Intelligent Fixed Temperature / Rate-of-Rise Heat Detector - 135F, 15F per minute	61.09
PRO-GSA-IB	Detector Base with Isolator	49.88
PRO-GSA-IB4	Detector Base with Isolator - for 4" sq. box, includes -TS4 skirt	52.44
PRO-GSA-IM	Isolator Module. Use to isolate wiring faults on Class A (Style 7) loops.	74.29
PRO-GSA-IPHS	Intelligent 4D Multisensor Detector - Ionization, Photoelectric, Heat	105.74
PRO-GSA-IPHSB	Intelligent 4D Multisensor Detector, BLACK - Ionization, Photoelectric, Heat	126.16
PRO-GSA-IS	Intelligent Ionization Smoke Detector	87.50
PRO-GSA-LED	Remote Alarm LED. Use with -SB and -SB4 Standard Base only	20.43
PRO-GSA-M270	Manual Pull Station - Single Action, 1-stage	91.58
PRO-GSA-M270P	Manual Pull Station - Single Action, 2-stage	122.08
PRO-GSA-M278	Manual Pull Station - Double Action, 1-stage	97.66
PRO-GSA-MAB	Universal Class A/B Module - UIO Mount	115.90
PRO-GSA-MB4	Module Mounting Bracket - for 4" Square Electric Box. Mounting kit allows installing 2 single gang Signature modules into a single 4" sq. box.	20.43
PRO-GSA-MCC1	Single Input (Riser) Module - UIO Mount.	85.41
PRO-GSA-MCC2	Dual Input (Riser) Module - UIO Mount.	113.91
PRO-GSA-MCR	Control Relay Module - UIO Mount.	81.42
PRO-GSA-MCRR	Polarity Reversal Relay Module - UIO Mount.	83.41
PRO-GSA-MCT2	Dual Input Module - UIO mount.	99.66
PRO-GSA-MDM	Digital Message Module - UIO Mount. Takes one position in the GSA-UIO Motherboard. Provides storage for two 30 second messages.	711.74
PRO-GSA-MM1	Monitor Module - Single Input. Single circuit input module for use with Normally Open Contact devices. Factory programmed for Non-latching monitor	62.04
PRO-GSA-MP1	Signature Module Mounting Plate, 1-footprint. Space for up to four 2-gang Signature modules or eight 1-gang Signature modules.	27.55
PRO-GSA-MP2	Signature Module Mounting Plate, 1/2-footprint. Space for up to two 2-gang Signature modules or four 1-gang Signature modules.	22.42
PRO-GSA-MP2L	Signature Module Mounting Plate, 1/2 Extended footprint. Space for up to three 2-gang Signature modules or six 1-gang Signature modules.	24.42
PRO-GSA-PHS	Intelligent 3D Multisensor Detector - Photoelectric, Heat	99.66
PRO-GSA-PS	Intelligent Photoelectric Smoke Detector	81.42
PRO-GSA-RB	Detector Base with Form 'C' Relay	42.28
PRO-GSA-RB4	Detector Base with Form 'C' Relay - for 4" sq. box, includes -TS4 skirt	42.28
PRO-GSA-REL	Agent Releasing Module - Intelligent, 2-circuit	406.70
PRO-GSA-SB	Detector Base - Standard	12.26
PRO-GSA-SB4	Detector Base - Standard, for 4" sq. box, includes -TS4 skirt	13.78
PRO-GSA-SD	SuperDuct, Signature duct smoke detector	234.94
PRO-GSA-SDPCB	SuperDuct, Replacement PCB/Intelligent sensor kit	88.35
PRO-GSA-ST	Service Tool Update Kit - for 6258. Includes detector removal tool and vacuum attachment. Use with conventional vacuum cleaner to remove dust and debris from Signature detectors.	47.41

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-GSA-UIO6	Universal Input/Output Module Motherboard - 6 Position. Use for M series modules.	97.66
PRO-GSA-UIO6R	Universal Input/Output Module Motherboard - 6 Position w/Riser Selection. Use for M series modules.	115.90
PRO-GSA-UM	Universal Class A/B Module. Select from 15 personality codes including Class A or B initiating circuits, Class A or B signaling circuits.	122.08
PRO-GSA-WTM	Combination Waterflow/Tamper Module. Two circuit input module for use with Normally Open Contact devices. The first circuit is factory programmed to latch as an alarm after a contact closure of 16 seconds in duration. The second input will latch as a Supervisory input upon closure of a Normally	105.74
PRO-M276A-REL	Manual Release Station - single action	91.58
PRO-M278A-REL	Manual Release Station - double action	96.62
PRO-MFC-A	Multifunction Fire Cabinet, 8" x 14" x 3.5" - RED. Supports one -MP1, two -MP2, or two -MP2L Signature module mounting plates, or one URSM, or one -UIO2R, one -UIO6, or one -UIO6R Signature plug-in module motherboards, or one -REL Signature releasing module.	91.58
PRO-RELA-ABT	Manual Abort Station - for releasing module	90.73
PRO-RELA-EOL	End of Line Relay Device - polarized	100.80
PRO-RELA-SRV	Service Disconnect Keyswitch - for releasing module	90.73
PRO-RP GSA-IS	Factory Serviced & Refurbished Detector - Ion	29.36
PRO-RP GSA-PHS	Factory Serviced & Refurbished Detector - 3D Multisensor	29.36
PRO-RP GSA-PS	Factory Serviced & Refurbished Detector - Photoelectric	29.36
PRO-SD-MAG	SuperDuct, Test magnet kit	2.66
PRO-SD-T120	SuperDuct, Air sample tube, 120 inch	20.24
PRO-SD-T18	SuperDuct, Air sample tube, 18 inch	11.12
PRO-SD-T24	SuperDuct, Air sample tube, 24 inch	11.12
PRO-SD-T36	SuperDuct, Air sample tube, 36 inch	11.12
PRO-SD-T42	SuperDuct, Air sample tube, 42 inch	11.12
PRO-SD-T60	SuperDuct, Air sample tube, 60 inch	12.16
PRO-SD-T78	SuperDuct, Air sample tube, 78 inch	14.16
PRO-SD-T8	SuperDuct, Air sample tube, 8 inch	8.08
PRO-SD-TRK	SuperDuct, Remote test station, keyed - 2-wire and Siga	55.58
PRO-SD-TRM	SuperDuct, Remote test station, magnetic - 2-wire and Siga	37.43
PRO-SD-VTK	SuperDuct, Air velocity test kit (stoppers only, etc)	68.78
PRO-SIGA-DG	Detector (Smoke) Guard. Covers detectors mounted to flush electric boxes. Compatible with -IPHS and -PS Signature detectors.	40.76
PRO-SIGA-DGMF	Detector (Smoke) Guard Mounting Flange. Provides secure mounting while offering easy guard removal. Includes tamper hardware.	30.59
PRO-SIGA-DGSB	Detector (Smoke) Guard Surface Box - for SIGA-DG	50.92
PRO-SIGA-TS4	Trim Skirt/Ring - for 4" Square Electric Box. Use to hide imperfections around electric boxes not completely hidden by standard bases. (Included with all 4" Bases)	3.14
<b>INTELLIGENT ANALOG SYSTEM</b>		
<b>MIRITONE</b>		
PRO-10ANN/B	Semi-flush Annunciator Wall Box.	70.59
PRO-10ANN/B-S	Surface Annunciator Wall Box	70.59
PRO-2-12R4Y	LED Annunciation Module - 12 RED, 4 YELLOW	289.09
PRO-2-16G	LED Annunciation Module - 16 GREEN	289.09
PRO-2-16G8S	LED Annunciation Module 16 GREEN, 8 Switch.	309.70
PRO-2-16R	LED Annunciation Module - 16 RED	289.09
PRO-2-16R8S	LED & Switch Annunciation Module - 16 RED, 8 Switch	309.70
PRO-2-16RYS	LED Annunciation Module - 8 RED over YELLOW LEDs w/Switch.	309.70
PRO-2-16Y	LED Annunciation Module - 16 YELLOW	289.09
PRO-2-16Y8S	LED & Switch Annunciation Module - 16 YELLOW, 8 Switch	309.70
PRO-2-8GY	LED Annunciation Module - 8 GREEN, 8 YELLOW, 8 Switch.	309.70
PRO-2-8RY	LED Annunciation Module - 8 RED, 8 YELLOW	289.09
PRO-2-8RYS	LED & Switch Annunciation Module - 8 RED, 8 YELLOW, 8 Switch	309.70
PRO-2-AAC	Audio Controller. Mounts in 2-WB3(R) or 2-WB7(R). Provides two channel audio to amplifiers provides interface to Microphone and telephone Annunciator CPU. Provides support for one 2-LCD and up to six Panel annunciator modules order separately. Terminals for RS-485 network port, RS-485 annunciator port and RS-232 printer port.	774.25
PRO-2-CPU	Annunciator CPU. Provides support for one 2-LCD and up to six Panel annunciator modules order separately. Terminals for RS-485 network port, RS-485 annunciator port and RS-232 printer port.	960.07
PRO-2-CTM	City Tie Module. Mounts in 2-gang electric box. Provides connection to a local energy fire alarm box.	144.59
PRO-2-DFK	Semi-Flush Trim Kit - GRAY	64.03
PRO-2-DFKR	Semi-Flush Trim Kit - RED	64.03
PRO-2-DLM	Network Data Line Monitor - Class A	516.23
PRO-2-FBP	LED/Switch Module Blank Plate.	14.16
PRO-2-LCD	LCD Control and Display Module	384.09
PRO-2-LFK	Semi-Flush Trim Kit - GRAY	53.77
PRO-2-LFKR	Semi-Flush Trim Kit - RED	53.77
PRO-2-LSRA-C-MIR	provided for Back and Next/ Acknowledge, Reset, Alarm Silence, Trouble Silence, and Drill/All Call. Enable/Disable common controls via password or optional LSRA-RK key switch. Space provided for optional RS-232 printer port. Annunciator mounts in standard North American 2-gang or 4 inch square box	830.49
PRO-2-LSRA-MIR	Life Safety Remote Annunciator. With 4 lines of 20 character display. Common LED's are provided for Normal, Alarm, Supervisory, and Trouble. Switches for Back and Next/Acknowledge are provided to scroll the display. Space provided for optional RS-232 printer port. Mounts in standard North American 2-gang or 4 inch square box.	685.43
PRO-2-MIC	Master Paging Microphone. Mounts in 2-WB3(R) or 2-WB7(R). Interfaces to 2-AAC	516.23

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-2-SANCOM	Common Strip. Common alarm, trouble, supervisory and security LEDs. Reset, alarm silence, trouble silence, drill all call, lamp test and enable/disable switch. Uses 1 Annunciator module slot, uses 8 input addresses and 8 output addresses.	258.12
PRO-2-SLCD	Standalone 4-line LCD Annunciator. For ANN mounting, 4 lines of 20 character display. Common LED's are provided for Normal, Alarm, Supervisory, and Trouble. Switches for Back and Next/Acknowledge are provided to scroll the display.	755.92
PRO-2-SLCD-A-C	Standalone 4-line LCD Annunciator with Control Switches. For ANN mounting, 4 lines of 20 character display. Common LED's are provided for Normal, Alarm, Supervisory, and Trouble. Switches for Back and Next/Acknowledge, Reset, Alarm Silence, Trouble Silence, and Drill/All Call. Enable/Disable common controls via on board key switch.	907.16
PRO-2-SMK	Smoke Power Converter Module. Mounts in 2-gang electric box.	196.18
PRO-2-TEL	Firefighter's Master Telephone. Mounts in 2-WB3(R) or 2-WB7(R). Interfaces to 2-AAC	412.97
PRO-2-WB	Semi-Flush Wall Box - GRAY	196.18
PRO-2-WB3	Surface Wall Box - GRAY	254.03
PRO-2-WB3R	Surface Wall Box - RED. WB3 series wall boxes support one 2-PPS(6A), one 2-MCD, one 2-LCX, one SIGA-AAxx Audio Amplifier one audio controller, up to three panel annunciator modules, one 2-MIC or 2-TEL. Order above equipment, batteries and wall box door separately.	254.03
PRO-2-WB7	Surface Wall Box - GRAY	412.97
PRO-2-WB7R	Surface Wall Box - RED. WB7 series wallboxes support two power supplies, one 2-MCD, one 2-LCX, five SIGA-AAxx audio amplifiers, up to six panel annunciator modules, one audio controller, one 2-MIC and 2-TEL. Order above equipment, wall box door and batteries separately.	412.97
PRO-2-WBR	Semi-Flush Wall Box - RED	196.18
PRO-2-WBS	Surface Mount Wall Box - GRAY	196.18
PRO-2-WBSR	Surface Mount Wall Box - RED. WB series wall boxes support one 2-PPS(6A), one 2-MCD, one 2-LCX, up to three panel annunciator modules. Order above equipment, batteries and wall box door separately.	196.18
PRO-270658	MIR2 Serial Number Log Book	24.23
PRO-270674	MIR2 Installation & Maintenance Manual	100.42
PRO-270675	MIR2 Programming Manual	125.02
PRO-270676	MIR2 Systems Operations Manual	48.45
PRO-6ANN/B	Semi-flush Annunciator Wall Box	60.52
PRO-6ANN/B-S	Surface Annunciator Wall Box	60.52
PRO-ANN-4	Annunciator Cabinet. Cabinet only, holds four Annunciator modules. Must order SAN-CPU card. Add suffix "R" to catalog number for RED cabinet.	140.13
PRO-ANN-8	Annunciator Cabinet. Cabinet only, holds eight Annunciator modules. Contains mounting space for up to two SAN-CPU cards. Must order SAN-CPU card. Add suffix "R" to catalog number for RED cabinet.	270.18
PRO-BC-1	Battery Cabinet. 14.0" x 18.25" x 7.25"; Free standing cabinet with key/lock. Supports up to 40 Ah batteries will hold up to two 12V24Ah batteries.	195.61
PRO-BC-2	Battery Cabinet. GRAY 22" X 15" X 3.75"; holds up to two 12V17A batteries.	140.79
PRO-BP-A	Blank Panel. One per unused slot in Annunciator cabinets	21.19
PRO-CDR-3	Coder - PSNI. Positive, non-interfering, successive and march time codes PSNI code out (relay & tone outputs). March time out (relay & tone outputs). Connects to RS-232 serial port. Requires 1/2 size cabinet footprint and 24 VDC power.	529.15
PRO-DL2	Dual Line Dialer. Mounts to main CPU module in control panel.	243.68
PRO-EOL-100	End of Line Resistor - 100 Ohm. Connect to the RS-485 lines last LSRA series annunciator.	5.23
PRO-GSA-MDM	Digital Message Module - UIO Mount. Takes one position in the GSA-UIO Motherboard. Provides storage for two 30 second messages.	711.74
PRO-GSA-UIO2R	Universal Input/Output Module Motherboard - 2 Position, w/Riser Selection. Use for M series modules.	91.58
PRO-IOP3A	Isolator Module - RS232. For use with short haul modems, VDU-3, CCA Series, CGP Series and FCOM-232, requires 1/2 size cabinet footprint.	617.41
PRO-LSRA-232	Printer/Programming Port for LSRA Series. Mounts in annunciator when local printer is required.	80.66
PRO-LSRA-PROG	Removable Programming Port for LSRA Series	80.66
PRO-LSRA-RK	Remote Enable/Disable Keyswitch	60.52
PRO-LSRA-SB	Surface Mount Box - for LSRA series	51.68
PRO-MFC-A	Multifunction Fire Cabinet, 8" x 14" x 3.5" - RED. Supports one -MP1, two -MP2, or two -MP2L Signature module mounting plates, or one URSM, or one -UIO2R, one -UIO6, or one -UIO6R Signature plug-in module motherboards, or one -REL Signature releasing module.	91.58
PRO-MIR-PRT/S	System Printer - Desk Top Style	1,007.86
PRO-MIR2-3ANN/D	Remote Annunciator Doors. Supports one 2-LCD and up to 3 Panel Annunciator modules. Mounts to front of 6ANN/B or 6ANN/B-S wall box.	116.95
PRO-MIR2-6ANN/D	Remote Annunciator Doors. Supports one 2-LCD and up to 6 Panel Annunciator modules. Mounts to front of 10ANN/B or 10ANN/B-S wall box.	241.97
PRO-MIR2-LCX	Signature Data Circuit Expander. Mounts in control panel, provides two Notification Appliance circuits. Supports up to 96 Signature detectors and 94 Signature modules.	1,098.58
PRO-MIR2-MCD	Main CPU and Display. Provides 4 line by 20 character back lit LCD. System LED status indicators, common control switches one Signature Data Circuit, two Notification appliance Circuits.	566.49
PRO-MIR2-MCD1D	MIR2 Electronics package for 1 Addressable loop with DACT	641.92
PRO-MIR2-MCD1DA	MIR2 Electronics package for 1 Addressable loop with DACT & Remote Annunciator	1,405.15
PRO-MIR2-MCD2D	MIR2 Electronics package for 2 Addressable loops with DACT	1,898.29
PRO-MIR2-MCD2DA	MIR2 Electronics package for 2 Addressable loops with DACT & Remote Annunciator	2,657.63
PRO-MIR2-MCMN	Network Main Controller Module. Provides connection for one Signature Data Circuit, two Notification appliance Circuits. RS-485 network port, RS-485 annunciator port and RS-232 printer port.	1,723.49
PRO-MIR2-RACCDR	Outer Door for RACCR wallbox	48.45
PRO-MIR2-WB3D	Inner and Outer Doors - for 2-WB3 Wall Box	165.30
PRO-MIR2-WB3DR	Inner and Outer Doors - for 2-WB3R Wall Box	165.30
PRO-MIR2-WB7D	Inner and Outer Doors - for 2-WB7 Wall Box	268.09
PRO-MIR2-WB7DR	Inner and Outer Doors - for 2-WB7R Wall Box	268.09
PRO-MIR2-WBD	Inner and Outer Doors - for 2-WB Wall Box	129.01
PRO-MIR2-WBRD	Inner and Outer Doors - for 2-WBR Wall Box	129.01

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-MTM-1	Coder. Provides march time or Morse code "U" or Morse code "S". Requires 1/2 size cabinet footprint and 24 VDC.	232.85
PRO-RACCR	Remote Closet Cabinet Wallbox - RED. Supports two SIGA-AAxx audio amplifier, and one SIGA-APS power supply. Order above equipment, batteries and door separately.	111.53
PRO-RPM	Reverse Polarity Module. Provides: (1) alarm reverse polarity circuit; (1) supervisory reverse polarity circuit; (1) trouble reverse polarity circuit. Requires 1/2 size cabinet footprint and 24 VDC.	290.32
PRO-SAN-MICII	Paging Microphone with Pre-amp. Uses 1 SAN module slot. Connects to AA75 or FAX series amplifier. May be mounted in remote location from amplifiers. Provides pre-amp supervision. Requires 24 VDC.	541.98
PRO-SDR-32	Thirty-two Open/Collector Outputs. Uses one Annunciator module slot. Uses 32 output addresses. May be used for interface to graphic Annunciator. Power for external devices must be provided by external P.S. 16 mA maximum per output @ 24 VDC.	373.92
PRO-SDR-32C	Thirty-two Open/Collector Outputs. Circuit card only version of SDR-32.	356.82
PRO-SDR-32K	Thirty-two Open/Collector Outputs. Same as SDR-32 but current limiting must be done externally. Used for interface to graphics or external relays, incandescent lamps, etc. Power for external devices must be provided by external P.S. 100 mA maximum per output @ 24 VDC.	373.92
PRO-SDR-32K-C	Thirty-two Open/Collector Outputs. Circuit card only version of SDR-32K.	356.82
PRO-SHO-4	Four HOA Switch Unit. 3 position rotary switch; 2 YELLOW LEDs and 1 GREEN LED per switch, Uses one Annunciator module slot. Uses 8 input addresses and 8 output addresses. Includes legend sheets.	356.82
PRO-SIGA-AA30	Intelligent Audio Amplifier - 30 Watt. Two riser inputs, 1/25 Vrms. Output selectable 25/70 Vrms. Communicates with panel via Signature Data Circuit. Mounts in 2-WB3(R), 2-WB7(R) or RACCR.	508.35
PRO-SIGA-AA50	Intelligent Audio Amplifier - 50 Watt. Two riser inputs, 1Vrms or 25 Vrms. Output selectable 25/70 Vrms. Communicates with panel via Signature Data Circuit. Mounts in 2-WB3(R), 2-WB7(R) or RACCR.	610.09
PRO-SIGA-APS	Intelligent Auxiliary Power Supply - 6.4 Amp. Mounts in 2-WB7(R) or RACCR boxes. Provides two 3.2 Amp 24 Vdc regulated outputs. Communicates on Signature Data Circuit with main control panel.	762.57
PRO-SIN-16	Sixteen Input Unit. Uses one Annunciator module slot. Uses 16 input addresses. Inputs are optically isolated.	373.92
PRO-SIN-16-C	Sixteen Input Unit. Circuit card only version of SIN-16.	356.82
PRO-SLU-16R	Sixteen LED - RED. Uses one Annunciator module slot, uses 15 output addresses. Includes legend sheets.	290.32
PRO-SLU-16Y	Sixteen LED - YELLOW. Uses one Annunciator module slot, uses 15 output addresses. Includes legend sheets.	290.32
PRO-SRU-8	8-Relay Unit. Uses one Annunciator module slot. Uses 8 output addresses.	363.85
PRO-SWU-8	8-Switch Unit. 2 position switch; 2 YELLOW LEDs per switch, Uses one Annunciator module slot. Uses 8 input addresses and 16 output addresses and 8 output addresses. Includes legend sheets.	311.51
PRO-SWU-8/3	8-Switch Unit. 2 position switch; 2 YELLOW LEDs per switch, Uses one Annunciator module slot. Uses 16 input addresses and 16 output addresses. Includes legend sheets.	311.51
<b>MARKETING SUPPORT</b>		<b>MIRITONE</b>
PRO-84001-0116	Data sheet - SuperDuct 2-wire duct smoke detector</p>         </td>         <td>4.75</td>       </tr>       <tr>         <td>PRO-84003-0001</td>         <td>MIRTONE LITERATURE GUIDE CD</td>         <td>4.89</td>       </tr>       <tr>         <td>PRO-84003-0011</td>         <td>Mirtone QuickStart Brochure</td>         <td>0.69</td>       </tr>       <tr>         <td>PRO-84003-0012</td>         <td>CATALOG SHEET - (Shipped in packages of 50 sheets) MIRBPS6A, MIRBPS10A Remote Booster Power Supplies</td>         <td>4.75</td>       </tr>       <tr>         <td>PRO-84003-0013</td>         <td>Mirtone Remote Booster Power Supply - Application Guide</td>         <td>3.80</td>       </tr>       <tr>         <td colspan="2"><b>NOTIFICATION APPLIANCES</b></td>         <td><b>MIRITONE</b></td>       </tr>       <tr>         <td>PRO-106DEXBSTC-FJ</td>         <td>Explosionproof Strobe, UL1971 listed, 24Vdc. Bracket Mount</td>         <td>1,743.59</td>       </tr>       <tr>         <td>PRO-106DEXPSTC-FJ</td>         <td>Explosionproof Strobe, UL1971 listed, 24Vdc. Pendant Mount.</td>         <td>1,743.59</td>       </tr>       <tr>         <td>PRO-203-8A-T</td>         <td>110 cd Strobe - 120 Vac, RED</td>         <td>70.59</td>       </tr>       <tr>         <td>PRO-203-8A-TW</td>         <td>110 cd Strobe - 120 Vac, WHITE</td>         <td>70.59</td>       </tr>       <tr>         <td>PRO-260,006.00</td>         <td>Fuse Holder 4 Amp - UL listed</td>         <td>5.13</td>       </tr>       <tr>         <td>PRO-270,946.00</td>         <td>Installation Manual - for BPS6 and BPS10</td>         <td>40.38</td>       </tr>       <tr>         <td>PRO-3-TAMP</td>         <td>Tamper Switch - for CAB7, 14 and 21 Series Cabinets</td>         <td>60.52</td>       </tr>       <tr>         <td>PRO-439DEX-10AW</td>         <td>Explosionproof 10" Bell, 24 Vdc</td>         <td>941.36</td>       </tr>       <tr>         <td>PRO-439DEX-6AW</td>         <td>Explosionproof 6" Bell, 24 Vdc</td>         <td>907.16</td>       </tr>       <tr>         <td>PRO-4MS-3AR</td>         <td>30 cd Synchronized Strobe, 24 Vdc, RED. UL1971 Listed @ 30 cd, "FIRE" Wall Orientation</td>         <td>166.16</td>       </tr>       <tr>         <td>PRO-4MS-3AW</td>         <td>30 cd Synchronized Strobe, 24 Vdc, white. UL1971 Listed @ 30 cd, "FIRE" Wall Orientation</td>         <td>55.01</td>       </tr>       <tr>         <td>PRO-4MS-5AR</td>         <td>15 cd Synchronized Strobe, RED. Strobe: UL1971 Listed @ 15 cd, "FIRE" Wall Orientation</td>         <td>55.01</td>       </tr>       <tr>         <td>PRO-4MS-5AW</td>         <td>15 cd Synchronized Strobe, white. Strobe: UL1971 Listed @ 15 cd, "FIRE" Wall Orientation</td>         <td>163.88</td>       </tr>       <tr>         <td>PRO-4MS-6AR</td>         <td>60 cd Synchronized Strobe, 24 Vdc, RED. UL1971 Listed @ 60 cd, "FIRE" Wall Orientation</td>         <td>170.05</td>       </tr>       <tr>         <td>PRO-4MS-6AW</td>         <td>60 cd Synchronized Strobe, 24 Vdc, white. UL1971 Listed @ 60 cd, "FIRE" Wall Orientation.</td>         <td>163.69</td>       </tr>       <tr>         <td>PRO-4MS-7AR</td>         <td>15/75 cd Synchronized Strobe, RED. UL1971 Listed @ 15 cd (75 cd On Axis Per ADA/UL 1638), "FIRE" Wall Orientation.</td>         <td>55.01</td>       </tr>       <tr>         <td>PRO-4MS-7AW</td>         <td>15/75 cd Synchronized Strobe, white. UL1971 Listed @ 15 cd (75 cd On Axis Per ADA/UL 1638), "FIRE" Wall Orientation.</td>         <td>55.01</td>       </tr>       <tr>         <td>PRO-4MS-8AR</td>         <td>110 cd Synchronized Strobe, 24 Vdc, RED. UL1971 Listed @ 110 cd, "FIRE" Wall Orientation. Meets Sleeping Area Requirements.</td>         <td>55.01</td>       </tr>       <tr>         <td>PRO-4MS-8AW</td>         <td>110 cd Synchronized Strobe, 24 Vdc, white. UL1971 Listed @ 110 cd, "FIRE" Wall Orientation. Meets Sleeping Area Requirements.</td>         <td>55.01</td>       </tr>       <tr>         <td>PRO-74328U</td>         <td>6" Bell, 24 Vdc, RED</td>         <td>53.49</td>       </tr>       <tr>         <td>PRO-74330-B</td>         <td>Backbox - for completely flush 10" Bell</td>         <td>52.44</td>       </tr>       <tr>         <td>PRO-74330-SG</td>         <td>Grille, Steel with Prime Coat Finish - for 10" Bell Box</td>         <td>57.48</td>       </tr>       <tr>         <td>PRO-74330U</td>         <td>10" Bell, 24 Vdc, RED</td>         <td>65.55</td>       </tr>       <tr>         <td>PRO-74339U</td>         <td>Explosionproof Horn, Diode Polarized, 24 Vdc</td>         <td>711.65</td>       </tr>       <tr>         <td>PRO-74347U</td>         <td>Weatherproof Backbox, GRAY - Surface</td>         <td>19.86</td>       </tr>       <tr>         <td>PRO-BS-3AR</td>         <td>30 cd Bell/Strobe Plate. Adapts Vibrating Bell for conversion into Bell-Strobe. UL 1971 listed at 30 cd, "FIRE" wall orientation.</td>         <td>65.55</td>       </tr>       <tr>         <td>PRO-BS-5AR</td>         <td>15 cd Bell/Strobe Plate. Adapts Vibrating Bell for conversion into Bell-Strobe. UL 1971 listed at 15 cd, "FIRE" wall orientation.</td>         <td>65.55</td>       </tr>     </tbody>   </table>	

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-BS-8AR	110 cd Bell/Strobe Plate. Adapts Vibrating Bell for conversion into Bell-Strobe. UL 1971 listed at 110 cd, "FIRE" wall orientation. Meets sleeping area requirements.	67.55
PRO-CS405-7A-T	15/75 cd Synchronized Strobe, 24 Vdc, RED - Outdoor Listed	67.74
PRO-CS405-8A-T	110 cd Synchronized Strobe, 24 Vdc, RED - Outdoor Listed	67.74
PRO-INT-3AC	30 cd Chime/Strobe, RED. Strobe: UL 1971 Listed at 30 cd, "FIRE" wall orientation.	156.47
PRO-INT-3ACW	30 cd Chime/Strobe, white. Strobe: UL 1971 Listed at 30 cd, "FIRE" wall orientation.	156.47
PRO-INT-5AC	15 cd Chime/Strobe, RED. Strobe: UL 1971 Listed at 15 cd, "FIRE" wall orientation.	156.47
PRO-INT-5ACW	15 cd Chime/Strobe, white. Strobe: UL 1971 Listed at 15 cd, "FIRE" wall orientation.	156.47
PRO-INT-7AT	15/75 cd Temporal Horn/Strobe - 24 Vdc, RED. UL1971 Listed @ 15 cd (75 cd On Axis Per ADA/UL 1638), "FIRE" Wall Orientation	74.77
PRO-INT-7ATW	15/75 cd Temporal Horn/Strobe - 24 Vdc, WHITE. UL1971 Listed @ 15 cd (75 cd On Axis Per ADA/UL 1638), "FIRE" Wall Orientation.	74.77
PRO-INT-8ACW	110 cd Chime/Strobe, white. Strobe: Meets sleeping area requirement. UL 1971 Listed at 110 cd, "FIRE" wall orientation.	158.94
PRO-INT-8AT	110 cd Temporal Horn/Strobe - 24 Vdc, RED. UL1971 Listed @ 110 cd, "FIRE" Wall Orientation. Meets Sleeping Area Requirements	74.77
PRO-INT-8ATW	110 cd Temporal Horn/Strobe - 24 Vdc, WHITE. UL1971 Listed @ 110 cd, "FIRE" Wall Orientation. Meets Sleeping Area Requirements.	74.77
PRO-INT-BDF	Bi-directional Mounting Frame - RED	40.07
PRO-INT-BDFW	Bi-directional Mounting Frame - WHITE	41.33
PRO-INT-CW	Chime - 24 Vdc, WHITE	80.09
PRO-INT-RR	Retrofit Ring - for 4" Square Box, RED	9.60
PRO-INT-RR2	Retrofit Ring - for 2-gang Box, RED	9.60
PRO-INT-RR2W	Retrofit Ring - for 2-gang Box, WHITE	9.60
PRO-INT-RRW	Retrofit Ring - for 4" Square Box, WHITE	9.60
PRO-INT-SB	Surface Box - Indoor, RED	14.92
PRO-INT-SBW	Surface Box - Indoor, WHITE	14.92
PRO-INT-T	Temporal Horn, Self-synchronized - 24 Vdc, RED	34.96
PRO-INT-TW	Temporal Horn, Self-synchronized - 24 Vdc, WHITE	34.96
PRO-INT-WB	Weatherproof Box, Cast - RED	31.83
PRO-INT-WBW	Weatherproof Box, Cast - WHITE	31.83
PRO-LKC-1	FIRE - Ceiling orientation	5.04
PRO-LKC-4	SMOKE - Ceiling orientation	5.04
PRO-LKC-5	HALON - Ceiling orientation	5.04
PRO-LKC-6	CO2 - Ceiling orientation	5.04
PRO-LKC-7	EMERGENCY - Ceiling orientation	5.04
PRO-LKC-8	ALARM - Ceiling orientation	5.04
PRO-LKC-9	FUEGO - Ceiling orientation	5.04
PRO-LKW-1	FIRE - Wall orientation	5.04
PRO-LKW-1R	FIRE - Wall orientation (RED with WHITE Lettering)	5.04
PRO-LKW-4	SMOKE - Wall orientation	5.04
PRO-LKW-5	HALON - Wall orientation	5.04
PRO-LKW-6	CO2 - Wall orientation	5.04
PRO-LKW-7	EMERGENCY - Wall orientation	5.04
PRO-LKW-8	ALARM - Wall orientation	5.04
PRO-LKW-9	FUEGO - Wall orientation	5.04
PRO-MG1-C	Chime, steady or temporal, hi/lo dB output - 24V, WHITE	61.18
PRO-MG1-CVM	Multi-cd chime-strobe, steady or temporal, hi/lo dB - 24V, WHITE	127.30
PRO-MG1-HD	Temporal horn, hi/lo dB output - 24V, WHITE	30.59
PRO-MG1-HDVM	Multi-cd temporal horn-strobe, hi/lo dB - 24V, WHITE	64.03
PRO-MG1-P	Horn (steady tone) - 24V, white. (Not compatible with Signal Master)	15.68
PRO-MG1-VM	Multi-cd strobe - 24V, WHITE	48.74
PRO-MG1F-C	Chime, steady or temporal, hi/lo dB output, FIRE markings - 24V, WHITE	61.18
PRO-MG1F-CVM	Multi-cd chime-strobe, steady or temporal, hi/lo dB, FIRE markings - 24V, WHITE	127.30
PRO-MG1F-HD	Temporal horn, hi/lo dB output - 24V, WHITE w/FIRE	30.59
PRO-MG1F-HDVM	Multi-cd temporal horn-strobe, hi/lo dB - 24V, WHITE w/FIRE	64.03
PRO-MG1F-P	Horn (steady tone) - 24V, WHITE w/FIRE (Not compatible with Signal Master)	15.68
PRO-MG1F-VM	Multi-cd strobe - 24V, WHITE w/FIRE	48.74
PRO-MG1M	Genesis Signal Master - Snap-on (piggyback).	53.87
PRO-MG1M-RM	Genesis Signal Master - Remote Mount.	53.87
PRO-MG1R-C	Chime, steady or temporal, hi/lo dB output - 24V, RED	61.18
PRO-MG1R-CVM	Multi-cd chime-strobe, steady or temporal, hi/lo dB - 24V, RED	127.30
PRO-MG1R-HD	Temporal horn, hi/lo dB output - 24V, RED	30.59
PRO-MG1R-HDVM	Multi-cd temporal horn-strobe, hi/lo dB - 24V, RED	64.03
PRO-MG1R-P	Horn (steady tone) - 24V, RED. (Not compatible with Signal Master)	15.68
PRO-MG1R-VM	Multi-cd strobe - 24V, RED	48.74
PRO-MG1RF-C	Chime, steady or temporal, hi/lo dB output, FIRE markings - 24V, RED	61.18
PRO-MG1RF-CVM	Multi-cd chime-strobe, steady or temporal, hi/lo dB, FIRE markings - 24V, RED	127.30
PRO-MG1RF-HD	Temporal horn, hi/lo dB output - 24V, RED w/FIRE	30.59
PRO-MG1RF-HDVM	Multi-cd temporal horn-strobe, hi/lo dB - 24V, RED w/FIRE	64.03

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-MG1RT	Genesis 1-gang to 4" Trim, RED.	3.04
PRO-MG1RT-FIRE	Genesis 1-gang to 4" Trim, RED, with FIRE marking.	3.04
PRO-MG1T	Genesis 1-gang to 4" Trim, white.	3.04
PRO-MG1T-FIRE	Genesis 1-gang to 4" Trim, white, with FIRE marking.	3.04
PRO-MGC-HDVM	Ceiling mount horn-strobe, multi-cd (15/30/75/95cd), temporal hi/lo dB output, 24V - WHITE	68.59
PRO-MGC-HDVMH	Ceiling mount horn-strobe, multi-cd (95-177cd), temporal hi/lo dB output, 24V - WHITE	78.28
PRO-MGC-VM	Genesis Ceiling Strobe - 15-95 multi-cd, mounts to 4" square x 2-1/8" box	51.21
PRO-MGC-VMH	Genesis Ceiling Strobe - 95-177 multi-cd, mounts to 4" square x 2-1/8" box	61.18
PRO-MGCF-HDVM	Ceiling mount horn-strobe, multi-cd (15/30/75/95cd), temporal hi/lo dB output, 24V - WHITE w/FIRE	68.59
PRO-MGCF-HDVMH	Ceiling mount horn-strobe, multi-cd (95-177cd), temporal hi/lo dB output, 24V - WHITE w/FIRE	78.28
PRO-MGCF-VM	Genesis Ceiling Strobe - 15-95 multi-cd, FIRE marking, mounts to 4" square x 2-1/8" box	51.21
PRO-MGCF-VMH	Genesis Ceiling Strobe - 95-177 multi-cd, FIRE marking, mounts to 4" square x 2-1/8" box	61.18
PRO-MIRBPS10A	10 Amp Booster Power Supply	593.66
PRO-MIRBPS10A-6	Package of Six MIRBPS10A Booster Power Supplies. 120V - 10 Amp 24Vdc output to four 3 Amp Notification Appliance Circuits. Order UL listed End-of-Line resistors (EOL-15 series one required per supervised circuit used), and battery separately.	3,362.24
PRO-MIRBPS6A	6.5 Amp Booster Power Supply	503.98
PRO-MIRBPS6A-6	Package of Six MIRBPS6A Booster Power Supplies. 120V - 6.5 Amp 24Vdc output to four 3 Amp Notification Appliance Circuits. Order UL listed End-of-Line resistors (EOL-15 series one required per supervised circuit used), and battery separately.	2,824.07
PRO-MS-7AR	15/75 cd Synchronized Strobe, RED. UL1971 Listed @ 15 cd (75 cd On Axis Per ADA/UL 1638), "FIRE" Wall Orientation.	56.72
PRO-MS-7AW	15/75 cd Synchronized Strobe, white. UL1971 Listed @ 15 cd (75 cd On Axis Per ADA/UL 1638), "FIRE" Wall Orientation.	56.72
PRO-MS-8AR	110 cd Synchronized Strobe, RED. Strobe: Meets sleeping area requirements. UL1971 Listed @ 110 cd, "FIRE" wall orientation.	56.72
PRO-MS-8AW	110 cd Synchronized Strobe, white. Strobe: Meets sleeping area requirements. UL1971 Listed @ 110 cd, "FIRE" wall orientation.	56.72
<b>QUICKSTART SERIES FIRE CONTROL PANEL</b>		
<b>MIRITONE</b>		
PRO-2-CTM	City Tie Module. Mounts in 2-gang electric box. Provides connection to a local energy fire alarm box.	144.59
PRO-BC-1	Battery Cabinet. 14.0" x 18.25" x 7.25"; Free standing cabinet with keylock. Supports up to 40 Ah batteries will hold up to two 12V24Ah batteries.	195.61
PRO-CDR-3	Coder - PSNI. Positive, non-interfering, successive and march time codes PSNI code out (relay & tone outputs). March time out (relay & tone outputs). Connects to RS-232 serial port. Requires 1/2 size cabinet footprint and 24 VDC power.	529.15
PRO-DLD	Dual Line Dialer, supports 4/2 & Contact ID, requires 1 option space.	244.63
PRO-MIR-QS-CU	QuickStart Panel Configuration Utility Program. P/N 260097 needed to download panel. P/N 240507 & 360136 needed to download remote annunciator or order ProgCable-1 to use bar code scanner port on both types.	97.85
PRO-MIR-QS1-1-G-1	1 Loop System w/CPU, PS, 1 SLIC card, 1 option GRAY surface mount enclosure, 115VAC Xformer, English.	1,213.34
PRO-MIR-QS1-1-R-1	1 Loop System w/CPU, PS, 1 SLIC card, 1 option RED surface mount enclosure, 115VAC Xformer, English.	1,213.34
PRO-MIR-QS1-CPU-1	Single Loop Remote Annunciator CPU/Display, 1 annunciator option, English, w/ RAI interface.	733.88
PRO-MIR-QS1-IMAN	QS1 Installation, programming & maintenance manual	19.57
PRO-MIR-QS4-12-G-1	Multi Loop System w/CPU, PS, 12 option GRAY surface mount enclosure, 115VAC Xformer, English. Requires QS-Cable12 for row 2 modules.	1,076.35
PRO-MIR-QS4-12-R-1	Multi Loop System w/CPU, PS, 12 option RED surface mount enclosure, 115VAC Xformer, English. Requires QS-Cable12 for row 2 modules.	1,076.35
PRO-MIR-QS4-5-G-1	Multi Loop System w/CPU, PS, 5 option GRAY surface mount enclosure, 115VAC Xformer, English.	978.50
PRO-MIR-QS4-5-R-1	Multi Loop System w/CPU, PS, 5 option RED surface mount enclosure, 115VAC Xformer, English.	978.50
PRO-MIR-QS4-CPU-1	Multi Loop Remote Annunciator CPU/Display, 1 annunciator option, English w/RAI interface.	782.80
PRO-MIR-QS4-CPU-2	Multi Loop Remote Annunciator CPU/Display, 2 annunciator option, English, w/RAI interface.	831.73
PRO-MIR-QS4-IMAN	QS4 Installation, programming & maintenance manual	19.57
PRO-MIR-QSC-12-G-1	Conventional System w/CPU, PS, 12 option GRAY enclosure, 115VAC transformer, English. Requires QS-Cable12 for row 2 modules.	782.80
PRO-MIR-QSC-12-R-1	Conventional System w/CPU, PS, 12 option RED surface mount enclosure, 115VAC Xformer, English. Requires QS-Cable12 for row 2 modules.	782.80
PRO-MIR-QSC-5-G-1	Conventional System w/CPU, PS, 5 option GRAY surface mount enclosure, 115VAC Xformer, English.	684.95
PRO-MIR-QSC-5-R-1	Conventional System w/CPU, PS, 5 option RED surface mount enclosure, 115VAC Xformer, English.	684.95
PRO-MIR-QSC-CPU-1	Conventional Remote Annunciator CPU/Display, 1 annunciator option, English, w/RAI interface	636.03
PRO-MIR-QSC-CPU-2	Conventional Remote Annunciator CPU/Display, 2 annunciator option, English, w/RAI interface	684.95
PRO-MIR-QSC-IMAN	QSC Installation, programming & maintenance manual	19.57
PRO-MIR-SRA1	Remote Annunciator, LCD with controls, box mount, for use on QS1 systems.	475.00
PRO-MIR-SRA4	Remote Annunciator, LCD with controls, square box mount, for use on QS4 systems.	475.00
PRO-NT-A	Class A RS-485 Remote Annunciation Card, includes QS-232. Requires 1 option space.	146.78
PRO-PROGCABLE-1	Programming Cable for QuickStart series. Connects PC to Bar code scanner port.	19.57
PRO-QS-1-VR	Key locked outer door for 1 option enclosure, GRAY.	97.85
PRO-QS-1-VR-R	Key locked outer door for 1 option enclosure, RED.	97.85
PRO-QS-2-VR	Key locked outer door for 5 and 12 option enclosures, GRAY.	127.21
PRO-QS-2-VR-R	Key locked outer door for 5 and 12 option enclosures, RED.	127.21
PRO-QS-232	UART Card, plugs into CPU. Required for annunciator printer support when wired Class A or when programming annunciator using Config. Utility.	48.93
PRO-QS-CABLE12	Expansion Cable for 12 option cabinet.	58.71
PRO-QS-SCAN	QuickStart Scanner & Programming pamphlet.	273.98
PRO-QSA-1-F	Annunciator Cabinet, GRAY flush mount, 30 zone, w/RAI assy.	146.78
PRO-QSA-1-F-VR	Annunciator Cabinet, GRAY flush mount, 30 zone, w/RAI assy, key locked outer door.	156.56
PRO-QSA-1-S	Annunciator Cabinet, GRAY surface mount, 30 zone, w/RAI assy.	146.78
PRO-QSA-1-S-VR	Annunciator Cabinet, GRAY surface mount, 30 zone, w/RAI assy, key locked outer door.	156.56

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-QSA-2-S-VR	Annunciator Cabinet, GRAY surface mount, 60 zone, w/RAI assy, key locked outer door.	185.92
PRO-RPM	Reverse Polarity Module. Provides: (1) alarm reverse polarity circuit; (1) supervisory reverse polarity circuit; (1) trouble reverse polarity circuit. Requires 1/2 size cabinet footprint and 24 VDC.	290.32
PRO-SL20L5S	Annunciator Module, 20 LED's/groups with Text Label area per group, 5 switches/LED's with text Labeling	195.70
PRO-SL30	Annunciator Module, zones 1-30, 2 LED's/zone w/location button.	195.70
PRO-SL30-1	Annunciator Module, zones 31-60, 2 LED's/zone w/location button.	195.70
PRO-SL30L	Annunciator Module, 30 LED's/groups, Text Label area per group, no switches	195.70
PRO-SLIC	Signature Loop Controller w/2 NACs, supports up to 250 devices, requires 1 option space.	782.80
PRO-TRIM-1	Trim Kit - GRAY, 1 option card enclosure.	48.93
PRO-TRIM-12	Trim Kit - GRAY, 12 option card enclosure.	63.65
PRO-TRIM-12R	Trim Kit - RED, 12 option card enclosure.	63.65
PRO-TRIM-1R	Trim Kit - RED, 1 option card enclosure.	48.93
PRO-TRIM-5	Trim Kit - GRAY, 5 option card enclosure.	53.87
PRO-TRIM-5R	Trim Kit - RED, 5 option card enclosure.	53.87
PRO-ZA8-2	Conventional Zone Card, 8 Class A Ckts, 2 convert to NACs, requires 2 option spaces	293.55
PRO-ZB16-4	Conventional Zone Card, 16 Class B Ckts, 4 convert to NACs, requires 2 option spaces.	391.40
PRO-ZR8	Relay Card, 8 configurable/programmable Form A contacts, requires 1 option space.	273.98
<b>REPLACEMENT PARTS</b>		
<b>MIRITONE</b>		
PRO-122A	Fire Alarm Annunciator, 3-gang - 12 LED	143.93
PRO-4CLA	4 Zone Class A Card. Class A initiating circuit card. Converts Class B initiating circuit to Class A.	171.00
PRO-4IAC	4 Notification Appliance Circuit Module. Provides 4 notification circuits rated for 2.5 A each.	564.30
PRO-4REXP	4 Zone Relay Expander Card. 4 Relay Circuit Card Provides Relay Contact Per Zone.	188.10
PRO-4ZA	Fire Alarm Annunciator, 1-gang - 4 LED	56.15
PRO-4ZEXP	4 Zone Expansion Module, 4 Zones Class B and open collector circuit per zone.	487.92
PRO-6258.00	Detector Installation/Test Tool. For testing installed smoke detectors and installing and removing detectors from their bases. Includes adjustable length (2'-13') extender rods, test magnet, and aerosol canister. Use with 6258 installation/test tool.	332.60
PRO-6259.00	Detector Removal Tool - for unlatching detectors from base	11.12
PRO-6277-A	Detector Test Set. For checking voltage and adjusting sensitivity of installed smoke detectors. Includes carrying case, digital meter, and connecting cables for each type of detector, may be used to monitor an installed detector on site, or for bench testing.	1,496.73
PRO-6278-002A	Two Test Probes - for Photoelectric Detectors. For checking sensitivity of photoelectric detectors with probe hole in center of grille, the other for detectors with offset probe hole.	67.64
PRO-6424.00	Beam Type Smoke Detector (Discontinued, replaced with 22310-08-A)	1,554.96
PRO-7140126-01	SuperDuct, Replacement RJ45 factory interconnect cable	9.22
PRO-73486U	Standard Detector Base with Terminals. Use for mounting/wiring smoke detectors.	3.23
PRO-73487U	Relay Detector Base with Terminals. Use for mounting/wiring smoke detectors. Includes two Form C relay contacts.	13.68
PRO-73495U	Smoke Detector - Area, Ionization. Requires 6251B-001A, -003 or 6249B-001 Base.	9.31
PRO-8ZA	Fire Alarm Annunciator, 2-gang - 8 LED	105.83
PRO-8ZEXP	8 Zone Expansion Module, 8 Zones Class B and open collector circuit per zone.	872.10
PRO-A77-716B	End of Line Relay	47.36
PRO-CS2-1A4R	4" Cone Speaker (25VRMS), Round - WHITE	33.35
PRO-CS2-1A4RR	4" Cone Speaker (25VRMS), Round - RED	33.35
PRO-CS7-1A4R	4" Cone Speaker (70VRMS), Round - WHITE	34.39
PRO-CS7-1A4RR	4" Cone Speaker (70VRMS), Round - RED	34.39
PRO-CSS2-3A4R	30 cd Speaker/Strobe, 25V - 4" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	84.36
PRO-CSS2-3A4RR	30 cd Speaker/Strobe, 25V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	84.36
PRO-CSS2-5A4R	15 cd Speaker/Strobe, 25V - 4" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling orientation.	84.36
PRO-CSS2-5A4RR	15 cd Speaker/Strobe, 25V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling orientation.	84.36
PRO-CSS2-7A4R	15/75 cd Speaker/Strobe, 25V - 4" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall or ceiling mounting, (75 cd on-axis per ADA/UL1638), "FIRE" ceiling orientation.	68.97
PRO-CSS2-7A4RR	15/75 cd Speaker/Strobe, 25V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall or ceiling mounting, (75 cd on-axis per ADA/UL1638), "FIRE" ceiling orientation.	68.97
PRO-CSS2-8A4R	110 cd Speaker/Strobe, 25V - 4" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 110 cd wall, 60 cd ceiling mounting, meets sleeping area requirement, "FIRE" ceiling orientation.	86.55
PRO-CSS2-8A4RR	110 cd Speaker/Strobe, 25V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 110 cd wall, 60 cd ceiling mounting, meets sleeping area requirement, "FIRE" ceiling orientation.	86.55
PRO-CSS7-3A4R	30 cd Speaker/Strobe, 70V - 4" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	84.36
PRO-CSS7-3A4RR	30 cd Speaker/Strobe, 70V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	84.36
PRO-CSS7-5A4R	15 cd Speaker/Strobe, 70V - 4" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling orientation.	84.36
PRO-CSS7-5A4RR	15 cd Speaker/Strobe, 70V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling orientation.	84.36
PRO-CSS7-7A4R	15/75 cd Speaker/Strobe, 70V - 4" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall or ceiling mounting, (75 cd on-axis per ADA/UL1638), "FIRE" ceiling orientation.	68.97
PRO-CSS7-7A4RR	15/75 cd Speaker/Strobe, 70V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall or ceiling mounting, (75 cd on-axis per ADA/UL1638), "FIRE" ceiling orientation.	68.97

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-CSS7-8A4RR	110 cd Speaker/Strobe, 70V - 4" Cone, Round - RED. Strobe: 24 Vdc, UL 1971 Listed @ 110 cd wall, 60 cd ceiling mounting, meets sleeping area requirement. "FIRE" ceiling orientation.	16.15
PRO-GSA-SDPCB	SuperDuct, Replacement PCB/Intelligent sensor kit	88.35
PRO-INT-3AS2	30 cd Speaker/Strobe - 25V, RED. Strobe: UL 1971 Listed @ 30 cd, "FIRE" wall orientation.	90.82
PRO-INT-3AT	30 cd Temporal Horn/Strobe, RED. UL1971 Listed @ 30 cd, "FIRE" Wall Orientation	74.01
PRO-INT-5AS	15 cd Speaker/Strobe	101.94
PRO-INT-5AS2	15 cd Speaker/Strobe	101.94
PRO-INT-5AS2W	15 cd Speaker/Strobe	101.94
PRO-INT-5ASW	15 cd Speaker/Strobe	101.94
PRO-INT-5AT	15 cd Temporal Horn/Strobe	71.77
PRO-INT-5ATW	15 cd Temporal Horn/Strobe	74.01
PRO-INT-7AS	15/75 cd Speaker/Strobe - 70V, RED. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	74.39
PRO-INT-7AS2	15/75 cd Speaker/Strobe - 25V, RED. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	74.39
PRO-INT-7AS2W	15/75 cd Speaker/Strobe - 25V, white. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	74.39
PRO-INT-7ASW	15/75 cd Speaker/Strobe - 70V, white. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	80.14
PRO-INT-8AS	110 cd Speaker/Strobe - 70V, RED. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	93.20
PRO-INT-8AS2	110 cd Speaker/Strobe - 25V, RED. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	93.20
PRO-INT-8AS2W	110 cd Speaker/Strobe - 25V, white. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	93.20
PRO-INT-8ASW	110 cd Speaker/Strobe - 70V, white. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	93.20
PRO-INT-S	Speaker (70V) - Cone Type, RED	33.82
PRO-INT-S2	Speaker (25V) - Cone Type, RED	33.82
PRO-INT-S2W	Speaker (25V) - Cone Type, WHITE	33.82
PRO-INT-SW	Speaker (70V) - Cone Type, WHITE	33.82
PRO-LCDA/BOX	Flush Wall Box for LCDA/LB and LCDA-C/LB	31.35
PRO-MBPR	Master Box, Polarity Reversal. Reverse polarity/local energy master box circuit card.	163.02
PRO-MG1F-HO	Horn, High dB Output (temporal tone) - 24V, WHITE	30.55
PRO-MG1F-HO	Horn, High dB Output (temporal tone) - 24V, WHITE w/FIRE	31.54
PRO-MG1F-HOV60	Horn-strobe, High Output (temporal tone) - synchronized, 60cd, WHITE w/FIRE	65.93
PRO-MG1F-V30	Strobe - synchronized, 30cd, WHITE w/FIRE	50.26
PRO-MG1F-V60	Strobe - synchronized, 60cd, WHITE w/FIRE	50.26
PRO-MG1RF-HO	Horn, High Output (temporal tone) - 24V, RED w/FIRE	31.54
PRO-MG1RF-HOV15	Horn-strobe, High Output (temporal tone) - synchronized, 15cd, RED w/FIRE	63.94
PRO-MG1RF-V60	Strobe - synchronized, 60cd, RED w/FIRE	50.26
PRO-MIR-RQS1-CPU-1	Replacement, Single Loop CPU/Display, English	755.92
PRO-MIR-RQS4-CPU-1	Replacement, Multi-loop CPU/Display, 1 annunciator option, English	806.36
PRO-MIR-RQS4-CPU-2	Replacement, Multi-loop CPU/Display, 2 annunciator option, English	856.71
PRO-MIR-RQSC-CPU-1	Replacement, Conventional CPU/Display, 1 annunciator option, English.	655.12
PRO-MIR-RQSC-CPU-2	Replacement, Conventional CPU/Display, 2 annunciator option, English.	684.95
PRO-MIR1-2ZD	2 Zone with Dialer - GRAY	758.10
PRO-MIR1-2ZDR	2 Zone with Dialer - RED. Includes two Notification Appliance Circuits. Each circuit delivers up to 1.0 Amp supplied from a 1.5 Amp source. Space provided for 4 AH batteries. Order Batteries separately.	909.72
PRO-MIR1-4Z1D	4 Zones 1 Module Space and Dialer - GRAY 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery	1,071.60
PRO-MIR1-4Z1DR	4 Zones 1 Module Space and Dialer - RED. 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery	893.00
PRO-MIR1-4Z2	4 Zones two Module Spaces - GRAY 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery cabinet	597.55
PRO-MIR1-4Z2R	4 Zones two Module Spaces - Red 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery cabinet separately.	597.55
PRO-MIR1-6Z1	6 Zones one Module Space - GRAY 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery cabinet	1,092.12
PRO-MIR1-6Z1R	6 Zones one Module Space - Red 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery cabinet separately.	910.10
PRO-MIR1-6ZD	6 Zones with Dialer - Gray 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery cabinet separately.	1,158.05
PRO-MIR1-6ZDR	6 Zones with Dialer - Red 4 Amp base panel. Includes two 2.5 Amp Notification Appliance Circuits. Order End-of-Line resistors (one required per supervised circuit used) and battery separately. Space for 4 to 6.5 Ah batteries. For 10 Ah configurations order BC-2 battery cabinet separately.	1,158.05
PRO-MS-120R	110 cd Strobe - Discontinued, replaced with 203-8A-T (by EST)	77.62
PRO-MS-120W	110 cd Strobe - Discontinued, replaced with 203-8A-TW (by EST)	77.62
PRO-MS-3AR	30 cd Self-synchronized Strobe, RED	56.15
PRO-MS-3AW	30 cd Self-synchronized Strobe, white	56.15
PRO-MS-5AR	15 cd Self-synchronized Strobe	56.15
PRO-MS-5AW	15 cd Self-synchronized Strobe	56.15
PRO-MS-6AR	60 cd Self-synchronized Strobe, RED	56.15
PRO-MS-6AW	60 cd Self-synchronized Strobe, white	56.15

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-P-847567-0017	Smoke Detector Tester (Plastic Test Chamber Only)	10.17
PRO-PP46000-1321	MIR1-2Z3 and 2Z6 Manual (English)	74.20
PRO-PP46033-0075	1Z1/2Z1 terminal cover	9.41
PRO-PP46073-0138	2Z3 terminal cover	9.50
PRO-PP46073-0139	2Z6 terminal cover	13.59
PRO-QSCBL-3	QS Replacement cable for Transformer to Power supplying 12 space cabinet	48.93
PRO-RA400Z	Remote LED	25.65
PRO-RSA4-COM	Common Strip. Common alarm, trouble, supervisory and security LED's. Reset, alarm silence, trouble silence, drill/auto evacuation cancel, lamp test and enable/disable switch. Uses one Annunciator module slot.	406.98
PRO-RTS-451KEY	Remote Test Station with Key Switch	91.49
PRO-RTS451	Remote Test Station with Magnetic Switch	63.46
PRO-RTU	Fire Alarm Trouble Unit/Annunciator, 1 Gang	48.74
PRO-RTU12ZA	Fire Alarm Trouble Unit/Annunciator, 4 Gang	179.93
PRO-RTU4ZA	Fire Alarm Trouble Unit/Annunciator, 2 Gang	93.20
PRO-RTU8ZA	Fire Alarm Trouble Unit/Annunciator, 3 Gang	141.84
PRO-SD-4WPCBJ	SuperDuct, Replacement PCB/4-wire sensor kit (RJ45)	86.36
PRO-SD-4WPCBT	SuperDuct, Replacement PCB/4-wire sensor kit (terminals)	78.85
PRO-SD-MAG	SuperDuct, Test magnet kit	2.66
PRO-SD-RJ10	SuperDuct, RJ45 wiring harness kit - 10 ft	23.66
PRO-SD-RJ15	SuperDuct 4-wire, RJ45 wiring harness kit - 15 ft	31.16
PRO-SD-RJ5	SuperDuct, RJ45 wiring harness kit - 5 ft	16.15
<b>SPEAKERS AND TELEPHONES</b>		<b>MIRITONE</b>
PRO-260,006.00	Fuse Holder 4 Amp - UL listed	5.13
PRO-270,946.00	Installation Manual - for BPS6 and BPS10	40.38
PRO-54,003.00	8" Backbox - Square, Flush	14.16
PRO-54,010.00	8" Backbox - Square, Surface Mount, WHITE	21.19
PRO-6700-0061	Portable (Plug-in) Telephone Handset - RED.	82.65
PRO-6830-1	Remote Telephone Handset Station - RED, 5' coiled cord	131.10
PRO-6830-3	Portable (Plug-in) Telephone Handset - BLACK. Provided with 5' coiled cord and plug; use with 6833-1.	82.65
PRO-6830-5A	Remote Telephone Handset Station - 3-State, RED, 'push-to-talk' button, 5' coiled cord	161.31
PRO-6830-6A	Remote Telephone Handset Station - 3-State, RED, 'push-to-talk' button, 5' armored cable	171.38
PRO-6830-NY-F	Remote Telephone Warden Station - Flush, RED, 5' armored cable, hinged door with magnetic latch	215.75
PRO-6830-NY-S	Remote Telephone Warden Station - Surface, RED, 5' armored cable, hinged door with magnetic latch	221.73
PRO-6831-1	Flush Trim - Break Glass, RED. For 6830-1 permanent remote telephone handset station. Break glass type, supplied with lock and keys.	74.67
PRO-6831-2	Flush Trim - Non-break Glass, RED. Same as 6831-1 except non-break glass type.	72.58
PRO-6831-3	Surface Trim - Break Glass, RED. For 6830-1 permanent remote telephone handset station. Break glass type, supplied with lock and keys.	82.65
PRO-6831-4	Surface Trim - Non-break Glass, RED. Same as 6831-3 except non-break glass type.	80.66
PRO-6832-1	Backbox - RED, for 6830-1 or 6830-2	34.30
PRO-6833-1	Portable Telephone Receptacle - 1-gang, SS	28.31
PRO-CS2-1A8R	8" Cone Speaker (25VRMS), Round - WHITE	38.38
PRO-CS2-1A8S	8" Cone Speaker (25VRMS), Square - WHITE	38.38
PRO-CS7-1A8R	8" Cone Speaker (70VRMS), Round - WHITE	40.38
PRO-CS7-1A8S	8" Cone Speaker (70VRMS), Square - WHITE	40.38
PRO-CSS2-3A8R	30 cd Speaker/Strobe, 25V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	309.89
PRO-CSS2-3A8S	30 cd Speaker/Strobe, 25V - 8" Cone, Square - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	309.13
PRO-CSS2-5A8R	15 cd Speaker/Strobe, 25V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling	306.57
PRO-CSS2-5A8S	15 cd Speaker/Strobe, 25V - 8" Cone, Square - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling	90.73
PRO-CSS2-7A8R	15/75 cd Speaker/Strobe, 25V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall or ceiling mounting, (75 cd on-axis per ADA/UL1638), "FIRE" ceiling orientation.	310.56
PRO-CSS2-7A8S	15/75 cd Speaker/Strobe, 25V - 8" Cone, Square - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall or ceiling mounting, (75 cd on-axis per ADA/UL1638), "FIRE" ceiling orientation.	90.73
PRO-CSS2-8A8R	110 cd Speaker/Strobe, 25V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 110 cd wall, 60 cd ceiling mounting, meets sleeping area requirement, "FIRE" ceiling orientation.	306.85
PRO-CSS2-8A8S	110 cd Speaker/Strobe, 25V - 8" Cone, Square - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 110 cd wall, 60 cd ceiling mounting, meets sleeping area requirement, "FIRE" ceiling orientation.	94.81
PRO-CSS7-3A8R	30 cd Speaker/Strobe, 70V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	90.73
PRO-CSS7-3A8S	30 cd Speaker/Strobe, 70V - 8" Cone, Square - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 30 cd wall mounting (15 cd ceiling mounting), "FIRE" ceiling orientation.	90.73
PRO-CSS7-5A8R	15 cd Speaker/Strobe, 70V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling	90.73
PRO-CSS7-5A8S	15 cd Speaker/Strobe, 70V - 8" Cone, Square - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall mounting (no ceiling rating), "FIRE" ceiling	90.73
PRO-CSS7-7A8R	15/75 cd Speaker/Strobe, 70V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 15 cd wall or ceiling mounting, (75 cd on-axis per ADA/UL 1638), "FIRE" ceiling orientation.	310.56

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-CSS7-8A8R	110 cd Speaker/Strobe, 70V - 8" Cone, Round - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 110 cd wall, 60 cd ceiling mounting, meets sleeping area requirement. "FIRE" ceiling orientation.	94.81
PRO-CSS7-8A8S	110 cd Speaker/Strobe, 70V - 8" Cone, Square - WHITE. Strobe: 24 Vdc, UL 1971 Listed @ 110 cd wall, 60 cd ceiling mounting, meets sleeping area requirement. "FIRE" ceiling orientation.	94.81
PRO-INT-3AR	30 cd Re-entrant Speaker/Strobe - 70V, RED. Strobe: UL 1971 Listed @ 30 cd, "FIRE" wall orientation.	153.52
PRO-INT-3AR2	30 cd Re-entrant Speaker/Strobe - 25V, RED. Strobe: UL 1971 Listed @ 30 cd, "FIRE" wall orientation.	153.52
PRO-INT-3AR2W	30 cd Re-entrant Speaker/Strobe - 25V, white. Strobe: UL 1971 Listed @ 30 cd, "FIRE" wall orientation.	153.52
PRO-INT-3ARW	30 cd Re-entrant Speaker/Strobe - 70V, white. Strobe: UL 1971 Listed @ 30 cd, "FIRE" wall orientation.	153.52
PRO-INT-7AR	15/75 cd Re-entrant Speaker/Strobe - 70V, RED. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	153.52
PRO-INT-7AR2	15/75 cd Re-entrant Speaker/Strobe - 25V, RED. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	153.52
PRO-INT-7AR2W	15/75 cd Re-entrant Speaker/Strobe - 25V, white. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	153.52
PRO-INT-7ARW	15/75 cd Re-entrant Speaker/Strobe - 70V, white. Strobe: UL 1971 Listed @ 15 cd (75 cd on-axis per ADA/UL1638), "FIRE" wall orientation.	153.52
PRO-INT-8AR	110 cd Re-entrant Speaker/Strobe - 70V, RED. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	155.61
PRO-INT-8AR2	110 cd Re-entrant Speaker/Strobe - 25V, RED. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	155.61
PRO-INT-8AR2W	110 cd Re-entrant Speaker/Strobe - 25V, white. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	155.61
PRO-INT-8ARW	110 cd Re-entrant Speaker/Strobe - 70V, white. Strobe: Meets sleeping area requirement. UL 1971 Listed @ 110 cd, "FIRE" wall orientation.	155.61
PRO-INT-R	Speaker (70V) - Re-entrant, RED	111.15
PRO-INT-R2	Speaker (25V) - Re-entrant, RED	111.15
PRO-INT-R2W	Speaker (25V) - Re-entrant, white	111.15
PRO-INT-RR	Retrofit Ring - for 4" Square Box, RED	9.60
PRO-INT-RRW	Retrofit Ring - for 4" Square Box, WHITE	9.60
PRO-INT-RW	Speaker (70V) - Re-entrant, white	111.15
PRO-INT-SB	Surface Box - Indoor, RED	14.92
PRO-INT-SBW	Surface Box - Indoor, WHITE	14.92
PRO-INT-WB	Weatherproof Box, Cast - RED	31.83
PRO-INT-WBW	Weatherproof Box, Cast - WHITE	31.83
PRO-LKC-1	FIRE - Ceiling orientation	5.04
PRO-LKC-4	SMOKE - Ceiling orientation	5.04
PRO-LKC-5	HALON - Ceiling orientation	5.04
PRO-LKC-6	CO2 - Ceiling orientation	5.04
PRO-LKC-7	EMERGENCY - Ceiling orientation	5.04
PRO-LKC-8	ALARM - Ceiling orientation	5.04
PRO-LKC-9	FUEGO - Ceiling orientation	5.04
PRO-LKW-1	FIRE - Wall orientation	5.04
PRO-LKW-1R	FIRE - Wall orientation (RED with WHITE Lettering)	5.04
PRO-LKW-4	SMOKE - Wall orientation	5.04
PRO-LKW-5	HALON - Wall orientation	5.04
PRO-LKW-6	CO2 - Wall orientation	5.04
PRO-LKW-7	EMERGENCY - Wall orientation	5.04
PRO-LKW-8	ALARM - Wall orientation	5.04
PRO-LKW-9	FUEGO - Wall orientation	5.04
PRO-MG1M-RM	Genesis Signal Master - Remote Mount.	53.87
PRO-MG4-S2	Speaker (25V), multi-tap, WHITE	29.26
PRO-MG4-S2VM	Speaker-strobe (25V), multi-tap, multi-cd, WHITE	79.14
PRO-MG4-S7	Speaker (70V), multi-tap, WHITE	29.26
PRO-MG4-S7VM	Speaker-strobe (70V), multi-tap, multi-cd, WHITE	79.14
PRO-MG4B	Surface Box, WHITE - for Genesis Speaker	12.16
PRO-MG4F-S2	Speaker (25V), multi-tap, WHITE w/FIRE	29.26
PRO-MG4F-S2VM	Speaker-strobe (25V), multi-tap, multi-cd, WHITE w/FIRE	79.14
PRO-MG4F-S7	Speaker (70V), multi-tap, WHITE w/FIRE	29.26
PRO-MG4F-S7VM	Speaker-strobe (70V), multi-tap, multi-cd, WHITE w/FIRE	79.14
PRO-MG4R-S2	Speaker (25V), multi-tap, RED	29.26
PRO-MG4R-S2VM	Speaker-strobe (25V), multi-tap, multi-cd, RED	79.14
PRO-MG4R-S7	Speaker (70V), multi-tap, RED	29.26
PRO-MG4R-S7VM	Speaker-strobe (70V), multi-tap, multi-cd, RED	79.14
PRO-MG4RB	Surface Box, RED - for Genesis Speaker	12.16
PRO-MG4RF-S2	Speaker (25V), multi-tap, RED w/FIRE	29.26
PRO-MG4RF-S2VM	Speaker-strobe (25V), multi-tap, multi-cd, RED w/FIRE	79.14
PRO-MG4RF-S7	Speaker (70V), multi-tap, RED w/FIRE	29.26
PRO-MG4RF-S7VM	Speaker-strobe (70V), multi-tap, multi-cd, RED w/FIRE	79.14
PRO-MGC-S2	Genesis Ceiling Speaker - 25V, mounts to 4" square x 2-1/8" box	31.26
PRO-MGC-S2VM	Genesis Ceiling Speaker-strobe - 25V, 15-95 multi-cd, mounts to 4" square x 2-1/8" box	79.14
PRO-MGC-S2VMH	Genesis Ceiling Speaker-strobe - 25V, 95-177 multi-cd, mounts to 4" square x 2-1/8" box	89.21
PRO-MGC-S7	Genesis Ceiling Speaker - 70V, mounts to 4" square x 2-1/8" box	31.26
PRO-MGC-S7VM	Genesis Ceiling Speaker-strobe - 70V, 15-95 multi-cd, mounts to 4" square x 2-1/8" box	79.14

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-MGCF-S2VM	Genesis Ceiling Speaker-strobe - 25V, 15-95 multi-cd, FIRE marking, mounts to 4" square x 2-1/8" box	79.14
PRO-MGCF-S2VMH	Genesis Ceiling Speaker-strobe - 25V, 95-177 multi-cd, FIRE marking, mounts to 4" square x 2-1/8" box	89.21
PRO-MGCF-S7	Genesis Ceiling Speaker - 70V, FIRE marking, mounts to 4" square x 2-1/8" box	31.26
PRO-MGCF-S7VM	Genesis Ceiling Speaker-strobe - 70V, 15-95 multi-cd, FIRE marking, mounts to 4" square x 2-1/8" box	79.14
PRO-MGCF-S7VMH	Genesis Ceiling Speaker-strobe - 70V, 95-177 multi-cd, FIRE marking, mounts to 4" square x 2-1/8" box	89.21
PRO-MIRBPS10A	10 Amp Booster Power Supply	593.66
PRO-MIRBPS10A-6	Package of Six MIRBPS10A Booster Power Supplies. 120V - 10 Amp 24Vdc output to four 3 Amp Notification Appliance Circuits. Order UL listed End-of-Line resistors (EOL-15 series one required per supervised circuit used), and battery separately.	3,362.24
PRO-MIRBPS6A	6.5 Amp Booster Power Supply	503.98
PRO-MIRBPS6A-6	Package of Six MIRBPS6A Booster Power Supplies. 120V - 6.5 Amp 24Vdc output to four 3 Amp Notification Appliance Circuits. Order UL listed End-of-Line resistors (EOL-15 series one required per supervised circuit used), and battery separately.	2,824.07
PRO-QSB-104	4" Backbox - Round, Flush	10.55
PRO-TCS-6	Storage Enclosure for 6830 handsets (6).	722.00

**DELL NOTEBOOKS** **DELL**

PRO-VOSTRO 1000	Everyday Productivity 15.4" Widescreen	489.02
PRO-VOSTRO 1400	Versatile Performance 14.1" Widescreen	587.02
PRO-VOSTRO 1500	Versatile Performance 15.4" Widescreen	587.02
PRO-VOSTRO 1800	Versatile Performance 17" Widescreen	881.02
PRO-DLATITUDE 531	Business-class essentials with D-family compatibility and docking capabilities	898.66
PRO-LATITUDE D520	Standard Aspect Display with D-family compatibility and docking capabilities	811.44
PRO-LATITUDE D830	Pure business power with advanced multimedia & wireless options	1,125.04
PRO-LATITUDE D630	Thin and light notebook with the ideal balance of performance and mobility	1,182.86
PRO-LATITUDE D430	Ultra-light notebook with a long battery life and advanced security and wireless options	1,557.22
PRO-LATITUDE ATG-D630	A rugged notebook with added protection and usability for tough environments	2,027.62
PRO-PRESCISION M4300	Certified mobile workstation performance and reliability for high-end and graphics-intensive applications.	1,567.02
PRO-PRESCISION M6300	Enabling exceptional engineering design, analysis, and content creation in a mobile form factor through desktop workstation class performance and	2,066.82
PRO-XPS M1330	Ultimate in mobility and design for anyone seeking a full-featured notebook with a range of wireless and graphics options.	1,469.02
PRO-XPS M1710	A 17" wide screen and powerful graphics options combine for the ultimate mobile performance	2,253.02
PRO-XPS M2010	The ultimate in productivity and entertainment in a sleek and bold package ideal for boardrooms and client presentations	2,939.02

**DESKTOPS** **DELL**

PRO-VOSTRO 200 MINI TOWER	Basic productivity, customizable solution with greater expandability than the Vostro 200 Slim Tower	361.62
PRO-VOSTRO 200 SLIM TOWER	Compact, customizable solution 40% smaller than the Vostro 200 Mini Tower and designed to sit under your monitor, on top, beside or under your	391.02
PRO-VOSTRO 400 MINI TOWER	Optimized and customizable to meet your business demands offering higher processor and graphics performance than the Vostro 200 Slim Tower	606.62
PRO-OPTIPLEX 320	Performance for small offices in a networked environment	433.16
PRO-OPTIPLEX 330	Business customers looking for stable systems that have the essential security and management capabilities they require.	490.00
PRO-OPTIPLEX 740	Enhanced performance for businesses, advanced graphics capability and upgraded networking features	540.96
PRO-OPTIPLEX 745	High performance for businesses, advanced graphics capability, upgraded networking features and a wide selection of form factors	609.56
PRO-OPTIPLEX 755	Scalable, managed desktops designed to improve business efficiencies	629.16

**WORKSTATIONS** **DELL**

PRO-PRECISION WORKSTATION	Ultimate Performance for workstation class applications	882.00
PRO-PRECISION-MOBILE WORKSTATION	Design and develop on the go, with memory and storage capabilities for your most demanding business applications.	1,567.02

**TOWER SERVERS** **DELL**

Designed for your business and offer flexibility with a range of value and performance.		
PRO-PowerEdge SC440	Great for: File and print sharing, E-mail, Shared Internet access, Web server, Remote access	538.02
PRO-PowerEdge 840	Great For: Remote Locations and small workgroups that need advanced server features at an entry-level price.	734.02
PRO-PowerEdge SC1430	Great for: File and print sharing, E-mail, Application server	1,008.42
PRO-PowerEdge 1900	Great for: E-mail (Messaging), Application server, Database, Web server	1,371.02
PRO-PowerEdge 2900	Great For: E-mail (Messaging), Application server, Database, Multi-tasking, Web server	1,567.02
PRO-PowerEdge 6800 BASE	Dual processor as a base and Single SCSI hard drive	587.02
PRO-PowerEdgeTM 6800 ADVANCED	Quad processor power and Quadruple the memory for significantly enhanced performance and Third hard drive, and built-in RAID for enhanced data protection and room to grow	14,783.30

**RACK SERVERS** **DELL**

Minimize floor space, ideal for customers with multiple servers or with limited storage space.		
PRO-PowerEdge 860	Great For: File and print sharing, Remote server	930.02
PRO-PowerEdge SC1435	Great For: File and print sharing, Web farms, High Performance Computing Clusters	1,175.02
PRO-PowerEdge 1950	Great For: E-mail, Application server, Database, Multi-tasking, Web server	1,567.02
PRO-PowerEdge 2950	Great For: E-mail (Messaging), Application server, Database, Multi-tasking, Web server, Server consolidation	1,665.02
PRO-PowerEdge 2970	Great for: E-mail (Messaging), Application server, Database, Multi-tasking, Web server, Server consolidation, Virtualization	1,714.02
PRO-PowerEdge 2900 Rack	Great for: Business critical database applications, network infrastructure, web applications, messaging, departmental applications, file and print	1,665.02
PRO-PowerEdge 6850	Great for: Multi-tasking, Server consolidation, Messaging, Back-end database and traditional OLTP, UNIX migration	6,368.04

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
High density computing, featuring the latest high performance technologies.		
PRO-POWEREDGE1955	Up to two Dual-Core or Quad-Core Intel® Xeon® 5000 Sequence processors	1,763.02
<b>RACK SERVERS</b>		
<b>DELL</b>		
PRO-PowerEdge 2410	Enclosure offering all the efficiency advantages and cost benefits of the 42U rack in a more compact design that's better suited for space-constrained environments.	877.10
PRO-PowerEdge 4210	Highly efficient rack system that delivers efficient use of physical space, easy access to vital servers and peripherals, and better air flow for optimal cooling and increased server reliability.	1,011.36
<b>Tape &amp; Removable Disk Backup</b>		
<b>DELL</b>		
PRO-PowerVault RD1000	Removable disk drive comes with either 40, 80, 120, & 160 GB cartridges.	391.02
PRO-PowerVault RD1000	External Disk Drive with 80GB storage capacity and two extra 80GB cartridges 80 GB PLUS Symantec BESR SBS Edition	802.62
PRO-PowerVault 100T DAT72 Tape Drive	Backing up entry-level servers with low capacity	802.62
PRO-PowerVault 110T VS160 Tape Drive	Backing up servers with up to 160GB1 of data	1,400.42
PRO-PowerVault 110T LTO-2-L Tape Drive	Affordable point of entry to backup 200GB1 of server data	1,518.02
PRO-PowerVault LTO-3-060 Tape Drive	Backing up servers with up to 400GB1 of data	2,498.02
PRO-PowerVault 110T LTO-3 Tape Drive	Backing up servers with up to 400GB1 of data	3,184.02
PRO-PowerVault LTO-4-120 Tape Drive	Backing up servers with up to 800GB1 of data	4,850.02
PRO-PowerVault Tape Backup 114T	Rackable tape backup solution, holding 2 drives in 2U of rack space	1,087.80
PRO-PowerVault Tape Backup 124T VS160	Medium-capacity automated backup	3,429.02
PRO-PowerVault Tape Backup 124T LTO-2-L	Consolidating multiple or remote application server backup into a rack-optimized 2U form factor	4,311.02
PRO-PowerVault Tape Backup 124T LTO-3	High-capacity LTO-based automated backup	5,781.02
PRO-PowerVault TL2000	Entry tape library that helps organizations automate their backup processes to reduce the need for manual intervention and the risk of human error.	8,134.00
PRO-PowerVault TL4000	error	10,828.02
<b>NETWORKED STORAGE</b>		
<b>DELL</b>		
PRO-PowerEdge 840	Single Celeron D, Pentium 4, or Xeon 3000 processor	1,173.06
PRO-PowerEdge 2900	Single or dual Intel Xeon Processors	2,936.08
PRO-PowerEdge 2950	Single or dual Intel Xeon Processors	2,632.28
PRO-Dell/EMC AX150 and AX150i	Consolidating the storage for up to 10 servers, light data base and e-mail, as well as file and print storage	4,998.00
PRO-PowerVault MD3000i SAN Array	Consolidate storage for up to 16 servers	7,154.00
PRO-PowerVault NX1950	The Dell PowerVault NX1950 is an integrated data storage solution that merges NAS and SAN, Fibre Channel and iSCSI	25,088.00
PRO-DELL/EMC CX300 Direct-Attached Stor	5x146GB 10K Disk Processor Enclosure Array	22,617.42
PRO-DELL/EMC CX300 Storage Area Networ	5x146GB 10K Disk Processor Enclosure Array	25,067.42
<b>DIRECT ATTACHED STORAGE</b>		
<b>DELL</b>		
PRO-PowerVault MD 1000 SAS/SATA	15 Drive SAS/SATA Disk Storage Enclosure	3,624.04
PRO-PowerVault 220S	14 Drive SCSI Disk Storage Enclosure	4,409.02
PRO-PowerVault MD3000	Up to 45 Drive SAS Disk Storage Enclosure	7,307.86
<b>POWER CONNECT SWITCHES</b>		
<b>DELL</b>		
PRO-PowerConnect 2216	16 wire-speed Fast Ethernet ports at a value price.	67.62
PRO-PowerConnect 2224	24 wire-speed Fast Ethernet ports at a value price.	97.02
PRO-PowerConnect 2324	24 wire-speed Fast Ethernet ports plus 2 Gigabit Ethernet ports at a value price.	146.02
PRO-PowerConnect 2708	8 Gigabit Ethernet ports at a value price.	106.82
PRO-PowerConnect 2716	16 Gigabit Ethernet ports at a value price.	263.62
PRO-PowerConnect 2724	24 Gigabit Ethernet ports at a value price.	361.62
PRO-PowerConnect 2748	48 Gigabit Ethernet ports at a value price.	685.02
PRO-PowerConnect 3424	24 10/100BASE-T auto-sensing Fast Ethernet switching ports plus 2 gigabit Ethernet Switching ports, and 2 SFP slots for fiber media and/or stacking	440.02
PRO-PowerConnect 3448	48 10/100BASE-T auto-sensing Fast Ethernet switching ports plus 2 gigabit Ethernet Switching ports, and 2 SFP slots for fiber media and/or stacking	734.02
PRO-Powerconnect 5324	24 10/100/1000BASE-T auto-sensing Gigabit Ethernet switching ports	1,077.02
PRO-PowerConnect 6224	24 copper Gigabit Ethernet ports plus 4 fiber SFP slots	1,763.02
PRO-PowerConnect 6248	48 copper Gigabit Ethernet ports plus 4 fiber SFP slots	2,449.02
PRO-PowerConnect 3448P	Power-Over-Ethernet on all ports. 48 10/100BASE-T auto-sensing Fast Ethernet switching ports plus 2 gigabit2 Ethernet Switching ports,	1,273.02
PRO-PowerConnect 3424P	Power-Over-Ethernet on all ports. 24 10/100BASE-T auto-sensing Fast Ethernet switching ports plus 2 gigabit2 Ethernet Switching ports,	979.02
<b>WIRELESS ETHERNET</b>		
<b>BRIDGEWAVE-Gigabit Point-To-Point Wireless Bridges</b>		
PRO-AR60	Complete Bridgewave AR60 Gigabit Ethernet Link with Adaptive rate. 1.25 Gbps, full duplex. Integrated antenna. Incl. wall and mast mounts. Integrated 10" antenna	23,302.50
PRO-AR60-LX	Complete Bridgewave AR60-lx Gigabit Ethernet Link with Adaptive rate. 1.25 Gbps, full duplex. Integrated antenna. Incl. wall and mast mounts. Integrated 10" antenna	23,302.50
PRO-AR60X	Complete Bridgewave AR60 Gigabit Ethernet Link with Adaptive rate. 1.25 Gbps, full duplex. Integrated antenna. Incl. wall and mast mounts. Integrated 24" antenna	23,302.50
PRO-FE60U	BridgeWave 60 GHz Radio Link 100Mbps but upgradeable to 1.25Gbps via Software key. Licensed-free operation in the U.S.	23,302.50
PRO-GE60	Complete BridgeWave GE60 Gigabit Ethernet Link. 1.25 Gbps, full duplex. Integrated antenna. Incl. wall and mast mounts. Integrated linear directional 40dBi antenna	23,302.50

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-AR60-AES	AR60 Gigabit Ethernet Link w/Adaptive Rate and Advanced Encryption Software (AES) 1.25Gbps, full duplex. Integrated antenna. Incl. wall and mast mounts. Integrated 10" antenna and 10/100 Add Drop Port	30,030.00
PRO-AR60X-AES	AR60 Gigabit Ethernet Link w/Adaptive Rate and Advanced Encryption Software (AES) 1.25Gbps, full duplex. Integrated antenna. Incl. wall and mast mounts. External 24" antenna	35,880.00
<b>EXTENDED WARRANTIES BRIDGEWAVE</b>		
PRO-NDR-1	Next day replacement to be added to any standard 1 year warranty	1,462.50
PRO-AR60-EWNRD-2	2nd year extended AR60 Product warranty. Extends warranty to 2nd year w/next day replacement ***drop ship only***	3,495.38
PRO-AR60-AES-EWNRD-2	3rd year extended AR60-AES Product warranty. Extends warranty to 2nd year w/next day replacement ***drop ship only***	4,504.50
PRO-AR60-EWNRD-3	3 year extended AR60 Product warranty. Extends warranty to 2nd& 3rd year w/next day replacement ***drop ship only***	5,825.63
PRO-AR60-EWNRD-5	5 year extended AR60 Product warranty. Extends warranty to 2nd through 5th year w/next day replacement ***drop ship only***	10,486.13
PRO-AR60-AES-EWNRD-3	3 year extended AR60-AES Product warranty. Extends warranty to 2nd& 3rd year w/next day replacement ***drop ship only***	7,507.50
PRO-AR60X-EWNRD-2	2nd year extended AR60X Product warranty. Extends warranty to 2nd year w/next day replacement ***drop ship only***	4,372.88
PRO-AR60X-AES-EWNRD-2	2nd year extended AR60X-AES Product warranty. Extends warranty to 2nd year w/next day replacement ***drop ship only***	5,382.00
PRO-AR60-AES-EWNRD-5	5 year extended AR60-AES Product warranty. Extends warranty to 2nd through 5th year w/next day replacement ***drop ship only***	13,513.50
PRO-AR60X-EWNRD-5	5 year extended AR60X Product warranty. Extends warranty to 2nd through 5th year w/next day replacement ***drop ship only***	13,118.63
PRO-AR60X-EWNRD-3	3 year extended AR60X Product warranty. Extends warranty to 2nd & 3rd year w/next day replacement ***drop ship only***	7,288.13
PRO-AR60X-AES-EWNRD-3	3 year extended AR60X-AES Product warranty. Extends warranty to 2nd & 3rd year w/next day replacement ***drop ship only***	8,970.00
PRO-AR60X-AES-EWNRD-5	5 year extended AR60-AES Product warranty. Extends warranty to 2nd through 5th year w/next day replacement ***drop ship only***	16,146.00
PRO-GE60-EWNRD-2	Extended GE60 2nd year Product Warranty. Extends Warranty to 2nd year w/next day replacement ***Drop Ship Only***	2,910.38
PRO-GE60-EWNRD-3	Extended GE60 2nd year Product Warranty. Extends Warranty to 2nd and 3rd year w/next day replacement ***Drop Ship Only***	4,059.63
PRO-GE60U-EWNRD-3	3 year extended GE60x Product Warranty. Extends warranty to 2nd and 3rd year with next day replacement ***drop ship only***	6,060.38
PRO-FE60U-EWNRD-2	Extended FE60U 2nd year extended Product Warranty with next day replacement **drop ship only**	2,179.13
PRO-FE60U-EWNRD-3	Extended FE60U 3 year extended Product Warranty with next day replacement. Covers the 2nd and 3rd year **drop ship only**	3,631.88
PRO-FE60X-EWNRD-2	Extended FE60X end year extended Product Warranty with next day replacement. **drop ship only**	2,764.13
PRO-FE60X-EWNRD-3	Extended FE60X 3 year extended Product Warranty with next day replacement. Covers the 2nd and 3rd year **drop ship only**	4,606.88
<b>ACCESSORIES BRIDGEWAVE</b>		
PRO-SECURE-MGT	Secure (encrypted) management agent access and RADIUS client	2,827.50
PRO-80GHZ-LIC	Registration for FCC 10 year license for 72.5-82.5GHz for single link in a specified location	487.50
<b>80 GHz SYSTEMS BRIDGEWAVE</b>		
PRO-AR80	AR80 Gigabit Ethernet Link with Adaptive Rate. 1.25Gbps, full duplex. Incl. wall and mast mounts. Integrated 12" Antennas.	35,002.50
PRO-AR80X	AR80X Gigabit Ethernet Link with Adaptive Rate. 1.25Gbps, full duplex. Incl. mast mount and 24" external antennas. Includes a 10/100 Add/Drop port	38,902.50
PRO-GE80	GE80 Gigabit Ethernet link. 1.25 Gbps, full duplex. Incl. wall and mast mounts.	31,102.50
PRO-GE80X-LX	GE80LX Gigabit Ethernet Link. 1.25Gbps, full duplex. Incl wall and mast mounts.	33,052.50
PRO-GE80X	AR80X Gigabit Ethernet Link with Adaptive Rate. 1.25Gbps, full duplex. Incl. mast mount and 24" external antennas. Includes a 10/100 Add/Drop port	35,977.50
PRO-FE80-U	FE80-U 100Mbps, full duplex. Medium range link. 80Ghz U.S. Licensed, 12" external antennas, 1000 Base-SX (LC connectors), 10/100 Add Drop port, Upgradable to AR80 with FE80-U-Ar80 Software Key. Incl. wall and mast mounts. 100Mbps	26,227.50
PRO-FE80X.U	FE80X-U 100Mbps, full duplex. Medium range link. 80Ghz U.S. Licensed, 24" external antennas, 1000 Base-SX (LC connectors), 10/100 Add Drop port, Advanced Encryption Software Upgradable to AR80 with FE80-U-Ar80 Software Key. Incl. wall and mast mounts.	29,152.50
PRO-FE80U-AR80-UPG	Software key that enables an FE80U to operate as an AR80 including AdaptRate	13,552.50
<b>80 GHz SYSTEMS WITH AES BRIDGEWAVE</b>		
PRO-AR80-AES	Ar80 gigabit Ethernet Link with Adaptive Rate and Advanced Encryption Software (AES). 1.25 Gbps, full duplex. Incl. wall and mast mounts. Integrated 12" Antennas. 1.25Gbps	41,730.00
PRO-AR80X-AES	Ar80 gigabit Ethernet Link with Adaptive Rate and Advanced Encryption Software (AES). 1.25 Gbps, full duplex. Incl. mast mount and 24" external Antennas. Includes a 10/100 Add/Drop port	45,630.00
<b>EXTENDED WARRANTIES BRIDGEWAVE</b>		
PRO-AR80-EWNRD-2	2 year warranty. Includes Next Day Replacement for years one and two	5,250.38
PRO-AR80-AES-EWNRD-2	2 year warranty. Includes Next Day Replacement for years one and two	6,259.50
PRO-AR80-EWNRD-3	3 year warranty. Includes Next Day Replacement for years one two and three	8,750.63
PRO-AR80-AES-EWNRD-3	3 year warranty. Includes Next Day Replacement for years one two and three	10,432.50
PRO-AR80-EWNRD-5	5 year warranty. Includes Next Day Replacement for years one two three and five	15,751.13
PRO-AR80X-EWNRD-2	2 year warranty. Includes Next Day Replacement for years one and two	5,835.38
PRO-AR80X-AES-EWNRD-2	2 year warranty. Includes Next Day Replacement for years one and two	6,844.50
PRO-AR80-AES-EWNRD-5	5 year warranty. Includes Next Day Replacement for years one two three and five	18,778.50
PRO-AR80X-EWNRD-3	3 year warranty. Includes Next Day Replacement for years one two and three	9,725.63
PRO-AR80X-AES-EWNRD-3	3 year warranty. Includes Next Day Replacement for years one two and three	11,407.50
PRO-AR80X-EWNRD-5	5 year warranty. Includes Next Day Replacement for years one two three and five	17,506.13
PRO-FE80-EWNRD-2	2 year warranty. Includes Next Day Replacement for years one and two	3,934.13
PRO-AR80X-AES-EWNRD-5	5 year warranty. Includes Next Day Replacement for years one two three and five	20,533.50
PRO-FE80-EWNRD-3	3 year warranty. Includes Next Day Replacement for years one two and three	6,556.88
PRO-FE80-EWNRD-5	5 year warranty. Includes Next Day Replacement for years one two three and five	11,802.38
PRO-FE80X-EWNRD-2	2 year warranty. Includes Next Day Replacement for years one and two	4,372.88
PRO-FE80X-EWNRD-3	3 year warranty. Includes Next Day Replacement for years one two and three	7,288.13
PRO-FE80X0-EWNRD-5	5 year warranty. Includes Next Day Replacement for years one two three and five	13,118.63
PRO-GE80-EWNRD-2	2 year warrantv. Includes Next Day Reolacement for years one and two	4,665.38

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-GE80X-EWNRD-2	2 year warranty. Includes Next Day Replacement for years one and two	5,396.63
PRO-GE80X-EWNRD-3	3 year warranty. Includes Next Day Replacement for years one two and three	8,994.38
PRO-GE80X-EWNRD-5	5 year warranty. Includes Next Day Replacement for years one two three and five	16,189.88

SS-FAC-KIT		SUN SURVEILLANCE	
PRO-SS-FAC-700-3.0-KIT	Analog Camera System Solar rating 3.0-6.0, 700ft line of sight		3,815.18
PRO-SS-FAC-700-2.0-KIT	Analog Camera System Solar rating 2.0-3.0, 700ft line of sight		3,946.80
PRO-SS-FAC-5280-3.0-KIT	Analog Camera System Solar rating 3.0-6.0, 5280ft line of sight		4,078.43
PRO-SS-FAC-5280-2.0-KIT	Analog Camera System Solar rating 2.0-3.0, 5280ft line of sight		4,210.05
SS-FAC-P		SUN SURVEILLANCE	
PRO-SS-FAC-700-3.0-P	Analog Camera System Solar rating 3.0-6.0, 700ft line of sight, Aluminum Pole		4,473.30
PRO-SS-FAC-700-2.0-P	Analog Camera System Solar rating 2.0-3.0, 700ft line of sight, Aluminum Pole		4,604.93
PRO-SS-FAC-5280-3.0-P	Analog Camera System Solar rating 3.0-6.0, 5280ft line of sight, Aluminum Pole		4,728.75
PRO-SS-FAC-5280-2.0-P	Analog Camera System Solar rating 2.0-3.0, 5280ft line of sight, Aluminum Pole		4,868.18
SS-MFIC-KIT		SUN SURVEILLANCE	
PRO-SS-MFIC-20MILE-4.5-KIT	Fixed Network IP 4.5-6.0 Solar rating, 20mile tx distance, kit		6,566.63
PRO-SS-MFIC-20MILE-3.5-KIT	Fixed Network IP 3.5-4.5 Solar rating, 20mile tx distance, kit		6,613.43
PRO-SS-MFIC-20MILE-2.0-KIT	Fixed Network IP 2.0-3.5 Solar rating, 20mile tx distance, kit		6,995.63
SS-MFIC-P		SUN SURVEILLANCE	
PRO-SS-MFIC-20MILE-4.5-P	Fixed Network IP 4.5-6.0 Solar rating, 20mile tx distance, Aluminum Pole		7,224.75
PRO-SS-MFIC-20MILE-3.5-P	Fixed Network IP 3.5-4.5 Solar rating, 20mile tx distance, Aluminum Pole		7,271.55
PRO-SS-MFIC-20MILE-2.0-P	Fixed Network IP 2.0-3.5 Solar rating, 20mile tx distance, Aluminum Pole		7,653.75
SS-FIC-KIT		SUN SURVEILLANCE	
PRO-SSFIC-20MILE-4.5-KIT	Fixed Network IP 4.5-6.0 Solar rating, 20mile tx distance, kit		6,615.38
PRO-SSFIC-20MILE-3.0-KIT	Fixed Network IP 3.5-4.5 Solar rating, 20mile tx distance, kit		6,828.90
PRO-SSFIC-20MILE-2.0-KIT	Fixed Network IP 2.0-3.5 Solar rating, 20mile tx distance, kit		7,406.10
SS-FIC-P		SUN SURVEILLANCE	
PRO-SS-FIC-20MILE-4.5-P	Fixed Network IP 4.5-6.0 Solar rating, 20mile tx distance, Aluminum Pole		7,273.50
PRO-SS-FIC-20MILE-3.5-P	Fixed Network IP 3.5-4.5 Solar rating, 20mile tx distance, Aluminum Pole		7,749.30
PRO-SS-FIC-20MILE-2.0-P	Fixed Network IP 2.0-3.5 Solar rating, 20mile tx distance, Aluminum Pole		8,064.23
SS-PTZ-KIT		SUN SURVEILLANCE	
PRO-SS-PTZ-20MILE-3.5KIT	PTZ Network IP 3.5-6.0 Solar Rating, 20mile tx distance, kit		8,130.53
PRO-SS-PTZ-20MILE-2.0-KIT	PTZ Network IP 2.0-3.5 Solar Rating, 20mile tx distance, kit		8,593.65
SS-PTZ-P		SUN SURVEILLANCE	
PRO-SS-PTZ-20MILE-3.5-P	PTZ Network IP, 3.5-6.0 Solar rating, 20 mile tx distance, Aluminum Pole		8,764.28
PRO-SS-PTZ-20MILE-2.0-P	PTZ Network IP, 2.0-3.5. Solar rating, 20 mile tx distance, Aluminum Pole		9,227.40

HIGHWIRE Connect (Pairs)		VERACITY	
PRO-VHW-HWC	HIGHWIRE Connect (pair) Ethernet over coax device-Quantity 1-9		418.95
PRO-VHW-HWC	HIGHWIRE Connect (pair) Ethernet over coax device-Quantity 10-24		397.67
PRO-VHW-HWC	HIGHWIRE Connect (pair) Ethernet over coax device-Quantity 25-49		387.03
PRO-VHW-HWC	HIGHWIRE Connect (pair) Ethernet over coax device-Quantity 50+		369.74
HIGHWIRE (Single Units)		VERACITY	
PRO-VHW-HW	HIGHWIRE Ethernet over coax device-Quantity 1-19		209.48
PRO-VHW-HW	HIGHWIRE Ethernet over coax device-Quantity 20-49		198.84
PRO-VHW-HW	HIGHWIRE Ethernet over coax device-Quantity 50-99		193.52
PRO-VHW-HW	HIGHWIRE Ethernet over coax device-Quantity 100+		184.87
HIGHWIRE with Power over Ethernet OUT (single Units)		VERACITY	
PRO-VHW-HWPO	HIGHWIRE Ethernet over coax device with PoE OUT- Quantity 1-19		295.93
PRO-VHW-HWPO	HIGHWIRE Ethernet over coax device with PoE OUT- Quantity 20-49		285.29
PRO-VHW-HWPO	HIGHWIRE Ethernet over coax device with PoE OUT- Quantity 50-99		279.97
PRO-VHW-HWPO	HIGHWIRE Ethernet over coax device with PoE OUT- Quantity 100+		271.32
HIGHWIRE with Power over Ethernet IN (Single Units)		VERACITY	
PRO-VHW-HWPI	HIGHWIRE Ethernet over coax device with PoE IN-Quantity 1-19		274.65
PRO-VHW-HWPI	HIGHWIRE Ethernet over coax device with PoE IN-Quantity 20-49		264.01
PRO-VHW-HWPI	HIGHWIRE Ethernet over coax device with PoE IN-Quantity 50-99		258.69
PRO-VHW-HWPI	HIGHWIRE Ethernet over coax device with PoE IN-Quantity 100+		250.04
HIGHWIRE Quad with Four Power over Ethernet Out Ports		VERACITY	

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-VHW-HWQ	HIGHWIRE Quad 4-Port with 4X PoE OUT Qty 25-49	409.45
PRO-VHW-HWQ	HIGHWIRE Quad 4-Port with 4X PoE OUT Qty 50+	396.34
PRO-VQ-24V-UK	HIGHWIRE Quad Supply 24V DC (UK)	53.20
PRO-VQ-24V-EU	HIGHWIRE Quad Supply 24V DC (EU)	53.20
PRO-VQ-24V-US	HIGHWIRE Quad Supply 24V DC (US)	53.20
<b>HIGHWIRE Accessories</b>		
<b>VERACITY</b>		
PRO-VHW-12V-UK	HIGHWIRE 12VDC power supply (UK)	31.92
PRO-VHW-12V-EU	HIGHWIRE 12VDC power supply (EU)	31.92
PRO-VHW-12V-US	HIGHWIRE 12VDC power supply (US)	31.92
PRO-VHW-WMB	HIGHWIRE mounting bracket (wall or camera)	13.30
PRO-VHW-1U	HIGHWIRE Rackmount kit (8 units IN 1U)	91.77
PRO-VHW-RMPSU-UK	HIGHWIRE Rackmount Power Supply Unit (UK) (For Up To 8 Units)	119.70
PRO-VHW-RMPSU-EU	HIGHWIRE Rackmount Power Supply Unit (EU) (For Up To 8 Units)	119.70
PRO-VHW-RMPSU-US	HIGHWIRE Rackmount Power Supply Unit (US) (For Up To 8 Units)	119.70
PRO-VHW-TX	HIGHWIRE inline isolation transformer (ground loop isol. option)	343.14
PRO-VHW-PO	HIGHWIRE Power over Ethernet OUT internal module (HW>v3 required)	86.45
PRO-VHW-PI	HIGHWIRE Power over Ethernet IN internal module (HW>v3 required)	65.17
<b>CAMSWITCH Quad IP Video PoE network switch</b>		
<b>VERACITY</b>		
PRO-VCS-CSQ	CAMSWITCH Quad 5-port network switch inc. 4x PoE OUT	239.40
PRO-VQ-24V-UK	CAMSWITCH Quad Power Supply 24V DC (UK)	53.20
PRO-VQ-24V-EU	CAMSWITCH Quad Power Supply 24V DC (EU)	53.20
PRO-VQ-24V-US	CAMSWITCH Quad Power Supply 24V DC (US)	53.20
<b>OUTREACH Passive LAN &amp; PoE Extender</b>		
<b>VERACITY</b>		
PRO-VOR-OR	OUTREACH Cat5 LAN & PoE EXTENDER (passive 100M extension)	198.17
PRO-VOR-OS	OUTSOURCE PoE Injector (itelligent PoE for OUTREACH series)	77.14
PRO-VOR-OL	OUTLET PoE Splitter (Network pass through and 12V DC terminals)	66.50
<b>TIMENET GPS Master NTP Time Server</b>		
<b>VERACITY</b>		
PRO-VTN-UK	TIMENET GPS Master NTP Time Server With UK PSU	1,050.70
PRO-VTN-EU	TIMENET GPS Master NTP Time Server With EU PSU	1,050.70
PRO-VTN-US	TIMENET GPS Master NTP Time Server With US PSU	1,050.70
<b>Solid State Digital Video Recorder Devices</b>		
<b>VERACITY</b>		
PRO-VSS-DP	DRIVEPROOF Solid State Vehicle DVR	1,290.10
PRO-VSS-VP	VIEWPROOF Solid State Covert Surveillance DVR	1,197.00
PRO-VSS-SC	SPOTCHECK Instant Playback Spot Monitor Recorder	1,130.50
PRO-VSS-12V-UK	Solid State DVR 12V DC power supply (UK)	46.55
PRO-VSS-12V-EU	Solid State DVR 12V DC power supply (EU)	46.55
PRO-VSS-12V-US	Solid State DVR 12V DC power supply (US)	46.55
<b>COMMTECH WIRELESS</b>		
<b>COMMTECH WIRELESS</b>		
<b>FUSION SERIES</b>	<b>FUSION SERIES</b>	
<b>EVENT MANAGEMENT MODULE (EMM) BASE PACKAGE</b>		
EMM	EVENT MANAGEMENT MODULE - RACK MOUNT	
PRO-FSEMMR	EVENT MANAGEMENT MODULE - DESKTOP/WALL MOUNT	2,802.50
PRO-FSEMMM	THE FOLLOWING IS INCLUDED WITH THE BASE PACKAGE- 5 CONCURRENT USER CLIENT LICENSES, 100 RECIPIENT LICENSES, POCSAG OUTPUT PORT	
<b>FUSION SYSTEM INTERFACE PORTS (EMM &amp; IAM)</b>		
<b>PER SYSTEM INTERFACE PORT</b>		
PRO-FSCOMP	COMP INTERFACE FOR FUSION	1,425.00
PRO-FSEMAIL	SMT/PE-MAIL INTERFACE FOR FUSION	
PRO-FSEPA	ESPA INTERFACE FOR FUSION	
PRO-FSGEN	GENERIC INTERFACE FOR FUSION	
PRO-FSREPORT	REPORTING MODULE FOR FUSION	
PRO-FSSCOPE	SCOPE INTERFACE FOR FUSION	
PRO-FSSNPP	SNPP PROTOCOL INTERFACE FOR FUSION	
PRO-FSTAP	TAP INTERFACE FOR FUSION	
PRO-STEKKSSCRIPT	TEKK SCRIPT INTERFACE FOR FUSION	
PRO-FSWCTP	WCTP PROTOCOL INTERFACE FOR FUSION	
<b>PER WIRELESS TELEPHONY OUTPUT PORT</b>		
PRO-FSALCATEL	ALCATEL WIRELESS TELEPHONE INTERFACE FOR FUSION	2,375.00
PRO-FSCISCO	CISCO WIRELESS TELEPHONE INTERFACE FOR FUSION	
PRO-FSKIRK	KIRK WIRELESS TELEPHONE INTERFACE FOR FUSION	

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-FSREC100UP	100 ADDITIONAL RECIPIENT LICENSES FOR FUSION	380.00
PRO-FSREC500UP	500 ADDITIONAL RECIPIENT LICENSES FOR FUSION	1,425.00
PRO-FSREC1000UP	1000 ADDITIONAL RECIPIENT LICENSES FOR FUSION	2,375.00
PRO-FS BUS RULES	BUSINESS RULES ENGINE FOR FUSION	4,750.00
<b>IAM</b>	<b>INTEGRATED ALARM MANAGEMENT MODULE (IAM) FOR ACUTE CARE HEALTHCARE</b>	
PRO-FS IAM R- NURSE CALL	<b>IAM MODULE FOR NURSE CALL SYSTEMS</b> <i>THE FOLLOWING IS INCLUDED WITH THE IAM FOR NURSE CALL PACKAGE</i> 1 CONCURRENT USER CLIENT LICENSE 1 NURSE CALL SYSTEM INPUT PORT INTERFACE 1 DEVICE OUTPUT PORT INTERFACE 100 RECIPIENT LICENSES BUSINESS RULES ENGINE FOR FUSION INDUSTRIAL 19" RACK MOUNT ENCLOSURE 1ST YEAR COMMTECH COMPLETE COVERAGE <b>IAM MODULE FOR PATIENT MONITORING SYSTEMS</b>	14,193.00
PRO-FS IAM R-16 BED	1-16 INTEGRATED BEDS	11,400.00
PRO-FS IAM R- 48 BED	17-48 INTEGRATED BEDS	19,000.00
PRO-FS IAM R- 128 BED	49-128 INTEGRATED BEDS	23,750.00
PRO-FS IAM R- 128+ BED	128+ INTEGRATED BEDS <i>THE FOLLOWING IS INCLUDED WITH THE IAM FOR PATIENT MONITORING PACKAGE</i> 1 PATIENT MONITORING SYSTEM INPUT PORT INTERFACES 1 DEVICE OUTPUT PORT INTERFACE 100 RECIPIENT LICENSES BUSINESS RULES ENGINE INDUSTRIAL 19" RACK MOUNT ENCLOSURE 1ST YEAR COMMTECH COMPLETE COVERAGE	CUSTOM PRICING
<b>ADM</b>	<b>ADM</b>	
PRO-FSADMCCM	<b>ALARM DISPATCH MODULE- CONTACT CLOSURE-DESKTOP/WALL MOUNT</b>	413.25
PRO-FSADMCCR	<b>ALARM DISPATCH MODULE- CONTACT CLOSURE- RACK MOUNT</b>	840.75
PRO-FSADMOPTM	<b>ALARM DISPATCH MODULE- OPTO COUPLED- DESKTOP/WALL MOUNT</b>	413.25
PRO-FSADMOPTR	<b>ALARM DISPATCH MODULE- OPTO COUPLED- RACK MOUNT</b>	840.75
<b>CMM</b>	<b>CMM</b>	
PRO-FSCMMMU	<b>CELLULAR MESSAGING MODULE-DESKTOP/WALL MOUNT- 850/1900 BAND (USA)</b>	634.60
PRO-FSCMMRU	<b>CELLULAR MESSAGING MODULE- RACK MOUNT- 850/1900 BAND (USA)</b>	834.10
<b>TIM</b>	<b>TIM</b>	
PRO-FSTIMM	<b>TELEPHONE INTERFACE MODULE- DESKTOP/WALL MOUNT</b>	834.10
PRO-FSTIMR	<b>TELEPHONE INTERFACE MODULE- RACK MOUNT</b>	1,168.50
PRO-FSTPBX1	ADDITIONAL PBX PORT	399.00
<b>INTELPAGE</b>	<b>INTEL PAGE- TRANSMITTER MODULES</b>	
PRO-FSIN5VHF	INTELPAGE 5 VHF-DESKTOP/ WALL MOUNT	755.25
PRO-FSIN5UHF	INTELPAGE 5 UHF-DESKTOP/ WALL MOUNT	755.25
PRO-FSIN5RVHF	INTELPAGE 5 VHF-RACK MOUNT	945.25
PRO-FSIN5RUHF	INTELPAGE 5 UHF- RACK MOUNT	945.25
PRO-FSIN25VHF	INTELPAGE 25 VHF- RACK MOUNT	3,382.00
PRO-FSIN25UHF	INTELPAGE 25 UHF- RACK MOUNT	3,382.00
PRO-FSIN50VHF	INTELPAGE 50 VHF- RACK MOUNT	5,377.00
PRO-FSIN50UHF	INTELPAGE 50 UHF-RACK MOUNT	5,377.00
PRO-FSIN100VHF	INTELPAGE 100 VHF- RACK MOUNT	6,374.50
PRO-FSIN100UHF	INTELPAGE 100 UHF- RACK MOUNT	6,374.50
PRO-FSIN200VHF	INTELPAGE 200 VHF- RACK MOUNT	11,351.55
PRO-FSIN200UHF	INTELPAGE 200 UHF- RACK MOUNT	11,351.55
<b>INTELPAGE IP</b>	<b>INTELPAGEIP- TRANSMITTER MODULES</b>	
PRO-FSIP5MVHF	INTELPAGE IP 5 VHF- DESKTOP/WALL MOUNT	1,138.10
PRO-FSIP5MUHF	INTELPAGE IP 5 UHF- DESKTOP/WALL MOUNT	1,138.10
PRO-FSIP5RVHF	INTELPAGE IP 5 VHF- RACK MOUNT	1,518.10
PRO-FSIP5RUHF	INTELPAGE IP 5 UHF- RACK MOUNT	1,518.10
PRO-FSIP25VHF	INTELPAGE IP 25 VHF- RACK MOUNT	4,830.75
PRO-FSIP25UHF	INTELPAGE IP 25 UHF- RACK MOUNT	4,830.75
PRO-FSIP50VHF	INTELPAGE IP 50 VHF- RACK MOUNT	6,825.75
PRO-FSIP50UHF	INTELPAGE IP 50 UHF- RACK MOUNT	6,825.75
PRO-FSIP100VHF	INTELPAGE 100 VHF- RACK MOUNT	7,823.25
PRO-FSIP100UHF	INTELPAGE 100 UHF- RACK MOUNT	7,823.25
PRO-FSIP200VHF	INTELPAGE 200 VHF- RACK MOUNT	12,776.55
PRO-FSIP200UHF	INTELPAGE 200 UHF- RACK MOUNT	12,776.55

MESSAGED SERIES

MESSAGED SERIES

COMMTECH WIRELESS

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
	<i>THE FOLLOWING IS INCLUDED IN THE BASE PACKAGE</i>	
	10 CONCURRENT USER CLIENT LICENSES	
	250 RECIPIENT LICENSES	
	<b>MESSENGER LICENSE UPGRADES</b>	
PRO-MS 2000 +10 USERS	BLOCK OF 10 ADDITIONAL CONCURRENT CLIENT LICENSES	950.00
PRO-MS 2000 REC +100	BLOCK IS 100 ADDITIONAL RECIPIENT LICENSES	950.00
PRO-MS 2000 REC +250	BLOCK OF 250 ADDITIONAL RECIPIENT LICENSES	2,137.50
PRO-MS 2000 REC +500	BLOCK OF 500 ADDITIONAL RECIPIENT LICENSES	3,800.00
PRO-IF BUS RULES	BUSINESS RULES ENGINE FOR MESSENGER	4,750.00
	<b>MESSENGER ENTERPRISE LICENSE PACKAGE</b>	
PRO-MS 2000 SITE	<b>COMMTECH MESSENGER- SITE LICENSE</b>	
	<i>THE FOLLOWING IS INCLUDED WITH THE SITE LICENSE PACKAGE</i>	
	UNLIMITED USER CLIENT LICENSES	
	UNLIMITED RECIPIENT LICENSES	
	<b>MESSENGER SOFTWARE INTERFACES</b>	
	<b>PER SYSTEM INTERFACE PORT</b>	1,425.00
PRO-IF AIM	AIM INTERFACE FOR MESSENGER SYSTEM	
PRO-IF AUSTCO	AUSTCO INTERFACE FOR MESSENGER SYSTEM	
PRO-IF COMP	COMP INTERFACE FOR MESSENGER SYSTEM	
PRO-IF DIGI	DIGI-ALERT INTERFACE FOR MESSENGER SYSTEM	
PRO-IF EMAIL	EMAIL INTERFACE FOR MESSENGER SYSTEM	
PRO-IF ESPA	ESPA INTERFACE FOR MESSENGER SYSTEM	
PRO-IF GEN	GENERIC INTERFACE FOR MESSENGER SYSTEM	
PRO-IF TEKK	TEKK INTERFACE FOR MESSENGER SYSTEM	
PRO-IF PBX	PBX INTERFACE PORT FOR MESSENGER SYSTEM- SOFTWARE ONLY	
PRO-IF POCSAG	POCSAG PORT FOR MESSENGER SYSTEM	
PRO-IF PRINTER	PRINTER INTERFACE FOR MESSENGER SYSTEM	
PRO-IF REMOTE	REMOTE DISPLAY INTERFACE FOR MESSENGER SYSTEM	
PRO-IF SMS	SMS INTERFACE FOR MESSENGER SYSTEM	
PRO-IF SNPP	SNPP INTERFACE FOR MESSENGER SYSTEM	
PRO-IF SPIDER	SPIDER ALERT INTERFACE FOR MESSENGER SYSTEM	
PRO-IF STATS	STATISTICS INTERFACE FOR MESSENGER SYSTEM	
PRO-IF TAP	TAP INTERFACE FOR MESSENGER SYSTEM	
PRO-IF TERMINAL	TERMINAL INTERFACE FOR MESSENGER SYSTEM	
PRO-IF TNPP	TNPP INTERFACE FOR MESSENGER SYSTEM	
PRO-IF WCTP	WCTP INTERFACE FOR MESSENGER SYSTEM	
PRO-IF XACOM	XACOM INTERFACE FOR MESSENGER SYSTEM	
	<b>PER WIRELESS TELEPHONY OUTPUT PORT</b>	2,375.00
PRO-IF ALCATEL	ALCATEL WIRELESS TELEPHONE INTERFACE FOR MESSENGER SYSTEM	
PRO-IF KIRK	KIRK WIRELESS TELEPHONE INTERFACE FOR MESSENGER SYSTEM	
PRO-IF MTONE	MULTITONE DECT INTERFACE FOR MESSENGER SYSTEM	
PRO-IF SPECTRALINK	SPECTRALINK WIRELESS TELEPHONE INTERFACE FOR MESSENGER SYSTEM	
PRO-IF CISCO	CISCO WIRELESS TELEPHONE INTERFACE FOR MESSENGER SYSTEM	
PRO-IF VOCERA	VOCERA WIRELESS TELEPHONE INTERFACE FOR MESSENGER	
	<b>MESSENGER CUSTOMIZED INTERFACES</b>	
PRO-IF SCRIPT	SCRIPTING INTERFACE FOR MESSENGER SYSTEM	
PRO-IF CALLPOINT	TCP IP CALLPOINTS FOR MESSENGER SYSTEM	
	<b>MESSENGER PERIPHERALS</b>	
PRO-IF MS SERVER	DELL RACK MOUNT SERVER WITH WINDOWS 2003 SERVER OS- 5 CAL, RAID 1 HD, REDUNDANT POWER SUPPLY	4,270.25
PRO-MODEM TAP	MODEM	456.00
PRO-AIM C	AIM CONTROLLER, INCLUDES POWER SUPPLY	451.25
PRO-8 PORT 3.3V PCIX	8 PORT SERIAL CARD: VPCI 3.3V	755.25
PRO-8 PORT PCI	8 PORT SERIAL CARD: PCI	617.50
<b>PAGERS</b>	<b>PAGERS</b>	<b>COMMTECH WIRELESS</b>
	<b>COMMTECH 7900</b>	<b>COMMTECH WIRELESS</b>
PRO-7900VHF	7900 VHF	112.10
PRO-7900UHF	7900 UHF	112.10
PRO-GEN PRO	PROGRAMMING OF THE ABOVE PAGERS BY COMMTECH	9.50
	<b>COMMTECH 4130</b>	<b>COMMTECH WIRELESS</b>
PRO-4130VHF	4130 VHF	51.30
PRO-4130UHF	4130 UHF	51.30
PRO-GEN PRO	PROGRAMMING OF THE ABOVE PAGERS BY COMMTECH	9.50
	<b>COMMTECH 4140</b>	<b>COMMTECH WIRELESS</b>
PRO-4140VHF	4140 VHF	54.15
PRO-4140UHF	4140 UHF	54.15

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-PATRON PAGER VHF	PATRON PAGER VHF- STANDARD FREQUENCIES	68.40
PRO-PATRON PAGER UHF	PATRON PAGER UHF- STANDARD FREQUENCIES	68.40
PRO-PATRON PAGER NONSTD	FOR NON-STANDARD FREQUENCIES IN QUANTITIES UNDER 50	79.80
PRO-PATRON CHARGER	PATRON PAGER CHARGER UNIT	68.40
PRO-PATRON BATT	PATRON PAGER BATTERIES	22.80
PRO-PATRON PAGER PROGRAMMER	COMMTECH PATRON PAGER PROGRAMMER- USB WINDOWS VERSION	370.50
PRO-GEN PRO	PROGRAMMING OF ABOVE PAGERS BY COMMTECH	9.50
<b>BRAVO RANGE</b>		<b>COMMTECH WIRELESS</b>
PRO-BRAVO502VHF	BRAVO 502 PAGER ON VHF FREQUENCIES	65.55
PRO-BRAVO502UHF	BRAVO 502 PAGER ON UHF FREQUENCIES	65.55
PRO-BRAVO502900	BRAVO 502 PAGER ON 929-931 FREQUENCIES FLEX OR POCSAG	65.55
PRO-BRAVO802VHF	BRAVO 802 PAGER ON VHF	142.50
PRO-BRAVO802UHF	BRAVO 802 PAGER ON UHF	142.50
PRO-BRAVO802900	BRAVO 802 PAGER ON 929-931 FREQUENCIES FLEX OR POCSAG	142.50
PRO-GEN PRO	PROGRAMMING OF ABOVE PAGERS BY COMMTECH	9.50
<b>MERCURY RANGE</b>		<b>(WHILE SUPPLIES LAST)</b>
PRO-MERCURY8VHF	MERCURY 8L PAGER VHF	152.95
PRO-MERCURY8UHF	MERCURY 8L PAGER UHF	152.95
PRO-GEN PRO	PROGRAMMING OF ABOVE PAGERS BY COMMTECH	9.50
PRO-MERCURYWMVHF	MERCURY WALLMOUNT PAGER ON UHF, INCLUDES POWER SUPPLY	198.55
PRO-MERCURYWMUHF	MERCURY WALLMOUNT PAGER ON VHF, INCLUDES POWER SUPPLY	198.55
PRO-GEN PRO	PROGRAMMING OF ABOVE PAGERS BY COMMTECH	9.50
<b>GENIE RANGE</b>		<b>(WHILE SUPPLIES LAST)</b>
PRO-GEN4VHF	GENIE 4L PAGER ON VHF	113.05
PRO-GEN4UHF	GENIE 4L PAGER UHF	113.05
PRO-GEN PRO	PROGRAMMING OF ABOVE PAGERS BY COMMTECH	9.50
<b>GENIE FLEX VERSIONS- AVAILABLE</b>		
<b>PAGERS ACCESSORIES</b>		<b>COMMTECH WIRELESS</b>
PRO-BUNGEE 100	BUNGEEES	7.60
PRO-LANYARD	LANYARDS	7.60
PRO-CHAIN	CHAIN- FOR ANY PAGER	7.60
<b>MERCURY RANGE</b>		<b>COMMTECH WIRELESS</b>
PRO-MERCURY8 PROTECTOR	MEDICAL GRADE RUBBER HOLSTER (LANYARD WORM)	12.35
PRO-MERCURY8 HOLSTER	MERCURY 8 HOLSTER	9.50
PRO-MERCURY8 BATTERY COVER	MERCURY8 BATTERY COVER	7.60
PRO-MERCURY8 COMPLETE CASING- IN BLACK	MERCURY 8 COMPLETE CASING- IN BLACK	14.25
PRO-MERCURY8 LENS	MERCURY 8 LENS	3.80
PRO-MERCURY8 PROG	COMMTECH MERCURY 8 PAGER PROGRAMMER	378.10
PRO-MERCURYWM LENS	MERCURY WALL MOUNT LENS	5.70
<b>GENIE RANGE</b>		<b>COMMTECH WIRELESS</b>
PRO-GENIE CASING	BLACK GENIE CASING	9.50
PRO-GENIE COLOUR	NEW GENIE PAGER COLOUR CHARGE (ONLY WITH NEW PAGER)	12.35
PRO-GENIE COLOURFITTED	COLOR GENIE CASE FITTED TO YOUR PAGER	30.40
PRO-GENIE HOLSTER	GENIE HOLSTER AND BELT CLIP	9.50
PRO-GENIE B COVER	GENIE BATTERY COVER	7.60
PRO-GENIE SYNTH PROG	GENIE PAGER PROGRAMMER- 4 LINE SYNTHESIZED GENIE	378.10
PRO-GENIE LENS	GENIE LENS	5.70
<b>COMMTECH 7900</b>		<b>COMMTECH WIRELESS</b>
PRO-7900 PROTECTOR	MEDICAL GRADE RUBBER HOLSTER(LANYARD OR CLIP WORM)	12.35
PRO-7900 B COVER	7900 BATTERY COVER	5.70
PRO-7900 CASING	7900 COMPLETE CASING- IN BLACK	10.45
PRO-7900 HOLSTER	7900 HOLSTER WITH BELT CLIP	9.50
PRO-7900 LENS	7900 LENS	3.80
PRO-7900 PROG USB	COMMTECH 7900 PAGER PROGRAMMER	378.10
<b>COMMTECH 6120</b>		<b>COMMTECH WIRELESS</b>
PRO-6120 B COVER	6120 BATTERY COVER	5.70
PRO-6120 CASING	6120 COMPLETE CASING- IN BLACK	10.45
PRO-6120 HOLSTER	6120 HOLSTER WITH BELT CLIP	9.50
PRO-6120 LENS	6120 LENS	3.80
PRO-6120 PROG USB	COMMTECH 6120 PAGER PROGRAMMER	378.10
<b>COMMTECH 4130</b>		<b>COMMTECH WIRELESS</b>
PRO-4130 B COVER	4130 BATTERY COVER	5.70
PRO-4130 CASING	4130 COMPLETE CASING-IN BLACK	10.45

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>COMMTECH 4140</b>		
<b>COMMTECH WIRELESS</b>		
PRO-4140 B COVER	4140 BATTERY COVER	5.70
PRO-4140 CASING	4140 COMPLETE CASING- IN BLACK	10.45
PRO-4140 CLIP	4140 BELT CLIP	5.70
PRO-4140 LENS	4140 LENS	3.80
PRO-4140 PROG USB	COMMTECH 4140 PAGER PROGRAMMER	378.10
<b>BRAVO RANGE</b>		
<b>COMMTECH WIRELESS</b>		
PRO-BRAV502 CLIP	BRAVO 502 BELT CLIP	7.60
PRO-BRAVO 502 PROG	BRAVO 502 PAGER PROGRAMMER	460.75
PRO-BRAV02 HOLST	BRAVO 802 HOLSTER WITH BELT CLIP	9.50
PRO-BRAVO 802 PROG	BRAVO 802 PAGER PROGRAMMER	460.75
POUCH LEATHER	LEATHER LOOK PAGER POUCH WALLET	12.35
POUCH NEOPRENE	NEOPRENE PAGER POUCH	12.35
GEN PRO	PROGRAMMING A NEW PAGER	9.50
<b>MAXPAGE</b>		
<b>COMMTECH WIRELESS</b>		
PRO-MP UHF	MAXPAGE PAGING TERMINAL- 440-470MHZ, INCLUDES PS	986.10
PRO-MP VHF	MAXPAGE PAGING TERMINAL- 148-174MHZ, INCLUDES PS	986.10
PRO-MP US EXT TX	MAXPAGE WITH EXTERNAL TRANSMITTER, TRANSMITTER NOT INCLUDED, INCLUDES PS	1,271.10
<b>MAXPAGE CONFIGURATION OPTIONS</b>		
PRO-MP IF KEYBOARD	MAXPAGE PS2 INTERFACE FOR MAXPAGE, INCLUDES KEYBOARD	498.75
PRO-MP IF PBX	MAXPAGE PBX INTERFACE FOR MAXPAGE	498.75
PRO-MP IF SERIAL	MAXPAGE SERIAL INTERFACE FOR MAXPAGE (ESPA, TAP, SCOPE, ETC) INCLUDES SERIAL CABLE	269.80
PRO-MP IF 2TONE	MAXPAGE VOICE PAGING FOR MAXPAGE	598.50
PRO-MP WALL MOUNT	WALL MOUNTING BRACKET FOR MAXPAGE UNITS	77.90
PRO-REC PRO1	PROGRAMMING OF MAXPAGE WITH DATABASE	123.50
PRO-REC PRO2	STAGING OF MAXPAGE WITH HIGH POWER TRANSMITTER NAD PROGRAMMING DATABASE	123.50
<b>MAXPAGE LITE</b>		
PRO-MAXPAGE LITE UHF	MAXPAGE LITE PAGING TERMINAL- 440-470 MHZ, INCLUDES PS	617.50
PRO-MAXPAGE LITE VHF	MAXPAGE LITE PAGING TERMINAL- 148- 174 MHZ, INCLUDES PS	617.50
PRO-MP WALL MOUNT	WALL MOUNTING BRACKET FOR MAXPAGE UNITS	77.90
PRO-REC PRO1	PROGRAMMING OF MAXPAGE WITH DATABASE	123.50
<b>MAITRED</b>		
<b>COMMTECH WIRELESS</b>		
PRO-MAITRE'D UHF	MAITRE'D PAGING TERMINAL- 440 -470 MHZ	891.10
PRO-MAITRE'D VHF	MAITRE'D PAGING TERMINAL- 148- 174 MHZ	891.10
<b>HANDYPAGE</b>		
<b>COMMTECH WIRELESS</b>		
PRO-HANDYPAGE1 UHF	HANDY PAGE- SINGLE BUTTON UHF	399.00
PRO-HANDYPAGE1 VHF	HANDY PAGE- SINGLE BUTTON VHF	399.00
PRO-HANDYPAGE4 UHF	HANDY PAGE- FOUR BUTTON UHF	427.50
PRO-HANDYPAGE4 VHF	HANDY PAGE- FOUR BUTTON VHF	427.50
<b>PDR2000</b>		
<b>COMMTECH WIRELESS</b>		
PRO-PDR2000VHF	PDR2000 VHF, INCLUDES POWER SUPPLY	1,057.35
PRO-PDR2000UHF	PDR2000 UHF, INCLUDES POWER SUPPLY	1,057.35
PRO-2000-900	PDR2000 900 MZ, INCLUDES POWER SUPPLY	1,057.35
PRO-PSR2000VHF	PSR2000 VHF, INCLUDES POWER SUPPLY	285.00
PRO-PSR2000UHF	PSR2000 UHF, INCLUDES POWER SUPPLY	285.00
PRO-PSR2000-900	PSR2000 900 MHZ, INCLUDES POWER SUPPLY	285.00
PRO-PDR PROG	PROGRAMMING SOFTWARE AND CABLE FOR THE PDR, PDT, PSR	111.15
<b>ANTENNA</b>		
<b>COMMTECH WIRELESS</b>		
PRO-MOPOLE UHF	MOPOLE ANTENNA- UHF	239.40
PRO-MOPLV VHF	MOPOLE ANTENNA- VHF	239.40
PRO-QWW UHF	QUARTER WAVE WHIP ANTENNA- UHF (MAXPAGE)	50.35
PRO-QWW VHF	QUARTER WAVE WHIP ANTENNA- VHF (MAXPAGE)	50.35
PRO-ANT CABLE	ANTENNA CABLE- 1/2" FOAM WITH ULTRA LOW LOSS- PER FOOT	7.60
PRO-ANT N FEMALE	ANTENNA N CONNECTOR- FEMALE	115.90
PRO-ANT N MALE	ANTENNA CONNECTOR-MALE	115.90
PRO-ANT STANDOFF	ANTENNA STAND OFF ADAPTER FOR COLINEAR ANTENNA	527.25
PRO-CL BRACKET	COLINEAR ANTENNA MOUNTING BRACKET	180.50
PRO-COLINEAR UHF	CO-LINEAR ANTENNA- UHF	869.25
PRO-COLINEAR VHF	CO-LINEAR ANTENNA-VHF	869.25
PRO-CS RS-232	RS-232 CONNECTOR SET FOR COMMTECH BRANDED TRANSMITTERS	39.90
PRO-CS TTL	TTL CONNECTOR SET FOR TAIT, MAXON AND SALCOM TRANSMITTER	39.90
PRO-DIPOL E UHF	DIPOL E ANTENNA- UHF	618.80

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

	MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>POWER SUPPLIES</b>	<b>POWER SUPPLIES</b>	<b>COMMTECH WIRELESS</b>	
	PRO-PP PS	OMMTECH PATRON PAGER CHARGER POWER SUPPLY	53.20
	PRO-PS 1 REG	12V DC @ 2.0 A DESKTOP REGULATED UNIVERSAL INPUT SWITCHING POER SUPPLY WITH AC CORD	38.00
	PRO-PS AIM	12 VOLT DC @ 500 MA WALL PLUG UNREGULATED POWER SUPPLY INCLUDES "PL14" (STRIPPED AND TINNED LEAD)	24.70
	PRO-PS AIMC	9V DC @ 500 MA WALL PLUG POWER SUPPLY	50.35
	PRO-PS HANDYPAGE	EXTERNAL POWER SUPPLY FOR HANDYPAGE	50.35
<b>LINE DRIVER</b>	<b>LINE DRIVER</b>	<b>COMMTECH WIRELESS</b>	
	PRO-LD TX KIT	TRANSMITTER LINE DRIVERS	788.50
<b>PROFESSIONAL SERVICES</b>	<b>PROFESSIONAL SERVICES</b>	<b>COMMTECH WIRELESS</b>	
	ONSITE SERVICES	COMMTECH ONSITE PROFESSIONAL SERVICES (PER DAY)	1,425.00
	REMOTE INSTALL	REMOTE INSTALLATION SERVICES SUPPORT (PER BLOCK OF TWO HOURS)	304.00
<b>COMMTECH COMPLETE</b>	<b>COMMTECH COMPLETE</b>	<b>COMMTECH WIRELESS</b>	
	PRO-COMMCOMPLETE	FULL HARDWARE AND SOFTWARE COVERAGE, TECHNICAL SUPPORT & ADVANCED REPLACEMENT PROGRAM	
<b>FCC LICENSE</b>	<b>FCC LICENSE</b>	<b>COMMTECH WIRELESS</b>	
	PRO-FCC LIC	FCC LICENSE	796.10
<b>APOLLO VIDEO TECHNOLOGY</b>			
	PRO-RR-MR8i	RoadRunner 8 Channel Mobile DVR, 250Gb Removable HDD (500Gb & 750Gb also available) Custom Installation Wiring Kit, License-Free Remote Administration Software	3,637.55
	PRO-RR-MR4i	RoadRunner 4 Channel Mobile DVR, 160Gb Removable HDD (250Gb, 500GB & 750GB also available) Custom Installation Wiring Kit, License-Free Remote Administration Software	2,659.05
	PRO-RR-MR2i	RoadRunner 2 Channel Mobile DVR, 160Gb Removable HDD (250GB, 500Gb & 750Gb also available) Custom Installation Wiring Kit, License-Free Remote Administration Software	2,184.05
	PRO-RR-HDP	Hard Disk Player/Docking Station (for use system-wide, connects the HDDw/ any USB 2.0 compatible PC)	237.50
	PRO-RR-MR160HD	Extra Removable Hard Disk Drive (HDD), 160Gb	236.55
	PRO-RR-MR250HD	Extra Removable Hard Disk Drive (HDD), 250Gb	293.55
	PRO-RR-MR500HD	Extra Removable Hard Disk Drive (HDD), 500Gb	436.05
	PRO-RR-MR750HD	Extra Removable Hard Disk Drive (HDD), 750Gb	531.05
	PRO-RR-DCPLCD	LCD Package (LCD Display Monitor, Premium Driver Control Panel and Custom Mounting Brackets)	644.10
	PRO-RR-CT	Vandal Resistant TearDrop Indoor/Outdoor Color Camera, 470 Lines Resolution	284.05
	PRO-RR-CT-540	Vandal Resistant TearDrop Indoor/Outdoor Color Camera, 540 Lines Resolution	312.55
	PRO-RR-CD	Vandal Resistant TearDrop Indoor/Outdoor Color Camera, 470 Lines Resolution	284.05
	PRO-RR-CD-540	Vandal Resistant TearDrop Indoor/Outdoor Color Camera, 540 Lines Resolution	312.55
	PRO-RR-CZ26	Day/Night Auto-Focus Color Camera w/ 26x Optical + 10x Digital Zoom	455.05
	PRO-RR-CIR1	Day/Night IR Illumination Color Camera w/ Audio Recording	170.05
	PRO-RR-CIR1-550	Day/Night Vandal Resistant IR Illumination Color Camera	217.55
	PRO-RR-CVIR	Day/Night Vandal Resistant IR Illumination Color Camera	217.55
	PRO-RR-CLP1	Wide Angle Covert License Plate Color Camera	217.55
	PRO-RR-GPS	GPS Antenna for iSM (Interactive Speed and Mapping) Interface	151.05
	PRO-RR-VM	Records Vehicle Data (from up to 5 Inputs ie: Left Hand Turn Signal, Sirens, Lights, Etc.	331.55
	PRO-RR-VMR	Records Vehicle Data and Radar Data	379.05
	PRO-RR-VMGPS	Records Vehicle Data, GPS Antenna for iSM (Interactive Speed and Mapping) Interface	493.05
	PRO-RR-VMGPSR	Records Vehicle Data and Radar Data, GPS Antenna for iSM (Interactive Speed and Mapping) Interface	512.05
	PRO-RR-VSS	Vehicle Crash Sensor (for Law Enforcement Applications)	46.55
	PRO-RR-VSS2	Vehicle Crash/Shock Calibrated Sensor (for Transit and Pupil Transportation Applications)	170.05
	PRO-RR-AW24GHZ	2.4Ghz Wireless Audio Kit	692.55
	PRO-RR-WT200	Wireless LAN High Powered Transmitter (Includes Permanent Mobile Antenna)	379.05
	PRO-RR-WR200	Wireless LAN High Powered Receiver	331.55
	PRO-RR-ENV	Environmental Protective Steel Enclosure	293.55
	PRO-RR-ENVH	Environmental Protective Steel Enclosure w/ Heater	388.55

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-CLASSIC-0007	CLASSIC METAL DETECTOR 720MM WIDTH	2,474.80
<b>CLASSIC METAL DETECTOR</b>	<b>OPTIONS</b>	
PRO-820MM WIDTH	820MM INTERNAL WIDTH	276.00
PRO-MBSU-0002	MAIN BATTERY SUPPLY UNIT	1,030.40
PRO-18958	FASTENING METAL BASE PLATES	105.80
PRO-AD-100	WHEEL KIT	156.40
<b>CLASSIC METAL DETECTOR</b>	<b>SPARE PARTS FOR CLASSIC</b>	
PRO-19057	110 VOLT POWER SUPPLY	260.36
PRO-14341	720MM CROSSBAR	80.04
PRO-14330	820MM CROSSBAR	80.04
<b>CLASSIC NAVY</b>	<b>CLASSIC NAVY</b>	
PRO-CLASSIC/NAVY	CLASSIC/NAVY-SUITABLE FOR ENVIRONMENTS WITH LIMITED HEADROOM. FEATURES AN ELECTRONICS UNIT IN A STAINLESS STEEL IP55 CASE	4,568.72
<b>CLASSIC NAVY</b>	<b>OPTIONS</b>	
PRO-MBSU-0002	MAIN BATTERY SUPPLY UNIT	1,030.40
PRO-18958	FASTENING METAL BASE PLATES	105.80
PRO-AD-100	WHEEL KIT	156.40
<b>CLASSIC NAVY</b>	<b>SPARE PARTS</b>	
PRO-19057	110 VOLT POWER SUPPLY	260.36
<b>HIPE MULTIZONE METAL DETECTOR</b>	<b>HIPE MULTIZONE METAL DETECTOR</b>	
PRO-HIPE/PTZ-0051	HIGH PERFORMANCE METAL DETECTOR PANEL VERSION 720MM	4,466.60
<b>HIPE MULTIZONE METAL DETECTOR</b>	<b>OPTIONS</b>	
PRO-WEATHERPROOF OPTION	WEATHERPROOF VERSIONS ARE SUPPLIED WITH A 760MM WIDTH OF PASSAGE AND COMPLETE WITH PHOTOCELLS AND BATTERIES	1,691.88
PRO-32158	PHOTOCELLS AND SOFTWARE FOR PASSENGER COUNTING, UPGRADE KIT	467.36
PRO-820MM WIDTH	820MM INTERNAL WIDTH	276.00
PRO-760MM WIDTH	760MM INTERNAL WIDTH	276.00
PRO-MBSU-0002	MAIN BATTERY SUPPLY UNIT	1,030.40
PRO-3423	REMOTE CONTROL UNIT	489.44
PRO-1200	BATTERY BACK-UP 30 MINUTES OF INDEPENDENT OPERATION	308.20
PRO-AD-200	WHEEL KIT FOR PANEL	331.20
<b>HIPE MULTIZONE METAL DETECTOR</b>	<b>HIPE SPARE PARTS</b>	
PRO-19361	POWER SUPPLY ADAPTER	260.36
<b>PMD2 Panel Version Metal Detector</b>	<b>PMD2 Panel Version Metal Detector</b>	
PRO-PMD2/PTZ-0051	Very High Performance Metal Detector 720MM	6,210.00
<b>PMD2 Panel Version Metal Detector</b>	<b>OPTIONS</b>	
PRO-820MM Width	820 MM Internal Width	276.00
PRO-760MM Width	760MM Internal Width	
<b>WEATHERPROOF OPTION</b>	Weatherproof version are supplied with a 760mm width of passage and complete with photocells and batteries	1,691.88
PRO-32158	Photocells and Software for passenger counting, Upgrade Kit	467.36
PRO-MBSU-0002	Main Battery Supply Unit	1,030.40
PRO-AD-200	Wheel Kit for Panel	331.20
PRO-3423	Remote Control Unit	468.00
PRO-32197	Remote Relay Unit	319.24
PRO-1200	Battery Back Up- with 30 minutes of independent operation	308.20
<b>PMD2 Panel Version Metal Detector</b>	<b>PMD2 SPARE PARTS</b>	
PRO-19361	Power Supply Adapter 110 Volt	260.36
	**for other spare parts contact ceia	
<b>2 ELLIPTIC VERSION METAL DETECTOR</b>	<b>2 ELLIPTIC VERSION METAL DETECTOR</b>	
PRO-PMD2/ENZ-0062	Very High Performance Metal Detector 720MM Width	6,210.00
<b>2 ELLIPTIC VERSION METAL DETECTOR</b>	<b>OPTIONS</b>	
PRO-820MM Width	820MM Internal Width	276.00
PRO-32158	Photocells and Software for passenger counting, Upgrade Kit (Special Order)	690.00
PRO-18958	Stabilizing Base Plates(2)	105.80
PRO-MBSU-0002	Main Battery Supply Unit	1,030.40
PRO-3423	Remote Control Unit	574.08
PRO-32197	Remote Relay Control	319.24
PRO-CUSTOM COLOR	Custom Color of Columns	828.00
PRO-AD-100	Wheel Kit	156.40
<b>2 ELLIPTIC VERSION METAL DETECTOR</b>	<b>PMD2 SPARE PARTS</b>	
PRO-18920	Power Supply Adapter 110 volt	260.36
<b>PMD2 ELLIPTIC WEATHERPROOF</b>	<b>PMD2 ELLIPTIC WEATHERPROOF</b>	

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>PMD2 ELLIPTIC WEATHERPROOF VERSION METAL DETECTOR</b>		
<b>OPTIONS Ceia USA</b>		
PRO-820MM WIDTH	820MM Internal Width	276.00
PRO-32158	Photocells and Software for passenger counting, Upgrade Kit (Special Order)	690.00
PRO-18958	Stabilizing Base Plates	105.80
PRO-10820	Waterproof Base Plate Screws	8.05
PRO-CUSTOM COLOR	Custom Color of Columns	828.00
PRO-MBSU-0002	Main Battery Supply	1,030.40
PRO-3423	Remote Control Unit	574.08
PRO-AD-100	Wheel Kit	156.40
<b>PMD2 WEATHERPROOF SPARE PARTS Ceia USA</b>		
PRO-18920	Power Supply Adapter 110 volt	260.36
<b>HIGH SENSITIVITY MULTIZONE METAL DETECTOR Ceia USA</b>		
PRO-SMD600/PTZ-0008	VERY HIGH SENSITIVITY METAL DETECTOR	8,406.04
<b>HIGH SENSITIVITY MULTIZONE METAL DETECTOR Ceia USA</b>		
<b>OPTIONS</b>		
PRO-WEATHERPROOF OPTION	WEATHERPROOF VERSIONS ARE SUPPLIED WITH A 760MM WIDTH PASSAGE AND COMPLETE WITH PHOTOCELLS AND BATTERIES	1,691.88
PRO-32158	PHOTOCELLS AND SOFTWARE FOR PASSENGER COUNTING. UPGRADE KIT	467.36
PRO-MBSU-0002	MAIN BATTERY SUPPLY UNIT	1,030.40
PRO-3423	REMOTE CONTROL UNIT	574.08
PRO-32197	REMOTE RELAY UNIT	319.24
PRO-RDU	REMOTE ALARM SIGNALING UNIT	579.60
PRO-1200	BATTERY BACK UP WITH 30 MINUTES OF INDEPENDENT OPERATION	308.20
PRO-AD-200	WHEEL KIT PANEL	331.20
<b>HIGH SENSITIVITY MULTIZONE METAL DETECTOR Ceia USA</b>		
<b>SPARE PARTS SMD600 MULTIZONE</b>		
PRO-19361	POWER SUPPLY 110 VOLT	260.36
<b>PD140 HAND HELD METAL DETECTOR Ceia USA</b>		
<b>PD140 HAND HELD METAL DETECTOR</b>		
PRO-PD140 V	STANDARD SENSITIVITY (9V ALKALINE BATTERY NOT INCLUDED)	161.00
PRO-PD140VR	STANDARD SENSITIVITY, RECHARGABLE, 9V NIMH RECHARGABLE BATTERY INCL., REQUIRES BC140F CHARGER	223.56
PRO-PD140SVR	HIGH SENSITIVITY, RECHARGABLE, 9V NIMH RECHARGABLE BATTERY INCLU., REQUIRES BC140F CHARGER	395.60
PRO-PD140SVR KIT	VERY HIGH SENSITIVITY, RECHARGABLE WITH FAST INDUCTIVE RECHARGER BC140F, TEST OBJECT, CARRYING CASE	605.36
<b>PD140 HAND HELD METAL Ceia USA</b>		
<b>OPTIONS</b>		
PRO-BC140F	INDUCTIVE FAST BATTERY CHARGE- FOR USE WITH PD140R	79.12
PRO-29098	METAL DETECTOR CARRYING CASE WITH 1 SPARE BATTERY	69.00
PRO-WC-4	BATTERY CHARGER, CONTACT CHARGER	23.00
PRO-14730	HOLSTER FOR PD140 MODELS	25.76
PRO-7569	WRIST LACE (INCLU. WITH PD140SVR)	17.02
PRO-37086	BC TO BC CONNECTING KIT	11.04
<b>PD140 HAND HELD METAL Ceia USA</b>		
<b>SPARE PARTS: PD140V</b>		
PRO-24	NI-MH RECHARGABLE BATTERY	22.08
PRO-38267	BATTERY CAPS	6.44
<b>ONSSI ON-NET SURVEILLANCE SYSTEMS INC.</b>		
<b>ENTERPRISE SYSTEM</b>	<b>ENTERPRISE SYSTEM</b>	<b>BASED ON THE NETDVMS PLATFORM</b>
	<b>NETDVMS</b>	<b>ONSSI</b>
<b>MASTER LICENSE:</b>		
PRO-NETDVMS-BASE	XPEBL (MILESTONE)	1,899.05
PRO-SUP-NETDVMS-BASE-1Y		379.05
PRO-SUP-NETDVMS-BASE-2Y		632.70
PRO-SUP-NETDVMS-BASE-3Y		821.75
<b>CAMERA LICENSES:</b>		
PRO-NETDVMS-1C	XPECL (MILESTONE)	255.55
PRO-SUP-NETDVMS-1C-1Y		51.30
PRO-SUP-NETDVMS-1C-2Y		86.45

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>BASE:</b>		
PRO-NETSWITCHER-ASERVER-48		854.05
PRO-SUP-NETSWITCHER-ASERVER-48-1Y		189.05
PRO-SUP-NETSWITCHER-ASERVER-48-2Y		315.40
PRO-SUP-NETSWITCHER-ASERVER-48-3Y		424.65
PRO-NETSWITCHER-ASERVER-64		1,139.05
PRO-SUP-NETSWITCHER-ASERVER-64		246.05
PRO-SUP-NETSWITCHER-ASERVER-64-2Y		410.40
PRO-SUP-NETSWITCHER-ASERVER-64-3Y		552.90
PRO-NETSWITCHER-ASERVER-128		1,519.05
PRO-SUP-NETSWITCHER-ASERVER-128		331.55
PRO-SUP-NETSWITCHER-ASERVER-128-2Y		552.90
PRO-SUP-NETSWITCHER-ASERVER-128-3Y		745.75
PRO-NETSWITCHER-ASERVER-256		2,849.05
PRO-SUP-NETSWITCHER-ASERVER-265		626.05
PRO-SUP-NETSWITCHER-ASERVER-265-2Y		1,045.00
PRO-SUP-NETSWITCHER-ASERVER-265-3Y		1,407.90
PRO-NETSWITCHER-ASERVER-512		5,319.05
PRO-SUP-NETSWITCHER-ASERVER-512		1,167.55
PRO-SUP-NETSWITCHER-ASERVER-512-2Y		1,949.40
PRO-SUP-NETSWITCHER-ASERVER-512-3Y		2,626.75
PRO-NETSWITCHER-ASERVER-1024		9,499.05
PRO-SUP-NETSWITCHER-ASERVER-1024		1,994.05
PRO-SUP-NETSWITCHER-ASERVER-1024-2Y		3,329.75
PRO-SUP-NETSWITCHER-ASERVER-1024-3Y		4,485.90
PRO-NETSWITCHER-ASERVER-2048		17,099.05
PRO-SUP-NETSWITCHER-ASERVER-2048		3,419.05
PRO-SUP-NETSWITCHER-ASERVER-2048-2Y		5,709.50
PRO-SUP-NETSWITCHER-ASERVER-2048-3Y		7,692.15
PRO-NETSWITCHER-ASERVER-4096		28,499.05
PRO-SUP-NETSWITCHER-ASERVER-4096		5,414.05
PRO-SUP-NETSWITCHER-ASERVER-4096-2Y		9,041.15
PRO-SUP-NETSWITCHER-ASERVER-4096-3Y		12,180.90
<b>ONSSI</b>		
<b>NETSWITCHER MODULES:</b>		
PRO-NETSWITCHER-INPUT		57.00
PRO-SUP-NETSWITCHER-INPUT		11.40
PRO-SUP-NETSWITCHER-INPUT-2Y		19.00
PRO-SUP-NETSWITCHER-INPUT-3Y		25.65
PRO-NETSWITCHER-CONTROLLER		189.05
PRO-SUP-NETSWITCHER-CONTROLLER		46.55
PRO-SUP-NETSWITCHER-CONTROLLER-2Y		76.95
PRO-SUP-NETSWITCHER-CONTROLLER-3Y		104.50
PRO-NETSWITCHER-VIEWER		94.05
PRO-SUP-NETSWITCHER-VIEWER		22.80
PRO-SUP-NETSWITCHER-VIEWER-2Y		38.00
PRO-SUP-NETSWITCHER-VIEWER-3Y		51.30
PRO-NETMATRIX-VIEWER		236.55
PRO-SUP-NETMATRIX-VIEWER		52.25
PRO-SUP-NETMATRIX-VIEWER-2Y		86.45
PRO-SUP-NETMATRIX-VIEWER-3Y		116.85
<b>ONSSI</b>		
<b>VIDEO CONTENT ANALYTICS</b>		
<b>MASTER BASE LICENSE</b>		
PRO-AVI-BASE		1,899.05
PRO-SUP-AVI-BASE		284.05
<b>ANALYSIS BUNDLES</b>		
PRO-AVI-ENT-1C	ALL-IN-ONE	2,972.55
PRO-SUP-AVI-ENT-1C		445.55
PRO-AVI-VMO-1C	VIDEO MOTION BUNDLE	1,512.40
PRO-SUP-AVI-VMO-1C		226.10
PRO-VNO-1C	VIDEO NON-MOTION BUNDLE	1,512.40
PRO-SUP-AVI-VNO-1C		226.10
PRO-AVI-VMN-1C	VIDEO MOTION/NON-MOTION BUNDLE	2,136.55
PRO-SUP-AVI-VMN-1C		320.15
PRO-AVI-RETAIL-1C	RETAIL BUNDLE (SIP, NLE, FULL STICKINESS, LINE CROSSING AND COUNTING)	2,164.10

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-AVI-VMDPTZ-1C	VMD ON PTZ PRESET	1,664.40
PRO-SUP-AVI-VMDPTZ-1C		248.90
PRO-AVI-CNT-1C	OBJECT COUNTING	540.55
PRO-SUP-AVI-CNT-1C		80.75
PRO-AVI-THFT-1C	OBJECT REMOVAL	540.55
PRO-SUP-AVI-THFT-1C		80.75
PRO-AVI-OLB-1C	OBJECT LEFT BEHIND	540.55
PRO-SUP-AVI-OLB-1C		80.75
PRO-AVI-CRWD-1C	CROWD DETECTION	540.55
PRO-SUP-AVI-CRWD-1C		80.75
PRO-AVI-LTR-1C	LOITERING	540.55
PRO-SUP-AVI-LTR-1C		80.75
PRO-AVI-TLGT-1C	TAILGATING	540.55
PRO-SUP-AVI-TLGT-1C		80.75
PRO-AVI-LNCR-1C	DEFINED LINE CROSSING	540.55
PRO-SUP-AVI-LNCR-1C		80.75
PRO-AVI-PRMT-1C	PERIMETER CROSSING	540.55
PRO-SUP-AVI-PRMT-1C		80.75
PRO-AVI-STCK-1C	STICKINESS(TIME SPENT IN ONE ZONE)	540.55
PRO-SUP-AVI-STCK-1C		80.75
<b>SINGLE SERVER, SMALL-MEDIUM SCALE SYSTEMS (BASED ON THE NETDVR PLATFORM)</b>		
<b>NETDVR</b>		
	ONSSI	
PRO-NETDVR-4C		1,135.25
PRO-SUP-NETDVR-4C		248.90
PRO-NETDVR-9C		1,990.25
PRO-SUP-NETDVR-9C		437.00
PRO-NETDVR-16C		2,845.25
PRO-SUP-NETDVR16C		625.10
PRO-NETDVR-25C		3,795.25
PRO-SUP-NETDVR-25C		834.10
PRO-NETDVR-36C		5,220.25
PRO-SUP-NETDVR-36C		1,147.60
PRO-NETDVR-50C		7,120.25
PRO-SUP-NETDVR-50C		1,565.60
PRO-NETDVR-64C		9,020.25
PRO-SUP-NETDVR-64C		1,983.60
<b>SMALL BUSINESS SOLUTIONS</b>		
	ONSSI	
<b>PROSIGHT SMB</b>		
	ONSSI	
PRO-PROSIGHT-SMB-4C		474.05
PRO-PROSIGHT-SMB-6C		664.05
PRO-PROSIGHT-SMB-9C		949.05
PRO-PROSIGHT-SMB-16C		1,424.05
PRO-PROSIGHT-SMB-25C		1,899.05
<b>ADD-ON APPLICATIONS (FOR ALL ONSSI N</b>		
	ONSSI	
<b>NETTRANSACT</b>		
	ONSSI	
PRO-NETTRANSACT-BASE		284.05
PRO-SUP-NETTRANSACT-BASE		57.00
PRO-NETTRANSACT-1T		255.55
PRO-SUP-NETTRANSACT-1T		51.30
<b>LIFESIZE</b>		
<b>LIFESIZE VIDEO SYSTEMS</b>		
<b>LIFESIZE VIDEO SYSTEMS</b>		
<b>INCLUDES CODEC, CAMERA, AUDIO INPUT DEVICE AND REMOTE CONTROL.</b>		
<b>LS PN#</b>	<b>PPI PN#</b>	
<b>LIFESIZE CONFERENCE</b>		
	LIFESIZE	
1000-0000-1112	PRO-LIFE-J001902A	LIFESIZE CONFERENCE
1000-0007-1112	PRO-LIFE-J001904A	LIFESIZE CONFERENCE- CHINA RoHS COMPLIANT
1000-0008-1112	PRO-LIFE-J001906A	LIFESIZE CONFERENCE-JAPAN
<b>LIFESIZE ROOM</b>		
	LIFESIZE	
1000-0000-1101	PRO-LIFE-J001000A	LIFESIZE ROOM
1000-0007-1101	PRO-LIFE-J001008A	LIFESIZE ROOM-CHINA RoHS COMPLIANT
1000-0008-1101	PRO-LIFE-J001330A	LIFESIZE ROOM-JAPAN
1000-0009-1101	PRO-LIFE-J001331A	LIFESIZE ROOM-NON-RES

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

	<b>MODEL NO. *see note below</b>	<b>MANUFACTURER/DESCRIPTION</b>	<b>STS Price</b>
1000-0007-1104	PRO-LIFE-J001908A	LIFESIZE ROOM-INTEGRATOR-NO PHONE-CHINA RoHS COMPLIANT	10,799.10
1000-0008-1104	PRO-LIFE-J001910A	LIFESIZE ROOM-INTEGRATOR-NO PHONE-JAPAN	10,799.10
1000-0000-1105	PRO-LIFE-J001728A	LIFESIZE ROOM-INTEGRATOR-NO CAMERA	10,619.10
1000-0007-1105	PRO-LIFE-J001912A	LIFESIZE ROOM-INTEGRATOR- NO CAMERA-CHINA RoHS COMPLIANT	10,619.10
1000-0008-1105	PRO-LIFE-J001914A	LIFESIZE ROOM-INTEGRATOR-NO CAMERA-JAPAN	10,619.10
1000-0000-0168	PRO-LIFE-J001001A	LIFESIZE ROOM-CODEC	10,529.10
<b>LIFESIZE TEAM MP</b>		<b>LIFESIZE</b>	
1000-0000-1107	PRO-LIFE-J001604A	LIFESIZE TEAM MP-PHONE	8,999.10
1000-0007-1107	PRO-LIFE-J001862A	LIFESIZE TEAM MP-PHONE-CHINA RoHS COMPLIANT	8,999.10
1000-0008-1107	PRO-LIFE-J001864A	LIFESIZE TEAM MP- PHONE- JAPAN	8,999.10
1000-000R-1107	PRO-LIFE-J001866A	LIFESIZE TEAM MP-PHONE-NON-AES	8,999.10
1000-000S-1107	PRO-LIFE-J001822A	LIFESIZE TEAM MP-PHONE-SGP	10,349.10
1000-0000-1108	PRO-LIFE-J001606A	LIFESIZE TEAM MP-MicPod	8,099.10
1000-0007-1108	PRO-LIFE-J001938A	LIFESIZE TEAM MP- MicPod- CHINA RoHS COMPLIANT	8,099.10
1000-0008-1108	PRO-LIFE-J001996A	LIFESIZE TEAM M-MicPod- JAPAN	8,099.10
1000-000R-1108	PRO-LIFE-J001916A	LIFESIZE TEAM MP-MicPod-NON-AES	8,099.10
1000-000S-1108	PRO-LIFE-J001846A	LIFESIZE TEAM MP- MicPod- SGP	9,314.10
1000-0000-0203	PRO-LIFE-J001608A	LIFESIZE TEAM MP-CODEC	7,199.10
<b>LIFESIZE TEAM</b>		<b>LIFESIZE</b>	
1000-0000-1102	PRO-LIFE-J001002A	LIFESIZE TEAM- <b>SOLD OUT</b>	7,199.10
1000-0007-1102	PRO-LIFE-J001010A	LIFESIZE TEAM-CHINA ROHS COMPLIANT	7,199.10
1000-0008-1102	PRO-LIFE-J001332A	LIFESIZE TEAM-JAPAN	7,199.10
1000-000R-1102	PRO-LIFE-J001336A	LIFESIZE TEAM-NON-AES	7,199.10
1000-0000-0167	PRO-LIFE-J001003A	LIFESIZE TEAM-CODEC	6,029.10
<b>LIFESIZE EXPRESS</b>		<b>LIFESIZE</b>	
1000-0000-1106	PRO-LIFE-J001600A	LIFESIZE EXPRESS	5,399.10
1000-0007-1106	PRO-LIFE-J001842A	LIFESIZE EXPRESS- CHINA ROHS COMPLIANT	5,399.10
1000-0008-1106	PRO-LIFE-J001892A	LIFESIZE EXPRESS-JAPAN	5,399.10
1000-000R-1106	PRO-LIFE-J001824A	LIFESIZE EXPRESS-NON-AES	5,399.10
1000-000S-1106	PRO-LIFE-J001826A	LIFESIZE EXPRESS-SGP	6,209.10
1000-0000-1111	PRO-LIFE-J001799A	LIFESIZE EXPRESS-FOCUS	4,499.10
1000-0007-1111	PRO-LIFE-J001994A	LIFESIZE EXPRESS-FOCUS-CHINA ROHS COMPLIANT	4,499.10
1000-0008-1111	PRO-LIFE-J001907A	LIFESIZE EXPRESS-FOCUS-JAPAN	4,499.10
1000-000R-1111	PRO-LIFE-J001992A	LIFESIZE EXPRESS-FOCUS-NON-AES	4,499.10
1000-000S-1111	PRO-LIFE-J002006A	LIFESIZE EXPRESS-FOCUS-SGP	5,174.10
1000-0000-0199	PRO-LIFE-J001602A	LIFESIZE EXPRESS-FOCUS-CODEC	4,499.10
<b>LIFESIZE AUDIO SYSTEMS</b>		<b>LIFESIZE AUDIO SYSTEMS</b>	<b>LIFESIZE</b>
<b>LS PN#</b>	<b>PPI PN#</b>		
<b>LIFESIZE PHONE</b>		<b>LIFESIZE</b>	
1000-0000-0101	PRO-LIFE-J001014A	LIFESIZE PHONE	1,169.03
1000-0007-0101	PRO-LIFE-J001988A	LIFESIZE PHONE-CHINA ROHS COMPLIANT	1,169.03
1000-000S-0101	PRO-LIFE-J001338A	LIFESIZE PHONE-SGP	1,364.03
<b>LIFESIZE INFRASTRUCTURE</b>		<b>LIFESIZE INFRASTRUCTURE</b>	<b>LIFESIZE</b>
<b>LS PN#</b>	<b>PPI PN#</b>		
<b>LIFESIZE MULTIPOINT</b>		<b>LIFESIZE</b>	
1000-0000-0152	PRO-LIFE-J001036A	LIFESIZE MULTIPOINT-12	29,249.03
1000-0007-0152	PRO-LIFE-J001986A	LIFESIZE MULTIPOINT-12-CHINA ROHS COMPLIANT	29,249.03
1000-0000-0153	PRO-LIFE-J001038A	LIFESIZE MULTIPOINT-24	48,749.03
1000-0007-0153	PRO-LIFE-J001828A	LIFESIZE MULTIPOINT-24-CHINA ROHS COMPLIANT	48,749.03
<b>LIFESIZE GATEWAY</b>		<b>LIFESIZE</b>	
1000-0000-0154	PRO-LIFE-J001040A	LIFESIZE GATEWAY-PRI	29,249.03
1000-0000-0155	PRO-LIFE-J001042A	LIFESIZE GATEWAY-SERIAL (MINIMUM OF ONE SERIAL CABLE IS REQUIRED)	24,374.03
<b>LIFESIZE NETWORKER</b>		<b>LIFESIZE</b>	
1000-0000-0103	PRO-LIFE-J001018A	LIFESIZE NETWORKER-S/T	1,949.03
<b>LIFESIZE TRANSIT</b>		<b>LIFESIZE</b>	
1000-0000-0147	PRO-LIFE-J001026A	LIFESIZE TRANSIT SERVER	11,699.03
1000-0000-0148	PRO-LIFE-J001028A	LIFESIZE TRANSIT SERVER 500 ADDITIONAL ADDRESSES ON REGISTRAR-SOFTWARE	5,166.53
1000-0000-0149	PRO-LIFE-J001030A	LIFESIZE TRANSIT CLIENT	5,849.03
1000-0000-0150	PRO-LIFE-J001032A	LIFESIZE TRANSIT CLIENT ADDITIONAL 20 ENDPOINT REGISTRATIONS-SOFTWARE	974.03
<b>LIFESIZE MANAGEMENT</b>		<b>LIFESIZE MANAGEMENT</b>	<b>LIFESIZE</b>
<b>LS PN#</b>	<b>PPI PN#</b>		
<b>LIFESIZE CONTROL</b>		<b>LIFESIZE</b>	
1000-0000-0005	PRO-LIFE-J001022A	LIFESIZE CONTROL- SINGLE DEVICE LICENSE	486.53
1000-0000-0006	PRO-LIFE-J001024A	LIFESIZE CONTRAOL-ENTERPRISE LICENSE	146,249.03

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>LS PN#</b>	<b>PPI PN#</b>	
<b>LIFESIZE CAMERA</b>		
1000-0000-0107	PRO-LIFE-J001012A	LIFESIZE CAMERA
1000-0007-0107	PRO-LIFE-J001830A	LIFESIZE CAMERA- CHINA ROHS COMPLIANT
1000-000S-0107	PRO-LIFE-J001340A	LIFESIZE CAMERA- SGP
<b>LIFESIZE FOCUS</b>		
1000-0000-0214	PRO-LIFE-J001809A	LIFESIZE FOCUS
1000-0007-0214	PRO-LIFE-J001832A	LIFESIZE FOCUS- CHINA ROHS COMPLIANT
<b>LIFESIZE SDI ADAPTER</b>		
1000-0000-0197	PRO-LIFE-J001597A	LIFESIZE SDI ADAPTER
1000-0007-0197	PRO-LIFE-J001834A	LIFESIZE SDI ADAPTER- CHINA
<b>LIFESIZE MicPod</b>		
1000-0000-0200	PRO-LIFE-J001702A	LIFESIZE MicPod
1000-0007-0200	PRO-LIFE-J001836A	LIFESIZE MicPod- CHINA ROHS COMPLIANT
<b>ENHANCED WARRANTY/ REPLACEMENT</b>		
<b>LIFESIZE VIDEO SYSTEMS</b>	<b>LIFESIZE VIDEO SYSTEMS</b>	<b>INCLUDES CODEC, CAMERA, AUDIO INPUT DEVICE AND REMOTE CONTROL</b>
<b>LS PN#</b>	<b>PPI PN#</b>	
<b>LIFESIZE CONFERENCE</b>		
1000-0000-1112	PRO-LIFE-J001838A	LIFESIZE CONFERENCE- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)
1000-1100-1112	PRO-LIFE-J001984A	LIFESIZE CONFERENCE-EXTENDED WARRANTY & MAINTENANCE (2-YEAR)
1000-1200-1112	PRO-LIFE-J001980A	LIFESIZE CONFERENCE- EXTENDED WARRANTY AND MAINTENANCE (3-YEAR)
1000-2000-1112	PRO-LIFE-J001978A	LIFESIZE CONFERENCE- ADVANCED REPLACEMENT (1-YEAR)
1000-1500-1112	PRO-LIFE-J001990A	LIFESIZE CONFERENCE-SERVICES BUNDLE (2-YEAR)
1000-1300-1112	PRO-LIFE-J001972A	LIFESIZE CONFERENCE- SERVICES BUNDLE (3-YEAR)
<b>LIFESIZE ROOM</b>		
1000-1000-1101	PRO-LIFE-J001050A	LIFESIZE ROOM- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)
1000-1100-1101	PRO-LIFE-J001052A	LIFESIZE ROOM- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)
1000-1200-1101	PRO-LIFE-J001054A	LIFESIZE ROOM- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)
1000-2000-1101	PRO-LIFE-J001058A	LIFESIZE ROOM- ADVANCED REPLACEMENT (1-YEAR)
1000-1500-1101	PRO-LIFE-J001974A	LIFESIZE ROOM-SERVICES BUNDLE (2-YEAR)
1000-1300-1101	PRO-LIFE-J001055A	LIFESIZE ROOM- SERVICES BUNDLE (3-YEAR)
1000-100S-1101	PRO-LIFE-J001366A	LIFESIZE ROOM-SGP-EXTENDED WARRANTY & MAINTANANCE (1-YEAR)
1000-110S-1101	PRO-LIFE-J001374A	LIFESIZE ROOM- SGP- EXTENDED WARRANTY & MAINTANANCE (2-YEAR)
1000-120S-1101	PRO-LIFE-J001382A	LIFESIZE ROOM- SGP- EXTENDED WARRANTY & MAINTANANCE (3-YEAR)
1000-200S-1101	PRO-LIFE-J001390A	LIFESIZE ROOM- SGP- ADVANCED REPLACEMENT (1-YEAR)
1000-150S-1101	PRO-LIFE-J001840A	LIFESIZE ROOM-SGP- SERVICES BUNDLE (2-YEAR)
1000-130S-1101	PRO-LIFE-J002024A	LIFESIZE ROOM-SGP- SERVICES BUNDLE (3-YEAR)
1000-1000-1104	PRO-LIFE-J001068A	LIFESIZE ROOM- INTEGRATOR- NO PHONE- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)
1000-1100-1104	PRO-LIFE-J001070A	LIFESIZE ROOM- INTEGRATOR- NO PHONE- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)
1000-1200-1104	PRO-LIFE-J001072A	LIFESIZE ROOM- INTEGRATOR- NO PHONE- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)
1000-2000-1104	PRO-LIFE-J001074A	LIFESIZE ROOM- INTEGRATOR- NO PHONE- ADVANCED REPLACEMENT (1-YEAR)
1000-1500-1104	PRO-LIFE-J001868A	LIFESIZE ROOM- INTEGRATOR- NO PHONE- SERVICES BUNDLE (2-YEAR)
1000-1300-1104	PRO-LIFE-J001788A	LIFESIZE ROOM- INTEGRATOR- NO PHONE- SERVICES BUNDLE (3-YEAR)
1000-1000-1105	PRO-LIFE-J001778A	LIFESIZE ROOM- INTEGRATOR- NO CAMERA- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)
1000-1100-1105	PRO-LIFE-J001844A	LIFESIZE ROOM- INTEGRATOR- NO CAMERA- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)
1000-1200-1105	PRO-LIFE-J002032A	LIFESIZE ROOM- INTEGRATOR- NO CAMERA- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)
1000-2000-1105	PRO-LIFE-J001790A	LIFESIZE ROOM- INTEGRATOR- NO CAMERA- ADVANCED REPLACEMENT (1-YEAR)
1000-1500-1105	PRO-LIFE-J001820A	LIFESIZE ROOM- INTEGRATOR- NO CAMERA- SERVICES BUNDLE (2-YEAR)
1000-1300-1105	PRO-LIFE-J002030A	LIFESIZE ROOM- INTEGRATOR- NO CAMERA- SERVICES BUNDLE (3-YEAR)
1000-1000-0168	PRO-LIFE-J001076A	LIFESIZE ROOM- CODEC- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)
1000-1100-0168	PRO-LIFE-J001078A	LIFESIZE ROOM- CODEC- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)
1000-1200-0168	PRO-LIFE-J001080A	LIFESIZE ROOM- CODEC- EXTENDED WARRANTY AND MAINTENANCE (3-YEAR)
1000-2000-0168	PRO-LIFE-J001776A	LIFESIZE ROOM- CODEC- ADVANCED REPLACEMENT (1-YEAR)
1000-1500-0168	PRO-LIFE-J001848A	LIFESIZE ROOM- CODEC-SERVICES BUNDLE (2-YEAR)
1000-1300-0168	PRO-LIFE-J001082A	LIFESIZE ROOM- CODEC- SERVICES BUNDLE (3-YEAR)
<b>LIFESIZE TEAM MP</b>		
1000-1000-1107	PRO-LIFE-J001610A	LIFESIZE TEAM MP- PHONE- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)
1000-1100-1107	PRO-LIFE-J001612A	LIFESIZE TEAM MP- PHONE- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)
1000-1200-1107	PRO-LIFE-J001614A	LIFESIZE TEAM MP- PHONE- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)
1000-2000-1107	PRO-LIFE-J001794A	LIFESIZE TEAM MP- PHONE- ADVANCED REPLACEMENT (1-YEAR)
1000-1500-1107	PRO-LIFE-J001851A	LIFESIZE TEAM MP- PHONE- SERVICES BUNDLE (2-YEAR)
1000-1300-1107	PRO-LIFE-J001616A	LIFESIZE TEAM MP- PHONE- SERVICES BUNDLE (3-YEAR)
1000-100S-1107	PRO-LIFE-J001976A	LIFESIZE TEAM MP- PHONE- SGP-EXTENDED WARRANTY & MAINTENANCE (1-YEAR)
1000-110S-1107	PRO-LIFE-J002018A	LIFESIZE TEAM MP- PHONE- SGP-EXTENDED WARRANTY & MAINTENANCE (2-YEAR)

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

	<b>MODEL NO. *see note below</b>	<b>MANUFACTURER/DESCRIPTION</b>	<b>STS Price</b>
1000-1300-1107	PRO-LIFE-J001616A	LIFESIZE TEAM MP- PHONE- SGP-SERVICES BUNDLE (3-YEAR)	2,096.25
1000-1000-1108	PRO-LIFE-J001618A	LIFESIZE TEAM MP-MicPod- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	614.25
1000-1100-1108	PRO-LIFE-J001620A	LIFESIZE TEAM MP-MicPod- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	1,105.65
1000-1200-1108	PRO-LIFE-J001622A	LIFESIZE TEAM MP-MicPod- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,566.83
1000-2000-1108	PRO-LIFE-J001796A	LIFESIZE TEAM MP-MicPod- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-1108	PRO-LIFE-J002012A	LIFESIZE TEAM MP-MicPod- SERVICES BUNDLE (2-YEAR)	1,250.93
1000-1300-1108	PRO-LIFE-J001624A	LIFESIZE TEAM MP-MicPod- SERVICES BUNDLE (3-YEAR)	1,825.20
1000-100S-1108	PRO-LIFE-J002010A	LIFESIZE TEAM MP-MicPod- SGP-EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	705.90
1000-110S-1108	PRO-LIFE-J001852A	LIFESIZE TEAM MP-MicPod- SGP-EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	1,270.43
1000-120S-1108	PRO-LIFE-J001854A	LIFESIZE TEAM MP-MicPod- SGP-EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,799.85
1000-200S-1108	PRO-LIFE-J001856A	LIFESIZE TEAM MP-MicPod- SGP- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-1108	PRO-LIFE-J002012A	LIFESIZE TEAM MP-MicPod- SGP-SERVICES BUNDLE (2-YEAR)	1,337.70
1000-1300-1108	PRO-LIFE-J001624A	LIFESIZE TEAM MP-MicPod- SGP-SERVICES BUNDLE (3-YEAR)	1,971.45
1000-1000-0203	PRO-LIFE-J001626A	LIFESIZE TEAM MP- CODEC- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	546.00
1000-1100-0203	PRO-LIFE-J001628A	LIFESIZE TEAM MP- CODEC- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	982.80
1000-1200-0203	PRO-LIFE-J001630A	LIFESIZE TEAM MP- CODEC- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,392.30
1000-2000-0203	PRO-LIFE-J001632A	LIFESIZE TEAM MP- CODEC- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-0203	PRO-LIFE-J001858A	LIFESIZE TEAM MP- CODEC- SERVICES BUNDLE (2-YEAR)	1,185.60
1000-1300-0203	PRO-LIFE-J001633A	LIFESIZE TEAM MP- CODEC- SERVICES BUNDLE (3-YEAR)	1,716.00
	<b>LIFESIZE TEAM</b>	<b>LIFESIZE</b>	
1000-1000-1102	PRO-LIFE-J001060A	LIFESIZE TEAM- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	546.00
1000-1100-1102	PRO-LIFE-J001062A	LIFESIZE TEAM- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	982.80
1000-1200-1102	PRO-LIFE-J001064A	LIFESIZE TEAM- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,392.30
1000-2000-1102	PRO-LIFE-J001066A	LIFESIZE TEAM- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-1102	PRO-LIFE-J001860A	LIFESIZE TEAM- SERVICES BUNDLE (2-YEAR)	1,185.60
1000-1300-1102	PRO-LIFE-J001067A	LIFESIZE TEAM- SERVICES BUNDLE (3-YEAR)	1,716.00
1000-1000-0167	PRO-LIFE-J001084A	LIFESIZE TEAM- CODEC- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	457.28
1000-1100-0167	PRO-LIFE-J001086A	LIFESIZE TEAM- CODEC- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	822.90
1000-1200-0167	PRO-LIFE-J001088A	LIFESIZE TEAM- CODEC- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,136.20
1000-2000-0167	PRO-LIFE-J001091A	LIFESIZE TEAM-CODEC- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-0167	PRO-LIFE-J001998A	LIFESIZE TEAM- CODEC- SERVICES BUNDLE (2-YEAR)	1,101.75
1000-1300-0167	PRO-LIFE-J001090A	LIFESIZE TEAM-CODEC- SERVICES BUNDLE (3-YEAR)	1,573.65
	<b>LIFESIZE EXPRESS</b>	<b>LIFESIZE</b>	
1000-1000-1106	PRO-LIFE-J001652A	LIFESIZE EXPRESS-EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	409.50
1000-1100-1106	PRO-LIFE-J001654A	LIFESIZE EXPRESS-EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	737.10
1000-1200-1106	PRO-LIFE-J001656A	LIFESIZE EXPRESS-EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,044.23
1000-2000-1106	PRO-LIFE-J001650A	LIFESIZE EXPRESS- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-1106	PRO-LIFE-J002008A	LIFESIZE EXPRESS-SERVICES BUNDLE (2-YEAR)	1,055.93
1000-1300-1106	PRO-LIFE-J001798A	LIFESIZE EXPRESS- SERVICES BUNDLE (3-YEAR)	1,497.60
1000-1000-1106	PRO-LIFE-J001652A	LIFESIZE EXPRESS-SGP- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	470.93
1000-1100-1106	PRO-LIFE-J001654A	LIFESIZE EXPRESS-SGP- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	847.28
1000-1200-1106	PRO-LIFE-J001656A	LIFESIZE EXPRESS-SGP- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,201.20
1000-2000-1106	PRO-LIFE-J001650A	LIFESIZE EXPRESS- SGP- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-150S-1106	PRO-LIFE-J002004A	LIFESIZE EXPRESS-SGP- SERVICES BUNDLE (2-YEAR)	1,114.43
1000-130S-1106	PRO-LIFE-J002002A	LIFESIZE EXPRESS- SGP- SERVICES BUNDLE (3-YEAR)	1,596.08
1000-1000-1111	PRO-LIFE-J001800A	LIFESIZE EXPRESS- FOCUS- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	341.25
1000-1100-1111	PRO-LIFE-J001801A	LIFESIZE EXPRESS-FOCUS- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	614.25
1000-1200-1111	PRO-LIFE-J001802A	LIFESIZE EXPRESS-FOCUS- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	870.68
1000-2000-1111	PRO-LIFE-J001803A	LIFESIZE EXPRESS- FOCUS- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-1111	PRO-LIFE-J001804A	LIFESIZE EXPRESS-FOCUS- SERVICES BUNDLE (2-YEAR)	991.58
1000-1300-1111	PRO-LIFE-J001805A	LIFESIZE EXPRESS- FOCUS- SERVICES BUNDLE (3-YEAR)	1,388.40
1000-100S-1111	PRO-LIFE-J002000A	LIFESIZE EXPRESS- FOCUS-SGP- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	391.95
1000-110S-1111	PRO-LIFE-J001982A	LIFESIZE EXPRESS-FOCUS- SGP- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	705.90
1000-120S-1111	PRO-LIFE-J001958A	LIFESIZE EXPRESS-FOCUS- SGP- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	25.63
1000-200S-1111	PRO-LIFE-J001956A	LIFESIZE EXPRESS- FOCUS-SGP- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-150S-1111	PRO-LIFE-J001954A	LIFESIZE EXPRESS-FOCUS- SGP- SERVICES BUNDLE (2-YEAR)	1,039.35
1000-130S-1111	PRO-LIFE-J001952A	LIFESIZE EXPRESS- FOCUS-SGP- SERVICES BUNDLE (3-YEAR)	1,469.33
1000-1000-0199	PRO-LIFE- J001664A	LIFESIZE EXPRESS-EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	341.25
1000-1100-0199	PRO-LIFE-J001666A	LIFESIZE EXPRESS- CODEC- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	614.25
1000-1200-0199	PRO-LIFE-J001668A	LIFESIZE EXPRESS- CODEC- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	870.68
1000-2000-0199	PRO-LIFE-J001670A	LIFESIZE EXPRESS- CODEC- ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-0199	PRO-LIFE-J001950A	LIFESIZE EXPRESS-CODEC ONLY- SERVICES BUNDLE (2-YEAR)	991.58
1000-1300-0199	PRO-LIFE-J001671A	LIFESIZE EXPRESS- CODEC ONLY-SERVICES BUNDLE (3-YEAR)	1,388.40
	<b>LIFESIZE CAMERA</b>	<b>LIFESIZE</b>	
1000-1000-0107	PRO-LIFE- J001602A	LIFESIZE CAMERA-EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	264.75

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

	<b>MODEL NO. *see note below</b>	<b>MANUFACTURER/DESCRIPTION</b>	<b>STS Price</b>
1000-2000-0107	PRO-LIFE-J001098A	LIFESIZE CAMERA- ADVANCED REPLACEMENT (1-YEAR)	97.50
1000-1500-0107	PRO-LIFE-J001948A	LIFESIZE CAMERA- SERVICES BUNDLE (2-YEAR)	359.78
1000-1300-0107	PRO-LIFE-J001099A	LIFESIZE CAMERA- SERVICES BUNDLE (3-YEAR)	561.60
1000-100S-0107	PRO-LIFE-J001364A	LIFESIZE CAMERA-SGP- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	248.63
1000-110S-0107	PRO-LIFE-J001372A	LIFESIZE CAMERA-SGP- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	447.53
1000-120S-0107	PRO-LIFE-J001380A	LIFESIZE CAMERA-SGP-EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	633.75
1000-200S-0107	PRO-LIFE-J001388A	LIFESIZE CAMERA- SGP- ADVANCED REPLACEMENT (1-YEAR)	117.00
1000-150S-0107	PRO-LIFE-J001942A	LIFESIZE CAMERA- SGP- SERVICES BUNDLE (2-YEAR)	434.85
1000-130S-0107	PRO-LIFE-J002028A	LIFESIZE CAMERA- SGP- SERVICES BUNDLE (3-YEAR)	678.60
<b>LIFESIZE FOCUS</b>		<b>LIFESIZE</b>	
1000-1000-0104	PRO-LIFE-J001922A	LIFESIZE FOCUS-EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	102.38
1000-1100-0104	PRO-LIFE-J001924A	LIFESIZE FOCUS-EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	184.28
1000-1200-0104	PRO-LIFE-J001926A	LIFESIZE FOCUS-EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	261.30
1000-2000-0104	PRO-LIFE-J001928A	LIFESIZE FOCUS-ADVANCED REPLACEMENT (1-YEAR)	43.88
1000-1500-0104	PRO-LIFE-J001930A	LIFESIZE FOCUS-SERVICES BUNDLE (2-YEAR)	171.60
1000-1300-0214	PRO-LIFE-J001920A	LIFESIZE FOCUS-SERVICES BUNDLE (3-YEAR)	269.10
<b>LIFESIZE AUDIO SYSTEMS</b>		<b>LIFESIZE AUDIO SYSTEMS</b>	<b>LIFESIZE</b>
<b>LS PN#</b>	<b>PPI PN#</b>		
<b>LIFESIZE PHONE</b>		<b>LIFESIZE</b>	
1000-1000-0101	PRO-LIFE-J001106A	LIFESIZE PHONE-EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	81.90
1000-1100-0101	PRO-LIFE-J001108A	LIFESIZE PHONE-EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	147.23
1000-1200-0101	PRO-LIFE-J001110A	LIFESIZE PHONE-EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	208.65
1000-2000-0101	PRO-LIFE-J001764A	LIFESIZE PHONE-ADVANCED REPLACEMENT (1-YEAR)	35.10
1000-1500-0101	PRO-LIFE-J001944A	LIFESIZE PHONE-SERVICES BUNDLE (2-YEAR)	144.30
1000-1300-0101	PRO-LIFE-J001114A	LIFESIZE PHONE-SERVICES BUNDLE (3-YEAR)	215.48
1000-100S-0101	PRO-LIFE-J001362A	LIFESIZE PHONE-SGP- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	96.53
1000-110S-0101	PRO-LIFE-J001370A	LIFESIZE PHONE-SGP- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	173.55
1000-120S-0101	PRO-LIFE-J001378A	LIFESIZE PHONE-SGP- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	245.70
1000-200S-0101	PRO-LIFE-J001386A	LIFESIZE PHONE-SGP- ADVANCED REPLACEMENT (1-YEAR)	43.88
1000-150S-0101	PRO-LIFE-J001968A	LIFESIZE PHONE-SGP- SERVICES BUNDLE (2-YEAR)	175.50
1000-130S-0101	PRO-LIFE-J002026A	LIFESIZE PHONE-SGP- SERVICES BUNDLE (3-YEAR)	259.35
<b>LIFESIZE INFRASTRUCTURE</b>		<b>LIFESIZE INFRASTRUCTURE</b>	<b>LIFESIZE</b>
<b>LS PN#</b>	<b>PPI PN#</b>		
<b>LIFESIZE MULTIPOINT</b>		<b>LIFESIZE</b>	
1000-1000-0152	PRO-LIFE-J001158A	LIFESIZE MULTIPOINT- 12 EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	2,047.50
1000-1100-0152	PRO-LIFE-J001160A	LIFESIZE MULTIPOINT- 12 EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	3,685.50
1000-1200-0152	PRO-LIFE-J001162A	LIFESIZE MULTIPOINT- 12 EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	5,221.13
1000-2000-0152	PRO-LIFE-J001164A	LIFESIZE MULTIPOINT- 12 ADVANCED REPLACEMENT (1-YEAR)	1,170.00
1000-1000-0153	PRO-LIFE-J001166A	LIFESIZE MULTIPOINT- 24 EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	3,412.50
1000-1100-0153	PRO-LIFE-J001168A	LIFESIZE MULTIPOINT- 24 EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	6,142.50
1000-1200-0153	PRO-LIFE-J001170A	LIFESIZE MULTIPOINT- 24 EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	8,701.88
1000-2000-0153	PRO-LIFE-J001172A	LIFESIZE MULTIPOINT- 24 ADVANCED REPLACEMENT (1-YEAR)	1,950.00
<b>LIFESIZE GATEWAY</b>		<b>LIFESIZE</b>	
1000-1000-0154	PRO-LIFE-J001174A	LIFESIZE GATEWAY- PRI- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	2,047.50
1000-1100-0154	PRO-LIFE-J001176A	LIFESIZE GATEWAY- PRI- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	3,685.50
1000-1200-0154	PRO-LIFE-J001178A	LIFESIZE GATEWAY- PRI- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	5,221.13
1000-2000-0154	PRO-LIFE-J001180A	LIFESIZE GATEWAY- PRI-ADVANCED REPLACEMENT (1-YEAR)	1,170.00
1000-1000-0155	PRO-LIFE-J001182A	LIFESIZE GATEWAY- SERIAL EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	1,706.25
1000-1100-0155	PRO-LIFE-J001184A	LIFESIZE GATEWAY- SERIAL EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	3,071.25
1000-1200-0155	PRO-LIFE-J001186A	LIFESIZE GATEWAY- SERIAL EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	4,350.45
1000-2000-0155	PRO-LIFE-J001188A	LIFESIZE GATEWAY-SERIAL ADVANCED REPLACEMENT (1-YEAR)	975.00
<b>LIFESIZE NETWORKER</b>		<b>LIFESIZE</b>	
1000-1000-0103	PRO-LIFE-J001116A	LIFESIZE NETWORKER- S/T- EXTENSION WARRANTY & MAINTENANCE (1-YEAR)	136.50
1000-1100-0103	PRO-LIFE-J001118A	LIFESIZE NETWORKER- S/T- EXTENSION WARRANTY & MAINTENANCE (2-YEAR)	245.70
1000-1200-0103	PRO-LIFE-J001120A	LIFESIZE NETWORKER- S/T- EXTENSION WARRANTY & MAINTENANCE (3-YEAR)	348.00
1000-2000-0103	PRO-LIFE-J001121A	LIFESIZE NETWORKER- ADVANCED REPLACEMENT (1-YEAR)	58.50
1000-1500-0103	PRO-LIFE-J001940A	LIFESIZE NETWORKER- S/T SERVICES BUNDLE (2-YEAR)	240.83
1000-1300-0103	PRO-LIFE-J001122A	LIFESIZE NETWORKER- S/T SERVICES BUNDLE (3-YEAR)	358.80
<b>LIFESIZE TRANSIT</b>		<b>LIFESIZE</b>	
1000-1000-0147	PRO-LIFE-J001136A	LIFESIZE TRANSIT SERVER EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	819.00
1000-1100-0147	PRO-LIFE-J001138A	LIFESIZE TRANSIT SERVER EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	1,474.20
1000-1200-0147	PRO-LIFE-J001140A	LIFESIZE TRANSIT SERVER EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	2,088.45
1000-2000-0147	PRO-LIFE-J001143A	LIFESIZE TRANSIT SERVER ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-0147	PRO-LIFE-J001936A	LIFESIZE TRANSIT SERVER SERVICES BUNDLE (2-YEAR)	1,444.95

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price	
1000-1200-0149	PRO-LIFE-J001148A	LIFESIZE TRANSIT CLIENT EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	1,044.23
1000-2000-0149	PRO-LIFE-J001151A	LIFESIZE TRANSIT CLIENT ADVANCED REPLACEMENT (1-YEAR)	351.00
1000-1500-0149	PRO-LIFE-J001872A	LIFESIZE TRANSIT CLIENT SERVICES BUNDLE (2-YEAR)	1,055.93
1000-1300-0149	PRO-LIFE-J001150A	LIFESIZE TRANSIT CLIENT SERVICES BUNDLE (3-YEAR)	1,497.60
<b>LIFESIZE MANAGEMENT</b>			
<b>LS PN#</b>	<b>PPI PN#</b>	<b>LIFESIZE</b>	
<b>LIFESIZE CONTROL</b>			
1000-1000-0005	PRO-LIFE-J001132A	LIFESIZE CONTROL- SINGLE DEVICE LICENSE 1-YEAR SOFTWARE MAINTENANCE	58.50
1000-1000-0006	PRO-LIFE-J001134A	LIFESIZE CONTROL- ENTERPRISE LICENSE 1-YEAR SOFTWARE MAINTENANCE	21,937.50
<b>LIFESIZE GATEKEEPER</b>			
1000-1000-0151	PRO-LIFE-J001152A	LIFESIZE GATEKEEPER 1-YEAR SOFTWARE MAINTENANCE	887.25
1000-1100-0151	PRO-LIFE-J001154A	LIFESIZE GATEKEEPER 2-YEAR SOFTWARE MAINTENANCE	1,597.05
1000-1200-0151	PRO-LIFE-J001156A	LIFESIZE GATEKEEPER 3-YEAR SOFTWARE MAINTENANCE	2,262.00
<b>LIFESIZE ACCESSORIES</b>			
<b>LS PN#</b>	<b>PPI PN#</b>	<b>LIFESIZE</b>	
<b>LIFESIZE SDI ADAPTER</b>			
1000-1000-0197	PRO-LIFE-J001932A	LIFESIZE SDI ADAPTER- EXTENDED WARRANTY & MAINTENANCE (1-YEAR)	102.38
1000-1100-0197	PRO-LIFE-J001934A	LIFESIZE SDI ADAPTER- EXTENDED WARRANTY & MAINTENANCE (2-YEAR)	195.00
1000-1200-0197	PRO-LIFE-J002034A	LIFESIZE SDI ADAPTER- EXTENDED WARRANTY & MAINTENANCE (3-YEAR)	275.93
1000-2000-0197	PRO-LIFE-J001779A	LIFESIZE SDI ADAPTER- ADVANCED REPLACEMENT (1-YEAR)	43.88
1000-1500-0197	PRO-LIFE-J001966A	LIFESIZE SDI ADAPTER- SERVICES BUNDLE (2-YEAR)	180.38
1000-1300-0197	PRO-LIFE-J001743A	LIFESIZE SDI ADAPTER- SERVICES BUNDLE (3-YEAR)	269.10
<b>LIFESIZE MicPod</b>			
1000-0000-0200	PRO-LIFE-J001702A	LIFESIZE MicPod	291.53
1000-0007-0200	PRO-LIFE-J001836A	LIFESIZE MicPod- CHINA RoHS COMPLIANT	291.53
<b>ADDITIONAL ORDERABLE ITEMS</b>			
<b>LS PN#</b>	<b>PPI PN#</b>	<b>LIFESIZE</b>	
1000-0000-0109	PRO-LIFE-J001190A	LIFESIZE ROOM/ TEAM MP-- OPTIONAL CABLE KIT	291.53
1000-0000-0161	PRO-LIFE-J001192A	LIFESIZE CAMERA CABLE-- 7.5M/ 25FT	194.03
1000-0007-0161	PRO-LIFE-J001964A	LIFESIZE CAMERA CABLE-- 7.5M/ 25FT- CHINA ROHS COMPLIANT	194.03
1000-0000-0162	PRO-LIFE-J001194A	LIFESIZE CAMERA CABLE-- 15M/ 50 FT	486.53
1000-0007-0162	PRO-LIFE-J001962A	LIFESIZE CAMERA CABLE-- 15M/ 50 FT- CHINA ROHS COMPLIANT	486.53
1000-0000-0112	PRO-LIFE-J001196A	LIFESIZE REMOTE CONTROL- JAPANESE	86.78
1000-0000-0113	PRO-LIFE-J001198A	LIFESIZE REMOTE CONTROL- GERMAN	86.78
1000-0000-0114	PRO-LIFE-J001200A	LIFESIZE REMOTE CONTROL- FRENCH	86.78
1000-0007-0115	PRO-LIFE-J001960A	LIFESIZE REMOTE CONTROL- SIMPLIFIED CHINESE- CHINA ROHS COMPLIANT	86.78
1000-0000-0116	PRO-LIFE-J001204A	LIFESIZE REMOTE CONTROL- CASTILIAN SPANISH	86.78
1000-0000-0117	PRO-LIFE-J001206A	LIFESIZE REMOTE CONTROL- KOREAN	86.78
1000-0000-0118	PRO-LIFE-J001208A	LIFESIZE REMOTE CONTROL- RUSSIAN	86.78
1000-0000-0119	PRO-LIFE-J001210A	LIFESIZE REMOTE CONTROL- ITALIAN	86.78
1000-0000-0120	PRO-LIFE-J001212A	LIFESIZE REMOTE CONTROL- PORTUGUESE	86.78
1000-0000-0131	PRO-LIFE-J001214A	LIFESIZE REMOTE CONTROL- ENGLISH	86.78
1000-0007-0131	PRO-LIFE-J001874A	LIFESIZE REMOTE CONTROL- ENGLISH- CHINA ROHS COMPLIANT	86.78
1000-0000-0126	PRO-LIFE-J001216A	LIFESIZE VIDEO SYSTEMS POWER SUPPLY	174.53
1000-0007-0126	PRO-LIFE-J001876A	LIFESIZE VIDEO SYSTEMS POWER SUPPLY- CHINA ROHS COMPLIANT	174.53
1000-0008-0126	PRO-LIFE-J001328A	LIFESIZE VIDEO SYSTEM POWER SYSTEM- JAPAN	174.53
1000-0000-0128	PRO-LIFE-J001220A	LIFESIZE NETWORKER POWER SUPPLY- ROHS COMPLIANT	174.53
1000-0000-0134	PRO-LIFE-J001222A	LIFESIZE POWER CORD- NORTH AMERICA	14.63
1000-0000-0135	PRO-LIFE-J001224A	LIFESIZE POWER CORD- CONTINENTAL EUROPE	14.63
1000-0000-0136	PRO-LIFE-J001226A	LIFESIZE POWER CORD- UK	14.63
1000-0000-0137	PRO-LIFE-J001228A	LIFESIZE POWER CORD- AUSTRALIA/ NEW ZEALAND	14.63
1000-0000-0138	PRO-LIFE-J001230A	LIFESIZE POWER CORD- RUSSIA	14.63
1000-0000-0039	PRO-LIFE-J001232A	LIFESIZE POWER CORD- SOUTH KOREA	14.63
1000-0007-0140	PRO-LIFE-J001234A	LIFESIZE POWER CORD- CHINA ROHS COMPLIANT	14.63
1000-0000-0141	PRO-LIFE-J001236A	LIFESIZE POWER CORD- JAPAN	14.63
1000-0000-0142	PRO-LIFE-J001878A	LIFESIZE POWER CORD- SINGAPORE	14.63
1000-0000-0143	PRO-LIFE-J001240A	LIFESIZE POWER CORD- HONG KONG	14.63
1000-0000-0044	PRO-LIFE-J001242A	LIFESIZE POWER CORD- TAIWAN	14.63
1000-0000-0145	PRO-LIFE-J001244A	LIFESIZE POWER CORD- ITALY	14.63
1000-0000-0146	PRO-LIFE-J001880A	LIFESIZE POWER CORD- BRAZIL	14.63
1000-0000-0170	PRO-LIFE-J001326A	LIFESIZE POWER CORD- INDIA	34.13
1000-0000-0156	PRO-LIFE-J001248A	LIFESIZE GATEWAY- SERIAL CABLE- V35/RS366-DTE	194.03
1000-0000-0157	PRO-LIFE-J001250A	LIFESIZE GATEWAY- SERIAL CABLE- EIA449/RS366-DTE	194.03
1000-0000-0158	PRO-LIFE-J001252A	LIFESIZE GATEWAY- SERIAL CABLE- EIA530/ RS366- DTE	194.03

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
<b>LS PN#</b>	<b>PPI PN#</b>	
1000-0100-0168	PRO-LIFE-J001882A	LIFESIZE ROOM CODEC- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 6,590.03
1000-0200-0168	PRO-LIFE-J001946A	LIFESIZE ROOM CODEC- RMA WARRANTY ITEM NOT RETURNED 8,238.75
1000-0300-0168	PRO-LIFE-J001884A	LIFESIZE ROOM CODEC- WARRANTY RECERTIFICATION 284.70
1000-0100-0203	PRO-LIFE-J001634A	LIFESIZE TEAM MP CODEC- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 4,056.00
1000-0200-0203	PRO-LIFE-J001636A	LIFESIZE TEAM MP CODEC- RMA WARRANTY ITEM NOT RETURNED 5,070.00
1000-0300-0203	PRO-LIFE-J001638A	LIFESIZE TEAM MP CODEC- WARRANTY RECERTIFICATION 195.00
1000-0100-0167	PRO-LIFE-J001896A	LIFESIZE TEAM CODEC- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 4,055.03
1000-0200-0167	PRO-LIFE-J001886A	LIFESIZE TEAM CODEC- RMA WARRANTY ITEM NOT RETURNED 3,314.03
1000-0300-0167	PRO-LIFE-J001888A	LIFESIZE TEAM CODEC- WARRANTY RECERTIFICATION 162.83
1000-0100-0199	PRO-LIFE-J001658A	LIFESIZE EXPRESS CODEC- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 3,042.00
1000-0200-0199	PRO-LIFE-J001660A	LIFESIZE EXPRESS CODEC- RMA WARRANTY ITEM NOT RETURNED 3,802.50
1000-0300-0199	PRO-LIFE-J001662A	LIFESIZE EXPRESS CODEC- WARRANTY RECERTIFICATION 121.88
1000-0100-0107	PRO-LIFE-J001270A	LIFESIZE CAMERA- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 1,520.03
1000-0200-0107	PRO-LIFE-J001272A	LIFESIZE CAMERA- RMA WARRANTY ITEM NOT RETURNED 1,901.25
1000-0300-0107	PRO-LIFE-J001274A	LIFESIZE CAMERA- WARRANTY RECERTIFICATION 97.50
1000-0100-0214	PRO-LIFE-J001816A	LIFESIZE FOCUS- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 760.50
1000-0200-0214	PRO-LIFE-J001817A	LIFESIZE FOCUS- RMA WARRANTY ITEM NOT RETURNED 950.63
1000-0300-0214	PRO-LIFE-J001818A	LIFESIZE FOCUS- WARRANTY RECERTIFICATION 97.50
1000-0100-0197	PRO-LIFE-J001890A	LIFESIZE SDI ADAPTER- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 994.50
1000-0200-0197	PRO-LIFE-J001918A	LIFESIZE SDI ADAPTER- RMA WARRANTY ITEM NOT RETURNED 1,243.13
1000-0300-0197	PRO-LIFE-J001894A	LIFESIZE SDI ADAPTER- WARRANTY RECERTIFICATION 97.50
1000-0100-0101	PRO-LIFE-J001258A	LIFESIZE PHONE- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 607.43
1000-0200-0101	PRO-LIFE-J001260A	LIFESIZE PHONE- RMA WARRANTY ITEM NOT RETURNED 760.50
1000-0300-0101	PRO-LIFE-J001262A	LIFESIZE PHONE- WARRANTY RECERTIFICATION 97.50
1000-0100-0152	PRO-LIFE-J001346A	LIFESIZE MULTIPOINT-12- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 8,043.75
1000-0200-0152	PRO-LIFE-J001294A	LIFESIZE MULTIPOINT-12- RMA WARRANTY ITEM NOT RETURNED 19,890.00
1000-0300-0152	PRO-LIFE-J001354A	LIFESIZE MULTIPOINT-12- WARRANTY RECERTIFICATION 4,387.50
1000-0100-0153	PRO-LIFE-J001348A	LIFESIZE MULTIPOINT-24- OUT OF WARRANTY REPAIR/REFURBISHMENT 13,406.25
1000-0200-0153	PRO-LIFE-J001296A	LIFESIZE MULTIPOINT-24- RMA WARRANTY ITEM NOT RETURNED 33,150.00
1000-0300-0153	PRO-LIFE-J001356A	LIFESIZE MULTIPOINT-24- WARRANTY RECERTIFICATION 7,312.50
1000-0100-0154	PRO-LIFE-J001870A	LIFESIZE GATEWAY-PRI- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 8,043.75
1000-0200-0154	PRO-LIFE-J001298A	LIFESIZE GATEWAY- PRI- RMA WARRANTY ITEM NOT RETURNED 19,890.00
1000-0300-0154	PRO-LIFE-J001358A	LIFESIZE GATEWAY- PRI- WARRANTY RECERTIFICATION 4,387.50
1000-0100-0155	PRO-LIFE-J001350A	LIFESIZE GATEWAY-SERIAL- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 6,703.13
1000-0200-0155	PRO-LIFE-J001300A	LIFESIZE GATEWAY-SERIAL- RMA WARRANTY RECERTIFICATION 16,575.00
1000-0300-0155	PRO-LIFE-J001360A	LIFESIZE GATEWAY-SERIAL- WARRANTY ITEM NOT RETURNED 3,656.25
1000-0100-0103	PRO-LIFE-J001264A	LIFESIZE NETWORKER-S/T- OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 1,013.03
1000-0200-0103	PRO-LIFE-J001266A	LIFESIZE NETWORKER-S/T- RMA WARRANTY RECERTIFICATION 1,267.50
1000-0300-0103	PRO-LIFE-J001268A	LIFESIZE NETWORKER-S/T- WARRANTY ITEM NOT RETURNED 97.50
1000-0100-0147	PRO-LIFE-J001282A	LIFESIZE TRANSIT SERVER-OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 6,083.03
1000-0200-0147	PRO-LIFE-J001284A	LIFESIZE TRANSIT SERVER-RMA WARRANTY RECERTIFICATION 7,605.00
1000-0300-0147	PRO-LIFE-J001286A	LIFESIZE TRANSIT SERVER- WARRANTY ITEM NOT RETURNED 292.50
1000-0100-0149	PRO-LIFE-J001288A	LIFESIZE TRANSIT CLIENT-OUT OF WARRANTY REPAIR/REFURBISHMENT EXCHANGE 3,041.03
1000-0200-0149	PRO-LIFE-J001290A	LIFESIZE TRANSIT CLIENT- MA WARRANTY RECERTIFICATION 3,802.50
1000-0300-0149	PRO-LIFE-J001292A	LIFESIZE TRANSIT CLIENT- WARRANTY ITEM NOT RETURNED 292.50
<b>TRAINING SERVICES</b>	<b>TRAINING SERVICES</b>	<b>LIFESIZE</b>
<b>LS PN#</b>	<b>PPI PN#</b>	
1000-0000-0163	PRO-LIFE-J001318A	LIFESIZE ENDPOINT OVERVIEW TRAINING- 4 HOUR OVERVIEW 487.50
1000-0000-0164	PRO-LIFE-J001320A	LIFESIZE ENDPOINT OVERVIEW TRAINING- 1 DAY PER PERSON (BASIC)- AUSTIN, TX 1,462.50
1000-0000-0165	PRO-LIFE-J001322A	LIFESIZE INFRASTRUCTURE TRAINING- 1 DAY PER PERSON (BASIC)- AUSTIN, TX 877.50
1000-0000-0166	PRO-LIFE-J001324A	LIFESIZE INFRASTRUCTURE TRAINING- 3 DAY PER PERSON (ADVANCED)- AUSTIN, TX 3,022.50
<b>ASSURANCE SERVICES</b>	<b>ASSURANCE SERVICES (AMERICAS O</b>	<b>LIFESIZE</b>
<b>LS PN#</b>	<b>PPI PN#</b>	
1000-0000-0183	PRO-LIFE-J001056A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE ROOM 780.00
1000-0000-0208	PRO-LIFE-J001081A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE ROOM CODEC 780.00
1000-0000-0204	PRO-LIFE-J001708A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE TEAM MP- PHONE 780.00
1000-0000-0206	PRO-LIFE-J001712A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE TEAM MP- MICPOD 780.00
1000-0000-0209	PRO-LIFE-J001718A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE TEAM MP CODEC 780.00
1000-0000-0184	PRO-LIFE-J001678A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE TEAM 780.00
1000-0000-0210	PRO-LIFE-J001720A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE TEAM CODEC 780.00
1000-0000-0201	PRO-LIFE-J001704A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE EXPRESS 780.00
1000-0000-0215	PRO-LIFE-J001898A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE EXPRESS- FOCUS 780.00
1000-0000-0211	PRO-LIFE-J001722A	HELP DESK SERVICE- TIER 1 & 2 PHONE SUPPORT (1-YEAR) LIFESIZE EXPRESS CODEC 780.00

**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
1000-0000-0186	PRO-LIFE-J001682A	302.25
1000-0000-0189	PRO-LIFE-J001688A	1,462.50
1000-0000-0190	PRO-LIFE-J001321A	1,170.00
1000-0000-0205	PRO-LIFE-J001710A	1,170.00
1000-0000-0207	PRO-LIFE-J001714A	1,170.00
1000-0000-0191	PRO-LIFE-J001690A	1,170.00
1000-0000-0202	PRO-LIFE-J001706A	1,170.00
1000-0000-0216	PRO-LIFE-J001900A	1,170.00
1000-0000-0192	PRO-LIFE-J001692A	302.25
1000-0000-0194	PRO-LIFE-J001696A	2,047.50
1000-0000-0195	PRO-LIFE-J001698A	2,437.50
1000-0000-0212	PRO-LIFE-J001724A	2,535.00
1000-0000-0213	PRO-LIFE-J001726A	2,535.00
1000-0000-0193	PRO-LIFE-J001694A	302.25
1000-0000-0196	PRO-LIFE-J001700A	1,462.50

**VIDEO FURNITURE INTERNATIONAL**

PLASMA/LCD CARTS	PLASMA/LCD CARTS	VIDEO FURNITURE INTERNATIONAL	STS Price
	PRO-PL3070	SINGLE OR DUAL PLASMA STAND. CAN SUPPORT UP TO 50" DUAL PLASMA/LCD SCREENS WITH PM-D OPTION. REMOVABLE PERFORATED METAL SIDES. 14RU RAILS. 2 SPEAKERS CAN BE ADDED BEHIND SIDE GRILLS. PLASMA BRACKETS NOT INCLUDED- BLK	1,253.05
	PRO-PL3042	46" WIDE STAND WILL SUPPORT UP TO 60" PLASMA/LCDS. FULLY ASSEMBLED WITH REAR ACCESS DOOR. OPTION TO ADD 12RU RACK RAILS. PLASMA BRACKETS ARE NOT INCLUDED-BLK	1,044.05
	PRO-PL3060	48" WIDE STAND WILL SUPPORT UP TO 60" PLASMA/LCD. FULLY ASSEMBLED WITH VCR/DVD SHELF, INTERIOR STORAGE IS OPTIONAL. 10RU RACK MOUNT AND TWO SIDE STORAGE COMPARTMENTS. PLASMA BRACKETS NOT INCLUDED-BLK	1,291.05
	PRO-C-2736	SINGLE UNIT HOLDS PLASMA/LCD DISPLAYS UP TO 60". REAR DOOR FOR EASY ACCESS. BUILT IN HANDLES, FULLY ASSEMBLED. PLASMA BRACKETS NOT INCLUDED-BLK	1,006.05
	PRO-CD-3232	DUAL UNIT HOLDS 2- 42" PLASMA/LCDS OR SINGLE PLASMA DISPLAYS UP TO 60". REAR DOOR FOR EASY ACCESS. BUILT IN HANDLES. PLASMA BRACKETS NOT INCLUDED-BLK	1,291.05
	PRO-CR2050	CREDENZA. DESIGNED TO HOLD 42-60" PLASMAS OR LCDS. UNIT IS ON WHEELS AND COMPLETE WITH 12RU RACK, SILENT FAN AND STORAGE COMPARTMENTS. PLASMA BRACKETS NOT INCLUDED. MAPLE/ DARK CHERRY	1,709.05
	PRO-103324	LARGE TOP SURFACE ACCOMODATES 17" TO 32" PLASMA/LCDS, COMPUTER SCREENS, VISUAL PRESENTERS OR LAPTOPS. 12RU RACK. SLIDE OUT LEFT TO RIGHT SHELF. SLIDE OUT KEYBOARD TRAY. LCD BRACKET NOT INCLUDED-BLK	949.05
	PRO-PF36	FLAT SCREEN MONITOR STAND DESIGNED TO ACCOMMODATE 27, 32 AND 36" MONITORS, FULLY ASSEMBLED-BLK	816.05
	PRO-C2736-42	TECH SERIES SINGLE 42" IN HEIGHT. HOLDS 27-36" CRT MONITOR OR PLASMA/LCD DISPLAYS UP TO 50". IDEAL FOR EDUCATION AND CORPORATE TRAINING. REAR ACCESS DOOR, FULLY ASSEMBLED-BLK	1,253.05
	PRO-PL4042	ERGONOMIC STAND HAS CENTER VENTED STORAGE FOR VSX SPEAKER OR V/C CODEC. 16RU SPACE ON RIGHT. 3 SHELVES ON	1,519.05

PLASMA/LCD BRACKETS	PLASMA/LCD BRACKETS	VIDEO FURNITURE INTERNATIONAL	STS Price
	PRO-MM-S	MEDIUM DUTY. 17-32" PLASMA/LCD MOUNT WITH BUILT IN CAMERA/CODEC MOUNT AND CABLE GROMMETS.-BLK	379.05
	PRO-PM-S	HEAVY DUTY. SINGLE BRACKET PLASMA/LCD MOUNT. FITS MOST 32-50" PLASMAS AND LCDS. CAMERA MOUNTING BRACKET	949.05
	PRO-PM-D	HEAVY DUTY DUAL BRACKET PLASMA MOUNT. FITS MOST 32-50" PLASMAS. CAMERA MOUNTING BRACKET INCLUDED-BLK	1,139.05
	PRO-PMS-XL-B	HEAVY DUTY DUAL BRACKET PLASMA MOUNT. FITS MOST 32-50" PLASMAS. CAMERA MOUNTING BRACKET INCLUDED-BLK	1,139.05
	PRO-PMS-FL	HEAVY DUTY. FLOOR MOUNT FITS MOST 32-50" PLASMAS/LCDS. 62" HEIGHT. CAN SUPPORT UP TO 3 TVS WITH OPTIONS. CAM MOUNT BUILT IN. INCLUDES ONE SHELF-BLK	1,519.05
	PRO-CS	WALL MOUNTED CAMERA SHELF (INCLUDING OPTIONAL CODEC MOUNTING SHELF) HARDWARE FOR WOOD STUDS OR MASONRY-BLK	246.05
	PRO-PM-CVR	COVER FOR PM-S AND PM-D MOUNTING HARDWARE. HIDES PM-S AND PM-D BOLTS. BLK	189.05
	PRO-PM-CMP	CODEC MOUNTING PLATE. REPLACES CAM TONGUE ON PM SERIES. FOR LARGER SET TOP CODECS.- BLK	85.50
	PRO-PM-CAM	ACCESSORY FOR PM-D. USED FOR MOUNTING CAMERA BETWEEN 2 SCREENS-BLK	141.55
	PRO-PM-HDCB	HIGH DEFINITION CODEC BRACKET FOR PM-S, PM-D, PM-S-XL, PMS-FL. BLK	142.50
	PRO-SH-PM	ADDITIONAL SHELVES FOR PM-S-FL. (CAN SUPPORT UP TO 6 SHELVES)-BLK	141.55
	PRO-BKT-KIT	OPTIONAL FOT THE PM-S/XL/FL. USED TO MOUNT AN ADDITIONAL FLAT SCREEN BELOW OR BEHIND AN EXISTING FLAT SCREEN	284.05

MODULAR RACKS	MODULAR RACKS	VIDEO FURNITURE INTERNATIONAL	STS Price
	PRO-AV-12RU (SPECIFY COLOR)	DELUXE MOBILE RACK ANCLOSURE EQUIPPED WITH LOCKING FRNOT AND REAR DOORS. FULLY ASSEMBLED AND RACK RAILS INSTALLED (AV-SERIES WILL BE REPLACE BY RACK SERIES LATER IN 2009)- BLK,GRAY MATRIX, DARK CHERRY, MED CHERRY AND	702.05
	PRO-AV-16RU	DELUXE MOBILE RACK ANCLOSURE EQUIPPED WITH LOCKING FRNOT AND REAR DOORS. FULLY ASSEMBLED AND RACK RAILS INSTALLED (AV-SERIES WILL BE REPLACE BY RACK SERIES LATER IN 2009)- BLK,GRAY MATRIX, DARK CHERRY, MED CHERRY AND	740.05
	PRO-AV-21RU	DELUXE MOBILE RACK ANCLOSURE EQUIPPED WITH LOCKING FRNOT AND REAR DOORS. FULLY ASSEMBLED AND RACK RAILS INSTALLED (AV-SERIES WILL BE REPLACE BY RACK SERIES LATER IN 2009)- BLK,GRAY MATRIX, DARK CHERRY, MED CHERRY AND	816.05
	PRO-RACK-12	MOBILE RACK EQUIPPED WITH LOCKING FRONT AND REAR DOORS. LARGE TOP VENT. SCRYLIC DOOR WITH IMPROVED ACCESS FOR EQUIPMENT. FRONT AND REAR RACK RAILS INSTALLED.- BLK, GRAY MATRIX, DARK CHERRY, MED CHERRY, MAPLE	892.05
	PRO-RACK-16	MOBILE RACK EQUIPPED WITH LOCKING FRONT AND REAR DOORS. LARGE TOP VENT. SCRYLIC DOOR WITH IMPROVED ACCESS FOR EQUIPMENT. FRONT AND REAR RACK RAILS INSTALLED.- BLK, GRAY MATRIX, DARK CHERRY, MED CHERRY, MAPLE	930.05
	---	MOBILE RACK EQUIPPED WITH LOCKING FRONT AND REAR DOORS. LARGE TOP VENT. SCRYLIC DOOR WITH IMPROVED ACCESS FOR	---



**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-CNL30	REMOVABLE CONSOLE FOR PD3006-BLACK	284.05
PRO-CNL39	REMOVABLE CONSOLE FOR PD3001/2/7-BLACK	284.05
PRO-ADA-DESK	DESK ADD-ON FOR LECTERNS KNOCK DOWN- ADA COMPLIANT 41"W X 24 3/4"D X 32" H	474.05
PRO-C900S	15-19" MONITOR ARM- BLACK	217.55
PRO-VFI PATCH	PATCH PANEL. COMES WITH VGA, 3.5MM AUDIO, RJ45, RJ11 AND AC- BLACK	665.00
PRO-MIC-18	GOOSENECK MICROPHONE AND FLANGE MOUNT-BLACK	379.05
PRO-LIGHT-18	GOOSENECK LIGHT WITH DIMMER- BLACK	151.05
PRO-ADA-DESK	ADA DESK ADD-ON FOR PODIUMS-ALL	949.05
PRO-FM3	COUNTDOWN TIMER AND CLOCK- BLACK	332.50
<b>METAL PRODUCTS</b>	<b>METAL PRODUCTS</b>	<b>VIDEO FURNITURE INTERNATIONAL</b>
PRO-9225G-14	14 SPACE STEEL GANGABLE RACK 25" DEEP	771.40
PRO-9225G-27	27 SPACE STEEL GANGABLE RACK 25" DEEP	921.50
PRO-9225G-44	44 SPACE STEEL GANGABLE RACK 25" DEEP	1,107.70
PRO-9205-14	14 SPACE STEEL SIDE PANEL 25" DEEP (SOLD PER PAIR)	239.40
PRO-9205-27	27 SPACE STEEL SIDE PANEL 25" DEEP (SOLD PER PAIR)	393.30
PRO-9205-44	44 SPACE STEEL SIDE PANEL 25" DEEP (SOLD PER PAIR)	505.40
PRO-9211-14	14 SPACE LOCKING DOOR (PLEXIGLASS)	279.30
PRO-9211-27	27 SPACE LOCKING DOOR (PLEXIGLASS)	447.45
PRO-9211-44	44 SPACE LOCKING DOOR (PLEXIGLASS)	569.05
PRO-9212-14	14 SPACE VENTED LOCKING DOOR	444.60
PRO-9212-27	27 SPACE VENTED LOCKING DOOR	444.60
PRO-9212-44	44 SPACE VENTED LOCKING DOOR	514.90
PRO-9200	3.5" CASTER SKIRT 25" DEEP	281.20
PRO-9240-COMPLETE	12 SPACE WELDED WALL RACK W/ ACRYLIC DOOR AND LOCKS	904.40
PRO-9030-1	1 SPACE PAINTED STEEL SOLID UTILITY SHELF (11" DEEP)	36.10
PRO-9030-2	2 SPACE PAINTED STEEL SOLID UTILITY SHELF (11" DEEP)	46.55
PRO-9030-3	3 SPACE PAINTED STEEL SOLID UTILITY SHELF (14 3/4" DEEP)	62.70
PRO-9052-2D	2 SPACE PAINTED STEEL DRAWER (15.25" DEEP)	199.50
PRO-9052-3D	3 SPACE PAINTED STEEL DRAWER (15.25" DEEP)	221.35
PRO-9041	1 SPACE PAINTED STEEL SLIDING SHELF (14.63" DEEP)	214.70
PRO-9000-1	1 SPACE ECONOMY FLAT STEEL BLANK PANEL	8.55
PRO-9000-2	2 SPACE ECONOMY FLAT STEEL BLANK PANEL	10.45
PRO-9000-3	3 SPACE ECONOMY FLAT STEEL BLANK PANEL	13.30
PRO-9020-2	3 SPACE PAINTED STEEL FAN PANEL- 2 CUT OUTS	50.35
PRO-9027-1	1 SPACE FINE PERFORATION VENT PANEL	19.00
PRO-9027-2	2 SPACE FINE PERFORATION VENT PANEL	21.85
PRO-9027-3	3 SPACE FINE PERFORATION VENT PANEL	28.50
<b>OPTIONS</b>	<b>OPTIONS</b>	<b>VIDEO FURNITURE INTERNATIONAL</b>
PRO-DL	SECURITY PACKAGE, INCLUDES LOCKS FOR BOTH FRONT AND REAR DOORS, RETROFIT	46.55
PRO-VSX	VSX DOOR KIT, FOR VSX-7000 SYSTEM SUB-WOOFER	113.05
PRO-RMT-14	12RU RACK FRAME RETROFIT FOR MOST VFI STANDS	113.05
PRO-RACKRAIL-10	10RU RACK RAIL RETROFIT KIT FOR PL3060	113.05
PRO-RACKRAIL-12	12RU RACK RAIL RETROFIT FOR PL3042 & M 103420	113.05
PRO-RACKRAIL-16	16 RU RACK RAIL RETROFIT KIT FOR LE3090	113.05
PRO-CAM	TELESCOPIC TUBE CAMERA MOUNT FOR CARTS	284.05
PRO-6" SOFT WHEEL	6" SOFT RUBBER WHEELS	189.05
PRO-MIC-18	GOOSENECK MICROPHONE 18" LONG WITH XLR CONNECTION & FLANGE MOUNTING	379.05
PRO-9052-2	2 SPACE RACK DRAWER	228.00
PRO-9041	SLIDING SHELF	191.90
PRO-9030-2	2 SPACE RACK SHELF	53.20
PRO-RDY2GO-AMP	5 CHANNEL AMPLIFIER	474.05
PRO-SHLF	3/4" MDF PAINTED SHELF. BLACK FINISH. SPECIFY CART MODEL NO. WITH ORDERING (IE SHELF FOR 903032)	27.55
PRO-PB	6 OUTLET POWER BAR, 110V INCLUDES 10' CORD	37.05
PRO-FAN	PANASONIC 67 CFM QUIET FAN INCLUDES BLACK GRILLE AND 120V CORD	94.05
PRO-LIGHT-18	HIGH INTENSITY GOOSENECK LIGHT 18" LONG WITH CHASSIS & DIMMER	151.05
PRO-FM3	COUNTDOWN TIMER AND CLOCK	332.50
PRO-VFI-PATCH	SURFACE MOUNTED PATCH PANEL. COMES WITH VGA, 3.5MM AUDIO, RJ45, RJ11 & AC	665.00
PRO-RDY2GO-SPK	TOA FLUSH MOUNT SPEAKER W/ GRILLE	76.00
<b>JVC</b>		
PRO-JV-VNV686WPU	36X OUTDOOR PTZ DAY AND NIGHT DOME	2,533.78

<b>ProTech Security, Inc.</b> 7026 Sunset Strip Ave. NW North Canton, OH 44720-7077 <b>Price List Effective Date: January 1, 2009</b>				<a href="http://www.protech-security.com">www.protech-security.com</a>  <b>1.800.229.1475</b>	
		<b>Your "IP" (Internet Protocol) Integrated</b> <b>Electronic Security Surveillance System Provider</b>			
				STS Price	
<b>MODEL NO. *see note below</b>		<b>MANUFACTURER/DESCRIPTION</b>			
<b>NEXTIVA MULTI PORT ETHERNET VIDEO SERVERS (ENCODERS)</b>					
PRO-S1704e- T		DVD QUALITY ETHERNET VIDEO SERVER WITH 4 VIDEO INPUTS (12VDC)		1,886.42	
PRO-S1708e-T		DVD QUALITY ETHERNET VIDEO SERVER WITH 8 VIDEO INPUTS (12VDC)		2,646.42	
PRO-S1712e-T		DVD QUALITY ETHERNET VIDEO SERVER OPTIMIZED FOR HIGH PORT COUNT APPLICATIONS WITH 12 VIDEO INPUTS (12VDC)		2,693.92	
<b>FIRETIDE</b>					
<b>OUTDOOR</b>					
<b>HotPort Wireless Mesh Nodes</b>					
<b>FIRETIDE</b>					
<b>FIRETIDE</b>					
PRO-6201	HotPort 6201, Outdoor, Single Radio, Tri Band Spectrum 2.4 GHz/4.9 GHz/5 GHz, 400 mW, Wireless Mesh Node. Includes 5 meter North America AC power cable, single weatherized ethernet cable, clawtooth mounting kit, two 2.4 GHz 5 dBi antennas (for staging), two 5 GHz 5 dBi antennas (for staging), documentation CD and hardware installation guide. (Add country specific power cables)			2,432.63	
PRO-6202	HotPort 6202, Outdoor, Dual Radio, Tri Band Spectrum 2.4 GHz/4.9 GHz/5 GHz, 400 mW, Wireless Mesh Node. Includes 5 meter North America AC power cable, single weatherized, ethernet cable, clawtooth mounting kit, two 2.4 GHz 5 dBi antennas (for staging), two 5 GHz 5 dBi antennas (for staging), documentation CD hardware and installation guide. (Add country specific power cables)			2,920.13	
PRO-6200-900	HotPort 6200-900, Outdoor, Dual Radio, first radio 2.4 GHz/4.9 GHz/5 GHz, second radio 900Mhz, 400 mW, Wireless Mesh Node. Includes 5 meter North America AC power cable, single weatherized ethernet cable, clawtooth mounting kit, one 2.4 GHz 5 dBi antennas (for staging), one 5 GHz 5 dBi antennas (for staging), one 900 Mhz 5 dBi antenna (for staging), documentation CD and ahrdware installation guide. (Add country specific			3,407.63	
PRO-7200	HotPort 7200, Outdoor MIMO-802.11n, Dual Radio, Tri Band Spectrum 2.4 GHz, 100 mW, Wireless Mesh Node. Includes Power Supply Desktop Brick 15VDC, 2 meter North America AC power cable, six 2.4 GHz 5 dBi antennas, six 5 GHz 5 dBi antennas, documentation CD and hardware installation guide. <b>Only single enabled. Second radio enabling requires purchase of SW-7000-RADIO-1</b>			3,895.13	
<b>Hotpoint Access Point</b>					
<b>FIRETIDE</b>					
PRO-4600	HotPoint 4600 Access Point- Outdoor. Includes Firetide access point (802.11 b/g, 400 mW), mounting bracket, screw kit, PoE connector cable, management software, dual 5 dBi antennas ( for staging). (Add 4000-2000 for Stand alone usage)			970.13	
PRO-4200	HotPoint 4200 Access Point- Outdoor. Includes Firetide access point (802.11 b/g, 400 mW), with integrated panel antenna, PoE injector with North America AC power cable, pole mounting bracket, management software.			628.88	
PRO-4000-2000	HotPoint 4600 Access Point Stand alone Accessory Kit Bundle- Includes Single Ethernet Transistion Cable w/ watertight Ethernet connector (3200-2102), 2 meter. Indoor rated power supply with water tight connectors (3200-9102), USA, UK, EU power cords, 10 meter Power Cable, DC to			238.88	
<b>HotClient Customer Premises Equipment</b>					
<b>FIRETIDE</b>					
PRO-2200	HotClient 2200 Customer Premises Equipment- Outdoor. Includes Firetide customer premises equipment (802.11 b/g, 400 mW) with integrated panel antenna, PoE injector with North America AC power cable, pole mounting bracket, management software			580.13	
<b>INDOOR</b>					
<b>HotPort Wireless Mesh Nodes</b>					
<b>FIRETIDE</b>					
<b>FIRETIDE</b>					
PRO-6101	HotPort 6101, Indoor, Single Radio, Tri Band Spectrum 2.4 GHz/4.9 GHz/5 GHz, 400 mW, Wireless Mesh Node. Includes Power Supply Desktop Brick 15VDC, 2 meter North America AC power cable, two 2.4 GHz 5 dBi antennas, two 5 GHz 5 dBi antennas, documentation CD and			1,262.63	
PRO-6102	HotPort 6102, Indoor, Dual Radio, Tri Band Spectrum 2.4 GHz/4.9 GHz/5 GHz, 400 mW, Wireless Mesh Node. Includes Power supply Desktop Brick 15 VDC, 2 meter North America AC power cable, two 2.4 GHz 5 dBi antennas, two 5 GHz 5 dBi antennas, documentation CD hardware			1,750.13	
PRO-6100-900	HotPort 6100-900, Indoor Dual Radio,first radio 2.4 GHz/4.9 GHz/5 GHz, second radio 900Mhz, 400 mW, Wireless Mech Node. Includes 5 meter North America AC power cable, single weatherized ethernet cable, clawtooth mounting kit, one 2.4 GHz 5 dBi antennas (for staging), one 5 GHz 5dBi antennas (for staging), one 900 Mhz 5dBi antenna (for staging), documentation CD and hardware installation guide. (Add country specific			2,237.63	
PRO-7100	HotPort 7100, Indoor MIMO-802.11n, Dual Radio, Tri Band Spectrum 2.4 GHz/4.9 GHz/5 GHz, 100 mW, Wireless Mesh Node. Includes Power Supply Desktop Brick 15 VDC, 2 meter North America AC power cable, six 2.4 GHz 5 dBi antennas, six 5 GHz 5 dBi antennas, documentation CD and hardware installation guide. <b>Only single radio enabled. Second radio enabling requires purchase of SW-7000-RADIO-1.</b>			2,900.63	
<b>Hotpoint Access Point</b>					
<b>FIRETIDE</b>					
PRO-4500	HotPoint 4500 Access Point- Indoor. Includes Firetide access point (802.11 b/g, up to 400 mW), two 2.4 GHz 5 dBi antennas, power supply brick, North America AC power cable, management software.			677.63	
PRO-4100	Hotpoint 4100 Access Point- Indoor. Includes Firetide access point (802.11 b/g, up to 400 mW), AC/DC power supply adapter, kit of international plugs- US, EU, UK, AUS, two 2.4 GHz 5 dBi antennas, management software.			336.38	
<b>HotClient Customer Premises Equipment</b>					
<b>FIRETIDE</b>					
PRO-2100	HotClient 2100 Customer Premises Equipment- Indoor. Includes Firetide customer premises equipment (802.11 b/g, 400 mW), AC/DC power supply adapter kit of international plugs- US, EU, UK, AUS, two 2.4 GHz 5 dBi antennas, management software			287.63	
<b>SOFTWARE LICENSES</b>					
<b>HotView Pro Management Software</b>					
<b>FIRETIDE</b>					
<b>FIRETIDE</b>					
PRO-3000-9000-ELE-10	HotView Pro mesh management software (ELECTRONIC LICENSE)- License is per 10 nodes (integrated HotPort & HotPoint or standalone HotPoint) managed				
PRO-3000-9000-ELE	HotView Pro mesh management software (ELECTRONIC LICENSE)- License is per 30 nodes (integrated HotPort & HotPoint or standalone HotPoint) managed				
PRO-3000-9000-DSK-10	HotView Pro mesh management software (DISK LICENSE)- License is per 10 nodes managed (integrated HotPort & HotPoint or standalone				
PRO-3000-9000-DSK	HotView Pro mesh management software (DISK LICENSE)- License is per 30 nodes managed (integrated HotPort & HotPoint or standalone			2,920.13	
PRO-SW-MC001-ELE-10	Firetide Mobility Controller software (ELECTRONIC LICENSE)- License is per 10 nodes (integrated HotPort mesh & HotPoint access point standalone HotPoint access point) supporting mobility			1,262.63	
PRO-SW-MC001-ELE-30	Firetide Mobility Controller software (ELECTRONIC LICENSE)- License is per 30 nodes (integrated HotPort mesh & HotPoint access point standalone HotPoint access point) suppoorting mobility			2,920.13	



**ProTech Security, Inc.**  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

**Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider**

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-SP-4200-02	4200 series Replacement outdoor pole mounting kit	53.63
PRO-SP-4100-01	4100 series Replacement indoor AC/DC power supply adapter, kit of international plugs- US, EU, UK, AUS	43.88
PRO-SP-2200-01	2200 series Replacement PoE injector with North America AC power cable	73.13
PRO-SP-2200-02	2200 series Replacement outdoor pole mounting kit	53.63
PRO-SP-2100-01	2100 series Replacement indoor AC/DC power supply adapter, kit of international plugs- US, EU, UK, AUS	43.88
PRO-SP-7200-01	7200 series Replacement outdoor sun shield	29.25
PRO-SP-7200-02	7200 series Replacement weatherized Ethernet RJ45 connector	9.75
PRO-SP-7100-01	7100 series Replacement indoor Power Supply Desktop Brick 12VDC	53.63
PRO-3200-9104	3200 & 3600 series outdoor ethernet port/ power port Connector Caps (3 caps)	14.63
PRO-3200-9105	3200 & 3600 series outdoor Sun Shield	19.50
PRO-3200-9106	3200 & 3600 series outdoor Lightning Suppressor	82.88
<b>Support &amp; Training</b>		
<b>FIRETIDE</b>		
PRO-3200-8010	On Site Technical Support for design and site survey- Daily rate, no VAR discount, not including travel expenses	1,901.25
PRO-3200-8020	Technical Support performed from the office- Daily rate, no discount	1,170.00
PRO-3200-8030	<b>Extended Warranty;</b> one year extension of the standard one year warranty	
PRO-PS-8050	<b>Repair Charge</b> for indoor out of warranty unit, no discount	390.00
PRO-PS-8060	<b>Repair Charge</b> for outdoor out of warranty unit, no discount	585.00
PRO-PS-8070	<b>No trouble found</b> charge for out of warranty unit sent in to Fire tide customer support, no discount	292.50
PRO-PS-8080	<b>Training</b> on Firetide products and technology- Daily rate, no discount	682.50
PRO-PS-8090	<b>Advanced Replacement</b> charge for HotPort 6000 and HotPoint 4000 series indoor (6101,6102,4500) unit- per unit rate, no discount	97.50
PRO-PS-8100	<b>Advanced Replacement</b> charge for HotPort 6000 and HotPoint 4000 series outdoor (6201,6202,4600) unit- per unit rate, no discount	165.75
PRO-PS-8110	<b>Advanced Replacement</b> charge for HotClient 2000 series indoor (2100) unit- per unit rate, no discount	34.13
PRO-PS-8120	<b>Advanced Replacement</b> charge for HotClient 2000 series outdoor (2200) unit- per unit rate, no discount	39.00
PRO-PS-8130	<b>Advanced Replacement</b> charge for HotPort 4000 series indoor (4100) unit- per unit rate, no discount	34.13
PRO-PS-8140	<b>Advanced Replacement</b> charge for HotPort 4000 series outdoor (4200) unit- per unit rate, no discount	39.00
<b>WIRE</b>		
PRO-WIR12/2 FPL 1M	WIRE 12/G-2-CON SOLID 1000'	342.00
PRO-WIR-12/2 FPLP 1M S	WIRE FIRE PLENIUM 12 G SOLID RED	427.50
PRO-WIR14/1 GRD 5C	14/1 GrND WIRE 500 FT	41.80
PRO-WIR-14/2FPL 1M	14/2 FIRE CABLE 1000'	340.10
PRO-WIR-14/2 FPLP 1M	14/2 FIRE CABLE PLENIUM 1000'	268.85
PRO-WIR-14/4 FPL 1M	WIRE FIRE SOLID 14g 4cond 1000' SPL	323.00
PRO-WIR-14/4 FPL DB 5C	WIRE 14G/4C DRCTBRL 500' WG41545008	228.00
PRO-WIR-14/4 PLM 5C	14/4 PLENIUM 500 FT	194.75
PRO-WIR-14/4FPL PLNM SOL	WIRE FIRE 14g SOL PLNM 1M SPL	467.40
PRO-WIR-16/2 CL3 BLUE	WIRE 16/2 STR 1M BOX BLUE 52501106	133.00
PRO-WIR-16/2 FPLP	16/2 FIRE PLENIUM 1000'	187.15
PRO-WIR-16/2 PLNM 1M	WIRE 16G/2COND PLENIUM STR 1000'	195.70
PRO-WIR-16/2 STR 5C	16/2 STRANDED CM/CL2 500'	80.75
PRO-WIR-16/4 FPL 1M RED	16/4 FIRE 1000'	213.75
PRO-WIR-16/4 FPL 5C	16G/4C SOLID 500' RED	104.50
PRO-WIR-16/4 FPLP 1M	16/4 FIRE PLENIUM 1000'	330.60
PRO-WIR-16/4 PLM 1M	16G/4C PLENIUM STRANDED WHT	351.50
PRO-WIR-16/4 STR 5C BLUE	16/4 STANDED CM/CL2 50 C	138.70
PRO-WIR-18/2 PLM 5C	18/2 PLENIUM 500 FT	57.00
PRO-WIR-18/2 SOL FPL 1M	18/2 FIRE 1000'	76.00
PRO-WIR-18/2 SOL FPLP 1M	18/2 FIRE PLENIUM 1000'	118.75
PRO-WIR-18/2 STR 1M	18/2 STRANDED 1000'	99.75
PRO-WIR-18/2 STR PLM 1M	18G/2C ORANGE 1000'	129.20
PRO-WIR-18/4 FPL DB 5C	18G/4C DRCT BRL 500'	147.25
PRO-WIR-18/4 FPLP	18/4 FIRE PLENIUM	305.90
PRO-WIR-18/4 PLM 1M	18/4 PLENIUM STRANDED 1000' WHT	353.40
PRO-WIR-18/4 SHLD	18/4 SHLD DIRECT BURIAL DR PROBE 1M	338.20
PRO-WIR-18/4 SOL FPL 5C	18/4 FIRE SOLID 500 FT	136.80
PRO-WIR-18/4 STR 1M	18/4 STRANDED 1000'	273.60
PRO-WIR-18/6 FPL	18/6 FIRE CABLE 1000'	243.20

ProTech Security, Inc.  
 7026 Sunset Strip Ave. NW  
 North Canton, OH 44720-7077  
 Price List Effective Date: January 1, 2009



[www.protech-security.com](http://www.protech-security.com)

1.800.229.1475

Your "IP" (Internet Protocol) Integrated  
 Electronic Security Surveillance System Provider

MODEL NO. *see note below	MANUFACTURER/DESCRIPTION	STS Price
PRO-WIR-22/12 PLM 1M	22/12 PLENIUM 1000'	370.50
PRO-WIR-22/12 PLM 5C	22/12 PLENIUM 500'	236.55
PRO-WIR-22/12 STR 5C	22/12 STRANDED 500'	175.75
PRO-WIR-22/2 STR 1M	22/2 STRANDED CL2 1000'	77.90
PRO-WIR-22/3PR IND SHLD PL	22 GA 3 PAIR IND SHLD PLENIUM	427.50
PRO-WIR-22/3PR IND SHLD	22GA 3 PAIR EACH PAIR SHLDED	371.45
PRO-WIR-22/4 PLM 1M	22/4 PLENIUM 1000'	180.50
PRO-WIR-22/4 STR 1M	22/4 STRANDED 1000'	123.50
PRO-WIR-22/6 PLM	22/6 PLENIUM 500'	114.00
PRO-WIR-22/6 STR 1M	22/6 STANDED 1000' BOX	197.60
PRO-WIR-22/6 STR SHLD PLM	22/6 SHLD STR PLENIUM	216.60
PRO-WIR-22/6 STR SHLD PVC	22/6 STR SHLD PVC	153.90
PRO-WIR-24/4PR 1M	24 GA 4 PAIR 1000'	41.80
PRO-WIR-CAT5 OUTDR	CAT5E OUTDOOR UV PROTECTED 1000'	285.00
PRO-WIR-CAT5E	CAT5E BLUE	180.50
PRO-WIR-CAT5E-PL	CAT5E PLENIUM BOX 1M	345.80
PRO-WIR-CAT6	CAT6 1000'	209.00
PRO-WIR-RG59 PLM 1M	RG59U PLENIUM 1000'	541.50
PRO-WIR-RG59U-CCTV	95% COPPER CCTV CABLE 1M	296.40
PRO-WIR-RG59Uw12/12 1M	CABLE CCTV 95% CPPR w 18/2	323.00
PRO-WIR-RG6 QDShLD 1M	CABLE RG6 QUAD SHIELD CATV 1M BOX	169.10
PRO-WIR-RG6-CCTV	RG6 95% COPPER 1M	307.80
PRO-WIR-RG6-PL	95% COPPER RG6 PLENIUM 1000'	688.75
PRO-WIR-RG6-TV-DUAL	RG6 ALUMINUM CABLE TV & SAT DUAL	384.75

**BATTERIES**

PRO-BAT-12V1.2AH	BATTERY-12VOLT 1.2 AH	24.38
PRO-BAT-12V10AH	BATTERY-12V 10 AMP HR	39.00
PRO-BAT-12V12AH	BATTERY-12V 12 AMP HR	48.75
PRO-BAT-12V18AH	BATTERY-12V 18 AMP HR	97.50
PRO-BAT-12V33AH	BATTERY-12V 33AH 13X3.5X6.5	95.55
PRO-BAT-12V40AH	BATTERY-12VDC-40AMPR HR	107.25
PRO-BAT-12V4AH	BATTERY-12 VOLT 4 AMP HOUR	24.38
PRO-BAT-12V7Ah	BATTERY- 12V 7 AH	29.25

**BUFFALO- NAS Storage Devices**

PRO-BUF-HD-HO.6TGL-R5	Terabyte Network Storage 0.6	1,489.44
PRO-BUF-HD-HG300LAN	LinkStation- Hard Drive	818.04
PRO-BUF-LS-1000GL	Linkstation Hard Drive	727.50
PRO-BUF-LS-500GL	Linkstation Pro Network Hard	484.99

**LINK SYSTEMS**

PRO-LINK-MGBSX1	Transceiver SFP mini-GBIC	238.62
PRO-LINK-SGE2000P	Linksys 24 Port Giga 4 SFP SLO	1,047.59
PRO-LINK-SRW2008MP	8 Port Switch w-Max POE	686.76

\* Mfr. model numbers are all preceded with "PRO" for accounting purposes. For instance,  
 PRO-XRSuper6-G