



P.O. Box 437  
Monroe, OH 45050  
PH 513-217-5000  
FAX 513-217-4638

## Northcoast Products Price List

Effective Date January 01, 2015  
Schedule Number 7751501406  
Contract Index Number STS515



**P.O. Box 437  
Monroe, OH 45050  
PH 513-217-5000  
FAX 513-217-4638**

## NP Heated Tank List Pricing

NP 1000S-T Trailer Emulsion Tank with Striation System	\$ 32,328.00
NP 1000S Emulsion Tank with Striation System	\$ 24,670.00
NP 1500S Emulsion Tank with Striation System	\$ 28,025.00
NP 2000S Emulsion Tank with Striation System	\$ 35,135.00
NP 2500S Emulsion Tank with Striation System	\$ 39,586.00
NP Containment Dike Purchase Price	\$ 5,150.00

The following discount structure applies to the State Term Schedule:

Tanks and Machine Parts  
Sold at List Price  
Net 30 days



P.O. Box 437  
Monroe, OH 45050  
PH 513-217-5000  
FAX 513-217-4638

## NP Heated Emulsion Storage Tanks



1,500 Gallon Tank

### Specifications:

NP1000S 1000 gallon capacity 120" L x 54" Dia  
NP1500S 1500 gallon capacity 124" L x 64" Dia  
NP2000S 2000 gallon capacity 136" L x 72" Dia  
NP2500S 2500 gallon capacity 140" L x 84" Dia  
Tanks meet ASME section VIII division 1 standards  
Minimum 2" foam insulated exterior  
Thermostatically controlled heat system with high limit cutoff  
(2) 220 volt 1000 watt heat blankets  
Programmable striation system  
Tank contents gauge  
Pressurized off-loading system  
2" loading hose  
16"x20" inspection hatch  
Tank cradle mounted  
Convenient operator's platform included  
Tank equipped with lifting eyes

### Options:

13' L x 8' W x 24" H Steel Dike

Specifications subject to change without notice



P.O. Box 437  
Monroe, OH 45050  
PH 513-217-5000  
FAX 513-217-4638

## NP Heated Emulsion Storage Tanks



1000 Gallon Trailer Mounted

### Specifications:

NP1000S-T 1000 gallon trailer mounted tank  
Tank 54" diameter, 127" Overall length  
Tank meets ASME section VIII division 1 standards  
Minimum 2" foam insulated exterior  
Thermostatically controlled heat system with high limit cutoff  
(2) 220 volt 1000 watt heat blankets  
Programmable striation system  
Tank contents gauge  
Pressurized off-loading system  
2" loading hose  
16"x20" inspection hatch  
Tank cradle mounted  
Convenient operator's platform included  
Tank equipped with lifting eyes  
Trailer equipped with (2) 7000 pound axles  
Tires 80R16 Load Range E

Specifications subject to change without notice