Kimball Office

Price Lists

STATE OF OHIO CONTRACT # 800418

Price Lists dated December 15, 2014 to March 30, 2015
New Product additions thru 4/15/16

Casegoods Price List

Dock Price List

Hum. Minds at Work. Price List

Kwik Office Price List

Metal Filing Price List

Perks Price List

Priority Price List

Priority Enhanced Price List

Seating Price List

Systems Price List

Tables Price List

Teem&Stow Price List

Xsede Price List

Kimball® Office

CASEGOODS Price List

This price list is effective December 15, 2014 and supercedes all previously printed or electronically released versions.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Kwik™ Office Program	4
Sustainability	5
Locking Information	6
Casegoods at a Glance	7
Casegoods	9
Definition®	9
Fluent®	113
Innsbruck™	239
President™	261
Priority™	➤Priority Price List
Senator®	289
Transcend®	317
Universal Products	363
Freestanding Bookcases	364
Visual Boards	365
LED Lighting	366
Task Lights	368
Finishes & Materials	369
Resources	383
Terms and Conditions	384
Asset Tag Locations	384
Product Warranty	386
Operating Load Capacities	387
Model Number Index	388

Kimball® Office

How to Use this Price List

Kwik Office Program	➤See page 4
Sustainability	5
Locking Information	6
Casegoods at a Glance	7

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration, a table showing available sizes, and page cross references to the applicable pricing and how to specify pages.



Product Information pages provide detailed information about the product, connections that can be made with other models, planning factors, and applications guidelines.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

KJ icon indicates models that are available for quick shipment.
➤See the Kwik Office Price List.

(FSC) icon indicates models available with the FSC option (3% upcharge) at standard leadtime to meet FSC certification.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Standard product modifications are available on select products.
➤See the Product Modifications Price List at www.kimballoffice.com

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL us LISTED

How to Specify Our Products

Kwik Office Program	➤See page 4
Sustainability	5
Locking Information	6
Casegoods at a Glance	7

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



DEFINITION® Casegoods

Double-Pedestal Desks — Pricing

Rectangular or Arc Top

GSA SIN 711-8 FSC-COTOS10

D	W	H	KW	KH	FD	AO	Model	Price
Recessed Modesty Panel								
Rectangular Top								
30"	60"	29⅛"	30"	27⅛"	24"	6"	**DF3060DDF** (W)	$3367
30"	66"	29⅛"	30"	27⅛"	24"	6"	**DF3066DDF** (W)	3439
36"	72"	29⅛"	36"	27⅛"	30"	6"	**DF3672DDF** (W)	3697
Arc Top								
36"	72"	29⅛"	36"	27⅛"	30"	6"	**DF3672DDFA** (W)	$4069
42"	72"	29⅛"	36"	27⅛"	36"	6"	**DF4272DDFA** (W)	4393
Breakfront Modesty Panel								
Rectangular Top								
30"	60"	29⅛"	30"	27⅛"	30"	—	**DF3060DDFB** (W)	$3437
30"	66"	29⅛"	30"	27⅛"	30"	—	**DF3066DDFB** (W)	3516
36"	72"	29⅛"	36"	27⅛"	36"	—	**DF3672DDFB** (W)	3774
Arc Top								
36"	72"	29⅛"	36"	27⅛"	30"	6"	**DF3672DDFBA** (W)	$4178
42"	72"	29⅛"	36"	27⅛"	36"	6"	**DF4272DDFBA** (W)	4513

Overview ➤See page 25 · Product Information 34 · Locking Information 6 · Abbreviation Key 3

Standard Includes

- Two pedestals: letter width on 60"W; legal width on 66" and 72"W
- One lock per pedestal
- Black vinyl organizer tray in top box drawer

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
❸ Pedestal option:
1 = BBF/BBF **8** = BBF/FF
2 = FF/FF **9** = FF/BBF
① Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Read
⑤ Pull option:
➤See page 50 for designators.
⑥ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$42); specify two lock cores separately
⑦ Grommet/cut-out option:
➤See pages 53–54.
X = No grommet or cut-out
⑧ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified (group 1 wood (+3%)
⑨ Finish designator
⑩ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for wood worksurface)

Center Drawers ➤See page 61.

Page 54 — **Definition** — (W) = FSC-certified wood option available. ➤See page 5 for more info.

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for an **arc-top double-pedestal desk.**
➤See page 54 for the corresponding pricing table and How to Specify steps.

❶	❷❸	④	⑤	⑥	⑦	⑧	⑨
DF3672DDFA	W 1	B	93_490	KRC	G19LR490	FSCW	MH
Base Model							

Pricing Table Abbreviations

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Kwik Office Program

Sustainability ➤See page 5
Locking Information 6
Casegoods at a Glance 7

Kwik Office casegoods are available to ship within five business days upon receipt of a credit-approved order.

Specific models and options from the following lines are available:
- Priority
- Senator
- Universal casegoods

Model Numbers:

Models and finishes that are available on Kwik Office have been marked with a K icon in this price list.

Kwik Office model numbers are different from standard model numbers. Base model numbers for Kwik Office products include all options and finish designators.

The K icon on standard lead-time pricing pages indicates availability; it does not provide the correct model numbers and option designators for specifying. You must use the complete model numbers listed i the Kwik Office Price List.

Include only Kwik Office models on your order. Any orders containing non-Kwik Office products will be treated as such and entered at standard lead times. Indicate clearly at the top of your order “Kwik Office.”

Changes and Cancellations:

No changes or cancellations will be accepted after order entry for Kwik Office products.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Contact Customer Service for availability.

Sustainability

Enhancing the Home We All Share

Kwik Office Program ➤See page 4
Locking Information 6
Casegoods at a Glance 7

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠
Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Locking Information

Kwik Office Program ➤See page 4
Sustainability 5
Casegoods at a Glance 7

Locking storage units can be specified as:
- Key random
- Key specific

Black lock cores and hinged keys are identical to the ones used with systems products. KCCB*** models are for use with:
- Definition
- Priority
- Transcend

Brass lock cores and round keys are for traditional casegoods. KCCE*** models are for use with:
- Innsbruck
- Senator
- President

Silver lock cores and round keys are matte nickel. These lock cores and keys are identical to the ones used with Hum. Minds at Work. series. KCCG*** models are for use with:
- Definition
- Fluent
- Priority

Chrome lock cores and round keys are shiny, polished chrome. KCCH*** models are for use with:
- Definition

Key Random Option:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB300 (black), KCCE001 to KCCE100 (brass), KCCG001 to KCCG100 (silver), or KCCH080 to KCCH099 (chrome).

Randomly numbered lock core(s) will ship standard along with your order for field installation.
Exception: Randomly numbered lock cores on Kwik Office models are shipped installed.





With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific Option:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KCCB001 to KCCB300 (black), KCCE001 to KCCE100 (brass), KCCG001 to KCCG100 (silver), or KCCH080 to KCCH099 (chrome).



To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Change key model KCCB1CK allows removal of lock cores within these key ranges:
KCCB001–KCCB300
KCCE001–KCCE100
KCCG001–KCCG100
KCCH080–KCCH099

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Master key model KC2GMK will unlock any lock within these key ranges:
KCCB001–KCCB300
KCCE001–KCCE100
KCCG001–KCCG100

Model/Key Range *Price*

Black Lock Cores
KCCB001 to KCCB300 $22

Brass Lock Cores
KCCE001 to KCCE100 $22

Silver Lock Cores
KCCG001 to KCCG100 $22

Chrome Lock Cores
KCCH080 to KCCH099 $22

Change Key
KCCB1CK $6

Master Key
KC2GMK $12

How to Specify

❶ Specify exact key number for lock cores as the model number or model number for change or master key

Kimball® Office

Casegoods at a Glance

Matrix

Kwik Office Program ➤See page 4
Sustainability 5
Locking Information 6



Definition
➤See page 9.



Fluent
➤See page 114.



Innsbruck
➤See page 240.

President
➤See page 262.



Priority
➤See the Priority Price List

Senator
➤See page 290.



Transcend
➤See page 318.

Style	Contemporary/ Transitional	Contemporary	Traditional	Traditional	Contemporary	Traditional	Transitional
Price Point for 36” x 72” Double Pedestal Desk	$3817	$5745	$6536	$4695	Priority Wood: $3346 Priority Laminate: $2197	$3730	$3655
Breadth of Line	Broad	Broad	Moderate	Moderate	Broad	Moderate	Moderate
Finish Characteristics	Semi-open pore Satin sheen (50) Pura® UV finish	Semi-open pore Satin sheen (50) Pura® UV finish	Full fill Lustrous sheen (70) Pura® UV finish	Full fill Lustrous sheen (70) Pura® UV finish	Priority Wood: Semi-open pore Satin sheen (70) Pura® UV finish Priority Laminate: HPL worksurfaces TFL chassis/fronts	Semi-open pore Lustrous sheen (70) Pura® UV finish	Semi-open pore Satin sheen (50) Pura® UV finish
Kwik Office Models Available	No	No	No	No	Yes	Yes	No

Notes

Kimball® Office

DEFINITION®

Contemporary/Transitional Casegoods

	➤See page
Statement of Line	10
Overview	25
Features	25
Extension Wksf. Support	26
Typical Configurations	27
Product Information	34
Assembled Casegoods	34
Modular Worksurfaces	35
Modular Support	36
Modesty Panels	38
Undersurface Storage	42
Above Surface Storage	44
Vertical Storage	47
Application Guidelines	48
Integrating with Traxx	48
Filing Capabilities	49
Pull Options	50
Cord Management	51
Pricing	54
Assembled Casegoods	54
Modular Worksurfaces	65
Modular Support	71
Modesty Panels	75
Undersurface Storage	83
Mobile Storage	87
Lateral Files	88
Overhead Storage	90
Highbacks	94
Set-on-Surface Storage	98
Vertical Storage	103
Bookcases	107
Task Reception Station	110
Conference Furniture	111
Technology Furniture	112

Assembled Casegoods

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular-Top Double-Pedestal Desks

● = Recessed modesty panel
■ = Breakfront modesty panel
➤See page 54 to specify.

	60"W	66"W	72"W
30"D	●■	●■	
36"D		●■	
42"D			



Arc-Top Double-Pedestal Desks

● = Recessed modesty panel
■ = Breakfront modesty panel
➤See page 54 to specify.

	60"W	66"W	72"W
30"D			
36"D			●■
42"D			●■



Rectangular-Top Single-Pedestal Desks

Available in left and right models.
● = Recessed modesty panel
■ = Breakfront modesty panel
➤See page 55 to specify.

	60"W	66"W	72"W
30"D		●■	
36"D			●■
42"D			



Arc-Top Single-Pedestal Desks

Available in left and right models.
● = Recessed modesty panel
■ = Breakfront modesty panel
➤See page 56 to specify.

	60"W	66"W	72"W
30"D			
36"D			●■
42"D			●■



Angled Desks

Available in left and right models.
➤See page 57 to specify.

	90"W
30"D	●
36"D	●
42"D	



U-Shaped Desks

Available with or without a modesty panel.
➤See page 58 to specify.

	60"W	66"W	72"W
30"D			
36"D			●
42"D			



P-Shaped Desks

Available with or without a modesty panel.
➤See page 59 to specify.

	60"W	66"W	72"W
30"D			
36"D			●
42"D			

Center Drawers for Desks

➤See page 60 to specify.

	For use with desks 60"W	66"W	72"W
22"D	●	●	●



Executive Returns

Available with or without a modesty panel, and in left and right models.
● = Box/box/file
■ = File/file
➤See page 61 to specify.

	42"W	48"W	60"W
24"D	●■	●■	●■



Bridges

Available with or without a modesty panel.
➤See page 62 to specify.

	36"W	42"W	48"W	60"W
24"D	●■	●■	●■	●■

Assembled Casegoods

Statement of Line

continued

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Corner Units

➤See page 62 to specify.

	36"W	42"W
36"D	●	
42"D		●



Storage Credenzas

➤See page 63 to specify.

	66"W	72"W
24"D	●	●



Kneespace Credenzas

➤See page 63 to specify.

	66"W	72"W
24"D	●	●



Single-Pedestal Credenzas

Available in left and right models.

➤See page 64 to specify.

● = Box/box file
■ = File/file
▲ = Two-drawer lateral file

	66"W	72"W
24"D	●■▲	●■▲

Modular Components

Statement of Line

Worksurfaces

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular Worksurfaces

● = Side-to-side (widthwise) grain direction
■ = Front-to-back grain direction
➤See pages 65–67 to specify.

	18"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	114"W	120"W
24"D	●	●	●	●	●	●	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■
30"D			●	●	●	●	●	●	●	●	●	●					
36"D					●	●	●	●	●	●	●	●					
42"D																	



Arc Worksurfaces

➤See page 68 to specify.

	72"W	78"W
24"D		
30"D		
36"D	●	
42"D	●	●



Angled Worksurfaces

Available in left and right models.
➤See page 69 to specify.

	66"W	72"W
30"D	●	●
36"D	●	●



U-Shaped Worksurfaces

➤See page 70 to specify.

	60"W	72"W
30"D	●	●
36"D		●



P-Shaped Desks

Available in left and right models.
➤See page 70 to specify.

	60"W	72"W
30"D		●
36"D		●

Modular Components

Statement of Line

Support

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



End Panels
➤See page 71 to specify.

	28"H
24"D	●
30"D	●
36"D	●



T-Leg End Panels
➤See page 72 to specify.

	28"H
24"D	●
30"D	●
36"D	●



Worksurface Support Panels
➤See page 72 to specify.

	28"H
12"D	●



Round Column Base
➤See page 73 to specify.

	28"H
Metal 4" dia.	●
Wood 6" dia.	●



Square Fluted-Metal Column Base
➤See page 73 to specify.

	28"H
6"D	●



Wood Half-Cylinder Base
➤See page 73 to specify.

	28"H
12"D	●

U-Legs
➤See page 74 to specify.

	28"H
24"D	●
30"D	●
36"D	●



O-Legs
Available with or without a veneer insert.
➤See page 74 to specify.

	28"H
24"D	●
30"D	●
36"D	●

Elite Legs
➤See page 74 to specify.

	28"H
24"D	
30"D	●
36"D	●

Modular Components

Statement of Line

Modesty Panels

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Modesty Panels

▲ = Kneewell (for use between two pedestals); ➤See page 75 to specify.
◆ = For use as a desk front or credenza back panel; ➤See page 76 to specify.
● = For use with rectangular extension worksurface (return); ➤See page 77 to specify.
■ = For use with rectangular filler worksurface (bridge); ➤See page 77 to specify.
△ = For use in single-pedestal desk application; ➤See page 78 to specify.

	30"W	36"W	42"W	48"W	49"W	52"W	54"W	55"W	58"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	114"W	120"W
13"H	▲	▲	▲	▲	△	△		△	△											
27"H	▲	▲●■	▲●■	▲◆●■			◆●■		▲■	◆●■	◆●■	◆●■	◆●■	◆●■	◆●■	◆●	◆●	◆●	◆●	◆●



Modesty Panels with Wing Detail

● = For use with rectangular extension worksurface; ➤See page 79 to specify.
■ = For use with angled extension worksurface; ➤See page 80 to specify.
▲ = For use with U-legs, O-legs, and Elite legs); ➤See page 81 to specify.

	38"W	42"W	43"H	44"W	45"W	48"W	49"W	50"W	51"W	54"W	56"W	57"W	60W	62"W	63"W
13"H	▲	●	■	▲	■▲	●	■	●	●■▲	●	●	●▲	●	●	●
27"H		●	■		■	●	■	●	●■	●	●	●	●	●	●

Modular Components

Modesty Panels, continued

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.




Technology Modesty Panels

● = Technology modesty panel

■ = Modesty panel for use on either side of a technology panel

➤See page 82 to specify.

	15"W	18"W	24"W	27'W	30"W	33"W	36"W	39"W	42"W	45"W	48"W	51"W	54"W	57"W	60"W
25"H			●	●	●	●	●	●	●	●	●	●	●	●	●
27"H	■	■			■		■								

Modular Components

Statement of Line

Undersurface Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Box/Box/File Undersurface Pedestals

● = Open back
■ = Finished back
➤See pages 83–84 to specify.

	15"W	18"W
23"D*	●■	●■
29"D*	●■	●■
35"D*	●■	●■

*Finished back models are 1" deeper due to the back panel.

File/File Undersurface Pedestals

● = Open back
■ = Finished back
➤See pages 83–84 to specify.

	15"W	18"W
23"D*	●■	●■
29"D*	●■	●■
35"D*	●■	●■

*Finished back models are 1" deeper due to the back panel.

Pencil/Pencil/Box/File Undersurface Pedestal

● = Open back
➤See pages 83–84 to specify.

	15"W	18"W
23"D		●

Open Storage Undersurface Pedestal

● = Open back
➤See pages 83 and 85 to specify.

	18"W	30"W	36"W
22"D	●	●	●

Two-Drawer Lateral File Undersurface Pedestal

● = Open back
➤See page 85 to specify

	30"W	36"W
23"D	●	●

Hinged-Door Storage Undersurface Pedestal

● = Open back
➤See page 85 to specify

	30"W	36"W
23"D	●	●



Pedestal Back Panels

➤See page 86 to specify.

	15"W	18"W	30"W	36"W
27"H	●	●	●	●

Undersurface Filler Strips

➤See page 86 to specify.

	3"W
27"H	●

Undersurface Filler Panels

➤See page 86 to specify.

	18"W
27"H	●



Ganging Brackets

➤See page 86 to specify.

	6"W
2"H	●

Freestanding Files

Statement of Line

Mobile Pedestals and Lateral Files

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Box/File Cushion-Top Mobile Pedestal

➤See page 87 to specify.

	15"W
23"D	●

Box/Box/File Mobile Pedestal with Organizational Tray

➤See page 87 to specify.

	18"W
24"D	●

File/File Mobile Pedestal with Organizational Tray

➤See page 87 to specify.

	18"W
24"D	●

Pencil/Box/File Mobile Pedestal

➤See page 87 to specify.

	18"W
24"D	●



Mobile Utility Table

➤See page 87 to specify.

	36"W
24"D	●

Two-Drawer Freestanding Lateral Files

● = With rim profile on four sides
■ = No rim profile

➤See page 88 to specify

	30"W	36"W
24"D		●

Three-Drawer Freestanding Lateral Files

■ = No rim profile

➤See page 89 to specify

	30"W	36"W
24"D	■	■

Four-Drawer Freestanding Lateral Files

● = With rim profile on four sides
■ = No rim profile

➤See pages 88–89 to specify

	30"W	36"W
24"D	■	●■

Overhead Storage

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.




Wood Hinged-Door Overhead Cabinets

● = Two doors
■ = Three doors
▲ = Four doors

➤See page 90 to specify wall-mount models.
➤See page 92 to specify suspended models.

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
18"H	●	●	■	■	■	▲	▲	▲
30"H	●	●	■	■	■	▲	▲	▲



Writable Glass Hinged-Door Overhead Cabinets

● = Two doors
■ = Three doors
▲ = Four doors

➤See page 91 to specify wall-mount models.

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
18"H	●	●	■	■	■	▲	▲	▲
30"H	●	●	■	■	■	▲	▲	▲



Wall-Mount Traxx Brackets

➤See page 90 to specify.

	72"W
2"H	●

Overhead Storage Filler Strips

➤See page 93 to specify.

	18"W	30"W
1"D	●	



Overhead Storage Filler Panels

➤See page 93 to specify.

	18"W
19"H	●
32"H	●

Highback Organizers

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.




Wood Hinged-Door Highback Organizers

● = Three doors
■ = Four doors
▲ = Six doors
➤See page 94 to specify.

	54"W	60"W	66"W	72"W	84"W	96"W	108"W
38"H	●	■	■	■	■	▲	▲
50"H	●	■	■	■			




Writable Glass Hinged-Door Overhead Cabinets

● = Three doors
■ = Four doors
▲ = Six doors
➤See page 95 to specify.

	54"W	60"W	66"W	72"W
38"H	●	■	■	■
50"H	●	■	■	■




Tackboards for Highback Organizers

● = Basic tackboard
■ = Powered tackboard
➤See page 96 to specify.

	28"W	34"W	40"W	46"W	52"W	57"W	63"W	69"W	82"W	94W
16"H	●■	●■	●■	●■	●■	●■	●■	●■	●	●

Slat Wall Tiles

➤See page 97 to specify.

	64"W	70"W	72"W
13"H	●	●	●

Set-on-Surface Storage

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Set-on-Surface Bookcases with Open Shelves

➤See page 98 to specify.

	18"W	30"W	36"W
38"H	●	●	●
50"H	●	●	●



Set-on-Surface Bookcases with Wood Door(s)

● = Single door
■ = Double doors

➤See page 99 to specify.

	18"W	30"W	36"W
38"H	●	■	■
50"H	●	■	■

Set-on-Surface Bookcases with Writable Glass Door

● = Single door
■ = Double doors

➤See page 100 to specify.

	18"W	30"W	36"W
38"H	●	■	■
50"H	●	■	■

Set-on-Surface Organizers with Wood Door

➤See page 101 to specify.

	18"W
38"H	●
50"H	●

Set-on-Surface Organizers with Writable Glass Door

➤See page 102 to specify.

	18"W
38"H	●
50"H	●



Additional Shelves

➤See page 98 to specify.

	16"W	28"W	34"W
12"D	●	●	●

Vertical Storage

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Wardrobe Cabinets

● = Single door
■ = Double doors
➤See page 103 to specify single-door models.
➤See page 104 to specify double-door models.

	6"W	18"W	30"W	36"W
68"H	●	●	■	■
79"H	●	●		



Wardrobe/Shelf Storage Cabinets

● = Single Door
▲ = Single Door (left or right); open shelves (opposite side)
■ = Double Doors
➤See page 103 to specify single-door models.
➤See page 104 to specify double-door models.

	18"W	30"W	36"W
68"H	●▲	■	■
79"H	●▲	■	■



Shelf Storage Cabinets

● = Single Door
■ = Double Doors
➤See page 103 to specify single-door.
➤See page 104 to specify double-door.

	18"W	30"W	36"W
68"H	●	■	■
79"H	●	■	■



Lateral File/Shelf Storage Cabinets

● = Two lateral file drawers
■ = Three lateral file drawers
➤See page 105 to specify.

	30"W	36"W
68"H	●■	●■
79"H	●■	●■

Vertical Storage Filler Panels

➤See page 106 to specify.

	18"W
68"H	●
79"H	●



Worksurface Support Bracket

➤See page 106 to specify.

Freestanding Bookcases

and Component Tops

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Bookcases

➤See page 107 to specify.

	30"W	36"W
28"H	●	●
40"H	●	●
53"H	●	●
68"H	●	●
79"H	●	●

Additional Shelves

➤See page 107 to specify.

	28"W	34"W
12"D	●	●



Component Tops

● = Unfinished bottoms

■ = Finished bottoms

➤See page 108 to specify models for use with overhead storage, highback organizers, set-on-surface storage, and freestanding bookcases.

➤See page 109 to specify models for use with freestanding lateral files and vertical storage.

	6"W	18"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W
15"D		●	●	●	●	●	●	●	●	●■	●■	●■	●■	●■	●■	●■
24"D	●	●	●	●	●	●	●	●	●	●						

Related Products

Statement of Line

Task Reception Center, Conference Furniture, and Tables

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Task Reception Center Corner Unit

➤See page 110 to specify.

	42"W
42"D	●



Task Reception Center Return Unit

Available in left and right models.

➤See page 110 to specify.

	42"W
24"D	●

Task Reception Center Transaction Shelf

➤See page 110 to specify.

	84"W
15"D	●

Task Reception Center Tackboard

➤See page 110 to specify.

	41"W
12"H	●

Lecterns

➤See page 111 to specify.

	24"W
48"H	●



Visual Boards

➤See page 111 to specify.

	48"W
6"D	●

Telephone Stands

➤See page 112 to specify.

	15"W
29"H	●



Technology Tables

➤See page 112 to specify.

● = Table with keyboard shelf
■ = Mobile table
▲ = Table

	32"W	36"W	48"W
24"D	●	■	▲

Occasional Tables

➤See the Occasional Tables chapter in the Tables Price List to specify.

	24"W	42"W
18"D	●	
24"D	●	●

Related Products

Statement of Line

Lighting and Perks®

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



LED Lights
➤See the Universal chapter in the Casegoods Price List to specify.



Task Lights
➤See the Universal chapter in the Casegoods Price List to specify.



Desk Lamps
➤See the Perks Price List to specify.



Power/Data Centers
➤See the Perks Price List to specify.



Vertical Cable Managers
Available in expandable. flexchain, and adhesive-style models.
➤See the Perks Price List to specify.



Horizontal Cable Managers
➤See the Perks Price List to specify.

Round Grommets
➤See the Perks Price List to specify.

Features

Sustainability ➤See page 4
Product Information 34
Application Guidelines 48
Pricing 54

Fully assembled and modular components are available to create workwalls, L-configurations, and U-configurations. Modular components are compatible with fully assembled models.

Exterior surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Vertical storage, available 67½"H and 79½"H, feature a finished back for placement in open or glass-wall applications.

Base rail detail

Modesty panels can be added for privacy and design detail. Modesty panels can be placed flush or inboard of the approach side for a recessed look. Inset a panel between undersurface storage for a breakfront appearance. Technology modesty panels fold down to access wall power and data.



Overheads, highback organizers, and set-on-surface storage is available two heights to align with vertical storage. Select units are available with writable-glass doors.

Pulls are standard on all undersurface storage and drawers on vertical storage. All doors feature a touch latch that provides a clean contemporary appearance.

Worksurface rims are wood and 5/16"-thick with mitered corners. Select from six rim profiles; profiles appear on all four edges of the worksurface.

Worksurfaces are available in rectangular, arc, angled, U-shaped, and P- shaped. They are 1 9/16"-thick, 3-ply, balanced construction and available in wood or high-pressure laminate (HPL) with a wood rim.

Several pedestal, end panel, and metal leg styles are available to support extension surfaces.
➤See page 26 for overview.

Materials:

Worksurfaces
- Wood with wood rim
- Laminate with a wood rim

Storage
- Wood

Rim Profiles:



B Bevel **C** Double Radius **F** Softened

G Beaded **H** Crescent **M** Reed

Pull Options:

Definition Series
92 Cove (+$26/unit)
93 Aero
95 Deco
96 Luna
97 Linear

Priority Series
61 Helix
63 Link
64 Wisp
89 Studio
90 Trinity (+$26/unit)
91 Niche

➤See page 50 for pull details and how to specify information.

Extension Worksurface Support

Overview

Overview	➤See page 25
Product Information	34
Application Guidelines	48
Pricing	54

Primary support for modular extension worksurfaces, such as rectangular, angled, U-shaped, and P-shaped worksurfaces that extend out from an adjacent worksurface, include:

- End panels
- Pedestals
- U-legs
- O-Legs
- Elite legs
- Column bases
- Half-cylinder bases



Worksurface can overhang a support pedestal or leg up to a maximum of 18" to accommodate a larger worksurface. Support depth does not have to match the worksurface depth on an overhang application.



Angled worksurfaces are designed to be supported one of two applications

- Worksurface can overhang the end panel or leg, or
- Support can be placed at the end of the angled surface.

Rectangular Worksurface Extension Support



Pedestal



U-Leg



O-Leg



O-Leg with Veneer Insert



Elite Leg



1 9/16" End Panel (EPEW)



Column Leg

Angled Worksurface Extension Support



1 9/16" End Panel (EPEW)



U-Leg



O-Leg



O-Leg with Veneer Insert



Elite Leg



Column Leg

U-Shaped and P-Shaped Worksurface Extension Support



Round Column Leg (Metal or Wood)



Square Fluted-Metal Column Leg



Half-Cylinder Base

Typical Configurations

Overview ➤See page 25
Product Information 34
Application Guidelines 48
Pricing 54



Qty	*Model*	*Description*	*Price*
1	DF3060WSSE4W	30"D X 60"W rectangular extension worksurface	$881
1	DF2490WSS4FBW	24"D X 90"W rectangular worksurface, grain front to back	991
1	DF2428EPEW	24"D support panel for extension surface	427
1	DF4813MPREW	48"W x 13"H partial modesty panel	469
1	DFWBVS	Worksurface support bracket	78
1	DF3625MPTW	36"W technology modesty panel	855
1	DF2318PUBBFW	18"W X 23"D box/box/file open back pedestal	1758
1	DF2336LFM2W	36"W x 23"D two-drawer open back lateral file	1956
1	DF28CPFSW	Undersurface filler strip	38
1	DF3679VHHW	36"W X 79"H wardrobe/shelf storage cabinet	5299
1	DF7220SOHMG2W	72"W X 18H overhead storage, writable glass door	3652
1	TXT721	Wall-mount traxx bracket	151
1	DF1838BCHRG2W	18"W X 38"H set-on-surface bookcase, writable glass door	2196
		Total	$18751



Qty	*Model*	*Description*	*Price*
1	DF3060WSSE4W	30"D X 60"W rectangular extension worksurface	$881
1	DF24114WSS4W	24"D X 114"W rectangular worksurface, widthwise grain direction	1323
1	DF3028SLUSF1	30"D metal U-leg	445
1	DF2336LFM2W	36"W x 23"D two-drawer open back lateral file	1956
1	DF2318PUBBFW	18"W X 23"D box/box/file open back pedestal	1758
1	DF28CPFSW	Undersurface filler strip	38
1	DF6025MPTW	60"W technology modesty panel	1003
1	DF1879VWHLW	18"W X 79"H wardrobe cabinet hinged left	3673
1	DF3650BCOW	36"W X 50"H open shelf set-on-surface bookcase	1877
1	DF6050HBHW	60"W X 50"H highback organizer with wood doors	4158
1	DF1850BCHRW	18"W X 50"H set-on-surface bookcase with wood doors	2101
		Total	$19213

Typical Configurations

continued

Overview ➤See page 25
Product Information 34
Application Guidelines 48
Pricing 54





Qty	*Model*	*Description*	*Price*
1	DF3672WSSM4W	36"D x 72"W rectangular main worksurface	$1075
1	DF2448BEXW	24"D x 48"W bridge without modesty panel	749
1	DF4825MPTW	48" wide technology modesty panel	928
2	DF1228SSW	Worksurface support panel to support technology modesty	317
1	DF2472CLFW2	24"D x 72"W single-pedestal credenza with file/file	2973
1	DF3618PUBBFFW	36"D x 18"W box/box/file pedestal with finished back	2040
1	DF3628EPDW	36"D end panel for single-pedestal desk	462
1	DF5213MPDW	52"W x 13"H modesty panel for single-pedestal desk	420
1	DF1879VWHLW	18"W x 79"H wardrobe cabinet (hinged left)	3673
1	DF7238HBHW	72"W X 38"H highback organizer with wood doors	3249
		Total	$16203

Qty	*Model*	*Description*	*Price*
2	DF3060WSSE4W	30"D X 60"W rectangular extension worksurface	$881
2	DF2472WSS4FBW	24"D x 72"W rectangular worksurface, grain front to back	855
2	DF3015PUBBFFW	30"D x 15"W box/box/file pedestal with finished back	1789
2	DF4813MPREW	48"W x 13"H partial modesty panel	469
1	DF2328EPW	23"D end panel	415
1	DF28CPFSW	Undersurface filler to use with end panel	38
1	DFWBVS	Worksurface support bracket	78
2	DF2318PUFFW	23"D x 18"W open back file/file pedestal	1758
2	DF5425MPTW	54"W technology modesty panel	966
2	DF1879VWHROSW	18"W x 79"H wardrobe/open shelf storage cabinet (hinged right)	3981
2	DF7231SOHMW	72"W x 30"H overhead with wood doors	4232
2	TXT721	Wall-mount traxx bracket	151
		Total	$30695

Typical Configurations

continued

Overview ➤See page 25
Product Information 34
Application Guidelines 48
Pricing 54



Qty	*Model*	*Description*	*Price*
1	DF3072WSGEL4W	30"D x 72"W left angled worksurface	$2001
1	DF3028SLOF2	30"D elite leg	1814
1	DF2496WSS4FBW	24"D x 96"W rectangular worksurface	1061
1	DFWBVS	Worksurface support bracket	78
1	DF2318PUFFW	23"D x 18"W open back file/file pedestal	1758
1	DF2318PUOSW	23"D x 18"W open storage	1705
1	DF1827CPBPW	18"W pedestal back panel	465
1	DF6025MPTW	60"W technology modesty panel	1003
1	DF1868VWHLW	18"W x 68"H wardrobe cabinet hinged left	3001
1	DF6038HBHW	60"W x 38"W highback organizer	2811
1	DF1838BCHRW	18"W x 38"H set-on-surface bookcase with wood doors (hinged right)	1588
1	DF1838BCOW	18"W x 38"H set-on-surface open bookcase	1050
		Total	$18335



Qty	*Model*	*Description*	*Price*
1	DF3060WSUW	60"W U-shaped worksurface	$1784
1	KAC2804SFBP	Support base	299
1	DF2472CLFW1	72"W left single-pedestal credenza	2973
1	DF7238HBHW	72"W highback organizer	3249
		Total	$8305

Typical Configurations

continued

Overview ➤See page 25
Product Information 34
Application Guidelines 48
Pricing 54



Qty	*Model*	*Description*	*Price*
1	DF2318PUBBFW	18"W box/box/file pedestal	$1758
1	DF2318PUFFW	18"W file/file pedestal	1758
1	DF2490WSS4W	90"W worksurface	991
1	DF3072WSPRW	P-shaped worksurface (right)	2298
1	AC2806SFB	Support base	606
1	DF2328EPW	23"D end panel	415
1	DF3038BCHW	30"W door bookcase	2010
1	DF6020SOHMW	60"W wall-mount overhead	2499
1	TXT721	Traxx wall-mount bracket	151
1	DF28CPFSW	Filler strip	38
		Total	$12524



Qty	*Model*	*Description*	*Price*
1	DF3672DUW	36"D x 72"W U-shaped desk	$2523
1	KAC2804SFBP	Support base	299
1	DF2448BEFW	48"W executive bridge	1308
1	DF2318PUBBFW	18"W box/box/file pedestal	1758
1	DF2318PUFFW	18"W file/file pedestal	1758
1	DF2472WSS4W	72"W worksurface	855
1	DF2328EPW	23"D end panel	415
1	DF7227MPW	72"W modesty panel	684
1	DF3668VHF2W	36"W vertical storage cabinet	4723
1	DF7238HBHW	72"W highback organizer	3249
		Total	$17572

Typical Configurations

continued

Overview ➤See page 25
Product Information 34
Application Guidelines 48
Pricing 54



Qty	*Model*	*Description*	*Price*
1	DF3672DUW	36"D x 72"W U-shaped desk	$2523
1	KAC2804SFBP	Support base	299
1	DF2318PUBBFW	18"W box/box/file pedestal	1758
1	DF2330LFM2W	30"W lateral file	1862
1	DF2454WSS4W	54"W worksurface	754
1	DF4242CFSW	42"W corner unit	2400
1	DF2448BEFW	48"W executive bridge	1308
1	DF4831SOHMW	48"W overhead storage (wall mount)	2675
1	DF3679VSHW	36"W shelf storage cabinet	5299
		Total	$18878



Qty	*Model*	*Description*	*Price*
1	DF3672DDFAW1	36"D x 72"W desk with recessed modesty and arc top	$4201
2	DF2318PUFFW	18"W file/file pedestals	1758
1	DF2472WSS4W	72"W worksurface	855
1	DF1868VWHRW	18"W wardrobe cabinet (hinged right)	3001
1	DF3668VSHW	36"W shelf storage cabinet	4328
1	DF7220SOHSW	72"W overhead storage (suspended)	2768
1	DF1572CPTW	72"W top for overhead cabinet	693
1	DF2418CPTW	18"W top for wardrobe	643
1	DF2436CPTW	36"W top for shelf storage unit	675
		Total	$20680

Typical Configurations

continued

Overview ➤See page 25
Product Information 34
Application Guidelines 48
Pricing 54



Qty	*Model*	*Description*	*Price*
2	DF4242CFTW	42"D x 42"W task/reception corner unit	$2645
2	DF2442RTRW	24"D x 42"W task return (right)	1898
2	DF2442RTLW	24"D x 42"W task return (left)	1898
2	DF1584WSTSW	15"D x 84"W task transaction shelf	754
2	DF2315PUBBFW	23"D x 15"W open back box/box/file pedestal	1582
4	DF3679VHF3W	24"D X 36"W three-drawer lateral/shelf vertical storage	6236
		Total	$42498



Qty	*Model*	*Description*	*Price*
1	DF4242CFTW	42"D x 42"W corner unit	$2645
1	DF2442RTRW	24"D x 42"W right return	1898
1	DF2442RTLW	24"D x 42"W left return	1898
1	DF2330PUHW	23"D x 30"W storage unit with doors	1784
1	DF2318PUFFW	23"D x 18"W file/file pedestal	1758
1	DF1584WSTSW	84"W transaction shelf	754
		Total	$10737

Typical Configurations

continued

Overview ➤See page 25
Product Information 34
Application Guidelines 48
Pricing 54



Qty	*Model*	*Description*	*Price*
1	DF3672DDFW1	36"D x 72"W desk with recessed modesty panel	$3817
1	DF2472CKFW2	72"W kneespace credenza	3502
1	DF3620SOHSW	36"W overhead storage (suspended)	1361
1	DF1838BCSHRW	18"W bookcase organizer (hinged right)	1588
1	DF1838BCSHLW	18"W bookcase organizer (hinged left)	1588
		Total	$11856

Assembled Casegoods

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	54

Details



Breakfront Recessed

Assembled single- and double-pedestal desks are available in two styles: breakfront and recessed.



Angled, U-shaped, and P-shaped assembled desks are available to serve as main worksurfaces.



Returns, bridges, credenzas, and corner units are available.

Worksurfaces are 1 9/16" thick, 3-ply, balanced construction and available in wood or high-pressure laminate (HPL) with a wood rim.



B Bevel **C** Double Radius **F** Softened



G Beaded **H** Crescent **M** Reed

Worksurface rims are 5/16" thick, with mitered corners. Rim profile appears on all four edges of the worksurface.

Joints are securely fastened with screws, dowels, and concealed fasteners to ensure maximum strength.

Drawer sides and back are ½" thick with veneer faces. Bottoms are ¼" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear, durable topcoat.

One wood drawer divider is provided with each box/box/file pedestal.

Drawer suspensions feature black, progressive action slides with precision steel ball bearings to ensure long lasting, quiet, and smooth operation. Box and file drawer suspensions are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.
➤See page 49 for filing capabilities.

Face-mounted locks are standard on all desks, credenzas, returns, and undersurface pedestals. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.
➤See page 6 for locking information.

A variety of factory-installed worksurface grommet and cut-out options are available. Upcharge applies. Grommets are also available for field installation.
➤See page 52 for factory-installed grommet options.
➤See page 53 for factory-installed cut-out options.

Levelers are black with 1½" adjustment range.

Several pull options are available.
➤See page 50.

Connections



Center drawers are available in three sizes for field installation into assembled and modular configurations.



Assembled models are fully compatible with modular components and storage.

Related Products

Accessories, such as keyboard drawer, tackboard, center drawers, and adjustable keyboard products are available to add functionality to workspaces.
➤See the Perks Price List.

Keyboard kits that comply to ANSI/HFES Method 2 are available.
➤See the Perks Price List.

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	65

Details



Worksurfaces shapes include:
- Rectangular
- Arc
- Angled
- U-shaped
- P-shaped

Worksurfaces are $1^{9}/_{16}$" thick, 3-ply, balanced construction and available in wood or high-pressure laminate (HPL) with a wood rim.

Modular worksurfaces are sized in 6" increments that correspond to Definition pedestals and storage.



B Bevel **C** Double Radius **F** Softened



G Beaded **H** Crescent **M** Reed

Worksurface rims are $^{5}/_{16}$" thick, with mitered corners. Rim profile appears on all four edges of the worksurface.

A variety of factory-installed worksurface grommet and cut-out options are available. Upcharge applies. Grommets are also available for field installation.
➤See page 52 for factory-installed grommet options.
➤See page 53 for factory-installed cut-out options.

Connections

IMPORTANT: Fully assembled models and modular components may be used together in the same configuration.

➤See modular support pages 36–37 for support options and guidelines.



Attachment brackets, based on the application specified—main, filler, or extension—are standard on all worksurface shapes. If the application or position of the worksurface needs to be changed, flat brackets are available to order separately.

24"D rectangular worksurfaces are interchangeable; however, to receive the correct brackets, the application—main (M), extension (E), or filler (F)—must be specified. Main surfaces receive no attachment hardware; extension surfaces receive 2 flat brackets; and filler surfaces receive 4 flat brackets. Separate models are available for lengthwise grain or front-to-back grain direction.

30" and 36"D rectangular worksurfaces are available as separate models for main or extension applications. The appropriate brackets will ship with the model. Grain direction runs lengthwise.

Planning Factors



Worksurfaces can be scribed on site to conform with oblique angles, irregular column placement, and historical preservation guidelines. These are just a few instances where this capability becomes an asset.

Modular Support

End Panels and Support Panels

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	71

Details

End panels are available to support the end of a worksurface where there is no pedestal.

Support panels (model DF1228SW) provide additional support for long unsupported spans.



1 3/16"W end panels (models ending in EPW) are available in 3 depths: 23", 29", and 35". EPW end panel are sized 1" less deep than worksurfaces to accommodate modesty panel or filler strip.



1 9/16"W end panels (models ending in EPDW) are available in 3 depths: 24", 30", and 36". They are compatible with a partial modesty panel and a pedestal for support. They are used on the opposite side of the supporting pedestal to create a single-pedestal desk application. They include a bracket to attach to a bridge or return.



1 9/16"W end panels (models ending in EPEW) are available in 3 depths: 24", 30", and 36". They support the end of rectangular or angled extension worksurface.
➤See page 26 for application guidelines for extension worksurfaces.



T-leg end panels can also be used to support the end of a worksurface where there is no pedestal. They are sized to the full depth of a worksurface and are recommended for use in open plan/freestanding applications. Modesty panel cannot be used in conjunction with T-leg end panels.

Connections

Support can be placed where needed without the limitations of predrilled or predetermined locations.



1 3/16"W end panels (models ending in EPW) attach to the worksurface with an angle bracket which prohibits the use of adjacent undersurface components or keyboard products.



To accommodate a longer worksurface, the surface can overhang support at 18" maximum. The end panel or leg depth does not have to match the worksurface depth in a overhang application. When inset, a 24"D support can be used with a 30" or 36"D surface; a 30" support can be used with a 36"D surface.

Planning Factors



Consider the load a worksurface will carry when planning support. Additional support is recommended for surfaces where heavy equipment will be placed. 12"D support panel (model DF1228SW) can be used for additional support as shown above.

The maximum recommended span for an unsupported worksurface is 60"; longer distance requires additional support.

Related Products



Metal worksurface support bracket (model DFWBVS) is available to attach 24"D worksurfaces to vertical storage in place of an end panel.
➤See page 106.



Partial and full modesty panels are available
➤See page 38.



Undersurface pedestals can support the end of worksurfaces in any application. They are available in open back and finished back in select models.
➤See page 42.

Modular Support

Legs and Cylinder Bases

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	74

Details

Support legs for extension worksurfaces, such as rectangular, angled, U-shaped, and P-shaped worksurfaces that extend out from an adjacent worksurface, includes:

- U-legs
- O-Legs
- Elite legs
- Column legs

Pedestals, half-cylinder bases and end panels (models ending in EPEW) can also be used to support extension worksurfaces.



U-legs and O-legs are powder-coated steel and are available in platinum metallic, carbon metallic, designer white, and cinder paint. The U- and O-legs are fixed at 27¾"H, are 2⅜"W, and available in 24", 30", and 36" depths.



O-leg is also available with factory-installed veneer insert.



Elite legs are polished stainless steel, which is a compatible match to a polished chrome finish. Legs are fixed at 27¾"H, are 3½"W, and available in 30" and 36" depths.



Black plastic leveler insert is located at the bottom of each U-leg, O-leg, and elite leg. The glide stem is 1" long and provides ¾" of adjustment.



Column legs and half-cylinder bases can be used to support extensions and also desk applications with appropriate support on the opposite end. They come in metal round and square, wood round and half cylinder styles. Finishes are available in wood, chrome, and several paint finishes.

Connections

U-leg, O-leg, and elite leg frames are attached directly to underside of worksurface with screws.



IMPORTANT: U-legs, O-legs, and elite legs are not for use in freestanding desk applications. They cannot support set-on-surface storage applications.



Angled worksurfaces are designed to be supported one of two applications:

- Worksurface can overhang the end panel or leg, or
- Support can be placed at the end of the angled surface.

Column legs and half-cylinder bases must always be inset, and are typically placed about 18" from end of surface.

Planning Factors

The maximum recommended span for an unsupported worksurface is 60"; longer distance requires additional support.



To accommodate a longer worksurface, the surface can overhang support pedestal or leg at 18" maximum. The end panel or leg depth does not have to match the worksurface depth in a overhang application. When inset, a 24"D support can be used with a 30" or 36"D surface; a 30" support can be used with a 36"D surface.

Related Products



Partial and full modesty panels are available for use with metal legs. There will be an open space detail between the leg and where the modesty ends. Approximate opening will be 3⅝" for the U- and O-legs and 2⅜" for the elite leg.
➤See page 39 for modesty panel guidelines.



Modesty panels can be used with a half cylinder base. Follow modesty panel guidelines to calculate the desired modesty width.

Modesty panels are not for use with column legs.

Modesty Panels and Back Panels

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	75

Details

Modesty panels are used in conjunction with undersurface components to create a finished back (back panel) or enclosed kneewell. Modesty panels are designed for a specific application and are not universal. To assure proper fit and attachment hardware, modesty panels must be used in their correct application. They are fully finished on both sides.



Modesty panels for modular casegoods mount underneath tops; hardware for attachment is included. Modesty panels can be specified to create a recessed modesty panel (A), or a breakfront effect (B) as shown in the desks illustrated. The finish of a modesty panel can either match or contrast with top.
Note: When creating a breakfront effect (B), the modesty panel is attached to the sides of the pedestals creating handed units.



Kneewell modesty panels are available in full and partial height to create a fully enclosed kneewell for modular double-pedestal desks or kneespace credenza only. To select the correct modesty panel width, deduct the width of the pedestals from the worksurface width. They attach to the side of the pedestals creating handed units.



Desk/credenza modesty panels are fully finished on both sides and used to span the full width of a component desk or credenza only.



Bridge modesty panels are used in conjunction with component worksurfaces to create a modular bridge unit; can be used to create bridges only.



Return modesty panels are used in conjunction with component worksurfaces and undersurface pedestals to create a modular return unit; can be used to create returns only.



Pedestal back panels attach to undersurface pedestals to provide a finished back. They are sized to fit individual pedestal components.





Modesty panels are available for rectangular and angled extension worksurfaces in partial-height (12⅝"H) and full height (27¼"H) models. They include the modesty panel and a 6¾" wing panel that wraps to meet the adjoining end panel or storage. The modesty panel will be wider than the specified worksurface width as it extends into the kneespace of the adjoining unit.

Planning Factors

Modesty panel sizes are specific to the application and type of support used. Options are available for veneer end panel and leg applications.
➤See page 39 for Modesty Panel Selection Guide.

Related Products



Filler strips are available to use when an open-back pedestal is placed against a wall and a modesty panel is not desired. They fill the 1” gap created by the difference in worksurface and pedestal depths.



Technology modesty panels are available.
➤See page 41 for details.

Modesty Panels

Selection Guide

Overview ➤See page 25
Typical Configurations 27
Application Guidelines 48
Pricing 75






Worksurface Depth	*Width*	*Modesty Panel Type*	*1 9/16" End Panel (EPEW)*	*15"W Modular Pedestal or 1 9/16" End Panel (EPEW) Inset 15"*	*18"W Modular Pedestal or 1 9/16" End Panel (EPEW) Inset 18"*	*U-Leg, O-Leg, or Elite Leg*
Rectangular Worksurface with Support at End of Worksurface						
Any	48"	Partial-height	DF5013MPREW	—	—	DF4513MPRELW
		Full-height	DF5027MPREW	—	—	—
Any	54"	Partial-height	DF5613MPREW	DF4213MPREW	—	DF5113MPRELW
		Full-height	DF5627MPREW	DF4227MPREW	—	—
Any	60"	Partial-height	DF6213MPREW	DF4813MPREW	—	DF5713MPRELW
		Full-height	DF6227MPREW	DF4827MPREW	—	—
Any	66"	Partial-height	—	DF5413MPREW	DF5113MPREW	—
		Full-height	—	DF5427MPREW	DF5127MPREW	—
Any	72"	Partial-height	—	DF6013MPREW	DF5713MPREW	—
		Full-height	—	DF6027MPREW	DF5727MPREW	—
Any	78"	Partial-height	—	—	DF6313MPREW	—
		Full-height	—	—	DF6327MPREW	—




Worksurface Width	*Modesty Panel Type*	*15"W Modular Pedestal or End Panel Inset 15"*	*18"W Modular Pedestal or End Panel Inset 18"*
Single-Pedestal Desks with End Panel and Pedestal			
66"	Partial-height	DF4913MPDW	—
72"	Partial-height	DF5513MPDW	DF5213MPDW
78"	Partial-height	DF5813MPDW	—




Additional modesty panel applications can be can be accomplished with pedestal support or by allowing the worksurface to overhang the support pedestal, end panel, or leg support. Follow the guidelines of 60" unsupported span maximum, and a maximum overhang of 18". The modesty panel width will always extend into adjoining unit 2".

To calculate a modesty for an overhang application using a 1 9/16" (EPEW) end panel instead of a pedestal, follow the same guideline you would for a pedestal that is the same width as the inset.
For example: 72" worksurface with a 15" pedestal requires a DF6013MPREW modesty panel.

Partial-height modesty panel must always be used in the single-pedestal application shown at left. The unit can attach to a bridge or return, or be freestanding. A 1 9/16" end panel (EPEW) can be substituted for the pedestal allowing the top to overhang on the end. The 60" maximum span, and 18" maximum overhang rule applies.

Modesty Panels

Selection Guide, continued

Overview ➤See page 25
Typical Configurations 27
Application Guidelines 48
Pricing 80





Worksurface Depth	*Width*	*Modesty Panel Type*	*19/16" End Panel (EPEW)*	*U-Leg, O-Leg, or Elite Leg*
Angled Worksurface with Inset Support				
30"	66"	Partial-height	DF4513MPAEW	DF3813MPAELW
		Full-height	DF4527MPAEW	—
30"	72"	Partial-height	DF5113MPAEW	DF4413MPAELW
		Full-height	DF5127MPAEW	—
36"	66"	Partial-height	DF4313MPAEW	DF3813MPAELW
		Full-height	DF4327MPAEW	—
36"	72"	Partial-height	DF4913MPAEW	DF4413MPAELW
		Full-height	DF4927MPAEW	—

Technology Modesty Panels

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	82

Details



Technology modesty panels are available to provide wall access for modular workwalls, single-pedestal credenzas (shown above), bridges, and returns. Assembled bridges and returns without a modesty panel will also accept the technology modesty.

Widths are available up to 60".



Face of unit is hinged at the center to fold down to access wall.

Connections

Technology modesty panel is not freestanding and must be secured between storage, end panels, or support panels.



For kneewells larger than 60" use a worksurface support panel (DF1228SSW) and a standard modesty panel for use with technology modesty applications.



Elevation View

Gap between the top of the modesty and underside of the worksurface of 2 3/16" allows cords from adjoining extensions or main worksurfaces to exit into the cavity.

Filler strip (model CPFS) can be used to enclose the gap when used with an end panel (model EPEW).

Modesty panel can be used to enclose the cavity if used in an open plan.

Plan View

When mounted flush with the back of storage or end panel, the modesty creates a 5 7/8" cavity to store cords. The unit can be mounted forward to create a larger cavity to the wall.

Planning Factors

Specify the same size modesty panel as the kneespace width into which it will fit.



Bridge worksurfaces, including assembled bridge without a modesty panel (models ending in BEX) and modular bridge surfaces, can be placed above a technology modesty panel. Two 12"D worksurface support panels are required to which the technology modesty panel will attach. The technology panel and the support panels do not attach to or provide support for the bridge; bridge is supported by adjacent worksurfaces with flat brackets.

To create the bridge configuration shown above, specify:
- One DF2448BEX
- One DF4825MPTW
- Two DF1228SSW



Returns created from modular components and assembled returns without a modesty panel (models ending in FX) can accommodate a technology panel. One 12"D worksurface support panels is required to mount on the open end. Order the modesty to correspond with the kneespace width for assembled returns without modesty.

To create the return configuration shown above, specify:
- One DF2442RREFX
- One DF2425MPTW
- One DF1228SSW

For modular returns, calculate the kneespace opening to determine the modesty panel width. For example: 72"W worksurface – 15"W pedestal = 57"W technology modesty panel. Specify:
- One DF2472WSS4
- One DF5725MPTW
- One DF1228SSW



For workwalls, technology panels are available in widths up to 60" to attach to storage and/or support panel on either side.

Related Products



Factory-installed worksurface grommet (G7 and G19) and cut-out (G20) options are designed to allow cords to fall directly into the technology modesty panel's cavity. Power/data center (99KPDCAM) is specified separately.
➤See the Perks Price List for power/data center and field-installed grommets.

Undersurface Storage

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	83

Details

Pedestals can support a worksurface in a desk, return, credenza, or work-wall application. Top of pedestals are open to attach under the worksurface. Bottom of pedestals with drawers are open for electrical access.

Open-back pedestals feature a partially unfinished sub-back that acts as a counter weight for freestanding applications. Sub-back is 12⅛"H on lateral files and 14⅛"H on file/file and box/box/file units. Available in widths of 15", 18", 30", and 36"; depths available are 23", 29", and 35". Drawer configurations include:

- Box/box/file
- File/File
- Pencil/pencil/pencil/file
- Two lateral file drawers
- Open storage



Open-back open storage pedestals have an interior finished sub-back that stops 2" from top of pedestal to accommodate cable exit. These models require a back panel or modesty panel for open, freestanding applications.



Finished-back pedestals include a finished back panel and are the same depth as worksurfaces. They allow convenience when specifying for desks and extensions where a finished back is desired on the individual pedestal. They have a built in counterweight for freestanding applications. Finished back pedestals are available in 15" and 18" widths and in 24", 30", and 36" depths. Drawer configurations:

- Box/box/file
- File/File

Drawer sides and back are ½" thick with veneer faces. Bottoms are ¼" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear, durable topcoat.

One wood drawer divider is provided with each box/box/file pedestal.

Drawer suspensions feature black, progressive action slides with precision steel ball bearings to ensure long lasting, quiet, and smooth operation. Box and file drawer suspensions are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.
➤See page 49 for filing capabilities.

Face-mounted locks are standard on undersurface pedestals. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.
➤See page 6 for locking information.

Several pull options are available.
➤See page 50.

Levelers are black with 1½" adjustment range.

Mobile storage is available in several styles. All mobile pedestals include an anti-tip device and counterweight.

- Cushion-top mobile pedestal provides occasional seating, storage and stows under surfaces.
- Box/box/file and file/file mobile pedestals feature an organizer tray in the finished top panel; not recommended for use under a worksurface.
- Pencil/box/file pedestal has a finished top and can be used under worksurfaces.
- Utility table can function as a serving cart, overhead projector stand, or mobile cabinet. Black handles are on both ends. Does not include an anti-tip device or counterweight.

Connections

Open-back pedestals do not include a back panel and allow access to electrical in the wall. They are 1" less deep than worksurfaces to accommodate optional back or modesty panels for open, freestanding applications. When placed directly against a wall, a filler strip is recommended for the exposed end.



Ganging brackets can be used to attach 2 or more cabinets together side by side. They do not deface the cabinet and are optional.

Planning Factors



Cords and cables may routed behind the drawers of both open-back and finished-back pedestals.

- 23"/24"D lateral files have a 5" clearance; file/file and box/box/file units have a 3" clearance.
- 29"/30"D units have a 2" clearance.
- 35"/36"D units have an 8" clearance.

➤See page 51 for additional cord management information.

Related Products



Filler panels can be specified to build out cabinetry for a custom fit. Panels are scribed on site.



Filler strips are available to use when an open-back pedestal is placed against a wall and a modesty panel is not desired. They fill the 1" gap created by the difference in worksurface and pedestal depths.

Freestanding Files & Bookcases

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	88

Details


With Rim


Without Rim

Freestanding lateral files are available with two finished top options:
- With rim profile
- Without a rim profile

Finished backs and an interlock mechanism are standard on all models. Interlock mechanism allows only one drawer to open at a time to help prevent tipping.



Models with a rim profile on four sides are available in two-drawer and four-drawer models.



Models with a finished top but no rim are available in three-drawer and four-drawer models.

Face-mounted lock is standard. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.
➤See page 6 for locking information.

Drawer sides and back are ½" thick with veneer faces. Bottoms are ¼" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear, durable topcoat.

Drawer suspensions feature black, progressive action slides with precision steel ball bearings to ensure long lasting, quiet, and smooth operation.

Black filing rods are standard in all file drawers and accommodate various filing requirements.
➤See page 49 for filing capabilities.

Several pull options are available.
➤See page 50.

Levelers are black with 1½" adjustment range.



Freestanding bookcases are available in 30" and 36" widths and five heights, ranging from 28¾" to 79¼". Shelves are ¾" thick and adjustable. Tops are fully finished, but have no rim profile. Backs are finished.

Connections



Component tops are available for freestanding bookcases and lateral files without a rim profile, if one is desired. Top will overhang bookcase front by 1". Component tops can span more than one unit.

Related Products

Additional shelves for bookcases may be specified separately.
➤See page 107.

Overhead Storage

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	90

Details

Hinged-door overhead storage are available in two heights—18" and 30"—and several widths ranging from 30" to 72" for wall-mount or suspended applications.



18"H units are available with wood or writable glass doors.



30"H units are available with wood doors.

Wood doors feature one set of matching grain pattern.

Glass doors, available on wall-mount 18"H models only, are have a writable, ice gloss finish (202G) and feature a clear anodized frame (486).
Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.



2 door



3 door



4 door

Door configurations:
- 30"W and 36"W overhead cabinets have 2 doors.
- 42"W, 48"W, and 54"W overhead cabinets have 3 doors with a single door on left.
- 60"W, 66"W, and 72"W overhead cabinets have 4 doors.

A support panel divides the cabinet into two separate sections as indicated by the bold line.

Apron rail, inset behind the bottom edge of the doors, accommodates and conceals task lights.



Tops of cabinets are fully finished, however, they have no rim profile. Component tops may be used if a rim profile is desired.

Back panel is ¾-height on wall-mount models; suspended models feature a fully finished, enclosed back.

Connections

Wall-mount overhead cabinets are hung with wall-mount Traxx brackets.
- 30", 36", and 42"W overheads must be supported by at least two solid attachment points on a wall.
- 48" and 54"W overheads must be supported by at least three solid attachment points on a wall.
- 60", 66", and 72"W overheads must be supported by at least four solid attachment points on a wall.



IMPORTANT: Wall-mount Traxx brackets must be specified separately for wall-mount models. Brackets are 72"W and can be scribed in the field to accommodate cabinets less than 72"W.



Suspended overhead cabinets can be suspended between and attached to set-on-surface storage cabinets, vertical storage cabinets, or a combination of both. Attachment bracketry is included.

Planning Factors



Overhead storage can be used in conjunction with highback organizers, set-on-surface storage, and vertical storage.



Units of different heights can be combined. Shown here is an overhead cabinet suspended between a 38"H set-on-surface cabinet and 79¼"H vertical storage unit.

Related Products



Filler strip may be specified for the back edge of a wall-mounted cabinet to conceal the exposed Traxx bracket.



Filler panels can be specified to build out cabinetry for a custom fit. Panels are scribed on site.

Component tops
➤See page 108.

LED and fluorescent task lights are available.
➤See the Casegoods Price List.

Integrating with Traxx and Tiles
➤See page 48.

Highback Organizers

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	94

Details

Hinged-door highback organizers are available in two heights: 38" and 50".



38"H units are available with wood doors or writable glass doors. Wood door units range from 54" to 108"W; writable glass door units range from 54" to 72"W.



50"H units are available with wood doors in widths ranging from 54" to 72".

Wood doors feature one set of matching grain pattern.

Glass doors, available on wall-mount 18"H models only, are have a writable, ice gloss finish (202G) and feature a clear anodized frame (486).
Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.



3 door



4 door



6 door

Hinged-Door Configurations:
- 54"W overhead storage cabinets have 3 doors with a single door on left.
- 60"–84"W overhead storage and highback organizers have 4 doors.
- 96"–108"W highback organizers have six doors.

A support panel divides the cabinet into two separate sections as indicated by the bold line.

Apron rail, inset behind the bottom edge of the doors, accommodates and conceals task lights.



2"-diameter, black plastic grommet is standard on highbacks at top behind apron rail to manage task light cords.



Tops of cabinets are fully finished, however, they have no rim profile. Component tops may be used if a rim profile is desired.

Connections

IMPORTANT: Highback organizers are for use on top of a worksurface only; not for freestanding applications. Highback organizers require proper support, such as pedestals or end panels, directly under the worksurface where the end panel of the highback rests.



108"W highback organizer consists of two sections, shipped in separate cartons; assembly is required.

Planning Factors



Highback organizers can be used in conjunction with set-on-surface storage and vertical storage:
- 38"H units when placed on a surface will line up with 67½"H vertical storage.
- 50"H units line up with 79¼"H vertical storage.



Units of different heights can be combined. Shown here is highback organizer between a 38"H set-on-surface cabinet and 79¼"H vertical storage unit.

Related Products



Component tops
➤See page 108.

LED lights, fluorescent task lights, tackboards, power tackboards, and slatwall tiles are available.
➤See the Casegoods Price List.

108"W highbacks accommodates two AC4618 tackboards or smaller and two KAC49 or KCU33TLKL task lights or smaller.

Set-on-Surface Storage

Overview ➤See page 25
Typical Configurations 27
Application Guidelines 48
Pricing 98

Details

Set-on-surface storage is available in open bookcase, hinged door, and organizer styles.



Open bookcase models are available 18", 30," or 36"W and 38" or 50"H.



Wood door storage is available 18", 30," or 36"W and 38" or 50"H. 18"W models feature a single door which can be specified to hinge right or left; 30" and 36"W feature double-doors. Doors feature a touch latch.



Writable glass hinged-door models are available in 38"H only. Glass doors are non-locking and feature a touch latch.

Organizer models are 18"W available and 38" or 50"H.

Doors are available in wood and writable glass. Doors feature a touch latch. Wood doors are standard as non-locking, but field-installed lock options are available. Glass doors are non-locking.
➤See page 6 for locking information.

Shelves are ¾" thick and adjustable 38"H bookcase and hinged-door units have two adjustable shelves; 50"H bookcase and hinged-door units have three shelves. Organizers features 5 shelves in the bottom section; 50"H organizers also have one adjustable shelf in the upper section.



Tops of cabinets are fully finished, however, they have no rim profile. Component tops may be used if a rim profile is desired.

Connections

IMPORTANT: Set-on-surface are for use on top of a worksurface only; not for freestanding applications.

Ganging adjacent units with bolts through the side panels is recommended. Hardware ships with the unit.

Planning Factors



Set-on-surface storage is sized to be used in conjunction with highback organizers, overheads, and vertical storage:

- 38"H units when placed on a surface will line up with 67½"H vertical storage.
- 50"H units line up with 79¼"H vertical storage.



Units of different heights can be combined. Shown here is highback organizer between a 38"H set-on-surface cabinet and 79¼"H vertical storage unit.

Related Products



Component tops
➤See page 108.

Vertical Storage

Overview	➤See page 25
Typical Configurations	27
Application Guidelines	48
Pricing	103

Details

Vertical storage cabinets are 24"D available in two heights—67½" and 79¼".



Single-door cabinets are available in the following configurations:

- 6" and 18"W wardrobe
- 18"W shelf storage
- 18"W combination wardrobe and open-shelf storage



Double-door cabinets are available in 30" and 36"W in the following configurations:

- Wardrobe
- Combination wardrobe and shelf storage
- All shelves
- Two-drawer lateral file with shelf-storage above
- Three-drawer lateral file with shelf storage above

Wood doors feature a touch latch.

Shelves are ¾" thick and adjustable.

Face-mounted locks are standard on all vertical storage units. On models with lateral file drawers, the drawer unit is standard as locking; locking doors on the upper section are optional. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.
➤See page 6 for locking information.

Drawer sides and back are ½" thick with veneer faces. Bottoms are ¼" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear, durable topcoat.

Drawer suspensions feature black, progressive action slides with precision steel ball bearings to ensure long lasting, quiet, and smooth operation.

Black filing rods are standard in all file drawers and accommodate various filing requirements.
➤See page 49 for filing capabilities.

Levelers are black with 1½" adjustment range.



Tops of cabinets are fully finished, however, they have no rim profile. Component tops may be used if a rim profile is desired.

Backs are finished.

Connections

Ganging adjacent units with bolts through the side panels is recommended.

Planning Factors



Vertical storage is sized to be used in conjunction with highback organizers, overheads, and set-on-surface storage:

- 38"H units when placed on a surface will line up with 67½"H vertical storage.
- 50"H units line up with 79¼"H vertical storage.



Units of different heights can be combined. Shown here is highback organizer between a 38"H set-on-surface cabinet and 79¼"H vertical storage unit.

Related Products



Metal worksurface support bracket (model DFWBVS) is available to attach 24"D worksurfaces to vertical storage in place of an end panel.



Component tops
➤See page 109.

Filler panels can be specified to build out cabinetry for a custom fit. Panels are scribed on site.

Integrating with Traxx and Tiles

Overview	➤See page 25
Typical Configurations	27
Cord Management	51
Pricing	54

Traxx can be mounted to most interior walls, including steel or wood stud walls, masonry block, or solid masonry walls.

Overhead storage can be mounted to upper Traxx.

Tiles mount between upper and lower Traxx to add functionality to the workspace.

Fabric and standard marker board tiles can be scribed in the field to meet individual requirements.

Worksurfaces can be mounted to lower Traxx.



Installation Heights

Traxx should be installed at heights to correspond with the appropriate application.



Overhead Cabinets	66⅞"H
Worksurfaces	28½"H
Conferencing Solutions	78⅞"H

➤See the Systems Price List for Traxx and tiles planning and pricing information.

➤See the Systems Price List for worksurface brackets for Traxx supported worksurfaces and Cetra applications.

Filing Capabilities

Overview ➤See page 25
Typical Configurations 27
Cord Management 51
Pricing 54

Description	*Type*	*Inside D*	*Inside W*	*Inside H*	*Front-to-Back*	*Side-to-Side*
Desks						
42 x 82 & 36 x 72 desk (breakfront or recessed modesty)	Box	17"	14½"	3"	—	—
	File	25"	15"	9"	Legal	Legal, double letter, and EDP
30 x 66 desk (breakfront modesty)	Box	17"	14½"	3"	—	—
	File	25"	15"	9"	Legal	Legal, double letter, and EDP
30 x 66 desk (recessed modesty)	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
30 x 60 desk (breakfront modesty)	Box	17"	11½"	3"	—	—
	File	25"	12"	9"	Letter	Legal, double letter, and EDP
30 x 60 desk (recessed modesty)	Box	17"	11½"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
Returns	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenzas						
24 x 72 credenza	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Lateral	15"	32⅜"	9"	Legal, letter, and EDP	Legal and letter
24 x 66 credenzas	Box	17"	11½"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Lateral	15"	26⅜"	9"	Legal, letter, and EDP	Legal and letter
Modular and Mobile Pedestals						
29/30 x 18 & 35/36 x 18 pedestals	Box	17"	14½"	3"	—	—
	File	25"	15"	9"	Legal	Legal, double letter, and EDP
23/24 x 18 Pedestals	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
29/30 x 15 & 35/36 x 15 pedestals	Box	17"	14½"	3"	—	—
	File	25"	15"	9"	Legal	Legal, double letter, and EDP
23/24 x 15 Pedestals	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Lateral Files						
36"W lateral file	Lateral	15"	32⅜"	9"	Legal, letter, and EDP	Legal and letter
30"W lateral file	Lateral	15"	26⅜"	9"	Legal, letter, and EDP	Legal and letter

Filing Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞".

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.
➤See the Perks Price List.

Pull Options

Overview ➤See page 25
Typical Configurations 27
Cord Management 51
Pricing 54

Definition Series Pulls


92 Cove
(+$26/unit)


93 Aero


96 Luna


95 Deco


97 Linear

Finishes:
Plated—
487 Brushed Nickel
490 Polished Chrome

Paint—
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

Boring Patterns:

Cove	n/a
Aero	128 mm
Luna	n/a

Pull Size:

	Width	*Height*	*Projection*
Cove	5½"	1⅛"	1/16"
Aero	5½"	⅜"	¾"
Luna	1⅞"	⅜"	⅜"

Note: Cove and Luna pulls are recessed into the drawer front.

Finishes:
Plated—
487 Brushed Nickel
490 Polished Chrome

Anodized—
486 Clear Anodized (available on Linear pull only)

Boring Patterns:

Deco	76 mm
Linear	n/a

Pull Size:

	Width	*Height*	*Projection*
Deco	4⅞"	⅝"	1"
Linear	10⅛"	¼"	⅝"

Note: Linear pull wraps the drawer face and attaches on the backside of the drawer.

Priority Series Pulls


89 Studio


91 Niche


90 Trinity
(+$26/unit)

61 Helix


63 Link


64 Wisp

Finishes:
Paint—
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

Boring Patterns:

Studio	192 mm
Niche	96 mm
Trinity	160 mm

Pull Size:

	Width	*Height*	*Projection*
Studio	7⅞"	⅜"	1⅛"
Niche	5⅜"	⅞"	⅞"
Trinity	9¼"	⅜"	⅞"

Finishes:
Paint—
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

SF Silver Frost Metallic

Boring Patterns:

Helix	160 mm
Link	160 mm
Wisp	190 mm

Pull Size:

	Width	*Height*	*Projection*
Helix	7⅝"	½"	1¼"
Link	6⅝"	1⅛"	1"
Wisp	9⅞"	⅝"	1⅛"

How to Specify

Specify pull option and finish together in one step.
If pull finish designator is a number, insert an underscore between the pull designator and the finish designator. For finish designators that are letters, put the pull and finish together without a space or underscore.

Examples:
93_487 = Aero pull, Brushed Nickel
61SF = Helix, Silver Frost metallic

Cord Management

Application Guidelines

Overview	➤See page 25
Typical Configurations	27
Grommet Options	52
Cut-Out Options	53

The Definition casegoods line provides several flexible options for routing and concealing cords and cables. These include:

- Factory-installed worksurface grommet options (G7 and G19)
- Factory-installed G20 cut-out for power/data center
- Technology modesty panels
- Pedestals with a deep channel behind the drawers and open bottom
- Highback organizer with cord access grommet

Factory-installed grommets and cutouts are available as an option on assembled casegoods and modular worksurfaces in predetermined worksurface locations.
➤See pages 52–53 for specification information, upcharges, and locations by worksurface shape or type.



G7 metal grommets are a one-piece unit with a powdercoat finish in the following colors:
MB Matte Black
501 Platinum Metallic



G19 metal grommet is a two-piece unit with black brush access. Top locks in place. Powdercoat finish in the following colors:
405 Designer White
501 Platinum Metallic
514 Carbon Metallic
490 Polished Chrome
487 Brushed Nickel

Grommets for field installation are also available (models 99KG7MB, 99KG7PL, 99KG19PL, 99KG19DW, 99K19CM, 99KB19490, and 99KG19487).
IMPORTANT: Note the location of support legs to ensure they do not interfere with grommet locations.
➤See the Perks Price List.



G20 cut-out is designed to accept 8⅝" x 5⅝" above-mount power/data center (model 99KPDCAM), specified separately, for applications where connections are required at the worksurface. Power/data center has an anodized aluminum finish.
➤See the Perks Price List.



Technology modesty panels provide wall access and a 5⅞" cavity to store cords. Top part is hinged and can be flipped down by the user to access wall outlets and stored cabling.
➤See page 41 for more details.



G20 cutout and power/data center can be installed over open kneespace areas and the technology modesty panel. Cords can be plugged in at the surface and exit inside the unit. Power/data center cannot be installed over pedestals.



Open-back and finished-back pedestals allow cords and cables to be routed behind the drawers.

- 23"/24"D lateral files have a 5" clearance; file/file and box/box/file units have a 3" clearance.
- 29"/30"D units have a 2" clearance.
- 35"/36"D units have an 8" clearance.

Holes can be bored in the field into pedestal sides to pass cords through the pedestal.



2"-diameter, black plastic grommet is standard on highbacks at center top behind apron rail to manage task light cords.



Perks undersurface cable manager is available to manage cords and cables under the worksurface. Cables pressure fit between loops.
➤See the Perks Price List.



Perks flexchain manages cables and power-in feeds from under the surface to the floor. Flexchain U-bracket, specified separately, mounts to a standard wall outlet to manage cords from the outlet to under the surface.
➤See the Perks Price List.

Cord Management

Application Guidelines & Options Pricing

Factory-Installed Grommet Options

Overview ➤See page 25
Typical Configurations 27
Cord Management 51
Cut-Out Options 53

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G7 Metal Grommets										
Desks	**G7L**	+$57	**G7R**	+$57	**G7LR**	+$114	—		—	
Angled desk/worksurface, left	—		**G7R**	+$57	—		—		—	
Angled desk/worksurface, right	**G7L**	+$57	—		—		—		—	
Executive return or bridge	—		—		—		**G7C**	+$57	—	
Corner unit or task reception	—		—		—		**G7C**	+$57	—	
Credenza (all)	**G7L**	+$57	**G7R**	+$57	**G7LR**	+$114	**G7C**	+$57	**G7A**	+$171
24"D rectangular worksurface	**G7L**	+$57	**G7R**	+$57	**G7LR**	+$114	**G7C**	+$57	**G7A**	+$171
30" & 36"D main worksurface	**G7L**	+$57	**G7R**	+$57	**G7LR**	+$114	—		—	
30" & 36"D extension worksurface	**G7L**	+$57	**G7R**	+$57	—		—		—	
G19 Metal Grommets										
Desks	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—		—	
Angled desk/worksurface, left	—		**G19R**	+$57	—		—		—	
Angled desk/worksurface, right	**G19L**	+$57	—		—		—		—	
Executive return or bridge	—		—		—		**G19C**	+$57	—	
Corner unit or task reception	—		—		—		**G19C**	+$57	—	
Credenza (all)	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
24"D rectangular worksurface	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
30" & 36"D main worksurface	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—		—	
30" & 36"D extension worksurface	**G19L**	+$57	**G19R**	+$57	—		—		—	





Desks
30"D Worksurfaces
36"D Worksurfaces



Arc
*on 36"D **on 42"D



Angled



Credenzas
24"D Worksurfaces



Returns



Bridges

Corner Units
Task Reception

Available Finishes

G7 Grommets:
MB Matte Black
501 Platinum Metallic

G19 Grommets:
405 Designer White
501 Platinum Metallic
514 Carbon Metallic
490 Polished Chrome
487 Brushed Nickel

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G7LMB = G7 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix at left with a designator and price are available.

Cord Management

Application Guidelines & Options Pricing

Factory-Installed Cut-Out Options

Overview ➤See page 25
Typical Configurations 27
Cord Management 51
Grommet Options 52



G20 cut-out is designed to accept 8 5/16" x 5 5/16" above-mount power/data center (model 99KPDCAM), specified separately, for applications where connections are required at the worksurface. Power/data center has an anodized aluminum finish.
➤See the Perks Price List.

IMPORTANT: G20 cut-outs and power/data centers can only be installed in the kneespace or above a technology modesty panel; not applicable above a pedestal.

	Left		*Right*		*Center*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G20 Cut-Out						
Single-pedestal desk, left	—		**G20R**	+$52	—	
Single-pedestal desk, right	**G20L**	+$52	—		—	
Angled desk/worksurface, left	—		**G20R**	+$52	—	
Angled desk/worksurface, right	**G20L**	+$52	—		—	
Executive return or bridge	—		—		**G20C**	+$52
Corner unit or task reception	—		—		**G20C**	+$52
24"D rectangular worksurface	**G20L**	+$52	**G20R**	+$52	**G20C**	+$52
30" & 36"D main worksurface	**G20L**	+$52	**G20R**	+$52	—	
30" & 36"D extension worksurface	**G20L**	+$52	**G20R**	+$52	—	

How to Specify

① Insert the location designator into model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the cut-out locations shown in the matrix at left with a designator are available.



Single-Ped Desks
Arc Worksurfaces

30"D Worksurfaces
36"D Worksurfaces

Angled

24"D Worksurfaces

Returns

Bridges

Corner Units
Task Reception

Double-Pedestal Desks

Pricing

Rectangular or Arc Top

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3



D	W	H	KW	KH	PD	AO	Model	Price
Recessed Modesty Panel								
Rectangular Top								
30"	60"	29¼"	30"	27¾"	24"	6"	**DF3060DDF**	$3476
30"	66"	29¼"	30"	27¾"	24"	6"	**DF3066DDF**	3551
36"	72"	29¼"	36"	27¾"	30"	6"	**DF3672DDF**	3817
Arc Top								
36"	72"	29¼"	36"	27¾"	30"	6"	**DF3672DDFA**	$4201
42"	72"	29¼"	36"	27¾"	36"	6"	**DF4272DDFA**	4536



Breakfront Modesty Panel								
Rectangular Top								
30"	60"	29¼"	30"	27¾"	30"	—	**DF3060DDFB**	$3549
30"	66"	29¼"	30"	27¾"	30"	—	**DF3066DDFB**	3630
36"	72"	29¼"	36"	27¾"	36"	—	**DF3672DDFB**	3897
Arc Top								
36"	72"	29¼"	36"	27¾"	30"	6"	**DF3672DDFBA**	$4314
42"	72"	29¼"	36"	27¾"	36"	6"	**DF4272DDFBA**	4660

Standard Includes

- Two pedestals: letter width on 60"W; legal width on 66" and 72"W
- One lock per pedestal
- Black vinyl organizer tray in top box drawer

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
❸ Pedestal option:
1 = BBF/BBF **8** = BBF/FF
2 = FF/FF **9** = FF/BBF
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Pull option:
➤See page 50 for designators.
⑥ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$44); specify two lock cores separately
⑦ Grommet/cut-out option:
➤See pages 52–53.
X = No grommet or cut-out
⑧ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator
⑩ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for wood worksurface)

Center Drawers
➤See page 60.

Single-Pedestal Desks

Pricing

Rectangular Top

GSA SIN 711-8
FSC-C01059 available










D	*W*	*H*	*KW*	*KH*	*PD*	*AO*	*Model*	*Price*
Recessed Modesty Panel								
Pedestal on Right								
30"	66"	29¼"	51"	27¾"	24"	6"	**DF3066DRF**	$3018
36"	72"	29¼"	54"	27¾"	30"	6"	**DF3672DRF**	3246
Pedestal on Left								
30"	66"	29¼"	51"	27¾"	24"	6"	**DF3066DLF**	$3018
36"	72"	29¼"	54"	27¾"	30"	6"	**DF3672DLF**	3246
Breakfront Modesty Panel								
Pedestal on Right								
30"	66"	29¼"	51"	27¾"	30"	—	**DF3066DRFB**	$3085
36"	72"	29¼"	54"	27¾"	36"	—	**DF3672DRFB**	3311
Pedestal on Left								
30"	66"	29¼"	51"	27¾"	30"	—	**DF3066DLFB**	$3085
36"	72"	29¼"	54"	27¾"	36"	—	**DF3672DLFB**	3311

IMPORTANT: Single-pedestal desks can be used as a stand-alone unit.

Center Drawers
➤See page 60.

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3

Standard Includes

- Pedestal: letter width on 66"W; legal width on 72"W
- Lock
- Black vinyl organizer tray in top box drawer

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
❸ Pedestal option:
1 = BBF
2 = FF
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Pull option:
➤See page 50 for designators.
⑥ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
⑦ Grommet/cut-out option:
➤See pages 52–53.
X = No grommet or cut-out
⑧ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator
⑩ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for wood worksurface)

Single-Pedestal Desks

Pricing

Arc Top

GSA SIN 711-8
FSC-C01059 available










D	W	H	KW	KH	PD	AO	Model	Price
Recessed Modesty Panel								
Pedestal on Right								
36"	72"	29¼"	54"	27¾"	30"	6"	**DF3672DRFA**	$3486
42"	72"	29¼"	54"	27¾"	36"	6"	**DF4272DRFA**	3743
Pedestal on Left								
36"	72"	29¼"	54"	27¾"	30"	6"	**DF3672DLFA**	$3486
42"	72"	29¼"	54"	27¾"	36"	6"	**DF4272DLFA**	3743
Breakfront Modesty Panel								
Pedestal on Right								
36"	72"	29¼"	54"	27¾"	30"	6"	**DF3672DRFBA**	$3561
42"	72"	29¼"	54"	27¾"	36"	6"	**DF4272DRFBA**	3829
Pedestal on Left								
36"	72"	29¼"	54"	27¾"	30"	6"	**DF3672DLFBA**	$3561
42"	72"	29¼"	54"	27¾"	36"	6"	**DF4272DLFBA**	3829

IMPORTANT: Single-pedestal desks can be used as a stand-alone unit.

Center Drawers
➤See page 60.

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3

Standard Includes

- Pedestal: letter width on 66"W; legal width on 72"W
- Lock
- Black vinyl organizer tray in top box drawer

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
❸ Pedestal option:
1 = BBF
2 = FF
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Pull option:
➤See page 50 for designators.
⑥ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
⑦ Grommet/cut-out option:
➤See pages 52–53.
X = No grommet or cut-out
⑧ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator
⑩ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for wood worksurface)

Angled Desks

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3



approach side

D	*W*	*H*	*KW*	*KH*	*Model*	*Price*
Angle on Right						
30”	90”	29¼"	58¼"	27¾"	**DF3090DRAE**	$3945
36”	90”	29¼"	58¼"	27¾"	**DF3690DRAE**	4057



approach side

Angle on Left						
30”	90”	29¼"	58¼"	27¾"	**DF3090DLAE**	$3945
36”	90”	29¼"	58¼"	27¾"	**DF3690DLAE**	4057







IMPORTANT: Angle-shape desks can be used as a stand-alone unit. Also attaches to bridges returns, and component worksurfaces.

Center Drawers
➤See page 60.

Standard Includes

- Worksurface: widthwise grain direction

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

U-Shaped Desks

Pricing

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*KH*	*Model*	*Price*
Without Modesty Panel					
36"	72"	29¼"	27¾"	**DF3672DU**	$2523
With Modesty Panel					
36"	72"	29¼"	27¾"	**DF3672DUF**	$3319

IMPORTANT: Not intended as a stand-alone unit; for use with returns, bridges, and component worksurfaces. Column or half-cylinder base must be specified separately; desk with modesty panel requires a half-cylinder base

Column and Cylinder Bases
➤See page 73.

Center Drawers
➤See page 60.

Grommets for Field Installation
➤See the Perks Price List.

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3

Standard Includes

- Worksurface
- T-leg end panel or end panel with full modesty panel
- Ships ready-to-assemble

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator
⑥ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for wood worksurface)

P-Shaped Desks

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3









D	*W*	*H*	*KH*	*Conf. Area*	*Model*	*Price*
Without Modesty Panel						
Conference Area on Right						
36"	72"	29¼"	27¾"	42" dia.	**DF3672DPR**	$3027
Conference Area on Left						
36"	72"	29¼"	27¾"	42" dia.	**DF3672DPL**	$3027
With Modesty Panel						
Conference Area on Right						
36"	72"	29¼"	27¾"	42" dia.	**DF3672DPRF**	$3997
Conference Area on Left						
36"	72"	29¼"	27¾"	42" dia.	**DF3672DPLF**	$3997

IMPORTANT: Not intended as a stand-alone unit; for use with returns, bridges, and component worksurfaces. Column or half-cylinder base must be specified separately; desk with modesty panel requires a half-cylinder base

Column and Cylinder Bases
➤See page 73.

Center Drawers
➤See page 60.

Grommets for Field Installation
➤See the Perks Price List.

Standard Includes

- Worksurface
- T-leg end panel or end panel with full modesty panel
- Ships ready-to-assemble

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator
⑥ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for wood worksurface)

Center Drawers

Pricing

For Use with Desks

GSA SIN 711-8
FSC-C01059 available



D	*W*	*H*	*Model*	*Price*
For Use with 60"W Desk				
21¾"	17¾"	2¼"	**AC2218CD**	$244
For Use with 66"W Desk				
21¾"	29¾"	2¼"	**AC2230CD**	$328
For Use with 72"W Desk				
21¾"	35¾"	2¼"	**AC2236CD**	$367

IMPORTANT: If center drawer is used on a U- or P-shaped desk with a modesty panel, the modesty panel must be positioned forward toward the approach side to allow clearance for the drawer depth.

Overview ➤See page 25
Product Information 34
Abbreviation Key 3

Standard Includes

- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Executive Returns

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3







D	*W*	*H*	*KW*	*KH*	*Model*	*Price*
Without Modesty Panel						
Pedestal on Right						
24"	42"	29¼"	24"	27¾"	**DF2442RREFX**	$2301
24"	48"	29¼"	30"	27¾"	**DF2448RREFX**	2343
24"	60"	29¼"	42"	27¾"	**DF2460RREFX**	2421
Pedestal on Left						
24"	42"	29¼"	24"	27¾"	**DF2442RLEFX**	$2301
24"	48"	29¼"	30"	27¾"	**DF2448RLEFX**	2343
24"	60"	29¼"	42"	27¾"	**DF2460RLEFX**	2421
With Modesty Panel						
Pedestal on Right						
24"	42"	29¼"	24"	27¾"	**DF2442RREF**	$2327
24"	48"	29¼"	30"	27¾"	**DF2448RREF**	2378
24"	60"	29¼"	42"	27¾"	**DF2460RREF**	2471
Pedestal on Left						
24"	42"	29¼"	24"	27¾"	**DF2442RLEF**	$2327
24"	48"	29¼"	30"	27¾"	**DF2448RLEF**	2378
24"	60"	29¼"	42"	27¾"	**DF2460RLEF**	2471

IMPORTANT: Bridges are for use with single-pedestal desks, single-pedestal credenzas, U- and P-shaped desks, and corner units.

Standard Includes

- Worksurface: front-to-back grain direction
- Pedestals: legal width
- Lock
- Finished back

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
❸ Pedestal option:
1 = BBF
2 = FF
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Pull option:
➤See page 50 for designators.
⑥ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
⑦ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Worksurface finish designator
⑩ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for wood worksurface)

Bridges and Corner Units

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3



D	*W*	*H*	*KW*	*KH*	*Model*	*Price*
Bridges without Modesty Panel						
24"	36"	1 9/16"	24"	27 3/4"	**DF2436BEX**	$689
24"	42"	1 9/16"	24"	27 3/4"	**DF2442BEX**	716
24"	48"	1 9/16"	24"	27 3/4"	**DF2448BEX**	749
24"	60"	1 9/16"	24"	27 3/4"	**DF2460BEX**	811



Bridges with Modesty Panel						
24"	36"	29 1/4"	24"	27 3/4"	**DF2436BEF**	$1212
24"	42"	29 1/4"	24"	27 3/4"	**DF2442BEF**	1259
24"	48"	29 1/4"	24"	27 3/4"	**DF2448BEF**	1308
24"	60"	29 1/4"	24"	27 3/4"	**DF2460BEF**	1421





A	*B*	*C*	*D*	*E*	*H*	*KH*	*Model*	*Price*
Corner Units								
36"	36"	24"	24"	17"	29 1/4"	27 3/4"	**DF3636CFS**	$2235
42"	42"	24"	24"	25 3/16"	29 1/4"	27 3/4"	**DF4242CFS**	2400

IMPORTANT: Bridges are for use with single-pedestal desks, single-pedestal credenzas, U- and P-shaped desks, and corner units.

Standard Includes

- Worksurface: grain direction runs front to back on bridge and parallel to the user's edge (E) on corner unit
- Modesty panel on applicable bridge model: ships ready-to-assemble
- Utility shelf in corner unit

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%); not available on corner units
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Credenzas

Pricing

Storage or Kneespace

† GSA SIN 711-9
†† GSA SIN 711-8
FSC-C01059 available



D	W	H	KW	KH	Model	Price
Storage Credenza †						
24"	66"	29¼"	—	—	**DF2466CSF**	$3582
24"	72"	29¼"	—	—	**DF2472CSF**	3867



D	W	H	KW	KH	Model	Price
Kneespace Credenza ††						
24"	66"	29¼"	30"	27¾"	**DF2466CKF**	$3254
24"	72"	29¼"	36"	27¾"	**DF2472CKF**	3502

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3

Standard Includes

- Pedestals: legal width
- Finished back
- One lock per pedestal
- Center storage section on storage credenza: two hinged doors, one adjustable shelf, and lock

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
❸ Pedestal option:
1 = BBF/BBF **8** = BBF/FF
2 = FF/FF **9** = FF/BBF
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Pull option:
➤See page 50 for designators.
⑥ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22 per lock); specify lock cores separately
⑦ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Worksurface finish designator
⑩ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for wood worksurface)

Credenzas

Pricing

Single-Pedestal

GSA SIN 711-8
FSC-C01059 available









D	W	H	KW	KH	PW	Model	Price
Box/Box/File or File/File							
Pedestal on Right							
24"	66"	29¼"	51"	27¾"	letter	**DF2466CRF**	$2775
24"	72"	29¼"	54"	27¾"	legal	**DF2472CRF**	2973
Pedestal on Left							
24"	66"	29¼"	51"	27¾"	letter	**DF2466CLF**	$2775
24"	72"	29¼"	54"	27¾"	legal	**DF2472CLF**	2973
Lateral File							
Pedestal on Right							
24"	66"	29¼"	36"	27¾"	30"	**DF2466CRF**	$3253
24"	72"	29¼"	36"	27¾"	36"	**DF2472CRF**	3450
Pedestal on Left							
24"	66"	29¼"	36"	27¾"	30"	**DF2466CLF**	$3253
24"	72"	29¼"	36"	27¾"	36"	**DF2472CLF**	3450

IMPORTANT: Single-pedestal credenzas are for use with bridges and component worksurfaces. Can also be used as a stand-alone unit.

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3

Standard Includes

- Box/box/file, file/file pedestal, or lateral file
- Finished back
- Lock

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
❸ Pedestal option:
1 = BBF
2 = FF
6 = Lateral File
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Pull option:
➤See page 50 for designators.
⑥ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
⑦ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑧ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator
⑩ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for wood worksurface)

Rectangular Worksurfaces

Pricing

24"D

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 35
Cord Management 51
Abbreviation Key 3



D	W	H	Model	Price
For Use as Main, Extension or Filler Surface				
Widthwise Grain Direction				
24"	18"	1 9/16"	**DF2418WSS4**	$620
24"	30"	1 9/16"	**DF2430WSS4**	643
24"	36"	1 9/16"	**DF2436WSS4**	667
24"	42"	1 9/16"	**DF2442WSS4**	693
24"	48"	1 9/16"	**DF2448WSS4**	725
24"	54"	1 9/16"	**DF2454WSS4**	754
24"	60"	1 9/16"	**DF2460WSS4**	788
24"	66"	1 9/16"	**DF2466WSS4**	823
24"	72"	1 9/16"	**DF2472WSS4**	855
24"	78"	1 9/16"	**DF2478WSS4**	888
24"	84"	1 9/16"	**DF2484WSS4**	925
24"	90"	1 9/16"	**DF2490WSS4**	991
24"	96"	1 9/16"	**DF2496WSS4**	1061
24"	102"	1 9/16"	**DF24102WSS4**	1147
24"	108"	1 9/16"	**DF24108WSS4**	1248
24"	114"	1 9/16"	**DF24114WSS4**	1323
24"	120"	1 9/16"	**DF24120WSS4**	1442
Front-to-Back Grain Direction				
24"	60"	1 9/16"	**DF2460WSS4FB**	$788
24"	66"	1 9/16"	**DF2466WSS4FB**	823
24"	72"	1 9/16"	**DF2472WSS4FB**	855
24"	78"	1 9/16"	**DF2478WSS4FB**	888
24"	84"	1 9/16"	**DF2484WSS4FB**	925
24"	90"	1 9/16"	**DF2490WSS4FB**	991
24"	96"	1 9/16"	**DF2496WSS4FB**	1061
24"	102"	1 9/16"	**DF24102WSS4FB**	1147
24"	108"	1 9/16"	**DF24108WSS4FB**	1248
24"	114"	1 9/16"	**DF24114WSS4FB**	1323
24"	120"	1 9/16"	**DF24120WSS4FB**	1442

IMPORTANT: Flat brackets ship standard with extension and filler worksurface types. Specify flat brackets separately only if additional brackets are required.

Flat Brackets
➤See page 72.

Standard Includes

- Rim profile on all four sides
- Flat brackets: two with extension surfaces, four with filler surfaces, none with main surfaces
- Attachment brackets

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Worksurface type:
M = Main
E = Extension
F = Filler
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑥ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for wood worksurface)

Rectangular Worksurfaces

Pricing

30"D

GSA SIN 711-8
FSC-C01059 available





D	W	H	Model	Price
For Use as a Main Surface				
30"	36"	1 9/16"	**DF3036WSSM4**	$749
30"	42"	1 9/16"	**DF3042WSSM4**	781
30"	48"	1 9/16"	**DF3048WSSM4**	813
30"	54"	1 9/16"	**DF3054WSSM4**	846
30"	60"	1 9/16"	**DF3060WSSM4**	881
30"	66"	1 9/16"	**DF3066WSSM4**	918
30"	72"	1 9/16"	**DF3072WSSM4**	959
30"	78"	1 9/16"	**DF3078WSSM4**	999
30"	84"	1 9/16"	**DF3084WSSM4**	1044
30"	90"	1 9/16"	**DF3090WSSM4**	1095
For Use as an Extension Surface				
30"	48"	1 9/16"	**DF3048WSSE4**	$813
30"	54"	1 9/16"	**DF3054WSSE4**	846
30"	60"	1 9/16"	**DF3060WSSE4**	881
30"	66"	1 9/16"	**DF3066WSSE4**	918
30"	72"	1 9/16"	**DF3072WSSE4**	959
30"	78"	1 9/16"	**DF3078WSSE4**	999
30"	84"	1 9/16"	**DF3084WSSE4**	1044
30"	90"	1 9/16"	**DF3090WSSE4**	1095

IMPORTANT: Flat brackets ship standard with extension worksurface types. Specify flat brackets separately only if additional brackets are required.

Flat Brackets
➤See page 72.

Overview ➤See page 25
Product Information 35
Cord Management 51
Abbreviation Key 3

Standard Includes

- Worksurface: widthwise grain direction
- Rim profile on all four sides
- Attachment brackets

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Rectangular Worksurfaces

Pricing

36"D

GSA SIN 711-8
FSC-C01059 available





D	W	H	Model	Price
For Use as a Main Surface				
36"	48"	1 9/16"	**DF3648WSSM4**	$878
36"	54"	1 9/16"	**DF3654WSSM4**	922
36"	60"	1 9/16"	**DF3660WSSM4**	971
36"	66"	1 9/16"	**DF3666WSSM4**	1021
36"	72"	1 9/16"	**DF3672WSSM4**	1075
36"	78"	1 9/16"	**DF3678WSSM4**	1130
36"	84"	1 9/16"	**DF3684WSSM4**	1188
36"	90"	1 9/16"	**DF3690WSSM4**	1248
For Use as an Extension Surface				
36"	48"	1 9/16"	**DF3648WSSE4**	$878
36"	54"	1 9/16"	**DF3654WSSE4**	922
36"	60"	1 9/16"	**DF3660WSSE4**	971
36"	66"	1 9/16"	**DF3666WSSE4**	1021
36"	72"	1 9/16"	**DF3672WSSE4**	1075
36"	78"	1 9/16"	**DF3678WSSE4**	1130
36"	84"	1 9/16"	**DF3684WSSE4**	1188
36"	90"	1 9/16"	**DF3690WSSE4**	1248

IMPORTANT: Flat brackets ship standard with extension worksurface type. Specify flat brackets separately only if additional brackets are required.

Flat Brackets
➤See page 72.

Overview ➤See page 25
Product Information 35
Cord Management 51
Abbreviation Key 3

Standard Includes

- Worksurface: widthwise grain direction
- Rim profile on all four sides
- Flat brackets: two with extension surface, none with main surface
- Attachment brackets

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Arc Worksurfaces

Pricing

GSA SIN 711-8
FSC-C01059 available



D	*W*	*H*	*Model*	*Price*
For Use as a Main Surface				
36"	72"	1 9/16"	**DF3672WSA4**	$1276
42"	72"	1 9/16"	**DF4272WSA4**	1456
42"	78"	1 9/16"	**DF4278WSA4**	1751

IMPORTANT: 36”D arc worksurface is for use with 29” or 30"D components; 42"W is for use with 35” or 36"D components.

Overview ➤See page 25
Product Information 35
Cord Management 51
Abbreviation Key 3

Standard Includes

- Worksurface: widthwise grain direction
- Rim profile on all four sides
- Attachment brackets

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Angled Worksurfaces

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 35
Cord Management 51
Abbreviation Key 3





D	W	H	Model	Price
For Use as an Extension Surface				
Angle on Right				
30”	66”	1 9/16"	**DF3066WSGER4**	$1906
30”	72”	1 9/16"	**DF3072WSGER4**	2001
36”	66”	1 9/16"	**DF3666WSGER4**	1995
36”	72”	1 9/16"	**DF3672WSGER4**	2101
Angle on Left				
30”	66”	1 9/16"	**DF3066WSGEL4**	$1906
30”	72”	1 9/16"	**DF3072WSGEL4**	2001
36”	66”	1 9/16"	**DF3666WSGEL4**	1995
36”	72”	1 9/16"	**DF3672WSGEL4**	2101









Standard Includes

- Worksurface: widthwise grain direction
- Rim profile on all four sides
- Two flat brackets
- Attachment brackets

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Modesty Panels
➤See page 80.

U-Shaped and P-Shaped Worksurfaces

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 35
Abbreviation Key 3





D	*W*	*H*	*Conf. Area*	*Model*	*Price*
U-Shaped					
30"	60"	1 9/16"	—	**DF3060WSU**	$1784
30"	72"	1 9/16"	—	**DF3072WSU**	1936
36"	72"	1 9/16"	—	**DF3672WSU**	2034
P-Shaped					
Conference Area on Right					
30"	72"	1 9/16"	36"	**DF3072WSPR**	$2298
36"	72"	1 9/16"	42"	**DF3672WSPR**	2421
Conference Area on Left					
30"	72"	1 9/16"	36"	**DF3072WSPL**	$2298
36"	72"	1 9/16"	42"	**DF3672WSPL**	2421

IMPORTANT: Column or cylinder base must be specified separately for the curved end of the surface.

Column and Cylinder Bases
➤See page 73.

T-Leg Support Base
➤See page 72.

Grommets for Field Installation
➤See the Perks Price List.

Standard Includes

- Worksurface: widthwise grain direction
- Rim profile on all four sides
- Flat brackets: two with extension surface, none with main surfaces
- Attachment brackets

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Worksurface type:
M = Main
E = Extension
④ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Support Panels

Pricing

End Panels

GSA SIN 711-8
FSC-C01059 available







D	*W*	*H*	*Model*	*Price*
For Use With Overlay Modesty Panel				
23"	1 3/16"	27 1/2"	**DF2328EPW**	$415
29"	1 3/16"	27 1/2"	**DF2928EPW**	430
35"	1 3/16"	27 1/2"	**DF3528EPW**	448
For Use with Rectangular or Angled Extension Worksurfaces				
24"	1 9/16"	27 1/2"	**DF2428EPEW**	$427
30"	1 9/16"	27 1/2"	**DF3028EPEW**	440
36"	1 9/16"	27 1/2"	**DF3628EPEW**	462
For Use in Single-Pedestal Desk Applications				
24"	1 9/16"	27 1/2"	**DF2428EPDW**	$427
30"	1 9/16"	27 1/2"	**DF3028EPDW**	440
36"	1 9/16"	27 1/2"	**DF3628EPDW**	462

IMPORTANT: Refer to product information pages for application guidelines.
➤See page 36.

Overview ➤See page 25
Product Information 36
Extension Support Overview 26
Abbreviation Key 3

Standard Includes

- End panel: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Support Panels

Pricing

T-Leg End Panels and Worksurface Support Panels

GSA SIN 711-8
FSC-C01059 available







D	*W*	*H*	*Model*	*Price*
T-Leg End Panels				
24"	1 3/16"	27 1/2"	**DF2428STW**	$667
30"	1 3/16"	27 1/2"	**DF3028STW**	701
36"	1 3/16"	27 1/2"	**DF3628STW**	733
Worksurface Support Panel				
11 1/2"	1 3/16"	27 1/2"	**DF1228SSW**	$317

Related Products

D	*W*	*Model*	*Price*
Flat Brackets for Connecting Worksurfaces			
3"	5 1/2"	**ACAWBP1**	$9

IMPORTANT: Worksurface support panel is required where kneespace area is greater than 60”W.

Flat brackets ship standard with extension and filler worksurface types. Specify flat brackets separately only if additional brackets are required.

Worksurface Support Brackets for use with Vertical Storage
➤See page 106.

Overview ➤See page 25
Product Information 36
Extension Support Overview 26
Abbreviation Key 3

Standard Includes

- End or support panel: wood
- Attachment hardware

How to Specify

End Panel or Support Panel

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Flat Brackets

❶ Model

Column and Half-Cylinder Bases

Pricing

For Use with Rectangular, Angled, U-, and P-Shaped Worksurfaces

GSA SIN 711-8









D	*W*	*H*	*Model*	*Price*
Round Metal Column				
Paint Finish				
4" dia.		27¾"	**KAC2804SFBP**	$299
Chrome Finish				
4" dia.		27¾"	**CBM2804CF2**	$391
Round Wood Column				
6" dia.		27¾"	**AC2806SFB**	$606
Square Fluted-Metal Column				
4"	4"	27¾"	**KAC2804SSFP**	$323
Wood Half-Cylinder				
12"	12"	27¾"	**AC2812SHB**	$644

Overview ➤See page 25
Product Information 37
Extension Support Overview 26
Abbreviation Key 3

How to Specify

Round Paint-Finish Column
❶ Model
② Finish designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic

Round Chrome-Finish Column
❶ Model
② Finish designator:
490 = Chrome

Square Fluted-Metal Column
❶ Model
② Finish designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic
510 = Silver Frost

Round Wood Column or Half-Cylinder Base
❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Rectangular Worksurfaces
➤See pages 65–67.

Angled Worksurfaces
➤See page 69.

U-Shaped and P-Shaped Worksurfaces
➤See page 70.

Metal U-Legs, O-Legs, and Elite Legs

Pricing

For Use with Rectangular and Angled Extension Worksurfaces

GSA SIN 711-8

D	*W*	*H*	*Model*	*Price*
U-Legs				
23 5/16"	2 3/8"	27 3/4"	**DF2428SLUSF1**	$422
29 3/4"	2 3/8"	27 3/4"	**DF3028SLUSF1**	445
35 3/4""	2 3/8"	27 3/4"	**DF3628SLUSF1**	467
O-Legs				
23 5/16"	2 3/8"	27 3/4"	**DF2428SLOSF1**	$434
29 3/4"	2 3/8"	27 3/4"	**DF3028SLOSF1**	456
35 3/4""	2 3/8"	27 3/4"	**DF3628SLOSF1**	479
With Veneer Insert				
23 5/16"	2 3/8"	27 3/4"	**DF2428SLOSWF1**	$882
29 3/4"	2 3/8"	27 3/4"	**DF3028SLOSWF1**	920
35 3/4""	2 3/8"	27 3/4"	**DF3628SLOSWF1**	956
Elite Legs				
29 3/4"	3 1/2"	27 3/4"	**DF3028SLOF2**	$1814
35 3/4""	3 1/2"	27 3/4"	**DF3628SLOF2**	1907

IMPORTANT: Metal U-legs, O-legs, and Elite legs are for use with extension worksurfaces only. They cannot be used for freestanding desk applications.

Rectangular Worksurfaces
➤See pages 65–67.

Angled Worksurfaces
➤See page 69.

Overview ➤See page 25
Product Information 37
Extension Support Overview 26
Abbreviation Key 3

Standard Includes

- Leg: metal
- Attachment hardware

How to Specify

U-Leg or O-Leg

❶ Model
② Finish designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic

O-Leg with Veneer Insert

❶ Model
② Paint finish designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic
510 = Silver Frost
③ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish designator

Elite Leg

❶ Model
② Finish designator:
483 = Polished Stainless Steel

Modesty Panels

Pricing

For Kneewells

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 38
Modesty Selection Guide 39
Abbreviation Key 3



D	*W*	*H*	*Model*	*Price*
Full Height				
¾"	29¾"	27¼"	**DF3027MPKW**	$488
¾"	35¾"	27¼"	**DF3627MPKW**	513
¾"	41¾"	27¼"	**DF4227MPKW**	564
¾"	47¾"	27¼"	**DF4827MPKW**	571



Partial Height				
¾"	29¾"	12⅝"	**DF3013MPKW**	$341
¾"	35¾"	12⅝"	**DF3613MPKW**	359
¾"	41¾"	12⅝"	**DF4213MPKW**	394
¾"	47¾"	12⅝"	**DF4813MPKW**	399

Standard Includes

- Modesty panel: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Modesty Panels

Pricing

For Use as Recessed Desk Front or Credenza Back Panel

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 38
Modesty Selection Guide 39
Abbreviation Key 3





D	*W*	*H*	*Model*	*Price*
Full Height				
¾"	47 23/32"	27 1/4"	**DF4827MPW**	$571
¾"	53 11/16"	27 1/4"	**DF5427MPW**	602
¾"	59 11/16"	27 1/4"	**DF6027MPW**	636
¾"	65 21/32"	27 1/4"	**DF6627MPW**	650
¾"	71 21/32"	27 1/4"	**DF7227MPW**	684
¾"	77 5/8"	27 1/4"	**DF7827MPW**	717
¾"	83 11/16"	27 1/4"	**DF8427MPW**	752
¾"	89 19/32"	27 1/4"	**DF9027MPW**	794
¾"	95 19/32"	27 1/4"	**DF9627MPW**	834
¾"	101 9/16"	27 1/4"	**DF10227MPW**	875
¾"	107 9/16"	27 1/4"	**DF10827MPW**	916
¾"	113 17/32"	27 1/4"	**DF11427MPW**	962
¾"	119 17/32"	27 1/4"	**DF12027MPW**	1010

Standard Includes

- Modesty panel, finished on both sides: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Modesty Panels

Pricing

For Use with Bridges and Returns

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 38
Modesty Selection Guide 39
Abbreviation Key 3



D	*W*	*H*	*Model*	*Price*
Full Height				
Extension (Return) Modesty Panels				
¾"	35 31/32"	27 1/4"	**DF3627MPRW**	$513
¾"	41 32/32"	27 1/4"	**DF4227MPRW**	537
¾"	47 15/16"	27 1/4"	**DF4827MPRW**	571
¾"	53 15/16"	27 1/4"	**DF5427MPRW**	602
¾"	59 15/16"	27 1/4"	**DF6027MPRW**	636
¾"	65 15/16"	27 1/4"	**DF6627MPRW**	650
¾"	71 7/8"	27 1/4"	**DF7227MPRW**	684
¾"	77 7/8"	27 1/4"	**DF7827MPRW**	717
¾"	84 7/8"	27 1/4"	**DF8427MPRW**	752
¾"	89 7/8"	27 1/4"	**DF9027MPRW**	794
¾"	95 13/16"	27 1/4"	**DF9627MPRW**	833
¾"	101 13/16"	27 1/4"	**DF10227MPRW**	877
¾"	107 3/4"	27 1/4"	**DF10827MPRW**	921
¾"	113 3/4"	27 1/4"	**DF11427MPRW**	968
¾"	119 3/4"	27 1/4"	**DF12027MPRW**	1017
Filler (Bridge) Modesty Panels				
¾"	36 7/32"	27 1/4"	**DF3627MPBW**	$513
¾"	42 7/32"	27 1/4"	**DF4227MPBW**	537
¾"	48 3/16"	27 1/4"	**DF4827MPBW**	571
¾"	54 3/16"	27 1/4"	**DF5427MPBW**	602
¾"	60 5/32"	27 1/4"	**DF6027MPBW**	636
¾"	66 5/32"	27 1/4"	**DF6627MPBW**	650
¾"	72 1/8"	27 1/4"	**DF7227MPBW**	684
¾"	78 1/8"	27 1/4"	**DF7827MPBW**	717
¾"	84 3/32"	27 1/4"	**DF8427MPBW**	752
¾"	90 3/32"	27 1/4"	**DF9027MPBW**	794



IMPORTANT: Modesty panels are designed for specific applications and are not universal. Specify based on the application to assure proper fit and hardware.

Standard Includes

- Modesty panel: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Modesty Panel

Pricing

For Use in a Single-Pedestal Desk Application

GSA SIN 711-8
FSC-C01059 available



D	*W*	*H*	*Wing W*	*Model*	*Price*
Partial Height					
¾"	49¼"	12⅝"	6¾"	**DF4913MPDW**	$399
¾"	52¼"	12⅝"	6¾"	**DF5213MPDW**	420
¾"	55¼"	12⅝"	6¾"	**DF5513MPDW**	441
¾"	58¼"	12⅝"	6¾"	**DF5813MPDW**	462

IMPORTANT: Modesty panels are designed for specific applications and are not universal. Specify based on the application to assure proper fit and hardware.

The models on this page are for use in single-pedestal desk applications only, and in conjunction with a 1⁹⁄₁₆" wood end panel (EPDW model). Refer to the Modesty Panel Selection Guide.
➤See page 39.

Overview ➤See page 25
Product Information 38
Modesty Selection Guide 39
Abbreviation Key 3

Standard Includes

- Modesty panel: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Modesty Panels with Wing

Pricing

For Use with Rectangular Extension Worksurface

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 38
Modesty Selection Guide 39
Abbreviation Key 3





D	*W*	*H*	*Wing W*	*Model*	*Price*
Full Height					
¾"	42¼"	27¼"	6¾"	**DF4227MPREW**	$665
¾"	48¼"	27¼"	6¾"	**DF4827MPREW**	670
¾"	49⅝"	27¼"	6¾"	**DF5027MPREW**	676
¾"	51¼"	27¼"	6¾"	**DF5127MPREW**	684
¾"	54¼"	27¼"	6¾"	**DF5427MPREW**	701
¾"	55⅝"	27¼"	6¾"	**DF5627MPREW**	709
¾"	57¼"	27¼"	6¾"	**DF5727MPREW**	711
¾"	60¼"	27¼"	6¾"	**DF6027MPREW**	735
¾"	61⅝"	27¼"	6¾"	**DF6227MPREW**	743
¾"	63¼"	27¼"	6¾"	**DF6327MPREW**	752
Partial Height					
¾"	42¼"	12⅝"	6¾"	**DF4213MPREW**	$466
¾"	48¼"	12⅝"	6¾"	**DF4813MPREW**	469
¾"	49⅝"	12⅝"	6¾"	**DF5013MPREW**	474
¾"	51¼"	12⅝"	6¾"	**DF5113MPREW**	478
¾"	54¼"	12⅝"	6¾"	**DF5413MPREW**	491
¾"	55⅝"	12⅝"	6¾"	**DF5613MPREW**	497
¾"	57¼"	12⅝"	6¾"	**DF5713MPREW**	499
¾"	60¼"	12⅝"	6¾"	**DF6013MPREW**	515
¾"	61⅝"	12⅝"	6¾"	**DF6213MPREW**	520
¾"	63¼"	12⅝"	6¾"	**DF6313MPREW**	527

IMPORTANT: Modesty panels are designed for specific applications and are not universal. Specify based on the application to assure proper fit and hardware.

The models on this page are for use with a rectangular extension worksurface, a 1⁹⁄₁₆" wood end panel(s) (EPEW models), and/or a 15" or 18"W pedestal. Refer to the Modesty Panel Selection Guide.
➤See page 39.

Standard Includes

- Modesty panel: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Modesty Panels with Wing

Pricing

For Use with Angled Extension Worksurface

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Wing W*	*Model*	*Price*
Full Height					
¾"	43⅛"	27¼"	6¾"	**DF4327MPAEW**	$665
¾"	44½"	27¼"	6¾"	**DF4527MPAEW**	667
¾"	49¼"	27¼"	6¾"	**DF4927MPAEW**	676
¾"	50½"	27¼"	6¾"	**DF5127MPAEW**	684
Partial Height					
¾"	43⅛"	12⅝"	6¾"	**DF4313MPAEW**	$466
¾"	44½"	12⅝"	6¾"	**DF4513MPAEW**	467
¾"	49¼"	12⅝"	6¾"	**DF4913MPAEW**	474
¾"	50½"	12⅝"	6¾"	**DF5113MPAEW**	478

IMPORTANT: Modesty panels are designed for specific applications and are not universal. Specify based on the application to assure proper fit and hardware.

The models on this page are for use with an angle extension worksurface, a 1⁹⁄₁₆" wood end panel(s) (EPEW models). Refer to the Modesty Panel Selection Guide.
➤See page 40.

Overview ➤See page 25
Product Information 38
Modesty Selection Guide 40
Abbreviation Key 3

Standard Includes

- Modesty panel: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Modesty Panels with Wing

Pricing

For Use with Metal U-Legs, O-Legs, or Elite Legs

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Wing W*	*Model*	*Price*
Partial Height					
For Use with Rectangular Worksurface					
¾"	44½"	12⅝"	6¾"	**DF4513MPRELW**	$467
¾"	50½"	12⅝"	6¾"	**DF5113MPRELW**	478
¾"	56½"	12⅝"	6¾"	**DF5713MPRELW**	499
For Use with Angled Worksurface					
¾"	38 1/16"	12⅝"	6¾"	**DF3813MPAELW**	$455
¾"	44 1/16"	12⅝"	6¾"	**DF4413MPAELW**	465

IMPORTANT: Modesty panels are designed for specific applications and are not universal. Specify based on the application to assure proper fit and hardware.

The models on this page are for use with rectangular or angled extension worksurface and metal U-legs, O-legs, or elite legs. Refer to the Modesty Panel Selection Guide.
➤See page 39.

Overview ➤See page 25
Product Information 38
Modesty Selection Guide 39
Abbreviation Key 3

Standard Includes

- Modesty panel: wood
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Bridges and Corner Units

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3



D	*W*	*H*	*KW*	*KH*	*Model*	*Price*
Bridges without Modesty Panel						
24"	36"	1 9/16"	24"	27 3/4"	**DF2436BEX**	$689
24"	42"	1 9/16"	24"	27 3/4"	**DF2442BEX**	716
24"	48"	1 9/16"	24"	27 3/4"	**DF2448BEX**	749
24"	60"	1 9/16"	24"	27 3/4"	**DF2460BEX**	811



Bridges with Modesty Panel						
24"	36"	29 1/4"	24"	27 3/4"	**DF2436BEF**	$1212
24"	42"	29 1/4"	24"	27 3/4"	**DF2442BEF**	1259
24"	48"	29 1/4"	24"	27 3/4"	**DF2448BEF**	1308
24"	60"	29 1/4"	24"	27 3/4"	**DF2460BEF**	1421





A	*B*	*C*	*D*	*E*	*H*	*KH*	*Model*	*Price*
Corner Units								
36"	36"	24"	24"	17"	29 1/4"	27 3/4"	**DF3636CFS**	$2235
42"	42"	24"	24"	25 3/16"	29 1/4"	27 3/4"	**DF4242CFS**	2400

IMPORTANT: Bridges are for use with single-pedestal desks, single-pedestal credenzas, U- and P-shaped desks, and corner units.

Standard Includes

- Worksurface: grain direction runs front to back on bridge and parallel to the user's edge (E) on corner unit
- Modesty panel on applicable bridge model: ships ready-to-assemble
- Utility shelf in corner unit

How to Specify

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%); not available on corner units
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Undersurface Storage

Pricing

15"W and 18'W Pedestals with Open Back

GSA SIN 711-8
FSC-C01059 available

Overview	➤See page 25
Product Information	42
Locking Information	6
Abbreviation Key	3

D	*W*	*H*	*Model*	*Price*
Box/Box/File				
23"	15"	27¾"	**DF2315PUBBFW**	$1582
23"	18"	27¾"	**DF2318PUBBFW**	1758
29"	15"	27¾"	**DF2915PUBBFW**	1662
29"	18"	27¾"	**DF2918PUBBFW**	1849
35"	15"	27¾"	**DF3515PUBBFW**	1743
35"	18"	27¾"	**DF3518PUBBFW**	1936
File/File				
23"	15"	27¾"	**DF2315PUFFW**	$1582
23"	18"	27¾"	**DF2318PUFFW**	1758
29"	15"	27¾"	**DF2915PUFFW**	1662
29"	18"	27¾"	**DF2918PUFFW**	1849
35"	15"	27¾"	**DF3515PUFFW**	1743
35"	18"	27¾"	**DF3518PUFFW**	1936
Pencil/Pencil/Pencil/File				
23"	18"	27¾"	**DF2318PUPPPFW**	$1822
Open Storage				
22"	18"	27¾"	**DF2318PUOSW**	$1705

Standard Includes

- Unfinished, open top and back
- Finished sides
- Lock
- Adjustable shelf in open storage unit

How to Specify

❶ Model
② Pull option (omit for open storage):
➤See page 50 for designators.
③ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Back Panels, Undersurface Filler Strips, Filler Panels, and Ganging Brackets
➤See page 86.

Undersurface Storage

Pricing

15"W and 18'W Pedestals with Finished Back

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 42
Locking Information 6
Abbreviation Key 3

D	*W*	*H*		*Model*	*Price*
Box/Box/File					
24"	15"	27¾"		**DF2415PUBBFFW**	$1717
24"	18"	27¾"		**DF2418PUBBFFW**	1889
30"	15"	27¾"	(shown)	**DF3015PUBBFFW**	1789
30"	18"	27¾"		**DF3018PUBBFFW**	1966
36"	15"	27¾"		**DF3615PUBBFFW**	1855
36"	18"	27¾"		**DF3618PUBBFFW**	2040
File/File					
24"	15"	27¾"		**DF2415PUFFFW**	$1717
24"	18"	27¾"		**DF2418PUFFFW**	1889
30"	15"	27¾"		**DF3015PUFFFW**	1789
30"	18"	27¾"	(shown)	**DF3018PUFFFW**	1966
36"	15"	27¾"		**DF3615PUFFFW**	1855
36"	18"	27¾"		**DF3618PUFFFW**	2040

Standard Includes

- Unfinished, open top
- Finished back and sides
- Adjustable shelf in hinged-door and open storage units
- Lock

How to Specify

❶ Model
② Pull option (omit for open storage):
➤See page 50 for designators.
③ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Undersurface Filler Strips, Filler Panels, and Ganging Brackets
➤See page 86.

Undersurface Storage

Pricing

30"W and 36'W Pedestals with Open Back

GSA SIN 711-8
FSC-C01059 available

D	*W*	*H*	*Model*	*Price*
Two-Drawer Lateral File				
23"	30"	27¾"	**DF2330LFM2W**	$1862
23"	36"	27¾"	**DF2336LFM2W**	1956
Hinged-Door Storage				
23"	30"	27¾"	**DF2330PUHW**	$1784
23"	36"	27¾"	**DF2336PUHW**	1936
Open Storage				
22"	30"	27¾"	**DF2330PUOSW**	$1746
22"	36"	27¾"	**DF2336PUOSW**	1783

Overview ➤See page 25
Product Information 42
Locking Information 6
Abbreviation Key 3

Standard Includes

- Unfinished, open top and back
- Finished sides
- Adjustable shelf in hinged-door and open storage units
- Lock

How to Specify

❶ Model
② Pull option (omit for open storage):
➤See page 50 for designators.
③ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Back Panels, Undersurface Filler Strips, Filler Panels, and Ganging Brackets
➤See page 86.

Undersurface Storage

Pricing

Back Panels and Related Products

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 38
Abbreviation Key 3



D	*W*	*H*	*Model*	*Price*
Pedestal Back Panels				
¾"	14¾"	27¼"	**DF1527CPBPW**	$442
¾"	17¾"	27¼"	**DF1827CPBPW**	465
¾"	29¾"	27¼"	**DF3027CPBPW**	488
¾"	35¾"	27¼"	**DF3627CPBPW**	513

Undersurface Filler Strip				
¾"	2¾"	27½"	**DF28CPFSW**	$38

Undersurface Filler Panel				
¾"	18"	27½"	**DF1827CPFPW**	$392



Ganging Bracket					
¾"	5¾"	1¾"	1⅛"	**ACGB1**	$33

How to Specify

Back Panel, Filler Strip, or Filler Panel

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Ganging Bracket

❶ Model

Mobile Storage

Pricing

Pedestals and Utility Tables

GSA SIN 711-8

Overview ➤See page 25
Product Information 42
Locking Information 6
Abbreviation Key 3

D	*W*	*H*	*Model*	*Fabric Price Grade* 1 or COM	2	3 or COL	4	5	6	7
Box/File Cushion-Top Pedestal										
23"	15"	23"	**DF2415PMBFCW**	$1756	$1780	$1795	$1810	$1832	$1855	$1878

D	*W*	*H*	*Model*	*Price*
Box/Box/File Pedestal				
23¾"	18"	27⅞"	**DF2418PMBBFTW**	$1772

File/File Pedestal				
23¾"	18"	27⅞"	**DF2418PMFFTW**	$1772

Pencil/Box/File Pedestal				
23¾"	18"	26"	**DF2418PMPBFW**	$1772



Utility Table				
24"	36"	33⅞"	**CE2436MUTW**	$2689

IMPORTANT: Box/box/file and file/file mobile pedestals are not for use under a worksurface. cushion-top and pencil/ box/file models are recommended for undersurface mobile applications.

Standard Includes

Mobile Pedestals

- Organizer tray in top panel of box/box/file and file/file models: black vinyl; finished top on pencil/box/file model; cushion-top on box/file model
- Lock
- Finished back and sides
- Anti-tip device on bottom drawer
- Four dual-wheel casters

Mobile Utility Table

- One adjustable shelf behind hinged doors in lower section
- Black handle on both end panels
- Fixed shelf above storage area with black cord management grommet; 5¼" shelf clearance
- Lock
- Finished top, back, and sides
- Four dual-wheel casters

How to Specify

❶ Model
② Pull option:
➤See page 50 for designators.
③ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator
⑥ Fabric grade (include for cushion-top model only)
⑦ Fabric designator (include for cushion-top model only)

Freestanding Lateral Files

Pricing

Rim Profile on Four Sides

GSA SIN 711-8
FSC-C01059 available

Overview	➤See page 25
Product Information	43
Locking Information	6
Abbreviation Key	3

D	*W*	*H*	*Model*	*Price*
Two Drawers				
24"	36"	29¼"	**DF2436LFF2**	$2238
Four Drawers				
24"	36"	52¾"	**DF2436LFF4**	$3744

Standard Includes

- Rim profile on all four sides
- Finished back
- Lock
- Interlock mechanism allows only one drawer to be open at a time

How to Specify

❶ Model
❷ Top material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Pull option:
➤See page 50 for designators.
⑤ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
⑥ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator
⑧ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for wood top)

Freestanding Lateral Files

Pricing

Finished Wood Top; No Rim Profile

GSA SIN 711-8
FSC-C01059 available

Overview	➤See page 25
Product Information	43
Locking Information	6
Abbreviation Key	3

D	*W*	*H*	*Model*	*Price*
Three Drawers				
23¾"	30"	40⅛"	**DF2430LFM3W**	$3010
23¾"	36"	40⅛"	**DF2436LFM3W**	3158
Four Drawers				
23¾"	30"	52¾"	**DF2430LFM4W**	$3395
23¾"	36"	52¾"	**DF2436LFM4W**	3563

Standard Includes

- Top: wood; no rim profile
- Finished back
- Lock
- Interlock mechanism allows only one drawer to be open at a time

How to Specify

❶ Model
② Pull option:
➤See page 50 for designators.
③ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

IMPORTANT: Tops of these units are fully finished; however, they have no rim profile. A component top may be added if a rim profile is desired.

Component Tops
➤See page 109.

Overhead Storage

Pricing

Wall-Mount Cabinets with Wood Doors

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 44
Locking Information 6
Abbreviation Key 3



D	*W*	*H*	*WC*	*Number of Doors*	*Number of Optional Locks*	*Model*	*Price*
18"H							
14¾"	29⅞"	18⅛"	20"	2	1	**DF3020SOHMW**	$1294
14¾"	35⅞"	18⅛"	20"	2	1	**DF3620SOHMW**	1361
14¾"	41⅞"	18⅛"	20"	3	2	**DF4220SOHMW**	1660
14¾"	47⅞"	18⅛"	20"	3	2	**DF4820SOHMW**	1751
14¾"	53⅞"	18⅛"	20"	3	2	**DF5420SOHMW**	1930
14¾"	59⅞"	18⅛"	20"	4	2	**DF6020SOHMW**	2499
14¾"	65⅞"	18⅛"	20"	4	2	**DF6620SOHMW**	2628
14¾"	71⅞"	18⅛"	20"	4	2	**DF7220SOHMW**	2768
30"H							
14¾"	29⅞"	30"	20"	2	1	**DF3031SOHMW**	$1981
14¾"	35⅞"	30"	20"	2	1	**DF3631SOHMW**	2078
14¾ "	41⅞"	30"	20"	3	2	**DF4231SOHMW**	2536
14¾ "	47⅞"	30"	20"	3	2	**DF4831SOHMW**	2675
14¾ "	53⅞"	30"	20"	3	2	**DF5431SOHMW**	2943
14¾ "	59⅞"	30"	20"	4	2	**DF6031SOHMW**	3564
14¾ "	65⅞"	30"	20"	4	2	**DF6631SOHMW**	4018
14¾ "	71⅞"	30"	20"	4	2	**DF7231SOHMW**	4232

Related Products:

D	*W*	*H*	*Model*	*Price*
Wall-Mount Traxx Bracket				
11/16"	72"	2"	**TXT721**	$151

IMPORTANT: Wall-mount Traxx brackets must be specified separately. Brackets are 72"W and can be scribed in the field to accommodate cabinets less than 72"W.

Filler Strips
➤See page 93.

Component Tops
➤See page 108.

Standard Includes

Overhead Cabinet
- Finished top; no rim profile
- Self-closing adjustable hinges
- ¾-height back panel, open at the top
- One adjustable shelf on 30"H models
- Stationary vertical dividers

Traxx Bracket
- One metal bracket: black

How to Specify

Overhead Cabinet
❶ Model
② Lock option:
KRB = Key random, black core (+$58 per lock)
KRS = Key random, silver core (+$58 per lock)
KRC = Key random, chrome core (+$58 per lock)
KS = Key specific (+$36 per lock); specify lock cores separately
X = Non-locking
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Traxx Bracket
❶ Model

Overhead Storage

Pricing

Wall-Mount Cabinets with Writable Glass Doors

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 44
Abbreviation Key 3



D	W	H	WC	Number of Doors	Model	Price
18"H						
14¾"	29⅞"	18⅛"	20"	2	**DF3020SOHMG2W**	$2360
14¾"	35⅞"	18⅛"	20"	2	**DF3620SOHMG2W**	2382
14¾"	41⅞"	18⅛"	20"	3	**DF4220SOHMG2W**	2752
14¾"	47⅞"	18⅛"	20"	3	**DF4820SOHMG2W**	2863
14¾"	53⅞"	18⅛"	20"	3	**DF5420SOHMG2W**	3310
14¾"	59⅞"	18⅛"	20"	4	**DF6020SOHMG2W**	3398
14¾"	65⅞"	18⅛"	20"	4	**DF6620SOHMG2W**	3560
14¾"	71⅞"	18⅛"	20"	4	**DF7220SOHMG2W**	3652



30"H						
14¾"	29⅞"	30"	20"	2	**DF3031SOHMG2W**	$2872
14¾"	35⅞"	30"	20"	2	**DF3631SOHMG2W**	2972
14¾ "	41⅞"	30"	20"	3	**DF4231SOHMG2W**	3550
14¾ "	47⅞"	30"	20"	3	**DF4831SOHMG2W**	3718
14¾ "	53⅞"	30"	20"	3	**DF5431SOHMG2W**	4180
14¾ "	59⅞"	30"	20"	4	**DF6031SOHMG2W**	4490
14¾ "	65⅞"	30"	20"	4	**DF6631SOHMG2W**	5012
14¾ "	71⅞"	30"	20"	4	**DF7231SOHMG2W**	5183



Related Products

D	W	H	Model	Price
Wall-Mount Traxx Bracket				
11/16"	72"	2"	**TXT721**	$151

IMPORTANT: Wall-mount Traxx brackets must be specified separately. Brackets are 72"W and can be scribed in the field to accommodate cabinets less than 72"W.

Specify a filler strip for the back edge of a cabinet to conceal the exposed Traxx bracket.

Filler Strip
➤See page 93.

Standard Includes

Overhead Cabinet
- Finished top; no rim profile
- Self-closing adjustable hinges
- ¾-height back panel; open at top
- Stationary vertical dividers
- Non-locking doors

Traxx Bracket
- One metal bracket: black

How to Specify

Overhead Cabinet
❶ Model
② Glass pattern/door frame finish:
202G 486 = Ice gloss/clear anodized
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Traxx Bracket
❶ Model

Overhead Storage

Pricing

Suspended Cabinets with Wood Doors

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 44
Locking Information 6
Abbreviation Key 3



D	*W*	*H*	*WC*	*Number of Doors*	*Number of Optional Locks*	*Model*	*Price*
18"H							
14¾"	29⅞"	18⅛"	20"	2	1	**DF3020SOHSW**	$1294
14¾"	35⅞"	18⅛"	20"	2	1	**DF3620SOHSW**	1361
14¾"	41⅞"	18⅛"	20"	3	2	**DF4220SOHSW**	1660
14¾"	47⅞"	18⅛"	20"	3	2	**DF4820SOHSW**	1751
14¾"	53⅞"	18⅛"	20"	3	2	**DF5420SOHSW**	1930
14¾"	59⅞"	18⅛"	20"	4	2	**DF6020SOHSW**	2499
14¾"	65⅞"	18⅛"	20"	4	2	**DF6620SOHSW**	2628
14¾"	71⅞"	18⅛"	20"	4	2	**DF7220SOHSW**	2768
30"H							
14¾"	29⅞"	30"	20"	2	1	**DF3031SOHSW**	$1981
14¾"	35⅞"	30"	20"	2	1	**DF3631SOHSW**	2078
14¾"	41⅞"	30"	20"	3	2	**DF4231SOHSW**	2536
14¾"	47⅞"	30"	20"	3	2	**DF4831SOHSW**	2675
14¾"	53⅞"	30"	20"	3	2	**DF5431SOHSW**	2943
14¾"	59⅞"	30"	20"	4	2	**DF6031SOHSW**	3564
14¾"	65⅞"	30"	20"	4	2	**DF6631SOHSW**	4018
14¾"	71⅞"	30"	20"	4	2	**DF7231SOHSW**	4232

Standard Includes

- Finished top; no rim profile
- Self-closing adjustable hinges
- ¾-height back panel; open at the top
- One adjustable shelf on 50"H models
- Stationary vertical dividers
- Attachment hardware

How to Specify

❶ Model
② Lock option:
KRB = Key random, black core (+$58 per lock)
KRS = Key random, silver core (+$58 per lock)
KRC = Key random, chrome core (+$58 per lock)
KS = Key specific (+$36 per lock); specify lock cores separately
X = Non-locking
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Overhead Storage

Pricing

Filler Panels and Filler Strips

GSA SIN 711-8
FSC-C01059 available

D	W	H	For Use with	Model	Price
Filler Panels					
14¾"	18"	18⅝"	18⅝"H cabinets	**DF1820CPFPW**	$469
14¾"	18"	31¾"	31¾"H cabinets	**DF1831CPFPW**	548



Filler Strips					
1⅜"		30"	Wall-mount cabinets	**DF0130CPFS**	$53

IMPORTANT: Filler panels and filler strips may be scribed in the field to the size needed.

Overview ➤See page 25
Product Information 44
Locking Information 6
Abbreviation Key 3

Standard Includes

Filler Panel
- Panel: wood
- Finished top; no rim profile

Filler Strip
- Non-handed metal strip: black

How to Specify

Filler Panel
❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Filler Strip
❶ Model

Highback Organizers

Pricing

Wood Doors

GSA SIN 711-8
FSC-C01059 available







D	W	H	WC	Number of Doors	Number of Grommets	Number of Optional Locks	Model	Price
38"H								
14¾"	54"	38⅛"	20"	3	1	2	**DF5438HBHW**	$2616
14¾"	60"	38⅛"	20"	4	1	2	**DF6038HBHW**	2811
14¾"	66"	38⅛"	20"	4	1	2	**DF6638HBHW**	3022
14¾"	72"	38⅛"	20"	4	1	2	**DF7238HBHW**	3249
14¾"	84"	38⅛"	20"	4	1	2	**DF8438HBHW**	3655
14¾"	96"	38⅛"	20"	6	1	3	**DF9638HBHW**	4323
14¾"	108"	38⅛"	20"	6	2	4	**DF10838HBHW**	5264
50"H								
14¾"	54"	50"	20"	3	1	2	**DF5450HBHW**	$3560
14¾"	60"	50"	20"	4	1	2	**DF6050HBHW**	4158
14¾"	66"	50"	20"	4	1	2	**DF6650HBHW**	4466
14¾"	72"	50"	20"	4	1	2	**DF7250HBHW**	4807

Overview ➤See page 25
Product Information 45
Locking Information 6
Abbreviation Key 3

Standard Includes

- Finished top; no rim profile
- Self-closing adjustable hinges
- Finished back on 54"–72"W models; unfinished on 84"–108"W models
- Black cord management grommet located in center top of back panel below the cabinet
- One adjustable shelf on 50"H models
- Stationary vertical dividers
- 108"W unit consists of two sections; shipped in separate cartons. Assembly required.

How to Specify

❶ Model
② Lock option:
KRB = Key random, black core (+58 per lock)
KRS = Key random, silver core (+58 per lock)
KRC = Key random, chrome core (+58 per lock)
KS = Key specific (+36 per lock); specify lock cores separately
X = Non-locking
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Component Tops
➤See page 108.

Tackboards
➤See page 96.

Slat Wall Tile
➤See page 97.

Highback Organizers

Pricing

Writable Glass Doors

GSA SIN 711-8
FSC-C01059 available



D	W	H	WC	Number of Doors	Number of Grommets		Model	Price
38"H								
14¾"	54"	38⅛"	20"	3	1		**DF5438HBHG2W**	$3533
14¾"	60"	38⅛"	20"	4	1		**DF6038HBHG2W**	3748
14¾"	66"	38⅛"	20"	4	1		**DF6638HBHG2W**	3913
14¾"	72"	38⅛"	20"	4	1		**DF7238HBHG2W**	4124



50"H								
14¾"	54"	50"	20"	3	1	2	**DF5450HBHG2W**	$4485
14¾"	60"	50"	20"	4	1	2	**DF6050HBHG2W**	5197
14¾"	66"	50"	20"	4	1	2	**DF6650HBHG2W**	5493
14¾"	72"	50"	20"	4	1	2	**DF7250HBHG2W**	5818

Component Tops
➤See page 108.

Tackboards
➤See page 96.

Slat Wall Tile
➤See page 97.

Overview ➤See page 25
Product Information 45
Abbreviation Key 3

Standard Includes

- Finished top; no rim profile
- Self-closing adjustable hinges
- Finished back
- Black cord management grommet located in center top of back panel below the cabinet
- Stationary vertical dividers
- Non-locking hinged doors

How to Specify

❶ Model
② Glass pattern/door frame finish:
202G 486 = Ice gloss/clear anodized
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Tackboards

Pricing

For Use with Highback Organizers

GSA SIN 711-8

Overview ➤See page 25
Product Information 45
Abbreviation Key 3





D	*W*	*H*	*COM Yardage 66"W Non-Dir.*	*Model*	*COM*	*Panel Fabric Gr. A–E*	*Upholstery Fabric Gr. 1–3*	*Gr. 4–6*
Tackboards								
7/8"	28 1/4"	16"	1.0	**AC2818TBK**	$241	$265	$271	$309
7/8"	34 3/16"	16"	1.0	**AC3418TBK**	272	296	302	340
7/8"	40 3/16"	16"	1.0	**AC4018TBK**	286	310	316	354
7/8"	46 1/8"	16"	1.0	**AC4618TBK**	310	334	340	378
7/8"	52 1/8"	16"	1.0	**AC5218TBK**	328	352	358	396
7/8"	58 1/8"	16"	1.0	**AC5718TBK**	333	357	363	401
7/8"	64 1/8"	16"	2.5	**AC6318TBK**	317	377	392	487
7/8"	70 1/8"	16"	2.5	**AC6918TBK**	349	409	424	519
7/8"	82 1/8"	16"	3.0	**AC8216TBK**	396	468	486	600
7/8"	94 1/8"	16"	3.0	**AC9416TBK**	459	531	549	663
Powered Tackboards								
7/8"	28 1/4"	16"	1.0	**AC2818TBKP**	$472	$496	$502	$540
7/8"	34 3/16"	16"	1.0	**AC3418TBKP**	502	526	532	570
7/8"	40 3/16"	16"	1.0	**AC4018TBKP**	519	543	549	587
7/8"	46 1/8"	16"	1.0	**AC4618TBKP**	541	565	571	609
7/8"	52 1/8"	16"	1.0	**AC5218TBKP**	561	585	591	629
7/8"	58 1/8"	16"	1.0	**AC5718TBKP**	567	591	597	635
7/8"	64 1/8"	16"	2.5	**AC6318TBKP**	548	608	623	718
7/8"	70 1/8"	16"	2.5	**AC6918TBKP**	581	641	656	751

IMPORTANT: Tackboards may be wall-mounted; however, the tackboard will be approximately 2" shorter in with that the accompanying overhead unit.

Standard Includes

Tackboard

- Vertical routed channels on back-side at center and both ends to help manage cords

Powered tackboard

- Three 15-amp simplex outlets and a covered access port for the addition of voice or data module
- 6' 15-amp grounded cord with plug
- Black housing
- U.L. listed

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Slat Wall Tiles

Pricing

For Use with Highback Organizers

GSA SIN 711-8

D	W	H	For Use with	Model	Price
Metal Slat Wall Tile					
¾"	58"	13"	60"W highback	**KAC5813SW**	$532
¾"	63¾"	13"	66"W highback	**KAC6413SW**	540
¾"	69¾"	13"	72"W highback	**KAC7013SW**	550

Overview ➤See page 25
Product Information 45
Abbreviation Key 3

Standard Includes

- Tile: metal

How to Specify

❶ Model
② Finish designator:
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic

Work Tools for Slat Wall Tile
➤See the Perks Price List.

Set-on-Surface Bookcases

Pricing

Open Shelves

GSA SIN 711-8
FSC-C01059 available











D	*W*	*H*	*Model*	*Price*
Two Adjustable Shelves				
14"	18"	38⅛"	**DF1838BCOW**	$1050
14"	30"	38⅛"	**DF3038BCOW**	1327
14"	36"	38⅛"	**DF3638BCOW**	1398
Three Adjustable Shelves				
14"	18"	50"	**DF1850BCOW**	$1441
14"	30"	50"	**DF3050BCOW**	1779
14"	36"	50"	**DF3650BCOW**	1877

Related Products

D	*W*	*H*	*For Use with*	*Model*	*Price*
Additional Bookcase Shelves					
12¼"	16¼"	¾"	18"W bookcase	**AC1216SH**	$295
12¼"	28¼"	¾"	30"W bookcase	**AC1228SH**	328
12¼"	34¼"	¾"	36"W bookcase	**AC1234SH**	340

IMPORTANT: Component tops may be used if a rim profile is desired. Top will overhang open bookcase 1" on the front edge.

Component Tops
➤See page 108.

Overview ➤See page 25
Product Information 46
Abbreviation Key 3

Standard Includes

- Finished top; no rim profile
- ¾"-thick shelves; adjustable in 1¼" (32mm) increments
- Fixed bottom shelf
- Finished back

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Set-on-Surface Bookcases

Pricing

Wood Doors

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 46
Locking Information 6
Abbreviation Key 3









D	*W*	*H*	*Model*	*Price*
Two Adjustable Shelves				
Single Door Hinged Right				
14¾"	18"	38⅛" (shown)	**DF1838BCHRW**	$1588
Single Door Hinged Left				
14¾"	18"	38⅛"	**DF1838BCHLW**	$1588
Double Doors				
14¾"	30"	38⅛"	**DF3038BCHW**	$2010
14¾"	36"	38⅛"	**DF3638BCHW**	2115
Three Adjustable Shelves				
Single Door Hinged Right				
14¾"	18"	50" (shown)	**DF1850BCHRW**	$2101
Single Door Hinged Left				
14¾"	18"	50"	**DF1850BCHLW**	$2101
Double Doors				
14¾"	30"	50"	**DF3050BCHW**	$2699
14¾"	36"	50"	**DF3650BCHW**	2836

Standard Includes

- Finished top; no rim profile
- ¾"-thick shelves; adjustable in 1¼" (32mm) increments
- Adjustable hinges and touch latch on doors
- Finished back

How to Specify

❶ Model
② Lock option:
KRB = Key random, black core (+$58)
KRS = Key random, silver core (+$58)
KRC = Key random, chrome core (+$58)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

IMPORTANT: Component tops may be used if a rim profile is desired.

Component Tops
➤See page 108.

Set-on-Surface Bookcases

Pricing

Writable Glass Door

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 46
Abbreviation Key 3







D	*W*	*H*	*Model*	*Price*
Two Adjustable Shelves				
Single Door Hinged Right				
14¾"	18"	38⅛"	**DF1838BCHRG2W**	$2196
Single Door Hinged Left				
14¾"	18"	38⅛"	**DF1838BCHLG2W**	$2196
Double Doors				
14¾"	30"	38⅛"	**DF3038BCHG2W**	$2632
14¾"	36"	38⅛"	**DF3638BCHG2W**	3068
Three Adjustable Shelves				
Single Door Hinged Right				
14¾"	18"	50" (shown)	**DF1850BCHRG2W**	$2689
Single Door Hinged Left				
14¾"	18"	50"	**DF1850BCHLG2W**	$2689
Double Doors				
14¾"	30"	50"	**DF3050BCHG2W**	$3347
14¾"	36"	50"	**DF3650BCHG2W**	3716

Standard Includes

- Finished top; no rim profile
- ¾"-thick shelves; adjustable in 1¼" (32mm) increments
- Adjustable hinges and touch latch on doors
- Finished back
- Non-locking doors

How to Specify

❶ Model
② Glass pattern/door frame finish:
202G 486 = Ice gloss/clear anodized
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

IMPORTANT: Component tops may be used if a rim profile is desired.

Component Tops
➤See page 108.

Set-on-Surface Organizers

Pricing

Wood Door

GSA SIN 711-8
FSC-C01059 available

D	W	H	Model	Price
Door Hinged Right				
14¾"	18"	38⅛" (shown)	**DF1838BCSHRW**	$1588
14¾"	18"	50"	**DF1850BCSHRW**	2101
Door Hinged Left				
14¾"	18"	38⅛"	**DF1838BCSHLW**	$1588
14¾"	18"	50" (shown)	**DF1850BCSHLW**	2101

IMPORTANT: Component tops may be used if a rim profile is desired.

Component Tops
➤See page 108.

Overview ➤See page 25
Product Information 46
Locking Information 6
Abbreviation Key 3

Standard Includes

- Finished top; no rim profile
- ¾"-thick shelf; adjustable in 1¼" (32mm) increments behind door in 50"H unit
- Five adjustable shelves in lower section
- Adjustable hinges on doors
- Finished back

How to Specify

❶ Model
② Lock option:
KRB = Key random, black core (+$58)
KRS = Key random, silver core (+$58)
KRC = Key random, chrome core (+$58)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Set-on-Surface Organizers

Pricing

Writable Glass Door

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 46
Abbreviation Key 3

D	*W*	*H*	*Model*	*Price*
Door Hinged Right				
14¾"	18"	38⅛" (shown)	**DF1838BCSHRG2W**	$2265
14¾"	18"	50"	**DF1850BCSHRG2W**	2689

Door Hinged Left				
14¾"	18"	38⅛"	**DF1838BCSHLG2W**	$2265
14¾"	18"	50" (shown)	**DF1850BCSHLG2W**	2689

Standard Includes

- Finished top; no rim profile
- ¾"-thick shelf; adjustable in 1¼" (32mm) increments behind door in 50"H unit
- Five adjustable shelves in lower section
- Adjustable hinges on doors
- Finished back
- Non-locking doors

How to Specify

❶ Model
② Glass pattern/door frame finish:
202G 486 = Ice gloss/clear anodized
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

IMPORTANT: Component tops may be used if a rim profile is desired.

Component Tops
➤See page 108.

Vertical Storage

Pricing

Single Door

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 47
Locking Information 6
Abbreviation Key 3







D	*W*	*H*	*Model*	*Price*
Wardrobe Cabinet				
Hinged Right				
23⅝"	6"	67½"	**DF0668VWHRW**	$2179
23⅝"	18"	67½"	**DF1868VWHRW**	3001
23⅝"	18"	79¼"	**DF1879VWHRW**	3673
Hinged Left				
23⅝"	6"	67½"	**DF0668VWHLW**	$2179
23⅝"	18"	67½"	**DF1868VWHLW**	3001
23⅝"	18"	79¼"	**DF1879VWHLW**	3673
Shelf Storage Cabinet				
Hinged Right				
23⅝"	18"	67½"	**DF1868VSHRW**	$3246
23⅝"	18"	79¼"	**DF1879VSHRW**	3971
Hinged Left				
23⅝"	18"	67½"	**DF1868VSHLW**	$3246
23⅝"	18"	79¼"	**DF1879VSHLW**	3971
Wardrobe/Open-Shelf Storage Cabinet				
Hinged Right				
23⅝"	18"	67½"	**DF1868VWHROSW**	$3258
23⅝"	18"	79¼" (shown)	**DF1879VWHROSW**	3981
Hinged Left				
23⅝"	18"	67½" (shown)	**DF1868VWHLOSW**	$3258
23⅝"	18"	79¼"	**DF1879VWHLOSW**	3981

IMPORTANT: Tops of these units are fully finished; however, they have no rim profile. A component top may be added if a rim profile is desired.

Component Tops
➤See page 109.

Standard Includes

Wardrobe Cabinets
- Coat rod
- One fixed shelf in 18"W wardrobe
- Adjustable hinges and touch latch
- Finished back

Shelf Storage and Wardrobe/Open-Shelf Storage Cabinets
- Adjustable hinges and touch latch
- Finished back
- 67½"H unit has four shelves: three are adjustable (second from the bottom is fixed)
- 79¼"H unit has five shelves; three are adjustable (second and fourth from the bottom are fixed)
  Note: Adjustable shelves are adjustable in 1¼" (32mm) increments.

How to Specify

❶ Model
② Lock option:
KRB = Key random, black core (+$58)
KRS = Key random, silver core (+$58)
KRC = Key random, chrome core (+$58)
KS = Key specific (+36); specify lock core separately
X = Non-locking
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Vertical Storage

Pricing

Double Doors

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 47
Locking Information 6
Abbreviation Key 3



D	W	H	Model	Price
Wardrobe Cabinet				
23⅝"	30"	67½"	**DF3068VWHW**	$4085
23⅝"	36"	67½"	**DF3668VWHW**	4224



Wardrobe/Shelf Storage Cabinet				
23⅝"	30"	67½"	**DF3068VHHW**	$4112
23⅝"	36"	67½"	**DF3668VHHW**	4328
23⅝"	30"	79¼"	**DF3079VHHW**	5029
23⅝"	36"	79¼"	**DF3679VHHW**	5299



Shelf Storage Cabinet				
23⅝"	30"	67½"	**DF3068VSHW**	$4112
23⅝"	36"	67½"	**DF3668VSHW**	4328
23⅝"	30"	79¼"	**DF3079VSHW**	5029
23⅝"	36"	79¼"	**DF3679VSHW**	5299

IMPORTANT: Tops of these units are fully finished; however, they have no rim profile. A component top may be added if a rim profile is desired.

Component Tops
➤See page 109.

Standard Includes

Wardrobe Cabinets
- Coat rod
- One fixed shelf
- Adjustable hinges and touch latch
- Finished back

Wardrobe/Shelf Storage and Shelf Storage Cabinets
- Adjustable hinges and touch latch
- Finished back
- Four shelves in 67½"H unit: three adjustable (second from the bottom fixed)
- Five shelves in 79¼"H unit: three adjustable (second and fourth from the bottom fixed)

Note: Adjustable shelves are adjustable in 1¼" (32mm) increments.

How to Specify

❶ Model
② Lock option:
② Lock option:
KRB = Key random, black core (+$58)
KRS = Key random, silver core (+$58)
KRC = Key random, chrome core (+$58)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Vertical Storage

Pricing

Drawers and Double Doors

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 47
Locking Information 6
Abbreviation Key 3





D	*W*	*H*	*Model*	*Price*
Two-Drawer Lateral File/Shelf Storage Cabinet				
23⅝"	30"	67½"	**DF3068VHF2W**	$4485
23⅝"	36"	67½"	**DF3668VHF2W**	4723
23⅝"	30"	79¼"	**DF3079VHF2W**	5485
23⅝"	36"	79¼"	**DF3679VHF2W**	5776
Three-Drawer Lateral File/Shelf Storage Cabinet				
23⅝"	30"	67½"	**DF3068VHF3W**	$4842
23⅝"	36"	67½"	**DF3668VHF3W**	5100
23⅝"	30"	79¼"	**DF3079VHF3W**	5923
23⅝"	36"	79¼"	**DF3679VHF3W**	6236

IMPORTANT: Tops of these units are fully finished; however, they have no rim profile. A component top may be added if a rim profile is desired.

Component Tops
➤See page 109.

Standard Includes

- Adjustable hinges and touch latch
- Finished back
- Two shelves in two-drawer 67½"H unit (one adjustable; top shelf fixed); three shelves in two-drawer 79¼"H unit (two adjustable; middle shelf fixed)
- One adjustable shelf in three-drawer 67½"H unit; two adjustable shelves in three-drawer 79¼"H unit
- Lock in top drawer

How to Specify

❶ Model
② Pull option:
➤See page 50 for designators.
③ Lock option:
KRB = Locking drawers & doors, key random, black core (+$59)
KRS = Locking drawers & doors, key random, silver core (+$59)
KRC = Locking drawers & doors, key random, chrome core (+$59)
KS = Locking drawers & doors, key specific (+$15); specify two lock cores separately
XKRB = Locking drawers, key random, black core
XKRS = Locking drawers, key random, silver core
XKRC = Locking drawers, key random, chrome core
XKS = Locking drawers, key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Vertical Storage

Pricing

Filler Panels and Worksurface Support Brackets

GSA SIN 711-8
FSC-C01059 available

Overview	➤See page 25
Product Information	47
Locking Information	6
Abbreviation Key	3

D	*W*	*H*	*Model*	*Price*
Filler Panels				
23⅝"	18"	67½"	**DF1868CPFPW**	$620
23⅝"	18"	79¼"	**DF1879CPFPW**	695



Worksurface Support Bracket				
16"	1³⁄₁₆"	2"	**DFWBVS**	$78

Standard Includes

Filler Panel
- Panel: wood
- Finished top; no rim profile

Worksurface Support Bracket
- Metal bracket: black

How to Specify

Filler Panel
❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Worksurface Support Bracket
❶ Model

Freestanding Bookcases

Pricing

For Floor Application Only

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 43
Locking Information 6
Abbreviation Key 3






A = adjustable shelves

IMPORTANT: Tops of these units are fully finished; however, they have no rim profile. A component top may be added if a rim profile is desired; however, it will overhang the bookcase by 1".

Component Tops
➤See page 108.

D	*W*	*H*	*Model*	*Price*
Two Shelves				
14"	30"	27¾"	**DF3028BCOFW**	$1107
14"	36"	27¾"	**DF3628BCOFW**	1163
Three Shelves				
14"	30"	40¼"	**DF3040BCOFW**	$1406
14"	36"	40¼"	**DF3640BCOFW**	1482
Four Shelves				
14"	30"	52¾"	**DF3053BCOFW**	$1777
14"	36"	52¾"	**DF3653BCOFW**	1870
Five Shelves				
14"	30"	67½"	**DF3068BCOFW**	$2160
14"	36"	67½"	**DF3668BCOFW**	2294
Six Shelves				
14"	30"	79¼"	**DF3079BCOFW**	$2552
14"	36"	79¼"	**DF3679BCOFW**	2715

Related Products

D	*W*	*H*	*For Use with*	*Model*	*Price*
Additional Bookcase Shelves					
12¼"	28¼"	¾"	30"W bookcase	**AC1228SH**	328
12¼"	34¼"	¾"	36"W bookcase	**AC1234SH**	340

Standard Includes

- Finished top; no rim profile
- Finished back
- ¾"-thick shelves
  Note: Adjustable shelves are adjustable in 1¼" (32mm) increments.

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Component Tops

Pricing

For Use on Overhead Storage, Highback Organizers, Set-on-Surface Storage, and Bookcases

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
15"D Tops with Unfinished Bottom				
15⅛"	18"	1⁹⁄₁₆"	**DF1518CPTW**	$496
15⅛"	30"	1⁹⁄₁₆"	**DF1530CPTW**	520
15⅛"	36"	1⁹⁄₁₆"	**DF1536CPTW**	545
15⅛"	42"	1⁹⁄₁₆"	**DF1542CPTW**	571
15⅛"	48"	1⁹⁄₁₆"	**DF1548CPTW**	595
15⅛"	54"	1⁹⁄₁₆"	**DF1554CPTW**	620
15⅛"	60"	1⁹⁄₁₆"	**DF1560CPTW**	643
15⅛"	66"	1⁹⁄₁₆"	**DF1566CPTW**	667
15⅛"	72"	1⁹⁄₁₆"	**DF1572CPTW**	693
15⅛"	78"	1⁹⁄₁₆"	**DF1578CPTW**	725
15⅛"	84"	1⁹⁄₁₆"	**DF1584CPTW**	754
15⅛"	90"	1⁹⁄₁₆"	**DF1590CPTW**	833
15⅛"	96"	1⁹⁄₁₆"	**DF1596CPTW**	914
15⅛"	102"	1⁹⁄₁₆"	**DF15102CPTW**	1006
15⅛"	108"	1⁹⁄₁₆"	**DF15108CPTW**	1124



15"D Tops with Finished Bottom				
15⅛"	72"	1⁹⁄₁₆"	**DF1572CPTFW**	$1364
15⅛"	78"	1⁹⁄₁₆"	**DF1578CPTFW**	1447
15⅛"	84"	1⁹⁄₁₆"	**DF1584CPTFW**	1527
15⅛"	90"	1⁹⁄₁₆"	**DF1590CPTFW**	2185
15⅛"	96"	1⁹⁄₁₆"	**DF1596CPTFW**	2238
15⅛"	102"	1⁹⁄₁₆"	**DF15102CPTFW**	2293
15⅛"	108"	1⁹⁄₁₆"	**DF15108CPTFW**	2345

Overview ➤See page 25
Abbreviation Key 3

Standard Includes

- Rm profile on all four sides

How to Specify

❶ Model
② Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Component Tops

Pricing

For Use on Freestanding Lateral Files and Vertical Storage

GSA SIN 711-8
FSC-C01059 available



D	*W*	*H*	*Model*	*Price*
24"D Tops with Unfinished Bottom				
24"	18"	1 9/16"	**DF2418CPTW**	$643
24"	30"	1 9/16"	**DF2430CPTW**	650
24"	36"	1 9/16"	**DF2436CPTW**	675
24"	42"	1 9/16"	**DF2442CPTW**	701
24"	48"	1 9/16"	**DF2448CPTW**	733
24"	54"	1 9/16"	**DF2454CPTW**	765
24"	60"	1 9/16"	**DF2460CPTW**	806
24"	66"	1 9/16"	**DF2466CPTW**	823
24"	72"	1 9/16"	**DF2472CPTW**	864
Top for 6"W Wardrobe				
24"	6"	1 9/16"	**DF2406CPTW**	$605

Overview ➤See page 25
Abbreviation Key 3

Standard Includes

- Rm profile on all four sides

How to Specify

❶ Model
② Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Task/Reception Station

Pricing

GSA SIN 711-8
FSC-C01059 available

Overview ➤See page 25
Product Information 34
Locking Information 6
Abbreviation Key 3







D	*W*	*H*	*KH*	*Model*	*Price*
Task Corner Unit					
42"	42"	43"	27¾"	**DF4242CFT**	$2645
Task Return					
Right					
24"	42"	43"	27¾"	**DF2442RTR**	$1898
Left					
24"	42"	43"	27¾"	**DF2442RTL**	$1898
Task Transaction Shelf					
15"	84"	1 9/16"		**DF1584WSTS**	$754

	W	*H*	*Model*	*COM*	*Kimball Office Panel Fabric*
Tackboard for Task/Reception Station					
	40½"	11½"	**AC4112TBK**	$255	$279

IMPORTANT: Components are 43"H and can only be used with each other.

23"D component pedestals can be installed below the worksurface

Transaction shelf can be positioned on either right or left side of station. It rests on top of 43"H panels.

Tackboard mounts on panel with dual-lock fastener system.

Standard Includes

- Executive height worksurface
- Black cord management grommet
- Rim profile on front edge only, flat on ends of corner unit and return; rim profile on all four sides of transaction shelf
- Utility shelf under the surface on corner unit

How to Specify

Corner Unit, Return, or Transaction Shelf

❶ Model
❷ Worksurface material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Grommet/cut-out option:
➤See pages 52–53 for designators.
X = No grommet or cut-out
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Tackboard

❶ Model
② Fabric grade
③ Fabric designator

Conference Furniture

Pricing

Lectern and Visual Board

GSA SIN 711-9
FSC-C01059 available

Overview ➤See page 25
Abbreviation Key 3





D	*W*	*H*	*Model*	*Price*
Lectern				
24"	23¾"	47¾"	**AC2448LC**	$3031
Visual Board				
6¼"	48"	50"	**AC4850VB**	$3245
Top for Visual Board				
6⅝"	48"	1⁹⁄₁₆"	**DF548CPTW**	$447
Projection Screen for Visual Board				
42"			**PS1**	$172

Standard Includes

Lectern
- Adjustable shelf in lower section
- Hidden dual-wheel casters
- Sloped presentation surface
- Cord management grommet
- Reading light

Visual Board
- White, porcelain-on-steel writing surface
- Tackable panels on each door: Guilford FR701-408 black fabric
- Self-closing, adjustable hinge.
- Four dry-erase markers and eraser
- Installation hardware
- White non-glare, pull-down projection screen, specified separately.

How to Specify

Lectern and Visual Board
❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Top for Visual Board
① Model
② Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Projection Screen
① Model

Technology Furniture

Pricing

Telephone Stand and Technology Tables

GSA SIN 711-8
† GSA SIN 711-9
FSC-C01059 available





D	*W*	*H*	*Model*	*Price*
Telephone Stand				
14¾"	15"	29¼"	**DF1515PTH** †	$1300
Technology Table with Slide-Out Keyboard Drawer				
24"	32⁷⁄₁₆"	29¼"	**CE2430CTK**	$1321
Mobile Technology Table				
24"	36"	29¼"	**CE2436MCT**	$1302
Technology Table				
24"	48"	29¼"	**CE2448CT**	$1538

Overview ➤See page 25
Abbreviation Key 3

Standard Includes

Telephone Stand
- One adjustable shelf behind hinged door, hinged right (locking)
- Finished back

Technology Tables
- Black cord management grommet in back panel
- Black, non-locking, dual-wheel casters on mobile unit

How to Specify

❶ Model
❷ Top material:
LW = Laminate with wood rim
W = Wood
③ Rim profile:
B = Bevel **G** = Beaded
C = Dbl. Radius **H** = Crescent
F = Softened **M** = Reed
④ Pull option (omit for technology tables):
➤See page 50 for designators.
⑤ Lock option (omit for technology tables):
KRB = Key random, black core
KRS = Key random, silver core
KRC = Key random, chrome core
KS = Key specific (-$22); specify lock core separately
⑥ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator
⑧ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for wood top)

FLUENT®

Contemporary Casegoods

Table of Contents

	➤See page
Introduction	114
Statement of Line	115
Overview	124
Features	124
Technology Management	126
Application Guidelines	127
Grommet Options	127
Planning Guidelines	128
Filing Capabilities	129
Product Information	130
Worksurfaces	130
Leg Assemblies	131
Modesty Panels	132
Privacy Screens	134
Low Storage	135
Desk-Height Storage	136
Standing-Height Storage	137
Vertical Storage	138
Set-on-Surface Storage	139
Overhead Storage	140
Reception Stations	141
Pricing	142
Worksurfaces	142
Leg Assemblies	150
Modesty Panels	152
Privacy Screens	154
Low Storage	155
Desk-Height Storage	161
Standing-Height Storage	178
Vertical Storage	185
Set-on-Surface Storage	209
Overhead Storage	219
Workwall Accessories	235
Occasional Tables	236
Reception Stations	237
Technology Management	238

Private Office Presence

With Open Plan Functionality!

Features ➤See page 124
Planning Guidelines 128
Product Information 130
Pricing 142

Supporting Change:

What works for one, doesn't always work for another! Fluent offers a variety of components that can be reconfigured as business needs change.

Supporting the Environment:

Like all Kimball Office products, Fluent is environmentally responsible. ➤See Sustainability Facts at right.

Anything but Typical:

Components are designed to allow the user to configure to meet individual needs.

For example typical storage features long shelves that only accommodate binders; Fluent storage's center divider and extra shelf combine space for project files, binders and/or trash receptacle.



Typical Storage



Fluent Storage

Fluent's Key Features:

① **Fluent is a modular set-in-place wood solution** that easily adapts to the environment of private or open plan workspaces.



Workwall...

becomes...



Desk and wall unit

② **Non-handed components** easily adapt to space changes. A left-hand application can become a right-hand application. Worksurfaces are rimmed on all sides and are supported by pedestal spacer bars to allow reconfiguration.



Left-hand application...

becomes...



Right-hand application

③ **Fluent's smaller scale and clean lines** fit in smaller 10x10 offices. Worksurface and component sizes are scaled down to appear less massive within their workspaces, providing more maneuvering space for occupants.



Typical workstation



Fluent workstation

④ **Storage components** are finished on all sides to divide space or for use next to glass walls. Expanded product offering brings new layout possibilities to the private office.

⑤ **Technology components** easily twist into worksurface support rails. Occupants can move components to accommodate change.

Sustainability Facts:

Kimball Office is committed to providing quality products that improve indoor air quality and meet or exceed the requirements set by the U.S. Green Building Council's LEED rating system and the BIFMA Furniture Emissions Standard (FES).

Fluent was designed using EPA Design for the Environment (DfE) standards and LEED protocols. The entire line is fully IAQ compliant, even the wood components, and feature Pura®, Kimball Office's proprietary UV finish.
➤See page 374.

Painted components are MDF with formaldehyde-free paint, and meet indoor air quality requirements. Besides sustainable, low-emitting materials, Fluent is manufactured using aluminum castings with a high recycled content, including pulls, legs, grommets, support elements, and overhead shelves. Additionally, Fluent contains no PVC (polyvinyl chloride), chrome and CFCs (chlorofluorocarbons), and features LED lighting, which produces no heat and is easily taken apart for recycling.

Worksurfaces

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular

● = Desk worksurface, ➤See page 142 to specify.
■ = Bridge or return worksurface, ➤See page 143 to specify.
▲ = Component worksurface, ➤See page 144 to specify.

	30"W	36"W	38"W	40"W	44"W	46"W	50"W	52"W	54"W	56"W	58"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	108"W
22"D	▲	▲	■	■	■	■	■▲	■	▲	■▲	■	▲	▲	▲	▲	▲	▲		▲
28"D												●	●	●	●	●		●	
34"D												●	●	●	●	●		●	



Wedge

● = Desk wedge, ➤See page 145 to specify.
■ = Return wedge, ➤See page 146 to specify.
▲ = Extended wedge worksurface, ➤See page 147 to specify.

	44"W	50"W	56"W	60"W	66"W	72"W	78"W
22/28"D	■	■	■	●	●		
34/28"D				▲	▲	●▲	●▲

Oval

➤See page 148 to specify.

	78"W
38"D	●



Glass Table Desk

● = Oval
■ = Rectangular
➤See page 149 to specify.

	72"W	78"W
34"D	■	
38"D		●

Leg Assemblies and Screens

Statement of Line

Support Legs, Inserts, Modesty Panels, and Screens

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Desk-Height Support Legs

➤See page 150 to specify.

	28"H
22"D	●
28"D	●
34"D	●

Low Storage Support Legs

➤See page 150 to specify.

	8"H
22"D	●
28"D	●
34"D	●

Resin Leg Inserts

➤See page 151 to specify.

	27"H
20"W	●
26"W	●
32"W	●





Modesty Panels

● = Privacy, ➤See page 152 to specify.

■ = Technology, ➤See page 153 to specify.

	21"W	27"W	33"W	37"W	39"W	43"W	45"W	49"W	52"W	55"W	58"W	65"W	71"W
12"H	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●	●



Privacy Screens

➤See page 154 to specify.

	37"W	39"W	45"W	52"W	58"W	65"W	71"W
12"H	●	●	●	●	●	●	●

Low Storage

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Box/Lateral File

➤See page 155 to specify.

	30"W	36"W
22"D	●	●



Open

➤See page 156 to specify."

	30"W	36"W
22"D	●	●





Sliding Door

● = Wood door, ➤See page 157 to specify.
■ = Glass door, ➤See page 158 to specify.
▲ = Resin door, ➤See page 159 to specify.

	30"W	36"W	44"W
15"D	●■▲	●■▲	●■▲
22"D	●■▲*	●■▲*	

*Available in mobile model.



Cushions

➤See page 160 to specify.

For use with:

	30"W	36"W
22"D	●	●

Desk-Height Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Mobile Cushion-Top
➤See page 161 to specify.

	15"W
22"D	●

Box/Box/File
➤See page 162.

	15"W	18"W
22"D	●*	●
28"D	●*	●
34"D	●	●

*Available in mobile model.



Common Front Box/Box/File
➤See page 163.

	15"W	18"W
22"D	●	●
28"D	●	●
34"D	●	●

File/File
➤See page 164.

	15"W	18"W
22"D	●*	●
28"D	●*	●
34"D	●	●

*Available in mobile model.



Lateral File/Lateral File
➤See page 165 to specify.

	30"W	36"W
22"D	●	●
28"D	●	●



Multi-File
➤See page 166 to specify.

	30"W	36"W
22"D	●	●
28"D	●	●

Box/Box/Lateral File
➤See page 167 to specify.

	30"W	36"W
22"D	●	●
28"D	●	●



Open
➤See page 168.

	15"W	18"W	30"W	36"W
22"D	●	●	●	●



Hinged Door(s)
● = Wood doors, ➤See page 169 to specify.
■ = Glass doors, ➤See page 170 to specify.
▲ = Resin doors, ➤See page 171 to specify.

	15"W	18"W	30"W	36"W
22"D	●	●	●■▲	●■▲



Sliding Door
● = Wood door, ➤See page 172 to specify.
■ = Glass door, ➤See page 173 to specify.
▲ = Resin door, ➤See page 174 to specify.

	30"W	36"W
22"D	●■▲	●■▲



Technology/Support
➤See pages 175–176.

	15"W	18"W	30"W	36"W
22"D	●*	●	●	●
28"D	●	●		
34"D	●	●		

*Available in mobile model.

Standing-Height Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Three Lateral File Drawers

➤See page 178 to specify.

	30"W	36"W
22"D	●	●

Hinged Doors

● = Wood doors, ➤See page 179 to specify.
■ = Glass doors, ➤See page 180 to specify.
▲ = Resin doors, ➤See page 181 to specify.

	30"W	36"W
22"D	●■▲	●■▲

Sliding Door

● = Wood door, ➤See page 179 to specify.
■ = Glass door, ➤See page 180 to specify.
▲ = Resin door, ➤See page 181 to specify.

	30"W	36"W
15"D	●■▲	●■▲

Vertical Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



18"W
Available in a variety of storage configurations.
➤See pages 185–187 to specify.

	50"H	69"H	78"H
22"D	●	●	●

24"W
Available in a variety of storage configurations.
➤See pages 188–190 to specify.

	42"H	50"H	69"H	78"H
22"D	●	●	●	●



30"W
Available in a variety of storage configurations.
➤See pages 191–198 to specify.

	42"H	50"H	69"H	78"H
22"D	●	●	●	●



36"W Dual-Sided
Available in a variety of storage configurations
➤See page 199 to specify.

	42"H	50"H
15"D	●	●

36"W Single-Sided
Available in a variety of storage configurations.
➤See pages 200–207 to specify.

	42"H	50"H
22"D	●	●



Freestanding Bookcases
➤See page 208 to specify.

	27"H	42"H	50"H	69"H	78"H
30"W	●	●	●	●	●
36"W	●	●	●	●	●

Set-on-Surface Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.




Hinged Doors

● = Wood doors, ➤See page 209 to specify.
■ = Glass doors, ➤See page 210 to specify.
▲ = Resin doors, ➤See page 211 to specify.

	40"H	42"H	49"H	52"H
18"W	●■▲		●■▲	
30"W	●■▲	●■▲	●■▲	●■▲
36"W	●■▲	●■▲	●■▲	●■▲




Sliding Door

● = Wood door, ➤See page 212 to specify.
■ = Glass door, ➤See page 213 to specify.
▲ = Resin door, ➤See page 214 to specify.

	40"H	42"H	49"H	52"H
18"W				
30"W	●■▲	●■▲	●■▲	●■▲
36"W	●■▲	●■▲	●■▲	●■▲




Bookcase Organizers

● = Wood door, ➤See page 215 to specify.
■ = Glass door, ➤See page 216 to specify.
▲ = Resin door, ➤See page 217 to specify.

	40"H	49"H
18"W	●■▲	●■▲



Open Bookcase

➤See page 218 to specify.

	40"H	42"H	49"H	52"H
15"W	●		●	
30"W	●	●	●	●
36"W	●	●	●	●

Overhead Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Hinged Doors

● = Wood doors, ➤See page 219 to specify.
■ = Glass doors, ➤See page 221 to specify.
▲ = Resin doors, ➤See page 223 to specify.

	30"W	36"W	54"W	72"W	90"W
18"H	●■▲	●■▲	●■▲	●■▲	●■▲
27"H	●■▲	●■▲	●■▲	●■▲	●■▲




Sliding Door

● = Wood door, ➤See page 225 to specify.
■ = Glass door, ➤See page 227 to specify.
▲ = Resin door, ➤See page 229 to specify.

	30"W	36"W	54"W	72"W	90"W
18"H	●■▲	●■▲	●■▲	●■▲	●■▲
27"H	●■▲	●■▲	●■▲	●■▲	●■▲



Open

➤See page 231 to specify.

	30"W	36"W	54"W
18"H	●	●	●
27"H	●	●	●



Stacking Cubbies

➤See page 232 to specify.

	36"W	54"W
7"H	●	●



Overhead Support Assemblies

● = Open back, ➤See page 233 to specify.
■ = Workwall, ➤See page 234 to specify.

	36"W	54"W	72"W	90"W
10"H	●	●	●	
22"H	●■	●■	●■	■

Workwall Accessories

➤See page 235 to specify.

Occasional Tables & Reception Station

Statement of Line

and Technology Management Accessories

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Occasional Tables
Available in wood veneer top and glass-top models.
➤See page 236 to specify.



L-Shaped Station
Available in left and right models counter.
➤See page 237 to specify.



U-Shaped Station with One Transaction Counter
➤See page 237 to specify.



U-Shaped Station with ADA Front and Three Transaction Counters
➤See page 237 to specify.



Technology Management
➤See page 238 to specify.

Features

Overview

Introduction	➤See page 114
Technology Management	126
Planning Guidelines	128
Product Information	130

Vertical storage addresses work and personal storage requirements.

Stacking overheads on a support assembly allows variation of storage and materials.

Low storage provides more space and accommodates guests for impromptu discussions.

Workwall and workwall accessories provide additional storage options.

Screens are available to provide privacy above the worksurface. They attach to the underside of the worksurface.

Technology/support pedestals neatly conceal cords, CPUs, and personal items, and provide worksurface support.

Optional modesty panels attach to the underside of the worksurface for privacy.

Mobile storage provides flexibility and fits under worksurfaces.

Technology modesty panels feature a channel for cord storage. Partial-height allows access to electrical outlets and power/data sharing between workstations.

Features

Overview

continued

Introduction ➤See page 114
Technology Management 126
Planning Guidelines 128
Product Information 130

Fluent's signature aesthetic is the precision miter construction, which gives every unit its crisp, rectilinear features and clean, modern appearance.



Fluent uses a compound, lock-miter minifix joint that is beveled and machined with an inner step profile. This profile precisely indexes all of the mitered panels so they cannot move once fastened together.

Exterior surfaces are available in the following veneers:

- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies
- Zebrawood premium composite veneer; upcharge applies
- Painted MDF

Veneers are carefully selected and matched to assure proper balance and consistency. All units are finished on all exterior sides, including the top.

Drawer sides and back are ½" thick with veneer faces. Bottoms are ¼" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear, durable topcoat.

Drawer fronts are ¾" thick, 3-ply construction. Five-sided drawers allow easy removal of drawer fronts.

Wood drawer dividers are standard in all box drawers.

Drawer suspensions feature black, progressive-action slides with precision steel ballbearings to ensure long-lasting, quiet, smooth operation. Box and file drawer suspensions are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.

Leveling glides are 1½"H and provide 1¼" of adjustment.

Silver locks (matte nickel) are standard on storage units with drawers and wood hinged doors. Lock cylinders are removable if re-keying is necessary. Key random and key specific options are available.
➤See page 6.

Resin material is part of the Lumicor® LumiclearR4™ Color Collection and is available in Woven Snow (21) with a frost/frost finish on both sides.

Oval and rectangular glass worksurfaces are backpainted in low-iron, opaque white with a matte finish (201 Arctic). Rims are polished.

Glass doors are backpainted in low-iron, opaque white with a matte finish (202 Ice)), and have an aluminum frame. Color is a compatible match to worksurface glass.

Pull Options:



Recessed
5⅞"W x 1⅛"H



Rectangular
10⅜"W x ⅝"H x 1⅛" projection

Exception: On 15"W storage units, rectangular pulls are 8⅞"W x ⅝"H x 1⅛" projection

Rim Profile:



Arris rim profile

Technology Management

Overview

Introduction	➤See page 114
Planning Guidelines	128
Filing Capabilities	129
Grommet Options	127

Support channels are standard under worksurfaces and notched to accept technology and cord management accessories. Undersurface wire manager and receptacle brackets twist into and can be moved along the channel by occupants as technology changes.

Technology modesty panel is hinged to tip into the kneespace for access to power and data outlets in the wall. Cable trough is on the outside facing the wall or adjacent workstation.

Undersurface technology/support pedestals are available to house equipment and route cords and cables.

Factory-installed grommets are available in two styles; upcharge applies. Grommets are also available for field installation. They can be placed over a pedestal or storage unit.
➤See page 127 for locations.





Leg assemblies ship standard with one cord manager that attaches to the leg for vertical routing of cords.

Undersurface wire manager routes cables and cords and can store coiled cords up off the floor.

Undersurface receptacle bracket clips into channel and accepts one duplex receptacle, model 80KELR1.
➤See page 238.

Undersurface receptacle bracket also accepts standard Rayco style steel box for hardwire installations. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.

Grommet Options

Application Guidelines & Options Pricing

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Filing Capabilities 129

Worksurface Shape	*Grommet Option Designators and Upcharges*
Rectangular Desk Component	**G18SSL** = One rectangular grommet, left (+$88) **G18SSC** = One rectangular grommet, center (+$88) **G18SSR** = One rectangular grommet, right (+$88) **G18SSLR** = Two rectangular grommets, left & right (+$176)
Wedge Desk	**G18SSA** = Three rectangular grommets, left, center, & right (+$264) **G17SSL** = One square grommet, left (+$57)
Extended	**G17SSC** = One square grommet, center (+$57) **G17SSR** = One square grommet, right (+$57) **G17SSLR** = Two square grommets, left & right (+$114)
Oval	**G17SSA** = Three square grommets, left, center, & right (+$171) **X** = No cut-outs

Location of Cut-Outs



Rectangular Desk



Rectangular Component



Wedge Desk



Rectangular Component



Oval

Rectangular Bridge	**G18SSC** = One rectangular grommet, center (+$88) **G17SSC** = One square grommet, center (+$57) **X** = No cut-outs
Wedge Return	



Rectangular Bridge



Wedge Return

Grommets:





Rectangular grommets



Square grommets

Two grommet sizes/shapes are available. Both rectangular and square grommets are cast aluminum with a Silver Satin (511) finish. These two-piece grommets feature a lid with wire slots that lifts out.

Perks models 99KG17SS and 99KG18SS are also available separately for field installation.
➤See the Perks Price List.

How to Specify

① Insert the grommet designator in the model number sequence.

Planning Guidelines

Features ➤See page 124
Technology Management 126
Planning Guidelines
Filing Capabilities 129

The intelligence behind Fluent is found in its ease of product planning, specification, and installation. Configurations range from freestanding work tables and storage that can be reconfigured into standard L and U office applications. A variety of support options support open plan space division and individual work areas.

Planning Steps:

① Determine worksurface layout.



② Select storage and support.



③ Select vertical and set-on-surface storage.



④ Add modesty panels and privacy screens.



⑤ Determine lighting, technology components, and accessories.



Planning for Reconfiguration:

Fluent offers a variety of components that can be reconfigured as business needs or occupants change.



A right-hand application can easily become a left-hand application in another space.



A workwall can be transformed into a desk and wall unit within the same space.

Approval/Compliance:

All single-circuit components and Fluent furniture are U.L. 962 listed in the USA and comply with the National Electrical Code (NEC); all single-circuit components are CSA certified, Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. The customer is responsible for the proper application of products to the local codes under which installation must be made.
Note: Any field modification of the electrical components voids the UL and CSA listing.

Filing Capabilities

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Grommet Options 127

		Interior Dimensions			Standard Filing Capabilities	
Description	*Type*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
15"W Storage Components						
34"D x 15"W	Box	17"	11½"	3"	—	—
	File	25"	12"	9"	Letter	Legal, double letter
28"D x 15"W, 22"D x 15"W	Box	17"	11½"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter
18"W Storage Components						
34"D x 18"W	Box	17"	14½"	3"	—	—
	File	25"	15"	9"	Legal	Legal, double letter
28"D x 18"W, 22"D x 18"W	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter
30"W Storage Components						
22"D x 30"W	Box	17"	26⅜"	3"	—	—
	Lateral	18½"	26⅜"	9"	Legal, letter	Legal, letter
22"D x 30"W multi-file	Box	17"	11½"	3"	—	—
	File	17"	12"	9"	Letter	Legal, double letter
	Lateral	18½"	26⅜"	9"	Legal, letter	Legal, letter
36"W Storage Components						
22"D x 36"W	Box	17"	32⅜"	3"	—	—
	Lateral	18½"	32⅜"	9"	Legal, letter	Legal, letter
22"D x 36"W multi-file	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, double letter
	Lateral	18½"	32⅜"	9"	Legal, letter	Legal, letter

Filing Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".

Worksurfaces

Features ➤See page 124
Technology Management 126
Grommet Options 127
Pricing 142

Details



Worksurfaces are 1 3/16" thick, 3-ply, balanced construction with a 1/8" wood rim. Overall height of worksurface with legs or pedestal is 29" with the leveler in the lowest position.

Worksurfaces are available in the following shapes:
- Rectangular
- Wedge
- Extended
- Oval



Arris rim profile is standard.



Support channel ships installed on the underside of worksurface to add rigidity and support electrical components. Cinder finish.



Two grommet sizes/shapes are available. Grommets are positioned to avoid interference with support channels.
➤See page 127 for details.

Finishes & Materials

Worksurfaces
- Wood
- Laminate

Worksurface Rim
- Wood
- Polypropylene: 405 Designer White

Connections



Worksurfaces are rimmed on all four sides and are designed to connect to create “L” or “U” layouts.



Worksurfaces can be supported by undersurface pedestals with spacer bars, legs, or a combination of both.



Modesty panels attach to the underside of the worksurface to provide privacy.



Privacy screens wrap around the rim and mount to the underside of the worksurface.

Planning Factors



Worksurfaces must be specified as main, filler, or extension to receive the appropriate bracketry for your application.

Depth of pedestals and legs must match worksurface depth.

Grain direction on bridge and return worksurfaces runs front to back to align with desks and component tops, which run widthwise.
➤See page 127 for grain direction by worksurface shape.

Keyboard drawers and trays will not attach to the underside of worksurfaces due to the support rails.



Technology components are available to provide data/power and cord management. These components twist-fit into the worksurface support channel.
➤See page 126.

Oval and rectangular glass worksurfaces are backpainted in low-iron, opaque white with a matte finish (201 Arctic). Rims are polished.

Maximum Open Span:

Maximum open span between support is determined by the depth of the worksurface.

22"D Worksurfaces:







28" and 34"D Worksurfaces:







Leg Assemblies

Features	➤See page 124
Technology Management	126
Planning Guidelines	128
Pricing	150

Details



Leg assembly consists of two legs and a stretcher rail made of extruded aluminum with a clear satin, anodized finish. The horizontal rail is steel with a complementary powdercoat finish.

Leg assembly supports one side of a worksurface and is non-handed.



Vertical legs feature a triangular prism shape; each side is 2¼"W.



Desk-height leg assemblies are for applications where the leg extends to the floor. Adjustable glides are concealed and offer 1⁹⁄₁₆" adjustment.



Low storage support leg assemblies span over low storage components. Legs are secured to the pedestal top with dual-lock tape.



One cord manager made of semi-translucent polypropylene ships standard with each leg assembly for field installation.

Finishes & Materials

Leg Assemblies
- 511 Silver Satin

Connections

Attachment hardware ships standard with each leg assembly to attach the worksurface and the leg assembly.



Extruded channel in each desk-height leg accepts resin leg inserts, which may be specified separately to provide privacy and a varied aesthetic.

Planning Factors

Depth of leg assemblies must match worksurface depth.



Incorrect



Correct

Leg applications will not support set-on-surface storage and highback support assemblies. Applications with set-on-surface or highback support assembly must be supported on both ends by desk-height undersurface storage.

Related Products

Resin leg inserts
➤See page 151.

Additional cord managers (Perks model 99K27WMV) are available.
➤See the Perks Price List

Modesty Panels

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Pricing 152

Details



Modesty panels are available for seated privacy applications and technology solutions.

Veneer and painted privacy modesty panels are finished on both sides.



Resin privacy modesty panels are ¼" thick and have a white frost appearance. Exposed edges are polished with rounded corners.



Technology modesty panels are finished on both sides and feature a cable trough on the back side made of white, translucent polypropylene.

Finishes & Materials

Privacy Modesty Panels
- Veneer
- Paint
- Resin

Technology Modesty Panels
- Veneer
- Paint

Connections



Privacy modesty panel in veneer or paint mounts to the underside of the worksurface with fixed "L" brackets.



Resin modesty panel mounts to the underside of the worksurface with a continuous aluminum frame along the top edge.



Technology modesty panel mounts to the underside of the worksurface with hinge brackets that allow the panel to flip forward for access to electrical wall outlets. A black half-round cable manager allows cords to exit to the back of the panel.

Planning Factors

Use a technology modesty panel with bridge, return, and component worksurfaces placed against a wall or in shared applications. A privacy modesty can be used with all worksurfaces.



Modesty panel spans between two legs, two pedestals, or a pedestal and a leg with an approximate 1½" gap on each side. Width is specified based on the support application. Modesty panels cannot be placed behind a pedestal.
➤See Modesty Panel Application Guidelines on page 133.

Mobile pedestals will not fit in front of a modesty and be flush with the worksurface edge if they are the same depth as worksurface. Specify a shallower pedestal or deeper worksurface.

Modesty panels do not provide structural stability.

Modesty Panels

continued

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Pricing 152

Legs Only





Worksurface width - legs - gap = Modesty panel width
Example: 72" - 4½" (2¼" each leg) - 3" (1½" each side) = 64½"

Pedestals Only





Worksurface width - pedestals - gap = Modesty panel width
Example: 72" - 30" (two 15") - 3" (1½" each side) = 39"

Legs and Pedestal





Worksurface width - leg - pedestal - gap = Modesty panel width
Example: 72" - 2¼" - 15" - 3" (1½" each side) = 51¾"

Return with Pedestal





Return width - pedestal - gap = Modesty panel width
Example: 50" - 15" - 3" (1½" each side) = 32" (Specify 33"W model)

Return with Perpendicular Pedestal





Return width - overlap - gap = Modesty panel width
Example: 50" - 10" (overlap) - 3" (1½" each side) = 37" (Specify 36¾"W model)

Bridge and Component





Bridge width - gap = Modesty panel width
Example: 46" - 3" (1½" each side) = 43"
Component width - leg - pedestal - gap = Modesty panel width
Example: 72" - 2¼" - 18" - 3" (1½" each side) = 48¾"

Desk Worksurfaces:

Modesty panels are inset a maximum of 3" on desk worksurfaces in front of grommets.

Bridges, Returns, and Component Worksurfaces:

Modesty panels are inset to the inside of grommets on bridges, returns and component worksurfaces to allow cords to drop into optional technology management modesty panel.

Modesty panels are sized for 1½" gap on each side when placed between legs or pedestals. Order the next larger or smaller size for varied applications or if the exact size modesty is not available.

Privacy Screens

Features	➤See page 124
Technology Management	126
Planning Guidelines	128
Pricing	154

Details



Privacy screens provide visual privacy above the worksurface.



Resin privacy screens are ¼" thick and have a white frost appearance. Exposed edges are polished with rounded corners.

Finishes & Materials

Privacy Screens
- Resin

Connections



Privacy screen is held in a continuous, extruded, satin anodized frame along the bottom edge. The frame wraps around the arris rim and attaches to the underside of the worksurface.

Installation does not deface the worksurface.

Screens can be attached to wood and laminate rectangular, wedge, and extended worksurfaces.

Modesty panel can also be installed below a privacy screen.

Planning Factors



Incorrect



Correct

Privacy screens mount along the open width of the worksurface; they cannot be used on worksurface ends supported by a leg assembly or pedestal. They cannot overlap a pedestal or legs.

Screens will always be 7¼" less wide than a leg-supported worksurface, as screens mount between the leg assemblies. For odd sizes, specify the next smallest screen.



Screens can be specified in smaller widths depending on the intended result.

Application Guidelines



Worksurface width - legs - gap = privacy screen width
Example: 72" - 4½" (2¼" each leg) - 3" (1½" each side) = 64½"



Worksurface width - pedestal width - gap = privacy screen width
Example: 72" - 30" (two 15") - 3" (1½" each side) = 39"



Worksurface width - leg - pedestal width - gap = privacy screen width
Example: 72" - 2¼" - 15" - 3" (1½" each side) = 51¾"

Low Storage

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Pricing 155

Details

Low storage units are 19⅝"H. They are available 30", 36", or 44" widths and 15" or 22" depths. Low storage is available in a variety of configurations, including open, sliding door, and box/file styles, and in mobile and stationary models.

Mobile low storage units are available in a variety of sizes and styles. Casters are inset, enabling the mobile and freestanding units to sit next each other at the same height.

Interlock mechanism and counterweight are standard on units with drawers to prevent tipping.

Top is finished on all models.

Sliding doors are non-locking.

Leveling glides are 1½"H and provide 1¼" of adjustment.

Silver locks (matte nickel) are standard on storage units with drawers and wood hinged doors. Lock cylinders are removable if re-keying is necessary. Key random and key specific options are available.
➤See page 6 for locking information.

Finishes & Materials

Chassis
- Wood veneer
- Paint

Drawer Fronts
- Wood veneer
- Paint

Doors
- Wood veneer
- Resin with aluminum frame
- Glass with aluminum frame

Connections

Low storage units are freestanding and set in place to allow for reconfiguration.



When used in conjunction with a low storage support assembly, low storage can support a worksurface.

Ganging brackets can be used where two or more cabinets are positioned side by side to create a built-up appearance. Ganging brackets do not deface the outside of the cabinets and are optional.
➤See page 177.

Planning Factors



Set-on-surface storage units may be placed on top of low storage units. 49"H set-on-surface storage will align with 69"H vertical storage. Other heights may be used, but will not align with other vertical storage heights.

Mobile low storage cannot be used to support worksurfaces or other storage units.

Related Products



Cushions, specified separately, are available to create occasional seating within the workspace.

Desk-Height Storage

Features	➤See page 124
Technology Management	126
Filing Capabilities	129
Pricing	161

Details



Desk-height storage units are available 15", 18", 30", or 36"W and 22", 28", or 34"D, and in a variety of open storage, hinged door, sliding door, and drawer configurations.



Undersurface models are used to support a worksurface.



Freestanding models are for use in applications where a worksurface is not required. Interlock mechanism and counterweight are standard on freestanding units with drawers to prevent tipping.



Common front box/box/file storage provides a clean face with one pull. The file drawer pulls out with the full front face. Box drawers pull out separately.



Technology/support pedestals manage cords and support worksurfaces.



Mobile storage is available in a variety of sizes and styles. Casters are inset, enabling mobile and freestanding units to sit next to each other at the same height and fit under a worksurface. Cushion-top models will also fit under a worksurface.

Top is finished on all models.

Glass and resin hinged doors feature a touchlatch and are non-locking.

Sliding-doors are non-locking.

Recessed and rectangular pull options are available on wood doors and drawers.
➤See page 125.

Finishes & Materials

Chassis & Drawer Fronts
- Wood veneer
- Paint

Drawer Fronts
- Wood veneer
- Paint

Doors
- Wood veneer
- Resin with aluminum frame
- Glass with aluminum frame

Spacer Rails on Undersurface Models
- Anodized aluminum: clear satin

Connections

All models are non-handed for ease of reconfiguration.



Undersurface models ship standard with three 1¼"H spacer rails, one long and two short, which fit into locator holes in the underside of pedestal top. These spacer rails are used to secure the worksurface to the pedestal and give the worksurface a floating aesthetic.

Planning Factors



A combination of undersurface and freestanding models can be used to create credenzas or custom application with a worksurface.

Ganging brackets can be used where two or more cabinets are positioned side by side to create a built-up appearance. Ganging brackets do not deface the outside of the cabinets and are optional.
➤See page 177.



For in-line applications, the long spacer bar should be placed on the outside; the shorter bars allow the worksurface's support channel to pass over the pedestal.



Perpendicular applications can also be created using open, sliding door, or technology pedestal. A 28"D worksurface spans a 30"W pedestal; a 34"D worksurface spans a 36"W pedestal. Pedestal will extend beyond the worksurface by 1" on either side. Pedestals with drawers are not for use in this application.



Set-on-surface storage units may be placed on top of freestanding desk-height units.
➤See page 139 for guidelines.

Standing-Height Storage

Features	➤See page 124
Technology Management	126
Filing Capabilities	129
Pricing	178

Details

Standing-height storage units are available 30" or 36"W and 15" or 22"D, and in a variety of hinged door, sliding door and drawer configurations.



22"D undersurface models are used to support a worksurface. Standing-height storage with worksurface is 41½"H.

15" and 22"D freestanding models are for use in applications where a worksurface is not required. Units are 39"H.

Interlock mechanism and counterweight are standard on freestanding units with drawers to prevent tipping.

Top is finished on all models.
Glass and resin hinged doors feature a touchlatch and are non-locking.

Sliding doors are non-locking.

Recessed and rectangular pull options are available on wood doors and drawers.
➤See page 125.

Finishes & Materials

Chassis
- Wood veneer
- Paint

Drawer Fronts
- Wood veneer
- Paint

Doors
- Wood veneer
- Resin with aluminum frame
- Glass with aluminum frame

Spacer Rails on Undersurface Models
- Anodized aluminum: clear satin

Connections

All models are non-handed for ease of reconfiguration.



22"D undersurface models ship standard with three 1¼"H spacer rails, one long and two short, which fit into locator holes in the underside of pedestal top. These spacer rails are used to secure the worksurface to the pedestal and give the worksurface a floating aesthetic.

15"D undersurface units ship with two long spacer rails.

Freestanding storage units are set in place to allow for reconfiguration.

Ganging brackets can be used where two or more cabinets are positioned side by side to create a built-up appearance. Ganging brackets do not deface the outside of the cabinets and are optional.
➤See page 177.

Planning Factors



For in-line applications with 22"D units, the long spacer bar should be placed on the outside; the shorter bars allow the worksurface's support channel to pass over the pedestal.



15"D units accept perpendicular worksurface only. A 28"D worksurface spans a 30"W pedestal; a 34"D worksurface spans a 36"W pedestal. Pedestal will extend beyond the worksurface by 1" on either side. Pedestals with drawers are not for use in this application.
Note: 22"D units can also be used in perpendicular applications using the same guidelines.

Set-on-surface storage and highback support assemblies cannot be placed on top of standing-height storage; however, suspended overheads may be used in a set-on-surface application.

Vertical Storage

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Pricing 185

Details



Vertical storage units are 22"D and available 18", 24", 30" or 36"W. Units are available 42", 50", 69", or 78"H.

A variety of storage configurations are multi-functional for both business and personal needs.



42" and 50"H dual-sided models are 15"D and provide access from both sides of the unit. Dual-sided models stand at the aisle side of a workstation, providing privacy while encouraging interaction.

Interlock mechanism and counterweight are standard on freestanding units with drowers to prevent tipping.

All sides, including the top, are finished.

Glass and resin hinged doors feature a touchlatch and are non-locking.

Sliding doors are non-locking.

Shelves adjust top to bottom in 1¼" increments in open and closed storage above drawers. Shelves in wardrobe units adjust 1¼" up and down in two positions.



Common front box/box/file storage provides a clean face with one pull. The file drawer pulls out with the full front face. Box drawers pull out separately.



Freestanding open bookcases complete the vertical storage offering with 27", 42", 50", 69", and 78"H units. Bookcases are 15"D and available in 30" and 36" widths.

Recessed and rectangular pull options are available on wood doors and drawers in the lower section. Upper storage doors and wardrobe doors do not feature a pull.
➤See page 125.

Finishes & Materials

Chassis
- Wood veneer
- Paint

Drawer Fronts
- Wood veneer
- Paint

Doors
- Wood veneer
- Resin with aluminum frame
- Glass with aluminum frame

Connections

Vertical storage models stand-alone or together to create various configurations.



Overhead storage cabinets can be suspended between two vertical storage units.

Freestanding storage units are set in place to allow for reconfiguration.

Planning Factors

Dual-sided models with a common front pedestal are specified as handed units, but can be converted to the opposite hand in the field if required.

Vertical storage can be used in private office applications or to divide space in open plans.

Set-on-Surface Storage

Features	➤See page 124
Technology Management	126
Planning Guidelines	128
Pricing	209

Details



Set-on-surface storage units are 15"D and available 18", 30" or 36"W. Models include hinged door, sliding door, and bookcase organizer units.



30" and 36"W units feature a center divider and six shelves. 18"W units are standard with three shelves. Shelves are adjustable to allow for project and binder storage.

All sides, including the top, are finished.

Glass and resin hinged doors feature a touchlatch and are non-locking.

Sliding doors are non-locking.

Finishes & Materials

Chassis
- Wood veneer
- Paint

Doors
- Wood veneer
- Resin with aluminum frame
- Glass with aluminum frame

Connections



Set-on-surface storage can be placed on worksurfaces with appropriate support, or they can be placed directly on a pedestal. Double-stick tape facilitates attachment.



Overhead storage cabinets can be suspended between set-on-surface storage units.



Incorrect



Correct

Leg applications will not support set-on-surface storage. Applications with set-on-surface storage must be supported on both ends by desk-height undersurface storage.

Planning Factors

To align with 69"H vertical storage units, specify:
- 39⅝"H unit, if it will be placed on top of a worksurfaces supported by desk-height storage units; or
- 42"H unit if it will be placed directly on a desk-height storage unit; or
- 49"H unit if it will be placed on a low storage unit.

To align with 78"H vertical storage units, specify:
- 49"H unit, if it will be placed on top of a worksurfaces supported by desk-height storage units; or
- 51½"H unit if it will be placed directly on a desk-height storage unit.

Other height combinations may be specified, but will not align with vertical storage heights.

Overhead Storage

Features	➤See page 124
Technology Management	126
Planning Guidelines	128
Pricing	209

Details

Overhead storage units are 15"D and available 30", 36", 54", 72", and 90"W. Single-height units are 18"H; double-height units are 28"H. Models include open, hinged door, sliding door, and stacking cubbies.

Suspended and stacking models are finished on all sides, back, and top.

Wall-mount models are finished on all sides, except the back.

Glass and resin hinged doors feature a touchlatch and are non-locking.

Sliding doors are non-locking.

Cabinets are divided into sections, one behind each door.
¾"-thick shelves can be moved from one section to another. Shelves in single-height units adjust toward the bottom only. Shelves in double-height units adjust top to bottom in 1¼" increments.

Finishes & Materials

Chassis
- Wood veneer
- Paint

Doors
- Wood veneer
- Resin with aluminum frame
- Glass with aluminum frame

Connections

Wall-mount cabinets attach to the wall with provided brackets.



Suspended cabinets span between set-on-storage units and/or vertical storage units. Attachment hardware ships standard with the cabinet. Suspended cabinets can also be used as set-on storage for worksurfaces or desk-height
storage units.

Stacking cabinets can only be used with a highback or lowback overhead support assembly. Stacking units can face opposite directions
for cluster workstations. Spacer disk located on the platform indexes the location of the overhead and
creates ¼" reveal. A combination of overheads can be used on 72" open or 72" and 90" workwall models.



Support assemblies consists of legs with a platform to create a highback or lowback application utilizing a variety of stacking overheads.The underside features a metal support panel designed to accept LED lighting; other task lights will not mount under the unit. The back is open, but the highback
model is available with an enclosed workwall option. Legs are secured to worksurface with dual-lock tape.



HIghback support assembly with workwall is available in veneer, whiteboard, and tackable fabric. Tool rail in center accepts organization accessories, specified separately.

Planning Factors

Wall-mount overheads may not align with adjoining 15"D set-on-surface storage. Use a 22"D vertical storage unit to avoid alignment issues.

Stacking overhead widths must total the width of the highback or lowback overhead support assembly to which it will attach. For multiple unit applications, specify two 36"W units for a 72"W open or workwall support assembly, or a 54"W unit and a 36"W unit for a 90"W workwall support assembly.

To align with 69"H vertical storage units and 39⅝" set-on-storage on worksurfaces, specify:
- Single-height overhead cabinet, and
- High-back support assembly.

To align with 78"H vertical storage units and 49" set-on-storage on worksurfaces, specify:
- Double-height overhead cabinet, and
- High-back support assembly.

Lowback assembly with overhead storage does not align with vertical storage.

Related Products

LED lights can be mounted in a designated area in the center underside of the overhead platform. Use with Perks tackboards to conceal cords. Highback and lowback support assemblies will only accept LED lights.
➤See page 367.

Storage Unit Width	*LED Light Model*
30"	KCU-25TLKL
36" & 54"	KCU-33TLKL
72" & 90"	KCU-63TLKL

Workwall accessories
➤See page 235.

Reception Stations

Features	➤See page 124
Technology Management	126
Planning Guidelines	128
Pricing	237

Details



Reception station surrounds are available in four configurations:
- Right L-shape
- Left L-shape
- U-shape with one transaction shelf
- U-shape with ADA front and three transaction shelves



A single reception station consists of a 43"H panel surround and glass transaction shelf or shelves. Worksurfaces and storage are specified separately from the standard offering to create a variety of configurations. Components may be specified in any finish option.

Surround panels are finished on both sides and encased with a 2¼"W clear satin, anodized aluminum frame.

Glass transaction shelf spans surround panels on a metal support understructure.

Finishes & Materials

Surround
- Wood veneer
- Paint

Transaction Shelf
- Low-iron back painted white glass with a matte finish and polished rim

Shelf understructure
- Metal: 405 Designer White

Connections



Mounting brackets for the main worksurface are standard with the surround panels.

Planning Factors



L-shaped reception station accepts a 28"D x 78"W worksurface and a 22"D x 46"W return worksurface only. The 78"W worksurface does not need a pedestal; however, mobile or undersurface storage may be specified. The return surface must be supported on the open end with an undersurface pedestal.



U-shaped reception station accepts a 28"D x 96"W worksurface and two 22"D x 46"W returns worksurface only. The 96"W worksurface does not need a pedestal; however, mobile or 22" or 28"D undersurface storage may be specified. The return surfaces must be supported on the open ends with an undersurface pedestal.



U-shaped reception station with ADA transaction shelf accepts 28"D x 78"W worksurfaces and a 22"D x 58"W bridge worksurface only. Worksurfaces do not need a pedestal; however, mobile or 22" or 28"D undersurface storage may be specified.

Rectangular Worksurfaces

Pricing

Desks

GSA SIN 711-8
FSC-C01059 available





D	*W*	*Thickness*	*Model*	*Laminate with Polyprop. Rim*	*Laminate with Wood Rim*	*Wood*
28"D						
28"	60"	1 3/16"	**80K2860WSS**	$1190	$1488	$1488
	66"		**80K2866WSS**	1217	1521	1521
	72"		**80K2872WSS**	1250	1561	1561
	78"		**80K2878WSS**	1275	1593	1593
	84"		**80K2884WSS**	1313	1643	1643
	96"		**80K2896WSS**	1373	1717	1717
34"D						
34"	60"	1 3/16"	**80K3460WSS**	$1218	$1523	$1523
	66"		**80K3466WSS**	1246	1557	1557
	72"		**80K3472WSS**	1286	1609	1609
	78"		**80K3478WSS**	1337	1672	1672
	84"		**80K3484WSS**	1365	1706	1706
	96"		**80K3496WSS**	1397	1746	1746

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130

Standard Includes

- Worksurface: wood or laminate
- Arris rim: wood or polypropylene

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
LY = Lam. with polypropylene rim
③ Sheen type (omit for LY models):
STD = Standard sheen
④ Rim profile:
AR = Arris rim profile
⑤ Grommet option:
➤See page 127 for designators.
X = No grommets

Worksurface Finish
⑥ Finish or laminate type:
STD = Group 1
STD2 = Group 2 (+$20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish or laminate designator

Rim Finish
⑧ Finish type (omit for W and LY models)
STD = Group 1
STD2 = Group 2 (+$20%)
⑨ Finish designator (omit for W models)

Rectangular Worksurfaces

Pricing

Bridges and Returns

GSA SIN 711-8
FSC-C01059 available



D	W	Thickness	Model	Laminate with Polyprop. Rim	Laminate with Wood Rim	Wood
22"D						
22"	38"	1 3/16"	**80K2238WSS2**	$578	$723	$723
	40"		**80K2240WSS2**	578	723	723
	44"		**80K2244WSS2**	605	756	756
	46"		**80K2246WSS2**	605	756	756
	50"		**80K2250WSS2**	712	889	889
	52"		**80K2252WSS2**	712	889	889
	56"		**80K2256WSS2**	741	926	926
	58"		**80K2258WSS2**	741	926	926

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130

Standard Includes

- Worksurface: wood or laminate
- Arris rim: wood or polypropylene
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
LY = Lam. with polypropylene rim
③ Bracketry type:
F = Filler
E = Extension
④ Sheen type (omit for LY models):
STD = Standard sheen
⑤ Rim profile:
AR = Arris rim profile
⑥ Grommet option:
➤See page 127 for designators.
X = No grommets

Worksurface Finish
⑦ Finish or laminate type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑧ Finish or laminate designator

Rim Finish
⑨ Finish type (omit for W and LY models)
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Finish designator (omit for W models)

Rectangular Worksurfaces

Pricing

Component

GSA SIN 711-8
FSC-C01059 available



D	W	Thickness	Model	Laminate with Polyprop. Rim	Laminate with Wood Rim	Wood
22"D						
22"	30"	1 3/16"	**80K2230WSS1**	$457	$573	$573
	36"		**80K2236WSS1**	545	681	681
	50"		**80K2250WSS1**	682	889	889
	54"		**80K2254WSS1**	737	921	921
	56"		**80K2256WSS1**	760	926	926
	60"		**80K2260WSS1**	786	981	981
	66"		**80K2266WSS1**	812	1015	1015
	72"		**80K2272WSS1**	837	1046	1046
	78"		**80K2278WSS1**	872	1090	1090
	84"		**80K2284WSS1**	902	1127	1127
	90"		**80K2290WSS1**	924	1156	1156
	108"		**80K22108WSS1**	998	1248	1248

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130

Standard Includes

- Worksurface: wood or laminate
- Arris rim: wood or polypropylene
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
LY = Lam. with polypropylene rim
③ Bracketry type:
M = Main
F = Filler
E = Extension
④ Sheen type (omit for LY models):
STD = Standard sheen
⑤ Rim profile:
AR = Arris rim profile
⑥ Grommet option:
➤See page 127 for designators.
X = No grommets

Worksurface Finish
⑦ Finish or laminate type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑧ Finish or laminate designator

Rim Finish
⑨ Finish type (omit for W and LY models)
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Finish designator (omit for W models)

Wedge Worksurfaces

Pricing

Desk

GSA SIN 711-8
FSC-C01059 available





A	*B*	*C*	*Thickness*	*Model*	*Laminate with Polyprop. Rim*	*Laminate with Wood Rim*	*Wood*
Deepest Dimension on Left							
28"	22"	60"	1 3/16"	**80K2860WSW2**	$1112	$1391	$1391
		66"		**80K2866WSW2**	1132	1413	1413
34"	28"	72"	1 3/16"	**80K2872WSW2**	1159	1449	1449
		78"		**80K2878WSW2**	1177	1471	1471
Deepest Dimension on Right							
22"	28"	60"	1 3/16"	**80K2860WSW1**	1112	1391	$1391
		66"		**80K2866WSW1**	1132	1413	1413
28"	34"	72"	1 3/16"	**80K2872WSW1**	1159	1449	1449
		78"		**80K2878WSW1**	1177	1471	1471

IMPORTANT: Angled side will not accept an adjoining worksurface. Angled side can be oriented as the user or approach side. Factory-installed grommets will be installed along the straight side.

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130

Standard Includes

- Worksurface: wood or laminate
- Arris rim: wood or polypropylene

How to Specify

❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
LY = Lam. with polypropylene rim
③ Sheen type (omit for LY models):
STD = Standard sheen
④ Rim profile:
AR = Arris rim profile
⑤ Grommet option:
➤See page 127 for designators.
X = No grommets

Worksurface Finish
⑥ Finish or laminate type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish or laminate designator

Rim Finish
⑧ Finish type (omit for W and LY)
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Finish designator (omit for W models)

Wedge Worksurfaces

Pricing

Return

GSA SIN 711-8
FSC-C01059 available





A	*B*	*C*	*Thickness*	*Model*	*Laminate with Polyprop. Rim*	*Laminate with Wood Rim*	*Wood*
Deepest Dimension on Left							
28"	22"	44"	1 3/16"	**80K2844WSWL2**	$742	$927	$927
		50"		**80K2850WSWL2**	952	1190	1190
		56"		**80K2856WSWL2**	1104	1379	1379
Deepest Dimension on Right							
22"	28"	44"	1 3/16"	**80K2844WSWR2**	$742	$927	$927
		50"		**80K2850WSWR2**	952	1190	1190
		56"		**80K2856WSWR2**	1104	1379	1379

IMPORTANT: Angled side can only be on the user side. 22"D side is intended to attach to desk worksurface as a return.

Leg assembly or pedestal must be placed on the widest end of the worksurface.

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130

Standard Includes

- Worksurface: wood or laminate
- Arris rim: wood or polypropylene

How to Specify

❶ Model
② Worksurface material:
W = Wood
LW = Laminate with wood rim
LY = Lam. with polypropylene rim
③ Sheen type (omit for LY models):
STD = Standard sheen
④ Rim profile:
AR = Arris rim profile
⑤ Grommet option:
➤See page 127 for designators.
X = No grommets

Worksurface Finish
⑥ Finish or laminate type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish or laminate designator

Rim Finish
⑧ Finish type (omit for W and LY models)
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Finish designator (omit for W models)

Extended Worksurfaces

Pricing

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130





A	*B*	*C*	*D*	*Thickness*	*Model*	*Laminate with Polyprop. Rim*	*Laminate with Wood Rim*	*Wood*
Left-Hand								
28"	34"	60"	22"	1 3/16"	**80K3460WSWEL**	$1390	$1739	$1739
		66"			**80K3466WSWEL**	1472	1839	1839
		72"			**80K3472WSWEL**	1554	1942	1942
		78"			**80K3478WSWEL**	1635	2044	2044
Right-Hand								
34"	28"	60"	22"	1 3/16"	**80K3460WSWER**	$1390	$1739	$1739
		66"			**80K3466WSWER**	1472	1839	1839
		72"			**80K3472WSWER**	1554	1942	1942
		78"			**80K3478WSWER**	1635	2044	2044

IMPORTANT: Accepts bridges, returns, or component worksurfaces on the 22"D side.

Standard Includes

- Worksurface: wood or laminate
- Arris rim: wood or polypropylene

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
LY = Lam. with polypropylene rim
③ Sheen type (omit for LY models):
STD = Standard sheen
④ Rim profile:
AR = Arris rim profile
⑤ Grommet option:
➤See page 127 for designators.
X = No grommets

Worksurface Finish
⑥ Finish or laminate type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish or laminate designator

Rim Finish
⑧ Finish type (omit for W and LY models)
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Finish designator (omit for W models)

Oval Worksurfaces

Pricing

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130

D	*W*	*Thickness*	*Model*	*Laminate with Polyprop. Rim*	*Laminate with Wood Rim*	*Wood*
Oval						
38"	78"	1 3/16"	**80K3878WSV**	$1596	$1975	$1975

IMPORTANT: For freestanding application with two leg assemblies (80K2828LAP), specified separately. Kneespace between legs is 42"W.

Standard Includes

- Worksurface: wood or laminate
- Arris rim: wood or polypropylene

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
LY = Lam. with polypropylene rim
③ Sheen type (omit for LY models):
STD = Standard sheen
④ Rim profile:
AR = Arris rim profile
⑤ Grommet option:
➤See page 127 for designators.
X = No grommets

Worksurface Finish
⑥ Finish or laminate type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish or laminate designator

Rim Finish
⑧ Finish type (omit for W and LY)
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Finish designator (omit for W models)

Glass Table Desk Worksurfaces

Pricing

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 130





D	*W*	*Thickness*	*Model*	*Price*
Rectangular				
34"	72"	2"	**80K3472DTTRG**	$4807
Oval				
38"	78"	2"	**80K3878DTTVG**	$5151

Standard Includes

- Worksurface: ½"-thick, low-iron, back painted white with matte finish with polished rim
- 1½"H metal understructure: 405 Designer White paint

How to Specify

❶ Model
② Glass color:
201 = Arctic

IMPORTANT: These worksurfaces are for freestanding application with two leg assemblies, specified separately. Rectangular glass requires 80K3428LAP or 80K3410LAP models; oval glass requires 80K2828LAP or 80KK2810LAP models only.

Kneespace between legs on oval table desk is 42"W. Overall height of worksurface with leg assemblies is 29⅞".

Undersurface pedestals with spacer rail cannot be used to support glass surfaces.

Leg Assemblies

Pricing

GSA SIN 711-8

D	W	H	Model	Price
Desk-Height Support Legs				
22"	2¼"	27⅞"	**80K2228LAP**	$685
28"			**80K2828LAP**	696
34"			**80K3428LAP**	710
Low Storage Support Legs				
22"	2¼"	8⅜"	**80K2210LAP**	$615
28"			**80K2810LAP**	628
34"			**80K3410LAP**	639

IMPORTANT: Depth of leg assembly must match the depth of the worksurface it will support. One leg assembly will support one side of a worksurface. Leg assemblies are non-handed.

Legs will not support worksurfaces with set-on-surface storage, high-back, or lowback overhead support assemblies. Specify a pedestal for these applications.

Resin Leg Inserts
➤See page 151.

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 131

Standard Includes

- Legs: extruded aluminum in clear satin, anodized finish with powdercoated steel horizontal rail

How to Specify

❶ Model
② Material:
511 = Silver Satin

Resin Leg Inserts

Pricing

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 131



D	W	H	Model	Price
For Use with 22"D Desk-Height Leg Assemblies				
⅛"	19½"	26½"	**80K22LIR**	$457
For Use with 28"D Desk-Height Leg Assemblies				
⅛"	25½"	26½"	**80K28LIR**	$516
For Use with 34"D Desk-Height Leg Assemblies				
⅛"	32"	26½"	**80K34LIR**	$573

Standard Includes

- Insert: white resin

How to Specify

❶ Model
② Resin color designator:
21 = Snow

Resin inserts slide into the reveal of a standard desk-height leg assembly.

Leg Assemblies
➤See page 150.

Modesty Panels

Pricing

Privacy

GSA SIN 711-8
FSC-C01059 available



W	H	Model	Resin	Paint	Wood
Privacy Modesty Panels					
21"	11⅞"	**80K2112MP**	$650	$417	$417
27"		**80K2712MP**	662	424	424
33"		**80K3312MP**	677	434	434
36¾"		**80K3712MP**	690	442	442
39"		**80K3912MP**	703	451	451
42¾"		**80K4312MP**	716	459	459
45"		**80K4512MP**	731	468	468
48¾"		**80K4912MP**	742	476	476
51¾"		**80K5212MP**	758	485	485
54¾"		**80K5512MP**	769	494	494
57¾"		**80K5812MP**	785	502	502
64½"		**80K6512MP**	800	529	529
70½"		**80K7112MP**	816	555	555

IMPORTANT: Designed for use with all worksurfaces. Modesty panel is stationary. Grain direction runs widthwise.
➤See page 133 for modesty size application guidelines.

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 132

Standard Includes

- Modesty panel: wood veneer or paint (¾" thick); white resin (¼" thick)
- Polished edges on three exposed sides of resin model
- Attachment hardware: L-bracket for wood or paint models; 1⅛"D extruded aluminum frame along top edge on resin model

How to Specify

Resin
❶ Model
❷ Material:
R = Resin
③ Color designator:
21 = Snow

Wood or Paint
❶ Model
② Material:
W = Wood
P = Paint
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Modesty Panels

Pricing

Technology

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 132





D	W	H	Model	Paint	Wood
Technology Modesty Panels					
4"	21"	11⅞"	**80K2112MPT**	$494	$494
	27"		**80K2712MPT**	539	539
	33"		**80K3312MPT**	562	562
	36¾"		**80K3712MPT**	574	574
	39"		**80K3912MPT**	585	585
	42¾"		**80K4312MPT**	595	595
	45"		**80K4512MPT**	609	609
	48¾"		**80K4912MPT**	617	617
	51¾"		**80K5212MPT**	623	623
	54¾"		**80K5512MPT**	631	631
	57¾"		**80K5812MPT**	636	636

IMPORTANT: Select width according to configuration. Grain direction runs widthwise.
➤See page 133 for modesty size application guidelines.

Designed for use against a wall or shared workstation with bridge, return and component worksurfaces. Swings into kneespace for wall access.

Standard Includes

- Modesty panel (¾" thick): wood veneer or paint on both sides
- Cable tough (3" inside depth): white translucent polypropylene
- 21"–37"W models have one half-round cable manager; 39–58"W have two; black
- Attachment hardware

How to Specify

❶ Model
❷ Material:
W = Wood
P = Painted MDF
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Privacy Screens

Pricing

GSA SIN 711-8



D	*W*	*H*	*Model*	*Price*
Privacy Screens				
¼"	36¾"	12¾"	**80K3712SR**	$892
	39"		**80K3912SR**	915
	45"		**80K4512SR**	950
	51¾"		**80K5212SR**	984
	57¾"		**80K5812SR**	1019
	64½"		**80K6512SR**	1041
	70½"		**80K7112SR**	1078

IMPORTANT: Attachment frame runs the width of the screen, wraps the worksurface rim, and attaches underneath the worksurface.

Privacy screens cannot be used on worksurface end with a leg assembly, pedestal, or overlapping a pedestal.
➤See page 134 for application guidelines.

Worksurfaces
➤See page 142.

Features ➤See page 124
Technology Management 126
Planning Guidelines 128
Product Information 134

Standard Includes

- Screen (¼" thick): white resin
- 2"D extruded aluminum frame along bottom edge

How to Specify

❶ Model
② Resin color designator:
21 = Snow

Low Storage

Pricing

Box/Lateral File

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
30"W				
22"	30"	19⅝"	**80K223020PFBF**	$2145
36"W				
22"	36"	19⅝"	**80K223620PFBF**	$2347

Cushions for use on 22"D Models
➤See page 160.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 135

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock: silver; keyed randomly
- Counterweight

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Low Storage

Pricing

Open

GSA SIN 711-8
FSC-C01059 available



D	*W*	*H*	*Model*	*Price*
30"W				
22"	30"	19⅝"	**80K223020PFO**	$1889
36"				
22"	36"	19⅝"	**80K223620PFO**	$2037

IMPORTANT: Shelves adjust from center to top in 1¼" increments.

Cushions for use on 22"D Models
➤See page 160.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 135

Standard Includes

- Chassis: vertical veneer or paint
- Finished top, back & sides
- Two ¾"-thick adjustable shelves, one on each side of center divider

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Low Storage

Pricing

Sliding Wood Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 135





D	W	H	Model	Price
30"W				
Freestanding				
15"	30"	19⅝"	**80K153020PFS**	$1826
22"			**80K223020PFS**	2055
Mobile				
22"	30"	19⅝"	**80K223020PMS**	$2055
36"W				
Freestanding				
15"	36"	19⅝"	**80K153620PFS**	$1941
22"			**80K223620PFS**	2169
Mobile				
22"	36"	19⅝"	**80K223620PMS**	$2169
44"W				
Freestanding				
15"	44"	19⅝"	**80K154420PFS**	$2232

IMPORTANT: Shelves adjust from center to top in 1¼" increments.

Cushions for Use on 22"D Models
➤See page 160.

Ganging Backets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Door: veneer or paint
- Finished top, back, and sides
- Two ¾"-thick adjustable shelves, one on each side of center divider

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Front finish designator
⑥ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Chassis finish designator (omit for W1 and P models)

Low Storage

Pricing

Sliding Glass Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 135





D	W	H	Model	Price
30"W				
Freestanding				
15"	30"	19⅝"	**80K153020PFSG**	$2045
22"			**80K223020PFSG**	2300
Mobile				
22"	30"	19⅝"	**80K223020PMSG**	$2300
36"W				
Freestanding				
15"	36"	19⅝"	**80K153620PFSG**	$2172
22"			**80K223620PFSG**	2434
Mobile				
22"	36"	19⅝"	**80K223620PMSG**	$2434
44"W				
Freestanding				
15"	44"	19⅝"	**80K154420PFSG**	$2420

Standard Includes

Chassis: vertical veneer or paint
- Sliding door: glass with aluminum frame
- Finished top, back, and sides
- Two ¾"-thick adjustable shelves, one on each side of center divider

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

IMPORTANT: Shelves adjust from center to top in 1¼" increments.

Cushions for Use on 22"D Models
➤See page 160.

Ganging Backets
➤See page 177.

Low Storage

Sliding Resin Door

Pricing

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 135





D	W	H	Model	Price
30"W				
Freestanding				
15"	30"	19⅝"	**80K153020PFSR**	$2160
22"			**80K223020PFSR**	2415
Mobile				
22"	30"	19⅝"	**80K223020PMSR**	$2415
36"W				
Freestanding				
15"	36"	19⅝"	**80K153620PFSR**	$2287
22"			**80K223620PFSR**	2547
44"W				
Freestanding				
15"	44"	19⅝"	**80K154420PFSR**	$2535

Standard Includes

- Chassis: vertical veneer or paint
- Door: white resin with aluminum frame
- Finished top, back, and sides
- Two ¾"-thick adjustable shelves, one on each side of center divider

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

IMPORTANT: Shelves adjust from center to top in 1¼" increments.

Cushions for Use on 22"D Models
➤See page 160.

Ganging Backets
➤See page 177.

Low Storage

Pricing

Cushions

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 135



				Seating Upholstery Price Grade								
				1 or		*3 or*						
D	*W*	*H*	*Model*	*COM*	*2*	*COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
For Use with 22"D x 30"W Low Storage Units												
21⅜"	29½"	1½"	**80K2230PC**	$510	$537	$554	$571	$596	$622	$648	$755	$815
For Use with 22"D x 36"W Low Storage Units												
21⅜"	35½"	1½"	**80K2236PC**	$538	$565	$582	$599	$624	$650	$676	$783	$843

Standard Includes

- Upholstered cushion: seating fabric

➤See the Seating Price List for fabric selection.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery designator

COM for cushion = 0.9 yards.
COL for cushion = 14.5 sq. feet.

Desk-Height Storage

Pricing

Mobile Cushion-Top

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

				Seating Upholstery Price Grade								
D	*W*	*H*	*Model*	*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
Personal/File												
Mobile												
22"	15"	21"	**80K221521PMPFC**	$2415	$2442	$2459	$2476	$2501	$2527	$2553	$2660	$2720

COM for cushion = 0.9 yards.
COL for cushion = 14.5 sq. feet.

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: vertical veneer or paint
- Pulls: recessed or rectangular
- Cushion top
- Lock: silver; keyed randomly
- Counterweight and anti-tip device

➤See the Seating Price List for fabric selection.

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)
⑩ Upholstery grade
⑪ Upholstery designator

Desk-Height Storage

Pricing

Box/Box/File

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

D	W	H	Model	Price
15"W				
Undersurface				
22"	15"	27⅞"	**80K221528PUBBF**	$1912
28"			**80K281528PUBBF**	1980
34"			**80K341528PUBBF**	2004
Freestanding				
22"	15"	26⅝"	**80K221527PFBBF**	$1866
28"			**80K281527PFBBF**	1935
34"			**80K341527PFBBF**	1957
Mobile				
22"	15"	26⅝"	**80K221527PMBBF**	$1866
28"			**80K281527PMBBF**	1935
18"W				
Undersurface				
22"	18"	27⅞"	**80K221828PUBBF**	$1935
28"			**80K281828PUBBF**	2004
34"			**80K341828PUBBF**	2146
Freestanding				
22"	18"	26⅝"	**80K221827PFBBF**	$1889
28"			**80K281827PFBBF**	1957
34"			**80K341827PFBBF**	2101

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Spacer rails on undersurface models
- Lock: silver; keyed randomly
- Counterweight on freestanding and mobile models
- Anti-tip device on mobile model

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Desk-Height Storage

Pricing

Common Front Box/Box/File

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136



D	*W*	*H*	*Model*	*Price*
15"W				
Undersurface				
22"	15"	27⅞"	**80K221528PUFBBF**	$1912
28"			**80K281528PUFBBF**	1980
34"			**80K341528PUFBBF**	2004
Freestanding				
22"	15"	26⅝"	**80K221527PFFBBF**	$1866
28"			**80K281527PFFBBF**	1935
34"			**80K341527PFFBBF**	1957
18"W				
Undersurface				
22"	18"	27⅞"	**80K221828PUFBBF**	$1935
28"			**80K281828PUFBBF**	2004
34"			**80K341828PUFBBF**	2146
Freestanding				
22"	18"	26⅝"	**80K221827PFFBBF**	$1889
28"			**80K281827PFFBBF**	1957
34"			**80K341827PFFBBF**	2101

Standard Includes

- Chassis: vertical veneer or paint
- Drawer front: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Spacer rails on undersurface models
- Lock: silver; keyed randomly
- Counterweight on freestanding model

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Ganging Brackets
➤See page 177.

Desk-Height Storage

Pricing

File/File

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

D	W	H	Model	Price
15"W				
Undersurface				
22"	15"	27⅞"	**80K221528PUFF**	$1912
28"			**80K281528PUFF**	1980
34"			**80K341528PUFF**	2004
Freestanding				
22"	15"	26⅝"	**80K221527PFFF**	$1866
28"			**80K281527PFFF**	1935
34"			**80K341527PFFF**	1957
Mobile				
22"	15"	26⅝"	**80K221527PMFF**	$1866
28"			**80K281527PMFF**	1935
18"W				
Undersurface				
22"	18"	27⅞"	**80K221828PUFF**	$1935
28"			**80K281828PUFF**	2004
34"			**80K341828PUFF**	2146
Freestanding				
22"	18"	26⅝"	**80K221827PFFF**	$1889
28"			**80K281827PFFF**	1957
34"			**80K341827PFFF**	2101

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Drawer front: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Spacer rails on undersurface models
- Lock: silver; keyed randomly
- Counterweight on freestanding and mobile models
- Anti-tip device on mobile model

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Desk-Height Storage

Pricing

Lateral File/Lateral File

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136






D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PULF**	$2662
28"			**80K283028PULF**	2913
Freestanding				
22"	30"	26⅝"	**80K223027PFLF**	$2616
28"			**80K283027PFLF**	2867
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PULF**	$2787
28"			**80K283628PULF**	3061
Freestanding				
22"	36"	26⅝"	**80K223627PFLF**	$2742
28"			**80K283627PFLF**	3017

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Spacer rails on undersurface models
- Lock: silver; keyed randomly
- Counterweight and interlock mechanism on freestanding models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Ganging Brackets
➤See page 177.

Desk-Height Storage

Pricing

Multi-File

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136







D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUMF**	$2662
Freestanding				
22"	30"	26⅝"	**80K223027PFMF**	$2616
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUMF**	$2787
Freestanding				
22"	36"	26⅝"	**80K223627PFMF**	$2742

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: vertical veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Spacer rails on undersurface models
- Two locks: silver; keyed randomly
- Counterweight and interlock mechanism on freestanding models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$44); specify two lock cores separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Ganging Brackets
➤See page 177.

Desk-Height Storage

Pricing

Box/Box/Lateral

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136



D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUBBLF**	$2662
28"			**80K283028PUBBLF**	2913
Freestanding				
22"	30"	26⅝"	**80K223027PFBBLF**	$2616
28"			**80K283027PFBBLF**	2867



D	W	H	Model	Price
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUBBLF**	$2787
28"			**80K283628PUBBLF**	3061
Freestanding				
22"	36"	26⅝"	**80K223627PFBBLF**	$2742
28"			**80K283627PFBBLF**	3017

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: vertical veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Spacer rails on undersurface models
- Lock: silver; keyed randomly
- Counterweight on freestanding models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Ganging Brackets
➤See page 177.

Desk-Height Storage

Pricing

Open

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
15"W				
Undersurface				
22"	15"	27⅞"	**80K221528PUO**	$1693
Freestanding				
22"	15"	26⅝"	**80K221527PFO**	$1648
18"W				
Undersurface				
22"	18"	27⅞"	**80K221828PUO**	$1717
Freestanding				
22"	18"	26⅝"	**80K221827PFO**	$1672
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUO**	$2037
Freestanding				
22"	30"	26⅝"	**80K223027PFO**	$1992
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUO**	$2140
Freestanding				
22"	36"	26⅝"	**80K223627PFO**	$2095

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

Standard Includes

- Chassis: vertical veneer or paint
- Finished top, back & sides
- ¾"-thick adjustable shelves on 15"W and 18" models; four ¾"-thick adjustable shelves, two on each side of center divider on 30"W and 36"W models
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted drawer fronts and chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Desk-Height Storage

Pricing

Hinged Wood Doors

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

D	W	H	Model		Price
15"W			*Hinge on Left (shown)*	*Hinge on Right*	
Undersurface					
22"	15"	27⅞"	**80K221528PUHL**	**80K221528PUHR**	$1826
Freestanding					
22"	15"	26⅝"	**80K221527PFHL**	**80K221527PFHR**	$1780
18"W			*Hinge on Left*	*Hinge on Right (shown)*	
Undersurface					
22"	18"	27⅞"	**80K221828PUHL**	**80K221828PUHR**	$1849
Freestanding					
22"	18"	26⅝"	**80K221827PFHL**	**80K221827PFHR**	$1803
30"W					
Undersurface					
22"	30"	27⅞"	**80K223028PUH**		$2118
Freestanding					
22"	30"	26⅝"	**80K223027PFH**		$2072
36"W					
Undersurface					
22"	36"	27⅞"	**80K223628PUH**		$2232
Freestanding					
22"	36"	26⅝"	**80K223627PFH**		$2187

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Door: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Two ¾"-thick adjustable shelves on 15"W and 18" models; four ¾"-thick adjustable shelves, two on each side of center divider on 30"W and 36"W models
- Spacer rails on undersurface models
- Lock: silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door front and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Desk-Height Storage

Pricing

Hinged Glass Doors

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUHG**	$2444
Freestanding				
22"	30"	26⅝"	**80K223027PFHG**	$2398
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUHG**	$2569
Freestanding				
22"	36"	26⅝"	**80K223627PFHG**	$2524

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Touchlatch
- Finished top, back, and sides
- Four ¾"-thick adjustable shelves, two on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Desk-Height Storage

Pricing

Hinged Resin Doors

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUHR**	$2559
Freestanding				
22"	30"	26⅝"	**80K223027PFHR**	$2512
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUHR**	$2685
Freestanding				
22"	36"	26⅝"	**80K223627PFHR**	$2638

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

Standard Includes

- Chassis: vertical veneer or paint
- Doors: white resin with aluminum frame
- Touchlatch
- Finished top, back, and sides
- Four ¾"-thick adjustable shelves, two on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Desk-Height Storage

Pricing

Sliding Wood Door

GSA SIN 711-8
FSC-C01059 available

D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUS**	$2118
Freestanding				
22"	30"	26⅝"	**80K223027PFS**	$2072
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUS**	$2232
Freestanding				
22"	36"	26⅝"	**80K223627PFS**	$2187

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

Standard Includes

- Chassis: vertical veneer or paint
- Sliding door: veneer or paint
- Finished top, back, and sides
- Four ¾"-thick adjustable shelves, two on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Front finish designator
⑥ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Chassis finish designator (omit for W1 and P models)

Desk-Height Storage

Pricing

Sliding Glass Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUSG**	$2444
Freestanding				
22"	30"	26⅝"	**80K223027PFSG**	$2398
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUSG**	$2569
Freestanding				
22"	36"	26⅝"	**80K223627PFSG**	$2524

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Finished top, back, and sides
- Four ¾"-thick adjustable shelves, two on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Desk-Height Storage

Pricing

Sliding Resin Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUSR**	$2559
Freestanding				
22"	30"	26⅝"	**80K223027PFSR**	$2512
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUSR**	$2685
Freestanding				
22"	36"	26⅝"	**80K223627PFSR**	$2638

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Sliding door: white resin with aluminum frame
- Finished top, back, and sides
- Four ¾"-thick adjustable shelves, two on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Desk-Height Storage

Pricing

15"W and 18"W Technology/Support

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

D	W	H	Model		Price
15"W			*Left*	*Right (shown)*	
Undersurface					
22"	15"	27⅞"	**80K221528PUTL**	**80K221528PUTR**	$1717
28"			**80K281528PUTL**	**80K281528PUTR**	1779
34"			**80K341528PUTL**	**80K341528PUTR**	1826
Mobile			*Non-Handed*		
22"	15"	26⅝"	**80K221527PMT**		$1717

18"W			*Left (shown)*	*Right*	
Undersurface					
22"	18"	27⅞"	**80K221828PUTL**	**80K221828PUTR**	$1751
28"			**80K281828PUTL**	**80K281828PUTR**	1813
34"			**80K341828PUTL**	**80K341828PUTR**	1861

Used to manage wires and CPUs and support worksurfaces. Can be used to support worksurfaces with set-on-surface storage and highback or low-back support assemblies, where a leg will not provide support.

Accommodates most 18"D CPUs.
Inside clearance:
22"D models = 20½"D
28"D models = 26½"D
34"D models = 32½"D

Ganging Brackets
➤See page 177.

Standard Includes

Undersurface Pedestal
- Chassis: vertical veneer or paint
- Finished top, back, and sides
- Spacer rails
- Cord opening in bottom panel

Mobile Pedestal
- Chassis: vertical veneer or paint
- Finished top, back, and sides
- Cord opening in bottom panel
- Cord opening at top
- Touchlatch door on back

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted door and chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Desk-Height Storage

Pricing

30"W and 36"W Technology/Support

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136



D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	27⅞"	**80K223028PUT**	$2284
36"W				
Undersurface				
22"	36"	27⅞"	**80K223628PUT**	$2405

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Used to manage wires and CPUs and support worksurfaces.

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Hinged door: veneer or paint
- Finished top, back, and sides
- One ¾"-thick adjustable shelf
- Touchlatch
- Spacer rails
- Cord openings in top and bottom panel

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Front finish designator
⑥ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Chassis finish designator (omit for W1 and P models)

Ganging Bracket

Pricing

GSA SIN 711-8

D	*W*	*H*	*Model*	*Price*
Ganging Bracket				
5¾"	1¾"	1⅛"	**KACGB1**	$33

IMPORTANT: Ganging brackets are optional. They can be used when two or more cabinets are positioned side-by-side creating a built-up appearance without defacing the outside of the cabinet.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 136

Standard Includes

- Bracket: black finish
- Ships one per kit

How to Specify

❶ Model

Standing-Height Storage

Pricing

Three Lateral File Drawers

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 137

D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	40¼"	**80K223039PULF**	$3159
Freestanding				
22"	30"	39"	**80K223039PFLF**	$3114
36"W				
Undersurface				
22"	36"	40¼"	**80K223639PULF**	$3365
Freestanding				
22"	36"	39"	**80K223639PFLF**	$3319

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Spacer rails on undersurface models
- Lock: silver; keyed randomly
- Counterweight and interlock mechanism on freestanding models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Ganging Brackets
➤See page 177.

Standing-Height Storage

Pricing

Hinged Wood Doors

GSA SIN 711-8
FSC-C01059 available

D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	40¼"	**80K223039PUH**	$3022
Freestanding				
22"	30"	39"	**80K223039PFH**	$2976
36"W				
Undersurface				
22"	36"	40¼"	**80K223639PUH**	$3200
Freestanding				
22"	36"	39"	**80K223639PFH**	$3154

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 137

Standard Includes

- Chassis: vertical veneer or paint
- Doors: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of center divider
- Spacer rails on undersurface models
- Lock: silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted drawer fronts and chassis
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Ganging Brackets
➤See page 177.

Standing-Height Storage

Pricing

Hinged Glass Doors

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	40¼"	**80K223039PUHG**	$3507
Freestanding				
22"	30"	39"	**80K223039PFHG**	$3462
36"W				
Undersurface				
22"	36"	40¼"	**80K223639PUHG**	$3635
Freestanding				
22"	36"	39"	**80K223639PFHG**	$3590

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 137

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Touchlatch
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Standing-Height Storage

Pricing

Hinged Resin Doors

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 137



D	W	H	Model	Price
30"W				
Undersurface				
22"	30"	40¼"	**80K223039PUHR**	$3622
Freestanding				
22"	30"	39"	**80K223039PFHR**	$3577
36"W				
Undersurface				
22"	36"	40¼"	**80K223639PUHR**	$3750
Freestanding				
22"	36"	39"	**80K223639PFHR**	$3704

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Doors: white resin with aluminum frame
- Touchlatch
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Standing-Height Storage

Pricing

Sliding Wood Door

GSA SIN 711-8
FSC-C01059 available

D	*W*	*H*	*Model*	*Price*
30"W				
Undersurface				
15"	30"	40¼"	**80K153039PUBCS**	$2788
Freestanding				
15"	30"	39"	**80K153039PFBCS**	$2743
36"W				
Undersurface				
15"	36"	40¼"	**80K153639PUBCS**	$2902
Freestanding				
15"	36"	39"	**80K153639PFBCS**	$2858

IMPORTANT: Undersurface models are for use with perpendicular worksurface placement only.

Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 137

Standard Includes

- Chassis: vertical veneer or paint
- Sliding door: vertical veneer or paint
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Front finish designator
⑥ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Chassis finish designator (omit for W1 and P models)

Standing-Height Storage

Pricing

Sliding Glass Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 137

D	W	H	Model	Price
30"W				
Undersurface				
15"	30"	40¼"	**80K153039PUBCSG**	$3117
Freestanding				
15"	30"	39"	**80K153039PFBCSG**	$3072
36"W				
Undersurface				
15"	36"	40¼"	**80K153639PUBCSG**	$3245
Freestanding				
15"	36"	39"	**80K153639PFBCSG**	$3200

IMPORTANT: Undersurface models are for use with perpendicular worksurface placement only.

Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Standing-Height Storage

Pricing

Sliding Resin Door

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
30"W				
Undersurface				
15"	30"	40¼"	**80K153039PUBCSR**	$3232
Freestanding				
15"	30"	39"	**80K153039PFBCSR**	$3185
36"W				
Undersurface				
15"	36"	40¼"	**80K153639PUBCSR**	$3360
Freestanding				
15"	36"	39"	**80K153639PFBCSR**	$3314

IMPORTANT: Undersurface models are for use with perpendicular worksurface placement only.

Shelves adjust from top to bottom in 1¼" increments.

Ganging Brackets
➤See page 177.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 137

Standard Includes

- Chassis: vertical veneer or paint
- Sliding door: white resin with aluminum frame
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of center divider
- Spacer rails on undersurface models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

18"W Vertical Storage

Pricing

Wood Door/Drawers

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Model*		*Number of Shelves*	*Price*
File/File (bottom), Open Bookcase (top)						
22"	18"	50"	**80K221850V40**		2	$2976
Wardrobe/Storage			*Hinged Right*	*Hinged Left*		
22"	18"	50"	**80K221850V41R**	**80K221850V41L**	3	$2747
		68½"	**80K221869V41R**	**80K221869V41L**	4	3428
		78"	**80K221878V41R**	**80K221878V41L**	5	3663

Standard Includes

- Chassis: vertical veneer or paint
- Door or drawers: veneer or paint
- Touchlatch on door
- Pull on drawers: recessed or rectangular
- ¾"-thick adjustable shelves
- Coat rod
- Finished top, back, and sides
- Lock on file/file/open bookcase: silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door or drawer fronts and painted chassis
P = Painted door or drawer fronts and chassis
PW1 = Painted door or drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option (omit for wardrobe/storage models):
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
File/File/Open Bookcase—
KRS = Key random
KS = Key specific (-$22); specify lock core separately
Wardrobe/Storage—
KRS = Key random (+$59)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

18"W Vertical Storage

Pricing

Glass Door

GSA SIN 711-8
FSC-C01059 available

D	*W*	*H*	*Model*		*Number of Shelves*	*Price*
Wardrobe/Storage			*Hinged Right*	*Hinged Left*		
22"	18"	50"	**80K221850V41RG**	**80K221850V41LG**	3	$3572
		68½"	**80K221869V41RG**	**80K221869V41LG**	4	4436
		78"	**80K221878V41RG**	**80K221878V41LG**	5	4739

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod
- Finished top, back, and sides

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

18"W Vertical Storage

Pricing

Resin Door

GSA SIN 711-8
FSC-C01059 available

D	W	H	Model		Number of Shelves	Price
Wardrobe/Storage			*Hinged Right*	*Hinged Left*		
22"	18"	50"	**80K221850V41RR**	**80K221850V41LR**	3	$3687
		68½"	**80K221869V41RR**	**80K221869V41LR**	4	4550
		78"	**80K221878V41RR**	**80K221878V41LR**	5	4854

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Door: white resin with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod
- Finished top, back, and sides

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

24"W Vertical Storage

Pricing

Wood Door

GSA SIN 711-8
FSC-C01059 available

42"H


50"H


69"H


78"H

D	W	H	Model	Number of Shelves	Price
Wardrobe (left), Common Front Box/Box/File (bottom right), Open Bookcase (top right)					
22"	24"	42"	**80K222442V32**	1	$4104
		50"	**80K222450V32**	2	4562
Common Front Box/Box/File (bottom left), Open Bookcase (top left), Wardrobe (right)					
22"	24"	42"	**80K222442V33**	1	$4104
		50"	**80K222450V33**	2	4562
Wardrobe (left), Common Front Box/Box/File (bottom right), Hinged Door (top right)					
22"	24"	68½"	**80K222469V91**	3 in bookcase, 1 in wardrobe	$4579
		78"	**80K222478V91**	3 in bookcase, 1 in wardrobe	4807
Common Front Box/Box/File (bottom left), Hinged Door (top left), Wardrobe (right)					
22"	24"	68½"	**80K222469V92**	3 in bookcase, 1 in wardrobe	$4579
		78"	**80K222478V92**	3 in bookcase, 1 in wardrobe	4807

Standard Includes

- Chassis: vertical veneer or paint
- Door: veneer or paint
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod in wardrobe
- Pull on drawers: recessed or rectangular
- Finished top, back, and sides
- Lock on drawer: silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door or drawer fronts and painted chassis
P = Painted
PW1 = Painted door or drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Locking drawers and door(s), key random (+$118 on 42" and 50"H models; +$177 on 69" and 78"H models)
KS = Locking drawers and door(s), key specific (+$15 on 42" and 50"H models [specify two lock cores separately]; +$30 on 69" and 78"H [specify three lock cores separately]
XKRS = Locking drawers, key random (non-locking doors)
XKS = Locking drawers, key specific (non-locking doors) (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

24"W Vertical Storage

Pricing

Glass Door

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Wardrobe (left), Common Front Box/Box/File (bottom right), Hinged Door (top right)					
22"	24"	68½"	**80K222469V93**	3 in bookcase, 1 in wardrobe	$5495
		78"	**80K222478V93**	3 in bookcase, 1 in wardrobe	5770
Common Front Box/Box/File (bottom left), Hinged Door (top left), Wardrobe (right)					
22"	24"	68½"	**80K222469V94**	3 in bookcase, 1 in wardrobe	$5495
		78"	**80K222478V94**	3 in bookcase, 1 in wardrobe	5770

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Pull on drawers: recessed or rectangular
- Coat rod in wardrobe
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

24"W Vertical Storage

Pricing

Resin Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138



D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Wardrobe (left), Common Front Box/Box/File (bottom right), Hinged Door (top right)					
22"	24"	68½"	**80K222469V95**	3 in bookcase, 1 in wardrobe	$5610
		78"	**80K222478V95**	3 in bookcase, 1 in wardrobe	5884
Common Front Box/Box/File (bottom left), Hinged Door (top left), Wardrobe (right)					
22"	24"	68½"	**80K222469V96**	3 in bookcase, 1 in wardrobe	$5610
		78"	**80K222478V96**	3 in bookcase, 1 in wardrobe	5884

Standard Includes

- Chassis: vertical veneer or paint
- Door: white resin with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Pull on drawers: recessed or rectangular
- Coat rod in wardrobe
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Drawers and Open Bookcase

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138





D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Two Lateral File Drawers (bottom), Open Bookcase (top)					
22"	30"	50"	**80K223050V34**	4 (2 on each side of center divider)	$4121
Multi-File (bottom), Open Bookcase (top)					
22"	30"	50"	**80K223050V35**	4 (2 on each side of center divider)	$4121

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Center divider
- ¾"-thick adjustable shelves
- Pull on drawers: recessed or rectangular
- Finished top, back, and sides
- Lock: silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Four Drawers

GSA SIN 711-8
FSC-C01059 available

D	W	H	Model	Price
Four Lateral File Drawers				
22"	30"	50"	**80K223050V42**	$4465

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawers: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Hinged Wood Doors

GSA SIN 711-8
FSC-C01059 available







D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Hinged Doors (top), Two Lateral File Drawers (bottom)					
22"	30"	50"	**80K223050V43**	4 (2 on each side of center divider)	$4350
		68½"	**80K223069V43**	6 (3 on each side of center divider)	$5495
		78"	**80K223078V43**	6 (3 on each side of center divider)	$5770

Standard Includes

- Chassis: vertical veneer or paint
- Door and drawer fronts: veneer or paint
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod on left in 68½" and 78"H models
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock in drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door or drawer fronts and painted chassis
P = Painted
PW1 = Painted door or drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Locking drawers and doors, key random (+$118)
KS = Locking drawers and doors, key specific (+$30); specify two lock cores separately
XKRS = Locking drawers, key random (non-locking doors)
XKS = Locking drawers, key specific (non-locking doors) (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Hinged Glass Doors

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Hinged Doors (top), Two Lateral File Drawers (bottom)					
22"	30"	50"	**80K223050V47**	4 (2 on each side of center divider)	$4694
		68½"	**80K223069V47**	6 (3 on each side of center divider)	$5838
		78"	**80K223078V47**	6 (3 on each side of center divider)	$6112

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Door: glass with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod on left in 68½" and 78"H models
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock in drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Hinged Resin Doors

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138





D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Hinged Doors (top), Two Lateral File Drawers (bottom)					
22"	30"	50"	**80K223050V45**	4 (2 on each side of center divider)	$4807
		68½"	**80K223069V45**	6 (3 on each side of center divider)	$5952
		78"	**80K223078V45**	6 (3 on each side of center divider)	$6227

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Door: white resin with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod on left in 68½" and 78"H models
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock in drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = 1 **STD2** = 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = 1 **STD2** = 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Sliding Wood Door

GSA SIN 711-8
FSC-C01059 available

D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Sliding Door (top), One Lateral File Drawer (bottom)					
22"	30"	50"	**80K223050V44**	6 (3 on each side of center divider)	$4350
Sliding Door (top), Two Lateral File Drawers (bottom)					
22"	30"	68½"	**80K223069V86**	6 (3 on each side of center divider)	$5495
		78"	**80K223078V86**	6 (3 on each side of center divider)	$5770

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Door: veneer or paint
- Pulls: recessed or rectangular
- ¾"-thick adjustable shelves
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door or drawer fronts and painted chassis
P = Painted
PW1 = Painted door or drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Sliding Glass Door

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Shelves	Price
Sliding Door (top), One Lateral File Drawer (bottom)					
22"	30"	50"	**80K223050V48**	6 (3 on each side of center divider)	$4694
Sliding Door (top), Two Lateral File Drawers (bottom)					
22"	30"	68½"	**80K223069V85**	6 (3 on each side of center divider)	$5838
		78"	**80K223078V85**	6 (3 on each side of center divider)	$6112

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Door: glass with aluminum frame
- Pulls: recessed or rectangular
- ¾"-thick adjustable shelves
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

30"W Vertical Storage

Pricing

Sliding Resin Door

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Sliding Door (top), One Lateral File Drawer (bottom)					
22"	30"	50"	**80K223050V46**	6 (3 on each side of center divider)	$4807
Sliding Door (top), Two Lateral File Drawers (bottom)					
22"	30"	68½"	**80K223069V49**	6 (3 on each side of center divider)	$5952
		78"	**80K223078V49**	6 (3 on each side of center divider)	$6227

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Door: white resin with aluminum frame
- ¾"-thick adjustable shelves
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Dual-Sided

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138


42"H (shown)

42"H

50"H

D	*W*	*H*	*Model*	*Number of Shelves in Top Section*	*Price*
Hinged Wood Doors (bottom), Open Bookcase (opposite side, top)					
15"	36"	42"	**80K153642V38**	2 (1 on each side of center divider)	$4230
		50"	**80K153650V38**	4 (2 on each side of center divider)	4458
Common Front Box/Box/File on End (bottom), Open Bookcase (top)					
36"	15"	42"	**80K361542V36**	2 (1 on each side of center divider)	$4230
		50"	**80K361550V36**	4 (2 on each side of center divider)	4458



*Note: Models above are Intended for use with leg-supported worksurfaces positioned next to the solid panel and extending off the **left side**. Fits all worksurface depths.*

42"H

50"H

Common Front Box/Box/File on End (bottom), Open Bookcase (top)					
36"	15"	42"	**80K361542V37**	2 (1 on each side of center divider)	$4230
		50"	**80K361550V37**	4 (2 on each side of center divider)	4458



*Note: Models above are Intended for use with leg-supported worksurfaces positioned next to the solid panel and extending off the **right side**. Fits all worksurface depths.*

Standard Includes

- Chassis: vertical veneer or paint
- Doors/drawer fronts: veneer or paint
- ¾"-thick adjustable shelves
- Pull on drawers: recessed or rectangular
- Finished top, back, and sides
- Lock on common front model: satin silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door or drawer fronts and painted chassis
P = Painted
PW1 = Painted door or drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option (omit for hinged door model):
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Drawers and Open Bookcase

GSA SIN 711-8
FSC-C01059 available






D	W	H	Model	Number of Shelves	Price
Two Lateral File Drawers (bottom), Open Bookcase (top)					
22"	36"	42"	**80K223642V34**	2 (1 on each side of center divider)	$4235
	36"	50"	**80K223650V34**	4 (2 on each side of center divider)	4350
Multi File (bottom), Open Bookcase (top)					
22"	36"	42"	**80K223642V35**	2 (1 on each side of center divider)	$4235
	36"	50"	**80K223650V35**	4 (2 on each side of center divider)	4350

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- ¾"-thick adjustable shelves
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock: silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Four Drawers

GSA SIN 711-8
FSC-C01059 available

D	W	H	Model	Number of Shelves	Price
Four Lateral File Drawers					
22"	36"	50"	**80K223650V42**		$4802

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawers: veneer or paint
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer drawer fronts and painted chassis
P = Painted
PW1 = Painted drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Hinged Wood Doors

GSA SIN 711-8
FSC-C01059 available







D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Hinged Doors (top), Two Lateral File Drawers (bottom)					
22"	36"	50"	**80K223650V43**	4 (2 on each side of center divider)	$4465
		68½"	**80K223669V43**	6 (3 on each side of center divider)	$5838
		78"	**80K223678V43**	6 (3 on each side of center divider)	$6131

Standard Includes

- Chassis: vertical veneer or paint
- Doors and drawer fronts: vertical veneer
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod on left in 68½" and 78"H models
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock in drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

② Material:
W1 = Vertical veneer
W1P = Vertical veneer door or drawer fronts and painted chassis
P = Painted
PW1 = Painted door or drawer fronts and vertical veneer chassis

③ Sheen type (omit for P models):
STD = Standard sheen

④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin

⑤ Lock option:
KRS = Locking drawers and doors, key random (+$118)
KS = Locking drawers and doors, key specific (+$30); specify two lock cores separately
XKRS = Locking drawers, key random (non-locking doors)
XKS = Locking drawers, key specific (non-locking doors) (-$22); specify lock core separately

⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)

⑦ Front finish designator

⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)

⑨ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Hinged Glass Doors

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Hinged Doors (top), Two Lateral File Drawers (bottom)					
22"	36"	50"	**80K223650V47**	4 (2 on each side of center divider)	$4807
		68½"	**80K223669V47**	6 (3 on each side of center divider)	$6181
		78"	**80K223678V47**	6 (3 on each side of center divider)	$6474

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Doors: glass with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod on left in 68½" and 78"H models
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock in drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Hinged Resin Doors

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138





D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Hinged Doors (top), Two Lateral File Drawers (bottom)					
22"	36"	50"	**80K223650V45**	4 (2 on each side of center divider)	$4922
		68½"	**80K223669V45**	6 (3 on each side of center divider)	$6296
		78"	**80K223678V45**	6 (3 on each side of center divider)	$6588

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Door: white resin with aluminum frame
- Touchlatch on door
- ¾"-thick adjustable shelves
- Coat rod on left in 68½" and 78"H models
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock in drawer: satin silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Sliding Wood Door

GSA SIN 711-8
FSC-C01059 available

D	W	H	Model	Number of Shelves	Price
Sliding Door (top), One Lateral File Drawer (bottom)					
22"	36"	50"	**80K223650V44**	6 (3 on each side of center divider)	$4465
Sliding Door (top), Two Lateral File Drawers (bottom)					
22"	36"	68½"	**80K223669V86**	6 (3 on each side of center divider)	$5838
		78"	**80K223678V86**	6 (3 on each side of center divider)	$6131

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Door and drawer fronts: veneer or paint
- ¾"-thick adjustable shelves
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door or drawer fronts and painted chassis
P = Painted
PW1 = Painted door or drawer fronts and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Sliding Glass Door

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Shelves	Price
Sliding Door (top), One Lateral File Drawer (bottom)					
22"	36"	50"	**80K223650V48**	6 (3 on each side of center divider)	$4807
Sliding Door (top), Two Lateral File Drawers (bottom)					
22"	36"	68½"	**80K223669V85**	6 (3 on each side of center divider)	$6181
		78"	**80K223678V85**	6 (3 on each side of center divider)	$6474

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Door: glass with aluminum frame
- ¾"-thick adjustable shelves
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

36"W Vertical Storage

Pricing

Sliding Resin Door

GSA SIN 711-8
FSC-C01059 available



D	*W*	*H*	*Model*	*Number of Shelves*	*Price*
Sliding Door (top), One Lateral File Drawer (bottom)					
22"	36"	50"	**80K223650V46**	6 (3 on each side of center divider)	$4922
Sliding Door (top), Two Lateral File Drawers (bottom)					
22"	36"	68½"	**80K223669V49**	6 (3 on each side of center divider)	$6296
		78"	**80K223678V49**	6 (3 on each side of center divider)	$6588

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138

Standard Includes

- Chassis: vertical veneer or paint
- Drawer fronts: veneer or paint
- Door: white resin with aluminum frame
- ¾"-thick adjustable shelves
- Pulls: recessed or rectangular
- Finished top, back, and sides
- Lock on drawer: satin silver; keyed randomly
- Counterweight and interlock mechanism

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Pull option:
67SS = Recessed, silver satin
68SS = Rectangular, silver satin
⑤ Lock option:
KRS = Key random
KS = Key specific (-$22); specify lock core separately
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish:
511 = Silver Satin
⑧ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Front finish designator
⑩ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Chassis finish designator (omit for W1 and P models)

Freestanding Bookcases

Pricing

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 138






D	W	H	Model	Number of Shelves	Price
One Adjustable Shelf					
15"	30"	26⅝"	**80K3026BCOF**		$2678
	36"		**80K3626BCOF**		2851
Two Adjustable Shelves					
15"	30"	42"	**80K3042BCOF**		$3108
	36"		**80K3642BCOF**		3229
Three Adjustable Shelves					
15"	30"	50"	**80K3050BCOF**		$3303
	36"		**80K3650BCOF**		3428
Four Adjustable Shelves					
15"	30"	68½"	**80K3069BCOF**		$3514
	36"		**80K3669BCOF**		3692
Five Adjustable Shelves					
15"	30"	78"	**80K3078BCOF**		$3721
	36"		**80K3678BCOF**		3886

Standard Includes

- Chassis: vertical veneer or paint
- Finished top, back, and sides
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Material:
W = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

IMPORTANT: For floor application only.

Shelves adjust from center to top in 1¼" increments.

Set-On-Surface Storage

Pricing

Hinged Wood Doors

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139





D	*W*	*H*	*Model*		*Price*
18"W			*Hinged Left*	*Hinged Right*	
15"	18"	39⅝"	**80K151840VOHL**	**80K151840VOHR**	$2383
		49"	**80K151849VOHL**	**80K151849VOHR**	2530
30"W			*Hinged Left & Right*		
15"	30"	39⅝	**80K153040VOH**		$3085
		42"	**80K153042VOH**		3085
		49"	**80K153049VOH**		3274
		51½"	**80K153052VOH**		3274
36"W			*Hinged Left & Right*		
15"	36"	39⅝	**80K153640VOH**		$3200
		42"	**80K153642VOH**		3200
		49"	**80K153649VOH**		3392
		51½"	**80K153652VOH**		3392

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): veneer or paint
- Touchlatch
- Finished top, back, and sides
- Three ¾"-thick adjustable shelves on 18"W model; six ¾"-thick adjustable shelves, three on each side of a center divider, on 30" and 36"W models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door front and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Lock option:
KRS = Key random (+$59)
KS = Key specific (+$36)
X = Non-locking
⑤ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Front finish designator
⑦ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Chassis finish designator (omit for W1 and P models)

Set-On-Surface Storage

Pricing

Hinged Glass Doors

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139

D	*W*	*H*	*Model*		*Price*
18"W			*Hinged Left*	*Hinged Right*	
15"	18"	39⅝"	**80K151840VOHLG**	**80K151840VOHRG**	$2984
		49"	**80K151849VOHLG**	**80K151849VOHRG**	3166
30"W			*Hinged Left & Right*		
15"	30"	39⅝"	**80K153040VOHG**		$4286
		42"	**80K153042VOHG**		4286
		49"	**80K153049VOHG**		4545
		51½"	**80K153052VOHG**		4545
36"W			*Hinged Left & Right*		
15"	36"	39⅝"	**80K153640VOHG**		$4401
		42"	**80K153642VOHG**		4401
		49"	**80K153649VOHG**		4666
		51½"	**80K153652VOHG**		4666

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): glass with aluminum frame
- Touchlatch
- Finished top, back, and sides
- Three ¾"-thick adjustable shelves on 18"W model; six ¾"-thick adjustable shelves, three on each side of a center divider, on 30" and 36"W models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Set-On-Surface Storage

Pricing

Hinged Resin Doors

GSA SIN 711-8
FSC-C01059 available





D	W	H	Model		Price
18"W			*Hinged Left*	*Hinged Right*	
15"	18"	39⅝"	**80K151840VOHLR**	**80K151840VOHRR**	$3127
		49"	**80K151849VOHLR**	**80K151849VOHRR**	3314
30"W			*Hinged Left & Right*		
15"	30"	39⅝"	**80K153040VOHR**		$4574
		42"	**80K153042VOHR**		4574
		49"	**80K153049VOHR**		4848
		51½"	**80K153052VOHR**		4848
36"W			*Hinged Left & Right*		
15"	36"	39⅝"	**80K153640VOHR**		$4689
		42"	**80K153642VOHR**		4689
		49"	**80K153649VOHR**		4968
		51½"	**80K153652VOHR**		4968

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139

Standard Includes

- Chassis: vertical veneer or paint
- Doors: white resin with aluminum frame
- Touchlatch
- Finished top, back, and sides
- Three ¾"-thick adjustable shelves on 18"W model; six ¾"-thick adjustable shelves, three on each side of a center divider, on 30" and 36"W models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Set-On-Surface Storage

Pricing

Sliding Wood Door

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
30"W				
15"	30"	39⅝"	**80K153040VOS**	$3085
		42"	**80K153042VOS**	3085
		49"	**80K153049VOS**	3274
		51½"	**80K153052VOS**	3274
36"W				
15"	36"	39⅝"	**80K153640VOS**	$3200
		42"	**80K153642VOS**	3200
		49"	**80K153649VOS**	3392
		51½"	**80K153652VOS**	3392

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139

Standard Includes

- Chassis: vertical veneer or paint
- Door: vertical veneer or paint
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of a center divider

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door front and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Front finish designator
⑥ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Chassis finish designator (omit for W1 and P models)

Set-On-Surface Storage

Pricing

Sliding Glass Door

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
30"W				
15"	30"	39⅝"	**80K153040VOSG**	$3687
		42"	**80K153042VOSG**	3687
		49"	**80K153049VOSG**	3909
		51½"	**80K153052VOSG**	3909
36"W				
15"	36"	39⅝"	**80K153640VOSG**	$3801
		42"	**80K153642VOSG**	3801
		49"	**80K153649VOSG**	4030
		51½"	**80K153652VOSG**	4030

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of a center divider

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Set-On-Surface Storage

Pricing

Sliding Resin Door

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Price
30"W				
15"	30"	39⅝"	**80K153040VOSR**	$3829
		42"	**80K153042VOSR**	3829
		49"	**80K153049VOSR**	4059
		51½"	**80K153052VOSR**	4059
36"W				
15"	36"	39⅝"	**80K153640VOSR**	$3943
		42"	**80K153642VOSR**	3943
		49"	**80K153649VOSR**	4180
		51½"	**80K153652VOSR**	4180

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139

Standard Includes

- Chassis: vertical veneer or paint
- Door: white resin with aluminum frame
- Finished top, back, and sides
- Six ¾"-thick adjustable shelves, three on each side of a center divider

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Set-On-Surface Storage

Pricing

Bookcase Organizers with Wood Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139





D	*W*	*H*	*Model*		*Price*
18"W					
			Hinged Left	*Hinged Right*	
15"	18"	39⅝"	**80K151840VOBCHL**	**80K151840VOBCHR**	$2383
		49"	**80K151849VOBCHL**	**80K151849VOBCHR**	2530

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Standard Includes

- Chassis: vertical veneer or paint
- Door: vertical veneer or paint
- Touchlatch
- Finished top, back, and sides
- One ¾"-thick adjustable shelf behind hinged door on 49"H model
- Five ¾"-thick adjustable shelves in lower section
- Lock: satin silver; keyed randomly

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
W1P = Vertical veneer door front and painted chassis
P = Painted door and chassis
PW1 = Painted door and vertical veneer chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Lock option:
KRS = key random (+$59)
KS = Key specific (+$36)
X = Non-locking
⑤ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Front finish designator
⑦ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Chassis finish designator (omit for W1 and P models)

Set-On-Surface Storage

Pricing

Bookcase Organizers with Glass Door

GSA SIN 711-8
FSC-C01059 available

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139





D	*W*	*H*	*Model*		*Price*
18"W					
			Hinged Left	*Hinged Right*	
15"	18"	39⅝"	**80K151840VOBCHLG**	**80K151840VOBCHRG**	$2622
		49"	**80K151849VOBCHLG**	**80K151849VOBCHRG**	2782

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Standard Includes

- Chassis: vertical veneer or paint
- Door: glass with aluminum frame
- Touchlatch
- Finished top, back, and sides
- One ¾"-thick adjustable shelf behind hinged door on 49"H model
- Five ¾"-thick adjustable shelves in lower section

How to Specify

❶ Model
❷ Material:
W = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Glass color designator:
202 = Ice
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Set-On-Surface Storage

Pricing

Bookcase Organizers with Resin Door

GSA SIN 711-8
FSC-C01059 available





D	*W*	*H*	*Model*		*Price*
18"W					
			Hinged Left	*Hinged Right*	
15"	18"	39⅝"	**80K151840VOBCHLR**	**80K151840VOBCHRR**	$2736
		49"	**80K151849VOBCHLR**	**80K151849VOBCHRR**	2896

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139

Standard Includes

- Chassis: vertical veneer or paint
- Door: white resin with aluminum frame
- Touchlatch
- Finished top, back, and sides
- One ¾"-thick adjustable shelf behind hinged door on 49"H model
- Five ¾"-thick adjustable shelves in lower section

How to Specify

❶ Model
❷ Material:
W = Vertical veneer chassis
P = Painted chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Resin color designator:
21 = Snow
⑤ Door frame finish:
511 = Silver Satin
⑥ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator

Set-On-Surface Storage

Pricing

Open Bookcase

GSA SIN 711-8
FSC-C01059 available







D	*W*	*H*	*Model*	*Price*
18"W				
15"	18"	39⅝"	**80K151840VOBCO**	$1829
		49"	**80K151849VOBCO**	1941
30"W				
15"	30"	39⅝"	**80K153040VOBCO**	$2284
		42"	**80K153042VOBCO**	2284
		49"	**80K153049VOBCO**	2420
		51½"	**80K153052VOBCO**	2420
36"W				
15"	36"	39⅝"	**80K153640VOBCO**	$2628
		42"	**80K153642VOBCO**	2628
		49"	**80K153649VOBCO**	2787
		51½"	**80K153652VOBCO**	2787

IMPORTANT: Shelves adjust from top to bottom in 1¼" increments.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 139

Standard Includes

- Chassis: vertical veneer or paint
- Finished top, back, and sides
- Three ¾"-thick adjustable shelves on 18"W model; six ¾"-thick adjustable shelves, three on each side of a center divider, on 30" and 36"W models

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted door and chassis
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Overhead Storage

Pricing

Hinged Wood Doors, Single Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Lock Cores	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Single Height									
15"	30"	171½"	**80K153018SOH**	2	2	2	$2169	$2169	—
	36"		**80K153618SOH**	2	2	2	2284	2284	$2284
	54"		**80K155418SOH**	3	3	3	2971	2971	2971
	72"		**80K157218SOH**	2	4	4	3425	3425	3425
	90"		**80K159018SOH**	3	5	5	—	3881	3881

➤See next page for double-height models.

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Doors: veneer or paint
- Touchlatch
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Material:
W1 = Vertical veneer
W1P = Vertical veneer doors and painted chassis
P = Painted
PW1 = Painted doors and vertical veneer chassis
④ Sheen type (omit for P models):
STD = Standard sheen
⑤ Lock option:
KRS = Key random (+$59 per lock)
KS = Key specific (+$36 per lock)
X = Non-locking
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Overhead Storage

Pricing

Hinged Wood Doors, Double Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Lock Cores	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Double Height									
15 "	30"	27"	**80K153028SOH**	2	2	3	$2758	$2758	—
	36"		**80K153628SOH**	2	2	3	2902	2902	$2902
	54"		**80K155428SOH**	3	3	4	3531	3531	3531
	72"		**80K157228SOH**	2	4	6	4156	4156	4156
	90"		**80K159028SOH**	3	5	7	—	4917	4917

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Doors: veneer or paint
- Touchlatch
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Material:
W1 = Vertical veneer
W1P = Vertical veneer doors and painted chassis
P = Painted
PW1 = Painted doors and vertical veneer chassis
④ Sheen type (omit for P models):
STD = Standard sheen
⑤ Lock option:
KRS = Key random (+$59)
KS = Key specific (+$36)
X = Non-locking
⑥ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Front finish designator
⑧ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Chassis finish designator (omit for W1 and P models)

Overhead Storage

Pricing

Hinged Glass Doors, Single Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Single Height								
15"	30"	171½"	**80K153018SOH**	2	2	$2628	$2628	—
	36"		**80K153618SOH**	2	2	2742	2742	$2742
	54"		**80K155418SOH**	3	3	3658	3658	3658
	72"		**80K157218SOH**	4	4	4341	4341	4341
	90"		**80K159018SOH**	5	5	—	5026	5026

➤See next page for double-height models.

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Doors: glass with aluminum frame
- Touchlatch
- ¾"-thick adjustable shelves

How to Specify

❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
G = Glass with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Hinged Glass Doors, Double Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Double Height								
15"	30"	27"	**80K153028SOH**	2	3	$3195	$3195	—
	36"		**80K153628SOH**	2	3	3361	3361	$3361
	54"		**80K155428SOH**	3	4	4218	4218	4218
	72"		**80K157228SOH**	4	6	5072	5072	5072
	90"		**80K159028SOH**	5	7	—	6062	6062

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Doors: glass with aluminum frame
- Touchlatch
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
G = Glass with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Hinged Resin Doors, Single Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Single Height								
15"	30"	17½"	**80K153018SOH**	2	2	$2742	$2742	—
	36"		**80K153618SOH**	2	2	2857	2857	$2857
	54"		**80K155418SOH**	3	3	3829	3829	3829
	72"		**80K157218SOH**	4	4	4570	4570	4570
	90"		**80K159018SOH**	5	5	—	5311	5311

➤See next page for double-height models.

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Doors: white resin with aluminum frame
- Touchlatch
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
R = Resin with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Hinged Resin Doors, Double Height

GSA SIN 711-8
FSC-C01059 available



D	*W*	*H*	*Model*	*Number of Doors*	*Number of Shelves*	*Suspended*	*Wall Mount*	*Stacking*
Double Height								
15"	30"	27"	**80K153028SOH**	2	3	$3303	$3303	—
	36"		**80K153628SOH**	2	3	3475	3475	3475
	54"		**80K155428SOH**	3	4	4389	4389	4389
	72"		**80K157228SOH**	4	6	5301	5301	5301
	90"		**80K159028SOH**	5	7	—	6347	6347

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Doors: white resin with aluminum frame
- Touchlatch
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
R = Resin with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Sliding Wood Door, Single Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Single Height								
15"	30"	17½"	**80K153018SOS**	1	2	$2169	$2169	—
	36"		**80K153618SOS**	1	2	2284	2284	$2284
	54"		**80K155418SOS**	2	3	2971	2971	2971
	72"		**80K157218SOS**	2	4	3425	3425	3425
	90"		**80K159018SOS**	2	5	—	3881	3881

➤See next page for double-height models.

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): veneer or paint
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Material:
W1 = Vertical veneer
W1P = Vertical veneer doors and painted chassis
P = Painted doors and chassis
PW1 = Painted doors and vertical veneer chassis
④ Sheen type (omit for P models):
STD = Standard sheen
⑤ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Front finish designator
⑦ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Chassis finish designator (omit for W1 and P models)

Overhead Storage

Pricing

Sliding Wood Door, Double Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Double Height								
15"	30"	27"	**80K153028SOS**	1	3	$2758	$2758	—
	36"		**80K153628SOS**	1	3	2902	2902	$2902
	54"		**80K155428SOS**	2	4	3531	3531	3531
	72"		**80K157228SOS**	2	6	4156	4156	4156
	90"		**80K159028SOS**	2	7	—	4917	4917

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): veneer or paint
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Material:
W1 = Vertical veneer
W1P = Vertical veneer doors and painted chassis
P = Painted doors and chassis
PW1 = Painted doors and vertical veneer chassis
④ Sheen type (omit for P models):
STD = Standard sheen
⑤ Front finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Front finish designator
⑦ Chassis finish group (omit for W1 and P models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Chassis finish designator (omit for W1 and P models)

Overhead Storage

Pricing

Sliding Glass Door, Single Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Single Height								
15"	30"	171½"	**80K153018SOS**	1	2	$2398	$2398	—
	36"		**80K153618SOS**	1	2	2512	2512	$2512
	54"		**80K155418SOS**	2	3	3428	3428	3428
	72"		**80K157218SOS**	2	4	3940	3940	3940
	90"		**80K159018SOS**	2	5	—	4453	4453

➤See next page for double-height models.

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): glass with aluminum frame
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
G = Glass with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Sliding Glass Door, Double-Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Double Height								
15"	30"	27"	**80K153028SOS**	1	3	$2976	$2976	—
	36"		**80K153628SOS**	1	3	3133	3133	$3133
	54"		**80K155428SOS**	2	4	3990	3990	3990
	72"		**80K157228SOS**	2	6	4670	4670	4670
	90"		**80K159028SOS**	2	7	—	5490	5490

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): glass with aluminum frame
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
G = Glass with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Glass color designator:
202 = Ice
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Sliding Resin Door, Single Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Single Height								
15"	30"	17½"	**80K153018SOS**	1	2	$2454	$2454	—
	36"		**80K153618SOS**	1	2	2569	2569	$2569
	54"		**80K155418SOS**	2	3	3544	3544	3544
	72"		**80K157218SOS**	2	4	4061	4061	4061
	90"		**80K159018SOS**	2	5	—	4587	4587

➤See next page for double-height models.

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): white resin with aluminum frame
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
R = Resin with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Sliding Resin Door, Double Height

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Doors	Number of Shelves	Suspended	Wall Mount	Stacking
Double Height								
15"	30"	27"	**80K153028SOS**	1	3	$3033	$3033	—
	36"		**80K153628SOS**	1	3	3189	3189	$3189
	54"		**80K155428SOS**	2	4	4103	4103	4103
	72"		**80K157228SOS**	2	6	4792	4792	4792
	90"		**80K159028SOS**	2	7	—	5623	5623

IMPORTANT: Highback or lowback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Door(s): white resin with aluminum frame
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Door type:
R = Resin with aluminum frame
❹ Material:
W1 = Vertical veneer chassis
P = Painted chassis
⑤ Sheen type (omit for P models):
STD = Standard sheen
⑥ Resin color designator:
21 = Snow
⑦ Door frame finish designator:
511 = Silver Satin
⑧ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑨ Finish designator

Overhead Storage

Pricing

Open

GSA SIN 711-8
FSC-C01059 available








D	W	H	Model	Number of Sections	Suspended	Wall Mount	Stacking
Single Height							
15"	30"	17½"	**80K153018SOO**	2	$1746	$1746	—
	36"		**80K153618SOO**	2	1835	1835	$1835
	54"		**80K155418SOO**	3	2260	2260	2260
Double Height							
15"	30"	27"	**80K153028SOO**	2	$2273	$2273	—
	36"		**80K153628SOO**	2	2387	2387	$2387
	54"		**80K155428SOO**	3	2940	2940	2940

IMPORTANT: Highback support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Suspended models may also be used as set-on-surface units.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- ¾"-thick adjustable shelves

How to Specify

❶ Model
❷ Application:
N = Suspended
W = Wall mount
K = Stacking
❸ Material:
W1 = Vertical veneer
P = Painted
④ Sheen type (omit for P models):
STD = Standard sheen
⑤ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Overhead Storage

Pricing

Stacking Cubbies

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Number of Open Sections	Price
36"W					
15"	36"	7"	**80K3607SMC**	2	$1683



D	W	H	Model	Number of Open Sections	Price
54"W					
15"	54"	7"	**80K5407SMC**	3	$1779

IMPORTANT: Highback and low-back support assemblies (required for stacking models)
➤See page 233 for open back.
➤See page 234 for workwall.

Cannot be set on surface or another unit.

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140

Standard Includes

- Chassis: vertical veneer or paint
- Finished on all sides

How to Specify

❶ Model
❷ Material:
W1 = Vertical veneer
P = Painted
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Overhead Storage

Pricing

Lowback and Highback Support Assemblies

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140



72"W shown



72"W shown

D	W	H	Model	Price
Lowback				
15"	36"	10"	**80K153610SH**	$990
	54"		**80K155410SH**	1185
	72"		**80K157210SH**	1248
Highback				
15 "	36"	22"	**80K153622SH**	$1059
	54"		**80K155422SH**	1253
	72"		**80K157222SH**	1316

Support assembles are for use with stacking overheads or stacking cubbies. Overhead cabinets and cubbies are not included.

IMPORTANT Support assembly must set on worksurface; it cannot set directly on pedestals or storage units.

Accepts LED lighting models only.
➤See page 367.

Standard Includes

- Platform: veneer or paint
- Open back
- Bottom puck: satin anodized aluminum
- Leg assembly: satin anodized aluminum leg with steel horizontal rail in a complementary powder-coat finish
- Two semi-transparent polypropylene cord manager for field installation with highback model.
- Ships ready to assemble

How to Specify

❶ Model
❷ Material:
W = Veneer
P = Paint
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator
⑥ Leg finish designator:
511 = Silver Satin

Overhead Storage

Pricing

Highback Support Assemblies with Workwall

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140



D	W	H	Model	Workwall Material: Panel Fabric Group A	Workwall Material: Panel Fabric Group B	Workwall Material: Whiteboard	Workwall Material: Veneer
Highback							
15 "	36"	22"	**80K153622SH**	$1214	$1226	$1489	$1489
	54"		**80K155422SH**	1476	1494	1883	1883
	72"		**80K157222SH**	1600	1624	2032	2032
	90"		**80K159022SH**	1803	1833	2238	2238

Support assembles are for use with stacking overheads or stacking cubbies. Overhead cabinets and cubbies are not included.

IMPORTANT Support assembly must set on worksurface; it cannot set directly on pedestals or storage units.

Accepts LED lighting models only.
➤See page 367.

Workwall Accessories
➤See page 235.

Standard Includes

- Platform: veneer or paint
- Bottom puck: satin anodized aluminum
- Leg assembly: satin anodized aluminum leg with steel horizontal rail in a complementary powder-coat finish
- Workwall: tackable fabric, whiteboard, or veneer
- Tool rail: satin anodized aluminum
- Two semi-transparent polypropylene cord manager for field installation with highback model.
- Ships ready to assemble

How to Specify

❶ Model
❷ Platform material:
W = Veneer
P = Paint
❸ Workwall material:
F = Fabric
M = Whiteboard
W1 = Vertical veneer
④ Sheen type (omit for P models):
STD = Standard sheen

Platform
⑤ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator
⑦ Leg finish designator:
511 = Silver Satin

Workwall (include for veneer and fabric models only)
⑧ Finish group (include for veneer only):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Finish or fabric designator

Workwall Accessories

Pricing

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 140



D	*W*	*H*	*Model*	*Description*	*Price*
CD Holder					
2½"	5"	5½"	**80KHCDHM**	Open on ends.	$58
File Holder					
2½"	12"	5½"	**80KHFHM**	Open on ends.	$67
Technology Shelf					
8¼"	12"	⅛"	**80KHTSM**	One side smooth, opposite side ribbed on which to set hand-held devices. Can use either side. Pass-thru holes at back for cords.	$39
Picture Frame					
¼"	7⅛"	5½"	**80KPFM**	Face opening for picture is 1/16"D x 6¼"W x 4½"H. Picture inserts from the side.	$58
Name Holder					
¼"	8½"	2"	**80KNHM**	Opening for name insert is 1/16"D x 7¾"W x 1"H. Accepts paper-thick material only. Name inserts from the side.	$39

Standard Includes

- Extruded aluminum with a clear satin, anodized finish

How to Specify

❶ Model
② Finish:
511 = Silver Satin

IMPORTANT: For use with Fluent workwalls only. Accessories insert into the workwall's horizontal track.

Occasional Tables

Pricing

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Filing Capabilities 129



D	W	H	Model	Price
Wood Veneer Top				
Square End Tables				
22"	22"	22"	**80K2222ENW**	$1357
28"	28"	22"	**80K2828ENW**	1640
Square Magazine Tables				
34"	34"	17"	**80K3434MGW**	$1874
44"	44"	17"	**80K4444MGW**	2429
Console Tables				
18"	54"	28½"	**80K1854CSW**	$2064
Glass Top				
Square End Tables				
22"	22"	22"	**80K2222ENG**	$2234
28"	28"	22"	**80K2828ENG**	2869
Square Magazine Tables				
34"	34"	17"	**80K3434MGG**	$3240
44"	44"	17"	**80K4444MGG**	4710
Console Tables				
18"	54"	28½"	**80K1854CSG**	$3059

Standard Includes

- Table top: wood veneer or low-iron, back painted white glass with matte finish & polished rim
- Metal support understructure on glass models: 405 Designer White
- Four legs: satin anodized aluminum legs with steel horizontal rail in a complementary powder-coat finish
- Ships ready to assemble

How to Specify

Wood Veneer Top

❶ Model
② Sheen type:
STD = Standard sheen
③ Rim profile:
AR = Arris
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator
⑥ Leg finish designator:
511 = Silver Satin

Glass Top

❶ Model
② Glass color designator:
201 = Arctic
③ Leg finish designator:
511 = Silver Satin

Reception Station Surround

Pricing

Page Subhead

GSA SIN 711-8

Features ➤See page 124
Technology Management 126
Filing Capabilities 129
Product Information 141



D	W	H	Model	Price
L-Shaped Surround with One Glass Transaction Surface				
Left Hand				
78¾"	82¼"	43"	**80K7982RSLL**	$8843
Right Hand				
78¾"	82¼"	43"	**80K7982RSLR**	$8843
U-Shaped Station with One Glass Transaction Surface				
78¾"	100¼"	43"	**80K79100RSU**	$11620
U-Shaped Station with ADA Front and Three Glass Transaction Surfaces				
82¼"	122½"	43"	**80K82123RSU**	$18260

Standard Includes

- 42"H surround panels with pre-drilled holes for worksurface brackets: vertical veneer or paint
- Transaction surface(s): low-iron, back painted white glass with matte finish & polished rim
- Transaction surface metal frame: 405 Designer White
- Worksurface brackets

How to Specify

❶ Model
❷ Material:
W = Wood veneer
P = Paint
③ Sheen type (omit for P models):
STD = Standard sheen
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator
⑥ Glass color designator:
201 = Arctic

IMPORTANT: Worksurfaces and undersurface storage must be specified separately.

Technology Management Components

Pricing

GSA SIN 711-8

Features ➤See page 124
Technology Management 126



D	*W*	*H*	*Model*	*Description*	*Price*
Undersurface Receptacle Bracket					
2½"	4½"	2⅝"	**80KPUMB1**	Attaches to support rail under Fluent worksurfaces. Align unit at notches and twist into place; requires no tools for installation. Accepts one duplex receptacle (80KELRI). Also compatible with Scenario duplex receptacle (77KELRDS) and customer-supplied data faceplates (Panduit and AMP/TYCO brands) Quantity of 1. Cinder finish.	$23
Undersurface Wire Manager					
2½"	4½"	1⅛"	**80K05WMH**	Attaches to support rail under Fluent worksurfaces. Align unit at notches and twist into place; requires no tools for installation. Quantity of 2. Cinder finish.	$55
Duplex Receptacle					
2 1/16"	1¾"	3⅛"	**80KELR1**	Duplex receptacle with 8' grounded cord and 15-amp NEMA plug. Plastic housing and cord are black. U.L. listed. Snaps into undersurface receptacle bracket (80KPUMB1). Not for use in New York City, Chicago, or Los Angeles	$86

How to Specify

❶ Model

IMPORTANT: Technology components cannot be installed over a pedestal; for use in open knee-space only.

INNSBRUCK™

Traditional Casegoods

Table of Contents

	➤See page
Statement of Line	240
Overview	242
Features	242
Typical Configurations	243
Filing Capabilities	244
Pricing	245
Double-Pedestal Desks	245
Single-Pedestal Desks	246
Executive Returns	247
Bridges	248
Single-Pedestal Credenzas	249
Credenzas	250
Lateral Files	251
Pedestals	252
Storage Units	252
Set-on-Surface Bookcases	253
Highback Organizers	256
Overhead Storage	257
Pediment Bridges	259
Parapets	259
Light Kits	260

Desks and Freestanding Storage

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Double-Pedestal Desks
Available with and without fancy face worksurface.
● = Desk
■ = Desk with 7" Approach Overhang
➤See page 245 to specify.

	72"W	78"W
36"D	●■	
42"D		■



Single-Pedestal Desks
Available in left and right models.
➤See page 246 to specify.

	72"W
36"D	●

Executive Returns
Available in left and right models.
● = Lateral file
■ = File/file
➤See page 247 to specify.

	51"W	63"W
25"D	■	●

Bridges
● = Hinged modesty panel
■ = Pedestal bridge
➤See page 248 to specify.

	34"W	51"W	52"W
24"D	■		■
25"D		●	



Single-Pedestal Credenzas
Available in left and right models.
● = Lateral file
■ = File/file
➤See page 249 to specify.

	75"W
24"D	●■



Credenzas
● = Full storage
■ = Kneespace
▲ = Four lateral file drawers
➤See page 250 to specify.

	75"W
24"D	●■▲



Lateral Files
➤See page 251 to specify.

	30"H	56"H
39"W	●	●

Pedestals
➤See page 252 to specify.

	21"W
24"D	●

Storage Units
➤See page 252 to specify.

	30"H
39"W	●



Set-on-Surface Bookcases
Available with open shelves or with doors.
➤See pages–255 to specify.

	21"W	39"W	75"W
51"H	●	●	●

Above Surface Storage & Tables

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Highback Organizers

➤See page 256 to specify.

	75"W
51"H	●



Overhead Storage

➤See pages 257–258 to specify.

	36"W	54"W
30"H	●	●



Pediment Bridges

➤See page 259 to specify.

	54"W
18"H	●



Parapets

➤See page 259 to specify.

	18"W	36"W	54"W
4"H	●	●	●

Light Kits

➤See page 260 to specify.



Conference Tables and Bases

➤See the Tables Price List.

Occasional Tables

➤See the Tables Price List.

Features

Overview

Features	➤See page
Typical Configurations	243
Filing Capabilities	244
Locking Information	6

Exterior surfaces are cherry (plain sliced, slip matched) veneer. Veneers are carefully selected and matched to assure proper balance and consistency.

Tops are 1 3/16" thick, 3-ply balanced construction.

Edges are 1" solid hardwood with precisely mitered corners.

Locks are standard on drawer fronts of all desks, credenzas, returns, lateral files, and component freestanding pedestals. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.

Center drawer is standard on double-pedestal desks, single-pedestal desks, and table desks. Bottom of drawer is lined with black leather.

Full height pedestals have two box drawers and one file drawer in left pedestal and two file drawers in right pedestal.

Leveling glides adjust for uneven floors.



Details



Corner and Frieze



Bookcase Door Muntin (black)

Drawer pulls are black.

Drawer sides and back are ½" thick with veneer faces. Drawer bottoms are ¼" thick. 5-sided construction allows easy removal of drawer front. Dowel joint assembly is used for maximum strength. Interiors are sealed, sanded, and finished with a clear lacquer finish to protect against swelling, shrinking, or warping and to provide a smooth feel and appearance.

Drawer fronts are ¾" thick 3-ply with vertically matched grain.

Drawer dividers are included in desks and credenzas for placement in any box drawer.

Full extension, progressive action drawer suspensions, with precision ball bearings on file drawers, provide a smooth, quiet operation. Box drawers have full extension slides with a positive stop action.

Heavy-duty filing hardware accommodates various filing requirements.



Fancy face top, available on double-pedestal desks, features figured cherry veneer in a diamond match pattern.

Black metal grommets are optional on all single-pedestal desks, returns, and bridges. Grommets are also available for field installation on any desk. ➤See the Perks Price List.

Finishes & Materials

Wood Finishes

- MC Amber Cherry
- MH Mocha Cherry

Related Products

Accessories, including center drawers, adjustable keyboard products, keyboard kits that comply to ANSI/HFES Method 2, and visual boards are available to add functionality to workspaces. ➤See the Perks Price List.

Light kits are available for field installation in set-on-surface bookcases, highback organizers, and overhead storage. Light switch kit must be specified separately; switch can control multiple fixtures.

Typical Configurations

Features ➤See page 242
Filing Capabilities 244
Locking Information 6

Executive U
Executive U-configurations can be achieved by connecting a single-pedestal desk, a bridge, and a single-pedestal credenza.



Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**IN3672DLFB**	1	$5922
Bridge with modesty panel	**IN2551BEFH**	1	2658
Right pedestal credenza	**IN2475CRF6**	1	5514
		Total	$14094

Executive L
Executive L-configurations can be achieved by connecting a single-pedestal desk and an executive return.



Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**IN3672DLFB**	1	$5922
Right executive return	**IN2551RREF**	1	3676
		Total	$9598

The configurations shown at left are typical of those possible with Innsbruck components. Many more configurations are possible to fit your installation.

Right configurations are shown; left units can easily be configured. See appropriate pricing pages for model numbers.

To price a configuration, simply add the prices of the individual components together.

* Check the appropriate pricing page for the complete model number that includes the finish.

Filing Capabilities

Features ➤See page 242
Typical Configurations 243
Locking Information 6

		Interior Dimensions			Standard Filing Capabilities	
Description	*Type*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Desks						
Double-pedestal desk 42 x 78, 36 x 72	Box	17"	15"	3"	—	—
	File	25"	15"	9"	Legal	Legal, double letter, and EDP
	Center	17"	26⅜"	1½"	—	—
Double-pedestal desk 36 x 72 (small chassis)	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Center	17"	18 1/16"	1½"	—	—
Single-pedestal desk, 36 x 72	Box	17"	15"	3"	—	—
	File	25"	15"	9"	Legal	Legal, double letter, and EDP
	Center	17"	18 1/16"	1½"	—	—
Returns						
Executive return, 25 x 51	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal and letter
Credenzas						
Single-pedestal credenza, 24 x 75	File	17"	32¼"	9"	Legal	Legal and letter
Storage credenza, 24 x 75	Box	17"	12¼"	3"	—	—
	File	17"	12¼"	9"	Legal	Legal and letter
Kneespace credenza, 24 x 75	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal and letter
Files						
Lateral files, 24 x 39	File	15"	32¼"	9"	Legal, letter, and EDP	Legal and letter
Pedestals						
Modular pedestal, 24 x 21	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal and letter

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.
➤See the Perks Price List.

Paper Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞.

Pedestal Configurations:

Double-Pedestal Desk
- File/file pedestal, right: legal width
- Box/box/file pedestal, left: legal width

Note: Top file drawer front in right pedestals is styled as two box drawers.

Single-Pedestal Desk
- Box/box file pedestal: legal width

Return
- File/file pedestal (letter width) or two-drawer lateral file

Note: Top file drawer front is styled as two box drawers for file/file pedestal.

Single-Pedestal Credenza
- File/file pedestal (legal width) or two-drawer lateral file

Kneespace Credenza
- Two file/file pedestals: legal width

Storage Credenza
- Two file/file pedestals: legal width
- Center storage area behind two doors with one adjustable shelf

Lateral File Credenza
- Four lateral file drawers

Double-Pedestal Desks

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6



D	W	H	Kneespace	Arm Chair Clearance	Model	Price
Pedestals on Left and Right, 7" Worksurface Approach Overhang						
36"	72"	30¼"	25½"	26½"	**IN3672DDFBO**	$6536
42"	78"	30¼"	34⅛"	26½"	**IN4278DDFBO**	8885
With Fancy Face (Figured Cherry) Worksurface						
36"	72"	30¼"	25½"	26½"	**IN3672DDFBFO**	$7765
42"	78"	30¼"	34⅛"	26½"	**IN4278DDFBFO**	10211
Pedestals on Left and Right						
36"	72"	30¼"	34⅛"	26½"	**IN3672DDFB**	$7147
With Fancy Face (Figured Cherry) Worksurface						
36"	72"	30¼"	34⅛"	26½"	**IN3672DDFBF**	$8372

Standard Includes

- Worksurface: cherry veneer or figured cherry veneer in a diamond match pattern
- Breakfront modesty panel
- Center drawer with black leather drawer bottom liner
- Box/box/file pedestal, left: legal width
- File/file pedestal, right: legal width (top file drawer of right-hand pedestal is styled as two box drawers)
- One lock per pedestal
- Filing hardware

How to Specify

❶ Model
② Lock option (omit for table desk):
KRB = Key random
KSB = Key specific (-$44); specify two lock cores separately
③ Left grommet option:
G7MB = With grommet (+$57)
X = Without grommet
④ Right grommet option:
G7MB = With grommet (+$57)
X = Without grommet
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Grommets for Field Installation
➤See the Perks Price List.

Single-Pedestal Desks

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6



D	*W*	*H*	*Arm Chair Clearance*	*Model*	*Price*
Pedestal on Right					
36"	72"	30¼"	26½"	**IN3672DRFB**	$5922
Pedestal on Left					
36"	72"	30¼"	26½"	**IN3672DLFB**	$5922

Standard Includes

- Worksurface: cherry veneer
- Breakfront modesty panel
- Center drawer with black leather drawer bottom liner
- Box/box/file pedestal: legal width
- Lock
- Filing hardware

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
③ Left grommet option:
G7MB = With grommet (+$57)
X = Without grommet
④ Right grommet option:
G7MB = With grommet (+$57)
X = Without grommet
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

IMPORTANT: For use with executive return or bridge. Not for use in free-standing application.

Grommets for Field Installation
➤See the Perks Price List.

Executive Returns

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6

D	W	H	Kneespace	Arm Chair Clearance	Model	Price
Lateral File Pedestal						
Right (shown)						
25"	62⅞"	30¼"	25½"	28½"	**IN2567RREF**	$4598
Left						
25"	62⅞"	30¼"	25½"	28½"	**IN2567RLEF**	$4598
File/File Pedestal						
Right (shown)						
25"	50⅞"	30¼"	30½"	28½"	**IN2551RREF**	$3676
Left						
25"	50⅞"	30¼"	30½"	28½"	**IN2551RLEF**	$3676

Standard Includes

- Worksurface: cherry veneer
- Two-drawer 36"W lateral file or file/file pedestal; legal width (top file drawer of right-hand pedestal is styled as two box drawers)
- Lock
- Filing hardware

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
③ Center grommet option:
G7MB = With grommet (+$57)
X = Without grommet
④ Finish price group:
STD = Group 1
⑤ Finish designator

IMPORTANT: Returns are for use with single-pedestal desk or corner unit.

Grommets for Field Installation
➤See the Perks Price List.

Bridges

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6





D	W	H	Arm Chair Clearance	Model	Price
Bridge with Hinged Modesty Panel					
25"	50⅞"	30¼"	28½"	**IN2551BEFH**	$2658
Pedestal Bridges					
With Keyboard/Center Drawer					
23½"	34⅜"	31⁄16"	26½"	**IN2438WSSBK**	$1722
23½"	52⅜"	31⁄16"	26½"	**IN2456WSSBK**	1854
Without Keyboard/Center Drawer					
23½"	34⅜"	31⁄16"	26½"	**IN2438WSSB**	$1345
23½"	52⅜"	31⁄16"	26½"	**IN2456WSSB**	1390

Bridge with modesty panel is used with single-pedestal desk or corner unit and single-pedestal credenza.

Modesty panel swings forward for access to wall power.

Pedestal bridges span between two pedestals, storage units, or lateral files.

Grommets for Field Installation
➤See the Perks Price List.

Standard Includes

- Worksurface: cherry veneer
- Keyboard/center drawer with fold down front, if selected

How to Specify

❶ Model
② Center grommet option:
G7MB = With grommet (+$57)
X = Without grommet
③ Finish price group:
STD = Group 1
④ Finish designator

Credenzas

Pricing

Single-Pedestal

GSA SIN 711-8





D	W	H	Kneespace	Arm Chair Clearance	Model	Price
Lateral File Pedestal						
Right (shown)						
23½"	74 13/16"	30¼"		26½"	**IN2475CRF6**	$5514
Left						
23½"	74 13/16"	30¼"		26½"	**IN2475CLF6**	$5514
File/File Pedestal						
Right (shown)						
23½"	74 13/16"	30¼"	28"	26½"	**IN2475CRF2**	$5337
Left						
23½"	74 13/16"	30¼"	28"	26½"	**IN2475CLF2**	$5337

IMPORTANT: Single-pedestal credenzas are for use with a bridge. They are not for freestanding applications.

Grommets for Field Installation
➤See the Perks Price List.

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6

Standard Includes

- Worksurface: cherry veneer
- 36"W lateral file or file/file pedestal (legal width)
- Lock

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
③ Left grommet option:
G7MB = With grommet (+$57)
X = Without grommet
④ Center grommet option (omit for lateral file model):
G7MB = With grommet (+$57)
X = Without grommet
⑤ Right grommet option:
G7MB = With grommet (+$57)
X = Without grommet
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Credenzas

Pricing

Storage, Kneespace, and Lateral File

† GSA SIN 711-9
†† GSA SIN 711-8





D	W	H	Arm Chair Clearance	Model	Price
Storage Credenza †					
23½"	74 13/16"	30¼"		**IN2475CSF**	$5914
Kneespace Credenza ††					
23½"	74 13/16"	30¼"	26½"	**IN2475CKF**	$5618
Lateral File Credenza ††					
23½"	74 13/16"	30¼"		**IN2475CFF**	$6114

Grommets for Field Installation
➤See the Perks Price List.

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6

Standard Includes

Storage Credenza
- Two file/file pedestals: legal width
- One adjustable shelf behind two hinged doors (non-locking)
- Two locks
- Finished back

Kneespace Credenza
- Two file/file pedestals: legal width
- Keyboard/center drawer with fold down front
- One lock per pedestal
Lateral File Credenza
- Four lateral file drawers
- Two locks
- Finished back

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$44); specify two lock cores separately
③ Left grommet option:
G7MB = With grommet (+$57)
X = Without grommet
④ Center grommet option (omit for lateral file credenza):
G7MB = With grommet (+$57)
X = Without grommet
⑤ Right grommet option:
G7MB = With grommet (+$57)
X = Without grommet
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Lateral Files

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6

D	*W*	*H*	*Arm Chair Clearance*		*Price*
Two-Drawer Lateral File					
23½"	38⅞"	30¼"		**IN2439LFF2**	$5086
Four-Drawer Lateral File					
23½"	38⅞"	56¼"		**IN2439LFF4**	$7302

Standard Includes

- Two or four lateral file drawers (drawer fronts are styled as two file drawers)
- Finished back
- Lock

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
③ Finish price group:
STD = Group 1
④ Finish designator

Pedestals and Storage Unit

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6

D	*W*	*H*	*Model*	*Price*
Box/Box/File Pedestal				
23½"	20 15/16"	30¼"	**IN2421PFBBF**	$4224
File/File Pedestal				
23½"	20 15/16"	30¼"	**IN2421PFFF**	$4224
Hinged-Door Storage Unit				
23½"	38⅞"	30¼"	**IN2439PFH**	$4640

Standard Includes

Pedestals

- Box/box/file or file/file pedestal: legal width
- Lock
- Unfinished back

Hinged-Door Storage Unit

- One adjustable shelf behind two hinged doors (non-locking)
- Unfinished back

How to Specify

❶ Model
② Lock option (omit for storage unit):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
③ Finish price group:
STD = Group 1
⑤ Finish designator

Bridges can be added to create credenza applications.
➤See page 248.

Set-on-Surface Bookcases

Pricing

Open and One Door

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6





D	*W*	*H*	*Model*	*Price*
Open Bookcase				
15½"	20 15/16"	50 13/16"	**IN2151BCO**	$2737
Bookcase with Wood Door				
Hinged Right				
15½"	20 15/16"	50 13/16"	**IN2151BCHRW**	$3619
Hinged left				
15½"	20 15/16"	50 13/16"	**IN2151BCHLW**	$3619
Bookcase with Glass Door				
Hinged Right				
15½"	20 15/16"	50 13/16"	**IN2151BCHRG1**	$3350
Hinged left				
15½"	20 15/16"	50 13/16"	**IN2151BCHLG1**	$3350
Bookcase with Glass Door and Muntin Overlay				
Hinged Right				
15½"	20 15/16"	50 13/16"	**IN2151BCHRG2**	$3619
Hinged left				
15½"	20 15/16"	50 13/16"	**IN2151BCHLG2**	$3619

Standard Includes

- Three adjustable glass shelves
- Wood and glass doors, hinged right or left (non-locking)
- Unfinished back

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

IMPORTANT: Bookcases are for use on worksurfaces only.

Light Kits for Interior of Cabinet
➤See page 260.

Set-on-Surface Bookcases

Pricing

Open and Two Doors

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6

D	*W*	*H*	*Model*	*Price*
Open Bookcase				
15½"	38⅞"	50 13/16"	**IN3951BCO**	$3138
Bookcase with Two Wood Doors				
15½"	38⅞"	50 13/16"	**IN3951BCHW**	$4920
Bookcase with Two Glass Doors				
15½"	38⅞"	50 13/16"	**IN3951BCHG1**	$4291
Bookcase with Two Glass Doors and Muntin Overlay				
15½"	38⅞"	50 13/16"	**IN3951BCHG2**	$4920

IMPORTANT: Bookcases are for use on worksurfaces only.

Light Kits for Interior of Cabinet
➤See page 260.

Standard Includes

- Three adjustable glass shelves
- Wood and glass doors (non-locking)
- Unfinished back

How to Specify

❶ Model
① Model
② Finish price group:
STD = Group 1
③ Finish designator

Set-on-Surface Bookcases

Pricing

Four Doors

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243
Filing Capabilities 244
Locking Information 6



D	*W*	*H*	*Model*	*Price*
Bookcase with Four Wood Doors				
15½"	74 13/16"	50 13/16"	**IN7551BCHW**	$8324
Bookcase with Four Glass Doors				
15½"	74 13/16"	50 13/16"	**IN7551BCHG1**	$7217
Bookcase with Four Glass Doors and Muntin Overlay				
15½"	74 13/16"	50 13/16"	**IN7551BCHG2**	$8324

Standard Includes

- Three adjustable glass shelves per compartment (six shelves total)
- Wood and glass doors (non-locking)
- Unfinished back

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

IMPORTANT: Bookcases are for use on worksurfaces only.

Light Kits for Interior of Cabinet
➤See page 260.

Highback Organizers

and Tackboards

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243





D	*W*	*H*	*WC*	*Model*	*Price*
Four Wood Doors					
15½"	74 13/16"	50 13/16"	20 15/16"	**IN7551HBHW**	$5965
Four Glass Doors					
15½"	74 13/16"	50 13/16"	20 15/16"	**IN7551HBHG1**	$5418
Four Glass Doors and Muntin Overlay					
15½"	74 13/16"	50 13/16"	20 15/16"	**IN7551HBHG2**	$5965

D	*W*	*H*	*COM Yardage 66"W Non-Dir.*	*Model*	*COM*	*Panel Fabric Gr. A–E*	*Upholstery Fabric Gr. 1–3*	*Gr. 4–6*
Tackboards for Highback Organizer								
—	66"	20"	2.5	**TB-2066**	$430	$490	$505	$600

IMPORTANT: Highback organizers are for use on credenzas.

Light Kits for Interior of Cabinet
➤See page 260.

Task Lights
➤See page 368.

Panel fabric is turned 90° and applied railroad style to 62"W or wider tackboards.
➤See page 378 for panel fabric.
➤See page 382 for COM policy.

Standard Includes

- Two adjustable shelves (one per compartment)
- Wood or glass doors (non-locking)

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Overhead Storage

Pricing

Two Doors

GSA SIN 711-8







D	*W*	*H*	*WC*	*Model*	*Price*
Two Wood Doors					
15½"	35⅞"	29⅝"	20¹⁵⁄₁₆"	**IN3630SOHW**	$2924
Two Glass Doors					
15½"	35⅞"	29⅝"	20¹⁵⁄₁₆"	**IN3630SOHG1**	$2639
Two Glass Doors and Muntin Overlay					
15½"	35⅞"	29⅝"	20¹⁵⁄₁₆"	**IN3630SOHG2**	$2924

IMPORTANT: Overhead cabinets are for use between two bookcases.

Light Kits for Interior of Cabinet
➤See page 260.

Task Lights
➤See page 368.

Features ➤See page 242
Typical Configurations 243

Standard Includes

- One adjustable glass shelf
- Two wood or glass doors (non-locking)
- Cornice frame

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Overhead Storage

Pricing

Three Doors

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243







D	*W*	*H*	*Worksurface Clearance*	*Model*	*Price*
Three Wood Doors					
15½"	53⅞"	29⅝"	20¹⁵⁄₁₆"	**IN5430SOHW**	$3993
Three Glass Doors					
15½"	53⅞"	29⅝"	20¹⁵⁄₁₆"	**IN5430SOHG1**	$3537
Three Glass Doors and Muntin Overlay					
15½"	53⅞"	29⅝"	20¹⁵⁄₁₆"	**IN5430SOHG2**	$3993

Standard Includes

- One adjustable glass shelf per compartment (two shelves total)
- Three wood or glass doors (non-locking)
- Cornice frame

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Light Kits for Interior of Cabinet
➤See page 260.

Task Lights
➤See page 368.

Pediment Bridges and Parapets

Pricing

GSA SIN 711-8

Features ➤See page 242
Typical Configurations 243



D	*W*	*H*	*Model*		*Price*
Pediment Bridges					
15½"	53⅞"	18"	**IN1654CPPD**	—	$1964



Parapets					
For Use Over 21"W Bookcase					
14"	17 15/16"	4⅛"	**IN1618CPPP**		$1275
For Use Over 39"W Bookcase					
14 "	35⅞"	4⅛"	**IN1636CPPP**		$1492
For Use Over 54"W Overhead Cabinet					
14 "	53⅞"	4⅛"	**IN1454CPPP**		$1906

IMPORTANT: Pediment bridge is for use on top of 54"W overhead cabinet only.

Parapets are for use on top of bookcases.

Standard Includes

- Pediment bridge or parapet

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Light Kits

Pricing

For Use with Set-on-Surface Bookcases, Highback Organizers, and Overhead Storage

GSA SIN 711-8

	Model	*Price*
Light Kit		
	LGT-A	$89
Light Switch Kit		
	SWK-A	$73

These light kits are for use inside storage cabinets. They cannot be used underneath highback organizer or overhead to light the work-surface area.

Specify one light kit for one- or two-door storage. Specify two light kits for three- or four-door storage.

IMPORTANT: Light switch kit, specified separately, is required for light kit; however, one switch kit can provide single-switch control for multiple fixtures if desired. Only one switch kit is required per wall arrangement.

Features ➤See page 242
Typical Configurations 243

Standard Includes

Light Kit
- 40-watt clear lamp
- Black fixture

Light Switch Kit
- 10' cord
- Light-intensity dimmer switch

How to Specify

❶ Model

PRESIDENT®

Traditional Casegoods

Table of Contents

	➤See page
Statement of Line	262
Overview	264
Features	264
Typical Configurations	265
Filing Capabilities	267
Pricing	268
Double-Pedestal Desks	268
Table Desks	270
Extended Single-Ped Desks	271
Single-Pedestal Desks	272
Executive Returns	273
Bridges	274
Credenzas	275
Task/Reception Station	278
Highback Organizers	279
Wall-Mounted Cabinets	280
Lateral Files	281
Lectern & Wardrobe	282
Mobile Utility Table	283
Component Storage	284
Bookcases	286

Desks and Credenzas

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Double-Pedestal Desks
➤See page 268 to specify.

	66"W	72"W	78"W	86"W
30"W	●			
36"D		●		
42"D			●	●

Table Desks
➤See page 270 to specify.

	72"W
36"D	●

Extended Single-Pedestal Desks
Available in left and right models.
➤See page 271 to specify.

	78"W
42"D	●



Single-Pedestal Desks
Available in left and right models.
➤See page 272.

	72"W	78"W
36"D	●	●

Executive Returns
Available in left and right models.
➤See page 273.

	51"W	63"W
25"D	●	●

Bridges
● = Hinged modesty panel
■ = Partial modesty panel
➤See page 274 to specify.

	51"W
25"D	●■



Single-Pedestal Credenzas
Available in left and right models.
● = Lateral file
■ = File/file
➤See page 275 to specify.

	78"W
24"D	●■

Credenzas
● = Full storage
■ = Kneespace
▲ = Buffet
➤See pages 276–277 to specify.

	75"W	78"W
24"D	●■▲	●



Task/Reception Station
➤See page 278 to specify.

Traditional tables and occasional tables to coordinate with President casegoods are available.
➤See the Tables Price List.

Storage

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Highback Organizers
● = Grille doors
■ = Glass doors
▲ = Wood doors
➤See page 279 to specify.

	74"W
16"D	●■▲



Wall-Mounted Cabinets
● = Grille doors
■ = Glass doors
▲ = Wood doors
➤See page 280 to specify.

	74"W
16"D	●■▲

Lateral Files
➤See page 281 to specify.

	30"H	55"H
39"W	●	●

Lectern
➤See page 282 to specify.

	47"H
24"W	●

Wardrobe
➤See page 282 to specify.

	81"H
24"W	●

Mobile Utility Table
➤See page 283 to specify.

	37"H
39"W	●



Component Storage
● = Lateral files
■ = Hinged-door storage
▲ = Box/box/file or file/file
➤See page 284 to specify.

	25"H	51"H
18"W	▲	
36"W	●■	●



Credenza Worksurfaces and Bases
For one, two, or three storage components.
➤See page 285 to specify.

Bookcases
○ = Open shelves
● = Grille doors
■ = Glass doors
▲ = Wood doors
➤See page 286 to specify.

	48"H	70"H
36"W	○●■▲	○



Cornice Frames, Tops, and Bases for Bookcases
For one, two, or three storage components.
➤See page 287 to specify.

Features

Overview

Statement of Line	➤See page 262
Typical Configurations	265
Filing Capabilities	267
Locking Information	6

Exterior surfaces are walnut (plain sliced, book matched) veneer. Veneers are carefully selected and matched to assure proper balance and consistency.

Rims are solid hardwood with precisely mitered corners.

Decorative molding is available as an option. Upcharge applies.

Leveling glides adjust for uneven floors.

Drawer fronts are ¾" thick 3-ply and use 100% butt-figured walnut veneer.

Leather-wrapped pulls are available. Upcharge applies.



Tops are 1 3/16" thick, 3-ply balanced construction. Wood grain laminate is also available.

Base rails are solid hardwood for impact and wear resistance.

Writing shelf is standard on single- and double-pedestal desks.

Full-height pedestals have one pencil drawer, one box drawer, and one file drawer. File drawer has the appearance of two box drawers.

Drawer sides and back are ½" thick with veneer faces. Drawer bottoms are ¼" thick. 5-sided construction allows easy removal of drawer front. Dowel joint assembly is used for maximum strength. Interiors are sealed, sanded, and finished with a clear lacquer finish to protect against swelling, shrinking, or warping and to provide a smooth feel and appearance.

Center drawer is standard on double-pedestal and table desks. Bottom of drawer is lined with black leather.

Centra™ locking is featured on double- and single-pedestal desks, credenzas and lateral files to secure all drawers in the unit with a single lock. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.

Details



Burl



Leather Inlay

Burl and leather inlay models are available on select desk worksurfaces. ➤See page 381 for leather choices.

Antique brass metal grommets are optional on all desks, returns, credenzas, and bridges.

Joints are securely fastened with screws, glue, and solid hardwood cleats to ensure maximum strength.

Drawer dividers are included in desks and credenzas for placement in any box drawer.

Full extension, progressive action drawer suspensions, with precision ball bearings on file drawers, provide a smooth, quiet operation. Box drawers have full extension slides with a positive stop action.

Heavy-duty filing hardware accommodates various filing requirements. ➤See page 267 for filing capabilities.

Related Products

Accessories, such as keyboard drawer, adjustable keyboard products, and visual boards available to add functionality to workspaces. ➤See the Perks Price List.

Features ➤See page 264
Filing Capabilities 267
Locking Information 6

Executive U
Executive U-configurations can be achieved by connecting a single-pedestal desk, a bridge, and a single-pedestal credenza.



Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**PR3678DLFW**	1	$4797
Bridge with full modesty panel	**PR2551BEFHW**	1	2029
Right pedestal credenza	**PR2478CRF6W**	1	4861
Center drawer (optional)	**PR1932CD**	1	349
		Total	$12036



Executive U configurations can also be achieved by using a bridge with a partial modesty panel.

Executive L
Executive L-configurations can be achieved by connecting a single-pedestal desk and an executive return.



Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**PR3672DLFW**	1	$3899
Right executive return with full modesty panel	**PR2551RREFW**	1	2756
Center drawer (optional)	**PR1932CD**	1	349
		Total	$7004

Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**PR3672DLFW**	1	$3899
Right executive return with full modesty panel	**PR2567RREF**	1	3572
		Total	$7471

The configurations shown at left are typical of those possible with President components. Many more configurations are possible to fit your installation.

Right configurations are shown; left units can easily be configured. ➤See appropriate pricing pages for model numbers.

To price a configuration, simply add the prices of the individual components together.

* Check the appropriate pricing page for the complete model number that includes the finish.

Typical Configurations

continued

Statement of Line ➤See page 262
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

Vertical Storage
Vertical storage units can be achieved by connecting a cornice frame, bookcase(s), credenza worksurface, component(s), and base.

Description	*Base Model**	*Qty*	*Price*
Cornice frame	**PR1574CPCF**	1	$789
Open bookcase	**PR3648BCO**	2	(ea) 1190
Credenza worksurface	**PR2475WSSW**	1	1040
Component lateral file	**PR2236LFM2**	2	(ea) 1782
Base	**PR2373CPB**	1	527
		Total	$8300

Description	*Base Model**	*Qty*	*Price*
Cornice frame with wood insert	**PR15110CPCFI**	1	$1574
Open bookcase	**PR3648BCO**	2	(ea) 1190
Bookcase with grille doors	**PR3648BCHM**	1	2009
Credenza worksurface	**PR24111WSSW**	1	1590
Component box/box/file	**PR2236PUBBF**	2	(ea) 1782
Component storage unit	**PR2236PUH**	1	1447
Base	**PR23109CPB**	1	1100
		Total	$13664

Description	*Base Model**	*Qty*	*Price*
Bookcase top	**PR1539CPTW**	1	$494
Open bookcase	**PR3648BCO**	1	1190
Bookcase base	**PR1537CPB**	1	249
		Total	$1933

Description	*Base Model**	*Qty*	*Price*
Bookcase top	**PR1575CPTW**	1	$744
Bookcase with grille doors	**PR3648BCHM**	2	(ea) 2009
Bookcase base	**PR1573CPB**	1	436
		Total	$5198

The configurations shown at left are typical of those possible with President components. Many more configurations are possible to fit your installation.

Right configurations are shown; left units can easily be configured. ➤See appropriate pricing pages for model numbers.

To price a configuration, simply add the prices of the individual components together.

*Check the appropriate pricing page for the complete model number that includes the finish.



Many vertical storage units can also be achieved by using different sizes of cornice frames, work-surfaces, and bases with different components and bookcases.

A variety of bookcases can also be achieved by using grille, glass, or wood door bookcases with a top and base.

Filing Capabilities

Statement of Line ➤See page 262
Typical Configurations 265
Locking Information 6

		Interior Dimensions			Standard Filing Capabilities	
Description	*Type*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Desks						
Double-pedestal desk,	Pencil	17"	15"	1½"	—	—
42 x 86, 42 x 78,	Box	17"	15"	3"	—	—
36 x 72 (with dictation slide)	File	25"	15"	9"	Legal	Legal, double letter, and EDP
	Center	17"	26⅜"	1½"	—	—
Double-pedestal desk,	Pencil	17"	12"	1½"	—	—
36 x 72 (without dictation slide),	Box	17"	12"	3"	—	—
30 x 66	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	26⅜"	1½"	—	—
Single-pedestal desk,	Pencil	17"	12"	1½"	—	—
42 x 78, 36 x 78, 36 x 72, 30 x 66	Box	17"	12"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
Note: Center drawer on 30 x 66 only.	Center	17"	18 1/16"	1½"	—	—
Executive Returns, 25 x 51	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenzas						
Single-pedestal credenza, 24 x 78	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenza, 24 x 78	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenza, 24 x 75	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Center	17"	30"	1½"	—	—
Modular File Unit, 22 x 36	Box	15"	32¼"	3"	—	—
	File	15"	32¼"	9"	Legal	Legal, letter, and EDP
Lateral Files	Lateral File	15"	32¼"	9"	Legal, letter, and EDP	Legal and letter
Pedestals, 22 x 18	Box	17"	14 7/16"	3"	—	—
	File	17"	14 7/16"	9"	—	Legal, letter, and EDP

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.
➤See the Perks Price List.

Paper Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞.

Pedestal Configurations:

Double-Pedestal Desk
- Two pencil/box/file: letter width on 66"W desks and 72"W desks without dictation slide; legal width on 72"W desks with dictation slide, 78"W desks, and 86"W desks.

Ext. Single-Pedestal Desk
- Pencil/box/file: letter width

Single-Pedestal Desk
- Pencil/box/file: letter width

Return
- Box/file (legal width) on 45"W return; pencil/box/file (legal width) on 51"W return; 36"W lateral file on 67"W return

Single-Pedestal Credenza
- File/file (legal width) or 36"W lateral file

Kneespace Credenza
- Two box/box/file: legal width

Storage Credenza
- Two box/box/file: legal width
- Center storage area behind two hinged doors; one adjustable shelf

Buffet Credenza
- Four box drawers
- Four hinged door storage sections, each with an adjustable shelf

Double-Pedestal Desks

Pricing

42"D

GSA SIN 711-8

Note: Illustration shows desk with molding option.

D	W	H	Kneespace	Approach Overhang	Arm Chair Clearance	Model	Price
Worksurface							
Wood							
42"	78"	1 3/16"	—	7 3/8"	24 1/2"	**PR4278WSSW**	$1553
42"	86"	1 3/16"	—	7 3/8"	24 1/2"	**PR4286WSSW**	1839
Burl							
42"	78"	1 3/16"	—	7 3/8"	24 1/2"	**PR4278WSSB**	$3951
42"	86"	1 3/16"	—	7 3/8"	24 1/2"	**PR4286WSSB**	4502
Leather Inlay							
42"	78"	1 3/16"	—	7 3/8"	24 1/2"	**PR4278WSSR**	$3173
42"	86"	1 3/16"	—	7 3/8"	24 1/2"	**PR4286WSSR**	3523
Chassis—Legal-Width Pedestals on Left and Right							
33"	69"	29 13/16"	31 7/8"	—	—	**PR3375DC**	$4215

IMPORTANT: Worksurface and chassis are specified separately for 42"W desks.

Illustration above shows desk with molding option.

Standard Includes

Worksurface

- Wood, burl, or leather inlay worksurface

Chassis

- Center drawer
- Two pencil/box/file pedestals (legal width): file drawer front styled as two box drawers
- Pull-out writing shelf
- Breakfront modesty panel
- Centra lock mechanism
- Filing hardware

How to Specify

Worksurface

❶ Model
② Left grommet (omit for burl):
G7AB = With grommet (+$57)
X = Without grommet
③ Right grommet (omit for burl):
G7AB = With grommet (+$57)
X = Without grommet
④ Leather designator (include for leather inlay worksurface only)
➤See page 381 for leather choices.
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Chassis

❶ Model
② Molding option:
M = With molding (+$272)
X = Without molding
③ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Double-Pedestal Desks

Pricing

30" and 36"D

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

D	W	H	Kneespace	Approach Overhang	Arm Chair Clearance	Model	Price
Legal-Width Pedestals on Left and Right, Dictation Slide on Approach Side							
With Wood Worksurface							
30"	66"	30¼"	31⅞"	1⅜"	24"	**PR3066DDFBW**	$4578
36"	72"	30¼"	31⅞"	1⅜"	24"	**PR3672DDFBSW**	$5508
With Burl Worksurface							
36"	72"	30¼"	31⅞"	1⅜"	24"	**PR3672DDFBSB**	$7409
With Leather Inlay Worksurface							
30"	66"	30¼"	31⅞"	1⅜"	24"	**PR3066DDFBR**	$5840
36"	72"	30¼"	31⅞"	1⅜"	24"	**PR3672DDFBSR**	$7074
Letter-Width Pedestal on Left and Right							
With Wood Worksurface							
36"	72"	30¼"	31⅞"	7⅜"	24"	**PR3672DDFBW**	$4695
With Burl Worksurface							
36"	72"	30¼"	31⅞"	7⅜"	24"	**PR3672DDFBB**	$6768
With Leather Inlay Worksurface							
36"	72"	30¼"	31⅞"	7⅜"	24"	**PR3672DDFBR**	$6260

Illustrations above show desk with molding option.

Standard Includes

- Wood, burl, or leather inlay worksurface
- Center drawer
- Two pencil/box/file pedestals: file drawer front styled as two box drawers
- Breakfront modesty panel
- Pull-out writing shelf
- Centra lock mechanism
- Filing hardware

How to Specify

❶ Model
② Molding option:
M = With molding (+$272)
X = Without molding
③ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Left grommet option (omit for burl worksurface):
G7AB = With grommet (+$57)
X = Without grommet
⑥ Right grommet option (omit for burl worksurface):
G7AB = With grommet (+$57)
X = Without grommet
⑦ Leather designator (include for leather inlay worksurface only)
➤See page 381 for leather choices.
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Table Desks

Pricing

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

D	W	H	Arm Chair Clearance	Model	Price
Cabriole Legs					
With Wood Worksurface					
36"	72"	30½"	24"	**PR3672DT2W**	$3970
With Laminate Worksurface					
36"	72"	30½"	24"	**PR3672DT2LW**	$3970
With Leather Inlay Worksurface					
36"	72"	30½"	24"	**PR3672DT2R**	$5533

Standard Includes

- Wood, laminate, or leather inlay worksurface
- Center drawer (non-locking)
- Ships ready-to-assemble

How to Specify

❶ Model
② Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
③ Leather designator (include for leather inlay worksurface only):
➤See page 381 for leather choices.
④ Finish price group:
STD = Group 1
⑤ Finish designator

Extended Single-Pedestal Desks

Pricing

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6



Note: Illustrations show desks with molding option.

D	*W*	*H*	*Depth on Pedestal End*	*Model*	*Price*
Pedestal on Right					
With Wood Worksurface					
42"	78"	30¼"	30"	**PR4278DERFW**	$5088
With Laminate Worksurface					
42"	78"	30¼"	30"	**PR4278DERFLW**	$5088
With Leather Inlay Worksurface					
42"	78"	30¼"	30"	**PR4278DERFR**	$6709
Pedestal on Left					
With Wood Worksurface					
42"	78"	30¼"	30"	**PR4278DELFW**	$5088
With Laminate Worksurface					
42"	78"	30¼"	30"	**PR4278DELFLW**	$5088
With Leather Inlay Worksurface					
42"	78"	30¼"	30"	**PR4278DELFR**	$6709

Critical Dimensions:



IMPORTANT: For use with executive returns or bridges.

Illustrations above show desk with molding option.

Standard Includes

- Wood, laminate, or leather inlay worksurface
- Pencil/box/file pedestal (letter width): file drawer front styled as two box drawers
- Breakfront modesty panel
- Pull-out writing shelf
- Centra™ lock mechanism
- Filing hardware

How to Specify

❶ Model
② Molding option:
M = With molding (+$272)
X = Without molding
③ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑥ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Leather designator (include for leather inlay worksurface only)
➤See page 381 for leather choices.
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Single-Pedestal Desks

Pricing

For Use with Executive Returns or Bridges

GSA SIN 711-8





D	W	H	Kneespace	Approach Overhang	Arm Chair Clearance	Model	Price
Pedestal on Right							
With Wood Worksurface							
36"	72"	30¼"	30"	7⅜"	28"	**PR3672DRFW**	$3899
36"	78"	30¼"	35⅞"	7⅝"	28"	**PR3678DRFW**	4797
With Laminate Worksurface							
36"	72"	30¼"	30"	7⅜"	28"	**PR3672DRFLW**	$3899
36"	78"	30¼"	35⅞"	7⅝"	28"	**PR3678DRFLW**	4797
With Leather Inlay Worksurface							
36"	72"	30¼"	30"	7⅜"	28"	**PR3672DRFR**	$5461
36"	78"	30¼"	35⅞"	7⅝"	28"	**PR3678DRFR**	6359
Pedestal on Left							
With Wood Worksurface							
36"	72"	30¼"	30"	7⅜"	28"	**PR3672DLFW**	$3899
36"	78"	30¼"	35⅞"	7⅝"	28"	**PR3678DLFW**	4797
With Laminate Worksurface							
36"	72"	30¼"	30"	7⅜"	28"	**PR3672DLFLW**	$3899
36"	78"	30¼"	35⅞"	7⅝"	28"	**PR3678DLFLW**	4797
Leather Inlay Worksurface							
36"	72"	30¼"	30"	7⅜"	28"	**PR3672DLFR**	$5461
36"	78"	30¼"	35⅞"	7⅝"	28"	**PR3678DLFR**	6359

Related Products:

Center Drawer with Wood Pencil Tray				
18¾"	31⅝"	4"	**PR1932CD**	$349

IMPORTANT: For use with executive returns or bridges.

Illustrations above show desk with molding option.

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

Standard Includes

- Wood, laminate, or leather inlay worksurface
- Pencil/box/file pedestal (letter width): file drawer front styled as two box drawers
- Breakfront modesty panel
- Pull-out writing shelf
- Centra™ lock mechanism
- Filing hardware

How to Specify

❶ Model
② Molding option:
M = With molding (+$272)
X = Without molding
③ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑥ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Leather designator (include for leather inlay worksurface only)
➤See page 381 for leather choices.
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Center Drawer
❶ Model
② Pull option (see above)
③ Finish designator

Executive Returns

Pricing

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6



D	*W*	*H*	*Kneespace*	*Model*	*Price*
Lateral File on Right					
25"	62⅞"	30¼"	25½"	**PR2567RREF**	$3572
Lateral File on Left					
25"	62⅞"	30¼"	25½"	**PR2567RLEF**	$3572
Pencil/Box/File Pedestal on Right					
25"	50⅞"	30¼"	30"	**PR2551RREF**	$2756
Pencil/Box/File Pedestal on Left					
25"	50⅞"	30¼"	30"	**PR2551RLEF**	$2756

Illustrations above show return with molding option.

Standard Includes

- Wood or laminate worksurface
- Two 36"W lateral file drawers (top drawer front styled as two box drawers) or pencil/box/file pedestal (legal width; file drawer front styled as two box drawers)
- Full modesty panel
- Lock
- Filing hardware

How to Specify

❶ Model
② Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$190)
X = Without molding
④ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Center grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Bridges

Pricing

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

D	W	H	Kneespace	Arm Chair Clearance	Model	Price
Hinged Modesty Panel						
25"	50⅞"	30¼"	48"	29"	**PR2551BEFH**	$2029
Partial Modesty Panel						
25"	50⅞"	11³⁄₁₆"	48"	29"	**PR2551BEQ**	$2029

IMPORTANT: Hinged modesty panel swings forward to allow access to wall power.

Standard Includes

- Wood or laminate worksurface
- Grommet on hinged modesty panel
- Ships ready-to-assemble.

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option (omit for partial modesty panel bridge):
M = With molding (+$125)
X = Without molding
④ Center grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Credenzas

Pricing

Single-Pedestal

GSA SIN 711-8





D	W	H	Arm Chair Clearance	Model	Price
Lateral File on Right					
23½"	78"	30¼"	29"	**PR2478CRF6**	$4861
Lateral File on Left					
23½"	78"	30¼"	29"	**PR2478CLF6**	$4861
File/File Pedestal on Right					
23½"	78"	30¼"	28"	**PR2478CRF2**	$3720
File/File Pedestal on Left					
23½"	78"	30¼"	28"	**PR2478CLF2**	$3720

IMPORTANT: For use with bridge only.

Illustrations above show credenzas with molding option.

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

Standard Includes

- Wood or laminate worksurface
- Two 36"W lateral file drawers (top drawer front styled as two box drawers) or pencil/box/file pedestal (legal width; file drawer front styled as two box drawers)
- Lock
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$141)
X = Without molding
④ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Center grommet option (omit for lateral file credenza):
G7AB = With grommet (+$57)
X = Without grommet
⑧ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

Credenzas

Pricing

Storage and Kneespace

† GSA SIN 711-9
†† GSA SIN 711-8



D	W	H	Kneespace	Armchair Clearance	Model	Price
Storage Credenza †						
23½"	74 13/16"	30¼"			**PR2475CSF**	$4379
23½"	78"	30¼"			**PR2478CSF**	$4425

Kneespace Credenza ††						
23½"	74 13/16"	30¼"	34¼"	28"	**PR2475CKF**	$3868

Related Products:



Center/Keyboard Drawer ††						
18½"	32 13/16"	4 13/16"			**PR1833CD**	$518

IMPORTANT: Center/keyboard drawer front folds down for keyboard access.

Kneespace credenza accepts keyboard drawer or trays only.

Illustrations above show credenza with molding option.

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

Standard Includes

- Cord management opening in top center of modesty panel
- Two pencil/box/file pedestals (legal)
- Centra™ lock mechanism
- Center storage with one adjustable shelf behind two hinged doors on storage credenza

How to Specify

Credenza

❶ Model
❷ Worksurface material:
W = Wood
③ Molding option
M = With molding (+$141)
X = Without molding
④ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Center grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑧ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

Center Drawer

❶ Model
② Pull option (see above)
③ Finish designator

Credenzas

Pricing

Buffet

GSA SIN 711-9



D	W	H	Model	Price
Buffet Credenza				
23½"	74 13/16"	35¼"	**PR2474CB**	$5254

Illustrations above show credenza with molding option.

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

Standard Includes

- Wood or laminate worksurface
- Four box drawers in upper section (non-locking)
- Four hinged door sections, each with an adjustable shelf (non-locking)

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$141)
X = Without molding
④ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
⑤ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑥ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Task/Reception Station

Pricing

GSA SIN 711-8
FSC-C010590 available

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6



D	W	H	Arm Chair Clearance	Model	Price
Right Return					
24¼"	41⅞"	42⁷⁄₁₆"	29"	**PR2442RTR**	$3801
Left Return					
24¼"	41⅞"	42⁷⁄₁₆"	29"	**PR2442RTL**	$3801
Corner Unit					
41⅞"	41⅞"	42⁷⁄₁₆"	29"	**PR4242CFT**	$3781
Transaction Shelf					
12"	86¾"	1³⁄₁₆"	—	**PR1287WSTS**	$1231

IMPORTANT: Components must be specified separately.

Illustrations above show station with molding option.

Standard Includes

Return
- Pencil/box/file pedestal (legal width): file drawer front styled as two box drawers
- Pull-out writing shelf
- Lock

Corner Unit
- Utility shelf
- Ships assembled (corner worksurface is removable)

How to Specify

❶ Model
❷ Worksurface material:
W = Wood **LW** = Laminate
③ Molding option (omit for transaction shelf):
M = With molding (+$217)
X = Without molding
④ Lock option (omit for corner unit and transaction shelf):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Pull option (omit for corner unit and transaction shelf):
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
⑥ Center grommet option (omit for transaction shelf):
G7AB = With grommet (+$57)
X = Without grommet
⑦ Finish price group:
STD = Group 1
FSCW = FSC-certified group 1 wood (+3%) ; not available on transaction shelf
⑧ Finish designator

Highback Organizers

Pricing

For Use on 75"W Credenzas

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Lighting 363



D	W	H	Worksurface Clearance	Model	Price
Grille Doors (shown)					
15½"	74"	50 11/16"	20 15/16"	**TD7451HBHM**	$4745
Glass Doors					
15½"	74"	50 11/16"	20 15/16"	**TD7451HBHG**	$4745
Wood Doors					
15½"	74"	50 11/16"	20 15/16"	**TD7451HBHW**	$4826

Related Products:

D	W	H	COM Yardage 66"W Non-Dir.	Model	COM	Panel Fabric Gr. A–E	Upholstery Fabric Gr. 1–3	Upholstery Fabric Gr. 4–6
Tackboards for Highback Organizer								
	66"	20"	2.5	**TB-2066**	$430	$490	$505	$600

IMPORTANT: For use on 75"W credenzas.

Panel fabric is turned 90° and applied railroad style to 62"W or wider tackboards. Upholstery fabric is turned 90° and applied railroad style to 50"W or wider tackboards.
➤See page 378 for panel fabric selection.
➤See page 382 for COM policy.
➤See Seating Price List for upholstery fabric selection; restrictions may apply. Contact Customer Service.

Standard Includes

- Storage area (13 3/8"D x 32 5/8"W x 24 3/4"H) behind four hinged doors (non-locking)
- One adjustable shelf in each compartment (11 7/8" clearance between shelves)
- Cord management grommet in back panel
- Unfinished back

How to Specify

Highback Organizers
❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Tackboards
❶ Model
② Upholstery grade
③ Upholstery number

Wall-Mounted Cabinets

Pricing

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Lighting 363



D	*W*	*H*	*Worksurface Clearance*	*Model*	*Price*
Grille Doors					
15½"	74"	29¾"	20 15/16"	**TD7430SOHM**	$3992
Glass Doors (shown)					
15½"	74"	29¾"	20 15/16"	**TD7430SOHG**	$3992
Wood Doors					
15½"	74"	29¾"	20 15/16"	**TD7430SOHW**	$4079

Standard Includes

- Storage area behind four hinged doors (non-locking)
- One adjustable shelf in each compartment (11 7/8" clearance between shelves)
- Hardware for attachment

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Lateral Files

Pricing

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

D	*W*	*H*	*Model*	*Price*
Two-Drawer Lateral File				
23½"	38⅞"	30¼"	**PR2439LFF2**	$2515
Four-Drawer Lateral File				
23½"	38⅞"	55⁷⁄₁₆"	**PR2439LFF4**	$4120

Standard Includes

- Centra™ lock mechanism
- Finished back

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Lectern and Wardrobe

Pricing

GSA SIN 711-9

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6



D	*W*	*H*	*Model*	*Price*
Lectern				
23 3/16"	24"	46 3/4"	**TD2347LC**	$3437
Wardrobe				
23 1/4"	38"	80 5/8"	**TD3680VHHW**	$6299

Standard Includes

Lectern
- Sloped presentation shelf
- One adjustable shelf
- Hinged doors (non-locking)

Wardrobe
- Shelf across top
- Coat rod, left
- Four shelves on right (two adjustable)
- Cornice top and base
- Unfinished back
- Decorative lock

How to Specify

❶ Model
② Pull option (omit for wardrobe):
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
③ Finish price group:
STD = Group 1
④ Finish designator

Mobile Utility Table

Pricing

GSA SIN 711-9

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

D	*W*	*H*	*Model*	*Price*
Mobile Utility Table				
25"	38⅞"	36½"	**TD2539MUT**	$3258

Standard Includes

- One adjustable shelf
- Two hinged doors (non-locking)
- Four dual wheel casters

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
④ Finish price group:
STD = Group 1
⑤ Finish designator

Component Storage

Pricing

For Use with Credenza Worksurface and Base

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

D	W	H	Model	Price
Lateral Files				
Two Lateral File Drawers				
22"	35⅞"	25³⁄₁₆"	**PR2236LFM2**	$1782
Two Wide Box Drawers and One Lateral File Drawer				
22"	35⅞"	25³⁄₁₆"	**PR2236PUBBF**	$1782
Four Lateral File Drawers				
22"	35⅞"	50⅞"	**PR2236LFM4**	$3476
Hinged-Door Storage				
22"	35⅞"	25³⁄₁₆"	**PR2236PUH**	$1447
Box/Box/File Pedestal				
22"	17¹⁵⁄₁₆"	25³⁄₁₆"	**PR2218PUBBF**	$1605
File/File Pedestal				
22"	17¹⁵⁄₁₆"	25³⁄₁₆"	**PR2218PUFF**	$1605

IMPORTANT: All component storage units require a credenza worksurface.

Standard Includes

Lateral Files & Pedestals

- Lock
- Unfinished back and open top
- Top drawer on two-drawer lateral file styled as two box drawers

Hinged-Door Storage

- One adjustable shelf behind two hinged doors (non-locking)
- Unfinished back and open top

How to Specify

❶ Model
② Pull option:
26AB = Antique Brass
26AB [leather designator] = leather wrapped (+$16 per pull)
➤See page 381 for leather choices.
③ Lock option (omit for hinged-door storage):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
⑤ Finish designator

Credenza Worksurfaces and Bases

Pricing

For Use with Component Storage

GSA SIN 711-8
FSC-C010590 available

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6

D	W	H	Model	Price
Credenza Worksurfaces				
For Use on Top of One Storage Component				
23½"	38⅞"	1³⁄₁₆"	**PR2439WSS**	$601
For Use on Top of Two Storage Components				
23½"	74¹³⁄₁₆"	1³⁄₁₆"	**PR2475WSS**	$1040
For Use on Top of Three Storage Components				
23½"	110¹¹⁄₁₆"	1³⁄₁₆"	**PR24111WSS**	$1590
Credenza Bases				
For Use Below of One Storage Component				
22⅝"	37¹⁄₁₆"	3⁵⁄₁₆"	**PR2337CPB**	$318
For Use Below of Two Storage Components				
22⅝"	73"	4¹³⁄₁₆"	**PR2373CPB**	$527
For Use Below of Three Storage Components				
22⅝"	108⅞"	3⁵⁄₁₆"	**PR23109CPB**	$1100

IMPORTANT: Bases are required for all component storage.

Grommets are not available on 39"W credenza worksurface.

Standard Includes

Credenza Worksurface

- Wood or laminate worksurface
- Flat back edge on worksurface and base

How to Specify

Credenza Worksurface

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Left grommet option (omit for 39"W worksurface):
G7AB = With grommet (+$57)
X = Without grommet
④ Center grommet option (omit for 39"W worksurface):
G7AB = With grommet (+$57)
X = Without grommet
⑤ Right grommet option (omit for 39"W worksurface):
G7AB = With grommet (+$57)
X = Without grommet
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Credenza Base

❶ Model
② Finish price group:
STD = Group 1
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Bookcases

Pricing

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6



"A" denotes adjustable shelves.







Bookcases have unfinished tops and require a bookcase top or cornice frame, specified separately.
➤See page 287.

Bookcase base, specified separately, is required to make 48"H and 70"H bookcases freestanding. 70"H bookcases are for floor application only.

D	*W*	*H*	*Model*	*Price*
70"H Bookcase (four shelves)				
14"	35⅞"	69 11/16"	**PR3670BCO**	$2556
48"H Bookcases (three shelves)				
Open				
14"	35⅞"	47⅜"	**PR3648BCO**	$1190
Grille Doors				
14"	35⅞"	47⅜"	**PR3648BCHM**	$2009
Beveled Glass Doors				
14"	35⅞"	47⅜"	**PR3648BCHG**	$2463
Wood Doors (Non-Figured Walnut)				
14"	35⅞"	47⅜"	**PR3648BCHW**	$2484

Standard Includes

- Unfinished top and back
- Lock on models with doors
- Adjustable shelves (adjust up or down 2")

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Cornice Frames, Tops, Bases, and Back Panels

Pricing

For Use with Bookcases

GSA SIN 711-8

Features ➤See page 264
Typical Configurations 265
Filing Capabilities 267
Locking Information 6



D	*W*	*H*	*Model*	*Price*
Cornice Frames				
For One Unit				
15 1/16"	38 1/8"	3 5/16"	**PR1538CPCF**	$557
For Two Units				
15 1/16"	74"	3 5/16"	**PR1574CPCF**	$789
For Two or Three Units (with Wood Insert Panel)				
15 1/16"	110"	3 5/16"	**PR15110CPCFI**	$1574
Bookcase Tops				
For One Unit				
15 1/2"	38 7/8"	1 3/16"	**PR1539CPT**	$494
For Two Units				
15 1/2"	74 13/16"	1 3/16"	**PR1575CPT**	$744
Bookcase Bases				
For One Unit				
14 9/16"	37"	3 5/16"	**PR1537CPB**	$249
For Two Units				
14 9/16"	73"	3 5/16"	**PR1573CPB**	$436
Bookcase Back Panel				
3/4"	35 7/8"	47 3/8"	**PR3648CPBP**	$1364

Bookcases have unfinished tops and require a bookcase top or cornice frame. Cornice frames are for use on top of bookcases that are set on a worksurface. Bookcase tops are for use on bookcases for freestanding applications only.

Bookcase back panel is for use between two bookcases and has a cord opening centered in bottom edge of back panel.

Standard Includes

- Frame, top, base, or back panel: wood

How to Specify

❶ Model
❷ Worksurface material (include for top only):
W = Wood
③ Finish price group:
STD = Group 1
④ Finish designator

Notes

SENATOR®

Traditional Casegoods

	➤See page
Statement of Line	290
Overview	292
Features	292
Typical Configurations	293
Filing Capabilities	295
Pricing	296
Double-Pedestal Desks	296
Table Desks	298
Extended Single-Ped Desks	299
Single-Pedestal Desks	300
Executive Returns	301
Bridges	303
Credenzas	304
Task/Reception Station	307
Highback Organizers	308
Wall-Mounted Cabinets	309
Lateral Files	310
Lectern & Wardrobe	311
Mobile Utility Table	312
Component Storage	313
Bookcases	315

Desks and Credenzas

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Double-Pedestal Desks
● = Breakfront modesty panel
■ = Flush modesty panel
➤See pages 296–297 to specify.

	60"W	66"W	72"W	78"W
30"W	■	■	■	
36"D			●	
42"D				●

Table Desks
➤See page 298 to specify.

	72"W
36"D	●

Extended Single-Pedestal Desks
Available in left and right models.
➤See page 299 to specify.

	72"W
42"D	●

Single-Pedestal Desks
Available in left and right models.
➤See page 300.

	66"W	72"W
30"D	●	
36"D		●

Executive Returns
Available in left and right models.
➤See pages 301–302.

	51"W	63"W
25"D	●	●

Bridges
● = Hinged modesty panel
■ = Partial modesty panel
➤See page 303 to specify.

	51"W
25"D	●■



Single-Pedestal Credenzas
Available in left and right models.
● = Lateral file
■ = File/file
➤See page 304 to specify.

	75"W
24"D	●■

Credenzas
● = Full storage
■ = Kneespace
▲ = Buffet
➤See pages 305–306 to specify.

	75"W
24"D	●■▲



Task/Reception Station
➤See page 307 to specify.

Traditional tables and occasional tables to coordinate with President casegoods are available.
➤See the Tables Price List.

Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Highback Organizers
● = Grille doors
■ = Glass doors
▲ = Wood doors
➤See page 308 to specify.

	74"W
16"D	●■▲



Wall-Mounted Cabinets
● = Grille doors
■ = Glass doors
▲ = Wood doors
➤See page 309 to specify.

	74"W
16"D	●■▲

Lateral Files
➤See page 310 to specify.

	30"H	55"H
39"W	●	●

Lectern
➤See page 311 to specify.

	47"H
24"W	●

Wardrobe
➤See page 282 to specify.

	81"H
24"W	●

Mobile Utility Table
➤See page 312 to specify.

	37"H
39"W	●



Component Storage
● = Lateral files
■ = Hinged-door storage
▲ = Box/box/file or file/file
➤See page 313 to specify.

	25"H	51"H
18"W	▲	
36"W	●■	●

Credenza Worksurfaces
➤See page 314 to specify.

	39"W	75"W	111"W
24"D	●		

Bookcases
○ = Open shelves
● = Grille doors
■ = Glass doors
▲ = Wood doors
➤See page 315 to specify.

	48"H	70"H
36"W	○●■▲	○



Cornice Frames, Tops, and Bases for Bookcases
For one, two, or three storage components.
➤See page 316 to specify.

Features

Overview

Statement of Line	➤See page 290
Typical Configurations	293
Filing Capabilities	295
Locking Information	6

Exterior surfaces are cherry (plain sliced, slip matched) or walnut (plain sliced, book matched) veneer. Veneers are carefully selected and matched to assure proper balance and consistency.

Rims are solid hardwood with precisely mitered corners.

Decorative molding is available as an option. Upcharge applies.

Leveling glides adjust for uneven floors.

Drawer fronts are ¾" thick 3-ply with vertically matched grain.



Tops are 1 3/16" thick, 3-ply balanced construction. Wood grain laminate is also available.

Base rails are solid hardwood for impact and wear resistance.

Writing shelf is standard on single- and double-pedestal desks with breakfront modesty panel.

Full height pedestals have one pencil drawer, one box drawer, and one file drawer. Hardwood corner post and panel construction is reinforced with tenon and groove joinery.

Drawer sides and back are ½" thick with veneer faces. Drawer bottoms are ¼" thick. 5-sided construction allows easy removal of drawer front. Dowel joint assembly is used for maximum strength. Interiors are sealed, sanded, and finished with a clear lacquer finish to protect against swelling, shrinking, or warping and to provide a smooth feel and appearance.

Center drawer is standard on double-pedestal, single-pedestal desks, and table desks. Bottom of drawer is lined with black leather.

Centra™ locking is featured on double- and single-pedestal desks, credenzas and lateral files to secure all drawers in the unit with a single lock. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.

Details

Breakfront modesty



Flush modesty

Modesty panel on double-pedestal desks are available with a breakfront or flush appearance.

Antique brass metal grommets are optional on all desks, returns, credenzas, and bridges.

Joints are securely fastened with screws, glue, and solid hardwood cleats to ensure maximum strength.

Drawer dividers are included in desks and credenzas for placement in any box drawer.

Full extension, progressive action drawer suspensions, with precision ball bearings on file drawers, provide a smooth, quiet operation. Box drawers have full extension slides with a positive stop action.

Heavy-duty filing hardware accommodates various filing requirements. ➤See page 267 for filing capabilities.

Related Products

Accessories, such as keyboard drawer, adjustable keyboard products, and visual boards available to add functionality to workspaces. ➤See the Perks Price List.

Features ➤See page 292
Filing Capabilities 295
Locking Information 6

Executive U
Executive U-configurations can be achieved by connecting a single-pedestal desk, a bridge, and a single-pedestal credenza.



Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**SN3672DLFW**	1	$4061
Bridge with full modesty panel	**SN2551BEFHW**	1	1452
Right pedestal credenza	**SN2475CRF6W**	1	3612
		Total	$9124



Executive U configurations can also be achieved by using a bridge with a partial modesty panel.

Executive L
Executive L-configurations can be achieved by connecting a single-pedestal desk and an executive return.

Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**SN3672DLFW**	1	$4061
Right executive return with full modesty panel	**SN2551RREFW**	1	2344
		Total	$6405



Description	*Base Model**	*Qty*	*Price*
Left pedestal desk	**SN3672DLFW**	1	$4061
Right executive return with full modesty panel	**SN2567RREFW**	1	3085
		Total	$7146

Executive L configurations can also be achieved by using an executive return with a partial modesty panel.

The configurations shown at left are typical of those possible with Senator components. Many more configurations are possible to fit your installation.

Right configurations are shown; left units can easily be configured. ➤See appropriate pricing pages for model numbers.

To price a configuration, simply add the prices of the individual components together.

* Check the appropriate pricing page for the complete model number that includes the finish.

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

Vertical Storage
Vertical storage units can be achieved by connecting a cornice frame, bookcase(s), credenza worksurface, and component storage.

Description	*Base Model**	*Qty*	*Price*
Cornice frame with wood insert	**SN15110CPCFI**	1	$1461
Open bookcase	**SN3648BCO**	1	1190
Bookcase with grille doors	**SN3648BCHM**	2	(ea) 2009
Credenza worksurface	**SN24111WSSW**	1	1518
Component lateral file	**SN2336LFM2**	2	(ea) 1691
Component storage unit	**SN2336PUH**	1	1428
		Total	$12997

Bookcases
Bookcases can be achieved by connecting a bookcase top, bookcase, and bookcase base.

Description	*Base Model**	*Qty*	*Price*
Bookcase top	**SN1539CPTW**	1	$482
Open bookcase	**SN3648BCO**	1	1190
Bookcase base	**SN1537CPB**	1	249
		Total	$1921



Description	*Base Model**	*Qty*	*Price*
Bookcase top	**SN1575CPTW**	1	$732
Bookcase with grille doors	**SN3648BCHM**	2	(ea) 2009
Bookcase base	**SN1573CPB**	1	418
		Total	$5168

The configurations shown at left are typical of those possible with Senator components. Many more configurations are possible to fit your installation.

Right configurations are shown; left units can easily be configured. ➤See appropriate pricing pages for model numbers.

To price a configuration, simply add the prices of the individual components together.

*Check the appropriate pricing page for the complete model number that includes the finish.



A variety of bookcases can also be achieved by using grille, glass, or wood door bookcases with a top and base.

Filing Capabilities

Features ➤See page 292
Typical Configurations 293
Locking Information 6

		Interior Dimensions			Standard Filing Capabilities	
Description	*Type*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Desks						
Double-pedestal desk ,	Pencil	17"	15"	1½"	—	—
42 x 78,	Box	17"	15"	3"	—	—
36 x 72 (with writing shelves)	File	25"	15"	9"	Legal	Legal, double letter, and EDP
	Center	17"	26⅜"	1½"	—	—
Double-pedestal desk,	Pencil	17"	12"	1½"	—	—
36 x 72 (without writing shelves),	Box	17"	12"	3"	—	—
30 x 66	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	26⅜"	1½"	—	—
Single-pedestal desk, 36 x 72	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Center	17"	18 1/16"	1½"	—	—
Single-pedestal desk, 30 x 66	Pencil	17"	12"	1½"	—	—
Double-pedestal desk, 30 x 60	Box	17"	12"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	18 1/16"	1½"	—	—
Returns						
Executive return, 25 x 51	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Executive return, 25 x 67	Lateral	15"	32¼"	9"	Legal, letter, and EDP	Legal, letter, and EDP
Credenzas						
Credenza, 24 x 75	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Lateral File, 23 x 36, 24 x 39	Lateral	15"	32¼"	9"	Legal, letter, and EDP	Legal and letter
Pedestals, 23 x 18	Box	17"	14 7/16"	3"	—	—
	File	17"	14 7/16"	9"	—	Legal, letter, and EDP

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.
➤See the Perks Price List.

Paper Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞.

Pedestal Configurations:

Double-Pedestal Desk
- Two pencil/box/file: letter width on 60"W desks, 66"W desks, and 72"W desk without writing shelf; legal width on 72"W desk with writing shelf and 78"W desks.

Extended Single-Pedestal Desk
- Pencil/box/file: letter width

Single-Pedestal Desk
- Pencil/box/file: letter width on 66"W desk; legal width on 72"W desk

Return
- Box/file (letter width) on 45"W return; pencil/box/file (legal width) on 51"W return; or 36"W lateral file on 67"W return

Single-Pedestal Credenza
- File/file (legal width) or 36"W lateral file

Kneespace Credenza
- Two pencil/box/file: legal width

Storage Credenza
- Two pencil/box/file: legal width
- Center storage area behind two hinged doors with one adjustable shelf

Buffet Credenza
- Four box drawers
- Four hinged door storage sections, each with an adjustable shelf

Double-Pedestal Desks

Pricing

With Breakfront Modesty Panel

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6





D	*W*	*H*	*Modesty Panel Kneespace*	*Approach Recess*	*Arm Chair Overhang*	*Clearance*	*Model*	*Price*
Pedestals Left and Right								
36"	72"	30¼"	31⅞"	6"	1"	24"	**SN3672DDFB**	$4323
42"	78"	30¼"	31⅞"	6"	7"	24"	**SN4278DDFB**	4805

Illustrations show desks with molding option.

Standard Includes

- Desk with wood or laminate worksurface
- Center drawer
- Pencil/box/file pedestals: legal width
- Pull-out writing shelf
- Centra™ lock mechanism
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$98)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Double-Pedestal Desks

Pricing

With Flush Modesty Panel

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6





D	*W*	*H*	*Kneespace*	*Approach Overhang*	*Arm Chair Clearance*	*Model*	*Price*
Pedestals Left and Right							
30"	60"	30¼"	25⅞"	⅞"	24"	**SN3060DDF**	$3441
30"	66"	30¼"	31⅞"	1⅞"	24"	**SN3066DDF**	3607
36"	72"	30¼"	31⅞"	7"	24"	**SN3672DDF** K	3730

Illustrations show desks with molding option.

Standard Includes

- Desk with wood or laminate worksurface
- Center drawer
- Pencil/box/file pedestals: letter width
- Centra™ lock mechanism
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$98)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

K = Kwik Office model available.

Table Desk

Pricing

GSA SIN 711-8

D	*W*	*H*	*Arm Chair Clearance*	*Model*	*Price*
Table Desk					
36"	72"	30½"	24"	**SN3672DT**	$2142

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

Standard Includes

- Wood or laminate worksurface
- Center drawer (non-locking)

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Pull option:
28AB = Antique Brass
④ Finish price group:
STD = Group 1
⑤ Finish designator

Extended Single-Pedestal Desks

Pricing

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6



Note: Illustrations show desks with molding option.

D	*W*	*H*	*Pedestal End Depth*	*Arm Chair Clearance*	*Model*	*Price*
Pedestal on Right						
42"	72"	30¼"	30"	28"	**SN4272DERF**	$4346
Pedestal on Left						
42"	72"	30¼"	30"	28"	**SN4272DELF**	$4346

Critical Dimensions:



Standard Includes

- Wood or laminate worksurface
- Pencil/box/file pedestal: letter width
- Centra™ lock mechanism
- Breakfront modesty panel
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$98)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Illustrations show desks with molding option.

For use with executive returns or bridges.

Single-Pedestal Desks

Pricing

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

D	W	H	Kneespace	Modesty Panel Recess	Approach Overhang	Arm Chair Clearance	Model	Price
Pedestal on Right								
With Flush Modesty Panel								
30"	66"	30¼"	24"	—	—	24"	**SN3066DRF**	$3240
With Breakfront Modesty Panel								
36"	72"	30¼"	27"	6	1	24"	**SN3672DRF**	$4061
Pedestal on Left								
With Flush Modesty Panel								
30"	66"	30¼"	24"	—	—	24"	**SN3066DLF**	$3240
With Breakfront Modesty Panel								
36"	72"	30¼"	27"	6	1	24"	**SN3672DLF**	$4061

Standard Includes

- Wood or laminate worksurface
- Center drawer
- Pencil/box/file pedestal: legal width on 72"W desk; letter width on 66"W desk
- Centra™ lock mechanism
- Pull-out writing shelf on 72"W desk
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$98)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Illustrations show desks with molding option.

For use with executive returns or bridges.

= Kwik Office model available.

Executive Returns

Pricing

With Lateral File Pedestal

GSA SIN 711-8





D	W	H	Kneespace	Arm Chair Clearance	Model	Price
Lateral File on Right						
With Full Modesty Panel						
25"	62⅞"	30¼"	25½"	29"	**SN2567RREF**	$3085
With Partial Modesty Panel						
25"	62⅞"	30¼"	25½"	29"	**SN2567RREQ**	$3085
Lateral File on Left						
With Full Modesty Panel						
25"	62⅞"	30¼"	25½"	29"	**SN2567RLEF**	$3085
With Partial Modesty Panel						
25"	62⅞"	30¼"	25½"	29"	**SN2567RLEQ**	$3085

Illustrations show returns with molding option.

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

Standard Includes

- Wood or laminate worksurface
- Two 36"W lateral file drawers
- Lock
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$76)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Center grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Executive Returns

Pricing

With Pencil/Box/File Pedestal

GSA SIN 711-8



D	*W*	*H*	*Kneespace*	*Arm Chair Clearance*	*Model*	*Price*
Pedestal on Right						
With Full Modesty Panel						
25"	50⅞"	30¼"	30"	29"	**SN2551RREF** K	$2344
With Partial Modesty Panel						
25"	50⅞"	30¼"	30"	29"	**SN2551RREQ**	$2344
Pedestal on Left						
With Full Modesty Panel						
25"	50⅞"	30¼"	30"	29"	**SN2551RLEF** K	$2344
With Partial Modesty Panel						
25"	50⅞"	30¼"	30"	29"	**SN2551RLEQ**	$2344

Illustrations show returns with molding option.

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

Standard Includes

- Wood or laminate worksurface
- Pencil/box/file pedestal: legal width
- Lock
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$76)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Center grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

K = Kwik Office model available.

Bridges

Pricing

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6



D	W	H	Kneespace	Arm Chair Clearance	Model	Price
Hinged Modesty Panel						
25"	50⅞"	30¼"	48⅞"	29"	**SN2551BEFH**	$1452
Partial Modesty Panel						
25"	50⅞"	11³⁄₁₆"	48⅞"	29"	**SN2551BEQ**	$1452

Illustrations show bridges with molding option.

Standard Includes

- Wood or laminate worksurface
- Hinged modesty panel with cord management grommet

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option
(omit for partial modesty bridge):
M = With molding (+$43)
X = Without molding
④ Center grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

= Kwik Office model available.

Credenzas

Pricing

Single-Pedestal

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6





D	W	H	Arm Chair Clearance	Model	Price
Single-Pedestal Credenza with Lateral File Pedestal					
Right					
23½"	74 13/16"	30¼"	29"	**SN2475CRF6** Kwik	$3612
Left					
23½"	74 13/16"	30¼"	29"	**SN2475CLF6** Kwik	$3612
Single-Pedestal Credenza with File/File Pedestal					
Right					
23½"	74 13/16"	30¼"	28"	**SN2475CRF2**	$3166
Left					
23½"	74 13/16"	30¼"	28"	**SN2475CLF2**	$3166

Standard Includes

- Wood or laminate worksurface
- Two 36"W lateral file drawers or file/file pedestal (legal width)
- Lock
- Filing hardware

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$87)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Center grommet option:
(omit for lateral file credenza)
G7AB = With grommet (+$57)
X = Without grommet
⑧ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

Illustrations show credenzas with molding option.

Kwik = Kwik Office model available.

Credenzas

Pricing

Storage and Kneespace

† GSA SIN 711-9
†† GSA SIN 711-8



Note: Illustrations show credenzas with molding option.

D	*W*	*H*	*Arm Chair Clearance*	*Model*	*Price*
Storage Credenza †					
23½"	74 13/16"	30¼"		**SN2475CSF** K	$3448
Kneespace Credenza ††					
23½"	74 13/16"	30¼"	28"	**SN2475CKF** K	$3329

Illustrations show credenzas with molding option.

Kneespace credenza accepts keyboard drawer or trays only.

Features	➤See page 292
Typical Configurations	293
Filing Capabilities	295
Locking Information	6

Standard Includes

- Wood or laminate worksurface
- Cord management opening in top center of modesty panel
- Two pencil/box/file pedestals: legal width
- Center storage with one adjustable shelf behind two hinged doors on storage credenza
- Centra™ lock mechanism

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$87)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Center grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑧ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑨ Finish price group:
STD = Standard (group 1)
⑩ Finish designator

K = Kwik Office model available.

Credenza

Buffet

Pricing

GSA SIN 711-9

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6



D	*W*	*H*	*Model*	*Price*
Buffet Credenza				
23½"	74 13/16"	35¼"	**SN2475CBL**	$4615

Illustrations show credenzas with molding option.

Standard Includes

- Wood or laminate worksurface
- Four box drawers in upper section (non-locking)
- Four hinged door sections, each with an adjustable shelf (non-locking)

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$87)
X = Without molding
④ Pull option:
28AB = Antique Brass
⑤ Left grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑥ Right grommet option:
G7AB = With grommet (+$57)
X = Without grommet
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Task/Reception Station

Pricing

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6



D	W	H	Arm Chair Clearance	Model	Price
Right Return					
24¼"	41⅞"	42⁷⁄₁₆"	29"	**SN2442RTR**	$3420
Left Return					
24¼"	41⅞"	42⁷⁄₁₆"	29"	**SN2442RTL**	$3420
Corner Unit					
41⅞"	41⅞"	42⁷⁄₁₆"	29"	**SN4242CFT**	$3397
Transaction Shelf					
12"	86¾"	1³⁄₁₆"	—	**SN1287WSTS**	$1171

IMPORTANT: Components must be specified separately.

Illustrations above show station with molding option.

Standard Includes

Return
- Wood or laminate worksurface
- Pencil/box/file pedestal: legal width
- Pull-out writing shelf
- Lock

Corner Unit
- Wood or laminate worksurface
- Utility shelf
- Ships assembled (corner worksurface is removable)

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Molding option:
M = With molding (+$87)
X = Without molding
④ Pull option (omit for corner unit and transaction shelf):
28AB = Antique Brass
⑤ Lock option (omit for corner unit and transaction shelf):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Center grommet option (omit for transaction shelf):
G7AB = With grommet (+$57)
X = Without grommet
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Highback Organizers

Pricing

For Use on 75"W Credenzas

GSA SIN 711-8
FSC-C010590 available



D	*W*	*H*	*Worksurface Clearance*	*Model*	*Price*
Grille Doors (shown)					
15½"	74"	50 11/16"	20 15/16"	**TD7451HBHM**	$4745
Glass Doors					
15½"	74"	50 11/16"	20 15/16"	**TD7451HBHG**	$4745
Wood Doors					
15½"	74"	50 11/16"	20 15/16"	**TD7451HBHW**	$4826

Related Products:

D	*W*	*H*	*COM Yardage 66"W Non-Dir.*	*Model*	*COM*	*Panel Fabric Gr. A–E*	*Upholstery Fabric Gr. 1–3*	*Upholstery Fabric Gr. 4–6*
Tackboards for Highback Organizer								
	66"	20"	2.5	**TB-2066**	$430	$490	$505	$600

IMPORTANT: For use on 75"W credenzas.

Panel fabric is turned 90° and applied railroad style to 62"W or wider tackboards. Upholstery fabric is turned 90° and applied railroad style to 50"W or wider tackboards.
➤See page 378 for panel fabric selection.
➤See page 382 for COM policy.
➤See Seating Price List for upholstery fabric selection; restrictions may apply. Contact Customer Service.

Features ➤See page 292
Typical Configurations 293
Lighting 363

Standard Includes

- Storage area (13 3/8"D x 32 5/8"W x 24 3/4"H) behind four hinged doors (non-locking)
- One adjustable shelf in each compartment (11 7/8" clearance between shelves)
- Cord management grommet in back panel
- Unfinished back

How to Specify

Highback Organizers
❶ Model
② Finish price group:
STD = Group 1
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Tackboards
❶ Model
② Upholstery grade
③ Upholstery number

Wall-Mounted Cabinets

Pricing

GSA SIN 711-8
FSC-C010590 available

Features ➤See page 292
Typical Configurations 293
Lighting 363



D	*W*	*H*	*Worksurface Clearance*	*Model*	*Price*
Grille Doors					
15½"	74"	29¾"	20¹⁵⁄₁₆"	**TD7430SOHM**	$3992
Glass Doors (shown)					
15½"	74"	29¾"	20¹⁵⁄₁₆"	**TD7430SOHG**	$3992
Wood Doors					
15½"	74"	29¾"	20¹⁵⁄₁₆"	**TD7430SOHW**	$4079

Standard Includes

- Storage area behind four hinged doors (non-locking)
- One adjustable shelf in each compartment (11⅞" clearance between shelves)
- Hardware for attachment

How to Specify

❶ Model
② Finish price group:
STD = Group 1
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Lateral Files

Pricing

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

D	*W*	*H*	*Model*	*Price*
Two-Drawer Lateral File				
23½"	38⅞"	30¼"	**SN2439LFF2**	$1963
Four-Drawer Lateral File				
23½"	38⅞"	55⁷⁄₁₆"	**SN2439LFF4**	$3473

Standard Includes

- Centra™ lock mechanism
- Finished back

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Pull option:
28AB = Antique Brass
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

= Kwik Office model available.

Lectern and Wardrobe

Pricing

GSA SIN 711-9

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6



D	*W*	*H*	*Model*	*Price*
Lectern				
23 3/16"	24"	46 3/4"	**TD2347LC**	$3437
Wardrobe				
23 1/4"	38"	80 5/8"	**TD3680VHHW**	$6299

Standard Includes

Lectern
- Sloped presentation shelf
- One adjustable shelf
- Hinged doors (non-locking)

Wardrobe
- Shelf across top
- Coat rod, left
- Four shelves on right (two adjustable)
- Cornice top and base
- Unfinished back
- Decorative lock

How to Specify

❶ Model
② Pull option (omit for wardrobe):
28AB = Antique Brass
26AB [leather designator] = leather-wrapped pulls (+$16 per pull)
➤See page 381 for leather choices.
③ Finish price group:
STD = Group 1
④ Finish designator

Mobile Utility Table

Pricing

GSA SIN 711-9

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

D	*W*	*H*	*Model*	*Price*
Mobile Utility Table				
25"	38⅞"	36½"	**TD2539MUT**	$3258

Standard Includes

- One adjustable shelf
- Two hinged doors (non-locking)
- Four dual wheel casters

How to Specify

❶ Model
② Worksurface material:
W = Wood
LW = Laminate
③ Pull option:
28AB = Antique Brass
④ Finish price group:
STD = Group 1
⑤ Finish designator

Mobile utility table may be used as a serving cart, projector stand, or TV/VCR cabinet.

Component Storage

Pricing

For Use with Credenza Worksurface

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

D	*W*	*H*	*Model*	*Price*
Two-Drawer Lateral Files				
22⅝"	35⅞"	29 1/16"	**SN2336LFM2**	$1691
Four-Drawer Lateral Files				
22⅝"	35⅞"	54¼"	**SN2336LFM4**	$3358
Hinged-Door Storage				
22⅝"	35⅞"	29 1/16"	**SN2336PUH**	$1428
Box/Box/File Pedestal				
23½"	18"	29 1/16"	**SN2318PUBBF**	$1524
File/File Pedestal				
23½"	18"	29 1/16"	**SN2318PUFF**	$1524

IMPORTANT: All component storage units require a credenza worksurface.

Standard Includes

Lateral Files & Pedestals
- Lock
- Unfinished back and open top

Hinged Door Storage
- One adjustable shelf behind two hinged doors (non-locking)
- Unfinished back and open top

How to Specify

❶ Model
② Pull option:
28AB = Antique Brass
③ Lock option (omit for hinged door storage):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
⑤ Finish designator

Credenza Worksurfaces

Pricing

For Use with Component Storage

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

D	*W*	*H*	*Model*	*Price*
For Use on Top of One Storage Component				
23½"	38⅞"	1 3/16"	**SN2439WSS**	$582
For Use on Top of Two Storage Components				
23½	74 13/16"	1 3/16"	**SN2474WSS**	$1026
For Use on Top of Three Storage Components				
23½	110 11/16"	1 3/16"	**SN24111WSS**	$1518

Standard Includes

- Wood or laminate worksurface
- Flat back edge

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate
③ Left grommet option (omit for 39"W worksurface):
G7AB = With grommet (+$57)
X = Without grommet
④ Center grommet option (omit for 39"W worksurface):
G7AB = With grommet (+$57)
X = Without grommet
⑤ Right grommet option (omit for 39"W worksurface):
G7AB = With grommet (+$57)
X = Without grommet
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Grommets are not available on 39"W credenza worksurface.

Bookcases

Pricing

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6



Note: "A" denotes adjustable shelves.

D	*W*	*H*	*Model*	*Price*
70"H Bookcase (four shelves)				
14"	35⅞"	69 11/16"	**SN3670BCO**	$2556



48"H Bookcases (three shelves)				
Open				
14"	35⅞"	47⅜"	**SN3648BCO** K	$1190



Grille Doors				
14"	35⅞"	47⅜"	**SN3648BCHM**	$2009



Beveled Glass Doors				
14"	35⅞"	47⅜"	**SN3648BCHG**	$2463

Wood Doors				
14"	35⅞"	47⅜"	**SN3648BCHW**	$2484

President bookcase back panel (PR3648CPBP) is available in Senator walnut finishes.

Standard Includes

- Unfinished top and back
- Lock on models with doors
- Adjustable shelves (adjust up or down 2")

IMPORTANT: Bookcases have unfinished tops and require a bookcase top or cornice frame, specified separately.

Bookcase base, specified separately, is required to make 48"H and 70"H bookcases freestanding. 70"H bookcases are for floor application only.
➤See page 316.

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

K = Kwik Office model available.

Cornice Frames, Tops, and Bases

Pricing

For Use with Bookcases

GSA SIN 711-8

Features ➤See page 292
Typical Configurations 293
Filing Capabilities 295
Locking Information 6

D	W	H	Model	Price
Cornice Frames				
For One Unit				
15 1/16"	38 1/8"	3 5/16"	**SN1538CPCF**	$494
For Two Units				
15 1/16"	74"	3 5/16"	**SN1574CPCF**	$781
For Two or Three Units (with Wood Insert Panel)				
15 1/16"	110"	3 5/16"	**SN15110CPCFI**	$1461
Bookcase Tops				
For One Unit				
15 1/2"	38 7/8"	1 3/16"	**SN1539CPT** K	$482
For Two Units				
15 1/2"	74 13/16"	1 3/16"	**SN1575CPT**	$732
For Three Units				
15 1/2"	110 11/16"	1 3/16"	**SN15111CPT**	$1394
Bookcase Base				
For One Unit				
14 5/8"	37"	3 5/16"	**SN1537CPB** K	$249
For Two Units				
14 5/8"	73"	3 5/16"	**SN1573CPB**	$418
For Three Units				
14 5/8"	108 7/8"	3 5/16"	**SN15109CPB**	$897

Bookcases have unfinished tops and require a bookcase top or cornice frame. Cornice frames are for use on top of bookcases that are set on a worksurface. Bookcase tops are for use on bookcases for freestanding applications only.

Bookcase back panel is for use between two bookcases and has a cord opening centered in bottom edge of back panel.

Standard Includes

- Frame, top, base, or back panel: wood

How to Specify

1. Model
2. Worksurface material (include for top only):
   W = Wood
3. Finish price group:
   STD = Group 1
4. Finish designator

K = Kwik Office model available.

TRANSCEND®

Transitional Casegoods

	➤See page
Statement of Line	318
Overview	321
Features	321
Technology Management	322
Application Guidelines	324
Integrating with Traxx & Tiles	324
Typical Configurations	325
Filing Capabilities	327
Pricing	328
Double-Pedestal Desks	328
Single-Pedestal Desks	329
U- and P-Shaped Desks	331
Executive Returns	332
Bridges	333
Credenzas	334
Lateral Files	337
Worksurfaces	338
Modesty & Support Panels	338
Undersurface Pedestals	341
Mobile Pedestals	343
Vertical Storage	344
Horizontal Organizers	349
Set-on-Surface Storage	350
Freestanding Bookcases	353
Lowback Organizers	354
Transaction Counters	354
Overhead Storage	355
Highback Organizers	357
Component Tops	359
Accessories	361
Tables	362

Built-Up Desks & Storage

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Double-Pedestal Desks
● = Arc worksurface
■ = Rectangular worksurface
➤See page 328 to specify.

	67"W	73"W
31"D	■	
37"D		●■
43"D		●



Single-Pedestal Desks
Available in left and right models.
● = Arc worksurface, ➤See page 329.
■ = Rectangular wks., ➤See page 330.

	67"W	73"W
31"D	■	
37"D		●■
43"D		●



U-Shaped Desks
Available in left and right models.
➤See page 331 to specify.

	72"W
36"D	●



P-Shaped Desks
Available in left and right models.
➤See page 331 to specify.

	72"W
36"D	●



Executive Returns
Available in left and right models.
➤See page 332 to specify.

	43"W	49"W
36"D	●	●



Bridges
➤See page 333 to specify.

	37"W	43"W	49"W
25"D	●	●	●



Storage Credenzas
➤See page 334 to specify.

	67"W	73"W
24"D	●	●



Kneespace Credenzas
➤See page 334 to specify.

	67"W	73"W
24"D	●	●



Single-Pedestal Credenzas
Available in left and right models.
● = Lateral file
■ = File/file
➤See pages 335–336 to specify.

	67"W	73"W
24"D	■	■●



Lateral Files
● = Two-drawer models
■ = Two-drawer models
➤See page 337 to specify.

	29"H	54"H
24"D	●	■

Components & Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

U-Shaped Worksurfaces
Available in left and right models.
➤See page 338 to specify.

	72"W
36"D	●



P-Shaped Worksurfaces
Available in left and right models.
➤See page 338 to specify.

	72"W
36"D	●

Credenza Worksurfaces
➤See page 339 to specify.

	37"W	73"W	85"W	97"W	109"W
24"D	●	●	●	●	●



Modesty Panels
➤See page 340 to specify.

	24"W	30"W	36"W	42"W	48"W
25"H	●	●	●	●	●



Undersurface Support Panels
➤See page 340 to specify.

	27"H
12"D	●



Undersurface and Mobile Pedestals
Available in a variety of storage configurations.
➤See page 341 for 18"W models.
➤See page 342 for 36"W models.
➤See page 343 for mobile models.

	18"W	36"W
24"D	●	●



Vertical Storage
Available in a variety of storage configurations.
➤See page 344 for 43"H models.
➤See pages 345–346 for 54"H models.
➤See pages 347–348 for 67"H models.

	18/19"W	36/37"W
24"D	●	●



Horizontal Organizers
➤See page 349 to specify.

	36"W	72"W
14"D	●	●



Set-on-Surface Bookcases
● = Open shelves
■ = Wood door(s)
▲ = Glass door(s)
➤See pages 350–351.

	18"W	36"W
15"D	●■▲	●■▲



Set-on-Surface Bookcase Organizers
■ = Wood door
▲ = Glass
➤See page 352 to specify.

	18"W
15"D	■▲

Storage and Accessories

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Freestanding Bookcases

➤See page 353 to specify.

	28"H	52"H	67"H
36"W	●	●	●



Lowback Organizer

➤See page 354 to specify.

	72/73"W
15"D	●



Transaction Counters

➤See page 354 to specify.

	73"W
15"D	●



Overhead Storage

● = Plain-sliced wood doors
■ = Diamond-matched wood doors
▲ = Glass doors

➤See page 355 for wall mount or suspended models.
➤See page 356 for Traxx mount models.

	36"W	54"W	66"W	72"W
15"D	●■▲	●■▲	●■▲	●■▲



Highback Organizers

● = Plain-sliced wood doors
■ = Diamond-matched wood doors
▲ = Glass doors

➤See page 357 to specify.

	36"W	54"W	66"W	72"W	108"W
15"D	●■▲	●■▲	●■▲	●■▲	●■▲



Tackboards

For use with highback organizers.

➤See page 358 to specify.

	28"W	34"W	52"W	58"W
15"D	●	●	●	●

	64"W	70"W	82"W	94"W
15"D	●	●	●	●

Component Tops

➤See page 359 for use on bookcases highback organizers, and overheads.
➤See page 360 for use vertical storage.

	Various
15"D	●
24"D	●



Accessories

Project trays, storage cubbies, and shelves for use with single-pedestal desks and credenzas are available.

See page 361 to specify.

Conference Table Top and Base

➤See page 362 to specify.

Occasional Tables

➤See page 362 to specify.

Features

Overview

Statement of Line ➤See page 318
Technology Management 322
Integrating with Traxx & Tiles 324
Typical Configurations 325

Exterior surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Hinged access doors for cable routing are located on the approach side of desks.

Face-mounted locks are standard on all desks, credenzas, returns, and undersurface pedestals. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.
➤See page 6 for lock information.

Pedestals are legal width on most models.

Drawer fronts are ¾" thick, 3-ply construction with vertically matched grain. 5-sided drawer construction allows easy removal of drawer fronts.

Worksurfaces are 1 3/16" thick, 3-ply balanced construction with a ½" wide solid wood rim.



Details

Joints are securely fastened with screws, glue, and solid hardwood cleats to ensure maximum strength.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long lasting, quiet, and smooth operation. Box drawer suspensions are ¾ extension. File and lateral file drawers are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.

Rims on adjoining worksurfaces (e.g., single-pedestal desk to a return) are miter cut to ensure a clean, flush fit.

Wood-door storage is available in plain-sliced or diamond-matched veneer on selected models.

Glass-door storage features a crisscross glass pattern. Glass is tempered.

Hinged modesty panels are standard on all bridges and returns for access to wall outlets.

Metal worksurface grommets are available factory installed; upcharge applies. Grommets are also available for field installation.

Rim Profiles:



GR Groove



RD Ridge

Door Patterns:

Plain-sliced Wood



Diamond-matched Wood



12 Crisscross Glass

Pull Options:



51 Camber



52 Bridge



53 Sweep



54 Sway



59 Funnel

Note: Funnel pull is standard on high-back organizers, bookcase organizers, and overhead storage doors only.

Pull and Grommet Finishes:

CM Carbon Metallic
MB Matte Black
SN Satin Nickel
Note: Specify option and finish together in one step. Example:
51MB = Camber pull, matte black

Technology Management

Features	➤See page 321
Integrating with Traxx & Tiles	324
Typical Configurations	325
Filing Capabilities	327

Modesty panels on bridges and returns are hinged for access to wall outlets.

Undersurface wire manager, specified separately, helps manage cords and cables below the worksurface.

Power outlet strip, specified separately, provides electrical below the worksurface.

Cord openings under worksurface are standard in kneespace of all assembled desks for routing cords and cables.

A structural panel separates the drawers from the cable routing compartment to prevent unwanted access to the drawer contents.



Optional, factory-installed pop-up power/data center provides connectivity directly on the worksurface; upcharge applies.

Optional, factory-installed grommets are available on desks, returns, bridges credenzas, and component worksurfaces; upcharge applies.
➤See next page for details and grommet locations.

Hinged access doors allow access to cable routing compartment. Both single- and double-pedestal desks feature two access doors, one on the left and one on the right on the approach side.

Opening below hinged access door allows cord to enter or exit the cable routing compartment on the approach side.

Modesty Panels:



Modesty panels on returns and bridges are recessed 3" from the back edge of the worksurface to create an area to store cords and cables. Recessed modesty panel allows the whole unit to be placed flush against the wall.



Hinged modesty panel on returns and bridges swing inward to allow easy access to all outlets.

Keyboard Kits:

Keyboard kits that comply to ANSI/HFES Method 2 are available.
➤See the Perks Price List.

Features	➤See page 321
Integrating with Traxx & Tiles	324
Typical Configurations	325
Filing Capabilities	327

Cord Opening Locations:



Double and single-pedestal desks, credenzas, and returns feature a cord opening on the kneespace side of each pedestal just below the worksurface.



24"D modular undersurface pedestals feature two cord openings (with black grommets); one in the back upper corner of each pedestal side panel.

Cable channel located along the top edge of the back panel allows cords to be routed horizontally through adjoining pedestals or dropped vertically anywhere along the cable channel.

Worksurface Grommets:



Metal worksurface grommets (G7) are available as a factory-installed option or separately for field installation; upcharge applies.

Dimensions shown at right are from center of grommet to edge of worksurface.
Note: If specifying a center location, be sure there is clearance under the grommet opening to avoid conflict with undersurface storage.



Arc Desks

Grommet to top of arc	13¼"
Grommet to side edge	5"



Rectangular Desks

Grommet to approach side	7¼"
Grommet to side edge	5"



Credenzas and Component Worksurfaces (freestanding)

Grommet to approach side	5"
Grommet to side edge	5"



Returns

Grommet to back edge	5"



Bridges

Grommet to back edge	5"



Corner Worksurfaces

Grommet to back edges	5"

Power/Data Centers:



Open



Closed

Pop-up power/data center is available factory installed in any standard grommet location; upcharge applies.

Standard features include:
- Anodized aluminum (MB matte black)
- Fluid, one-touch accessibility
- Two simplex power outlets
- Two blank voice/data ports
- Voice/data adapter kit to accept couplers and jacks
- 6' 15-amp power card
- 4 7/16"D x 8 5/16"W

Integrating with Traxx and Tiles

Features	➤See page 321
Technology Management	322
Typical Configurations	325
Filing Capabilities	327

Traxx can be mounted to most interior walls, including steel or wood stud walls, masonry block, or solid masonry walls.

Tiles mount between upper and lower Traxx to add functionality to the workspace.



Overhead storage can be mounted to upper Traxx.

Fabric and standard marker board tiles can be scribed in the field to meet individual requirements.

U- and P-shaped worksurfaces and bridges without modesty panels can be mounted to lower Traxx.
Note: Credenza worksurfaces (page 339) are not designed for Traxx applications.

Traxx Installation Heights:

Traxx should be installed at heights to correspond with the appropriate application.



Overhead Cabinets	66⅞"H
Worksurfaces	28½"H
Conferencing Solutions	78⅞"H

➤See the Systems Price List for Traxx and tiles planning and pricing information.

➤See the Systems Price List for worksurface brackets for Traxx supported worksurfaces.

Typical Configurations

Features	➤See page 321
Technology Management	322
Integrating with Traxx & Tiles	324
Filing Capabilities	327



Executive U

Description	*Base Model**	*Qty*	*Price*
43"D x 73"W single-pedestal desk with arc top (right)	**15K4373DRFAW1**	1	$3772
25"D x 48"W bridge with modesty	**15K2548BEFW**	1	1341
24"D x 72"W single-pedestal lateral file credenza (left)	**15K2472CLFW6**	1	3361
72"W lowback organizer	**15K7215LBSW**	1	2636
24"D x 43"H storage/lateral file	**15K3643VHSLW**	1	3568
		Total	$14678



Description	*Base Model**	*Qty*	*Price*
37"D x 73"W P-shaped desk with modesty panel (right)	**15K3773DPRFW**	1	$3673
25"D x 42"W bridge with modesty	**15K2542BEFW**	1	1288
24"D x 72"W single-pedestal file/file credenza (left)	**15K2472CLFW2**	1	2934
24"D x 36"W worksurface	**15K2436WSSW**	1	648
24"D x 36"W multi-file pedestal	**15K2436PUBBFLW**	1	2121
72"W highback organizer	**15K7238HBHW**	1	3238
18"W set-on-surface bookcase (left)	**15K1838BCHLW**	1	1665
18"W set-on-surface bookcase organizer (right)	**15K1838BCSHRW**	1	1705
Project trays	**15K1216T**	5	(each) 271
		Total	$18627



Description	*Base Model**	*Qty*	*Price*
37"D x 73"W U-shaped desk with modesty panel (left)	**15K3773DULFW**	1	$3305
25"D x 36"W bridge without modesty panel	**15K2536BEXW**	1	685
24"D x 73"W single-pedestal box/box/file credenza (right)	**15K2473CRFW1**	1	2946
96"W highback organizer	**15K9638HBHW**	1	4507
15"D x 97"W component top	**15K1597CPTW**	1	859
94"W x 16"H tackboard	**AC9416TBK**	1	459
		Total	$12761



L Configuration

Description	*Base Model**	*Qty*	*Price*
37"D x 73"W single-pedestal desk (right)	**15K3773DRFW1**	1	$3451
24"D x 43"W file/file return (left)	**15K2543RLEFW2**	1	2321
15"D x 73"W transaction counter	**15K7315TCW**	1	1834
24"D x 54"H vertical storage/wardrobe	**15K3654VWSFW**	1	3967
24"D x 54"H 4-drawer lateral file	**15K2436LFF4W**	2	(each) 3599
		Total	$18771

The configurations shown at left are typical of those possible with Transcend components. Many more configurations are possible to fit your installation.

Right configurations are shown; left units can easily be configured. ➤See appropriate pricing pages for model numbers.

To price a configuration, simply add the prices of the individual components together.

* Check the appropriate pricing page for the complete model number that includes the finish.

continued

Features ➤See page 321
Technology Management 322
Integrating with Traxx & Tiles 324
Filing Capabilities 327



Wall Units

Description	*Base Model**	*Qty*	*Price*
37"D x 73"W double-pedestal desk	**15K3773DDFW8**	1	$3655
24"D x 109"W worksurface	**15K24109WSSW**	1	1135
24"D x 36"W multi-file pedestal	**15K2436PUBBFLW**	1	2121
24"D x 36"W hinged-door storage	**15K2436PUHW**	1	1814
36"W modesty panel	**15K3625MPW**	1	521
72"W highback organizer	**15K7238HBHW**	1	3238
18"W set-on-surface bookcase organizer (left)	**15K1838BCSHLW**	1	1705
18"W set-on-surface bookcase organizer (right)	**15K1838BCSHRW**	1	1705
109"W component top	**15K15109CPTW**	1	1043
		Total	$16936



Description	*Base Model**	*Qty*	*Price*
43"D x 73"W arc-top double-pedestal desk	**15K4373DDFAW8**	1	$4402
24"D x 72"W kneespace credenza	**15K2472CKFW8**	1	3409
72"W overhead cabinet (suspended)	**15K7218SOHW**	1	2962
24"D x 36"W vertical storage/lateral file	**15K3668VHF2W**	1	4409
24"D x 36"W vertical storage/wardrobe	**15K3668VHHW**	1	4087
		Total	$19269



Description	*Base Model**	*Qty*	*Price*
36"D x 72"W arc double-pedestal desk	**15K3773DDFAW8**	1	$4163
24"D x 72"W storage credenza	**15K2472CSFW8**	1	3726
36"W set-on open bookcases	**15K3638BCOW**	2	(each) 1319
24"D x 18"W storage wardrobe (right)	**15K1868VWHRW**	1	2971
24"D x 18"W storage wardrobe (left)	**15K1868VWHLW**	1	2971
72"W component top	**15K1572CPTW**	1	656
18"W component top	**15K2418CPTW**	2	(each) 587
		Total	$18299

The configurations shown at left are typical of those possible with Transcend components. Many more configurations are possible to fit your installation.

Right configurations are shown; left units can easily be configured. ➤See appropriate pricing pages for model numbers.

To price a configuration, simply add the prices of the individual components together.

* Check the appropriate pricing page for the complete model number that includes the finish.

Filing Capabilities

Features ➤See page 321
Technology Management 322
Integrating with Traxx & Tiles 324
Typical Configurations 325

		Interior Dimensions			Standard Filing Capabilities	
Description	*Type*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Desks						
Double-pedestal desks:	Box	17"	14½"	3"	—	—
43x73 (Arc Top), 37x73 (Rect. Top)	File	25"	15"	9"	Legal	Legal, double letter, and EDP
Double-pedestal desks:	Box	17"	14½"	3"	—	—
37x73 (Arc Top), 31x67 (Rect. Top)	File	17"	15"	9"	Legal	Legal, letter, and EDP
Single-pedestal desks: 48x73 &	Box	17"	14½"	3"	—	—
43x73 (Arc Top), 37x73 (Rect. Top)	File	25"	15"	9"	Legal	Legal, double letter, and EDP
Single-pedestal desks:	Box	17"	14½"	3"	—	—
37x73 (Arc Top) & all extended tops	File	17"	15"	9"	Legal	Legal, letter, and EDP
Single-pedestal desks:	Box	17"	11½"	3"	—	—
31x67 (Rect. Top)	File	17"	12"	9"	Letter	Legal, letter, and EDP
Returns						
25x49, 25x43	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenzas						
Storage and Kneespace	Box	17"	14½"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Single-pedestal credenzas:	Box	17"	14½"	3"	—	—
24x72, 24x73	File	17"	15"	9"	Legal	Legal, letter, and EDP
Single-pedestal credenzas:	Box	17"	11½"	3"	—	—
24x66, 24x67	File	17"	12"	9"	Letter	Legal, letter, and EDP
Lateral Files	Lateral	15"	32⅜"	9"	Legal, letter, and EDP	Legal, letter, and EDP
Undersurface Pedestals	Box	17"	14½"	3"	—	—
Component & mobile	File	17"	15"	9"	Legal	Legal, letter, and EDP
Center Drawers						
22 x 36		17"	32⅜"	1½"	—	—
22 x 30		17"	26⅜"	1½"	—	—
22 x 18		17"	14½"	1½"	—	—

Paper Reference:
- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞.

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.
➤See the Perks Price List.

Double-Pedestal Desks

Pricing

GSA SIN 711-8
FSC-C010590 available



D	W	H	End Depth	Kneespace Width	Kneespace Height	Approach Overhang	Model	Price
Arc Top								
36¾"	72⅞"	28⅞"	30"	36"	27¾"	6"	**15K3773DDFA**	$4163
42¾"	72⅞"	28⅞"	36"	36"	27¾"	6"	**15K4373DDFA**	4402



D	W	H	End Depth	Kneespace Width	Kneespace Height	Approach Overhang	Model	Price
Rectangular Top								
30¾"	66¾"	28⅞"	30"	30"	27¾"	—	**15K3167DDF**	$3525
36¾"	72⅞"	28⅞"	36"	36"	27¾"	—	**15K3773DDF**	3655

Related Products:



D	W	H	Model	Description	Price
Center Drawers					
21¾ "	29¾"	2¼"	**AC2230CD**	For use with 66¾"W desk	$328
21¾"	35¾"	2¼"	**AC2236CD**	For use with 72⅞"W desk	367

Standard Includes

- Two pedestals: legal width
- One lock per pedestal
- Breakfront modesty panel
- Two hinged access doors
- Cord opening in kneespace side of each pedestal, just below the worksurface

How to Specify

Desk

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
❸ Pedestal option:
1 = BBF/BBF **2** = FF/FF
8 = BBF/FF **9** = FF/BBF
④ Rim profile:
GR = Groove **RD** = Ridge
⑤ Pull option: ➤See page 321.
⑥ Lock option:
KRB = Key random
KSB = Key specific (-$44); specify two lock core separately
⑦ Left technology mgmt option:
G7CM = Grommet, carbon metallic (+$57)
G7MB = Grommet, matte black (+$57)
G7SN = Grommet, satin nickel (+$57)
PC2MB = Power/data center, matte black (+$336)
X = None
⑧ Right technology mgmt option:
➤See step ⑦ for designators.
⑨ Worksurface finish price group:
STD = 1 **STD2** = 2 (+20%)
⑩ Worksurface finish designator
⑪ Rim finish price group (omit for wood worksurface):
STD = 1 **STD2** = 2 (+20%)
⑫ Rim finish designator (omit for wood worksurface)

Center Drawer

❶ Model
② Finish price group:
STD = 1 **STD2** = 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Single-Pedestal Desks

Pricing

Arc Top

GSA SIN 711-8
FSC-C010590 available



D	W	H	End Depth	Kneespace Width	Kneespace Height	Approach Overhang	Model	Price
Pedestal on Right								
36¾"	72⅞"	28⅞"	30"	54"	27¾"	6"	**15K3773DRFA**	$3529
42¾"	72⅞"	28⅞"	36"	54"	27¾"	6"	**15K4373DRFA**	3772



D	W	H	End Depth	Kneespace Width	Kneespace Height	Approach Overhang	Model	Price
Pedestal on Left								
36¾"	72⅞"	28⅞"	30"	54"	27¾"	6"	**15K3773DLFA**	$3529
42¾"	72⅞"	28⅞"	36"	54"	27¾"	6"	**15K4373DLFA**	3772

Related Products:



D	W	H	Model	Description	Price
Center Drawer					
21¾"	29¾"	21¼"	**AC2230CD**	For use with 72⅞"W desk	$328

Undersurface Storage Shelves for Non-Pedestal Side of Desk
➤See page 361.

Standard Includes

- One pedestal: legal width
- One lock per pedestal
- Breakfront modesty panel
- Two hinged access doors
- Cord opening in kneespace side of each pedestal, just below the worksurface.

How to Specify

Desk

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
❸ Pedestal option:
1 = BBF **2** = FF
④ Rim profile:
GR = Groove **RD** = Ridge
⑤ Pull option:
➤See page 321 for designators.
⑥ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑦ Left technology mgmt option:
G7CM = Grommet, carbon metallic (+$57)
G7MB = Grommet, matte black (+$57)
G7SN = Grommet, satin nickel (+$57)
PC2MB = Power/data center, matte black (+$336)
X = None
⑧ Right technology mgmt option:
➤See step ⑦ for designators.
⑨ Worksurface finish price group:
STD = 1 **STD2** = 2 (+20%)
⑩ Worksurface finish designator
⑪ Rim finish price group (omit for wood worksurface):
STD = 1 **STD2** = 2 (+20%)
⑫ Rim finish designator (omit for wood worksurface)

Center Drawer

❶ Model
② Finish price group:
STD = 1 **STD2** = 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Bridges

Pricing

GSA SIN 711-8

Features	➤See page 321
Typical Configurations	325
Filing Capabilities	327
Locking Information	6



D	W	H	Kneespace Width	Kneespace Height	Model	Price
Without Modesty Panel						
24⅝"	36 7/16"	1 3/16"	36 7/16"	27¾"	**15K2536BEX**	$685
24⅝"	42 7/16"	1 3/16"	42 7/16"	27¾"	**15K2542BEX**	719
24⅝"	48 7/16"	1 3/16"	48 7/16"	27¾"	**15K2548BEX**	749
With Modesty Panel						
24⅝"	36 7/16"	28⅞"	36 7/16"	27¾"	**15K2536BEF**	$1188
24⅝"	42 7/16"	28⅞"	42 7/16"	27¾"	**15K2542BEF**	1288
24⅝"	48 7/16"	28⅞"	48 7/16"	27¾"	**15K2548BEF**	1341

Standard Includes

- Worksurface (grain direction runs front-to-back)
- Hinged modesty panel (recessed) on bridge with modesty panel; ships ready to assemble

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
③ Rim profile:
GR = Groove
RD = Ridge
④ Center technology mgmt option:
G7CM = Grommet, carbon metallic (+$57)
G7MB = Grommet, matte black (+$57)
G7SN = Grommet, satin nickel (+$57)
PC2MB = Power/data center, matte black (+$336)
X = None
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for wood worksurface)

Bridges are for use with single-pedestal desks, U-shaped desks, P-shaped desks, and corner units.

Storage and Kneespace Credenzas

Pricing

† GSA SIN 711-9
†† GSA SIN 711-8





D	W	H	Kneespace Width	Kneespace Height	Model	Price
Storage Credenzas †						
For Freestanding Applications						
24⅛"	66⅞"	28⅞"	—	—	**15K2467CSF**	$3550
24⅛"	72⅞"	28⅞"	—	—	**15K2473CSF**	3738
For Side-by-Side Ganging Applications						
24⅛"	65⅞"	28⅞"	—	—	**15K2466CSF**	$3537
24⅛"	71⅞"	28⅞"	—	—	**15K2472CSF**	3726
Kneespace Credenzas ††						
For Freestanding Applications						
24⅛"	66⅞"	28⅞"	30"	27¾"	**15K2467CKF**	$3157
24⅛"	72⅞"	28⅞"	36"	27¾"	**15K2473CKF**	3427
For Side-by-Side Ganging Applications						
24⅛"	65⅞"	28⅞"	30"	27¾"	**15K2466CKF**	$3182
24⅛"	71⅞"	28⅞"	36"	27¾"	**15K2472CKF**	3409

Freestanding models have a rim and base rail that overhang ½" on three sides (front and both ends); ganging models overhang ½" on the front edge only.

Standard Includes

- Two pedestals: legal width
- One lock per pedestal
- Finished back
- Center section on storage model: two hinged doors, one adjustable shelf, and lock

How to Specify

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
❸ Pedestal option:
1 = BBF/BBF **2** = FF/FF
8 = BBF/FF **9** = FF/BBF
④ Rim profile:
GR = Groove **RD** = Ridge
⑤ Pull option:
➤See page 321.
⑥ Lock option:
KRB = Key random
KSB = Key specific (-$22 per lock); specify lock cores separately
⑦ Left technology mgmt option:
G7CM = Grommet, carbon metallic (+$57)
G7MB = Grommet, matte black (+$57)
G7SN = Grommet, satin nickel (+$57)
PC2MB = Power/data center, matte black (+$336)
X = None
⑧ Center technology mgmt option:
➤See step ⑦ for designators.
⑨ Right technology mgmt option:
➤See step ⑦ for designators.
⑩ Worksurface finish price group:
STD = 1 **STD2** = 2 (+20%)
⑪ Worksurface finish designator
⑫ Rim finish price group (omit for wood worksurface):
STD = 1 **STD2** = 2 (+20%)
⑬ Rim finish designator (omit for wood worksurface)

Lateral Files

Pricing

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

D	W	H	Model	Price
Two Drawers				
For Freestanding Applications				
24⅛"	36⅞"	28⅞"	**15K2437LFF2**	$2165
Four Drawers" 9E				

Freestanding models have a rim and base rail that overhang ½" on three sides (front and both ends); ganging models overhang ½" on the front edge only.
➤See page 342 for undersurface two-drawer lateral file pedestal that can be combined with a credenza worksurface for use in ganging applications.

Standard Includes

- Lock
- Interlock mechanism (allows only one drawer to be open at a time)
- Finished back
- Reinforced drawer bottoms

How to Specify

❶ Model
❷ Top material:
W = Wood
LW = Laminate with wood rim
③ Rim profile:
GR = Groove
RD = Ridge
④ Pull option:
➤See page 321 for designators.
⑤ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑥ Top finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Top finish designator
⑧ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for wood worksurface)

Undersurface Pedestals

Pricing

18"W

GSA SIN 711-8

D	*W*	*H*	*Model*	*Price*
Box/Box/File Pedestal				
24⅛"	18"	27¾"	**15K2418PUBBFW**	$1600
File/File Pedestal				
24⅛"	18"	27¾"	**15K2418PUFFW**	$1568
Printer Pedestal				
24⅛"	18"	27¾"	**15K2418PUPSLW**	$1557

Credenza worksurface must be specified separately.

Cable channel located along the top edge of the back panel allows cords to be routed horizontally through adjoining undersurface pedestals.

Interior clearance dimensions for printer pedestal are 21"D x 16⁷⁄₁₆"W x 20⅜".

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

Standard Includes

- Lock
- Finished back
- Open top
- Two cord openings with black grommets; one in the back upper corner of each side panel
- Horizontal cable manager
- One adjustable shelf at top and pull-out shelf at bottom of printer pedestal
- Base rail on front side only

How to Specify

1. Model
2. Pull option (omit for printer pedestal):
   ➤See page 321 for designators.
3. Lock option (omit for printer pedestal):
   KRB = Key random
   KSB = Key specific (-$22); specify lock core separately
4. Finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
5. Finish designator

(FSC) = FSC-certified wood option available.
➤See page 5 for more info.

Undersurface Pedestals

Pricing

36"W

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6





D	*W*	*H*	*Model*	*Price*
Multi-File Storage				
24⅛"	35¹⁵⁄₁₆"	27¾"	**15K2436PUBBFLW**	$2121
Multi-Storage with Wood Door				
24⅛"	35¹⁵⁄₁₆"	27¾"	**15K2436PUHSLW**	$2073
Two-Drawer Lateral File				
24⅛"	35¹⁵⁄₁₆"	27¾"	**15K2436LFM2W**	$1932
Hinged-Door Storage				
24⅛"	35¹⁵⁄₁₆"	27¾"	**15K2436PUHW**	$1814

Standard Includes

- Lock
- FInished back
- Open top
- Two cord openings with black grommets; one in the back upper corner of each side panel
- Horizontal cable manager
- Base rail on front side only
- Two adjustable shelves in open compartment on applicable models
- Reinforced bottom in lateral file drawer

How to Specify

❶ Model
② Pull option:
➤See page 321 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator

Modular credenza worksurface must be specified separately.

Cable channel located along the top edge of the back panel allows cords to be routed horizontally through adjoining undersurface pedestals.

Lock in multi-file storage locks both the lateral file drawer and the file drawer. Box drawers are non-locking.

(FSC) = FSC-certified wood option available.
➤See page 5 for more info.

Mobile Pedestals

Pricing

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

D	W	H	Model	Fabric Price Grade 1	2	3	4	5	6	7
Mobile Box/File with Cushion Top										
23¼"	18⅛"	22⅞"	**15K2418PMBFCW**	$1910	$1925	$1935	$1944	$1958	$1972	$1987

D	W	H	Model	Price
Mobile Pedestal				
23¼"	18⅛"	26"	**15K2418PMPBFW**	$1803

Standard Includes

- Lock
- FInished back
- Four dual-wheel casters
- Anti-tip device in bottom file drawer
- Base rail on front side
- Upholstered cushion top on applicable model: upholstery fabric (except Leather)
  ➤See the Seating Price List for fabric selection.
  COM yardage = 0.50 yard

How to Specify

❶ Model
② Pull option:
➤See page 321 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator
⑥ Upholstery grade (include for cushion top pedestal only)
⑦ Upholstery designator (include for cushion top pedestal only)

Vertical Storage

Pricing

43"H

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6






D	W	H	Model	Price
Multi-Storage with Wood Door				
For Freestanding Applications				
24⅛"	37"	42⅞"	**15K3743VHSLW**	$3586
For Side-by-Side Ganging Applications				
24⅛"	36"	42⅞"	**15K3643VHSLW**	$3568
Multi-Storage with Glass Door				
For Freestanding Applications				
24⅛"	37"	42⅞"	**15K3743VHSLGW**	$3918
For Side-by-Side Ganging Applications				
24⅛"	36"	42⅞"	**15K3643VHSLGW**	$3899

Standard Includes

- Lock in lateral file drawer
- FInished back
- Finished top with rim profile
- Reinforced bottoms in lateral file drawers
- One adjustable shelf behind door
- Two adjustable shelves in open compartment

How to Specify

❶ Model
② Rim profile:
GR = Groove
RD = Ridge
③ Pull option:
➤See page 321 for designators.
④ Glass option (omit for wood doors):
12 = Crisscross
⑤ Lock option:
KRB = Locking drawer and door, key random (+$59)
KSB = Locking drawer and door, key specific (+$15)
XKRB = Locking drawer, key random (non-locking door)
XKSB = Locking drawer, key specific (non-locking door) (-$22)
⑥ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Finish designator

Freestanding models have a rim and base rail that overhang ½" on three sides (front and both ends); ganging models overhang ½" on the front edge only.

Vertical Storage

Pricing

54"H

GSA SIN 711-8





D	W	H	Model	Price
Storage/Wardrobe				
For Freestanding Applications				
24⅛"	37"	54⅛"	**15K3754VWSFW**	$3983
For Side-by-Side Ganging Applications				
24⅛"	36"	54⅛"	**15K3654VWSFW**	$3967

Freestanding models have a rim and base rail that overhang ½" on three sides (front and both ends); ganging models overhang ½" on the front edge only.

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

Standard Includes

- Two file drawers
- Wood door
- Lock in file drawer (locks both file drawers)
- FInished back
- Finished top with rim profile
- Coat rod and one adjustable shelf behind door (30"H clearance for coat)
- One adjustable shelf in open compartment

How to Specify

❶ Model
② Rim profile:
GR = Groove
RD = Ridge
③ Pull option:
➤See page 321 for designators.
④ Lock option:
KRB = Locking drawers and door, key random (+$59)
KSB = Locking drawers and door, key specific (+$15); specify two lock cores separately
XKRB = Locking drawers, key random (non-locking door)
XKSB = Locking drawers, key specific (non-locking door) (-$22); specify lock core separately
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

Vertical Storage

54"H, continued

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6





D	*W*	*H*	*Model*	*Price*
Vertical File with Open Storage Compartment				
For Freestanding Applications				
24⅛"	19"	54⅛"	**15K1954VSF3W**	$2808
For Side-by-Side Ganging Applications				
24⅛"	18"	54⅛"	**15K1854VSF3W**	$2789

Freestanding models have a rim and base rail that overhang ½" on three sides (front and both ends); ganging models overhang ½" on the front edge only.

Standard Includes

- Lock
- Three file drawers
- FInished back
- Finished top with rim profile
- Interlock mechanism (allows only one drawer to be open at a time)

How to Specify

❶ Model
② Rim profile:
GR = Groove
RD = Ridge
③ Pull option:
➤See page 321 for designators.
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

Vertical Storage

Pricing

67"H

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6



D	W	H	Model	Price
Shelf Storage/Lateral File				
24⅛"	36"	67"	**15K3668VHF2W**	$4409

Standard Includes

- Lock in lateral file
- Unfinished back
- Finished top
- Base rail on front side only
- Two adjustable shelves
- Two lateral file drawers with reinforced drawer bottoms
- Interlock mechanism (allows only one drawer to be open at a time)

How to Specify

❶ Model
② Pull option:
➤See page 321 for designators.
③ Lock option:
KRB = Locking drawers and door, key random (+$59)
KSB = Locking drawers and door, key specific (+$15); specify two lock cores separately
XKRB = Locking drawers, key random (non-locking door)
XKSB = Locking drawers, key specific (non-locking door) (-$22); specify lock core separately
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 360.

For use in freestanding or ganging applications.

Vertical Storage

Pricing

67"H, continued

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6





D	*W*	*H*	*Model*	*Price*
Double-Door Storage/Wardrobe				
24⅛"	36"	67"	**15K3668VHHW**	$4087
Single-Door Storage/Wardrobe				
Hinged Right				
24⅛"	18"	67"	**15K1868VWHRW**	$2971
Hinged Left				
24⅛"	18"	67"	**15K1868VWHLW**	$2971

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 360.

Single door unit can be used as a wardrobe by removing the top three shelves.

For use in freestanding or ganging applications.

Standard Includes

- Unfinished back
- Finished top
- Coat rod
- Base rail on front side only
- Four shelves in single-door unit and right side of double-door unit (three adjustable/removable shelves; bottom shelf is fixed)

How to Specify

❶ Model
② Pull option:
➤See page 321 for designators.
④ Lock option:
KRB = Key random (+$58)
KSB = Key specific (+$36); specify lock core separately
X = Non-locking
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

Horizontal Organizers

Pricing

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6



D	W	H	Model	Price
36"W				
13⅞"	35⅞"	4½"	**15K1436SHOW**	$789



D	W	H	Model	Price
72"W				
13⅞"	71⅞"	4½"	**15K1472SHOW**	$1208

Standard Includes

- Finished back
- Two storage compartments in 36”W model; four storage compartments in 72"W model

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

For use on worksurfaces only.

Accommodates project trays in storage compartments.
➤See page 361.

Horizontal organizers are stackable; recommended not to exceed three high.

Cannot be used in conjunction with a highback organizer.

Set-on-Surface Bookcases

Pricing

Open

GSA SIN 711-8





D	W	H	Model	Price
18"W				
14"	18"	38⅛"	**15K1838BCOW**	$987
36"W				
14"	36"	38⅛"	**15K3638BCOW**	$1319

For use on worksurfaces only.

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 359.

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

Standard Includes

- Unfinished back
- Two adjustable shelves
- Ships assembled

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Set-on-Surface Bookcases

Pricing

With Doors

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6





D	W	H	Model	Price
Double Wood Doors				
14¾"	36"	38⅛"	**15K3638BCHW**	$2170
Double Glass Doors				
14¾"	36"	38⅛"	**15K3638BCHGW**	$2884
Single Wood Door				
Hinged Right (shown)				
14¾"	18"	38⅛"	**15K1838BCHRW**	$1665
Hinged Left				
14¾"	18"	38⅛"	**15K1838BCHLW**	$1665
Single Glass Door				
Hinged Right (shown)				
14¾"	18"	38⅛"	**15K1838BCHRGW**	$1980
Hinged Left				
14¾"	18"	38⅛"	**15K1838BCHLGW**	$1980

Standard Includes

- Unfinished back
- Two adjustable shelves
- Ships assembled

How to Specify

❶ Model
② Pull option:
➤See page 321 for designators.
③ Glass option (omit for wood doors):
12 = Crisscross
④ Lock option:
KRB = Key random (+$58)
KSB = Key specific (+$36); specify lock core separately
X = Non-locking
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

For use on worksurfaces only.

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 359.

Set-on-Surface Bookcase Organizers

Pricing

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6



D	*W*	*H*	*Model*	*Price*
Plain Sliced Veneer Doors				
Hinged Right (shown)				
14¾"	18"	38⅛"	**15K1838BCSHRW**	$1705
Hinged Left				
14¾"	18"	38⅛"	**15K1838BCSHLW**	$1705
Diamond Matched Veneer Doors				
Hinged Right (shown)				
14¾"	18"	38⅛"	**15K1838BCSHRFW**	$2028
Hinged Left				
14¾"	18"	38⅛"	**15K1838BCSHLFW**	$2028
Glass Door				
Hinged Right (shown)				
14¾"	18"	38⅛"	**15K1838BCSHRGW**	$2028
Hinged Left				
14¾"	18"	38⅛"	**15K1838BCSHLGW**	$2028

For use on worksurfaces only.

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 359.

Project trays
➤See page 361.

Standard Includes

- Unfinished back
- Five adjustable shelves in lower section
- Ships assembled

How to Specify

❶ Model
② Pull option (door knob):
59MB = Funnel (Matte Black)
59SN = Funnel (Satin Nickel)
③ Glass option (omit for wood doors):
12 = Crisscross
④ Lock option:
KRB = Key random (+$58)
KSB = Key specific (+$36); specify lock core separately
X = Non-locking
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

Freestanding Bookcases

Pricing

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6







Note: "A" indicates adjustable shelves.

D	*W*	*H*	*Model*	*Price*
One Shelf				
15¼"	36"	27¾"	**15K3628BCOFW**	$1085
Three Shelves				
15¼"	36"	52"	**15K3652BCOFW**	$1753
Four Shelves				
15¼"	36"	67"	**15K3668BCOFW**	$2115

Standard Includes

- Unfinished back
- ¾" thick shelves
- Base rail on front side only
- Ships assembled

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

For use on floor only; can be used in freestanding and ganging applications.

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 359.

Lowback Organizers and Transaction Counter

Pricing

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6



D	*W*	*H*	*Model*	*Price*
Lowback Organizers				
For Freestanding Applications				
15"	72⅞"	13⅞"	**15K7315LBS**	$2647
For Side-by-Side Ganging Applications				
14⅞16"	71⅞"	13⅞"	**15K7215LBS**	$2636
Transaction Counter				
For Freestanding Applications				
15"	72⅞"	13⅞"	**15K7315TC**	$1834

For use on 72"W desks, credenzas, or worksurfaces.

Freestanding models have a rim that overhangs ½" on all four sides; ganging organizer overhangs ½" on the front edge only.

Storage compartments in lowback organizer accommodate project trays. ➤See page 361.

Standard Includes

Lowback Organizer
- Finished back
- Receding tambour door (wood) in center section (non-locking)
- Two fixed shelves in right and left compartments

Transaction Counter
- Finished back
- Tackboard on user side: Terra Plus 3413 Stone fabric

How to Specify

1. Model
2. Worksurface material:
   W = Wood
   LW = Laminate with wood rim
3. Rim profile:
   GR = Groove
   RD = Ridge
4. Worksurface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
5. Worksurface finish designator
6. Rim finish price group (omit for wood worksurface):
   STD = Group 1
   STD2 = Group 2 (+20%)
7. Rim finish designator (omit for wood worksurface)

Overhead Storage

Pricing

Wall Mount or Suspended

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6







D	W	H	Worksurface Clearance	Number of Doors	Number of Optional Locks	Model	Price
Plain Sliced Veneer Doors							
14¾"	35⅞"	18⅛"	20"	2	1	**15K3618SOHW**	$1436
14¾"	53⅞"	18⅛"	20"	3	2	**15K5418SOHW**	1993
14¾"	65⅞"	18⅛"	20"	4	2	**15K6618SOHW**	2686
14¾"	71⅞"	18⅛"	20"	4	2	**15K7218SOHW**	2962
Diamond Matched Veneer Doors							
14¾"	35⅞"	18⅛"	20"	2	1	**15K3618SOHFW**	$1870
14¾"	53⅞"	18⅛"	20"	3	2	**15K5418SOHFW**	2918
14¾"	65⅞"	18⅛"	20"	4	2	**15K6618SOHFW**	3195
14¾"	71⅞"	18⅛"	20"	4	2	**15K7218SOHFW**	3361
Glass Doors							
14¾"	35⅞"	18⅛"	20"	2	1	**15K3618SOHGW**	$1870
14¾"	53⅞"	18⅛"	20"	3	2	**15K5418SOHGW**	2918
14¾"	65⅞"	18⅛"	20"	4	2	**15K6618SOHGW**	3195
14¾"	71⅞"	18⅛"	20"	4	2	**15K7218SOHGW**	3361

Related Products:

	W	Model	Description	Price
Wall-Mount Bracket				
	72"	**KAC72WMB**	Bracket can be cut-to-size to accommodate cabinets less than 72" wide.	$88

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 359.

Wall-mount bracket must be specified separately for wall-mount models.

Mounts flush to the wall

Standard Includes

- Full-height back panel
- Mounting hardware (suspended model only)

How to Specify

Cabinet

❶ Model
② Support type:
M = Wall mount
S = Suspended
③ Pull option (door knob):
59MB = Funnel (Matte Black)
59SN = Funnel (Satin Nickel)
④ Glass option (omit for wood doors):
12 = Crisscross
⑤ Lock option:
KRB = Key random (+$58 per lock)
KSB = Key specific (+$36 per lock); specify lock core(s) separately
X = Non-locking
⑥ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Finish designator

Wall-Mount Bracket

❶ Model

Overhead Storage

Pricing

Traxx Mount

GSA SIN 711-8







D	W	H	Worksurface Clearance	Number of Doors	Number of Optional Locks	Model	Price
Plain Sliced Veneer Doors							
14¾"	35⅞"	18⅛"	20"	2	1	**15K3618SOHMW**	$1436
14¾"	53⅞"	18⅛"	20"	3	2	**15K5418SOHMW**	1993
14¾"	65⅞"	18⅛"	20"	4	2	**15K6618SOHMW**	2686
14¾"	71⅞"	18⅛"	20"	4	2	**15K7218SOHMW**	2962
Diamond Matched Veneer Doors							
14¾"	35⅞"	18⅛"	20"	2	1	**15K3618SOHMFW**	$1870
14¾"	53⅞"	18⅛"	20"	3	2	**15K5418SOHMFW**	2918
14¾"	65⅞"	18⅛"	20"	4	2	**15K6618SOHMFW**	3195
14¾"	71⅞"	18⅛"	20"	4	2	**15K7218SOHMFW**	3361
Glass Doors							
14¾"	35⅞"	18⅛"	20"	2	1	**15K3618SOHMGW**	$1870
14¾"	53⅞"	18⅛"	20"	3	2	**15K5418SOHMGW**	2918
14¾"	65⅞"	18⅛"	20"	4	2	**15K6618SOHMGW**	3195
14¾"	71⅞"	18⅛"	20"	4	2	**15K7218SOHMGW**	3361

Related Products:

D	W	H	Model		Price
Filler Strip					
1⅜"		18⅛"	**DF0119CPFS**	Can be applied to back edge of cabinet to conceal the exposed Traxx bracket; metal with black finish.	$50

IMPORTANT: Traxx and tiles must be specified separately.
➤See the Systems Price List.

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 359.

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

Standard Includes

- ¾-height back panel

How to Specify

Overhead Storage

❶ Model
② Pull option (door knob):
59MB = Funnel (Matte Black)
59SN = Funnel (Satin Nickel)
③ Glass option (omit for wood doors):
12 = Crisscross
④ Lock option:
KRB = Key random (+$58 per lock)
KSB = Key specific (+$36 per lock); specify lock core(s) separately
X = Non-locking
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

Filler Strip

❶ Model

Highback Organizers

Pricing

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6







D	W	H	Worksurface Clearance	Number of Doors	Number of Optional Locks	Model	Price
Plain Sliced Veneer Doors							
14¾"	65⅞"	38⅛"	20"	4	2	**15K6638HBHW**	$3115
14¾"	71⅞"	38⅛"	20"	4	2	**15K7238HBHW**	3238
14¾"	83⅞"	38⅛"	20"	4	2	**15K8438HBHW**	3803
14¾"	95¾"	38⅛"	20"	6	3	**15K9638HBHW**	4507
14¾"	107⅝"	38⅛"	20"	6	4	**15K10838HBHW**	5144
Diamond Matched Veneer Doors							
14¾"	65⅞"	38⅛"	20"	4	2	**15K6638HBHFW**	$3470
14¾"	71⅞"	38⅛"	20"	4	2	**15K7238HBHFW**	3641
14¾"	83⅞"	38⅛"	20"	4	2	**15K8438HBHFW**	4132
14¾"	95¾"	38⅛"	20"	6	3	**15K9638HBHFW**	4874
14¾"	107⅝"	38⅛"	20"	6	4	**15K10838HBHFW**	5684
Glass Doors							
14¾"	65⅞"	38⅛"	20"	4	2	**15K6638HBHGW**	3470
14¾"	71⅞"	38⅛"	20"	4	2	**15K7238HBHGW**	3641
14¾"	83⅞"	38⅛"	20"	4	2	**15K8438HBHGW**	4132
14¾"	95¾"	38⅛"	20"	6	3	**15K9638HBHGW**	4874
14¾"	107⅝"	38⅛"	20"	6	4	**15K10838HBHGW**	5684

Tops of units are fully finished; however, they have no rim profile. If a rim profile is desired, specify a component top.
➤See page 359.

108"W unit accommodate two AC5218 tackboards or smaller and two KCU49 task lights or smaller.
➤See page 368.

Tackboards
➤See page 358.

Standard Includes

- Unfinished back
- Cord management grommet in upper and lower center of back panel
- 108"W unit consists of two sections; shipped in separate cartons; assembly required.

How to Specify

❶ Model
② Pull option (door knob):
59MB = Funnel (Matte Black)
59SN = Funnel (Satin Nickel)
③ Glass option (omit for wood doors):
12 = Crisscross
④ Lock option:
KRB = Key random (+$58 per lock)
KSB = Key specific (+$36 per lock); specify lock core(s) separately
X = Non-locking
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

Tackboards

Pricing

For Use with Highback Organizers

GSA SIN 711-8



D	W	H	COM Yardage 66"W Non-Dir.	Model	COM	Panel Fabric Gr. A–E	Upholstery Fabric Gr. 1–3	Upholstery Fabric Gr. 4–6
Tackboards								
7/8"	28 1/4"	16"	1.0	**AC2818TBK**	$241	$265	$271	$309
7/8"	34 3/16"	16"	1.0	**AC3418TBK**	272	296	302	340
7/8"	52 1/8"	16"	1.0	**AC5218TBK**	328	352	358	396
7/8"	58 1/8"	16"	1.0	**AC5718TBK**	333	357	363	401
7/8"	64 1/8"	16"	2.5	**AC6318TBK**	317	377	392	487
7/8"	70 1/8"	16"	2.5	**AC6918TBK**	349	409	424	519
7/8"	82 1/8"	16"	3.0	**AC8216TBK**	396	468	486	600
7/8"	94 1/8"	16"	3.0	**AC9416TBK**	459	531	549	663

Mounts on back panel of highback or wall with dual-lock fasteners.

Backside of tackboards feature vertical channels in both ends and center to provide cable management access for task light cords.

Panel fabric is turned 90° and applied railroad style to 62"W or wider tackboards. Upholstery fabric is turned 90° and applied railroad style to 50"W or wider tackboards.
➤See page 378 for panel fabrics.
➤See page 382 for COM policy.
➤See Seating Price List for upholstery fabrics; restrictions may apply. Contact Customer Service.

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

Standard Includes

- Tackboard

How to Specify

1. Model
2. Fabric grade
3. Fabric designator

Component Tops

Pricing

For Use on Bookcases, Highback Organizers, and Overheads

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6



D	*W*	*H*	*Model*	*Price*
15"D				
For Freestanding Applications				
15¼"	36⅞"	1 3/16"	**15K1537CPTW**	$527
15¼"	54⅞"	1 3/16"	**15K1555CPTW**	577
15¼"	66⅞"	1 3/16"	**15K1567CPTW**	618
15¼"	72⅞"	1 3/16"	**15K1573CPTW**	669
15¼"	84⅞"	1 3/16"	**15K1585CPTW**	724
15¼"	96⅞"	1 3/16"	**15K1597CPTW**	859
15¼"	108⅞"	1 3/16"	**15K15109CPTW**	1043
For Side-by-Side Ganging Applications				
15¼"	35⅞"	1 3/16"	**15K1536CPTW**	$516
15¼"	53⅞"	1 3/16"	**15K1554CPTW**	563
15¼"	65⅞"	1 3/16"	**15K1566CPTW**	607
15¼"	71⅞"	1 3/16"	**15K1572CPTW**	656
15¼"	83⅞"	1 3/16"	**15K1584CPTW**	711
15¼"	95⅞"	1 3/16"	**15K1596CPTW**	847
15¼"	107⅞"	1 3/16"	**15K15108CPTW**	1030

Freestanding models have a rim that overhang ½" on three sides (front and both ends); ganging models overhang ½" on the front edge only.

Component tops are optional and are used when a rim profile is desired on bookcase, overhead cabinets, and highback organizers.

Component tops are unfinished on the bottom side and should not be used in an application where the underside would be exposed.

Standard Includes

- Top

How to Specify

❶ Model
② Rim profile:
GR = Groove
RD = Ridge
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Component Tops

Pricing

For Use on Vertical Storage

GSA SIN 711-8

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6



D	*W*	*H*	*Model*	*Price*
24"D				
For Freestanding Applications				
24⅛"	18⅞"	1 3⁄16"	**15K2419CPTW**	$602
24⅛"	36⅞"	1 3⁄16"	**15K2437CPTW**	649
24⅛"	54⅞"	1 3⁄16"	**15K2455CPTW**	717
24⅛"	72⅞"	1 3⁄16"	**15K2473CPTW**	802
For Side-by-Side Ganging Applications				
24⅛"	17⅞"	1 3⁄16"	**15K2418CPTW**	$587
24⅛"	35⅞"	1 3⁄16"	**15K2436CPTW**	638
24⅛"	53⅞"	1 3⁄16"	**15K2454CPTW**	704
24⅛"	71⅞"	1 3⁄16"	**15K2472CPTW**	791

Standard Includes

- Top

How to Specify

❶ Model
② Rim profile:
GR = Groove
RD = Ridge
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Freestanding models have a rim that overhang ½" on three sides (front and both ends); ganging models overhang ½" on the front edge only.

Component tops are optional and are used when a rim profile is desired 24"D vertical storage units.

Component tops are unfinished on the bottom side and should not be used in an application where the underside would be exposed.

Accessories

Pricing

GSA SIN 711-8
FSC-C010590 available

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6





D	W	H	Model	Price
Project Tray				
13"	16¼"	2⅞"	**15K1216T**	$271
Storage Cubby				
13⅛"	13⅛"	16¾"	**15K1317SMC**	$847
Adjustable Shelves for Single-Pedestal Desks				
For Use with 31x67 Single-Pedestal Desk				
20⅛"	13½"	¾"	**15K2014SHW**	$226
For Use with 37x73 Arc Single-Pedestal Desk				
20⅛"	16¼"	¾"	**15K2016SHW**	$233
For Use with 43x73 Arc Single-Pedestal Desk or 37x73 Single-Pedestal Desk				
26⅛"	16¼"	¾"	**15K2616SHW**	$251
For Use with 48x73 or 42x73 Extended Single-Pedestal Desk				
32⅛"	16¼"	¾"	**15K3216SHW**	$281
Adjustable Shelves for Single-Pedestal Credenzas				
For Use with 24x72 or 24x73 Single-Pedestal Credenza				
21⅞"	16¼"	¾"	**15K2116SHW**	$233
For Use with 24x66 or 24x67 Single-Pedestal Credenza				
21⅞"	13½"	¾"	**15K2114SHW**	$226

Project trays can be used individually or stacked. They can be freestanding or used in storage compartments of bookcase organizers, lowback organizers, and horizontal organizers.

Tackboards should not extend behind the storage cubbies.

Pre-bored holes in single-pedestal desk or credenza will accommodate either one or two shelves.

Standard Includes

Storage Cubby
- Finished on all sides
- Opening between shelves is 3⁹⁄₁₆"
- Fixed shelves

Shelves
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%); available on project tray and storage cubby only
③ Finish designator

Tables

Pricing

† GSA SIN 711-8
†† GSA SIN 711-9
††† GSA SIN 711-11
FSC-C010590 available

D	W	H	Model	Price
Round Conference Table Top ††				
42" diameter		1 3/16"	**15K42RD**	$1944
Cylinder Base †††				
Wood				
16" diameter		27½"	**CBS2716CYW**	$1035
Laminate				
16" diameter		27½"	**CBS2716CYL**	$1035
Occasional Table †				
24"	24"	20⅛"	**15K2424CN**	$919

Additional bases are available for the round table top.
➤See the Tables Price List.

Features ➤See page 321
Typical Configurations 325
Filing Capabilities 327
Locking Information 6

Standard Includes

- Occasional table ships ready to assemble

How to Specify

Table Top or Occasional Table

❶ Model
❷ Worksurface material:
W = Wood
LW = Laminate with wood rim
③ Rim profile:
GR = Groove
RD = Ridge
④ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator

Cylinder Base

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%); available on wood cylinder base only
③ Finish designator

Freestanding Bookcases



Visual Boards with or without Molding



LED Lights



Task Lights

➤See page

Freestanding Bookcases	364
Visual Boards	365
LED Lighting Product Info	366
LED Lighting Pricing	367
Task Lights	368

Freestanding Bookcases

GSA SIN 711-8

Table of Contents	➤See page 363
Visual Boards	365
LED Lighting	366
Task Lights	368









Bookcases are for freestanding application. Adjustable shelves, indicated with an “A”, adjust up or down 2".

D	*W*	*H*	*Shelf Clearance*	*Model*	*Price*
Two-Shelf Bookcases					
13"	36"	30"	12 3/16"	**B-2B-3630**	$982
Three-Shelf Bookcases (one adjustable shelf)					
13"	36"	48"	13 13/16"	**B-3B-3648**	$1254
Four-Shelf Bookcases (two adjustable shelves)					
13"	36"	60"	13 1/16"	**B-4B-3660**	$1484
Five-Shelf Bookcases (two adjustable shelves)					
13"	36"	72"	12 11/16"	**B-5B-3672**	$1798
Six-Shelf Bookcases (three adjustable shelves)					
13"	36"	84"	12 3/8"	**B-6B-3684**	$2058

Standard Includes

- 1"-thick shelves (Inside shelf width is 34 1/2")
- Leveling glides
- Unfinished back
- Ships assembled

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Visual Boards

Pricing

GSA SIN 711-8

Table of Contents ➤See page 363
Freestanding Bookcases 364
LED Lighting 366
Task Lights 368





D	*W*	*H*	*Model*	*Price*
Visual Board without Molding				
4¼"	48"	48"	**AVB-4848W**	$2828
Visual Board with Molding				
4¼"	48"	48"	**AVB-4848WM**	$2861

Related Product:

Projection Screen for Use with Visual Board				
	42"		**PS1**	$172

Standard Includes

Visual Board

- Two doors
- Metal frame: black
- White porcelain on steel writing surface
- Tackable fabric-covered panels on inside doors
- Fabric on tack panels is Guilford FR701-408 black
- Set of 4 dry erase markers and eraser
- Hardware
- Pegs on inside of doors for hanging flip charts
- Full length black door hinges

Projection Screen

- White non-glare surface

How to Specify

Visual Board

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Projection Screen

① Model

LED Lighting

GSA SIN 711-8

Table of Contents	➤See page 363
Freestanding Bookcases	364
Visual Boards	365
Task Lights	368

Details



LED lights are a low-profile, linear solution for overhead cabinets, highback organizers, and shelves. LED lights provide a 3300K color temperature and consume less power; rated at 50,000 life hours. They utilize the latest technology for high light output with nearly no heat production. LEDs do not produce
UV emissions.

Number of LED lights varies by fixture width:
16"W models include 56 LEDs
24"W models include 104 LEDs
30"W models include 132 LEDs
62"W models include 264 LEDs

All units feature a silver aluminum finish and a toggle switch. 62"W models have two toggle switches.



16", 24", and 30"W standard LED light fixtures include a 6' cord with an 3¼"W x 1½"D x 1½"H plug featuring a built-in UL1310 class II power supply. Standard models plug directly into power receptacle; they cannot be daisy chained.



62"W standard LED light fixture includes a two-piece 12' cord with an in-line 4⅛"W x 1¼"D x 1¾"H UL1310 class II power supply. 62"W standard models cannot be daisy chained.



Daisy chain application requires a starter unit and is limited to 2 add-on units (3 fixtures total) per power source. A combination of fixture widths can be combined to obtain the desired length.



Daisy chain starter unit includes the fixture, a two-piece 12' cord with an in-line 4⅛"W x 1¼"D x 1¾"H UL1310 class II power supply, two 6' interconnect cords (black), and two jumper pins.

Black power cords are removable and can be plugged into either end of the fixture.



Daisy chain add-on units do not include a power supply or cords and must be used in conjunction with a starter unit.

Mounting requirements, cord lengths, and cord access restrictions vary according to local standards. Consult local codes prior to specifying.

Meets California Title 24.

Assembled in the USA.

Connections

Magnetic mounting concealed inside the fixture allows attachment to the underside of Fluent highback support assemblies and metal overhead storage cabinets.



Woods screws are included for attaching fixtures to wood highback organizers and overhead storage.

LED Lighting

Pricing

GSA SIN 711-8
† GSA Non-Contract

Table of Contents ➤See page 363
Freestanding Bookcases 364
Visual Boards 365
Task Lights 368



62"W model

D	*W*	*H*	*Model*	*Description*	*Price*
Standard LED Lights					
1"	15½"	1"	**KCU16TLKL** †	For use with 30"W or smaller units. 56 LED lights.	$277
	23¾"	1"	**KCU25TLKL**	For use with 30"W units. 104 LED lights.	315
	30½"	1"	**KCU33TLKL**	For use with 36"–54"W units. 132 LED lights.	398
	62"	1"	**KCU63TLKL**	For use with 72"–90"W units. 264 LED lights.	611
Daisy Chain LED Lights					
Starter Units					
1"	15½"	1"	**KCU16TLKLGS**	For use with 30"W or smaller units. 56 LED lights.	$324
	23¾"		**KCU25TLKLGS**	For use with 30"W units. 104 LED lights.	369
	30½"		**KCU33TLKLGS**	For use with 36"–66"W units. 132 LED lights.	466
Add-On Units					
1"	15½"	1"	**KCU16TLKLGA**	For use with 30"W or smaller units. 56 LED lights.	225
	23¾"		**KCU25TLKLGA**	For use with 30"W units. 104 LED lights.	258
	30½"		**KCU33TLKLGA**	For use with 36"–66"W units. 132 LED lights.	326

Daisy chain add-on units do not include cords or power supplies and must be used in conjunction with a starter unit.

Standard Includes

- Fixture: silver aluminum finish
- One toggle switch on 16", 24", and 30"W models; two toggle switches on 62"W model.
- Black power cord and power supply:
  —6' cord and plug with built-in power supply on 16", 24", and 30"W standard models
  —Two-piece 12' cord with in-line power supply on 62"W standard model and all daisy chain starter units
- Two 6' interconnect cords and two jumper pins on daisy chain starter units
- Concealed magnet and wood screws
- Self-adhesive wire manager

How to Specify

❶ Model

Task Lights

Pricing

GSA SIN 711-8

Table of Contents ➤See page 363
Freestanding Bookcases 364
Visual Boards 365
LED Lighting 366



D	W	H	Model	Price
Standard Task Lights				
4 3/8"	23 1/4"	1 5/16"	**KCU25TL** K	$178
4 3/8"	35"	1 5/16"	**KCU37TL**	191
4 3/8"	46 7/8"	1 5/16"	**KCU49TL** K	201
For Use in Chicago				
4 3/8"	23 1/4"	1 5/16"	**KCU25TLC**	$257
4 3/8"	35"	1 5/16"	**KCU37TLC**	271
4 3/8"	46 7/8"	1 5/16"	**KCU49TLC**	280

Standard Includes

- Fixture: black
- T5 cool white single tube lamp:
  14 watt on 23"W light;
  21 watt on 35"W light;
  28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch in center
- 90° cord plug with southwest orientation prong configuration; Chicago unit features a fused plug
- 9' cord attached in center of fixture

How to Specify

❶ Model

All lighting components are U.L. approved.

Consult local codes for application restrictions.

For use on highback organizers and overhead storage.

K = Kwik Office model available.

Samples:

Samples of wood finishes, paints, and laminates are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur in color and texture.

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	370
Wood Finishes	371
Special Wood Finishes	372
Characteristics & Care	374
Laminates	375
Customer-Specified (CSL)	376
Paint, Polypropylene, and Non-Paint Finishes	377
Fabrics and Leather	378
Panel Fabric Colorways	378
Leather Colorways	381
Customer's Own Material (COM) and Leather (COL)	382

Wood Finishes	➤See page 371
Laminates	375
Paints	377
Panel Fabrics	378

Kimball Office offers a diverse collection of surface materials. Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Generations Collection:

The Generations Collection is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support long-standing customers and to help transition you to the current offering.
➤Visit kimballoffice.com to see the Generations Collection.

IMPORTANT: Materials in this collection should not be used to set standard color palettes for new installations.

Materials in this offering can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 386 for complete warranty information.

Wood Finishes

Matrix

	Cherry					Maple			Walnut					Sapele			Zebrawood			
	MC Amber*	CC Cordoba*	MH Mocha*	SC Sedona*		IM Brighton*	TM Huntington*		ES Espresso*	MW Midtown*	TW Tribeca*	UW Urban*		CS Coco	SS Sienna		CZ Clear			
Price Group	1	1	1	1		1	1		1	1	1	1		2	2		2			
Definition	●	●	●	●		●	●		●	●	●	●		●	●					
Fluent	●	●	●	●		●	●		●	●	●	●		●	●		●			
Innsbruck	●		●																	
President									●	●	●	●								
Senator	● Ⓚ	●	●	●					●	●	● Ⓚ	●								
Transcend	●	●	●	●		●	●		●	●	●	●		●	●					
Universal																				
–Bookcases	●		●						●											
–Visual Boards without Molding	●	●	●	●		●	●		●	●	●	●		●	●		●			
–Visual Boards with Molding	●	●	●	●					●	●	●	●								

* Available on models specified with the FSC-certified wood option.

Key:
- ● = Standard finish
- ■ = Woodgrain laminate top also available
- Ⓚ = Available on Kwik Office models

Price Groups:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact ***By Design*** to review veneer options and discuss special quotes.

➤See page 370 for program overview.
➤See page 374 for wood finish characteristics, care and maintenance.

Special Wood Finishes

Matrix

Standard Finishes on Alternate Wood Species

Standard finish colors on alternate wood species are available. Samples are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	*Maple*	*Walnut*	*Sapele*
Price Group	*1*	*1*	*1*	*2*
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
President			•	
Senator	•		•	
Transcend	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood.

If one of our standard finishes is not appropriate, Kimball Office also has a library of previously developed special finishes which may be an acceptable match for your application. A custom finish can also be developed to meet specific needs.

➤See next page for previously developed and custom finishes.

Upcharges:

A **10%** upcharge per line item (model) for special wood finishes applies. Upcharge is calculated on the base price, before other option upcharges are added.

Example:
Senator buffet credenza (model SN2475CBLW) in special finish with molding and grommet—

Base price	$4615.00
	x .10
Special finish	$ 461.50
Base price	+4615.00
Molding option	+ 87.00
Left grommet option	+ 57.00
List price	$5220.50

Special Finish Designators:

	Wood Species		
Color	*Cherry*	*Maple*	*Walnut*
Amber	Standard/MC	MA00174KOG	WA02905KOG
Espresso	×	×	Standard/ES
Mocha	Standard/MH	×	WA02920KOG

Note: We have not yet developed special finish designators for standard finishes on alternate wood species for the other wood finishes.

Key:
× = Not feasible on wood species

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD or STD2):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator from the table at left.

Sample:
① ②
DF3028BCOFW ZCHY1
③
CH00073KOG

Special Wood Finishes

Matrix

Previously Developed and Custom Finishes

Wood Finishes	➤See page 371
Laminates	375
Paints	377
Panel Fabrics	378

Previously developed and custom finishes are available for special requirements. Kimball Office has an extensive library of previously developed special finishes which may be an acceptable match for your application. If not, a custom finish can be developed to meet specific needs.

Samples of previously developed special finishes are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. The matrix at right shows the types of woods used for each series.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

	Cherry	*Maple*	*Walnut*	*Sapele*
Price Group	*1*	*1*	*1*	*2*
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
President			•	
Priority	•	•	•	•
Senator	•		•	
Transcend	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood.

Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. Custom finishes will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used. Models receiving a special finish will also be assessed an upcharge.

A **10%** upcharge per line item (model number) for special wood finish is calculated on the Grade 1 upholstery price, then added to the price for the selected fabric grade, to arrive at the list price.

Example:
Senator buffet credenza (model SN2475CBLW) in special finish with molding and grommet—

Base price	$4615.00
	x .10
Special finish	$ 461.50
Base price	+4615.00
Molding option	+ 87.00
Left grommet option	+ 57.00
List price	$5220.50

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD or STD2):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator provided to you by Customer Service.

Sample:
① ②
DF3028BCOFW ZCHY1
③
CH00073KOG

Wood Finish Characteristics

Including Care and Maintenance Tips

Wood Finishes	➤See page 371
Laminates	375
Paints	377
Panel Fabrics	378

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.
➤See page 7 for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Brighton maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Laminates

Matrix

CSL GSA Non-Contract

Key:
● = Standard finish

	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	MW Midtown Walnut	TW Tribeca Walnut	UW Urban Walnut	CZ Clear Zebrawood	480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby	CSL
	Woodgrain										**Solid**												
Definition	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fluent	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
President							●	●	●														
Senator	●	●	●	●			●	●	●														
Transcend	●	●	●	●	●	●	●	●	●	●													

	874 Bronze Legacy	842 Canyon Zephyr	823 Carbon Evolv	841 Desert Zephyr	862 Grey Glace	844 Loden Zephyr	843 Misted Zephyr	846 Morro Zephyr	812 Mushroom Tigris	860 Neutral Santos	808 Nickel Evolv	807 Silicon Evolv	873 Tawny Legacy	805 Titanium Evolv	809 Tungsten Evolv	802 White Nebula	814 White Tigris
	Pattern																
Definition	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Fluent	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Customer Specified Laminate

Application Guidelines

GSA Non-Contract

Wood Finishes	➤See page 371
Laminates	375
Paints	377
Panel Fabrics	378

Customer specified laminate (CSL) is available on:
- Definition worksurfaces
- Fluent worksurfaces
- Priority worksurfaces
- Scenario table tops
- Array table tops
- Complementary Furniture
- Configuration table tops
- Contemporary table tops

➤Contact Customer Service to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

CSL on products not listed above must be custom quoted.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Pricing:

A **20% upcharge per line item** (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

Example:
Priority double-pedestal desk (model 53K3672DDFBL8) with CSL worksurface and one worksurface grommet—

Base price	$2197.00
	x .20
Special finish	$ 439.40
Base price	+2197.00
Left grommet option	+ 57.00
List price	$2693.40

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② **Finish type:** For the "Finish type" step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ **Finish designator:** For the "Finish designator" step, insert the laminate designator (color number) of the laminate to be applied to the product.

Sample (base model underlined):

① ② ③
DF3672DDFLW1 F 10MB KR
G7L ZWST1 WST_4814-60

Paint, Polypropylene, and Non-Paint Finishes

Matrix

Key:
● = Standard finish

	Solid Paint			Metallic Paint				Polypropylene				Non-Paint						
	405 Designer White	462 Cinder		501 Platinum Metallic	511 Silver Satin Metallic	514 Carbon Metallic	544 Silver Pearl	405 Designer White				AB Antique Bronze	MB Matte Black	SN Satin Nickel	SS Silver Satin	486 Clear Anodized	487 Brushed Nickel	490 Polished Chrome
Definition pulls		●		●		●	●									●	●	●
Fluent																		
–Storage	●																	
–Metal parts					●													
–Pulls															●			
–Worksurfaces rim (LY)								●										
President pulls												●						
Senator pulls												●						
Transcend pulls						●							●	●				

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

Panel Fabrics

List

Colorways

COM & Cut Yardage GSA Non-Contract

Key:
= Terratex = Green-e

➤See page 380 for descriptions.

Panel Fabric Application:



Railroad Application on Casegoods Tackboards, Priority Tackboards, Fluent Workwalls, Xsede Tiles and Xsite Tiles



Standard Panel Application on Priority Tiles, and Other Kimball Office Products

All panel fabrics will be applied in railroad (horizontal) style to tackboards and workwalls. When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear.

Panel fabrics apply to:
- Tackboards
- Fluent workwalls

Price Grade A

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10602	Citrine
10603	Cloud
10604	Dune
10605	Key Lime
10606	Lapis
10607	Linen
10608	Moonstone
10609	Mulberry
10610	Quartz

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	*List Price per yard*
A	$35
B	46
C	53
D	71
E*	108

***** For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

How to Specify

1. Model:
   KOPNLCUTYDG = panel fabric
2. Fabric grade
3. Fabric number

Colorways, continued

10611 Red
10612 Sage
10613 Shale
10614 Silvatica
10615 Steel
10616 Stucco

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350 Atlantic
10351 Driftwood
10352 Honeycomb
10353 Indigo
10354 Khaki
10355 Kiwi
10356 Lead
10357 Mandarin
10358 Palm
10359 Rattan
10360 Sequoia
10361 Slate
10362 Spa
10363 Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320 Clam
10321 Eucalyptus
10322 Goldust
10323 Graphite
10324 Pear
10325 Seal
10326 Heron
10327 Tan
10328 Taupestone
10329 Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202 Wrought Iron
2216 Paraffin
2222 Twine
2229 Thunder
2239 Spun Gold
2240 Wasabi
2244 Titanium
2250 Truffle
2266 Copper
2275 Melba

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo samples can be ordered directly from Momentum at themomgroup.com

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
24608 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450 Bark
10451 Ecru
10452 Fog
10453 Midnight
10454 Mink
10455 Olive
10456 Orchid
10457 Pearl
10458 Solar

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302 Egyptian
25303 Cashmere
25304 Chiffon
25305 Shantung
25306 Twill
25307 Dupioni
25308 Angora
25309 Tweed
25310 Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380 Champagne
10381 Cobblestone
10382 Desert
10383 Mist
10384 Taupestone
10385 Timberwolf

Key:
= Terratex = Green-e
➤See page 380 for descriptions.

Cleaning Fabrics:

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code D
- Dry clean only.

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from panel to panel.

Warranty Info:

Fabric and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 386 for complete warranty information.

Wood Finishes ➤See page 371
Laminates 375
Paints 377
Panel Fabrics 378

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10655	Moss
10656	Sand

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Preplanning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. ➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align — Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	*Carnegie Number*
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line — KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect — KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e
100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.
➤www.green-e.org

Leather

List

Colorways

Wood Finishes	➤See page 371
Laminates	375
Paints	377
Panel Fabrics	378

Leather applies to:
- President

Leather Tops & Pulls

Davenport Leather

70105	Bark
70109	Austin
70111	Brown
70112	Atlantis
70115	Black

Heritage Leather

81002	Carnelian
81005	Carob
81028	Sorrel
81041	Rosewood
81060	Avocado
81075	Titan
81076	Navy

Showcase Leather

80104	Bonton
80109	Bittersweet
80110	Jet

Customer's Own Material and Leather

Application Guidelines

GSA Non-Contract

Wood Finishes	➤See page 371
Laminates	375
Paints	377
Panel Fabrics	378

Customer's Own Material:

Customer's Own Material (COM) is available on cushion-top pedestals and tackboards. Materials with heavy backings and vinylized fabrics are not recommended.

Kimball Office recommends that a sample be submitted for application approval prior to an order being placed. Sample should be no smaller than 5" x 7". Include a list of model numbers on which you wish to use the COM. Reference "application approval" and send to:

Kimball Office
Attn: COM Administration
1600 Royal Street
Jasper, IN 47549

Kimball Office approval signifies only that such materials can be applied to the products for which intended. Such approval does not constitute any responsibility nor any warranty on the part of Kimball Office as to appearance, behavior, or durability of the material.

Orders will be acknowledged with a tentative ship date. A notification will be sent with the date the COM must be received. If material is not received by the specified date, your ship date will be reassigned. It is the responsibility of the purchaser to expedite delivery of the material.

COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric or leather that may not be suitable for application to product.

Where to ship COM:

➤See the applicable pricing page for yardage requirements.

For Fluent, Priority, and Transcend cushion-top pedestals, send PREPAID to:

Kimball Office
Attn: COM Department
340 East 11th Avenue
Jasper, IN 47549-1001

For Casegoods tackboards, send PREPAID to:

Kimball Office
Attn: COM Department
Dock 11
1620 Cherry Street
Jasper, IN 47549

Tag all materials with:
- Kimball Office/Dealer's Name
- Purchase Order Number

Customer's Own Leather:

Customer's Own Leather (COL) is available on President as a special quote.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

Customer's Own Leather specifications are based on average hide size of 44-50 square feet.

Orders will be acknowledged with a tentative ship date. A notification will be sent with the date the COL must be received. If material is not received by the specified date, your ship date will be reassigned. It is the responsibility of the purchaser to expedite delivery of the material.

Where to ship COL:

Send PREPAID to:

Kimball Office—Salem
200 Kimball Blvd.
Salem, IN 47167

Tag all materials with:
- Dealer's Name
- Purchase Order Number

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

	➤See page
Terms and Conditions	384
Asset Tag Locations	384
Product Warranty	386
Operating Load Capacities	387
Model Number Index	388

Operating Load Capacities

Terms & Conditions ➤See page 384
Product Warranty 386
Model Number Index 388

Component	Operating Load Capacity (Functional Loads)	Example
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desk/table 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space *Note: File drawers are to support hanging files only; they are not intended for bottom loading.*	24"D x 18"W x 12"H = 88 lbs.
Transaction counter, secondary surface <16"D, or and shelf	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Adjustable keyboard <36"W	66 lbs. over 12" diameter area, concentrated loading 66 lbs., distributive loading	
Writing shelf	25 lbs., distributive loading	
Extendible elements (drawer, shelves, etc.)	.017 lb. per cubic inch of drawer interior filing space, distributive loading	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Storage or bookcase top <38"H	200 lbs. concentrated loading .26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Storage or bookcase top 38"H–72"H	.26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Storage or bookcase top >72"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18" in height)	24"D x 36"W x 18"H = 264 lbs.

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

The table at left lists the operating load capacities of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 (2008 Desk and Table Products Tests) and X5.9 (2004 Storage Units Tests). The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Terms & Conditions ➤See page 384
Product Warranty 386
Operating Load Capacities 387

Model	➤See page
15K10838HBHFW	357
15K10838HBHGW	357
15K10838HBHW	357
15K1216T	361
15K1228SSW	340
15K1317SMC	361
15K1436SHOW	349
15K1472SHOW	349
15K15108CPTW	359
15K15109CPTW	359
15K1536CPTW	359
15K1537CPTW	359
15K1554CPTW	359
15K1555CPTW	359
15K1566CPTW	359
15K1567CPTW	359
15K1572CPTW	359
15K1573CPTW	359
15K1584CPTW	359
15K1585CPTW	359
15K1596CPTW	359
15K1597CPTW	359
15K1838BCHLGW	351
15K1838BCHLW	351
15K1838BCHRGW	351
15K1838BCHRW	351
15K1838BCOW	350
15K1838BCSHLFW	352
15K1838BCSHLGW	352
15K1838BCSHLW	352
15K1838BCSHRFW	352
15K1838BCSHRGW	352
15K1838BCSHRW	352
15K1854VSF3W	346
15K1868VWHLW	348
15K1868VWHRW	348
15K1954VSF3W	346
15K2014SHW	361
15K2016SHW	361
15K2114SHW	361
15K2116SHW	361
15K24108WSS	339
15K24109WSS	339
15K2418CPTW	360
15K2418PMBFCW	343
15K2418PMPBFW	343
15K2418PUBBFW	341
15K2418PUFFW	341
15K2418PUPSLW	341
15K2419CPTW	360
15K2424CN	362
15K2425MPW	340
15K2436CPTW	360
15K2436LFF4	337
15K2436LFM2W	342
15K2436PUBBFLW	342
15K2436PUHSLW	342
15K2436PUHW	342
15K2436WSS	339
15K2437CPTW	360
15K2437LFF2	337
15K2437LFF4	337
15K2437WSS	339
15K2454CPTW	360
15K2455CPTW	360
15K2466CKF	334
15K2466CLF	336
15K2466CRF	335
15K2466CSF	334
15K2467CKF	334
15K2467CLF	336
15K2467CRF	335
15K2467CSF	334
15K2472CKF	334
15K2472CLF	336
15K2472CPTW	360
15K2472CRF	335
15K2472CSF	334
15K2472WSS	339
15K2473CKF	334
15K2473CLF	336
15K2473CPTW	360
15K2473CRF	335
15K2473CSF	334
15K2473WSS	339
15K2484WSS	339
15K2485WSS	339
15K2496WSS	339
15K2497WSS	339
15K2536BEF	333
15K2536BEX	333
15K2542BEF	333
15K2542BEX	333
15K2543RLEF	332
15K2543RREF	332
15K2548BEF	333
15K2548BEX	333
15K2549RLEF	332
15K2549RREF	332
15K2616SHW	361
15K3025MPW	340
15K3167DDF	328
15K3167DLF	330
15K3167DRF	330
15K3216SHW	361
15K3618SOHFW	355
15K3618SOHGW	355
15K3618SOHMFW	356
15K3618SOHMGW	356
15K3618SOHMW	356
15K3618SOHW	355
15K3625MPW	340
15K3628BCOFW	353
15K3638BCHGW	351
15K3638BCHW	351
15K3638BCOW	350
15K3643VHSLGW	344
15K3643VHSLW	344
15K3652BCOFW	353
15K3654VWSFW	345
15K3668BCOFW	353
15K3668VHF2W	347
15K3668VHHW	348
15K3743VHSLGW	344
15K3743VHSLW	344
15K3754VWSFW	345
15K3773DDF	328
15K3773DDFA	328
15K3773DLF	330
15K3773DLFA	329
15K3773DPLF	331
15K3773DPRF	331
15K3773DRF	330
15K3773DRFA	329
15K3773DULF	331
15K3773DURF	331
15K3773WSPL	338
15K3773WSPR	338
15K3773WSUL	338
15K3773WSUR	338
15K4225MPW	340
15K42RD	362
15K4373DDFA	328
15K4373DLFA	329
15K4373DRFA	329
15K4825MPW	340
15K5418SOHFW	355
15K5418SOHGW	355
15K5418SOHMFW	356
15K5418SOHMGW	356
15K5418SOHMW	356
15K5418SOHW	355
15K6618SOHFW	355
15K6618SOHGW	355
15K6618SOHMFW	356
15K6618SOHMGW	356
15K6618SOHMW	356
15K6618SOHW	355
15K6638HBHFW	357
15K6638HBHGW	357
15K6638HBHW	357
15K7215LBSW	354
15K7218SOHFW	355
15K7218SOHGW	355
15K7218SOHMFW	356
15K7218SOHMGW	356
15K7218SOHMW	356
15K7218SOHW	355
15K7238HBHFW	357
15K7238HBHGW	357
15K7238HBHW	357
15K7315LBSW	354
15K7315TCW	354
15K8438HBHFW	357
15K8438HBHGW	357
15K8438HBHW	357
15K9638HBHFW	357
15K9638HBHGW	357
15K9638HBHW	357
80K05WMH	238
80K151840VOBCHL	215
80K151840VOBCHLG	216
80K151840VOBCHLR	217
80K151840VOBCHR	215
80K151840VOBCHRG	216
80K151840VOBCHRR	217
80K151840VOBCO	218
80K151840VOHL	209
80K151840VOHLG	210
80K151840VOHLR	211
80K151840VOHR	209
80K151840VOHRG	210
80K151840VOHRR	211
80K151849VOBCHL	215
80K151849VOBCHLG	216
80K151849VOBCHLR	217
80K151849VOBCHR	215
80K151849VOBCHRG	216
80K151849VOBCHRR	217
80K151849VOBCO	218
80K151849VOHL	209
80K151849VOHLG	210
80K151849VOHLR	211
80K151849VOHR	209
80K151849VOHRG	210

Model	➤See page
80K151849VOHRR	211
80K153018SOH	219, 221, 223
80K153018SOO	231
80K153018SOS	225, 227, 229
80K153020PFS	157
80K153020PFSG	158
80K153020PFSR	159
80K153028SOH	220, 222, 224
80K153028SOO	231
80K153028SOS	226, 228, 230
80K153039PFBCS	182
80K153039PFBCSG	183
80K153039PFBCSR	184
80K153039PUBCS	182
80K153039PUBCSG	183
80K153039PUBCSR	184
80K153040VOBCO	218
80K153040VOH	209
80K153040VOHG	210
80K153040VOHR	211
80K153040VOS	212
80K153040VOSG	213
80K153040VOSR	214
80K153042VOBCO	218
80K153042VOH	209
80K153042VOHG	210
80K153042VOHR	211
80K153042VOS	212
80K153042VOSG	213
80K153042VOSR	214
80K153049VOBCO	218
80K153049VOH	209
80K153049VOHG	210
80K153049VOHR	211
80K153049VOS	212
80K153049VOSG	213
80K153049VOSR	214
80K153052VOBCO	218
80K153052VOH	209
80K153052VOHG	210
80K153052VOHR	211

Model	➤See page
80K153052VOS	212
80K153052VOSG	213
80K153052VOSR	214
80K153610SH	233
80K153618SOH	219, 221, 223
80K153618SOO	231
80K153618SOS	225, 227, 229
80K153620PFS	157
80K153620PFSG	158
80K153620PFSR	159
80K153622SH	233, 234
80K153628SOH	220, 222, 224
80K153628SOO	231
80K153628SOS	226, 228, 230
80K153639PFBCS	182
80K153639PFBCSG	183
80K153639PFBCSR	184
80K153639PUBCS	182
80K153639PUBCSG	183
80K153639PUBCSR	184
80K153640VOBCO	218
80K153640VOH	209
80K153640VOHG	210
80K153640VOHR	211
80K153640VOS	212
80K153640VOSG	213
80K153640VOSR	214
80K153642V38	199
80K153642VOBCO	218
80K153642VOH	209
80K153642VOHG	210
80K153642VOHR	211
80K153642VOS	212
80K153642VOSG	213
80K153642VOSR	214
80K153649VOBCO	218
80K153649VOH	209
80K153649VOHG	210
80K153649VOHR	211
80K153649VOS	212
80K153649VOSG	213

Model	➤See page
80K153649VOSR	214
80K153650V38	199
80K153652VOBCO	218
80K153652VOH	209
80K153652VOHG	210
80K153652VOHR	211
80K153652VOS	212
80K153652VOSG	213
80K153652VOSR	214
80K154420PFS	157
80K154420PFSG	158
80K154420PFSR	159
80K155410SH	233
80K155418SOH	219, 221, 223
80K155418SOO	231
80K155418SOS	225, 227, 229
80K155422SH	233, 234
80K155428SOH	220, 222, 224
80K155428SOO	231
80K155428SOS	226, 228, 230
80K157210SH	233
80K157218SOH	219, 221, 223
80K157218SOS	225, 227, 229
80K157222SH	233, 234
80K157228SOH	220, 222, 224
80K157228SOS	226, 228, 230
80K159018SOH	219, 221, 223
80K159018SOS	225, 227, 229
80K159022SH	234
80K159028SOH	220, 222, 224
80K159028SOS	226, 228, 230
80K1854CSG	236
80K1854CSW	236
80K2112MP	152
80K2112MPT	153
80K22108WSS1	144
80K2210LAP	150
80K221521PMPFC	161
80K221527PFBBF	162
80K221527PFFBBF	163
80K221527PFFF	164

Model	➤See page
80K221527PFHL	169
80K221527PFHR	169
80K221527PFO	168
80K221527PMBBF	162
80K221527PMFF	164
80K221527PMT	175
80K221528PUBBF	162
80K221528PUFBBF	163
80K221528PUFF	164
80K221528PUHL	169
80K221528PUHR	169
80K221528PUO	168
80K221528PUTL	175
80K221528PUTR	175
80K221827PFBBF	162
80K221827PFFBBF	163
80K221827PFFF	164
80K221827PFHL	169
80K221827PFHR	169
80K221827PFO	168
80K221828PUBBF	162
80K221828PUFBBF	163
80K221828PUFF	164
80K221828PUHL	169
80K221828PUHR	169
80K221828PUO	168
80K221828PUTL	175
80K221828PUTR	175
80K221850V40	185
80K221850V41L	185
80K221850V41LG	186
80K221850V41LR	187
80K221850V41R	185
80K221850V41RG	186
80K221850V41RR	187
80K221869V41L	185
80K221869V41LG	186
80K221869V41LR	187
80K221869V41R	185
80K221869V41RG	186
80K221869V41RR	187

Model	➤See page
80K221878V41L	185
80K221878V41LG	186
80K221878V41LR	187
80K221878V41R	185
80K221878V41RG	186
80K221878V41RR	187
80K2222ENG	236
80K2222ENW	236
80K222442V32	188
80K222442V33	188
80K222450V32	188
80K222450V33	188
80K222469V91	188
80K222469V92	188
80K222469V93	189
80K222469V94	189
80K222469V95	190
80K222469V96	190
80K222478V91	188
80K222478V92	188
80K222478V93	189
80K222478V94	189
80K222478V95	190
80K222478V96	190
80K2228LAP	150
80K223020PFBF	155
80K223020PFO	156
80K223020PFS	157
80K223020PFSG	158
80K223020PFSR	159
80K223020PMS	157
80K223020PMSG	158
80K223020PMSR	159
80K223027PFBBLF	167
80K223027PFH	169
80K223027PFHG	170
80K223027PFHR	171
80K223027PFLF	165
80K223027PFMF	166
80K223027PFO	168
80K223027PFS	172

Model	➤See page
80K223027PFSG	173
80K223027PFSR	174
80K223028PUBBLF	167
80K223028PUH	169
80K223028PUHG	170
80K223028PUHR	171
80K223028PULF	165
80K223028PUMF	166
80K223028PUO	168
80K223028PUS	172
80K223028PUSG	173
80K223028PUSR	174
80K223028PUT	176
80K223039PFH	179
80K223039PFHG	180
80K223039PFHR	181
80K223039PFLF	178
80K223039PUH	179
80K223039PUHG	180
80K223039PUHR	181
80K223039PULF	178
80K223050V34	191
80K223050V35	191
80K223050V42	192
80K223050V43	193
80K223050V44	196
80K223050V45	195
80K223050V46	198
80K223050V47	194
80K223050V48	197
80K223069V43	193
80K223069V45	195
80K223069V47	194
80K223069V49	198
80K223069V85	197
80K223069V86	196
80K223078V43	193
80K223078V45	195
80K223078V47	194
80K223078V49	198
80K223078V85	197
80K223078V86	196
80K2230PC	160
80K2230WSS1	144
80K223620PFBF	155
80K223620PFO	156
80K223620PFS	157
80K223620PFSG	158
80K223620PFSR	159
80K223620PMS	157
80K223620PMSG	158
80K223627PFBBLF	167
80K223627PFH	169
80K223627PFHG	170
80K223627PFHR	171
80K223627PFLF	165
80K223627PFMF	166
80K223627PFO	168
80K223627PFS	172
80K223627PFSG	173
80K223627PFSR	174
80K223628PUBBLF	167
80K223628PUH	169
80K223628PUHG	170
80K223628PUHR	171
80K223628PULF	165
80K223628PUMF	166
80K223628PUO	168
80K223628PUS	172
80K223628PUSG	173
80K223628PUSR	174
80K223628PUT	176
80K223639PFH	179
80K223639PFHG	180
80K223639PFHR	181
80K223639PFLF	178
80K223639PUH	179
80K223639PUHG	180
80K223639PUHR	181
80K223639PULF	178
80K223642V34	200
80K223642V35	200
80K223650V34	200
80K223650V35	200
80K223650V42	201
80K223650V43	202
80K223650V44	205
80K223650V45	204
80K223650V46	207
80K223650V47	203
80K223650V48	206
80K223669V43	202
80K223669V45	204
80K223669V47	203
80K223669V49	207
80K223669V85	206
80K223669V86	205
80K223678V43	202
80K223678V45	204
80K223678V47	203
80K223678V49	207
80K223678V85	206
80K223678V86	205
80K2236PC	160
80K2236WSS1	144
80K2238WSS2	143
80K2240WSS2	143
80K2244WSS2	143
80K2246WSS2	143
80K2250WSS1	144
80K2250WSS2	143
80K2252WSS2	143
80K2254WSS1	144
80K2256WSS1	144
80K2256WSS2	143
80K2258WSS2	143
80K2260WSS1	144
80K2266WSS1	144
80K2272WSS1	144
80K2278WSS1	144
80K2284WSS1	144
80K2290WSS1	144
80K22LIR	151
80K2712MP	152
80K2712MPT	153
80K2810LAP	150
80K281527PFBBF	162
80K281527PFFBBF	163
80K281527PFFF	164
80K281527PMBBF	162
80K281527PMFF	164
80K281528PUBBF	162
80K281528PUFBBF	163
80K281528PUFF	164
80K281528PUTL	175
80K281528PUTR	175
80K281827PFBBF	162
80K281827PFFBBF	163
80K281827PFFF	164
80K281828PUBBF	162
80K281828PUFBBF	163
80K281828PUFF	164
80K281828PUTL	175
80K281828PUTR	175
80K2828ENG	236
80K2828ENW	236
80K2828LAP	150
80K283027PFBBLF	167
80K283027PFLF	165
80K283028PUBBLF	167
80K283028PULF	165
80K283627PFBBLF	167
80K283627PFLF	165
80K283628PUBBLF	167
80K283628PULF	165
80K2844WSWL2	146
80K2844WSWR2	146
80K2850WSWL2	146
80K2850WSWR2	146
80K2856WSWL2	146
80K2856WSWR2	146
80K2860WSS	142
80K2860WSW1	145
80K2860WSW2	145
80K2866WSS	142
80K2866WSW1	145
80K2866WSW2	145
80K2872WSS	142
80K2872WSW1	145
80K2872WSW2	145
80K2878WSS	142
80K2878WSW1	145
80K2878WSW2	145
80K2884WSS	142
80K2896WSS	142
80K28LIR	151
80K3026BCOF	208
80K3042BCOF	208
80K3050BCOF	208
80K3069BCOF	208
80K3078BCOF	208
80K3312MP	152
80K3312MPT	153
80K3410LAP	150
80K341527PFBBF	162
80K341527PFFBBF	163
80K341527PFFF	164
80K341528PUBBF	162
80K341528PUFBBF	163
80K341528PUFF	164
80K341528PUTL	175
80K341528PUTR	175
80K341827PFBBF	162
80K341827PFFBBF	163
80K341827PFFF	164
80K341828PUBBF	162
80K341828PUFBBF	163
80K341828PUFF	164
80K341828PUTL	175
80K341828PUTR	175
80K3428LAP	150
80K3434MGG	236
80K3434MGW	236
80K3460WSS	142
80K3460WSWEL	147

Model	➤See page
80K3460WSWER	147
80K3466WSS	142
80K3466WSWEL	147
80K3466WSWER	147
80K3472DTTRG	149
80K3472WSS	142
80K3472WSWEL	147
80K3472WSWER	147
80K3478WSS	142
80K3478WSWER	147
80K3484WSS	142
80K3496WSS	142
80K34LIR	151
80K3607SMC	232
80K361542V36	199
80K361542V37	199
80K361550V36	199
80K361550V37	199
80K3626BCOF	208
80K3642BCOF	208
80K3650BCOF	208
80K3669BCOF	208
80K3678BCOF	208
80K3712MP	152
80K3712MPT	153
80K3712SR	154
80K3878DTTVG	149
80K3878WSV	148
80K3912MP	152
80K3912MPT	153
80K3912SR	154
80K4312MP	152
80K4312MPT	153
80K4444MGG	236
80K4444MGW	236
80K4512MP	152
80K4512MPT	153
80K4512SR	154
80K4912MP	152
80K4912MPT	153
80K5212MP	152
80K5212MPT	153
80K5212SR	154
80K5407SMC	232
80K5512MP	152
80K5512MPT	153
80K5812MP	152
80K5812MPT	153
80K5812SR	154
80K6512MP	152
80K6512SR	154
80K7112MP	152
80K7112SR	154
80K79100RSU	237
80K7982RSLL	237
80K7982RSLR	237
80K82123RSU	237
80KELR1	238
80KHCDHM	235
80KHFHM	235
80KHTSM	235
80KNHM	235
80KPFM	235
80KPUMB1	238
AC1216SH	98
AC1228SH	98, 107
AC1234SH	98, 107
AC2218CD	60, 330, 331
AC2230CD	60, 328, 329, 330
AC2236CD	60, 328
AC2448LC	111
AC2806SFB	73, 338
AC2812SHB	73, 338
AC2818TBK	96, 358
AC2818TBKP	96
AC3418TBK	96, 358
AC3418TBKP	96
AC4018TBK	96
AC4018TBKP	96
AC4112TBK	110
AC4618TBK	96
AC4618TBKP	96
AC4850VB	111
AC5218TBK	96, 358
AC5218TBKP	96
AC5718TBK	96, 358
AC5718TBKP	96
AC6318TBK	96, 358
AC6318TBKP	96
AC6918TBK	96, 358
AC6918TBKP	96
AC8216TBK	96, 358
AC9416TBK	96, 358
ACAWBP1	72
ACGB1	86
AVB-4848W	365
AVB-4848WM	365
B-2B-3630	364
B-3B-3648	364
B-4B-3660	364
B-5B-3672	364
B-6B-3684	364
CBM2804CF2	73
CBS2716CYL	362
CBS2716CYW	362
CE2430CTK	112
CE2436MCT	112
CE2436MUTW	87
CE2448CT	112
DF0119CPFS	356
DF0130CPFS	93
DF0668VWHLW	103
DF0668VWHRW	103
DF10227MPRW	77
DF10227MPW	76
DF10827MPRW	77
DF10827MPW	76
DF10838HBHW	94
DF11427MPRW	77
DF11427MPW	76
DF12027MPRW	77
DF12027MPW	76
DF1228SSW	72
DF15102CPTFW	108
DF15102CPTW	108
DF15108CPTFW	108
DF15108CPTW	108
DF1515PTH	112
DF1518CPTW	108
DF1527CPBPW	86
DF1527MPW	82
DF1530CPTW	108
DF1536CPTW	108
DF1542CPTW	108
DF1548CPTW	108
DF1554CPTW	108
DF1560CPTW	108
DF1566CPTW	108
DF1572CPTFW	108
DF1572CPTW	108
DF1578CPTFW	108
DF1578CPTW	108
DF1584CPTFW	108
DF1584CPTW	108
DF1584WSTS	110
DF1590CPTFW	108
DF1590CPTW	108
DF1596CPTFW	108
DF1596CPTW	108
DF1820CPFPW	93
DF1827CPBPW	86
DF1827CPFPW	86
DF1827MPW	82
DF1831CPFPW	93
DF1838BCHLG2W	100
DF1838BCHLW	99
DF1838BCHRG2W	100
DF1838BCHRW	99
DF1838BCOW	98
DF1838BCSHLG2W	102
DF1838BCSHLW	101
DF1838BCSHRG2W	102
DF1838BCSHRW	101
DF1850BCHLG2W	100
DF1850BCHLW	99
DF1850BCHRG2W	100
DF1850BCHRW	99
DF1850BCOW	98
DF1850BCSHLG2W	102
DF1850BCSHLW	101
DF1850BCSHRG2W	102
DF1850BCSHRW	101
DF1868CPFPW	106
DF1868VSHLW	103
DF1868VSHRW	103
DF1868VWHLOSW	103
DF1868VWHLW	103
DF1868VWHROSW	103
DF1868VWHRW	103
DF1879CPFPW	106
DF1879VSHLW	103
DF1879VSHRW	103
DF1879VWHLOSW	103
DF1879VWHLW	103
DF1879VWHROSW	103
DF1879VWHRW	103
DF2315PUBBFW	83
DF2315PUFFW	83
DF2318PUBBFW	83
DF2318PUFFW	83
DF2318PUOSW	83
DF2318PUPPPFW	83
DF2328EPW	71
DF2330LFM2W	85
DF2330PUHW	85
DF2330PUOSW	85
DF2336LFM2W	85
DF2336PUHW	85
DF2336PUOSW	85
DF2406CPTW	109
DF24102WSS4	65
DF24102WSS4FB	65
DF24108WSS4	65
DF24108WSS4FB	65
DF24114WSS4	65

Model Number Index

continued

Terms & Conditions ➤See page 384
Product Warranty 386
Operating Load Capacities 387

Model	➤See page
DF24114WSS4FB	65
DF24120WSS4	65
DF24120WSS4FB	65
DF2415PMBFCW	87
DF2415PUBBFFW	84
DF2415PUFFFW	84
DF2418CPTW	109
DF2418PMBBFTW	87
DF2418PMFFTW	87
DF2418PMPBFW	87
DF2418PUBBFFW	84
DF2418PUFFFW	84
DF2418WSS4	65
DF2425MPTW	82
DF2428EPDW	71
DF2428EPEW	71
DF2428SLOSF1	74
DF2428SLOSWF1	74
DF2428SLUSF1	74
DF2428STW	72
DF2430CPTW	109
DF2430LFM3W	89
DF2430LFM4W	89
DF2430WSS4	65
DF2436BEF	62
DF2436BEX	62
DF2436CPTW	109
DF2436LFF2	88
DF2436LFF4	88
DF2436LFM3W	89
DF2436LFM4W	89
DF2436WSS4	65
DF2442BEF	62
DF2442BEX	62
DF2442CPTW	109
DF2442RLEF	61
DF2442RLEFX	61
DF2442RREF	61
DF2442RREFX	61
DF2442RTL	110
DF2442RTR	110
DF2442WSS4	65
DF2448BEF	62
DF2448BEX	62
DF2448CPTW	109
DF2448RLEF	61
DF2448RLEFX	61
DF2448RREF	61
DF2448RREFX	61
DF2448WSS4	65
DF2454CPTW	109
DF2454WSS4	65
DF2460BEF	62
DF2460BEX	62
DF2460CPTW	109
DF2460RLEF	61
DF2460RLEFX	61
DF2460RREF	61
DF2460RREFX	61
DF2460WSS4	65
DF2460WSS4FB	65
DF2466CKF	63
DF2466CLF	64
DF2466CPTW	109
DF2466CRF	64
DF2466CSF	63
DF2466WSS4	65
DF2466WSS4FB	65
DF2472CKF	63
DF2472CLF	64
DF2472CPTW	109
DF2472CRF	64
DF2472CSF	63
DF2472WSS4	65
DF2472WSS4FB	65
DF2478WSS4	65
DF2478WSS4FB	65
DF2484WSS4	65
DF2484WSS4FB	65
DF2490WSS4	65
DF2490WSS4FB	65
DF2496WSS4	65
DF2496WSS4FB	65
DF2725MPTW	82
DF28CPFSW	86
DF2915PUBBFW	83
DF2915PUFFW	83
DF2918PUBBFW	83
DF2918PUFFW	83
DF2928EPW	71
DF3013MPKW	75
DF3015PUBBFFW	84
DF3015PUFFFW	84
DF3018PUBBFFW	84
DF3018PUFFFW	84
DF3020SOHMG2W	91
DF3020SOHMW	90
DF3020SOHSW	92
DF3025MPTW	82
DF3027CPBPW	86
DF3027MPKW	75
DF3027MPW	82
DF3028BCOFW	107
DF3028EPDW	71
DF3028EPEW	71
DF3028SLOF2	74
DF3028SLOSF1	74
DF3028SLOSWF1	74
DF3028SLUSF1	74
DF3028STW	72
DF3031SOHMG2W	91
DF3031SOHMW	90
DF3031SOHSW	92
DF3036WSSM4	66
DF3038BCHG2W	100
DF3038BCHW	99
DF3038BCOW	98
DF3040BCOFW	107
DF3042WSSM4	66
DF3048WSSE4	66
DF3048WSSM4	66
DF3050BCHG2W	100
DF3050BCHW	99
DF3050BCOW	98
DF3053BCOFW	107
DF3054WSSE4	66
DF3054WSSM4	66
DF3060DDF	54
DF3060DDFB	54
DF3060WSSE4	66
DF3060WSSM4	66
DF3060WSU	70
DF3066DDF	54
DF3066DDFB	54
DF3066DLF	55
DF3066DLFB	55
DF3066DRF	55
DF3066DRFB	55
DF3066WSGEL4	69
DF3066WSGER4	69
DF3066WSSE4	66
DF3066WSSM4	66
DF3068BCOFW	107
DF3068VHF2W	105
DF3068VHF3W	105
DF3068VHHW	104
DF3068VSHW	104
DF3068VWHW	104
DF3072WSGEL4	69
DF3072WSGER4	69
DF3072WSPL	70
DF3072WSPR	70
DF3072WSSE4	66
DF3072WSSM4	66
DF3072WSU	70
DF3078WSSE4	66
DF3078WSSM4	66
DF3079BCOFW	107
DF3079VHF2W	105
DF3079VHF3W	105
DF3079VHHW	104
DF3079VSHW	104
DF3084WSSE4	66
DF3084WSSM4	66
DF3090DLAE	57
DF3090DRAE	57
DF3090WSSE4	66
DF3090WSSM4	66
DF3325MPTW	82
DF3515PUBBFW	83
DF3515PUFFW	83
DF3518PUBBFW	83
DF3518PUFFW	83
DF3528EPW	71
DF3613MPKW	75
DF3615PUBBFFW	84
DF3615PUFFFW	84
DF3618PUBBFFW	84
DF3618PUFFFW	84
DF3620SOHMG2W	91
DF3620SOHMW	90
DF3620SOHSW	92
DF3625MPTW	82
DF3627CPBPW	86
DF3627MPBW	77
DF3627MPKW	75
DF3627MPRW	77
DF3627MPW	82
DF3628BCOFW	107
DF3628EPDW	71
DF3628EPEW	71
DF3628SLOF2	74
DF3628SLOSF1	74
DF3628SLOSWF1	74
DF3628SLUSF1	74
DF3628STW	72
DF3631SOHMG2W	91
DF3631SOHMW	90
DF3631SOHSW	92
DF3636CFS	62
DF3638BCHG2W	100
DF3638BCHW	99
DF3638BCOW	98
DF3640BCOFW	107
DF3648WSSE4	67

Model	➤See page
DF3648WSSM4	67
DF3650BCHG2W	100
DF3650BCHW	99
DF3650BCOW	98
DF3653BCOFW	107
DF3654WSSE4	67
DF3654WSSM4	67
DF3660WSSE4	67
DF3660WSSM4	67
DF3666WSGEL4	69
DF3666WSGER4	69
DF3666WSSE4	67
DF3666WSSM4	67
DF3668BCOFW	107
DF3668VHF2W	105
DF3668VHF3W	105
DF3668VHHW	104
DF3668VSHW	104
DF3668VWHW	104
DF3672DDF	54
DF3672DDFA	54
DF3672DDFB	54
DF3672DDFBA	54
DF3672DLF	55
DF3672DLFA	56
DF3672DLFB	55
DF3672DLFBA	56
DF3672DPL	59
DF3672DPLF	59
DF3672DPR	59
DF3672DPRF	59
DF3672DRFA	56
DF3672DRFB	55
DF3672DRFBA	56
DF3672DU	58
DF3672DUF	58
DF3672WSA4	68
DF3672WSGEL4	69
DF3672WSGER4	69
DF3672WSPL	70
DF3672WSPR	70

Model	➤See page
DF3672WSSE4	67
DF3672WSSM4	67
DF3672WSU	70
DF3678WSSE4	67
DF3678WSSM4	67
DF3679BCOFW	107
DF3679VHF2W	105
DF3679VHF3W	105
DF3679VHHW	104
DF3679VSHW	104
DF3684WSSE4	67
DF3684WSSM4	67
DF3690DLAE	57
DF3690WSSE4	67
DF3690WSSM4	67
DF3813MPAELW	81
DF3925MPTW	82
DF4213MPKW	75
DF4213MPREW	79
DF4220SOHMG2W	91
DF4220SOHMW	90
DF4220SOHSW	92
DF4225MPTW	82
DF4227MPBW	77
DF4227MPKW	75
DF4227MPREW	79
DF4227MPRW	77
DF4231SOHMG2W	91
DF4231SOHMW	90
DF4231SOHSW	92
DF4242CFS	62
DF4242CFT	110
DF4272DDFA	54
DF4272DDFBA	54
DF4272DLFA	56
DF4272DLFBA	56
DF4272DRFA	56
DF4272DRFBA	56
DF4272WSA4	68
DF4278WSA4	68
DF4313MPAEW	80

Model	➤See page
DF4327MPAEW	80
DF4413MPAELW	81
DF4513MPAEW	80
DF4513MPRELW	81
DF4525MPTW	82
DF4527MPAEW	80
DF4813MPKW	75
DF4813MPREW	79
DF4820SOHMG2W	91
DF4820SOHMW	90
DF4820SOHSW	92
DF4825MPTW	82
DF4827MPBW	77
DF4827MPKW	75
DF4827MPREW	79
DF4827MPRW	77
DF4827MPW	76
DF4831SOHMG2W	91
DF4831SOHMW	90
DF4831SOHSW	92
DF4913MPAEW	80
DF4913MPDW	78
DF4927MPAEW	80
DF5013MPREW	79
DF5027MPREW	79
DF5113MPAEW	80
DF5113MPRELW	81
DF5113MPREW	79
DF5125MPTW	82
DF5127MPAEW	80
DF5127MPREW	79
DF5213MPDW	78
DF5413MPREW	79
DF5420SOHMG2W	91
DF5420SOHMW	90
DF5420SOHSW	92
DF5425MPTW	82
DF5427MPBW	77
DF5427MPREW	79
DF5427MPRW	77
DF5427MPW	76

Model	➤See page
DF5431SOHMG2W	91
DF5431SOHMW	90
DF5431SOHSW	92
DF5438HBHG2W	95
DF5438HBHW	94
DF5450HBHG2W	95
DF5450HBHW	94
DF548CPTW	111
DF5513MPDW	78
DF5613MPREW	79
DF5627MPREW	79
DF5713MPRELW	81
DF5713MPREW	79
DF5725MPTW	82
DF5727MPREW	79
DF5813MPDW	78
DF6013MPREW	79
DF6020SOHMG2W	91
DF6020SOHMW	90
DF6020SOHSW	92
DF6025MPTW	82
DF6027MPBW	77
DF6027MPREW	79
DF6027MPRW	77
DF6027MPW	76
DF6031SOHMG2W	91
DF6031SOHMW	90
DF6031SOHSW	92
DF6038HBHG2W	95
DF6038HBHW	94
DF6050HBHG2W	95
DF6050HBHW	94
DF6213MPREW	79
DF6227MPREW	79
DF6313MPREW	79
DF6327MPREW	79
DF6620SOHMG2W	91
DF6620SOHMW	90
DF6620SOHSW	92
DF6627MPBW	77
DF6627MPRW	77

Model	➤See page
DF6627MPW	76
DF6631SOHMG2W	91
DF6631SOHMW	90
DF6631SOHSW	92
DF6638HBHG2W	95
DF6638HBHW	94
DF6650HBHG2W	95
DF6650HBHW	94
DF7220SOHMG2W	91
DF7220SOHMW	90
DF7220SOHSW	92
DF7227MPBW	77
DF7227MPRW	77
DF7227MPW	76
DF7231SOHMG2W	91
DF7231SOHMW	90
DF7231SOHSW	92
DF7238HBHG2W	95
DF7238HBHW	94
DF7250HBHG2W	95
DF7250HBHW	94
DF7827MPBW	77
DF7827MPRW	77
DF7827MPW	76
DF8427MPBW	77
DF8427MPRW	77
DF8427MPW	76
DF8438HBHW	94
DF9027MPBW	77
DF9027MPRW	77
DF9027MPW	76
DF9627MPRW	77
DF9627MPW	76
DF9638HBHW	94
DFWBVS	106
IN1454CPPP	259
IN1618CPPP	259
IN1636CPPP	259
IN1654CPPD	259
IN2151BCHLG1	253
IN2151BCHLG2	253

Model	➤See page
IN2151BCHLW	253
IN2151BCHRG1	253
IN2151BCHRG2	253
IN2151BCHRW	253
IN2151BCO	253
IN2421PFBBF	252
IN2421PFFF	252
IN2438WSSB	248
IN2438WSSBK	248
IN2439LFF2	251
IN2439LFF4	251
IN2439PFH	252
IN2456WSSB	248
IN2456WSSBK	248
IN2475CFF	250
IN2475CKF	250
IN2475CLF2	249
IN2475CLF6	249
IN2475CRF2	249
IN2475CRF6	249
IN2475CSF	250
IN2551BEFH	248
IN2551RLEF	247
IN2551RREF	247
IN2567RLEF	247
IN2567RREF	247
IN3630SOHG1	257
IN3630SOHG2	257
IN3630SOHW	257
IN3672DDFB	245
IN3672DDFBF	245
IN3672DDFBFO	245
IN3672DDFBO	245
IN3672DLFB	246
IN3672DRFB	246
IN3951BCHG1	254
IN3951BCHG2	254
IN3951BCHW	254
IN3951BCO	254
IN4278DDFBFO	245
IN4278DDFBO	245

Model	➤See page
IN5430SOHG1	258
IN5430SOHG2	258
IN5430SOHW	258
IN7551BCHG1	255
IN7551BCHG2	255
IN7551BCHW	255
IN7551HBHG1	256
IN7551HBHG2	256
IN7551HBHW	256
KAC2804SFBP	73
KAC2804SSFP	73
KAC5813SW	97
KAC6413SW	97
KAC7013SW	97
KAC72WMB	355
KACGB1	177
KC2GMK	6
KCCB001 to KCCB300	6
KCCB1CK	6
KCCE001 to KCCE100	6
KCCG001 to KCCG100	6
KCCH080 to KCCH099	6
KCU16TLKL	367
KCU16TLKLGA	367
KCU16TLKLGS	367
KCU25TL	368
KCU25TLC	368
KCU25TLKL	367
KCU25TLKLGA	367
KCU25TLKLGS	367
KCU33TLKL	367
KCU33TLKLGA	367
KCU33TLKLGS	367
KCU37TL	368
KCU37TLC	368
KCU49TL	368
KCU49TLC	368
KCU63TLKL	367
PR1287WSTS	278
PR15110CPCFI	287
PR1537CPB	287

Model	➤See page
PR1538CPCF	287
PR1539CPT	287
PR1573CPB	287
PR1574CPCF	287
PR1575CPT	287
PR1833CD	276
PR1932CD	272
PR2218PUBBF	284
PR2218PUFF	284
PR2236LFM2	284
PR2236LFM4	284
PR2236PUBBF	284
PR2236PUH	284
PR23109CPB	285
PR2337CPB	285
PR2373CPB	285
PR24111WSS	285
PR2439LFF2	281
PR2439LFF4	281
PR2439WSS	285
PR2442RTL	278
PR2442RTR	278
PR2474CB	277
PR2475CKF	276
PR2475CSF	276
PR2475WSS	285
PR2478CLF2	275
PR2478CLF6	275
PR2478CRF2	275
PR2478CRF6	275
PR2478CSF	276
PR2551BEFH	274
PR2551BEQ	274
PR2551RLEF	273
PR2551RREF	273
PR2567RLEF	273
PR2567RREF	273
PR3066DDFBR	269
PR3066DDFBW	269
PR3375DC	268
PR3648BCHG	286

Model	➤See page
PR3648BCHM	286
PR3648BCHW	286
PR3648BCO	286
PR3648CPBP	287
PR3670BCO	286
PR3672DDFBB	269
PR3672DDFBR	269
PR3672DDFBSB	269
PR3672DDFBSR	269
PR3672DDFBSW	269
PR3672DDFBW	269
PR3672DLFLW	272
PR3672DLFR	272
PR3672DLFW	272
PR3672DRFLW	272
PR3672DRFR	272
PR3672DRFW	272
PR3672DT2LW	270
PR3672DT2R	270
PR3672DT2W	270
PR3678DLFLW	272
PR3678DLFR	272
PR3678DLFW	272
PR3678DRFLW	272
PR3678DRFR	272
PR3678DRFW	272
PR4242CFT	278
PR4278DELFLW	271
PR4278DELFR	271
PR4278DELFW	271
PR4278DERFLW	271
PR4278DERFR	271
PR4278DERFW	271
PR4278WSSB	268
PR4278WSSR	268
PR4278WSSW	268
PR4286WSSB	268
PR4286WSSR	268
PR4286WSSW	268
PS1	111, 365
SN1287WSTS	307

Model	➤See page
SN15109CPB	316
SN15110CPCFI	316
SN15111CPT	316
SN1537CPB	316
SN1538CPCF	316
SN1539CPT	316
SN1573CPB	316
SN1574CPCF	316
SN1575CPT	316
SN2318PUBBF	313
SN2318PUFF	313
SN2336LFM2	313
SN2336LFM4	313
SN2336PUH	313
SN24111WSS	314
SN2439LFF2	310
SN2439LFF4	310
SN2439WSS	314
SN2442RTL	307
SN2442RTR	307
SN2474WSS	314
SN2475CBL	306
SN2475CKF	305
SN2475CLF2	304
SN2475CLF6	304
SN2475CRF2	304
SN2475CRF6	304
SN2475CSF	305
SN2551BEFH	303
SN2551BEQ	303
SN2551RLEF	302
SN2551RLEQ	302
SN2551RREF	302
SN2551RREQ	302
SN2567RLEF	301
SN2567RLEQ	301
SN2567RREF	301
SN2567RREQ	301
SN3060DDF	297
SN3066DDF	297
SN3066DLF	300

continued

Terms & Conditions ➤See page 384
Product Warranty 386
Operating Load Capacities 387

Model	➤See page
SN3066DRF	300
SN3648BCHG	315
SN3648BCHM	315
SN3648BCHW	315
SN3648BCO	315
SN3670BCO	315
SN3672DDF	297
SN3672DDFB	296
SN3672DLF	300
SN3672DRF	300
SN3672DT	298
SN4242CFT	307
SN4272DELF	299
SN4272DERF	299
SN4278DDFB	296
TB-2066	256, 279
TD2347LC	282, 311
TD2539MUT	283, 312
TD3680VHHW	282, 311
TD7430SOHG	280, 309
TD7430SOHM	280, 309
TD7430SOHW	280, 309
TD7451HBHG	279, 308
TD7451HBHM	279, 308
TD7451HBHW	279, 308
TXT721	90, 91

Notes

Notes

Notes

Notes

Notes

Kimball® Office

DOCK™ Price List

This price list is effective March 30, 2015 and supercedes all previously printed or electronically released versions.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Sustainability	4
Training	
Statement of Line	5
Features	9
Typical Configurations	10
Table Tops	11
Rim Profiles	12
Cord Management	13
Factory-Installed Grommets	14
Factory-Installed Cut-Outs	15
Blade Bases	16
Tubular Bases	17
Modesty Panels	18
Power & Data Overview	19
Pricing	26
Meeting	
Statement of Line	49
Table Tops	53
Rim Profiles	54
Power & Cord Mgmt.	55
Factory-Installed Grommets	56
Factory-Installed Cut-Outs	57
Disc Bases	58
Blade Bases	59
Tubular Bases	60
Table Base Matrix	61
Pricing	81
Finishes and Materials	99
Resources	109

How to Use this Price List

Sustainability ➤See page 4
How to Specify Our Products 3

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

K icon indicates models that are available for quick shipment.
➤See the Kwik Office Price List.

(FSC) icon indicates models available with the FSC option (3% upcharge) at standard leadtime to meet FSC certification.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Standard product modifications are available on select products.
➤See the Product Modifications Price List at www.kimballoffice.com

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

How to Specify Our Products

Sustainability ➤See page 4
How to Use this Price List 2

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶ or ❷) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ③, ④, or ⑤) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



DOCK
Training Tables

Rectangular Tops (13⅛"H) — Pricing

GSA Contract Pending

D	W	Model	TFL (LL) PVC P Rim	HPL (L) PVC P Rim	3D Lam (2T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (L) Wood (W) P/M Rim	Wood (W) Wood P/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
18"D										
18"	48"	**75K1848RT**	$212	$255	$255	$268	$419	$419	$460	$460
18"	60"	**75K1860RT**	282	311	311	327	480	480	528	528
18"	72"	**75K1872RT**	306	374	374	393	545	545	600	600
18"	84"	**75K1884RT**	330	429	429	450	605	605	664	664
18"	96"	**75K1896RT**	352	486	486	510	669	669	735	735
24"D										
24"	48"	**75K2448RT**	$221	$287	$287	$280	$430	$430	$474	$474
24"	60"	**75K2460RT**	294	323	323	339	491	491	541	541
24"	72"	**75K2472RT**	326	386	386	405	555	555	611	611
24"	84"	**75K2484RT**	344	447	447	469	629	629	692	692
24"	96"	**75K2496RT**	366	507	507	532	697	697	767	767
30"D										
30"	48"	**75K3048RT**	$229	$316	$316	$332	$475	$475	$522	$522
30"	60"	**75K3060RT**	273	380	380	399	552	552	608	608
30"	72"	**75K3072RT**	342	452	452	475	629	629	692	692
30"	84"	**75K3084RT**	380	525	525	551	711	711	783	783
30"	96"	**75K3096RT**	427	594	594	624	791	791	871	871

Features ➤See page 9
Product Information 11
Rim Profiles 12
Cord Management 13

Standard Includes
• Top

How to Specify
❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile (omit for T and 2L):
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 14–15 for designators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

* Height (thickness) for TFL and 3D laminate tops is 1¼".

Page 23 — Dock Training Tables

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for a **rectangular table top.**
➤See page 32 for the corresponding pricing table and How to Specify steps.



Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Sustainability

Enhancing the Home We All Share

How to Use this PL ➤See page 2
How to Specify Our Products 3

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

pura

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

DOCK™ Training

Statement of Line

Table Tops

Features	➤See page 9
Typical Configurations	10
Product Information	11
Rim Profile	12



Rectangular Tops

➤See page 26 to specify.

	48"W	60"W	72"W	84"W	96"W
18"D	●	●	●	●	●
24"D	●	●	●	●	●
30"D	●	●	●	●	●



Trapezoid Tops

➤See page 27 to specify.

	48"W	60"W
24"D	●	
30"D		●

Half-Round Tops

➤See page 28 to specify.

	48"W	60"W
24"D	●	
30"D		●



Hexagon Tops

➤See page 29 to specify.

	48"W	60"W
24"D	●	
30"D		●

Quarter-Round Tops

➤See page 30 to specify.

	24"W	30"W
24"D	●	
30"D		●

Wedge Tops

➤See page 31 to specify.

24"D	●
30"D	●

Features ➤See page 9
Typical Configurations 10
Product Information 16

Flip/Nest T-Leg Bases with Support Beam

■ = With casters

➤See page 32 to specify.

	28"H
20"D	■
26"D	■



Fixed-Height T-Leg Bases

● = With glides

■ = With casters

➤See page 33 to specify.

	28"H
14"D	●■
20"D	●■
26"D	●■

Folding T-Leg Bases

● = With glides

➤See page 34 to specify.

	28"H
14"D	●
20"D	●
26"D	●



Flip/Nest C-Leg Bases with Support Beam

■ = With casters

➤See page 35 to specify.

	28"H
20"D	■
26"D	■



Fixed-Height C-Leg Bases

● = With glides

■ = With casters

▲ = Shared leg with glides

➤See page 36 to specify.

	28"H
17"D	●■
20"D	●■▲
26"D	●■▲



Fixed-Height Shared C-Leg Bases

● = With glides

➤See page 36 to specify.

	28"H
17"D	●■
20"D	●■
26"D	●■

DOCK™ Training

Statement of Line

Tubular Bases

Features	➤See page 9
Typical Configurations	10
Product Information	17



Flip/Nest T-Leg Bases

■ = With casters

➤See page 37 to specify.

	28"H
22"D	■
26"D	■



Fixed-Height T-Leg Bases

● = With glides

■ = With casters

➤See page 38 to specify.

	28"H
16"D	●■
22"D	●■
26"D	●■

Folding T-Leg Bases

● = With glides

➤See page 39 to specify.

	28"H
16"D	●
22"D	●
26"D	●



Adjustable-Height T-Leg Bases

● = With glides

➤See page 40 to specify.

	26"–35"H
16"D	●
22"D	●
26"D	●

DOCK™ Training

Statement of Line

Modesty Panels, Accessories, and Electrical

Features	➤See page 9
Typical Configurations	10
Power & Data Overview	19



Modesty Panels

➤See page 41 to specify.

	24"W	30"W	48"W	60"W	72"W	84"W	96"W
10"H	●	●	●	●	●	●	●

Ganging Bracket

➤See page 42 to specify.



Undersurface Support Rails

➤See page 41 to specify.

	42"W	56"W
3"D	●	●



Cable Management Accessories

- Leg cord manager
- Loop-style cord manager
- Flexchains

➤See page 43 to specify.



Metal Wire Trough

➤See page 43 to specify.

	24"W	30"W	48"W	60"W	72"W	84"W	96"W
2¼"H	●	●	●	●	●	●	●



Perimeter Single-Circuit Power Components

➤See page 44 to specify.



Interlink® iQ Single-Circuit Power Components

➤See page 45 to specify.



4-Trac® Power Components

➤See page 46 to specify.

Features

Overview

Statement of Line ➤See page 5
Typical Configurations 10
Power & Data Overview 19

Dock training tables are available in dozens of practical sizes and shapes, and can be combined in flexible arrangements for any use. Create dynamic learning environments, training rooms, private offices, collaborative spaces, and cafes, then expand or rearrange as your demands change.

Tops and legs are specified separately, increasing the flexibility of the product. Leg applications include:
- Flip/nest
- Fixed height
- Shared fixed height
- Folding
- Height adjustable

For mobility, casters are available for select leg styles.



Choose from a variety of top shapes and finishes to create your individual style and adapt to multiple budgets.

Nesting legs with casters move easily to quickly set up room configurations to suit your meeting requirements.

Accessory options include:
- Modesty panels
- Ganging brackets
- Surface power ports
- Grommets
- Single-circuit and 4-trac multi-circuit power systems
- Wire troughs
- Cable management

Shared table legs minimize cost and maximize leg room when used for more permanent table applications.

Typical Configurations

Features ➤See page 9
Power & Data Overview 19

Idea Starters

















Table Tops

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Details

Dock training tops are available in:
- 1 1/8"-thick thermally-fused laminate (TFL)
- 1 1/8"-thick 3D laminate
- 1 3/16"-thick high-pressure laminate (HPL)
- 1 3/16"-thick high-pressure laminate (HPL) with a wood rim
- 1 3/16"-thick wood veneer

Six top shapes are available:
- Rectangular
- Trapezoid
- Half-Round
- Hexagon
- Quarter-Round
- Wedge

Not all top sizes are available for every base application.
➤See price list pages for each base type and corresponding top size



Rectangular tops are for use with all leg styles and application types. Grain runs with the width.



Trapezoid, half-round, and hexagon tops are for use with fixed height, folding, adjustable height, and shared leg bases. These top shapes cannot be used with flip/nest bases. Grain runs with the width.

Quarter-round and wedge tops are "insert" tops to create various configurations. They are not designed to be used individually, and must be attached to rectangular worksurfaces on both sides with flat brackets (specified separately) and leg(s). Grain runs diagonally.

Connections

Tops do not ship with attachment hardware. Hardware ships with the base.



Flat brackets are required when creating several types of permanent configurations; specified separately.



Ganging bracket kit includes two black, elastic-nylon brackets that attach to the underside of two adjacent surfaces. Ganging brackets may be desired for reconfigurable applications such as nesting or mobile tables.

Planning Factors

When ordering quarter-round or wedge surfaces, 2 flat brackets must be ordered for each joint to attach the tops to the adjoining rectangular surface.

When ordering tops with shared legs, 2 flat brackets must be specified for each joint to attach tops to the adjoining surface.

Flat brackets or ganging bracket kits are required when installing single-circuit or 4-trac multi-circuit electrical systems on 2 or more tables to prevent separation or damage.

24" and 30"D quarter round and 30"D wedge tops can only be used with shared C-leg bases for required support.

24"D wedge top can only be used with fixed-height T-leg or C-leg pairs. A shared leg is not applicable due to interference with the mounting plate.



Undersurface support rails are required when using fixed-height, folding, and adjustable-height bases. Rail should be located in the center of the top depth.
Note: Flip/nest bases do not require a support rail, as they ship with a cross-bar as standard.
➤See chart below for undersurface support rail requirements.

Legs must be inset 12" from each end on 84" and 96"W tops for stability.

Related Products

Factory-installed grommets and cutout options are available; up-charge applies.
➤See pages 14 and 15.

Grommets are also available for field installation.
➤See the Perks Price List.

Modesty panels
➤See page 18.

Undersurface wire managers
➤See page 13.

Undersurface Support Rail Requirements:

Top W	Base Type	42"W Rail	56"W Rail
48" Hexagon	Fixed or adjustable height	●	
60" Hexagon	Fixed or adjustable height	●	
60" Rectangular	Fixed, folding, or adjustable height	●	
72" Rectangular	Fixed or adjustable height		●
72" Rectangular	Folding	●	
84" Rectangular	Fixed or adjustable height	●	
96" Rectangular	Fixed or adjustable height		●

Note: Rail width requirements are determined by the base mounting plate size which vaires by base type.

Table Tops

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Rim Profiles

Rim profiles differ based on the top material selected.



P Softened PVC rim
- Applies to TFL or HPL surfaces
- 3mm PVC edge
- Profile is on all four sides



SL Sloped rim
- Applies to 3D laminate surfaces
- Sloped user edge
- Flat approach/end edges



J Self-edge rim
- Applies to HPL surfaces
- Profile is on all four sides



F Softened wood rim
- Applies to HPL with wood rim or wood surfaces
- 3mm shaped wood on user edge
- .5mm flat edge band on approach/end edges



M Reed wood rim
- Applies to HPL with wood rim or wood surfaces
- 3mm shaped wood on user edge
- .5mm flat edge band on approach/end edges



S Knife wood rim
- Applies to HPL with wood rim or wood surfaces
- Knife rim on user edge
- .5mm flat edge band on approach/end edges

Table Tops

Product Information

Power and Cord Management

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Dock provides several flexible options for routing and concealing cords and cables. These include:
- Factory-installed grommet options (G1 and G19)
- Factory-installed C4 and C5 cut-outs for power/data/USB centers
- Undersurface wire trough
- Cord manager clip

Factory-installed grommets and cutouts are available as an option on tops in pre-determined locations.
➤See pages 14 and 15. for specification information, upcharges, and locations by top shape or type.



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Available in:
SL Silver
MB Matte Black



G19 metal grommet is a two-piece unit with black brush access. Top locks in place. Powdercoat finish in the following colors:
405 Designer White
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

Grommets for field installation are also available.
➤See the Perks Price List.



C4 cut-outs are for use with:
- Power harness with MHO retractable power centers (KCEI2PHPDUS (shown above) and KCEI2PHPDS)
- MHO retractable power center with 3 prong plug (KCEB2PDPS and KCEB2PDUPS)

Power centers must be ordered separately for field installation.
➤See page 45 and 48.



C5 cut-outs are for use with:
- Power/data centers with modular feed KCEP1PDMB and KCEP1PDMS)
- Power/data centers with three prong plug (KCEP1PDPB and KCEP1PDPS)

Power centers must be ordered separately for field installation.
➤See page 44 for product information.



Perks loop-style undersurface cable manager organizes cords and cables under tops. Cables pressure fit into individual loops. Openings are 1"D x ⅝"W x 1"H and can be removed to expand capacity. Black plastic. Set of 6.



Metal wire trough attaches to the underside of top to hold and conceal cords and cables. Use with single-circuit and 4-trac multi-circuit electrical systems. User side is open for easy access. Trough can be used with flip/nest, fixed, and adjustable-height leg applications and is compatible with a modesty panel installed in front of the trough. It is not available for use with folding legs.



Leg cord manager fits blade and tubular bases to hold cords and cables being routed from the floor to the top. These clips are simple to use and no installation hardware is required; they snap onto the column. Available in silver or clear plastic. Set of 3.



Perks flexchain and expandable cable manager manages cables and attaches to the underside of top to route cables and cords to the floor.

Table Tops

Product Information

Factory-Installed Grommets

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G1 Plastic Grommets										
Rectangular Top	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	**G1C**	+$57	**G1A**	+$171
Trapezoid Top	—		—		—		**G1C**	+$57	—	
Half-Round Top	—		—		—		**G1C**	+$57	—	
Hexagon Top	—		—		—		**G1C**	+$57	—	
G19 Metal Grommets										
Rectangular Top	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
Trapezoid Top	—		—		—		**G19C**	+$57	—	
Half-Round Top	—		—		—		**G19C**	+$57	—	
Hexagon Top	—		—		—		**G19C**	+$57	—	

➤See page 13 for details about G1 and G19 metal grommets.



Note: Dimensions listed are from the center of grommet to edge of top.

Available Finishes

G1 Plastic Grommets:
SL Silver
MB Matte Black

G19 Metal Grommets:
405 Designer White
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

How to Specify

① Insert the location *and* finish designator (for grommets) into model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G1LMB = G1 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix at left with a designator and price are available.

Table Tops

Factory-Installed Cut-Outs

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

	Left Designator	Upcharge	*Right* Designator	Upcharge	*Left & Right* Designator	Upcharge	*Center* Designator	Upcharge	*Left, Right, & Ctr.* Designator	Upcharge
C4 Cut-Outs (8"W x 4"D)										
Rectangular Top 48"–72"W	—		—		—		**C4C**	+$52	—	
Rectangular Top 84"–96"W	—		—		**C4LR**	+$104	—		—	
Trapezoid Top	—		—		—		**C4C**	+$52	—	
Half-Round Top	—		—		—		**C4C**	+$52	—	
Hexagon Top	—		—		—		**C4C**	+$52	—	
C5 Cut-Outs (5⅞"W x 2¾"D)										
Rectangular Top 48"–72"W	—		—		—		**C5C**	+$52	—	
Rectangular Top 84"–96"W	—		—		**C5LR**	+$104	—		—	
Trapezoid Top	—		—		—		**C5C**	+$52	—	
Half-Round Top	—		—		—		**C5C**	+$52	—	
Hexagon Top	—		—		—		**C5C**	+$52	—	

➤See pages 44 and 45 for corresponding power/data centers.

C4 Cut-Outs



C5 Cut-Outs



Related Products

C4 cut-outs are designed to accept:

- Power Harness with MHO retractable power centers (KCEI2PHPDUS and KCEI2PHPDS)
- MHO retractable power center with 3 prong plug (KCEB2PDUS and KCEB2PDUPS)

C5 cut-outs are for use with:

- Power/data power centers with modular feed KCEP1PDMB and KCEP1PDMS)
- Power/data power centers with three prong plug (KCEP1PDPB and KCEP1PDPS)

How to Specify

① Insert the location into model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the cut-out locations shown in the matrix at left with a designator and price are available.

Bases

Product Information

Blade Bases

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Details

Blade bases are available in two distinct styles:
- T-leg
- C-leg

All blade bases are 27¾"H. Overall table height with 1⅛"-thick top installed is 28 13/16"H or 28⅞"H with 1 3/16"-thick top.

T-leg blade bases are available in the following models:
- Flip/nest with support beam and casters
- Fixed-height with casters
- Fixed-height with glides
- Folding with glides

C-leg blade bases are available in the following models:
- Flip/nest with support beam and casters
- Fixed-height with casters
- Fixed-height with glides
- Shared fixed-height with glides (single leg)

Leg pairs comprise a base, with the exception of a shared C-leg. Each model provides a set of 2 legs and attachment hardware.
➤See the pricing pages for top shape, top size, and base compatabilty.



T-Leg Flip/Nest



C-Leg Flip/Nest

Flip/nest T-leg and C-leg bases include:
- Casters
- Cast aluminum top plate
- Extruded aluminum bottom plate
- Two T- or C-legs
- Cross support beam
- Flip mechanism with easy-release lever(s)

Note: Models for use with 48", 60", and 72"W tops have one release lever in the center; models for use with 84" and 96"W tops have two levers. Lever enables the table to lock in up and down positions.

Flip/nest models are sized 2" smaller than top for all widths; for use with rectangular surfaces only.



T-leg C-leg

Fixed-height T-legs and C-legs mount to the underside of top with a fixed steel plate. Fixed-height models are available with glides or casters.



Fixed-height shared C-leg with glides can be specified for static table configurations to replace two legs. Two flat brackets are required at the seam. Some shape applications will only allow one bracket due to space restrictions, however.



Folding T-legs feature a touch-release mechanism that allows the legs to fold flat for storage. Available with glides only.

Column and foot for all blade bases are available in matching or contrasting powdercoat finishes. Foot is also available in polished aluminum at no upcharge.

Column is 2⅜"-diameter, 10-gauge tubular steel with a cast aluminum foot.



Glides on applicable models adjust ¾" and are standard in:
- Silver on Polished Aluminum, Designer White, Platinum Metallic, or Silver Pearl, Antique White, or Frosty White foot
- Black on all other foot colors.



Non-hooded, locking casters on applicable models are available in:
- Black
- White/grey

Connections

Attachment hardware is standard with all bases.

Ganging brackets
➤See page 11.

Related Products



Leg cord manager holds cords and cables being routed from the floor to the top. These clips are simple to use and no installation hardware is required; they snap onto the column.

Undersurface wire managers
➤See page 13.

Undersurface support rails
➤See page 41.

Bases

Product Information

Tubular Bases

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Details

Tubular T-leg bases are 27¾"H. Overall table height with 1⅛"-thick top installed is 28 13/16"H or 28⅞"H with 1 3/16"-thick top.
Note: Tubular bases are not available with a C-leg column orientation.

T-leg tubular bases are available in the following models:
- Flip/nest with support beam and casters
- Fixed-height with casters
- Fixed-height with glides
- Folding with glides
- Adjustable-height with glides

Leg pairs comprise a base. Each model provides a set of 2 legs and attachment hardware.
➤See the pricing pages for top shape, top size, and base compatabilty.



Flip/nest bases include:
- Casters
- Cast aluminum top plate
- Extruded aluminum bottom plate
- Two T-legs
- Cross support beam
- Flip mechanism with easy-release lever(s)

Note: Models for use with 48", 60", and 72"W tops have one release lever in the center; models for use with 84" and 96"W tops have two levers. Lever enables the table to lock in up and down positions.

Flip/nest models are sized 2" smaller than top for all widths; for use with rectangular surfaces only.



Fixed-height T-legs mount to the underside of top with a fixed steel plate. Fixed-height models are available with glides or casters.



Adjustable-height T-legs mount ot the underside of top. Pin-set height adjustables from 26" to 35"H in 1" increments. Available with glides only.

Folding T-legs feature a touch-release mechanism that allows the legs to fold flat for storage. Available with glides only.

Tubular bases are available in two powdercoat finishes.

Column is 1⅞"-diameter, 14-gauge tubular steel.



Glides on applicable models adjust ¾" and are standard in black.



Non-hooded, locking casters on applicable models are standard in black.

Connections

Attachment hardware is standard with all bases.

Ganging brackets
➤See page 11.

Related Products



Leg cord manager holds cords and cables being routed from the floor to the top. These clips are simple to use and no installation hardware is required; they snap onto the column.

Undersurface wire managers
➤See page 13.

Undersurface support rails
➤See page 41.

Modesty Panels

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Details



Modesty panels provide user privacy and conceal electrical components and metal wire trough. Panels are 10"H.

➤See the pricing pages for modesty panel and top compatibilty.



TFL, HPL, and wood veneer modesty panels are 3/4" thick and are edge banded in the same material.



Resin modesty panel is 1/4" thick and ships with a silver coverplate to conceal mounting brackets.

Connections

Mounting bracketry for static, folding, or nesting is indicated as part of the specification for the modesty panel. Select:

- Static for fixed tables
- Folding for folding tables
- Nesting for flip/nest tables

Upcharge applies for folding and nesting options.



Static



Folding (removable)



Flip/nest (hinged)

Mounting brackets for use with TFL, HPL, and wood modesty panels are black.



Static



Folding (removable)



Flip/nest (hinged)

Mounting brackets for use with resin modesty panels are:

- Silver for flip/nest bases
- Black for fixed-height and folding bases

Modesty panel ships with the following bracket quantities:

- 48"W includes 2 brackets
- 60" and 72"W includes 3 brackets
- 84" and 96"W includes 4 brackets



Metal wire trough is compatible with a modesty panel installed in front of the trough.

Power and Data

Overview

Features ➤See page 9
Typical Configurations 10

Dock offers several power options:
- Corded
- Perimeter single-circuit power system
- Interlink IQ single-circuit power system
- 4-trac multi-circuit power system

IMPORTANT: Installation and use of electrical systems, the number or receptacles used on a given circuit, and connections to the building power suppy should be in compliance with all local and national codes.
Verify code requirements before ordering.

Corded:

Corded components are stand alone units that plug directly into a wall outlet. They can be used in a single table application or can plug into the 4-trac power system duplex receptacle under the top. UL recognized.

➤See page 48.

Perimeter Single-Circuit:

This non-sequential, 15-amp daisy-chain system can power a maximum of 8 power/data centers, each with 2 receptacles, off of one in-feed.
UL recognized.

System is comprised of:
- Smart box power in-feed
- Table-to-table jumpers
- Power/data center

➤See page 20.

Interlink IQ Single-Circuit:

This non-sequential, 15-amp daisy-chain system can power a maximum of 8 power/data centers, each with 2 receptacles, off of one in-feed.
UL recognized.

System is comprised of:
- Sensor box with power in-feed
- Combination power harness and rectractable power/data and power/data/USB center
- Table-to-table jumpers select configurations

➤See page 22.

4-Trac Multi-Circuit:

This low profile, non-sequential, 15-amp (2 circuits) or 20-amp (1 circuit), daisychain system provides 4 wires, and powers up to 12 duplex receptacles per circuit. All parts are UL listed, with the exception of the 20-amp power in-feed with plug which is UL recognized.

Up to twelve tables can be linked together.

System is comprised of:
- Power in-feeds*
- Modular power kits that include two duplex receptacles and harness
- Table-to-table jumper

* Rotating power in-feed with quick disconnect, hardwire and hardwire for NYC in-feed models are also available.

➤See page 24.

Power and Data

Product Information

Perimeter Single-Circuit Power System

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Details

Non-sequential, 15-amp daisy-chain system can power a maximum of 8 power/data centers, each with 2 receptacles, off of one in-feed. UL recognized.



Smart box power in-feed includes smart LED indicators that illuminate green when you have linked the appropriate number of units. A red light means you've linked too many units. 10' black 15-amp power cord plugs into standard wall or floor outlet on one end and connects to jumper or power/data center with modular feed.



Power/data centers are 6 1/4"W x 3 1/4"D and fit C5 factory-installed cut-outs in top. They feature a self-storing, metal lid with a plastic body. Attaches to power in-feed and jumper.



Table-to-table jumper continues power from one power/data center to another.

➤See page 21 for diagrams for required components.

Connections



Ganging brackets or flat brackets are required between power-linked tables.

Up to 8 power/data centers can be powered by one smart box power in-feed.

Related Products

Undersurface wire managers
➤See page 43.

Metal wire troughs
➤See page 43.

Leg cord managers
➤See page 43.

Cable managers
➤See page 43.

Power and Data

Perimeter Single-Circuit Power System, continued

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

48–72"W Tables
One Power/Data Center per Table; 8 Tables Maximum



84–96"W Tables
Two Power/Data Centers per Table; 4 Tables Maximum



Legend


= Smart Box Power In-Feed

= Power/Data Center

= Table-to-Table Jumper

Component Requirements:

Ganged Tables	*Power In-Feed*	*Power Centers*	*Jumpers*
48"–72" Tables			
8	1	8	7
7	1	7	6
6	1	6	5
5	1	5	4
4	1	4	3
3	1	3	2
2	1	2	1
1	1	1	0
84"–96" Tables			
4	1	8	7
3	1	6	5
2	1	4	3
1	1	2	1

IMPORTANT: Installation and use of electrical systems, the number or receptacles used on a given circuit, and connections to the building power suppy should be in compliance with all local and national codes.Verify code requirements before ordering.

Power and Data

Product Information

Interlink IQ Single-Circuit Power System

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Details

Non-sequential, 15-amp daisy-chain system can power a maximum of 8 power/data centers, each with 2 receptacles, off of one in-feed. UL recognized.



Interlink IQ power in-feed with sensor box includes smart LED indicators that illuminate green when you have linked the appropriate number of units. A red light means you've linked too many units. A 10' black, 15-amp power cord plugs into the sensor box on one end and into a standard wall or floor outlet on the other end.



60"W Mho® power harness with retractable power/data or power/data/USB center provides power to the surface and extends power to an adjacent surface. Power centers are 8⅜"W x 4⅜"D and fit C4 factory-installed cut-outs in top. Clear, anodized aluminum.



Table-to-table jumpers are required for 72"W tables in runs of 3 or more tables.
➤See page 23 for diagrams for required components.

Connections



Ganging brackets or flat brackets are required between power-linked tables.

Up to 8 power centers can be powered by one in-feed.

Related Products

Undersurface wire managers
➤See page 43.

Metal wire troughs
➤See page 43.

Leg cord managers
➤See page 43.

Cable managers
➤See page 43.

Power and Data

Interlink IQ Single-Circuit Power System, continued

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

48–60"W Tables
One Power/Data Center per Table; 8 Tables Maximum



72"W Tables
One Power/Data Center per Table; 6 Tables Maximum



84–96"W Tables
Two Power/Data Centers per Table; 4 Tables Maximum



Legend


= Interlink IQ Power In-Feed

= Mho Harness with Retractable Power Center

= Table-to-Table Jumper

Component Requirements:

Ganged Tables	*Power In-Feed*	*Power Harness*	*Jumpers*
48"–60" Tables			
8	1	8	0
7	1	7	0
6	1	6	0
5	1	5	0
4	1	4	0
3	1	3	0
2	1	2	0
1	1	1	0
72"W Tables			
6	1	6	2*
5	1	5	2*
4	1	4	1*
3	1	3	1*
2	1	2	0
1	1	1	0
84"–96" Tables			
4	1	8	0
3	1	6	0
2	1	4	0
1	1	2	0

* Table runs using 72"W tables require the use of a table-to-table jumper between power harnesses on tables 2 & 3 and tables 4 & 5 (if applicable).

IMPORTANT: Installation and use of electrical systems, the number or receptacles used on a given circuit, and connections to the building power suppy should be in compliance with all local and national codes.Verify code requirements before ordering.

Power and Data

Product Information

4-Trac® Multi-Circuit Power System

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Details

Low profile, non-sequential, 15-amp daisychain system provides 4 wires and 2-circuits. Utilizing a single power in-feed, the system powers up to 12 duplex receptacles per circuit or up to 24 duplex receptacles when using both circuits.

Three types of 15-amp power in-feeds are available to bring power from a wall or floor-mounted power box:
- Hardwire
- Hardwire for NYC/San Francisco
- Rotating with quick disconnect

Determine your need based on the available power source and local electrical codes. There are no restrictions in connection sequence.

IMPORTANT: All power in-feeds require installation by a licensed electrician.



Hardwire 15-amp power in-feeds feature black, liquid-tight conduit (standard model) or metal conduit (NYC model). Modular end connects to modular power kit.



Rotating 15-amp power in-feed is available to replace an existing wall outlet. Allows quick disconnect from wall outlet. A 72"L jumper, specified separately, connects the rotating power in-feed to a modular power kit. Jumper is encased in black liquid-tight conduit.



20-amp power in-feed with plug is available. Modular end connects to modular power kit.
IMPORTANT: The 20-amp power in-feed limits the system to a single circuit only and accommodates a maximum of 12 duplex receptacles; all modular power kits in the series must be Circuit 1. This infeed will not plug into a 15-amp power outlet.



Modular power kits contain:
- Two 15-amp duplex receptacles
- Harness between the two receptacles, either circuit 1 or circuit 2.

Kits are sized to table top widths and attach to the underside of top with included brackets for ease of installation. Harness is encased in black liquid tight conduit.



25" and 36"L jumpers are available to extend power between duplex receptacles on adjoining tables. Jumper is encased in black liquid-tight conduit. 72"L jumpers are for use with rotating 15-amp power in-feed.

All parts are UL 183 listed, with the exception of the 20-amp power in-feed with plug which is UL recognized.

Connections



Ganging brackets or flat brackets are required between power-linked tables.

Planning Factors

Specify the appropriate cut-out size for corded units to install in the top and plug into the duplex outlet underneath the top to bring power to the surface.
➤See page 15.

Specify tops with G1 or G19 grommets to allow desk top eletronics to be plugged in under the surface. This is a lower cost alternative and practicle for more permanent or semi-permanent configurations, such as teaming environments.
➤See page 14.

Related Products

Undersurface wire managers
➤See page 43.

Metal wire troughs
➤See page 43.

Leg cord managers
➤See page 43.

Cable managers
➤See page 43.

Power and Data

4-Trac® Multi-Circuit Power System, continued

Features ➤See page 9
Typical Configurations 10
Power & Data Overview 19

Modular power kit features duplex receptacle on each end.

Specify a factory-installed cut-out in table top and a power/data center separately to provide power above the surface. 3-prong plug plugs directly into a receptacle below the top top.



Specify table top with a factory-installed grommet to allow electronics to be plugged in directly to duplex receptacles below the table top.

Table-to-table jumper connects modular power kits, jumping power from one table to the next.

Ganging brackets or flat brackets are required at each table connection to prevent separately of the power system.

IMPORTANT: Installation and use of electrical systems, the number or receptacles used on a given circuit, and connections to the building power suppy should be in compliance with all local and national codes.
Verify code requirements before ordering.

Circuits in Alternating Pattern



Circuits in Succession



Determining Circuit Usage:

The decision to specify circuit-1-only or to use circuit 1 and 2 together is based on how many tables you wish to power.

Circuit 1 only:

- Utilizes circuit 1 power kits
- Can power up to 6 tables maximum off of one power in-feed
- Provides two duplex receptacles to each table for a total of 12 duplex receptacles per run
- Can be powered with 15-amp hardwire (standard or NYC model), rotating 15-amp hardwire, or 20-amp plug-in power in-feed

Circuits 1 and 2:

- Accomodates a combination of circuit 1 and 2 modular power kits
- Can power 7 or more tables (maximum of 12) off of one power in-feed
- Provides two duplex receptacles to each table for a total of 12 duplex receptacles per run
- Can be powered with 15-amp hardwire (standard or NYC model) or rotating 15-amp hardwire.
- Cannot be powered with 20-amp plug-in power infeed
- Circuits 1 and 2 can alternate table to table or they can be in succession (see at diagram at left) since the system is non-sequential and will automatically connect to the correct circuit

Table Tops (1 3/16"H)

Rectangular Tops

GSA Contract Pending



D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
18"D										
18"	48"	**75K1848RT**	$212	$255	$255	$268	$419	$419	$460	$460
18"	60"	**75K1860RT**	282	311	311	327	480	480	528	528
18"	72"	**75K1872RT**	306	374	374	393	545	545	600	600
18"	84"	**75K1884RT**	330	429	429	450	605	605	664	664
18"	96"	**75K1896RT**	352	486	486	510	669	669	735	735
24"D										
24"	48"	**75K2448RT**	$221	$267	$267	$280	$430	$430	$474	$474
24"	60"	**75K2460RT**	273	323	323	339	491	491	541	541
24"	72"	**75K2472RT**	326	386	386	405	555	555	611	611
24"	84"	**75K2484RT**	344	447	447	469	629	629	692	692
24"	96"	**75K2496RT**	366	507	507	532	697	697	767	767
30"D										
30"	48"	**75K3048RT**	$229	$316	$316	$332	$475	$475	$522	$522
30"	60"	**75K3060RT**	294	380	380	399	552	552	608	608
30"	72"	**75K3072RT**	342	452	452	475	629	629	692	692
30"	84"	**75K3084RT**	380	525	525	551	711	711	783	783
30"	96"	**75K3096RT**	427	594	594	624	791	791	871	871

* Height (thickness) for TFL and 3D laminate tops is 1⅛".

Features ➤See page 9
Product Information 11
Rim Profiles 12
Cord Management 13

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 14–15 for desginators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Pricing

Trapezoid Tops

GSA Contract Pending



D	W	Model	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T)* Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
For Use with 24"D Adjoining Surface										
24"	48"	**75K2448TZ**	$247	$299	$299	$314	$482	$482	$579	$579
For Use with 30"D Adjoining Surface										
30"	60"	**75K3060TZ**	$317	$348	$348	$365	$530	$530	$636	$636

* Height (thickness) for TFL and 3D laminate tops is 1⅛".

24"D tops

Features ➤See page 9
Product Information 11
Rim Profiles 12
Cord Management 13

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 14–15 for desginators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Pricing

Half-Round Tops

GSA Contract Pending



D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
24"D										
24"	48"	**75K2448HR**	$243	$298	$298	$313	$560	$560	$672	$672
30"D										
30"	60"	**75K3060HR**	$325	$370	$370	$462	$660	$660	$792	$792

* Height (thickness) for TFL and 3D laminate tops is 1⅛".

Features ➤See page 9
Product Information 11
Rim Profiles 12
Cord Management 13

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 14–15 for desginators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Pricing

Hexagon Tops

GSA Contract Pending



D	W	Model	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T)* Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
For Use with 24"D Adjoining Surface										
24"	48"	**75K2448HX**	$515	$562	$562	$590	$990	$990	$1040	$1040
For Use with 30"D Adjoining Surface										
30"	60"	**75K3060HX**	$589	$655	$655	$688	$1080	$1080	$1134	$1134

Adjoining surface attaches to the 24"D or 30"D back sides of hexagon top. Adjoining surfaces cannot be attached to the sides.

* Height (thickness) for TFL and 3D laminate tops is 1⅛".

Features ➤See page 9
Product Information 11
Rim Profiles 12
Cord Management 13

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 14–15 for desginators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Quarter-Round Top

GSA Contract Pending



D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
For Use with 24"D Adjoining Surface										
24"	24"	**75K2424CN**	$218	$268	$268	$330	$504	$504	$605	$605
For Use with 30"D Adjoining Surface										
30"	30"	**75K3030CN**	$292	$362	$362	$416	$594	$594	$712	$712

* Height (thickness) for TFL and 3D laminate tops is 1⅛".

Features ➤See page 9
Product Information 11
Rim Profiles 12
Cord Management 13

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 14–15 for desginators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Pricing

Wedge Tops

GSA Contract Pending





D	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
For Use with 24"D Adjoining Surface									
24"	**75K2445WD**	$213	$263	$263	$324	$499	$499	$598	$598
For Use with 30"D Adjoining Surface									
30"	**75K3045WD**	$287	$357	$357	$411	$589	$589	$706	$706

* Height (thickness) for TFL and 3D laminate tops is 1⅛".

Features ➤See page 9
Product Information 11
Rim Profiles 12
Cord Management 13

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 14–15 for desginators.
⑤ Surface finish price group:
STD = Group 1
STDK = 3D laminate group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Blade T-Leg Bases

Pricing

Flip/Nest Leg Pairs

GSA Contract Pending



D	W	H	For Use with Top Width	Model	Price
For Use with 24"D Rectangular Tops					
20"	46"	27¾"	48"	**75K204828CFFTM**	$835
20"	58"	27¾"	60"	**75K206028CFFTM**	840
20"	70"	27¾"	72"	**75K207228CFFTM**	845
20"	82"	27¾"	84"	**75K208428CFFTM**	1119
20"	94"	27¾"	96"	**75K209628CFFTM**	1149
For Use with 30"D Rectangular Tops					
26"	46"	27¾"	48"	**75K264828CFFTM**	$890
26"	58"	27¾"	60"	**75K266028CFFTM**	960
26"	70"	27¾"	72"	**75K267228CFFTM**	962
26"	82"	27¾"	84"	**75K268428CFFTM**	1190
26"	94"	27¾"	96"	**75K269628CFFTM**	1195

Bases on this page are for use with rectangular tops (all widths) and are specified based on the top depth and width.

Features ➤See page 9
Product Information 16
Cord Management 13
Power & Data Overview 19

Standard Includes

- Set of 2 T-legs
- Cross support beam with flip mechanism
- Locking dual-wheel casters
- Ships ready to assemble.

How to Specify

❶ Model
② Column and flip mechanism paint designator (+10% on select metallic paint finishes)
③ Foot paint or non-paint finish designator
④ Caster finish designator:
C45 = Black
C46 = White/Grey

Blade T-Leg Bases

Pricing

Fixed-Height Leg Pairs

GSA Contract Pending



D	W	H	For Use with Top Width	Model	Price
For Use with 18"D Tops					
With Glides					
14"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K1428CFTL**	$382
With Casters					
14"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K1428CFTM**	$429
For Use with 24"D Tops					
With Glides					
20"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2028CFTL**	$414
With Casters					
20"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2028CFTM**	$461
For Use with 30"D Tops					
With Glides					
26"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2628CFTL**	$548
With Casters					
26"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2628CFTM**	$595

Bases on this page are for use with rectangular, half-round, hexagon, and trapezoid tops and are specified based on the top depth and width.

Features ➤See page 9
Product Information 16
Cord Management 13
Power & Data Overview 19

Standard Includes

- T-Leg base: Set of 2 legs
- Adjustable glides or locking dual-wheel casters

How to Specify

❶ Model
② Column paint designator
③ Foot paint or non-paint finish designator (+10% on select metallic paint finishes)
④ Caster finish designator (omit for glide models):
C45 = Black
C46 = White/Grey

Blade T-Leg Bases

Pricing

Folding Leg Pairs

GSA Contract Pending

D	W	H	For Use with Top Width	Model	Price
For Use with 18"D Rectangular Tops					
14"	2⅜"	27¾"	60", 72"	**75K1428CFTF**	$782
For Use with 24"D Rectangular Tops					
20"	2⅜"	27¾"	60", 72"	**75K2028CFTF**	$814
For Use with 30"D Rectangular Tops					
26"	2⅜"	27¾"	60", 72"	**75K2628CFTF**	$944

Bases on this page are for use with rectangular tops only. They cannot be used with half-round, hexagon, and trapezoid tops.

Features ➤See page 9
Product Information 16
Cord Management 13
Power & Data Overview 19

Standard Includes

- T-Leg base: Set of 2 legs
- Adjustable glides

How to Specify

❶ Model
② Column paint designator (+10% on select metallic paint finishes)
③ Foot paint or non-paint finish designator

Blade C-Leg Bases

Pricing

Flip/Nest Leg Pairs

GSA Contract Pending

D	W	H	For Use with Top Width	Model	Price
For Use with 24"D Rectangular Tops					
23"	46"	27¾"	48"	**75K234828CFFCM**	$835
23"	58"	27¾"	60"	**75K236028CFFCM**	840
23"	70"	27¾"	72"	**75K237228CFFCM**	845
23"	82"	27¾"	84"	**75K238428CFFCM**	1119
23"	94"	27¾"	96"	**75K239628CFFCM**	1149
For Use with 30"D Rectangular Tops					
26"	46"	27¾"	48"	**75K264828CFFCM**	$890
26"	58"	27¾"	60"	**75K266028CFFCM**	960
26"	70"	27¾"	72"	**75K267228CFFCM**	962
26"	82"	27¾"	84"	**75K268428CFFCM**	1190
26"	94"	27¾"	96"	**75K269628CFFCM**	1195

Bases on this page are for use with rectangular tops (all widths) and are specified based on the top depth and width.

Features ➤See page 9
Product Information 16
Cord Management 13
Power & Data Overview 19

Standard Includes

- Set of 2 C-legs
- Cross support beam with flip mechanism
- Locking dual-wheel casters
- Ships ready to assemble.

How to Specify

❶ Model
② Column and flip mechanism paint designator (+10% on select metallic paint finishes)
③ Foot paint or non-paint finish designator
④ Caster finish designator:
C45 = Black
C46 = White/Grey

Blade C-Leg Bases

Pricing

Fixed-Height Leg Pairs and Shared Leg

GSA Contract Pending



D	W	H	For Use with Top Width	Model	Price
For Use with 18"D Tops					
With Glides					
17"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K1728CFCL**	$382
With Casters					
17"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K1728CFCLM**	$429
For Use with 24"D Tops					
With Glides					
20"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2028CFCL**	$414
With Casters					
20"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2028CFCLM**	$461
Shared Leg with Glides (single leg)					
20"	2⅜"	27¾"	48", 60"	**75K2028CFSCL**	$245
For Use with 30"D Tops					
With Glides					
26"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2628CFCL**	$548
With Casters					
26"	2⅜"	27¾"	48", 60", 72", 84", 96"	**75K2628CFCLM**	$595
Shared Leg with Glides (single leg)					
26"	2⅜"	27¾"	48", 60"	**75K2628CFSCL**	$298

Two flat brackets, specified separately, are required at each shared-leg location

Bases on this page are for use with rectangular, half-round, hexagon, and trapezoid tops and are specified based on the top depth.

Features ➤See page 9
Product Information 16
Cord Management 13
Power & Data Overview 19

Standard Includes

Fixed-Height Leg Pairs
- Set of 2 fixed-height C-legs
- Adjustable glides or locking dual-wheel casters

Shared Leg
- 1 fixed-height C-leg
- Adjustable glides

How to Specify

❶ Model
② Column paint designator
③ Foot paint or non-paint finish designator (+10% on select metallic paint finishes)
④ Caster finish designator (omit for glide models):
C45 = Black
C46 = White/Grey

Tubular T-Leg Bases

Pricing

Flip/Nest Leg Pairs

GSA Contract Pending



D	W	H	For Use with Top Width	Model	Price
For Use with 24"D Rectangular Tops					
22"	46"	27¾"	48"	**75K224828TBFTM**	$810
22"	58"	27¾"	60"	**75K226028TBFTM**	815
22"	70"	27¾"	72"	**75K227228TBFTM**	820
22"	82"	27¾"	84"	**75K228428TBFTM**	1085
22"	94"	27¾"	96"	**75K229628TBFTM**	1115
For Use with 30"D Rectangular Tops					
26"	46"	27¾"	48"	**75K264828TBFTM**	$864
26"	58"	27¾"	60"	**75K266028TBFTM**	931
26"	70"	27¾"	72"	**75K267268TBFTM**	933
26"	82"	27¾"	84"	**75K268428TBFTM**	1154
26"	94"	27¾"	96"	**75K269628TBFTM**	1160

Bases on this page are for use with rectangular tops (all widths) and are specified based on the top depth and width.

Features ➤See page 9
Product Information 17
Cord Management 13
Power & Data Overview 19

Standard Includes

- Set of 2 T-legs
- Cross support beam with flip mechanism
- Hooded, locking dual-wheel casters
- Ships ready to assemble.

How to Specify

❶ Model
② Paint designator

Tubular T-Leg Bases

Pricing

Fixed-Height Leg Pairs

GSA Contract Pending



D	W	H	For Use with Top Width	Model	Price
For Use with 18"D Tops					
With Glides					
16"	2"	27¾"	48", 60", 72", 84", 96"	**75K1628TBT**	$303
With Casters					
16"	2"	27¾"	48", 60", 72", 84", 96"	**75K1628TBTM**	$350
For Use with 24"D Tops					
With Glides					
22"	2"	27¾"	48", 60", 72", 84", 96"	**75K2228TBT**	$340
With Casters					
22"	2"	27¾"	48", 60", 72", 84", 96"	**75K2228TBTM**	$387
For Use with 30"D Tops					
With Glides					
26"	2"	27¾"	48", 60", 72", 84", 96"	**75K2628TBT**	$442
With Casters					
26"	2"	27¾"	48", 60", 72", 84", 96"	**75K2628TBTM**	$489

Bases on this page are for use with rectangular, half-round, hexagon, and trapezoid tops and are specified based on the top depth and width.

Features ➤See page 9
Product Information 17
Cord Management 13
Power & Data Overview 19

Standard Includes

- Set of 2 T-legs
- Black glides or hooded, locking dual-wheel casters

How to Specify

❶ Model
② Paint designator

Tubular T-Leg Bases

Pricing

Folding Leg Pairs

GSA Contract Pending

D	W	H	For Use with Top Width	Model	Price
For Use with 18"D Rectangular Tops					
14"	2"	27¾"	60", 72"	**75K1628TBTF**	$690
For Use with 24"D Rectangular Tops					
20"	2"	27¾"	60", 72"	**75K2228TBTF**	724
For Use with 30"D Rectangular Tops					
26"	2"	27¾"	60", 72"	**75K2628TBTF**	826

Bases on this page are for use with rectangular tops only. They cannot be used with half-round, hexagon, and trapezoid tops.

Features ➤See page 9
Product Information 17
Cord Management 13
Power & Data Overview 19

Standard Includes

- Set of 2 T-legs
- Black glides

How to Specify

❶ Model
② Paint designator

Tubular T-Leg Bases

Pricing

Adjustable-Height Leg Pairs

GSA Contract Pending



D	W	H	For Use with Top Width	Model	Price
For Use with 18"D Tops					
16"	2"	26"–35"	48", 60", 72""	**75K1634TBTA**	$600
For Use with 24"D Tops					
22"	2"	26"–35"	48", 60", 72"	**75K2234TBTA**	$628
For Use with 30"D Tops					
26"	2"	26"–35"	48", 60", 72"	**75K2634TBTA**	$728

Bases on this page are for use with rectangular, half-round, hexagon, and trapezoid tops and are specified based on the top depth and width.

Features ➤See page 9
Product Information 17
Cord Management 13
Power & Data Overview 19

Standard Includes

- Set of 2 T-legs
- Black glides
- Pin adjustment on adjustable-height models

How to Specify

❶ Model
② Paint designator

Modesty Panels

Pricing

Static, Folding, and Nesting

GSA Contract Pending



TFL, HPL, or Wood

Resin

D	*W*	*H*	*For Use with Top W*	*Model*	***TFL*** *(LL)*	***HPL*** *(L)*	***Resin*** *(R)*	***Wood*** *(W)*
Modesty Panels								
For Use with Trapezoid Top								
¾"*	24"	10"	48"W	**75K2410MP**	$115	$130	$188	$250
	30"		60"W	**75K3010MP**	140	165	225	305
For Use with Rectangular Top								
	48"		48"W	**75K4810MP**	221	230	298	475
	60"		60"W	**75K6010MP**	240	`252	340	519
	72"		72"W	**75K7210MP**	260	272	389	561
	84"		84"W	**75K8410MP**	289	294	455	589
	96"		96"W	**75K9610MP**	323	317	519	626

* Resin modesty panel is ¼"D.

Features ➤See page 9
Product Information 18
Cord Management 13
Power & Data Overview 19

Standard Includes

- Modesty panel
- Mounting brackets as specified below

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
R = Resin (25 Glacier)
W = Wood
③ Mounting method:
S = Static
F = Folding (+$35)
N = Nesting (+$35)
④ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Surface finish designator

Accessories

Brackets and Support

Pricing

GSA Contract Pending

Features ➤See page 9
Product Information 11
Cord Management 13
Power & Data Overview 19

D	W	H	Model	Price
Ganging Bracket Kit				
1⅞"	4⁷⁄₁₆"	1¼"	**75K2GL**	$69



Undersurface Support Rail				
2¾"	42"	¾"	**75K42WSSR**	$42
2¾"	56"	¾"	**75K56WSSR**	49



Flat Bracket				
2"	5½"		**ACAWBP1**	$9

Standard Includes

Ganging Bracket Kit
- Set of 2 black brackets
- Attachment hardware

Undersurface Support Rail
- Cinder rail
- Attachment hardware

Flat Bracket
- Black bracket
- Attachment hardware

How to Specify

❶ Model

Accessories

Cable Management

Pricing

GSA Contract Pending

Features ➤See page 9
Product Information 13
Power & Data Overview 19







Flexchain Expandable

D	W	H	For Use with Top Width	Model	Price
Metal Wire Trough					
For Use with Trapezoid Top					
4¾"	24¾"	2¼"	48"	**75K24WT**	$70
4¾"	30⅞"	2¼"	60"	**75K30WT**	75
For Use with Rectangular Top					
4¾"	47 15/16"	2¼"	48"	**75K48WT**	$80
4¾"	59 15/16"	2¼"	60"	**75K60WT**	85
4¾"	71 15/16"	2¼"	72"	**75K72WT**	125
4¾"	83 15/16"	2¼"	84"	**75K84WT**	165
4¾"	95 15/16"	2¼"	96"	**75K96WT**	185
Leg Cord Managers (Set of 3)					
Clear					
2⅞"	3¾"	1⅛"		**KCE3CCL**	$24
Silver					
2⅞"	3¾"	1⅛"		**KCE3CSL**	$24
Loop-Style Cord Managers (Set of 6)					
2 9/16"	3⅜"	1 9/16"		**99KCMU**	$50
Cable Managers					
Flexchain Vertical Cable Manager					
2⅛"	3⅞"	36⅜"		**99K36CMFC**	$155
Expandable Vertical Cable Manager					
6"	3¾"	7–48"		**99KECMB**	$149

Standard Includes

Metal Wire Trough
- Trough: metal
- Attachment hardware

Flexchain Cable Manager
- Cable manager: clear plastic
- Attachment hardware

Expandable Cable Manager
- Cable manager: ABS black plastic
- Attachment hardware

How to Specify

Metal Wire Trough
❶ Model
② Finish designator:
462 = Cinder

Cord and Cable Managers
❶ Model

Power Components

Pricing

Perimeter Single-Circuit Power System

GSA Contract Pending

Features ➤See page 9
Power & Data Overview 19
Product Information 20







Model	*Description*	*Price*
Smart Box Power In-Feed		
KCEP1IF		$233
Table-to-Table Jumper		
KCEP1J74		$94
Power/Data Center with Modular Feed		
KCEP1PDMB	Black textured finish	$150
KCEP1PDMS	Silver textured finish	150
Power/Data Center with Three-Prong Plug		
KCEP1PDPB	Black textured finish	$172
KCEP1PDPS	Silver textured finish	172

Standard Includes

Smart Box Power In-Feed
- 10' black power cord with 15-amp 3-prong plug
- Smart box sensor
- Modular connector

Table-to-Table Jumper
- 74" length

Power/Data Center with Modular Feed
- Two 15-amp receptacles
- Two blank data ports
- Self-storing metal lid with plastic body
- 24" modular feed with double-out interface
- Overall dimensions 6¼"W x 3¼"D; fits C5 cut-out

Power/Data Center with Three-Prong Plug
- Two 15-amp receptacles
- Two blank data ports
- Self-storing metal lid with plastic body
- 8' black cord with 90° right angle, 15-amp, three-prong plug
- Overall dimensions 6¼"W x 3¼"D; fits C5 cut-out

How to Specify

❶ Model

Power Components

Pricing

Interlink® iQ Single-Circuit Power System

GSA Contract Pending

Features ➤See page 9
Power & Data Overview 19
Product Information 22



Model	*Description*	*Price*
Power In-Feed		
KCEI2IF		$395



Power Harness with Mho® Retractable Power/Data Center		
KCEI2PHPDS		$382



Power Harness with Mho® Retractable Power/USB Center		
KCEI2PHPDUS		$485



Power Jumper		
KCEI2J60		$88

Standard Includes

Power In-Feed
- 10' black power cord with 15-amp 3-prong plug
- Sensor box
- Modular connector

Power Harness with Power/Data Center
- Two 15-amp receptacles
- Two blank data ports
- Anodized aluminum body: clear finish
- 60" table-to-table power harness
- Pop-up lid that sits flush with surface when closed
- Overall dimensions 8⅜"W x 4⅜"D; fits C4 cut-out

Power Harness with Power/Data/USB Center
- Two 15-amp receptacles
- One blank data port
- Two USB ports
- Anodized aluminum body: clear finish
- 60" table-to-table power harness and 12" tail
- Pop-up lid that sits flush with surface when closed
- Overall dimensions 8⅜"W x 4⅜"D; fits C4 cut-out

Power Jumper
- 60" length
- For select applications

How to Specify

❶ Model

Power Components

Pricing

4-Trac® Power System

GSA Contract Pending

Features ➤See page 9
Power & Data Overview 19
Product Information 24











Model	*Description*	*Price*
Hardwire Power In-Feed		
KCE4THIF		$99
Hardwire Power In-Feed for New York City/San Francisco		
KCE4THIFN		$220
Hardwire Rotating Power In-Feed with Quick Disconnect		
KCE4TRIFQ		$78
Power In-Feed with Plug		
KCE4TIFP		$180
Jumpers		
	26" Table-to-Table Jumper for Use with Rectangular, Trapezoid, and Half-Round Tops	
KCE4TJ25		$65
	36" Table-to-Table Jumper for Use with Hexagon, Quarter-Round, and Wedge Tops	
KCE4TJ36		$70
	72" Jumper to Connect Rotating Power In-Feed to First Table	
KCE4TJ72		$82

Standard Includes

Hardwire Power In-Feed
- Black liquid tight conduit
- 6’ black power cord
- Modular connector on one end
- Pigtail for hardwiring to building power on the other end

Hardwire Power In-Feed for NYC
- Metal conduit
- 6’ black power cord
- Modular connector on one end
- Pigtail for hardwiring to building power on the other end

Hardwire Rotating Power In-Feed
- Modular end accepts 72" jumper (KCE4TJ72) for quick disconnect from wall
- Replaces standard wall outlet

Power In-Feed with Plug
- Right-angle 20-amp plug
- Modular end connects to modular power kit
- For single-circuit application only
- 10' overall length

Jumper
- Black liquid tight conduit
- Modular connectors on both ends

How to Specify

❶ Model

Power Components

Pricing

4-Trac Power System, continued

GSA Contract Pending

Features ➤See page 9
Power & Data Overview 19
Product Information 24





Width	*For Use with*	*Model*	*Price*
Modular Power Kit			
Circuit 1			
5½"	Half-round Hexagon	**KCE4T24M1**	$115
11¼"	Trapezoid	**KCE4T30M1**	130
23"	48"W Rectangular	**KCE4T48M1**	145
35"	60"W Rectangular	**KCE4T60M1**	150
47"	72"W Rectangular	**KCE4T72M1**	155
59"	84"W Rectangular	**KCE4T84M1**	175
71"	96"W Rectangular	**KCE4T96M1**	195
Circuit 2			
5½"	Half-round Hexagon	**KCE4T24M2**	$115
11¼	Trapezoid	**KCE4T30M2**	130
23"	48"W Rectangular	**KCE4T48M2**	145
35"	60"W Rectangular	**KCE4T60M2**	150
47"	72"W Rectangular	**KCE4T72M2**	155
59"	84"W Rectangular	**KCE4T84M2**	175
71"	96"W Rectangular	**KCE4T96M2**	195

Standard Includes

- Two duplex receptacles with connecting black liquid tight conduit
- Attachment brackets

How to Specify

❶ Model

Power Components

Pricing

Corded, Plug-In Units

GSA Contract Pending

Features ➤See page 9
Power & Data Overview 19





Model	*Description*	*Price*
Mho Rectractable Power/Data Center with Three-Prong Plug		
KCEB2PDPS		$345
Mho Rectractable Power/Data/USB with Three-Prong Plug		
KCEB2PDUPS		$445

IMPORTANT: Specify C4 factory-installed cut-out in top.

Standard Includes

Power/Data Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- Two blank data ports that can accommodate one of eight provided adapter plates
- Anodized aluminum body: clear finish
- Pop-up lid that sits flush with surface when closed
- Overall dimensions 8⅜"W x 4⅜"D; fits C4 cut-out

Power/Data/USB Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- One blank data ports that can accommodate one of eight provided adapter plates
- One port with two USB charging outlets
- Anodized aluminum body: clear finish
- Pop-up lid that sits flush with surface when closed
- Overall dimensions 8⅜"W x 4⅜"D; fits C4 cut-out

How to Specify

❶ Model

DOCK™ Meeting

Statement of Line

Table Tops

Product Information	➤See page 53
Rim Profiles	54
Table Base Matrix	61

Round

➤See page 81 to specify.

24" diameter	●
30" diameter	●
36" diameter	●
42" diameter	●
48" diameter	●
54" diameter	●
60" diameter	●



Square

➤See page 81 to specify.

24" x 24"	●
30" x 30"	●
36" x 36"	●
42" x 42"	●
48" x 48	●
54" x 54"	●
60" x 60"	●

Soft Square

➤See page 81 to specify.

24" x 24"	●
30" x 30"	●
36" x 36"	●
42" x 42"	●
48" x 48	●
54" x 54"	●
60" x 60"	●



Rectangular

➤See page 82 to specify.

	48"W	60"W	72"W	84"W	96"W	120"W	144"W
24"D	●						
30"D		●	●				
36"D		●	●	●	●		
42"D			●	●	●		
48"D			●	●	●	●	●



Soft Rectangular

➤See page 83 to specify.

	48"W	60"W	72"W	84"W	96"W	120"W	144"W
24"D	●						
30"D		●	●				
36"D		●	●	●	●		
42"D			●	●	●		
48"D			●	●	●	●	●



Arc Rectangular

➤See page 84 to specify.

	48"W	60"W	72"W	84"W	96"W	120"W	144"W
24"D							
30"D		●	●				
36"D			●	●	●		
42"D				●	●		
48"D					●	●	●

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61



Boat

➤See page 85 to specify.

	48"W	60"W	72"W	84"W	96"W	120"W	144"W
24"D							
30"D							
36"D			●				
42"D				●			
48"D					●	●	●



Racetrack

➤See page 86 to specify.

	48"W	60"W	72"W	84"W	96"W	120"W	144"W
24"D							
30"D		●	●				
36"D			●	●	●		
42"D				●	●		
48"D					●	●	●



Ellipse

➤See page 87 to specify.

	48"W	60"W	72"W	84"W	96"W	120"W	144"W
24"D	●						
30"D		●					
36"D			●				
42"D				●			
48"D					●		



Tapered

➤See page 88 to specify.

	48"W	60"W	72"W	84"W	96"W	120"W	144"W
24"D							
30"D							
36"D			●				
42"D				●			
48"D					●	●	



Disc Bases
➤See page 89 to specify.

	15"H	28"H	35"H	41"H
17" diameter	●	●	●	●
22" diameter	●	●	●	●
27" diameter	●	●	●	●

Blade X Bases
➤See page 90 to specify.
● = With glides
■ = With casters

	15"H	19"H	28"H	35"H	41"H
20"D	●	●	●	●	●
26"D	●	●	●■	●	●
32"D	●		●■	●	●



Blade Quad Bases
➤See page 91 to specify.

	28"H	35"H	41"H
33"D	●	●	●
37"D	●	●	●





Blade Y Bases
➤See pages 92–93 to specify.

	15"H	28"H	35"H	41"H
16"D	●	●		
22"D	●	●	●	●
27"D		●	●	●



Tubular X Bases
➤See page 94 to specify.
● = With glides
■ = With casters

	28"H	35"H	41"H
22"D	●		●
26"D	●■		●
32"D	●■		●
38"D	●■		●

DOCK™ Meeting

Statement of Line

Cable Management and Power Components

Product Information ➤See page 55
Table Base Matrix 61



Mho® Retractable Power Centers
➤See page 95 to specify.



M2X Dual Retractable Power Centers
➤See page 96 to specify.

Vault Turnbox
➤See page 97 to specify.



Node™ Power Center
➤See page 98 to specify.



Cable Management Accessories
- Leg cord manager
- Loop-style cord manager
- Flexchains

➤See page 43 in the training tables section to specify.

Table Tops

Rim Profiles ➤See page 54
Factory-Installed Grommets 56
Factory-Installed Cut-Outs 57
Table Base Matrix 61

Details

Dock training tops are available in:
- 1 1/8"-thick thermally-fused laminate (TFL)
- 1 1/8"-thick 3D laminate
- 1 3/16"-thick high-pressure laminate (HPL)
- 1 3/16"-thick high-pressure laminate (HPL) with a wood rim
- 1 3/16"-thick wood veneer

Ten top shapes are available:
- Round
- Square
- Soft Square
- Rectangular
- Soft Rectangular
- Arc Rectangular
- Boat
- Racetrack
- Ellipse
- Tapered

➤See price list pages for each base type and corresponding top size

Six rim profile options are available.
➤See page 54.



Grain direction runs with the width on one-piece wood tops in all veneers and finishes



Grain direction runs with the width on two-piece wood tops in the following veneers:
- Cherry (plain-sliced)
- Maple (plain-sliced)
- Walnut (plain-sliced)
- Sapele (quarter-cut)



Grain direction on two-piece wood tops runs with the depth on the following veneers:
- Oak (quarter-cut)
- Walnut (quarter-cut)
- Zebrawood



Grain direction runs with the width on one- and two-piece woodgrain laminate tops. On two-piece TFL surfaces, the woodgrain pattern will not be matched; two-piece HPL tops will have an acceptable match.

Connections

Two-piece tops ship with flat brackets to connect tops at seams.

Hardware ships with base to attach the base to the top.

Related Products

Factory-installed grommets and cut-outs are available; upcharge applies.
➤See pages 56–57.

Grommets are also available for field installation.
➤See the Perks Price List.

Table Tops

Rim Profiles

Table Tops ➤See page 53
Factory-Installed Grommets 56
Factory-Installed Cut-Outs 57
Table Base Matrix 61

Rim profiles differ based on the top material selected.



P Softened PVC rim
- Applies to TFL or HPL surfaces
- 3mm PVC edge
- Profile is on all four sides



SL Sloped rim
- Applies to 3D laminate surfaces
- Profile is on all four sides



J Self-edge rim
- Applies to HPL surfaces
- Profile is on all four sides



F Softened wood rim
- Applies to HPL with wood rim or wood surfaces
- 3mm shaped wood profile is on all four sides



M Reed wood rim
- Applies to HPL with wood rim or wood surfaces
- 3mm shaped wood profile is on all four sides



S Knife wood rim
- Applies to HPL with wood rim or wood surfaces
- 3mm shaped wood profile is on all four sides

Table Tops

Product Information

Power and Cord Management

Table Tops	➤See page 53
Rim Profiles	54
Factory-Installed Cut-Outs	57
Table Base Matrix	61

Details

Several flexible options for routing and concealing cords and cables are available with Dock training:

- Factory-installed grommets (G1)
- Factory-installed C2, C4, C6, C8, and C9 size for power/data/USB centers
- Cord manager clips

Factory-installed grommets and cut-outs are available as an option on tops 60"W and wider in pre-determined locations; upcharge applies.

➤See page 00 for grommet options.
➤See page 00 for cut-out options.



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Available in:

SL Silver
MB Matte Black



C2 cut-outs are for use with:

- M2X retractable power/data (KCU0810ELPDC or KCU0810ELPDCH)
- M2X retractable power/data/USB/HDMI/VGA Center (KCE820ELPDC or KCE820ELPDH)



C4 cut-outs are for use with:

- Mho® retractable power/data center with 3 prong plug (KCEB2PDPS
- Mho retractable power/data/USB center with 3 prong plug (KCEB2PDUPS)

➤See page 48.

C6 cut-outs are for use with:

- Node™ power center (KCEBN11PU)
- Node™ power/USB center (KCEBN20E)

C8 cut-outs are for use with:

- Vault power/data turnbox (KCE4124PD)

C9 cut-outs are for use with:

- Vault power/data/USB turnbox (KCE4164PD)

Leg cord manager fits blade bases to hold cords and cables being routed from the floor to the top. These clips are simple to use and no installation hardware is required; they snap onto the column. Available in silver or clear plastic. Set of 3.

Related Products



Perks loop-style undersurface cable manager organizes cords and cables under tops. Cables pressure fit into individual loops. Openings are 1"D x ⅝"W x 1"H and can be removed to expand capacity. Black plastic. Set of 6.

➤See page 00.



Perks flexchain and expandable cable manager manages cables and attaches to the underside of top to route cables and cords to the floor.

➤See page 00.

Grommets are also available for field installation.

➤See the Perks Price List.

Table Tops

Options

Factory-Installed Grommets

	Inside End Designator	Upcharge	*Inside Left & Right* Designator	Upcharge	*Center* Designator	Upcharge
G1 Plastic Grommets						
60"W Top (one piece)	—		—		**G1C**	+$57
72"W Top (one piece)	—		—		**G1C**	+$57
84"W Top (one piece)	—		—		**G1C**	+$57
96"W Top (one piece)	—		—		**G1C**	+$57
120"W Top (two pieces)	**G1IE**	+$57	**G1ILR**	+$114	—	
120"W Tapered Top (two pieces)	—		**G1IL** **G1IR** **G1ILR**	+$57 +$57 +$114	—	
144"W Top (two pieces)	**G1IE**	+$57	**G1ILR**	+$114	—	

➤See page 00 for details about G1 grommets.

IMPORTANT: Factory-installed grommet options are available on rectangular, soft-rectangular, arc rectangular, boat, racetrack, tapered, and ellipse tops only. Round, square, and soft-square tops (all sizes), and 24" x 48" tops are not available with factory-installed grommets.



G1IE = Inside End (between bases)



G1ILR = Inside Left and Right (between bases)



G1IL = Inside Left (smaller end)
G1IR = Inside Right (larger end)
G1ILR = Inside Left and Right (between bases)



G1C = Center

Table Tops ➤See page 53
Rim Profiles 54
Factory-Installed Cut-Outs 57
Table Base Matrix 61

Available Finishes

G1 Plastic Grommets:
SL Silver
MB Matte Black

How to Specify

① Insert the location *and* finish designator (for grommets) into model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G1LMB = G1 grommet, left, matte black

IMPORTANT: Only the grommet locations shown in the matrix at left with a designator and price are available.

Table Tops

Options

Factory-Installed Cut-Outs

Table Tops ➤See page 53
Rim Profiles 54
Factory-Installed Grommets 56
Table Base Matrix 61

	Inside End *Designator Upcharge*		*Inside Left & Right* *Designator Upcharge*		*Center* *Designator Upcharge*	
Cut-Outs						
60"W Top (one piece)	—		—		**C2C, C4C, C6C, C8C, C9C**	+$52
72"W Top (one piece)	—		—		**C2C, C4C, C6C, C8C, C9**	+$52
84"W Top (one piece)	—		—		**C2C, C4C, C6C, C8C, C9**	+$52
96"W Top (one piece)	—		—		**C2C, C4C, C6C, C8C, C9**	+$52
120"W Top (two pieces)	**C2IE, C4IE, C6IE C8IE, C9IE**	+$52	**C2ILR, C4ILR, C6ILR C8ILR, C9ILR**	+$104	—	
120"W Tapered Top (all sizes)	—		**C21IL, C4IL, C6IL C8IL, C9IL** or **C21IR, C4IR, C6IR C8IL, C9IL** or **C2ILR, C4ILR, C6ILR C8ILR, C9ILR**	+$52 or +$52 or +$104	— — —	
144"W Top (two pieces)	**C2IE, C4IE, C6IE C8IE, C9IE**	+$52	**C2ILR, C4ILR, C6ILR C8ILR, C9ILR**	+$104	—	

IMPORTANT: Factory-installed cut-outs options are available on rectangular, soft rectangular, arc rectangular, boat, racetrack, tapered, and ellipse tops only. Round, square, and soft-square tops (all sizes), and 24" x 48" tops are not available with factory-installed cut-outs.

How to Specify

① Insert the location into model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the cut-out locations shown in the matrix at left with a designator and price are available.



C*IE = Inside End (between bases)



C*ILR = Inside Left and Right (between bases)



C*IL = Inside Left (smaller end)
C*IR = Inside Right (larger end)
C*ILR = Inside Left and Right (between bases)



C*C = Center

** Size of cut-out*

Bases

Product Information

Disc Bases

Table Tops ➤See page 53
Table Base Matrix 61

Details



Disc bases are available in four heights:

- Occasional height (16"H) for reception areas
- Worksurface height (28"H) for sit-down meeting areas and cafeterias
- Counter height (36"H) for teaming and standing laptop use
- Café height (42"H) for cafeterias and general meeting

Bases are metal and are available in several powdercoat finishes.

Disc base column is 3" in diameter. Assembly required to attach the disc and column in the field. Black plastic glides are standard on disc bases. Glide floats base ¼" above the floor with ⅛" adjustabiity.

Disc bases can be used singularly to support round, square, and soft-square tops from 24" to 48". They can be used in sets of 2 or 3 too support rectangular and other shaped tops.

Connections

Grommets and power/data centers are not applicable with round and square tops; the base mounting plate and column of disc bases are centered beneath the top.

Bases mount to the underside of tops with a fixed steel plate. Attachment hardware is standard with all bases.

Related Products

Wish stools and sit-to-stand seating adjust for counter-height tables.
➤See the Seating Price List.

Wish stools and Bingo stools pair well with café-height tables
➤See the Seating Price List.

Bases

Product Information

Blade Bases

Table Tops ➤See page 53
Table Base Matrix 61

Details



Blade X bases can be used singularly to support round, square, and soft-square tops from 24" to 48". They are available in five heights:

- Occasional height (16"H) for reception areas
- End table height (20"H) for reception areas
- Worksurface height (28"H) for sit-down meeting areas and cafeterias
- Counter height (36"H) for teaming and standing laptop use
- Café height (42"H) for cafeterias and general meeting



Quad bases are used to support 48" square and soft-square tops, as well as 54" and 60" round, square, and soft-square tops. They available in three heights:

- Worksurface height (28"H) for sit-down meeting areas and cafeterias
- Counter height (36"H) for teaming and standing laptop use
- Café height (42"H) for cafeterias and general meeting



Y bases are used to support occasional, meeting, and conference tops in a variety of sizes and shapes. They available in four heights in select sizes:

- Occasional height (16"H) for reception areas
- Worksurface height (28"H) for sit-down meeting areas and cafeterias
- Counter height (36"H) for teaming and standing laptop use
- Café height (42"H) for cafeterias and general meeting



98" and 110"W Y bases feature three columns, six feet, and two bridges.

Column is 2⅜"-diameter, 10-gauge tubular steel with a cast aluminum foot.

Column, feet, and bridges on blade bases are available in matching and contrasting powdercoat finishes. The foot and bridge are also available in polished aluminum at no upcharge; foot and bridge on quad and Y models are always the same color/finish.



Glides adjust ¾" and are standard in:

- Silver on Polished Aluminum, Designer White, Platinum Metallic, Silver Pearl, Antique White, or Frosty White foot
- Black on all other foot colors.



Non-hooded, locking casters on mobile blade X base models are available in:

- Black
- White/grey

Connections

Bases mount to the underside of tops with a fixed steel plate. Attachment hardware is standard with all bases.

Grommets and power/data centers are not applicable with round and square tops; the base mounting plate and column of blade bases are centered beneath the top.

Related Products



Leg cord manager fits blade bases to hold cords and cables being routed from the floor to the top. These clips are simple to use and no installation hardware is required; they snap onto the column. Available in silver or clear plastic. Set of 3.

Wish stools and sit-to-stand seating adjust for counter-height tables.
➤See the Seating Price List.

Wish stools and Bingo stools pair well with café-height tables
➤See the Seating Price List.

Bases

Product Information

Tubular X Bases

Table Tops ➤See page 53
Table Base Matrix 61

Details



Tubular X bases are available in two heights:

- Worksurface height (27¾"H) for sit-down meeting areas and cafeterias
- Café height (41"H) for cafeterias and general meeting

Bases are metal and are available in two powdercoat finishes.

Column is 3" in diameter and feet are 1⅞" in diameter. Constructed of 14-gauge tubular steel.



Glides adjust ¾" and are standard in black.



Non-hooded, locking casters are available on worksurface-height (27¾"H) bases. They are standard in black.

Connections

Bases mount to the underside of tops with a fixed steel plate. Attachment hardware is standard with all bases.

Related Products

Wish stools and Bingo stools pair well with café-height tables
➤See the Seating Price List.

Table Base Matrix

Application Guidelines

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape

24"-diameter Round

24" x 24" Square

24" x 24" Soft Square

Bases

Disc
74K1715D
Qty: 1

Disc
74K1728D
Qty: 1

Disc
74K1735D
Qty: 1

Disc
74K1741D
Qty: 1

Blade X
74K2015CFX
Qty: 1

Blade X
74K2019CFX
Qty: 1

Blade X
74K2028CFX
Qty: 1

Blade X
74K2035CFX
Qty: 1

Blade X
74K2041CFX
Qty: 1

Tubular X
74K2228TBX
Qty: 1

Tubular X
74K2241TBX
Qty: 1

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases				
30"-diameter Round	Disc **74K2215D** Qty: 1	Disc **74K2228D** Qty: 1	Disc **74K2235D** Qty: 1	 Disc **74K2241D** Qty: 1	
30" x 30" Square	Blade X **74K2615CFX** Qty: 1	Blade X **74K2619CFX** Qty: 1	Blade X **74K2628CFX** Qty: 1	Mobile Blade X **74K2628CFXM** Qty: 1	Blade X **74K2635CFX** Qty: 1
30" x 30" Soft Square	Blade X **74K2641CFX** Qty: 1	Tubular X **74K2628TBX** Qty: 1	Mobile Tubular X **74K2628TBXM** Qty: 1	Tubular X **74K2641TBX** Qty: 1	

Table Base Matrix

Application Guidelines

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases				
36"-diameter Round	Disc **74K2215D** Qty: 1	Disc **74K2228D** Qty: 1	 Disc **74K2235D** for Round **74K2735D** for Square and Soft Square Qty: 1	 Disc **74K2241D** for Round **74K2741D** for Square and Soft Square Qty: 1	
36" x 36" Square					
36" x 36" Soft Square	Blade X **74K3215CFX** Qty: 1	Blade X **74K3228CFX** Qty: 1	Mobile Blade X **74K3228CFXM** Qty: 1	Blade X **74K3235CFX** Qty: 1	Blade X **74K3241CFX** Qty: 1
	Tubular X **74K3228TBX** Qty: 1	Mobile Tubular X **74K3228TBXM** Qty: 1	Tubular X **74K3241TBX** Qty: 1		

Table Base Matrix

Application Guidelines

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases				
42"-diameter Round	Disc **74K2715D** Qty: 1	Disc **74K2728D** Qty: 1			
42" x 42" Square	Blade X **74K3215CFX** Qty: 1	Blade X **74K3228CFX** Qty: 1	Mobile Blade X **74K3228CFXM** Qty: 1 *Not applicable to 48"-dia. Round.*	Blade X **74K3235CFX** Qty: 1	Blade X **74K3241CFX** Qty: 1
42" x 42" Soft Square					
 48"-diameter Round	Tubular X **74K3828TBX** Qty: 1	Mobile Tubular X **74K3828TBXM** Qty: 1	Tubular X **74K3841TBX**		

Table Base Matrix

Application Guidelines

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases		
 48" x 48" Square 54" x 54" Square 60" x 60" Square	 Blade Quad **74K3728CFQX** Qty: 1	 Blade Quad **74K3735CFQX** Qty: 1	 Blade Quad **74K3741CFQX** Qty: 1
 48" x 48" Soft Square 54" x 54" Soft Square 60" x 60" Soft Square			
 60"-diameter Round			
 54"-diameter Round	 Blade Quad **74K3328CFQX** Qty: 1	 Blade Quad **74K3335CFQX** Qty: 1	 Blade Quad **74K3341CFQX** Qty: 1

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases
24" x 48" Rectangular	Blade Y **74K223715CFYL** Qty: 1
 24" x 48" Soft Rectangular	
24" x 48" Ellipse	Blade Y **74K162815CFYL** Qty: 1

Table Base Matrix

Application Guidelines

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases			
30" x 60" Rectangular	Disc **74K1715D** Qty: 2	Disc **74K1728D** Qty: 2	Disc **74K1735D** Qty: 2	Disc **74K1741D** Qty: 2
30" x 60" Soft Rectangular	 Blade Y **74K224328CFYL** Qty: 1	Blade Y **74K224335CFYL** Qty: 1	Blade Y **74K224341CFYL** Qty: 1	
 30" x 60" Arc Rectangular				
30" x 60" Racetrack	 Tubular T (Dock Training) **75K2628TBT** Set of 2	 Mobile Tubular T (Dock Training) **75K2628TBTM** Set of 2	Blade T (Dock Training) **75K2628CFTL** Set of 2	Mobile Blade T (Dock Training) **75K2628CFTM** Set of 2
 30" x 60" Ellipse	Blade Y **74K164015CFYL** Qty: 1	 Blade Y **74K164028CFYL** Qty: 1		

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases			
30" x 72" Rectangular	Disc **74K1728D** Qty: 2	Disc **74K1735D** Qty: 2	Disc **74K1741D** Qty: 2	
30" x 72" Soft Rectangular	Blade Y **74K225515CFYL** Qty: 1	Blade Y **74K225528CFYL** Qty: 1	Blade Y **74K225535CFYL** Qty: 1	Blade Y **74K225541CFYL** Qty: 1
30" x 72" Arc Rectangular	 Tubular T (Dock Training) **75K2628TBT** Set of 2	 Mobile Tubular T (Dock Training) **75K2628TBTM** Set of 2	Blade T (Dock Training) **75K2628CFTL** Set of 2	Mobile Blade T (Dock Training) **75K2628CFTM** Set of 2
30" x 72" Racetrack				

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases			
36" x 60" Rectangular	Disc **74K2215D** Qty: 2	Disc **74K2228D** Qty: 2	Disc **74K2235D** Qty: 2	 Disc **74K2241D**
36" x 60" Soft Rectangular	 Blade Y **74K274628CFYL** Qty: 1	Blade Y **74K274635CFYL** Qty: 1	Blade Y **74K274641CFYL** Qty: 1	
	 Tubular T (Dock Training) **75K2628TBT** Set of 2	 Mobile Tubular T (Dock Training) **75K2628TBTM** Set of 2	 Blade T (Dock Training) **75K2628CFTL** Set of 2	Mobile Blade T (Dock Training) **75K2628CFTM** Set of 2

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases				
36" x 72" Rectangular	Disc **74K2228D** Qty: 2	Disc **74K2235D** Qty: 2	 Disc **74K2241D** Qty: 2		
36" x 72" Soft Rectangular	 Blade Y **74K275828CFYL** Qty: 1	Blade Y **74K275835CFYL** Qty: 1	 Blade Y **74K275841CFYL** Qty: 1		
36" x 72" Arc Rectangular	 Tubular T (Dock Training) **75K2628TBT** Set of 2	 Mobile Tubular T (Dock Training) **75K2628TBTM** Set of 2	Blade T (Dock Training) **75K2628CFTL** Set of 2	Mobile Blade T (Dock Training) **75K2628CFTM** Set of 2	
36" x 72" Racetrack					
36" x 72" Boat					

Table Base Matrix

Application Guidelines

continued

Table Tops ➤See page 53
Disc Bases 58
Blade Bases 59
Tubular Bases 60

Top Size and Shape	Bases
 36" x 72" Ellipse	Blade Y **74K225515CFYL** Qty: 1  Blade Y **74K225528CFYL** Qty: 1
 36" x 72" Tapered	Blade Y **74K275628CFYL** Qty: 1

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases		
36" x 84" Rectangular 36" x 96" Rectangular	Disc **74K2228D** Qty: 2	Disc **74K2235D** Qty: 2	 Disc **74K2241D** Qty: 2
36" x 84" Soft Rectangular 36" x 96" Soft Rectangular	Blade Y **74K276428CFYL** Qty: 1	Blade Y **74K276435CFYL** Qty: 1	Blade Y **74K276441CFYL** Qty: 1
36" x 84" Arc Rectangular 36" x 96" Arc Rectangular			
36" x 84" Racetrack 36" x 96" Racetrack			

Table Base Matrix

Application Guidelines

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases		
42" x 72" Rectangular	Disc **74K2728D** Qty: 2	 Disc **74K2735D** Qty: 2	 Disc **74K2741D** Qty: 2
42" x 72" Soft Rectangular	 Blade Y **74K275828CFYL** Qty: 1	Blade Y **74K275835CFYL** Qty: 1	Blade Y **74K275841CFYL** Qty: 1

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases		
42" x 84" Rectangular 42" x 96" Rectangular	Disc **74K2728D** Qty: 2 for 84" Qty: 3 for 96"	 Disc **74K2735D** Qty: 2 for 84" Qty: 3 for 96"	 Disc **74K2741D** Qty: 2 for 84" Qty: 3 for 96"
42" x 84" Soft Rectangular 42" x 96" Soft Rectangular	 Blade Y **74K276428CFYL** Qty: 1	Blade Y **74K276435CFYL** Qty: 1	 Blade Y **74K276441CFYL** Qty: 1
42" x 84" Arc Rectangular 42" x 96" Arc Rectangular			
42" x 84" Racetrack 42" x 96" Racetrack			
 42" x 84" Boat			

Table Base Matrix

continued

Application Guidelines

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Bases
 42" x 84" Ellipse	 Blade Y **74K275228CFYL** Qty: 1
 42" x 84" Tapered	 Blade Y **74K275928CFYL** Qty: 1

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape	Base		
48" x 72" Rectangular	Blade Y **74K275828CFYL** Qty: 1	Blade Y **74K275835CFYL** Qty: 1	Blade Y **74K275841CFYL** Qty: 1
48" x 72" Soft Rectangular			

Table Base Matrix

Application Guidelines

continued

Table Tops ➤See page 53
Disc Bases 58
Blade Bases 59
Tubular Bases 60

Top Size and Shape	Bases		
48" x 84" Rectangular 48" x 96" Rectangular	Blade Y **74K276428CFYL** Qty: 1	 Blade Y **74K276435CFYL** Qty: 1	Blade Y **74K276441CFYL** Qty: 1
48" x 84" Soft Rectangular 48" x 96" Soft Rectangular			
48" x 96" Arc Rectangular			
 48" x 96" Racetrack			
 48" x 96" Boat			

Table Base Matrix

Application Guidelines

continued

Table Tops ➤See page 53
Disc Bases 58
Blade Bases 59
Tubular Bases 60

Top Size and Shape	Bases
 48" x 96" Ellipse	Blade Y **74K276428CFYL** Qty: 1
 48" x 96" Tapered	

Table Base Matrix

Application Guidelines

continued

Table Tops ➤See page 53
Disc Bases 58
Blade Bases 59
Tubular Bases 60

Top Size and Shape	Bases
48" x 120" Rectangular	 Blade Y **74K279828CFYL** Qty: 1
48" x 120" Soft Rectangular	
 48" x 120" Arc Rectangular	
48" x 120" Racetrack	
 48" x 120" Boat	
 48" x 120" Tapered	

Table Base Matrix

continued

Table Tops	➤See page 53
Disc Bases	58
Blade Bases	59
Tubular Bases	60

Top Size and Shape

48" x 144" Rectangular



48" x 144" Soft Rectangular



48" x 144" Arc Rectangular



48" x 144" Racetrack



48" x 144" Boat

Bases



Blade Y
74K2711028CFYL
Qty: 1

Table Tops (1 3/16"H)

Round, Square and Soft Square

GSA Contract Pending

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61



D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
Round										
24" diameter		**74K24RD**	$315	$375	$375	$394	$783	$783	$862	$862
30" diameter		**74K30RD**	343	408	408	428	851	851	937	`937
36" diameter		**74K36RD**	369	443	443	465	925	925	1018	1018
42" diameter		**74K42RD**	410	492	492	517	1040	1040	1144	1144
48" diameter		**74K48RD**	450	540	540	567	1172	1172	1290	1290
54" diameter		**74K54RD**	569	683	—	718	1430	1430	1573	1573
60" diameter		**74K60RD**	618	742	—	779	1554	1554	1710	1710
Square										
24"	24"	**74K2424SQ**	$315	$375	$375	$394	$783	$783	$862	$862
30"	30"	**74K3030SQ**	343	408	408	428	851	851	937	937
36"	36"	**74K3636SQ**	369	443	443	465	925	925	1018	1018
42"	42"	**74K4242SQ**	410	492	492	517	1040	1040	1144	1144
48"	48"	**74K4848SQ**	450	540	540	567	1172	1172	1290	1290
54"	54"	**74K5454SQ**	569	683	—	718	1430	1430	1573	1573
60"	60"	**74K6060SQ**	618	742	—	779	1554	1554	1710	1710
Soft Square										
24"	24"	**74K2424SSQ**	$315	$375	$375	$394	$783	$783	$862	$862
30"	30"	**74K3030SSQ**	343	408	408	428	851	851	937	937
36"	36"	**74K3636SSQ**	369	443	443	465	925	925	1018	1018
42"	42"	**74K4242SSQ**	410	492	492	517	1040	1040	1144	1144
48"	48"	**74K4848SSQ**	450	540	540	567	1172	1172	1290	1290
54"	54"	**74K5454SSQ**	569	683	—	718	1430	1430	1573	1573
60"	60"	**74K6060SSQ**	618	742	—	779	1554	1554	1710	1710

* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Rectangular

GSA Contract Pending





120" and 144"W tops ship in two pieces.

D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
24"D										
24"	48"	**74K2448RT**	$221	$267	$267	$280	$430	$430	$474	$474
30"D										
30"	60"	**74K3060RT**	$294	$380	$380	$399	$552	$552	$608	$608
30"	72"	**74K3072RT**	342	452	452	475	629	629	692	692
36"D										
36"	60"	**74K3660RT**	$398	$548	$548	$575	$618	$618	$681	$681
36"	72"	**74K3672RT**	451	622	622	653	700	700	770	770
36"	84"	**74K3684RT**	496	731	731	768	845	845	928	928
36"	96"	**74K3696RT**	512	853	853	896	945	945	1039	1039
42"D										
42"	72"	**74K4272RT**	$502	$758	$758	$796	$1678	$1678	$1897	$1897
42"	84"	**74K4284RT**	536	925	925	972	1862	1862	2104	2104
42"	96"	**74K4296RT**	697	1114	1114	1169	2173	2173	2456	2456
48"D										
48"	72"	**74K4872RT**	$629	$790	$790	$829	$1715	$1715	$1920	$1920
48"	84"	**74K4884RT**	762	956	956	1004	2076	2076	2325	2325
48"	96"	**74K4896RT**	890	1225	1225	1286	2205	2205	2470	2470
48"	120"	**74K48120RT**	1220	1875	—	1968	3745	3745	4194	4194
48"	144"	**74K48144RT**	1340	1998	—	2097	3980	3980	4460	4460

* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 56– 57 for designators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Soft Rectangular

GSA Contract Pending





120" and 144"W tops ship in two pieces.

D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
24"D										
24"	48"	**74K2448SRT**	$221	$267	$267	$280	$430	$430	$474	$474
30"D										
30"	60"	**74K3060SRT**	$294	$380	$380	$399	$552	$552	$608	$608
30"	72"	**74K3072SRT**	342	452	452	475	629	629	692	692
36"D										
36"	60"	**74K3660SRT**	$398	$548	$548	$575	$618	$618	$681	$681
36"	72"	**74K3672SRT**	451	622	622	653	700	700	770	770
36"	84"	**74K3684SRT**	496	731	731	768	845	845	928	928
36"	96"	**74K3696SRT**	512	853	853	896	945	945	1039	1039
42"D										
42"	72"	**74K4272SRT**	$502	$758	$758	$796	$1678	$1678	$1897	$1897
42"	84"	**74K4284SRT**	536	925	925	972	1862	1862	2104	2104
42"	96"	**74K4296SRT**	697	1114	1114	1169	2173	2173	2456	2456
48"D										
48"	72"	**74K4872SRT**	$629	$790	$790	$829	$1715	$1715	$1920	$1920
48"	84"	**74K4884SRT**	762	956	956	1004	2076	2076	2325	2325
48"	96"	**74K4896SRT**	890	1225	1225	1286	2205	2205	2470	2470
48"	120"	**74K48120SRT**	1220	1875	—	1968	3745	3745	4194	4194
48"	144"	**74K48144SRT**	1340	1998	—	2097	3980	3980	4460	4460

* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61

Standard Includes

- Top

How to Specify

1. Model
2. Material:
   LL = TFL with P rim
   L = HPL with P rim
   2L = HPL with J rim
   T = 3D laminate with SL rim
   LW = HPL with wood F or M rim
   W = Wood with wood F or M rim
   1LW = HPL with wood S rim
   1W = Wood with wood S rim
3. Rim profile:
   P = Softened PVC rim (LL or L)
   SL = Sloped Rim (T)
   J = HPL self rim (2L)
   F = Softened wood rim (LW or W)
   M = Reed wood rim (LW or W)
   S = Knife wood rim (1LW or 1W)
4. Grommet/cut-out option:
   X = None
   ➤See pages 56– 57 for designators.
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
6. Surface finish designator
7. Rim finish price group (include for LW and 1LW models only):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Arc Rectangular

GSA Contract Pending

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61





120" and 144"W tops ship in two pieces.

D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
30"D										
30"	60"	**74K3060AR**	$495	$653	$653	$685	$728	$728	$822	$822
30"	72"	**74K3072AR**	545	721	721	757	966	966	1091	1091
36"D										
36"	72"	**74K3672AR**	$597	$790	$790	$829	$1204	$1204	$1280	$1280
36"	84"	**74K3684AR**	654	898	898	942	1453	1453	1642	1642
36"	96"	**74K3696AR**	675	1040	1040	1092	1606	1606	1815	1815
42"D										
42"	84"	**74K4284AR**	$795	$980	$980	$1021	$1954	$1954	$2208	$2208
42"	96"	**74K4296AR**	982	1235	1235	1296	2325	2325	2627	2627
48"D										
48"	96"	**74K4896AR**	$1195	$1358	$1358	$1425	$2359	$2359	$2642	$2642
48"	120"	**74K48120AR**	1683	1977	—	2075	3795	3795	4250	4250
48"	144"	**74K48144AR**	1876	2197	—	2307	4021	4021	4543	4543

* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 56– 57 for designators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Boat

GSA Contract Pending

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61



120" and 144"W tops ship in two pieces.

D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
36"D										
36"	72"	**74K3672BT**	$597	$790	$790	$829	$1204	$1204	$1280	$1280
42"D										
42"	84"	**74K4284BT**	$795	$980	$980	$1021	$1954	$1954	$2208	$2208
48"D										
48"	96"	**74K4896BT**	$1195	$1358	$1358	$1425	$2359	$2359	$2642	$2642
48"	120"	**74K48120BT**	1683	1977	—	2075	3795	3795	4250	4250
48"	144"	**74K48144BT**	1876	2197	—	2307	4021	4021	4543	4543

* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 56– 57 for designators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Racetrack

GSA Contract Pending





120" and 144"W tops ship in two pieces.

D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
30"D										
30"	60"	**74K3060RC**	$495	$653	$653	$685	$728	$728	$822	$822
30"	72"	**74K3072RC**	545	721	721	757	966	966	1091	1091
36"D										
36"	72"	**74K3672RC**	$597	$790	$790	$829	$1204	$1204	$1280	$1280
36"	84"	**74K3684RC**	654	898	898	942	1453	1453	1642	1642
36"	96"	**74K3696RC**	675	1040	1040	1092	1606	1606	1815	1815
42"D										
42"	84"	**74K4284RC**	$795	$980	$980	$1021	$1954	$1954	$2208	$2208
42"	96"	**74K4296RC**	982	1235	1235	1296	2325	2325	2627	2627
48"D										
48"	96"	**74K4896RC**	$1195	$1358	$1358	$1425	$2359	$2359	$2642	$2642
48"	120"	**74K48120RC**	1683	1977	—	2075	3795	3795	4250	4250
48"	144"	**74K48144RC**	1876	2197	—	2307	4021	4021	4543	4543

* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 56– 57 for designators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Ellipse

GSA Contract Pending



D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
24"D										
24"	48"	**74K2448EL**	$232	$282	$282	$296	$451	$451	$498	$498
30"D										
30"	60"	**74K3060EL**	$495	$653	$653	$685	$728	$728	$822	$822
36"D										
36"	72"	**74K3672EL**	$597	$790	$790	$829	$1204	$1204	$1280	$1280
42"D										
42"	84"	**74K4284EL**	$795	$980	$980	$1021	$1954	$1954	$2208	$2208
48"D										
48"	96"	**74K4896EL**	$1195	$1358	$1358	$1425	$2359	$2359	$2642	$2642

* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 56– 57 for designators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Table Tops (1 3/16"H)

Tapered

GSA Contract Pending

Product Information ➤See page 53
Rim Profiles 54
Table Base Matrix 61





120"W top ship in two pieces.

D	W	Model	***TFL*** *(LL)* PVC P Rim*	***HPL*** *(L) PVC P Rim*	***3D Lam*** *(T)* Sloped SL Rim*	***HPL*** *(2L) Self J Rim*	***HPL*** *(LW) Wood F/M Rim*	***Wood*** *(W) Wood F/M Rim*	***HPL*** *(1LW) Wood S Rim*	***Wood*** *(1W) Wood S Rim*
36"D										
36"	72"	**74K3672TP**	$597	$790	$790	$829	$1204	$1204	$1280	$1280
42"D										
42"	84"	**74K4284TP**	$795	$980	$980	$1021	$1954	$1954	$2208	$2208
48"D										
48"	96"	**74K4896TP**	$1195	$1358	$1358	$1425	$2359	$2359	$2642	$2642
48"	120"	**74K48120TP**	1683	1977	—	2075	3795	3795	4250	4250









* Height (thickness) for TFL and 3D laminate worksurfaces is 1⅛".

Standard Includes

- Top

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
T = 3D laminate with SL rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
SL = Sloped Rim (T)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Grommet/cut-out option:
X = None
➤See pages 56– 57 for designators.
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Disc Bases

GSA Contract Pending

Product Information ➤See page 58
Table Base Matrix 61







Diameter	*H*	*Model*	*Price*
Occasional Height			
17"	15"	**74K1715D**	$445
22"	15"	**74K2215D**	470
27"	15"	**74K2715D**	595
Worksurface Height			
17"	28"	**74K1728D**	$465
22"	28"	**74K2228D**	490
27"	28"	**74K2728D**	625
Counter Height			
17"	35"	**74K1735D**	$568
22"	35"	**74K2235D**	594
27"	35"	**74K2735D**	689
Café Height			
17"	41"	**74K1741D**	$590
22"	41"	**74K2241D**	618
27"	41"	**74K2741D**	699

Standard Includes

- Attachment hardware

How to Specify

❶ Model
② Paint designator (+10% on select metallic paint finishes)

Blade X Bases

GSA Contract Pending

Product Information ➤See page 59
Table Base Matrix 61

D	*W*	*H*	*Model*	*Price*
Occasional Height				
20"	20"	14¾"	**74K2015CFX**	$411
26"	26"	14¾"	**74K2615CFX**	454
32"	32"	14¾"	**74K3215CFX**	481

End Table Height				
20"	20"	18¾"	**74K2019CFX**	$423
26"	26"	18¾"	**74K2619CFX**	467

Worksurface Height				
20"	20"	27¾"	**74K2028CFX**	$432
26"	26"	27¾"	**74K2628CFX**	480
32"	32"	27¾"	**74K3228CFX**	504
Mobile				
26"	26"	27¾"	**74K2628CFXM**	527
32"	32"	27¾"	**74K3228CFXM**	551

Counter Height				
20"	20"	34¾"	**74K2035CFX**	$482
26"	26"	34¾"	**74K2635CFX**	534
32"	32"	34¾"	**74K3235CFX**	560

Café Height				
20"	20"	40¾"	**74K2041CFX**	$502
26"	26"	40¾"	**74K2641CFX**	557
32"	32"	40¾"	**74K3241CFX**	584

Standard Includes

- X base
- Adjustable glides or locking dual-wheel casters on mobile model
- Attachment hardware

How to Specify

❶ Model
② Column paint designator (+10% on select metallic paint finishes)
③ Foot paint or non-paint finish designator
④ Caster finish designator (include for worksurface-height mobile model only):
C45 = Black
C46 = White/Grey

Blade Quad Bases

GSA Contract Pending

Product Information ➤See page 59
Table Base Matrix 61







D	*W*	*H*	*Model*	*Price*
Worksurface Height				
33"	33"	27¾"	**74K3328CFQX**	$1375
37"	37"	27¾"	**74K3728CFQX**	1410
Counter Height				
33"	33"	34¾"	**74K3335CFQX**	$1515
37"	37"	34¾"	**74K3735CFQX**	1554
Café Height				
33"	33"	40¾"	**74K3341CFQX**	$1595
37"	37"	40¾"	**74K3741CFQX**	1636

Standard Includes

- Quad base
- Adjustable glides
- Attachment hardware

How to Specify

❶ Model
② Column paint designator (+10% on select metallic paint finishes)
③ Foot and bridge paint or non-paint finish designator

Blade Y Bases

Occasional and Worksurface Heights

GSA Contract Pending

Product Information ➤See page 59
Table Base Matrix 61





D	*W*	*H*	*Model*	*Price*
Occasional Height				
16"	28"	14¾"	**74K162815CFYL**	$695
16"	40"	14¾"	**74K164015CFYL**	772
22"	37"	14¾"	**74K223715CFYL**	806
22"	55"	14¾"	**74K225515CFYL**	822
Worksurface Height				
16"	40"	27¾"	**74K164028CFYL**	$813
22"	43"	27¾"	**74K224328CFYL**	956
22"	55"	27¾"	**74K225528CFYL**	966
27"	46"	27¾"	**74K274628CFYL**	996
27"	52"	27¾"	**74K275228CFYL**	1009
27"	58"	27¾"	**74K275828CFYL**	1030
27"	64"	27¾"	**74K276428CFYL**	1050
27"	98"	27¾"	**74K279828CFYL**	1695
27"	110"	27¾"	**74K2711028CFYL**	1760
For Use with Tapered Tops				
27"	56"	27¾"	**74K275628CFYL**	$1021
27"	59"	27¾"	**74K275928CFYL**	1030

Standard Includes

- Y base: two columns and four feet with bridge on widths up to 64"W; three columns and six feet with bridge 98" and 110"W models
- Adjustable glides
- Attachment hardware

How to Specify

❶ Model
② Column paint designator (+10% on select metallic paint finishes)
③ Foot and bridge paint or non-paint finish designator

Bases for use with 36x72 and 42x84 tapered tops have different depths to correspond with the end depths of the top; 48x96 and 48x120 tapered tops utilize a standard base.

Blade Y Bases

Counter and Café Heights

GSA Contract Pending

Product Information ➤See page 59
Table Base Matrix 61





D	*W*	*H*	*Model*	*Price*
Counter Height				
22"	43"	34¾"	**74K224335CFYL**	$1053
22"	55"	34¾"	**74K225535CFYL**	1064
27"	46"	34¾"	**74K274635CFYL**	1097
27"	58"	34¾"	**74K275835CFYL**	1135
27"	64"	34¾"	**74K276435CFYL**	1157
Café Height				
22"	43"	40¾"	**74K224341CFYL**	$1109
22"	55"	40¾"	**74K225541CFYL**	1121
27"	46"	40¾"	**74K274641CFYL**	1155
27"	58"	40¾"	**74K275841CFYL**	1195
27"	64"	40¾"	**74K276441CFYL**	1218

Standard Includes

- Y base
- Adjustable glides
- Attachment hardware

How to Specify

❶ Model
② Column paint designator (+10% on select metallic paint finishes)
③ Foot and bridge paint or non-paint finish designator

Tubular X Bases

GSA Contract Pending

Product Information ➤See page 60
Table Base Matrix 61



D	*W*	*H*	*Model*	*Price*
Worksurface Height				
22"	22"	27¾"	**74K2228TBX**	$504
26"	26"	27¾"	**74K2628TBX**	536
32"	32"	27¾"	**74K3228TBX**	556
38"	38"	27¾"	**74K3828TBX**	612
Mobile				
26"	26"	27¾"	**74K2628TBXM**	583
32"	32"	27¾"	**74K3228TBXM**	603
38"	38"	27¾"	**74K3828TBXM**	659
Café Height				
22"	22"	40¾"	**74K2241TBX**	$535
26"	26"	40¾"	**74K2641TBX**	589
32"	32"	40¾"	**74K3241TBX**	611
38"	38"	40¾"	**74K3841TBX**	673

Standard Includes

- X base
- Black glides or hooded, locking dual-wheel casters (black)
- Attachment hardware

How to Specify

❶ Model
② Paint designator

Power Components

M2X Retractable Units

GSA Contract Pending

Product Information ➤See page 55
Factory-Installed Cut-Outs 57



D	*W*	*H*	*Model*	*Price*
M2X Rectractable Power/Data Center				
8"	10"	2½"	**KCU0810ELPDC**	$919
For Hardwire Application				
8"	10"	2½"	**KCU0810ELPDCH**	$967
M2X Rectractable Power/Data/USB/HDMI/VGA Center				
8"	10"	2½"	**KCE820ELPDC**	$1140
For Hardwire Application				
8"	10"	2½"	**KCE820ELPDCH**	$1140

Standard Includes

M2X Power/Data Center

- Four power outlets (2 per side)
- Six blank data ports (3 per side)
- Voice/adapter kit to accept couplers and jacks
- One touch pivot open/close
- Two 10' power cords
- Clear anodized aluminum
- Fits C2 cut-out

M2X Power/Data/USB/HDMI/VGA Center

- Four power outlets (2 per side)
- Two duplex USB charging ports (1 duplex per side)
- One HDMI port
- One VGA port
- Two blank data ports (1 per side)
- Voice/adapter kit to accept couplers and jacks
- Two touch pivot open/close
- Two 6' power cords, rated at 15 amps 120 volts (1 per side)
- Clear anodized aluminum
- Fits C2 cut-out

How to Specify

❶ Model

IMPORTANT: Specify C2 factory-installed cut-out for top.

Power Components

Mho® Retractable Units

GSA Contract Pending

Product Information ➤See page 55
Factory-Installed Cut-Outs 57





D	*W*	*H*	*Model*	*Price*
Mho® Rectractable Power/Data Center with Three-Prong Plug				
4⅜"	8⅜"		**KCEB2PDPS**	$345
Mho® Rectractable Power/Data/USB with Three-Prong Plug				
4⅜"	8⅜"		**KCEB2PDUPS**	$445

Standard Includes

Mho Power/Data Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- Two blank data ports that can accommodate one of eight provided adapter plates
- Anodized aluminum body: clear finish
- Pop-up lid that sits flush with surface when closed
- Fits C4 cut-out

Mho Power/Data/USB Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- One blank data port that can accommodate one of eight provided adapter plates
- One port with two USB charging outlets
- Anodized aluminum body: clear finish
- Pop-up lid that sits flush with surface when closed
- Fits C4 cut-out

How to Specify

❶ Model

Power Components

Vault Turnbox Drop-In Units

GSA Contract Pending

Product Information ➤See page 55
Factory-Installed Cut-Outs 57





D	*W*	*H*	*Model*	*Price*
Vault Turnbox Power/Data Center				
11¾"	4⅜"	4⅜"	**KCE4124PD**	$1125
Vault Turnbox Power/Data/USB Center				
15⅞"	4⅜"	4⅜"	**KCE4164PD**	$1250

IMPORTANT: Specify C8 factory-installed cut-out in top for power/data center. Specify C9 factory-installed cut-out for power/data/USB center.

Standard Includes

Power/Data Center

- 12' cord with 15-amp, three-prong plug
- Two 15-amp receptacles
- One data port
- One touch open and close mechanism
- Safety photo-electronic eye prevents rotation when unit is in use
- Anodized aluminum finish
- Fits C8 cut-out

Power/Data/USB Center

- 12' cord with 15-amp, three-prong plug
- Three 15-amp receptacles
- Three data ports
- One VGA connection
- One touch open and close mechanism
- Safety photo-electronic eye prevents rotation when unit is in use
- Anodized aluminum finish
- Fits C9 cut-out

How to Specify

❶ Model

Power Components

Node™ Drop-In Units

GSA Contract Pending

Product Information ➤See page 55
Factory-Installed Cut-Outs 57





Diameter	*Model*	*Price*
Node™ Power Center		
3⅜"	**KCEBN20PP**	$175
Node™ Power/USB Center		
3⅜"	**KCEBN11PU**	$270

IMPORTANT: Specify C6 factory-installed cut-out in top.

Standard Includes

Node Power Center
- 10' cord with three-prong plug
- Two power receptacles
- Metallic silver powdercoat finish
- Fits C6 cut-out

Node Power/USB Center
- 10' cord with three-prong plug
- One power receptacle
- One duplex USB
- Metallic silver powdercoat finish
- Fits C6 cut-out

How to Specify

❶ Model

FINISHES & MATERIALS

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	100
Wood Finishes	101
Special Wood Finishes	102
Characteristics & Care	103
Laminate	104
HPL and TFL	104
3D Laminate	105
CSL	106
Paint, PVC, and Resin	107

Program Overview

Wood Finishes	➤See page 101
Laminate	104
3D Laminate	105
PVC, Paint, & Resin	107

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Wood Finishes

Special Wood Finishes ➤See page 102
Laminate 104
3D Laminate 105

Price Group 1 Wood Veneer

Applies to:
- Training table tops
- Meeting table tops
- Modesty panels

Cherry
Plain-sliced, Slip-matched

MC Amber
CC Cordoba
MH Mocha
SC Sedona

Maple
Plain-sliced, Slip-matched

Price Group 1
IM Brighton
TM Huntington

Oak
Quarter-cut, Slip-matched

Price Group 1
CO Canyon
YO Monterey

Walnut
Plain-sliced, Book-matched

Price Group 1
ES Espresso
MW Midtown
TW Tribeca
NW Tuscan*
UW Urban

*Quarter-cut, slip-matched

Price Group 2 Wood Veneer

Applies to:
- Training table tops
- Meeting table tops
- Modesty panels

20% upcharge applies.

Sapele
Quarter-cut, Slip-matched

CS Coco
SS Sienna

Zebrawood
Quarter-cut, Slip-matched

CZ Clear

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact ***By Design*** to review veneer options and discuss special quotes.

➤See page 100 for program overview.
➤See page 103 for wood finish characteristics, care and maintenance.

Price Group Designators:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Wood Finishes

Special Wood Finishes

GSA Non-Contract

Wood Finishes	➤See page 101
Laminate	104
3D Laminate	105
Paint, PVC, & Resin	107

Kimball Office offers the following options for special wood finishes:
- Standard finish color on alternate wood species
- Previously developed special finish
- Custom finish

Standard finish colors available on an alternate wood species include:
- Amber on Maple
- Amber on Walnut
- Mocha on Walnut

These finishes can be specified without going through the finish approval process described at right.

Previously developed special finishes can be selected from an extensive library developed by Kimball Office. Samples of previously developed special finishes are available from Customer Service upon request.

Custom finishes can be developed to meet specific needs, if an acceptable match is not available in our library.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Applicability:

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

Price Group	*Cherry 1*	*Maple 1*	*Walnut 1*	*Sapele 2*
Arpeggio	•	•		
Collaborative	•	•	•	•
Contemporary	•	•	•	•
Dock	•	•	•	•
Priority	•	•	•	•
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
Perks Keyboard Drawers		•		
Perks Center Drawers		•		
Pose	•	•	•	•
Scenario	•	•	•	•
Stow	•	•	•	•
Teem	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used.

A **10%** upcharge per line item (model number) will be applied for a standard finish on an alternative wood species, a previously developed special finish, or a custom finish. This upcharge is calculated on the base price, before other option upcharges are added.

For upholstered products, the upcharge is calculated on the Grade 1 upholstery price then added to the price for the selected fabric grade, to arrive at the list price.

Custom Finish Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. If not, a custom finish will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Note: The one-time fee of $300 will not be charged unless a custom match finish is required.

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator below or the one provided to you by Customer Service:
MA00174KOG = Amber on Maple
WA02905KOG = Amber on Walnut
WA02905KOG = Mocha on Walnut

Wood Finishes

Characteristics Care and Maintenance Tips

Wood Finishes	➤See page 101
Laminate	104
3D Laminate	105
Paint, PVC, & Resin	107

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.
➤See the individual chapters for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

The beauty of wood is that, as a natural product, it will have differences in grain characteristics, color, and other features among wood species. The characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

Maple veneers are slip matched. Brighton Maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Walnut veneers are flat cut and applied book and center matched, except for Tuscan Walnut which is quarter cut.

Cherry veneers are slip matched. Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Oak veneer is quarter cut.

Specification of particular cuts, characteristics, or wood species can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office systems products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

The wood species on seating may vary from the wood species on the casegood or system. Different wood species offer unique texture and grain which provide more variation in finish color; however seating finishes are compatible with casegoods and systems finishes.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Laminate

TFL and HPL

Wood Finishes	➤See page 101
CSL	106
3D Laminate	105
Paint, PVC, & Resin	107

Thermally Fused Laminate (TFL)

Applies to:
- Training table tops
- Meeting table tops
- Modesty panels

Woodgrain		*Solid*		*Pattern*
MC	Amber Cherry	480	Antique White	Not applicable
CC	Cordoba Cherry	403	Chamois	
MH	Mocha Cherry	462	Cinder	
SC	Sedona Cherry	440	Cloud	
IM	Brighton Maple	405	Designer White	
TM	Huntington Maple	450	Fog	
CO	Canyon Oak	488	Frosty White	
YO	Monterey Oak	461	Graphite	
MW	Midtown Walnut	420	Sandstone	
TW	Tribeca Walnut	425	Shadow	
NW	Tuscan Walnut	460	Storm	
UW	Urban Walnut	419	Wallaby	
CZ	Clear Zebrawood			

High-Pressure Laminate (HPL)

Applies to:
- Training table tops
- Meeting table tops
- Modesty panels

Woodgrain		*Solid*		*Pattern*	
MC	Amber Cherry	480	Antique White	874	Bronze Legacy
CC	Cordoba Cherry	403	Chamois	842	Canyon Zephyr
MH	Mocha Cherry	462	Cinder	823	Carbon Evolv
SC	Sedona Cherry	440	Cloud	841	Desert Zephyr
IM	Brighton Maple	405	Designer White	862	Grey Glace
TM	Huntington Maple	450	Fog	844	Loden Zephyr
CO	Canyon Oak	488	Frosty White	843	Misted Sephyr
YO	Monterey Oak	461	Graphite	846	Morro Zephyr
MW	Midtown Walnut	416	Putty	812	Mushroom Tigris
TW	Tribeca Walnut	420	Sandstone	860	Neutral Santos
NW	Tuscan Walnut	425	Shadow	808	Nickel Evolv
UW	Urban Walnut	460	Storm	807	Silicon Evolv
CZ	Clear Zebrawood	419	Wallaby	873	Tawny Legacy
				805	Titanium Evolv
				809	Tungsten Evolv
				802	White Nebula
				814	White Tigris

Customer-specified HPL is also available.
➤See page 106.

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Price Group Desginator:

STD = Group 1 (list price)

Note: All TFL and HPL colors are in price group 1.

Laminate

3D Laminate

Wood Finishes ➤See page 101
Laminate 104
Paint, PVC, & Resin 107

	Woodgrain		Solid		Pattern	
Price Group 1						
Applies to: • Training table tops • Meeting table tops	MH	Mocha Cherry	480 462 440 405 450 420	Antique White Cinder Cloud Designer White Fog Sandstore	484 466	Cashmere Fiber Concrete Fiber

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Price Group Desginator:

STD = Group 1 (list price)

Laminate

Customer-Specified Laminate (CSL)

GSA Non-Contract

Wood Finishes	➤See page 101
Laminate	104
3D Laminate	105
Paint, PVC, & Resin	107

Customer specified high-pressure laminate (CSL) is available select products.
➤Contact Customer Service to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Pricing:

A **20% upcharge per line item** (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② **Finish type:** For the "Finish type" step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ **Finish designator:** For the "Finish designator" step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint, PVC, and Resin

Wood Finishes	➤See page 101
Laminate	104
3D Laminate	105

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

Paint

	Solid		Metallic		Non-Paint	
Applies to: • Blade bases • Disc bases	480 462 405 488 461 425	Antique White Cinder Designer White Frosty White Graphite Shadow	514 501 544	Carbon Metallic (+10% when applied to blade column or disc base) Platinum Metallic Silver Pearl (+10% when applied to blade column or disc base)	497	Polished Aluminum* * Available on blade base foot and bridge only
Applies to: • Tubular bases	462	Cinder	501	Platinum Metallic		

PVC

	Woodgrain		Solid	
Applies to: • PVC softened rims (P rims)	MC	Amber Cherry	480	Antique White
	CC	Cordoba Cherry	403	Chamois
	MH	Mocha Cherry	462	Cinder
	SC	Sedona Cherry	440	Cloud
	IM	Brighton Maple	405	Designer White
	TM	Huntington Maple	485	Dark Chocolate
	CO	Canyon Oak	450	Fog
	YO	Monterey Oak	488	Frosty White
	MW	Midtown Walnut	461	Graphite
	TW	Tribeca Walnut	420	Sandstone
	NW	Tuscan Walnut	425	Shadow
	UW	Urban Walnut	460	Storm
	CZ	Clear Zebrawood	419	Wallaby

Resin

	Frosted	
Applies to: • Modesty panels	25	Glacier

Notes

Wood Finishes	➤See page 101
Laminate	104
3D Laminate	105
Paint, PVC, & Resin	107

RESOURCES

	➤See page
Terms and Conditions	110
Asset Tag Locations	110
Product Warranty	112
BIFMA and U.L. Information	113
Model Number Index	114

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

BIFMA and U.L. Information

Terms & Conditions ➤See page 110
Asset Tag Locations 110
Product Warranty 112
Model Number Index 114

The table at right lists the operating load capacities (functional load) of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 (2014 Desk and Table Products Tests) and X5.9 (2012 Storage Unit Tests). The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Component	**Operating Load Capacity**	**Examples** (total weight [t.w.])
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desk/table 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space *Note: File drawers are to support hanging files only; they are not intended for bottom loading.*	24"D x 18"W x 12"H = 88 lbs.
Transaction counter,	.017 lb. per cubic inch above surface secondary surface <16"D, (not to exceed 12"H), distributive loading or and shelf	12"D x 60"W = 147 lbs. t.w.
Adjustable keyboard <36"W	66 lbs., distributive loading	
Writing shelf	25 lbs., distributive loading	
Extendible elements	.017 lb. per cubic inch of drawer interior filing space, (drawer, shelves, etc.) distributive loading	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Storage or bookcase	200 lbs. concentrated loading top <38"H area, distributive loading	.20 lb. per square inch of surface 24"D x 36"W = 173 lbs.
Storage or bookcase	.20 lb. per square inch of surface area, distributive loading top 38"H–72"H	24"D x 36"W = 173 lbs.
Storage or bookcase	.09 lb. per square inch of surface area, distributive loading top >72"H	24"D x 36"W = 78 lbs.
Storage or bookcase	.017 lb. per cubic inch above surface, distributive loading bottom	24"D x 36"W x 18"H = 264 lbs. (not more than 18" in height)

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

U.L. Information:

Only Underwriters' Laboratory (U.L.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

Model Number Index

Terms & Conditions	➤See page 110
Asset Tag Locations	110
Product Warranty	112
Operating Load Capacities	113

Model	➤See page
74K162815CFYL	92
74K164015CFYL	92
74K164028CFYL	92
74K1715D	89
74K1728D	89
74K1735D	89
74K1741D	89
74K2015CFX	90
74K2019CFX	90
74K2028CFX	90
74K2035CFX	90
74K2041CFX	90
74K2215D	89
74K2228D	89
74K2228TBX	94
74K2235D	89
74K223715CFYL	92
74K2241D	89
74K2241TBX	94
74K224328CFYL	92
74K224335CFYL	93
74K224341CFYL	93
74K225515CFYL	92
74K225528CFYL	92
74K225535CFYL	93
74K225541CFYL	93
74K2424SQ	81
74K2424SSQ	81
74K2448EL	87
74K2448RT	82
74K2448SRT	83
74K24RD	81
74K2615CFX	90
74K2619CFX	90
74K2628CFX	90
74K2628CFXM	90
74K2628TBX	94
74K2628TBXM	94
74K2635CFX	90
74K2641CFX	90
74K2641TBX	94
74K2711028CFYL	92
74K2715D	89
74K2728D	89
74K2735D	89
74K2741D	89
74K274628CFYL	92
74K274635CFYL	93
74K274641CFYL	93
74K275228CFYL	92
74K275628CFYL	92
74K275828CFYL	92
74K275835CFYL	93
74K275841CFYL	93
74K275928CFYL	92
74K276428CFYL	92
74K276435CFYL	93
74K276441CFYL	93
74K279828CFYL	92
74K3030SQ	81
74K3030SSQ	81
74K3060AR	84
74K3060EL	87
74K3060RC	86
74K3060RT	82
74K3060SRT	83
74K3072AR	84
74K3072RC	86
74K3072RT	82
74K3072SRT	83
74K30RD	81
74K3215CFX	90
74K3228CFX	90
74K3228CFXM	90
74K3228TBX	94
74K3228TBXM	94
74K3235CFX	90
74K3241CFX	90
74K3241TBX	94
74K3328CFQX	91
74K3335CFQX	91
74K3341CFQX	91
74K3636SQ	81
74K3636SSQ	81
74K3660RT	82
74K3660SRT	83
74K3672AR	84
74K3672BT	85
74K3672EL	87
74K3672RC	86
74K3672RT	82
74K3672SRT	83
74K3672TP	88
74K3684AR	84
74K3684RC	86
74K3684RT	82
74K3684SRT	83
74K3696AR	84
74K3696RC	86
74K3696RT	82
74K3696SRT	83
74K36RD	81
74K3728CFQX	91
74K3735CFQX	91
74K3741CFQX	91
74K3828TBX	94
74K3828TBXM	94
74K3841TBX	94
74K4242SQ	81
74K4242SSQ	81
74K4272RT	82
74K4272SRT	83
74K4284AR	84
74K4284BT	85
74K4284EL	87
74K4284RC	86
74K4284RT	82
74K4284SRT	83
74K4284TP	88
74K4296AR	84
74K4296RC	86
74K4296RT	82
74K4296SRT	83
74K42RD	81
74K48120AR	84
74K48120BT	85
74K48120RC	86
74K48120RT	82
74K48120SRT	83
74K48120TP	88
74K48144AR	84
74K48144RC	86
74K48144RT	82
74K48144SRT	83
74K4848SQ	81
74K4848SSQ	81
74K4872RT	82
74K4872SRT	83
74K4884RT	82
74K4884SRT	83
74K4896AR	84
74K4896BT	85
74K4896EL	87
74K4896RC	86
74K4896RT	82
74K4896SRT	83
74K4896TP	88
74K48RD	81
74K5454SQ	81
74K5454SSQ	81
74K54RD	81
74K6060SQ	81
74K6060SSQ	81
74K60RD	81
75K1428CFTF	34
75K1428CFTL	33
75K1428CFTM	33
75K1628TBT	38
75K1628TBTF	39
75K1628TBTM	38
75K1634TBTA	40
75K1728CFCL	36
75K1728CFCLM	36
75K1848RT	26
75K1860RT	26
75K1872RT	26
75K1884RT	26
75K1896RT	26
75K2028CFCL	36
75K2028CFCLM	36
75K2028CFSCL	36
75K2028CFTF	34
75K2028CFTL	33
75K2028CFTM	33
75K204828CFFTM	32
75K206028CFFTM	32
75K207228CFFTM	32
75K208428CFFTM	32
75K209628CFFTM	32
75K2228TBT	38
75K2228TBTF	39
75K2228TBTM	38
75K2234TBTA	40
75K224828TBFTM	37
75K226028TBFTM	37

Model Number Index

continued

Terms & Conditions ➤See page 110
Asset Tag Locations 110
Product Warranty 112
Operating Load Capacities 113

Model	➤See page
75K227228TBFTM	37
75K228428TBFTM	37
75K229628TBFTM	37
75K234828CFFCM	35
75K236028CFFCM	35
75K237228CFFCM	35
75K238428CFFCM	35
75K239628CFFCM	35
75K2410MP	41
75K2424CN	30
75K2445WD	31
75K2448HR	28
75K2448HX	29
75K2448RT	26
75K2448TZ	27
75K2460RT	26
75K2472RT	26
75K2484RT	26
75K2496RT	26
75K24WT	43
75K2628CFCL	36
75K2628CFCLM	36
75K2628CFSCL	36
75K2628CFTF	34
75K2628CFTL	33
75K2628CFTM	33
75K2628TBT	38
75K2628TBTF	39
75K2628TBTM	38
75K2634TBTA	40
75K264828CFFCM	35
75K264828CFFTM	32
75K264828TBFTM	37
75K266028CFFCM	35
75K266028CFFTM	32
75K266028TBFTM	37
75K267228CFFCM	35
75K267228CFFTM	32
75K267268TBFTM	37
75K268428CFFCM	35
75K268428CFFTM	32
75K268428TBFTM	37
75K269628CFFCM	35
75K269628CFFTM	32
75K269628TBFTM	37
75K2GL	42
75K3010MP	41
75K3030CN	30
75K3045WD	31
75K3048RT	26
75K3060HR	28
75K3060HX	29
75K3060RT	26
75K3060TZ	27
75K3072RT	26
75K3084RT	26
75K3096RT	26
75K30WT	43
75K42WSSR	42
75K4810MP	41
75K48WT	43
75K56WSSR	42
75K6010MP	41
75K60WT	43
75K7210MP	41
75K72WT	43
75K8410MP	41
75K84WT	43
75K9610MP	41
75K96WT	43
99K36CMFC	43
99KCMU	43
99KECMB	43
ACAWBP1	42
KCE3CCL	43
KCE3CSL	43
KCE4124PD	97
KCE4164PD	97
KCE4T24M1	47
KCE4T24M2	47
KCE4T30M1	47
KCE4T30M2	47
KCE4T48M1	47
KCE4T48M2	47
KCE4T60M1	47
KCE4T60M2	47
KCE4T72M1	47
KCE4T72M2	47
KCE4T84M1	47
KCE4T84M2	47
KCE4T96M1	47
KCE4T96M2	47
KCE4THIF	46
KCE4THIFN	46
KCE4TIFP	46
KCE4TJ25	46
KCE4TJ36	46
KCE4TJ72	46
KCE4TRIFQ	46
KCE820ELPDC	95
KCE820ELPDCH	95
KCEB2PDPS	48, 96
KCEB2PDUPS	48, 96
KCEBN11PU	98
KCEBN20PP	98
KCEI2IF	45
KCEI2J60	45
KCEI2PHPDS	45
KCEI2PHPDUS	45
KCEP1IF	44
KCEP1J74	44
KCEP1PDMB	44
KCEP1PDMS	44
KCEP1PDPB	44
KCEP1PDPS	44
KCU0810ELPDC	95
KCU0810ELPDCH	95

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K48168RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	1474	--	--	--	--	--	--	--
74K48192RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	1567	--	--	--	--	--	--	--
74K48216RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	2258	--	--	--	--	--	--	--
74K48240RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	2407	--	--	--	--	--	--	--
74K54120RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	1638	--	--	--	--	--	--	--
74K54144RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	1799	--	--	--	--	--	--	--
74K54168RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	1916	--	--	--	--	--	--	--
74K54192RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	2037	--	--	--	--	--	--	--
74K54216RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	2961	--	--	--	--	--	--	--
74K54240RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	3977	--	--	--	--	--	--	--
74K60144RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	2277	--	--	--	--	--	--	--
74K60168RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	2437	--	--	--	--	--	--	--
74K60192RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	2607	--	--	--	--	--	--	--
74K60216RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	3780	--	--	--	--	--	--	--
74K60240RTLL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE(TFL)	4725	--	--	--	--	--	--	--
74K48168SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	1474	--	--	--	--	--	--	--
74K48192SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	1567	--	--	--	--	--	--	--
74K48216SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	2258	--	--	--	--	--	--	--
74K48240SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	2407	--	--	--	--	--	--	--
74K54120SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	1638	--	--	--	--	--	--	--
74K54144SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	1799	--	--	--	--	--	--	--
74K54168SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	1916	--	--	--	--	--	--	--
74K54192SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	2037	--	--	--	--	--	--	--
74K54216SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	2961	--	--	--	--	--	--	--
74K54240SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	3977	--	--	--	--	--	--	--
74K60144SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	2277	--	--	--	--	--	--	--
74K60168SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	2437	--	--	--	--	--	--	--
74K60192SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	2607	--	--	--	--	--	--	--
74K60216SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	3780	--	--	--	--	--	--	--
74K60240SRTLL	DOCK,TABLE TOP,SOFT RECT,LAMINATE(TFL)	4725	--	--	--	--	--	--	--
74K48168ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2034	--	--	--	--	--	--	--
74K48192ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2115	--	--	--	--	--	--	--
74K48216ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2980	--	--	--	--	--	--	--
74K48240ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	3129	--	--	--	--	--	--	--
74K54120ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	1965	--	--	--	--	--	--	--
74K54144ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2159	--	--	--	--	--	--	--
74K54168ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2299	--	--	--	--	--	--	--
74K54192ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2444	--	--	--	--	--	--	--
74K54216ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	3405	--	--	--	--	--	--	--
74K54240ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	4573	--	--	--	--	--	--	--
74K60144ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2732	--	--	--	--	--	--	--
74K60168ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	2924	--	--	--	--	--	--	--
74K60192ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	3128	--	--	--	--	--	--	--
74K60216ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	4347	--	--	--	--	--	--	--
74K60240ARLL	DOCK,TABLE TOP,ARC-END,LAMINATE(TFL)	5433	--	--	--	--	--	--	--
74K48168BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2034	--	--	--	--	--	--	--
74K48192BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2115	--	--	--	--	--	--	--
74K48216BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2980	--	--	--	--	--	--	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K48240BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	3129	--	--	--	--	--	--	--
74K54120BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	1965	--	--	--	--	--	--	--
74K54144BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2159	--	--	--	--	--	--	--
74K54168BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2299	--	--	--	--	--	--	--
74K54192BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2444	--	--	--	--	--	--	--
74K54216BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	3405	--	--	--	--	--	--	--
74K54240BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	4573	--	--	--	--	--	--	--
74K60144BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2732	--	--	--	--	--	--	--
74K60168BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	2924	--	--	--	--	--	--	--
74K60192BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	3128	--	--	--	--	--	--	--
74K60216BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	4347	--	--	--	--	--	--	--
74K60240BTLL	DOCK,TABLE TOP,BOAT,LAMINATE(TFL)	5433	--	--	--	--	--	--	--
74K48168RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2034	--	--	--	--	--	--	--
74K48192RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2115	--	--	--	--	--	--	--
74K48216RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2980	--	--	--	--	--	--	--
74K48240RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	3129	--	--	--	--	--	--	--
74K54120RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	1965	--	--	--	--	--	--	--
74K54144RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2159	--	--	--	--	--	--	--
74K54168RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2299	--	--	--	--	--	--	--
74K54192RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2444	--	--	--	--	--	--	--
74K54216RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	3405	--	--	--	--	--	--	--
74K54240RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	4573	--	--	--	--	--	--	--
74K60144RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2732	--	--	--	--	--	--	--
74K60168RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	2924	--	--	--	--	--	--	--
74K60192RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	3128	--	--	--	--	--	--	--
74K60216RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	4347	--	--	--	--	--	--	--
74K60240RCLL	DOCK,TABLE TOP,RACETRACK,LAMINATE(TFL)	5433	--	--	--	--	--	--	--
74K48168RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	2548	--	--	--	--	--	--
74K48192RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	2682	--	--	--	--	--	--
74K48216RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	3350	--	--	--	--	--	--
74K48240RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	3749	--	--	--	--	--	--
74K54120RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	2517	--	--	--	--	--	--
74K54144RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	2768	--	--	--	--	--	--
74K54168RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	3045	--	--	--	--	--	--
74K54192RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	3384	--	--	--	--	--	--
74K54216RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	3798	--	--	--	--	--	--
74K54240RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	4690	--	--	--	--	--	--
74K60144RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	3995	--	--	--	--	--	--
74K60168RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	4286	--	--	--	--	--	--
74K60192RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	4763	--	--	--	--	--	--
74K60216RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	5290	--	--	--	--	--	--
74K60240RTL	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	6142	--	--	--	--	--	--
74K54120SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	2517	--	--	--	--	--	--
74K54144SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	2768	--	--	--	--	--	--
74K54168SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	3045	--	--	--	--	--	--
74K54192SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	3384	--	--	--	--	--	--
74K54216SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	3798	--	--	--	--	--	--
74K54240SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	4690	--	--	--	--	--	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K48168SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	2548	--	--	--	--	--	--
74K48192SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	2682	--	--	--	--	--	--
74K48216SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	3350	--	--	--	--	--	--
74K48240SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	3749	--	--	--	--	--	--
74K60144SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	3995	--	--	--	--	--	--
74K60168SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	4286	--	--	--	--	--	--
74K60192SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	4763	--	--	--	--	--	--
74K60216SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	5290	--	--	--	--	--	--
74K60240SRTL	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	6142	--	--	--	--	--	--
74K48168ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	2624	--	--	--	--	--	--
74K48192ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	2762	--	--	--	--	--	--
74K48216ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	3450	--	--	--	--	--	--
74K48240ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	3861	--	--	--	--	--	--
74K54120ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	2593	--	--	--	--	--	--
74K54144ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	2851	--	--	--	--	--	--
74K54168ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	3136	--	--	--	--	--	--
74K54192ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	3486	--	--	--	--	--	--
74K54216ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	3911	--	--	--	--	--	--
74K54240ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	4830	--	--	--	--	--	--
74K60144ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	4115	--	--	--	--	--	--
74K60168ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	4415	--	--	--	--	--	--
74K60192ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	4906	--	--	--	--	--	--
74K60216ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	5448	--	--	--	--	--	--
74K60240ARL	DOCK,TABLE TOP,ARC-END,LAMINATE	--	6326	--	--	--	--	--	--
74K48168BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	2624	--	--	--	--	--	--
74K48192BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	2762	--	--	--	--	--	--
74K48216BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	3450	--	--	--	--	--	--
74K48240BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	3861	--	--	--	--	--	--
74K54120BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	2593	--	--	--	--	--	--
74K54144BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	2851	--	--	--	--	--	--
74K54168BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	3136	--	--	--	--	--	--
74K54192BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	3486	--	--	--	--	--	--
74K54216BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	3911	--	--	--	--	--	--
74K54240BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	4830	--	--	--	--	--	--
74K60144BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	4115	--	--	--	--	--	--
74K60168BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	4415	--	--	--	--	--	--
74K60192BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	4906	--	--	--	--	--	--
74K60216BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	5448	--	--	--	--	--	--
74K60240BTL	DOCK,TABLE TOP,BOAT,LAMINATE	--	6326	--	--	--	--	--	--
74K48168RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	2624	--	--	--	--	--	--
74K48192RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	2762	--	--	--	--	--	--
74K48216RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	3450	--	--	--	--	--	--
74K48240RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	3861	--	--	--	--	--	--
74K54120RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	2593	--	--	--	--	--	--
74K54144RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	2851	--	--	--	--	--	--
74K54168RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	3136	--	--	--	--	--	--
74K54192RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	3486	--	--	--	--	--	--
74K54216RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	3911	--	--	--	--	--	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K54240RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	4830	--	--	--	--	--	--
74K60144RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	4115	--	--	--	--	--	--
74K60168RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	4415	--	--	--	--	--	--
74K60192RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	4906	--	--	--	--	--	--
74K60216RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	5448	--	--	--	--	--	--
74K60240RCL	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	6326	--	--	--	--	--	--
74K48168RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	2699	--	--	--	--
74K48192RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	2816	--	--	--	--
74K48216RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	3551	--	--	--	--
74K48240RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	3937	--	--	--	--
74K54120RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	2643	--	--	--	--
74K54144RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	2906	--	--	--	--
74K54168RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	3228	--	--	--	--
74K54192RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	4032	--	--	--	--
74K54216RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	3988	--	--	--	--
74K54240RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	4924	--	--	--	--
74K60144RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	4194	--	--	--	--
74K60168RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	4497	--	--	--	--
74K60192RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	4992	--	--	--	--
74K60216RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	5557	--	--	--	--
74K60240RT2L	DOCK,TABLE TOP,RECTANGULAR,LAMINATE	--	--	--	6449	--	--	--	--
74K48168SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	2699	--	--	--	--
74K48192SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	2816	--	--	--	--
74K48216SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	3551	--	--	--	--
74K48240SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	3937	--	--	--	--
74K54120SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	2643	--	--	--	--
74K54144SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	2906	--	--	--	--
74K54168SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	3228	--	--	--	--
74K54192SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	4032	--	--	--	--
74K54216SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	3988	--	--	--	--
74K54240SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	4924	--	--	--	--
74K60144SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	4194	--	--	--	--
74K60168SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	4497	--	--	--	--
74K60192SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	4992	--	--	--	--
74K60216SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	5557	--	--	--	--
74K60240SRT2L	DOCK,TABLE TOP,SOFT RECTANGULAR,LAMINATE	--	--	--	6449	--	--	--	--
74K48168AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	2779	--	--	--	--
74K48192AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	2900	--	--	--	--
74K48216AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	3657	--	--	--	--
74K48240AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	4055	--	--	--	--
74K54120AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	2722	--	--	--	--
74K54144AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	2993	--	--	--	--
74K54168AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	3324	--	--	--	--
74K54192AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	4153	--	--	--	--
74K54216AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	4108	--	--	--	--
74K54240AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	5072	--	--	--	--
74K60144AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	4320	--	--	--	--
74K60168AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	4632	--	--	--	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K60192AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	5141	--	--	--	--
74K60216AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	5724	--	--	--	--
74K60240AR2L	DOCK,TABLE TOP,ARC-END,LAMINATE	--	--	--	6642	--	--	--	--
74K48168BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	2779	--	--	--	--
74K48192BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	2900	--	--	--	--
74K48216BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	3657	--	--	--	--
74K48240BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	4055	--	--	--	--
74K54120BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	2722	--	--	--	--
74K54144BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	2993	--	--	--	--
74K54168BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	3324	--	--	--	--
74K54192BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	4153	--	--	--	--
74K54216BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	4108	--	--	--	--
74K54240BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	5072	--	--	--	--
74K60144BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	4320	--	--	--	--
74K60168BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	4632	--	--	--	--
74K60192BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	5141	--	--	--	--
74K60216BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	5724	--	--	--	--
74K60240BT2L	DOCK,TABLE TOP,BOAT,LAMINATE	--	--	--	6642	--	--	--	--
74K48168RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	2779	--	--	--	--
74K48192RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	2900	--	--	--	--
74K48216RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	3657	--	--	--	--
74K48240RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	4055	--	--	--	--
74K54120RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	2722	--	--	--	--
74K54144RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	2993	--	--	--	--
74K54168RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	3324	--	--	--	--
74K54192RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	4153	--	--	--	--
74K54216RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	4108	--	--	--	--
74K54240RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	5072	--	--	--	--
74K60144RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	4320	--	--	--	--
74K60168RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	4632	--	--	--	--
74K60192RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	5141	--	--	--	--
74K60216RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	5724	--	--	--	--
74K60240RC2L	DOCK,TABLE TOP,RACETRACK,LAMINATE	--	--	--	6642	--	--	--	--
74K48168RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	5275	--	--	--
74K48192RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	5989	--	--	--
74K48216RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	6408	--	--	--
74K48240RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	6857	--	--	--
74K54120RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	4253	--	--	--
74K54144RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	4720	--	--	--
74K54168RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	5792	--	--	--
74K54192RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	6398	--	--	--
74K54216RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	6920	--	--	--
74K54240RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	7510	--	--	--
74K60144RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	5570	--	--	--
74K60168RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	6238	--	--	--
74K60192RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	6982	--	--	--
74K60216RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	7694	--	--	--
74K60240RTLW	DOCK,TABLE TOP,RECTANGULAR,LAMINATE/WOOD	--	--	--	--	8758	--	--	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K48168SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	5275	--	--	--
74K48192SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	5989	--	--	--
74K48216SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	6408	--	--	--
74K48240SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	6857	--	--	--
74K54120SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	4253	--	--	--
74K54144SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	4720	--	--	--
74K54168SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	5792	--	--	--
74K54192SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	6398	--	--	--
74K54216SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	6920	--	--	--
74K54240SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	7510	--	--	--
74K60144SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	5570	--	--	--
74K60168SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	6238	--	--	--
74K60192SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	6982	--	--	--
74K60216SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	7694	--	--	--
74K60240SRTLW	DOCK,TABLE TOP,SOFT RECT,LAMINATE/WOOD	--	--	--	--	8758	--	--	--
74K48168ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	5327	--	--	--
74K48192ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	6048	--	--	--
74K48216ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	6536	--	--	--
74K48240ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	6994	--	--	--
74K54120ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	4381	--	--	--
74K54144ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	4862	--	--	--
74K54168ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	5966	--	--	--
74K54192ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	6590	--	--	--
74K54216ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	7128	--	--	--
74K54240ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	7735	--	--	--
74K60144ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	5737	--	--	--
74K60168ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	6425	--	--	--
74K60192ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	7191	--	--	--
74K60216ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	7924	--	--	--
74K60240ARLW	DOCK,TABLE TOP,ARC-END,LAMINATE/WOOD	--	--	--	--	9020	--	--	--
74K48168BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	5327	--	--	--
74K48192BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	6048	--	--	--
74K48216BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	6536	--	--	--
74K48240BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	6994	--	--	--
74K54120BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	4381	--	--	--
74K54144BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	4862	--	--	--
74K54168BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	5966	--	--	--
74K54192BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	6590	--	--	--
74K54216BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	7128	--	--	--
74K54240BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	7735	--	--	--
74K60144BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	5737	--	--	--
74K60168BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	6425	--	--	--
74K60192BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	7191	--	--	--
74K60216BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	7924	--	--	--
74K60240BTLW	DOCK,TABLE TOP,BOAT,LAMINATE/WOOD	--	--	--	--	9020	--	--	--
74K48168RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	5327	--	--	--
74K48192RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	6048	--	--	--
74K48216RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	6536	--	--	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K48240RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	6994	--	--	--
74K54120RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	4381	--	--	--
74K54144RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	4862	--	--	--
74K54168RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	5966	--	--	--
74K54192RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	6590	--	--	--
74K54216RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	7128	--	--	--
74K54240RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	7735	--	--	--
74K60144RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	5737	--	--	--
74K60168RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	6425	--	--	--
74K60192RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	7191	--	--	--
74K60216RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	7924	--	--	--
74K60240RCLW	DOCK,TABLE TOP,RACETRACK,LAMINATE/WOOD	--	--	--	--	9020	--	--	--
74K48168RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	5275	--	--
74K48192RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	5989	--	--
74K48216RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	6408	--	--
74K48240RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	6857	--	--
74K54120RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	4253	--	--
74K54144RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	4720	--	--
74K54168RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	5792	--	--
74K54192RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	6398	--	--
74K54216RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	6920	--	--
74K54240RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	7510	--	--
74K60144RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	5570	--	--
74K60168RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	6238	--	--
74K60192RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	6982	--	--
74K60216RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	7694	--	--
74K60240RTW	DOCK,TABLE TOP,RECTANGULAR,WOOD	--	--	--	--	--	8758	--	--
74K48168SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	5275	--	--
74K48192SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	5989	--	--
74K48216SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	6408	--	--
74K48240SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	6857	--	--
74K54120SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	4253	--	--
74K54144SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	4720	--	--
74K54168SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	5792	--	--
74K54192SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	6398	--	--
74K54216SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	6920	--	--
74K54240SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	7510	--	--
74K60144SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	5570	--	--
74K60168SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	6238	--	--
74K60192SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	6982	--	--
74K60216SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	7694	--	--
74K60240SRTW	DOCK,TABLE TOP,SOFT RECTANGULAR,WOOD	--	--	--	--	--	8758	--	--
74K48168ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	5327	--	--
74K48192ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	6048	--	--
74K48216ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	6536	--	--
74K48240ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	6944	--	--
74K54120ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	4381	--	--
74K54144ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	4862	--	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K54168ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	5966	--	--
74K54192ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	6590	--	--
74K54216ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	7128	--	--
74K54240ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	7735	--	--
74K60144ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	5737	--	--
74K60168ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	6425	--	--
74K60192ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	7191	--	--
74K60216ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	7924	--	--
74K60240ARW	DOCK,TABLE TOP,ARC-END,WOOD	--	--	--	--	--	9020	--	--
74K48168BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	5327	--	--
74K48192BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	6048	--	--
74K48216BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	6536	--	--
74K48240BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	6944	--	--
74K54120BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	4381	--	--
74K54144BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	4862	--	--
74K54168BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	5966	--	--
74K54192BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	6590	--	--
74K54216BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	7128	--	--
74K54240BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	7735	--	--
74K60144BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	5737	--	--
74K60168BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	6425	--	--
74K60192BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	7191	--	--
74K60216BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	7924	--	--
74K60240BTW	DOCK,TABLE TOP,BOAT,WOOD	--	--	--	--	--	9020	--	--
74K48168RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	5327	--	--
74K48192RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	6048	--	--
74K48216RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	6536	--	--
74K48240RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	6944	--	--
74K54120RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	4381	--	--
74K54144RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	4862	--	--
74K54168RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	5966	--	--
74K54192RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	6590	--	--
74K54216RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	7128	--	--
74K54240RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	7735	--	--
74K60144RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	5737	--	--
74K60168RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	6425	--	--
74K60192RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	7191	--	--
74K60216RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	7924	--	--
74K60240RCW	DOCK,TABLE TOP,RACETRACK,WOOD	--	--	--	--	--	9020	--	--
74K48168RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5908	--
74K48192RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6707	--
74K48216RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7176	--
74K48240RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7680	--
74K54120RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	4763	--
74K54144RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5286	--
74K54168RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6487	--
74K54192RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7166	--
74K54216RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7750	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K54240RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8411	--
74K60144RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6294	--
74K60168RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6987	--
74K60192RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7819	--
74K60216RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8617	--
74K60240RT1LW	DOCK,TABLE TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	9809	--
74K48168SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5908	--
74K48192SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6707	--
74K48216SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7176	--
74K48240SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7680	--
74K54120SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	4763	--
74K54144SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5286	--
74K54168SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6487	--
74K54192SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7166	--
74K54216SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7750	--
74K54240SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8411	--
74K60144SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6294	--
74K60168SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6987	--
74K60192SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7819	--
74K60216SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8617	--
74K60240SRT1LW	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	9809	--
74K48168AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5967	--
74K48192AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6774	--
74K48216AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7319	--
74K48240AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7833	--
74K54120AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	4906	--
74K54144AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5444	--
74K54168AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6682	--
74K54192AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7381	--
74K54216AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7983	--
74K54240AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8663	--
74K60144AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6483	--
74K60168AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7196	--
74K60192AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8053	--
74K60216AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8875	--
74K60240AR1LW	DOCK,TABLE TOP,ARC-END,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	9998	--
74K48168BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5967	--
74K48192BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6774	--
74K48216BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7319	--
74K48240BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7833	--
74K54120BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	4906	--
74K54144BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5444	--
74K54168BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6682	--
74K54192BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7381	--
74K54216BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7983	--
74K54240BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8663	--
74K60144BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6483	--
74K60168BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7196	--

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K60192BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8053	--
74K60216BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8875	--
74K60240BT1LW	DOCK,TABLE TOP,BOAT,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	9998	--
74K48168RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5967	--
74K48192RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6774	--
74K48216RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7319	--
74K48240RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7833	--
74K54120RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	4906	--
74K54144RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	5444	--
74K54168RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6682	--
74K54192RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7381	--
74K54216RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7983	--
74K54240RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8663	--
74K60144RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	6483	--
74K60168RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	7196	--
74K60192RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8053	--
74K60216RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	8875	--
74K60240RC1LW	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,LAMINATE/WOOD	--	--	--	--	--	--	9998	--
74K48168RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5908
74K48192RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6707
74K48216RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7176
74K48240RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7680
74K54120RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	4763
74K54144RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5286
74K54168RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6487
74K54192RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7166
74K54216RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7750
74K54240RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8411
74K60144RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6294
74K60168RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6987
74K60192RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7819
74K60216RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8617
74K60240RT1W	DOCK,TABLE TOP,RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	9809
74K48168SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5908
74K48192SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6707
74K48216SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7176
74K48240SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7680
74K54120SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	4763
74K54144SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5286
74K54168SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6487
74K54192SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7166
74K54216SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7750
74K54240SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8411
74K60144SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6294
74K60168SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6987
74K60192SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7819
74K60216SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8617
74K60240SRT1W	DOCK,TABLE TOP,SOFT RECT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	9809

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K48168AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5967
74K48192AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6774
74K48216AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7319
74K48240AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7833
74K54120AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	4906
74K54144AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5444
74K54168AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6682
74K54192AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7381
74K54216AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7983
74K54240AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8663
74K60144AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6483
74K60168AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7196
74K60192AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8053
74K60216AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8875
74K60240AR1W	DOCK,TABLE TOP,ARC-END,KNIFE RIM,WOOD	--	--	--	--	--	--	--	9998
74K48168BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5967
74K48192BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6774
74K48216BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7319
74K48240BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7833
74K54120BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	4906
74K54144BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5444
74K54168BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6682
74K54192BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7381
74K54216BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7983
74K54240BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8663
74K60144BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6483
74K60168BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7196
74K60192BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8053
74K60216BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8875
74K60240BT1W	DOCK,TABLE TOP,BOAT,KNIFE RIM,WOOD	--	--	--	--	--	--	--	9998
74K48168RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5967
74K48192RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6774
74K48216RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7319
74K48240RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7833
74K54120RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	4906
74K54144RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	5444
74K54168RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6682
74K54192RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7381
74K54216RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7983
74K54240RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8663

DOCK® Meeting Table Tops

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K60144RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	6483
74K60168RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	7196
74K60192RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8053
74K60216RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	8875
74K60240RC1W	DOCK,TABLE TOP,RACETRACK,KNIFE RIM,WOOD	--	--	--	--	--	--	--	9998

Options:

Grommet/cut-out option:	(+$59 per grommet or $54 per cut-out)
Surface finish price group (omit for LL models):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (include for LW and 1LW models only):	STD = Group 1 STD2 = Group 2 (+20%)

DOCK® Meeting Blade Y Bases

Model Number	Model Description	Price
74K2713628CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	2384
74K2716028CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	2477
74K2718428CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	3019
74K2720828CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	3183
74K4211228CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	3835
74K4213628CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	4596
74K4216028CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	4757
74K4218428CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	5875
74K4220828CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	6035
74K428828CFYL	DOCK,TABLE BASE,Y,BLADE,PAINT	3410

Options:

Column paint designator:	(+10% on select metallic paint finishes)

DOCK® Meeting Pull-Up Tables

Model Number	Model Description	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	3D Lam (T) Sloped SL Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
74K161926PUT2L	DOCK,PULL UP TABLE,LAMINATE	--	--	--	682	--	--	--	--
74K161926PUTL	DOCK,PULL UP TABLE,LAMINATE	--	655	--	--	--	--	--	--
74K161926PUTLL	DOCK,PULL UP TABLE,TFL	582	--	--	--	--	--	--	--
74K161926PUTW	DOCK,PULL UP TABLE,WOOD	--	--	--	--	--	794	--	--

Options:

Surface finish price group (omit for LL models):	STD = Group 1 STD2 = Group 2 (+20%)

DOCK® Meeting Rectangular Bases

Model Number	Model Description	TFL (LL)	HPL (L)	Wood (W)
74K2428RLL	DOCK RECTANGULAR ACCESS BASE, TFL	678	--	--
74K3028RLL	DOCK RECTANGULAR ACCESS BASE, TFL	858	--	--
74K1828RRLL	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, TFL	693	--	--
74K2428RRLL	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, TFL	798	--	--
74K3028RRLL	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, TFL	989	--	--
74K1828RL	DOCK, RECTANGULAR ACCESS BASE, HPL	--	874	--
74K2428RL	DOCK, RECTANGULAR ACCESS BASE, HPL	--	918	--
74K3028RL	DOCK, RECTANGULAR ACCESS BASE, HPL	--	971	--
74K1828RRL	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, HPL	--	902	--
74K2428RRL	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, HPL	--	944	--
74K3028RRL	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, HPL	--	1004	--
74K1828RW	DOCK, RECTANGULAR ACCESS BASE, WOOD	--	--	910
74K2428RW	DOCK, RECTANGULAR ACCESS BASE, WOOD	--	--	955
74K3028RW	DOCK, RECTANGULAR ACCESS BASE, WOOD	--	--	1012
74K1828RRW	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, WOOD	--	--	937
74K2428RRW	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, WOOD	--	--	983
74K3028RRW	DOCK, RECTANGULAR ACCESS BASE, RADIUS ENDS, WOOD	--	--	1024

Options:

Surface finish price group	STD = Group 1 STD2 = Group 2 (+20%)

DOCK® Meeting Rectangular Beam Bases

Model Number	Model Description	TFL (LL)	HPL (L)	Wood (W)
74K2410228BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL(48X144)	2739	--	--
74K2417428BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL (48 X216)	5478	--	--
74K2419828BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL (48 X240)	5587	--	--
74K247828BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL (48X120)	2442	--	--
74K3010228BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL(54 & 60X144)	3330	--	--
74K3017428BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL (54 &60X216)	6663	--	--
74K3019828BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL (54 &60X240)	6792	--	--
74K307828BLL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, TFL (54X120)	3029	--	--
74K2410228BRLL	DOCK, BEAM BASE, RECT, ACC PNL, RADIUS ENDS, TFL(48X144)	3249	--	--
74K2417428BRLL	DOCK, BEAM BASE, RECT, ACC PNL, RADIUS ENDS, TFL (48 X 216)	6498	--	--
74K2419828BRLL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, TFL(48 X 240)	6627	--	--
74K247828BRLL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, TFL (48X120)	2956	--	--
74K3010228BRLL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS,TFL(54&60X144)	4062	--	--
74K3017428BRLL	DOCK, BEAM BASE, RECT, ACC PANEL,RADIUS ENDS,TFL(54&60X 216)	8125	--	--
74K3019828BRLL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS,TFL(54&60X240)	8283	--	--
74K307828BRLL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, TFL (54X120)	3695	--	--
74K184241BLL	DOCK, BEAM BASE,RECT,ACCESS PANEL,TFL(48X72&84) STAND UP HGT	2413	--	--
74K185441BLL	DOCK, BEAM BASE, RECT, ACCESS PANEL, TFL (48X96)STAND UP HGT	2488	--	--
74K2410241BLL	DOCK, BEAM BASE, RECT, ACC PNL, TFL(48X144) STAND UP HEIGHT	3068	--	--
74K244241BLL	DOCK, BEAM BASE, RECT, ACC PANEL, TFL(48X72) STAND UP HEIGHT	2564	--	--
74K245441BLL	DOCK, BEAM BASE, RECT, ACC PANEL, TFL(48X96) STAND UP HEIGHT	2644	--	--
74K247841BLL	DOCK, BEAM BASE, RECT, ACC PANEL,TFL(48X120) STAND UP HEIGHT	2726	--	--
74K184241BRLL	DOCK,BEAM BASE,RECT,ACCPNL,RAD END,TFL(48X72&84)STAND UP HGT	2541	--	--
74K185441BRLL	DOCK,BEAM BASE,RECT,ACC PNL, RAD END, TFL(48X96)STAND UP HGT	2620	--	--
74K2410241BRLL	DOCK, BEAM BASE,RECT,ACC PNL,RAD END,TFL(48X144)STAND UP HGT	3339	--	--
74K244241BRLL	DOCK, BEAM BASE,RECT, ACC PNL,RAD END,TFL(48X72)STAND UP HGT	2702	--	--
74K245441BRLL	DOCK, BEAM BASE,RECT, ACC PNL,RAD END,TFL(48X96)STAND UP HGT	2782	--	--
74K247841BRLL	DOCK, BEAM BASE,RECT,ACC PNL,RAD END,TFL(48X120)STAND UP HGT	3242	--	--
74K2410228BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL(48X144)	--	3197	--
74K2417428BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL (48 X216)	--	6395	--
74K2419828BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL (48 X240)	--	6523	--
74K247828BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL (48X120)	--	2855	--
74K3010228BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL(54 & 60X144)	--	3901	--
74K3017428BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL (54 &60X216)	--	7802	--
74K3019828BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL (54 &60X240)	--	7958	--
74K307828BL	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, HPL (54X120)	--	3570	--
74K2410228BRL	DOCK, BEAM BASE, RECT, ACCESS PANEL, RAD END, HPL(48X144)	--	3392	--
74K2417428BRL	DOCK, BEAM BASE, RECT, ACC PNL, RAD ENDS, HPL (48 X 216)	--	6784	--
74K2419828BRL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, HPL(48 X 240)	--	6920	--
74K247828BRL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, HPL (48X120)	--	3104	--
74K3010228BRL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS,HPL(54&60X144)	--	4239	--
74K3017428BRL	DOCK, BEAM BASE, RECT, ACC PANEL,RADIUS ENDS,HPL(54&60X 216)	--	8481	--
74K3019828BRL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS,HPL(54&60X240)	--	8649	--
74K307828BRL	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, HPL (54X120)	--	3880	--
74K184241BL	DOCK, BEAM BASE,RECT,ACCESS PANEL,HPL(48X72&84) STAND UP HGT	--	2730	--
74K185441BL	DOCK, BEAM BASE,RECT, ACCESS PANEL, HPL(48X96) STAND UP HGT	--	2815	--
74K2410241BL	DOCK, BEAM BASE, RECT, ACC PNL, HPL(48X144) STAND UP HEIGHT	--	3580	--
74K244241BL	DOCK, BEAM BASE, RECT, ACC PANEL, HPL(48X72) STAND UP HEIGHT	--	2748	--
74K245441BL	DOCK, BEAM BASE, RECT, ACC PANEL,HPL (48X96) STAND UP HEIGHT	--	2990	--
74K247841BL	DOCK, BEAM BASE, RECT, ACC PANEL,HPL(48X120) STAND UP HEIGHT	--	3084	--

DOCK® Meeting Rectangular Beam Bases

Model Number	Model Description	TFL (LL)	HPL (L)	Wood (W)
74K184241BRL	DOCK,BEAM BASE,RECT,ACCPNL,RAD END,HPL(48X72&84)STAND UP HGT	--	2921	--
74K185441BRL	DOCK,BEAM BASE,RECT, ACC PNL, RAD END,HPL(48X96)STAND UP HGT	--	3012	--
74K2410241BRL	DOCK, BEAM BASE,RECT,ACC PNL,RAD END,HPL(48X144)STAND UP HGT	--	3831	--
74K244241BRL	DOCK, BEAM BASE, RECT,ACC PNL,RAD END,HPL(48X72)STAND UP HGT	--	3104	--
74K245441BRL	DOCK, BEAM BASE,RECT,ACC PNL, RAD END,HPL 48X96)STAND UP HGT	--	3198	--
74K247841BRL	DOCK, BEAM BASE,RECT,ACC PNL,RAD END,HPL(48X120)STAND UP HGT	--	3663	--
74K2410228BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD(48X144)	--	--	3366
74K2417428BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD (48 X216)	--	--	6732
74K2419828BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD (48 X240)	--	--	6867
74K247828BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD (48X120)	--	--	3006
74K3010228BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD(54 &60x144)	--	--	4105
74K3017428BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD (54&60X216)	--	--	8212
74K3019828BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD (54&60X240)	--	--	8377
74K307828BW	DOCK, BEAM BASE, RECTANGULAR, ACCESS PANEL, WOOD (54X120)	--	--	3756
74K2410228BRW	DOCK, BEAM BASE, RECT, ACC PNL, RADIUS ENDS, WOOD(48X144)	--	--	3571
74K2417428BRW	DOCK, BEAM BASE, RECT, ACC PNL, RADIUS ENDS, WOOD (48 X 216)	--	--	7142
74K2419828BRW	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS,WOOD(48 X 240)	--	--	7284
74K247828BRW	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, WOOD (48X120)	--	--	3267
74K3010228BRW	DOCK, BEAM BASE, RECT, ACC PANEL,RADIUS ENDS,WOOD(54&60X144)	--	--	4463
74K3017428BRW	DOCK, BEAM BASE, RECT, ACC PANEL,RADIUS ENDS,WOOD(54&60X216)	--	--	8927
74K3019828BRW	DOCK, BEAM BASE, RECT, ACC PANEL,RADIUS ENDS,WOOD(54&60X240)	--	--	9105
74K307828BRW	DOCK, BEAM BASE, RECT, ACC PANEL, RADIUS ENDS, WOOD (54X120)	--	--	4083
74K184241BW	DOCK,BEAM BASE,RECT,ACC PNL,WOOD (48X72&84)STAND UP HGT	--	--	2874
74K185441BW	DOCK, BEAM BASE, RECT,ACC PNL, WOOD (48X96) STAND UP HEIGHT	--	--	2963
74K2410241BW	DOCK, BEAM BASE, RECT, ACC PNL, WOOD (48X144) STAND UP HGT	--	--	3769
74K244241BW	DOCK, BEAM BASE, RECT, ACC PANEL, WOOD(48X72)STAND UP HEIGHT	--	--	3054
74K245441BW	DOCK, BEAM BASE, RECT, ACC PANEL,WOOD(48X96) STAND UP HEIGHT	--	--	3148
74K247841BW	DOCK, BEAM BASE, RECT, ACC PANEL,WOOD(48X120)STAND UP HEIGHT	--	--	3246
74K184241BRW	DOCK,BEAM BASE,RECT,ACC PNL,RAD END,WD(48X72&84)STAND UP HGT	--	--	3075
74K185441BRW	DOCK,BEAM BASE,RECT,ACC PNL,RAD END,WOOD(48X96)STAND UP HGT	--	--	3170
74K2410241BRW	DOCK,BEAM BASE,RECT,ACC PNL,RAD END,WOOD(48X144)STAND UP HGT	--	--	4033
74K244241BRW	DOCK, BEAM BASE,RECT,ACC PNL,RAD END,WOOD(48X72)STAND UP HGT	--	--	3268
74K245441BRW	DOCK, BEAM BASE,RECT,ACC PNL,RAD END,WOOD(48X96)STAND UP HGT	--	--	3368
74K247841BRW	DOCK,BEAM BASE,RECT,ACC PNL,RAD END,WOOD(48X120)STAND UP HGT	--	--	3882

DOCK® Meeting Panel Bases

Model Number	Model Description	HPL (L)	Wood (W)
74K2428PNL	DOCK, PANEL BASE, HPL	458	--
74K2428PNW	DOCK, PANEL BASE,WOOD (Thickness like we have today)	--	487

Options:

Surface finish	STD = Group 1
price group	STD2 = Group 2 (+20%)

DOCK® Meeting Square Bases

Model Number	Model Description	TFL (LL)	HPL (L)	Wood (W)
74K1828SQALL	DOCK, SQUARE ACCESS BASE, TFL	798	--	--
74K2428SQALL	DOCK, SQUARE ACCESS BASE, TFL	897	--	--
74K1828SQAL	DOCK, SQUARE ACCESS BASE, HPL	--	1079	--
74K2428SQAL	DOCK, SQUARE ACCESS BASE, HPL	--	1121	--
74K1828SQAW	DOCK, SQUARE ACCESS BASE, WOOD	--	--	1136
74K2428SQAW	DOCK, SQUARE ACCESS BASE, WOOD	--	--	1178

Model Number	Model Description	Price
74K1COUNTERWEIGHT	DOCK,COUNTERWEIGHT,1	32
74K2COUNTERWEIGHT	DOCK,COUNTERWEIGHT,2	42
74K3COUNTERWEIGHT	DOCK,COUNTERWEIGHT,3	52

Options:

Surface finish	STD = Group 1
price group	STD2 = Group 2 (+20%)

DOCK® Meeting Cylinder Bases

Model Number	Model Description	HPL (L)	Wood (W)
74K1828CYL	DOCK, CYLINDER BASE,HPL	1089	--
74K2428CYL	DOCK, CYLINDER BASE,HPL	1205	--
74K1828CYAL	DOCK, CYLINDER ACCESS BASE,HPL	1232	--
74K2428CYAL	DOCK, CYLINDER ACCESS BASE,HPL	1346	--
74K1828CYW	DOCK, CYLINDER BASE,WOOD	--	1211
74K2428CYW	DOCK, CYLINDER BASE,WOOD	--	1339
74K1828CYAW	DOCK, CYLINDER ACCESS BASE,WOOD	--	1398
74K2428CYAW	DOCK, CYLINDER ACCESS BASE,WOOD	--	1640

Options:

Surface finish	STD = Group 1
price group	STD2 = Group 2 (+20%)

DOCK® Power Components

Model Number	Model Description	Price
KCE24LJWM	UNDERSURFACE WIRE MANAGER	42
KCE30LJWM	UNDERSURFACE WIRE MANAGER	48
KCE36LJWM	UNDERSURFACE WIRE MANAGER	53
KCE48LJWM	UNDERSURFACE WIRE MANAGER	57
KCE1110PDEHWSMAA	ELEC,E2X POWER/DATA CENTER,ANODIZED ALUMINUM,HARDWIRE	1198
KCE1110PDESMAA	ELEC,E2X POWER/DATA CENTER,ANODIZED ALUMINUM	1198
KCEWIPG1500	ELECTRICAL,WIRELESS PRESENTATION SYS,1500	2639
KCEWIPG2000S	ELECTRICAL,WIRELESS PRESENTATION SYS,2000S	3768

Kimball® Office

HUM. MINDS AT WORK.® Price List

This price list is effective March 16, 2015 and supercedes all previously printed or electronically released versions.

Hum works the way minds work, Hum works for the environment.

Kimball Office's commitment to quality products and sustainability is reflected in Hum through its unique design, materials, and its manufacturing processes. Developed through our DfE (design for the environment) process, Hum offers a green building solution as well as a work environment for people to perform at their best.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Sustainability	4
Planning	5
The Hum Story	6
Statement of Line	7
Overview	12
Dimensions	13
Typical Configurations	15
Product Information	18
Pricing	39
Finishes and Materials	77
Resources	83
Terms and Conditions	84
Limited Product Warranty	86
BIFMA and U.L. Information	87
Lock Core Requirements	88
Model Number Index	89

How to Use this Price List

Planning	➤See page 5
Pricing	39
Finishes and Materials	77
Resources	83

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration, a table showing available sizes, and page cross references to the applicable pricing and how to specify pages.



Product Information pages provide detailed information about the product, connections that can be made with other models, planning factors, and applications guidelines.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

How to Specify Our Products

Planning	➤See page 5
Pricing	39
Finishes and Materials	77
Resources	83

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.


HUM.
MINDS AT WORK.®

Dual-Sided Personal Spaces Pricing

GSA SIN 711-1

D	W	H	Model	Price
Starter				
83⅞"	62⅞"–70⅞"	28⅜"*	**21H2962PSTDS**	$4702
	70⅞"		**21H2970PSTDS**	5093
	81⅛"		**21H2982PSTDS**	5486
Extension				
83⅞"	62⅞"–70⅞"	28⅜"*	**21H2962PSTDE**	$4106
	70⅞"		**21H2970PSTDE**	4506
	81⅛"		**21H2982PSTDE**	4889

* Worksurface height is adjustable anywhere between 24"–30".

Features ➤See page 13
Dimensions 14
Typical Configurations 16
Product Information 19

Standard Includes
- Two personal space worksurfaces: laminate (same)
- Central understructure (support beam, power/data tray, two end caps [starter model only], joiner bracket on legs)
- Four primary brackets (two right and two left): painted metal
- Legs (two for starter model; one for extension model): painted metal

How to Specify
❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Worksurface finish type:
STD = Price Group 1
⑥ Worksurface finish designator
⑦ Rim finish designator
⑧ Understructure finish type:
STD15 = Price Group 1
⑨ Understructure finish designator:
456 = Granite
⑩ Leg/primary bracket finish type:
STD13 = Price Group 1
⑪ Leg/primary bracket finish designator:
405 = Designer White
509 = Titanium

IMPORTANT: Specify one starter assembly for each contiguous configuration.

Power and Data Components ➤See pages 71–74.

Page 41 Pricing

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for a **starter dual-sided personal space.**
➤See page 39 for the corresponding pricing table and How to Specify steps.

❶	❷	③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪
21H2962PSTDS	L	S	Y	STD	450	450	STD15	456	STD13	405
Base Model										

Pricing Table Abbreviations

D = Depth

W = Width

H = Height

T = Thickness

Planning	➤See page 5
Pricing	39
Finishes and Materials	77
Resources	83

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura®

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC
www.fsc.org
FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

PLANNING

Table of Contents

	➤See page
Introduction	6
The Hum Story	6
Statement of Line	7
Overview	12
Features	12
Application Guidelines	13
Dimensions	13
Typical Configurations	15
Product Information	18
Personal Spaces	18
Stand-Alone Personal Spaces	20
Meet Me Spaces	21
Returns	22
Terraces	23
Elevated Terraces	25
Screens	27
Terrace & Screen Guidelines	28
Mobile Peds & Storage	29
Drawer Configurations and Filing Capabilities	30
Modesty Panels	31
Single-Circuit Power	33
Four-Circuit (8-Wire) Power	34
Lighting	37
Accessories	38

The Hum Story

Statement of Line	➤See page 7
Features	12
Dimensions	13
Typical Configurations	15

Does the World Really Need Another Desk?

Can office furniture help people think, engage, focus, and connect? Hum is Kimball Office's resounding "yes" to these questions. This product is designed for individual focus, collaborative tasks, and everything in between. Hum helps provide a better workspace for people so they can do their best. It is modeled on the cognitive processes we all use to organize, concentrate, and collaborate. Hum is designed for people. Furniture has always been made to fit our bodies. Hum is designed to fit our minds as well. Hum environments work the way our minds work.

Don't Work, Hum.

Hum is the sound of a team working well, individually and together. Hum is the sound of productivity, engagement, and connection. Hum is the sound of ideas flowing.

We work alone, we work together. Hum allows you to move from one to another in an instant. From I to we without changing place. From I to we without changing pace.

Hum's Four Key Elements:

① **Personal workspaces** use a height-adjustable, convex table top to balance the needs of the individual with those of the team by enabling smooth transitions from solo work to group work. The unorthodox shape is the result of observing how people work together—*we huddle.* The outward curve on the front edge invites collaboration.

② **See Me™ screens** allow you to see and be seen. The openwork patterns create a visual boundary that filters distractions, but also lets you connect easily with your closest colleagues. *Complete focus, open collaboration, and everything in between.*

③ **Terraces** provide raised, horizontal planes for open storage and a display area that gives people a way to *organize their work in their own way.*

④ **Meet Me™ spaces** are positioned where two Personal Workspaces abut, creating a natural point for teammates to share ideas throughout the day. These spaces allow instant and effective meetings without moving. *Meetings in the moment.*

For You, Me, and the Environment.

Hum recognizes that different workplaces have different needs. In addition to creating environments that match how people's minds work, Hum offers a broad range of open plan and private office configurations based on various combinations of personal workspaces, screens, and terraces.

Hum has a simple, contemporary look. It features new worksurface shapes, customizable storage modules, and a broad variety of material options, including wool felt, metal, and laminate.

Hum is also designed to impact the environment positively. It is strong and durable for a long life, has significant recycled content, uses plantation-grown wood and low-energy consumption LED lights, and is easily taken apart for recycling. The Hum product is certified to meet the USGBC LEED Indoor Air Quality requirements. Hum works for the environment.

Behind the Design:

Developed in partnership with Formway Design, Hum draws upon research showing that, for most of us, a day's work is a continuum between individual focus and team tasks. Hum is designed to accommodate all work modes on this concentrate/collaborate continuum. It is a flexible and adaptable solution that works in tight spots and out in the open. It's designed for the individual, for working teams, and for whole organizations.

Personal and Meet Me Spaces

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Dual-Sided Personal Spaces

● = Starter model
■ = Extension model
➤See page 18 for product info.
➤See page 40 to specify.

	62"W	70"W	82"W
64"D	●■	●■	●■



Single-Sided Personal Spaces

● = Starter model
■ = Extension model
➤See page 18 for product info.
➤See page 41 to specify.

	62"W	70"W	82"W
35"D	●■	●■	●■



120° Personal Spaces

● = Starter model
■ = Extension model
➤See page 18 for product info.
➤See page 42 to specify.

	9'0"W	9'10"W
7'9"D	●■	
8'6"D		●■

Stand-Alone Personal Spaces

➤See page 20 for product info.
➤See page 43 to specify.

	71"W	83"W
36"D	●	●

Central Meet Me Spaces

➤See page 21 for product info.
➤See page 44 to specify.

	39"W
21"D	●



End Meet Me Spaces

● = For use with dual-sided spaces
■ = For use with single-sided spaces
➤See page 21 for product info.
➤See page 44 to specify.

	21"W	39"W
18"D		●
19"D	●	●

Touchdown Meet Me Spaces

➤See page 21 for product info.
➤See page 45 to specify.

	46"W
24"D	●

Returns and Terraces

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Standard-Width Returns
For use with dual or single-sided personal spaces.
➤See page 22 for product info.
➤See page 46 to specify.

	67"W	82"W
21"D	●	●

Mini Returns
For use with dual or single-sided personal spaces.
➤See page 22 for product info.
➤See page 47 to specify.

	19"W
21"D	●

Standard-Width Returns
For use with stand-alone personal spaces.
➤See page 22 for product info.
➤See page 48 to specify.

	67"W	82"W
21"D	●	●

Dual- and Single-Sided Low Terraces
● = Dual-sided model
■ = Single-sided model
▲ = Single-sided mini model
➤See page 23 for product info.
➤See page 50 to specify.

	20"	24"W	30"W	34"W	40"W
3"D	▲	▲	▲	▲	▲
8"D		■	■	■	■
18"D		●	●	●	●

120° Corner Low Terraces
➤See page 23 for product info.
➤See page 51 to specify.

	32"W
28"D	●



Dual- and Single-Sided Box Terraces
● = Dual-sided model
■ = Single-sided model
➤See page 24 for product info.
➤See page 52 to specify.

	24"W	30"W	34"W	40"W
9"D	■	■	■	■
18"D	●	●	●	●



Dual-Sided Elevated Terraces
● = Starter model
■ = Extension model
➤See page 25 for product info.
➤See page 53 to specify.

	63"W	71"W	83"W
13"D	●■	●■	●■



Single-Sided Elevated Terraces
● = Starter model
■ = Extension model
➤See page 25 for product info.
➤See page 53 to specify.

	63"W	71"W	83"W
12"D	●■	●■	●■

120° Elevated Terraces
➤See page 26 for product info.
➤See page 55 to specify.

	72"W
62"D	●

Screens

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Central Screens

● = For use between returns

■ = For use with low and box terraces

➤See page 27 for product info.

➤See pages 56–57 to specify.

	16"W	20"W	24"W	30"W	34"W	40"W
10"D	●	●	■	■	■	■
16"D	●	●	■	■	■	■
22"D	●	●	■	■	■	■

See Me Screens

Available in 4 patterns.

➤See page 27 for product info.

➤See page 58 to specify.

24"W	30"W	34"W	40"W
●	●	●	●

120° Corner Screens

➤See page 27 for product info.

➤See page 59 to specify.

	27"W
16"H	●
22"H	●



Return Screens

➤See page 27 for product info.

➤See page 60 to specify.

	62"W	68"W
16"H	●	●
22"H	●	●

Storage and Modesty Panels

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Mobile Pedestals

Available in two configurations, and with or without a cushion top.

➤See page 29 for product info.
➤See page 61 to specify.

	16"W
20"D	●



Single Storage Units

Available in five different configurations.

➤See page 29 for product info.
➤See page 62 to specify.

	16"W
20"D	●



Double Storage Units

Available in 14 different drawer configurations, and with or without a sliding door.

➤See page 29 for product info.
➤See page 63 to specify.

	32"W
20"D	●

Lock Cores

Must be specified separately for storage specified with locking option.

➤See page 65 to specify.

Storage Tops

For use in freestanding applications.

➤See page 66 to specify.

	32"W
20"D	●

Drawers

For field installation.

➤See page 67 to specify.

	12"W
16"D	●



Return Modesty Panels

● = For use with Y-leg
■ = For use with storage units

➤See page 31 for product info.
➤See page 68 to specify.

	25"W	35"W	38"W	50"W	54"W	63"W	79"W
16"H	■	■	●■	■	●	●	●



Modesty Panels for Single-Sided Personal Spaces

● = For use with return and end Meet Me spaces
■ = For use with single-sided low or box terraces.

➤See page 32 for product info.
➤See page 69 to specify.

	21"W	25"W	30"W	34"W	40"W
18"H	●	■	■	■	■

Power & Data, Lighting, and Accessories

Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Single-Circuit Components
➤See page 33 for product info.
➤See page 70 to specify.



Four-Circuit (8-Wire) Components
➤See page 34 for product info.
➤See page 71 to specify power entries.
➤See page 72 to specify power components.



Ceiling Power Poles
➤See page 35 for product info.
➤See page 71 to specify.



Hardwire Components
➤See page 73 to specify.



LED Light Kits
➤See page 37 for product info.
➤See page 74 to specify.



Monitor Arms
➤See page 38 for product info.
➤See page 75 to specify.

Monitor Arm Posts
➤See page 38 for product info.
➤See page 75 to specify.



Terrace Extensions
➤See page 38 for product info.
➤See page 76 to specify.

Book Ends
➤See page 38 for product info.
➤See page 76 to specify.

Displays
➤See page 38 for product info.
➤See page 76 to specify.



Paper Trays
➤See page 38 for product info.
➤See page 76 to specify.

Note: Additional accessories compatible with Hum are available.
➤See the Perks Price List.

Features

Overview

Statement of Line	➤See page 7
Dimensions	13
Typical Configurations	15
Product Information	18

Personal spaces feature a unique shape that allows users to seamlessly transition from individually focused work to collaboration.

Meet Me spaces are elevated above and span across personal spaces, providing impromptu meeting zones, as well as a place to park ideas.

Power & data may be routed in the integral power/data tray below the surface.

Storage includes mobile pedestals, single and double units.

Accessories, including monitor arms, display, paper tray, bookends, and more, help people make the most of their work area.







Low and box terraces create personal storage and organizational areas above the personal space worksurface.

Elevated terraces can be added for shared shelf storage.

Lighting affixes to the underside of elevated terraces, directing light precisely where it's needed.

Screens define space and add color; they are available in central low-, mid-, full-height, See Me, and return models.

Modesty panels are also available for use on returns.

Edge Profile:



Knife edge profile on personal spaces, Meet Me spaces, and storage tops is standard. Surfaces are laminate with a polypropylene rim; both may be specified in coordinating, complementary, or contrasting woodgrain or solid colors.

Dimensions

Dual-Sided Personal Spaces

Statement of Line	➤See page 7
Features	12
Typical Configurations	15
Product Information	18



Statement of Line	➤See page 7
Features	12
Typical Configurations	15
Product Information	18



Typical Configurations

Statement of Line ➤See page 7
Features 12
Dimensions 13
Product Information 18

Four-Person Cluster:

18'W x 5½'D



Qty	*Base Model**	*Description*
1	21H2982PSTDS	82"W Dual-Sided Personal Space, Starter
1	21H2982PSTDE	82"W Dual-Sided Personal Space, Exten.
1	21H2039MMSC	Central Meet Me Space
2	21H1939MMSE	End Meet Me Space
2	21H2446MMST	Touchdown Meet Me Space
4	21H30BTAD	30"W Box Terrace Assembly
1	21H82ETSS	82"W Elevated Terrace, Starter
4	21H30SMS4M	See Me Screen, Wave Pattern
4	21H2016PMOFC	Mobile Pedestal, Open-File w/Cushion Top

Three-Person Cluster:

14'W x 12¼'D



Qty	*Base Model**	*Description*
1	21H2053PYTSL	53"W 120° Personal Spaces, Starter
3	21H2446MMSTL	Touchdown Meet Me Space
1	21HCTY	120° Corner Terrace
3	21H40BTAD	40"W Box Terrace Assembly
1	21HETY	120° Elevated Terrace
3	21H40SMS4M	40"W See Me Screen, Wave Pattern
3	21H2016PMBFC	Mobile Pedestal, Box-File w/Cushion Top

Steps to Create Custom Clusters:

Follow these steps to create your custom dual-sided or 120° cluster:

① Select the appropriate **starter personal space**: dual-sided or 120°.
② Select **extension personal spaces** to complete the basic shape of your configuration.
③ Select **Meet Me spaces**: central, end, and touchdown surfaces.
④ Select **returns**.
⑤ Select **terraces**: low, box, and elevated.
⑥ Select **screens.**
⑦ Select **storage.**
⑧ Select **modesty panels.**
⑨ Select **power and data components.**
⑩ Select **accessories.**

Note: Electrical components and accessories can be added to these typical configurations.

* Base models shown for typical configurations do not reflect the entire specification. Refer to the pricing pages for complete model numbers that include options and finishes.

Typical Configurations

continued

Statement of Line ➤See page 7
Features 12
Dimensions 13
Product Information 18

Six-Person Cluster
24½'W x 5½'D



Qty	*Base Model**	*Description*
1	21H2982PSTDS	82"W Dual-Sided Personal Spaces, Starter
2	21H2982PSTDE	82"W Dual-Sided Personal Spaces, Exten.
2	21H2039MMSC	Central Meet Me Space
2	21H1939MMSE	End Meet Me Space
2	21H2446MMST	Touchdown Meet Me Space
6	21H30LTAD	30"W Low Terrace Assembly
6	21H30SCLLF	30"W Central Screen, Low Height
6	21H2016PMOFC	Mobile Pedestal, Open-File w/Cushion Top

Eight-Person Cluster:
26½'W x 14'D



Qty	*Base Model**	*Description*
1	21H2053PYTS	53"W 120° Personal Space, Starter
1	21H2982PSTDE	82"W Dual-Sided Personal Space, Exten.
1	21H2053PYTE	53"W 120° Personal Space, Extension
4	21H2446MMST	Touchdown Meet Me Space
2	21HCTY	120° Corner Terrace
8	21H40BTAD	40"W Box Terrace Assembly
8	21H40SCFBF	40"W Central Screen for Box Terrace, Full Height
2	21HSAYFF	120° Corner Screen Assembly, Full Height
8	21H2016PMOFC	Mobile Pedestal, Open-File w/Cushion Top

* Base models shown for typical configurations do not reflect the entire specification. Refer to the pricing pages for complete model numbers that include options and finishes.

Steps to Create Custom Clusters:

Follow these steps to create your custom dual-sided or 120° cluster:

① Select the appropriate **starter personal space**: dual-sided or 120°.
② Select **extension personal spaces** to complete the basic shape of your configuration.
③ Select **Meet Me spaces**: central, end, and touchdown surfaces.
④ Select **returns**.
⑤ Select **terraces**: low, box, and elevated.
⑥ Select **screens.**
⑦ Select **storage.**
⑧ Select **modesty panels.**
⑨ Select **power and data components.**
⑩ Select **accessories.**

Note: Electrical components and accessories can be added to these typical configurations.

Typical Configurations

continued

Statement of Line ➤See page 7
Features 12
Dimensions 13
Product Information 18

Four-Person Cluster with Returns:

15½W x 14'D



Qty	*Base Model**	*Description*
1	21H2982PSTDS	82"W Dual-Sided Personal Spaces, Starter
1	21H2982PSTDE	82"W Dual-Sided Personal Spaces, Exten.
2	21H2082RSDLL1	82"W Left-Handed Return w/Edge Bracket
2	21H2082RSDRL2	82"W Right-Handed Return w/End Bracket
2	21H30BTAD	30"W Box Terrace Assembly
2	21H40BTAD	40"W Box Terrace Assembly
1	21H82ETSS	82"W Elevated Terrace, Starter
2	21H40SCFBF	40"W Central Screen for Box Terrace, Full Height
2	21H30SCFBF	30"W Central Screen for Box Terrace, Full Height
2	21H16SCFXF	16"W Central Screen, Full Height
4	21H82SRFF	82"W Return Screen, Full Height
4	21H2032SU67	Double Storage Unit, Box/File, Box/File
4	21H50MRDSF	50"W Return Modesty

One-Person Cluster:

7'W x 7½'D (excluding storage unit)



Qty	*Base Model**	*Description*
1	21H3583PARF	83"W Right-Handed Stand-Alone Personal Space
1	21H2082RSA	82"W Return
1	21H30SLY	Return Y-Leg
1	21H2032SUD66	Double Storage Unit, Box/Open, Box/File, Sliding Door
1	21H2032ST	Double Storage Top

* Base models shown for typical configurations do not reflect the entire specification. Refer to the pricing pages for complete model numbers that include options and finishes.

Steps to Create Custom Clusters:

Follow these steps to create your custom dual-sided or 120° cluster:

① Select the appropriate **starter personal space**: dual-sided or 120°.
② Select **extension personal spaces** to complete the basic shape of your configuration.
③ Select **Meet Me spaces**: central, end, and touchdown surfaces.
④ Select **returns**.
⑤ Select **terraces**: low, box, and elevated.
⑥ Select **screens.**
⑦ Select **storage.**
⑧ Select **modesty panels.**
⑨ Select **power and data components.**
⑩ Select **accessories.**

Note: Electrical components and accessories can be added to these typical configurations.

Personal Spaces

Product Information

Dual- and Single-Sided

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	40

Details

Personal spaces provide primary workspaces for individual workers. Each model includes:

- Worksurfaces
- Leg assemblies
- Central beam
- Power/data tray
- Primary (worksurface) brackets



Dual-sided personal spaces are available in three widths and provide two facing personal work spaces.



Single-sided personal spaces are available in three widths and provide a single personal work space.



120° personal spaces are available in two widths and provide three personal work spaces.



Worksurfaces are 1 3/16" thick. They are available in a variety of woodgrain and solid laminate colors. The knife edge profile slopes away from the user under the surface for a sleek aesthetic; edge is banded with a polypropylene rim.

Worksurface heights can be adjusted anywhere between 24" and 30". Initial height is set at 28¾". Worksurface height adjustments can be made using a 5mm Allen wrench. ➤See page 13 for dimensions illustration.



Leg assemblies are shipped preassembled. Adjustable leveling glides are also included.



Primary brackets attach to the personal space worksurface and to threaded rods that drop into the leg assemblies. Each worksurface includes two primary brackets (one left and one right).



Central understructure includes a steel central beam, steel power/data tray, and rigid plastic end caps. The central beam spans between leg assemblies, providing strength for the unit and support for terraces and the power/data tray.

Finishes & Materials

Worksurfaces

- Laminate

  Note: All worksurfaces on the unit will feature the same material and color.

Worksurface Rim

- Polypropylene

Legs and Primary Brackets

- Metal:
  405 Designer White
  509 Titanium

Central Beam, Power/Data Tray, and Leg Assembly Joiner Bracket

- Metal: 456 Granite

End Caps

- Plastic: 456 Granite

Connections



Clusters are created with one starter model and one or more extension models. Extension models share a leg assembly with the adjacent personal space; therefore extension models include one fewer leg assembly than the starter models. There are no restrictions on the number of extensions that can be added.

Single-sided workspace cannot attach to a dual-sided or 120° personal spaces.

Knuckle is used to connect the three central beams in a 120° personal space.

Planning Factors

Central or end Meet Me spaces cannot be used with 62"W personal spaces.

Returns cannot be used on 120° or 62"W personal spaces.



End caps are included with each starter model; two for dual-sided and single-sided and three for 120° personal spaces. If extension models are added, one of the starter end caps is moved to finish the leg at the end of the cluster.



IMPORTANT: Low or box terraces are required for personal spaces to conceal the space between facing personal space surfaces, to provide strength and optimum work area. ➤See page 23.

Personal Spaces

Product Information

Dual- and Single-Sided, continued

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	40

Power & Data



Power/data tray provides lay-in capability for single-circuit, four-circuit (8-wire), or hardwire electrical components. Voice and data cables can be routed in the tray to extend services throughout the cluster.



Knockouts in power/data tray accept receptacles and are compatible with industry-standard data faceplates, such as Panduit model number CFFPL4BL. Individual knockouts are $2^{11}/_{16}$" x $1^{3}/_{8}$".
➤See tables at right.



Knockouts in the bottom of the power/data tray allow cables to be routed up from the floor.



Receptacles placed in the bottom knockouts must be installed facing the floor.



Dual-sided personal spaces feature six knockouts in the bottom of each tray; three on each side positioned left, center, and right.

Single-sided personal spaces feature three knockouts in the bottom of each tray; positioned left, center, and right.

120° personal spaces feature two knockouts in the bottom of each tray near the leg assemblies.

Cable ties can also be routed through the bottom holes to bundle cables in the power/data tray.

Dual- and Single-Sided Personal Spaces Power/Data Tray

Model Width	*Number of Knockouts (per side)*	*Location (on center)*
62"W	3	$15^{5}/_{8}$"
70"W	4	$14^{1}/_{16}$"
82"W	4	$16^{7}/_{16}$"









Holes centered in the bottom of each side of power/data tray are provided to attach Perks laptop/ equipment lock, model 99KLTLCK.

120° Personal Spaces Power/Data Tray

Note: There are three power/data trays on 120° personal spaces.

Model Width	*Number of Knockouts (per side)*	*Location (on center)*
47"W	2	$15^{3}/_{8}$"
53"W	2	$17^{5}/_{16}$"





➤See page 33 for Single-Circuit Electrical Planning.
➤See page 34 for Four-Circuit Electrical Planning.

Personal Spaces

Stand-Alone

Product Information

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	40

Details

Stand-alone personal spaces provide a primary workspace for one worker. They are available in two widths. Each model includes:

- Worksurface
- Two stand-alone leg assemblies, including worksurface brackets
- Central beam
- Power/data tray
- Modesty panel

IMPORTANT: Components in stand-alone personal spaces are unique and are not interchangeable with dual-sided, single-sided, and 120° personal spaces.



Worksurfaces are 1 3/16" thick. They are available in a variety of woodgrain and solid laminate colors. The knife edge profile slopes away from the user under the surface for a sleek aesthetic; edge is banded with a polypropylene rim.

Worksurface height is fixed at 28 3/4".



Leg assemblies for stand-alone units are shipped pre-assembled. Worksurface brackets and adjustable leveling glides are included.



Central understructure includes a central beam and power/data tray. The central beam spans between leg assemblies, providing strength for the unit and support for the power/data tray.

Finishes & Materials

Worksurfaces
- Laminate

Worksurface Rim
- Polypropylene

Legs and Primary Brackets
- Metal:
  405 Designer White
  509 Titanium

Central Understructure and Leg Assembly Joiner Bracket
- Metal: 456 Granite

Modesty panel
- 100% premium wool felt upholstered over a rigid core

➤See page 82 for colors.

Connections

Stand-alone models cannot be connected to dual-sided, single-sided, and 120° personal spaces or other stand-alone units.



Returns for use on stand-alone personal spaces are available. If attaching a return, specify a stand-alone personal space for use with a left-hand or right-hand return. These surfaces are pre-drilled to accept the return and for proper positioning of the legs below the stand-alone personal space.

Power & Data

Power/data tray provides lay-in capability for single-circuit components. Voice and data cables can be routed in the tray.



Non-Handed Models;
for use without a Return



Models for Use with Return on Left



Models for Use with Return on Right

Factory-installed grommets are available in center, left, right, or left and right. Grommets fit into 2 3/8" holes and are located 13 3/8" from the approach side, centered above the power/data tray on all models. Left and right grommets are positioned 12 7/16" from the side edges on non-handed models and 17 15/16" from the side edges on models for use with returns.

Meet Me Spaces

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	44

Details



Meet Me spaces extend the functionality of personal spaces, providing impromptu meeting spaces and a place to park ideas.



Central and end Meet Me spaces mount at 31⅛"H. Central and end Meet Me spaces include:
- Surface
- Central support brackets
- Edge support bracket(s)



Touchdown Meet Me spaces mount at the same height as personal spaces to provide a collaboration space at the end of a cluster. Worksurface height is adjustable anywhere between 24"H and 30"H.

Touchdown models include:
- Worksurface
- Two primary brackets



Meet Me space surfaces are 1 3/16" thick. They are available in a variety of woodgrain and solid laminate colors. The knife edge profile slopes away from the user under the surface for a sleek aesthetic; edge is banded with a polypropylene rim.

Finishes & Materials

Worksurfaces
- Laminate

Worksurface Rim
- Polypropylene

Support Brackets
- Metal:
  405 Designer White
  509 Titanium

Connections

Central and end Meet Me spaces are supported by both center and edge support brackets.



Center support bracket features a metal post that fits into the leg assembly. Two center support brackets are standard with each center or end Meet Me space.



Edge support brackets attach to the outside of a terrace bracket, securing the abutting edge of the center or end Meet Me space to the terrace. Central Meet Me space models include two edge support brackets; end models include one.



Primary brackets attach to the touchdown surface and to threaded rods that drop into the leg assemblies. These brackets are identical to the ones used to attach personal spaces surfaces. Each touchdown Meet Me space includes two primary brackets (one left and one right).

Planning Factors

Touchdown Meet Me spaces cannot be used at the end of a cluster where returns are placed.



Central Meet Me spaces are for use between personal spaces in the middle of cluster. The user edges on each side of the surface feature a concave shape.



End Meet Me spaces are for use at the end of a cluster.

Central and end Meet Me spaces cannot be used on 62"W single- or dual-sided personal spaces.

Power & Data



Height of central and end Meet Me spaces allows cords and cables to pass from the personal space worksurface to the power/data tray below.



Cutout option on touchdown and end meet me surfaces is available to attach a ceiling/power data pole.

Returns

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	46

Details



Return surfaces are 1³⁄₁₆" thick. They are available in a variety of woodgrain and solid laminate colors. The knife edge profile slopes away from the user under the surface for a sleek aesthetic; edge is banded with a polypropylene rim. Returns are available in 67"W and 82"W and a "mini" model. Returns include:

- Worksurface
- Support brackets



Returns mount at 31⅛"H on dual-sided or single-sided clusters, the same height as central and end Meet Me spaces.



Mini returns fill the gap in the center of the personal space where a standard-width return is used on only one side of the cluster or in single-sided applications. They have a similar aesthetic and functionality as one-half of a central Meet Me space.

Returns for stand-alone personal spaces are also available.

Finishes & Materials

Worksurfaces

- Laminate

Worksurface Rim

- Polypropylene

Support Brackets

- Metal:
  405 Designer White
  509 Titanium

Y-Leg

- Metal:
  405 Designer White
  509 Titanium

Connections



Edge bracket attaches to the outside of a terrace bracket, securing the abutting edge of returns to the terrace.



End bracket provides additional support for returns used at the end of a cluster.

One support bracket is included with each standard-width return based on the application you specify. Support brackets are shared between returns on opposing sides of a dual-sided cluster.
➤See planning factors at right.

IMPORTANT: In single-sided applications, there is no return on the opposite side with which to share a bracket; therefore, an additional edge or end bracket must be specified separately for standard-width returns. *Note: Mini returns ship with either one or two edge brackets and a center support bracket based on your specification.*

IMPORTANT: Y-leg or storage unit must be specified separately to support the end of 67" or 82"W returns.



Clear plastic spacer raises and supports a return attached to a stand-alone personal space.



Returns for use with screens feature pre-bored mounting holes with metal inserts.

Return filler can be specified to fill the gap between returns where a central screen is not used.

67"W and 82"W returns accommodate a single or a double storage unit.
➤See page 29.

Planning Factors

Select the appropriate return model based on the application and/or location within the cluster. They are not applicable to 120° applications.

IMPORTANT: For dual-sided clusters that include returns, you must specify a return (standard return or mini return) for EACH SIDE of the cluster.



For returns located in the middle of a dual-sided cluster, specify "edge" for support bracket type for both returns.



For returns located at the end of a dual-sided cluster, specify "end" for support bracket type for one return (upcharge applies) and "edge" for the other.

Low Terraces

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	50

Details



Terraces create personal storage and organizational shelves above the personal space. Low terraces mount at 31⅛"H, the same height as central and end Meet Me spaces.



Dual-sided low terraces include:
- Two back-to-back terrace shelves
- Two dual-sided terrace brackets



Single-sided low terraces include:
- One terrace shelf
- One left-hand terrace bracket
- One right-hand terrace bracket



Single-sided mini low terraces are for use with a single-sided terrace when a modesty panel is not used.



120° corner low terrace includes:
- Center terrace shelf
- Three terrace brackets

Finishes & Materials

Terrace Shelves and Brackets
- Metal:
  405 Designer White
  509 Titanium

Connections

IMPORTANT: Low or box terraces are required to conceal the space between the personal space surfaces, provide strength, and provide optimum work area.



Dual-sided terrace brackets fit between facing personal space surfaces and rest on the power/data tray below. A pair of terrace brackets, standard with low terrace models, supports both sides of a low terrace.



Single-sided terrace brackets rest on the power/data tray. A left-hand bracket and a right-hand bracket, standard with single-sided low terrace, supports both sides of the terrace.



Integral screen stops in terrace brackets provide support for central or See Me screens, which are designed to slip between low or box terraces.

Screens are recommended for low terraces to divide the space into personal storage.

Planning Factors

Refer to the application matrix to determine the correct width of terraces and screens based on the configuration.
➤See page 28.



Vertical post of elevated terraces and monitor arm posts attach in the center of the personal space between two adjacent terrace brackets.

Terraces are not applicable for stand-alone personal spaces.

Power & Data



Height of low terraces allows cords and cables to pass from the personal space worksurface to the power/data tray below.

Related Products

Terrace extensions provide additional work area beyond the terrace bracket for low or box terraces.
➤See page 38.

Box Terraces

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	52

Details

Terraces create personal storage and organizational shelves above the personal space. The bottom of the box terrace mounts at 31⅛"H, the same height as central and end Meet Me spaces.



Dual-sided box terraces include:
- Two back-to-back open boxes
- Two terrace brackets

Note: Box is open to the opposite side. Specify screens to divide the space into personal storage.



Single-sided box terraces include:
- One open box
- One left-hand terrace bracket
- One right-hand terrace bracket

Finishes & Materials

Terrace Boxes and Brackets
- Metal:
  405 Designer White
  509 Titanium

Connections

IMPORTANT: Low or box terraces are required for personal spaces to conceal the space between the personal space surfaces, provide strength, and provide optimum work area.



Dual-sided terrace brackets fit between facing personal space surfaces and rest on the power/data tray below. A pair of terrace brackets, standard with box terrace models, supports both sides of a box terrace.



Single-sided terrace brackets rest on the power/data tray. A left-hand bracket and a right-hand bracket, standard with single-sided low terrace, supports both sides of the terrace.



Integral screen stops in terrace brackets provide support for central or See Me screens, which are designed to slip between low or box terraces.

Screens are recommended for box terraces to divide the space into personal storage.

Planning Factors

Refer to the application matrix to determine the correct width of terraces and screens based on the configuration.
➤See page 28.



Vertical post of elevated terraces and monitor arm posts attach in the center of the personal space between two adjacent terrace brackets.

Terraces are not applicable for stand-alone personal spaces.

Power & Data



Height of box terraces allows cords and cables to pass from the personal space worksurface to the power/data tray below.

Related Products



Terrace extensions provide additional work area beyond the terrace bracket for low or box terraces.
➤See page 38.

Dual- and Single-Sided Elevated Terraces

Product Information

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	53

Details



Elevated terraces are installed at 55¾"H and provide shelf storage and support for LED light kits. Dual-sided elevated terrace shelves are 13⅜"D; single-sided elevated terrace shelves are 11½"D.



Elevated terrace starter model spans across two equal-width personal space units. Starter models include:
- Four elevated terrace shelves
- Main beam
- Two cantilever beams
- Two vertical posts



Extension model includes:
- Two elevated terrace shelves
- One main beam
- One vertical post

There are no restrictions on the number of extensions that can be added.

Finishes & Materials

Terrace Shelves
- Metal:
  405 Designer White
  509 Titanium

Vertical Posts and Beams
- Metal:
  405 Designer White
  509 Titanium
  456 Granite

Connections



Vertical posts attach in the center of the personal space and are secured between terrace brackets.

IMPORTANT: Either low or box terraces must be used in conjunction with elevated terraces.



Starter and extension models are joined by attaching the extension beam in place of one of the cantilever beams on the starter model. The cantilever beam is then moved to finish the end of the configuration.

Planning Factors



Elevated terrace starter model cannot be used on only a starter personal space. It must span across a personal space starter and an extension. To extend the elevated terrace across *additional* personal space extensions, specify one extension model per extension.

Both dual-sided or single-sided personal space units (the starter and extension) below a starter elevated terrace must be the same width.

Select the appropriate starter and extension elevated terraces models based on the width of the personal spaces below it.
➤See pricing page for details.

Power & Data



LED light kit wiring is routed down through the vertical post to the power/data tray.

➤See page 37.

120° Elevated Terraces

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	53

Details

120° elevated terraces are installed at 55¾"H and provide shared shelf storage and support for LED light kits. Elevated terrace shelves are 13⅜"D.



120° elevated terraces include:
- Three elevated terrace shelves
- Center elevated terrace shelf
- Three vertical posts
- Three beams
- Three full-height 120° corner screens for the center section (concave shape)
- Three 120° corner modesty panels (concave shape)

Note: Model does not include 120° low corner terrace; specify separately.

Finishes & Materials

Terrace Shelves
- Metal:
  405 Designer White
  509 Titanium

Vertical Posts and Beams
- Metal:
  405 Designer White
  509 Titanium
  456 Granite

120° Corner Screens
- 100% premium wool felt upholstered over a rigid core
  ➤See page 82 for colors.

120° Corner Modesty Panels
- Metal: white paint

Connections

Vertical posts attach in the center of the personal space and are secured between terrace brackets.

IMPORTANT: Either low or box terraces and a 120° corner low terrace must be used in conjunction with 120° elevated terraces.

Planning Factors



120° elevated terraces do not attach to one another and cannot accept attachment of dual-sided or single-sided extension models.

Power & Data



LED light kit wiring is routed down through the vertical post to the power/data tray.

➤See page 37.

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	56

Details



Screens extend above the worksurface to define space and add color.



Central screens help divide space between facing personal spaces. They are available in low-, mid-, and full-height models. Central screens are 100% premium wool felt upholstered over a tackable, rigid core.
➤See page 13 for height dimensions.



See Me screens are offered in four patterns that provide a unique aesthetic and allow a selective, visual connection across facing personal spaces. See Me screens are painted metal; they are 1⁄16" thick.



120° corner screen assemblies are for use on 120° personal spaces and are available in mid- and full-height models. These three-sided structures feature three individual concave-shaped screens made of 100% premium wool felt upholstered over a non-tackable, rigid core. Also included are three 120° corner modesty panels that go below the terrace. The three vertical posts accept attachment of monitor arms.



Return screens are available in mid- and full-height models, and in two widths to match the widths of returns. Return screens are 100% premium wool felt upholstered over a tackable, rigid core. Rigid core is supported by a metal frame.

Finishes & Materials

Central and Return Screens
- 100% premium wool felt upholstered over a rigid core
➤See page 82 for colors.

See Me Screens
- Metal
➤See page 81 for colors.

120° Corner Screen Assembly
- Metal frame:
  405 Designer White
  456 Granite
  509 Titanium
- Screen: 100% premium wool felt adhered to a rigid core

120° Corner Modesty Panels
- Metal: white paint

Connections



Central and See Me screens slip between low or box terraces, resting on the terrace bracket's integral screen stop. Central and See Me screens provide a back for the box terrace to separate individual storage.



Screen stop brackets, which affix to adjacent terrace brackets, are included with 16"W and 20"W central screens for use at the end or middle of the cluster between back-to-back returns.



Return screens are securely fastened to the return with metal pins that rest in pre-bored mounting holes; a fastener secures the pin under the surface.

Planning Factors

Refer to the application matrix to determine the correct width of central and See Me screens based on the configuration.
➤See page 28.

Central and See Me screens must be used in conjunction with, and match the width of low or box terraces (except 16" and 20" central screens used between returns).



Screens cannot span across vertical posts of elevated terraces or monitor arm posts.

Application Guidelines

Matrix

For Low and Box Terraces, Central and See Me Screens

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	56

	 With Meet Me Space or Return on one side	 With Meet Me Space or Return on both sides	 Without Meet Me Spaces or Return	 Between Returns at End of Cluster	 Between Returns in Middle of Cluster	
62"W Personal Spaces						*Screens (any height)* / *Terraces (low or box)*
	n/a	n/a	30"W + 30"W	n/a	n/a	
70"W Personal Spaces						*Screens (any height)* / *Terraces (low or box)*
	24"W + 34"W	24"W + 24"W	34"W + 34"W	16"W or 20"W	20"W	
82"W Personal Spaces						*Screens (any height)* / *Terraces (low or box)*
	30"W + 40"W	30"W + 30"W	40"W + 40"W	16"W or 20"W	20"W	
 47"W 120° Personal Spaces						*Screens (any height)* / *Terraces (low or box)*
	24"W + 24"W + 24"W	n/a	34"W + 34"W + 34"W	n/a	n/a	
 53"W 120° Personal Spaces						*Screens (any height)* / *Terraces (low or box)*
	30"W + 30"W + 30"W	n/a	40"W + 40"W + 40"W	n/a	n/a	

Notes:

Widths shown in this matrix are nominal.
➤See pricing pages for actual dimensions.

Central screen must match the width of the low or box terrace (except for 16"W or 20"W screens used between returns).

When a central screen is used to divide two abutting returns, the width of the screen is determined by the location of the returns within the cluster.

See Me screens are not available for use between returns.

Meet Me spaces as referenced in this matrix include:
- Central spaces
- End spaces

Touchdown spaces do not affect screen usage.

Central and end Meet Me spaces cannot be specified for use on 62"W single- or dual-sided personal spaces.

Returns listed in this matrix refer to those on dual-sided clusters. Returns cannot be used on 120° personal spaces.

Mobile Pedestals and Storage Units

Product Information

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	61

Details

Mobile pedestals are available with or without a cushion top. Cushion tops are upholstered with stitched, 100% premium wool felt. Models feature one file drawer, and are available with or without a box drawer.



Single and double storage units are available with box and file drawers in a variety of drawer configurations, or without drawers.
➤See next page for drawer configuration options.

Mobile pedestals and storage units are available locking or non-locking. All drawers in locking models are pre-drilled to accept lock cores. Lock cores, keyed specific, must be specified separately.



Drawer fronts curve out slightly at the bottom (box drawers) or top (file drawers) to form an integral pull. Box drawers are 16⅛"D x 12⅛"W x 3¼"H. File drawers are 16⅛"D x 12⅛"W x 3¼"H.
➤See next page for filing capabilities.



Space above file drawers and below box drawers provides additional open storage area. Single units with three drawers and mobile pedestals with two drawers provide 1¾" open storage above the file drawer.



Double models are available with or without a sliding door for the lower compartment. The sliding door locks in the left or right position. Sliding-door models feature a divider between sections, enabling the door to secure the contents behind it. Sliding doors are always locking; lock, keyed specific, must be specified separately. Lock on door extends out to act as a door pull.

Leveling glides provide ¾" of adjustment.

Finishes & Materials

Pedestals and Storage Units
- Metal:
  405 Designer White
  509 Titanium

Cushion Top
- 100% premium wool felt
  ➤See page 82 for colors.

Drawer Interiors
- Metal: Black paint

Lock Cores and Housing
- Matte Nickel

Connections



Single and double storage units install beneath returns by attaching fasteners up through the top of the storage unit into the return.

Storage tops must be specified to create freestanding double storage units.



Modesty panels cannot extend behind storage units.

Planning Factors

67"W returns accommodate a single or a double.

82"W return will accommodate a single or double storage unit.

Only one storage unit may be attached beneath a return.

Single storage unit cannot be used as a stand-alone unit. It must be used under a return.

Related Products

Storage Tops
➤See page 66.

Individual box and file drawers are available for field installation into open areas within units.
➤See page 67.

Mobile Pedestals & Storage Units

Product Information

Drawer Configurations and Filing Capabilities

KEY:

= Box drawer

= File drawer

Drawer Configurations:

Mobile Pedestals

Single Units

Double Units



Sliding door is available for the lower compartment on double storage units.

Filing Capabilities:

	Interior Drawer Dimensions			
Description	*Inside Depth*	*Inside Width*	*Inside Height*	*Filing Arrangements*
File Drawers	16⅛"	12⅛"	10³⁄₁₆"	

16⅛" letter

12⅛" letter

12⅛" legal

Filing Hardware:

Front-to-back filing is standard on all file drawers. The drawer sides are designed to hold file folders.

For side-to-side filing, file bars must be specified separately. File bars are indicated with a heavier line in the filing capabilities illustrations at right.

➤See the Perks Price List.

Return Modesty Panels

Product Information

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	68

Details



Return modesty panels feature stitched 100% premium wool felt upholstered over a rigid core; they are approximately 5/8" thick. Return modesty panels are specified separately.
Note: Modesty panels for stand-alone personal spaces are standard with the primary worksurface.

Finishes & Materials

Return Modesty Panels
- 100% premium wool felt upholstered over a rigid core

➤See page 82 for colors.

Connections

Return modesty panels attach to the underside of returns.

Planning Factors



Return modesty panels cannot extend behind storage units.

Select the appropriate width return modesty panel based on:
- The width of the return;
- The location of the return within the cluster, either middle or end; and
- The size of storage unit, if applicable.

➤See matrix at right



When return modesty panels are used at the end of a cluster, the modesty panels (one on each return) will meet in the middle but do not attach to one another.

Return modesty panels cannot be used on stand-alone returns.

Return Modesty Panel Application Matrix:

The dimensions listed within the matrix indicate the modesty panel width that is applicable for a particular configuration. The "X"ed areas represent the middle of the cluster where dual-sided personal spaces attach to each other.

	Y-Leg	*Single Storage Unit*	*Double Storage Unit*
Returns Located in the Middle of a Cluster			
66 9/16"W return	 38"W	 25"W	n/a*
82 3/8"W return	 53 3/4"W	 38"W	 25"W
Returns Located at the End of a Cluster			
66 9/16"W return (67 5/16"W**)	 63"W	 50"W	 34 1/2"W
82 3/8"W return (82 11/16"W**)	78 3/4"W	63"W	50"W

* Storage configuration is possible, but a modesty panel cannot be used in this application.

** Width of returns for use with stand-alone personal spaces.

Modesty Panels

Product Information

For Single-Sided Personal Spaces

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	69

Details



Modesty panels for single-sided personal spaces finish off the back side of the work space.

Models are specified based on the application—



For use with:
- Single-sided low terraces
- Single-sided box terraces
- Returns



For use with:
- Single-sided end meet me spaces

- Modesty panel filler



Modesty panel fillers are used to fill the gap between two modesty panels behind low or box terraces.

Finishes & Materials

Modesty Panels for Single-Sided Personal Spaces
- Metal:
  405 Designer White
  509 Titanium

Connections

Modesty panels for single-sided personal spaces attach to the single-sided terrace bracket and power/data tray.

Planning Factors

Specify modesty panel to match the width of the low terrace, box terrace, return or end meet me space to which it will attach.

Single-Circuit Power

Features	➤See page 12
Dimensions	13
Power & Data Tray Details	19
Pricing	70

Details

Dual-sided, single-sided, and 120° personal spaces accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.
➤See descriptions at right.

Stand-alone personal spaces accept single-circuit electrical components.

The following components comprise the single-circuit system:
- Power in-feed
- Duplex receptacles with an attached 12" modular feed
- 24" and 48" jumper cables

For ease in installation, the connectors will only plug in one way.

Power in-feed is a 10' cord with a "smart box" that monitors the number of receptacles connected. The system will automatically shut off if more than eight receptacles are plugged into the power in-feed. One end of the cord features a three-prong plug that plugs into a standard 110 volt, 15 amp wall or floor outlet.

Duplex receptacles snap into the power/data tray. Receptacles feature a 12" modular feed with a double-out interface. Power is brought to the receptacle by a power in-feed or jumper cable, and power is passed to adjacent components by a jumper cable forming a daisychain.

Jumper cables feature a squeeze-latch connector on each end and are available in two lengths: 24" and 48".

➤See page 19 for power/data tray details.

Planning Factors

This system should not be plugged into a GFCI outlet receptacle. The single-circuit system contains an overload breaker, and the sensing circuit in the "smart box" can affect the sensitivity of a GFCI power feed, causing the GFCI duplex receptacle to trip.

In 120° applications, 24" jumper cables can be used to jump from one power/data tray to another.
➤See below for dual-sided jumper applications.

Related Products

Single-circuit mini-adapt power module features an 18" modular feed with a double-over interface. The unit contains two receptacles for desktop power access. A hand-tightened clamp on the back of the unit allows flexibility for positioning it at the back of the personal space worksurface.



Circuitry Options:

Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed.

Four-circuit components combine to form an 8-wire, 4-circuit, power system.
➤See page 34 for four-circuit electrical planning guidelines.

Hardwire components are also available to allow field hardwiring of power within the power/data tray where required by local codes.
➤See page 73.

Approval/Compliance:

All Hum single-circuit components are U.L. 962 Recognized and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. *Note: Any field modification of the electrical components voids the UL listing.*

Four-Circuit (8-Wire) Power

Features	➤See page 12
Dimensions	13
Power & Data Tray Details	19
Pricing	72

Details

Dual-sided, single-sided, and 120° personal spaces accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.
➤See descriptions at right.

Stand-alone personal spaces accept single-circuit electrical components.
➤See page 33.

The following components comprise the multi-circuit system:
- Hardwire power in-feeds (two options) or ceiling power entry
- Power distribution assemblies
- Duplex receptacles
- Jumper cables

For ease in installation, the connectors will only plug in one way.

There are three ways to bring power to the system:
- 10' floor/wall power in-feed;
- Modular wall starter and modular 10' power in-feed; or
- 12' ceiling power in-feed

Floor/wall power in-feed features a 10' liquid tight conduit with a pigtail on one end that must be wired by a licensed electrician to a wall or floor-mounted junction box. The other end features a single squeeze-latch connector to attach to a power distribution assembly.



Modular wall power in-feed features a 10' modular conduit with a squeeze-latch connector on each end. One end must connect to modular wall starter, specified separately, the other end connects to a power distribution assembly. Modular wall starter must be wired to building power by licensed electrician.
Note: This modular power in-feed option allows you to unplug the cable from the wall and store away when not in use.

Ceiling power in-feed features a 12' flexible, galvanized metal conduit with a pigtail on one end that must be wired by a licensed electrician to a junction box in the ceiling. The other end features a single squeeze-latch connector to attach to a power distribution assembly.

➤Continued on following page.



Circuitry Options:

Four-circuit components combine to form an 8-wire, 4-circuit, power system.

Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed.
➤See page 33 for single-circuit electrical planning guidelines.

Hardwire components are also available to allow field hardwiring of power within the power/data tray where required by local codes.
➤See page 73.

Approval/Compliance:

All Hum four-circuit components are U.L. 1286 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical

Note: Any field modification of the electrical components voids the UL listing.

Four-Circuit (8-Wire) Power

continued

Features	➤See page 12
Dimensions	13
Power & Data Tray Details	19
Pricing	72



Power/data flexible ceiling pole is available to conceal ceiling power in-feed and other data cables. Pole is a flexible, metal conduit that connects to an integrated hole in the 120° elevated or low corner terrace.
Outer diameter of pole is 2¼"; inner diameter is 2". Touchdown, end meet me spaces, and returns can be specified with a cutout to attach a flexible ceiling pole.



Trim plates can be specified for field installation to conceal the intersection of the flexible ceiling pole at the ceiling and worksurface



Power distribution assembly supplies power for four duplex receptacles within a power/data tray. Power distribution assemblies are 36" long and can be used in both dual-sided and 120° personal spaces.



Duplex receptacles feature a 12" flexible, metal conduit and a single squeeze-latch connector to attach it to the power distribution assembly.

Receptacles models are numbered 1, 2, 3, 4, or 5 to correspond to the circuit to which they will provide access.

Jumper cables feature a squeeze-latch connector on each end and are available in two lengths, 36" and 48", to connect power distribution assemblies in adjacent power/data trays. Jumpers are encased in a flexible, galvanized metal conduit.

Use 36" jumper cables for:
- 62"W dual- or single-sided personal spaces
- 47"W and 53"W 120° personal spaces

Use 48" jumper cables for:
- 70"W and 82"W dual- or single-sided personal spaces

Planning Factors

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.
➤See wiring configurations at right.

Duplex receptacles used for both types of wiring configurations are the same. This simplifies specifications and allows a faster understanding of the system.

A maximum of 13 duplex receptacles can be accommodated per circuit.

Related Products

➤See page 19 for power/data tray details.

3 and 1 (8-wire):



- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Four-Circuit (8-Wire) Power

Wiring Schematics

Features ➤See page 12
Dimensions 13
Power & Data Tray Details 19
Pricing 72

The 8-wire, multi-circuit configuration provides up to four circuits. Ideally a 4-wire, WYE, 208-volt service provides the best utilization.







Planning & Installation:

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	74

Details



LED light kits provide a 3300K color temperature light to help enhance work areas. Each kit includes:

- Two 15½" long lighting modules with a silver aluminum finish containing 112 LEDs
- One toggle switch for each module
- Black UL1310 class II power supply
- Black cord
- Silver mounting clips

LED lighting kits consume very little power (9.4 watts per module) and have a very long life at 50,000 hours. LED light kits utilize the latest technology with high light output and nearly no heating. LEDs do not produce UV emissions.

Connections



Metal mounting clips hold the lighting modules inside the elevated terrace beam.

Wiring is routed through the elevated terrace verticals into the power/data tray.

Planning Factors

One LED light kit should be specified for each user who needs supplemental task lighting.

LED light kits can only be specified for use on dual-sided, single-sided, and 120° elevated terraces.



In dual-sided applications, lighting modules can be installed back-to-back or side-by-side across the vertical in the elevated terrace beam. Four light kits, each with two lighting modules installed side-by-side, are shown in the illustration above.



In 120° applications, lighting modules can be installed back-to-back in the elevated terrace beam above low and box terraces. Each module will provide light for facing workspaces. Three light kits, each with two lighting modules installed back-to-back, are shown in the illustration above.

Accessories

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Pricing	75

Details



Monitor arms are available to mount LCD or plasma computer monitors. Monitor arms can be mounted on the vertical post of elevated terraces or to monitor arm posts (specified separately). Includes 75mm and 100mm VESA mounting brackets. Single monitor arms feature three jointed limbs and extend to a maximum of 24⅞". Weight limit is 17½ lbs.



Double monitor arms are available to mount two LCD or plasma computer monitors. They feature two jointed limbs per arm; each limb extends a maximum of 16¾". Weight limit is 17 lbs. per arm; 34 lbs. total.



Lever allows hand tightening. Lever can be removed to allow a 5mm hex tool to make vertical adjustments.



Monitor joint on monitor arm allows a vertical pivot of up to 145° and a horizontal pivot of up to 180°.



Horizontal rotation for monitor arms is over 180° and the joints allow limitless horizontal adjustments.



Monitor arms can be installed upside down to achieve a lower monitor height. If this is done, the tilt upward is limited to 34 degrees.



Monitor arm posts may be used to support monitor arms in configurations that do not have elevated terraces. Monitor arm posts are positioned between low and box terrace brackets. They are available in mid-height and full-height models, corresponding to mid-height and full-height screens.

Bookends are available in sets of two. Bottom edge of the bookend slides onto low terraces, top of box terrace, or elevated terrace shelf, and can be repositioned easily.

Displays are repositionable surfaces with a document stop at the bottom. They are designed to stand alone or hang off of screens or box terrace shelves.



Paper trays provide flexible storage space. They are lightweight and stackable.



Terrace extensions attach to low or box terraces and have a notch to fit around the vertical post. They provide additional work area depth to support items like laptops and monitors. They can be repositioned anywhere along the terrace shelf.

Finishes & Materials

Monitor Arms
- Metal:
  White
  Silver

Monitor Arm Posts
- Aluminum:
  405 Designer White
  509 Titanium
  456 Granite

Bookends, Displays, and Paper Trays
- White plastic

Terrace Extensions
- Metal: paint
  405 Designer White
  509 Titanium

PRICING

Table of Contents

	➤See page
Personal Spaces	40
Meet Me Spaces	44
Returns	46
Terraces	50
Screens	56
Storage	61
Modesty Panels	68
Power	70
Lighting	74
Accessories	75

Dual-Sided Personal Spaces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 18





D	W	H	Model	Price
Starter				
63¾"	62³⁄₁₆"	28¾"*	**21H2962PSTDS**	$4855
	70¹⁄₁₆"		**21H2970PSTDS**	5259
	81⅞"		**21H2982PSTDS**	5664
Extension				
63¾"	62³⁄₁₆"	28¾"*	**21H2962PSTDE**	$4239
	70¹⁄₁₆"		**21H2970PSTDE**	4655
	81⅞"		**21H2982PSTDE**	5048

* Worksurface height is adjustable anywhere between 24"–30".

Standard Includes

- Two personal space worksurfaces: laminate (same)
- Central understructure (support beam, power/data tray, two end caps [starter model only], joiner bracket on legs)
- Four primary brackets (two right and two left): painted metal
- Legs (two for starter model; one for extension model): painted metal

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Worksurface finish type:
STD = Price Group 1
⑥ Worksurface finish designator
⑦ Rim finish designator
⑧ Understructure finish type:
STD15 = Price Group 1
⑨ Understructure finish designator:
456 = Granite
⑩ Leg/primary bracket finish type:
STD13 = Price Group 1
⑪ Leg/primary bracket finish designator:
405 = Designer White
509 = Titanium

IMPORTANT: Specify one starter assembly for each contiguous configuration.

Power and Data Components
➤See pages 70–73.







Single-Sided Personal Spaces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 18





D	*W*	*H*	*Model*	*Price*
Starter				
34½"	62³⁄₁₆"	28¾"*	**21H2962PSTSS**	$3641
	70¹⁄₁₆"		**21H2970PSTSS**	3945
	81⅞"		**21H2982PSTSS**	4248
Extension				
34½"	62³⁄₁₆"	28¾"*	**21H2962PSTSE**	$3178
	70¹⁄₁₆"		**21H2970PSTSE**	3491
	81⅞"		**21H2982PSTSE**	3785

* Worksurface height is adjustable anywhere between 24"–30".

IMPORTANT: Specify one starter assembly for each contiguous configuration.

Power and Data Components
➤See pages 70–73.







Standard Includes

- One personal space worksurface: laminate
- Central understructure (support beam, power/data tray, two end caps [starter model only], joiner bracket on legs)
- Two primary brackets (one right and one left): painted metal
- Legs (two for starter model; one for extension model): painted metal

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Worksurface finish type:
STD = Price Group 1
⑥ Worksurface finish designator
⑦ Rim finish designator
⑧ Understructure finish type:
STD15 = Price Group 1
⑨ Understructure finish designator:
456 = Granite
⑩ Leg/primary bracket finish type:
STD13 = Price Group 1
⑪ Leg/primary bracket finish designator:
405 = Designer White
509 = Titanium

120° Personal Spaces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 18





D	*W*	*H*	*Model*	*Price*
Starter				
7'9"	9'0"	28¾"*	**21H2047PYTS**	$8991
8'6"	9'10"	28¾"*	**21H2053PYTS**	9876
Extension				
7'9"	9'0"	28¾"*	**21H2047PYTE**	$8257
8'6"	9'10"	28¾"*	**21H2053PYTE**	9164

* Worksurface height is adjustable anywhere between 24"–30".

Standard Includes

- Three 120° personal space worksurfaces: laminate (same)
- Central understructure (support beams, power/data trays, end caps [three for starter model; one for extension model], and knuckle)
- Six primary brackets (three left and three right): painted metal
- Legs (three for starter model; two for extension model): painted metal
- Center column leg: painted metal

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Worksurface finish type:
STD = Price Group 1
⑥ Worksurface finish designator
⑦ Rim finish designator
⑧ Understructure finish type:
STD15 = Price Group 1
⑨ Understructure finish designator:
456 = Granite
⑩ Leg/primary bracket finish type:
STD13 = Price Group 1
⑪ Leg/primary bracket finish designator:
405 = Designer White
509 = Titanium







IMPORTANT: Specify one starter assembly for each contiguous configuration.

Power and Data Components
➤See pages 70–73.

Stand-Alone Personal Spaces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 20

D	*W*	*H*	*Model*	*Price*
Non-Handed				*Note: For use without a return.*
35 7/16"	70 7/8"	28 3/4"	**21H3571PAXF**	$4239
	82 11/16"		**21H3583PAXF**	4623
For Use with Return on the Left				
35 7/16"	70 7/8"	28 3/4"	**21H3571PALF**	$4239
	82 11/16"		**21H3583PALF**	4817
For Use with Return on the Right				
35 7/16"	70 7/8"	28 3/4"	**21H3571PARF**	$4239
	82 11/16"		**21H3583PARF**	4817

Standard Includes

- Personal space worksurface: laminate
- Central understructure (support beam and power/data tray)
- Two leg assemblies: painted metal
- Modesty panel: wool felt

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Grommet Locations:
G12CMN = Center (+$62)
G12LMN = Left (+$62)
G12RMN = Right (+$62)
G12LRMN = Left and Right (+$124)
X = Without grommet
⑥ Worksurface finish type:
STD = Price Group 1
⑦ Worksurface finish designator
⑧ Rim finish designator
⑨ Understructure finish type:
STD15 = Price Group 1
⑩ Understructure finish designator:
456 = Granite
⑪ Leg finish type:
STD13 = Price Group 1
⑫ Leg finish designator:
405 = Designer White
509 = Titanium
⑬ Felt color

Returns
➤See page 48.

Power and Data Components
➤See pages 70–73.



Central and End Meet Me Spaces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 21

D	*W*	*Thickness*	*Model*	*Price*
Central				
20½"	39⅛"	1³⁄₁₆"	**21H2039MMSC**	$731
End				
Dual-Sided				
18½"	39⅜"	1³⁄₁₆"	**21H1939MMSE**	$731
Left Hand Single Sided				
19⁵⁄₁₆"	20½"	1³⁄₁₆"	**21H1919MMSESL**	$512
Right Hand Single Sided				
19⁵⁄₁₆"	20½"	1³⁄₁₆"	**21H1919MMSESR**	$512

Standard Includes

- Central or end Meet Me space surface: laminate
- Center support brackets (two on central and dual-sided end meet me; one on single-sided end meet me): painted metal
- Edge support brackets (two on central; one on end models): painted metal
- One end support bracket on single-sided end meet me

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Power/data pole cutout (include for end meet me space only):
PDP = Power/data pole (+$26)
X = None
⑥ Worksurface finish type:
STD = Price Group 1
⑦ Worksurface finish designator
⑧ Rim finish designator
⑨ Bracket finish type:
STD16 = Price Group 1
⑩ Bracket finish designator:
405 = Designer White
509 = Titanium

IMPORTANT: Central and end Meet Me spaces cannot be used where returns are placed.

Accessories
➤See pages 75–76.







Touchdown Meet Me Spaces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 21

D	*W*	*Thickness*	*Model*	*Price*
Touchdown				
23⅝"	46⁷⁄₁₆"	1³⁄₁₆"	**21H2446MMST**	$963

Standard Includes

- Touchdown Meet Me space surface: laminate
- Two primary brackets: painted metal

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Power/data pole cutout:
PDP = Power/data pole (+$26)
X = None
⑥ Worksurface finish type:
STD = Price Group 1
⑦ Worksurface finish designator
⑧ Rim finish designator
⑨ Primary bracket finish type:
STD13 = Price Group 1
⑩ Primary bracket finish designator:
405 = Designer White
509 = Titanium







Accessories
➤See pages 75–76.

Standard-Width Returns

Pricing

For Use with Dual-Sided and Single-Sided Personal Spaces

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 22

D	W	Thickness	Model	Price
Returns for Use without Return Screen (non-handed)				
20½"	66⁹⁄₁₆"	1³⁄₁₆"	**21H2067RSDX**	$808
	82⁵⁄₁₆"		**21H2082RSDX**	963



D	W	Thickness	Model	Price
Returns for Use with Return Screen				
Left-Hand Return				
20½"	66⁹⁄₁₆"	1³⁄₁₆"	**21H2067RSDL**	$887
	82⁵⁄₁₆"		**21H2082RSDL**	1003
Right-Hand Return				
20½"	66⁹⁄₁₆"	1³⁄₁₆"	**21H2067RSDR**	$887
	82⁵⁄₁₆"		**21H2082RSDR**	1003

Related Product:



D	W	Thickness	Model	Price
Metal Return Filler				
1¼"	20⅝"	1³⁄₁₆"	**21H20RFSM**	$102

IMPORTANT: Y-leg or storage unit must be specified separately for 67" and 82"W returns. Return must be balanced on the opposite side of dual-sided cluster with another return or mini return.

An additional bracket is required for single-sided applications, specified separately.
➤See page 22 for planning factors.

Y-leg and Brackets
➤See page 49.





Standard Includes

- Return surface: laminate
- Rim profile on three sides
- One edge support bracket: painted metal

How to Specify

Return

❶ Model
❷ Worksurface material:
L = Laminate
❸ Support bracket type:
1 = Edge
2 = End (+$196)
④ Rim profile:
S = Knife
⑤ Rim material:
Y = Polypropylene
⑥ Power/data pole cutout:
PDP = Power/data pole (+$26)
X = None
⑦ Worksurface finish type:
STD = Price Group 1
⑧ Worksurface finish designator
⑨ Rim finish designator
⑩ Support bracket finish type:
STD16 = Price Group 1
⑪ Support bracket finish designator:
405 = Designer White
509 = Titanium

Return Filler

❶ Model
② Support bracket finish type:
STD20 = Price Group 1
⑪ Finish designator:
405 = Designer White
509 = Titanium

Mini Returns

Pricing

For Use with Dual-Sided and Single-Sided Personal Spaces

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 22

D	*W*	*Thickness*	*Model*	*Price*
Mini Return				
20½"	19³⁄₁₆"	1³⁄₁₆"	**21H2019RSDX**	$656

Related Product:



D	*W*	*Thickness*	*Model*	*Price*
Return Filler				
1¼"	20⅝"	1³⁄₁₆"	**21H20RFSM**	$102

IMPORTANT: When used on a dual-sided cluster, mini return must be balanced on the opposite side with a standard-width return.





Standard Includes

- Return surface: laminate
- Rim profile on three sides
- Edge support brackets (one for dual-sided applications; two for single-sided applications): painted metal
- Center support bracket: painted metal

How to Specify

Mini Return

❶ Model
❷ Worksurface material:
L = Laminate
❸ Support bracket type:
1 = Edge
④ Rim profile:
S = Knife
⑤ Rim material:
Y = Polypropylene
⑥ Application:
D = Dual-sided
S = Single-sided
⑦ Worksurface finish type:
STD = Price Group 1
⑧ Worksurface finish designator
⑨ Rim finish designator
⑩ Support bracket finish type:
STD16 = Price Group 1
⑪ Support bracket finish designator:
405 = Designer White
509 = Titanium

Return Filler

❶ Model
② Support bracket finish type:
STD20 = Price Group 1
⑪ Finish designator:
405 = Designer White
509 = Titanium

Standard-Width Returns

Pricing

For Use with Stand-Alone Personal Spaces

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 22

D	W	Thickness	Model	Price
Non-Handed				
20½"	67 5/16"	1 3/16"	**21H2067RSA**	$771
	82 11/16"		**21H2082RSA**	924

Related Product:

D	W	Thickness	Model	Price
Y-Leg				
5 11/16"	15 13/16"	30"	**21H30SLY**	$636

IMPORTANT: Y-leg or storage unit must be specified separately to support the end of the return.



Standard Includes

Return

- Return surface: laminate
- Rim profile on all four sides
- Three spacers: clear plastic

How to Specify

Return

❶ Model
❷ Worksurface material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Worksurface finish type:
STD = Price Group 1
⑥ Worksurface finish designator
⑦ Rim finish designator

Y-Leg

❶ Model
② Finish type:
STD13 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium

Return Supports

Pricing

For Use with Dual-Sided and Single-Sided Personal Spaces

GSA SIN 711-1



D	*W*	*Thickness*	*Model*	*Price*
Edge Bracket				
4 3/8"	3 7/16"	2"	**21HWBMRE**	$53
End Bracket				
4"	9 7/16"	13 5/8"	**21HRBE**	$196
Y-Leg				
51 1/16"	15 13/16"	30"	**21H30SLY**	$636

IMPORTANT: One support bracket ships with each standard-width return; however for single-sided applications an additional support bracket will be required. Additional edge or end brackets are not necessary for dual-sided applications or for mini return applications.
➤See page 22 for planning factors.

Y-leg or storage unit must be specified separately to support the end of standard-width returns.

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 22

Standard Includes

Brackets
- Painted metal

Y-Leg
- Painted metal

How to Specify

Brackets
❶ Model
② Finish type:
STD16 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium

Y-Leg
❶ Model
② Finish type:
STD13 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium

Dual- and Single-Sided Low Terraces

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 23



D	W	Thickness	Model	Price
Dual-Sided				
17 7/8"	24 1/2"		**21H24LTAD**	$405
	30 3/8"		**21H30LTAD**	463
	34 5/16"		**21H34LTAD**	500
	40 1/4"		**21H40LTAD**	540
Single-Sided				
8 5/16"	24 1/2"		**21H24LTAS**	$305
	30 3/8"		**21H30LTAS**	346
	34 5/16"		**21H34LTAS**	376
	40 1/4"		**21H40LTAS**	405
Single-Sided Mini				
For Use with Single-Sided Terrace				
2 5/8"	24 1/2"		**21H24MT**	$102
	30 3/8"		**21H30MT**	116
	34 5/16"		**21H34MT**	124
	40 1/4"		**21H40MT**	135
For Use with Mini Return				
	20 1/2"		**21H20MTC**	$102
For Use with Left-Hand Single-Sided End Meet Me Space				
	20 1/2"		**21H20MTEL**	$102
For Use with Right-Hand Single-Sided End Meet Me Space				
	20 1/2"		**21H20MTER**	$102

IMPORTANT: Dual-sided terraces are applicable to dual-sided and 120° personal spaces. Single-sided mini terrace is for use with single-sided terrace, mini returns, and end meet me spaces when a modesty panel is not used.

➤See application matrix on page 28 to determine the correct models for your configuration.





Elevated terrace not shown

Standard Includes

- Low terrace shelves: painted metal
- Two terrace brackets: painted metal

How to Specify

❶ Model
② Finish type:
STD14 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium

120° Corner Low Terraces

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 23

D	*W*	*Thickness*	*Model*	*Price*
120° Corner				
27 13/16"	32"		**21HCTY**	$500

Standard Includes

- Low terrace shelves: painted metal
- Three terrace brackets: painted metal

How to Specify

❶ Model
② Finish type:
STD14 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium

IMPORTANT: The 120° corner low terraces provides a shelf between three dual-sided low terraces.
➤See application matrix on page 28 to determine the correct models for your configuration.

Accessories
➤See pages 75–76.







Box Terraces

Pricing

GSA SIN 711-1



D	*W*	*Thickness*	*Model*	*Price*
Dual-Sided				
17 7/8"	24 1/2"		**21H24BTAD**	$694
	30 3/8"		**21H30BTAD**	771
	34 5/16"		**21H34BTAD**	847
	40 1/4"		**21H40BTAD**	906
Single-Sided				
8 15/16"	24 1/2"		**21H24BTAS**	$520
	30 3/8"		**21H30BTAS**	578
	34 5/16"		**21H34BTAS**	636
	40 1/4"		**21H40BTAS**	677

IMPORTANT: Dual-sided terraces are applicable to dual-sided and 120° personal spaces.
➤See application matrix on page 28 to determine the correct models for your configuration.

Accessories
➤See pages 75–76.





Elevated terrace not shown

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 24

Standard Includes

- Dual box terraces: painted metal
- Two terrace brackets: painted metal

How to Specify

❶ Model
② Finish type:
STD14 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium

Dual-Sided Elevated Terraces

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 25





D	*Beam W*	*Installed H*	*Model*	*Price*
Starter				
13⅜"	63"	55¾"	**21H62ETSS**	$1830
	71"		**21H70ETSS**	1850
	83"		**21H82ETSS**	1927
Extension				
13⅜"	63"	55¾"	**21H62ETSE**	$1040
	71"		**21H70ETSE**	1078
	83"		**21H82ETSE**	1136

Standard Includes

- Elevated terrace shelves: four on starter models, two on extension models
- Elevated beam: three sections on starter models, one section on extension models.
- Vertical post(s): two on starter model, one on extension
- Support brackets

How to Specify

❶ Model
② Terrace shelves finish type:
STD14 = Price Group 1
③ Terrace shelves finish designator:
405 = Designer White
509 = Titanium
④ Vertical post and beam finish type:
STD11 = Price Group 1
⑤ Vertical post and beam finish designator:
405 = Designer White
456 = Granite
509 = Titanium

IMPORTANT: Dual-sided elevated terraces span across two dual personal space units of the same width. Dual-sided elevated terrace starter cannot be used on a starter dual-sided personal space only. It must span across a starter and an extension personal space. They cannot attach to 120° elevated terraces.

LED Light Kits
➤See page 74.

Accessories
➤See pages 75–76.



Single-Sided Elevated Terraces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 25





D	*Beam W*	*Installed H*	*Model*	*Price*
Starter				
11½"	63"	55¾"	**21H62ETSSS**	$1830
	71"		**21H70ETSSS**	1850
	83"		**21H82ETSSS**	1927
Extension				
11½"	63"	55¾"	**21H62ETSSE**	$1040
	71"		**21H70ETSSE**	1078
	83"		**21H82ETSSE**	1136

Standard Includes

- Elevated terrace shelves: four on starter models, two on extension models
- Elevated beam: three sections on starter models, one section on extension models.
- Vertical post(s): two on starter model, one on extension
- Support brackets

How to Specify

❶ Model
② Terrace shelves finish type:
STD14 = Price Group 1
③ Terrace shelves finish designator:
405 = Designer White
509 = Titanium
④ Vertical post and beam finish type:
STD11 = Price Group 1
⑤ Vertical post and beam finish designator:
405 = Designer White
456 = Granite
509 = Titanium

IMPORTANT: Single-sided elevated terraces span across two single-sided personal space units of the same width. Single-sided elevated terrace starter cannot be used on a starter single-sided personal space only. It must span across a starter and an extension personal space.

LED Light Kits
➤See page 74.

Accessories
➤See pages 75–76.





120° Elevated Terraces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 26

D	*W*	*Installed H*	*Model*	*Price*
120°				
62"	71½"	55¾"	**21HETY**	$5008

Standard Includes

- Three elevated terrace shelves
- Elevated terrace center shelf
- Elevated beam: three sections
- Three vertical posts
- Three non-tackable screens: wool felt
- Three modesty panels: painted metal (white)
- Support brackets

How to Specify

❶ Model
② Terrace shelves finish type:
STD14 = Price Group 1
③ Terrace shelves finish designator:
405 = Designer White
509 = Titanium
④ Vertical post and beam finish type:
STD11 = Price Group 1
⑤ Vertical post and beam finish designator:
405 = Designer White
456 = Granite
509 = Titanium
⑥ Felt color

IMPORTANT: 120° elevated terrace cannot be used with a 120° corner screen assembly. 120° elevated terrace must be used in conjunction with a 120° corner terrace.

LED Light Kits
➤See page 74.

Accessories
➤See pages 75–76.



Central Screens

Pricing

For Use Between Returns

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 27







W	Thickness	Low-Height 41⅜" installed height Model	Price	Mid-Height 47¼" installed height Model	Price	Full-Height 53⁹⁄₁₆" installed height Model	Price
For Use between Returns at the End of Cluster							
16⁵⁄₁₆"	⅝"	**21H16SCLXF**	$309	**21H16SCMXF**	$385	**21H16SCFXF**	$500
20⁵⁄₁₆"	⅝"	**21H20SCELXF**	327	**21H20SCEMXF**	424	**21H20SCEFXF**	540
For Use between Returns in Middle of Cluster							
20⁵⁄₁₆"	⅝"	**21H20SCLXF**	$327	**21H20SCMXF**	$424	**21H20SCFXF**	$540

Standard Includes

- Screen: stitched wool felt (same on both sides)
- Core: tackable, rigid substrate
- Screen stop brackets

How to Specify

❶ Model
② Felt color
③ Screen stop bracket finish type:
STD19 = Price Group 1
④ Screen stop bracket finish designator:
405 = Designer White
509 = Titanium

➤See application matrix on page 28 to determine the correct models for your configuration.

Accessories
➤See pages 75–76.

Central Screens

Pricing

For Use with Low and Box Terraces

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 27









W	Thickness	Low-Height 41⅜" installed height Model	Price	Mid-Height 47¼" installed height Model	Price	Full-Height 53⁹⁄₁₆" installed height Model	Price
For Use with Single- or Dual-Sided Low Terraces and Single-Sided Box Terraces							
24½"	⅝"	**21H24SCLLF**	$346	**21H24SCMLF**	$463	**21H24SCFLF**	$578
30⅜"		**21H30SCLLF**	424	**21H30SCMLF**	500	**21H30SCFLF**	656
34⁵⁄₁₆"		**21H34SCLLF**	463	**21H34SCMLF**	540	**21H34SCFLF**	694
40¼"		**21H40SCLLF**	540	**21H40SCMLF**	615	**21H40SCFLF**	731
For Use with Dual-Sided Box Terraces							
24½"	⅝"	**21H24SCLBF**	$346	**21H24SCMBF**	$463	**21H24SCFBF**	$578
30⅜"		**21H30SCLBF**	424	**21H30SCMBF**	500	**21H30SCFBF**	656
34⁵⁄₁₆"		**21H34SCLBF**	463	**21H34SCMBF**	540	**21H34SCFBF**	694
40¼"		**21H40SCLBF**	540	**21H40SCMBF**	615	**21H40SCFBF**	731

Standard Includes

- Screen: stitched wool felt (same on both sides)
- Core: tackable, rigid substrate

How to Specify

❶ Model
② Felt color

➤See application matrix on page 28 to determine the correct models for your configuration.

Accessories
➤See pages 75–76.

See Me Screens

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 27

Gem

Foliage

Terrain

Wave

W	*Thickness*	*Installed H*	*Model*	*Price*
See Me Screens				
24½"	1/16"	53⁹/16"	**21H24SMS**	$520
30⅜"			**21H30SMS**	599
34⁵/16"			**21H34SMS**	636
40¼"			**21H40SMS**	713

Standard Includes

- See Me screen: painted metal (same color on both sides)

How to Specify

❶ Model
❷ Pattern:
1M = Gem
2M = Foliage
3M = Terrain
4M = Wave
③ Finish type:
STD17 = Price Group 1
④ Finish designator

➤See application matrix on page 28 to determine the correct models for your configuration.

Accessories
➤See pages 75–76.



120° Corner Screen Assemblies

GSA SIN 711-1

Features	➤See page 12
Dimensions	13
Typical Configurations	15
Product Information	27

			Mid-Height 47¼" installed height 16⅛"		Full-Height 53⁹⁄₁₆" installed height 22⁷⁄₁₆"	
Dimensions						
A	*B*	*C*	*Model*	*Price*	*Model*	*Price*
120° Corner Screen Assemblies						
26⁹⁄₁₆"	26⁹⁄₁₆"	26⁹⁄₁₆"	**21HSAYMF**	$2505	**21HSAYFF**	$2890

Standard Includes

- Three non-tackable corner screens: wool felt (same color on all three sides)
- Top: painted metal
- Three vertical posts: painted metal
- Three corner modesty panels: painted metal (white)

How to Specify

❶ Model
② Vertical post and top finish type:
STD11 = Price Group 1
③ Vertical post and top finish designator:
405 = Designer White
456 = Granite
509 = Titanium
④ Felt color

IMPORTANT: 120° corner screen assembly is not applicable where 120° elevated terraces are used. 120° corner screen assembly must be used in conjunction with a 120° corner terrace.

Accessories
➤See pages 75–76.



Return Screens

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 27



		Mid-Height 47¼" installed height 16⅛"		Full-Height 53⁹⁄₁₆" installed height  22⁷⁄₁₆"	
W	*Thickness*	*Model*	*Price*	*Model*	*Price*
Return Screens					
62½"	¾"	**21H67SRMF**	$1156	**21H67SRFF**	$1618
78¹⁄₁₆"		**21H82SRMF**	1272	**21H82SRFF**	1696

Standard Includes

- Screen: stitched wool felt (same color on both sides)
- Core: tackable, rigid substrate surrounded by a metal frame
- Hardware

How to Specify

❶ Model
② Felt color

IMPORTANT: Specify return screens to match the width of the return.

Returns
➤See page 46.



Mobile Pedestals

Pricing

GSA SIN 711-1

D	*W*	*H*	*Configuration*	*Model*	*Price*
One Drawer					
19 11/16"	16"	19 5/8"		**21H2016PMOF**	$963
With Cushion Top					
19 11/16"	16"	20 3/8"		**21H2016PMOFC**	$1233
Two Drawers					
19 11/16"	16"	19 5/8"		**21H2016PMBF**	$1156
With Cushion Top					
19 11/16"	16"	20 3/8"		**21H2016PMBFC**	$1425

KEY:

= Box drawer

= File drawer

Standard Includes

- Storage unit: painted metal
- Cushion top on applicable models: stitched wool felt
- Integral drawer pulls
- Swiveling casters

How to Specify

❶ Model
② Lock option:
KS = Key specific (+$36 per drawer)
X = Non-locking
③ Felt color (include for cushion top only)
④ Finish type:
STD18 = Price Group 1
⑤ Finish designator:
405 = Designer White
509 = Titanium

IMPORTANT: Lock cores (key specific) must be specified separately for models specified with locking drawer option. If locking option is selected, all drawers in unit will be locking.

Lock Cores
➤See page 65.

Drawers for Field Installation
➤See page 67.

Drawer Dviders and File Bars
➤See the Perks Price List.

Single Storage Units

GSA SIN 711-1



Note: Model 21H2016SU53 shown.

D	*W*	*H*	*Configuration*	*Model*	*Price*
Without Drawers					
19 11/16"	16"	29 3/4"		**21H2016SU50**	$963
One Drawer					
19 11/16"	16"	29 3/4"		**21H2016SU51**	$1349
				21H2016SU52	1194
Two Drawers					
19 11/16"	16"	29 3/4"		**21H2016SU53**	$1581
Three Drawers					
19 11/16"	16"	29 3/4"		**21H2016SU54**	$1811

KEY:

= Box drawer

= File drawer

Standard Includes

- Storage unit: painted metal
- Integral drawer pulls
- Attachment hardware

How to Specify

❶ Model
② Lock option (omit for model 21H2016SU50):
KS = Key specific (+$36 per drawer)
X = Non-locking
③ Finish type:
STD18 = Price Group 1
④ Finish designator:
405 = Designer White
509 = Titanium

IMPORTANT: Lock cores (key specific) must be specified separately for models specified with locking drawer option. If locking option is selected, all drawers in unit will be locking.

Lock Cores
➤See page 65.

Drawers for Field Installation
➤See page 67.

Drawer Dviders and File Bars
➤See the Perks Price List.

Double Storage Units

Pricing

GSA SIN 711-1

KEY:
= Box drawer
= File drawer



Note: Model 21H2032SU57 shown.



Note: Model 21H2032SUD64 shown.

			Without Sliding Door			With Sliding Door		
D	*W*	*H*	*Configuration*	*Model*	*Price*	*Configuration*	*Model*	*Price*
Without Drawers								
19 11/16"	31 9/16"	29 3/4"		**21H2032SU50**	$1349		**21H2032SUD50**	$1734
One Drawer								
19 11/16"	31 9/16"	29 3/4"		**21H2032SU55**	$1734		**21H2032SUD55**	$2118
				21H2032SU56	1734		**21H2032SUD56**	2118
				21H2032SU58	1581		**21H2032SUD58**	1965
				21H2032SU61	1581		**21H2032SUD61**	1965
Two Drawers								
19 11/16"	31 9/16"	29 3/4"		**21H2032SU57**	$2118		**21H2032SUD57**	$2505
				21H2032SU59	1965		**21H2032SUD59**	2350
				21H2032SU62	1965		**21H2032SUD62**	2350
				21H2032SU64	1811		**21H2032SUD64**	2196

➤See next page for 3- and 4-drawer configurations.

Standard Includes

- Storage unit: painted metal
- Integral drawer pulls
- Attachment hardware
- Section dividers on sliding door models
- Sliding door on applicable models: locking

How to Specify

❶ Model
② Lock option (omit for model 21H2032SU50):
KS = Key specific (+$36 per drawer/door)
XKS = Non-locking drawers (sliding door models only)
X = Non-locking drawers (models without sliding door only)
③ Finish type:
STD18 = Price Group 1
④ Finish designator:
405 = Designer White
509 = Titanium

IMPORTANT: Lock cores (key specific) must be specified separately for models specified with locking drawer option. If locking option is selected, all drawers in unit will be locking.

Lock Cores
➤See page 65.

Storage Top for Stand-Alone Storage Configurations
➤See page 66.

Drawers for Field Installation
➤See page 67.

Drawer Dviders and File Bars
➤See the Perks Price List.

Double Storage Units

continued

GSA SIN 711-1

KEY:
= Box drawer
= File drawer



Note: Model 21H2032SU67 shown.



Note: Model 21H2032SUD65 or 67 shown.

D	W	H	Without Sliding Door Configuration	Model	Price	With Sliding Door Configuration	Model	Price
Three Drawers								
19 11/16"	31 9/16"	29 3/4"		**21H2032SU60**	$2350		**21H2032SUD60**	$2736
				21H2032SU63	2350		**21H2032SUD63**	2736
				21H2032SU65	2196		**21H2032SUD65**	2581
				21H2032SU66	2196		**21H2032SUD66**	2581
Four Drawers								
19 11/16"	31 9/16"	29 3/4"		**21H2032SU67**	$2581		**21H2032SUD67**	$2967

IMPORTANT: Lock cores (key specific) must be specified separately for models specified with locking drawer option. If locking option is selected, all drawers in unit will be locking. Lock cores are shipped separately. Storage units specified with the key specific locking option are pre-drilled to accept a lock core.

Lock Cores
➤See page 65.

Storage Top for Stand-Alone Storage Configurations
➤See page 66.

Drawers for Field Installation
➤See page 67.

Drawer Dviders and File Bars
➤See the Perks Price List.

Standard Includes

- Storage unit: painted metal
- Integral drawer pulls
- Attachment hardware
- Section dividers on sliding door models
- Sliding door on applicable models: locking

How to Specify

❶ Model
② Lock option:
KS = Key specific (+$36 per drawer/door)
XKS = Non-locking drawers (sliding door models only)
X = Non-locking drawers (models without sliding door only)
③ Finish type:
STD18 = Price Group 1
④ Finish designator:
405 = Designer White
509 = Titanium

Lock Cores

Pricing

GSA SIN 711-1

Model	*Price*
Lock Cores for Drawers and Sliding Doors	
KHCA	$22
Change Key to Remove KHCA Lock	
KSCD1CK	$6
Master Key for All KHCA Locks	
KS2GMK	$12

IMPORTANT: Lock cores (key specific) must be specified separately for models specified with locking drawer option. For sliding door models, specify one lock core for each drawer in the unit, plus one for the sliding door. For non-sliding door units, specify one lock core for each drawer.
➤See page 88 for lock core requirements chart by model.

The standard key shipped with the lock core can be used for the initial installation of the lock core. A change key must be specified separately to remove or replace lock cores in the field.

Mobile Pedestals
➤See page 61.

Storage Units
➤See pages 62–64

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Lock Core Requirements 88

Standard Includes

- Lock core and/or key

How to Specify

Lock Core
1. Model
2. Exact key number within 001–100 range

Change or Master Key
1. Model

Storage Tops

Pricing

GSA SIN 711-1



D	*W*	*Thickness*	*Model*	*Price*
For Double Storage Unit				
20"	32"	1 3/16"	**21H2032ST**	$540

IMPORTANT: Storage tops must be specified for double storage units if they are used in a freestanding application.

Double Storage Units
➤See pages 63–64.



Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 29

Standard Includes

- Top
- Rim profile on four sides

How to Specify

❶ Model
❷ Top material:
L = Laminate
③ Rim profile:
S = Knife
④ Rim material:
Y = Polypropylene
⑤ Top finish type:
STD = Price Group 1
⑥ Top finish designator
⑦ Rim finish designator

Drawers

Pricing

For Field Installation

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 29

D	*W*	*H*	*Model*	*Price*
Box Drawer				
16⅛"	12⅛"	3¼"	**21HSBDM**	$309

File Drawer				
16⅛"	12⅛"	10³⁄₁₆"	**21HSFDM**	$463

Standard Includes

- Drawer

How to Specify

❶ Model
② Lock option:
KS = Key specific (+$36)
X = Non-locking
③ Finish type:
STD18 = Price Group 1
④ Finish designator
405 = Designer White
509 = Titanium

IMPORTANT: Lock cores (key specific) must be specified separately for models specified with locking drawer option. Lock cores are shipped separately. Drawers specified with the key specific locking option are pre-drilled to accept a lock core.

Lock Cores
➤See page 65.

Drawer Dividers and File Bars
➤See the Perks Price List.

Return Modesty Panels

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 31



W	*H*	*Thickness*	*Model*	*Price*
For Use with Y-Leg				
38"	15¾"	⅜"	**21H38MRDSFY**	$771
53¾"			**21H54MRDSFY**	1020
63"			**21H67MRDSFY**	1156
78¾"			**21H82MRDSFY**	1349
For Use with Storage Unit				
25"	15¾"	⅜"	**21H25MRDSF**	$463
34½"			**21H35MRDSF**	500
38"			**21H38MRDSF**	771
50"			**21H50MRDSF**	924
63"			**21H67MRDSF**	1156

Standard Includes

- Screen: stitched wool felt (same on both sides)
- Core: non-tackable, rigid substrate
- Attachment hardware

How to Specify

❶ Model
② Felt color

IMPORTANT: Specify width of modesty panel to correspond with the length of return and the storage configuration. Modesty panels are not applicable for stand-alone returns.
➤See page 31 for application matrix.



Modesty Panels for Single-Sided Personal Spaces

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 32







W	H	Model	Price
For Use with Return and End Meet Me Spaces			
Left-Hand			
20½"	17⅝"	**21H20MPSLM**	$573
Right-Hand			
20½"	17⅝"	**21H20MPSRM**	$573
Center			
20½"	17⅝"	**21H20MPSCM**	$573
For Use with Single-Sided Low or Box Terraces			
24½"	17⅝"	**21H24MPSM**	$573
30⅜"		**21H30MPSM**	659
34⁵⁄₁₆"		**21H34MPSM**	699
40¼"		**21H40MPSM**	785
Modesty Panel Filler			
2"	17½"	**21HMPFSM**	$102



IMPORTANT: Specify width of modesty panel to correspond with the width of the meet me or terrace.

Standard Includes

- Screen: painted metal

How to Specify

❶ Model
② Finish type:
STD20 = Price Group 1
③ Finish designator
405 = Designer White
509 = Titanium

Single-Circuit Power Components

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Electrical Planning 33









W	H	D	Model	Price
Power In-Feed				
			21H210P1PF	$278
Duplex Receptacle				
			21H2P1RDS	$87
48" Jumper Cable				
			21H2P1J1	$116
24" Jumper Cable				
			21H2P1J4	$92
Mini-Adapt Power Module				
3 5/8"	2"	2 5/8"	**21H2P1PM2**	$173

Standard Includes

Power In-Feed
- 10' black power cord
- Standard three-prong plug on one side
- Single squeeze-latch connector on the other side
- Smart box monitor

Duplex Receptacle
- Two three-prong outlets
- 12" modular feed with double-out interface

Jumper Cables
- 48" or 24" black cable
- Squeeze-latch connector on each end

Mini-Adapt Power Module
- Two NEMA-rated 15-amp receptacles
- 18" modular feed with double-out interface
- Housing: black, textured finish
- Black cord
- Clamp to seucre to personal space worksurface
- UL Listed

Note: Not for use in New York City, Chicago, or Los Angeles.

How to Specify

❶ Model

Additional Power/Data Components Compatible With Hum
➤See the Perks Price List.

Four-Circuit (8-Wire) Power Components

Power Entries

GSA SIN 711-1

Features ➤See page 12
Electrical Planning 34
Modular Components 72





W	*H*	*Model*	*Price*
Modular Power In-Feed Components			
Starter Plate			
5⅛"	5⅛"	**21HP4WPSM**	$139
Power Harness for Use with Modular Starter Plate			
10’		**21H10P4FPFM**	$358
Floor/Wall Power In-Feed			
10’		**21H10P4FPF**	$327
Ceiling Power In-Feed			
12’		**21H12P4CPF**	$288
Power Entry for Use in New York City			
		21HP4FPFNYC	$434

Related Product:

Power/Data Flexible Ceiling Pole			
10’		**21H10PDPC**	$578
Metal Ceiling Trim Plates (set of 2)			
		21HPCTP	$58

IMPORTANT: Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Standard Includes

Modular In-Feed Starter Plate
- Wall plate: black metal

Modular Power Harness
- 10' liquid tight conduit
- Squeeze-latch connectors on both ends

Floor/Wall Power In-Feed
- 10' liquid tight conduit
- Squeeze-latch connector
- Pigtail on one end

Ceiling Power In-Feed
- 12' galvanized metal conduit
- Squeeze-latch connector
- Pigtail on one end

Power Entry for Use in NYC
- Modular floor/wall power in-feed
- Hardwire box
- 2’ galvanized metal conduit
- Cover plate

Ceiling Pole
- 10’ stainless steel, flexible conduit

How to Specify

Power In-Feeds, Power Entry for NYC, and Ceiling Pole
❶ Model

Ceiling Trim Plates
❶ Model
② Bracket finish type:
STD13 = Price Group 1
③ Bracket finish designator
405 = Designer White
509 = Titanium

Four-Circuit (8-Wire) Power Components

Modular Components

GSA SIN 711-1

Features ➤See page 12
Electrical Planning 34
Four-Circuit Power Entries 71



Circuit	*Model*	*Delivers Power From*	*Price*
Duplex Receptacles			
For 3 + 1 Circuit Configuration			
Circuit 1	**21HP4RD1**	Circuit 1 with shared neutral and ground	$116
Circuit 2	**21HP4RD2**	Circuit 2 with shared neutral and ground	116
Circuit 3	**21HP4RD3**	Circuit 3 with shared neutral and ground	116
Circuit 4 (dedicated)	**21HP4RD4**	Dedicated circuit 4 with dedicated neutral and ground	116
For 2 + 2 Circuit Configuration			
Circuit 1	**21HP4RD1**	Circuit 1 with shared neutral and ground	$116
Circuit 2	**21HP4RD2**	Circuit 2 with shared neutral and ground	116
Circuit 4 (designated)	**21HP4RD4**	Designated circuit 4 with shared neutral and ground	116
Circuit 5 (designated)	**21HP4RD5**	Designated circuit 5 with shared neutral and ground	116



Length	*Model*	*Price*
Power Distribution Assemblies		
36"	**21H36P4D**	$231



Jumper Cables		
48"	**21HP4J1**	$231
36"	**21HP4J2**	$208

IMPORTANT: Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Standard Includes

Duplex Receptacles
- Two three-prong receptacles: black plastic

Power Distribution Assembly
- Galvanized metal conduit
- Triple-out interface
- Accepts one or two duplex receptacles

Jumper Cables
- Galvanized metal conduit
- Squeeze latch connectors on both ends

How to Specify

❶ Model

Hardwire Power Components

Pricing

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15





Model	Price
Hardwire Box	
21HPHB	$58
Blank Hardwire Cover Plate	
21HPHCB	$29
Duplex Hardwire Cover Plate	
21HPHCD	$29
Hardwire Box Template	
21HPHT	$29

IMPORTANT: Hardwire components must be installed by a licensed electrician.

Duplex hardwire cover plate is sized to fit Pass & Seymour 26242 series receptacles (or compatible size and type).

Hardwire box template is used for locating and drilling holes required to attach hardwire boxes to power/data tray.

Ceiling Power/Data Poles
➤See page 71.

Standard Includes

Hardwire Box
- Steel box; accommodates junctions and receptacles

Hardwire Covers
- Steel plate

Hardwire Covers
- Steel plate with access holes

Jumper Cables
- Galvanized metal conduit
- Squeeze latch connectors on both ends

How to Specify

❶ Model

Lighting

Pricing

GSA SIN 711-1



	Model	*Price*
LED Light Kits		
	21HLK	$710

IMPORTANT: Specify one light kit for each individual personal space. For example, specify two kits for a dual-sided personal space; three kits for 120° personal space.

Dual-Sided Elevated Terraces
➤See page 53.

120° Elevated Terraces
➤See page 55.

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 37

Standard Includes

- Two 15½ long lighting modules containing 112 LEDs
- One toggle
- Power supply
- Metal mounting clips

Note: Very low power consumption: 9.4 watts per module; rated at 50,000 average lifetime hours.

How to Specify

❶ Model

Accessories

Pricing

Monitor Arms and Posts

GSA SIN 711-1

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 38





D	*W*	*H*	*Model*	*Price*
Monitor Arms				
Double (Holds Two Monitors)				
15¾"			**21AMA2**	$1156
Single (Holds One Monitor)				
24⅞"			**21AMA1**	$771
Monitor Arm Posts				
Full-Height				
13/16"	3 13/16"	32 3/16"	**21AMAPFS**	$231
Mid-Height				
13/16"	3 13/16"	26 5/16"	**21AMAPMS**	$193

IMPORTANT: Monitor arms attach to the vertical uprights of elevated terraces or 120° screen assemblies. Monitor arm posts are also available for use in configurations without an elevated terrace.

Standard Includes

Double Monitor Arm
- Two arms, each with two limbs

Note: Weight limit 17 lbs. per arm; 34 lbs. total

Single Monitor Arm
- One arm with three limbs

Note: Weight limit 17 lbs.

Monitor Arm Posts
- Metal post: paint
- Plastic top cap

How to Specify

Monitor Arms
❶ Model
② Finish designator:
S = Silver
W = White

Monitor Posts
❶ Model
② Finish type:
STD11 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium
456 = Granite

Accessories

Pricing

Terrace Extensions, Bookends, Display, and Paper Trays

GSA SIN 711-1

D	W	H	Model	Price
Terrace Extension				
13⅜"	13⅜"	⅛"	**21ATE**	$116

Bookends (set of 2)				
8¼"	2¾"	6½"	**21ABS**	$68

Display				
1⅞"	9 13/16"	13½"	**21AD**	$34



Paper Tray				
13⅜"	9 13/16"	2 1/16"	**21ASPT**	$34

Dual-Sided Elevated Terraces
➤See page 53.

120° Elevated Terraces
➤See page 55.

Laptop/Equipment Lock
➤See the Perks Price List.

Features ➤See page 12
Dimensions 13
Typical Configurations 15
Product Information 38

Standard Includes

Terrace Extension
- Metal terrace: paint

Bookends
- Set of 2, left and right: White plastic

Display
- White plastic

Paper Tray
- White plastic

How to Specify

Terrace Extension
❶ Model
② Finish type:
STD14 = Price Group 1
③ Finish designator:
405 = Designer White
509 = Titanium

Bookends, Display, and Paper Tray
❶ Model
② Plastic color:
W = White

FINISHES & MATERIALS

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	78
Laminate & Polypropylene	79
CSL	80
Paint	81
Wool Felt	82
Cut Yardage Program	82

Program Overview

Laminate	➤See page 79
CSL	80
Paint	81
Wool Felt	82

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Laminate & Polypropylene

CSL GSA Non-Contract

Key:
- • = Available

	Woodgrain														Solid												CSL
	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	MW Midtown Walnut	CO Canyon Oak	YO Monterey Oak	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood		480 Antique White	403 Chamois	440 Cloud	485 Dark Chocolate	405 Designer White	450 Fog	488 Frosty White	420 Sandstone	425 Shadow	460 Storm	419 Wallaby		
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1		
Laminate																											
Personal Spaces	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	•	•	•	•	•	•		•
Meet Me Spaces	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	•	•	•	•	•	•		•
Returns	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	•	•	•	•	•	•		•
Storage Tops	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	•	•	•	•	•	•		•
Polypropylene																											
Knife Rim on Surfaces															•	•	•	•	•	•	•	•	•	•	•		

Grain Direction for Woodgrain Laminate:



Customer-Specified Laminate

GSA Non-Contract

Program Overview	➤See page 78
Laminate	79
Paint	81
Wool Felt	82

Customer specified high-pressure laminate (CSL) is available select products.
➤See page 79.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Pricing:

A **20% upcharge per line item** (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② **Finish type:** For the “Finish type” step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ **Finish designator:** For the “Finish designator” step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint

	116 Almond Buff	111 Apricot Orange	103 Chive	440 Cloud	106 Cloud Blue	108 Dachshund	107 Dark Blue	405 Designer White	102 Drizzle	109 Fossil	113 Golden Rod	456 Granite	104 Sage Green	115 Seal Brown	110 Silver Mink	105 Spinach Green	112 Tango Red	509 Titanium
Legs								•										•
Primary Brackets								•										•
Central Understructure												•						
Y-Legs								•										•
Low, Box & Elevated Terraces								•										•
Terrace Brackets								•										•
End Support Brackets								•										•
Edge Brackets								•										•
Screen Stop Brackets								•										•
Elevated Terrace Beams								•				•						•
See Me™ Screens	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Corner Screen Assemblies								•				•						•
Mobile Pedestals & Storage								•										•
Modesty Panels for Single-Sided								•										•
Modesty and Return Fillers								•										•
Monitor Arm Posts								•				•						•
Terrace Extensions								•										•
Ceiling Trim Plates								•										•

Key:
• = Available

Metallic Paint:

Due to the reflective qualities of metallic paints, variations in color may occur.

Central Understructure:

Includes power/data tray, central beam, end caps, and leg joiner bracket.

Wool Felt Coordinates:

Paint colors are coordinates to same-name wool felt colors.
➤See page 82.

Wool Felt

Cut Yardage GSA Non-Contract

Program Overview	➤See page 78
Laminate	79
CSL	80
Paint	81

Wool Felt

100% premium wool
3mm thick (approx. 1/8")
Cleaning Code S

19116	Almond Buff
19111	Apricot Orange
19456	Granite
19103	Chive
19106	Cloud Blue
19108	Dachshund
19107	Dark Blue
19102	Drizzle
19109	Fossil
19113	Golden Rod
19104	Sage Green
19115	Seal Brown
19110	Silver Mink
19105	Spinach Green
19112	Tango Red

Note: Wool felt is not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

Coordinating Paint:

Wool felt colors are coordinates to same-name paint colors.
➤See page 81.

Cleaning Codes:

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cut Yardage Program:

All Kimball Office textiles are available on a cut yardage basis. Textiles are available in whole yards only. Roll length is 72"W. List price includes freight.

	List Price per yard
Wool felt	$324

How to Specify

① Model:
KOFELTCUTYDG = wool felt
② Felt color

RESOURCES

	➤See page
Terms and Conditions	84
Product Warranty	86
BIFMA and U.L. Information	87
Lock Core Requirements	88
Model Number Index	89

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

BIFMA and U.L. Information

Terms and Conditions ➤See page 84
Product Warranty 86
Lock Core Requirements 88
Model Number Index 89

The table at right lists the operating load capacities (functional load) of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 2008 Desk/Tables Products Test and X5.9 2012 Storage Units Test. The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Component	**Operating Load Capacity**	**Examples** (total weight [t.w.])
Worksurface	200 lbs. over 12" diameter area, concentrated loading 1.5 lb. per inch of perimeter, distributive loading	29"D x 71"W = 300 lbs. t.w.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	16½"D x 12"W x 10¼"H wood = 34½ lbs. t.w.
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	20"D x 32"W = 131 lbs. t.w
Open and enclosed shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	9"D x 24"W = 44 lbs. t.w.

Cubic inches should be calculated using this formula:
Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface)

U.L. Information:

Only Underwriters' Laboratory (U.L.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

Lock Core Requirements

Key:
O = Open
B = Box
F = File

		Lock Core Options		
Model	*Description*	*KS*	*XKS*	*X*
21H2016PMBF	Mobile BF	2	n/a	0
21H2016PMBFC	Mobile cushion top BF	2	n/a	0
21H2016PMOF	Mobile OF	1	n/a	0
21H2016PMOFC	Mobile cushion top OF	1	n/a	0
21H2016SU50	Single OO	n/a	n/a	n/a
21H2016SU51	Single OF	1	n/a	0
21H2016SU52	Single BO	1	n/a	0
21H2016SU53	Single BF	2	n/a	0
21H2016SU54	Single BBF	3	n/a	0
21H2032SU50	Double OO/OO	n/a	n/a	n/a
21H2032SU55	Double OF/OO	1	n/a	0
21H2032SU56	Double OO/OF	1	n/a	0
21H2032SU57	Double OF/OF	2	n/a	0
21H2032SU58	Double BO/OO	1	n/a	0
21H2032SU59	Double BF/OO	2	n/a	0
21H2032SU60	Double BF/OF	3	n/a	0
21H2032SU61	Double OO/BO	1	n/a	0
21H2032SU62	Double OO/BF	2	n/a	0
21H2032SU63	Double OF/BF	3	n/a	0
21H2032SU64	Double BO/BO	2	n/a	0
21H2032SU65	Double BF/BO	3	n/a	0
21H2032SU66	Double BO/BF	3	n/a	0
21H2032SU67	Double BF/BF	4	n/a	0
21H2032SUD50	Double Sliding Door OO/OO	n/a	1	n/a
21H2032SUD55	Double Sliding Door OF/OO	2	1	n/a
21H2032SUD56	Double Sliding Door OO/OF	2	1	n/a

		Lock Core Options		
Model	*Description*	*KS*	*XKS*	*X*
21H2032SUD57	Double Sliding Door OF/OF	3	1	n/a
21H2032SUD58	Double Sliding Door BO/OO	2	1	n/a
21H2032SUD59	Double Sliding Door BF/OO	3	1	n/a
21H2032SUD60	Double Sliding Door BF/OF	4	1	n/a
21H2032SUD61	Double Sliding Door OO/BO	2	1	n/a
21H2032SUD62	Double Sliding Door OO/BF	3	1	n/a
21H2032SUD63	Double Sliding Door OF/BF	4	1	n/a
21H2032SUD64	Double Sliding Door BO/BO	3	1	n/a
21H2032SUD65	Double Sliding Door BF/BO	4	1	n/a
21H2032SUD66	Double Sliding Door BO/BF	4	1	n/a
21H2032SUD67	Double Sliding Door BF/BF	5	1	n/a

The first letter in a pair in the description column, indicate the type of drawer or open storage area that is in the top position; the second letter indicates the type of drawer or open storage area that is in the bottom position.
For example: BF represents a box drawer in the top position and a file drawer in the bottom position

Slashes are used to separate vertical sections.
For example: OO/BF indicates an open-open configuration in the left section and BF indicates a box-file configuration in the right section.

Model Number Index

Terms and Conditions ➤See page 84
Product Warranty 86
Lock Core Requirements 88

Model	➤See page
21ABS	76
21AD	76
21AMA1	75
21AMA2	75
21AMAPFS	75
21AMAPMS	75
21ASPT	76
21ATE	76
21H10P4FPF	71
21H10P4FPFM	71
21H10PDPC	71
21H12P4CPF	71
21H16SCFXF	56
21H16SCLXF	56
21H16SCMXF	56
21H1919MMSESL	44
21H1919MMSESR	44
21H1939MMSE	44
21H2016PMBF	61
21H2016PMBFC	61
21H2016PMOF	61
21H2016PMOFC	61
21H2016SU50	62
21H2016SU51	62
21H2016SU52	62
21H2016SU53	62
21H2016SU54	62
21H2019RSDX	47
21H2032ST	66
21H2032SU50	63
21H2032SU55	63
21H2032SU56	63
21H2032SU57	63
21H2032SU58	63
21H2032SU59	63
21H2032SU60	64
21H2032SU61	63
21H2032SU62	63
21H2032SU63	64
21H2032SU64	63
21H2032SU65	64
21H2032SU66	64
21H2032SU67	64
21H2032SUD50	63
21H2032SUD55	63
21H2032SUD56	63
21H2032SUD57	63
21H2032SUD58	63
21H2032SUD59	63
21H2032SUD60	64
21H2032SUD61	63
21H2032SUD62	63
21H2032SUD63	64
21H2032SUD64	63
21H2032SUD65	64
21H2032SUD66	64
21H2032SUD67	64
21H2039MMSC	44
21H2047PYTE	42
21H2047PYTS	42
21H2053PYTE	42
21H2053PYTS	42
21H2067RSA	48
21H2067RSDL	46
21H2067RSDR	46
21H2067RSDX	46
21H2082RSA	48
21H2082RSDL	46
21H2082RSDR	46
21H2082RSDX	46
21H20MPSCM	69
21H20MPSLM	69
21H20MPSRM	69
21H20MTC	50
21H20MTEL	50
21H20MTER	50
21H20RFSM	46, 47
21H20SCEFXF	56
21H20SCELXF	56
21H20SCEMXF	56
21H20SCFXF	56
21H20SCLXF	56
21H20SCMXF	56
21H210P1PF	70
21H2446MMST	45
21H24BTAD	52
21H24BTAS	52
21H24LTAD	50
21H24LTAS	50
21H24MPSM	69
21H24MT	50
21H24SCFBF	57
21H24SCFLF	57
21H24SCLBF	57
21H24SCLLF	57
21H24SCMBF	57
21H24SCMLF	57
21H24SMS	58
21H25MRDSF	68
21H2962PSTDE	40
21H2962PSTDS	40
21H2962PSTSE	41
21H2962PSTSS	41
21H2970PSTDE	40
21H2970PSTDS	40
21H2970PSTSE	41
21H2970PSTSS	41
21H2982PSTDE	40
21H2982PSTDS	40
21H2982PSTSE	41
21H2982PSTSS	41
21H2P1J1	70
21H2P1J4	70
21H2P1PM2	70
21H2P1RDS	70
21H30BTAD	52
21H30BTAS	52
21H30LTAD	50
21H30LTAS	50
21H30MPSM	69
21H30MT	50
21H30SCFBF	57
21H30SCFLF	57
21H30SCLBF	57
21H30SCLLF	57
21H30SCMBF	57
21H30SCMLF	57
21H30SLY	48, 49
21H30SMS	58
21H34BTAD	52
21H34BTAS	52
21H34LTAD	50
21H34LTAS	50
21H34MPSM	69
21H34MT	50
21H34SCFBF	57
21H34SCFLF	57
21H34SCLBF	57
21H34SCLLF	57
21H34SCMBF	57
21H34SCMLF	57
21H34SMS	58
21H3571PALF	43
21H3571PARF	43
21H3571PAXF	43
21H3583PALF	43
21H3583PARF	43
21H3583PAXF	43
21H35MRDSF	68
21H36P4D	72
21H38MRDSF	68
21H38MRDSFY	68
21H40BTAD	52
21H40BTAS	52
21H40LTAD	50
21H40LTAS	50
21H40MPSM	69
21H40MT	50
21H40SCFBF	57
21H40SCFLF	57
21H40SCLBF	57
21H40SCLLF	57
21H40SCMBF	57
21H40SCMLF	57
21H40SMS	58
21H50MRDSF	68
21H54MRDSFY	68
21H62ETSE	53
21H62ETSS	53
21H62ETSSE	54
21H62ETSSS	54
21H67MRDSF	68
21H67MRDSFY	68
21H67SRFF	60
21H67SRMF	60
21H70ETSE	53
21H70ETSS	53
21H70ETSSE	54
21H70ETSSS	54
21H82ETSE	53
21H82ETSS	53
21H82ETSSE	54
21H82ETSSS	54
21H82MRDSFY	68
21H82SRFF	60

Model	➤See page
21H82SRMF	60
21HCTY	51
21HETY	55
21HLK	74
21HMPFSM	69
21HP4FPFNYC	71
21HP4J1	72
21HP4J2	72
21HP4RD1	72
21HP4RD2	72
21HP4RD3	72
21HP4RD4	72
21HP4RD5	72
21HP4WPSM	71
21HPCTP	71
21HPHB	73
21HPHCB	73
21HPHCD	73
21HPHT	73
21HRBE	49
21HSAYFF	59
21HSAYMF	59
21HSBDM	67
21HSFDM	67
21HWBMRE	49
KHCA	65
KS2GMK	65
KSCD1CK	65

Notes

Notes

Notes

Notes

KWIK Office™
Kimball Office

Price List

This price list is effective December 15, 2014 and supercedes all previously printed or electronically released versions.

Ships in 5 Days

Casegoods, Tables, Perks, and Seating:

Kwik Office casegoods, tables, and seating are available to ship within five business days upon receipt of a credit-approved order.

Ships in 10 Days

Systems and Metal Filing:

Kwik Office Interworks EQ, Footprint, and Metal Filing products are available to ship within ten business days upon receipt of a credit-approved order.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Sustainability	4
Casegoods	5
Priority™	5
Senator®	11
Lighting	17
Tables	18
Perks®	21
Seating	25
Acapella®	28
Alumma™	29
Beo®	30
Bingo®	31
Campos™	32
Colllage™	33
Event™	35
Fit™	34
Hero. Just for You.™	36
Itsa™	37
Muirfield™	38
Poly™	39
Pose®	40
Stature®	42
Wish™	43
Systems	45
Interworks® EQ	51
Traxx® & Tiles	73
Footprint®	77
Lighting	92
Metal Filing	93
LF Series™	96
Fundamental®	100
Universal	106
Finishes & Materials	107
Resources	119

How to Use this Price List

Sustainability ➤See page 4
How to Specify Our Products 3

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line available for quick shipment. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Look in the Finishes and Materials section to see what materials, fabrics, and finishes are available on Kwik Office products. All other finishes and materials available on Kwik Office models are listed on the individual pricing pages.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each Kwik Office model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.



Use the Resources in the back of the price list. You'll find terms and conditions, warranty information, operating load capacities, model number index, and more.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

How to Specify Our Products

Sustainability ➤See page 4
How to Use this Price List 2

Complete specifications are built by following a set of steps. These "How to Specify" steps are located on each pricing page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



INTERWORKS® EQ System

Tackable Acoustical Panels — Pricing

34", 42", and 48"H — GSA SIN 711-1

D	W	H	Model	Powered Panels Fabric A	Powered Panels Price Grade B	Non-Powered Panels Fabric A	Non-Powered Panels Price Grade B
34"H Panels							
2"	18"	34¼"	**Q11P1834A**	–	–	$338	$364
	24"		**Q11P2434A**	$487	$513	367	393
	30"		**Q11P3034A**	515	547	395	421
	36"		**Q11P3634A**	542	588	423	469
	42"		**Q11P4234A**	575	621	455	501
	48"		**Q11P4834A**	594	640	474	520
	60"		**Q11P6034A**	702	748	583	629
42"H Panels							
2"	18"	42¼"	**Q11P1842A**	–	–	$384	$384
	24"		**Q11P2442A**	$560	$592	439	471
	30"		**Q11P3042A**	599	625	479	511
	36"		**Q11P3642A**	651	707	530	586
	42"		**Q11P4242A**	689	753	566	630
	48"		**Q11P4842A**	717	775	595	653
	60"		**Q11P6042A**	829	887	707	765

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction) ➤See page 53.

In-line connector kits (required for each in-line connection) ➤See page 58.

End trim (required for finished look at end of panel runs) ➤See page 59.

Electrical components ➤See page 64.

Page 49 — Systems

Casegoods ➤See page 5 · Seating 25 · Metal Filing 91 · Finishes & Materials 105

Standard Includes
- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify
❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$53 to non-powered)
❸ Top cap material
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑦ Top cap profile:
C = Crowned
⑨ Wireway cover punch option (omit for 18"W):
➤See page 43 for designators.
⑪ Trim finish designator
⑫ Hinge color designator
⑬ Side 1 fabric grade
⑭ Side 1 fabric number
⑮ Side 2 fabric grade
⑯ Side 2 fabric number

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for an **Interworks EQ tackable acoustical panel.**
➤See page 51 for the corresponding pricing table and How to Specify steps.

❶	❷	❸	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫
Q112434A	P	P	84	C	P1	462	403	A	16106	B	2216

Base Model

Pricing Table Abbreviations

D = Depth

W = Width

H = Height

T = Thickness

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠
Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Features	➤See page 6
Filing Capabilities	7
Lighting	17
Finishes & Materials	107



Desks
- Single pedestal, left
- Single pedestal, right

➤See page 8.



Executive Returns
- File/file pedestal

➤See page 8.



Bridges
- With modesty panel

➤See page 8.



Credenzas
- Kneespace
- File/file, left or right

➤See page 9.

Lateral Files
- Two drawer

➤See page 9.



Freestanding Bookcases
- Four shelves (two adjustable)
- Five shelves (three adjustable)

➤See page 10.



Highback Organizers
- Solid doors

➤See page 10.

Tackboard
- For use with highback organizer

➤See page 10.



Task Lights
- 23"
- 47"

➤See page 17.

Features

Filing Capabilities ➤See page 7
Lighting 17
Finishes & Materials 107

Priority Laminate models offer great flexibility in finish selections. The worksurface, PVC rim, drawer/door fronts, and chassis may be specified in different colors to create a more transitional to contemporary feel.

Exterior wood surfaces on Priority Wood models are plain-sliced, slip-matched cherry or maple. Veneers are carefully selected and matched to assure proper balance and consistency.



Rim is 1/8" thick.

Pedestals are full height and letter width on assembled units.

Drawer fronts are 3/4"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.

Features

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.

Worksurfaces are 1 3/16"-thick, 3-ply, balanced construction and available in wood or laminate.

Laminate worksurfaces feature high-pressure laminate (HPL) and is available in all standard laminate patterns and colors; customer specified laminate is also available.



Softened rim profile (P or F) appears on all four edges of the worksurface.

Black plastic (G1) grommets are available on select models.
➤See pricing pages for availability.
➤See the Priority Price List for location descriptions and dimensions.



Studio (89) pulls in platinum metallic are standard.

Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB005.

Chassis and drawer/door fronts on Priority Laminate models feature thermally fused laminate (TFL). Grain direction runs top to bottom.

Drawer sides and back are 1/2" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box drawers are 3/4 extension. File drawers and lateral file drawers are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.
➤See page 7 for filing capabilities.

Hinged modesty panels are standard on fully assembled bridges, returns, kneespace, and single pedestal credenzas. Panel swings inward to allow access to wall outlets. It lifts from the floor and is held in place by leveling feet.

Hinged access doors on the approach side of desks allow access to cable routing compartment.

Filing Capabilities

Lighting ➤See page 17
Seating 25
Finishes & Materials 107
Resources 119

		Interior Dimensions			Standard Filing Capabilities	
Description	*Type*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Desks						
72"W single pedestal desks	Box	17"	11½"	3"	—	—
	File	25"	12"	9"	Letter	Legal, double letter, and EDP
Returns						
File/file pedestal 24 x 48	Box	17"	11½"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
Credenzas						
Kneespace and single pedestal	File	17"	12"	9"	Letter	Legal, letter, and EDP
Lateral Files						
24"D x 36"W	Lateral	15"	32⅜"	9"	Legal, letter, and EDP	Legal and letter

Paper Reference:
- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞.

Desks, Returns, and Bridges

Pricing

GSA SIN 711-8

Lighting ➤See page 17
Seating 25
Finishes & Materials 107
Resources 119



Single-Pedestal Desks with Pedestal on Right

Standard Includes

- Softened rim profile
- Box/box/file pedestal
- Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

How to Specify

1. Model:
   Q53K3672DRFBL101 = 36" x 72" laminate with PVC rim
   Q53K3672DRFBW101 = 36" x 72" wood with wood rim
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K3672DRFBL101	$2211
Q53K3672DRFBW101	$3208



Single-Pedestal Desks with Pedestal on Left

Standard Includes

- Softened rim profile
- Box/box/file pedestal
- Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

How to Specify

1. Model:
   Q53K3672DLFBL101 = 36" x 72" laminate with PVC rim
   Q53K3672DLFBW101 = 36" x 72" wood with wood rim
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K3672DLFBL101	$2211
Q53K3672DLFBW101	$3208



Executive Returns with Pedestal on Right

Standard Includes

- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

How to Specify

1. Model:
   Q53K2448RREFL20 = 24" x 48" laminate with PVC rim
   Q53K2448RREFW201= 24" x 48" wood with wood rim
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K2448RREFL201	$1279
Q53K2448RREFW201	$1949



Executive Returns with Pedestal on Left

Standard Includes

- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

How to Specify

1. Model:
   Q53K2448RLEFL201 = 24" x 48" laminate with PVC rim
   Q53K2448RLEFW201= 24" x 48" wood with wood rim
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K2448RLEFL201	$1279
Q53K2448RLEFW201	$1949



Bridges

Standard Includes

- Softened rim profile
- Hinged modesty panel
- G1 black plastic grommet, center

How to Specify

1. Model:
   Q53K2442BEFL01 = 24" x 42" laminate with PVC rim
   Q53K2442BEFW01 = 24" x 42" wood with wood rim
   Q53K2448BEFL01 = 24" x 48" laminate with PVC rim
   Q53K2448BEFW01 = 24" x 48" wood with wood rim
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K2442BEFL01	$525
Q53K2442BEFW01	$944
Q53K2448BEFL01	$545
Q53K2448BEFW01	$982

Credenzas and Lateral Files

Pricing

GSA SIN 711-8

Lighting ➤See page 17
Seating 25
Finishes & Materials 107
Resources 119



Kneespace Credenza

Standard Includes

- Softened rim profile
- Two file/file pedestals
- Hinged modesty panel
- Finished back
- One lock per pedestal, key random
- Center grommet
- Platinum metallic studio pulls

How to Specify

❶ Model:
Q53K2472CKFL201 =
24" x 72" laminate with PVC rim
Q53K2472CKFW201 =
24" x 72" wood with wood rim
❷ Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2472CKFL201	$2075
Q53K2472CKFW201	$3037



Single-Pedestal Credenza with Pedestal on Right

Standard Includes

- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

How to Specify

❶ Model:
Q53K2472CRFL201 =
24" x 72" laminate with PVC rim
Q53K2472CRFW201 =
24" x 72" wood with wood rim
❷ Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2472CRFL201	$1952
Q53K2472CRFW201	$2857



Single-Pedestal Credenza with Pedestal on Left

Standard Includes

- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

How to Specify

❶ Model:
Q53K2472CLFL201 =
24" x 72" laminate with PVC rim
Q53K2472CLFW201 =
24" x 72" wood with wood rim
❷ Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2472CLFL201	$1952
Q53K2472CLFW201	$2857

Two-Drawer Lateral Files

Standard Includes

- Softened rim profile
- Finished top and back back
- Lock, key random
- Interlock mechanism
- Platinum metallic studio pulls

How to Specify

① Model:
Q53K2436LFF2L01 =
24" x 36" laminate with PVC rim
Q53K2436LFF2W01 =
24" x 36" wood with wood rim
② Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2436LFF2L01	$1343
Q53K2436LFF2W01	$2048

Bookcases and Highback Organizers

Pricing

Ships in 5 Days

Lighting ➤See page 17
Seating 25
Finishes & Materials 107
Resources 119



Four-Shelf Freestanding Open Bookcases

Standard Includes

- ¾"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

How to Specify

1. Model:
   Q53K3653BCOFL01 = 52⅞"H laminate
   Q53K3653BCOFW01 = 52⅞"H wood
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K3653BCOFL01	$800
Q53K3653BCOFW01	$1441



Five-Shelf Freestanding Open Bookcases

Standard Includes

- ¾"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

How to Specify

1. Model:
   Q53K3667BCOFL01 = 67"H laminate
   Q53K3667BCOFW01 = 67"H wood
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K3667BCOFL01	$979
Q53K3667BCOFW01	$1761



Highback Organizers

Standard Includes

- Four solid doors
- Unfinished back
- Three black plastic grommets
- Fully finished top with flat edge (no rim profile)
- Non-locking

How to Specify

1. Model:
   Q53K7238HBHL01 = 71¾"W laminate
   Q53K7238HBHW01 = 71¾"W wood
2. Finish designator:
   CC = Cordoba Cherry
   MW = Midtown Walnut

Pricing

Q53K7238HBHL01	$1605
Q53K7238HBHW01	$3055

Tackboards

Standard Includes

- Fusion 16105 Mineral upholstery

Note: For use with 72"W highback organizer

How to Specify

1. Model:
   QKAC7016TBK16105 = 70⅛"W

Pricing

QKAC7016TBK16105	$414

SENATOR®

Statement of Line

Traditional Casegoods

Ships in 5 Days

Features	➤See page 12
Filing Capabilities	13
Lighting	17
Finishes & Materials	107

Desks
- Double pedestal
- Single pedestal

➤See page 14.



Executive Returns
- Pencil/box/file pedestal

➤See page 14.

Bridges
- Hinged modesty panel

➤See page 14.

Credenzas
- Storage
- Kneespace
- Lateral file

➤See page 15.

Lateral Files
- Two drawer
- Four drawer

➤See page 15.

Bookcases
- Open

➤See page 16.



Bookcase Tops and Bases
- For one unit

➤See page 16.



Task Lights
- 23"
- 47"

➤See page 17.

Features

Overview

Filing Capabilities ➤See page 13
Lighting 17
Finishes & Materials 107

Exterior surfaces are cherry (plain sliced, slip matched) or walnut (plain sliced, book matched) veneer. Veneers are carefully selected and matched to assure proper balance and consistency.

Rims are solid hardwood with precisely mitered corners.

Decorative molding is standard on desks, returns, bridges, and credenzas.

Leveling glides adjust for uneven floors.

Drawer fronts are ¾" thick 3-ply with vertically matched grain.



Tops are 1 3/16" thick, 3-ply balanced construction. Wood grain laminate is also available.

Base rails are solid hardwood for impact and wear resistance.

Writing shelf is standard on single- and double-pedestal desks with breakfront modesty panel.

Full height pedestals have one pencil drawer, one box drawer, and one file drawer. Hardwood corner post and panel construction is reinforced with tenon and groove joinery.

Drawer sides and back are ½" thick with veneer faces. Drawer bottoms are ¼" thick. 5-sided construction allows easy removal of drawer front. Dowel joint assembly is used for maximum strength. Interiors are sealed, sanded, and finished with a clear lacquer finish to protect against swelling, shrinking, or warping and to provide a smooth feel and appearance.

Center drawer is standard on double-pedestal and single-pedestal desks. Bottom of drawer is lined with black leather.

Centra™ locking is featured on double and single pedestal desks, credenzas, and lateral files to secure all drawers in the unit with a single lock. Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCE001 to KCCE005.

Details

Breakfront modesty



Flush modesty

Modesty panel on double-pedestal desk features a breakfront appearance; single-pedestal desks are available with either a breakfront or flush appearance.

Antique brass pulls (28AB) are standard. Antique brass metal grommets are standard on returns, bridges, and select desks.

Joints are securely fastened with screws, glue, and solid hardwood cleats to ensure maximum strength.

Drawer dividers are included in desks and credenzas for placement in any box drawer.

Full extension, progressive action drawer suspensions, with precision ball bearings on file drawers, provide a smooth, quiet operation. Box drawers have full extension slides with a positive stop action.

Heavy-duty filing hardware accommodates various filing requirements. ➤See page 13 for filing capabilities.

Filing Capabilities

Features ➤See page 12
Lighting 17
Finishes & Materials 107

		Interior Dimensions			Standard Filing Capabilities	
Description	*Type*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Desks						
Double pedestal	Pencil	17"	12"	1½"	—	—
with flush modesty panel	Box	17"	12"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	26⅜"	1½"	—	—
Single pedestal	Pencil	17"	15"	1½"	—	—
with breakfront modesty panel	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Center	17"	18 1/16"	1½"	—	—
Single pedestal	Pencil	17"	12"	1½"	—	—
with flush modesty panel	Box	17"	12"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	18 1/16"	1½"	—	—
Returns	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenzas	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Lateral files	Lateral	15"	32¼"	9"	Legal, letter, and EDP	Legal and letter

Paper Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞.

Desks, Returns and Bridges

Pricing

GSA SIN 711-8

Features ➤See page 12
Filing Capabilities 13
Lighting 17
Finishes & Materials 107

Double-Pedestal Desks with Flush Modesty Panel

Standard Includes

- Wood worksurface
- Decorative molding
- Letter-width PBF/PBF pedestals
- Centra locking, key random
- Antique brass pulls
- No grommets

How to Specify

1. Model:
   QSN3672DDFWMX = 36" x 72"
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN3672DDFWMX	$3837

Single-Pedestal Desks with Breakfront Modesty Panel

Standard Includes

- Wood worksurface
- Pull-out writing shelf
- Decorative molding
- Legal-width PBF pedestal
- Centra locking, key random
- Antique brass pulls
- Left and right grommets

How to Specify

1. Model:
   QSN3672D = 36" x 72"
2. Pedestal location:
   RF = Right (shown)
   LF = Left
3. Worksurface material:
   WMG= Wood
4. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN3672D	$4288

Single-Pedestal Desks with Flush Modesty Panel

Standard Includes

- Wood worksurface
- Decorative molding
- Letter-width PBF pedestal
- Centra locking, key random
- Antique brass pulls
- Left and right grommets

How to Specify

1. Model:
   QSN3066D = 30" x 66"
2. Pedestal location:
   RF = Right (shown)
   LF = Left
3. Worksurface material:
   WMG= Wood
4. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN3066D	$3468

Executive Returns

Standard Includes

- Wood worksurface
- Full modesty panel
- Decorative molding
- Legal width PBF pedestal
- Lock, key random
- Antique brass pulls
- Center grommet

How to Specify

1. Model:
   QSN2551R = 25" x 51"
2. Pedestal location:
   REF = Right (shown)
   LEF = Left
3. Worksurface material:
   WMG = Wood
4. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN2551R	$2487

Bridges

Standard Includes

- Wood worksurface
- Hinged modesty panel
- Decorative molding
- Center grommet

How to Specify

1. Model:
   QSN2551BEFHWMG = 25" x 51"
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN2551BEFHWMG	$1559

Credenzas and Lateral Files

Pricing

GSA SIN 711-8
† GSA SIN 711-9

Features ➤See page 12
Filing Capabilities 13
Lighting 17
Finishes & Materials 107



Storage Credenzas

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Center storage area
- Centra lock, key random
- Antique brass pulls
- No grommets

How to Specify

1. Model:
   QSN2475CSFWMX = 24" x 75"
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN2475CSFWMX †	$3540

Kneespace Credenzas

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Centra lock, key random
- Antique brass pulls
- No grommets

How to Specify

1. Model:
   QSN2475CKFWMX = 24" x 75"
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN2475CKFWMX	$3422

Lateral File Credenzas

Standard Includes

- Wood worksurface
- Full modesty panel
- Decorative molding
- Two lateral file drawers
- Lock, key random
- Antique brass pulls
- No grommets

How to Specify

1. Model:
   QSN2475C = 24" x 75"
2. Pedestal location:
   RF6 = Right (shown)
   LF6 = Left
3. Worksurface material:
   WMX = Wood
4. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN2475C	$3705

Two-Drawer Lateral Files

Standard Includes

- Two drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

How to Specify

1. Model:
   QSN2439LFF2W = 24"D x 39"W x 30"H
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN2439LFF2W	$1963

Four-Drawer Lateral Files

Standard Includes

- Four drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

How to Specify

1. Model:
   QSN2439LFF4W = 24"D x 39"W x 55"H
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN2439LFF4W	$3473

Bookcases

Pricing

GSA SIN 711-8

Features ➤See page 12
Filing Capabilities 13
Lighting 17
Finishes & Materials 107

Open Bookcases

Standard Includes

- Open
- Three shelves
- Unfinished top

Note: Requires a bookcase top, specified separately.

How to Specify

1. Model:
   QSN3648BCO = 36"W x 48"H
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN3648BCO	$1190

Bookcase Tops

Standard Includes

- Top

Note: For use on bookcases in floor-standing applications.

How to Specify

1. Model:
   QSN1539CPTW = 15"D x 39"W (top for one unit)
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN1539CPTW	$482

Bookcase Bases

Standard Includes

- Base

Note: For use on bookcases in floor-standing applications.

How to Specify

1. Model:
   QSN1537CPB = 15" x 37"
2. Finish designator:
   MC = Amber Cherry
   TW = Tribeca Walnut

Pricing

QSN1537CPB	$249

Task Lights

Pricing

GSA SIN 711-8

Priority	➤See page 5
Senator	11
Tables	18
Finishes & Materials	107



Task Lights

Standard Includes

- Fixture: black
- T5 cool white single tube lamp:
  14 watt on 23"W light;
  28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch in center
- 90° cord plug with southwest orientation prong configuration
- 9' cord attached in center of fixture

How to Specify

❶ Model:
QKCU25TL = 23"W
QKCU49TL = 47"W

Pricing

QKCU25TL	$178
QKCU49TL	$201

Priority	➤See page 5
Senator	11
Lighting	17
Finishes & Materials	107

Contemporary/Transitional Round Table Tops
- 42"
- 48"

➤See page 19.

Contemporary/Transitional Racetrack Table Tops

➤See page 19.

Contemporary/Transitional Cylinder Base

➤See page 19.

Traditional Round Table Tops
- 42"

➤See page 20.

Traditional Queen Anne Pedestal Bases

➤See page 20.

Tops and Bases

Priority ➤See page 5
Senator 11
Lighting 17
Finishes & Materials 107



Round Table Tops

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires one cylinder base
- Seating capabilities: 4 chairs for 41" dia. and 5 chairs for 47" diameter models

How to Specify

❶ Model:
QCCS42RDW1JNX = 41" dia.
QCCS48RDW1JNX = 47" dia.
❷ Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

QCCS42RDW1JNX	$983
QCCS48RDW1JNX	$1233

Racetrack Table Tops

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires two cylinder bases
- Seating capabilities: 8 chair

How to Specify

❶ Model:
QCCS4896RCW1JNX = 47" x 95"
❷ Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

QCCS4896RCW1JNX	$2204

Cylinder Base

Standard Includes

- Wood
- 27½"H x 16" diameter

How to Specify

❶ Model:
QCBS2716CY
❷ Material:
W = Wood
❸ Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

QCBS2716CY	$1035

Tops and Bases

Pricing

GSA SIN 711-11

Priority ➤See page 5
Senator 11
Lighting 17
Finishes & Materials 107

Round Table Tops

Standard Includes

- Top
- Seating capabilities: 4 chairs

Note: Requires one Queen Anne pedestal base

How to Specify

❶ Model:
QTT2-42W = 42" diameter
❷ Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QTT2-42W	$2452

Queen Anne Pedestal Bases

Standard Includes

- Base

How to Specify

❶ Model:
QTB3-4W
❷ Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QTB3-4W	$1353

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107



Adjustable Keyboard Kits
➤See page 22.



Hanging CPU Holder
➤See page 22.

File Bars
- Front-to-Back File Bars
- Side-to-Side File Bars

➤See page 22.



Power or Voice/Data Modules
- Power Module
- Voice/Data Module

➤See page 23.



Power Outlet Strip
➤See page 23.

File Bars, CPU Holders, and Keyboard Kits

Pricing

GSA SIN 711-8

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107



Front-to-Back File Bars

Standard Includes

- Black
- For use in Footprint flat profile and eclipse profile undersurface lateral files
- Set of two (one set required per drawer)
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legal-size filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file.

How to Specify

❶ Model:
Q99KFFB = 15¾" x 1⅛" x 1¾"

Pricing

Q99KFFB	$22

Side-to-Side File Bars

Standard Includes

- Black

Note: For use in Footprint flat profile metal pedestals and file centers, eclipse profile file drawers, and Hum file drawers

How to Specify

❶ Model:
Q99KFB = ¾" x 11 15/16" x ¾"

Pricing

Q99KFB	$22



Hanging CPU Holders

Standard Includes

- 4" depth adjustment
- 9¾" height adjustment
- 9" width adjustment
- Attaches to underside of worksurface
- Swivels 360°
- Black

How to Specify

❶ Model:
Q99KCPUH

Pricing

Q99KCPUH	$230



Adjustable Keyboard Kits

Standard Includes

- Keyboard arm
- High-density polyethylene tray and ABS mouse tray
- Foam gel wrist rest
- Intuitive adjustment
- Q99K2208KK1 can be used in corner-mount applications.

How to Specify

❶ Model:
Q99K1706KK1 = 17" x 28½" x 6"
Q99K2208KK1 = 22" x 28½" x 8"
Q99K2319KKS1 = 23" x 28½" x 10¾"

Pricing

Q99K1706KK1	$584
Q99K2208KK1	$642
Q99K2319KKS1	$692

Adjustable Keyboard Kits:

Keyboard kits cannot be used with President and Senator kneespace credenzas due to the central locking mechanism; nor can they be used with Scenario tables and Fluent worksurfaces as they interfere with the support channels.

Only keyboard kit models 99K1706KK2 and (Q)99K1706KK1 work with Priority Progressive support rails and height-adjustable tables. Keyboard mount slide will need to be oriented parallel with the front edge of the worksurface. To store, lower the keyboard and swing under the surface.

Keyboard kits, when recessed, are not flush to the worksurface edge when mounted in accordance with the manufacturer's instructions.

The following adjustable keyboard kit models comply with ANSI/HFES method 2.

Series	*Keyboard Arm Model*
Priority™	Q99K2208KK1 Q99K2319KKS1
Definition®	Q99K2208KK1 Q99K2319KKS1
Transcend®	Q99K2208KK1 Q99K2319KKS1
Innsbruck™	Q99K2319KKS1
Footprint®	Q99K2319KKS1

Power/Data Accessories

Pricing

GSA SIN 711-8

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107



Power or Voice/Data Modules

Standard Includes

- Two 15-amp NEMA-rated receptacles
- 6"L 15-amp grounded cord
- Black housing and cord
- Frosted plastic cover
- Fits into worksurface wire manager
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles
- Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules

How to Specify

❶ Model:
Q99KELPM = Power module
Q99KELDM = Voice/data module

Pricing

Q99KELPM	$142
Q99KELDM	$161



Power Outlet Strip

Standard Includes

- 6 outlets
- 10" cord
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles

How to Specify

❶ Model:
Q99KELPS

Pricing

Q99KELPS	$70

Notes

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Alumma
- High- or mid-back conference
- Black or white faux leather
- Chrome finish base

➤See page 29.

Campos
- Upholstered or mesh back
- 2-D or 4-D arm options
- Lumber support option
- Seat slider option
- Black or polished aluminum base
- Hard or soft caster options

➤See page 32.

Hero. Just for You.
- Black mesh
- Black Lucia fabric
- 2-D arms
- Adjustable seat depth
- Black plastic base

➤See page 36.

Itsa
- 1.0 or 2.0
- Black mesh back
- Seat slider option

➤See page 37.

Muirfield
- High back or mid-back
- Vertical stitching

➤See page 38.

Stature
- High back or mid-back
- Wood base

➤See page 42.

Wish
- Height-adjustable arms
- Fixed arm caps
- Seat slider option

➤See page 43.

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Acapella
- Mid-back
- Arms

➤See page 28.

Alumma
- Mid-back
- Black or white faux leather
- Chrome finish base

➤See page 29.

Beo
- Fully upholstered back or ladderback

➤See page 30.



Bingo
- Stacking
- With or without arms

➤See page 31.

Bingo Stools
- Without arms
- Sold as a pair

➤See page 31.



Collage
- Fully upholstered back with rolled arms or wood top rail with arched arms

➤See page 33.



Event
- Round back
- With or without arms
- Static or mobile

➤See page 35.

Hero. Just for You.
- Stacking
- Mesh back
- Black Lucia fabric

➤See page 36.



Muirfield
- Vertical stitching

➤See page 38.

Poly
- Stacking

➤See page 39.

Stature
- Wood frame

➤See page 42.

Casegoods ➤See page 5
Systems 45
Metal Filing 93
Finishes & Materials 107

Fit
- Four mesh colors
- Headrest available separately

➤See page 34.



Pose
- One- and two-seat lounges
- Bench and ottoman
- Freestanding tables

➤See page 40.

Side Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Frame is constructed of kiln-dried maple hardwoods.

Corners are reinforced with wood corner blocks and lag bolts. Metal brackets are also used on armless models to provide additional support.

Joints are double doweled and securely glued to ensure maximum strength.



Back and seat are fully upholstered. Cushions are high resiliency, CFC-free polyurethane foam.

Nylon glides are 7⁄8" in diameter and dome shaped.

Kwik Office Models

Mid-Back Side Chair (QK46AA)
- Maple hardwood frame
- Arms
- 34¼"H x 23¼"W x 23¼"D

Details

Seat suspension is constructed of ½"-thick, 9-ply, molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion, applied to the flexible webbing suspension, is 1⅝" thick.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is fitted into the frame with wood screws inserted into the wood corner blocks.

Back is constructed of heavy webbing secured to the frame with staples. 1"-thick foam is applied to the webbing. Upholstery is wrapped over the foam and secured with upholstery staples.

How to Specify

❶ Model
➤See model number at left.
② Upholstery grade
③ Upholstery number
➤See page 114 for upholstery selections.
④ Finish type:
STD = Group 1
⑤ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr	QK46AA
1	$1078
2	$1117
6	$1239

Side Chairs

Overview & Pricing

GSA Pending

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107



Frame features a chrome finish.

Back and seat consist of faux leather over top 10mm foam.

Arms are covered with faux leather.

Knee-tilt control is standard.

Five-star base with chrome finish features casters on high-back and mid-back conference models and glides on side chairs.

Kwik Office Models

High-Back Conference Chair
K75CSHBBSL = Black faux leather
K75CSHBWSL = White faux leather
• 42"–46"H x 28"W x 27"D

Mid-Back Conference Chair
K75CSMBBSL = Black faux leather
K75CSMBWSL = White faux leather
• 35"–39"H x 28"W x 26"D

Mid-Back Side Chair
K75CFMBBSL = Black faux leather
K75CFMBWSL = White faux leather
• 35"–39"H x 28"W x 26"D

Details

Alumma seating is available in high-back and mid-back swivel conference models, as well as a mid-back side chair featuring fixed glides.

Back and seat are available in white or black faux leather. Contrasting faux leather is not available.



Side chair features glides on a five-star base for stationary, non-mobile conference seating.

Alumma seating meets all applicable BIFMA and ANSI requirements

TB117 requirements are met by Alumma seating. TB133 models are not available.

How to Specify

❶ Model
➤See model number at left.

Pricing

K75CSHBBSL or K75CSHBWSL
$673

K75CSMBBSL or K75CSMBWSL
$615

K75CFMBBSL or K75CFMBWSL
$565

Side Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Curved top rail is visible. It separates the front and back upholstery panels and adds to Beo's aesthetics.

Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use.

Wall-saver back legs flare slightly so they contact the baseboard first, saving the wall's finish and protecting the chair back.

Seat rails are reinforced with wood corner blocks and cleats attached with glue and wood screws.

Seat suspension is constructed of 9/32" thick molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a secure suspension.

Seat assembly is attached with wood screws to wood cleats on the frame.



Steam-bent frame is constructed of kiln-dried European beech to supports the body's curves.

Decorative reveal detail at the arm/leg joint. Reveal is 2mm deep by 4mm wide.

Seat cushions are made of 1¼" thin-profile, high-resiliency, CFC-free foam for maximum comfort and durability. Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Nylon glides are ⅞" in diameter.

Kwik Office Models

Fully Upholstered Side Chair (QK58ET)
- European beech frame
- Arms
- 32¾ "H x 22¼"W x 25⅝"D

Three-Quarter Back Side Chair (QK58BT)
- European beech frame
- Arms
- 32¾ "H x 22¼"W x 25⅝"D

Details

Upholstered back is constructed of two panels that are sandwiched together. Each panel features a contoured 3-ply cross-banded plywood inner panel. Inner panels are covered with high-resiliency, CFC-free foam (1/2" on the front and 1/4" on the back). Upholstery is wrapped around the inner panels and secured with upholstery staples. Both front and back upholstery panels are securely attached to the top wood rail and cleats with Christmas-tree fasteners.

How to Specify

❶ Model
➤See model numbers at left.

Back:
② Upholstery grade
③ Upholstery number
➤See page 114 for upholstery selections.

Seat:
④ Upholstery grade
⑤ Upholstery number

Frame:
⑥ Finish type:
STD = Standard finish
⑦ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr	QK58ET	QK58BT
1	$909	$813
2	$945	$843
6	$1057	$937
L7	$1235	$1085

Side Chairs and Stools

Overview & Pricing

GSA SIN 711-19
† GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Shell is constructed of 7⁄16"-thick, 8-ply, molded plywood that is cross banded for strength. Shell is attached to the frame with four countersunk wood screws threaded into two wood cleats that are glued to the shell.

Arm supports, legs, and cross members are 25⁄32" x 3⁄32" hot rolled, welded, chrome plated, tubular steel.

Joints are welded.



Arm caps are 1 5⁄8" thick solid bentwood, finished to match the shell. Two countersunk wood screws attach each arm cap to the arm supports.

Black plastic glides fit like a cap over the ends of the tubular steel frame.

Kwik Office Models



Side Chair with Arms (K50A)
- Stacking
- 33"H x 23¾"W x 22½"D

Side Chair without Arms (K50N)
- Stacking
- 33"H x 23¾"W x 22½"D

Stool without Arms (K50SN†)
- 44½"H x 21½"W x 24¾"D
- Ordered in sets of two
- Shipped two per carton

Ganging Devices (K50GB†)
- Package of 5 pairs

Details

Side chairs and stools are each stackable up to four high. Rubber stack bumpers and tube closures are standard.

Side chairs are shipped four per carton when applicable.

Side chairs may be ganged with ganging devices that snap onto the legs. Armless models or alternating armless and armchair models may be connected.
Note: Two armchair models cannot be ganged side by side.

Black ganging devices, ordered separately, are sold in packages of 5 pairs. One pair is required to gang two chairs. Two pairs will gang three chairs.

How to Specify

1. Model
   ➤See model numbers at left.
2. Finish designator (omit for ganging devices):
   A = Amber
   E = Ebony
   W = White

Pricing

K50A	K50N	K50SN
$538	$435	$1315 for two stools

K50GB
$44

Desk Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Mesh-back models incorporate a mesh design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions.

Arm structure consists of a steel upright covered in black nylon.

Seat cushions are 2 1/8" thick—1 3/4" CFC- and CHC-free molded foam, over a seven-layer molded plywood shell.

Black, dual-wheel casters on desk chairs are 65mm in diameter. Specify hard casters (802) for use on carpet (standard) or soft casters (801) for use on hard floors (upcharge applies).

Upholstered-back models feature a nine-layer molded plywood shell surrounded by molded, CFC- and CHC-free foam and upholstery.

Standard five-star base is 30% glass-filled nylon, textured, black plastic. Cast aluminum base with a polished finish is available as an option (upcharge applies).





Back features a three-position lock with release mechanism.

T-shaped arm rests are standard with 2D adjustability. User can adjust the arm vertically within a 4 1/4" range (11 positions) and horizontally within a 2 1/2" range. Arm caps are black polyurethane.

Seat slider is available as an option to adjust the seat depth for comfort. Seat depth is adjusted by grasping the left lever below the seat, pulling upward, and sliding forward or rearward; locks within a 2" range.

Synchro mechanism provides fully synchronized seat-to-back movement. Allows user to lock the chair in multiple positions within the range of movement using a single lever.

Seat height adjusts from 15 7/8"–23" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Kwik Office Models

Mid-Back with Upholstered Back and Seat (QK15C27)

- 39 3/4"–49 3/8"H x 25 3/4"–27"W x 25"D

Mid-Back with Mesh Back and Upholstered Seat (QK17C27)

- 40 1/8"–50 1/2"H x 26"–26 3/4"W x 25"D

How to Specify

❶ Model
➤See model numbers at left.

Back:

② Upholstery grade (omit for mesh-back model)

③ Upholstery number or mesh designator:
8140 = Black mesh
8146 = Red mesh
8147 = Beige mesh

Seat:

④ Upholstery grade

⑤ Upholstery number

⑥ Lumbar support option:
604 = Adjustable (+$129)
X = None

⑦ Arm style:
703 = 2D
709 = 4D (+$52)

⑧ Seat slider option:
601 = Adjustable (+$52)
X = None

⑨ Base finish designator:
532217 = Black plastic
521304 = Polished aluminum (+$129)

⑩ Casters:
802 = Hard for use on carpet
801 = Soft for hard floors (+$24)

Pricing

Gr	QK15C27	QK17C27
1	$ 870	$ 964
2	$ 921	$ 986
6	$1081	$1054
L7	$1330	$1160

Side Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Frame is constructed of kiln-dried maple hardwoods.

Joints are double doweled and securely glued to ensure maximum strength.

Seat suspension is constructed of ½"-thick, 5-ply molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.



Cushions are high-resiliency, CFC-free polyurethane foam.

Back on wood top rail models is constructed of 1"-thick foam applied to ⅜"-thick, 5-ply contoured plywood. Back is attached to the frame with T-nuts, machine screws, and metal brackets.

Corners are reinforced with wood corner blocks and tie screws on all models.

Nylon glides are ⅞" in diameter.

Back on fully upholstered models is constructed of 1"-thick foam applied to ⅜"-thick, 5-ply contoured plywood. Back is attached to the frame with press fit fasteners.

Back upholstery is wrapped in place and secured with upholstery staples.

Outer back panel is constructed of ⅜"-thick foam applied to 3⁄16"-thick, 3-ply contoured plywood. Press fit fasteners attach outer back panel to the inner back.



Seat cushion is applied to the flexible webbing suspension. Foam is 1¾" thick on chairs and 2½" thick on two-seat bench.

Seat upholstery is wrapped over cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is attached to wood cleats on the chair frame with wood screws. Piping trims the front edge of the seat.

Kwik Office Models

Side Chair with Wood Top Rail (Q4610)
- Maple hardwood frame
- Arched arms
- 32¼"H x 22½"W x 24½"D

Side Chair with Fully Upholstered Back (Q4620)
- Maple hardwood frame
- Rolled arms
- 31¾"H x 22¾"W x 23¾"D

How to Specify

❶ Model
➤See model numbers at left.
② Upholstery grade
③ Upholstery number
➤See page 114 for upholstery selections.
④ Finish type:
STD = Group 1
⑤ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr	Q4620	Q4610
1	$1104	$ 983
2	$1146	$1016
6	$1278	$1119
L7	$1485	$1282

Lounge Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods ➤See page 5
Systems 45
Metal Filing 93
Finishes & Materials 107

Fabric-covered headrest, specified separately, is made of CFC- and CHC-free molded foam, covered in 69% Trevira CS (flame-retardant polyester) and 31% Lycra.

Seat is made of 3D fabric with open mesh structure and various fabric zones of 81% Trevira CS (flame-retardant polyester) and 19% Lycra. Available in four colors: black, red, green, and grey



Frame is 1 3/16" tubular steel, powder-coated and painted to match mesh seat.

Kwik Office Models

Lounge (QKFI01)
- Black, grey, red, or green mesh
- 38"H x 29"W at top/38"W at the bottom x 39½"D

Headrest (QKFI02)
- Black, grey, red, or green mesh
- 4½"H x 25¼"W x 7½"D

Details

Lounge ships knocked down in two pieces.

Black felt glides are available on side chairs that will be used on hard floors. Upcharge applies. Glides will ship with the lounge model; installation in the field is required.

User rated up to 285 lbs.

Cleaning

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

How to Specify

❶ Model
➤See model numbers at left.
② Color:
8217 = Black
8287 = Grey
8288 = Red
8289 = Green
③ Felt glides (omit for headrest):
821 = Black felt (+$36)
X = None

Pricing

QKFI01
$1552

QKFI02
$449

Side and Mobile Chairs

Overview & Pricing

GSA SIN 711-19
† GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Back and seat are fully upholstered. Seat is tilted back, and the back is slightly reclined to allow the user to assume a more natural, relaxed posture.

Back upholstery, including ¾"-thick foam for the inside back and ¼" thick foam for the outside back, is applied to the back as a slipcover and secured with upholstery staples.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Black nylon ball glides are standard on static 4-leg models. Hard casters are standard on mobile models.

Frames are ⅞" diameter, 14-gauge tubular steel. Cross members are ¾" diameter, 14-gauge steel. Leg frames are joined to the cross members with metal inert gas (MIG) welds. Plastic end caps are fitted into the frames of armless models.

Legs are angled for stability and available in textured powdercoat finish or smooth platinum metallic paint.

Black, hard casters are standard on mobile models.



Arm caps are injection molded nylon and attached to the frame with a pressure fit. They are color matched to the frame.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Backs are secured to the frame with 4 countersunk flat-head screws, 11-gauge steel plates, and T-nuts. Round back models are constructed using an injection molded poly-propylene panel. Flair back models are constructed using ⅜"-thick, 7-ply, molded plywood.

Cushions are high resilience, CFC-free polyurethane foam. Seat cushion is 1¼" thick.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the cross members. Seat pan is attached to the seat frame with four machine screws and T-nuts.

Transport dolly is available at standard lead times.
➤See the Seating Price List.

Kwik Office Models



Side Chair with Arms (Q95-2D)
- Stacking
- 4-leg base
- 31"H x 23"W x 21"D

Side Chair without Arms (Q95-1D)
- Stacking
- 4-leg base
- 31"H x 20"W x 21"D

Mobile Chair with Arms (Q95-6D)
- 4-leg base with hard casters (C3)
- 31"H x 23"W x 21"D

Mobile Chair without Arms (Q95-7D)
- Stacking
- 4-leg base with hard casters (C3)
- 31"H x 20"W x 21"D

Ganging Devices (Q95-A†)
- Package of 5 pairs
- 2½"H x 5¾"W
- One pair required to gang two chairs

Details

4-leg models and mobile models without arms stack up to 6 chairs high; mobile models with arms stack up to 4 chairs high.

Chairs are shipped three to a carton when applicable.

How to Specify

❶ Model
➤See model numbers at left.

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number
➤See page 114 for upholstery selections.

Frame:
⑥ Finish type:
STD = Standard finish
⑦ Finish designator:
462 = Cinder

⑧ Glides:
STD = Nylon ball glides
C3 = Hard casters

Pricing

Gr	Q95-2D	Q95-1D
1	$323	$301
2	$351	$329
6	$434	$412

Gr	Q95-6D	Q95-7D
1	$374	$354
2	$402	$382
6	$485	$465

Q95-A
$47

Desk Chairs and Side Chairs

Overview & Pricing

GSA SIN 711-18
† GSA SIN 711-19

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Mesh back incorporate a ribbed design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions. The mesh is secured to a structural, black plastic frame made of glass-filled polypropylene.

Seat height adjusts from 16 1/4" to 22 7/16" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Five-star base is available in glass-filled nylon black plastic.

Black, hard, dual-wheel casters on desk chairs are 65mm in diameter.



Seat cushions are 2 1/8" thick—1 3/4" CFC- and CHC-free molded foam, plus 3/8" Dacron top pad.

Fabric upholstery is unglued, ensuring optimal air movement.

T-shaped arm rests are standard with 2D adjust-ability. User can adjust the arm vertically within a 4" range (11 positions); technician can adjust the arm horizontally within a 1 3/4" range (unlimited positions). Arm caps are black polyurethane.

Autofit synchro mechanism with automatic weight regulation and fine adjustment is standard. 126° maximum opening angle between seat and back; can be locked in four positions.

Kwik Office Models

Mid-Back Desk Chair with Arms (QK172H701)
- Black mesh
- 5800 Black Lucia fabric
- 2-D arms
- Adjustable seat depth
- Black plastic base
- 41"–47 1/4"H x 29 3/8"W x 28 3/8"D

Mesh-Back Stacking Side Chair (QK570H01)
- Black mesh
- 5800 Black Lucia fabric
- 2217 Black frame
- 41"–47 1/4"H x 29 3/8"W x 28 3/8"D

Side chairs feature a 7/8" tubular steel frame. Mesh-back construction is the same as desk chair. Seat cushions are 1 9/16" CFC- and CHC-free molded foam. Stackable up to 4 high.

How to Specify

❶ Model
➤See model numbers at left.

Pricing

QK172H701
$2023

QK570H01 †
$1620 for two chairs

Note: Side chairs are ordered in sets of two and shipped two per carton.

1.0 and 2.0 Desk Chairs

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Mesh back, available in seven colors, is 84% texturized polyester and 16% elastin. The mesh is pulled over a metal frame and stapled into a plastic insert at the bottom.

Seat cushions feature a seamless, pull-over style upholstery. 1.0 models have 2½" of molded, CFC-free, urethane foam applied over a recycled plastic seat shell. 2.0 models (shown) have 1" slab foam with a ½" foam overlay topper and a ½" foam bottom (to give contour to seat) applied over a plywood seat shell.

5-prong base on 1.0 and 2.0 task chairs is constructed of extremely rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Black, hard dual-wheel casters are standard.



Arm caps are soft, self-skinning polyurethane foam molded over a steel core for strength.

Arms are height adjustable within a 2½" range by the push of a button. 1.0 models (shown) lock into one of 7 positions. 2.0 models lock into one of 5 positions.

Height- and width-adjustable arms on 1.0 models also have a width adjustable range of 4¼".

Contoured "sit spot" and waterfall front edge provides optimal seated support and prevents undue pressure in the lower thigh/knee area.

Kwik Office Models

Itsa 1.0
- Knee tilt **(QK38AA)** or synchro tilt **(QK38BB)**
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 38½"–43"H x 27¾"W x 25½"D

Itsa 2.0
- Knee tilt **(QK38CC)** or synchro tilt **(QK38DD)**
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 38½"–43"H x 27½"W x 26½"D

How to Specify

❶ Model
➤See model numbers at left.

Back:
② Mesh color number:
8202 = Jet

Seat:
③ Upholstery grade:
2 = Price Grade 2
④ Upholstery number:
20011 = Spectrum Sand
20020 = Spectrum Black
20022 = Spectrum Burgundy
20067 = Spectrum Navy
20081 = Spectrum Charcoal
⑤ Seat slider:
SL = Seat slider (+$103)
X = None

Pricing

QK38AA or QK38CC
$778

QK38BB or QK38DD
$888

Desk and Side Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Outer back has ¼" foam and is fully upholstered.

Shell on desk chair is a one-piece, 9-ply molded plywood panel.

Arms have rigid, molded-urethane inserts, wrapped with ½"-thick foam (1" thick on arm tops), and secured to the seat and back with metal L-brackets, T-nuts, and machine screws.

5-prong base on desk chairs has a rigid, steel understructure. Maple hardwood radius-end base caps (B75) with Antique English hooded-ball casters (C44) are standard.



Cushions are 2¼"-thick, high-resiliency, CFC-free polyurethane foam.

Upholstery is wrapped over cushions and secured with staples.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Frame on side chairs is kiln-dried maple hardwoods. Joints on back legs are double doweled and glued. Front legs use mortise and tenon joinery. Wood corner blocks, screws, and tie screws reinforce frame corners.



Back suspension on side chair is constructed of vertical and horizontal webbing stapled to the back frame.

Seat suspension on side chair is constructed of unidirectional webbing that is machine stretched across the frame and stapled to the side rails. Seat cushion is 3½" thick.

Nickel-plated glides on side chairs are ⅞" in diameter.

Kwik Office Models



High Back Desk Chair (Q22-2833V)
- Vertical stitching
- 42"–47"H x 26¼"W x 28¼"D

Mid-Back Desk Chair (Q22-2832V)
- Wood base and arms
- 39"–44"H x 26¼"W x 28¼"D



4-Leg Side Chair (Q22-5032V)
- 38½"H x 27"W x 29¾"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

Controls on desk chairs are attached to the frame with T-nuts and machine screws.

How to Specify

❶ Model
➤See model numbers at left.
② Upholstery grade
③ Upholstery number
➤See page 114 for upholstery selections.
④ Finish type:
STD = Group 1
⑤ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca
⑥ Base number (omit for side chair):
B75 = Radius end base caps
⑦ Casters (omit for side chair):
C44 = Hooded ball casters

Pricing

Gr	Q22-2833V	Q22-2832V
1	$1738	$1710
2	$1822	$1788
6	$2085	$2032
L7	$2500	$2417

Gr	Q22-5032V
1	$1093
2	$1177
6	$1440
L7	$1855

Side Chairs

Overview & Pricing

GSA SIN 711-19

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

100% polyester mesh back and seat is available in five colors:
- Big Sky
- Black Tie
- Crimson
- Tangerine
- Kiwi

Legs have a polished chrome finish.

Black plastic glides are standard and can be used to gang adjacent chairs.



Back and seat frame is black plastic.

Mesh on the front of the seat features a tighter weave for additional support.

Kwik Office Models

Single Side Chairs
- Big Sky mesh (K95MBSB1)
- Black Tie mesh (K95MBKB1)
- Crimson mesh (K95MCRB1)
- Tangerine mesh (K95MKWB1)
- Kiwi mesh (K95MTGB1)
- Stacking up to 30 high on dolly or up to 10 high on floor
- 22"D x 19⅝"W x 31¾"H

Set of Four Side Chairs
- Big Sky mesh (K95MBSB4)
- Black Tie mesh (K95MBKB4)
- Crimson mesh (K95MCRB4)
- Tangerine mesh (K95MKWB4)
- Kiwi mesh (K95MTGB4)



Transport Dolly (K95TD)
- 32"D x 22⅝"W x 13⅜"

Details

TB133 approved as standard.

Chairs are available singly or in sets of four chairs. Sets of four are available under one model number; all chairs in the set will have the same mesh color.

Chairs are shipped four to a carton when applicable.

Poly chairs accommodate up to 253 lbs.



Transport dolly is available to move up to 30 chairs. Dolly has a tubular steel frame, gray powdercoat finish, and four 8" semi-pneumatic ball-bearing wheels. Poly chairs stacked 30 high on the dolly will have an overall height of 70" and overall width of 37".

How to Specify

❶ Model
➤See model numbers at left.

Pricing

Single Chairs (all colors)
$411

Set of Four Chairs (all colors)
$1218

Transport Dolly
$508

Lounge Seating

Overview & Pricing

GSA SIN 711-16

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Frame is constructed of ¾" plywood, utilizing lap joint construction that is glued and screwed. All upholstered models are standard in kiln-dried maple hardwoods.

Outside panels are ½"-thick, high-grade polyurethane foam. Upholstery is a sewn slipcover that is stapled into place.

Lounge units feature a wall-saver back leg.



Piping is standard around the entire edge of both the front and back of the back cushion.

Cushions are high-resiliency, CFC-free, polyurethane foam. Seat cushions, specifically, are 5"-thick, high-grade, laminated polyurethane foam that is custom shaped.

Non-skid glides are ¾" in diameter and adjustable.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. The base frame is then attached to the seat frame with wood screws through the corner blocks. Units over 48"L feature additional screws to provide extra support. Rails and top of the legs are accented with a decorative reveal.



Ottoman and bench frame are constructed of 5½"-thick, high-grade polyurethane foam applied to a ¾" plywood frame using lap joint construction that is glued and screwed. A sewn slipcover is applied over the foam and attached with upholstery staples. Benches feature a sewn seam in the center. Legs and rails of base frames are constructed using double dowel and glue construction with corner blocks, which are also glued and screwed to the base rails. The rails feature a ¼" set back when attached to the legs. Tops of the legs are accented with ¼" decorative reveal. The base frame is then attached to the seat frame with wood screws through the corner blocks.

Seats have a high-tension strip webbing suspension that is stapled to the frame. Seat upholstery features a wrap-around upholstery method and is stapled into place.

All models are fully upholstered. Bottom is finished with a black, fabric dust cover prior to the wood frame being attached.

Kwik Office Models



One-Seat Lounge (QK35AA)
- 34¼"D x 29¾"W x 35½"H

Two-Seat Lounge (QK35BB)
- 34¼"D x 53¾"W x 35½"H



Bench (QK35KK)
- 24"D x 48"W x 17½"H

Ottoman (QK35JJ)
- 24"D x 24"W x 17½"H

Details

Back features a non-stretch woven suspension that is stapled to the frame, over which upholstery is placed.

Back cushions are 5½"-thick, high-grade polyurethane foam wrapped with ¾ oz. bonded polyester, which is slipcovered and closed with a zipper.

Contrasting upholstery may be selected for the back cushion; use electronic specification tool for accurate pricing.

Contrasting piping may be specified in Kimball Office fabric or leather.

How to Specify

❶ Model
➤See model numbers at left.

Back upholstery (include for AA and BB models only):
② Upholstery grade
③ Upholstery number

Seat upholstery:
④ Upholstery grade
⑤ Upholstery number

Piping (include for AA and BB models only):
⑥ Upholstery grade
⑦ Upholstery number
➤See page 114 for upholstery.

⑧ Finish type:
STD = Group 1
⑨ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr	QK35AA	QK35BB
1	$1960	$2769
2	$2098	$2988
6	$2531	$3674
L7	$3211	$4754

Gr	QK35KK	QK35JJ
1	$1728	$ 803
2	$1773	$ 845
6	$1914	$ 977
L7	$2136	$1184

Note: Lounge pieces take more production time than side or guest seating. Orders of more than 5 units may experience longer lead times.

Freestanding Tables

GSA SIN 711-16

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Tops feature a 1/4" x 1/4" reveal and are 3/4" veneered plywood.

Corners are mitered utilizing double biscuit joinery which is glued and cleated together.



Corners are mitered utilizing double biscuit joinery which is glued and cleated together.

3/4" non-skid, adjustable glides are standard on all Pose tables.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. Tops of the legs and rails feature a 1/4" decorative reveal. The base frame is then attached to the table frame with wood screws through cleats.

Kwik Office Models



End Table (QK35T242416W)
- 24"D x 24"W x 16"H



Corner Table (QK35T303016W)
- 30"D x 30"W x 16"H



Magazine Table (QK35T244816W)
- 24"D x 48"W x 16"H

Details

End and corner tables are constructed of 3/4" veneered plywood. Tops are attached to the table frame with metal brackets and screws.

Magazine table tops feature mitered corners with 1/4" x 1/4" reveal are 3/4" veneered plywood utilizing biscuit joinery that is glued and cleated together. End panels are 3/4" veneered plywood; attachment of bottom shelf utilizes joints which are securely fastened with screws, dowels, and concealed fasteners to ensure maximum strength. The center divider is constructed of 3/4" veneered plywood that is attached to the bottom panel with glue and screws. The side rails feature a 1/4" setback of 5 3/4" and are attached to the underside of the bottom shelf with screws through the corner blocks.

How to Specify

1. Model
   ➤See model numbers at left.
2. Finish designator:
   MC = Amber
   CC = Cordoba
   MW = Midtown
   TW = Tribeca

Pricing

QK35T242416W
$1291

QK35T303016W
$1527

QK35T244816W
$1998

Desk and Side Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Outer back is fully upholstered. Back shell is contoured, blow-molded polyethylene with built-in stress-relieving flex.

Back cushion is high-resiliency, CFC-free, polyurethane foam and 1½" thick. Back is upholstered using a slipcover-style upholstery technique.

Hardwood base caps are kiln-dried maple supported by a rigid steel substructure.

Hard, black, dual-wheel casters for use on carpeted floors are standard.



Arms on desk chairs are maple hardwoods with black urethane arm caps. Arms are attached to the seat with a metal support bracket and ¼"-diameter machine screws.

Seat cushion is CFC-free molded urethane foam and 2" thick. Seat is upholstered using a pull-around upholstery technique.

Waterfall front edge slopes forward to reduce pressure and increase circulation for the user's legs.

Seat rails on side chairs are ¾" outside diameter, 14-gauge, tubular steel.

Glides on wood frame side chair are dome-shaped plastic and ⅞" in diameter.



Hardwood-frame side chairs are kiln-dried maple. Joints are double doweled and glued to ensure maximum strength. Frame assembly is mounted in holes bored into the leg and secured with steel brackets and wood screws.

Kwik Office Models

High-Back Desk Chair (QK11AA)
- Wood base and arms
- 38⅛"–43⅛"H x 26⅜"W x 26⅜"D

Mid-Back Desk Chair (QK11CC)
- Wood base and arms
- 34¾"–39¾"H x 26⅜"W x 25½"D

4-Leg Side Chair (QK11EE)
- 35⅛"H x 26⅜"W x 25¼"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the metal seat rails on side chair frame and the control mechanism of desk chair.

How to Specify

❶ Model
➤See model numbers at left.
② Upholstery grade
③ Upholstery number
➤See page 114 for upholstery.
④ Finish type:
STD = Group 1
⑤ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca
⑥ Casters (omit for side chair):
C3 = Hard casters

Pricing

Gr	QK11AA	QK11CC
1	$1358	$1295
2	$1406	$1337
6	$1556	$1469
L7	$1793	$1676

Gr	QK11EE
1	$994
2	$1036
6	$1168
L7	$1375

Task Chairs

Overview & Pricing

GSA SIN 711-18

Casegoods	➤See page 5
Systems	45
Metal Filing	93
Finishes & Materials	107

Lumbar support pad, made of polypropylene, moves 2½" for optimal comfort and support. Neoprene covers the foam in the lumbar area and facilitates movement of the lumbar pad.

Height-adjustable arms adjust with a push button to one of 5 positions within a range of 2¼" and can be specified with fixed or 3-D adjustable arm caps.

Arm supports are glass filed nylon, insert molded over a steel core for superior support.

5-prong base is constructed of rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Seat slider option is available on task chairs to adjust the seat depth for comfort. Seat depth is adjusted via a single lever and locks in one of 6 positions within a 2" range. Upcharge applies. Seat slider is not available on stools.

Low seat-height option, compatible with the BIFMA recommended minimum of 15", is available. The seat height adjustment range is 3". Upcharge applies.



Contoured CFC-free polyurethane foam provides comfort consistency and proper ergonomic support.

Back cushions have 1¾" CFC-free polyurethane foam to enhance comfort and reduce fatigue. Edges of foam used on seat and back are wrapped with ⅜" of higher density foam for cleaner edges and contours.

Arm caps are soft, black, self-skinning polyurethane foam, insert molded over a steel core for strength.

Seat cushions have 2" base foam, plus a ½" soft topper pad to enhance comfort and reduce fatigue. Base foam includes ½" filler centered on the bottom of the cushion for added support. Seat cushions feature a waterfall front edge.

Hard dual-wheel casters (C1) are standard.

Kwik Office Models

Task Chair with Height-Adjustable Arms (QK20BT)

- Fixed arm caps
- 39¼"–44"H x 27½"W x 26½"D

Details

Wishbone back frame is injection molded, glass-filled nylon. Frame is attached with 2 high-tensile M10-1.5 x 35mm Allen-head bolts with grade 8 heavy steel flat washers.

Inner back panel is injection molded polypropylene, designed with a reinforcing pattern to ensure rigidity.

Inner seat panel is molded 9/16"-thick, 9-ply (1/16" poplar per ply), single-shell construction with a waterfall front edge.

Seamed slipcover-style upholstery on the back and seat accommodates a wide variety of fabrics and leather.

How to Specify

❶ Model
➤See model number at left.

Back:
② Upholstery grade
③ Upholstery number
➤See page 114 for upholstery selections.

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Back frame finish:
462 = Cinder
501 = Platinum metallic (+$52)
⑦ Seat slider:
X = None
SL = With seat slider (+$72)
⑧ Pneumatic cylinder:
STD = Standard
LS = Low seat (+$26)
⑨ Base finish:
462 = Cinder
⑩ Casters:
C1 = Hard casters

Pricing

Gr	QK20BT
1	$944
2	$980
6	$1092

NOTES

SYSTEMS

Statement of Line

Interworks® EQ

Ships in 10 Days

Tackable Acoustical Panels
- 34", 42", 48", 54", 62", 66", and 80"H

➤See pages 51–53.



Finish Channels
- Straight/T
- Corner/L
- 4-Ways

➤See pages 55–58.

Trim
- Top caps
- End caps
- In-line fill caps
- In-line connector kits
- End trim

➤See pages 59–63.



Traxx Starter Kits

➤See page 64.



Wall-Mount Connectors

➤See page 65.



Electrical Components
- Power distribution assemblies
- Jumper cables
- Receptacles
- Power entries
- Hardwire components
- New York City retrofit kits

➤See pages 66–69.



Power/Data Poles
- Straight/T or 4-Way X
- Corner/L
- End

➤See page 70.



Data Components and Data Channels
- Data cover plates
- Tinnerman clips
- Straight/T, corner/L, and in-line data channels

➤See page 71–72.

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107

Wireway Cover Options:

NP2	2 non-punched
P1	1 power punched 1 non-punched
P2	2 power punched
PD1	1 power & data punched 1 non-punched
PD2	2 power & data punched
H1	1 hardwire punched 1 non-punched
H2	2 hardwire punched
HD1	1 hardwire & data punched 1 non-punched
HD2	2 hardwire & data punched

Punch Dimensions:

Power: 2.71"W x 1.38"H
Data: 3.00"W x 2.19"H

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



Traxx Components
- Traxx
- Splice plates
- Fastener concealment

➤See page 73.



Fabric Tiles
- 36"H

➤See page 74.



End Trim
- Full end trim
- Single end trim

➤See page 75.



Trim Channels
- Fabric
- Paint

➤See page 76.

Vertical Cable Manager
- Black
- Fabric

➤See page 76.

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



Straight
- Wire manager
- Double rim

➤See page 77.



Straight Corner
- Wire manager
- Double rim

➤See page 78.



Curved Corner
- Wire manager
- Double rim

➤See page 79.



U-Top
- Wire manager
- Single rim

➤See page 80.



Table Tops
- Round
- Square
- Rectangular
- Racetrack

➤See page 81.

Brackets
- For use with Interworks EQ panels
- For use with Traxx
- For freestanding applications

➤See page 82.



Metal Support Panels
- For Traxx and freestanding metal applications
- Corner posts

➤See page 83.



Metal Modesty Panels
- For use with flat profile storage

➤See page 84.



Column Legs and Bases
- Column legs
- X-bases
- T-bases

➤See page 85.

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



Flat Profile Pedestals
- Suspended box/file
- Box/box/file
- File/file

➤See page 86.



Flat Profile Lateral Files
- Two drawers

➤See page 87.

Flat Profile File Center
- Box/box on left, file on right, lateral file below
- Box/box on right, file on left, lateral file below

➤See page 87.



Flat Profile Mobile Pedestals
- Box/box/file
- File/file

➤See page 88.



Bevel Profile Overhead Cabinets
- Painted doors

➤See page 89.



Bevel Profile Overhead Shelves
- Half-height shelves
- Full-height shelves

➤See page 90.

Bevel Profile Overhead Brackets
- For use with Cetra panels
- For use with Traxx
- Ganging brackets

➤See page 91.



Task Lights
- 13"
- 23"
- 35"
- 47"

➤See page 92.

SYSTEMS

Overview

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107

Interworks EQ panels, Traxx and tiles, Footprint worksurfaces, and metal bevel and flat profile storage components are available in a wide offering to allow you to complete your office in one quick stop.
➤See the Systems Price List for detailed product information and application guidelines.

Interworks EQ tackable acoustical panels are available in all standard heights and widths for maximum flexibility when configuring quick set ups.

Traxx and tiles are available to coordinate with 66"H Interworks EQ panels.

Flat profile undersurface storage and metal supports are available in all non-metallic, core collection paints for consistent color palette options throughout your office setting. Pedestals, lateral files, and mobile pedestals are available for your selection.



Traxx starter kits ad wall-mount connectors are available to start a panel run from a building wall.

Bevel profile overhead storage is metal and available in all non-metallic, core collection paints. Available in receding door cabinets, half-height shelf, or full-height shelf models.

Worksurfaces are available in a variety of shapes, sizes, and profile options for your specifying convenience. They are offered in select laminates and feature coordinating PVC rims.

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107

The workstations shown at right are typical of configurations that are possible using Kwik Office systems components.



8'W x 8'D x 66"H



8'W x 6'D x 42"H



7'W x 7'D x 54"H



12'W x 24'D x 42"H

Tackable Acoustical Panels

Pricing

34", 42", and 48"H

GSA SIN 711-1

D	W	H	Model	Powered Panels Fabric Price Grade A	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A	Non-Powered Panels Fabric Price Grade B
34"H Panels							
2"	18"	34¼"	**Q11P1834A**	—	—	$355	$381
	24"		**Q11P2434A**	$511	$537	385	411
	30"		**Q11P3034A**	541	575	415	441
	36"		**Q11P3634A**	569	617	444	492
	42"		**Q11P4234A**	604	652	478	526
	48"		**Q11P4834A**	624	672	498	546
	60"		**Q11P6034A**	737	785	612	660
42"H Panels							
2"	18"	42¼"	**Q11P1842A**	—	—	$403	$403
	24"		**Q11P2442A**	$588	$622	461	495
	30"		**Q11P3042A**	629	655	503	537
	36"		**Q11P3642A**	684	742	557	615
	42"		**Q11P4242A**	723	791	594	662
	48"		**Q11P4842A**	753	813	625	685
	60"		**Q11P6042A**	870	930	742	802

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 55.

In-line connector kits (required for each in-line connection)
➤See page 60.

End trim (required for finished look at end of panel runs)
➤See page 61.

Electrical components
➤See page 66.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 45 for designators.
⑦ Trim finish designator
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Tackable Acoustical Panels

48" and 54"H

GSA SIN 711-1



D	W	H	Model	Powered Panels Fabric Price Grade A	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A	Non-Powered Panels Fabric Price Grade B
48"H Panels							
2"	18"	48¼"	**Q11P1848A**	—	—	$467	$505
	24"		**Q11P2448A**	$655	$693	529	567
	30"		**Q11P3048A**	706	744	581	619
	36"		**Q11P3648A**	765	823	639	619
	42"		**Q11P4248A**	822	890	697	765
	48"		**Q11P4848A**	855	929	729	803
	60"		**Q11P6048A**	992	1066	866	940
54"H Panels							
2"	18"	54¼"	**Q11P1854A**	—	—	$482	$522
	24"		**Q11P2454A**	$663	$703	537	577
	30"		**Q11P3054A**	721	761	592	632
	36"		**Q11P3654A**	784	842	655	713
	42"		**Q11P4254A**	843	911	714	782
	48"		**Q11P4854A**	874	948	746	820
	60"		**Q11P6054A**	1007	1091	879	963

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 55.

In-line connector kits (required for each in-line connection)
➤See page 60.

End trim (required for finished look at end of panel runs)
➤See page 61.

Electrical components
➤See page 66.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 45 for designators.
⑦ Trim finish designator
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Tackable Acoustical Panels

Pricing

62", 66", and 80"H

GSA SIN 711-1



D	W	H	Model	Powered Panels Fabric Price Grade A	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A	Non-Powered Panels Fabric Price Grade B
62"H Panels							
2"	18"	62¼"	**Q11P1862A**	—	—	$501	$541
	24"		**Q11P2462A**	$674	$714	548	588
	30"		**Q11P3062A**	737	612	612	660
	36"		**Q11P3662A**	812	870	684	742
	42"		**Q11P4262A**	859	927	734	802
	48"		**Q11P4862A**	899	973	771	845
	60"		**Q11P6062A**	1021	1117	894	990
66"H Panels							
2"	18"	66¼"	**Q11P1866A**	—	—	$552	$592
	24"		**Q11P2466A**	$735	$775	607	647
	30"		**Q11P3066A**	822	870	697	745
	36"		**Q11P3666A**	894	952	768	826
	42"		**Q11P4266A**	941	1009	815	883
	48"		**Q11P4866A**	977	1051	849	923
	60"		**Q11P6066A**	1107	1203	980	1076
80"H Panels							
2"	18"	80¼"	**Q11P1880A**	—	—	$741	$801
	24"		**Q11P2480A**	$927	$987	800	860
	30"		**Q11P3080A**	982	1042	853	913
	36"		**Q11P3680A**	1043	1165	917	1039
	42"		**Q11P4280A**	1135	1257	1008	1130
	48"		**Q11P4880A**	1168	1290	1042	1164

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 55.

In-line connector kits (required for each in-line connection)
➤See page 60.

End trim (required for finished look at end of panel runs)
➤See page 61.

Electrical components
➤See page 66.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 45 for designators.
⑦ Trim finish designator
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Supplemental Brackets

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107





D	*W*	*L*	*Model*	*Price*
X Bracket				
½"	24"	24"	**Q10PSBPNCX**	$86
T Bracket				
½"	12"	24"	**Q10PSBPNCT**	$86
L Bracket				
1½"	12"	12"	**Q10PSBPNCL**	$86
S Bracket				
½"	½"	24"	**Q10PSBPNCS**	$86
Supplemental Bracket Spacer				
			Q10PSBSPCR	No charge

Standard Includes

- Bracket
- Attachment screws

How to Specify

❶ Model

Specify supplemental brackets for maximum stability when wing panel is not tied to worksurface at front and back.

Specify bracket spacer when using a supplemental bracket to reinforce the connection between:
– 10P tackable acoustical (monolithic) panels and 10P sectional or glass panels (old models); or
– 10P tackable acoustical (monolithic) panels and 11P sectional or glass panels.
The bracket spacer will accommodate the difference in the depth of the top channel (cable trough).

Finish Channels

Pricing

For Same-Height Panel Connections

GSA SIN 711-1







T-configurations with one lower-height in-line or perpendicular panel require specification of additional models, including the straight/T finish channel shown on this page.
➤See page 56 for lower-height inline T configuration.
➤See page 58 for lower-height perpendicular T configuration.

D	*W*	*H*	*Model*	*Price*
Straight/T Same-Height Panel Configurations				
7/16"	2 3/8"	34"	**Q10P34CNT**	$101
		42"	**Q10P42CNT**	101
		48"	**Q10P48CNT**	101
		54"	**Q10P54CNT**	101
		62"	**Q10P62CNT**	101
		66"	**Q10P66CNT**	101
		80"	**Q10P80CNT**	101
Corner/L Same-Height Panel Configurations				
2 1/8"	2 1/8"	34"	**Q10P34CNL**	$101
		42"	**Q10P42CNL**	101
		48"	**Q10P48CNL**	101
		54"	**Q10P54CNL**	101
		62"	**Q10P62CNL**	101
		66"	**Q10P66CNL**	101
		80"	**Q10P80CNL**	101
120°/V Configurations				
2 1/8"	2 1/8"	34"	**Q10P34CNV**	$101
		42"	**Q10P42CNV**	101
		48"	**Q10P48CNV**	101
		54"	**Q10P54CNV**	101
		62"	**Q10P62CNV**	101
		66"	**Q10P66CNV**	101
		80"	**Q10P80CNV**	101

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Finish channel top cap
- Fabric channel
- Metal base cover
- Alignment clip

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator
⑤ Fabric grade
⑥ Fabric number

Finish Channels

Pricing

For Varied-Height 3-Way Connections—One Lower Panel

GSA SIN 711-1



D	W	H	Model	Price
3-Way with One Lower-Height Panel				
2⅛"	½"	4"	**Q11P4CNHT**	$89
		6"	**Q11P6CNHT**	89
		8"	**Q11P8CNHT**	89
		12"	**Q11P12CNHT**	89
		14"	**Q11P14CNHT**	89
		18"	**Q11P18CNHT**	89
		20"	**Q11P20CNHT**	95
		24"	**Q11P24CNHT**	95
		26"	**Q11P26CNHT**	95
		28"	**Q11P28CNHT**	95
		32"	**Q11P32CNHT**	101
		38"	**Q11P38CNHT**	101
		46"	**Q11P46CNHT**	101



Select finish channel based on the difference in panel heights.

IMPORTANT: T-configurations with one lower-height inline panel (as shown on this page) require specification of an additional finish channel model and a top cap not on this page:

– Same-height straight/T finish channel the same height as the lower panel (10P**CNT); and
– 3-way/T top cap (10PCNTTC5 or 10PCNTTC6) to sit between the straight/T finish channel and the varied-height 3-way finish channel.

➤See page 58 for T-configurations with one lower-height perpendicular panel.

Straight/T finish channels
➤See page 55.

3-way/T top caps
➤See page 59.

Standard Includes

- Fabric corner/L channel
- Top cap

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator
⑤ Fabric grade
⑥ Fabric number

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Finish Channels

Pricing

For Varied-Height 4-Way Connections—One Lower Panel

GSA SIN 711-1



D	W	H	Model	Price
4-Way with One Lower-Height Panel				
7/16"	2 3/8"	4"	**Q10P4CNHL**	$81
		6"	**Q10P6CNHL**	81
		8"	**Q10P8CNHL**	81
		12"	**Q10P12CNHL**	81
		14"	**Q10P14CNHL**	81
		18"	**Q10P18CNHL**	81
		20"	**Q10P20CNHL**	81
		24"	**Q10P24CNHL**	81
		26"	**Q10P26CNHL**	81
		28"	**Q10P28CNHL**	81
		32"	**Q10P32CNHL**	81
		38"	**Q10P38CNHL**	81
		46"	**Q10P46CNHL**	81

Select finish channel based on the difference in panel heights.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Finish channel top cap
- Fabric channel
- Alignment clip
- In-line fill cap

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator
⑤ Fabric grade
⑥ Fabric number

Finish Channels

Pricing

For Varied-Height 4-Way Connections—Two Lower Panels

GSA SIN 711-1



Select finish channel based on the difference in panel heights.



Models on this page can also be used to create T-configurations with one lower-height perpendicular panel. Specify:
– Varied-height 4-way/X with two lower-height panels finish channel (10P**CNHLL) for the side with the lower-height perpendicular panel; and
– Same-height straight/T finish channel in the appropriate height for the straight side (10P**CNT).

Note: One of the fabric channels included with the varied-height model will not be used.

Straight/T finish channels
➤See page 55.

D	*W*	*H*	*Model*	*Price*
4-Way with Two Lower-Height In-Line Panels				
7/16"	2 3/8"	4"	**Q10P4CNHLL**	$87
		6"	**Q10P6CNHLL**	87
		8"	**Q10P8CNHLL**	87
		12"	**Q10P12CNHLL**	87
		14"	**Q10P14CNHLL**	87
		18"	**Q10P18CNHLL**	87
		20"	**Q10P20CNHLL**	87
		24"	**Q10P24CNHLL**	87
		26"	**Q10P26CNHLL**	87
		28"	**Q10P28CNHLL**	87
		32"	**Q10P32CNHLL**	87
		38"	**Q10P38CNHLL**	87
		46"	**Q10P46CNHLL**	87

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Finish channel top cap
- Two fabric channels
- Two alignment clips
- Two in-line fill caps

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑤ Fabric grade
⑥ Fabric number

Trim Top Caps

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



LTC1 LTC2



TTC1 TTC2 TTC3



TTC4 TTC5 TTC6



YTC1 XTC1

Select appropriate top cap for your application based on drawings above.

When using a 3-way/T top cap, specify a straight finish channel that is the same height as the lower panels.

When using a 3-way varied-height finish channel, specify a 10PCNTTC5 or 10PCNTTC6 top cap, as well with a straight/T finish channel.
➤See page 56.

For 10PCNLTC1 and 10PCNLTC2, 10PCNTTC1, 10PCNTTC2, 10PCNTTC3, and 10PCNTTC4, specify a hi-lo end trim for the exposed edge of the higher panel.
➤See page 63.

Model	*Description*	*Price*
Corner/L Top Caps		
Q10PCNLTC1	Tops 2 varied height 90° perpendicular panels at low panels.	$28
Q10PCNLTC2	Tops 2 varied height 90° perpendicular panels at low panels.	28
3-Way/T Top Caps		
Q10PCNTTC1	Tops 3 varied height panels (2 low, 1 high) at low panels.	$28
Q10PCNTTC2	Tops 3 varied height panels (2 low, 1 high) at low panels.	28
Q10PCNTTC3	Tops 3 varied height panels (2 low, 1 high) at low panels.	28
Q10PCNTTC4	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
Q10PCNTTC5	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
Q10PCNTTC6	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
3-Way/Y 120° Top Cap		
Q10PCNYTC1	Tops 3 same height panels	$28
4-Way/X Top Caps		
Q10PCNXTC1	Tops 4 same height panels (4 high) at all panels. Includes two alignment clips.	$28

Standard Includes

- Top cap

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator

In-Line Fill Caps

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107





Model	*Description*	*Price*
In-Line Fill Cap		
Q10PCNIFC	Fills gap between two in-line panels of varied height in straight panel run. Includes straight alignment clip. For use with 10P and 11P models.	$26
In-Line Connector Kit		
Q10PCNIL	Set of 2; kit includes 2 in-line connectors and 2 straight alignment clips. For use in same height applications. For use with 10P and 11P models.	$28

Standard Includes

In-Line Fill Cap
- Fill cap
- Straight alignment clip

In-Line Connector Kit
- 2 in-line connectors
- 2 straight alignment clips

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Finish designator

Full-Height End Trim

Pricing

GSA SIN 711-1



D	*W*	*H*	*Model*	*Price*
2⅛"	½"	34"	**Q10P34EC**	$72
		42"	**Q10P42EC**	72
		48"	**Q10P48EC**	72
		54"	**Q10P54EC**	72
		62"	**Q10P62EC**	72
		66"	**Q10P66EC**	72
		80"	**Q10P80EC**	72

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- End trim
- End trim top cap

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator

Hi-Lo End Trim

Pricing

For Use at In-Line Connections

GSA SIN 711-1



W	H	Model	Price
2⅛" ½"	4"	**Q10P4HTC**	$81
	6"	**Q10P6HTC**	81
	8"	**Q10P8HTC**	81
	12"	**Q10P12HTC**	81
	14"	**Q10P14HTC**	81
	18"	**Q10P18HTC**	81
	20"	**Q10P20HTC**	86
	24"	**Q10P24HTC**	86
	26"	**Q10P26HTC**	86
	28"	**Q10P28HTC**	86
	32"	**Q10P32HTC**	86
	38"	**Q10P38HTC**	86
	46"	**Q10P46HTC**	86

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Vertical end trim
- Two in-line fill caps

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator

Hi-Lo End Trim

Pricing

For Use at L or T Connections

GSA SIN 711-1



D	W	H	Model	Price
2⅛"	½"	4"	**Q11P4HLT**	$53
		6"	**Q11P6HLT**	53
		8"	**Q11P8HLT**	53
		12"	**Q11P12HLT**	53
		14"	**Q11P14HLT**	53
		18"	**Q11P18HLT**	53
		20"	**Q11P20HLT**	58
		24"	**Q11P24HLT**	58
		26"	**Q11P26HLT**	58
		28"	**Q11P28HLT**	58
		32"	**Q11P32HLT**	58
		38"	**Q11P38HLT**	58
		46"	**Q11P46HLT**	58

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107

Standard Includes

- Vertical end trim
- In-line fill cap

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator

- Corner/L and 3-way/T top caps

➤See page 59.

Connectors

Pricing

Traxx® Starter Kits

GSA SIN 711-1





D	W	H	Model	Description	Price
Traxx Starter Kits					
¼"	2"	29⅞"	**Q10P34CNS**	For use with 34"H panel.	$121
		37⅞"	**Q10P42CNS**	For use with 42"H panel.	121
		43⅞"	**Q10P48CNS**	For use with 48"H panel.	121
		49⅞"	**Q10P54CNS**	For use with 54"H panel.	121
		57⅞"	**Q10P62CNS**	For use with 62"H panel.	121
		61⅞"	**Q10P66CNS**	For use with 66"H panel.	121
		75⅞"	**Q10P80CNS**	For use with 80"H panel.	121

Related Products:

D	W	H	Model	Description	Price
Traxx Panel-Height Full End Trim					
¾"	1½"	66"	**Q10P66CNETP**	For 66"H or shorter Interworks panel. Use when using Traxx Panel Starter Kit at exposed end of Traxx (full to the floor). Specify paint to match adjoining panel.	$120

Specify the starter to match the height of the panel.

Traxx Panel Starter Kit includes only the necessary hardware to attach panel perpendicular to Traxx.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using Traxx panel starter kit or panel wall mount.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Traxx starter
- In-line filler cap

How to Specify

Traxx Starter Kit

❶ Model
❷ Top cap material (omit for end trim):
P = Paint
③ Trim finish designator

End Trim

❶ Model
② Trim finish designator

Connectors

Pricing

Wall-Mount

GSA SIN 711-1



D	W	H	Model	Description	Price
Wall-Mount Connector					
¼"	2"	29⅞"	**Q10P34CNWMP**	For use with 34"H panel.	$113
		37⅞"	**Q10P42CNWMP**	For use with 42"H panel.	113
		43⅞"	**Q10P48CNWMP**	For use with 48"H panel.	113
		49⅞"	**Q10P54CNWMP**	For use with 54"H panel.	113
		57⅞"	**Q10P62CNWMP**	For use with 62"H panel.	113
		61⅞"	**Q10P66CNWMP**	For use with 66"H panel.	113
		75⅞"	**Q10P80CNWMP**	For use with 80"H panel.	113

Specify the starter to match the height of the panel.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using or panel wall mount.

Specify same height panel.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- In-line fill cap

How to Specify

❶ Model
② Finish designator

Electrical Components

Pricing

Power Distribution Assemblies and Jumper Cables

GSA SIN 711-1



Model	*Description*	*Function*	*Price*
Power Distribution Assemblies			
Q10P24ED	For 24"W panel	Carries power to receptacles	$130
Q10P30ED	For 30"W panel	Carries power to receptacles	130
Q10P36ED	For 36"W panel	Carries power to receptacles	130
Q10P42ED	For 42"W panel	Carries power to receptacles	130
Q10P48ED	For 48"W panel	Carries power to receptacles	130
Q10P60ED	For 60"W panel	Carries power to receptacles	130
Jumper Cables			
Q10PEJA	From panel to panel	Routes power panel to panel	$64
Q10PEJB	Thru finish channel	Routes power panel to panel straight through in-line finish channel or X connection	64
Q10PEJC	Thru 90° or 120° connection	Routes power panel to panel around a turn	64
Q10P18EPTA	Thru 18"W panel	Routes power panel to panel through 18"W panel	165
Q10P18EPTB	Thru finish channel AND 18"W panel	Routes power panel to panel straight through in-line finish channel or X connection and an 18"W panel	165

Power distribution assemblies accommodate up to 4 receptacles.

Prior to 2007, Interworks used an unshielded 6-wire and 4-wire system. "Transitioning" models enable connection of previous- generation electrical system with the current 8-wire system.

➤See the Systems Price List.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Power distribution assembly or jumper cable

How to Specify

❶ Model
② Type of electrical system:
84 = 8-wire, 4-circuit

Electrical Components

Pricing

Receptacles and Power Entries

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107

Model	*Description*	*Function*	*Price*
Duplex Receptacles			
For 3 + 1 Circuit Configuration			
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$33
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	33
Q10PER3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	33
Q10PER4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	33
For 2 + 2 Circuit Configuration			
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$33
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	33
Q10PER4	Circuit 4 (designated)	Delivers power from desig. circuit 4 with shared neutral and ground	33
Q10PER5	Circuit 5 (designated)	Delivers power from desig. circuit 5 with shared neutral and ground	33
Base Power Entry			
Q10PEFPE1S	Straight base power entry	Provides access to power from the floor or wall	$237
Q10PEFPE1L	Corner base power entry	Provides access to power from the floor or wall	237
Q10PEFPE1E	End base power entry	Provides access to power from the floor or wall	237
Q10PESPE1P	Side base power entry	Provides access to power from the floor or wall	237
Ceiling Power Entry Assembly			
Q10PECPE1	8-wire	Provides access to power from the ceiling. Includes junction box, jumper cable, and hardware.	$237



Standard Includes

Receptacle
- Receptacle

Base Power Entry
- Conduit is ½" trade size; actual outside diameter is ⅞"
- Cover plate for straight, end, or corner

Ceiling Power Entry Assemblly
- Junction box
- Jumper cable
- Hardware

How to Specify

❶ Model
② Type of electrical system:
84 = 8-wire, 4-circuit

Electrical Components

Pricing

Hardwire

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107



Model	*Description*	*Function*	*Price*
Hardwire Junction Box Kit			
Q10PEHJB		Required for field installation of hardwired electrical. Includes junction box and two end caps with knockouts: 462 Cinder	$50
Hardwire Side Feed Plates			
Q10PEHSFP	Set of 4	For side in-feed of power using hardwire junction box	$32
Hardwire End Caps for Hardwire Applications			
Q10PEHEC	End	Replaces wireway end cap at in-feed; 462 Cinder	$27
Q10PEHCC	Corner	Replaces corner finish channel cover at in-feed; 462 Cinder	27
Q10PEHSC	Straight	Replaces straight finish channel cover at in-feed; 462 Cinder	27
Raceway Removal Tool			
Q10PRT2R	Set of 2.	Tool is required to remove hardwire raceway covers	No charge

How to Specify

Junction Box
❶ Model
② Width of panel

Side Feed Plates, End Caps, and Raceway Removal Tool
❶ Model

Standard duplex access is not available in 30"W or 36"W panels. Leviton brand or equivalent modular duplexes are required.

Junction box is required for field installation of hardwire electrical; not for use in 18"W panels.

Specify one raceway removal tool per order when specifying hardwire panels.

Electrical Components

Pricing

New York City

GSA SIN 711-1



Model	*Description*	*Price*
New York City Retrofit Kits		
Q10P30EHPA	For 30"W panel	$820
Q10P36EHPA	For 36"W panel	820
Q10P42EHPA	For 42"W panel	820
Q10P48EHPA	For 48"W panel	820
Q10P60EHPA	For 60"W panel	820

NYC electrical is only required in starter panels (first panel in run)

They are not for use in 18"W or 24"W panels.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Internal wireway with hardwire electrical system
- Jumper cable
- Junction box assembly
- Two end caps: 462 Cinder
- Wireway covers; one with knockouts to punch as needed, one blank.

How to Specify

❶ Model
② Finish designator

Power/Data Poles

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107







D	*W*	*H*	*Model*	*Function*	*Price*
Straight/T or 4-Way/X					
2⅛"	2⅛"	10'	**Q10PCPDPSP**	Used to run voice/data cables and/or electrical from ceiling to panel	$135
Corner/L					
2⅛"	2⅛"	10'	**Q10PCPDPLP**	Used to run voice/data cables and/or electrical from ceiling to panel	$135
End					
2⅛"	2⅛"	10'	**Q10PCPDPEP**	Used to run voice/data cables and/or electrical from ceiling to panel	$135

Standard Includes

- Poles
- Cover
- Ceiling plate
- Appropriate base cover
- Alignment clips
- In-line fill caps

How to Specify

❶ Model
② Top cap profile:
C = Crowned
③ Finish designator

Poles accommodate up to two ceiling power entry assemblies, specify separately.

Ceiling power entry assembly
➤See page 67.

Data Components

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107



Model	*Description*	*Function*	*Price*
Data Cover Plates			
Q10PECP1	Painted/grommet	Used to run voice/data into panel. Set of 6.	$41
Q10PEHRCP	Painted	Covers access windows no longer in use. Set of 6.	41
Tinnerman Clips			
Q10ATMC	Package of 100	Attaches to cutout to provide screw location for attachment of coverplates and data ports. Order additional Tinnerman clips only when using cover plates or data ports purchased commercially.	$26

Standard Includes

- Cover plate or clips

How to Specify

Cover Plates
❶ Model
② Finish designator

Tinnerman Clips
❶ Model

Data Channels

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107







Data channels are used to run voice/data cables through two adjacent panels at different heights.

Knockouts are provided at each panel height to allow for communication access.

For 4-way/X configurations, use in-line data channels plus in-line fill caps for each lower panel in the configuration.

D	*W*	*H*	*Model*	*Price*
Straight/T Data Channels				
2⅛"	2⅛"	42"	**Q10P42EDCT**	$114
		48"	**Q10P48EDCT**	114
		54"	**Q10P54EDCT**	114
		62"	**Q10P62EDCT**	114
		66"	**Q10P66EDCT**	114
		80"	**Q10P80EDCT**	114
Corner/L Data Channels				
2⅛"	2⅛"	42"	**Q10P42EDCL**	$114
		48"	**Q10P48EDCL**	114
		54"	**Q10P54EDCL**	114
		62"	**Q10P62EDCL**	114
		66"	**Q10P66EDCL**	114
		80"	**Q10P80EDCL**	114
In-Line Data Channels				
2⅛"	2⅛"	4"	**Q10P04EDCI**	$72
		6"	**Q10P06EDCI**	72
		8"	**Q10P08EDCI**	72
		12"	**Q10P12EDCI**	72
		14"	**Q10P14EDCI**	72
		18"	**Q10P18EDCI**	72
		20"	**Q10P20EDCI**	72
		24"	**Q10P24EDCI**	72
		26"	**Q10P26EDCI**	72
		28"	**Q10P28EDCI**	72
		32"	**Q10P32EDCI**	72
		38"	**Q10P38EDCI**	72
		46"	**Q10P46EDCI**	72

Standard Includes

- Cover
- Channel top cap
- Base cover
- Alignment clip
- In-line fill caps
- Top cap for lower height panel for in-line model

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Width of lower height panel (include for in-line model only)
④ Top cap profile
C = Crowned
⑤ Finish designator

Traxx Components

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107







D	W	H	Model	Description	Price
Traxx					
11/16"	72"	2"	**QTTWMT72**	Set of 2 Traxx and 4 splice plates	$313
	144"		**QTTWMT144**	Set of 2 Traxx and 4 splice plates	449
Splice Plates					
	4"	7/8"	**QTTSP04**	Set of 4 splice plates	$9
Fastener Concealment					
	700"	7/8"	**QTTCFC**	One roll; black felt	$30

Standard Includes

Traxx
- Set of 2 Traxx
- Four splice plates

Splice Plates
- Set of 4 plates

Fastener Concealment
- Roll: black vinyl or black felt

How to Specify

Traxx
❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Splice Plates or Fastener Concealment
❶ Model

Traxx can be cut to size in the field.

IMPORTANT: Specify vinyl fastener concealment when using presentation tools. Accommodates two sets of Traxx

Four splice plates are included with each set of Traxx. Specify additional splice plates only if needed for your installation.

Fabric Tiles

Pricing

GSA SIN 711-1



D	W	H	Model	Fabric Price Grade A	B
36"H Tiles					
½"	12"	35½"	**QHIT1236A**	$245	$271
	18"		**QHIT1836A**	272	298
	24"		**QHIT2436A**	281	307
	30"		**QHIT3036A**	328	354
	36"		**QHIT3636A**	338	364
	42"		**QHIT4236A**	349	375
	48"		**QHIT4836A**	360	386
	54"		**QHIT5436A**	395	421
	60"		**QHIT6036A**	400	451

IMPORTANT: 36"H tiles correspond to 66"H Interworks EQ panels.

Tiles can be field scribed. Additional trim channels should be specified separately if additional tiles are created.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Fabric tile
- 2 matching trim channels

How to Specify

❶ Model
② Fabric grade
③ Fabric number

End Trim

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107

D	W	H	Model	Description	Price
Full End Trim					
For Use with 36"H Tiles					
11⁄16"	1½"	39"	**QTTET39**	For use on upper and lower Traxx	$87



Single End Trim					
11⁄16"	1½"	2"	**QTTET02**	For use on single Traxx	$35

Standard Includes

- End trim

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Specify end trim for finish detail when end of Traxx and tiles are exposed. Use full end trim to cover the exposed edge of tile and upper and lower Traxx Use single end trim to cover the end of a single Traxx.

Trim cap slips into the top ledge of the upper Traxx to add finishing detail for Traxx applications.

Full end trim may be used for finish detail when end of wall mounted overhead is exposed.

Trim Channels and Vertical Cable Managers

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107



D	W	H	Model	Description	Price
Trim Channels					
For Use with 36"H Tiles					
½"	¾"	35⅞"	**QTTTC36N**	Fabric; one trim channel	$53
			QTTTC36P	Paint; one trim channel	44
Vertical Cable Manager					
For Use with Curved, Lunar, Flat, and Bevel Profile Overheads and 36"H Tiles					
1"	1"	19½"	**QTTVCM20B**	Black	$32
			QTTVCM20N	Fabric	42

Trim channels are provided with all tiles. Specify only if additional trim channels are required.

Vertical cable manager engages between the tile and trim channel.

Standard Includes

- Trim channel or cable manager

How to Specify

Trim Channels

❶ Model
② If paint, finish price group:
STD = Group 1
If fabric, fabric grade
③ Finish designator or fabric number

Vertical Cable Managers

❶ Model
② Fabric grade (include for fabric models only)
③ Fabric number (include for fabric models only)

Straight Laminate 1 3/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Description*	*Wire Manager*	*Double Rim*
23 7/8"	23 7/8"	1 3/16"	**QSS2424WSSL**	Available with wire manager only.	$235	—
	29 7/8"		**QSS2430WSSL**	Available with wire manager only.	254	—
	35 7/8"		**QSS2436WSSL**		266	$444
	41 7/8"		**QSS2442WSSL**		288	460
	47 7/8"		**QSS2448WSSL**		318	489
	53 7/8"		**QSS2454WSSL**		367	536
	59 7/8"		**QSS2460WSSL**		384	552
	65 7/8"		**QSS2466WSSL**		437	602
	71 7/8"		**QSS2472WSSL**		452	616
	77 7/8"		**QSS2478WSSL**		531	739
	83 7/8"		**QSS2484WSSL**		572	806
	89 7/8"		**QSS2490WSSL**		606	868
	95 7/8"		**QSS2496WSSL**		646	953
29 7/8"	23 7/8"	1 3/16"	**QSS3024WSSL**	Available with wire manager only.	241	—
	29 7/8"		**QSS3030WSSL**	Available with wire manager only.	260	—
	35 7/8"		**QSS3036WSSL**		291	464
	41 7/8"		**QSS3042WSSL**		298	474
	47 7/8"		**QSS3048WSSL**		333	503
	53 7/8"		**QSS3054WSSL**		402	566
	59 7/8"		**QSS3060WSSL**		414	579
	65 7/8"		**QSS3066WSSL**		470	633
	71 7/8"		**QSS3072WSSL**		512	663
	77 7/8"		**QSS3078WSSL**		631	717
	83 7/8"		**QSS3084WSSL**		672	771
	89 7/8"		**QSS3090WSSL**		722	813
	95 7/8"		**QSS3096WSSL**		769	867
35 7/8"	71 7/8"	1 3/16"	**QSS3672WSSL**	Available with double rim only.	—	726

Standard Includes

- Worksurface

How to Specify

1. Model
2. Rim option:
   3 = Wire manager
   2 = Double rim
3. Rim profile:
   P = PVC rim
4. Surface finish price group:
   STD = Group 1
5. Surface finish designator
6. PVC rim finish designator
7. Wire manager finish designator (omit for double rim model)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edge.

Rim Profiles:

PVC (P) on wire manager

PVC (P) on double rim

Straight Corner Laminate 1 3/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*E*	*H*	*Model*	*Wire Manager*	*Double Rim*
24"/24" Return Combo								
35 7/8"	35 7/8"	23 7/8"	23 7/8"	17 1/8"	1 3/16"	**QSS24363624WSCSL**	$433	$597
41 7/8"	41 7/8"			25 5/8"		**QSS24424224WSCSL**	449	613
47 7/8"	47 7/8"			34 1/8"		**QSS24484824WSCSL**	487	647
30"/30" Return Combo								
41 7/8"	41 7/8"	29 7/8"	29 7/8"	17 1/8"	1 3/16"	**QSS30424230WSCSL**	$539	$695
47 7/8"	47 7/8"			25 5/8"		**QSS30484830WSCSL**	607	760

Rim Profiles:

PVC (P) on wire manager

PVC (P) on double rim

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface

How to Specify

1. Model
2. Rim option:
   3 = Wire manager
   2 = Double rim
3. Rim profile:
   P = PVC rim
4. Surface finish price group:
   STD = Group 1
5. Surface finish designator
6. PVC rim finish designator
7. Wire manager finish designator (omit for double rim model)

Curved Corner Laminate 1 3/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

A	*B*	*C*	*D*	*H*	*Model*	*Description*	*Wire Manager*	*Double Rim*
24"/24" Return Combos								
35 7/8"	35 7/8"	23 7/8"	23 7/8"	1 3/16"	**QSS24363624WSCCL**		$462	$624
41 7/8"	41 7/8"				**QSS24424224WSCCL**		481	640
47 7/8"	47 7/8"				**QSS24484824WSCCL**		518	676
59 7/8"	59 7/8"				**QSS24606024WSCCL**		1015	1142
30"/30" Return Combos								
41 7/8"	41 7/8"	29 7/8"	29 7/8"	1 3/16"	**QSS30424230WSCCL**		$576	$731
47 7/8"	47 7/8"				**QSS30484830WSCCL**		650	801
59 7/8"	59 7/8"				**QSS30606030WSCCL**	Available in double rim only.	—	1186

Rim Profiles:

PVC (P) on wire manager

PVC (P) on double rim

Grain Direction:

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface

How to Specify

1. Model
2. Rim option:
   3 = Wire manager
   2 = Double rim
3. Rim profile:
   P = PVC rim
4. Surface finish price group:
   STD = Group 1
5. Surface finish designator
6. PVC rim finish designator
7. Wire manager finish designator (omit for double rim model)

U-Top Laminate 1 3/16" Worksurfaces

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



Wire Manager



Single Rim



Wire Manager



Single Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

IMPORTANT: Brackets must be specified separately.

Wire manager is on the back edge.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

D	*W*	*H*	*Model*	*Wire Manager*	*Single Rim*
Radius					
29 7/8"	59 7/8"	1 3/16"	**QSS3060WSUL**	$812	$706
	65 7/8"		**QSS3066WSUL**	850	763
	71 7/8"		**QSS3072WSUL**	884	818
35 7/8"	59 7/8"	1 3/16"	**QSS3660WSUL**	862	804
	65 7/8"		**QSS3666WSUL**	897	838
	71 7/8"		**QSS3672WSUL**	934	872
Crowned					
29 7/8"	59 7/8"	1 3/16"	**QSS3060WSUCL**	$812	$706
	65 7/8"		**QSS3066WSUCL**	850	763
	71 7/8"		**QSS3072WSUCL**	884	818
35 7/8"	59 7/8"	1 3/16"	**QSS3660WSUCL**	862	804
	65 7/8"		**QSS3666WSUCL**	897	838
	71 7/8"		**QSS3672WSUCL**	934	872

Rim Profiles:

PVC (P) on wire manager

PVC (P) on single rim

Standard Includes

- Worksurface

How to Specify

1. Model
2. Rim option:
   3 = Wire manager
   1 = Single rim
3. Rim profile:
   P = PVC rim
4. Surface finish price group:
   STD = Group 1
5. Surface finish designator
6. PVC rim finish designator
7. Wire manager finish designator (omit for single rim model)

Laminate 1 3/16" Table Tops

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107









Note: Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Price*
Round				
29 5/8"	diameter	1 3/16"	**QSS30TTRNL**	$211
35 5/8"	diameter		**QSS36TTRNL**	311
41 5/8"	diameter		**QSS42TTRNL**	385
47 5/8"	diameter		**QSS48TTRNL**	427
Square				
29 5/8"	29 5/8"	1 3/16"	**QSS3030TTSQL**	$211
35 5/8"	35 5/8"		**QSS3636TTSQL**	311
41 5/8"	41 5/8"		**QSS4242TTSQL**	385
Rectangular				
29 5/8"	59 5/8"	1 3/16"	**QSS3060TTRTL**	$472
	71 5/8"		**QSS3072TTRTL**	584
35 5/8"	59 5/8"		**QSS3660TTRTL**	500
	71 5/8"		**QSS3672TTRTL**	640
Race Track				
35"	59"	1 3/16"	**QSS3660TTRCL**	$532
	71"		**QSS3672TTRCL**	672
	83"		**QSS3684TTRCL**	706

Standard Includes

- Table top

How to Specify

❶ Model
② Rim profile:
P = PVC rim
③ Surface finish price group:
STD = Group 1
④ Surface finish designator
⑤ Rim finish designator

One base is required for round and square tops; two bases are required for rectangular and racetrack tops.

Worksurface Support Brackets

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107



Model	*Description*	*Price*
Edge Support Brackets		
Right-Hand		
QIBRWSER	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	$25
Left-Hand		
QIBRWSEL	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	$25
Transaction Counter Brackets		
Right-Hand		
QIBTCBR1	For use with Interworks EQ panel-mounted transaction counters.	$26
Left-Hand		
QIBTCBL1	For use with Interworks EQ panel-mounted transaction counters.	$26
Drop Brackets		
QIB0224D	For use with 24"D worksurfaces. 2" drop. Cinder finish.	$42
QIB0230D	For use with 30"D worksurfaces. 2" drop. Cinder finish.	$53
Flat Bracket		
QIBF1	Secures two flush, adjacent/perpendicular worksurfaces. Galvanized finish. 2"D x 5½"W.	$11
Cantilever Brackets		
Right-Hand		
QIB24CR	For use with Interworks EQ panel-mounted worksurface. Cinder finish. 21¾"D x 3¼"W x 20"H.	$99
Left-Hand		
QIB24CL	For use with Interworks EQ panel-mounted worksurface. Cinder finish. 21¾"D x 3¼"W x 20"H.	$99
Traxx Worksurface Bracket		
QIBTWS	Single bracket; Cinder finish.	$13
Gusset Bracket		
QFBG	Non-handed. For use as additional support for metal support panel that is not next to component or modesty panel. 9⅞" x 9⅞".	$28

Brackets are sold individually, unless otherwise specified.

Standard Includes

- Bracket

Note: Specify two right-hand and two left-hand transaction counter brackets for each surface.

How to Specify

Transaction Counter Bracket or Gusset Bracket

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Edge Support, Drop, Flat, or Cantilever Bracket

❶ Model

Worksurface Support Panels

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107









Gusset bracket may be specified separately to provide additional support when used with a return or support panel.

D	*W*	*H*	*Model*	*Description*	*Price*
Support Panels for Use with Interwork EQ Applications					
Half End Panel					
16½"	1¼"	27¼"	**QIB1827H**	Non-handed.	$203
Full End Panel					
23⅝"	1¼"	27¼"	**QIB2427F**	Non-handed.	$252
29⅝"			**QIB3027F**	Non-handed.	307
Support Panels for Use with Traxx or Freestanding Metal Applications					
Half End Panel					
16½"	1¼"	27¼"	**QIF1827H**	Non-handed. Two glides.	$203
Full End Panel					
22⅝"	1¼"	27¼"	**QIF2427F**	Non-handed. Two glides.	$252
28⅝"			**QIF3027F**	Non-handed. Two glides.	307
34⅝"			**QIF3627F**	Non-handed. Two glides.	363
Return Support Panels for Use with Traxx or Freestanding Metal Applications					
7⅜"	1¼"	27¼"	**QIF0827RS**	Non-handed. Use to create 24"D return. One glide.	$89
12"			**QIF1227RS**	Non-handed. Use to create 30"D return. One glide.	122
Support Panel					
12"	1¼"	27¼"	**QIF1227WSP**	Includes filler panel.	$155
Corner Post					
6 11/16"	6 11/16"	27¼"	**QIF0727CP**	Creates freestanding corner.	$278

Standard Includes

End Panels

- Panel
- Two floor glides (one glide on 8" return support panel)

Note: End panels, support panels and corner post are designed to secure modesty panel.

How to Specify

❶ Model
② Surface finish price group:
STD = Group 1
③ Finish designator

Modesty Panels

Pricing

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107



IMPORTANT: All supports must be specified separately.

Modesty panels are pre-drilled and attach 4" inset from rear of pedestal or end panel only. Gap between top of modesty panel and underside of worksurface is 1½"; gap from bottom of modesty panel to floor is 3".

To determine modesty panel width required, subtract total **nominal** width of support (pedestals or end panels) from **nominal** width of worksurface. Example:
72"W worksurface
– 30"W support (Two 15"W peds)
= 42"W modesty panel required
➤See the Systems Price List for planning guideline chart.

D	*W*	*H*	*Model*	*Description*	*Price*
Metal Modesty Panels (for use with Flat Profile Storage)					
1½"	19½"	23"	**QIF2023M**		$133
	23⅞"		**QIF2423M**	Use with 36"W corner.	133
	25½"		**QIF2623M**		144
	29⅞"		**QIF3023M**	Use with 42"W corner.	149
	31½"		**QIF3223M**		157
	33¼"		**QIF3423M**		157
	35⅞"		**QIF3623M**	Use with 48"W corner.	157
	37½"		**QIF3823M**		166
	39⅞"		**QIF4023M**		166
	41⅞"		**QIF4223M**		174
	43½"		**QIF4423M**		174
	45¼"		**QIF4623M**		174
	47⅞"		**QIF4823M**	Use with 60"W corner.	182
	49½"		**QIF5023M**		182
	51¼"		**QIF5223M**		182
	53⅞"		**QIF5423M**		182
	55½"		**QIF5623M**		187
	57¼"		**QIF5823M**		187
	59⅞"		**QIF6023M**		187
	63¼"		**QIF6423M**		196
	65⅞"		**QIF6623M**		196
	67½"		**QIF6823M**		196
	69¼"		**QIF7023M**		208
	73½"		**QIF7423M**		208
	79½"		**QIF8023M**		215
	81¼"		**QIF8223M**		215
	87¼"		**QIF8823M**		221
	93¼"		**QIF9423M**		227

Standard Includes

- Modesty panel: metal

How to Specify

❶ Model
② Surface finish price group:
STD = Group 1
③ Finish designator

Legs and Bases

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107







D	*W*	*H*	*Model*	*Description*	*Price*
Adjustable-Height Column Leg					
4" diameter		26½"-30½"	**QIB0427AC**	For use as additional support option.	$284
X-Bases					
26"	26"	27"	**QTBS2627XP**	Painted. For use with 30" and 36" round and square worksurfaces.	$550
34"	34"	27"	**QTBS3427XP**	Painted. For use with 42" and 48" round and 42" square worksurfaces.	577
T-Bases					
	26"	27"	**QTBS2627TP**	Painted. For use with rectangular and racetrack worksurfaces. Set of 2.	$816

Standard Includes

- Base

How to Specify

❶ Model
② Surface finish price group:
STD = Group 1
③ Finish designator

IMPORTANT: All brackets and supports must be specified separately.

One X-base is required for use with round or square tops.

Two T-bases are required for use with rectangular or racetrack tops.

Glides adjustable to ½".

Flat Profile Undersurface Storage

Pricing

15"W Pedestals—Metal

GSA SIN 711-1

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107





D	*W*	*H*	*Model*	*Price*
Suspended Box/File				
22¾"	15"	19¼"	**Q12S2415PUBFM**	$438
28¾"			**Q12S3015PUBFM**	474
Box/Box/File				
22¾"	15"	27¼"	**Q12S2415PUBBFM**	$589
28¾"			**Q12S3015PUBBFM**	628
File/File Pedestal				
22¾"	15"	27¼"	**Q12S2415PUFFM**	$539
28¾"			**Q12S3015PUFFM**	576

Related Products:

	Model	*Description*	*Price*
Lock Core for Key Specific Option			
	QKSCD001 to QKSCD025	Specify exact key number desired.	$22
Change Key			
	QKSCD1CK	Removes any QKSCD lock	$6

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock, keyed randomly between 001–025: black
- Open top

How to Specify

❶ Model
② Pull option:
E = Extended
ARC462 = Arc, cinder (+$16)
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Not for use as standalone units.

File drawers utilize drawer sides for front-to-back filing.

Flat Profile Undersurface Storage

Pricing

30", 36", and 42"W Pedestals—Metal

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107





D	W	H	Model	Price
Lateral Files				
18¾"	30"	27¼"	**Q12S1830LFU2M**	$777
	36"		**Q12S1836LFU2M**	854
	42"		**Q12S1842LFU2M**	974
File Centers				
Box/Box on Left, File Drawer on Right (shown)				
18¾"	30"	27¼"	**Q12S1830FCBBLM**	$1562
Box/Box on Right, File Drawer on Left				
18¾ "	30"	27¼"	**Q12S1830FCBBRM**	$1562

Related Products:

	Model	Description	Price
Lock Core for Key Specific Option			
	QKSCD001 to QKSCD025	Specify exact key number desired.	$22
Change Key			
	QKSCD1CK	Removes any QKSCD lock	$6

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock, keyed randomly between 001–025: black (locks all drawers)
- Open top

How to Specify

❶ Model
② Pull option:
E = Extended
ARC462 = Arc, cinder (+$16)
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Undersurface lateral files and file centers have open tops and are not to be used as stand-alone units.

File center file drawers utilize drawer sides for front-to-back filing.

Flat Profile Undersurface Storage

Pricing

Mobile Pedestals—Metal

GSA SIN 711-1





D	W	H	Model	Price
Mobile Box/Box/File				
22¾"	15"	27"	**Q12S2415PMBBFM**	$750
Mobile File/File				
22¾"	15"	27"	**Q12S2415PMFFM**	$704

Related Products:

Model	Description	Price
Lock Core for Key Specific Option		
QKSCD001 to QKSCD025	Specify exact key number desired.	$22
Change Key		
QKSCD1CK	Removes any QKSCD lock	$6

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Cushion on cushion top model: all seating fabrics, except leather
- Lock, keyed randomly between 001–025: black
- Four non-locking casters
- One counterweight

How to Specify

❶ Model
② Pull option:
E = Extended
ARC462 = Arc, cinder (+$16)
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Bevel Profile Overhead Storage

Pricing

Overhead Cabinets

GSA SIN 711-1



D	W	H	Model	Number of Locks	Price
Overhead Cabinet with Painted Doors					
14⅞"	23¾"	16⅝"	**QIS142416RP**	1	$527
	29¾"		**QIS143016RP**	1	538
	35¾"		**QIS143616RP**	1	572
	41¾"		**QIS144216RP**	1	587
	47¾"		**QIS144816RP**	1	606
	53¾"		**QIS145416RP**	2	762
	59¾"		**QIS146016RP**	2	846
	71¾"		**QIS147216RP**	2	962

Related Products:

	Model	Description	Price
Lock Core for Key Specific Option			
	QKSCD001 to QKSCD025	Specify exact key number desired.	$22
Change Key			
	QKSCD1CK	Removes any QKSCD lock	$6

IMPORTANT: Brackets must be specified separately.
Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets should be specified when hanging overheads side by side.

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107

Standard Includes

- Chassis: metal
- Receding door(s): metal; 24"W–48"W units have one receding door and 54"W–72"W units have two individually locking doors.
- Lock(s), keyed randomly between 001–025: black
- Cutouts for cable routing

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$22 per lock); specify lock core separately.
③ Finish price group:
STD = Group 1
④ Finish designator

Bevel Profile Overhead Storage

Pricing

Overhead Shelves

GSA SIN 711-1





D	*W*	*H*	*Model*	*Price*
Half Height Shelves				
14⅞"	23¾"	8⅞"	**QIS142409OS**	$192
	29¾"		**QIS143009OS**	203
	35¾"		**QIS143609OS**	219
	41¾"		**QIS144209OS**	224
	47¾"		**QIS144809OS**	231
	53¾"		**QIS145409OS**	242
	59¾"		**QIS146009OS**	251
	71¾"		**QIS147209OS**	266
Full Height Shelves				
14⅞"	23¾"	16⅝"	**QIS142416OS**	$380
	29¾"		**QIS143016OS**	388
	35¾"		**QIS143616OS**	398
	41¾"		**QIS144216OS**	408
	47¾"		**QIS144816OS**	415
	53¾"		**QIS145416OS**	430
	59¾"		**QIS146016OS**	449
	71¾"		**QIS147216OS**	469

IMPORTANT: Brackets must be specified separately.
Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets must be specified when hanging overheads side by side.

Half-height shelves are for use with Interworks EQ panels only.

Casegoods	➤See page 5
Seating	25
Metal Filing	93
Finishes & Materials	107

Standard Includes

- Chassis: metal
- Cutouts for cable routing

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Overhead Storage Brackets

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107







Model	*Description*	*Price*
Bevel Profile and Flat Profile Overhead Brackets		
For Use with Cetra Panels		
QISBRKC	Set of 2; one right and one left. One set required per overhead. 2" x ¾" x 16"	$30
For Use with Traxx Applications		
QISBRKT	Set of two; one set required per overhead.	$35
Bevel Profile and Flat Profile Overhead Ganging Brackets		
QIBSC	Set of 4; for use when mounting overheads side by side on Xsite, Cetra, Interworks EQ, or Traxx. Designed to accommodate the Cetra and Interworks EQ panel reveal. Shims (not furnished) may be required for Traxx or Xsite applications.	$28
Traxx Spacers for Use with Bevel Profile and Flat Profile Overheads		
QISBRKTSO	Set of 2; one set required per overhead. ½"D x 3⅜"W x 14⅛"L	$70

How to Specify

Overhead Brackets and Traxx Spacers

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Ganging Brackets

❶ Model

IMPORTANT: Brackets must be specified separately.

Ganging brackets are required when mounting bevel overheads side by side.

Task Lights

Pricing

GSA SIN 711-1

Casegoods ➤See page 5
Seating 25
Metal Filing 93
Finishes & Materials 107



D	W	H	Model	Description	Price
Standard Task Lights					
4 3/8"	13"	1 5/16"	**QKSU14TL**	For use with 24"W units.	$222
	23 1/4"		**QKSU25TL**	For use with 30"–36"W units.	231
	35"		**QKSU37TL**	For use with 42"–48"W units.	249
	46 7/8"		**QKSU49TL**	For use with 54"–72"W units.	263

Standard Includes

- Fixture: black
- T5 cool white single tube lamp:
  14 watt on 23"W light;
  21 watt on 35"W light;
  28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch; center
- 90° cord plug with southwest orientation prong configuration
- 9' cord attached in center of fixture

How to Specify

❶ Model

All lighting components are U.L. approved. Consult local codes for application restrictions.

For use on highback organizers and overhead storage.

Specify quick release brackets separately as required by local codes.
➤See the Systems Price List

Overview	➤See page 96
Filing Capacities	97
Systems	45
Finishes & Materials	107

Two-High Lateral Files
- Two standard-height drawers

➤See page 98.



Three-High Lateral Files
- Three standard-height drawers

➤See page 98.



Four-High Lateral Files
- Four standard-height drawers

➤See page 98.



Five-High Lateral Files
- Five standard-height drawers
- Four standard-height drawers and one roll-out shelf with lift door.

➤See page 98.



Counterweight Kits

➤See page 99.

METAL FILING

Statement of Line

Fundamental®

Ships in 10 Days

Overview	➤See page 100
Filing Capacities	101
Systems	45
Finishes & Materials	107



Two-High Lateral Files
- Two drawers

➤See page 102.



Three-High Lateral Files
- Three drawers

➤See page 102.



Four-High Lateral Files
- Four drawers

➤See page 102.



Five-High Lateral Files
- Five drawers
- Four drawers and one fixed shelf with lift door.
- Five drawers, ADA compliant

➤See page 102.



Counterweight Kits

➤See page 103.



Overfiles

➤See page 104.



Storage Cabinets
- Two high
- Three high
- Four high
- Five high

➤See page 104.



Overfile/Storage Cabinet Shelves

➤See page 105.

Wardrobe Kits

➤See page 105.

METAL FILING

Statement of Line

Universal

LF Series	➤See page 96
Fundamental	100
Systems	45
Finishes & Materials	107



Universal Laminate File Tops
➤See page 106.



Universal Paper Management Accessories
- Front-to-back file bars
- Side-to-side file bars
- Drawer divider

➤See page 106.

Lock Cores for Key Specific Option
➤See page 106.

Features

Overview

Filing Capacities ➤See page 97
Lock Cores 106
Finishes & Materials 107

Top is finished so the file can be used as a stand alone unit.

Roll-out shelf with lift door (in applicable five-high models) replaces top drawer and adds 1" to overall height of the file. Accommodates standing binders up to 12"H.

Built-in anti-rebound catch prevents drawer from accidentally rolling open.

Heavy-gauge frame is reinforced at all corners and built into the front of the file so openings are always true and square. Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide ¾" adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are pre-painted cinder.



Knockouts are standard for ganging side-by-side.

Locking is standard. Select key random or key specific.
Note: Lock cores must be specified separately for key specific option.

Two 6"H half-height drawers may replace existing drawer in any position.

Full ball-bearing, progressive-slide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Silencing bumpers ensure quiet drawer operation and are added to suspension wherever a steel-to-steel contact would otherwise be made.

Side-to-side file bar is standard; one per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard; one per drawer.

Drawer Pulls:



Drawer pull is recessed along the full front edge.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Select key random or key specific when specifying.

Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.

Key Specific Option—Specify any key number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.
IMPORTANT: If you select the key specific option, you must specify the lock core separately.
➤See page 106.

Filing Capacities

Overview ➤See page 96
Lock Cores 106
Finishes & Materials 107

Description	*Inside Depth*	*Inside Width*	*Height*	*Filing Inches and Arrangements*			
18"D x 30"W lateral	14⅞"	26⅞"	9⅜"				
				29⅝" letter Front-to-back file bars (2) Side-to-side file bar (1)	25¼" legal Front-to-back file bar (1) Side-to-side file bar (1)	26 13⁄16" letter Side-to-side file bar (1)	26 13⁄16" legal Side-to-side file bar (1)
18"D x 36"W lateral	14⅞"	32⅞"	9⅜"				
				29⅝" letter Front-to-back file bars (2) Side-to-side file bar (1)	29⅝" legal Front-to-back file bars (2) Side-to-side file bar (1)	32 13⁄16" letter Side-to-side file bar (1)	32 13⁄16" legal Side-to-side file bar (1)
18"D x 42"W lateral	14⅞"	38⅞"	9⅜"				
				44 7⁄16" letter Front-to-back file bars (2) Side-to-side file bar (1)	35⅝" legal Front-to-back file bars (2) Side-to-side file bar (1)	38 13⁄16" letter Side-to-side file bar (1)	38 13⁄16" legal Side-to-side file bar (1)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.
➤See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.
➤See page 106.

Lateral Files

Pricing

GSA SIN 711-3

Overview	➤See page 96
Filing Capacities	97
Lock Cores	106
Finishes & Materials	107



Two-High Lateral Files

Standard Includes

- Two standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 25¾"H

How to Specify

❶ Model:
QLFF18302 = 30"W
QLFF18362 = 36"W
QLFF18422 = 42"W
② Pull:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Base:
X = No additional base
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Pricing

QLFF18302	$920
QLFF18362	$1045
QLFF18422	$1104

Three-High Lateral Files

Standard Includes

- Three standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 37¼"H

How to Specify

❶ Model:
QLFF18303 = 30"W
QLFF18363 = 36"W
QLFF18423 = 42"W
② Pull:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Base:
X = No additional base
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Pricing

QLFF18303	$1251
QLFF18363	$1453
QLFF18423	$1584

Four-High Lateral Files

Standard Includes

- Four standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 48 11/16"H

How to Specify

❶ Model:
QLFF18304 = 30"W
QLFF18364 = 36"W
QLFF18424 = 42"W
② Pull:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Base:
X = No additional base
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Pricing

QLFF18304	$1589
QLFF18364	$1846
QLFF18424	$2057



Five-High Lateral Files

Standard Includes

- Five standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 60⅛"H

How to Specify

❶ Model:
QLFF18305 = 30"W
QLFF18365 = 36"W
QLFF18425 = 42"W
② Pull:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Base:
X = No additional base
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Pricing

QLFF18305	$1975
QLFF18365	$2173
QLFF18425	$2381



Five-High with Lift Door

Standard Includes

- Four standard-height drawers
- Roll-out shelf with lift door
- One side-to-side file bar per drawe
- 18"D x 62⅛"H

How to Specify

❶ Model:
QLFF18305LD = 30"W
QLFF18365LD = 36"W
QLFF18425LD = 42"W
② Pull:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Base:
X = No additional base
⑤ Finish price group:
STD = Group 1
⑥ Finish designator

Pricing

QLFF18305LD	$2057
QLFF18365LD	$2255
QLFF18425LD	$2464

Counterweight Kit

Pricing

GSA SIN 711-3

Overview	➤See page 96
Filing Capacities	97
Lock Cores	106
Finishes & Materials	107

Counterweight Kit

Standard Includes

- Required for freestanding files

How to Specify

❶ Model:
QLFCW30 = for 30"W files
QLFCW36 = for 36"W files
QLFCW42 = for 42"W files

Pricing

QLFCW30	$187
QLFCW36	$187
QLFCW42	$187

Features

Overview

Filing Capacities ➤See page 101
Lock Cores 106
Finishes & Materials 107

Top is finished so the file can be used as a stand alone unit.

Knockouts are standard for ganging side-by-side or for securing to a wall.

Fixed shelf with lift door on applicable five-high lateral files replaces top drawer and accommodates standing binders up to 12"H.

Drawer fronts and lift doors in the top position on five-high lateral files are 1 9/16" taller than the other drawer fronts to accommodate the receding lift-door application.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide ¾" adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are pre-painted cinder. Replacement drawer fronts can be field installed.



Locking is standard. Select key random or key specific.
Note: Lock cores must be specified separately for key specific option.

Integrated drawer slide and single interlock mechanism are part of the slide design, providing for quieter drawer operation and ensuring only one drawer may be opened at a time.

Built-in anti-rebound catch prevents drawer from accidently rolling open.

Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Full ball-bearing, progressive-slide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Side-to-side file bars are standard; two per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard with extended pull; one per drawer.

Drawer Pulls:



Extended Rail Arc

Extended is recessed along the full front edge and is painted the same color as the unit. Rail pull is textured black. Arc pull is available in 462 Cinder.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Speicfy key random or key specific.

Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.

Key Specific Option—Specify any key number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.
IMPORTANT: If you select the key specific option, you must specify the lock core separately.
➤See page 106.

ADA-Compliant Models:

Lock is placed at 38 5/8"H, making it accessible from a seated position. Rail or arc pulls are available.

Filing Capacities

Overview ➤See page 100
Lock Cores 106
Finishes & Materials 107

Description	*Inside Depth*	*Inside Width*	*Height*	*Filing Arrangements*			
18"D x 30"W lateral	14⅞"	26⅞"	9⅜"	 29⅝" letter Front-to-back file bars (2) *Side-to-side file bars* (2)	 25¼" legal Front-to-back file bar (1) *Side-to-side file bars* (2)	 26$^{13}/_{16}$" letter *Side-to-side file bars* (2)	 26$^{13}/_{16}$" legal *Side-to-side file bars* (2)
18"D x 36"W lateral	14⅞"	32⅞"	9⅜"	 29⅝" letter Front-to-back file bars (2) *Side-to-side file bars* (2))	 29⅝" legal Front-to-back file bars (2) *Side-to-side file bars* (2)	 32$^{13}/_{16}$" letter *Side-to-side file bars* (2)	 32$^{13}/_{16}$" legal *Side-to-side file bars* (2)
18"D x 42"W lateral	14⅞"	38⅞"	9⅜"	 44$^{7}/_{16}$" letter Front-to-back file bar (2) *Side-to-side file bars* (2)	 35⅝" legal Front-to-back file bars (2) *Side-to-side file bars* (2)	 38$^{13}/_{16}$" letter *Side-to-side file bars* (2)	 38$^{13}/_{16}$" legal *Side-to-side file bars* (2)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.
➤See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.
➤See page 106.

Lateral Files

Pricing

GSA SIN 711-3

Overview	➤See page 100
Filing Capacities	101
Lock Cores	106
Finishes & Materials	107



Two-High Lateral Files

Standard Includes

- Two drawers
- Two side-to-side file bars per drawer
- 18"D x 27¼"H

How to Specify

❶ Model:
QFND18302 = 30"W
QFND18362 = 36"W
QFND18422 = 42"W
② Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Finish price group:
STD = Group 1
⑤ Finish designator

Pricing

QFND18302	$833
QFND18362	$907
QFND18422	$976



Three-High Lateral Files

Standard Includes

- Three drawers
- Two side-to-side file bars per drawer
- 18"D x 39³⁄₁₆"H

How to Specify

❶ Model:
QFND18303 = 30"W
QFND18363 = 36"W
QFND18423 = 42"W
② Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Finish price group:
STD = Group 1
⑤ Finish designator

Pricing

QFND18303	$974
QFND18363	$1107
QFND18423	$1203



Four-High Lateral Files

Standard Includes

- Four drawers
- Two side-to-side file bars per drawer
- 18"D x 51⅛"H

How to Specify

❶ Model:
QFND18304 = 30"W
QFND18364 = 36"W
QFND18424 = 42"W
② Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Finish price group:
STD = Group 1
⑤ Finish designator

Pricing

QFND18304	$1184
QFND18364	$1333
QFND18424	$1503



Five-High Lateral Files

Standard Includes

- Five drawers
- Two side-to-side file bars per drawer
- 18"D x 64½"H

How to Specify

❶ Model:
QFND18305 = 30"W
QFND18365 = 36"W
QFND18425 = 42"W
② Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Finish price group:
STD = Group 1
⑤ Finish designator

Pricing

QFND18305	$1585
QFND18365	$1736
QFND18425	$1898

Five-High with Lift Door

Standard Includes

- Four drawers
- Fixed shelf and lift door
- Two side-to-side file bars per drawer
- 18"D x 64½"H

How to Specify

❶ Model:
QFND18305LD = 30"W
QFND18365LD = 36"W
QFND18425LD = 42"W
② Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Finish price group:
STD = Group 1
⑤ Finish designator

Pricing

QFND18305LD	$1656
QFND18365LD	$1805
QFND18425LD	$1966

ADA Lateral Files & Counterweight Kits

Overview ➤See page 100
Filing Capacities 101
Lock Cores 106
Finishes & Materials 107



ADA-Compliant Five-High Lateral Files

Standard Includes

- Five drawers
- Two side-to-side file bars per drawer
- Lock at 38⅝"H
- 18"D x 64½"H

How to Specify

❶ Model:
QFND18305ADA = 30"W
QFND18365ADA = 36"W
QFND18425ADA = 42"W
② Pull:
R = Raill
ARC462 = Arc, Cinder
③ Lock option:
KRB = Key random
KSB = Key specific (-$22)
④ Finish price group:
STD = Group 1
⑤ Finish designator

Pricing

QFND18305ADA	$1736
QFND18365ADA	$1883
QFND18425ADA	$2047



Counterweight Kit

Standard Includes

- Required for freestanding files

How to Specify

❶ Model:
QFNDACW = for any width file

Pricing

QFNDACW	$183

Overfiles and Storage Cabinets

Pricing

GSA SIN 711-3

Overview	➤See page 100
Filing Capacities	101
Lock Cores	106
Finishes & Materials	107



Overfile

Standard Includes

- For use on top of lateral file or storage cabinet
- 18"D x 29¼"H

How to Specify

❶ Model:
QFND1830OF = 30"W
QFND1836OF = 36"W
QFND1842OF = 42"W
② Lock option:
KRB = Key random
KSB = Key specific (-$22)
③ Finish price group:
STD = Group 1
④ Finish designator

Pricing

QFND1830OF	$740
QFND1836OF	$776
QFND1842OF	$840



Two-High Storage Cabinets

Standard Includes

- 18"D x 27¼"H

How to Specify

❶ Model:
QFND18302SC = 30"W
QFND18362SC = 36"W
QFND18422SC = 42"W
② Lock option:
KRB = Key random
KSB = Key specific (-$22)
③ Finish price group:
STD = Group 1
④ Finish designator

Pricing

QFND18302SC	$866
QFND18362SC	$915
QFND18422SC	$1024



Three-High Storage Cabinets

Standard Includes

- 18"D x 39³⁄₁₆"H

How to Specify

❶ Model:
QFND18303SC = 30"W
QFND18363SC = 36"W
QFND18423SC = 42"W
② Lock option:
KRB = Key random
KSB = Key specific (-$22)
③ Finish price group:
STD = Group 1
④ Finish designator

Pricing

QFND18303SC	$915
QFND18363SC	$960
QFND18423SC	$1068



Four-High Storage Cabinets

Standard Includes

- 18"D x 51⅛"H

How to Specify

❶ Model:
QFND18304SC = 30"W
QFND18364SC = 36"W
QFND18424SC = 42"W
② Lock option:
KRB = Key random
KSB = Key specific (-$22)
③ Finish price group:
STD = Group 1
④ Finish designator

Pricing

QFND18304SC	$960
QFND18364SC	$1016
QFND18424SC	$1124



Five-High Storage Cabinets

Standard Includes

- 18"D x 64½"H

How to Specify

❶ Model:
QFND18305SC = 30"W
QFND18365SC = 36"W
QFND18425SC = 42"W
② Lock option:
KRB = Key random
KSB = Key specific (-$22)
③ Finish price group:
STD = Group 1
④ Finish designator

Pricing

QFND18305SC	$1012
QFND18365SC	$1075
QFND18425SC	$1184

Shelves and Wardrobe Kits

Pricing

GSA SIN 711-3

Overview ➤See page 100
Filing Capacities 101
Lock Cores 106
Finishes & Materials 107



Overfile/Storage Cabinet Shelves

Standard Includes

- Shelf is adjustable in 2" increments

How to Specify

❶ Model:
QFND1830LFSHP = for 30"W unit
QFND1836LFSHP = for 36"W unit
QFND1842LFSHP = for 42"W unit
② Finish price group:
STD = Group 1
③ Finish designator

Pricing

QFND1830LFSHP	$80
QFND1836LFSHP	$83
QFND1842LFSHP	$86

Wardrobe Kits

Standard Includes

- For use with storage cabinets

How to Specify

❶ Model:
QFND1830WB = for 30"W unit
QFND1836WB = for 36"W unit
QFND1842WB = for 42"W unit

Pricing

QFND1830WB	$70
QFND1836WB	$77
QFND1842WB	$80

Tops, File Bars, Dividers, and Locks

Pricing

GSA SIN 711-3

LF Series ➤See page 96
Fundamental 100
Finishes & Materials 107



Laminate File Tops

Standard Includes

- Single top may be secured to any combination of file widths to create a continuous surface
- PVC rim on front edge
- 18"D x 1 3/16"H

How to Specify

❶ Model:
QSS1830LFTL = 30"W
QSS1836LFTL = 36"W
QSS1842LFTL = 42"W
QSS1860LFTL = 60"W
QSS1872LFTL = 72"W
QSS1884LFTL = 84"W
② Rim:
P = PVC
③ Finish type:
STD = Standard
④ Finish designator
⑤ Rim color

Pricing

QSS1830LFTL	$284
QSS1836LFTL	$316
QSS1842LFTL	$355
QSS1860LFTL	$482
QSS1872LFTL	$601
QSS1884LFTL	$741



Front-to-Back File Bars

Standard Includes

- Black
- Set of two (one set required per drawer)
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legal-size filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file

How to Specify

❶ Model:
Q99KFFB

Pricing

Q99KFFB	$22

Side-to-Side File Bars

Standard Includes

- Galvanized metal

How to Specify

❶ Model:
QKFD30SS = for 30"W unit
QKFD36SS = for 36"W unit
QKFD42SS = for 42"W unit

Pricing

QKFD30SS	$54
QKFD36SS	$58
QKFD42SS	$63

Drawer Dividers

Standard Includes

- Hooks on back of drawer body and can be used in any file.
- Black
- 10 11/16"D x 3 1/16"W x 7 1/2"H

How to Specify

❶ Model:
QKFDPM

Pricing

QKFDPM	$35

Lock Cores for Key Specific Option and Change Keys

Important

- Lock cores must be specified separately for models with key specific option (KSB)
- Change key is equired to remove QKSCD lock cores in the field; it is not required for the initial installation of lock cores

How to Specify

❶ Model:
QKSCD = Lock core and key
QKSCD1CK = Channge key
❷ Key number (omit for change key):
001 to 025

Pricing

QKSCD	$22
QKSCD1CK	$6

FINISHES & MATERIALS

Table of Contents

Samples:

Samples of Kimball Office wood finishes and paints are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur in color and texture. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	108
Finishes & Materials	109
For Casegoods & Tables	109
For Seating	110
For Systems	111
For Metal Filing	112
Panel Fabrics	113
Seating Fabrics	114
Contrasting Upholstery	115
Standard Regulation Testing	116
ACT Performance Icons	117

Finishes ➤See page 109
Panel Fabrics 113
Seating Upholstery 114

Kimball Office offers a diverse collection of surface materials. Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on work-surfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Generations Collection:

The Generations Collection is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support long-standing customers and to help transition you to the current offering.
➤Visit kimballoffice.com to see the Generations Collection.

IMPORTANT: Materials in this collection should not be used to set standard color palettes for new installations.

Materials in this offering can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 122 for complete warranty information.

For Casegoods and Tables

Matrix

Key:

- = Available finish

	Wood Finishes			
	MC Amber Cherry	CC Cordoba Cherry	MW Midtown Walnut	TW Tribeca Walnut
Price Group	1	1	1	1
Priority		•	•	
Senator	•			•
Contemporary Table Tops & Bases		•	•	
42” Traditional Table Tops	•			•
Queen Anne Table Bases	•			•

Priority and contemporary table tops and bases feature our Pura® finish, a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs).

Senator and Traditional tables feature our conventional high-quality catalyzed lacquer or catalyzed varnish finish, incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

➤See the Casegoods Price List for additional information on wood finish characteristics, care, and maintenance.

Key:

- = Available finish

	Wood Finishes							Paint & Non-Paint					
	MC Amber	CC Cordoba	MW Midtown	TW Tribeca	A Amber	E Ebony		W White	462 Cinder	501 Platinum Metallic	Black	Chrome	Polished Aluminum
Price Group	1	1	1	1									
Acapella	●	●	●	●									
Beo	●	●	●	●									
Bingo					●	●		●				●	
Campos											●		●
Collage	●	●	●	●									
Event									●				
Itsa											●		
Muirfield	●	●	●	●									
Poly												●	
Pose	●	●	●	●									
Stature	●	●	●	●									
Wish									●	●			
Xtreme											●		

All exterior wood surfaces feature a high quality catalyzed lacquer finish incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.

Key:

● = Available finish

	Paint & PVC Colors													Laminates											
	480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	499 Satin	CC Cordoba Cherry	MW Midtown Walnut		480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	807 Silicon Evolv	805 Titanium Evolv	CC Cordoba Cherry	MW Midtown Walnut
Price Group	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1
Interworks EQ																									
Panel Frames & Wireway Covers	●	●	●	●	●	●	●	●	●																
Top Caps	●	●	●	●	●	●	●	●	●																
Panel Hinges	●	●	●	●	●	●	●	●	●																
Traxx	●	●	●	●	●	●	●	●	●	●															
End Trim	●	●	●	●	●	●	●	●	●																
Trim Channels	●	●	●	●	●	●	●	●	●																
Footprint																									
Worksurfaces														●	●	●	●	●	●	●	●	●	●	●	●
Molded PVC Rim	●	●	●	●	●	●	●	●	●		●	●													
Wire Manager on Laminate	●	●	●	●	●	●	●	●	●																
Support for Interworks EQ	●	●	●	●	●	●	●	●	●																
Brackets for Interworks EQ			●																						
Metal Supports, Bases, Panels	●	●	●	●	●	●	●	●	●																
Flat Profile Storage	●	●	●	●	●	●	●	●	●																

For Metal Filing

Matrix

Key:
- = Available finish

	Paint & PVC												Laminates											
	480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	CC Cordoba Cherry	MW Midtown Walnut		480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	807 Silicon Evolv	805 Titanium Evolv	CC Cordoba Cherry	MW Midtown Walnut
Price Group	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1
LF Series	•	•	•	•	•	•	•	•	•															
Fundamental	•	•	•	•	•	•	•	•	•															
Universal File Tops													•	•	•	•	•	•	•	•	•	•	•	•
Universal File Top PVC Rims	•	•	•	•	•	•	•	•	•	•	•													

Finishes ➤See page 109
Seating Upholstery 114

Colorways

Price Grade A

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10303 Pewter
10307 Storm

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16105 Mineral
16106 Nickel
16110 Platinum

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10241 Bark
10246 Sterling

Price Grade B

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2216 Paraffin
2275 Melba

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e

100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.

➤www.green-e.org

Key:
A = Heavy duty upholstery
a = General contract upholstery
= Terratex = Green-e

Price Grade 1

Disperse

Price Grade: **1**
Content: 100% polyester, (62% recycled)
Finish: Stain repellant
Backing: Latex
Width: 54"W
Repeat: None
Abrasion: A 100,000 double rubs
Cleaning: WS

11750	Wasabi
11751	Meadow
11752	Oceanside
11753	Aquamarine
11754	Latte
11755	Scarlet
11756	Cocoa
11757	Midnight Blue
11758	Smoke
11759	Ash
11760	Cabernet
11761	Noir

Seasons

Price Grade: **1**
Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester
Width: 54"W
Repeat: 4"H x 1.7"V
Abrasion: A 50,000 double rubs
Cleaning: WS

10980	Almond
10981	Espresso
10982	Fern
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate

Soundbyte

Price Grade: **1**
Content: 100% recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: 7"H x 35"V
Abrasion: A 30,000 double rubs
Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

Price Grade 2

Dolce (polyurethane)

Price Grade: **2**
Content: 100% polyurethane
Finish: Superior Abrasion/ Silverguard
Backing: 100% rayon
Width: 54"W
Repeat: None
Abrasion: A 400,000 double rubs
Cleaning: WS; cleanable with diluted bleach solution
Restrictions: Not available on tack-boards or fabric-covered overheads

11900	Black
11901	Mocha
11902	Meteor
11903	Artesian
11904	Indigo
11905	Peacock
11906	Grass
11907	Citron
11908	Fuschia
11909	Poppy
11910	Tangelo
11911	Burgundy
11912	Chocolate
11913	Lion
11914	Latte
11915	Ivory
11916	White
11917	Camel
11918	Mushroom

Spectrum

Price Grade: **2**
Content: 100% pre-consumer recycled polyester
Finish: Blockaide™
Backing: SBR latex
Width: 54"W
Repeat: None
Abrasion: A 100,000+ double rubs
Cleaning: WS

20001	Mimosa
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20072	Breeze
20079	Tangerine
20081	Charcoal
20095	Red

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered a normal, inherent characteristic.

Some upholsteries (i.e. Essence, leathers and some woven fabrics) may relax over time creating a loosely upholstered appearance.

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

Colorways, continued

Key:
A = Heavy duty upholstery
a = General contract upholstery
= Terratex = Green-e

Twilight

Price Grade: **2**
Content: 100% pre-consumer recycled polyester; Green-e certified
Finish: Blockaide™
Width: 54"W
Repeat: None
Abrasion: A 50,000 double rubs
Cleaning: WS

23101	Ocean
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23119	Tangerine
23120	Nude

Price Grade 6

Essence/Ultraleather™

Price Grade: **6**
Content: 100% polyurethane
Backing: 100% reinforced rayon
Width: 54"W
Repeat: None
Abrasion: A 400,000 double rubs
Cleaning: WS/B

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

Price Grade L7

Davenport

Price Grade: **L7**
Content: Top grain leather
Abrasion: A 1,000+ cycles (Tabor Test)

70115	Black

Contrasting Upholstery:

Contrasting upholstery is defined by entire back and seat upholstery application. Contrasting upholstery is available on the following seating series:
- Beo
- Event (all models)
- Pose (lounge models)
- Wish (all models)

Select any contrasting Kimball Office, Alliance Program, COM, or COL upholstery.

IMPORTANT: When specifying contrasting fabric, use an electronic specification tools for pricing. If one is not available, you may contact Customer Service.

Special Applications:
Pose contrasting back upholstery applies to the cushion back only. Remainder of the chair (seat, arms, and outer shell) is contrasting.

Cleaning Fabrics:

Cleaning Code B
- Cleanable with diluted bleach solution

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Leather:

Regular Cleaning
- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning
- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air dry.

Standard Regulation Testing

Key:
- • = Complies with standard

Pattern	*California TB117 (Section E)*	*UFAC Classification 1 or A*	*Port Authority of NY and NJ (Method 5903)*
Disperse	•	•	
Dolce	•	•	
Essence/Ultraleather™	•	•	
Seasons	•	•	
Soundbyte	•	•	
Spectrum	•	•	•
Twilight	•	•	•

Fire Codes & Flammability:

TB117
California Flammability Regulation #117 is a set of minimum allowable standards of flammability to which all upholstered furniture sold in the State of California must comply. It relates primarily to fabric coverings and resilient fillings. All shipments of Kimball Office upholstery comply with Regulation #117 and our invoices and law labels for such goods bear certification that our upholstered products comply.

UFAC
All Kimball Office seating is made in accordance with the Upholstered Furniture Action Council (UFAC) criteria to reduce chance of ignition by burning cigarettes.

TB133 Factor
TB133 factor is a full-scale fire test for furniture manufactured for public use in which an entire piece of furniture is tested as a unit. Kimball Office offers a wide variety of seating products that can be manufactured to meet TB133.

Double Upholstery Method
Kimball Office products are first upholstered with a fire barrier, the upholstery is then applied over the barrier. The addition of this barrier may slightly alter the comfort and/or aesthetics of the seating product.

Advisory
Purchaser must consult local fire and code official to determine the suitability of product being selected for any particular application.

Certain jurisdictions may require the use of additional fire retardants of composite flammability testing. Kimball Office assumes no responsibility for composite testing or for compliance with any particular code or other flammability standards different than as contained in applicable catalog information unless such requirements are specified in writing by purchaser to Kimball Office prior to confirmation of order. Cost of additional flammability treatments or testing needs of purchaser shall be borne by purchaser.

Seating Fabrics

Application Guidelines

ACT Performance Icons

Finishes ➤See page 109
Panel Fabrics 113
Seating Upholstery 114

All Kimball Office fabrics meet, and in most cases exceed, the minimum requirements set up by ACT. For the purpose of uniformity in the industry, Kimball Office will be utilizing the ACT icons on swatchcards and related materials.

The Association for Contract Textiles (ACT) has developed voluntary performance guidelines to make fabric specification easier. The five symbols give architects, designers, and end-users a vast amount of performance information in a succinct visual way. Look for these symbols on ACT member company sampling to assure that the fabrics you specify perform up to contract standards and pass all applicable testing.

These categories describe a material's performance features as measured by specified methods under standard laboratory conditions. All tests referenced here are intended to represent the most current version of a test method. Note: Individual ACT member product information may represent a different version of a test method depending on the date the product was introduced to the market.

IMPORTANT: These tests represent minimum requirements which are subject to change without notice and may not reflect requirements or laws in all locations.

Flammability:

The measurement of a fabric's performance when it is exposed to specific sources of ignition. Note: ACT guidelines specify different flammability tests dictated by the intended end use for the fabric.

Upholstery
California Technical Bulletin #117
Section E—Class 1 (Pass)

Wrapped Panels and Upholstered Walls
ASTM E 84 (Unadhered Mounting Method)—Class A or Class 1

Wet & Dry Crocking:

Transfer of dye from the surface of a dyed or printed fabric onto another surface by rubbing.

Upholstery
AATCC 8—
Dry Crocking, Grade 4 minimum
Wet Crocking, Grade 3 minimum

Wrapped Panels and Upholstered Walls
AATCC 8—
Dry Crocking, Grade 3 minimum
Wet Crocking, Grade 3 minimum

Colorfastness to Light:

A material's degree of resistance to the fading effect of light.

Upholstery
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Wrapped Panels and Upholstered Walls
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Physical Properties:

Pilling is the formation of fuzzy balls of fiber on the surface of a fabric that remain attached to the fabric. Breaking strength is the measurement of stress exerted to pull a fabric apart under tension. Seam slippage is the movement of yarns in a fabric that occurs when it is pulled apart at a seam.

Upholstery
Brush pill—ASTM D3511, Class 3 minimum or Martindale Tester ASTM D4970, Class 3 minimum

Breaking strength ASTM D5034 (Grab Test)—50 lbs. minimum in warp and weft

Seam slippage ASTM D4034—
25 lbs. minimum in warp and weft

Wrapped Panels and Upholstered Walls
Breaking strength ASTM D5034 (Grab Test)—35 lbs. minimum in warp and weft

Abrasion Resistance:

The surface wear of a fabric caused by rubbing and contact with another fabric.

General Contract Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—15,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—20,000 cycles Martindale method

Heavy Duty Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—30,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—40,000 cycles Martindale method

End use examples of heavy-duty installations where upholstery fabrics rated at 30,000 double rubs should be appropriate are single shift corporate, hotel rooms/suites, conference rooms and dining area usage.

ACT acknowledges that there are extreme wear situations that may require higher levels of abrasion resistance. End use examples that may require higher than 30,000 double rubs include: 24 hour transportation terminals, 24 hour telemarketing, 24 hour healthcare emergency rooms, 24 hour casino gambling areas, and such public gathering places as theatres, stadiums, lecture halls and fast food restaurants.

It is strongly suggested that double rubs exceeding 100,000 are not meaningful in providing additional value in use. Higher abrasion resistance does not necessarily indicate a significant extension of the service life of the fabric.

The Wyzenbeek and Martindale tests are the two methods commonly used to predict wear-ability. Actual performance is determined by many factors such as fiber content, weaves, finishes, furniture design, maintenance, cleaning, and usage. Durability of an upholstery fabric is a complex interaction (combination) of a number of performance tests that, in addition to abrasion, includes seam slippage, pilling, tensile strength, and usage.

There is no correlation between the Wyzenbeek and Martindale tests so it is not possible to estimate the number of cycles that would be achieved on one test if the results from the other test were known.

Notes

RESOURCES

	➤See page
Terms and Conditions	120
Asset Tag Locations	120
Product Warranty	122
Warranty for Bingo	123
Operating Load Capacities	124
BIFMA Chair Testing	125
Model Number Index	127

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Casegoods, Systems, and Metal Filing orders, individually, may not exceed $100,000 list. Consult your Customer Service Team for any seating order with more than 20 of a specific model. Production schedules will be verified to ensure shipment within the time period listed above.

Operating Load Capacities

Terms & Conditions ➤See page 120
Product Warranty 122
BIFMA Chair Testing 125

Component	*Operating Load Capacity (Functional Loads)*	*Example*
Casegoods		
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desk/table 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space *Note: File drawers are to support hanging files only; they are not intended for bottom loading.*	24"D x 18"W x 12"H = 88 lbs.
Transaction counter, secondary surface <16"D, or and shelf	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Adjustable keyboard <36"W	66 lbs. over 12" diameter area, concentrated loading 66 lbs., distrib. loading	
Writing shelf	25 lbs., distributive loading	
Extendible elements	.017 lb. per cubic inch of drawer interior filing space, distributive loading	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Storage or bookcase top <38"H	200 lbs. concentrated loading .26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Storage or bookcase top 38"H–72"H	.26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Storage or bookcase top >72"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18"H)	24"D x 36"W x 18"H = 264 lbs.
Systems		
Worksurface	200 lb.s over 12" diameter area, concentrated loading; 1.5 lb. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs. total weight (t.w.)
Transaction counter	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	12"D x 60"W = 147 lbs. t.w.
Round and rectangular tables	1.5 lb. per inch of perimeter, distributive loading	36" dia. = 170 lbs. t.w. 36"D x 60"W = 288 lbs. t.w.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	24"D x 18"W x 12"H wood = 88 lbs. t.w. 24"D x 15"W x 12"H metal = 73 lbs. t.w.
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	22"D x 30"W = 134 lbs. t.w
Center-mount cabinet	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	36"W x 12"H metal = 163.5 lbs. t.w
Flipper door cabinet	Top shelf—NO load; Bottom shelf—.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading*	36"W x 16"H metal = 117 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Open shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	36"W x 19"H wood = 140 lbs. t.w.
Lateral file drawers	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	30"W x 18"D x 12"H metal = 110 lbs. t.w. 30"W x 24"D x 12"H wood = 147 lbs. t.w.
Bookcase and wardrobe shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distrib. loading	36"W x 8"D metal = 59 lbs. t.w. 36"W x 12"D wood = 88 lbs. t.w.

The table at left lists the operating load capacities of various Kimball Office components. All Casegoods components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 2008 Desk and Table Products Tests and X5.9 2004 Storage Units Tests. All Systems components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.6 2010 Panel System Test, X5.5 2008 Desk/Tables Products Test, and X5.9 2012 Storage Unit Test. The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Cubic inches should be calculated using this formula:
Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface for casegoods or 18 inches above the surface for systems and Perks)

Square inches should be calculated using this formula: Surface depth x surface width of available storage

BIFMA and ANSI Chair Testing

X5.1–2011 General Purpose Office Chair Tests

Terms & Conditions ➤See page 120
Product Warranty 122
Warranty for Bingo 123
Operating Load Capacities 124

Backrest Strength Test: Type **I**—back tilt chair, 200 lb. force applied, 300 lb. proof load. Type **II** & **III**—back tilt chair, 150 lb. force applied, 250 lb. proof load.



Base Test: Using 2500 lb. force for one minute, 2500 lb. proof load.

Drop Test: Using 225 lb. weight, 300 lb. proof load with 6" drop.



Swivel Cycle Test: 250 lb. on seat rotating base, 60,000 cycles at mid point and 60,000 lowest position.



Tilt Mechanism Test: 300,000 tilts with 225 lb. in seat.



Seat Durability Test: 125 lb. weight dropped onto seat 100,000 cycles.



Front Load Ease: 165 lb. alternating for 40,000 cycles.



Front Stability Test: Apply 135 lb. on front edge of seat while applying horizontal 4.5 lb. force at top of seat.

Rear Stability Test: 173 lb. on seat, no less than 20 lb. of pressure should be required to tip chair back.



Arm Strength Test—Downward Application: 169 lb. force applied downward at arm's weakest point, 253 lb. proof load.



Arm Strength Test—Outward Application: 100 lb. force applied outward at arm's weakest point, 150 lb. proof load.



Chair/Chair Base Durability Test: 2,000 cycles over obstruction, 98,000 over smooth along a 30" distance with a 250 lb. load.

Chair Testing:

The X5.1–2011 General Purpose Office Chair Tests were developed by the Business and Institutional Furniture Manufacturer's Association (BIFMA) and approved by the American National Standards Institute (ANSI). These performance tests determine the stamina of seating in its day to day use.

Kimball Office is a member of the Business and Institutional Furniture Manufacturer's Association.

Note: This testing does not serve as a warranty or guarantee. Generally, products within this price list meet or exceed the applicable BIFMA/ANSI standards.

Terms & Conditions ➤See page 120
Product Warranty 122
Warranty for Bingo 123
Operating Load Capacities 124

Backrest Durability Test: Type **I**—with 225 lb. on seat with chair fully reclined with 100 lb. force, 80,000 cycles. Type **II** & **III**—with 225 lb. on seat and tilting with 75 lbs. force, 80,000 cycles. After 80,000 are complete, 40,000 will be off center testing.



Leg Strength Test—Front Application: 75 lb. force applied, 113 lb. proof load.



Leg Strength Test—Side Application: 75 lb. force applied, 113 lb. proof load.



Footrest Durability Test: 200 lb. weight applied along a 4" length of the footrest, 50,000 cycles.



Arm Durability Test: Apply 90 lb. force at 10° angle for 60,000 cycles.



Out Stop Test for Chairs with Manually Adjustable Seat Depth: 163 lb. forward force with 55 lb. downward force for 25 cycles.



Tablet Arm Test—Static: 150 lb. load level for 1 minute.



Table Arm Load Ease Test—Cyclic: 77 lb. dropped onto tablet center surface for 100,000 cycles.

Terms & Conditions ➤See page 120
Product Warranty 122
Warranty for Bingo 123
Operating Load Capacities 124

Model	➤See page
K50A	31
K50GB	31
K50N	31
K50SN	31
K75CFMBBSL	29
K75CFMBWSL	29
K75CSHBBSL	29
K75CSHBWSL	29
K75CSMBBSL	29
K75CSMBWSL	29
K95MBKB1	39
K95MBKB4	39
K95MBSB1	39
K95MBSB4	39
K95MCRB1	39
K95MCRB4	39
K95MKWB1	39
K95MKWB4	39
K95MTGB1	39
K95MTGB4	39
K95TD	39
Q10ATMC	71
Q10P04EDCI	72
Q10P06EDCI	72
Q10P08EDCI	72
Q10P12CNHL	57
Q10P12CNHLL	58
Q10P12EDCI	72
Q10P12HTC	62
Q10P14CNHL	57
Q10P14CNHLL	58
Q10P14EDCI	72
Q10P14HTC	62
Q10P18CNHL	57
Q10P18CNHLL	58
Q10P18EDCI	72
Q10P18EPTA	66
Q10P18EPTB	66
Q10P18HTC	62
Q10P20CNHL	57
Q10P20CNHLL	58
Q10P20EDCI	72
Q10P20HTC	62
Q10P24CNHL	57
Q10P24CNHLL	58
Q10P24ED	66
Q10P24EDCI	72
Q10P24HTC	62
Q10P26CNHL	57
Q10P26CNHLL	58
Q10P26EDCI	72
Q10P26HTC	62
Q10P28CNHL	57
Q10P28CNHLL	58
Q10P28EDCI	72
Q10P28HTC	62
Q10P30ED	66
Q10P30EHPA	69
Q10P32CNHL	57
Q10P32CNHLL	58
Q10P32EDCI	72
Q10P32HTC	62
Q10P34CNL	55
Q10P34CNS	64
Q10P34CNT	55
Q10P34CNV	55
Q10P34CNWMP	65
Q10P34EC	61
Q10P36ED	66
Q10P36EHPA	69
Q10P38CNHL	57
Q10P38CNHLL	58
Q10P38EDCI	72
Q10P38HTC	62
Q10P42CNL	55
Q10P42CNS	64
Q10P42CNT	55
Q10P42CNV	55
Q10P42CNWMP	65
Q10P42EC	61
Q10P42ED	66
Q10P42EDCL	72
Q10P42EDCT	72
Q10P42EHPA	69
Q10P46CNHL	57
Q10P46CNHLL	58
Q10P46EDCI	72
Q10P46HTC	62
Q10P48CNL	55
Q10P48CNS	64
Q10P48CNT	55
Q10P48CNV	55
Q10P48CNWMP	65
Q10P48EC	61
Q10P48ED	66
Q10P48EDCL	72
Q10P48EDCT	72
Q10P48EHPA	69
Q10P4CNHL	57
Q10P4CNHLL	58
Q10P4HTC	62
Q10P54CNL	55
Q10P54CNS	64
Q10P54CNT	55
Q10P54CNV	55
Q10P54CNWMP	65
Q10P54EC	61
Q10P54EDCL	72
Q10P54EDCT	72
Q10P60ED	66
Q10P60EHPA	69
Q10P62CNL	55
Q10P62CNS	64
Q10P62CNT	55
Q10P62CNV	55
Q10P62CNWMP	65
Q10P62EC	61
Q10P62EDCL	72
Q10P62EDCT	72
Q10P66CNETP	64
Q10P66CNL	55
Q10P66CNS	64
Q10P66CNT	55
Q10P66CNV	55
Q10P66CNWMP	65
Q10P66EC	61
Q10P66EDCL	72
Q10P66EDCT	72
Q10P6CNHL	57
Q10P6CNHLL	58
Q10P6HTC	62
Q10P80CNL	55
Q10P80CNS	64
Q10P80CNT	55
Q10P80CNV	55
Q10P80CNWMP	65
Q10P80EC	61
Q10P80EDCL	72
Q10P80EDCT	72
Q10P8CNHL	57
Q10P8CNHLL	58
Q10P8HTC	62
Q10PCNIFC	60
Q10PCNIL	60
Q10PCNLTC1	59
Q10PCNLTC2	59
Q10PCNTTC1	59
Q10PCNTTC2	59
Q10PCNTTC3	59
Q10PCNTTC4	59
Q10PCNTTC5	59
Q10PCNTTC6	59
Q10PCNXTC1	59
Q10PCNYTC1	59
Q10PCPDPEP	70
Q10PCPDPLP	70
Q10PCPDPSP	70
Q10PECP1	71
Q10PECPE1	67
Q10PEFPE1E	67
Q10PEFPE1L	67
Q10PEFPE1S	67
Q10PEHCC	68
Q10PEHEC	68
Q10PEHJB	68
Q10PEHRCP	71
Q10PEHSC	68
Q10PEHSFP	68
Q10PEJA	66
Q10PEJB	66
Q10PEJC	66
Q10PER1	67
Q10PER2	67
Q10PER3	67
Q10PER4	67
Q10PER5	67
Q10PESPE1P	67
Q10PRT2R	68
Q10PSBPNCL	54
Q10PSBPNCS	54
Q10PSBPNCT	54
Q10PSBPNCX	54
Q10PSBSPCR	54
Q11P12CNHT	56
Q11P12HLT	63
Q11P14CNHT	56
Q11P14HLT	63
Q11P1834A	51
Q11P1842A	51
Q11P1848A	52
Q11P1854A	52
Q11P1862A	53
Q11P1866A	53
Q11P1880A	53
Q11P18CNHT	56
Q11P18HLT	63
Q11P20CNHT	56
Q11P20HLT	63
Q11P2434A	51
Q11P2442A	51
Q11P2448A	52
Q11P2454A	52
Q11P2462A	53
Q11P2466A	53
Q11P2480A	53
Q11P24CNHT	56
Q11P24HLT	63
Q11P26CNHT	56
Q11P26HLT	63
Q11P28CNHT	56

Model	➤See page
Q11P28HLT	63
Q11P3034A	51
Q11P3042A	51
Q11P3048A	52
Q11P3054A	52
Q11P3062A	53
Q11P3066A	53
Q11P3080A	53
Q11P32CNHT	56
Q11P32HLT	63
Q11P3634A	51
Q11P3642A	51
Q11P3648A	52
Q11P3654A	52
Q11P3662A	53
Q11P3666A	53
Q11P3680A	53
Q11P38CNHT	56
Q11P38HLT	63
Q11P4234A	51
Q11P4242A	51
Q11P4248A	52
Q11P4254A	52
Q11P4262A	53
Q11P4266A	53
Q11P4280A	53
Q11P46CNHT	56
Q11P46HLT	63
Q11P4834A	51
Q11P4842A	51
Q11P4848A	52
Q11P4854A	52
Q11P4862A	53
Q11P4866A	53
Q11P4880A	53
Q11P4CNHT	56
Q11P4HLT	63
Q11P6034A	51
Q11P6042A	51
Q11P6048A	52
Q11P6054A	52
Q11P6062A	53
Q11P6066A	53
Q11P6CNHT	56
Q11P6HLT	63
Q11P8CNHT	56
Q11P8HLT	63
Q12S1830FCBBLM	87
Q12S1830FCBBRM	87
Q12S1830LFU2M	87
Q12S1836LFU2M	87
Q12S1842LFU2M	87
Q12S2415PMBBFM	88
Q12S2415PMFFM	88
Q12S2415PUBBFM	86
Q12S2415PUBFM	86
Q12S2415PUFFM	86
Q12S3015PUBBFM	86
Q12S3015PUBFM	86
Q12S3015PUFFM	86
Q22-2832V	38
Q22-2833V	38
Q22-5032V	38
Q4610	33
Q4620	33
Q53K2436LFF2L01	9
Q53K2436LFF2W01	9
Q53K2442BEFL01	8
Q53K2442BEFW01	8
Q53K2448BEFL01	8
Q53K2448BEFW01	8
Q53K2448RLEFL201	8
Q53K2448RLEFW201	8
Q53K2448RREFL201	8
Q53K2448RREFW201	8
Q53K2472CKFL201	9
Q53K2472CKFW201	9
Q53K2472CLFL201	9
Q53K2472CLFW201	9
Q53K2472CRFL201	9
Q53K2472CRFW201	9
Q53K3653BCOFL01	10
Q53K3653BCOFW01	10
Q53K3667BCOFL01	10
Q53K3667BCOFW01	10
Q53K3672DLFBL101	8
Q53K3672DLFBW101	8
Q53K3672DRFBL101	8
Q53K3672DRFBW101	8
Q53K7238HBHL01	10
Q53K7238HBHW01	10
Q95-1D	35
Q95-2D	35
Q95-6D	35
Q95-7D	35
Q95-A	35
Q99K1706KK1	22
Q99K2208KK1	22
Q99K2319KKS1	22
Q99KCPUH	22
Q99KELDM	23
Q99KELPM	23
Q99KELPS	23
Q99KFB	22
Q99KFFB	22, 106
QCBS2716CY	19
QCCS42RDW1JNX	19
QCCS4896RCW1JNX	19
QCCS48RDW1JNX	19
QFBG	82
QFND18302	102
QFND18302SC	104
QFND18303	102
QFND18303SC	104
QFND18304	102
QFND18304SC	104
QFND18305	102
QFND18305ADA	103
QFND18305LD	102
QFND18305SC	104
QFND1830LFSHP	105
QFND1830OF	104
QFND1830WB	105
QFND18362	102
QFND18362SC	104
QFND18363	102
QFND18363SC	104
QFND18364	102
QFND18364SC	104
QFND18365	102
QFND18365ADA	103
QFND18365LD	102
QFND18365SC	104
QFND1836LFSHP	105
QFND1836OF	104
QFND1836WB	105
QFND18422	102
QFND18422SC	104
QFND18423	102
QFND18423SC	104
QFND18424	102
QFND18424SC	104
QFND18425	102
QFND18425ADA	103
QFND18425LD	102
QFND18425SC	104
QFND1842LFSHP	105
QFND1842OF	104
QFND1842WB	105
QFNDACW	103
QHIT1236A	74
QHIT1836A	74
QHIT2436A	74
QHIT3036A	74
QHIT3636A	74
QHIT4236A	74
QHIT4836A	74
QHIT5436A	74
QHIT6036A	74
QIB0224D	82
QIB0230D	82
QIB0427AC	85
QIB1827H	83
QIB2427F	83
QIB24CL	82
QIB24CR	82
QIB3027F	83
QIBF1	82
QIBRWSEL	82
QIBRWSER	82
QIBSC	91
QIBTCBL1	82
QIBTCBR1	82
QIBTWS	82
QIF0727CP	83
QIF0827RS	83
QIF1227RS	83
QIF1227WSP	83
QIF1827H	83
QIF2023M	84
QIF2423M	84
QIF2427F	83
QIF2623M	84
QIF3023M	84
QIF3027F	83
QIF3223M	84
QIF3423M	84
QIF3623M	84
QIF3627F	83
QIF3823M	84
QIF4023M	84
QIF4223M	84
QIF4423M	84
QIF4623M	84
QIF4823M	84
QIF5023M	84
QIF5223M	84
QIF5423M	84
QIF5623M	84
QIF5823M	84
QIF6023M	84
QIF6423M	84
QIF6623M	84
QIF6823M	84
QIF7023M	84
QIF7423M	84
QIF8023M	84
QIF8223M	84
QIF8823M	84
QIF9423M	84

continued

Terms & Conditions ➤See page 120
Product Warranty 122
Warranty for Bingo 123
Operating Load Capacities 124

Model	➤See page
QIS142409OS	90
QIS142416OS	90
QIS142416RP	89
QIS143009OS	90
QIS143016OS	90
QIS143016RP	89
QIS143609OS	90
QIS143616OS	90
QIS143616RP	89
QIS144209OS	90
QIS144216OS	90
QIS144216RP	89
QIS144809OS	90
QIS144816OS	90
QIS144816RP	89
QIS145409OS	90
QIS145416OS	90
QIS145416RP	89
QIS146009OS	90
QIS146016OS	90
QIS146016RP	89
QIS147209OS	90
QIS147216OS	90
QIS147216RP	89
QISBRKC	91
QISBRKT	91
QISBRKTSO	91
QK11AA	42
QK11CC	42
QK11EE	42
QK15C27	32
QK172H701	36
QK17C27	32
QK20BT	43
QK35AA	40
QK35BB	40
QK35JJ	40
QK35KK	40
QK35T242416W	41
QK35T244816W	41
QK35T303016W	41
QK38AA	37
QK38BB	37
QK38CC	37
QK38DD	37
QK46AA	28
QK570H01	36
QK58BT	30
QK58ET	30
QKAC7016TBK16105	10
QKCU25TL	17
QKCU49TL	17
QKFD30SS	106
QKFD36SS	106
QKFD42SS	106
QKFDPM	106
QKFI01	34
QKFI02	34
QKSCD	106
QKSCD001	86, 87, 88, 89
QKSCD1CK	86, 87, 88, 89
QKSU14TL	92
QKSU25TL	92
QKSU37TL	92
QKSU49TL	92
QLFCW30	99
QLFCW36	99
QLFCW42	99
QLFF18302	98
QLFF18303	98
QLFF18304	98
QLFF18305	98
QLFF18305LD	98
QLFF18362	98
QLFF18363	98
QLFF18364	98
QLFF18365	98
QLFF18365LD	98
QLFF18422	98
QLFF18423	98
QLFF18424	98
QLFF18425	98
QLFF18425LD	98
QSN1537CPB	16
QSN1539CPTW	16
QSN2439LFF2W	15
QSN2439LFF4W	15
QSN2475C	15
QSN2475CKFWMX	15
QSN2475CSFWMX	15
QSN2551BEFHWMG	14
QSN2551R	14
QSN3066D	14
QSN3648BCO	16
QSN3672D	14
QSN3672DDFWMX	14
QSS1830LFTL	106
QSS1836LFTL	106
QSS1842LFTL	106
QSS1860LFTL	106
QSS1872LFTL	106
QSS1884LFTL	106
QSS2424WSSL	77
QSS2430WSSL	77
QSS24363624WSCCL	79
QSS24363624WSCSL	78
QSS2436WSSL	77
QSS24424224WSCCL	79
QSS24424224WSCSL	78
QSS2442WSSL	77
QSS24484824WSCCL	79
QSS24484824WSCSL	78
QSS2448WSSL	77
QSS2454WSSL	77
QSS24606024WSCCL	79
QSS2460WSSL	77
QSS2466WSSL	77
QSS2472WSSL	77
QSS2478WSSL	77
QSS2484WSSL	77
QSS2490WSSL	77
QSS2496WSSL	77
QSS3024WSSL	77
QSS3030TTSQL	81
QSS3030WSSL	77
QSS3036WSSL	77
QSS30424230WSCCL	79
QSS30424230WSCSL	78
QSS3042WSSL	77
QSS30484830WSCCL	79
QSS30484830WSCSL	78
QSS3048WSSL	77
QSS3054WSSL	77
QSS30606030WSCCL	79
QSS3060TTRTL	81
QSS3060WSSL	77
QSS3060WSUCL	80
QSS3060WSUL	80
QSS3066WSSL	77
QSS3066WSUCL	80
QSS3066WSUL	80
QSS3072TTRTL	81
QSS3072WSSL	77
QSS3072WSUCL	80
QSS3072WSUL	80
QSS3078WSSL	77
QSS3084WSSL	77
QSS3090WSSL	77
QSS3096WSSL	77
QSS30TTRNL	81
QSS3636TTSQL	81
QSS3660TTRCL	81
QSS3660TTRTL	81
QSS3660WSUCL	80
QSS3660WSUL	80
QSS3666WSUCL	80
QSS3666WSUL	80
QSS3672TTRCL	81
QSS3672TTRTL	81
QSS3672WSSL	77
QSS3672WSUCL	80
QSS3672WSUL	80
QSS3684TTRCL	81
QSS36TTRNL	81
QSS4242TTSQL	81
QSS42TTRNL	81
QSS48TTRNL	81
QTB3-4W	20
QTBS2627TP	85
QTBS2627XP	85
QTBS3427XP	85
QTT2-42W	20
QTTCFC	73
QTTET02	75
QTTET39	75
QTTSP04	73
QTTTC36N	76
QTTTC36P	76
QTTVCM20B	76
QTTVCM20N	76
QTTWMT144	73
QTTWMT72	73

Notes

Kimball® Office

METAL FILING Price List

This price list is effective March 16, 2015 and supercedes all previously printed or electronically released versions.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Kwik Office Program	4
Locking Information	5
Sustainability	6
LF Series	7
Statement of Line	7
Overview	8
Product Information	9
Filing Capacities	10
Pricing	11
Fundamental	17
Statement of Line	17
Overview	18
Product Information	19
Filing Capacities	20
Pricing	21
Universal	25
Paper Management	25
Laminate File Tops	26
Finishes and Materials	27
Resources	33
Terms and Conditions	34
Asset Tag Locations	34
Product Warranty	36
Operating Load Capacities	37
Model Number Index	38

How to Use this Price List

Kwik Office	➤See page 4
Sustainability	6
Finishes & Materials	27
Resources	33

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration, a table showing available sizes, and page cross references to the applicable pricing and how to specify pages.



Product Information pages provide detailed information about the product, connections that can be made with other models, planning factors, and applications guidelines.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.
➤See page 3 for detailed information about how to specify Kimball Office products.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

How to Specify Our Products

Kwik Office ➤See page 4
Sustainability 6
Finishes & Materials 27
Resources 33

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



LF SERIES™ Metal Filing

Lateral Files Pricing

With Standard-Height Drawers GSA SIN 711-3

D	W	H	Model	Price
2-High Lateral Files				
18"	30"	25⅞"	LFF18302 K_J	$891
	36"		LFF18362 K_J	1012
	42"		LFF18422 K_J	1069
3-High Lateral Files				
18"	30"	37⅛"	LFF18303 K_J	$1212
	36"		LFF18363 K_J	1407
	42"		LFF18423 K_J	1534
4-High Lateral Files				
18"	30"	48⅛"	LFF18304 K_J	$1539
	36"		LFF18364 K_J	1788
	42"		LFF18424 K_J	1992
5-High Lateral Files				
18"	30"	60⅞"	LFF18305 K_J	$1913
	36"		LFF18365 K_J	2105
	42"		LFF18425 K_J	2306
5-High Lateral Files with Roll-Out Shelf and Lift Door				
18"	30"	62⅛"	LFF18305LD K_J	$1992
	36"		LFF18365LD K_J	2184
	42"		LFF18425LD K_J	2386

IMPORTANT: Counterweight kit, specified separately, is required for all freestanding lateral files. See page 17.

Front-to-Back File Bars See the Perks Price List.

Overview See page 8
Locking Information 4
Counterweight Kits 17
Paper Management 27

Standard Includes
- Standard-height drawers
- Lock: black
- One side-to-side file bar per drawer
- One drawer label per drawer
- Floor glides

How to Specify
❶ Model
⑵ Pull option:
F = Full pull
⑶ Lock option:
KRB = Key random
KSB = Key specific (-$21; specify lock core separately)
④ Factory installed base option:
X = No additional base
1.5 = 1½"H (+$)
2 = 2"H (+$)
2.875 = 2⅞"H (+$)
3 = 3"H (+$)
4 = 4"H (+$)
See page 16 for pricing.
Note: Factory-installed base option will incur an upcharge equivalent with the models available for field installation
⑤ Finish price group:
STD = Group 1
STDM = Group M (+$10%)
⑥ Finish designator

Page 11 LF Series K_J = Kwik Office model available.

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for a **5-high LF Series lateral file.**
➤See page 11 for the corresponding pricing table and How to Specify steps.

❶	⑵	⑶	④	⑤	⑥
LFF18365	F	KRB	2	STD	480
Base Model					

Kwik Office Program

Sustainability ➤See page 6
Finishes & Materials 27
Resources 33

Kwik Office metal filing products are available to ship within ten business days upon receipt of a credit-approved order.

Specific models and options from the following lines are available:
- LF Series
- Fundamental
- Universal

Model Numbers:

Models and finishes that are available on Kwik Office have been marked with a K icon in this price list. Model numbers and the How to Specify steps differ from standard lead time products.
➤See the Kwik Office Price List to specify.

Include only Kwik Office models on your order. Any orders containing non-Kwik Office products will be treated as such and entered at standard lead times. Indicate clearly at the top of your order “Kwik Office.”

Changes and Cancellations:

No changes or cancellations will be accepted after order entry for Kwik Office products.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Contact Customer Service for availability.

Kwik Office ➤See page 4
Sustainability 6
Finishes & Materials 27
Resources 33

Locking units can be specified as:
- Key random with a black lock core and hinged key (KRB); or
- Key specific (KS)

Key Random Option:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KSCD001 to KSCD300.

Randomly numbered lock core(s) will ship standard along with your order for field installation.



With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific Option:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KSCD001 to KSCD300.



To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Black lock cores and hinged keys are identical to the ones used with other casegoods and systems products.

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Change key model KCCB1CK allows removal of lock cores for key numbers ranging from KSCD001 to KSCD300.

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Master key model KC2GMK will unlock any lock with key numbers ranging from KSCD001 to KSCD300.

Model/Key Range	*Price*
Black Lock Cores	
KSCD001 to KSCD300	$22
For Kwik Office Models	
QKSCD001 to QKSCD025 K	$22
Change Key	
KCCB1CK	$6
Master Key	
KC2GMK	$12

How to Specify

❶ Specify exact key number for lock cores as the model number or model number for change or master key

K = Kwik Office model available.

Sustainability

Enhancing the Home We All Share

Kwik Office ➤See page 4
Finishes & Materials 27
Resources 33

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



2-High Lateral Files

➤See page 11 to specify with standard-height drawers.
➤See page 12 to specify with half-height drawers.

	30"W	36"W	42"W
26"H	●	●	●



3-High Lateral Files

➤See page 11 to specify with standard-height drawers.
➤See page 12 to specify with half-height drawers.

	30"W	36"W	42"W
37"H	●	●	●

4-High Lateral Files

➤See page 11 to specify with standard-height drawers.
➤See page 12 to specify with half-height drawers.

	30"W	36"W	42"W
49"H	●	●	●



5-High Lateral Files

➤See page 11 to specify with standard-height drawers.
➤See page 12 to specify with half-height drawers.

	30"W	36"W	42"W
60"H	●	●	●



5-High Lateral Files with Roll-Out Shelf and Lift Door

➤See page 11 to specify with standard-height drawers.
➤See page 12 to specify with half-height drawers.

	30"W	36"W	42"W
62"H	●	●	●



Overfiles

➤See page 13 to specify

	30"W	36"W	42"W
29"H	●	●	●



Storage Cabinets

➤See page 13 to specify.

	30"W	36"W	42"W
26"H	●	●	
37"H	●	●	
49"H	●	●	
60"H	●	●	



Bases

➤See page 14 to specify.

	30"W	36"W	42"W
1½"H	●	●	●
2"H	●	●	●
2⅞"H	●	●	●
3"H	●	●	●
4"H	●	●	●

Counterweight Kits

➤See page 15 to specify.



Overfile/Storage Cabinet Shelves and Wardrobe Kits

➤See page 15 to specify.

Files and Cabinets

Overview

Product Info ➤See page 9
Locking Information 5
Filing Capacities 10
Paper Management 25

Top is finished so the file can be used as a stand alone unit.

Roll-out shelf with lift door (in applicable five-high models) replaces top drawer and adds 1" to overall height of the file. Accommodates standing binders up to 12"H.

Built-in anti-rebound catch prevents drawer from accidentally rolling open.

Heavy-gauge frame is reinforced at all corners and built into the front of the file so openings are always true and square.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide ¾" adjustability and allow for sturdy, four-point loading.



Knockouts are standard for ganging side-by-side.

Locking is standard. Select key random or key specific.
Note: Lock cores must be specified separately for key specific option.

Two 6"H half-height drawers may replace existing drawer in any position.

Full ball-bearing drawer suspension allows both the drawer and suspension to extend together.

Side-to-side file bar is standard; one per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard; one per drawer.

Drawer Pulls:



Drawer pull is recessed along the full front edge.

Files and Cabinets

Overview	➤See page 8
Locking Information	5
Filing Capacities	10
Paper Management	25

Details



Lateral file construction is ladder frame with coach seam welds, allowing files to be moved while fully loaded. Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Progressive slide suspension provides smooth drawer operation.

Steel drawer interiors are pre-painted in cinder.

Silencing bumpers ensure quiet drawer operation and are added to suspension wherever a steel-to-steel contact would otherwise be made.

Letter, legal, or A4 filing is accommodated with conventional or hanging folders.
➤See page 10 for filing capabilities.

Dual-interlock system ensures only one drawer may be opened at a time.

Side-to-side legal or letter filing can be accommodated by moving the back file bar to the letter or legal position and utilizing the drawer front interior as a file bar.

Front-to-back filing can be accommodated by ordering the appropriate number of front-to-back file bars separately.



Overfiles and storage cabinets feature hinged doors.

IMPORTANT: Shelves and wardrobe kits are specified separately for field installation. Shelves are adjustable at 1" increments.

Locking is standard on lateral files, overfiles, and storage cabinets. Select key random or key specific.
Note: Lock cores must be specified separately for key specific option.
➤See page 5.

Bases, in heights of 1½", 2", 2⅞", 3", and 4", are available for factory or field installation to adjust the overall height of lateral files and storage cabinets
➤See page 14.

Four adjustable glides are standard on lateral files and storage cabinets; they provide ¾" adjustability.

Connections

Knockouts are standard in all files and cabinets for ganging side-by-side.

Overfile can be used independently or in addition to any same-width LF Series file or storage cabinet.

Related Products

Counterweight kit, specified separately, is required for all individual free-standing units.
➤See page 15.

Laminate file tops are available to provide a continuous worksurface over one or more files.
➤See page 26.

Paper management accessories are available.
➤See page 25

Filing Capacities

Overview ➤See page 8
Locking Information 5
Product Information 9
Paper Management 25

Description	*Inside Depth*	*Inside Width*	*Height*	*Filing Inches and Arrangements*			
18"D x 30"W lateral	14⅞"	26⅞"	9⅜"				
				29⅝" letter Front-to-back file bars (2) Side-to-side file bar (1)	25¼" legal Front-to-back file bar (1) Side-to-side file bar (1)	26 13⁄16" letter Side-to-side file bar (1)	26 13⁄16" legal Side-to-side file bar (1)
18"D x 36"W lateral	14⅞"	32⅞"	9⅜"				
				29⅝" letter Front-to-back file bars (2) Side-to-side file bar (1)	29⅝" legal Front-to-back file bars (2) Side-to-side file bar (1)	32 13⁄16" letter Side-to-side file bar (1)	32 13⁄16" legal Side-to-side file bar (1)
18"D x 42"W lateral	14⅞"	38⅞"	9⅜"				
				44 7⁄16" letter Front-to-back file bars (2) Side-to-side file bar (1)	35⅝" legal Front-to-back file bars (2) Side-to-side file bar (1)	38 13⁄16" letter Side-to-side file bar (1)	38 13⁄16" legal Side-to-side file bar (1)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.
➤See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.
➤See page 25.

Lateral Files

Pricing

With Standard-Height Drawers

GSA SIN 711-3

Overview ➤See page 8
Locking Information 5
Counterweight Kits 15
Paper Management 25







IMPORTANT: Counterweight kit, specified separately, is required for all freestanding lateral files.
➤See page 15.

Front-to-Back File Bars
➤See the Perks Price List.

D	*W*	*H*	*Model*	*Price*
2-High Lateral Files				
18"	30"	25¾"	**LFF18302** K	$920
	36"		**LFF18362** K	1045
	42"		**LFF18422** K	1104
3-High Lateral Files				
18"	30"	37¼"	**LFF18303** K	$1251
	36"		**LFF18363** K	1453
	42"		**LFF18423** K	1584
4-High Lateral Files				
18"	30"	48 11/16"	**LFF18304** K	$1589
	36"		**LFF18364** K	1846
	42"		**LFF18424** K	2057
5-High Lateral Files				
18"	30"	60⅛"	**LFF18305** K	$1975
	36"		**LFF18365** K	2173
	42"		**LFF18425** K	2381
5-High Lateral Files with Roll-Out Shelf and Lift Door				
18"	30"	62⅛"	**LFF18305LD** K	$2057
	36"		**LFF18365LD** K	2255
	42"		**LFF18425LD** K	2464

Standard Includes

- Standard-height drawers
- Lock: black
- One side-to-side file bar per drawer
- One drawer label per drawer
- Floor glides; adjustable to ¾"

How to Specify

❶ Model
② Pull option:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22; specify lock core separately)
④ Factory installed base option:
X = No additional base
1.5 = 1½"H (+$)
2 = 2"H (+$)
2.875 = 2⅞"H (+$)
3 = 3"H (+$)
4 = 4"H (+$)
➤See page 14 for pricing.
Note: Factory-installed base option will incur an upcharge equivalent with the models available for field installation
⑤ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Finish designator

K = Kwik Office model available.

Lateral Files

Pricing

With Half-Height Drawers Option

GSA SIN 711-3





D	W	H	Model	Price
2-High Lateral Files				
18"	30"	25¾"	**LFF18302H**	$920
	36"		**LFF18362H**	1045
	42"		**LFF18422H**	1104
3-High Lateral Files				
18"	30"	37¼"	**LFF18303H**	$1251
	36"		**LFF18363H**	1453
	42"		**LFF18423H**	1584
4-High Lateral Files				
18"	30"	48 11/16"	**LFF18304H**	$1589
	36"		**LFF18364H**	1846
	42"		**LFF18424H**	2057
5-High Lateral Files				
18"	30"	60⅛"	**LFF18305H**	$1975
	36"		**LFF18365H**	2173
	42"		**LFF18425H**	2381
5-High Lateral Files with Roll-Out Shelf and Lift Door				
18"	30"	62⅛"	**LFF18305LDH**	$2057
	36"		**LFF18365LDH**	2255
	42"		**LFF18425LDH**	2464

IMPORTANT: Counterweight kit, specified separately, is required for all freestanding lateral files.
➤See page 15.

Factory-installed base option, if selected, will incur an upcharge equivalent with the models available for field installation.

Front-to-Back File Bars
➤See the Perks Price List.

Overview ➤See page 8
Locking Information 5
Counterweight Kits 15
Paper Management 25

Standard Includes

➤See previous page.

How to Specify

❶ Model
② Pull option:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22; specify lock core separately)
④ 1st drawer position from top:
HH1 = Two half-height drawers (+$298 for set of 2)
STD = Standard-height drawer
⑤ 2nd drawer position from top:
HH2 = Two half-height drawers (+$298 for set of 2)
STD = Standard-height drawer
⑥ 3rd drawer position from top (omit for 2-high):
HH3 = Two half-height drawers (+$298 for set of 2)
STD = Standard-height drawer
⑦ 4th drawer position from top (omit for 2- or 3-high):
HH4 = Two half-height drawers (+$298 for set of 2)
STD = Standard-height drawer
⑧ 5th drawer position from top (omit for 2-, 3-, and 4-high):
HH5 = Two half-height drawers (+$298 for set of 2)
STD = Standard-height drawer
⑧ Factory-installed base height:
X = No additional base
1.5 = 1½"H (+$) **2** = 2"H (+$)
2.875 = 2⅞"H (+$)
3 = 3"H (+$) **4** = 4"H (+$)
➤See page 14 for pricing.
⑨ Finish price group:
STD = 1 **STDM** = M (+10%)
⑩ Finish designator

Overfiles and Storage Cabinets

Pricing

GSA SIN 711-3

Overview	➤See page 8
Locking Information	5
Shelves	15
Wardrobe Kits	15





D	W	H	Model	Price
Overfiles				
18"	30"	29¼"	**LFF1830OF**	$849
	36"		**LFF1836OF**	892
	42"		**LFF1842OF**	966
Storage Cabinets				
2 High				
18"	30"	25¾"	**LFF18302SC**	$995
	36"		**LFF18362SC**	1052
3 High				
18"	30"	37¼"	**LFF18303SC**	$1052
	36"		**LFF18363SC**	1103
4 High				
18"	30"	48 11/16"	**LFF18304SC**	$1103
	36"		**LFF18364SC**	1166
5 High				
18"	30"	60⅛"	**LFF18305SC**	$1164
	36"		**LFF18365SC**	1235

Standard Includes

- Lock: black
- Floor glides on storage cabinets; adjustable to ¾"

How to Specify

❶ Model
② Pull option:
F = Full pull
③ Lock option:
KRB = Key random
KSB = Key specific (-$22; specify lock core separately)
④ Factory installed base option:
X = No additional base
1.5 = 1½"H (+$)
2 = 2"H (+$)
2.875 = 2⅞"H (+$)
3 = 3"H (+$)
4 = 4"H (+$)
➤See page 14 for pricing.
⑤ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Finish designator

IMPORTANT: Shelves and wardrobe kits are specified separately for field installation. Shelves are adjustable at 1" increments.
➤See page 15.

Factory-installed base option, if selected, will incur an upcharge equivalent with the models available for field installation

Laminate File Tops
➤See page 26.

Bases

Pricing

For Field Installation on Lateral Files or Storage Cabinets

GSA SIN 711-3



D	W	H	Height without Glide	Model	Price
30"W Bases					
18"	30"	1½"	1¼"	**LFFB1830**	$114
		2"	1¾"		115
		2⅞"	2⅝"		134
		3"	2¾"		134
		4"	3¾"		150
36"W Bases					
18"	36"	1½"	1¼"	**LFFB1836**	$121
		2"	1¾"		122
		2⅞"	2⅝"		142
		3"	2¾"		142
		4"	3¾"		159
42"W Bases					
18"	42"	1½"	1¼"	**LFFB1842**	$136
		2"	1¾"		138
		2⅞"	2⅝"		162
		3"	2¾"		162
		4"	3¾"		178

If factory-installed base is required, specify as part of model number for lateral file or storage cabinet. Factory-installed base option, if selected, will incur an upcharge equivalent with the models shown on this page which are available for field installation.

Overview ➤See page 8
Locking Information 5
Shelves 15
Wardrobe Kits 15

Standard Includes

- Four floor glides; adjustable to ¾"

How to Specify

❶ Model
② Base height:
1.5 = 1½"H
2 = 2"H
2.875 = 2⅞"H
3 = 3"H
4 = 4"H
③ Finish price group:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator

Accessories

Pricing

GSA SIN 711-3

Overview ➤See page 8
Locking Information 5
Shelves
Wardrobe Kits





D	*W*	*H*	*For use with*	*Model*	*Price*
Counterweight Kits					
1⅛"	13⅜"	11⅝"	30"W file	**LFCW30** K	$187
	16⅜"		36"W file	**LFCW36** K	187
	19⅜"		42"W file	**LFCW42** K	187
Overfile/Storage Cabinet Shelves					
16½"	28½"	1"	30"W unit	**LFF1830SH**	$85
	34½"		36"W unit	**LFF1836SH**	89
	40½"		42"W unit	**LFF1842SH**	92
Wardrobe Kits					
2¾"	29½"	3¾"	30"W unit	**LFF30WB**	$70
	35½"		36"W unit	**LFF36WB**	77

Standard Includes

- Wardrobe kit: galvanized finish

How to Specify

Counterweight or Wardrobe Kit

❶ Model

Shelf

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

IMPORTANT: Counterweight kit, specified separately, is required for all freestanding lateral files.

Shelves and wardrobe kits are specified separately for field installation. Shelves are adjustable at 1" increments.

K = Kwik Office model available.

Notes

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



2-High Lateral Files

➤See page 21 to specify.

	30"W	36"W	42"W
27"H	●	●	●



3-High Lateral Files

➤See page 21 to specify.

	30"W	36"W	42"W
39"H	●	●	●



4-High Lateral Files

➤See page 21 to specify.

	30"W	36"W	42"W
51"H	●	●	●



5-High Lateral Files

Available with five drawers, four drawers and fixed shelf with lift door, ADA-compliant models, or five drawers and posting shelf.

➤See page 22 to specify.

	30"W	36"W	42"W
65"H	●	●	●



Overfiles

➤See page 23 to specify

	30"W	36"W	42"W
29"H	●	●	●



Storage Cabinets

➤See page 23 to specify.

	30"W	36"W	42"W
27"H	●	●	●
39"H	●	●	●
51"H	●	●	●
65"H	●	●	●



Counterweight Kits

➤See page 24 to specify.



Overfile/Storage Cabinet Shelves and Wardrobe Kits

➤See page 24 to specify.

Files and Cabinets

Overview

Product Info ➤See page 19
Locking Information 5
Filing Capacities 20
Paper Management 25

Top is finished so the file can be used as a stand alone unit.

Knockouts are standard for ganging side-by-side or for securing to a wall.

Fixed shelf with lift door on applicable five-high lateral files replaces top drawer and accommodates standing binders up to 12"H.

Counterweight kit, specified separately, is required for all individual free-standing units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide ¾" adjustability and allow for sturdy, four-point loading.

Replacement drawer fronts can be field installed.



Locking is standard. Select key random or key specific.
Note: Lock cores must be specified separately for key specific option.

Integrated drawer slide and single interlock mechanism are part of the slide design, providing for quieter drawer operation and ensuring only one drawer may be opened at a time.

Built-in anti-rebound catch prevents drawer from accidently rolling open.

Full ball-bearing drawer suspension allows both the drawer and suspension to extend together.

Side-to-side file bars are standard; two per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard with extended pull; one per drawer.

Drawer Pull Options:

Three drawer pulls are available on Fundamental files.



Extended is recessed along the full front edge.



Rail Pull



Arc Pull

Files and Cabinets

Overview	➤See page 18
Locking Information	5
Filing Capacities	20
Paper Management	25

Details



Lateral file construction features coach seam welds. Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Progressive slide suspension provides smooth drawer operation.

Steel drawer interiors are prepainted cinder.

ADA compliant lateral files feature the choice of rail or arc pull. The lock is placed at 38⅝"H (above the third drawer), making it accessible from a seated position.

Posting shelf, available on five-high lateral file, includes magnetic spring latch to open and close. Posting shelf is located above the third drawer and is 1⅜"H.

Drawer fronts and lift doors in the top position on five-high lateral files are 1 9⁄16" taller than the other drawer fronts to accommodate the receding lift-door application.
Exception: Drawer fronts on models with posting shelf are all the same height. Posting shelf is 1⅜"H.

Letter, legal and A4 filing is accommodated with conventional or hanging folders.
➤See page 20 for filing capabilities.

Side-to-side legal or letter filing can be accommodated with file bars that ship standard in file.

Front-to-back filing can be accommodated by ordering the appropriate number of front-to-back file bars separately.



Overfiles and storage cabinets feature hinged doors.

IMPORTANT: Shelves and wardrobe kits are specified separately for field installation. Shelves are adjustable at 2" increments.

Four adjustable glides are standard, providing 1" adjustability.

Connections

Knockouts are standard in all files and cabinets for ganging side-by-side.

Overfile can be used independently or in addition to any appropriate width Fundamental file or storage cabinet.

Related Products

Counterweight kit, specified separately, is required for all individual free-standing units.
➤See page 24.

Laminate file tops are available to provide a continuous worksurface over one or more files.
➤See page 26.

Paper management accessories are available.
➤See page 25

Filing Capacities

Product Info ➤See page 19
Locking Information 5
Paper Management 25

Description	*Inside Depth*	*Inside Width*	*Height*	*Filing Arrangements*			
18"D x 30"W lateral	14⅞"	26⅞"	9⅜"				
				29⅝" letter Front-to-back file bars (2) *Side-to-side file bars* (2)	25¼" legal Front-to-back file bar (1) *Side-to-side file bars* (2)	26 13⁄16" letter *Side-to-side file bars* (2)	26 13⁄16" legal *Side-to-side file bars* (2)
18"D x 36"W lateral	14⅞"	32⅞"	9⅜"				
				29⅝" letter Front-to-back file bars (2) *Side-to-side file bars* (2)	29⅝" legal Front-to-back file bars (2) *Side-to-side file bars* (2)	32 13⁄16" letter *Side-to-side file bars* (2)	32 13⁄16" legal *Side-to-side file bars* (2)
18"D x 42"W lateral	14⅞"	38⅞"	9⅜"				
				44 7⁄16" letter Front-to-back file bar (2) *Side-to-side file bars* (2)	35⅝" legal Front-to-back file bars (2) *Side-to-side file bars* (2)	38 13⁄16" letter *Side-to-side file bars* (2)	38 13⁄16" legal *Side-to-side file bars* (2)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.
➤See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.
➤See page 25.

2-, 3-, and 4-High Lateral Files

Pricing

GSA SIN 711-3

Overview ➤See page 18
Locking Information 5
Counterweight Kits 24
Paper Management 25







D	W	H	Model	Price
2-High Lateral Files				
18"	30"	27¼"	**FND18302**	$833
	36"		**FND18362**	907
	42"		**FND18422**	976
3-High Lateral Files				
18"	30"	39³⁄₁₆"	**FND18303**	$974
	36"		**FND18363**	1107
	42"		**FND18423**	1203
4-High Lateral Files				
18"	30"	51⅛"	**FND18304**	$1184
	36"		**FND18364**	1333
	42"		**FND18424**	1503

Standard Includes

- 2, 3, or 4 drawers
- Lock: black
- Two side-to-side file bar per drawer
- Floor glides; adjustable to ¾"

How to Specify

❶ Model
② Pull option:
R = Rail, textured black
E = Extended, same paint as file
ARC462 = Arc, Cinder
ARC485 = Arc, Dark Chocolate
ARC501 = Arc, Platinum Metallic
ARC503 = Arc, Satin Nickel
ARC505 = Arc, Bronze Metallic
ARC514 = Arc, Carbon Metallic
③ Lock option:
KRB = Key random
KSB = Key specific (-$22; specify lock core separately)
④ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Finish designator

IMPORTANT: Counterweight kit, specified separately, is required for all freestanding lateral files.
➤See page 24.

Front-to-Back File Bars
➤See the Perks Price List.

Laminate File Tops
➤See page 26.

= Kwik Office model available.

5-High Lateral Files

Pricing

GSA SIN 711-3

Overview	➤See page 18
Locking Information	5
Counterweight Kits	24
Paper Management	25







D	W	H	Model	Price
5-High Lateral Files				
18"	30"	64½"	**FND18305**	$1585
	36"		**FND18365**	1736
	42"		**FND18425**	1898
5-High Lateral Files with Fixed Shelf and Lift Door				
18"	30"	64½"	**FND18305LD**	$1656
	36"		**FND18365LD**	1805
	42"		**FND18425LD**	1966
5-High Lateral Files, ADA Compliant				
18"	30"	64½"	**FND18305ADA**	$1736
	36"		**FND18365ADA**	1883
	42"		**FND18425ADA**	2047
5-High Lateral Files with Posting Shelf				
18"	30"	64½"	**FND18305PS**	$1739
	36"		**FND18365PS**	1891
	42"		**FND18425PS**	2054

IMPORTANT: Counterweight kit, specified separately, is required for all freestanding lateral files.
➤See page 24.

Front-to-Back File Bars
➤See the Perks Price List.

Laminate File Tops
➤See page 26.

Standard Includes

- Five lateral file drawers (four drawers and fixed shelf and lift door on applicable models)
- Lock: black
- Two side-to-side file bar per drawer
- Floor glides; adjustable to ¾"

How to Specify

❶ Model
② Pull option:
R = Rail, textured black
E = Extended, same paint as file
ARC462 = Arc, Cinder
ARC485 = Arc, Dark Chocolate
ARC501 = Arc, Platinum Metallic
ARC503 = Arc, Satin Nickel
ARC505 = Arc, Bronze Metallic
ARC514 = Arc, Carbon Metallic
③ Lock option:
KRB = Key random
KSB = Key specific (-$22; specify lock core separately)
④ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Finish designator

= Kwik Office model available.

Overfiles and Storage Cabinets

Pricing

GSA SIN 711-3

Overview ➤See page 18
Locking Information 5
Shelves & Wardrobe Kits 24





D	W	H	Model	Price
Overfiles				
18"	30"	29¼"	**FND1830OF**	$740
	36"		**FND1836OF**	776
	42"		**FND1842OF**	840
Storage Cabinets				
2 High				
18"	30"	27¼"	**FND18302SC**	$866
	36"		**FND18362SC**	915
	42"		**FND18422SC**	1024
3 High				
18"	30"	39³⁄₁₆"	**FND18303SC**	$915
	36"		**FND18363SC**	960
	42"		**FND18423SC**	1068
4 High				
18"	30"	51⅛"	**FND18304SC**	$960
	36"		**FND18364SC**	1016
	42"		**FND18424SC**	1124
5 High				
18"	30"	64½"	**FND18305SC**	$1012
	36"		**FND18365SC**	1075
	42"		**FND18425SC**	1184

Standard Includes

- Lock: black
- Floor glides on storage cabinets; adjustable to ¾"

How to Specify

❶ Model
② Keying option:
KRB = Key random
KSB = Key specific (-$22; specify lock core separately)
③ Finish price group:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator

IMPORTANT: Shelves and wardrobe kits are specified separately for field installation. Shelves are adjustable at 2" increments.
➤See page 24.

Laminate File Tops
➤See page 26.

= Kwik Office model available.

Paper Management

GSA SIN 711-3

LF Series ➤See page 7
Fundamental Files 17
Finishes & Materials 27
Resources 33

D	*W*	*H*	*For use with*	*Model*	*Price*
Side-to-Side File Bars					
			30"W file	**KFD30SS**	$54
			36"W file	**KFD36SS**	58
			42"W file	**KFD42SS**	63
Drawer Divider					
10 11/16"	3 1/16"	7 1/2"		**KFDPM**	$35

Standard Includes

- Side-to-side file bars: galvanized finish
- Drawer divider: black

How to Specify

❶ Model

IMPORTANT: Drawer divider hooks on back of drawer body and can be used in any file.

= Kwik Office model available.

Laminate File Tops

GSA SIN 711-3

LF Series ➤See page 7
Fundamental Files 17
Finishes & Materials 27
Resources 33



D	W	H	For use with	Model	Price
18"D Laminate File Tops					
18"	30"	1 3/16"	For 18"D files	**SS1830LFTL** K	$284
	36"			**SS1836LFTL** K	316
	42"			**SS1842LFTL** K	355
	60"			**SS1860LFTL** K	482
	72"			**SS1872LFTL** K	601
	84"			**SS1884LFTL** K	741

Standard Includes

- Top: solid, pattern, or woodgrain laminate
- PVC (P) rim on front edge only
- Side and back edges: finished to match front rim

How to Specify

❶ Model
② Rim option:
P = PVC rim
③ Finish price group:
STD = Standard finish
④ Finish designator
⑤ Rim color

Rim Profile:

PVC (P)

IMPORTANT: A single file top may be secured to appropriate file width(s) to create a continuous surface.

K = Kwik Office model available.

FINISHES & MATERIALS

Table of Contents

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	28
Laminate and PVC	29
CSL	30
Paint	31
CSP	32

LF Series ➤See page 7
Fundamental Files 17
Finishes & Materials 27
Resources 33

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Laminate and PVC

Key:

- • = Available color





Woodgrain:

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator.

CSL:

➤See page 30 for customer-specified laminate.

Customer-Specified Laminate

GSA Non-Contract

LF Series	➤See page 7
Fundamental Files	17
Finishes & Materials	27
Resources	33

Customer-specified laminate (CSL) is available on select products.
➤See page 29.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616, extension 6001.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Upcharges:

A **20%** upcharge per line item (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.
② **Finish type:** For the “Finish type” step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart
③ **Finish designator:** For the “Finish designator” step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint

Matrix

Key:
- • = Available color

	Solid																					Metallic						CSP
	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby	514 Carbon Metallic	507 Patina Metallic	501 Platinum Metallic	505 Satin Bronze Metallic	503 Satin Nickel Metallic	504 Taupe Metallic	Customer Specified
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M	M	M	M	M	M	
LF Series	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•		•	•
Fundamental	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•		•	•
Arc Pulls					•		•															•		•	•	•		

Metallic Paint:

10% upcharge applies for price group M metallic finishes, except on arc pulls.
Note: Due to the reflective qualities of metallic paints, variations in color may occur.

CSP:

➤See page 32 for customer-specified paint.

Customer-Specified Paint

GSA Non-Contract

LF Series	➤See page 7
Fundamental Files	17
Finishes & Materials	27
Resources	33

Customer-specified paint (CSP) is available on select products.
➤See page 31.

Pricing:

A **one-time fee of $300** (net) will be billed for the development of each new custom (customer-specified) paint. This fee covers all Kimball Office product lines on which the paint may be used. Models receiving a custom paint will also be assessed an upcharge.

A **10% upcharge per line item** (model) for customer-specified non-metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

A **20% upcharge per line item** (model) for customer-specified metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

The process:

① Send desired paint sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products to which the custom paint is to be applied. **Include dealer name, contact, and project reference.**
② Custom paints will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a paint color.

How to Specify:

① **Model:**
Build the complete model specification (excluding finish type and finish designator) by following the "How to Specify" on the appropriate pricing page for the product that is to receive the custom paint.
② **Finish type:**
For the “Finish type” step, insert a special paint code (in place of STD):
ZPNT1 = Special non-metallic paint
ZPNTM1 = Special metallic paint
③ **Finish designator:**
For the “Finish designator” step, insert the designator provided to you by Customer Service.

RESOURCES

	➤See page
Terms and Conditions	34
Asset Tag Locations	34
Product Warranty	36
Operating Load Capacities	37
Model Number Index	38

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

Operating Load Capacities

Terms & Conditions ➤See page 34
Asset Tag Locations 34
Model Number Index 38

Component	Operating Load Capacity (Functional Loads)	Examples
Worksurface	200 lbs. over 12" diameter area, concentrated loading; 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs. total weight (t.w.)
Transaction counter	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Round and rectangular tables	1.5 lb. per inch of perimeter, distributive loading	36" dia. = 170 lbs. t.w. 36"D x 60"W = 288 lbs. t.w.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	24"D x 18"W x 12"H wood = 88 lbs. t.w. 24"D x 15"W x 12"H metal = 73 lbs. t.w.
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	22"D x 30"W = 134 lbs. t.w
Flipper door cabinet	Top shelf—NO load	
	Bottom shelf—.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading*	36"W x 16"H metal = 117 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Open and enclosed shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"H metal = 59 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Lateral file drawers	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	30"W x 18"D x 12"H metal = 110 lbs. t.w. 30"W x 24"D x 12"H wood = 147 lbs. t.w.
Bookcase and wardrobe shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"D metal = 59 lbs. t.w. 36"W x 12"D wood = 88 lbs. t.w.

Cubic inches should be calculated using this formula:
Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface)

The table at left lists the operating load capacities of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.6 2010 Panel System Test, X5.5. 2008 Desk/Tables Products Test, and X5.9 2012 Storage Units Test. The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Model Number Index

Product Warranty	➤See page 36
Terms and Conditions	34
Asset Tag Locations	34
Operating Load Capacities	37

Model	➤See page
FND18302	21
FND18302SC	23
FND18303	21
FND18303SC	23
FND18304	21
FND18304SC	23
FND18305	22
FND18305ADA	22
FND18305LD	22
FND18305PS	22
FND18305SC	23
FND1830LFSHP	24
FND1830OF	23
FND1830WB	24
FND18362	21
FND18362SC	23
FND18363	21
FND18363SC	23
FND18364	21
FND18364SC	23
FND18365	22
FND18365ADA	22
FND18365LD	22
FND18365PS	22
FND18365SC	23
FND1836LFSHP	24
FND1836OF	23
FND1836WB	24
FND18422	21
FND18422SC	23
FND18423	21
FND18423SC	23
FND18424	21
FND18424SC	23
FND18425	22
FND18425ADA	22
FND18425LD	22
FND18425PS	22
FND18425SC	23
FND1842LFSHP	24
FND1842OF	23
FND1842WB	24
FNDACW	24
KFD30SS	25
KFD36SS	25
KFD42SS	25
KFDPM	25
LFCW30	15
LFCW36	15
LFCW42	15
LFF18302	11
LFF18302H	12
LFF18302SC	13
LFF18303	11
LFF18303H	12
LFF18303SC	13
LFF18304	11
LFF18304H	12
LFF18304SC	13
LFF18305	11
LFF18305H	12
LFF18305LD	11
LFF18305LDH	12
LFF18305SC	13
LFF1830OF	13
LFF1830SH	15
LFF18362	11
LFF18362H	12
LFF18362SC	13
LFF18363	11
LFF18363H	12
LFF18363SC	13
LFF18364	11
LFF18364H	12
LFF18364SC	13
LFF18365	11
LFF18365H	12
LFF18365LD	11
LFF18365LDH	12
LFF18365SC	13
LFF1836OF	13
LFF1836SH	15
LFF18422	11
LFF18422H	12
LFF18423	11
LFF18423H	12
LFF18424	11
LFF18424H	12
LFF18425	11
LFF18425H	12
LFF18425LD	11
LFF18425LDH	12
LFF1842OF	13
LFF1842SH	15
LFF30WB	15
LFF36WB	15
LFFB1830	14
LFFB1836	14
LFFB1842	14
SS1830LFTL	26
SS1836LFTL	26
SS1842LFTL	26
SS1860LFTL	26
SS1872LFTL	26
SS1884LFTL	26

Notes

Notes

Kimball® Office

PERKS® Price List

This price list is effective March 16, 2015 and supercedes all previously printed or electronically released versions.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Kwik Office Program	4
Sustainability	5
Accessories & Tools	7
Statement of Line	7
Features Overview	12
Pricing & How to Specify	13
Technology Management	25
Statement of Line	25
Features Overview	27
Pricing & How to Specify	29
Perks Power Systems	41
Statement of Line	41
Features Overview	42
Product Information	43
Single-Circuit Guidelines	44
Four-Circuit Guidelines	45
Hardwire Guidelines	48
Pricing & How to Specify	49
Finishes and Materials	55
Resources	67
Terms and Conditions	68
Product Warranty	70
BIFMA and U.L. Information	71
Model Number Index	72

How to Use this Price List

Kwik Office Program ➤See page 4
How to Specify Our Products 3
Sustainability 5

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Overviews offer a quick look at the distinguishing features of the product line.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

icon indicates models that are available for quick shipment.
➤See the Kwik Office Price List.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

How to Specify Our Products

Kwik Office Program ➤See page 4
How to Use this Price List 2
Sustainability 5

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



PERKS® Accessories & Tools

Collaboration Tools Pricing

Mobile Screens

GSA SIN 711-8
COM GSA Non-Contract

D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
Fabric Starter Screen								
1⅜"	23⅞"	67⅛"	**99K2468MSSF**	$514	$548	$574	$610	$666
	29⅞"		**99K3068MSSF**	540	582	612	656	722
Fabric Add-On Screen								
1⅜"	23⅞"	67⅛"	**99K2468MSAF**	$514	$548	$574	$610	$666
	29⅞"		**99K3068MSAF**	540	582	612	656	722

D	W	H	Model	Price
Translucent Starter Screen				
1⅜"	23⅞"	67⅛"	**99K2468MSST**	$521
	29⅞"		**99K3068MSST**	708
Translucent Add-On Screen				
1⅜"	23⅞"	67⅛"	**99K2468MSAT**	$618
	29⅞"		**99K3068MSAT**	704
Markerboard Starter Screen				
1⅜"	23⅞"	67⅛"	**99K2468MSSM**	$633
	29⅞"		**99K3068MSSM**	757
Markerboard Add-On Screen				
1⅜"	23⅞"	67⅛"	**99K2468MSAM**	$626
	29⅞"		**99K3068MSAM**	755

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Features ➤See page 12
Finishes & Materials 57
Resources 71

Standard Includes
- Screen: fabric, translucent plastic, or 40lM Ivory White markerboard
- Two casters on starter screens; one caster on add-on models

Planning Factors
A minimum of two screens are required for screens to stand. For safety and stability, the angle of screens must not exceed 115°.

Only one starter screen can be used for each grouping. Additional screens must be add-ons.

How to Specify
Fabric
❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)
③ Fabric grade
④ Fabric number

Translucent and Markerboard
❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)

Page 23 Accessories & Tools

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for a **Fabric Mobile Screen.**
➤See page 23 for the corresponding pricing table and How to Specify steps.



Pricing Table Abbreviations

D = Depth

W = Width

H = Height

Kwik Office Program

Sustainability ➤See page 5
How to Use this Price List 2
How to Specify Our Products 3

Kwik Office Perks products are available to ship within five business days upon receipt of a credit-approved order.

Model Numbers:

Models and finishes that are available on Kwik Office have been marked with a K icon in this price list.

Kwik Office model numbers are different from standard model numbers. Base model numbers for Kwik Office products include all options and finish designators.

The K icon on standard lead-time pricing pages indicates availability; it does not provide the correct model numbers and option designators for specifying. You must use the complete model numbers listed i the Kwik Office Price List.

Include only Kwik Office models on your order. Any orders containing non-Kwik Office products will be treated as such and entered at standard lead times. Indicate clearly at the top of your order “Kwik Office.”

Changes and Cancellations:

No changes or cancellations will be accepted after order entry for Kwik Office products.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Contact Customer Service for availability.

Sustainability

Enhancing the Home We All Share

Kwik Office Program ➤See page 4
How to Use this Price List 2
How to Specify Our Products 3

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠
Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Notes

Desk Accessories

Statement of Line

Features ➤See page 12
Finishes & Materials 55
Resources 67

Classic Desk Pad
➤See page 13 to specify.



Classic Paper Tray
➤See page 13 to specify.



Classic Serving Tray
➤See page 13 to specify.



Metro Desk Pad
➤See page 13 to specify.

Metro Paper Tray
➤See page 13 to specify.



Metro Wastepaper Basket
➤See page 13 to specify.

Metal Work Tools

Statement of Line

Features ➤See page 12
Finishes & Materials 55
Resources 67



Shelf
For use with:
• Metal slat tiles
• Load bars
➤See page 14 to specify.



Side Trays
For use with:
• Metal slat tiles
• Load bars
➤See page 14 to specify.



Pocket Organizer
For use with:
• Metal slat tiles
• Load bars
• Wall-mounted Traxx
• Xsite Traxx
➤See page 14 to specify.

Slant Sorter
For use with:
• Metal slat tiles
• Load bars
➤See page 14 to specify.



Binder Shelf
For use with:
• Metal slat tiles
• Load bars
• Wall-mounted Traxx
• Xsite Traxx
➤See page 14 to specify.



CD Holder
For use with:
• Metal slat tiles
• Load bars
• Wall-mounted Traxx
• Xsite Traxx
• Lower mobile table screens
➤See page 15 to specify.

Hanging File Holder
For use with:
• Metal slat tiles
• Load bars
• Wall-mounted Traxx
• Xsite Traxx
• Lower mobile table screens
➤See page 15 to specify.

Memo Tray
For use with:
• Metal slat tiles
• Load bars
• Wall-mounted Traxx
• Xsite Traxx
➤See page 15 to specify.



Pencil Tray
For use with:
• Metal slat tiles
• Load bars
• Wall-mounted Traxx
• Xsite Traxx
➤See page 15 to specify.



Note Poster
For use with:
• Metal slat tiles
• Wall-mounted Traxx
• Xsite Traxx
➤See page 15 to specify.



Load Bars
For use with:
• Cetra or Interworks EQ panels
• Wall brackets
➤See page 16 to specify.



Wall Brackets
For use with:
• Load bars
➤See page 16 to specify.

Plastic Work Tools

Statement of Line

Features ➤See page 12
Finishes & Materials 55
Resources 67

Accessory Dish
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 17 to specify.

Utility Tray
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 17 to specify.

Binder Shelf
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 17 to specify.



Shelf
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 17 to specify.



CD Holder
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 18 to specify.

Pencil Cup
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 18 to specify.



Hanging File Holders
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 18 to specify.

Phone Holder
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 18 to specify.



Paper Tray
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 18 to specify.



Slant Sorter
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 18 to specify.



Accessory Tray
For use with:
• Slat tiles
• Wall-mounted Traxx
➤See page 18 to specify.

File Pocket
For use with:
• Slat tiles
• Wall-mounted Traxx
• Xsite storage tiles
• Xsite tip-out drawers
• Standard file drawers
➤See page 19 to specify.



Photo/Document Display
For use with:
• Slat tiles
• Wall-mounted Traxx
• Xsite Traxx
➤See page 19 to specify.

Organizational Tools

Statement of Line

Features ➤See page 12
Finishes & Materials 55
Resources 67



Carousel Center Drawer
➤See page 20 to specify.



Carousel Tray
➤See page 20 to specify.



Center Drawer
➤See page 20 to specify.



Wood Center Drawer
Available in paint and wood finishes.
➤See page 20 to specify.



Pencil Tray
➤See page 20 to specify.



Drawer Organizer
➤See page 20 to specify.



Box Drawer Dividers
➤See page 21 to specify.



Overhead/Shelf Dividers
➤See page 21 to specify.

CD Holder
➤See page 21 to specify.

Coat Hook
➤See page 21 to specify.



Utility Hook
➤See page 21 to specify.



Front-to-Back File Bars
➤See page 22 to specify.



Side-to-Side File Bars
➤See page 22 to specify.

Collaboration Tools

Statement of Line

Features ➤See page 12
Finishes & Materials 55
Resources 67



Mobile Screens
Available in fabric, translucent, and markerboard models.
➤See page 23 to specify.



Wall-Mount Tackboards
➤See page 24 to specify.



Wall-Mount Markerboards
➤See page 24 to specify.



Hanging Markerboard Tile
➤See page 24 to specify.

Name/Sign Holder
➤See page 24 to specify.

Features

Overview

Statement of Line ➤See page 7
Finishes & Materials 55
Resources 67

Name/sign holders are available for an aesthetically pleasing method of identifying and personalizing your workspace.

Coat hook helps keep your workspace clear for more usable space.

Classic and metro desk set accessories help organize the workplace. Classic accessories provide a traditional feel with black faux leather and contrasting accent stitching. Metro accessories are available for more contemporary workspaces and is available in both silver and anthracite.

Technology management accessories are available to help manage computer needs.
➤See the Technology Management chapter.

Carousel trays and center drawers provide convenient undersurface storage. Carousel trays rotate 360°.





Work tools, available in metal or plastic, provide storage up off of the worksurface.

Hanging markerboard tile hangs from Xsite Traxx, metal slat tiles, or lower mobile table screens. It can be moved easily around the workspace to keep the creativity flowing.

Organizational tools, such as pencil trays and drawer organizers, provide more functionality to storage units.

Mobile screens provide visual privacy and divide space.

Desk Accessories

Pricing

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67









D	W	H	Model	Price
Classic Collection				
Desk Pad				
16"	22⅝"	⅛"	**99K1623DPLB**	$341
Paper Tray				
15 15/16"	9⅝"	1¾"	**99K1610SPTLB**	$318
Serving Tray				
13"	21"	1¾"	**99K1321STB**	$658
Metro Collection				
Desk Pad				
15¾"	21⅝"	1/16"	**99K1622DP**	$239
Stackable Paper Tray				
13½"	9⅝"	2⅛"	**99K1310SPT**	$135
Wastepaper Basket				
9⅝" dia.		12⅜"	**99K12WBSK**	$145

Standard Includes

- Classic collection desk paid, paper tray, or serving tray: black, faux leather-wrapped steel
- Metro collection desk pad: durable top with foam backer
  Note: For use on laminate or thermofoil services only.
- Metro collection paper tray or wastepaper basket: powder-coated steel

How to Specify

Classic Collection
❶ Model

Metro Collection
❶ Model
❷ Finish:
A = Anthracite
S = Silver

Metal Work Tools

Pricing

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67









D	W	H	Model	Price
Shelf				
9⅛"	24"	2¼"	**99K0924SHM**	$115
	30"		**99K0930SHM**	129
	36"		**99K0936SHM**	147
	42"		**99K0942SHM**	167
	48"		**99K0948SHM**	189
Single Side Tray				
11⅝"	17"	2⅜"	**99K1217SPTM**	$107
Double Side Tray				
11⅝"	17"	5"	**99K1217DPTM**	$145
Single Pocket Organizer				
1⅛"	15⅝"	7¼"	**99K16POM**	$88
Slant Sorter				
11¾"	12"	7¾"	**99K1212SSM**	$107
Binder Shelf				
9⅛"	5"	8 1/16"	**99K0905SHBM**	$65

Pocket organizers can be stacked vertically up to 5 units.

Recommended uses are specific for each metal work tool model; refer to the statement of line.
➤See page 8.

Standard Includes

- Metal work tool: paint
- Dividers on slant sorter: chrome

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Metal Work Tools

Pricing

continued

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67









D	*W*	*H*	*Model*	*Price*
CD Holder				
3 9/16"	3 15/16"	8 3/4"	**99K0409CDHM**	$128
Hanging File Holder				
3 5/16"	12 7/16"	8 3/16"	**99K0312HFH**	$105
Memo Tray				
5"	7"	1"	**99K0507BXB**	$75
Pencil Tray				
5"	10"	1"	**99K0510PT**	$75
Note Poster				
7/8"	18"	1 28/32"	**99K0118NP**	$61

Standard Includes

- CD Holder: paint; accommodates up to 12 CDs, DVDs, or Zip disks
- Hanging file folder: 5 paint colors (see below)
- Memo tray, pencil tray, and note poster: black paint

How to Specify

CD Holder

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Hanging File Holder

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator:
405 = Designer White
462 = Cinder
480 = Antique White
501 = Platinum Metallic
514 = Carbon Metallic

All Others

❶ Model

Recommended uses are specific for each metal work tool model; refer to the statement of line.
➤See page 8.

Metal Work Tools

Pricing

continued

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67





D	*W*	*H*	*Model*	*Price*
Load Bars for Use with Metal Work Tools				
¾"	30"	3¾"	**99K30LBM**	$70
	36"		**99K36LBM**	77
	42"		**99K42LBM**	84
	48"		**99K48LBM**	102
	54"		**99K54LBM**	109
	60"		**99K60LBM**	115
Wall Brackets for Load Bars (set of 2)				
¾"	2½"	4"	**99KLBBR**	$26

Load bars are for use on Cetra or Interworks EQ panels. They can also be wall mounted using wall brackets, specified separately.

Load bars can span one or more panels that equal the width of the load bar.

Standard Includes

- Load bars or wall brackets: paint

How to Specify

Load Bars

❶ Model
② Application:
C = Cetra
I = Interworks EQ
③ Finish price group:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator

Wall Brackets

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Plastic Work Tools

Pricing

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67

D	W	H	Model	Price
Accessory Dish				
6"	6"	1⅛"	**99K0606ADC**	$32

Utility Tray				
6 3/16"	9⅛"	15/16"	**99K0609UTC**	$37

Binder Shelf				
10½"	5"	9"	**99K1105SHB**	$47



Shelf				
7"	24"	2"	**99K0724SHB**	$103



CD Holder				
7"	5½"	2"	**99KCDH** K	$53

Pencil Cup				
3½"	4"	4"	**99KCP** K	$36

Standard Includes

- Accessory dish, and utility tray: clear plastic
- Utility tray, binder shelf, and shelf: black plastic
- CD holder and pencil cup: clear or black plastic

How to Specify

CD holder or pencil cup

❶ Model
❷ Plastic color:
B = Black
C = Clear

All others

❶ Model

Plastic work tools on this page are for use with:

- Slat Tiles
- Wall-mounted Traxx

Note: They are not recommended for use on Xsite Traxx or load bars.

K = Kwik Office model available.

Plastic Work Tools

Pricing

continued

GSA SIN 711-8
† GSA Contract pending

Features ➤See page 12
Finishes & Materials 55
Resources 67













D	W	H	Model	Price
Hanging File Holder				
8½"	1"	2"	**99KHFH** K	$39
Phone Holder				
9½"	8½"	2"	**99KPH** K	$50
Letter-Size Paper Tray				
14"	9⅜"	2"	**99K149LTPT** †	$54
Legal-Size Paper Tray				
10½"	15"	2"	**99K1115LPT**	$56
Slant Sorter				
12½"	7"	7½"	**99KSS**	$57
Accessory Tray				
9⅜"	10⅛"	2"	**99KAC**	$50

Standard Includes

- Work tool: black or clear plastic

How to Specify

1. Model
2. Plastic color:
   B = Black
   C = Clear

Plastic work tools on this page are for use with:

- Slat Tiles
- Wall-mounted Traxx

Note: They are not recommended for use on Xsite Traxx or load bars.

K = Kwik Office model available.

Plastic Work Tools

Pricing

continued

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67

D	W	H	Model	Price
File Pocket				
1¾"	11¾"	9¼"	**99KFTP**	$19
(interior dimensions)				



Photo/Document Displays				
	8 15/16"	12"	**99K0912PDD**	$36
	11 7/16"	12"	**99K1212PDD**	36
	17 5/8"	12"	**99K1812PDD**	40

Standard Includes

- File pocket: frosty white
- Photo/document display: clear acrylic

How to Specify

❶ Model

File pockets may be used with:
- Slat tiles
- Wall-mounted Traxx
- Xsite storage tiles
- Xsite tip-out drawers
- Standard letter-size file drawers

Photo/document displays may be used with:
- Metal slat tiles
- Wall-mounted Traxx
- Xsite Traxx

Organizational Tools

Pricing

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67













D	*W*	*H*	*Model*	*Planning Factors*	*Price*
Carousel Center Drawer					
8¼"	13⅝"	1⅜"	**99K0817CDR**	Rotates 360°. 8¼" front-to-back and 13⅝" side-to-side clearance required.	$61
Carousel Tray					
15¼"	23¾"	1¾"	**99K1624CT**	Rotates 360°. 16" front-to-back and 24" side-to-side clearance required.	$100
Plastic Center Drawer (non-locking)					
19³⁄₁₆"	22"	2"	**99K1922CD**	Cannot be used under a 24"D worksurface when using a recessed modesty panel.	$62
Wood Center Drawer (non-locking)					
22⅝"	24"	2⅜"	**99K2424CD**	For use with Footprint components. Center drawers cannot be used under a 24"D worksurface when using a modesty panel. Interior drawer dimensions: 13⅞"D x 18¾"W.	$228
Pencil Trays					
For Use in 15"W Footprint® Pedestals and Hum. Minds at Work.® Pedestals					
5½"	12"	1⅛"	**99K0612PT**		$19
For Use in 15"W Priority™, Transcend®, Fluent®, and Definition® Pedestals					
4⅞"	11⅞"	1⅛"	**99K0512PT**		$19
For Use in 18"W Priority™, Transcend®, Footprint®, Fluent®, and Definition® Pedestals					
5½"	15"	1⅛"	**99K0515PT**		$25
Drawer Organizer					
11¾"	10½" (expandable to 16")	1⅝"	**99K1211DO**	Fits any letter-width box or file drawer. When expanded, organizer fits most legal-width drawers or 18"D lateral file drawers.	$89

➤See the Casegoods Price List for series-specific center drawers.

Standard Includes

- Carousel center drawer: clear plastic
- Carousel tray, plastic center drawer, and pencil trays: black plastic
- Wood center drawer: paint or wood finishes
- Drawer organizer includes dispensers for tape and sticky notes: black plastic

How to Specify

Wood Center Drawer

❶ Model
❷ **W** = Wood
P = Paint
③ Finish price group:
STD = Group 1
④ Finish designator

All Others

❶ Model

Organizational Tools

Pricing

continued

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67







D	W	H	Model	Planning Factors	Price
Box Drawer Dividers					
For Use in Footprint® Flat Profile and Hum Box Drawers					
	12⅝"	3³⁄₁₆"	**99K1303DD**		$11
For Use in Footprint Square Profile Box Drawers and Priority 18"W Pedestals					
	14¼"	2½"	**99K1402DD**		$11
For Use in Footprint Radius Profile Box Drawers					
	12"	2½"	**99K1202DD**		$11
Overhead/Shelf Dividers (set of 3)					
6"	9¼"	7"	**99K9SD**		$63
CD Holder					
5½"	12⅝"	6½"	**99KFDCDH** K	Holds 24 cases. For use in a drawer.	$29
Coat Hook					
1¼" dia.			**99KCH**	Works with Xsite® Traxx®, slat tiles, wall-mount Traxx, Cetra®, and Interworks® EQ. Use of coat hook with slat tiles requires the removal of end trim and trim channels before installation.	$25
Utility Hook					
½"	¾"	1½"	**99KUH**	Works with Cetra panels.· Hook is secured in place by panel top cap.	$22

Standard Includes

- Box drawer dividers: black plastic
- Overhead/shelf divider, coat hook, CD holder, and utility hook: cinder

How to Specify

Coat Hook

❶ Model
② Application:
C = Cetra
X = Xsite, Traxx, or Slat Tiles
I = Interworks EQ

All Others

❶ Model

K = Kwik Office model available.

Organizational Tools

Pricing

continued

GSA SIN 711-8

Features ➤See page 12
Finishes & Materials 55
Resources 67



D	W	H	Model	Planning Factors	Price
Front-to-Back File Bars					
For Use in 17"D Casegoods File Drawers					
	17 1/16"	13/16"	**99K17FBFB3**	Allows for front-to-back letter filing. Set of three. One file bar used per drawer.	$55
For Use in 25"D Casegoods File Drawers					
	12 1/8"	13/16"	**99K25FBFB6**	Allows for front-to-back letter filing. Set of six. Two file bars used per drawer.	$82
For Use in LF Series™, and Fundamental™, and Footprint® Flat Profile Undersurface Lateral File Drawers					
15 3/4"	1 1/8"	1 3/4"	**99KFFB** K	Allows for front-to-back letter filing. Set of two. One set of dividers required per drawer. Front-to-back file bars provide 2 rows of letter or 1 row of legal in 30"W file, 2 rows of letter or 2 rows of legal in 36"W file, 3 rows of letter or 2 rows of legal in 42"W file.	$22
Side-to-Side File Bars					
For Use in Footprint Flat Profile Metal Pedestals and File Centers, and Hum. Minds at Work.™ File Drawers					
3/4"	11 15/16"	3/4"	**99KFB** K	Set of two.	$22

Standard Includes

- File bars: black

How to Specify

❶ Model

K = Kwik Office model available.

Collaboration Tools

Pricing

Mobile Screens

GSA SIN 711-8
COM GSA Non-Contract

Features ➤See page 12
Finishes & Materials 55
Resources 67



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
Fabric Starter Screen								
1¾"	23⅞"	67½"	**99K2468MSSF**	$531	$567	$593	$631	$687
	29⅞"		**99K3068MSSF**	558	602	632	676	746
Fabric Add-On Screen								
1¾"	23⅞"	67½"	**99K2468MSAF**	$531	$567	$593	$631	$687
	29⅞"		**99K3068MSAF**	558	602	632	676	746

D	W	H	Model	Price
Translucent Starter Screen				
1¾"	23⅞"	67½"	**99K2468MSST**	$641
	29⅞"		**99K3068MSST**	731
Translucent Add-On Screen				
1¾"	23⅞"	67½"	**99K2468MSAT**	$638
	29⅞"		**99K3068MSAT**	727
Markerboard Starter Screen				.
1¾"	23⅞"	67½"	**99K2468MSSM**	$654
	29⅞"		**99K3068MSSM**	782
Markerboard Add-On Screen				
1¾"	23⅞"	67½"	**99K2468MSAM**	$646
	29⅞"		**99K3068MSAM**	780

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Standard Includes

- Screen: fabric, translucent plastic, or 409M Icey White markerboard
- Two casters on starter screens; one caster on add-on models

Planning Factors

A minimum of two screens are required for screens to stand. For safety and stability, the angle of screens must not exceed 115°.

Only one starter screen can be used for each grouping. Additional screens must be add-ons.

How to Specify

Fabric

❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)
③ Fabric grade
④ Fabric number

Translucent and Markerboard

❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)

Collaboration Tools

Pricing

Tackboards & Markerboards

GSA SIN 711-8
COM GSA Non-Contract

Features ➤See page 12
Finishes & Materials 55
Resources 67







D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
Wall-Mount Tackboards								
7/8"	30"	20"	**99K3020TBW**	$149	$171	$186	$208	$243
	36"		**99K3620TBW**	170	192	207	229	264
	42"		**99K4220TBW**	180	202	217	239	274
	48"		**99K4820TBW**	192	214	229	251	286

D	W	H	Model	Price
Wall-Mount Markerboards				
3/4"	29 13/16"	30"	**99K3030MBW**	$418
	35 13/16"		**99K3630MBW**	435
	41 13/16"		**99K4230MBW**	485
	47 13/16"		**99K4830MBW**	571
	59 13/16"	36"	**99K6036MBW**	709
Hanging Markerboard Tile				
2 3/4"	19"	14 3/4"	**99K1915HMT**	$211
Name/Sign Holder				
3/8"	4 3/8"	4 3/8"	**99K0404NH**	$129

Hanging markerboard tile may be used with:
- Xsite Traxx
- Metal slat tiles
- Lower mobile table screens.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Standard Includes

- Wall-mount tackboards: fabric on one side
- Wall-mount markerboards: black tray and 409M Icey White markerboard
- Mounting hardware for wall-mount models
- Hanging markerboard tile: cinder frame with porcelain markerboard surface.
- Name/sign holder: double-faced tape and blinder for hard surface applications or appropriate mounting bracket for panels or slat tiles

How to Specify

Tackboards
❶ Model
② Fabric grade
③ Fabric number

Markerboards and Markerboard Tiles
❶ Model

Name/Sign Holder
❶ Model
❷ Application:
H = Hard surfaces, including Hum central and return screens
C = Cetra panels
X = Xsite panels or slat tiles
I = Interworks EQ panels
❸ Finish:
B = Black
P = Platinum

Computer Support & Cable Management

Statement of Line

Features ➤See page 27
Finishes & Materials 55
Resources 67



Single-Monitor Arms
Select slat, clamp, grommet/ bolt-through, or Xsede accessory rail mount.
➤See page 28 for product info.
➤See page 29 to specify.



Dual-Monitor Arms with Cross Bar
Select clamp or grommet/bolt-through mount.
➤See page 28 for product info.
➤See page 29 to specify.



Adjustable Keyboard Kits
Available in manual or intuitive adjusting models.
➤See page 30 to specify.



Sit-to-Stand Keyboard Kit
➤See page 30 to specify.



Keyboard Adjusters
➤See page 30 to specify.

Wood Keyboard Drawer
➤See page 31 to specify.



Keyboard Trays
➤See page 31 to specify.



Corner Sleeve
➤See page 31 to specify.



Hanging CPU Holder
➤See page 32 to specify.



Mobile CPU Cart
➤See page 32 to specify.

Laptop/Equipment Lock
➤See page 32 to specify.



Grommets
Available in metal, plastic, and desktop through-mount models.
➤See page 33 to specify.



Vertical Cable Managers
Available in expandable. flexchain, and adhesive-style models.
➤See page 34 to specify.



Horizontal Cable Managers
Available in U-shape, W-shape, or loop models.
➤See page 35 to specify.



Wire Manager Fillers
➤See page 36 to specify.

Power/Data/Voice Accessories

Features ➤See page 27
Finishes & Materials 55
Resources 67

Power Module
➤See page 37 to specify.

Voice/Data Module
➤See page 37 to specify.

Clamp-On Power Module
➤See page 37 to specify.

Clamp-On Voice/Data Module
➤See page 37 to specify.

Retractable Power/ Communication Center
➤See page 37 to specify.



Above-Mount Power/Data Center
➤See page 38 to specify.



Pop-Up Power/Data Center
➤See page 38 to specify.



Pneumatic Pop-Up Power/Data Center
Available in single-side and double-sided models.
➤See page 38 to specify.

Surface-Mount Power/Data Center
➤See page 39 to specify.



Power/Data Center
Available in standard and hardwire models.
➤See page 39 to specify.



Undersurface Power/Data Center
➤See page 39 to specify.



Power Outlet Strip
➤See page 39 to specify.



Rectangular Power/ Communication Grommet
➤See page 40 to specify.



Power/Communication Grommet
➤See page 40 to specify.

Features

Overview

Finishes & Materials ➤See page 55
Resources 67

Power and voice/data modules provide convenient access to power and data on the worksurface. Modules slip securely into worksurface wire manager; no field scribing is necessary and they may be relocated as needed.

Keyboard kits, adjusters, or trays attach below the surface to provide adjustability and storage for computer keyboards.

Wire manager fillers provide a finished end to wire manager at the end of a worksurface.



Monitor arms can be positioned at optimum height and distance to minimize strain and fatigue, preventing discomfort and injury.

Grommets are available for field installation to allow cords and cables to pass through the worksurface. ➤See the applicable price list for factory-installed grommets.

Mobile CPU cart provides easy access to the back of your unit. It automatically adjusts to support CPUs up to 9"W. It adds 3¾" to the height of the installed CPU.



Flexchain manages cables and power-in feeds from under the surface to the floor. Flexchain U-bracket, specified separately, mounts to a standard wall outlet to manage cords from the outlet to under the surface. Flexchain has a center area for electrical cords and power in-feeds, and two side areas for data cables.



Undersurface cable manager is available to manage cords and cables under the worksurface. Cables pressure fit between loops.



Retractable power/communication center provides convenient access to power, voice, and/or data at worksurface height. A center column slides and locks in an upright position. After equipment is plugged in, it can be concealed below the surface. Field scribing of surface is required.



Expandable cable manager provides cable management from under the worksurface to the floor. It is ideal for use with height-adjustable tables.

Adjustable Keyboard Kits:

Keyboard kits cannot be used with President and Senator kneespace credenzas due to the central locking mechanism; nor can they be used with Scenario tables and Fluent worksurfaces as they interfere with the support channels.

Keyboard kits can be used with Xsede when undersurface support rails are not used.

Only keyboard kit models 99K1706KK2 and 99K1706KK1 work with Priority Progressive support rails and height-adjustable tables. Keyboard mount slide will need to be oriented parallel with the front edge of the worksurface. To store, lower the keyboard and swing under the surface.

The following adjustable keyboard kit models comply with ANSI/HFES method 2.

Series	*Keyboard Arm Model*
Priority™	99K2208KK1 99K2319KKS1
Definition®	99K2208KK1 99K2319KKS1
Transcend®	99K2208KK1 99K2319KKS1
Innsbruck™	99K2319KKS1
Footprint®	99K2319KKS1

Monitor Arms

Single and Dual

Features ➤See page 27
Finishes & Materials 55
Resources 67

Details



Single



Dual
(with crossbar)

Monitor arms in this collection feature 4D adjustment, adjusting in and out, up and down, swiveling left and right, and tilting back and forward.

Arm with integrated cable management reach is 20" on single models and 22" on dual models. Height adjustment range is 10" on single models and 11½" on dual models.

Monitors up to 20 lbs. can be accommodated. Single-monitor arm supports one monitor. Dual-monitor arm supports two monitors up to 20 lbs. each and features a crossbar design with Allen head screws to keep monitors secure in public areas.
Note: Dual-arm monitors must have two monitors attached at all times for balance.

100mm x 100mm VESA plates are standard. A 75mm x 75mm plate can be accommodated. The standard VESA plates are not compatible with Apple monitors.
➤Contact Apple Computer directly to purchase an appropriate VESA plate separately.



Slat



Clamp



Grommet

Accessory Rail

Single-monitor arms are available in slat-mount, clamp-mount, grommet/bolt-through, and Xsede accessory rail models.



Clamp



Grommet

Dual-monitor arms are available in clamp-mount and grommet/bolt-through models.

Connections



Slat-mount single-monitor arms are for use on metal slat tiles.
The number of single-monitor arms per slat tile is limited:

- Wall-mounted, full, metal slat tiles accommodate one monitor arm per tile. Trim channels included with the slat tile must be used.
- 24" or 30"W Cetra slat tiles accommodate one monitor arm per tile.
- 18", 24", or 30"W 1-high or 2-high Xsite slat tiles accommodate one monitor arm per tile. 2-high Xsite slat tiles require an extra mid-frame support for stability, specified separately. Trim channels included with the slat tile must be used.
- Xsite technology tile can hold two monitors per tile.
- Priority slat or fabric/slat tiles will accommodate two monitor arms if spaced at least 24" apart.
- Xsede slat tiles will accommodate two monitor arms if spaced at least 24" apart.

Slat-mount model cannot be used on wall-mounted Traxx, wall-mounted fabric/slat tiles, or Xsite Traxx.



Clamp-mount models must be mounted on the straight edge of a 1$^{3}/_{16}$" or 1$^{9}/_{16}$" worksurface; they are not applicable for knife, reverse knife, and sloped edge profile surfaces. When using on wire manager worksurfaces, the hard plastic underneath will have to be notched so the clamp is flush to a straight edge. The flexible topside durometer will bend.
Note: Clamp-mount models compatible with Xsede can be mounted to the back of the worksurface.



Grommet/bolt-through models can be used in holes up to 2.3" in diameter. They cannot be placed over a pedestal, modesty panel, or support panel. They can be used with 1$^{3}/_{16}$" or 1$^{9}/_{16}$" worksurfaces. Bolt-through application can utilize a hole as small as ½" in the surface.
➤Refer to assembly instructions.

Planning Factors

IMPORTANT: Monitor mounts are specific to arm style and are not are interchangeable between single and dual monitor applications.

Dual-monitor arms with cross bar can be used for a single-monitor application; however, the cross bar would be exposed.

Monitor Arms

Single and Dual

Pricing

GSA Non-Contract

Features ➤See page 27
Finishes & Materials 55
Resources 67







D	W	H	Model	Price
Single-Monitor Arms				
Slat Mount				
20 5/16"	4 1/2"	14 1/16"	**99KSMAM2SMS**	$404
Clamp Mount*				
20 3/4"	4 1/2"	18 1/4"	**99KSMAM2CMS**	$404
Grommet/Bolt-Through Mount				
20 3/4"	4 1/2"	18 1/4"	**99KSMAM2GMS**	$404
Xsede Accessory-Rail Mount				
20 3/4"	4 1/2"	18 1/4"	**99KSMAM2ARMS**	$391







Dual-Monitor Arms with Crossbar				
Clamp Mount*				
21 1/2"	26 7/8"	20"	**99KSMACBM8CMS**	$807
Clamp Mount for Use with Xsede Wire Gap Worksurfaces				
21 1/2"	26 7/8"	20"	**99KSMACBM8LCMS**	$782
Grommet/Bolt-Through Mount				
21 1/2"	26 7/8"	20"	**99KSMACBM8GMS**	$807

*This model is not compatible with Xsede.

Standard Includes

- Monitor arm: silver finish with gray trim
- 100mm x 100mm VESA plate
- Slat, clamp, or grommet mounting bracket

How to Specify

❶ Model

Keyboard Supports

Pricing

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67







Note: Mounting slide is not shown on the illustrations above.





D	*W*	*H*	*Model*	*Tray Tilt Adjustment*	**Vertical Adjustment*** *Above Surface*	*Below Surface*	*Rotation*	*Price*
Adjustable Keyboard Kits								
Manual Adjustment								
17"	28½"	6"	**99K1706KK2**	-15° to +15°	1¼"	5⅞"	360°	$503
22"	28½"	8"	**99K2208KK2**	-15° to +15°	1¾"	7¾"	360°	553
Intuitive Adjustment								
7"	28½"	6"	**99K1706KK1** K	-15° to +10°	1"	6⅛"	360°	$584
22"	28½"	8"	**99K2208KK1** K	-15° to +10°	1½"	8"	360°	642
Sit-to-Stand Adjustable Keyboard Kit								
Intuitive Adjustment								
23"	28½"	10¾"	**99K2319KKS1** K	-10° to +15°	3"	7"	360°	$677
Keyboard Adjusters								
For Use on 42"W Straight Adjustable Split Corner Worksurface (1 3/16"); set of 2 (one required per worksurface)								
13"	8"	3"	**99K42KA**	-12° to +18°	1" (Lockable)	3"	—	$610
For Use on 48"W Straight Adjustable Split Corner Worksurface (1 3/16")								
25"	30¾"	6⅛"	**99K48KA**	-15° to +9°	1" (Lockable)	5"	—	$796

**Vertical adjustment dimensions are based on 1 3/16"-thick worksurface; they can also be used on 1 9/16"-thick worksurfaces.*

Planning Factors

22"D adjustable keyboard kits can be used in corner-mount applications.

Width of keyboard kits includes mouse tray. Mouse tray is non-handed and can be mounted on the left or right.

Manual and intuitive adjustable keyboard kits slide in and out under the surface.

Keyboard kits will not be flush with the worksurface edge (in the stored, recessed position) when mounted in accordance with the manufacturer's directions.

Keyboard kits can be used with Xsede when undersurface support rails are not used.

➤See page 27 for a cross reference chart by furniture series of keyboard kits that comply to ANSI/HFES Method 2.

Standard Includes

Adjustable Keyboard Kit

- Keyboard arm: black
- Foam gel wrist rest: black
- High-density polyethylene tray and ABS mouse tray: black

How to Specify

❶ Model

K = Kwik Office model available.

Keyboard Support

Pricing

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67







D	*W*	*H*	*Model*	*Planning Factors*	*Price*
Wood Keyboard Drawer					
17¼"	25⅝"	4⅛"	**99K1826KDW**	For use under 29"H worksurface; 18" front-to-back and 27" side-to-side clearance required under worksurface. Locks into position when in use.	$376
Keyboard Tray					
14"	23½"	3"	**99K1424KT**	For use under 29"H worksurface; 15" front-to-back and 25½" side-to-side clearance required. Locks into position when in use.	$124
Keyboard Tray with Sliding Mouse Pad					
19"	24"	2⅜"	**99K1924KTM**	Features adjustable palm rest and sliding mouse pad. Height can range from 2 11/32" to 3 11/16" in 7/32" increments. 20" front-to-back and 26" side-to-side clearance required under the worksurface.	$372
Corner Sleeve					
For Use with 1 3/16" Worksurfaces					
11 9/16"	22"	1⅜"	**99K1222SL2**	For use at corner junction of two perpendicular worksurfaces; creates 45°-angle instant corner surface. Removable.	$117
For Use with 1 9/16" Worksurfaces					
11¾"	22"	1¾"	**99K1222SL**	For use at corner junction of two perpendicular worksurfaces; creates 45°-angle instant corner surface. Removable.	$117

Keyboard drawers and trays are not for use with Priority Progressive worksurfaces, as they will conflict with the undersurface support rails.
Exceptions: Due to the extra clearance afforded by the shape of corner worksurfaces, keyboard tray model 99K1424KT can be used on Priority Progressive 90° corner surfaces; all keyboard drawer and tray models on this page can be used on Priority Progressive 120° corner surfaces.

Standard Includes

Keyboard Tray
- Metal tray: Matte black
- Sliding mouse pad and adjustable palm rest on applicable model

Corner Sleeve
- Metal sleeve: Black textured finish

How to Specify

Wood Keyboard Drawer
❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

All Others
❶ Model

CPU Supports

Pricing

GSA SIN 711-8
† GSA Non-Contract

Features ➤See page 27
Finishes & Materials 55
Resources 67

How to Specify

❶ Model





D	*W*	*H*	*Model*	*Planning Factors*	*Price*
Hanging CPU Holder					
9⅝"	6⁹⁄₁₆"	18½"	**99KCPUH**	7½" depth adjustment, 5¾" width adjustment, and 9" height adjustment. Black. Attaches to underside of worksurface. Swivels 360°. Hanging CPU holder is not for use with Priority Progressive undersurface support rails.	$230
Mobile CPU Cart †					
15"	8½"	8⁵⁄₁₆"	**99KCPUMCB**	Black. Adjusts to support CPUs up to 9"W and 40 lbs. Adds 3¾" to height of installed CPU.	$144
Laptop/Equipment Lock System †					
39"			**99KLTLCK**	39" long x ¼" diameter nylon-jacketed stainless steel cable. Includes two Kimball Office lock cores (one on each end; keyed randomly between 001–005), one key, and one anchor. Locks into laptop, printer, CPU tower, or other portable electronic equipment, as well as specifically designed slots in Hum, Scenario, and Perks power/data drawers. Anchor can be field installed into any wood-based panel or worksurface.	$67

Cable Management

Pricing

Grommets

GSA SIN 711-8
† GSA Contract Pending

Features ➤See page 27
Finishes & Materials 55
Resources 67





D	*W*	*H*	*Model*	*Finish/Material*	*For Use With*	*Price*
Round Metal G7 Grommets						
2½" dia.		1⅛"	**99KG7MB**	Matte Black metal	Definition®, Innsbruck™, Transcend®	$38
2½" dia.		1⅛"	**99KG7PL**	Platinum Metallic metal	Definition	38
2½" dia.		1⅛"	**99KG7SN**	Satin Nickel metal	Transcend	38
2½" dia.		1⅛"	**99KG7AB**	Antique Brass metal	President™, Senator®	38
Round Metal G19 (G12) Grommets with Locking Cap and Brush Access						
2⅝" dia.		¾"	**99KG19PL**	Platinum Metallic metal	Definition, Dock, Priority™, Scenario® 1 3⁄16", Xsede™	$47
2⅝" dia.		¾"	**99KG19DW**	Designer White metal	Definition, Dock, Priority, Sceanrio 1 3⁄16", Xsede	47
2⅝" dia.		¾"	**99KG19CM**	Carbon Metallic metal	Definition, Dock, Priority, Sceanrio 1 3⁄16", Xsede	47
2⅝" dia.		¾"	**99KG19490**	Polished Chrome metal	Definition, Xsede	47
2⅝" dia.		¾"	**99KG19487**	Brushed Nickel metal	Definition, Xsede	47
2⅝" dia.		¾"	**99KG19544** †	Silver Pearl metal	Definition, Dock, Priority, Scenario 1 3⁄16", Xsede	47
2⅝" dia.		¾"	**99KG12MN**	Matte Nickel metal	Hum. Minds at Work.®	47
Round Plastic G50, G60, G65, and G80 Grommets						
2 5⁄16"		¾"	**99KG50**	Matte Black plastic	Footprint®	$22
2¾"		¾"	**99KG60**	Matte Black plastic	Dock, Footprint, Priority, Scenario 1 3⁄16"	22
2¾"		¾"	**99KG65** †	Silver plastic	Dock, Footprint, Priority, Scenario 1 3⁄16"	22
3½"		1"	**99KG80**	Matte Black plastic	Footprint	24
Rectangular Plastic G90 Grommets						
4⅛"	2⅝"	1⅛"	**99KG90**	Matte Black plastic	Also compatible with power/data center model 99K0208ELPDC when a sleeve insert is desired.	$23
Rectangular Metal G18 Grommets						
2¾"	7¼"	1 3⁄16"	**99KG18SS**	Silver Satin Aluminum	Fluent®	$71
Square Metal G17 Grommets						
2¾"	2¾"	1 3⁄16"	**99KG17SS**	Silver Satin Aluminum	Fluent	$38

How to Specify

❶ Model

Note: Grommets maybe used in any worksurface, except Scenario ½"-thick tops.

Cable Management

Pricing

Vertical Cable Managers

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67







D	W	H	Model	Planning Factors	Price
Flexchain Cable Manager					
2⅛"	3⅞"	36⅜"	**99K36CMFC**	Connects to the underside of worksurface to route cables and power-infeeds to the floor	$155
Flexchain U-Bracket					
			99KFCB	Connects a flexchain to wall outlet.	$19
Expandable Cable Manager					
6"	3¾"	7–48"	**99KECMB**	Weighted base; ideal for height-adjustable tables.	$149
Vertical Cable Managers for Casegoods					
Black					
		17¾"	**99K18WMV**	For use with casegoods products to manage cords on a vertical surface; attaches to surface with double-sided adhesive.	$51
Semi-Translucent **(set of 4)**					
15/16"	9/16"	19 3/16"	**99K19WMV**	For use with Fluent highback support assembly leg to manage cords. Can be cut in the field to size for other applications. Adheres to metal, paint, or veneer; peel film and press in place.	$35
15/16"	9/16"	26⅝"	**99K27WMV**	For use with Fluent leg assembly, Priority U-legs and open-frame legs to manage cords. Can be cut in the field to size for other applications. Adheres to metal, paint, or veneer; peel film and press in place.	49

Standard Includes

- Flexchain cable manager: clear
- Flexchain U-bracket: black
- Expandable cable manager: ABS black plastic; attachment hardware included
- Vertical cable managers: black or semi-translucent white polypropylene

How to Specify

❶ Model

Systems-Specific Vertical Cable Managers
➤See the Systems Price List.

Cable Management

Pricing

Horizontal Cable Managers

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67



D	*W*	*H*	*Model*	*Planning Factors*	*Price*
U-Shaped Cable Manager (set of 6)					
2"	40"	2"	**99K40WMHU**	For use under a worksurface. Each section of 40" in length; cut to size.	$64
W-Shaped Cable Manager (set of 6)					
3"	29½"	1½"	**99K30WMHW**	For use under a worksurface. Each section is 29½" in length; cut to size.	84
Loop-Style Cable Manager (set of 6)					
2 9/16"	3 5/8"	1 9/16"	**99KCMU**	Individual loops. Openings are 1"D x 5/8"W x 1"H and can be removed to expand individual capacity.	50

Standard Includes

- Set of 6 cable managers: black

How to Specify

❶ Model

Cable Management

Pricing

Wire Manager Fillers

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67







D	W	H	Model	Description	Price
Foam Wire Manager Fillers					
6"	7/8"	11/16"	**99KWMF**	Set of 6. For use on surfaces with square or knife rim profile.	$37
Metal Wire Manager Filler					
3"	15/16"	11/16"	**99KWMF2**	For use on surfaces with knife rim profile on the side edge.	$21

Footprint Wire Manager Filler Cap
➤See the Systems Price List.

Standard Includes

- Wire manager filler

How to Specify

Foam Wire Manager Filler
❶ Model

Metal Wire Manager Filler
❶ Model
② Finish designator

Power/Data/Voice Accessories

Pricing

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67





D	*W*	*H*	*Model*	*Planning Factors*	*Price*
Power Module					
2⅛"	3"	3¾" (cover open) 2" (cover closed)	**99KELPM** Kj	Fits into worksurface wire manager. Not for use on Hum. Minds at Work.® or Scenario® ½" surfaces.	$142
Voice/Data Module					
2⅛"	3"	3¾" (cover open) 2" (cover closed)	**99KELDM** Kj	Two 1½"D x 1⅓"W x 2¾"H openings. Can replace fittings and cables with CAT5 or CAT6 fittings and cables; not provided. Fits into worksurface wire manager. Not for use on Hum or Scenario ½" surfaces.	$161
Clamp-On Power Module					
2⅝"	3⅝"	2"	**99KELPM2**	Clamp hand tightens and can be removed. Can be secured to worksurfaces up to 1 9⁄16" thick.	$154
Clamp-on Voice/Data Module					
2⅝"	3⅝"	2"	**99KELDM2**	Two openings. Does not include jacks; end user supplies jacks, cabling, and voice/data connection to work with standard, keystone-style CAT3, CAT5, CAT5e, and CAT6 jacks or couplers, Avaya (Lucent) proprietary jacks, Orthonics CAT5, CAT5e, and CAT6, or blanks for no opening. Clamp hand tightens and can be removed.	$133
Retractable Power/Communication Center					
4⅛"	2⅝"	10¼"	**99KELPDCR**	Includes one 1½"D x 1⅜"W x 2¾"H opening. Extends 7" above surface; for use in open kneespace only. Interior septum provides complete separation of power and communication utilities. Accepts Tyco (Amp) Flex-Mode and Panduit Mod-Com connector modules.	$199

Standard Includes

Power Module
- Two 15-amp NEMA-rated receptacles
- 6'L grounded cord with 15-amp plug: black
- Black housing with frost cover

Voice/data Module
- Two CAT5e-certified RJ45 fittings (ports)
- Two 6'L CAT5e cables with jacks on either end
- Black housing with frost cover

Clamp-On Power Module
- Two 15-amp NEMA-rated receptacles
- 9'L grounded cord with 15-amp plug: black
- Black housing

Clamp-on Voice/Data Module
- Data jack adapter bezel tree
- Black housing

Retractable Power/ Communication Center
- Two 15-amp NEMA-rated simplex receptacles (all flush)
- 6'L grounded cord with 15-amp plug: black
- Black housing with frost cover

How to Specify

❶ Model

All electrical accessories are available for field installation only. U.L. listed. Any field modification of the electrical components voids the U.L. listing.

Kj = Kwik Office model available.

Power/Data/Voice Accessories

Pricing

continued

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67









Data modules accept CAT5 and CAT6 cabling. Siemens CAT6 jacks are recommended.

Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules. Contact your local data communications supplier for the appropriate connector modules.

All electrical accessories are available for field installation only. U.L. listed. Any field modification of the electrical components voids the U.L. listing.

D	*W*	*H*	*Model*	*Planning Factors*	*Price*
Above-Mount Power/Data Centers					
2¼"	7⅝"	2¾"	**99K0208ELPDC**	Mounts on top of surface; field scribing required. Extends 2¾" above surface. Compatible with rectangular plastic G90 grommet (model 99KG90) when a sleeve insert is desired.	$251
Pop-Up Power/Data Centers					
4⁷⁄₁₆"	8⁵⁄₁₆"		**99KPC2MB**		$527
Single-Sided Pneumatic Pop-Up Power/Data Centers					
Power/Power					
4⁷⁄₁₆"	5⁵⁄₁₆"	3⁹⁄₁₆"	**99KG21**	Anodized aluminum. Requires a 4" x 5" cut-out.	$445
Power/Data					
4⁷⁄₁₆"	5⁵⁄₁₆"	3⁹⁄₁₆"	**99KG22**	Anodized aluminum. Requires a 4" x 5" cut-out.	$445
Power/USB					
4⁷⁄₁₆"	5⁵⁄₁₆"	3⁹⁄₁₆"	**99KG26**	Silver finish. Requires a 4" x 5" cut-out.	$340
Double-Sided Pneumatic Pop-Up Power/Data Centers					
Power/Power					
8¹⁄₁₆"	6¹³⁄₁₆"	3⁹⁄₁₆"	**99KG23**	Anodized aluminum.	$889
Power/Data					
8¹⁄₁₆"	6¹³⁄₁₆"	3⁹⁄₁₆"	**99KG24**	Anodized aluminum.	$889
Power/USB					
8¹⁄₁₆"	6¹³⁄₁₆"	3⁹⁄₁₆"	**99KG25**	Anodized aluminum.	$1056

Standard Includes

Above-Mount Power/Data Center
- Two simplex receptacles
- Two data port openings
- 6'L grounded cord with 15-amp plug: black
- Housing: black

Pop-Up Power/Data Center
- Housing: matte black anodized aluminum
- Two simplex power outlets
- Two black voice/data ports
- Adapter kit for couplers and jacks
- 6' 15-amp power cord

Single-Sided Pneumatic Pop-Up Power/Data Center
- Two power outlets on power/power model
- One power outlet and one data port on power/data model
- One power outlet and two USB ports on power/USB model
- 6' cord

Double-Sided Pneumatic Pop-Up Power/Data Center
- Three power outlets on each side (six total) on power/power model
- Two power outlets (four total) and one data port on each side (two total) on power/data model
- One power outlet (two total) and two USB ports on each side (four total) on power/USB model
- 6' cord
- Housing: anodized aluminum

How to Specify

❶ Model

Power/Data/Voice Accessories

Pricing

continued

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67







D	*W*	*H*	*Model*	*Planning Factors*	*Price*
Surface-Mount Power/Data Center					
2¾"	7⁵⁄₁₆"	2¹⁄₁₆"	**99K0207PDBB**	Black.	$555
2¾"	7⁵⁄₁₆"	2¹⁄₁₆"	**99K0207PDBW**	White. Mounts on top of surface with non-skid bottom; no field scribing required.	555
Power/Data Center					
5⁵⁄₁₆"	8⁵⁄₁₆"	3⅝"	**99KPDCAM**	AV adapter kits and voice/data jacks must be provided by the customer. Extends 2⁵⁄₁₆" below the worksurface. Cannot be used in conjunction with a power/data drawer on 24" or 30"D worksurfaces. Specify a G20 cut-out on Definition®, Priority™, or Scenario® 1³⁄₁₆" surfaces for factory cut-out.	$440
Hardwire					
5⁵⁄₁₆"	8⁵⁄₁₆"	3⅝"	**99KPDCAMH**	For areas where local codes do not accept modular electrical plug-in components.	$488
Undersurface Power/Data Center					
3½"	3⅛"	1¾"	**99K0303ELPDC**	For use in open kneespace only.	$145
Power Outlet Strip					
1¾"	10½"	1½"	**99KELPS** Ⓚ		$70

Standard Includes

Surface-Mount Power/Data Center
- One 2-amp USB duplex for charging electronics
- Three power outlets
- 10' 15-amp power cord
- Housing: high-gloss plastic

Power/Data Center
- Three 15-amp, 110-volt electrical outlets
- One data port
- 10' power cord
- Housing: anodized aluminum

Undersurface Power/Data Center
- One power outlet
- RJ11 port
- RJ45 port
- 10' power cord

Power Outlet Strip
- Six outlets
- 10' power cord

How to Specify

❶ Model

➤See notes on previous page.

Ⓚ = Kwik Office model available.

Power/Data/Voice Accessories

Pricing

continued

GSA SIN 711-8

Features ➤See page 27
Finishes & Materials 55
Resources 67





D	*W*	*H*	*Model*	*Planning Factors*	*Price*
Rectangular Power/Communication Grommet					
4⅛"	2⅝"	1½"	**99KELF1C**	Mounts flush in surface. Field scribing of surface is required for installation.	$80
Power/Communication Grommet					
4¼" dia.		5¼"	**99K0405ELPDG**	Fits into 3½" grommet opening.	$527

Standard Includes

Rectangular Power/ Communication Grommet

- One 15-amp NEMA-rated simplex receptacle
- 1-amp, 6-pin, category 3 port (RJ11)
- 6' grounded cord with 15-amp plug: black
- Housing: black

Power/Communication Grommet

- Two power outlets
- One data port (RJ45)
- One voice port (RJ11)
- 6' grounded cord with 15-amp plug: black
- Plastic housing: black

How to Specify

❶ Model

Data modules accept CAT5 and CAT6 cabling. Siemens CAT6 jacks are recommended.

Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules. Contact your local data communications supplier for the appropriate connector modules.

All electrical accessories are available for field installation only. U.L. listed. Any field modification of the electrical components voids the U.L. listing.

Power/Data Drawer

Statement of Line

and Power System Components

Features ➤See page 42
Finishes & Materials 55
Resources 67



Power/Data Drawers
➤See page 43 for product information.
➤See page 49 to specify.



Single-Circuit Components
➤See page 44 for product information.
➤See page 50 to specify.



Four-Circuit (8-Wire) Components
➤See page 45 for product information.
➤See page 51 for power entries.
➤See page 52 for power components.



Hardwire Components
➤See page 48 for product information.
➤See page 53 to specify.

Features

Overview

Statement of Line ➤See page 41
Finishes & Materials 55
Resources 67

Power/data drawers and electrical components are for use in open planning and freestanding applications. They are recommended for use with Priority™, Definition®, Fluent® (where modesty panel is not used), and Footprint®.

Perks power/data sliding drawer brings both power and data to the underside of the worksurface. Unlike fixed troughs or baskets, the drawer pulls out to allow routing of excess cabling once the initial connection has been made.

Mounting hardware is field installed.

Metal knock-outs in the front face and back of the drawer can be removed as needed for data or electrical outlets.

Single-circuit, four-circuit, and hardwire electrical components are for use in power/data drawers.



Cut-outs on the ends (sides) of the drawer allow jumpers to exit for connection inside the next drawer.

Large cut-outs on the bottom of the drawer allow power in-feed to enter the drawer.

Data/telecommunication modules can be used in the power/data drawer bottom cut-outs or the knock-outs on the front or back of the drawer.

Data cables can also be routed in the drawer to service the workstation.

Flexchain (shown) or expandable cable manager manages cables from under the surface to the floor.

IMPORTANT: Flexchain, expandable, vertical, and undersurface cable managers are required to protect 8-wire components from physical damage.



Circuitry Options:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably. Power/data drawers are U.L. listed.

Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed. ➤See page 44 for application guidelines.

Four-circuit components combine to form an 8-wire, 4-circuit, power system. ➤See page 45 for application guidelines.

Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes. ➤See page 48 for application guidelines.

c UL US LISTED

Power/Data Drawer

Features ➤See page 42
Finishes & Materials 55
Resources 67

Details



Power/data drawer is a powder-coated metal tray that mounts to the underside of a worksurface using two bent sheet metal drawer slides.



½" gap between the worksurface and the front and back edges of the drawer allows cords to exit. Cut-outs in the sides allow cables to pass to adjacent drawers.

Holes centered in the floor of the power/data drawer are provided to attach Perks laptop/equipment lock.

Planning Factors

Power/data drawers are for use in open plan and freestanding applications. Recommended for use with Priority, Definition, Fluent, and Footprint. They are designed to work with 24", 30" and 36"W worksurfaces in single or back-to-back configurations.

Determine drawer size based on the width of the surface to which it will attach. Specify the drawer to be 10" shorter than the worksurface width to allow for it to mount inboard of the surface support. For example, specify a 62"W drawer for a 72"W worksurface. If using a surface with storage, base your calculation on the unsupported surface dimension to determine drawer size.

Depending on user electrical needs, one drawer can be shared in back-to-back configurations. Some users may require an individual drawer.

➤See illustration at top right.

Power/data drawers are not intended for use against a wall or in conjunction with Systems panels.



Modesty panel must be located behind the power/data drawer to allow the drawer to extend forward toward the approach side of the worksurface for cable access.

➤See the Priority Price List for additional information.



On 48" and 60"D worksurfaces (depicted above), power/data drawer can be located so that when the drawer is extended, it is located on the centerline of the surfaces. Both the 10" rectangular power/data center (KCU0810ELPDC) and the 40" rectangular power/data center (KCU0840ELPDC) will work in conjunction with the power/data drawer in this application.

➤See the Tables Price List for 10" and 40" power/data centers.

Factory-installed grommets in worksurfaces are located so excess cabling will fall directly into the drawer.



Power/data center (99KPDCAM) may be mounted (recessed) on 36"D worksurfaces with a power/data drawer.



Use of a power/data center on a 24" or 30"D surface in conjunction with single power/data drawer is not possible due to clearance.
Note: Use two smaller power/data drawers on a single worksurface to allow power/data center, clamp-mounted accessories, or through-grommet accessories to extend below the surface between the power/data drawers.

Knockouts & Cutouts:

Knockouts in the front and back of the drawer are compatible with industry-standard data faceplates, such as Tyco/Amp, Panduit, ECA and Hubbell. Individual knockouts are 1⅜" x 2¹¹⁄₁₆". Data and telecommunication modules are the responsibility of the user.

Floor of the drawer features similarly sized pre-punched cut-outs for additional electrical or data outlets. Use these cut-outs for hardwire applications. Receptacles placed in the drawer bottom cut-outs must be installed facing the floor.

Each knockout is 6" on center. Distance between knockouts is 3¼".

*Drawer Model 99K**PDD*	*Front & Back Knock-Outs*	*Small, Bottom Cut-Outs*	*Large, Flexchain Cut-Outs*
26	3	2	1
32	5	2	3
38	5	2	3
44	7	4	3
50	7	4	3
56	9	6	3
62	9	6	3
68	11	8	3
74	11	8	3
80	13	10	3
86	13	10	3

Single-Circuit Power System

Features ➤See page 42
Finishes & Materials 55
Resources 67

Details

The following components comprise the single-circuit system:

- Power in-feed
- Duplex receptacles with an attached 12" modular feed
- 12", 24", 48", 74", 96" and 120" jumper cables

For ease in installation, the connectors will only plug in one way.

Power in-feed is a 10' cord with a "smart box" that monitors the number of receptacles connected. The system will automatically shut off if more than eight receptacles are plugged into the power in-feed. One end of the cord features a three-prong plug that plugs into a standard 110 volt, 15 amp wall or floor outlet.

Duplex receptacles snap into the power/data drawer. Receptacles feature a 12" modular feed with a double-out interface. Power is brought to the receptacle by a power in-feed or jumper cable. Power is passed to adjacent components by a jumper cable, forming a daisychain.

Jumper cables feature a squeeze-latch connector on each end.

Planning Factors

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.

For jumping between receptacles inside a power/data drawer, 12" jumpers are recommended for drawers that are 50"W or smaller; 24" jumpers are for 56"W and wider drawers.

In 120° applications, 24" jumper cables can be used to jump from one power/data drawer to another.

Jumpers must be secured every 24" when spanning under the worksurfaces.

This system should not be plugged into a GFCI outlet receptacle. The single-circuit system contains an overload breaker, and the sensing circuit in the "smart box" can affect the sensitivity of a GFCI power feed, causing the GFCI duplex receptacle to trip.

Related Products

Single-circuit mini-adapt power module features an 18" modular feed with a double-over interface. The unit contains two receptacles for desktop power access. A hand-tightened clamp on the back of the unit allows flexibility for positioning it at the back of the personal space worksurface.

12" and 24" jumper cables connect duplex receptacles inside the power/data drawer.

48" jumper cables can be used to connect one power/data drawer to another. They can span over one Progressive Priority 15"W pedestal.

74", 96", and 120" jumpers are for use when spanning over Priority Progressive storage.



Duplex receptacle

Power in-feed sits on the bottom of a power/data drawer.

Power/Data Drawers:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.
➤See page 49.

Approval/Compliance:

All Perks single-circuit components are U.L. 962 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. *Note: Any field modification of the electrical components voids the UL listing.*

Receptacles:

*Drawer Model 99K**PDD*	*Recommended No. of Receptacles*
26	2
32	4
38	4
44	4
50	6
56	8*
62	8*
68	8*
74	8*
80	8*
86	8*

*Limited by circuit availability.

Four-Circuit (8-Wire) Power System

Features ➤See page 42
Finishes & Materials 55
Resources 67

Details

The following components combine to form an 8-wire, four-circuit system:

- Hardwire power in-feeds (two options) or ceiling power entry
- Power distribution assemblies
- Duplex receptacles
- Jumper cables

For ease in installation, the connectors will only plug in one way.

There are three ways to bring power to the system:

- 10' floor/wall power in-feed;
- Modular wall starter and modular 10' power in-feed; or
- 12' ceiling power in-feed

IMPORTANT: Power in-feeds entering the power/data drawer from the floor or wall must be secured/ protected by a flexchain, expandable cable manager, vertical cable manager, or secured to the legs.

Floor/wall power in-feed features a 10' liquid tight conduit with a pigtail on one end that must be wired by a licensed electrician to a wall or floor-mounted junction box. The other end features a single squeeze-latch connector to attach to a power distribution assembly.



Modular wall power in-feed features a 10' modular conduit with a squeeze-latch connector on each end. One end must connect to modular wall starter, specified separately, the other end connects to a power distribution assembly. Modular wall starter must be wired to building power by licensed electrician. *Note: This modular power in-feed option allows you to unplug the cable from the wall and store away when not in use.*

Ceiling power in-feed features a 12' flexible, galvanized metal conduit with a pigtail on one end that must be wired by a licensed electrician to a junction box in the ceiling. The other end features a single squeeze-latch connector to attach to a power distribution assembly.

Ceiling power pole can be field installed on Progressive Priority upmount stanchion shelf. Power can be routed between tiles to the bottom of the worksurface.



Power/Data Drawers:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.
➤See page 49.

Approval/Compliance:

All Perks four-circuit components are U.L. 1286 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. *Note: Any field modification of the electrical components voids the UL listing.*

Receptacles:

*Drawer Model 99K**PDD*	*Recommended No. of Receptacles*
26	2
32	2
38	2
44	2
50	4
56	4
62	4
68	4–6
74	4–6
80	4–6
86	4–6

Four-Circuit (8-Wire) Power System

continued

Features ➤See page 42
Finishes & Materials 55
Resources 67



Trim plates can be specified for field installation to conceal the intersection of the flexible ceiling pole at the ceiling and worksurface.



Power distribution assembly supplies power for four duplex receptacles within a power/data drawer. Power distribution assemblies are 36" long.



Duplex receptacles feature a 12" flexible, metal conduit and a single squeeze-latch connector to attach it to the power distribution assembly.

Receptacles models are numbered 1, 2, 3, 4, or 5 to correspond to the circuit to which they will provide access.

Jumper cables feature a squeeze-latch connector on each end and are available in 24", 36", 48", 74", 96" and 120" widths. Jumpers are encased in a flexible, galvanized metal conduit.

Use 24" and 36" jumper cables inside the power/data drawer to connect power distribution assemblies and duplex receptacles.

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.

Use a 48" jumper cables to connect a two power/data drawers on adjacent surfaces. 48" jumpers may also be used to span over one Priority Progressive 15"W pedestal.

78", 96", and 120" jumpers are for use when spanning over Priority Progressive storage.

Jumpers must be secured every 24" when spanning under the worksurfaces.

Wiring Schematics:

The 8-wire, multi-circuit configuration provides up to four circuits. Ideally a 4-wire, WYE, 208 volt service provides the best utilization.







Planning & Installation:

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

Four-Circuit (8-Wire) Power System

continued

Features ➤See page 42
Finishes & Materials 55
Resources 67

Planning Factors

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.
➤See wiring configurations at right.

Duplex receptacles used for both types of wiring configurations are the same. This simplifies specifications and allows a faster understanding of the system.

A maximum of 13 duplex receptacles can be accommodated per circuit.

3 and 1 (8-wire):



- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Related Products

➤See page 43 for power/data drawer details.

Hardwired Power

Features ➤See page 42
Finishes & Materials 55
Resources 67

City of Chicago:

The City of Chicago requires that an electrician hardwire the electrical components to the furniture. The electrician can install hardwire boxes into the bottom of the power/data drawer utilizing the pre-punched rectangular cut-outs. Holes for attaching the duplex to the hardwire box are also provided.

Hardwired receptacles must be placed in the drawer bottom knockouts and be installed facing the floor.



City of New York:

The City of New York requires that an electrician to make the connection from the floor entry to the modular electrical system. The electrician can wire the floor/wall power in-feed hardwire boxes into the bottom of the power/data drawer using the pre-punched rectangular cut-outs. Power entry for NYC (model 99KP4FPFNYC) includes a modular floor/wall power in-feed, hardwire box and lid, 2' galvanized metal conduit to encase the power in-feed (not shown), and cover plate.



Planning & Installation:

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes.

Power/Data Drawer

Pricing

GSA SIN 711-8

Features ➤See page 42
Product Information 43
Finishes & Materials 55
Resources 67



D	*W**	*H*	*For Use with***	*Model*	*Price*
Power/Data Drawer					
7¾"	27⅝"	2½"	36" tops	**99K26PDD**	$104
7¾"	33⅝"	2½"	42" tops	**99K32PDD**	117
7¾"	39½"	2½"	48" tops	**99K38PDD**	129
7¾"	45½"	2½"	54" tops	**99K44PDD**	141
7¾"	51½"	2½"	60" tops	**99K50PDD**	154
7¾"	57½"	2½"	66" tops (shown)	**99K56PDD**	165
7¾"	63½"	2½"	72" tops	**99K62PDD**	188
7¾"	69½"	2½"	78" tops	**99K68PDD**	199
7¾"	75⅜"	2½"	84" tops	**99K74PDD**	211
7¾"	81⅜"	2½"	90" tops	**99K80PDD**	239
7¾"	87⅜"	2½"	96" tops	**99K86PDD**	266

* Width includes drawer and mounting brackets.
** For storage-supported tops, select the drawer width based on the open, unsupported kneespace.

Standard Includes

- Cut-outs on bottom of drawer for power, data, flexchain, and power in-feeds
- Cut-outs on both sides (ends) of drawer for routing power to adjacent drawers
- Knockouts on front and back compatible with industry-standard data faceplates
- Holes in bottom of drawer for Perks laptop/equipment lock
- Attachment hardware

How to Specify

❶ Model
② Finish color:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Accepts Perks single-circuit and four-circuit (8-wire) electrical system.

For use with Priority™, Definition®, Fluent®, or Footprint® in open plan or freestanding applications.
➤See the Priority Price List for additional information pertaining to the use of power/data drawers with Priority Progressive worksurfaces.

Not intended for use with Cetra®, Xsite®, or Interworks® EQ panels.

Single-Circuit Power Components

Pricing

GSA SIN 711-8

Features ➤See page 42
Product Information 44
Finishes & Materials 55
Resources 67







Model	*Description*	*Price*
Power In-Feed		
99K210P1PF		$210
Duplex Receptacle		
99K2P1RDS		$65
Jumper Cables		
99K2P1J8	12"	$73
99K2P1J4	24" (shown)	68
99K2P1J1	48"	87
99K2P1J5	74"	94
99K2P1J6	96"	144
99K2P1J7	120"	160
Mini-Adapt Power Module		
99K2P1PM2	2"H x 3⅝"W x 2⅝"D.	$130

Mini-adapt power module features a clamp that hand-tightens to secure the module to the worksurface.

Standard Includes

Power In-Feed
- 10' black power cord with standard three-prong plug on one end and single squeeze-latch connector on the other end
- Smart box monitor

Duplex Receptacle
- Two three-prong outlets
- 12" modular feed with double-out interface

Jumper Cables
- Black cable with a squeeze-latch connector on each end

Mini-Adapt Power Module
- Two NEMA-rated 15-amp receptacles
- 18" modular feed with double-out interface; cord is black
- Housing: black textured finish

How to Specify

❶ Model

Four-Circuit (8-Wire) Power Components

Pricing

Power Entries

GSA SIN 711-8





Model	*Planning Factors*	*Price*
Modular Power In-Feed		
Starter Plate		
99KP4WPSM	Accepts modular power in-feed. 5⅛" x 5⅛".	$104
Power Harness		
99K10P4FPFM	Must be used with modular starter.	$269
Floor/Wall Power In-Feed		
99K10P4FPF		$245
Ceiling Power In-Feed		
99K12P4CPF		$217
Power Entry for Use in New York City		
99KP4FPFNYC		$326

Related Products:

Power/Data Flexible Ceiling Pole		
99K10PDPC	Used to conceal power in-feed and data cables	$434
Metal Ceiling Trim Plates (set of 2)		
99KPCTP	Conceal intersection of the flexible ceiling pole at the worksurface and ceiling.	$43

➤See the appropriate price list for series-specific electrical planning guidelines for four-circuit configurations.

Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Features ➤See page 42
Product Information 45
Finishes & Materials 55
Resources 67

Standard Includes

Modular Power In-Feed Starter
- Black metal wall plate

Modular Power Harness
- 10' liquid tight conduit with a squeeze-latch connector on each end

Floor/Wall Power In-Feed
- 10' liquid tight conduit with a single squeeze-latch connector on one end and pigtail on the other

Ceiling Power In-Feed
- 12' galvanized metal conduit with a single squeeze-latch connector on one end and pigtail on the other

Power Entry for Use in NYC
- Modular floor/wall power in-feed
- Hardwire box
- 2' galvanized metal
- Cover plate

Flexible Ceiling Pole
- 10' flexible conduit: stainless steel

How to Specify

❶ Model

Four-Circuit (8-Wire) Power Components

Pricing

Modular Components

GSA SIN 711-8

Features ➤See page 42
Product Information 45
Finishes & Materials 55
Resources 67



Model	Description	Function	Price
Duplex Receptacles			
For 3 + 1 Circuit Configuration			
99KP4RD1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$87
99KP4RD2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	87
99KP4RD3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	87
99KP4RD4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	87
For 2 + 2 Circuit Configuration			
99KP4RD1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$87
99KP4RD2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	87
99KP4RD4	Circuit 4 (designated)	Delivers power from designated circuit 4 with shared neutral and ground	87
99KP4RD5	Circuit 5 (designated)	Delivers power from designated circuit 5 with shared neutral and ground	87



Power Distribution Assemblies		
99K36P4D	36"W	$173

Jumper Cables		
99KP4J4	24"W	$144
99KP4J2	36"W	156
99KP4J1	48"W (shown)	173
99KP4J5	74"W	232
99KP4J6	90"W	277
99KP4J7	120"W	329

➤See the appropriate price list for series-specific electrical planning guidelines for four-circuit configurations.

Four-circuit electrical power entries or modular starter must be installed by a licensed electrician.

Standard Includes

Duplex Receptacles
- Two outlets black plastic housing
- Squeeze-latch connector on one end
- Housing: black plastic

Power Distribution Assembly
- Galvanized metal conduit with triple-out interface
- Accepts one or two receptacles

Jumper Cables
- Galvanized metal conduit
- Squeeze-latch connectors on both ends

How to Specify

❶ Model

Hardwire Power Components

Pricing

GSA SIN 711-8

Features ➤See page 42
Application Guidelines 48
Finishes & Materials 55
Resources 67





Model	*Function*	*Price*
Hardwire Box		
99KPBH	Accommodates junctions and receptacles	$43
Hardwire Covers		
99KPHCB	Blank cover; use to protect the contents of the hardwire box	$23
99KPHCD	Duplex cover plate provides an access hole, sized to fit Pass & Seymour 26242 series receptacles (or compatible size and type).	$23
Hardwire Box Template		
99KPHT	Used for locating and drilling holes required to attach hardwire box to power/data tray.	$23

Standard Includes

Hardwire Box
- Steel box

Hardwire Cover
- Cover: steel

How to Specify

❶ Model

Hardwire components must be installed by a licensed electrician.

Notes

Finishes & Materials

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	56
Wood Finishes	57
Special Wood Finishes	58
Characteristics & Care	59
Paint & PVC	60
CSP	61
Fabrics	62
Fabric Application	62
Panel Fabrics	63
COM	66
COM Yardage Req.	66

Program Overview

Wood Finishes	➤See page 57
Paints & Plastic	60
Fabrics	63
COM	66

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Wood Finishes

	Cherry					Maple			Oak			Walnut						Sapele	
	MC Amber	CC Cordoba	MH Mocha	SC Sedona		IM Brighton	TM Huntington		CO Canyon	YO Monterey		ES Espresso	MW Midtown	TW Tribeca	NW Tuscan	UW Urban		CX Coco*	SX Sienna*
Price Group	1	1	1	1		1	1		1	1		1	1	1	1	1		1	1
Keyboard Drawers	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•
Wood Center Drawers	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•

** CX Coco and SX Sienna finishes (price group 1) on wood center and keyboard drawers coordinate with finishes of the same name on sapele wood (price group 2); no upcharge applies.*

Key:

- = Available color

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact ***By Design*** to review veneer options and discuss special quotes.

➤See page 56 for program overview.
➤See page 59 for wood finish characteristics, care and maintenance.

Price Group Designators:

STD = Group 1 (list price)

Special Wood Finishes

GSA Non-Contract

Wood Finishes	➤See page 57
Paints & Plastic	60
Fabrics	63
COM	66

Kimball Office offers the following options for special wood finishes:
- Standard finish color on alternate wood species
- Previously developed special finish
- Custom finish

Standard finish colors available on an alternate wood species include:
- Amber on Maple
- Amber on Walnut
- Mocha on Walnut

These finishes can be specified without going through the finish approval process described at right.

Previously developed special finishes can be selected from an extensive library developed by Kimball Office. Samples of previously developed special finishes are available from Customer Service upon request.

Custom finishes can be developed to meet specific needs, if an acceptable match is not available in our library.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Applicability:

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	*Maple*	*Walnut*	*Sapele*
Price Group	*1*	*1*	*1*	*2*
Arpeggio	•	•		
Collaborative	•	•	•	•
Contemporary	•	•	•	•
Dock	•	•	•	•
Priority	•	•	•	•
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
Perks Keyboard Drawers		•		
Perks Center Drawers		•		
Pose	•	•	•	•
Scenario	•	•	•	•
Stow	•	•	•	•
Teem	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used.

A **10%** upcharge per line item (model number) will be applied for a standard finish on an alternative wood species, a previously developed special finish, or a custom finish. This upcharge is calculated on the base price, before other option upcharges are added.

For upholstered products, the upcharge is calculated on the Grade 1 upholstery price then added to the price for the selected fabric grade, to arrive at the list price.

Custom Finish Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. If not, a custom finish will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Note: The one-time fee of $300 will not be charged unless a custom match finish is required.

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator below or the one provided to you by Customer Service:
MA00174KOG = Amber on Maple
WA02905KOG = Amber on Walnut
WA02905KOG = Mocha on Walnut

Wood Finish Characteristics

Including Care and Maintenance Tips

Wood Finishes	➤See page 57
Paints & Plastic	60
Fabrics	63
COM	66

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.
➤See the individual chapters for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

The beauty of wood is that, as a natural product, it will have differences in grain characteristics, color, and other features among wood species. The characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

Maple veneers are slip matched. Brighton Maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Walnut veneers are flat cut and applied book and center matched, except for Tuscan Walnut which is quarter cut.

Cherry veneers are slip matched. Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Oak veneer is quarter cut.

Specification of particular cuts, characteristics, or wood species can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office systems products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

The wood species on seating may vary from the wood species on the casegood or system. Different wood species offer unique texture and grain which provide more variation in finish color; however seating finishes are compatible with casegoods and systems finishes.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Paint & Plastic

CSP GSA Non-Contract

Key:
- ● = Available color

	Solid Colors																										Metallic								CSP
	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby	Black	Anthracite	Clear	Frosted	Silver	514 Carbon Metallic	507 Patina Metallic	501 Platinum Metallic	505 Satin Bronze Met.	544 Silver Pearl	504 Taupe Metallic	Silver Metallic	Customer Specified
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						M	M	M	M	M	M			
Metro Desk Access.																						●											●			
Metal Work Tools																																				
Memo Box																					●															
Note Poster																					●															
Pencil Tray																					●															
Hanging File Holder	●				●			●																			●			●		●				
All other metal work tools	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●						●	●	●	●	●	●			●
Plastic Work Tools																																				
Shelf and Binder Shelf																					●															
File Pocket																								●												
Photo/Document Display																							●													
Markerboard Frame					●																															
Utility Tray																							●													
Accessory Dish																							●													
All other plastic work tools																					●		●													
Collaboration Tools																																				
Mobile Screen Frames					●																												●			
Name Sign Holder																					●												●			
Monitor Supports																					●				●											
Cable Management																																				
Metal Wire Mgr. Filler	●			●	●	●	●	●			●	●	●			●	●		●																
Power/Data Drawer								●																			●		●							

Metallic:

10% upcharge applies for price group M metallic finishes.
IMPORTANT: Due to the reflective qualities of metallic paints, variations in color may occur.

CSP:

➤See page 61 for customer-specified paint.

Customer-Specified Paint

GSA Non-Contract

Wood Finishes	➤See page 57
Paints & Plastic	60
Fabrics	63
COM	66

Customer-specified paint (CSP) is available on select products.
➤See page 60.

Pricing:

A **one-time fee of $300** (net) will be billed for the development of each new custom (customer-specified) paint. This fee covers all Kimball Office product lines on which the paint may be used. Models receiving a custom paint will also be assessed an upcharge.

A **10% upcharge per line item** (model) for customer-specified non-metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

A **20% upcharge per line item** (model) for customer-specified metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

The process:

① Send desired paint sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products to which the custom paint is to be applied. **Include dealer name, contact, and project reference.**
② Custom paints will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a paint color.

How to Specify:

① **Model:**
Build the complete model specification (excluding finish type and finish designator) by following the "How to Specify" on the appropriate pricing page for the product that is to receive the custom paint.
② **Finish type:**
For the “Finish type” step, insert a special paint code (in place of STD):
ZPNT1 = Special non-metallic paint
ZPNTM1 = Special metallic paint
③ **Finish designator:**
For the “Finish designator” step, insert the designator provided to you by Customer Service.

Fabric Application

Wood Finishes	➤See page 57
Paints & Plastic	60
Panel Fabrics	63
COM	66

Standard Application:



Directional fabrics are “cut up the roll” for standard application unless specified differently.

Railroad Application:



All fabrics will be applied in railroad (horizontal) fashion to:

- Xsite tiles
- Xsede tiles
- Priority tiles
- Stow wallpanels
- Tackboards greater than 48"W when using a seating fabric or greater than 60"W when using a panel fabric

When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear on when railroaded.

Railroad application of Kimball Office panel fabrics and COM for all products that are not listed above or do not have railroading listed as an option in the price list requires a custom quote.
➤Please contact ***By Design.***

Panel Fabrics

COM & Cut Yardage GSA Non-Contract

Wood Finishes	➤See page 57
Paints & Plastic	60
COM	66

Price Grade A

COM (Customer's Own Material)

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10603	Cloud
10604	Dune
10606	Lapis
10607	Linen
10608	Moonstone
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	*List Price per yard*
A	$35
B	46
C	53
D	71
E*	108

***** For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

How to Specify

❶ Model:
KOPNLCUTYDG = panel fabric
② Fabric grade
③ Fabric number

Panel Fabrics

continued

Wood Finishes ➤See page 57
Paints & Plastic 60
COM 66

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350 Atlantic
10351 Driftwood
10352 Honeycomb
10353 Indigo
10354 Khaki
10355 Kiwi
10356 Lead
10357 Mandarin
10358 Palm
10359 Rattan
10360 Sequoia
10361 Slate
10362 Spa
10363 Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320 Clam
10321 Eucalyptus
10322 Goldust
10323 Graphite
10325 Seal
10326 Heron
10327 Tan
10328 Taupestone
10329 Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202 Wrought Iron
2216 Paraffin
2222 Twine
2229 Thunder
2239 Spun Gold
2240 Wasabi
2244 Titanium
2250 Truffle
2266 Copper
2275 Melba

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo samples can be ordered directly from Momentum at themomgroup.com

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
24608 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450 Bark
10451 Ecru
10452 Fog
10453 Midnight
10454 Mink
10455 Olive
10456 Orchid
10457 Pearl
10458 Solar

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302 Egyptian
25303 Cashmere
25304 Chiffon
25305 Shantung
25306 Twill
25307 Dupioni
25308 Angora
25309 Tweed
25310 Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380 Champagne
10381 Cobblestone
10383 Mist

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650 Bisque
10651 Greystone
10652 Iron
10653 Maize
10654 Mink
10656 Sand

Wood Finishes ➤See page 57
Paints & Plastic 60
COM 66

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Preplanning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. ➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align — Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	*Carnegie Number*
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line — KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect — KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Cleaning Codes:

Cleaning Code D
- Dry clean only.

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from panel to panel or tile to tile.

Customer's Own Material (COM)

GSA Non-Contract

Wood Finishes	➤See page 57
Paints & Plastic	60
Fabrics	63

COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on systems product for non-preapproved fabrics is required.
➤Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:
- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

U.L. Listing/Flammability:

COM must be U.L. listed on Cetra, Xsite, and Interworks EQ panels, and Xsede and Priority tiles before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Yardage/Measurements

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics for Tiles, Panels, Overheads, Highback Organizers, and Tackboards. Directional and non-directional yardage requirements have also been calculated based on 54"W seating fabric for Overheads, Highback Organizers, and Tackboards.

If your fabric is less than 66"W, some size restrictions may apply.

COM yardage listed in the Resource section of the price list reflects the amount of fabric required to upholster one panel. Additional yardage may be required if patterns require matching.

Shipment of COM

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

Where to ship COM:

Kimball Office, Jasper
COM Department—Kimball Office
Dock 11
1620 Cherry Street
Jasper, IN 47549

Applies to:
- Wall-mount tackboards
- Mobile screens

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤Contact your Customer Service Team to obtain information on preapproved COMs.

Yardage Requirements:

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics and 54" seating fabrics for Mobile screens and tackboards.

Model	*66"W Dir*	*54"W Dir*	*66"W Non*
Mobile Screens			
99K2468MSSF	1.9	1.9	1.5
99K3068MMSF	1.9	3.7	1.8
99K2468MSAF	1.9	1.9	1.5
99K3068MSAF	1.9	3.7	1.8
Wall-Mounted Tackboards			
99K3020TBW	0.9	0.9	0.9
99K3620TBW	0.9	0.9	0.9
99K4220TBW	0.9	0.9	0.9
99K4820TBW	0.9	0.9	0.9

If your fabric is less than 66"W, some size restrictions may apply.
Additional yardage may be required if patterns require matching.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:
- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

Resources

Table of Contents

	➤See page
Terms and Conditions	68
Product Warranty	70
BIFMA and U.L. Information	71
Model Number Index	72

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

BIFMA and U.L. Information

Terms & Conditions ➤See page 68
Product Warranty 70
Model Number Index 72

The table at right lists the operating load capacities (functional load) of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.6—2003 Panel System Test, X5.5.–2008 Desk/Tables Products Test, X5.2–1992 Lateral File Test, and X5.9–2004 Storage Units Test. The Operating Load Capacities listed below represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Component	Operating Load Capacity (Functional Loads)	Examples
Center drawer	5 lbs., distributive loading	22"D x 24"W wood: 5 lbs. t.w.
Carousel center drawer	2 lbs., distributive loading	
Carousel tray, keyboard tray, Keyboard drawer	10 lb. evenly distributed cycling load	
Metal shelves (work tools)	.017 lb. per cubic inch of available space, but not to exceed 12 inches in height	24"W: 45 lbs. t.w.; 30"W: 56 lbs. t.w. 36"W: 67 lbs. t.w.; 42"W: 78 lbs. t.w. 48"W: 89 lbs. t.w.
Metal work tools	Single side tray: 40 lbs. t.w. Double side tray: 47 lbs. t.w. Pocket organizer: 4 lbs. t.w. Slant Sorter: 19 lbs. t.w. Binder shelf: 10 lbs. t.w. CD holder: 10 lbs. t.w. Hanging file folder: 5 lbs. t.w. Memo box: 10 lbs. t.w. Pencil tray: 5 lbs. t.w.	
Plastic work tools	Paper tray: 5 lbs. t.w. Slant sorter, binder shelf, and file folder hangers: 10 lbs. t.w. Phone holder and accessory tray: 5 lbs. t.w. Pencil cup and CD sorter: 4 lbs. t.w. Shelf: 15 lbs. t.w. Utility tray and accessory dish: 2.5 lbs. t.w.	
Power/data drawer	50 lbs.	
Manual and intuitive adjustment monitor arms	20 lbs. (see pricing page for application restrictions)	

U.L. Information:

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

Model Number Index

Terms & Conditions ➤See page 68
Product Warranty 70
Operating Load Capacities 71

Model	➤See page
99K0118NP	15
99K0207PDFBB	39
99K0207PDFBW	39
99K0208ELPDC	38
99K0303ELPDC	39
99K0312HFH	15
99K0404NH	24
99K0405ELPDG	40
99K0409CDHM	15
99K0507BXB	15
99K0510PT	15
99K0512PT	20
99K0515PT	20
99K0606ADC	17
99K0609UTC	17
99K0612PT	20
99K0724SHB	17
99K0817CDR	20
99K0905SHBM	14
99K0912PDD	19
99K0924SHM	14
99K0930SHM	14
99K0936SHM	14
99K0942SHM	14
99K0948SHM	14
99K10P4FPF	51
99K10P4FPFM	51
99K10PDPC	51
99K1105SHB	17
99K1115LPT	18
99K1202DD	21
99K1211DO	20
99K1212PDD	19
99K1212SSM	14
99K1217DPTM	14
99K1217SPTM	14
99K1222SL	31
99K1222SL2	31
99K12P4CPF	51
99K12WBSK	13
99K1303DD	21
99K1310SPT	13
99K1321STB	13
99K1402DD	21
99K1424KT	31
99K149LTPT	18
99K1610SPTLB	13
99K1622DP	13
99K1623DPLB	13
99K1624CT	20
99K16POM	14
99K1706KK1	30
99K1706KK2	30
99K17FBFB3	22
99K1812PDD	19
99K1826KDW	31
99K18WMV	34
99K1915HMT	24
99K1922CD	20
99K1924KTM	31
99K19WMV	34
99K210P1PF	50
99K2208KK1	30
99K2208KK2	30
99K2319KKS1	30
99K2424CD	20
99K2468MSAF	23
99K2468MSAM	23
99K2468MSAT	23
99K2468MSSF	23
99K2468MSSM	23
99K2468MSST	23
99K25FBFB6	22
99K26PDD	49
99K27WMV	34
99K2P1J1	50
99K2P1J4	50
99K2P1J5	50
99K2P1J6	50
99K2P1J7	50
99K2P1J8	50
99K2P1PM2	50
99K2P1RDS	50
99K3020TBW	24
99K3030MBW	24
99K3068MSAF	23
99K3068MSAM	23
99K3068MSAT	23
99K3068MSSF	23
99K3068MSSM	23
99K3068MSST	23
99K30LBM	16
99K30WMHW	35
99K32PDD	49
99K3620TBW	24
99K3630MBW	24
99K36CMFC	34
99K36LBM	16
99K36P4D	52
99K38PDD	49
99K40WMHU	35
99K4220TBW	24
99K4230MBW	24
99K42KA	30
99K42LBM	16
99K44PDD	49
99K4820TBW	24
99K4830MBW	24
99K48KA	30
99K48LBM	16
99K50PDD	49
99K54LBM	16
99K56PDD	49
99K6036MBW	24
99K60LBM	16
99K62PDD	49
99K68PDD	49
99K74PDD	49
99K80PDD	49
99K86PDD	49
99K9SD	21
99KAC	18
99KCDH	17
99KCH	21
99KCMU	35
99KCP	17
99KCPUH	32
99KCPUMCB	32
99KECMB	34
99KELDM	37
99KELDM2	37
99KELF1C	40
99KELPDCR	37
99KELPM	37
99KELPM2	37
99KELPS	39
99KFB	22
99KFCB	34
99KFDCDH	21
99KFFB	22
99KFTP	19
99KG12MN	33
99KG17SS	33
99KG18SS	33
99KG19487	33
99KG19490	33
99KG19544	33
99KG19CM	33
99KG19DW	33
99KG19PL	33
99KG21	38
99KG22	38
99KG23	38
99KG24	38
99KG25	38
99KG26	38
99KG50	33
99KG60	33
99KG65	33
99KG7AB	33
99KG7MB	33
99KG7PL	33
99KG7SN	33
99KG80	33
99KG90	33
99KHFH	18
99KLBBR	16
99KLTLCK	32
99KP4FPFNYC	51
99KP4J1	52
99KP4J2	52
99KP4J4	52
99KP4J5	52
99KP4J6	52
99KP4J7	52
99KP4RD1	52
99KP4RD2	52
99KP4RD3	52
99KP4RD4	52
99KP4RD5	52
99KP4WPSM	51
99KPBH	53
99KPC2MB	38
99KPCTP	51
99KPDCAM	39
99KPDCAMH	39
99KPH	18
99KPHCB	53
99KPHCD	53
99KPHT	53

Model Number Index

continued

Model	➤See page
99KSMACBM8CMS	29
99KSMACBM8GMS	29
99KSMACBM8LCMS	29
99KSMAM2ARMS	29
99KSMAM2CMS	29
99KSMAM2GMS	29
99KSMAM2SMS	29
99KSS	18
99KUH	21
99KWMF	36
99KWMF2	36

Terms & Conditions	➤See page 68
Product Warranty	70
Operating Load Capacities	71

Notes

Kimball® Office

PRIORITY™ Price List

Casegoods & Benching

This price list is effective December 15, 2014 and supercedes all previously printed or electronically released versions.





Priority focuses on flexibility and real estate efficiency.

With private office and open plan furnishings, Priority supports classic and progressive work modes for groups and individuals. Priority benching undersurface support rails enable long spans between legs, and ganging of adjacent tables. Height-adjustable tables include manual or electric adjustment—from seated adjustment to sit-to-stand options with programmable memory for three settings. Priority is SCS Indoor Advantage™ certified, may contribute to LEED credits, and is ANSI/BIFMA level® 3 certified.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Sustainability	4
Introduction	5
Positioning	5
Distinctives	6
Sustainability Features	7
Typical Configurations	8
Statement of Line	13
Planning	39
Pricing	89
Finishes & Materials	209
Resources	231
Locking Information	232
Terms & Conditions	233
Product Warranty	235
Operating Load Capacities	236
Filing Capabilities	237
Model Number Index	238

APR 2014 SUMMARY | JUN 2014 SUMMARY | OCT 2014 SUMMARY | DEC 2014 SUMMARY

How to Use this Price List

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

We suggest that you familiarize yourself with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration, a table showing available sizes, and page cross references to the applicable pricing and how to specify pages.



Overviews offer a quick look at the distinguishing features of the product line.



Product Information pages provide detailed information about the product, connections that can be made with other models, planning factors, and applications guidelines.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

➤See page 3 for detailed information about how to specify Kimball Office products.



Use the Resources in the back of the price list. This repository of Locking Information, Terms and Conditions, Warranty, Operating Load Capacities, and Filing Capacities. You'll also find a model number index with references to the appropriate pricing page.

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Standard product modifications are available on select products.
➤See the Product Modifications Price List at www.kimballoffice.com

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

Priority Progressive products (excluding electric height-adjustable tables) are U.L. 962 listed. Electric height-adjustable tables use U.L. recognized components.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

How to Specify Our Products

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



PRIORITY™ Progressive

24"–36"D Rectangular Worksurfaces Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C015590

D	W	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
24"	36 1/16"	1 1/16"	53K2436WBS	$205	$362	$400
24"	42 1/16"	1 1/16"	53K2442WBS	233	384	423
24"	48 1/16"	1 1/16"	53K2448WBS	259	416	459
24"	54"	1 1/16"	53K2454WBS	287	454	501
24"	60"	1 1/16"	53K2460WBS	313	476	524
24"	66"	1 1/16"	53K2466WBS	362	519	571
24"	71 1/16"	1 1/16"	53K2472WBS	374	538	592
24"	77 1/16"	1 1/16"	53K2478WBS	404	565	622
24"	83 1/16"	1 1/16"	53K2484WBS	433	609	670
24"	89 1/16"	1 1/16"	53K2490WBS	463	631	696
24"	95 1/16"	1 1/16"	53K2496WBS	491	675	743
30"	36 1/16"	1 1/16"	53K3036WBS	$237	$393	$433
30"	42 1/16"	1 1/16"	53K3042WBS	269	425	468
30"	48 1/16"	1 1/16"	53K3048WBS	308	460	508
30"	54"	1 1/16"	53K3054WBS	339	508	557
30"	60"	1 1/16"	53K3060WBS	369	535	589
30"	66"	1 1/16"	53K3066WBS	425	582	640
30"	71 1/16"	1 1/16"	53K3072WBS	438	609	670
30"	77 1/16"	1 1/16"	53K3078WBS	474	648	714
30"	83 1/16"	1 1/16"	53K3084WBS	508	689	758
30"	89 1/16"	1 1/16"	53K3090WBS	543	729	802
30"	95 1/16"	1 1/16"	53K3096WBS	575	766	844
36"	36 1/16"	1 1/16"	53K3636WBS	$323	$384	$423
36"	42 1/16"	1 1/16"	53K3642WBS	369	438	482
36"	48 1/16"	1 1/16"	53K3648WBS	423	492	541
36"	54"	1 1/16"	53K3654WBS	477	545	600
36"	60"	1 1/16"	53K3660WBS	531	599	660
36"	66"	1 1/16"	53K3666WBS	568	653	719
36"	71 1/16"	1 1/16"	53K3672WBS	602	678	746
36"	77 1/16"	1 1/16"	53K3678WBS	654	753	829
36"	83 1/16"	1 1/16"	53K3684WBS	708	818	899
36"	89 1/16"	1 1/16"	53K3690WBS	765	898	989
36"	95 1/16"	1 1/16"	53K3696WBS	826	915	1006

IMPORTANT: Support rails or height-adjustable base must be specified separately.

Undersurface Support Rails
➤See page 102.

Page 90

Pricing

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 12
Finishes & Materials 209

Standard Includes
- Worksurface
- Rim on four sides

How to Specify
❶ Model
❷ Worksurface material:
L = Laminate with plastic rim
LW = Laminate with wood softened or read rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or read rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened plastic (L models only)
F = Softened wood (LW or W models only)
M = Read wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface grommet/cutout option:
➤See page 100 for designations.
X = No grommet or cutout
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

"Standard Includes" lists what is included as part of the base model.

Follow these steps to build a complete model number.

Selections that will incur an upcharge or decrease to the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for an **arc-top double pedestal desk.**
➤See page 135 for the corresponding pricing table and How to Specify steps.

❶	❷❸	④	⑤	⑥	⑦	⑧	⑨	⑫	⑬
53K3060DDFBALW8		F	61MB	KRB	G1LRMB	STD	MW	STD	MW

Base Model

Note: Steps ⑩ and ⑪ were not applicable for the laminate with wood rim model and were omitted for the specification as indicated in the How to Specify steps.

Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Sustainability

Enhancing the Home We All Share

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE)
is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC
www.fsc.org
FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Positioning

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

Organizations now require flexible solutions for a variety of workplace strategies addressing work modes, behaviors, locations, patterns and ultimately configurations. Priority is a versatile planning solution with the ability to adapt as business needs change— supporting a dynamic workplace for progressive organizations. Priority offers a broad line of desks, tables, storage units and screens to create intuitive solutions for all generations of individuals, and groups.

Priority enables facility planners to strike a balance between individual and group activities in the workplace. Priority enables people to work healthy, move freely and seamlessly between independent and interactive work modes and multiple work behaviors including enhanced collaboration.

BENCHING SOLUTIONS:



Progressive Priority

COLLABORATION SOLUTIONS:



Progressive Priority

PRIVATE OFFICE SOLUTIONS:



Classic Priority

Progressive Priority

HEIGHT-ADJUSTABLE SOLUTIONS:



Progressive Priority

Distinctives

of Progressive and Classic Priority

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

Priority offers you two distinctive styles and aesthetics to select from when planning with Priority:

Progressive Priority details promote a table based product with a lighter scale and ideal for more compact offices. The floating top affect on storage and open leg supports are the signature of Progressive Priority. This aesthetic is evident throughout the progressive section of this price list from benching to private office components.

Classic Priority is the foundational elements of this series. In this section, you will find built up desks as well as modular components that feature a more transitional style with worksurfaces attaching directly to storage element.

Similarities:

- Storage is available in the same heights, widths and depths.
- Overall storage depth, width, and height are the same in both Progressive and Classic.
- Softened- and reed-rim worksurfaces feature the rim on all four sides of the surface.

Differences:

- Classic knife-rim surfaces have the mitred rim on the user edge only and overhangs the storage by 1¼". Knife-rim surfaces on returns and bridges feature a reverse knife edge for a flush fit with the adjoining surface.
- Progressive knife-rim surfaces have the mitred rim on all four sides of the surface and align with the storage. Knife-rim surfaces join together without a coped rim.
- Classic undersurface storage features an unfinished, open top.
- Progressive Priority utilizes finished-top storage with ¾" spacers that mount to the worksurfaces and undersurface support rails providing a "floating" top affect.
- Classic pedestals feature a lock in the top drawer
- Progressive pedestals feature a lock in the bottom drawer.

Mixing Progressive and Classic Priority:

- There are numerous items in the Priority offering that work well with both styles of Priority. Those items not mounted below the worksurface, such as low storage, overheads, highback organizers, vertical storage, and tables, can be used with both classic and progressive office layouts.
- As a general guideline, classic undersurface storage units, modesty panels, and support panels should not be used with Progressive knife-rim worksurfaces.
- Progressive pedestals can be used with Classic surfaces.
- Mixing softened- or reed-rim worksurfaces will work with either Progressive or Classic arrangements.
- Progressive knife-rim worksurfaces cannot be mixed with Classic bridge and return knife-rim surfaces.
- Pedestal starter brackets, undersurface support rails, and U-leg supports were designed to work with Progressive products. However, pedestal starter brackets and undersurface support rails can be used between Classic storage units where an unsupported span of more than 48"W is desired. These brackets would be mounted at a different height on Classic storage.
- Progressive end panels and Classic modesty panels and end supports should not be mixed in the arrangement.



Progressive Priority **Classic Priority**



Low height and mobile storage **Progressive Priority** **Classic Priority** **Vertical Storage**

Sustainability Features

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

Post-Consumer Recycled Content:

- Priority steel components—up to 25%
- Cast aluminum parts—up to 70%

Pre-Consumer Recycled Content:

- Plastic components—up to 30%
- Wood components—up to 85%

Energy:

- LED lighting produces virtually no heat and uses 20% of the energy used in standard fluorescent, for an 80% savings.

Durability:

- Priority is a durable product with a limited lifetime warranty.
- It is designed and constructed for longevity with the potential for a second life.
- It can be refurbished with new components and/or enhancements.



ANSI/BIFMA e3 Sustainability:

- Priority is level 3 certified to the ANSI/BIFMA E3 2010 Sustainability Standard.

LEED for Commercial Interiors:

- Priority an help customers earn valuable LEED CI credits:
  Credit 4.1 and 4.2 Recycled Content
  Credit 4.5 Low-Emitting Materials
  Credit 5.1 and 5.2 Regional Materials (dependant on location)
  Pilot Credit 43: Certified Products

Clean Technology:

The powder coating process for metal components is virtually VOC free.

IAQ/Indoor Air Quality:

- Certified to meet or exceed the indoor air quality requirements set by the U.S. Green Building Council's LEED® rating system.
- Certified to the SCS Indoor Advantage™ standard.
- Wood components are sealed with Pura®, our proprietary water-based ultraviolet (UV) wood finish.
- Metal components are sealed witha powder-coating process that is virtually VOC free

Recyclability:

- Most Priority components are recyclable at the end of the furniture's useful life.

Typical Configurations

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

Benching Application:



Qty	*Model*	*Description*	*Laminate (each)*	*Wood (each)*
6	53K3072WBS*3	30"Dx72"W rectangular wksf, wire manager, softened rim	$497	$672
6	53K72SRUP	72" undersurface support rail set	249	249
2	53K6028SLUEAP	60"Dx28"H adjustable-height end-support U-leg	922	922
2	53K6028SLUMAP	60"Dx28"H adjustable-height mid-support U-leg	1067	1067
3	53K7212PSR	72"Wx12"H resin privacy screen	384	384
5	53KPSBU2P	Resin privacy screen attachment brackets (set of 2)	55	55
4	53K2812PSER	28"Wx12"H resin end-support privacy screen	145	145
4	53KPSBFP	Resin privacy screen freestanding brackets (set of 2)	55	55
6	53K163022PFOLF*	16"Dx30"Wx22"H open/lateral file low storage	737	1207
6	53K1430OS*	14"Dx28"w organizer shelf	190	359
6	53K163022PFBLF*	16"Dx30"Dx22"H wide box/lateral file low storage	856	1404
6	53K1630PC	30"Wx16"D cushion top for low storage, grade 1	413	413
1	99KWMF	Wire manager fillers (set of 6)	37	37
		TOTAL	**$23894**	**$32066**

Open Plan Application:



Qty	*Model*	*Description*	*Laminate (each)*	*Wood (each)*
2	53K1542VWHLFFF*	42"H vertical storage with side access wardrobe (left) and file/file	$2658	$3408
2	53K1542VWHRFFF*	42"H vertical storage with side access wardrobe (right) and file/file	2658	3408
4	53K3072WBS*3	30"Dx72"W rectangular wksf, wire manager, softened rim	497	672
4	53KEPSBP	End panel/pedestal starter bracket to vertical storage	100	100
4	53K72SRUP	72" undersurface support rail set	249	249
2	99K62PDD	Power/data drawer, 62"W, (shared)	188	188
1	53K6028SLUMSP	60"Dx28"H fixed-height mid-support U-leg	934	934
2	53K6612PSR	66"Wx12"H resin privacy screen	344	344
3	53KPSBU2P	Resin privacy screen attachment brackets (set of 2)	55	55
		TOTAL	**$15835**	**$19535**

** Represents either L for laminate or W for Wood.*
Note: Accessories and electrical components are not included in these typical configurations.
➤See pricing section.

Typical Configurations

continued

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

Conferencing Application:



Qty	*Model*	*Description*	*Laminate (each)*	*Wood (each)*
1	53K60144WBS*	60"Dx144"W rectangular worksurface, softened rim	$3869	$5395
4	53K72SRUP	72" undersurface support rail set	249	249
2	53K6028SLUESP	60"Dx28"H fixed-height end-support U-leg	756	756
1	53K6028SLUMSP	60"Dx28"H fixed-height mid-support U-leg	934	934
		TOTAL	**$7311**	**$8837**

Traxx and Tiles Application:



Qty	*Model*	*Description*	*Laminate (each)*	*Wood (each)*
1	53K243022PFOLF*	24"Dx30"Wx22"H open/lateral file low storage	$856	$1404
1	53K2330OS*	22"Dx28"W organizer shelf	235	438
1	53K243022PFBLF*	24"Dx30"Wx22"H wide box/lateral file low storage	997	1632
3	53K163022BCO*	16"Dx30"Wx22H open bookcase low storage	733	966
2	53K1430OS*	14"Dx28"W organizer shelf	190	359
1	53K2430PC	24"Dx30"W cushion top for low storage, grade 1	444	444
1	53K2430CPT*	24"Dx30"W rectangular component top for low storage	189	353
1	53K1690CPT*	16"Dx90"W rectangular component top for low storage	472	641
1	53K2490WBS*3	24"Dx90"W rectangular worksurface with wire manager	522	697
1	53K90SRUP	90" undersurface support rail set	350	350
2	53K2405EP*	24"Dx5"H fixed-height end panel for 22"H low storage	135	225
2	53KEPSBP	End panel/pedestal starter bracket	100	100
3	53K3019SOH*T	16"Dx30"Wx19"H solid hinged-door overhead; Traxx mount	704	1074
2	TTWMT144	144"W set of 2 Traxx and 4 splice plates	449	449
3	FIT3037A	30"Wx37"H fabric tile, grade 1	337	337
4	FIT3037M	30"Wx37"H markerboard tile	515	515
2	TTET40	Full end trim	91	91
1	53K36RD	36"-diameter table top	443	925
1	53K26BRGMP	Adjustable height round table base	2501	2501
1	99KWMF	Wire manager fillers (set of 6)	37	37
		TOTAL	**$16358**	**$21061**

** Represents either L for laminate or W for Wood.*
Note: Accessories and electrical components are not included in these typical configurations.
➤See pricing section.

continued

Statement of Line	➤See page 13
Planning	39
Pricing	89
Finishes & Materials	209

Progressive Private Office Application:

Qty	*Model*	*Description*	*Laminate (each)*	*Wood (each)*
1	53K3078WBS*	30"Dx78"W rectangular worksurface, softened rim	$489	$669
1	53K78SRUP	Worksurface support rail set	266	266
2	53K3028EPS*	30"Dx27"H fixed-height end panel	271	450
2	53KEPSBP	End panel starter bracket	100	100
1	53K7212PSR	72"Wx12"H resin privacy screen	384	384
1	53KPSBSP	Resin privacy screen attachment brackets (set of 2)	55	55
2	53K163022PFBLF*	16"Dx30"W x 22H wide box/lateral file low storage	856	1404
2	53K163022BCO*	16"Dx30"W x 22H open bookcase low storage	733	966
2	53K1660CPT*	16"Dx60"W rect. component top for low storage	300	480
2	53K6016SOST*	16"Dx60"W x 16"H solid sliding-door overhead; Traxx mount	1054	1550
1	53K1867VWHR*	24"Dx18"W x 67"H single-door wardrobe/storage hinge right (non-locking)	2062	2722
1	TTWMT144	Set of 2 Traxx and 4 splice plates	449	449
2	FIT6037A	60"Wx37"H fabric tile	413	413
2	TTET40	Full end trim	91	91
		TOTAL	**$11341**	**$15453**

Classic Private Office:

Qty	*Model*	*Description*	*Laminate (each)*	*Wood (each)*
1	53K3672WSS*	36"Dx72"W rectangular desk worksurface, softened rim	$622	$700
1	53K3628SLUSAP	36"Dx29"H end support u-leg	645	645
1	53K3618SESR*	36"Dx18"W right end-support panel	5UWcd®yFtddH-F®Fi	N1OTa

Typical Configurations

continued

Statement of Line ➤See page 13
Planning 39
Pricing 89
Finishes & Materials 209

Height-Adjustable Tables Application:



Qty	*Model*	*Description*	*Laminate (each)*	*Wood (each)*
1	53K2467VBWHLBBF*	24"D x 24"W x 67"H side-access vertical storage tower with wardrobe (non-locking doors)	$2750	$3525
1	53K2467VBWHRBBF*	24"D x 24"W x 67"H side-access vertical storage tower with wardrobe (non-locking doors)	2750	3525
2	53K3060WBS*	30"D x 60"W rectangular worksurface, softened rim	380	552
2	53K2460TBTDEMP	24"D x 60"W Electronic height-adjustable dual-stage base	2332	2332
2	53K4816PSR	48"W x 16"H resin privacy screen	299	299
2	53KPSBU2P	Resin privacy screen attachment brackets for softened rim (set of 2)	55	55
2	53K16CMSD	Dual stage snap on cable manager	78	78
		TOTAL	**$11788**	**$13682**

** Represents either L for laminate or W for Wood.*
Note: Accessories and electrical components are not included in these typical configurations.
➤See pricing section.

Notes

Statement of Line

Table of Contents



The big picture. In setting priorities, sometimes it helps to get the big picture. This statement of line provides an snapshot of the entire Priority product offering.

	➤See page
Progressive Priority	14
Worksurfaces	14
Undersurface Support	15
Tiles & Top Caps	17
Storage	18
Privacy Screens	20
Height-Adjustable Bases	21
Classic Priority	14
Assembled Desks	22
Assembled Bridges	22
Assembled Returns	22
Assembled Credenzas	23
Transaction Counters	23
Modular Components	24
Modular Worksurfaces	24
Modular Storage	25
Modular Support	27
Progressive/Classic Priority	28
Mobile Pedestals	28
Low Storage	29
Overheads & Highback Organizers	30
Set-on-Surface Storage	31
Vertical Storage	32
Freestanding Bookcases	33
Table Tops & Bases	34
Related Products	36
Perks®	36
Casegoods & Tables Products	38

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular

● = Rim on 4 sides

■ = Wire manager on back side; rim on front and sides

➤See pages 90–92 to specify.

	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	120"W	144"W
24"D	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■		
30"D	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■		
36"D	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■		
48"D			●	●	●	●	●	●	●	●	●	●	●
60"D					●	●	●	●	●	●	●		●



Wedge

➤See page 94 to specify.

	72"W
36"D	●

Oval

➤See page 95 to specify.

	78"W
42"D	●



Arc End

➤See page 93 to specify.



U-Shaped

➤See page 96 to specify.

	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W
24"D	●	●	●	●	●	●	●	●	●
30"D	●	●	●	●	●	●	●	●	●
36"D	●	●	●	●	●	●	●	●	●



Extended

➤See page 97 to specify.

	72"W
36"D	●





90° and 120° Corner

● = Rim on all sides

■ = Wire manager on back side; rim on other sides

➤See pages 98–99 to specify.

	48"W
24"D	●■
30"D	●■

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Undersurface Support Rails

➤See page 102 to specify.

For use with unsupported span of:

	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
1"D	●	●	●	●	●	●	●	●	●	●	●

Return Mounting Bracket

➤See page 102 to specify.

	20"W
5"D*	●



End-Support Open-Frame Legs

28"H models available in fixed- and adjustable-height (push button on 24"–36"D; screw adjust on 48"–60"D).

➤See page 103 to specify.

	24"D	30"D	36"D	48"D	60"D
5"H	●	●	●		
11"H	●	●	●		
28"H	●	●	●	●	●



End-Support U-Legs

Available in fixed- and adjustable-height models (push button on 24"–36"D; screw adjust on 48"–60"D).

➤See page 104 to specify.

	24"D	30"D	36"D	48"D	60"D
28"H	●	●	●	●	●



Mid-Support U-Legs

Available in fixed- and adjustable-height models (screw adjust).

➤See page 105 to specify.

	24"D	30"D	36"D	48"D	60"D
28"H	●	●	●	●	●



Stanchion End-Support U-Legs

Available in fixed- and adjustable-height models (screw adjust).

➤See page 106 to specify.

	50"D	62"D
28"H*	●	●

* Leg height



Stanchion Mid-Support U-Legs

Available in fixed- and adjustable-height models (screw adjust).

➤See page 107 to specify.

	50"D	62"D
28"H*	●	●

* Leg height

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

90° Corner Support Frames with Stanchions

Available in fixed- and adjustable-height models (screw adjust).
Includes undersurface support rails.

➤See page 108 to specify.

	For use with 90° worksurfaces: 24" x 48"	30" x 48"
28"H*	●	●

* Leg height

120° Corner Support Frames

Available with or without stanchions, and in fixed- and adjustable-height models (screw adjust).

➤See page 109 to specify.

	For use with 120° worksurfaces: 24" x 48"	30" x 48"
28"H*	●	●

* Leg height

End Panels

➤See page 113 to specify.

	24"D	30"D	36"D	48"D	60"D
5"H	●	●	●		
11"H	●	●	●		
28"H	●	●	●	●	●



End Panels for use with Benching Stanchions

➤See page 113 to specify.

	50"D	62"D
28"H	●	●

Starter Brackets for End Panel or Pedestal

➤See page 113 to specify.

	22"D
14"W	●

Stanchions for End Panel or Pedestal

➤See page 113 to specify.

	5"D
2"W	●

Tiles & Top Caps

For Use with Stanchions

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Slat/Fabric
➤See page 110 to specify.



Fabric
➤See page 110 to specify.



Slat
➤See page 111 to specify.

	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
18"H	●	●	●	●	●	●	●	●	●	●	●

Benching Top Caps
➤See page 112 to specify.





	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	For 90°	For 120°
3"D	●	●	●	●	●	●	●	●	●	●	●	● (set)	● (set)

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Box/Box/File Pedestal

➤See page 114 to specify.

	15"W
24"D	●
30"D	●
36"D	●

File/File Pedestal

➤See page 114 to specify.

	15"W
24"D	●
30"D	●
36"D	●

Lateral File Pedestal

➤See page 114 to specify.

	30"W
24"D	●



Box/Box/File—Box/Box/File Double-Sided Pedestal

➤See page 115 to specify.

	15"W
48"D	●
60"D	●



File/File—File/File Double-Sided Pedestal

➤See page 115 to specify.

	15"W
48"D	●
60"D	●



Box/Box/File—File/File Double-Sided Pedestal

➤See page 115 to specify.

	15"W
48"D	●
60"D	●



Box/Box/File—Box/Box/File Double-Sided Pedestal for use with Stanchion

➤See page 115 to specify.

	15"W
50"D	●
62"D	●



File/File—File/File Double-Sided Pedestal for use with Stanchion

➤See page 115 to specify.

	15"W
50"D	●
62"D	●



Box/Box/File—File/File Double-Sided Pedestal for use with Stanchion

➤See page 115 to specify.

	15"W
50"D	●
62"D	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Center-Mount Overheads with Sliding Door
Available with solid or writable glass door.
➤See page 116 to specify.

Center-Mount Overheads with Hinged Doors
Available with solid or writable glass door.
➤See page 117 to specify.

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
16"D	●	●	●	●	●	●	●	●

Interior Shelves
For use in sliding-door cabinets.
➤See page 120 to specify.

	15"W	18"W	21"W	24"W	27"W	30"W	33"W	36"W
15"D	●	●	●	●	●	●	●	●

Center-Mount Straight Shelves
➤See page 118 to specify.

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
15"D	●	●	●	●	●	●	●	●	●	●	●	●

Center-Mount Mitred Shelf Sets for 90° and 120° Applications
➤See page 119 to specify.

	49"W
15"D	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Resin Privacy Screens

● = Standard screen

■ = End-support screen

➤See pages 121–122 to specify.

	21"W	24"W	27"W	30"W	33"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W
12"H	■	●	■	●	■	●	●	●	●	●	●	●	●	●	●
16"H	■	●	■	●	■	●	●	●	●	●	●	●	●	●	●

Resin Privacy Screen Attachment Brackets

Available for:

- Freestanding
- Surface top
- Edge of softened or reed rim
- Edge of knife rim

➤See page 123 to specify.



Wood or Laminate Click-Adjust Privacy Screens

➤See page 124 to specify.

	36"W	42"W	48"W
28"H	●	●	●

Height-Adjustable Bases

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



T-Leg Bases

● = Main (2 legs and rails)
■ = Return (1 leg and rails)
➤See pages 125–126 for manual-adjust models; pages 129–130 for electric-adjust models.

	For Use with Worksurfaces: 36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
Manual Adjust											
Incremental	●	●■	●■	●■	●■	●■	●■	●■	●■	●■	●
Click	●	●■	●■	●■	●■	●■	●■	●■	●■	●■	●
Crank	●	●	●	●	●	●	●	●	●	●	●
Electric Adjust											
Single stage	●	●■	●■	●■	●■	●■	●■	●■	●■	●■	●
Dual stage	●	●■	●■	●■	●■	●■	●■	●■	●■	●■	●



90° and 120° Bases

➤See page 128 for manual-adjust models.
➤See page 132 for electric-adjust models.

	For Use with 90° or 120° Worksurfaces: 24" x 48"	30" x 48"
Manual Adjust		
Incremental	●	●
Click	●	●
Crank	●	●
Electric Adjust		
Single stage	●	●
Dual stage	●	●



Extension Post-Leg Bases

➤See page 127 for manual-adjust models.
➤See page 131 for electric-adjust models.

	For Use with Worksurfaces: 42"W	48"W	54"W	60"W
Manual Adjust				
Incremental	●	●	●	●
Click	●	●	●	●
Electric Adjust				
Single stage	●	●	●	●
Dual stage	●	●	●	●

Bridge Worksurface Attachment Bracket Kit

➤See page 133 to specify.

	For Use with Worksurfaces: 42"W	48"W	54"W	60"W	66"W	72"W
6"W	●	●	●	●	●	●



Casters, Control Box Jumper Cords, and Snap-On Cable Managers

➤See page 134 to specify.

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular-Top Double Pedestal Desks

➤See page 135 to specify.

	60"W	66"W	72"W
30"D	●	●	●
36"D			●



Arc-Top Double Pedestal Desks

➤See page 135 to specify.

	60"W	72"W
30"D	●	
36"D		●



Rectangular-Top Single Pedestal Desks

Available in left and right models.

➤See page 136 to specify.

	66"W	72"W
30"D	●	
36"D		●



Arc-Top Single Pedestal Desks

Available in left and right models.

➤See page 137 to specify.

	66"W	72"W
30"D	●	
36"D		●



Extended-Top Single Pedestal Desks

Available in left and right models.

➤See page 138 to specify.

	72"W
42"D	●

Center Drawers

➤See page 139 to specify.

	18"W	30"W	36"W
22"D	●	●	●



File/File Pedestal Executive Returns

Available in left and right models.

➤See page 140 to specify.

	42"W	48"W
24"D	●	●



Multi-File Pedestal Executive Returns

Available in left and right models.

➤See page 140 to specify.

	66"W
24"D	●



Bridges

➤See page 141 to specify.

	30"W	36"W	42"W	48"W
24"D	●	●	●	●

Assembled Casegoods

Statement of Line

Credenzas and Transaction Counters

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Storage Credenzas

➤See page 142 to specify.

	66"W	72"W
24"D	●	●



Kneespace Credenzas

➤See page 142 to specify.

	66"W	72"W
24"D	●	●



Single-Pedestal Credenzas

Available in left and right models.

➤See page 143 to specify.

	66"W	72"W
24"D	●	●



Lateral File Credenzas

Available in left and right models.

➤See page 143 to specify.

	72"W
24"D	●



Transaction Counters

➤See page 144 to specify.

	65"W
12"D	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular Desk Worksurfaces

➤See page 145 to specify.

	60"W	66"W	72"W
30"D	●	●	
36"D			●



Arc Desk Worksurfaces

➤See page 145 to specify.

	72"W
36"D	●
42"D	●



P-Shaped Worksurfaces

Available in left and right models.

➤See page 146 to specify.

	72"W
30"D	●



U-Shaped Worksurfaces

➤See page 146 to specify.

	66"H	72"H	84"H
30"W	●		
36"W		●	●



Corner Worksurfaces

➤See page 149 to specify.

	36"W	42"W
36"D	●	
42"D		●



Rectangular Worksurfaces

➤See pages 147–148 to specify.

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	120"W
24"D	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Box/Box/File Pedestals

➤See page 151 to specify.

	15"W	18"W
24"D	●	●
30"D	●	●
36"D		●

File/File Pedestals

➤See page 151 to specify.

	15"W	18"W
24"D	●	●
30"D	●	●
36"D		●



Hinged-Door Storage

➤See page 152 to specify.

	30"W	36"W
24"D	●	●

Two-Drawer Lateral File Pedestals

➤See page 152 to specify.

	30"W	36"W
24"D	●	●



Multi-File Pedestals

Available in box/box/open/lateral and box/box/file/lateral models.

➤See page 152 to specify.

	30"W	36"W
24"D	●	●



Printer/CPU Storage

➤See page 152 to specify.

	36"W
24"D	●



Three-Drawer Lateral Files with Open Top

➤See page 153 to specify.

	30"W	36"W
24"D	●	●

Four-Drawer Lateral Files with Open Top

➤See page 153 to specify.

	30"W	36"W
24"D	●	●



Two-Drawer Lateral Files with Finished Top

➤See page 154 to specify.

	30"W	36"W
24"D	●	●



Three-Drawer Lateral Files with Finished Top

➤See page 154 to specify.

	30"W	36"W
24"D	●	●



Four-Drawer Lateral Files with Finished Top

➤See page 154 to specify.

	30"W	36"W
24"D	●	●

Ganging Brackets

➤See page 207 to specify.

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Hinged Modesty Panels

➤See page 155 to specify.

	12"W	18"W	24"W	30"W	36"W	42"W	48"W	54"W
28"H	●	●	●	●	●	●	●	●

Modesty Panels for U- and P-Shaped Worksurfaces

● = Wood or laminate

■ = Glass

➤See page 156 to specify.

	For use with U- or P-shaped worksurfaces: 66"W	72"W	84"W
10"H	■	■	■
28"H	●	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

End Supports
Available in left and right models.
➤See pages 157–158 to specify.

	15"W	18"W
24”D		●
30"D	●	●
36"D		●



Worksurface Mid-Support Panels
➤See page 158 to specify.

11"D	●



Corner Supports
➤See page 159 to specify.

	36"W	42"W
36"D	●	
42"D		●



End Support Panels
➤See page 160 to specify.

	30"D	36"D
28"H	●	●



T-Leg End Support Panels
➤See pages 160–161 to specify.

	24"D	30"D	36"D
6"H	●	●	●
12"H	●	●	●
28"H	●	●	●

Support Drawers
➤See page 162 to specify.

	15"D
5"H	●

Support Shelves
➤See page 162 to specify.

	15"D
11"H	●



Support Columns
Available in column and half-cylinder models.
➤See page 163 to specify.

28"H	●



Adjustable-Height U-Legs
Available in end- and mid-support models.
➤See page 164 to specify.

	10"D	24"D	30"D	36"D
28"H	●	●	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Cushion-Top Box/File Mobile Pedestals

➤See page 166 to specify.

15"W

24"D ●

Box/Box/File Mobile Pedestals

➤See page 166 to specify.

15"W

24"D ●

File/File Mobile Pedestals

➤See page 166 to specify.

15"W

24"D ●

Active File Mobile Pedestals

➤See page 166 to specify.

15"W

22"D ●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Low Storage Open Bookcase

➤See page 167 to specify.

	30"W	36"W
16"D	●	●
24"D	●	●

Low Storage with Wide Box and Lateral File Drawer

➤See page 168 to specify.

	30"W	36"W
16"D	●	●
24"D	●	●

Low Storage with Lateral File Drawer

Available in lateral file and open/lateral file models.

● = Freestanding

■ = Mobile

➤See page 169 to specify.

	30"W	36"W
16"D	●■	●■
24"D	●■	●■



Component Tops

➤See page 170 to specify.

	30"W	36"W	60"W	66"W	72"W	90"W	108"W
16"D	●	●	●	●	●	●	●
24"D	●	●	●	●	●	●	●

Cushion Tops

➤See page 171 to specify.

	30"W	36"W
16"D	●	●
24"D	●	●

Organizer Shelves

➤See page 172 to specify.

	28"W	34"W
15"D	●	●
22"D	●	●

Straight Shelves

➤See page 172 to specify.

	28"W	34"W
15"D	●	●
22"D	●	●



Modesty Panel/ Cable Surround

➤See page 173 to specify.

	48W	60"W
6"H	●	●
12"H	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Sliding-Door Overhead Cabinets
Available with solid or writable glass door; wall or Traxx mount
➤See page 174 to specify.

	30"W	36"W	48"W	60"W	66"W	72"W
16"H	●	●	●	●	●	●



Sliding-Door Highback Organizers
Available with solid or writable glass door
➤See page 176 to specify.

	60"W	66"W	72"W	90"W	96"W	102"W	108"W
33"H	●	●	●				
38"H	●	●	●	●	●	●	●

Interior Shelves
For use in wall-mount sliding-door overheads.
➤See page 175 to specify.

	13"W	16"W	22"W	28"W	31"W	34"W
14"D	●	●	●	●	●	●



Hinged-Door Overhead Storage
Available with solid, glass, or writable glass doors; for wall or Traxx mount
● = Two-door models
▲ = Three-door models
■ = Four-door models
➤See page 177 to specify.

	30"W	36"W	48"W	60"W	66"W	72"W
19"H	●	●	▲	■	■	■



Hinged-Door Highback Organizers
Available with solid, glass, or writable glass doors
● = Four-door models
■ = Six-door models
➤See page 178 to specify.

	60"W	66"W	72"W	90"W	96"W	102"W	108"W
38"H	●	●	●	■	■	■	■



Filler Strips for Overhead Storage
➤See page 207 to specify.

	16"H	19"H
2"D	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Tackboards
For use with 38"H highback organizers or wall-mountable.
➤See page 179 to specify.

	46"W	49"W	52"W	58"W	64"W	70"W	88"W
16"H	●	●	●	●	●	●	●

Metal Slatwall
For use with 38"H highback organizers.
➤See page 179 to specify.

	60"W	66"W	72"W
13"H	●	●	●



Set-on-Surface Open Bookcases
➤See page 180 to specify.

	38"H
15"W	●
18"W	●
30"W	●
36"W	●



Set-on-Surface Bookcases
Available in single- and double-door models; solid, glass, and writable glass doors.
➤See page 181 to specify.

	38"H
15"W	●
18"W	●
30"W	●
36"W	●

Set-on-Surface Organizers
Available with solid, glass, and writable glass doors.
➤See page 182 to specify.

	38"H
15"W	●
18"W	●

Project Trays
➤See page 182 to specify.

	16"W
14"D	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Space Dividers
Available in full- and partial-back models.
➤See page 183 to specify.

	49"H
30"W	●



Bookcases with Lateral File
Available in full- and partial-back models.
➤See page 184 to specify.

	49"H
36"W	●



Bookcases with Sliding Door and Lateral File
Available with solid door or writable glass door; full- and partial-back models.
➤See pages 185–186 to specify.

	67"H	80"H
36"W	●	●



Bookcases with Hinged Doors and Lateral File
Available with solid doors or writable glass doors; full- and partial-back models.
➤See pages 187–188 to specify.

	67"H	80"H
36"W	●	●

Organizer and Straight Shelves
● = Organizer shelf
■ = Straight shelf
➤See page 189 to specify.

	15"W	34"W
14"D	■	●■



Back Panels
➤See page 189 to specify.

	21"H	22"H
36"W	●	●



Bookcase with File/File
➤See page 190 to specify.

	42"H	49"H	67"H
15"W	●	●	●



Front-Access Storage Towers
Available with box/box/file or file/file; left and right models.
➤See page 191 to specify.

	42"H	49"H	67"H
24"W	●	●	●



Side-Access Storage Towers
Available with box/box/file or file/file; left and right models.
➤See page 192 to specify.

	42"H	49"H	67"H
24"W	●	●	●



Side-Access Wardrobe Storage Towers
Available with box/box/file or file/file; left and right models.
➤See page 193 to specify.

	42"H	49"H	67"H
15"W	●	●	●



Single-Door Cabinets
➤See page 194 to specify.

	67"H
18"W	●
30"W	●



Double-Door Cabinets
● = Wardrobe
■ = Lateral File
➤See page 195 to specify.

	67"H
30"W	■
36"W	●■

Freestanding Bookcases

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Shelving Units

➤See page 196 to specify.

	42"H	50"H
36"D	●	●



Straight-Front Bookcases

➤See page 197 to specify.

	28"H	67"H	80"H	84"H
36"W	●	●	●	●





Arc-Front Bookcases

➤See page 198 to specify.

	28"H	40"H	53"H	67"H
36"W	●	●	●	●

Tables

Statement of Line

Tops, Modesty Panels, and Freestanding Table Bases

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Round

➤See page 199 to specify.

36" diameter	●
42" diameter	●
48" diameter	●
60" diameter	●



Square

➤See page 199 to specify.

	36"W	42"W	48"W	60"W
36"D	●			
42"D		●		
48"D			●	
60"D				●



Racetrack

➤See page 200 to specify.

	72"W
36"D	●

Elliptical

➤See page 200 to specify.

	72"W
40"D	●



Square Occasional Table

➤See the Tables Price List.

	24"W
24"D	●



Glass Modesty Panel

➤See page 200 to specify.

	9"H
36"W	●



Round Metal Bases

➤See page 201 for fixed height.
➤See page 202 for adjustable height.

	28"H
24" diameter	●



Square Metal Bases

➤See page 201 for fixed height.
➤See page 202 for adjustable height.

	28"H
24" square	●



Column Legs

Available in static and mobile.

➤See page 201 for fixed height.
➤See page 202 for adjustable height.

	28"H
2" diameter	●

Cylinder Bases

Available in laminate and wood.

➤See page 201 to specify.

	28"H
16" diameter	●

T-Leg Table Bases

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.





Fixed-Height T-Leg Bases

● = Main (2 legs and rails)

■ = Return (1 leg and rails)

➤See pages 203–204 to specify.

For Use with Worksurfaces:	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
28"H	●	●■	●■	●■	●■	●■	●■	●■	●■	●■	●



Fixed-Height Extension Post-Leg Bases

➤See page 205 to specify.

For Use with Worksurfaces:	42"W	48"W	54"W	60"W
28"H	●	●	●	●





Fixed-Height 90° and 120° Bases

➤See page 206 to specify.

For Use with 120° worksurfaces:	24" x 48"	30" x 48"
28"H	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Power/Data Drawers

➤See page 64 for Priority Power/Data Overview.

➤See the Perks Price List to specify.



Single-Circuit Power Components

➤See page 64 for Priority Power/Data Overview.

➤See the Perks Price List to specify.



Four-Circuit (8-Wire) Power Components

➤See page 64 for Priority Power/Data Overview.

➤See the Perks Price List to specify.



Desk Lamps

➤See the Perks Price List to specify.



Power/Data Centers

➤See the Perks Price List to specify.

Flexchain Cable Manager

➤See the Perks Price List to specify.



Expandable Cable Manager

➤See the Perks Price List to specify.



Undersurface Cable Managers

➤See the Perks Price List to specify.



Wire Manager Filler

➤See the Perks Price List to specify.

Round Grommets

➤See the Perks Price List to specify.

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Paper Trays

➤See the Perks Price List to specify.

Utility Trays

➤See the Perks Price List to specify.

Accessory Dishes

➤See the Perks Price List to specify.



Carousel Center Drawers

➤See the Perks Price List to specify.



Laptop Arms

➤See the Perks Price List to specify.



Monitor Arms

Available in standard and heavy-duty models.

➤See the Perks Price List to specify.

Grommet-Mount Brackets

Available in single- and dual-arm models.

➤See the Perks Price List to specify.



Clamp-Mount Brackets

Available in single- and dual-arm models.

➤See the Perks Price List to specify.

Slatwall-Mount Brackets

➤See the Perks Price List to specify.

Related Casegoods & Tables Products Statement of Line

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



LED Lights

➤See the Universal chapter in the Casegoods Price List.



Task Lights

➤See the Universal chapter in the Casegoods Price List.

10" Power/Data Centers

➤See the Contemporary Tables chapter in the Tables Price List.



40" Power/Data Centers

➤See the Contemporary Tables chapter in the Tables Price List.

PLANNING

Table of Contents

Plan your Priority. This section will help you design and plan a Priority installation. Learn about the products and how they interconnect to create the perfect work environment.

	➤See page
Progressive Priority	40
Benching Solutions Overview	40
Collaboration Solutions Overview	42
Private Office Solutions Overview	43
Height-Adjustable Solutions Overview	44
Worksurfaces	45
Undersurface Support Rails	46
Open-Frame Legs	47
U-Legs	48
90° Corner Support Frames	50
120° Corner Support Frames	51
Tiles	52
End Panels	53
Starter Brackets	54
Undersurface Pedestals	55
Center-Mount Overhead Storage	56
Resin Privacy Screens	57
Click-Adjust Privacy Screens	58
Height-Adjustable T-Leg Bases	59
Height-Adjustable Post-Leg Bases	61
Height-Adjustable 90° and 120° Bases	62
Integrating with Traxx® and Xsite®	63
Perks® Power & Data	64
Power/Data Drawers	65
Single-Circuit Power	67
Four-Circuit Power	68
Hardwire Power	71
Classic	72
Assembled Casegoods	73
Modular Worksurfaces	74
Modular Support	75
Modular & Freestanding Storage	76
Progressive/Classic	77
Storage & Tables Overview	77
Undersurface & Low Storage	78
Overhead Storage	80
Highback Organizers	81
Set-on-Surface Storage	82
16"D Vertical Storage	83
24" & 30"D Vertical Storage	84
Shelving Units & Bookcases	85
Table Tops & Bases	86
Table Base Requirements	87

Benching Solutions

Overview

Distinctives	➤See page 6
Typical Configurations	8
Statement of Line	13
Finishes & Materials	209

Benching tables are created by selecting:
- Progressive worksurfaces
- Undersurface support rails
- U-legs, open legs, end panels, and/or undersurface storage

Center-mount shelves and storage connect to U-legs with stanchions using a center-mount overhead shelf bracket. Shelves keep shared materials visible and within easy reach.

U-legs are used to create benching tables. Available in fixed and adjustable-height models.

Undersurface support rails provide strength for the worksurface, connecting between support models.

Worksurfaces are available in 24", 30", 36", 48", and 60" widths. 24" or 30"D worksurfaces are used for dual-sided benching with stanchions; 36", 48", and 60"D models provide a continuous surface for U-legs without stanchions.



Overhead storage is available in 36"–72" widths with sliding door or hinged doors. ➤See Systems Price List for metal center-mount overheads.

Tiles mount to stanchions to provide privacy above the worksurface. Top caps, shelves or overheads must be specified to complete the top of the tile run when using stanchion U-leg support.

Shared mid-support U-leg supports the ends of two adjoining worksurfaces. Available with or without stanchions.

Privacy screens may be mounted to top or edge or a surface. Brackets for free-standing screen applications are also available.

End-support U-leg without stanchions provides support at the end of a run of surfaces. Available with or without stanchions.

Low storage and mobile cushion top pedestal can stow under the surface in a Progressive application. Mobile BBF and FF units will not stow below the surface due to the location of the undersurface support rails.

Dimensions:



* Dimensions in parentheses represent Footprint center-mount overhead

Benching Solutions

continued

Distinctives	➤See page 6
Typical Configurations	8
Statement of Line	13
Finishes & Materials	209



Returns are created with 24", 30", and 36"D worksurfaces, undersurface support rails, return mounting brackets, flat brackets, and legs.



There is no length limitation as to the number of tables that can be linked. There is no dimensional creep.

Privacy screens may be specified at the same height or width for consistent aesthetics or at different heights for function.

Materials:

Worksurfaces
- Laminate with a PVC rim
- Laminate with a wood rim
- Wood with wood rim

Supports
- Powder-coated steel

Storage
- Laminate
- Wood

Tiles
- Fabric
- Slat

Privacy Screens
- Resin

Collaboration Solutions

Overview

Work Tables & Conference Tables

Distinctives	➤See page 6
Typical Configurations	8
Statement of Line	13
Finishes & Materials	209

Collaboration work and conference tables are created by selecting:
- Progressive worksurfaces
- Undersurface support rails
- U-legs or open legs

Casters are available for field installation, specified separately, on individual tables. Caster height is 1⅞".





Privacy screens are available to provide privacy below the worksurface.

Factory-installed grommets and cutouts are available for power/data centers.

For field-installed grommets, note the location of support legs to eliminate interference with grommets.



Two sets of undersurface support rails connect to U-legs to provide strength.

48" and 60" U-legs are used to create conference tables.

Worksurface depth matches the depth of the U-legs.

Shared mid-support U-leg supports the ends of two adjoining worksurfaces.

Dimensions:





Materials:

Worksurfaces
- Laminate with a PVC rim
- Laminate with a wood rim
- Wood with wood rim

Supports
- Powder-coated steel

Privacy Screens
- Resin

Private Office Solutions

Distinctives	➤See page 6
Typical Configurations	8
Statement of Line	13
Finishes & Materials	209

Desking configuration can be created by selecting:
- Progressive worksurfaces
- U-legs, open legs, or end panels
- Undersurface or low storage

Use worksurfaces with low storage to create a layered look. Select from rectangular, wedge, arc-end, or other worksurface shapes.

Vertical storage and overheads, detailed in the Progressive/Classic section of the price list, are universal within the Priority series.

Exterior wood surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies
- Zebrawood premium composite veneer; upcharge applies are available.





Add mobile storage for enhanced flexibility.

Use vertical storage along with low or undersurface storage to create a work-wall.

Face-mounted locks are standard on all undersurface storage and optional on storage doors above the worksurface.

Progressive/classic overheads can be wall-mounted or Traxx-mounted as shown here.

Support options, such as U-legs, open-frame legs (shown), wood end panels, or pedestals, are designed so that the worksurface appears to "float" ¾" above the support.

➤See page 6 for Progressive and Classic distinctives

Privacy screens and modesty panel/cable surrounds, specified separately, can attach to worksurfaces for additional privacy.

Dimensions:



Materials:

Worksurfaces
- Laminate with a PVC rim
- Laminate with a wood rim
- Wood with wood rim

Supports
- Powder-coated steel

Privacy Screens
- Resin

Storage
- Wood
- Laminate
- Writable-glass doors on select models

Height-Adjustable Solutions

Overview

Distinctives	➤See page 6
Typical Configurations	8
Statement of Line	13
Finishes & Materials	209

Height-adjustable tables are created by selecting progressive worksurfaces and a height-adjustable base.

Table bases are available in stand-alone models, returns, and extension post-leg.

Manual-adjust bases are available in incremental, click, and crank models.

Electric-adjust bases are available in single- and dual-stage models.

Expandable cable manager is ideal to manage cords below height-adjustable tables.



Resin privacy screens and modesty panels can be specified for privacy.

Consider possible pinch points when using height-adjustable tables within your workstation.

Worksurfaces, specified separately from the bases, are not undersized.

Table Configurations:



L Configuration (non-handed)
- Main T-Leg Base
- Post-Leg Extension



U Configuration
- Two Main T-Leg Bases
- Bridge Mounting Kit

90° Corner
- 90° Base (includes two T-Legs and a corner post leg)



120° Corner
- 120° Base (includes two T-Legs and a corner post leg)



L Configuration (non-handed)
- Main T-Leg Base
- Return T-Leg Base

Rectangle
- Main T-Leg Base

90° Corner
(alternate configuration)
- Main T-Leg Base



120° Corner
(alternate configuration)
- Main T-Leg Base

Note: L-configurations are possible with incremental-, click-, or electric-adjust models; U-configurations are possible with incremental- or click-adjust models only.

Dimensions:



Incremental
Manual Adjust



Click
Manual Adjust



Crank
Manual Adjust



Single-Stage
Electric Adjust



Dual-Stage
Electric Adjust

Note: Worksurface is included in the height ranges shown above. Calculate kneespace by subtracting 3 5/16" from desired height to allow for worksurface and rails.

Materials:

Bases
- Powder-coated steel
- Aluminum foot

Worksurfaces (specified separately)
- Laminate with a PVC rim
- Laminate with a wood rim
- Wood with wood rim

Worksurface Statement of Line	➤See page 14
Pricing	90
Factory-Installed Grommet/Cutouts	100
Finishes & Materials	209

Details

IMPORTANT: Progressive Priority worksurfaces are intended for use with Progressive Priority supports:
- Undersurface support rails
- Open-frame or U-legs
- End panels
- Pedestals or low storage

Note: Knife rim worksurfaces cannot be supported by Classic Priority supports or undersurface storage, or used in Systems applications.

Worksurfaces are 1 3/16" thick, 3-ply balanced construction.



P Softened PVC rim | **F** Softened wood rim | **M** Reed wood rim | **S** Knife wood rim

Rim profile is 1/8" thick and appears on all edges of the worksurface. Laminate models are available with a softened PVC rim. Wood and laminate with wood rim models are available with a softened, reed, or knife rim.



Knife rim on worksurfaces appears on all four sides and butts end to end.



Wire manager option is available on 24", 30", and 36"W rectangular worksurfaces and corner worksurfaces. This flexible trough allows cords and cables to be routed along the back edge of the worksurface. Selected rim profile appears on the on the front and side edges. Wire manager is recommended for back-to-back benching applications.



Progressive rectangular worksurfaces are available in five depths: 24", 30", 36", 48", and 60" and in widths ranging from 36" up to 144" depending on the depth of the surface. 120" and 144"W worksurfaces are two pieces and feature a matched set of veneers. Wood grain on smaller surfaces runs the width of the surface.
➤See the Statement of Line or the pricing pages for sizing combinations.



24", 30", or 36"D | 48" or 60"D

24"–36"D rectangular surfaces can be used to build:
- Private office configurations
- Freestanding open-plan applications
- Single-sided benching applications
- Double-sided benching applications (24" and 30"D only)
- Height-adjustable tables

48" and 60"D rectangular surfaces can be used to build:
- Double-sided benching applications
- Large conference or work tables

Other Progressive worksurface shapes include: U-shape, arc-end, extended, wedge, oval, 90° corner, and 120° corner.

A variety of factory-installed grommet and cut-out options are available.
➤See pages 100–101.

Connections



Progressive pedestals, U-legs, and open legs, specified separately, are designed to be support so that the worksurface appears to "float" 3/4" above support and storage. Undersurface storage satisfies both support and storage needs. Pedestal must match worksurface depth.
IMPORTANT: Supports and brackets must be specified separately for all worksurfaces.



Undersurface support rails, specified separately, are required for all surfaces.
➤See page 46.
Note: Rails are standard with height-adjustable bases.

Ganging units together result in no "dimensional creep." There is no limitation as to number and width of tables that can be joined. Varying widths of worksurfaces are not intended for use together in a straight, linear application (side by side).



Return worksurfaces can be created by adding a 24", 30", or 36"D worksurface and appropriate support legs perpendicular to the main worksurface. Use a return mounting bracket and two flat brackets, specified separately. Rail will be 6" longer than the return surface for connection to main surface.
➤See page 46 for bracket and attachment details.



Low storage models can be used when the worksurface is placed at 29"H or higher. Clearance from the undersurface support rail to the floor is 25 9/16".



U-Legs or Open-Frame Legs | Height-Adjustable T-Legs or Fixed-Height T-Legs

78"W oval worksurface can be supported by several different support-U-legs, open-frame legs, height-adjustable, or fixed-height T-legs. Specify components to create a 30"D x 54"W frame for U-legs and open-frame legs. Specify components to create a 30"D x 60"W frame for height-adjustable or fixed-height T-legs.

Undersurface Support Rails

Product Information

Support Statement of Line	➤See page 15
Pricing	102
Integrating with Traxx & Xsite	63
Classic Modular Applications	72

Details



Undersurface support rails are required for all Progressive worksurfaces to provide strength and allow connection of U-legs, open-frame legs, and storage. Rails are powder-coated steel, non-handed, and come in a set of 2; they are 2¼"H and are installed 4½" apart.

Available in 9 lengths from 36"–96" in 6" increments to correspond to worksurface widths.

Connections



Undersurface support rails attach to starter brackets. Starter brackets are welded to all U-legs and open-frame legs. Specify starter brackets separately for attaching rails to undersurface pedestals or end panels.



Return mounting bracket is non-handed and can be attached to either end of an undersurface support rail to attach a 24", 30", or 36"D worksurfaces to the main worksurface as a return. Two flat plates (model ACAWBP1), specified separately, are also required when mounting each return.

Mounting holes are located on the undersurface support rail in several locations to accommodate various return depths. For a 24"D main worksurface, bolt to the first set of holes; for a 30"D main worksurface, bolt to the middle set of holes; for a 36"D main worksurface, bolt to the nearest set of holes.

Data cabling can be secured to undersurface support rails utilizing cable ties and holes in the rails.





Bridge mounting kits consist of two return mounting brackets and set of undersurface support rails. Undersurface support rails in each kit are 12" longer than the bridge length. For example, 48"W bridge kits ships with 60" undersurface support rails to allow for 6" of connection to the brackets on either side. Four flat plates (model ACAWBP1), specified separately, are required to link surfaces.



Planning Factors



48" and 60"D applications require two sets of undersurface support rails.

For linear applications, specify support rail length to match the width of the worksurface.

IMPORTANT: **For returns,** specify support rail length that is 6" longer than the width of the return surface. Rail will extend under the main surface and connect to a return mounting bracket.

If the length of rail required is not a size offered, specify the next smaller size. The starter bracket will compensate for the dimensional difference.

When using storage as support, calculate the length of the rail required by deducting the width of the storage from the width of the corresponding worksurface. For example, a 72"W surface with two 15"W pedestals would require a 42"W rail, the length of the unsupported span. A 72"W surface with one 15"W pedestal has an unsupported span of 57" and would require a 54"W rail, the next available smaller size.

Clearance from the rail to the worksurface edge:

Surface Size	*Softened or Reed Rim*	*Knife Rim*
24" or 48"D	8¾"	7¾"
30" or 60"D	11¾"	10¾"
36"D	14¾"	13¾"
24"x48" 90° corner	23⅞"	22⅞"
30"x48" 90° corner	19⅝"	18⅝"
24"x48" 120° corner	15"	14"
30"x48" 120° corner	20¼"	19¼"

Open-Frame Legs

Typical Configurations	➤See page 8
Support Statement of Line	15
Pricing	103
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive open-frame legs. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

Open-frame legs are powder-coated steel and are available in carbon metallic, designer white, silver pearl, or platinum metallic paint. They connect directly to undersurface support rails and aligns to solid end panels or progressive pedestals. Open-frame leg models are for use in benching, work table, open plan, conferencing or private office applications.



Fixed-height open-frame legs are 27 3/4"H from undersurface to the floor. Available in 24", 30", 36", 48", and 60" depths. Plastic leveler insert is located at the bottom of each leg. The glide stem is 1" long and provides 3/4" of adjustment.



Adjustable-height open-frame legs are 25 7/16"H from undersurface to the floor, at the lowest position. Available in 24", 30", 36", 48", and 60" depths.



Push Button



Screw-Adjust

24", 30", and 36"D adjustable-height open-frame legs feature a push button that indexes into notches in the inner leg member. By depressing the button, the leg releases the lower leg assembly. These models provide maximum height adjustment of 7 7/16" in 3/8" increments from 25 7/16" to 32 7/8"H, plus an additional 3/4" of adjustment utilizing the plastic leveling insert.

48" and 60"D adjustable-height open-frame legs feature a mechanical screw-adjust mechanism that indexes into notches in the inner leg member. By removing the screw, the leg releases the lower leg assembly. These larger U-legs are engineered to carry more load then the smaller width U-leg units. These models provide maximum height adjustment of 7 1/16" in 3/8" increments from 25 7/16" to 32 1/2"H, plus an additional 3/4" of adjustment utilizing the plastic leveling insert.
IMPORTANT: The intent of these adjustable U-legs is to provide an initial bench height adjustment at the time of installation; they are not intended to provide the user height adjustability.



11"H and 5"H open-frame legs are for use on top of low storage. 5"H model sits atop 22"H storage; 11"H model is for use with 15"H storage. They are not intended for use with adjustable-height open-frame legs in the same configuration.
IMPORTANT: Component tops must be specified for low storage when open-frame legs will be placed on top for worksurface support.

Connections



Undersurface support rails attach to starter brackets. Starter brackets are welded to all open-frame legs.



Field installed caster kits are available for use on the individual tables up to 36"D x 96"W. They are not for use for bases that are linked together. Casters feature a tall neck with an M-10 thread; height is 1 7/8". Sold in a set of 4.

Planning Factors

When planning long spans of tables or have out-of-level floors, adjustable-height legs are recommended. By extending some legs further than others, the table leg can compensate for the floors that are out of level.

Create a different visual by placing open-frame legs inboard from the end of the worksurfaces. The undersurface rails would need to be specified in a smaller width to connect the legs together. Legs may be placed inboard 12" on 24"D surfaces, 15" on 30"D surfaces, and 18" on 36"D surfaces.

U-Legs

Typical Configurations	➤See page 8
Support Statement of Line	15
Pricing	104
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive U-legs. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

U-legs are powder-coated steel and are available in carbon metallic, designer white, silver pearl, or platinum metallic paint. They connect directly to undersurface support rails. U-leg models are for use in benching, work table, open plan, conferencing or private office applications.



Fixed-height U-legs are 27 3/4"H from undersurface to the floor. Available with or without a stanchion. Plastic leveler insert is located at the bottom of the leg. The glide stem is 1" long and provides 3/4" of adjustment. Available with or without a stanchion.



Adjustable-height U-legs are 25 7/16"H from undersurface to the floor, at the lowest position. Adjustable-height U-legs provide the best aesthetic appearance since both the inner and exterior legs are painted the same color. Available with or without a stanchion.



Push Button



Screw-Adjust

24", 30", and 36"D adjustable-height end U-legs feature a push button that indexes into notches in the inner leg member. By depressing the button, the leg releases the lower leg assembly. These models provide maximum height adjustment of 7 7/16" in 3/8" increments from 25 7/16" to 32 7/8"H, plus an additional 3/4" of adjustment utilizing the plastic leveling insert.





48," 50", 60", and 62"D adjustable-height U-legs and 24", 30", and 36"D mid-support U-legs feature a mechanical screw-adjust mechanism that indexes into notches in the inner leg member. By removing the screw, the leg releases the lower leg assembly. These larger U-legs are engineered to carry more load then the smaller width U-leg units. These models provide maximum height adjustment of 7 1/16" in 3/8" increments from 25 7/16" to 32 1/2"H, plus an additional 3/4" of adjustment utilizing the plastic leveling insert.

IMPORTANT: The intent of these adjustable U-legs is to provide an initial bench height adjustment at the time of installation; they are not intended to provide the user height adjustability.



Mid-support U-legs link tables together using a single middle leg versus two independent legs.

Single mid-support U-legs are available for use with 24", 30", and 36"D worksurfaces.

Dual mid-support U-legs for use with 48" or 60"D applications have two sets of brackets for mounting surfaces. Two surfaces can be used back to back or one surface can be used as long as the depth equals the U-leg depth. For example, one 48"D or two 24"D surfaces can be used on a 48"D dual mid-support leg. Dual U-leg applications require two sets of undersurface support rails.

U-Legs

continued

Typical Configurations	➤See page 8
Support Statement of Line	15
Pricing	104
Finishes & Materials	209



Stanchion support U-legs feature a vertical member that supports tiles and center-mount overhead shelves and cabinets. The overall leg is 2 3/8" deeper than the non-stanchion U-legs to accommodate two 24"D or two 30"D worksurfaces and two tiles.

Center-mount overhead/shelf brackets, specified separately, connect directly to the stanchion. Stanchion U-legs connect directly to undersurface support rails. They are available in end- and mid-support models.

Connections



Undersurface support rails attach to starter brackets. Starter brackets are welded to all U-legs.



Field installed caster kits are available for use on the individual tables up to 36"D x 96"W. They are not for use for bases that are linked together or for stanchion models. Casters feature a tall neck with an M-10 thread; height is 1 7/8". Sold in a set of 4.



Center-mount overheads, shelves, or top caps are required to complete the top of the tile run.



Tiles mount to the stanchions to provide visual privacy in two directions.

Planning Factors

When planning long spans of tables or have out-of-level floors, adjustable-height legs are recommended. By extending some legs further than others, the table leg can compensate for the floors that are out of level.



Create a different visual by placing U-legs inboard from the end of the worksurfaces. The undersurface rails would need to be specified in the smaller width to connect the legs together. Legs may be placed inboard 12" on 24"D surfaces, 15" on 30"D surfaces, and 18" on 36"D surfaces.





90° Corner Support Frames

Product Information

Typical Configurations	➤See page 8
Support Statement of Line	15
Pricing	108
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive 90° corner supports. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

90° corner support frames with stanchion are powder-coated steel and are available in carbon metallic, designer white, silver pearl, or platinum metallic paint. Frames consist of:

- Center four-way stanchion
- Four legs with adapter brackets
- Undersurface support rails to connect to U-legs



Fixed-height 90° corner support frames is 27 3/4"H from undersurface to the floor. Plastic leveler insert is located at the bottom of the leg. The glide stem is 1" long and provides 3/4" of adjustment.



Adjustable-height 90° corner support frames is 25 7/16"H from undersurface to the floor, at the lowest position. They provide maximum height adjustment of 7 1/16" in 3/8" increments from 25 7/16" to 32 1/2"H, plus an additional 3/4" of adjustment utilizing the plastic leveling insert. Adjustable-height U-legs provide the best aesthetic appearance since both the inner and exterior legs are painted the same color.



Incremental screw-adjust mechanism on adjustable-height model indexes into notches in the inner leg member. By removing the screw, the leg releases the lower leg assembly. These larger U-legs are engineered to carry more load then the smaller width U-leg units.
IMPORTANT: The intent of these adjustable frames is to provide an initial bench height adjustment at the time of installation; they are not intended to provide the user height adjustability.

Connections

Four U-legs with stanchions, specified separately, are required. Specify end-support U-legs with stanchions to support the ends of the application or mid-support U-legs with stanchions to continue the run with additional worksurfaces.

Undersurface support rails to connect to U-legs are included with the frame.



Stanchions on 90° corner support frames accept top caps or shelves, but not both. They also can support overhead storage. Overhead/shelf brackets are required, specified separately.



Tiles mount to the stanchions to provide visual privacy in two directions for all four users. Tiles are required.

Planning Factors

When planning long spans of tables or have out-of-level floors, adjustable-height legs are recommended.



90° corner supports are available in two sizes that accept either 24"D x 48"W or 30"D x 48"W corner worksurfaces, with or without a wire manager. Larger worksurface spans are not recommended for this application.



90° corner workstations can also be created without the use of a 90° corner support by using end U-legs with stanchions and returns going in the opposite directions. Flat brackets must be specified for the returns for additional support. This applications allows for visual privacy in one direction, with tiles down the spine of the station. Privacy screens can also be mounted on the returns for additional side-to-side privacy.

➤See page 57 for privacy screens information.

120° Corner Support Frames

Product Information

Typical Configurations	➤See page 8
Support Statement of Line	15
Pricing	109
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive 90° corner supports. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

120° corner support frames are powder-coated steel and are available in carbon metallic, designer white, silver pearl, or platinum metallic paint. Frames consist of:

- Center three-way stanchion (stanchion model only)
- Three legs with adapter brackets
- Undersurface support rails to connect to U-legs



Fixed-height 120° corner support is 27 3/4"H from undersurface to the floor. Plastic leveler insert is located at the bottom of leg. The glide stem is 1" long and provides 3/4" of adjustment.



Adjustable-height 120° corner support is 25 7/16"H from undersurface to the floor, at the lowest position. They provide maximum height adjustment of 7 1/16" in 3/8" increments from 25 7/16" to 32 1/2"H, plus an additional 3/4" of adjustment utilizing the plastic leveling insert. Adjustable-height models provide the best aesthetic appearance since both the inner and exterior legs are painted the same color.



Incremental screw-adjust mechanism on adjustable-height model indexes into notches in the inner leg member. By removing the screw, the leg releases the lower leg assembly. These larger U-legs are engineered to carry more load then the smaller width U-leg units.
IMPORTANT: The intent of these adjustable frames is to provide an initial bench height adjustment at the time of installation; they are not intended to provide the user height adjustability.

Connections

Three U-legs, specified separately, are required. Specify end-support U-legs to support the ends of the application or mid-support U-legs to continue the run with additional worksurfaces.

Undersurface support rails to connect to U-legs are included with the frame.





120° corner supports with stanchions accepts top caps or shelves, but not both. Overhead/shelf brackets are required, specified separately.



120° corner supports without stanchions can be used to create a more open work area.

12" or 16" resin privacy screens can be added for visual privacy.

Planning Factors

The 120 station is unique to Kimball Office Priority benching. The applications shown above-left depict how the 120 degree stations provide more side-to-side visual privacy than typical lineal benching layouts. There are numerous ways to incorporate the 120 degree station in a floor plan; you are not limited to a typical 3 person station.

When planning long spans of tables or have out-of-level floors, adjustable-height legs are recommended.



Two sizes accept either 24"D x 48"W or 30"D x 48"W corner worksurfaces, with or without a wire manager.



Tiles mount to the stanchions to provide visual privacy in two directions for all users. Tiles must be specified for both sides of the stanchion.

Tiles

Product Information

Benching Overview	➤See page 40
U-Legs Product Information	48
Pricing	110
Finishes & Materials	209

Details



Tiles are 18½"H and available 36"–96"W (in 6" increments). Select from tackable fabric, slat and fabric/slat combination models.

Tackable fabric tiles are constructed of fiberglass and covered in fabric. Fabric is applied railroad style.

Slat tiles are powder-coated extruded aluminum. Slats are ¾"H with ½" space between each slat; total of 12 slats.

Fabric/slat tiles feature a nominal 6"H of tackable area above a 12"H of slat tile area with a total of 8 slats.

Connections



Tiles install into an L-shaped bracket that is part of the stanchion U-leg assembly.

Width of the tile aligns with the stanchion U-legs. For example, a 72"W tile is a true 72" dimension.





When tables are ganged together using the shared support U-leg, the tiles are centered relative to the mid-support stanchion. There is no dimensional creep.

Slat tiles allow work tools to be placed in appropriate areas to accommodate individual needs. They accommodate all Kimball Office Perks work tools including monitor arm mounts.

Planning Factors

Tiles are required for both sides when using stanchion support U-legs. They do not need to be the same type of tile, but must be the same width.



Tiles must be specified the same width as the surface to mount correctly to stanchions.





When using tiles with stanchion support U-legs, either top caps, shelves or overheads must be specified to complete the top of the tile run.

Related Products

Perks single-monitor arms can be mounted on slat tile and fabric/slat tiles if spaced at least 24" apart. Maximum monitor weight up to 13 lbs.
➤See the Perks Price List.

End Panels

Typical Configurations	➤See page 8
Support Statement of Line	15
Pricing	113
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive end panels. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

End panels are 1 3/16" and available in both veneer and laminate. They are available multiple depths for use in either benching, open plan, or private office applications. End panels can be used in conjunction with other Progressive supports, such as U-legs and open-frame legs.

IMPORTANT: End panel illustrations on this page show end panels with a starter bracket, which must be specified separately.



24", 30", and 36"D end panels can be used for creating private office configurations.



48" and 60"D end panels can be used to benching, collaboration, or conference environments.





50"D and 62"D end panels are for use with end panel stanchion brackets (model 53KSSEPP), specified separately, to create dual sided benching applications. They are for use at the end of a run only.
Note: Stanchion bracket, model 53KSSDPP, cannot be used in this application.



5"H or 11"H end panels can be used to create layered applications with low height storage. 5"H model sits atop 22"H storage; 11"H model is for use with 15"H storage.



IMPORTANT: Component tops must be specified for low storage when short end panels will be placed on top for worksurface support.

Connections

Starter bracket must be specified separately for all end panel applications. Starter brackets are intended to be mounted ¾" above the top edge of the panel to give the worksurface a "floating" appearance consistent with aesthetic of Progressive Priority. Specify one starter bracket for 24"–36"D end panels; specify two starter brackets for 48"–62"D end panels.
➤See page 54 for additional information.



Create conventional casegoods assemblies by specifying end panels, starter brackets, privacy screen used as a modesty screen, and undersurface support rails.

Planning Factors

Maximum run is dictated by the length of undersurface rails and the surface size.

End panels are intended for use at the end of runs only not as a shared support.

Starter Brackets

Typical Configurations	➤See page 8
Undersurface Support Rails	46
Pricing	113
Finishes & Materials	209

Details



Starter brackets support many office configurations. This bracket connects to the undersurface support rails to provide support to surfaces. It is identical to, and performs the same function, as the brackets that are welded to U-legs and open-frame legs.

Starter brackets are the most versatile items in the Priority offering. Specify this bracket to begin or end an office layout with an end panel, pedestal or storage tower units. When used with an end panel, pedestal, or storage tower, this bracket replaces the need for leg support.

Connections



One bracket is required to connect to each set of undersurface support rails when using with 24", 30", and 36"D end panels or 36”D or smaller depth storage.



Two brackets are required when using 48", 50", 60", or 62"D storage or end panels.



Starter brackets can also be mounted directly to most interior walls, including steel or wood stud walls, masonry block, or solid masonry walls. IMPORTANT: It is the responsibility of the installer to ensure that the connection to the studs is adequate to support the worksurface load.



Bridge kits can be used between two surfaces supported by wall-mounted starter brackets to create a U-unit configuration. Connect the undersurface rails of the left and right surfaces to U-legs, open-frame legs, fixed T-legs, or any style of storage.

Undersurface Pedestals

Typical Configurations	➤See page 8
Storage Statement of Line	18
Pricing	114
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces may be used with Progressive undersurface pedestals. Classic Priority knife rim worksurfaces and Systems worksurfaces are not applicable.

Progressive undersurface pedestals are available in 24", 30", and 36"D x 15"W with box/box/file and file/file drawer configurations and 24"D x 30"W two-drawer lateral file; in wood or laminate. Chassis and door/drawer fronts on laminate models feature thermally fused laminate (TFL). Grain runs top to bottom. All units have finished backs and lock in bottom drawer.



Double-sided pedestals are a unique design to Kimball Office for creating 48"D or 60"D open plan applications. They create a clean aesthetic of one continuous end panel, eliminating the need to position two separate pedestals back to back and add filler panels to fill the gap.

Top of the double-sided pedestal features a 2 3/16" opening for cable routing.

3/4" silver-colored spacers on top of pedestals create a floating worksurface affect. Double-sided pedestals include a total of 8 spaces; regular depth pedestals have 4.

Drawer fronts are 3/4"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.

Drawer sides and back are 1/2" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Optional wood drawers are available on wood units. Drawer sides and back are 1/2" thick with veneer faces. Bottoms are 1/4" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear durable topcoat.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box, file, and lateral file drawers feature full extension slides.

Connections



Starter bracket, specified separately, is required to connect pedestals to undersurface support rails and the worksurface.

- One starter bracket is required to connect to each set of undersurface support rails when using with 24", 30", and 36"D surfaces or 36"D or smaller depth storage.
- Two brackets are required when using 48"D or 60"D storage or surfaces.

➤See page 54 for more information on starter brackets.



Pedestal stanchion bracket, (model 53KSSDPP) specified separately, is available for use with the 50" and 62"D double-sided pedestals. Double-sided pedestal models for use with stanchions bracket are deeper than the non-stanchion models (48" and 60"D). The difference accommodates two 24" or two 30"D worksurfaces in addition to the thickness of the stanchion plus two tiles for either side of the stanchion. The pedestal stanchion bracket aligns with stanchion support legs and features a vertical member that supports fabric tiles, slat tiles and fabric/slat tiles. Overhead/shelf brackets, specified separately, connect directly to the stanchion, to support center-mount overhead or shelf.



Two pedestals can be used in a back-to-back application; however, a double-sided pedestal is recommended for a clean visual. A stanchion bracket could not be used in the two-pedestal application.

Pull Options:



89 Studio **91** Niche **90** Trinity (+$26 per unit;



61 Helix **63** Link **64** Wisp

Available finishes:
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

IMPORTANT: Specify pull option and finish together in one step, inserting an underscore between.
Example: **89_514** = Studio pull, carbon metallic



61 Helix **63** Link **64** Wisp

Available finish:
SF Silver Frost Metallic

IMPORTANT: Specify pull option and finish together in one step.
Example: **61SF** = Helix pull, silver frost metallic

Boring patterns:

Studio	192mm
Niche	96mm
Trinity	160mm
Helix	160mm
Link	160mm
Wisp	190mm

Center-Mount Overhead Storage

Product Information

Typical Configurations	➤See page 8
Storage Statement of Line	18
Pricing	116
Finishes & Materials	209

Details

IMPORTANT: Progressive center-mount overhead storage is intended for use with Progressive Priority benching stanchions, unless otherwise noted.

Center-mount overhead cabinets are available in 30"–72"W (in 6" increments) with hinged doors or sliding door. Units are finished on all sides; flat bottom.

Hinged wood four-door models feature one set of grain pattern matching doors; laminate models feature two sets of two-doors that match in grain pattern.

Sliding-door units feature one door and center divider panel. These units accept five ¾"-thick interior shelves spaced 1¼" apart. Shelves intended for use on the open side of the sliding door unit, specified separately.

Writable glass models features thin aluminum frame finished in silver satin metallic.

Center-mount shelves are available in 30"–96"W (in 6" increments), as well as models for use on 90° and 120° frames. Units have a finished top and bottom and feature a softened rim on all four sides of the shelf.

Connections



Center-mount cabinets can be ganged with the units facing the same direction side to side or facing opposite directions (shown above). Four ganging bolt assemblies ship standard with each model. *Note: Center-mount shelves and cabinets cannot be ganged to each other.*





Overhead/shelf bracket (53KBP), specified separately, is required at each stanchion intersection Sold in a set of two.



Center-mount storage can be mounted on top of Xsite panels using two Xsite transaction counter support brackets. Overheads must be the same length or longer than the frame it will be placed over. For example, a 48"W center-mount overhead can be mounted above a 30"W Xsite frame; however, a 30"W center-mount overhead cannot be mounted onto a 48"W Xsite frame. Not for use on Xsite stackable panels.

➤See the Systems Price List for other guidelines.



Center-mount storage can be mounted to Xsede accessory rail using an Xsede stanchion kit. Overhead can be any width.

Planning Factors

Multiple units can be ganged and then connected at the stanchion intersection. For example, two 36"W center-mount overheads can be ganged in opposite directions above a 72"W surface, and then connected to the stanchions as an assembled unit.

Shelves and overheads cannot be mixed between stanchions, but can be specified to align at the stanchion intersection (see illustration at left).

On laminate units 60"W and greater, the grain on the back panel runs horizontal.

Related Products

Interior shelves may be specified separately.



Shelf divider Shelf divider provides further organization to shared materials stored on center-mount shelves. Shelf divider, made of powder-coated metal, slides onto the center-mount shelf and attaches to the underside of shelf.

Expo or Expo2 dry-erase markers are recommended for use on writable glass doors.

Resin Privacy Screens

Product Information

Typical Configurations	➤See page 8
Privacy Screens Statement of Line	20
Pricing	121
Finishes & Materials	209

Details

Resin privacy screens provide visual privacy for users when in the seated position. Screens can mount onto worksurfaces in private office, benching, or height-adjustable table applications. Privacy screens are available in nominal 12" and 16"H models and in widths from 24"–90" (in 6" increments).

Screen material is ¼"-thick resin with a bullnose edge. Screens are available in three colors: Mist, Breeze, and Alpine White (upcharge applies). Both sides of the screen have a matte texture.



Two different heights provide different levels of visual privacy.



12"H screens can also be used as an undersurface modesty panel. When used with U-legs or open-frame legs, screens must be specified 6" smaller in width than the nominal worksurface width to allow proper clearance from legs.





End-support screens provide side-to-side visual privacy, and are available in 12" and 16" heights and 22", 28", and 34"W. They are sized 2" smaller in width than the nominal worksurface depth and are mounted inboard of the table legs.

Connections

Four bracket styles are available: freestanding, surface mount, square-edge undersurface mount, and knife-edge undersurface mount. Brackets are extruded aluminum and have a powder-coated finish. Brackets must be specified separately.



Freestanding brackets allow privacy screens to be placed freely on any surface or storage unit.

Surface-mount brackets can be used to mount screens above or below the worksurface. This bracket can also be used to mount screens to Priority top caps in benching applications.
Note: Using this bracket will deface the surface to which it is attached.



Square edge-mount brackets are for use on any worksurface with a softened rim, reed rim, or any worksurface with a wire manager.

Knife edge-mount brackets are for use on any worksurface with a knife rim.



Brackets should be placed 6" inward of either end and then evenly spaced for the remainder of the screen. For example, 72"W screen should have 27" between the center of each bracket.

Brackets are packaged as a set of two. Specify the appropriate number of brackets based on the screen size:
- 24"–54"W screens require 2 brackets
- 60"–78"W screens require 3 brackets
- 84"–90"W screens require 4 brackets



Add another layer of privacy with screens on top of Priority top caps or Xsite flat top caps using surface-mount brackets.

Accessories cannot be mounted on screens.

Planning Factors

Accessories and work tools cannot be mounted on screens.

Click-Adjust Privacy Screens

Product Information

Typical Configurations	➤See page 8
Privacy Screens Statement of Line	20
Pricing	124
Finishes & Materials	209

Details



Click-adjust privacy screens are available in three widths: 36", 42", 48". They are constructed of ¾"-thick wood or laminate with a softened rim detail; finished on both sides.

Screen can be adjusted up or down to provide various heights of user-privacy. The screen features a mechanical ratchet mechanism that provides 4" of height adjustment in 1" increments. The height of screens adjusts from 12" above the worksurface to 16" above the worksurface and coordinates with the heights of the resin privacy screens.

At the 16" height position, the privacy screen will clear the underside of an overhead or shelf.
The modesty section of the privacy screen varies in height from 7" to 11" depending on the position of the screen.



Connections



Click-adjust privacy screens can be attached to the underside of any style of table.

Planning Factors

Privacy screens do not accept accessories and work tools or carry load.

Take support placement into consideration when using the privacy screens.

Height-Adjustable T-Leg Table Bases Product Information

Manual Adjust

Statement of Line	➤See page 21
Worksurfaces Product Information	45
Pricing	125
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive height-adjustable table bases. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

Height-adjustable T-leg table bases consist of one or two T-legs and a set of undersurface support rails that run underneath the center of the worksurface. Return T-legs include a return bracket for connecting to a main base at a 90° angle. Bases ship ready to assemble.

Manual-adjust bases are available in three styles: incremental, click, and crank. The T-legs on manual bases feature powder-coated steel 2"D x 2"W upper column, a 2 3/8"D x 2 3/8"W lower column, and a die-cast aluminum base (foot). Glide provides 15/16" of adjustment.



Incremental Click Crank

Incremental-adjust models can be adjusted in 1" increments using a 5mm Allen wrench.

Click-adjust models feature an adjustment mechanism on each leg that works like a ratchet. Table height can be adjusted upward in 3/16" increments by lifting the table. To lower the table, pull and hold the small handle.

Two people are recommended when adjusting height for incremental- and click-adjust models.



Main T-Leg Base Return T-Leg Base

Crank-adjust models feature an adjustment handle located on the right side of the base. On rectangular surface applications, the crank can be positioned on the left or right side of the base. Handle pulls in and out, receding to store flat under the worksurface. Crank-adjust models also include a hex rod that runs beneath the worksurface that allows both legs to raise and lower simultaneously; ships ready to assemble. These models are not applicable for L- or U-configurations.

Connections

IMPORTANT: Above-surface storage, highbacks, and organizers should not be used with height-adjustable tables.

Create a different visual by placing T-leg table base inboard from the end of the worksurface; specify a smaller width table base. Legs may be placed inboard 12" on 24"D surfaces, 15" on 30"D surfaces, and 18" on 36"D surfaces.



Field installed caster kits are available for use on the main T-leg table bases up to 36"D x 96"W and in L-configurations. Casters feature a low neck with an M-8 thread; height is 1 5/8"; set of 4.

Planning Factors



90° and 120° corner worksurfaces can also be supported by height-adjustable T-leg bases placed parallel to the front edge of the worksurface. To create 48"W 90° application, use a 36"W base; for a 120° application, use a 54"W base. This application provides a lower-cost alternative to using a 3-leg base. Casters are not recommended for this application.

Adjustability:



Incremental Adjust
Range: 13"



Click Adjust
Range: 11 13/16"



Crank Adjust
Range: 17 11/16"
Cranks per inch: 12

Note: Worksurface is included in the height ranges shown above. Calculate kneespace by subtracting 3 5/16" from desired height to allow for worksurface and rails.

Load Capacity:

Note: Load capacity is defined as the recommended maximum distributed weight of items on or attached to the worksurface.

	Main only	*L-Config.*
Incremental- or Click-Adjust T-Leg Base		
BIFMA maximum load*	400 lbs.	775 lbs.
UL maximum load*	670 lbs.	1300 lbs.
Max. load with casters	120 lbs.	1300 lbs.
Crank-Adjust T-Leg Base		
BIFMA maximum load*	400 lbs.	n/a
UL maximum load*	135 lbs.	n/a
Max. load with casters	120 lbs.	n/a
Maximum lift**	100 lbs.	n/a

* Static

** With or without casters; reflects the total weight allowed for the table to raise and lower

Height-Adjustable T-Leg Table Bases Product Information

Electric Adjust

Statement of Line	➤See page 21
Worksurfaces Product Information	45
Pricing	129
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive height-adjustable table bases. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

Height-adjustable T-leg table bases consist of T-leg(s) and a set of undersurface support rails that run underneath the center of the worksurface. Bases ship ready to assemble. The T-legs on electric bases feature powder-coated steel 2"D x 2"W upper column, a 2 3/8"D x 2 3/8"W lower column, and a die-cast aluminum base (foot). Glide provides 1 5/16" of adjustment.

Electric-adjust bases provide sit-to-stand capabilities.



Single-stage electric models features a two-column leg, that compresses inside itself when in the lower positions.



Dual-stage electric models features a three-column leg, that compresses inside itself when in the lower positions.

90° and 120° height-adjustable 3-leg bases are also available. Center leg is a post leg.



Main T-Leg Base



Return T-Leg Base



Standard



Programmable

Select either a standard switch or a programmable switch. Standard switch features up and down arrows, and is 2½"W x .625" thick x 2½"D (front to back). Programmable switch allows the user to pre-set up to four-different table heights, and is 5½"W x .625" thick x 2½"D (front to back); upcharge applies. To move the table to one of the pre-set heights, the user must depress the button while the table is in motion. A digital indicator shows the overall height of the table. Switch can be located on either side of the table.

Connections

IMPORTANT: Above surface storage, highbacks, and organizers should not be used with height-adjustable tables.

Control box on main table without a return or extension is not interchangeable with control box with 3 outlets that is standard on main table base specified along with a return or extension.

Planning Factors



90° and 120° corner worksurfaces can also be supported by height-adjustable T-leg bases placed parallel to the front edge of the worksurface. To create 48"W 90° application, use a 36"W base; for a 120° application, use a 54"W base. This application provides a lower-cost alternative to using a 3-leg base. Casters are not recommended for this application.

Related Products

Field installed caster kits are available for use on the main T-leg table bases up to 36"D x 96"W.
➤See page 134.





Snap-on cable managers are available.
➤See page 134.

Adjustability:



Single-Stage Adjust
Range: 18 7/8"
Lift Speed: 1.5" per sec.

Dual-Stage Adjust
Range: 26"
Lift Speed: 1.5" per sec.

Note: Worksurface is included in the height ranges shown above. Calculate kneespace by subtracting 3 5/16" from desired height to allow for worksurface and rails.

Load Capacity:

Note: Load capacity is defined as the recommended maximum distributed weight of items on or attached to the worksurface.

	Main only	*L-Config.*
Single-Stage Adjust T-Legs		
BIFMA maximum load*	400 lbs.	775 lbs.
UL maximum load*	135 lbs.	1300 lbs.
Max. load with casters	120 lbs.	1300 lbs.
Maximum lift**	100 lbs.	150 lbs.
Dual-Stage Adjust T-Legs		
BIFMA maximum load*	400 lbs.	775 lbs.
UL maximum load*	135 lbs.	1300 lbs.
Max. load with casters**	120 lbs.	1300 lbs.
Maximum lift**	100 lbs.	150 lbs.

* Static
** With or without casters; reflects the total weight allowed for the table to raise and lower

Height-Adjustable Post-Leg Bases

Product Information

Manual or Electric Adjust

Statement of Line	➤See page 21
Worksurfaces Product Information	45
Pricing	127
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1³⁄₁₆" worksurfaces are for use with Progressive post legs. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

Post legs are a versatile table base extension that can be used in conjunction with other leg styles including U-legs, open-frame legs, fixed-height T-legs, and height-adjustable T-legs.

Rectangular, U-shape, extended, and arc-end worksurfaces can be supported by post legs when used as a return or extension surface.



Incremental Click Crank

Incremental-adjust models can be adjusted manually in 1" increments using a 5mm Allen wrench.

Click-adjust models feature an adjustment mechanism on each leg that works like a ratchet. Pull upward on the handle to extend the height of the leg; to lower the table, depress the release handle and lift slightly.

Two people are recommended when adjusting height for incremental- and click-adjust models.





Single Stage Dual Stage

Single-stage electric models features a two-column leg, that nests inside itself when in the lower positions.

Dual-stage electric models features a three-column leg, that nests inside itself when in the lower positions.

Connections



Return mounting bracket is included with post-leg models for connection to main worksurface undersurface support rails. Post-leg is non-handed and can be attached to either end of an undersurface support rail to attach a 24", 30", or 36"D worksurfaces to the main worksurface as a return. Two flat brackets (model ACAWBP1), specified separately, are also required when mounting each return.

Mounting holes are located on the undersurface support rail in several locations to accommodate various return depths. For a 24"D main worksurface, bolt to the first set of holes; for a 30"D main worksurface, bolt to the middle set of holes; for a 36"D main worksurface, bolt to the end set of holes.

Planning Factors

Extension post-leg base model should be specified to match the adjustability mechanism of the main T-leg table base. For example, if specifying a single-stage electric-adjust height-adjustable T-leg as the main base, specify a single-stage electric-adjust extension post-leg base.

Extension post-leg bases are intended to be used as a return. Depending on the depth of the main worksurface and the depth of the extension worksurface, the post will be inset approximately 12"–15" from the end of the extension worksurface.

Height-Adjustable 90° and 120° Bases Product Information

Manual or Electric Adjust

Statement of Line	➤See page 21
Worksurfaces Product Information	45
Pricing	127
Finishes & Materials	209

Details

IMPORTANT: Only Progressive Priority 1 3/16" worksurfaces are for use with Progressive post legs. Classic Priority worksurfaces and Systems worksurfaces are not applicable.

90° and 120° height-adjustable 3-leg bases are available in manual or electric adjust models. These bases must be used with a corresponding size 90° or 120° corner worksurface. Center leg is a post leg.

90° and 120° tables are freestanding use only; L- and U-configurations are not applicable.

T-leg adjustable bases is powder-coated steel. with a 2"D x 2"W upper column, a 2 3/8"D x 2 3/8"W lower column, and a die-cast aluminum base (foot). Glide provides 15/16" of adjustment.



Incremental Click Crank

Incremental-adjust models can be adjusted manually in 1" increments using a 5mm Allen wrench.

Click-adjust models feature an adjustment mechanism on each leg that works like a ratchet. Pull upward on the handle to extend the height of the leg; to lower the table, depress the release handle and lift slightly.

Two people are recommended when adjusting height for incremental- and click-adjust models.

Crank-adjust models feature an adjustment handle located on the right side of the base. The handle pulls in and out, receding to store flat under the worksurface. The handle is mounted so that it swings to the side. Crank-adjust models include a hex rod that runs beneath the worksurface that allows both legs to raise and lower simultaneously; ships ready to assemble. These models are not applicable for L- or U-configurations.





Single Stage Dual Stage

Single-stage electric models features a two-column leg, that nests inside itself when in the lower positions.

Dual-stage electric models features a three-column leg, that nests inside itself when in the lower positions.

Connections



Field installed caster kits are available; however, they are not directly applicable to a 90° or 120° 3-leg base with center post. To create a mobile 3-leg table, order two caster kits, a return foot kit model 53KFKTR for the post leg, and hardware bag #2417313 (service parts) for screw to attach the foot and casters.

Related Products





Snap-on cable managers are available.
➤See page 134.

Adjustability:



Incremental Adjust
Range: 13"



Click Adjust
Range: 11 13/16"



Crank Adjust
Range: 17 11/16"
Cranks per inch: 12

Note: Worksurface is included in the height ranges shown above. Calculate kneespace by subtracting 3 5/16" from desired height to allow for worksurface and rails.



Single-Stage Adjust
Range: 18 7/8"
Lift Speed: 1.5" per sec.



Dual-Stage Adjust
Range: 26"
Lift Speed: 1.5" per sec

Load Capacity:

Note: Load capacity is defined as the recommended maximum distributed weight of items on or attached to the worksurface.

	Incremental or Click	*Crank or Electric*
BIFMA maximum load*	400 lbs.	400 lbs.
UL maximum load*	670 lbs.	135 lbs.
Max. load with casters	120 lbs.	120 lbs.
Maximum lift**		100 lbs.

* Static
** With or without casters; reflects the total weight allowed for the table to raise and lower

Integrating with Traxx® & Xsite®

Application Guidelines

and Fixed Wall Applications

Typical Configurations	➤See page 8
Undersurface Support Rails	46
Starter Bracket Product Information	54
Center-Mount Storage Product Info	56



Progressive Priority Wall-Mounted Traxx Application



Classic and Progressive/Classic Priority Wall-Mounted Traxx Application



Xsite-Mounted Center-Mount Overhead Cabinets



Structural Wall-Mounted Application



Structural Wall-Mounted Application with Bridge Kit

Guidelines:

- Progressive and Classic Priority worksurfaces and overhead storage can also be attached to Traxx using standard Traxx brackets. Traxx should be installed at heights that correspond with Cetra or Xsite panels.
  ➤See the Systems Price List.
- For 48"W and wider Progressive worksurfaces, undersurface support rails must be specified. When using U- or open-frame legs, undersurface support rails must be used regardless of worksurface width.
- For 48"W or wider Classic worksurfaces, additional support is required. If spanning 48"W or less, pedestals can be used for end support without support rails.
- Progressive Priority worksurfaces, excluding surfaces with knife rim on all four sides, can also be attached to Xsite Traxx.
  ➤See the Xsite chapter in the Systems Price List.
- Progressive Priority center-mount overheads can also be mounted on top of Xsite panels using two Xsite transaction counter support brackets. Overheads must be the same length or longer than the frame it will be placed over. For example, a 48"W center-mount overhead can be mounted above a 30"W Xsite frame; however, a 30"W center-mount overhead cannot be mounted onto a 48"W Xsite frame. Not for use on Xsite stackable panels.
- Footprint center-mount overheads can be mounted on top of Priority stanchion U-legs.
  ➤See the Systems Price List.
- Follow the standard overhead/panel guidelines in the Xsite Price List for further Xsite integration.
- Starter brackets can also be mounted directly to most interior walls, including steel or wood stud walls, masonry block, or solid masonry walls. IMPORTANT: It is the responsibility of the installer to ensure that the connection to the studs is adequate to support the worksurface load.
- When using pedestal starter brackets in a fixed wall application, you can connect a bridge kit to create a U-unit configuration. Connect the undersurface rails to U-legs, open-frame legs, fixed T-legs, or any style of storage.

Perks® Power/Data

Overview

For Use with Priority

Perks Power/Data Drawer	➤See page 65
Single-Circuit Power	67
Four-Circuit Power	68
Hardwire Power	71

IMPORTANT: The power/data products shown in this section are part of the Perks offering.
➤See Perks Price List to specify.

Perks power/data sliding drawer brings both power and data to the underside of the worksurface. Unlike fixed troughs or baskets, the drawer pulls out to allow routing of excess cabling once the initial connection has been made.

Mounting hardware is field installed

Metal knock-outs in the front face of the drawer can be removed as needed for data or electrical outlets.

Single-circuit, four-circuit, and hardwire electrical components are for use in power/data drawers.



Cut-outs on the ends (sides) of the drawer allow jumpers to exit for connection inside the next drawer.

Large cut-outs on the bottom of the drawer allow power in-feed to enter the drawer.

Data/telecommunication modules can be used in the power/data drawer bottom cut-outs or the knock-outs on the front or back of the drawer.

Data cables can also be routed in the drawer to service the workstation.

Flexchain (shown) or expandable cable manager, along with undersurface cable managers, are required to protect 8-wire components from physical damage.

Circuitry Options:

Power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.

Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed.
➤See page 67 for application guidelines.

Four-circuit components combine to form an 8-wire, 4-circuit, power system.
➤See page 68 for application guidelines.

Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes.
➤See page 71 for application guidelines.

Perks® Power/Data Drawers

Product Information

For Use with Priority

Power/Data Overview	➤See page 64
Single-Circuit Power	67
Four-Circuit Power	68
Hardwire Power	71

Details

IMPORTANT: The power /data products shown in this section are part of our Perks offering.
➤See Perks Price List to specify.

Power/data drawers are for use in open planning and freestanding applications. They are designed to work with 24", 30" and 36"W worksurfaces in single or back-to-back configurations.



Power/data drawer is powder-coated metal tray that mounts to the underside of a worksurface using two bent sheet metal drawer slides.



½" gap between the worksurface and the front and back edges of the drawer allows cords to exit. Cut-outs in the sides allow cables to pass to adjacent drawers.

Holes centered in the floor of the power/data drawer are provided to attach Perks laptop/equipment lock (model 99KLTCK).



Connections

In single worksurface applications, the power/data drawer should be inset 1" from the back of the worksurface.



Modesty panel must be located behind the power/data drawer to allow the drawer to extend forward toward the approach side of the worksurface for cable access.



Factory-installed grommets in benching worksurfaces are located so excess cabling will fall directly into the drawer.

Planning Factors

Specify the drawer size based on the width of the surface to which it will attach. Specify the drawer to be 10" shorter than the worksurface width to allow for it to mount inboard of the surface support. For example, specify a 62"W drawer for a 72"W worksurface. If using a surface with storage, base your calculation on the unsupported surface dimension to determine drawer size.

90° and 120° corner worksurfaces can accommodate a power/data drawer. Specify model 99K26PDD for use with a 90° corner support frame; specify model 99K26PDD or 99K32PDD, for use with 120° corner support frame.

Knock-Outs & Cut-Outs:



Knockouts in the front and back of the drawer are compatible with industry-standard data faceplates, such as Tyco/Amp, Panduit, ECA and Hubbell. Individual knockouts are 1⅜" x 2¹¹⁄₁₆". Data and telecommunication modules are the responsibility of the user.

Floor of the drawer features similarly sized prepunched cut-outs for additional electrical or data outlets. Use these cut-outs for hardwire applications. Receptacles placed in the drawer bottom cut-outs must be installed facing the floor.

Each knockout is 6" on center. Distance between knockouts is 3¼".

Surface Width	*Drawer Width**	*Front Knockouts*	*Small Bottom Cut-outs*	*Large Flexchain Cut-outs*
36"	26"	3	2	1
42"	32"	5	2	3
48"	38"	5	2	3
54"	44"	7	4	3
60"	50"	7	4	3
66"	56"	9	6	3
72"	62"	9	6	3
78"	68"	11	8	3
84"	74"	11	8	3
90"	80"	13	10	3
96"	86"	13	10	3

*corresponds to the model number 99K**PDD

Perks® Power/Data Drawers

continued

Power/Data Overview	➤See page 64
Single-Circuit Power	67
Four-Circuit Power	68
Hardwire Power	71



On 48" and 60"D worksurfaces (depicted above), power/data drawer can be located so that when the drawer is extended, it is located on the centerline of the surfaces. Both the 10" rectangular power/data center (KCU0810ELPDC) and the 40" rectangular power/data center (KCU0840ELPDC) will work in conjunction with the power/data drawer in this application.

➤See the Tables Price List for 10" and 40" power/data centers.

➤See page 101 for factory cutout options.

Note: Not available on all surface widths due to interference with support legs.



Depending on user electrical needs, one drawer can be shared in back-to-back configurations. Some users may require an individual drawer.



When using wire manager worksurfaces in back-to-back configurations, the power/data drawer can be shared between the users depending on user electrical needs. It should align with the wire manager. The drawer can extend forward to store the excess cabling under the wire manager.

Power/data drawers are not intended for use against a wall or in conjunction with Systems panels.

Related Products

Factory-installed grommets in worksurfaces are located so excess cabling will fall directly into the drawer.



Power/data center (99KPDCAM) may be mounted above the surface on 36"D worksurfaces with a power/data drawer.



Use of a power/data center on a 24" or 30"D surface in conjunction with single power/data drawer is not possible due to clearance.

Note: Use two smaller power/data drawers on a single worksurface to allow power/data center, clamp-mounted accessories, or through-grommet accessories to extend below the surface between the power/data drawers.

Receptacle Recommendations:

*Drawer Model 99K**PDD*	***Recommended Number of Receptacles*** *for Single-Circuit Configurations*	*for Four-Circuit Configurations*
26	2	2
32	4	2
38	4	2
44	4	2
50	6	4
56	8*	4
62	8*	4
68	8*	4–6
74	8*	4–6
80	8*	4–6
86	8*	4–6

*Limited by circuit availability.

Perks® Single-Circuit Power

Application Guidelines

Power/Data Overview	➤See page 64
Perks Power/Data Drawer	65
Four-Circuit Power	68
Hardwire Power	71

IMPORTANT: The power/data products shown in this section are part of our Perks offering.
➤See Perks Price List to specify.

Perks power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or four-circuit; they cannot be used interchangeably.

Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of eight duplex receptacles per power in-feed.

All single-circuit components are U.L. 962 Recognized and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.
Note: Any field modification of the electrical components voids the U.L. listing.

The following components comprise the single-circuit system:
- Power in-feed
- Duplex receptacles with an attached 12" modular feed
- 12", 24", 48", 74", 96" and 120" jumper cables

For ease in installation, jumper cables feature a squeeze-latch connector and will only plug in one way.

Power in-feed is a 10' cord with a "smart box" that monitors the number of receptacles connected. The system will automatically shut off if more than eight receptacles are plugged into the power in-feed. One end of the cord features a three-prong plug that plugs into a standard 110 volt, 15 amp wall or floor outlet.

12" and 24" jumper cables connect duplex receptacles inside the power/data drawer.



48" jumper cables can be used to connect one power/data drawer to another. They can span over one Progressive Priority 15"W pedestal.

74", 96", and 120" jumpers are for use when spanning over Priority Progressive storage.

Power in-feed sits on the bottom of a power/data drawer.

Duplex receptacle

Duplex receptacles snap into the power/data drawer. Receptacles feature a 12" modular feed with a double-out interface. Power is brought to the receptacle by a power in-feed or jumper cable, and power is passed to adjacent components by a jumper cable forming a daisychain.
➤See page 66 for receptacle recommendation chart.

Jumper cables feature a squeeze-latch connector.

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.

For jumping between receptacles inside a power/data drawer, 12" jumpers are recommended for drawers that are 50"W or smaller; 24" jumpers are for 56"W and wider drawers.

In 120° applications, 24" jumper cables can be used to jump from one power/data drawer to another.

Jumpers must be secured every 24" when spanning under the worksurfaces.

This system should not be plugged into a GFCI outlet receptacle. The single-circuit system contains an overload breaker, and the sensing circuit in the "smart box" can affect the sensitivity of a GFCI power feed, causing the GFCI duplex receptacle to trip.

Single-circuit mini-adapt power module features an 18" modular feed with a double-over interface. The unit contains two receptacles for desktop power access. A hand-tightened clamp on the back of the unit allows flexibility for positioning it at the back of the worksurface.

Perks® Four-Circuit Power

Application Guidelines

Power/Data Overview	➤See page 64
Perks Power/Data Drawer	65
Single-Circuit Power	67
Hardwire Power	71

Perks power/data drawers accept single-circuit or four-circuit electrical components. Components are specific to either single or four-circuit; they cannot be used interchangeably.

Four-circuit components combine to form an 8-wire, 4-circuit, power system.

All four-circuit components are U.L. 1286 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.
Note: Any field modification of the electrical components voids the U.L. listing.

The following components comprise the four-circuit system:
- Hardwire power in-feeds (two options) or ceiling power entry
- Power distribution assemblies
- Duplex receptacles
- Jumper cables

For ease in installation, the connectors will only plug in one way.

There are three ways to bring power to the system:
- 10' floor/wall power in-feed;
- Modular wall starter and modular 10' power in-feed; or
- 12' ceiling power in-feed

IMPORTANT: Power in-feeds entering the power/data drawer from the floor or wall must be secured/protected by a flexchain, expandable cable manager, vertical cable manager, or secured to the legs.



Floor/wall power in-feed features a 10' liquid tight conduit with a pigtail on one end that must be wired by a licensed electrician to a wall or floor-mounted junction box. The other end features a single squeeze-latch connector to attach to a power distribution assembly.

Modular wall power in-feed features a 10' modular conduit with a squeeze-latch connector on each end. One end must connect to modular wall starter, specified separately, the other end connects to a power distribution assembly. Modular wall starter must be wired to building power by licensed electrician.
Note: This modular power in-feed option allows you to unplug the cable from the wall and store away when not in use.

Ceiling power in-feed features a 12' flexible, galvanized metal conduit with a pigtail on one end that must be wired by a licensed electrician to a junction box in the ceiling. The other end features a single squeeze-latch connector to attach to a power distribution assembly.

Power/Data Overview	➤See page 64
Perks Power/Data Drawer	65
Single-Circuit Power	67
Hardwire Power	71



Power/data flexible ceiling pole is available to conceal ceiling power in-feed and other data cables. Pole is a flexible, metal conduit. Outer diameter of pole is 2 1/8"; inner diameter is 2".



Trim plates can be specified for field installation to conceal the intersection of the flexible ceiling pole at the ceiling and worksurface.



Power distribution assembly supplies power for four duplex receptacles within a power/data drawer. Power distribution assemblies are 36" long.



Duplex receptacles feature a 12" flexible, metal conduit and a single squeeze-latch connector to attach it to the power distribution assembly.

Receptacle models are numbered 1, 2, 3, 4, or 5 to correspond to the circuit to which they will provide access.

Jumper cables feature a squeeze-latch connector on each end and are available in 24", 36", 48", 74", 96" and 120" widths. Jumpers are encased in a flexible, galvanized metal conduit.

Use 24" and 36" jumper cables inside the power/data drawer to connect power distribution assemblies and duplex receptacles.

When planning jumper cable lengths to connect two adjacent power/data drawers, calculate that an additional 24" of the cable is required inside the drawers (12" per drawer) to make connection to the receptacles' modular feeds.

Use a 48" jumper cables to connect a two power/data drawers on adjacent surfaces. 48" jumpers may also be used to span over one Priority Progressive 15"W pedestal.

78", 96", and 120" jumpers are for use when spanning over Priority Progressive storage.

Jumpers must be secured every 24" when spanning under the worksurfaces.

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.

Duplex receptacles used for both types of wiring configurations are the same. This simplifies specifications and allows a faster understanding of the system.
➤See page 66 for receptacle recommendation chart.

A maximum of 13 duplex receptacles can be accommodated per circuit.

3 and 1 (8-wire):



- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Power/Data Overview	➤See page 64
Perks Power/Data Drawer	65
Single-Circuit Power	67
Hardwire Power	71

The 8-wire, four-circuit configuration provides up to four circuits. Ideally a 4-wire, WYE, 208 volt service provides the best utilization.







Hardwire Power

Power/Data Overview	➤See page 64
Perks Power/Data Drawer	65
Single-Circuit Power	67
Four-Circuit Power	68

City of Chicago:

The City of Chicago requires that an electrician hardwire the electrical components to the furniture. The electrician can install hardwire boxes into the bottom of the power/data drawer utilizing the pre-punched rectangular cut-outs. Holes for attaching the duplex to the hardwire box are also provided.

Hardwired receptacles must be placed in the drawer bottom knockouts and be installed facing the floor.

Flexible galvanized metal conduit is recommended so that the power/data drawer can still be extended for excess cable storage.



City of New York:

The City of New York requires that an electrician to make the connection from the floor entry to the modular electrical system. The electrician can wire the floor/wall power in-feed hardwire boxes into the bottom of the power/data drawer using the pre-punched rectangular cut-outs. Power entry for NYC (model 99KP4FPFNYC) includes a modular floor/wall power in-feed, hardwire box and lid, 2' galvanized metal conduit to encase the power in-feed (not shown), and cover plate.



IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

Hardwire components are also available to allow field hardwiring of power within the power/data drawer where required by local codes.

Assembled & Modular Casegoods

Overview

Statement of Line ➤See page 22
Assembled Casegoods Product Info 73
Modular Worksurfaces Product Info 74
Finishes & Materials 209

Fully assembled and modular casegoods fit an extensive range of design, application, space, and budget challenges.

Wood veneers on wood and laminate with wood rim models are carefully selected and matched to assure proper balance and consistency.

Chassis and drawer/door fronts on laminate models feature thermally fused laminate (TFL). Grain direction runs top to bottom.

Laminate models offer great flexibility in finish selections. The worksurface, rim, drawer/door fronts, and chassis may be specified in different colors.

Pedestals are full height and letter width on assembled units. They connect directly to surfaces.

Drawer fronts are ¾"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.



Worksurfaces are 1 3/16"-thick, 3-ply, balanced construction and available in wood or high-pressure laminate (HPL).

Worksurface rims are ⅛" thick. Softened and reed rim profiles appear on all four edges of the worksurface. Knife rim profile appears on the user edge and overhangs by 1¼"; side and back edges are flat.
Exception: Desks feature knife rim on the approach and user sides.

Hinged access doors allow access to cable routing compartment. Both single- and double-pedestal desks feature two access doors, one on the left and one on the right on the approach side.

Opening below hinged access door allows cord to enter or exit the cable routing compartment on the approach side.

Materials:

W Wood worksurface, rim, and chassis
LW Laminate worksurface, wood rim and wood chassis
L Laminate worksurface, PVC rim, and chassis

Worksurface Rim Profiles:



P Softened PVC rim



F Softened wood rim

M Reed wood rim

S Knife wood rim

Laminate models are available with a softened PVC (P) rim profile. Wood and laminate/wood rim models are available with a softened (F), reed (M), or knife (S) rim profile.

Pull Options:

➤See page 76.

Statement of Line	➤See page 22
Overview	72
Pricing	135
Finishes & Materials	209

Details

Exterior wood surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies
- Zebrawood premium composite veneer; upcharge applies

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.

Drawer fronts are ¾"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.

Drawer sides and back are ½" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Optional wood drawers are available on wood and laminate with wood rim/chassis units. Drawer sides and back are ½" thick with veneer faces. Bottoms are ¼" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear durable topcoat.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box, file, and lateral file drawers feature full extension slides.

Black filing rods are standard in all file drawers to accommodate various filing requirements.
➤See page 237 for filing capabilities.

Face-mounted locks are standard on all desks, credenzas, returns, and undersurface pedestals. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.
➤See page 232 for lock information.
Note: Details above also apply to Priority Classic modular worksurfaces, support, and storage.



Technology Features

Hinged access doors allow access to cable routing compartment. Both single and double pedestal desks feature two access doors, one on the left and one on the right on the approach side.

Opening below hinged access door allows cord to enter or exit the cable routing compartment on the approach side.

Structural panel separates the drawers from the cable routing compartment to prevent unwanted access to the drawer contents.

Hinged modesty panel, standard on assembled bridges, returns, kneespace, and single pedestal credenzas, swings inward to allow access to wall outlets. It lifts from the floor and is held in place by leveling feet.



Black half-round grommet is available factory installed at the top center of hinged modesty panels; upcharge applies.



Cord openings are standard on fully assembled desks on the kneespace side of each pedestal just below the worksurface, as well as on the user's side of end panels on single-pedestal desks and single-pedestal credenzas for routing cables to return units.



Two cord openings with black grommets—one in the back lower corner of each pedestal side panel—are standard on assembled returns and credenzas.

A variety of factory-installed worksurface grommet options are available.
➤See page 150.

Connections



Returns and bridges with knife rim profile have a reverse knife edge on abutting edges to provide a flush fit with the adjoining surface.



Flush installation Recessed installation

Hinged modesty panels can be installed in a flush or recessed location. Flush installation visually lines up modesty panel with the adjoining side panels for an exposed orientation. Recessed installation insets modesty panel 6" from the back edge of the worksurfaces to create an area to store cords and cables. Recessed modesty panel allows the whole unit to be placed flush against the wall.

IMPORTANT: Single-pedestal desks and single-pedestal credenzas are not intended for use as standalone units.

Modular Worksurfaces

Statement of Line	➤See page 22
Overview	72
Pricing	145
Finishes & Materials	209

Details

Modular worksurfaces are sized in 6" increments that correspond to Priority pedestals and storage. Appropriate bracketry is included. They are available in laminate, laminate with a wood rim, and wood.

IMPORTANT: Fully assembled models and modular components may be used together in the same configuration.



P Softened PVC rim | **F** Softened wood rim | **M** Reed wood rim | **S** Knife wood rim

Laminate models are available with a softened PVC (P) rim profile.

Wood and laminate/wood rim models are available with a softened (F), reed (M), or knife (S) rim profile.

Attachment brackets based on the application specified are standard on all worksurface shapes.

Connections



Note: Arrows on illustration indicate grain direction.

Modular worksurfaces are interchangeable; however, to receive the correct brackets, the application—main (M), extension (E), or filler (F)—must be specified. Main surfaces receive no attachment hardware; extension surfaces receive 2 flat brackets; and filler surfaces receive 4 flat brackets.
➤See pricing pages for bracketry options by worksurface shape.

If the application or position of the worksurface needs to be changed, it can be accomplished by changing the bracketry.
Exception: All desk worksurfaces must be used as a "main" worksurface.

24"D rectangular worksurfaces are for use with 24"D pedestals.

Worksurfaces can be scribed on site to conform with oblique angles, irregular column placement, and historical preservation guidelines. These are just a few instances where this capability becomes an asset.



Filler and extension surfaces with knife rim profile have a reverse knife edge on abutting edges to provide a flush fit with the adjoining surface. Back and exposed side edge of extension worksurfaces are flat.

Main knife rim worksurfaces cannot be used adjacent to a corner worksurface.

Planning Factors



The maximum recommended span of an unsupported worksurface is 48" using Classic storage and support; longer distances require additional support.

A variety of factory-installed worksurface grommet options are available.
➤See page 150.



The maximum span for an unsupported worksurface can be extended to 96" between Classic pedestals, end panels, or storage units by utilizing Progressive starter brackets and appropriately sized undersurface support rails. Starter brackets would be placed at the side of the storage unit and/or end panels even with the top of the pedestal. Rails would connect to starter brackets at both ends. Storage units will be defaced.
For example: To span 72" unsupported, specify a 72"W (nominal) undersurface support rail and a starter bracket for each storage unit/end panel.
➤See the Progressive planning section for more information.

Consider the load a worksurface will carry when planning support. Additional support is recommended for surfaces where heavy equipment will be placed. Support can be placed where needed without the limitations of predrilled or predetermined locations.
➤See following page for modular support product information.

Modular Support

Statement of Line	➤See page 22
Overview	72
Pricing	157
Finishes & Materials	209

Details

IMPORTANT: Fully assembled models and modular components may be used together in the same configuration.

Modular support components are designed to support classic worksurfaces.



End supports can support the non-pedestal end of a worksurface to create a single pedestal desk or credenza for use in an L- or U-configuration. End support consists of an end panel, back/modesty panel, and two support panels. The support panel on the front user's side include a cutout for routing cables from the desk to a return. End supports for use with 24" or 25" worksurfaces include a second cutout on the kneespace support panel.

Undersurface pedestals, low storage with support drawers or shelves, and modesty panel/cable surround can also support the end of worksurfaces.

➤See page 25 for Classic storage components.
➤See page 78 for Progressive/Classic storage components.



Hinged modesty panels are for use in conjunction with undersurface pedestals and worksurfaces to create an enclosed kneewell. A black half-round grommet is available factory-installed at the top center on hinged modesty panels; upcharge applies.



Classic height-adjustable U-leg is 27¾"H and adjusts from 24¾"–32¼" in ⅜" increments. U-legs can be used to displace wood end panels on desks, returns or modular return and extension worksurfaces; not intended for use to create a freestanding table. End U-legs are available in 24", 30", and 36"D. Mid-support U-leg is 10"D and is for use on 24"D, 30"D, and 36"D surfaces only. All adjustable U-legs feature a button that indexes into notches in the inner leg member. By depressing the button, the leg releases the lower leg assembly. This gives the user the ability to change the height as needed throughout the day. Legs can be used with classic Priority, Definition or Footprint worksurfaces. For 1⅜16" worksurfaces, support is required every 48"; for 1⅝16" worksurfaces, support is required every 60".



Hinged modesty panels are used to build bridges and returns along with worksurfaces and pedestals.



Full-height wood or laminate modesty panels are for use in conjunction with rectangular, P-shaped, or U-shaped worksurfaces, an end panel, and a square metal column base or wood half-cylinder base. Grain runs horizontal on laminate model. Field installation of grommets is recommended to ensure placement of the grommet on the user's side of the modesty panel.



Partial-height glass modesty panels are for use in with P-or U-shaped worksurfaces, an end panel, and a square metal column base or wood half-cylinder base.



T-leg end panels can also be used to support the end of a worksurface when there is no pedestal. Modesty panel cannot be used in conjunction with T-leg end panels. They cannot be used with a modesty panel.



5" and 11" T-leg end panels are for use on top of low storage to support worksurfaces. 5"H model sits atop 22"H storage; 11"H model is for use with 15"H storage. Component top is required.

Connections

Hinged modesty panel always spans between two pedestals or between a pedestal and an end-support panel. It cannot extend behind the back of a pedestal. They attach to the underside of the worksurface and do not deface the sides of adjacent pedestals. They can be installed flush with pedestal back or recessed. Hinge feature on modesty panels allows easy access to wall power.



Corner-support panels are used with corner worksurface. Assembly includes modesty and wing support panels. Corner worksurface is specified separately.

Planning Factors



The maximum recommended span of an unsupported worksurface is 48"; longer distances require additional support.

Consider the load a worksurface will carry when planning support. Additional support is recommended for surfaces where heavy equipment will be placed. Support can be placed where needed without the limitations of predrilled or predetermined locations.



12"D worksurface mid-support panel (model 53K1128SSW) can be used for additional support. Worksurface support panel does not allow modesty panel to hinge forward. Back edge is chamfered for cable management.

Statement of Line ➤See page 22
Overview 72
Pricing 151
Finishes & Materials 209

Details



Classic undersurface pedestals feature an open top or unfinished and a fully finished back panel. Pedestals connect directly to worksurfaces. Undersurface pedestals are available as:

- Box/box/file
- File/file
- Two-drawer lateral file
- Multi-file
- Hinged-door storage
- Printer/CPU storage

IMPORTANT: Classic storage models with open tops must be used with Classic modular worksurfaces, specified separately; they cannot be used with Progressive knife rim worksurfaces.

Three-drawer and four-drawer lateral files with open top are also available. These models have an unfinished back.

Locks are located in the upper right corner of the top drawer face.



Printer/CPU storage organizes printers, CPUs, and paper for easy accessibility.



Support drawers and shelves can be used as support on top of low storage. 5"H support drawer unit is for use with 22"H low storage; 11"H support shelf is for use with 15"H low storage. They replace the need for a T-leg end panel as worksurface support on low storage. Component top for low storage must be specified.

Finished top two-, three-, and four-drawer lateral files feature an interlock mechanism that allows only one drawer to be open at a time. Two-drawer units feature a finished back and cord openings; three- and four-drawer units have an unfinished back and no cord openings.



24"D pedestals feature two cord openings with black grommets—one in the back lower corner of each side panel.

30" and 36"D hinged-door pedestals include one fixed shelf and no cord openings.

Connections



Ganging adjacent lateral files is recommended.

Planning Factors

Classic undersurface pedestals can support the end of Classic worksurfaces. Pedestal depth must match desk worksurface end depth.



Hinged modesty panel always spans between two pedestals or between a pedestal and an end-support panel. It cannot extend behind the back of a pedestal.

Pull Options:



89 Studio



91 Niche



90 Trinity (+$26 per unit)

61 Helix



63 Link



64 Wisp

Available finishes:
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

IMPORTANT: Specify pull option and finish together in one step, inserting an underscore between.
Example: 89_514 = Studio pull, carbon metallic

61 Helix



63 Link

64 Wisp

Available finish:
SF Silver Frost Metallic

IMPORTANT: Specify pull option and finish together in one step.
Example: **61SF** = Helix pull, silver frost metallic

Boring patterns:

Studio	192mm
Niche	96mm
Trinity	160mm
Helix	160mm
Link	160mm
Wisp	190mm

Storage & Tables

Overview

Furniture that works in both Classic & Progressive applications

Typical Configurations	➤See page 8
Statement of Line	28
Base Requirements	87
Finishes & Materials	209

Products in this section are universal to both Progressive and Classic styles. Items not mounted below the worksurface, such as low storage, overheads, highback organizers, vertical storage, and tables, can complement both classic and progressive office layouts.

Overheads, highback organizers, and set-on-surface storage are available in a variety of door selections.

Modesty panel/cable surround conceals power and data below the surface and can also provide support in progressive and classic applications.

Utilize low storage for storage, extra work area, occasional seating and to divide space.



Vertical storage can be used in private office, open plan, and benching applications.

Low storage, when used with component worksurfaces and additional support such as a short end panels or modesty panel/cable surround, can provide support for worksurfaces and create a layered affect to the workstation.

Face-mounted locks are standard on all undersurface storage and optional on storage doors above the worksurface.

Progressive/classic overheads can be wall-mounted or Traxx-mounted as shown here.

Stand-alone tables utilizing fixed, round, or square bases complete the office.

➤See page 6 for Progressive and Classic distinctives.

Pull Options:



89 Studio



91 Niche



90 Trinity (+$26 per unit)

61 Helix



63 Link



64 Wisp

Available finishes:
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

IMPORTANT: Specify pull option and finish together in one step, inserting an underscore between.
Example: 89_514 = Studio pull, carbon metallic

61 Helix



63 Link

64 Wisp

Available finish:
SF Silver Frost Metallic

IMPORTANT: Specify pull option and finish together in one step.
Example: **61SF** = Helix pull, silver frost metallic

Boring patterns:

Studio	192mm
Niche	96mm
Trinity	160mm
Helix	160mm
Link	160mm
Wisp	190mm

Undersurface & Low Storage

Product Information

Abbreviation Key	➤See page 00
Product Information	00
Finishes & Materials	00
Locking Information	00

Details

Pedestals and low storage units are available in wood or laminate and are finished on all sides. Laminate units offer flexibility in color selection in on drawer fronts, back and chassis. This option enables you to utilize storage elements to create an environment to meet your brand and image.

Anti-tip mechanism and lock are standard on all mobile pedestals and low storage with drawers. Mobile low storage units also include counterweights.

Mobile cushion-top pedestal provides occasional seating as well as storage. The 24"H box/file mobile pedestal easily stows under surfaces in both progressive and classic applications.

Mobile box/box/file and file/file pedestals stow under surfaces in Classic applications only. IMPORTANT: In Progressive applications, these pedestals interfere with the undersurface support rails; they can be used next to a progressive surface but not underneath.

23"H active file provides two divided sections in the top area to place papers and folders for easy access to work-in-progress. The open slot in the rear of the pedestal allows for hanging Pendaflex® folders for hot project files. Lock in bottom drawer locks both box and file drawer. Active file easily stores under surface of Progressive and Classic offices.



Low storage is available freestanding or mobile. Units are available in two heights (15 3/16" and 21 3/8"H), two widths (30" and 36"W), and in two depths (16" and 24"D). Low storage is available in a variety of configurations, including open bookcase, open/lateral file and box/lateral file.



Mobile low storage units feature inset casters enabling the mobile and freestanding units to align when sitting next to each other. Mobile low storage cannot be used to support worksurfaces or other storage.

Priority low storage bottom drawers align with other Priority storage units to keep a consistent visual within the office.

Connections

Use component tops to span multiple low storage units for a cleaner aesthetic.

15"H open bookcase features three holes spaced 3 3/16" apart and accepts either three straight or organizer shelves, specified separately.



22"H open bookcase features a fixed shelf. There are two holes spaced 3 3/16" apart above the fixed shelf to accept either two straight or organizer shelves. There are 3 holes below the fixed shelf to accept either three straight shelves or organizer shelves, specified separately.



22"H open/lateral file unit accepts either two straight or organizer shelves in open area. If using as a pedestal cushion or component top with an open/lateral, shelves cannot be used in the top position.

Planning Factors

Component tops in either softened or knife rim are required for the box/lateral file units. Knife rim component tops extend ¼" beyond the drawer fronts.

If using low height storage in conjunction with end panels for support, 1 3/16" component tops are required to span the low storage. 5" or 11" end panels are then placed atop the storage and properly align to undersurface height.

If using low height storage as freestanding units, component tops are required for the box/lateral unit but not required on other units.

Low storage cushion, specified separately, is the same thickness as the component tops (1 3/16") for visual alignment. In depth, the pedestal cushion aligns with the drawer fronts on the low height storage.

Open areas in the low storage accept either straight or organizer shelves. Organizer shelves should be installed with the organizer leg pointed downward. To add color contrast to units, specify shelves in different finish or material than the low storage unit.

33"H highback organizers can be used above freestanding, fixed-height low storage with component tops to divide space and provide additional storage.

If using low storage in a freestanding application without component tops or with a high-back organizer, pedestal ganging bracket (KACGB1) is recommended.

Modesty Panel/Cable Surround

Product Information

Overview	➤See page 77
Statement of Line	29
Pricing	173
Finishes & Materials	209

Details

Modesty panel/cable surround is available in wood 6"H or 12"H models to conceal power and data cables below the surface.

Modesty panel/cable surround can be used in either Progressive or Classic applications. It features 1 3/16"-thick end panels and 3/4"-thick modesty panels.



Planning Factors

For Progressive applications, specify starter bracket and appropriately sized undersurface support rails for the worksurface. Starter bracket should be mounted flush to the top edge of the surround. The “floating top” appearance will be only on the opposite end where the end panel or leg connects to the surface.

For Classic applications with unsupported spans of 48" or greater, the surround can be used as an end panel above low storage, connecting to a starter bracket mounted flush to the top of the surround. Undersurface support rails would have to be used to connect to a solid end panel or storage on the opposite side. For unsupported spans of less than 48"W, additional support is not required.

Modesty panel/cable surround also functions as an end panel when used with low storage. A component top must be specified for low storage for this application.

Overhead Storage

Overview	➤See page 77
Statement of Line	30
Pricing	174
Finishes & Materials	209

Details

Overhead storage cabinets are 16"D and with wood or laminate chassis.

Sliding-door overhead cabinets are 16"H and available in widths from 30"–72". They feature one non-locking, solid or writable glass door that can slide from side to side. One side of the unit will be open at all times; center panel divides the space.

Hinged-door overhead cabinets are available in 30", 36", 48", 60", 66", and 72" widths. These 19"H units offer solid, opaque glass, or writable gass doors.

Finished inset top, finished bottom, and apron rail conceal lighting.

2 door



3 door



4 door

Hinged-Door Configurations:

- 30"W and 36"W overhead storage cabinets have 2 doors.
- 48"W overhead storage cabinets have 3 doors.
- 60"–72"W overhead storage cabinets have 4 doors.

Note: A support panel divides the interior into separate sections as indicated above.



Wood hinged four-door models feature one set of doors with matching grain pattern; laminate models feature two sets of two-doors that match.

Back panels are inset between the end panels on both wall-mount and Traxx-mount models for a neat appearance.

Connections

Overhead storage cabinets can be Traxx or wall mounted. 30"W overheads must be supported by at least two solid attachment points on a wall. 36"W must be supported by at least three solid attachment points on a wall. 48", 60", 66", and 72"W overheads must be supported by at least four solid attachment points on a wall.

Wall-mount models include attachment brackets and rail.

Traxx-mount models include an attachment bracket. Traxx and tiles must be specified separately.

Related Products

Interior shelves, specified separately, are available for wall-mount sliding door overheads to enhance organization.
➤See page 175.

Glass Pattern/Door Frame Finish:

- Opaque Frost glass (11) with Silver Frost frame (510); available on hinged-door models only
- Ice Gloss Writable Glass (202G) with Silver Satin frame (511)

Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.

Highback Organizers

Overview	➤See page 77
Statement of Line	30
Pricing	176
Finishes & Materials	209

Details

Sliding-door highback organizers feature a wood or laminate chassis and one non-locking, solid or writable glass door that can slide from side to side. One side of the unit will be open at all times; center panel divides the space.



33"H sliding-door models are available in 60", 66", or 72" widths. Back is finished and the area below the cabinet is open for use in open plan applications.



38"H sliding-door models are available in 60", 66", 72", 90", and 96" widths. Back is unfinished and is for use in private office applications. Back panel features three black plastic grommets with cover (one at top center and one in each lower corner).

Grain direction on laminate backs 60"W or wider runs horizontally.



Hinged-door highback organizers are available in widths ranging from 60"–108"; they are 38"H (nominal). Back is unfinished for use in private office applications. These units are offered with solid, opaque glass, or writable gass doors.



4 door



6 door

Hinged-Door Configurations:

- 60"–72"W overhead storage and highback organizers have 4 doors.
- 90"–108"W highback organizers have six doors.

Note: A support panel divides the interior into separate sections as indicated above.

Wood hinged four-door models feature one set of doors with matching grain pattern; laminate models feature two sets of two-doors that match.

Finished, inset top and apron rail conceals lighting.

Back panels on overhead storage cabinets are inset between the end panels on both wall-mount and Traxx-mount models for a neat appearance.

Connections

33"H highback organizers can be used above freestanding, fixed-height low storage with component worksurfaces to divide space and provide additional storage.
➤See dimensions and illustrations at right.

If using low storage in a freestanding application without component tops or with a highback organizer, pedestal ganging bracket (KACGB1) is recommended.

Highback organizers require proper support, such as non-adjustable legs, end panels, or pedestals directly under the worksurface where the end panel of the highback rests.

Planning Factors



Highback organizers can be specified with set-on-surface storage to create a variety of configurations.

Related Products

38"H highback organizers accept slat tiles or tackboards, specified separately.

Dimensions:





Glass Pattern/Door Frame Finish:

- Opaque Frost glass (11) with Silver Frost frame (510); available on hinged-door models only
- Ice Gloss Writable Glass (202G) with Silver Satin frame (511)

Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.

Set-on-Surface Storage

Overview	➤See page 77
Statement of Line	31
Pricing	180
Finishes & Materials	209

Details



Set-on-surface bookcases are for use on top of worksurfaces. Chassis is 16"D and available in wood or laminate. Single-door, double-door, and open bookcase models feature two ¾"-thick shelves; top shelf is adjustable.

Set-on-surface organizers can be used in conjunction with set-on-surface bookcases, highback organizers, and overheads.

Doors are available in solid, opaque glass, and writable glass options. Glass doors are non-locking.

Connections

Ganging adjacent units is recommended. Ganging bolts are included.



Planning Factors

Set-on-surface models align with highback organizers for a clean aesthetic.

Nominal widths of 15", 18", 30", and 36" can be used together to create a workwall. Bookcases and organizers can be used together.

IMPORTANT: Set-on-surface storage is not intended for freestanding applications.

Related Products



Project trays, specified separately, are available for use in 18"W set-on-surface organizer models; they will accommodate up to five project trays.
➤See page 182.

Glass Pattern/Door Frame Finish:

- Opaque Frost glass (11) with Silver Frost frame (510); available on hinged-door models only
- Ice Gloss Writable Glass (202G) with Silver Satin frame (511)

Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.

Vertical Storage

Product Information

16"D

Overview	➤See page 77
Statement of Line	32
Pricing	183
Finishes & Materials	209

Details

16"D vertical storage is available in space divider and bookcase/lateral file models. Both are offered in laminate or wood.

➤See applicable price list for additional information on options.



Space divider vertical storage units provide storage as well as side-to-side privacy. These units can be positioned so that the overhead section spans above the worksurface while the box/lateral file spans below the surface; open area is 11 9/16". Units are 16"D x 29 15/16"W and 48 7/8"H and available in left or right orientation. Units feature a two piece, non-matched back panel set for the upper and lower sections.

Each space divider unit consists of:

- Bottom section with a wide box/lateral file with lock in bottom drawer; anti-tip device is standard in bottom drawer.
- Middle section with cubby area on one side (with back panel on full back model) and open area on the other.
- Top section with hinged door on one side and cubby area on the other.





Bookcase with two-drawer lateral files are available in nominal heights of 50", 67" and 80"H in wood or laminate. Lock in top drawer position. These units can be used to divide space in open plan areas. Units feature finished backs with finished inset top. Full back units for the 67" and 80"H units feature three-piece matched back panel set. Partial back units have open center sections and feature two-piece non-matched back panel sets.

All bookcase vertical storage models accept straight or organizer shelves in 20 9/16"H center area, specified separately. 50"H units feature bookcase area with five holes spaced 3¼" apart. 67" and 80"H units feature center section with five holes spaced 3¼" apart.

Top section with center divider is available with one sliding door (non-locking) or two hinged doors in wood, laminate or writable glass. Hinged doors feature pulls in vertical position with locking or non-locking doors. Top section has 7 holes on 67"H model or 17 holes on the 80" model, spaced 1¼" apart to accept straight interior shelves for additional organization.

Connections

IMPORTANT: **All units must be ganged** with provided ganging bolt and are not intended for use as a single, freestanding unit.

Starter brackets, specified separately, can be attached to back of unit. Starter brackets connect to undersurface support rails to support surfaces, displacing the need for a support leg on that side. Storage unit will be defaced.

➤See page 54 for starter bracket planning information.

Planning Factors

Units are designed so that the middle sections align with worksurface heights; see illustration at left.



Center Back Panel
Installed on Opposite Side

Specify back panels separately in a different material or finish to add a band of color to the center section to create a non-monochromatic aesthetic. Center back panels on full-back models can be removed in the field and replaced with another in a different material or finish, or moved to the front of the unit, exposing the center section to the opposite side.

Vertical Storage

Product Information

24" and 30"D

Overview	➤See page 77
Statement of Line	32
Pricing	190
Finishes & Materials	209

Details

24" and 30"D vertical storage is available in a variety of shelf, door, drawer, and wardrobe configurations.



Open bookcase with letter-width file drawers have finished inset top and are 23½"D and 14 15/16"W. Three height options: nominal 42" and 50"H units have finished backs and one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf.





Front access vertical storage towers with finished inset top are available in left or right configurations and in nominal heights 42", 50", and 67". Nominal 42" and 50" H units have finished backs for use in open plan. Select from either box/box/file or file/file letter width drawer options with lock. Shelf storage above drawers include and one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf. Wardrobe area in applicable models includes removable coat rod and one fixed shelf 12" above bottom panel; interior width is 7⅞"W. Door pulls are in vertical application and feature optional locking.



Side-access bookcase vertical storage towers with finished inset top are available in left or right configurations and in nominal heights 42", 50", and 67". Nominal 42" and 50"H units have finished backs for use in open plan. Select from either box/box/file or file/file letter width drawer options with lock. Shelf storage above drawers includes one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf. Wardrobe area includes removable coat rod and one fixed shelf 12" above bottom panel; interior width is 7⅞"W. Door pulls are in vertical application and feature optional locking.



Side-access wardrobe units are 29 11/16"D and are intended for end-of-run applications with wardrobe sections facing outward in left or right configurations. Available in nominal heights of 42", 50", and 67" with finished inset tops. 42" and 50" units have finished backs for use in open plan; 67" units have unfinished backs. Units are 15"W with either letter width box/box/file or file/file configurations with lock. Front-access single-door storage area has one adjustable shelf on 50"H units; and one fixed and one adjustable shelf in 67" units. Wardrobe area is 7⅞"W; 42" wardrobe has one coat hook while the 50" and 67" units contain removable coat rod and fixed shelf 12" above bottom panel.



Single- and double-door units are 68"H nominal heights feature combinations of shelf storage. Single-door units are 18" or 30"W nominal with left or right hinged doors with shelf or wardrobe storage. Double-door units offer combinations of shelves and lateral file or shelves and wardrobe. All doors are optional locking; drawers are standard locking.

Connections

Starter brackets, specified separately, can be attached to back of unit. Starter brackets connect to undersurface support rails to support surfaces, displacing the need for a support leg on that side. Storage unit will be defaced.

➤See page 54 for starter bracket planning information.

Planning Factors

Units are designed to complement Progressive and Classic applications.

When using storage in place of support legs, be aware of starter bracket location. In Progressive applications, bracket is mounted ¾" higher than in Classic applications.

Overview	➤See page 77
Statement of Line	33
Pricing	196
Finishes & Materials	209

Details

Freestanding shelving units are available in 42" or 50"H with finished backs. Shelves are ¾" thick. These units align with other vertical units and can be used to divide space as well as provide storage. Top section accepts straight and organizer shelves or can remain open for binder storage.

Freestanding bookcases are available with arc front or straight front in laminate or wood. These units have finished inset tops and unfinished backs. Shelves are ¾" thick. Both straight and arc front models are 35⅞" wide and feature 11⅞" shelf openings when shelves are in center position unless otherwise noted.



42"H shelving unit accepts up to four organizer shelves and one straight shelf. Straight shelf must always be used in top position. One adjustable shelf can be positioned up or down 1¼"; shelves are ¾" thick. 11⅞" shelf openings when shelves are in center position (excluding top section). Accommodates five straight shelves or four organizer shelves, and/or component top.



50"H unit accepts up to two organizer shelves and one straight shelf. Straight shelf must always be used in top position. Two adjustable shelves can be positioned up or down 1¼"; shelves are ¾" thick. 11⅞" shelf openings when shelves are in center position (excluding top section). Top area holds two organizer shelves or three straight shelves, and/or component top.



Straight front units are 15³⁄₁₆"D and feature adjustable shelves as noted below that can be positioned up or down 1¼".

- Two-shelf unit features one adjustable shelf and is 27⁹⁄₁₆"H.
- Five shelf unit features three adjustable shelves and is 66⅞"H. Top opening is 13⅜".
- Six-shelf unit is available in two heights: 79³⁄₁₆" or 84". Both units offer three adjustable shelves. 79"H unit has 13⅜" opening in top position while the 84" model has a 17¹⁵⁄₁₆" top opening. 84" ships with a tip-resistant kit and must be attached to a wall.



Arc-front bookcases feature shelves that extend 3" beyond the 15¹³⁄₁₆" end panels.

- Two shelf unit is 27⅝"H with one adjustable shelf.
- Three shelf unit is 40¼"H with one adjustable shelf.
- Four shelf unit is 35⅞"H with two adjustable shelves.
- Five shelf unit is 52⅞"H with three adjustable shelves.

Table Tops & Bases

Overview	➤See page 77
Statement of Line	34
Pricing	199
Finishes & Materials	209

Details



Table tops are available in wood, laminate with wood rim, and laminate with a PVC rim. Select from round, square, racetrack, and ellipse shapes.

Table tops are 1 3/16" thick, 3-ply, balanced construction. Rims are 1/8" thick.



P Softened PVC rim | **F** Softened wood rim | **M** Reed wood rim | **S** Knife wood rim

Laminate models are available with a softened PVC (P) rim profile.

Wood and laminate/wood rim models are available with a softened (F), reed (M), or knife (S) rim profile.

Base requirements differ based on the table top shape and size.
➤See page 87 for base requirements.

Cylinder base is available in wood or laminate. For use with round, square, and racetrack tops. Specify two for racetrack tops.



Round and square bases are available in fixed and adjustable-height (gas lift) models. Height-adjustable models are standard with a release paddle for field installation on the underside of the top. Adjustment range is 16" from 26"–42"H. Accepts round 36" or 42" 1 3/16" table tops only; neither base accepts casters.



Column legs are specified singly and are available in static model with glide or mobile model with locking caster. They are available in a paint finishes or chrome. These can be used to support table tops or as support at the end of a worksurface.

Adjustable-height column legs feature a fluted surface and are available in cinder, platinum metallic, or silver frost metallic finish. Static model or mobile model with locking caster are available; both models may be set to heights ranging from 25 3/4"–34 5/8" (without top) to allow the table to nest under other worksurfaces or tables. Mobile models are not applicable to 36" round top. Standard model includes set of four legs.



Modesty panels are available to attach to the underside of 36" x 72" racetrack or 40" x 72" elliptical table tops. They feature a metal frame with silver frost finish and an opaque frost glass insert.

Select contemporary table bases, available as part the Kimball Office contemporary tables offering, are available for use Priority table tops:
- 24"-diameter cylinder base (CBS2724CYL)
- 16" soft-square (CBS1627SSW)
- 16" square (CBS1627SQW)
- 24" square (CBS2427SQW)

➤See the Tables Price List to specify.



Fixed-height T-leg and post-leg style bases, similar to Progressive height-adjustable bases, but with no height adjustability, are available. Fixed-height T-leg bases are applicable to rectangular worksurfaces or racetrack table tops. Fixed-height 90° and 120° bases (shown above) are applicable to 90° and 120° worksurfaces, respectively. These bases ship ready to assemble. Plastic leveling inserts located at the bottom of the feet provides 1" of adjustment. Aluminum foot on T-legs can be specified in polished (upcharge applies) or in a contrasting color from the column. The maximum kneespace clearance is 20 9/16".

➤See the pricing pages for the size of base required based on the table top size.



Fixed-height T-leg bases, for use with 24", 30", and 36"D worksurfaces, consist of one or two T-legs with feet and a set of undersurface support rails that run underneath the center of the worksurface. Return mounting bracket is included with the return model. Specify two flat brackets separately for return applications.

Maximum load*: 400 lbs. BIFMA/670 lbs. UL
Max. load L-config*: 775 lbs. BIFMA/1300 lbs. UL

*Maximum load for tables with casters is 120 lbs.; applies to all table base types.



Fixed-height extension post-leg bases consist of one or post-leg and a set of undersurface support rails that run underneath the center of the worksurface. They are intended for use as a return base. Depending on the depth of the main worksurface and the depth of the extension worksurface, the post will be inset approximately 12"–15" fro the end of the extension worksurface. Return mounting bracket is included. Specify two flat brackets separately for return applications.

Maximum load*: 400 lbs. BIFMA/670 lbs. UL
Max. load L-config*: 775 lbs. BIFMA/1300 lbs. UL

*Maximum load for tables with casters is 120 lbs.; applies to all table base types.

T-leg casters for field installation may be specified separately for tables up to 36"D x 96"W.
➤See page 134.



Field installed caster kits for T-leg bases are available.
Note: Casters are not directly applicable to a 3-leg 90° or 120° base with center post. To create a mobile 3-leg table, order two caster kits, a return foot kit model 53KFKTR for the post leg, and hardware bag #2417313 (service parts) for screw to attach the foot and casters.

Base Requirements

Application Guidelines

For Table Tops

Overview	➤See page 77
Statement of Line	34
Pricing	199
Finishes & Materials	209

Top Shape		Round Metal 53K26BRF	Round Metal Adjustable 53K26BRGM	Square Metal 53K2626BSF	Square Metal Adjustable 53K2626BSGM	Cylinder CBS2716CY	Static Column Leg AB2802BC	Mobile Column Leg AB2802BC	Static Adjustable Column CBM2803CA2	Mobile Adjustable Column CBM2803CA2		Cylinder CBS2724CYW*	24" Square CBS2427SQW*	Soft-Square CBS1627SSW*	16" Square CBS1627SQW
Round	36" dia.	1	1			1	4	4	4						
	42" dia.	1	1			1	4	4	4	4					
	48" dia.					1	4	4	4	4					
	60" dia.											1	1		
Square	36" x 36"			1	1	1	4	4						1	1
	42" x 42"			1	1		4	4						1	1
	48" x 48"												1	1	1
	60" x 60"												1		
Racetrack	36" x 72"					2	4	4	4	4				2	2
Elliptical	40" x 72"								4	4					

* These bases are available in the Kimball Office Tables Price List.

Notes

PRICING

Table of Contents



Workplace furnishings to support diverse work modes.

Priority benching undersurface support rails enable long spans between legs, ganging of adjacent tables, returns, 90° and 120° stations. Stanchions add functionality with fabric/slat tiles and center-mount capabilities for shelves and overheads. Systems-rivaling robust power/data capability. Manual or electric height-adjustable tables—seated adjustment and programmable memory available. Priority is SCS Indoor Advantage™ certified, may contribute to LEED credits, and is ANSI/BIFMA level® 3 certified.

	➤See page
Progressive Priority	90
Worksurfaces	90
Undersurface Support Rails	102
Support Legs	103
Tiles	110
Top Caps	112
End Panels	113
Undersurface Pedestals	114
Center-Mount Storage	116
Privacy Screens	121
Height-Adjustable Table Bases & Posts	125
Classic Priority	135
Assembled Casegoods	135
Modular Worksurfaces	145
Modular & Freestanding Storage	151
Modular Supports	157
Progressive/Classic Priority	166
Undersurface Storage	166
Low Storage	167
Overhead Storage	174
Highback Organizers	176
Set-on-Surface Storage	180
Vertical Storage	183
Shelving Units & Bookcases	196
Table Tops & Bases	199
Related Products	207

24"–36"D Rectangular Worksurfaces

Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209







D	W	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
24"	36 1/16"	1 3/16"	**53K2436WBS**	$212	$374	$413
24"	42 1/16"	1 3/16"	**53K2442WBS**	241	396	437
24"	48 1/16"	1 3/16"	**53K2448WBS**	267	430	474
24"	54"	1 3/16"	**53K2454WBS**	296	469	517
24"	60"	1 3/16"	**53K2460WBS**	323	491	541
24"	66"	1 3/16"	**53K2466WBS**	374	536	590
24"	71 15/16"	1 3/16"	**53K2472WBS**	386	555	611
24"	77 15/16"	1 3/16"	**53K2478WBS**	417	583	642
24"	83 15/16"	1 3/16"	**53K2484WBS**	447	629	692
24"	89 15/16"	1 3/16"	**53K2490WBS**	478	652	719
24"	95 7/8"	1 3/16"	**53K2496WBS**	507	697	767
30"	36 1/16"	1 3/16"	**53K3036WBS**	$245	$406	$447
30"	42 1/16"	1 3/16"	**53K3042WBS**	278	439	483
30"	48 1/16"	1 3/16"	**53K3048WBS**	316	475	522
30"	54"	1 3/16"	**53K3054WBS**	350	522	575
30"	60"	1 3/16"	**53K3060WBS**	380	552	608
30"	66"	1 3/16"	**53K3066WBS**	439	601	661
30"	71 15/16"	1 3/16"	**53K3072WBS**	452	629	692
30"	77 15/16"	1 3/16"	**53K3078WBS**	489	669	737
30"	83 15/16"	1 3/16"	**53K3084WBS**	525	711	783
30"	89 15/16"	1 3/16""	**53K3090WBS**	561	753	828
30"	95 7/8"	1 3/16"	**53K3096WBS**	594	791	871
36"	36 1/16"	1 3/16"	**53K3636WBS**	$333	$396	$437
36"	42 1/16"	1 3/16"	**53K3642WBS**	381	452	498
36"	48 1/16"	1 3/16"	**53K3648WBS**	437	508	559
36"	54"	1 3/16"	**53K3654WBS**	493	563	620
36"	60"	1 3/16""	**53K3660WBS**	548	618	681
36"	66"	1 3/16"	**53K3666WBS**	586	674	742
36"	71 15/16"	1 3/16"	**53K3672WBS**	622	700	770
36"	77 15/16"	1 3/16"	**53K3678WBS**	675	777	856
36"	83 15/16"	1 3/16"	**53K3684WBS**	731	845	928
36"	89 15/16"	1 3/16"	**53K3690WBS**	790	927	1021
36"	95 7/8"	1 3/16"	**53K3696WBS**	853	945	1039

IMPORTANT: Support rails or height-adjustable base must be specified separately.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Worksurface
- Rim on four sides

How to Specify

1. Model
2. Worksurface material:
   L = Laminate with PVC rim
   LW = Laminate with wood softened or reed rim
   1LW = Laminate with wood knife rim
   W = Wood with wood softened or reed rim
   1W = Wood with wood knife rim
3. Rim profile:
   P = Softened PVC (L models only)
   F = Softened wood (LW or W models only)
   M = Reed wood (LW or W models only)
   S = Knife wood (1LW or 1W models only)
4. Worksurface grommet/cutout option:
   ➤See page 100 for designators.
   X = No grommet or cutout
5. Worksurface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Worksurface finish designator
7. Rim finish price group (omit for L, W, and 1W models):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (omit for W and 1W models)

24"–36"D Rectangular Worksurfaces

Pricing

Wire Manager

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209





IMPORTANT: Support rails or height-adjustable base must be specified separately.

Undersurface Support Rails
➤See page 102.

D	*W*	*H*	*Model*	*Laminate with P Rim*	*Wood or Lam. with Wood F or M Rim*	*Wood or Lam. with Wood S Rim*
24"	36 1/16"	1 3/16"	**53K2436WBS**	$255	$419	$456
24"	42 1/16"	1 3/16"	**53K2442WBS**	284	441	481
24"	48 1/16"	1 3/16"	**53K2448WBS**	311	475	518
24"	54"	1 3/16"	**53K2454WBS**	340	513	561
24"	60"	1 3/16"	**53K2460WBS**	367	536	585
24"	66"	1 3/16"	**53K2466WBS**	419	580	635
24"	71 15/16"	1 3/16"	**53K2472WBS**	430	601	656
24"	77 15/16"	1 3/16"	**53K2478WBS**	462	629	688
24"	83 15/16"	1 3/16"	**53K2484WBS**	491	672	735
24"	89 15/16"	1 3/16"	**53K2490WBS**	522	697	762
24"	95 7/8"	1 3/16"	**53K2496WBS**	551	741	812
30"	36 1/16"	1 3/16"	**53K3036WBS**	$288	$450	$491
30"	42 1/16"	1 3/16"	**53K3042WBS**	323	483	528
30"	48 1/16"	1 3/16"	**53K3048WBS**	361	519	567
30"	54"	1 3/16"	**53K3054WBS**	394	567	618
30"	60"	1 3/16"	**53K3060WBS**	424	597	652
30"	66"	1 3/16"	**53K3066WBS**	483	644	704
30"	71 15/16"	1 3/16"	**53K3072WBS**	497	672	735
30"	77 15/16"	1 3/16"	**53K3078WBS**	533	713	782
30"	83 15/16"	1 3/16"	**53K3084WBS**	569	756	827
30"	89 15/16"	1 3/16"	**53K3090WBS**	606	797	872
30"	95 7/8"	1 3/16"	**53K3096WBS**	639	835	916
36"	36 1/16"	1 3/16"	**53K3636WBS**	$378	$441	$481
36"	42 1/16"	1 3/16"	**53K3642WBS**	425	497	543
36"	48 1/16"	1 3/16"	**53K3648WBS**	481	552	604
36"	54"	1 3/16"	**53K3654WBS**	537	608	665
36"	60"	1 3/16"	**53K3660WBS**	592	664	726
36"	66"	1 3/16"	**53K3666WBS**	632	720	787
36"	71 15/16"	1 3/16"	**53K3672WBS**	667	744	815
36"	77 15/16"	1 3/16"	**53K3678WBS**	721	823	899
36"	83 15/16"	1 3/16"	**53K3684WBS**	775	889	974
36"	89 15/16"	1 3/16"	**53K3690WBS**	834	973	1066
36"	95 7/8"	1 3/16"	**53K3696WBS**	896	989	1083

Standard Includes

- Worksurface
- Rim on three sides
- Wire manager on back side

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
❸ Rim option:
3 = Wire manager
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
⑤ Worksurface grommet/cutout option:
➤See page 100 for designators.
X = No grommet or cutout
⑥ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for W and 1W models)
⑩ Wire manager finish designator

48"–60"D Rectangular Worksurfaces

Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209





D	*W*	*H*	*Model*	*Laminate with P Rim*	*Wood or Lam. with Wood F or M Rim*	*Wood or Lam. with Wood S Rim*
48"	48 1/16"	1 3/16"	**53K4848WBS**	$540	1172	1290
48"	54"	1 3/16"	**53K4854WBS**	594	1289	1443
48"	60"	1 3/16"	**53K4860WBS**	653	1418	1588
48"	66"	1 3/16"	**53K4866WBS**	719	1560	1747
48"	71 15/16"	1 3/16"	**53K4872WBS**	790	1715	1920
48"	77 15/16"	1 3/16"	**53K4878WBS**	869	1888	2114
48"	83 15/16"	1 3/16"	**53K4884WBS**	956	2076	2325
48"	89 15/16"	1 3/16"	**53K4890WBS**	1100	2180	2442
48"	95 7/8"	1 3/16"	**53K4896WBS**	1225	2205	2470
48"	120"	1 3/16"	**53K48120WBS**	1875	3745	4194
48"	143 15/16"	1 3/16"	**53K48144WBS**	1998	3980	4460
60"	60"	1 3/16"	**53K6060WBS**	$742	1554	1710
60"	66"	1 3/16"	**53K6066WBS**	816	1742	1951
60"	71 15/16"	1 3/16"	**53K6072WBS**	897	1916	2146
60"	77 15/16"	1 3/16"	**53K6078WBS**	988	2108	2360
60"	83 15/16"	1 3/16"	**53K6084WBS**	1087	2319	2597
60"	89 15/16"	1 3/16"	**53K6090WBS**	1194	2551	2857
60"	95 7/8"	1 3/16"	**53K6096WBS**	1315	2806	3142
60"	143 15/16"	1 3/16"	**53K60144WBS**	3869	5395	5935

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Worksurface (120" and 144" widths are two matched pieces)
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface grommet/cutout option:
➤See page 101 for designators.
X = No grommet or cutout
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

Arc-End Worksurfaces

Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209







D	W	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
24"	42 1/16"	1 3/16"	**53K2442WBAE**	$269	$477	$525
24"	48 1/16"	1 3/16"	**53K2448WBAE**	299	517	569
24"	54"	1 3/16"	**53K2454WBAE**	331	563	620
24"	60"	1 3/16"	**53K2460WBAE**	361	590	649
24"	66"	1 3/16"	**53K2466WBAE**	420	643	709
24"	71 15/16"	1 3/16"	**53K2472WBAE**	433	667	733
24"	77 15/16"	1 3/16"	**53K2478WBAE**	467	700	771
24"	83 15/16"	1 3/16"	**53K2484WBAE**	501	754	830
24"	89 15/16"	1 3/16"	**53K2490WBAE**	536	784	862
30"	42 1/16"	1 3/16"	**53K3042WBAE**	$311	$527	$580
30"	48 1/16"	1 3/16"	**53K3048WBAE**	356	571	628
30"	54"	1 3/16"	**53K3054WBAE**	392	628	691
30"	60"	1 3/16"	**53K3060WBAE**	426	664	730
30"	66"	1 3/16"	**53K3066WBAE**	493	721	793
30"	71 15/16"	1 3/16"	**53K3072WBAE**	507	754	830
30"	77 15/16"	1 3/16"	**53K3078WBAE**	548	803	885
30"	83 15/16"	1 3/16"	**53K3084WBAE**	587	854	940
30"	89 15/16"	1 3/16"	**53K3090WBAE**	630	904	994
36"	42 1/16"	1 3/16"	**53K3642WBAE**	$427	$544	$599
36"	48 1/16"	1 3/16"	**53K3648WBAE**	490	610	671
36"	54"	1 3/16"	**53K3654WBAE**	552	676	744
36"	60"	1 3/16"	**53K3660WBAE**	614	743	818
36"	66"	1 3/16"	**53K3666WBAE**	659	811	891
36"	71 15/16"	1 3/16"	**53K3672WBAE**	698	840	924
36"	77 15/16"	1 3/16"	**53K3678WBAE**	757	934	1027
36"	83 15/16"	1 3/16"	**53K3684WBAE**	819	1013	1116
36"	89 15/16"	1 3/16"	**53K3690WBAE**	886	1113	1226

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Worksurface
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Wedge Worksurfaces

Rim on Four Sides

GSA SIN 711-2
FSC-C01059 available





A	B	C	D	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Wedge								
24"	36"	24"	71 15/16"	1 3/16"	**53K3672WBW**	$698	$840	$1009

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See page 102.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Oval Worksurfaces

GSA SIN 711-2
FSC-C01059 available

D	*W*	*H*	*Model*	*Laminate with P Rim*	*Wood or Lam. with Wood F or M Rim*	*Wood or Lam. with Wood S Rim*
Oval						
42 1/16"	77 15/16"	1 3/16"	**53K4278WBV**	$886	$1113	$1226

IMPORTANT: Support rails or height-adjustable base must be specified separately.

Undersurface Support Rails
➤See page 102.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

U-Shaped Worksurfaces

Pricing

Rim on All Sides

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209







D	W	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
24"	42 1/16"	1 3/16"	**53K2442WBU**	$269	$477	$525
24"	48 1/16"	1 3/16"	**53K2448WBU**	299	517	569
24"	54"	1 3/16"	**53K2454WBU**	331	563	620
24"	60"	1 3/16"	**53K2460WBU**	361	590	649
24"	66"	1 3/16"	**53K2466WBU**	420	643	709
24"	71 15/16"	1 3/16"	**53K2472WBU**	433	667	733
24"	77 15/16"	1 3/16"	**53K2478WBU**	467	700	771
24"	83 15/16"	1 3/16"	**53K2484WBU**	501	754	830
24"	89 15/16"	1 3/16"	**53K2490WBU**	536	784	862
30"	42 1/16"	1 3/16"	**53K3042WBU**	$311	$527	$580
30"	48"	1 3/16"	**53K3048WBU**	356	571	628
30"	54"	1 3/16"	**53K3054WBU**	392	628	691
30"	60"	1 3/16"	**53K3060WBU**	426	664	730
30"	66"	1 3/16"	**53K3066WBU**	493	721	793
30"	71 15/16"	1 3/16"	**53K3072WBU**	507	754	830
30"	77 15/16"	1 3/16"	**53K3078WBU**	548	803	885
30"	83 15/16"	1 3/16"	**53K3084WBU**	587	854	940
30"	89 15/16"	1 3/16"	**53K3090WBU**	630	904	994
36"	42 1/16"	1 3/16"	**53K3642WBU**	$427	$544	$599
36"	48 1/16"	1 3/16"	**53K3648WBU**	490	610	671
36"	54"	1 3/16"	**53K3654WBU**	552	676	744
36"	60"	1 3/16"	**53K3660WBU**	614	743	818
36"	66"	1 3/16"	**53K3666WBU**	659	811	891
36"	71 15/16"	1 3/16"	**53K3672WBU**	698	840	924
36"	77 15/16"	1 3/16"	**53K3678WBU**	757	934	1027
36"	83 15/16"	1 3/16"	**53K3684WBU**	819	1013	1116
36"	89 15/16"	1 3/16"	**53K3690WBU**	886	1113	1226

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Extended Worksurfaces

Rim on All Sides

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209





Extension on Right

A	B	C	D	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
36"	36"	24"	72"	1 3/16"	**53K3672WBER**	$698	$840	$1009





Extension on Left

A	B	C	D	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
36"	36"	24"	72"	1 3/16"	**53K3672WBEL**	$698	$840	$1009

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Worksurface
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface grommet/cutout option:
➤See page 100 for designators.
X = No grommet or cutout
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

Corner Worksurfaces

Pricing

Rim on All Sides

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209



90° Corner

A	B	C	D	E	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
48 1/16"	48 1/16"	24"	24"	34"	1 3/16"	**53K2448WBL**	$603	$802	$964
48 1/16"	48 1/16"	30"	30"	25 1/2"	1 3/16"	**53K3048WBL**	663	883	1059



120° Corner

A	B	C	D	E	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
48 1/16"	48 1/16"	24"	24"	59 3/16"	1 3/16"	**53K2448WBY**	$646	$973	$1167
48 1/16"	48 1/16"	30"	30"	53 1/8"	1 3/16"	**53K3048WBY**	700	991	1190

Corner Support Frames
➤See pages 108–109 to specify.

90° and 120° Height-Adjustable Bases
➤See pages 128 or 132.

IMPORTANT: Support rails are included with corner support frames and height-adjustable bases, but must be specified separately if using U-legs for support.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface grommet/cutout option:
➤See page 100 for designators.
X = No grommet or cutout
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

Corner Worksurfaces

Pricing

Wire Manager

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209



90° Corner

A	B	C	D	E	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
48 1/16"	48 1/16"	24"	24"	34"	1 3/16"	**53K2448WBL**	$692	$891	$1052
48 1/16"	48 1/16"	30"	30"	25 1/2"	1 3/16"	**53K3048WBL**	752	972	1148



120° Corner

A	B	C	D	E	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
48 1/16"	48 1/16"	24"	24"	59 3/16"	1 3/16"	**53K2448WBY**	$735	$1080	$1256
48 1/16"	48 1/16"	30"	30"	53 1/8"	1 3/16"	**53K3048WBY**	789	1080	1279

Corner Support Frames
➤See pages 108–109 to specify.

90° and 120° Height-Adjustable Bases
➤See pages 128 or 132.

IMPORTANT: Support rails are included with corner support frames and height-adjustable bases, but must be specified separately if using U-legs for support.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Worksurface
- Wire manager on back (A & B) sides
- Rim on sides and front edges

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
❸ Rim option:
3 = Wire manager
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
⑤ Worksurface grommet/cutout option:
➤See page 100 for designators.
X = No grommet or cutout
⑥ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for W and 1W models)
⑩ Wire manager finish designator

Factory-Installed Grommets/Cut-Outs

Options Pricing

For 24", 30", and 36"D Worksurfaces

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G1 Plastic Grommets										
24", 30", and 36"D rect. HPL or wood	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	**G1C**	+$57	**G1A**	+$171
G19 Metal Grommets										
24", 30", and 36"D rect. HPL or wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
36"D extended HPL or wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
90° and 120° corner HPL or wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
G20 Cut-Outs*										
24", 30", and 36"D rect. TFL	—		—		—		**G20C**	+$50	—	
24", 30", and 36"D rect. HPL or wood	—		—		—		**G20C**	+$52	—	
90° and 120° corner TFL	**G20L**	+$50	**G20R**	+$50	**G20LR**	+$100	—		—	
90° and 120° corner HPL or wood	**G20L**	+$52	**G20R**	+$52	**G20LR**	+$104	—		—	

**G20 cutouts cannot be used on surfaces supported by a main T-leg base.*

Related Products

G19 metal grommets for field installation are also available. Note the location of support legs to ensure they do not interfere with grommet locations.
➤See the Perks Price List.



G20 cut-out is designed to accept 8⁵⁄₁₆" x 5⁵⁄₁₆" power/data center (model 99KPDCAM), specified separately.
➤See the Perks Price List.



G1 or G19 Grommets



**1¹¹⁄₁₆" on 24"D; 6¹¹⁄₁₆" on 30" or 36"D*

G20 Cut-Outs

Standard Includes/Available Finishes



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Available finish:
MB Matte Black



G19 metal grommet is a two-piece unit with black brush access. Available powdercoat finishes:
405 Designer White
487 Brushed Nickel
490 Polished Chrome
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G1LMB = G1 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix with a designator and price are available. Arc-end, wedge, oval, and U-shaped worksurfaces do not offer factory-installed grommet options.

Factory-Installed Grommets/Cut-Outs

Options Pricing

For 48" and 60"D Worksurfaces

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	209

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G10 Plastic Grommets										
48"W–66"W rect. HPL or wood	—		—		—		**G10C**	+$82	—	
72"W–96"W rect. HPL or wood	**G10L**	+$82	**G10R**	+$82	**G10LR**	+$164	**G10C**	+$82	**G10A**	+$246
120"W–144"W rect. HPL or wood	**G10L**	+$82	**G10R**	+$82	**G10LR**	+$164	—		—	
C2 Cut-Outs										
48"W–66"W rect. HPL or wood	—		—		—		**C2C**	+$50	—	
72"W–96"W rect. HPL or wood	**C2L**	+$52	**C2R**	+$52	**C2LR**	+$104	**C2C**	+$52	**C2A**	+$156
120"W–144"W rect. HPL or wood	**C2L**	+$52	**C2R**	+$52	**C2LR**	+$104	—		—	
C3 Cut-Outs										
72"W–96"W rect. HPL or wood	—		—		—		**C3C**	+$52	—	
120"W–144"W rect. HPL or wood	**C3L**	+$52	**C3R**	+$52	**C3LR**	+$104	—		—	
144"W rect. HPL or wood (60"D only)*	—		—		—		**C3C**	+$52	—	

* Cut-out will span the two-piece surface.



G10 Grommets



C2 Cut-Outs



C3 Cut-Outs

Options

G10 grommet features a touch-latch for open and closure. Pops open for use; push down to close when not in use. Black plastic.

Related Products

C2 cut-out is designed to accept 10" power/data center (models KCU0810ELPDC or KCU0810ELPDCH), specified separately.
➤See the Tables Price List.



C3 cut-out is designed to accept 40" power/data center (model KCU0840ELPDC), specified separately.
➤See the Tables Price List.

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the grommet locations shown in the matrix with a designator and price are available. G10 grommets cannot be specified along with C2 or C3 power/data cutouts.

Undersurface Support Rail Sets

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	46
Finishes & Materials	209

D	W	H	For use on Unsupported Span of	Model	Price
For Use with Progressive Worksurfaces					
1"	30 15/16"	2 3/16"	36"	**53K36SRUP**	$144
1"	36 7/8"	2 3/16"	42"	**53K42SRUP**	155
1"	42 7/8"	2 3/16"	48"	**53K48SRUP**	165
1"	48 7/8"	2 3/16"	54"	**53K54SRUP**	177
1"	54 7/8"	2 3/16"	60"	**53K60SRUP**	211
1"	60 13/16"	2 3/16"	66"	**53K66SRUP**	221
1"	66 13/16"	2 3/16"	72"	**53K72SRUP**	249
1"	72 13/16"	2 3/16"	78"	**53K78SRUP**	266
1"	78 13/16"	2 3/16"	84"	**53K84SRUP**	282
1"	84 3/4"	2 3/16"	90"	**53K90SRUP**	350
1"	90 3/4"	2 3/16"	96"	**53K96SRUP**	368

Related Products:

D	W	H	Model	Price
Return Mounting Bracket				
4 5/16"	19 11/16"	2 3/16"	**53KWBRP**	$58

Flat Bracket				
2"	5 1/2"	1/16"	**ACAWBP1**	$9

IMPORTANT: Return mounting bracket and flat brackets must be specified separately if installing rail set under a return or extension surface. Refer to the planning pages for required rail lengths of returns and bridges. If the length required is not listed above, order the next smaller size; the attaching brackets will compensate for the dimensional difference.

Standard Includes

- Set of 2 rails
- 90" and 96"W rails are comprised of 2 rails and a connecting bracket for the full length (4 rail sections)

Note: Both rails will run parallel under the same surface.

How to Specify

Support Rails and Return Mounting Bracket

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Flat Bracket

❶ Model

End-Support Open-Frame Legs

Pricing

GSA SIN 711-2

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 47
Finishes & Materials 209






IMPORTANT: Undersurface support rails, specified separately, are required for these models.

Undersurface Support Rails
➤See page 102.

D	W	H	Model	Price
Fixed Height				
23¾"	2⅜"	27¾" (shown)	**53K2428SLOSP**	$434
29¾"	2⅜"	27¾"	**53K3028SLOSP**	456
35¾"	2⅜"	27¾"	**53K3628SLOSP**	479
47¾"	2⅜"	27¾" (shown)	**53K4828SLOSP**	663
59¾"	2⅜"	27¾"	**53K6028SLOSP**	686
Adjustable Height				
Push-Button Adjust				
23¾"	2⅜"	27¾" (25⁷⁄₁₆"–32⅞") (shown)	**53K2428SLOAP**	$543
29¾"	2⅜"	27¾" (25⁷⁄₁₆"–32⅞")	**53K3028SLOAP**	572
35¾"	2⅜"	27¾" (25⁷⁄₁₆"–32⅞")	**53K3628SLOAP**	600
Screw Adjust				
47¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½") (shown)	**53K4828SLOAP**	828
59¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½")	**53K6028SLOAP**	857
For Use with 15"H Low Storage				
23¾"	2⅜"	11⁷⁄₁₆"	**53K2411SLOFPP**	$312
29¾"	2⅜"	11⁷⁄₁₆"	**53K3011SLOFPP**	327
35¾"	2⅜"	11⁷⁄₁₆"	**53K3611SLOFPP**	340
For Use with 22"H Low Storage				
23¾"	2⅜""	5⅛"	**53K2405SLOFPP**	$299
29¾"	2⅜"	5⅛"	**53K3005SLOFPP**	312
35¾"	2⅜"	5⅛"	**53K3605SLOFPP**	327

Related Products:

D	W	H	Model	Price
Casters for use with 24", 30", and 36"D U-Leg & Open-Frame Legs on Individual Tables Only (Set of 4)				
2¹⁄₁₆"	1⅞"	1⁷⁄₁₆"	**53KCSU**	$22

Standard Includes

- Leg with attached starter bracket(s)

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

End-Support U-Legs

Pricing

GSA SIN 711-2

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 48
Finishes & Materials 209





D	*W*	*H*	*Model*	*Price*
Fixed Height				
23¾"	2⅜"	27¾" (shown)	**53K2428SLUESP**	$422
29¾"	2⅜"	27¾"	**53K3028SLUESP**	445
35¾"	2⅜"	27¾"	**53K3628SLUESP**	467
47¾"	2⅜"	27¾" (shown)	**53K4828SLUESP**	684
59¾"	2⅜"	27¾"	**53K6028SLUESP**	756
Adjustable Height				
Push-Button Adjust				
23¾"	2⅜"	27¾" (25⁷⁄₁₆"–32⅞") (shown)	**53K2428SLUEAP**	$522
29¾"	2⅜"	27¾" (25⁷⁄₁₆"–32⅞")	**53K3028SLUEAP**	545
35¾"	2⅜"	27¾" (25⁷⁄₁₆"–32⅞")	**53K3628SLUEAP**	567
Screw Adjust				
47¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½") (shown)	**53K4828SLUEAP**	851
59¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½")	**53K6028SLUEAP**	922

Related Products:

D	*W*	*H*	*Model*	*Price*
Casters for use with 24", 30", and 36"D U-Leg & Open-Frame Legs on Individual Tables Only (Set of 4)				
2¹⁄₁₆"	1⅞"	1⁷⁄₁₆"	**53KCSU**	$22

IMPORTANT:
Undersurface support rails, specified separately, are required for these models.

Undersurface Support Rails

Standard Includes

- Leg with attached starter bracket(s)

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Mid-Support U-Legs

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	48
Finishes & Materials	209





D	*W*	*H*	*Model*	*Price*
Fixed Height				
23¾"	2⅜"	27¾"	**53K2428SLUMSP**	$522
29¾"	2⅜"	27¾"	**53K3028SLUMSP**	545
35¾"	2⅜"	27¾"(shown)	**53K3628SLUMSP**	567
47¾"	2⅜"	27¾"	**53K4828SLUMSP**	861
59¾"	2⅜"	27¾" (shown)	**53K6028SLUMSP**	934
Adjustable Height				
Screw Adjust				
23¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½") (shown)	**53K2428SLUMAP**	$656
29¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½")	**53K3028SLUMAP**	677
35¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½")	**53K3628SLUMAP**	700
47¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½") (shown)	**53K4828SLUMAP**	995
59¾"	2⅜"	27¾" (25⁷⁄₁₆"–32½")	**53K6028SLUMAP**	1067

Standard Includes

- Leg with attached starter bracket(s)

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

IMPORTANT:
Undersurface support rails, specified separately, are required for these models.

Undersurface Support Rails

Stanchion End-Support U-Legs

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	48
Finishes & Materials	209





D	*W*	*Leg H*	*Overall H*	*Model*	*Price*
Fixed Height					
50 3/16"	2 3/8"	27 3/4"	46 5/16"	**53K5028SLUESSP**	$795
62 1/4"	2 3/8"	27 3/4"	46 5/16"	**53K6228SLUESSP**	866
Adjustable Height					
Screw Adjust					
50 3/16"	2 3/8"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K5028SLUEASP**	$907
62 1/4"	2 3/8"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K6228SLUEASP**	978

IMPORTANT: Casters are not recommended for stanchion U-legs.

Undersurface support rails, specified separately, are required for these models. ➤See page 102.

Standard Includes

- Leg with attached starter brackets

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Stanchion Mid-Support U-Legs

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	48
Finishes & Materials	209



D	*W*	*Leg H*	*Overall H*	*Model*	*Price*
Fixed Height					
50 3/16"	2 3/8"	27 3/4"	46 5/16"	**53K5028SLUMSSP**	$962
62 1/4"	2 3/8"	27 3/4"	46 5/16"	**53K6228SLUMSSP**	1034



Adjustable Height					
Screw Adjust					
50 3/16"	2 3/8"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K5028SLUMASP**	$1094
62 1/4"	2 3/8"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K6228SLUMASP**	1167

IMPORTANT: Casters are not recommended for stanchion U-legs.

Undersurface support rails, specified separately, are required for these models. ➤See page 102.

Standard Includes

- Leg with attached starter brackets and stanchion

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

90° Corner Support Frames

Pricing

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	50
Finishes & Materials	209

D	W	Leg H	Overall H	Model	Price
Fixed Height					
With Center Stanchion					
99 9/16"	99 9/16"	27 3/4"	46 5/16"	**53K2448FLSSP**	$2945
93 1/2"	93 1/2"	27 3/4"	46 5/16"	**53K3048FLSSP**	2945
Adjustable Height					
With Center Stanchion (Screw Adjust)					
99 9/16"	99 9/16"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K2448FLSAP**	$3612
93 1/2"	93 1/2"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K3048FLSAP**	3612

Standard Includes

- Leg with attached starter brackets and stanchion
- Support rails

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

IMPORTANT: Casters are not recommended for corner supports.

End-support legs must be specified separately.

120° Corner Support Frames

Pricing

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	51
Finishes & Materials	209

D	W	Leg H	Overall H	Model	Price
Fixed Height					
Without Center Stanchion					
86 9/16"	99 15/16"	27 3/4"	46 5/16"	**53K2448FYSP**	$2134
83 15/16"	96 7/8"	27 3/4"	46 5/16"	**53K3048FYSP**	2167
With Center Stanchion (shown)					
88 11/16"	102 3/8"	27 3/4"	46 5/16"	**53K2448FYSSP**	2356
86 1/16"	99 3/8"	27 3/4"	46 5/16"	**53K3048FYSSP**	2389
Adjustable					
Without Center Stanchion (screw adjust)					
86 9/16"	99 15/16"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K2448FYAP**	$2545
83 15/16"	96 7/8"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K3048FYAP**	2578
With Center Stanchion (screw adjust) (shown)					
88 11/16"	102 3/8"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K2448FYSAP**	2768
86 1/16"	99 3/8"	27 3/4" (25 7/16"–32 1/2")	46 5/16"	**53K3048FYSAP**	2801

Standard Includes

- Leg with attached starter brackets
- Stanchion, if applicable
- Support rails

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

IMPORTANT: Casters are not recommended for corner supports.

End-support legs must be specified separately.

Tiles

Pricing

Slat/Fabric and Fabric

GSA SIN 711-2
COM Non-Contract

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	52
Finishes & Materials	209



D	W	H	COM Yardage 66"W non-dir.	Model	Fabric Price Grade A or COM	B	C	D	E
Slat/Fabric Combination									
½"	36"	18½"	1.2	**53K3618NS**	$499	$526	$545	$572	$615
½"	42"	18½"	1.3	**53K4218NS**	544	575	596	628	677
½"	48"	18½"	1.5	**53K4818NS**	587	622	646	682	737
½"	53⅞"	18½"	1.7	**53K5418NS**	633	672	699	739	801
½"	59⅞"	18½"	1.8	**53K6018NS**	676	719	749	793	861
½"	65⅞"	18½"	1.9	**53K6618NS**	722	766	797	843	913
½"	71⅞"	18½"	2.2	**53K7218NS**	766	817	853	905	986
½"	77⅞"	18½"	2.3	**53K7818NS**	811	865	903	960	1045
½"	83⅞"	18½"	2.5	**53K8418NS**	855	913	954	1014	1106
½"	89⅞"	18½"	2.8	**53K9018NS**	898	960	1004	1068	1166
½"	95⅞"	18½"	2.8	**53K9618NS**	912	979	1026	1095	1201



Fabric									
½"	36"	18½"	1.2	**53K3618N**	$305	$332	$351	$378	$421
½"	42"	18½"	1.3	**53K4218N**	317	348	369	401	450
½"	48"	18½"	1.5	**53K4818N**	331	366	390	426	481
½"	53⅞"	18½"	1.7	**53K5418N**	344	383	410	450	512
½"	59⅞"	18½"	1.8	**53K6018N**	358	401	431	475	543
½"	65⅞"	18½"	1.9	**53K6618N**	371	415	446	492	562
½"	71⅞"	18½"	2.2	**53K7218N**	385	436	472	524	605
½"	77⅞"	18½"	2.3	**53K7818N**	398	452	490	547	632
½"	83⅞"	18½"	2.5	**53K8418N**	411	469	510	570	662
½"	89⅞"	18½"	2.8	**53K9018N**	424	486	530	594	692
½"	95⅞"	18½"	2.8	**53K9618N**	438	505	552	621	727

IMPORTANT: Tiles are for use on U-legs with stanchion only.

Center-Mount Shelves
➤See page 118.

Center-Mount Overheads
➤See page 116.

Standard Includes

- Tile and tile pan: fabric applied railroaded (horizontal)

Note: COM yardage is the quantity required for one tile.

How to Specify

❶ Model
② Fabric grade
③ Fabric number
④ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Finish designator

Tiles

Pricing

Slat

GSA SIN 711-2



D	W	H	Model	Price
Slat				
½"	36"	18½"	**53K3618SP**	$554
½"	42"	18½"	**53K4218SP**	600
½"	48"	18½"	**53K4818SP**	643
½"	53⅞"	18½"	**53K5418SP**	689
½"	59⅞"	18½"	**53K6018SP**	732
½"	65⅞"	18½"	**53K6618SP**	776
½"	71⅞"	18½"	**53K7218SP**	822
½"	77⅞"	18½"	**53K7818SP**	865
½"	83⅞"	18½"	**53K8418SP**	911
½"	89⅞"	18½"	**53K9018SP**	954
½"	95⅞"	18½"	**53K9618SP**	967

IMPORTANT: Tiles are for use on U-legs with stanchion only.

Upmount Shelves
➤See page 118.

Upmount Overheads
➤See page 116.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	52
Finishes & Materials	209

Standard Includes

- Tile and tile pan

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Top Caps

Pricing

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	52
Finishes & Materials	209

D	W	H	Model	Price
For Use in Straight Benching Applications				
2 7/16"	36 1/8"	1 5/16"	**53K36TCP**	$72
2 7/16"	42 1/8"	1 5/16"	**53K42TCP**	86
2 7/16"	48 1/8"	1 5/16"	**53K48TCP**	93
2 7/16"	54 1/8"	1 5/16"	**53K54TCP**	95
2 7/16"	60 1/8"	1 5/16"	**53K60TCP**	100
2 7/16"	66"	1 5/16"	**53K66TCP**	109
2 7/16"	72"	1 5/16"	**53K72TCP**	140
2 7/16"	78"	1 5/16"	**53K78TCP**	155
2 7/16"	84"	1 5/16"	**53K84TCP**	164
2 7/16"	89 15/16"	1 5/16"	**53K90TCP**	180
2 7/16"	95 15/16"	1 5/16"	**53K96TCP**	188



For Use in 90° Benching Applications (set of 4)				
2 7/16"	49 1/4"	1 5/16"	**53K48TCLP**	$467



For Use in 120° Benching Applications (set of 3)				
2 7/16"	48 3/4"	1 5/16"	**53K48TCYP**	$350

Standard Includes

- Top cap

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

End Panels

Pricing

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	53
Finishes & Materials	209





D	W	H	Model	Laminate	Wood
Fixed Height					
23 13/16"	1 3/16"	26 13/16"	**53K2428EPS**	$257	$430
29 13/16"	1 3/16"	26 13/16"	**53K3028EPS**	271	450
35 7/16"	1 3/16"	26 13/16"	**53K3628EPS**	278	465
47 11/16"	1 3/16"	26 13/16"	**53K4828EPS**	307	511
59 3/4"	1 3/16"	26 5/16"	**53K6028EPS**	338	562
For Use with Stanchions					
50 3/16"	1 3/16"	26 13/16"	**53K5028EPSS**	$307	$511
62 3/16"	1 3/16"	26 13/16"	**53K6228EPSS**	338	562
For Use with 15"H Low Storage					
23 13/16"	1 3/16"	11"	**53K2411EP**	$272	$376
29 13/16"	1 3/16"	11"	**53K3011EP**	256	395
35 7/16"	1 3/16"	11"	**53K3611EP**	245	417
For Use with 22"H Low Storage					
23 13/16"	1 3/16"	5"	**53K2405EP**	$135	$225
29 13/16"	1 3/16"	5"	**53K3005EP**	142	239
35 7/16"	1 3/16"	5"	**53K3605EP**	150	250

IMPORTANT: Specify stanchions separately for 50" and 62"W end panels.

Related Products:

D	W	H	Model	Price
Stanchion for 50 3/16" and 62 3/16" End Panels				
4 5/16"	2 3/8"	45 11/16"	**53KSSEPP**	$220

IMPORTANT: Starter bracket must be specified separately. Specify 1 for 24"–36"D end panels; specify 2 for 48"W–62"D.

Starter Bracket			
21 3/8"	13 15/16"	2 3/4"	**53KEPSBP**	$100

Standard Includes

- End panel

How to Specify

End Panel

❶ Model
❷ Worksurface material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Starter Bracket or Stanchion

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

FSC = FSC-certified wood option available.
➤See page 4.

Undersurface Pedestals

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	55
Finishes & Materials	209
Locking Information	232

D	W	H	Model	Laminate	Wood
Box/Box/File					
Letter Width					
23½"	14 15/16"	27 9/16"	**53K2415PUBBFS**	$821	$1081
29 11/16 "	14 15/16"	27 9/16"	**53K3015PUBBFS**	864	1134
35⅝"	14 15/16"	27 9/16"	**53K3615PUBBFS**	909	1190

D	W	H	Model	Laminate	Wood
File/File					
Letter Width					
23½"	14 15/16"	27 9/16"	**53K2415PUFFS**	$797	$1045
29 11/16 "	14 15/16"	27 9/16"	**53K3015PUFFS**	844	1087
35⅝"	14 15/16"	27 9/16"	**53K3615PUFFS**	878	1131

D	W	H	Model	Laminate	Wood
Lateral File					
23½ "	29 15/16"	27 9/16"	**53K2430LFM2S**	$1086	$1778

Related Products:

D	W	H	Model	Price
Starter Bracket				
21⅜"	13 15/16"	2¾"	**53KEPSBP**	$100

IMPORTANT: Starter bracket must be specified separately.

Standard Includes

- Enclosed top with four spacers
- Finished back panel
- Lock

How to Specify

Pedestal

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 55 for designators.
④ Lock option:
KRB = Key random, black hinged key
KRS = Key random, silver key
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Chassis back finish designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Starter Bracket or Stanchion

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Double-Sided Undersurface Pedestals

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	55
Finishes & Materials	209
Locking Information	232













IMPORTANT: Specify stanchions separately for 50" and 62"W pedestals.

IMPORTANT: Starter bracket must be specified separately. Specify 2 for end application, specify 4 for mid-support application.

D	W	H	Model	Laminate	Wood
Box/Box/File—Box/Box/File					
47 11/16"	14 15/16"	27 9/16"	**53K4815PUD1**	$1756	$2330
59 3/4"	14 15/16"	27 9/16"	**53K6015PUD1**	1854	2445
For Use with Stanchions					
50 3/16"	14 15/16"	27 9/16"	**53K5015PUD1S**	$1780	$2368
62 1/4"	14 15/16"	27 9/16"	**53K6215PUD1S**	1879	2470
File/File—File/File					
47 11/16"	14 15/16"	27 9/16"	**53K4815PUD2**	$1704	$2250
59 3/4"	14 15/16"	27 9/16"	**53K6015PUD2**	1807	2343
For Use with Stanchions					
50 3/16"	14 15/16"	27 9/16"	**53K5015PUD2S**	$1728	$2274
62 1/4"	14 15/16"	27 9/16"	**53K6215PUD2S**	1832	2368
Box/Box/File—File/File					
47 11/16"	14 15/16"	27 9/16"	**53K4815PUD8**	$1730	$2289
59 3/4"	14 15/16"	27 9/16"	**53K6015PUD8**	1831	2393
For Use with Stanchions					
50 3/16"	14 15/16"	27 9/16"	**53K5015PUD8S**	$1754	$2314
62 1/4"	14 15/16"	27 9/16"	**53K6215PUD8S**	1855	2418

Related Products:

D	W	H	Model	Price
Stanchion for 50 3/16" and 62 3/16" Pedestals				
4 5/16"	2 3/8"	45 11/16"	**53KSSDPP**	$220
Starter Bracket				
21 3/8"	13 15/16"	2 3/4"	**53KEPSBP**	$100

Standard Includes

- One lock per pedestal side
- Enclosed top with 8 spacers
- One cord opening in top of pedestal

How to Specify

Pedestal

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 55 for designators.
④ Lock option:
KRB = Key random, black hinged key
KRS = Key random, silver key
KS = Key specific (-$44); specify two lock cores separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Starter Bracket or Stanchion

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Center-Mount Overhead Cabinets

Sliding Doors

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	56
Finishes & Materials	209



D	W	H	WC	Model	Laminate	Wood
Solid Door						
16⅛"	30"	16"	17⁵⁄₁₆"	**53K3016SOSU**	$690	$1051
16⅛"	36"	16"	17⁵⁄₁₆"	**53K3616SOSU**	740	1127
16⅛"	42"	16"	17⁵⁄₁₆"	**53K4216SOSU**	815	1240
16⅛"	48"	16"	17⁵⁄₁₆"	**53K4816SOSU**	898	1363
16⅛"	54"	16"	17⁵⁄₁₆"	**53K5416SOSU**	989	1499
16⅛"	60"	16"	17⁵⁄₁₆"	**53K6016SOSU**	1085	1596
16⅛"	66"	16"	17⁵⁄₁₆"	**53K6616SOSU**	1194	1756
16⅛"	72"	16"	17⁵⁄₁₆"	**53K7216SOSU**	1427	2111
Writable Glass Doors						
16⅛"	30"	16"	17⁵⁄₁₆"	**53K3016SOSUG2**	$864	$1316
16⅛"	36"	16"	17⁵⁄₁₆"	**53K3616SOSUG2**	921	1401
16⅛"	42"	16"	17⁵⁄₁₆"	**53K4216SOSUG2**	996	1528
16⅛"	48"	16"	17⁵⁄₁₆"	**53K4816SOSUG2**	1101	1673
16⅛"	54"	16"	17⁵⁄₁₆"	**53K5416SOSUG2**	1190	1782
16⅛"	60"	16"	17⁵⁄₁₆"	**53K6016SOSUG2**	1313	1993
16⅛"	66"	16"	17⁵⁄₁₆"	**53K6616SOSUG2**	1439	2181
16⅛"	72"	16"	17⁵⁄₁₆"	**53K7216SOSUG2**	1704	2599



IMPORTANT:
Overhead/shelf brackets, specified separately, are required.
➤See page 120.

Interior Shelves
➤See page 120.

Standard Includes

- Fully finished chassis with flat edge; no rim profile
- Non-locking sliding door
- Ganging bolts

How to Specify

Solid Door Models

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Wood finish designator (omit for L model)
⑤ Door front finish designator (omit for W model)
⑥ Chassis finish designator (omit for W model)
⑦ Back finish designator (omit for W model)

Writable Glass Door Models

❶ Model
❷ Chassis material:
L = Laminate
W = Wood
③ Glass pattern:
202G = Ice Gloss writable glass
④ Door frame paint finish:
511 = Silver Satin metallic
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Chassis finish designator (omit for W model)
⑧ Back finish designator (omit for W model)

Center-Mount Overhead Cabinets

Pricing

Hinged Doors

GSA SIN 711-2
FSC-C01059 available








D	W	H	WC	Model	Laminate	Wood
Solid Doors						
Two Doors (shown)						
16⅛"	30"	16"	17⁵⁄₁₆"	**53K3016SOHU**	$726	$1106
16⅛"	36"	16"	17⁵⁄₁₆"	**53K3616SOHU**	780	1186
Three Doors						
16⅛"	42"	16"	17⁵⁄₁₆"	**53K4216SOHU**	$857	$1304
16⅛"	48"	16"	17⁵⁄₁₆"	**53K4816SOHU**	946	1434
16⅛"	54"	16"	17⁵⁄₁₆"	**53K5416SOHU**	1040	1578
Four Doors						
16⅛"	60"	16"	17⁵⁄₁₆"	**53K6016SOHU**	$1142	$1680
16⅛"	66"	16"	17⁵⁄₁₆"	**53K6616SOHU**	1256	1850
16⅛"	72"	16"	17⁵⁄₁₆"	**53K7216SOHU**	1502	2290
Writable Glass Doors						
Two Doors						
16⅛"	30"	16"	17⁵⁄₁₆"	**53K3016SOHUG2**	$1077	$1440
16⅛"	36"	16"	17⁵⁄₁₆"	**53K3616SOHUG2**	1148	1533
Three Doors						
16⅛"	42"	16"	17⁵⁄₁₆"	**53K4216SOHUG2**	$1240	$1656
16⅛"	48"	16"	17⁵⁄₁₆"	**53K4816SOHUG2**	1392	1830
16⅛"	54"	16"	17⁵⁄₁₆"	**53K5416SOHUG2**	1528	1978
Four Doors						
16⅛"	60"	16"	17⁵⁄₁₆"	**53K6016SOHUG2**	$1649	$2186
16⅛"	66"	16"	17⁵⁄₁₆"	**53K6616SOHUG2**	1807	2368
16⅛"	72"	16"	17⁵⁄₁₆"	**53K7216SOHUG2**	2149	2853

IMPORTANT:
Overhead/shelf brackets, specified separately, are required.
➤See page 120.

Standard Includes

- Fully finished chassis with flat edge; no rim profile
- Doors on four-door models: one set of matching doors on wood models; two sets of two matching doors on laminate models
- Ganging bolts

How to Specify

Solid Door Models

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Lock option:
KRB = Key random, black lock cores (+$58 for two-door, +$116 for three- and four-door)
KRS = Key random, silver lock cores (+$58 for two-door, +$116 for three- and four-door)
KS = Key specific (+$36 for two-door [specify 1 lock core separately]; +$72 for three- and four-door [specify 2 lock cores separately])
X = Non-locking
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Wood finish designator (omit for L model)
⑥ Door front finish designator (omit for W model)
⑦ Chassis finish designator (omit for W model)
⑧ Back finish designator (omit for W model)

Writable Glass Door Models

❶ Model
❷ Chassis material:
L = Laminate
W = Wood
③ Glass pattern:
202G = Ice Gloss writable glass
④ Door frame paint finish:
511 = Silver Satin metallic
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Chassis finish designator (omit for W model)
⑧ Back finish designator (omit for W model)

Center-Mount Overhead Shelves

Straight

GSA SIN 711-2
FSC-C01059 available

D	W	H	WC	Model	Laminate with P Rim	Wood or Lam. with Wood F Rim
Straight Shelves						
14 7/16"	30"	3/4"	17 5/16"	**53K1630OSS**	$162	$306
14 7/16"	36"	3/4"	17 5/16"	**53K1636OSS**	184	323
14 7/16"	42"	3/4"	17 5/16"	**53K1642OSS**	215	340
14 7/16"	48"	3/4"	17 5/16"	**53K1648OSS**	240	354
14 7/16"	54"	3/4"	17 5/16"	**53K1654OSS**	255	389
14 7/16"	60"	3/4"	17 5/16"	**53K1660OSS**	279	407
14 7/16"	66"	3/4"	17 5/16"	**53K1666OSS**	301	424
14 7/16"	72"	3/4"	17 5/16"	**53K1672OSS**	318	442
14 7/16"	78"	3/4"	17 5/16"	**53K1678OSS**	342	465
14 7/16"	84"	3/4"	17 5/16"	**53K1684OSS**	476	487
14 7/16"	90"	3/4"	17 5/16"	**53K1690OSS**	404	515
14 7/16"	96"	3/4"	17 5/16"	**53K1696OSS**	448	522

IMPORTANT:
Overhead/shelf brackets, specified separately, are required.
➤See page 120.

Shelf Dividers
➤See page 120.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	56
Finishes & Materials	209

Standard Includes

- Shelf, finished on both sides
- Rim on four sides

How to Specify

1. Model
2. Worksurface material:
   L = Laminate with PVC rim
   LW = Laminate with wood softened
   W = Wood with wood softened
3. Rim profile:
   P = Softened (L models only)
   F = Softened (LW or W models only)
   Note: Reed (M) and Knife (S) rims are not available on upmount overhead shelves.
4. Shelf finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
5. Shelf finish designator
6. Rim finish price group (omit for L and W rim):
   STD = Group 1
   STD2 = Group 2 (+20%)
7. Rim finish designator (omit for W model)

Center-Mount Overhead Shelves

Mitred

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	56
Finishes & Materials	209



D	*W*	*H*	*WC*	*Model*	*Laminate with P Rim*	*Wood or Lam. with Wood F Rim*
For Use with 90° Corner Support Frames with Stanchions (set of 4)						
14 7/16"	49 5/16"	3/4"	17 5/16"	**53K1648OSSLM**	$1099	$1934



For Use with 120° Corner Support Frames with Stanchions (set of 3)						
14 7/16"	48 3/4"	3/4"	17 5/16"	**53K1648OSSYM**	$987	$1741

IMPORTANT:
Overhead/shelf and mitred shelf brackets, specified separately, are required.
➤See page 120.

Shelf Dividers
➤See page 120.

Standard Includes

- Shelf, finished on both sides
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened
W = Wood with wood softened
③ Rim profile:
P = Softened (L models only)
F = Softened (LW or W models only)
Note: Reed (M) and Knife (S) rims are not available on center-mount overhead shelves.
④ Shelf finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Shelf finish designator
⑥ Rim finish price group (omit for L and W rim):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W model)

Interior Shelves, Dividers, and Brackets

Pricing

For Use with Center-Mount Overhead Cabinets and Shelves

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	56
Finishes & Materials	209

D	W	H	Model	Laminate	Wood
Interior Shelves for Use Inside Center-Mount Sliding-Door Cabinets					
13 1/16"	13 1/4"	3/4"	**53K1515SSU**	$120	$235
13 1/16"	16 3/16"	3/4"	**53K1518SSU**	128	251
13 1/16"	19 1/4"	3/4"	**53K1521SSU**	132	260
13 1/16"	22 5/16"	3/4"	**53K1524SSU**	135	267
13 1/16"	25 1/4"	3/4"	**53K1527SSU**	145	275
13 1/16"	28 1/4"	3/4"	**53K1530SSU**	152	283
13 1/16"	31 1/4"	3/4"	**53K1533SSU**	160	293
13 1/16"	34 1/4"	3/4"	**53K1536SSU**	167	300

D	W	H	Model	Price
Shelf Divider				
9 1/16"	1 15/16"	2 1/2"	**53K1606OSDP**	$144



Priority Center-Mount Overhead/Shelf Brackets (set of 2)				
9 1/16"	1 15/16"	2 1/2"	**53KOBP**	$77



Xsede Accessory-Rail-Mount Stanchion Kit (set of 2)				
9 27/32"		6 1/32"	**53KSKOP**	$141

Mitred Shelf Brackets				
For Use Where 90° Shelves Join in the Center				
9 13/16"		1"	**53KOBLP**	$100
For Use Where 120° Shelves Join in the Center				
9 13/16"		1"	**53KOBYP**	$89

Standard Includes

Interior Shelves

- Shelf, finished on both sides
- Attachment brackets

How to Specify

Interior Shelves

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L models):
STD = Standard
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Priority Brackets, Dividers, Mitred Shelf Brackets

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Xsede Stanchion Kit

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Resin Privacy Screens

Pricing

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	57
Finishes & Materials	209

D	W	H	Model	Price
12"H				
¼"	24"	11 13/16"	**53K2412PSR**	$122
¼"	30 1/16"	11 13/16"	**53K3012PSR**	145
¼"	36 1/16"	11 13/16"	**53K3612PSR**	172
¼"	42 1/16"	11 13/16"	**53K4212PSR**	200
¼"	48 1/16"	11 13/16"	**53K4812PSR**	240
¼"	54"	11 13/16"	**53K5412PSR**	278
¼"	60"	11 13/16"	**53K6012PSR**	306
¼"	66"	11 13/16"	**53K6612PSR**	344
¼"	71 15/16"	11 13/16"	**53K7212PSR**	384
¼"	77 15/16""	11 13/16"	**53K7812PSR**	434
¼"	83 15/16"	11 13/16"	**53K8412PSR**	483
¼"	89 15/16"	11 13/16"	**53K9012PSR**	533

16"H				
¼"	24"	15 3/4"	**53K2416PSR**	$155
¼"	30 1/16"	15 3/4"	**53K3016PSR**	183
¼"	36 1/16"	15 3/4"	**53K3616PSR**	216
¼"	42 1/16"	15 3/4"	**53K4216PSR**	251
¼"	48 1/16"	15 3/4"	**53K4816PSR**	299
¼"	54"	15 3/4"	**53K5416PSR**	348
¼"	60"	15 3/4"	**53K6016PSR**	385
¼"	66"	15 3/4"	**53K6616PSR**	433
¼"	71 15/16"	15 3/4"	**53K7216PSR**	479
¼"	77 15/16"	15 3/4"	**53K7816PSR**	544
¼"	83 15/16"	15 3/4"	**53K8416PSR**	605
¼"	89 15/16"	15 3/4"	**53K9016PSR**	667

IMPORTANT: Attachment brackets, specified separately, are required.
➤See page 123.

Standard Includes

- Privacy screen: resin

How to Specify

❶ Model
② Resin color:
23 = Mist
24 = Breeze
22 = Alpine White (+10%)

Resin End Privacy Screens

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	57
Finishes & Materials	209

D	*W*	*H*	*Model*	*Price*
12"H				
¼"	21⅜"	11 13⁄16"	**53K2212PSER**	$122
¼"	27⅜"	11 13⁄16"	**53K2812PSER**	145
¼"	33⅜"	11 13⁄16"	**53K3412PSER**	172
16"H				
¼"	21⅜"	15¾"	**53K2216PSER**	$155
¼"	27⅜"	15¾"	**53K2816PSER**	183
¼"	33⅜"	15¾"	**53K3416PSER**	216

Standard Includes

- Privacy screen: resin

How to Specify

❶ Model
② Resin color:
23 = Mist
24 = Breeze
22 = Alpine White (+10%)

IMPORTANT: Attachment brackets, specified separately, are required.
➤See page 123.

Resin Privacy Screen Attachment Brackets

Pricing

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	57
Finishes & Materials	209



For Freestanding Screens (set of 2)

5⅛"	2⅜"	1"	**53KPSBFP**	$55

For Surface Mounting to Worksurface or Top Caps (set of 2)

9⁄16"	2⅜"	1"	**53KPSBSP**	$55



For Mounting to the Underside of Worksurfaces (set of 2)

For Softened Rim, Reed Rim, or Wire Manager

2¾"	2⅜"	2⁵⁄16"	**53KPSBU2P**	$55

For Knife Rim

2⅜"	2⅜"	2⁵⁄16"	**53KPSBU1P**	$55

IMPORTANT: Brackets are packaged as a set of two. Specify the appropriate number of brackets based on the screen size:

- 24"–54"W screens require 2 brackets
- 60"–78"W screens require 3 brackets
- 84"–90"W screens require 4 brackets

Standard Includes

- Two brackets

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Wood or Laminate Privacy Screens

Click-Adjust

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	58
Finishes & Materials	209



D	W	H	Model	Laminate	Wood
28"H					
¾"	35⅞"	28¼"	**53K3628PSC**	$449	$804
¾"	41⅞"	28¼"	**53K4228PSC**	482	863
¾"	47⅞"	28¼"	**53K4828PSC**	516	923

Standard Includes

- Click-adjust bracket; field installed
- Finished on both sides

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Rim profile:
P = Softened vinyl (L models only)
F = Softened wood (W models only)
④ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Surface finish designator
⑥ Rim finish designator (omit for W models)

Manual Height-Adjustable Table Bases

Main T-Leg Bases

GSA SIN 711-2





Incremental



Click



Crank

D	*W*	*H*	*For Use With*	*Model*	*Incremental*	*Click*	*Crank*
23 1/16"	31 1/8"	27 11/16"	36"W top	**53K2436TBT**	$815	$1018	$1222
23 1/16"	37 1/8"	27 11/16"	42"W top	**53K2442TBT**	840	1050	1260
23 1/16"	43 1/8"	27 11/16"	48"W top	**53K2448TBT**	865	1082	1300
23 1/16"	49 1/16"	27 11/16"	54"W top	**53K2454TBT**	892	1116	1339
23 1/16"	55 1/16"	27 11/16"	60"W top	**53K2460TBT**	920	1150	1380
23 1/16"	61 1/16"	27 11/16"	66"W top	**53K2466TBT**	949	1186	1423
23 1/16"	67"	27 11/16"	72"W top	**53K2472TBT**	978	1222	1467
23 1/16"	73"	27 11/16"	78"W top	**53K2478TBT**	1007	1259	1511
23 1/16"	79"	27 11/16"	84"W top	**53K2484TBT**	1038	1297	1556
23 1/16"	85"	27 11/16"	90"W top	**53K2490TBT**	1069	1336	1603
23 1/16"	90 15/16"	27 11/16"	96"W top	**53K2496TBT**	1101	1376	1651

IMPORTANT: Height-adjustable table bases are for use with 24", 30", and 36"D tops only.

T-leg Casters for Individual Tables
➤See page 134.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	59
Finishes & Materials	209

Standard Includes

- Undersurface rails
- Two manually adjustable T-legs (2 3/8"D x 2 3/8"W)
  - —Incremental model adjusts from 21"–34"
  - —Click model adjusts from 22 1/2"–34 5/16"
  - —Crank model adjusts from 26 3/16"–44 1/2"; crank handle mounts on right
- Attachment hardware
- Ships ready to assemble

How to Specify

❶ Model
❷ Adjustability mechanism/base designator:
IMMP = Incremental Manual Adjust
LMMP = Click Manual Adjust
RMMP = Crank Manual Adjust
③ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
④ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Manual Height-Adjustable Table Bases

Return T-Leg Bases

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	59
Finishes & Materials	209





Incremental



Click

D	*W*	*H*	*For Use With*	*Model*	*Incremental*	*Click*
23 1/16"	43 1/16"	27 11/16"	42"W top	**53K2442TBT**	$650	$763
23 1/16"	49 1/16"	27 11/16"	48"W top	**53K2448TBT**	672	840
23 1/16"	55 1/16"	27 11/16"	54"W top	**53K2454TBT**	693	865
23 1/16"	61 1/16"	27 11/16"	60"W top	**53K2460TBT**	714	892
23 1/16"	67"	27 11/16"	66"W top	**53K2466TBT**	735	920
23 1/16"	72 1/4"	27 11/16"	72"W top	**53K2472TBT**	759	949
23 1/16"	79"	27 11/16"	78"W top	**53K2478TBT**	783	978
23 1/16"	85"	27 11/16"	84"W top	**53K2484TBT**	805	1007
23 1/16"	90 15/16"	27 11/16"	90"W top	**53K2490TBT**	830	1038

IMPORTANT: Height-adjustable table bases are for use with 24", 30", and 36"D tops only. Crank-adjust return models are not available.

IMPORTANT: Two flat brackets, specified separately, are required. ➤See page 102.

Standard Includes

- Undersurface rails
- One manually adjustable T-leg (2 3/8"D x 2 3/8"W)
  - —Incremental model adjusts from 21"–34"
  - —Click model adjusts from 22 1/2"–34 5/16"
- Return bracket
- Attachment hardware
- Ships ready to assemble

  Note: Rails will extend underneath the adjoining main surface for connection.

How to Specify

❶ Model

❷ Adjustability mechanism/base designator:
IMRP = Incremental Manual Adjust
LMRP = Click Manual Adjust

③ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

④ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Manual Height-Adjustable Tables

Extension Post-Leg Bases

GSA SIN 711-2



D	W	H	For Use With	Model	Incremental	Click
23 1⁄16"	43 1⁄16"	27 1⁄16"	42"W top	**53K2442TBC**	$521	$611
23 1⁄16"	49 1⁄16"	27 1⁄16"	48"W top	**53K2448TBC**	538	672
23 1⁄16"	55 1⁄16"	27 1⁄16"	54"W top	**53K2454TBC**	554	693
23 1⁄16"	61 1⁄16"	27 1⁄16"	60"W top	**53K2460TBC**	572	714



Incremental



Click

IMPORTANT: Height-adjustable table bases are for use with 24", 30", and 36"D tops only. Extension post-leg bases are intended for use as a return base. Depending on the depths of the main and extension worksurfaces, the post leg will be inset approximately 12"–15" from the end of the extension worksurface. Crank-adjust extension post-leg models are not available.

IMPORTANT: Two flat brackets, specified separately, are required.
➤See page 102.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	61
Finishes & Materials	209

Standard Includes

- Undersurface rails
- One manually adjustable post leg (2⅜"D x 2⅜"W)
  - —Incremental model adjusts from 21"–34"
  - —Click model adjusts from 22½"–34 5⁄16"
- Attachment hardware
  Note: Rails will extend underneath the adjoining main surface for connection.
- Ships ready to assemble

How to Specify

❶ Model
❷ Adjustability mechanism/base designator:
IMEP = Incremental Manual Adjust
LMEP = Click Manual Adjust
③ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Manual Height-Adjustable Tables

90° and 120° Bases

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	59
Finishes & Materials	209





D	W	H	For Use With	Model	Incremental	Click	Crank
90°							
45 7/16"	45 7/16"	27 11/16"	24"D x 48"W top	**53K2448TBL**	$1905	$2381	$2858
42 7/16"	42 7/16"	27 11/16"	30"D x 48"W top	**53K3048TBL**	1905	2381	2858
120°							
51 5/16"	68 1/4"	27 11/16"	24"D x 48"W top	**53K2448TBY**	$2095	$2619	$3143
49 13/16"	65 5/8"	27 11/16"	30"D x 48"W top	**53K3048TBY**	2095	2619	3143



Incremental



Click



Crank

IMPORTANT: These height-adjustable table bases are for use with 90° and 120° corner worksurfaces only.

T-leg Casters
➤See page 134.

Standard Includes

- Undersurface rails
- Two manually adjustable T-legs (2 3/8"D x 2 3/8"W)
  - —Incremental model adjusts from 21"–34"
  - —Click model adjusts from 22 1/2"–34 5/16"
  - —Crank model adjusts from 26 3/16"–44 1/2"; crank handle mounts on right
- Post leg
- Attachment hardware
- Ships ready to assemble

How to Specify

❶ Model
❷ Adjustability mechanism/base designator:
IMP = Incremental Manual Adjust
LMP = Click Manual Adjust
RMP = Crank Manual Adjust
③ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
④ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Electric Height-Adjustable Table Bases

Pricing

Main T-Leg Bases

GSA SIN 711-2



D	W	H	For Use With	Model	Single Stage	Dual Stage
23 1/16"	31 1/8"	27 11/16"	36"W top	**53K2436TBT**	$1588	$2065
23 1/16"	37 1/8"	27 11/16"	42"W top	**53K2442TBT**	1639	2130
23 1/16"	43 1/8"	27 11/16"	48"W top	**53K2448TBT**	1688	2195
23 1/16"	49 1/16"	27 11/16"	54"W top	**53K2454TBT**	1741	2262
23 1/16"	55 1/16"	27 11/16"	60"W top	**53K2460TBT**	1796	2332
23 1/16"	61 1/16"	27 11/16"	66"W top	**53K2466TBT**	1851	2406
23 1/16"	67"	27 11/16"	72"W top	**53K2472TBT**	1907	2479
23 1/16"	73"	27 11/16"	78"W top	**53K2478TBT**	1965	2554
23 1/16"	79"	27 11/16"	84"W top	**53K2484TBT**	2024	2631
23 1/16"	85"	27 11/16"	90"W top	**53K2490TBT**	2084	2708
23 1/16"	90 15/16"	27 11/16"	96"W top	**53K2496TBT**	2146	2790



Single Stage



Dual Stage

IMPORTANT: Height-adjustable table bases are for use with 24", 30", and 36"D tops only.

T-leg Casters for Individual Tables
➤See page 134.

Control Box Jumper Cord (service part)
➤See page 134.

Snap-on Cable Managers
➤See page 134.



Standard (Non-programmable)



Programmable

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	60
Finishes & Materials	209

Standard Includes

- Undersurface rails
- Two electronically adjustable T-legs (2⅜"D x 2⅜"W)
  - —Single-stage model adjusts from 26¼"–45⅛"
  - —Dual-stage model adjusts from 21 1/16"–47 1/16"
- Control box with up/down control switch; one box/switch will control main or main plus a return surfaces in an L-configuration
  Note: Control boxes are not interchangeable. Specify based on application.
- Attachment brackets
- Ships ready to assemble

How to Specify

❶ Model
❷ Adjustability mechanism/base designator:
SEMP = Single-Stage Electric Adjust
DEMP = Dual-Stage Electric Adjust
③ Height-adjustment switch/control box:
STD_MAIN = Non-programmable for use with single main surface without a return or extension
PROG_MAIN = Programmable with digital readout (+$124) for use with single main surface without a return or extension
STD_RETURN = Non-programmable for use in L-configuration when main surface is attached to a return or extension
PROG_RETURN = Programmable with digital readout (+$176) for use in L-configuration when main surface is attached to a return or extension
④ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
⑤ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Electric Height-Adjustable Table Bases

Pricing

Return T-Leg Bases

GSA SIN 711-2



D	W	H	For Use With	Model	Single Stage	Dual Stage
23 1/16"	43 1/16"	27 11/16"	42"W top	**53K2442TBT**	$1221	$1588
23 1/16"	49 1/16"	27 11/16"	48"W top	**53K2448TBT**	1260	1639
23 1/16"	55 1/16"	27 11/16"	54"W top	**53K2454TBT**	1297	1688
23 1/16"	61 1/16"	27 11/16"	60"W top	**53K2460TBT**	1339	1741
23 1/16"	67"	27 11/16"	66"W top	**53K2466TBT**	1380	1796
23 1/16"	72 1/4"	27 11/16"	72"W top	**53K2472TBT**	1423	1851
23 1/16"	79"	27 11/16"	78"W top	**53K2478TBT**	1467	1907
23 1/16"	85"	27 11/16"	84"W top	**53K2484TBT**	1511	1964
23 1/16"	90 15/16"	27 11/16"	90"W top	**53K2490TBT**	1556	2023



Single Stage



Dual Stage

IMPORTANT: Height-adjustable table bases are for use with 24", 30", and 36"D tops only.

IMPORTANT: Two flat brackets, specified separately, are required.
➤See page 102.

Control Box Jumper Cord (service part)
➤See page 134.

Snap-on Cable Managers
➤See page 134.

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 60
Finishes & Materials 209

Standard Includes

- Undersurface rails
- One electronically adjustable T-leg (2 3/8"D x 2 3/8"W)
  - —Single-stage model adjusts from 26 1/4"–45 1/8" at 1 1/2" per second
  - —Dual-stage model adjusts from 21 1/16"–47 1/16" 1 1/2" per second
- Ships ready to assemble
- Return bracket
- Attachment hardware

Note: Rails will extend underneath the adjoining main surface for connection.

How to Specify

❶ Model
❷ Adjustability mechanism/base designator:
SERP = Single-Stage Electric Adjust
DERP = Dual-Stage Electric Adjust
③ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
④ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Electric Height-Adjustable Table Bases

Extension Post-Leg Bases

GSA SIN 711-2



D	W	H	For Use With	Model	Single Stage	Dual Stage
23 1/16"	43 1/16"	27 1/16"	42"W top	**53K2442TBC**	$978	$1272
23 1/16"	49 1/16"	27 1/16"	48"W top	**53K2448TBC**	1008	1310
23 1/16"	55 1/16"	27 1/16"	54"W top	**53K2454TBC**	1039	1351
23 1/16"	61 1/16"	27 1/16"	60"W top	**53K2460TBC**	1072	1393



Single Stage



Dual Stage

IMPORTANT: Height-adjustable table bases are for use with 24", 30", and 36"D tops only. Extension post-leg bases are intended for use as a return base. Depending on the depths of the main and extension worksurfaces, the post-leg will be inset approximately 12"–15" from the end of the extension worksurface. Crank-adjust extension post-leg models are not available.

IMPORTANT: Two flat brackets, specified separately, are required. ➤See page 102.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	61
Finishes & Materials	209

Standard Includes

- Undersurface rails
- One electronically adjustable post leg (2⅜"D x 2⅜"W)
  - —Single-stage model adjusts from 26¼"–45⅛" at 1½" per second
  - —Dual-stage model adjusts from 21 1/16"–47 1/16" 1½" per second
- Ships ready to assemble
- Attachment hardware

Note: Rails will extend underneath the adjoining main surface for connection.

How to Specify

❶ Model
❷ Adjustability mechanism/base designator:
SEEP = Single-Stage Electric Adjust
DEEP = Dual-Stage Electric Adjust
③ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Electric Height-Adjustable Table Bases

Pricing

90° and 120° Bases

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	60
Finishes & Materials	209





D	*W*	*H*	*For Use With*	*Model*	*Single Stage*	*Dual Stage*
90°						
45 7/16"	45 7/16"	27 11/16"	24"D x 48"W top	**53K2448TBL**	$3715	$4828
42 7/16"	42 7/16"	27 11/16"	30"D x 48"W top	**53K3048TBL**	3715	4828
120°						
51 5/16"	68 1/4"	27 11/16"	24"D x 48"W top	**53K2448TBY**	$4086	$5311
49 13/16"	65 5/8"	27 11/16"	30"D x 48"W top	**53K3048TBY**	4086	5311



Single Stage



Dual Stage

IMPORTANT: These height-adjustable table bases are for use with 90° and 120° corner worksurfaces only.

T-leg Casters
➤See page 134.

Control Box Jumper Cord (service part)
➤See page 134.

Snap-on Cable Managers
➤See page 134.



Standard (Non-programmable)



Programmable

Standard Includes

- Undersurface rails
- Two electronically adjustable T-legs (2 3/8"D x 2 3/8"W)
  - —Single-stage model adjusts from 26 1/4"–45 1/8" at 1 1/2" per second
  - —Dual-stage model adjusts from 21 1/16"–47 1/16" 1 1/2" per second
- Control box with up/down control switch
- Post leg
- Attachment brackets
- Ships ready to assemble

How to Specify

❶ Model
❷ Adjustability mechanism/base designator:
SEP = Single-Stage Electric Adjust
DEP = Dual-Stage Electric Adjust
③ Height adjustment switch:
STD = Non-programmable
PROG = Programmable with digital readout (+$124)
④ Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
⑤ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Height-Adjustable Table Bases

Pricing

Bridge Worksurface Kit

GSA SIN 711-2

D	W	H	For use with	Model	Price
6 5/16"	48 7/8"	2 3/16"	42"W top	**53K42WBKBP**	$321
6 5/16"	54 7/8"	2 3/16"	48"W top	**53K48WBKBP**	354
6 5/16"	60 13/16"	2 3/16"	54"W top	**53K54WBKBP**	364
6 5/16"	66 13/16"	2 3/16"	60"W top	**53K60WBKBP**	392
6 5/16"	72 13/16"	2 3/16"	66"W top	**53K66WBKBP**	409
6 5/16"	78 3/16"	2 3/16"	72"W top	**53K72WBKBP**	425

IMPORTANT: Bridge kit is intended for use to create a U-shaped configuration.

IMPORTANT: Two flat brackets, specified separately, are required for each worksurface intersection
➤See page 102.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	60
Finishes & Materials	209

Standard Includes

- Kit to connect two worksurfaces
  Note: Brackets will extend underneath the adjoining main and return surface for connection.
- *Two undersurface rails*
- *Two return brackets*
- *Ships ready to assemble*

How to Specify

❶ Model
② Rail finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
③ Return bracket finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail and return bracket, upcharge is applied only once per model.

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 60
Finishes & Materials 209

IMPORTANT: For use on individual tables only. ➤See pages 59 and 62 for planning information; additional service parts are required for 90° and 120° bases.

D	W	H	Model	Price
T-Leg Casters for Height-Adjustable Bases				
2 1/16"	1 7/8"	2 1/4"	**53KCST**	$22

Standard Includes

- Set of four low-neck casters with an M-8 thread; height is 1 7/8".

How to Specify

❶ Model

IMPORTANT: For use as a service part only.

D	W	H	Model	Price
Control Box Jumper Cord for Single-Stage or Dual-Stage Electric Bases				
4 3/16"	10 13/16"	4"	**53KCBJC**	$57

Standard Includes

- Jumper cord with one male end and one female end: black

How to Specify

❶ Model



D	W	H	Model	Price
Snap-on Cable Manager				
For Use with Dual-Stage Electric Bases				
2 3/8"	31 5/16"	16"	**53K16CMSD**	$78
For Use with Single-Stage Electric Bases				
2 3/8"	31 5/16"	21 1/8"	**53K21CMSS**	$94

Standard Includes

- Cable manager: metal

How to Specify

❶ Model
② Finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Double-Pedestal Desks

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	73
Finishes & Materials	209
Locking Information	232





Approach side

Rectangular Top

D	W	H	KW	KH	AO	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Softened or Reed Rim									
30"	60"	28¾"	30"	27½"	5¾"	**53K3060DDFB**	$2062	$3155	—
30"	66"	28¾"	36"	27½"	5¾"	**53K3066DDFB**	2089	3183	—
30"	72"	28¾"	42"	27½"	5¾"	**53K3072DDFB**	2123	3233	—
36"	72"	28¾"	42"	27½"	5¾"	**53K3672DDFB**	2197	3346	—
Knife Rim									
32"	60"	28¾"	30"	27½"	5¾"*	**53K3260DDFB**	—	—	$3199
32"	66"	28¾"	36"	27½"	5¾"*	**53K3266DDFB**	—	—	3264
32"	72"	28¾"	42"	27½"	5¾"*	**53K3272DDFB**	—	—	3330
38"	72"	28¾"	42"	27½"	5¾"*	**53K3872DDFB**	—	—	3427



Arc Top

D	W	H	KW	KH	AO	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Softened or Reed Rim									
30"	60"	28¾"	30"	27½"	6⅞"	**53K3060DDFBA**	$2104	$3218	—
36"	72"	28¾"	42"	27½"	6⅞"	**53K3672DDFBA**	2235	3407	—
Knife Rim									
32"	60"	28¾"	30"	27½"	6⅞"*	**53K3260DDFBA**	—	—	$3329
38"	72"	28¾"	42"	27½"	6⅞"*	**53K3872DDFBA**	—	—	3501

**Knife rim overhangs user side by 1¼".*
Arc top depth dimensions represent the widest point.

Standard Includes

- Box/box/file letter-width pedestal, left
- File/file letter-width pedestal, right
- One lock per pedestal
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
❸ Pedestal option:
8 = BBF/FF
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
⑤ Pull option: ➤See page 76 for designators.
⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify 2 lock cores separately
⑦ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Center Drawers
➤See page 139.

Single-Pedestal Desks

Pricing

Rectangular Top

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	73
Finishes & Materials	209
Locking Information	232





Approach side

Pedestal on Right

D	W	H	KW	KH	AO	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	**53K3066DRFB**	$1988	$2937	—
36"	72"	28¾"	56"	27½"	5¾"	**53K3672DRFB** Ⓚ	2088	3086	—
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"	**53K3266DRFB**	—	—	$3018
38"	72"	28¾"	56"	27½"	5¾"	**53K3872DRFB**	—	—	3167





Approach side

Pedestal on Left

D	W	H	KW	KH	AO	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	**53K3066DLFB**	$1988	$2937	—
36"	72"	28¾"	56"	27½"	5¾"	**53K3672DLFB** Ⓚ	2088	3086	—
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"	**53K3266DLFB**	—	—	$3018
38"	72"	28¾"	56"	27½"	5¾"	**53K3872DLFB**	—	—	3167

**Knife rim overhangs user side by 1¼".*

Single-pedestal desks can be used as standalone units.

Center Drawers
➤See page 139.

Standard Includes

- Box/box/file letter-width pedestal
- One lock
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
❸ Pedestal option:
1 = BBF
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
⑤ Pull option:
➤See page 76 for designators.
⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑦ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for L & W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Ⓚ = Kwik Office model available.

Single-Pedestal Desks

Pricing

Arc Top

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	73
Finishes & Materials	209
Locking Information	232



D	W	H	KW	KH	AO	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Pedestal on Right									
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	**53K3066DRFBA**	$2027	$2996	—
36"	72"	28¾"	56"	27½"	5¾"	**53K3672DRFBA**	$2131	$3148	—
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"*	**53K3266DRFBA**	—	—	$3078
38"	72"	28¾"	56"	27½"	5¾"*	**53K3872DRFBA**	—	—	3230



D	W	H	KW	KH	AO	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Pedestal on Left									
Softened or Reed Rim									
30"	66"	28¾"	50"	27½"	5¾"	**53K3066DLFBA**	$2027	$2996	—
36"	72"	28¾"	56"	27½"	5¾"	**53K3672DLFBA**	$2131	$3148	—
Knife Rim									
32"	66"	28¾"	50"	27½"	5¾"*	**53K3266DLFBA**	—	—	$3078
38"	72"	28¾"	56"	27½"	5¾"*	**53K3872DLFBA**	—	—	3230

**Knife rim overhangs user side by 1¼".*
Arc top depth dimensions represent the widest point.

Single-pedestal desks can be used as standalone units.

Center Drawers
➤See page 139.

Standard Includes

- Box/box/file letter-width pedestal
- One lock
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
❸ Pedestal option:
1 = BBF
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
⑤ Pull option:
➤See page 76 for designators.
⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑦ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Single-Pedestal Desks

Pricing

Extended Top

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	73
Finishes & Materials	209
Locking Information	232





Approach side





Approach side

D	W	H	KW	KH	AO	Model	*Laminate with P Rim*	*Wood or Lam. with Wood F or M Rim*	*Wood or Lam. with Wood S Rim*
Pedestal on Right									
Softened or Reed Rim									
42"	72"	28¾"	56"	27½"	5¾"	**53K4272DRFEB**	$2305	$3408	—
Knife Rim									
44"	72"	28¾"	56"	27½"	5¾"*	**53K4472DRFEB**	—	—	$3513
Pedestal on Left									
Softened or Reed Rim									
42"	72"	28¾"	56"	27½"	5¾"	**53K4272DLFEB**	$2305	$3408	—
Knife Rim									
44"	72"	28¾"	56"	27½"	5¾"*	**53K4472DLFEB**	—	—	$3513

**Knife rim overhangs user side by 1¼".*

IMPORTANT: Single-pedestal extended top desks are not intended for use as standalone units.

Center Drawers
➤See page 139.

Standard Includes

- Box/box/file letter-width pedestal
- One lock
- Breakfront modesty panel
- Two hinged access doors
- Two cord openings

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
❸ Pedestal option:
1 = BBF
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
⑤ Pull option:
➤See page 76 for designators.
⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑦ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Center Drawers

Pricing

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	73
Finishes & Materials	209



D	W	H	Model	Price
Center Drawers				
For Use with 60" and 66"W Single-Pedestal Desks				
21¾"	17¾"	2¼"	**53K2218CDW**	$243
For Use with 66"W Double-Pedestal Desks and 72"W Single-Pedestal Desks				
21¾"	29¾"	2¼"	**53K2230CDW**	$323
For Use with 72"W Double-Pedestal Desks				
21¾"	36¾"	2¼"	**53K2236CDW**	363

Standard Includes

- Center drawer
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator
④ Wood interior drawer option (omit for standard drawers):
WD = Wood interior drawers (+10%)

IMPORTANT: Not for use when undersurface support rails are in use.

Executive Returns

Pricing

GSA SIN 711-8









D	W	H	KW	KH	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
File/File Pedestal on Right								
Softened or Reed Rim								
24"	42"	28¾"	27"	27½"	**53K2442RREF**	$1194	$1851	—
24"	48"	28¾"	33"	27½"	**53K2448RREF** K	1220	1891	—
Knife Rim								
25"	42"	28¾"	27"	27½"	**53K2542RREF**	—	—	$1920
25"	48"	28¾"	33"	27½"	**53K2548RREF**	—	—	1961
File/File Pedestal on Left								
Softened or Reed Rim								
24"	42"	28¾"	27"	27½"	**53K2442RLEF**	$1194	$1851	—
24"	48"	28¾"	33"	27½"	**53K2448RLEF** K	1220	1891	—
Knife Rim								
25"	42"	28¾"	27"	27½"	**53K2542RLEF**	—	—	$1920
25"	48"	28¾"	33"	27½"	**53K2548RLEF**	—	—	1961
Multi-File Pedestal on Right								
Softened or Reed Rim								
24"	66"	28¾"	30"	27½"	**53K2466RREF**	$1861	$2866	—
Knife Rim								
25"	66"	28¾"	30"	27½"	**53K2566RREF**	—	—	$2943
Multi-File Pedestal on Left								
Softened or Reed Rim								
24"	66"	28¾"	30"	27½"	**53K2466RLEF**	$1861	$2866	—
Knife Rim								
25"	66"	28¾"	30"	27½"	**53K2566RLEF**	—	—	$2943

**Knife rim overhangs user side by 1¼".*

Standard Includes

- File/file letter-width pedestal or 36"W multi-file pedestal (two box drawers, one file drawer, and one lateral file drawer)
- One lock in file/file pedestal; two locks in multi-file pedestal
- Hinged modesty panel (ships unattached; assembly required)
- Two cord openings
- Front-to-back grain direction on worksurface on file/file returns and wood multi-file returns; side-to-side on laminate multi-file return

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
❸ Pedestal option:
2 = File/file **10** = Multi-file
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
⑤ Pull option:
➤See page 76 for designators.
⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22 per lock); specify lock core(s) separately
⑦ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑧ Modesty panel grommet option:
MG1MB = Center (+$57)
X = No grommet
⑨ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Worksurface finish designator
⑪ Drawer front finish designator (omit for LW and W models)
⑫ Chassis finish designator (omit for LW and W)
⑬ Rim finish price group (omit for L & W models):
STD = Group 1 **STD2** = Group 2 (+20%)
⑭ Rim finish designator (omit for W models)
⑮ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

K = Kwik Office model available.

Bridges

Pricing

GSA SIN 711-8
FSC-C01059 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	73
Finishes & Materials	209



D	W	H	KH	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
With Modesty Panel							
Softened or Reed Rim							
24"	30"	28¾"	27½"	**53K2430BEF**	$430	$819	—
24"	36"	28¾"	27½"	**53K2436BEF**	447	853	—
24"	42"	28¾"	27½"	**53K2442BEF** Ⓚ	466	885	—
24"	48"	28¾"	27½"	**53K2448BEF** Ⓚ	486	923	—
Knife Rim							
25"	30"	28¾"	27½"	**53K2530BEF**	—	—	$883
25"	36"	28¾"	27½"	**53K2536BEF**	—	—	918
25"	42"	28¾"	27½"	**53K2542BEF**	—	—	953
25"	48"	28¾"	27½"	**53K2548BEF**	—	—	996

**Knife rim overhangs user side by 1¼".*

Standard Includes

- Hinged modesty panel (ships unattached; assembly required)
- Front-to-back grain direction on worksurface

How to Specify

❶ Model
❷ Worksurface/modesty panel materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
④ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑤ Modesty panel grommet option:
MG1MB = Center (+$57)
X = No grommet
⑥ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Chassis finish designator (omit for LW and W models)
⑨ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (omit for W models)

Ⓚ = Kwik Office model available.

Credenzas

Pricing

Storage and Kneespace

†GSA SIN 711-9
††GSA SIN 711-8





D	W	H	KW	KH	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Storage †								
Softened or Reed Rim								
24"	66"	28¾"			**53K2466CSF**	$2218	$3261	$3261
24"	72"	28¾"			**53K2472CSF**	2276	3363	3363
Knife Rim								
25"	66"	28¾"			**53K2566CSF**	—	$3358	$3358
25"	72"	28¾"			**53K2572CSF**	—	3464	3464
Kneespace ††								
Softened or Reed Rim								
24"	66"	28¾"	36"	27½"	**53K2466CKF**	$1997	$2952	$2952
24"	72"	28¾"	42"	27½"	**53K2472CKF** Ky	2013	2976	2976
Knife Rim								
25"	66"	28¾"	36"	27½"	**53K2566CKF**	—	$3028	$3028
25"	72"	28¾"	42"	27½"	**53K2572CKF**	—	3056	3056

**Knife rim overhangs user side by 1¼".*

Standard Includes

- Two file/file letter-width pedestals
- Two hinged doors and one adjustable shelf in center section of storage credenza (locking)
- Three locks in storage credenza; two locks in kneespace model
- Hinged modesty panel on kneespace credenzas
- Finished back
- Two cord openings in each pedestal with black grommets

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
❸ Pedestal option:
2 = File/file
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
⑤ Pull option:
➤See page 76 for designators.
⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22 per lock); specify lock core(s) separately
⑦ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑧ Modesty panel grommet option (omit for storage credenza):
MG1MB = Center (+$57)
X = No grommet
⑨ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Worksurface finish designator
⑪ Drawer front finish designator (omit for LW and W models)
⑫ Chassis finish designator (omit for LW and W)
⑬ Rim finish price group (omit for L & W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑭ Rim finish designator (omit for W models)
⑮ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Ky = Kwik Office model available.

Credenzas

Single Pedestal and Lateral File

Abbreviation Key	➤See page 3
Product Information	73
Finishes & Materials	209
Locking Information	232









D	W	H	KW	KH	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Single-Pedestal on Right								
Softened or Reed Rim								
24"	66"	28¾"	50"	27½"	**53K2466CRF**	$1865	$2756	—
24"	72"	28¾"	56"	27½"	**53K2472CRF** K	1892	2796	—
Knife Rim								
25"	66"	28¾"	50"	27½"	**53K2566CRF**	—	—	$2833
25"	72"	28¾"	56"	27½"	**53K2572CRF**	—	—	2874
Single-Pedestal on Left								
Softened or Reed Rim								
24"	66"	28¾"	50"	27½"	**53K2466CLF**	$1865	$2756	—
24"	72"	28¾"	56"	27½"	**53K2472CLF** K	1892	2796	—
Knife Rim								
25"	66"	28¾"	50"	27½"	**53K2566CLF**	—	—	$2833
25"	72"	28¾"	56"	27½"	**53K2572CLF**	—	—	2874
Lateral File on Right								
Softened or Reed Rim								
24"	72"	28¾"	41¼"	27½"	**53K2472CRF**	$2011	$2973	—
Knife Rim								
25"	72"	28¾"	41¼"	27½"	**53K2572CRF**	—	—	$3014
Lateral File on Left								
Softened or Reed Rim								
24"	72"	28¾"	41¼"	27½"	**53K2472CLF**	$2011	$2973	—
Knife Rim								
25"	72"	28¾"	41¼"	27½"	**53K2572CLF**	—	—	$3014

**Knife rim overhangs user side by 1¼".*

IMPORTANT: Single-pedestal credenzas are not intended for use as standalone units.

Standard Includes

- File/file letter-width pedestal or 30"W lateral file
- One lock
- Hinged modesty
- Finished back
- Two cord openings with black grommets

How to Specify

❶ Model

❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood

❸ Pedestal option:
2 = File/File **6** = Lateral File

④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)

⑤ Pull option:
➤See page 76 for designators.

⑥ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately

⑦ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet

⑧ Modesty panel grommet option:
MG1MB = Center (+$57)
X = No grommet

⑨ Worksurface finish price group:
STD = Group 1 **STD2** = Group 2 (+20%)

⑩ Worksurface finish designator

⑪ Drawer front finish designator (omit for LW and W models)

⑫ Chassis finish designator (omit for LW and W)

⑬ Rim finish price group (omit for L & W models):
STD = Group 1 **STD2** = Group 2 (+20%)

⑭ Rim finish designator (omit for W models)

⑮ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

K = Kwik Office model available.

Transaction Counters

GSA SIN 711-8

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	73
Finishes & Materials	209



D	*W*	*H*	*KW*	*KH*	*Model*	*Laminate with P Rim*	*Wood or Lam. with Wood F Rim*
Wood Front							
12"	65"	15¾"			**53K1266WSRCW**	$1179	$1798

IMPORTANT: Transaction counters are for use with 66” and 72”W rectangular desks and worksurfaces with a breakfront modesty panel.

Standard Includes

- Softened rim profile
- Tackboard (user side): Terra Plus 3413 Stone fabric

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
③ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Worksurface finish designator
⑤ Chassis finish designator (omit for LW and W models)
⑥ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W models)

Desk Worksurfaces

Pricing

For Use with Classic Undersurface Storage and Support Panels

GSA SIN 711-8
FSC-C01059 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	74
Finishes & Materials	209



D	W	H	AO	ED	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Rectangular for Use as Main Worksurface								
Softened or Reed Rim								
30"	60"	1 3/16"		30"	**53K3060WSS**	$380	$552	—
30"	66"	1 3/16"		30"	**53K3066WSS**	439	601	—
36"	72"	1 3/16"		36"	**53K3672WSS**	622	700	—
Knife Rim								
32"	60"	1 3/16"		30"	**53K3260WSS**	—	—	$601
32"	66"	1 3/16"		30"	**53K3266WSS**	—	—	629
38"	72"	1 3/16"		36"	**53K3872WSS**	—	—	777



Arc for Use as Main Worksurface								
Softened or Reed Rim								
36"	72"	1 3/16"	6 7/8"	30"	**53K3672WSA**	$698	$840	—
42"	72"	1 3/16"	6 7/8"	36"	**53K4272WSA**	704	997	—
Knife Rim								
38"	72"	1 3/16"	5 7/8"*	30"	**53K3872WSAS**	—	—	$924
42"	72"	1 3/16"	5 7/8"*	36"	**53K4272WSAS**	—	—	1104

**Knife rim overhangs user side by 1 1/4".*
Arc top depth dimensions represent the widest point.

IMPORTANT: Pedestals must match worksurface end depth. Kneespace should not exceed 48".

Pedestals
➤See page 151.

Center Drawers
➤See page 139.

Standard Includes

- Worksurface
- Rim profile on all four sides

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood rim
W = Wood with wood rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
④ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

P-Shaped & U-Shaped Worksurfaces

Pricing

GSA SIN 711-8
FSC-C01059 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	74
Finishes & Materials	209







D	W	H		Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
P-Shaped, Right							
Softened or Reed Rim							
30"	72"	1 3/16"	36"	**53K3072WSPR**	$690	$976	—
Knife Rim							
32"	72"	1 3/16"	36"	**53K3272WSPR**	—	—	$1005
P-Shaped, Left							
Softened or Reed Rim							
30"	72"	1 3/16"	36"	**53K3072WSPL**	$690	$976	—
Knife Rim							
32"	72"	1 3/16"	36"	**53K3272WSPL**	—	—	$1005
U-Shaped							
Softened or Reed Rim							
30"	66"	1 3/16"		**53K3066WSU**	$493	$721	—
36"	72"	1 3/16"		**53K3672WSU**	698	840	—
36"	84"	1 3/16"		**53K3684WSU**	819	1013	—
Knife Rim							
32"	66"	1 3/16"		**53K3266WSU**	—	—	$754
38"	72"	1 3/16"		**53K3872WSU**	—	—	934
38"	84"	1 3/16"		**53K3884WSU**	—	—	1113

IMPORTANT: Support base and end panel must be specified separately. Modesty panel is also required for 84"W U-shaped worksurface.

Modesty Panels
➤See page 156.

End Panels
➤See page 160.

Support Columns
➤See page 163.

Standard Includes

- Worksurface
- Rim on all sides

Note: For knife rim surfaces, straight end will feature a reverse knife rim on "extension" worksurface and a flat edge on "main" worksurfaces.

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood rim
W = Wood with wood rim
③ Worksurface type:
M = Main
E = Extension
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
Note: Straight end will have a reverse knife rim on "extension" worksurfaces and flat edge on "main" worksurfaces.
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

Rectangular Worksurfaces

Pricing

For Use with 24"D Classic Undersurface Storage and Support Panels

GSA SIN 711-8
FSC-C01059 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	74
Finishes & Materials	209





Extension (return)



Filler (bridge)

D	*W*	*H*	*Model*	*Laminate with P Rim*	*Wood or Lam. with Wood F or M Rim*
For Use as Main, Extension, or Filler Worksurface					
Softened or Reed Rim					
24"	30"	1 3/16"	**53K2430WSS**	$189	$353
24"	36"	1 3/16"	**53K2436WSS**	212	374
24"	42"	1 3/16"	**53K2442WSS**	241	396
24"	48"	1 3/16"	**53K2448WSS**	267	430
24"	54"	1 3/16"	**53K2454WSS**	296	469
24"	60"	1 3/16"	**53K2460WSS**	323	491
24"	66"	1 3/16"	**53K2466WSS**	374	536
24"	72"	1 3/16"	**53K2472WSS**	386	555
24"	78"	1 3/16"	**53K2478WSS**	417	583
24"	84"	1 3/16"	**53K2484WSS**	447	629
24"	90"	1 3/16"	**53K2490WSS**	478	652
24"	96"	1 3/16"	**53K2496WSS**	507	697
24"	102"	1 3/16"	**53K24102WSS**	578	772
24"	108"	1 3/16"	**53K24108WSS**	601	789
24"	120"	1 3/16"	**53K24120WSS**	654	884

➤See next page for **knife rim** rectangular worksurfaces.

Standard Includes

- Worksurface (grain direction runs lengthwise)
- Rim profile on all four sides
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood rim
W = Wood with wood rim
③ Worksurface type:
M = Main
E = Extension
F = Filler
④ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
⑤ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

Undersurface Storage
➤See pages 151–152.

Support Panels
➤See page 158.

Hinged Modesty Panels
➤See page 155.

Rectangular Worksurfaces

For Use with 24"D Classic Undersurface Storage and Support Panels, continued

GSA SIN 711-8
FSC-C01059 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	74
Finishes & Materials	209



D	W	H	Model	Wood or Lam. with Wood S Rim
For Use as Main Worksurfaces				
Knife Rim*				
25"	30"	1 3/16"	**53K2530WSS**	$406
25"	36"	1 3/16"	**53K2536WSS**	413
25"	42"	1 3/16"	**53K2542WSS**	437
25"	48"	1 3/16"	**53K2548WSS**	474
25"	54"	1 3/16"	**53K2554WSS**	517
25"	60"	1 3/16"	**53K2560WSS**	541
25"	66"	1 3/16"	**53K2566WSS**	590
25"	72"	1 3/16"	**53K2572WSS**	611
25"	78"	1 3/16"	**53K2578WSS**	642
25"	84"	1 3/16"	**53K2584WSS**	692
25"	90"	1 3/16"	**53K2590WSS**	719
25"	96"	1 3/16"	**53K2596WSS**	767
25"	102"	1 3/16"	**53K25102WSS**	851
25"	108"	1 3/16"	**53K25108WSS**	867
25"	120"	1 3/16"	**53K25120WSS**	973
For Use as Extension Worksurfaces (Returns)				
Knife Rim				
25"	36"	1 3/16"	**53K2536WSSR**	$413
25"	42"	1 3/16	**53K2542WSSR**	437
25"	48"	1 3/16"	**53K2548WSSR**	474
For Use as Filler Worksurface (Bridges)				
Knife Rim				
25"	36"	1 3/16"	**53K2536WSSB**	$413
25"	42"	1 3/16"	**53K2542WSSB**	437
25"	48"	1 3/16"	**53K2548WSSB**	474





**Knife rim "main" worksurface cannot be used adjacent to corner worksurfaces.*

➤See previous page for **softened and reed rim** rectangular worksurfaces.

Undersurface Storage
➤See pages 151–152.

Support Panels
➤See page 158.

Hinged Modesty Panels
➤See page 155.

Standard Includes

- Worksurface (grain direction runs lengthwise)
- User's edge: knife rim profile (overhangs user side by 1¼")
- Side edges:
  - Flat (no rim profile) on "main" worksurfaces
  - Flat (no rim profile) on the pedestal side (exposed side edge) and reverse knife rim on abutting side on "extension" worksurfaces
  - Reverse knife rim on both sides on "filler" worksurfaces
- Back edge: flat (no rim profile)
- Attachment hardware

How to Specify

❶ Model
❷ Pedestal location (include for "extension" worksurface only):
R = Right (shown at left)
L = Left
❸ Worksurface material:
LW = Laminate with wood rim
W = Wood with wood rim
④ Rim profile:
S = Knife wood
⑤ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑥ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Rim finish price group (omit for W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for W models)

Corner Worksurfaces

GSA SIN 711-8
FSC-C01059 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	74
Finishes & Materials	209



D	W	H	Front Edge	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Corner							
Softened or Reed Rim							
36"	36"	1 3/16"	17"	**53K3636WSCC**	$439	$645	—
42"	42"	1 3/16"	25 7/16"	**53K4242WSCC**	493	722	—
Knife Rim*							
37"	37"	1 3/16"	17"	**53K3737WSCC**	—	—	$739
43"	43"	1 3/16"	25 7/16"	**53K4343WSCC**	—	—	792

**Knife rim corner worksurface must be used with knife rim rectangular "extension" or "filler" worksurfaces only.*

IMPORTANT: Support base must be specified separately.

Corner Support
➤See page 159.

Standard Includes

- Worksurface
- Grain direction runs parallel to the user edge
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood rim
W = Wood with wood rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
④ Worksurface grommet option:
➤See page 150 for designators.
X = No grommet
⑤ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

Factory-Installed Grommets

GSA SIN 711-8

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	74
Finishes & Materials	209

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G1 Plastic Grommets										
Rectangular desks & desk worksurfaces	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	—		—	
Arc desks & desk worksurfaces	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	—		—	
Extended desks	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	—		—	
Executive returns	—		—		—		**G1C**	+$57	—	
Bridges with modesty panel	—		—		—		**G1C**	+$57	—	
Kneespace and single-ped credenzas	—		—		—		**G1C**	+$57	—	
Storage and lateral file credenzas	—		—		**G1LR**	+$114	—		—	
24"/25"D rectangular worksurfaces	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	**G1C**	+$57	**G1A**	+$171
Corner worksurfaces	—		—		—		**G1C**	+$57	—	
G19 Metal Grommets										
Rectangular desks & desk worksurfaces	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—		—	
Arc desks & desk worksurfaces	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—		—	
Extended desks	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—		—	
Executive returns	—		—		—		**G19C**	+$57	—	
Bridges with modesty panel	—		—		—		**G19C**	+$57	—	
Kneespace and single-ped credenzas	—		—		—		**G19C**	+$57	—	
Storage and lateral file credenzas	—		—		**G19LR**	+$114	—		—	
24"/25"D rectangular worksurfaces	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
Corner worksurfaces	—		—		—		**G19C**	+$57	—	



Worksurface grommets are located 3⅜" from the side edge. Location relative to the approach or back edge is 13½" on arc worksurfaces (to top of arc), 7½" on all rectangular and extended desk worksurfaces, and 3⅜" for all other surface shapes.

Standard Includes/Available Finishes



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Available finish:
MB Matte Black



G19 metal grommet is a two-piece unit with black brush access. Available powdercoat finishes:
405 Designer White
487 Brushed Nickel
490 Polished Chrome
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G1LMB = G1 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix with a designator and price are available. Note: P-shaped and U-shaped worksurfaces do not offer factory-installed grommet options.

Undersurface Storage

Pricing

15" and 18"W Pedestals

GSA SIN 711-8

How to Specify our Products	➤See page 3
Product Information	76
Finishes & Materials	209
Locking Information	232

D	W	H	Model	Laminate	Wood
Box/Box/File					
Letter Width					
23⅝"	15"	27⅝"	**53K2415PUBBF**	$798	$1059
29⅝"	15"	27⅝"	**53K3015PUBBF**	843	1111
Legal Width					
23⅝"	18"	27⅝"	**53K2418PUBBF**	$822	$1082
29⅝"	18"	27⅝"	**53K3018PUBBF**	865	1142
35⅝"	18"	27⅝"	**53K3618PUBBF**	913	1204
File/File					
Letter Width					
23⅝"	15"	27⅝"	**53K2415PUFF**	$774	$1022
29⅝"	15"	27⅝"	**53K3015PUFF**	822	1065
Legal Width					
23⅝"	18"	27⅝"	**53K2418PUFF**	$798	$1045
29⅝"	18"	27⅝"	**53K3018PUFF**	844	1099
35⅝"	18"	27⅝"	**53K3618PUFF**	877	1151

Standard Includes

- Finished back panel
- Open top
- Lock
- Two cord openings with black grommets on 24"D pedestals only; one in the back lower corner of each side panel.

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 76 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Desk Worksurfaces
➤See page 145.

Rectangular Worksurfaces
➤See pages 147–148.

Ganging Brackets
➤See page 207.

Undersurface Storage

Pricing

30" and 36"W Pedestals

GSA SIN 711-8
FSC-C01059 available





D	W	H	Model	Laminate	Wood
Hinged-Door Storage					
23⅝"	30"	27⅝"	**53K2430PUH**	$1069	$1411
23⅝"	36"	27⅝"	**53K2436PUH**	1155	1526
Two-Drawer Lateral File					
23⅝"	30"	27⅝"	**53K2430LFM2**	$1063	$1756
23⅝"	36"	27⅝"	**53K2436LFM2**	1137	1877
Multi-File					
Box/Box/Open/Lateral File					
23½"	30"	27⅝" (shown)	**53K2430PUBBR**	$1358	$1810
23½"	36"	27⅝"	**53K2436PUBBR**	1465	1950
Box/Box/File/Lateral File					
23⅝"	30"	27⅝"	**53K2430PUBBFL**	$1412	$1866
23⅝"	36"	27⅝"	**53K2436PUBBFL**	1520	2006
Printer/CPU Storage					
23⅝"	36"	27⅝"	**53K2436PUPU**	$1155	$1526

IMPORTANT:
Worksurfaces must be specified separately.

Rectangular Worksurfaces
➤See page 147–148.

Ganging Brackets
➤See page 207.

How to Specify our Products ➤See page 3
Product Information 76
Finishes & Materials 209
Locking Information 232

Standard Includes

- Finished back panel
- Open top
- Lock (except on printer/CPU storage model)
- Adjustable shelf on hinged-door model
- One lock on hinged-door, two-drawer lateral file, and box/box/open/lateral multi-file pedestal; two locks on box/box/file/lateral multi-file pedestal
- Door and drawer pull on each door/drawer; lateral file drawer on box/box/file/lateral multi-file pedestal has two pulls
- One adjustable shelf at top of printer/CPU storage; printer (bottom) shelf has a 100 lb. weight limit
- Interlock mechanism (allows only one drawer to be open at a time to help prevent tipping)
- Two cord openings with black grommets; one in the back lower corner of each side panel

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option (omit for printer/CPU storage model):
➤See page 76 for designators.
④ Lock option (omit for printer/cpu storage):
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22 per lock); specify lock core(s) separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood; available on hinged-door and printer/cpu storage only (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):
WD = Wood interior drawers (+10%)

Lateral Files

Pricing

For Use with Rectangular Worksurfaces

GSA SIN 711-8

How to Specify our Products	➤See page 3
Product Information	76
Finishes & Materials	209
Locking Information	232

D	*W*	*H*	*Model*	*Laminate*	*Wood*
Three Drawers					
23⅝"	30"	40⅛"	**53K2430LFM3**	$1599	$2439
23⅝"	36"	40⅛"	**53K2436LFM3**	1740	2650

Four Drawers					
23⅝"	30"	52⅝"	**53K2430LFM4**	$1819	$2772
23⅝"	36"	52⅝"	**53K2436LFM4**	1977	3013

IMPORTANT:
Worksurfaces must be specified separately.

Rectangular Worksurfaces
➤See page 147–148.

Ganging Brackets
➤See page 207.

Standard Includes

- Unfinished back panel
- Open top
- Lock
- Interlock mechanism (allows only one drawer to be open at a time to help prevent tipping)
- Two cord openings with black grommets on three-drawer model; one in the back lower corner of each side panel

How to Specify

❶ Model
② Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 76 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Lateral Files

Freestanding

How to Specify our Products ➤See page 3
Product Information 76
Finishes & Materials 209
Locking Information 232

D	W	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Two Drawers						
Softened or Reed Rim						
24"	30"	28¾"	**53K2430LFF2**	$1235	$1885	—
24"	36"	28¾"	**53K2436LFF2** K	1343	$2048	—
Knife Rim						
25"	30"	28¾"	**53K2530LFF2**	—	—	$1941
25"	36"	28¾"	**53K2536LFF2**	—	—	2109
Three Drawers						
Softened or Reed Rim						
24"	30"	41⁵⁄₁₆"	**53K2430LFF3**	$1745	$2659	—
24"	36"	41⁵⁄₁₆"	**53K2436LFF3**	1896	2890	—
Knife Rim						
25"	30"	41⁵⁄₁₆"	**53K2530LFF3**	—	—	$2739
25"	36"	41⁵⁄₁₆"	**53K2536LFF3**	—	—	2976
Four Drawers						
Softened or Reed Rim						
24"	30"	54"	**53K2430LFF4**	$1982	$3022	—
24"	36"	54"	**53K2436LFF4**	2156	3284	—
Knife Rim						
25"	30"	54"	**53K2530LFF4**	—	—	$3111
25"	36"	54"	**53K2536LFF4**	—	—	3382

**Knife rim overhangs user side by 1¼".*

Standard Includes

- Lock
- Interlock mechanism (allows only one drawer to be open at a time)
- Finished top with rim on four sides
- Finished back on two- and three-drawer models; unfinished back on four-drawer model
- Two cord openings with black grommets on two- and three-drawer models

How to Specify

❶ Model
❷ Worksurface/chassis materials:
L = Laminate with PVC rim/laminate
LW = Laminate with wood rim/wood
W = Wood with wood rim/wood
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (LW or W models only)
④ Pull option:
➤See page 76 for designators.
⑤ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑥ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Worksurface finish designator
⑧ Drawer front finish designator (omit for LW and W models)
⑨ Chassis finish designator (omit for LW and W models)
⑩ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for W models)
⑫ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

K = Kwik Office model available.

Hinged Modesty Panels

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209



D	W	H	Model	Laminate	Wood
Hinged Modesty Panels					
¾"	11⅞"	27⅝"	**53K1228MPH**	$184	$278
¾"	17⅞"	27⅝"	**53K1828MPH**	192	294
¾"	23⅞"	27⅝"	**53K2428MPH**	202	309
¾"	29⅞"	27⅝"	**53K3028MPH**	213	323
¾"	35⅞"	27⅝"	**53K3628MPH**	222	339
¾"	41⅞"	27⅝"	**53K4228MPH**	233	356
¾"	47⅞"	27⅝"	**53K4828MPH**	243	369
¾"	53 13/16"	27⅝"	**53K5428MPH**	254	387

Standard Includes

- Modesty panel: finished both sides
- Floor glides
- Hinge attachment hardware

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Modesty panel grommet option:
MG1MB = Center (+$57)
X = No grommet
④ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Desk Worksurfaces
➤See page 145.

Rectangular Worksurfaces
➤See page 147–148.

Undersurface Storage
➤See pages 151–152.

Modesty Panels

Pricing

For Use with P- and U-Shaped Worksurfaces

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209



D	W	H	Model	Laminate	Wood
Full-Height Modesty Panel					
For Use with 66"W P- or U-Shaped Worksurface					
¾"	49 11/16"	27 5/8"	**53K5028MPH**	$252	$385
For Use with 72"W P- or U-Shaped Worksurface					
¾"	52 11/16"	27 5/8"	**53K5328MPH**	$262	$399
For Use with 84"W P- or U-Shaped Worksurface					
¾"	64 5/8"	27 5/8"	**53K6528MPH**	$287	$437



D	W	H	For Use with	Model	Price
Partial-Height Glass Modesty Panel					
For Use with 66"W P- or U-Shaped Worksurface					
13/16"	49 11/16"	10"		**53K5009MPHG**	$469
For Use with 72"W P- or U-Shaped Worksurface					
13/16"	52 11/16"	10"		**53K5309MPHG**	$496
For Use with 84"W P- or U-Shaped Worksurface					
13/16"	64 5/8"	10"		**53K6509MPHG**	$528

IMPORTANT: Modesty panels are for use with an end support panel and a square fluted-metal column or half cylinder. They cannot be used with T-leg end support panels.

Support Columns
➤See page 163.

Field-installed Grommets
➤See the Perks Price List.

Standard Includes

- Modesty panel
- Horizontal grain direction on laminate full-height modesty panels
- Attachment hardware

How to Specify

Full-Height Modesty Panels

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Partial-Height Glass Modesty Panels

❶ Model
② Glass pattern:
11 = Opaque Frost
③ Frame paint finish:
510 = Silver Frost metallic

Support Panels

Pricing

For Use with Desk Worksurfaces

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209

D	W	H	Model	Laminate	Wood
Right End Support					
For Use with 30 x 60, 32 x 60, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	15"	27⅝"	**53K3015SESR**	$520	$857
For Use with 36 x 72 arc, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	18"	27⅝"	**53K3018SESR**	$526	$867
For Use with 42 x 72 arc, 36 x 72, 38 x 72 Rectangular Desk Worksurfaces					
35⅝"	18"	27⅝"	**53K3618SESR**	$535	$882



D	W	H	Model	Laminate	Wood
Left End Support					
For Use with 30 x 60, 32 x 60, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	15"	27⅝"	**53K3015SESL**	$520	$857
For Use with 36 x 72 arc, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	18"	27⅝"	**53K3018SESL**	$526	$867
For Use with 42 x 72 arc, 36 x 72, 38 x 72 Rectangular Desk Worksurfaces					
35⅝"	18"	27⅝"	**53K3618SESL**	$535	$882

Standard Includes

- End-support panel
- Attachment hardware
- One cord opening

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

IMPORTANT: End-support panels are used to support the non-pedestal end of a worksurface.

Desk Worksurfaces
➤See page 145.

Support Panels

Pricing

For Use with Rectangular 24" and 25"D Worksurfaces

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209

Right End Support

D	W	H	Model	Laminate	Wood
23⅝"	18"	27⅝"	**53K2418SESR**	$511	$844



Left End Support

D	W	H	Model	Laminate	Wood
23⅜"	18"	27⅝"	**53K2418SESL**	$511	$844



Worksurface Mid-Support

D	W	H	Model	Laminate	Wood
10¾"	1³⁄₁₆"	27⅝"	**53K1128SS**	$173	$330

IMPORTANT: End-support panels are used to support the non-pedestal end of a worksurface.

Mid-support panel features a chamfered corner at the top back edge to allow cable routing below the worksurface.

Rectangular Worksurfaces
➤See pages 147–148.

Standard Includes

- Support or mid-support panel
- Attachment hardware
- Two cord openings on end supports

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Support Panels

Pricing

For Use with Corner Worksurfaces

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209



D	*W*	*H*	*Model*	*Laminate*	*Wood*
Corner Support					
36"	36"	27⅝"	**53K3636SL**	$729	$1204
42"	42"	27⅝"	**53K4242SL**	754	1244

Standard Includes

- Back/modesty panels
- Inside support panels
- Attachment hardware

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

IMPORTANT: Corner support panels are for use with corner worksurfaces only.

Corner Worksurfaces
➤See page 149.

Supports Panels

Pricing

For Use with P-Shaped, U-Shaped, and Rectangular Worksurfaces

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209



D	W	H	Model	Laminate	Wood
End Support					
30 1/16"	1 3/16"	27 5/8"	**53K3028EP**	$204	$339
36 1/16"	1 3/16"	27 5/8"	**53K3628EP**	215	354



T-Leg End Support					
23 7/8"	1 3/16"	27 5/8"	**53K2428ST**	$335	$551
29 7/8"	1 3/16"	27 5/8"	**53K3028ST**	348	575
35 7/8"	1 3/16"	27 5/8"	**53K3628ST**	361	597

IMPORTANT: End-support panels must be used in conjunction with a non-hinged modesty panel and a square metal column base or wood half-cylinder base.

Modesty Panels
➤See page 156.

IMPORTANT: T-leg end supports are for use with worksurfaces where a pedestal is not used. It cannot be used with a modesty panel.

Standard Includes

- End-support panel
- Attachment hardware

How to Specify

Wood End Support Panels
❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Laminate End Support Panels
❶ Model
❷ Material:
L = Laminate
③ Finish designator

T-Leg End Support Panels
❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Support Panels

Pricing

For Use with Low Storage

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209

D	*W*	*H*	*Model*	*Laminate*	*Wood*
T-Leg End Supports					
For Use with 15"H Low Storage					
23⅞"	1³⁄₁₆"	11⁷⁄₁₆"	**53K2411EPT**	$467	$661
29¹⁵⁄₁₆"	1³⁄₁₆"	11⁷⁄₁₆"	**53K3011EPT**	489	695
35⅞"	1³⁄₁₆"	11⁷⁄₁₆"	**53K3611EPT**	518	733
For Use with 22"H Low Storage					
23⅞"	1³⁄₁₆"	5⅛"	**53K2405EPT**	$261	$400
29¹⁵⁄₁₆"	1³⁄₁₆"	5⅛"	**53K3005EPT**	278	422
35⅞"	1³⁄₁₆"	5⅛"	**53K3605EPT**	306	445

Standard Includes

- T-leg end-support panel
- Attachment hardware

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Low Storage
➤See pages 167–169.

Support Drawers & Shelves

Pricing

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209

D	*W*	*H*	*Model*	*Laminate*	*Wood*
Support Drawer					
14 15/16"	23½"	5⅛"	**53K2406WSD**	$355	$467

Support Shelf					
14 15/16"	22¾"	11 7/16"	**53K2412WSS**	$414	$545



Standard Includes

- Drawer or shelf unit
- Attachment hardware

How to Specify

Support Drawer

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option (omit for shelf model):
➤See page 76 for designators.
④ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator (omit for L model)
⑥ Drawer front finish designator (omit for W models)
⑦ Chassis finish designator (omit for W models)
⑧ Wood interior drawer option (omit for standard drawer and L models):
WD = Wood interior drawer (+10%)

Support Shelf

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Support Columns

Pricing

For Use with P-Shaped, U-Shaped, and Rectangular Worksurfaces

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209

Dia.	*H*	*Model*	*Price*
Round Metal Column			
4"	27¾"	**KAC2804SFBP**	$299

Wood Column			
6"	27¾"	**KAC2806SFB2**	$623



Wood Half-Cylinder			
12"	27¾"	**KAC2812SHB2**	$664



D	*W*	*H*	*Model*	*Price*
Square Fluted-Metal Column				
4"	4"	28"	**KAC2804SSFP**	$323

IMPORTANT: Round metal column and wood column bases cannot be used with modesty panels or end panels. Must be used with a T-leg end support panel.

Modesty Panels
➤See page 156.

End Panels
➤See page 160.

Standard Includes

- Column or half-cylinder
- Attachment hardware

How to Specify

Round Metal Column Base

❶ Model
② Paint designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic
544 = Silver Pearl

Wood Column Base or Wood Half-Cylinder Base

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Square Fluted-Metal Column Base

❶ Model
② Paint designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic
510 = Silver Frost Metallic
514 = Carbon Metallic
544 = Silver Pearl

U-Legs

Pricing

For Use with P-Shaped, U-Shaped, and Rectangular Worksurfaces

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	75
Finishes & Materials	209



D	*W*	*H*	*Model*	*Price*
Adjustable-Height End-Support U-Legs				
23 5/16"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K2428SLUSAP**	$590
29 3/4"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K3028SLUSAP**	617
35 3/4"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K3628SLUSAP**	645

Adjustable-Height Mid-Support U-Legs				
9 13/16"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K1028SLUMSAP**	$502

Standard Includes

- U-leg (manual adjust in 3/8" increments)
- Attachment hardware

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Notes

Mobile Pedestals

GSA SIN 711-2
COM/COL Non-Contract

How to Specify Our Products	➤See page 3
Product Information	78
Finishes & Materials	209
Locking Information	232

D	W	H	Model	Fabric Price Grade 1 or COM	2	3 or COL	4	5	6	7
Box/File with Cushion Top										
Laminate										
23"	14 15/16"	23 9/16"	**53K2415PMBFCL**	$1026	$1050	$1065	$1080	$1102	$1125	$1148
Wood										
23"	14 15/16"	23 9/16"	**53K2415PMBFCW**	$1367	$1391	$1406	$1421	$1443	$1466	$1489

D	W	H	Model	Price
Box/Box/File				
Laminate				
23"	14 15/16"	27 5/16"	**53K2415PMBBFL**	$1134
Wood				
23"	14 15/16"	27 5/16"	**53K2415PMBBFW**	$1511

File/File				
Laminate				
23"	14 15/16"	27 5/16"	**53K2415PMFFL**	$1079
Wood				
23"	14 15/16"	27 5/16"	**53K2415PMFFW**	$1439

Active File				
Laminate				
22 13/16"	14 15/16"	23"	**53K2215PMAFL**	$1034
Wood				
22 13/16"	14 15/16"	23"	**53K2215PMAFW**	$1378

Standard Includes

- Lock
- Finished front, back, sides, and ¾"-thick self-edge top
- Anti-tip device on bottom drawer
- Dual-wheel locking casters
- Upholstered cushion top on box/file model: seating upholstery (except leather)
  COM yardage = .8 yard 54"W non-directional fabric
- Active file model top area: two sections for storage and hanging Pendaflex® folders in the rear section

How to Specify

❶ Model
② Pull option:
➤See page 77 for designators.
③ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish designator (omit for L model)
⑥ Front laminate designator (omit for W model)
⑦ Chassis laminate designator (omit for W model)
⑧ Back laminate designator (omit for W model)
⑨ Fabric grade (include for cushion-top model only)
⑩ Fabric designator (include for cushion-top model only)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Low Storage

Pricing

Open Bookcase

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	78
Finishes & Materials	209

D	W	H	Model	Laminate	Wood
15"H					
15 3/16"	29 5/16"	15 3/16"	**53K163015BCO**	$586	$772
15 3/16"	35 7/8"	15 3/16"	**53K163615BCO**	629	826
22 11/16"	29 5/16"	15 3/16" (shown)	**53K243015BCO**	684	897
22 11/16	35 7/8"	15 3/16"	**53K243615BCO**	730	960
22"H					
15 3/16"	29 5/16"	21 3/8"	**53K163022BCO**	$733	$966
15 3/16"	35 7/8"	21 3/8" (shown)	**53K163622BCO**	785	1033
22 11/16"	29 5/16"	21 3/8"	**53K243022BCO**	854	1122
22 11/16"	35 7/8"	21 3/8"	**53K243622BCO**	913	1200

IMPORTANT: Low storage must be used with a component top if adding an open-frame or U-leg on top to support a worksurface.

Component Tops
➤See page 170.

Cushion Tops
➤See page 171.

Straight Shelves and Organizer Shelves
➤See page 172.

Standard Includes

15"H
- Finished interior, back, sides, and subtop
- 1 fixed shelf (bottom)
- 3 holes spaced 3¼" apart; accepts straight shelves and organizer shelves, specified separately

22"H
- Finished back and sides
- 2 fixed shelves in 22"H model (bottom and center)
- 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves, specified separately

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Wood finish designator (omit for L model)
⑤ Chassis laminate designator (omit for W model)
⑥ Back laminate designator (omit for W model)

Low Storage

Pricing

Wide Box/Lateral File

GSA SIN 711-2

D	W	H	Model	Laminate	Wood
22"H					
16"	29 15/16"	21 3/8"	**53K163022PFBLF**	$856	$1404
16"	35 7/8"	21 3/8"	**53K163622PFBLF**	916	1500
23 1/2"	29 15/16"	21 3/8"	**53K243022PFBLF**	997	1632
23 1/2"	35 7/8"	21 3/8" (shown)	**53K243622PFBLF**	1065	1745

IMPORTANT: Low storage must be used with a component top or cushion top.

Component Tops
➤See page 170.

Cushion Tops
➤See page 171.

How to Specify Our Products ➤See page 3
Product Information 78
Finishes & Materials 209
Locking Information 232

Standard Includes

- Finished front, back, and sides
- Open top
- Anti-tip device on bottom drawer
- Lock

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Low Storage

Lateral File and Open/Lateral File

How to Specify Our Products ➤See page 3
Product Information 78
Finishes & Materials 209
Locking Information 232



IMPORTANT: Low storage must be used with a component top if adding an open-frame or U-leg on top to support a worksurface.

Component Tops
➤See page 170.

Cushion Tops
➤See page 171.

Straight Shelves and Organizer Shelves
➤See page 172.

D	*W*	*H*	*Model*	*Laminate*	*Wood*
15"H					
Fixed					
16"	29 15/16"	15 3/16"	**53K163015LF1**	$553	$907
16"	35 7/8"	15 3/16"	**53K163615LF1**	590	967
23 1/2"	29 15/16"	15 3/16" (shown)	**53K243015LF1**	642	1054
23 1/2"	35 7/8"	15 3/16"	**53K243615LF1**	688	1126
Mobile					
16"	29 15/16"	15 3/16" (shown)	**53K163015LFM1**	$609	$996
16"	35 7/8"	15 3/16"	**53K163615LFM1**	648	1063
23 1/2"	29 15/16"	15 3/16"	**53K243015LFM1**	706	1159
23 1/2"	35 7/8"	15 3/16"	**53K243615LFM1**	756	1239
22"H					
Fixed					
16"	29 15/16"	21 3/8" (shown)	**53K163022PFOLF**	$737	$1207
16"	35 7/8"	21 3/8"	**53K163622PFOLF**	787	1290
23 1/2"	29 15/16"	21 3/8"	**53K243022PFOLF**	856	1404
23 1/2"	35 7/8"	21 3/8"	**53K243622PFOLF**	916	1500
Mobile					
16"	29 15/16"	21 3/8"	**53K163022PMOLF**	$811	$1329
16"	35 7/8"	21 3/8"	**53K163622PMOLF**	865	1421
23 1/2"	29 15/16"	21 3/8"	**53K243022PMOLF**	942	1545
23 1/2"	35 7/8"	21 3/8" (shown)	**53K243622PMOLF**	1007	1650

Standard Includes

15"H
- Finished front, back, sides, and subtop
- Anti-tip device on bottom drawer
- Lock
- Four non-locking casters on mobile units

22"H
- Finished front, back, and sides
- 1 fixed shelf in 22"H model
- 2 holes spaced 3¼" apart to accept straight shelves and organizer shelves, specified separately
- Anti-tip device on bottom drawer
- Lock
- Four non-locking casters on mobile units

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawer and L models):
WD = Wood interior drawer (+10%)

Rectangular Component Tops

Pricing

For Low Storage

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	78
Finishes & Materials	209





D	W	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
For Use with 16"D Low Storage						
16 7/16"*	30 1/16"	1 3/16"	**53K1630CPT**	$178	$341	$394
16 7/16"*	36 1/16"	1 3/16"	**53K1636CPT**	200	363	401
16 7/16"*	60"	1 3/16"	**53K1660CPT**	300	480	530
16 7/16"*	66"	1 3/16"	**53K1666CPT**	323	525	579
16 7/16"*	71 15/16"	1 3/16"	**53K1672CPT**	344	545	601
16 7/16"*	89 15/16"	1 3/16"	**53K1690CPT**	472	641	706
16 7/16"*	107 7/8"	1 3/16"	**53K16108CPT**	545	777	857
For Use with 24"D Low Storage						
24"*	30 1/16"	1 3/16"	**53K2430CPT**	$189	$353	$406
24"*	36 1/16"	1 3/16"	**53K2436CPT**	212	374	413
24"*	60"	1 3/16"	**53K2460CPT**	323	491	541
24"*	66"	1 3/16"	**53K2466CPT**	374	536	590
24"*	71 15/16"	1 3/16"	**53K2472CPT**	386	555	611
24"*	89 15/16"	1 3/16"	**53K2490CPT**	478	652	719
24"*	107 7/8"	1 3/16"	**53K24108CPT**	601	789	867

** Knife rim tops are 5/16" deeper (16 3/4" and 24 5/16", respectively) than softened or reed rim tops. Rim overhangs 5/16" on user side.*

IMPORTANT: Component tops may be specified to span more than one low storage unit.

Component tops for use with 16"D low storage may also be used on straight-front freestanding open bookcases.
➤See page 197.

Standard Includes

- Worksurface
- P, F, or M rim on four sides; knife rim (S) on user side only (flat back and side edges)

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Cushion Tops

Pricing

For Use with Low Storage

GSA SIN 711-2
COM/COL Non-Contract

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	78
Finishes & Materials	209

D	W	H	Model	Fabric Price Grade 1 or COM	2	3 or COL	4	5	6	7
For Use with 16"D Low Storage										
16 7/16"	30 1/16"	1 3/16"	**53K1630PC**	$413	$437	$452	$467	$489	$512	$535
16 7/16"	36 1/16"	1 3/16"	**53K1636PC**	422	446	461	476	498	521	544

For Use with 24"D Low Storage										
24"	30 1/16"	1 3/16"	**53K2430PC**	$444	$474	$493	$512	$539	$568	$597
24"	36 1/16"	1 3/16"	**53K2436PC**	453	483	502	521	548	577	606

Standard Includes

- Upholsered cushion

COM yardage = .8 yard 54"W non-directional fabric for 16"D model; 1 yard 54"W non-directional fabric for 24"D model

COL square footage =
13.5 sq ft. for 53K1630PC
14.5 sq ft. for 53K1636PC
18.5 sq ft. for 53K2430PC or 53K2436PC

How to Specify

❶ Model
② Fabric grade
③ Fabric designator

Shelves

Pricing

For Use with Low Storage

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	78
Finishes & Materials	209

D	*W*	*H*	*Model*	*Laminate*	*Wood*
Organizer Shelves					
14 7/16"	28 1/4"	3 3/16"	**53K1430OS**	$190	$359
14 7/16"	34 1/4"	3 3/16"	**53K1436OS**	216	378
21 7/8"	28 1/4"	3 3/16"	**53K2330OS**	235	438
21 7/8"	34 1/4"	3 3/16"	**53K2336OS**	262	461

Straight Shelves					
14 3/8"	28 1/4"	3/4"	**53K1530SS**	$162	$306
14 3/8"	34 1/4"	3/4"	**53K1536SS**	184	323
21 7/8"	28 1/4"	3/4"	**53K2330SS**	196	304
21 7/8"	34 1/4"	3/4"	**53K2336SS**	165	289

IMPORTANT: Straight shelf models above are also applicable to sliding-door vertical storage models.

Standard Includes

- Shelf: finished on all sides
- Attachment brackets

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Standard
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Modesty Panel/Cable Surround

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Overview	77
Finishes & Materials	209



D	W	H	Model	Wood
6"H				
25⅝"	47⅞"	5⅛"	**53K4806MPCSW**	$445
25⅝"	59 13⁄16"	5⅛"	**53K6006MPCSW**	467



D	W	H	Model	Wood
12"H				
25⅝"	47⅞"	11 7⁄16"	**53K4812MPCSW**	$489
25⅝"	59 13⁄16"	11 7⁄16"	**53K6012MPCSW**	513

Related Product:

D	W	H	Model	Price
Starter Bracket				
21⅜"	13 15⁄16"	2¾"	**53KEPSBP**	$100

IMPORTANT: Depth of modesty panel/cable surround also functions as an end panel when used with low storage.

IMPORTANT: If using in a progressive application, specify starter bracket (shown above) and under-surface support rails. For classic application with unsupported span of 48" or greater, refer to planning guidelilnes.

Undersurface Support Rails
➤See page 102.

Standard Includes

- Modesty panel/cable surround: wood
- Attachment hardware for classic application

How to Specify

Modesty Panel/Cable Surround

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Starter Bracket

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Sliding-Door Overhead Storage

Pricing

Wall Mount or Traxx Mount

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	80
Finishes & Materials	209

D	W	H	Model	Laminate	Wood
Solid Door					
15¾"	29 15⁄16"	16"	**53K3016SOS**	$669	$1020
15¾"	35 7⁄8"	16"	**53K3616SOS**	720	1093
15¾"	47 7⁄8"	16"	**53K4816SOS**	872	1323
15¾"	59 13⁄16"	16"	**53K6016SOS**	1054	1550
15¾"	65 13⁄16"	16"	**53K6616SOS**	1159	1704
15¾"	71 13⁄16"	16"	**53K7216SOS**	1386	2048

Writable Glass Door					
15¾"	29 15⁄16"	16"	**53K3016SOS**	$787	$1198
15¾"	35 7⁄8"	16"	**53K3616SOS**	845	1283
15¾"	47 7⁄8"	16"	**53K4816SOS**	1025	1555
15¾"	59 13⁄16"	16"	**53K6016SOS**	1238	1876
15¾"	65 13⁄16"	16"	**53K6616SOS**	1362	2063
15¾"	71 13⁄16"	16"	**53K7216SOS**	1627	2481

Filler strips
➤See page 207.

LED and flourescent task lights
➤See the Casegoods Price List.

IMPORTANT: Traxx-mounted overhead storage requires Traxx and tiles, specified separately.
➤See the Systems Price List.

Standard Includes

- One non-locking door
- Full-height recessed back panel
- Finished inset top
- Center divider
- Attachment brackets and rail on wall-mount models; Traxx overhead brackets on traxx-mount
- Ganging bolt

How to Specify

Solid Door Models:

❶ Model
❷ Attachment method:
M = Wall mount
T = Traxx mount
❸ Material:
L = Laminate
W = Wood
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish designator (omit for L model)
⑥ Front laminate designator (omit for W model)
⑦ Chassis laminate designator (omit for W model)

Writable Glass Door Models:

❶ Model
❷ Attachment method:
M = Wall mount
T = Traxx mount
❸ Door material:
G2 = Writable glass
❹ Chassis material:
L = Laminate
W = Wood
⑤ Glass pattern:
202G = Ice Gloss Writable
⑥ Door frame paint finish:
511 = Silver Satin
⑦ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Chassis finish designator

Interior Shelves

Pricing

For Use with Wall-Mount Sliding-Door Overheads

GSA SIN 711-2
FSC-C01059 available

D	W	H	For Use with	Model	Laminate	Wood
Interior Shelves						
13¼"	13¼"	¾"	30"W unit	**53K1515SSTW**	$120	$235
13¼"	16³⁄₁₆"	¾"	36"W unit	**53K1518SSTW**	128	251
13¼"	22⁵⁄₁₆"	¾"	48"W unit	**53K1524SSTW**	135	267
13¼"	28¼"	¾"	60"W unit	**53K1530SSTW**	140	283
13¼"	31¼"	¾"	66"W unit	**53K1533SSTW**	145	293
13¼"	34³⁄₁₆"	¾"	72"W unit	**53K1536SSTW**	161	300

IMPORTANT: These shelves are not applicable to Traxx-mount sliding-door overheads.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	80
Finishes & Materials	209

Standard Includes

- Shelf
- Attachment brackets

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Standard
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Sliding-Door Highback Organizers

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	81
Finishes & Materials	209









D	W	H	WC	Model	Laminate	Wood
Solid Door						
33"H						
16"	59 13/16"	33 7/16"	17 1/2"	**53K6032HBSF**	$1381	$2735
16"	65 13/16"	33 7/16"	17 1/2"	**53K6632HBSF**	1533	3039
16"	71 13/16"	33 7/16"	17 1/2"	**53K7232HBSF**	1710	3386
38"H						
16"	59 13/16"	38 1/8"	19 5/16"	**53K6038HBS**	$1256	$2485
16"	65 13/16"	38 1/8"	19 5/16"	**53K6638HBS**	1395	2761
16"	71 13/16"	38 1/8"	19 5/16"	**53K7238HBS**	1554	3078
16"	89 3/4"	38 1/8"	19 5/16"	**53K9038HBS**	1632	3232
16"	95 3/4"	38 1/8"	19 5/16"	**53K9638HBS**	1811	3590
Writable Glass Door						
33"H						
16"	59 13/16"	33 7/16"	17 1/2"	**53K6032HBSF**	$1924	$2960
16"	65 13/16"	33 7/16"	17 1/2"	**53K6632HBSF**	2114	3253
16"	71 13/16"	33 7/16"	17 1/2"	**53K7232HBSF**	2332	3586
38"H						
16"	59 13/16"	38 1/8"	19 5/16"	**53K6038HBS**	$1728	$2635
16"	65 13/16"	38 1/8"	19 5/16"	**53K6638HBS**	1921	2927
16"	71 13/16"	38 1/8"	19 5/16"	**53K7238HBS**	2141	3260
16"	89 3/4"	38 1/8"	19 5/16"	**53K9038HBS**	2248	3428
16"	95 3/4"	38 1/8"	19 5/16"	**53K9638HBS**	2498	3808

Standard Includes

- One non-locking door
- Back:
  –On 33"H, finished back on storage cabinet part and open below
  –On 38"H, unfinished back/back panel with three black plastic grommets with cover (one at top center and one in each lower corner)
- Horizontal grain direction on laminate backs 60"W and wider
- Finished inset top
- Center divider

How to Specify

Solid Door Models:

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Wood finish designator (omit for L model)
⑤ Front laminate designator (omit for W model)
⑥ Chassis laminate designator (omit for W model)
⑥ Back laminate designator (omit for 38"H model and all W models)

Writable Glass Door Models:

❶ Model
❷ Door material:
G2 = Writable glass
❸ Chassis material:
L = Laminate
W = Wood
④ Glass pattern:
202G = Ice Gloss Writable
⑤ Door frame paint finish:
511 = Silver Satin
⑥ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Chassis finish designator
⑧ Back laminate designator (omit for 38"H model and all W models)

Tackboards and Slat Wall Tiles
➤See page 179.

LED and Flourescent Task Lights
➤See the Casegoods Price List.

Hinged-Door Overhead Storage

Pricing

Wall Mount or Traxx Mount

GSA SIN 711-8
†GSA SIN 711-2
FSC-C01059 available





D	W	H	Model	Laminate	Wood
Solid Doors					
Two Doors (shown)					
15¾"	29 15⁄16"	18 13⁄16"	**53K3019SOH**	$704	$1074
15¾"	35 7⁄8"	18 13⁄16"	**53K3619SOH**	757	1151
Three Doors					
15¾"	47 7⁄8"	18 13⁄16"	**53K4819SOH**	$918	$1392
Four Doors					
15¾"	59 13⁄16"	18 13⁄16"	**53K6019SOH**	$1109	$1630
15¾"	65 13⁄16"	18 13⁄16"	**53K6619SOH**	1220	1796
15¾"	71 13⁄16"	18 13⁄16"	**53K7219SOH**	1460	2224
Glass Doors					
Two Doors					
15¾"	29 15⁄16"	18 13⁄16"	**53K3019SOH**	$894	$1182
15¾"	35 7⁄8"	18 13⁄16"	**53K3619SOH**	957	1265
Three Doors (shown)					
15¾"	47 7⁄8"	18 13⁄16"	**53K4819SOH**	$1164	$1530
Four Doors					
15¾"	59 13⁄16"	18 13⁄16"	**53K6019SOH**	$1405	$1849
15¾"	65 13⁄16"	18 13⁄16"	**53K6619SOH**	1547	2034
15¾"	71 13⁄16"	18 13⁄16"	**53K7219SOH**	1853	2445
Writable Glass Doors					
Two Doors					
15¾"	29 15⁄16"	18 13⁄16"	**53K3019SOH** †	$1001	$1322
15¾"	35 7⁄8"	18 13⁄16"	**53K3619SOH** †	1071	1416
Three Doors					
15¾"	47 7⁄8"	18 13⁄16"	**53K4819SOH** †	$1301	$1713
Four Doors (shown)					
15¾"	59 13⁄16"	18 13⁄16"	**53K6019SOH** †	$1571	$2068
15¾"	65 13⁄16"	18 13⁄16"	**53K6619SOH** †	1729	2276
15¾"	71 13⁄16"	18 13⁄16"	**53K7219SOH** †	2072	2735

Filler Strips
➤See page 207.

IMPORTANT:
Traxx-mounted overhead storage requires Traxx and tiles, specified separately.
➤See the Systems Price List.

Standard Includes

- Recessed back panel: full height on wall-mount models; ¾-height on Traxx-mount models
- Finished inset top
- Doors on four-door models: one set of matching doors on wood models; two sets of two matching doors on laminate models
- Attachment brackets and rail on wall-mount models; Traxx overhead brackets on traxx-mount
- Ganging bolt

How to Specify

Solid Door Models:

❶ Model
❷ Attachment method:
M = Wall mount **T** = Traxx mount
❸ Material:
L = Laminate **W** = Wood
④ Lock option:
KRB = Key random, black lock cores (+$58 for two-door, +$116 for three- and four-door)
KRS = Key random, silver lock cores (+$58 for two-door, +$116 for three- and four-door)
KS = Key specific (+$36 for two-door [specify 1 lock core separately]; +$72 for three- and four-door [specify 2 lock cores separately])
X = Non-locking
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)

Glass or Writable Glass Models:

❶ Model
❷ Attachment method:
M = Wall mount **T** = Traxx mount
❸ Door material:
G = Glass **G2** = Writable glass
❹ Chassis material:
L = Laminate **W** = Wood
⑤ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
⑥ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Chassis finish designator

Hinged-Door Highback Organizers

GSA SIN 711-8
†GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	81
Finishes & Materials	209







IMPORTANT: 102" and 108"W highbacks accommodates two task or LED light fixtures up to 48"W.

Tackboards and Slat Wall Tiles
➤See page 179.

Lighting
➤See the Casegoods P.L.

D	W	H	WC	Optional Locks	Model	Laminate	Wood
Solid Doors							
Four Doors (shown)							
16"	59 3/16"	38 1/8"	19 15/16"	2	**53K6038HBH**	$1196	$2368
16"	65 3/16"	38 1/8"	19 15/16"	2	**53K6638HBH**	1329	2631
16"	71 3/16"	38 1/8"	19 15/16"	2	**53K7238HBH**	1479	2930
Six Doors							
16"	89 3/4"	38 1/8"	19 15/16"	3	**53K9038HBH**	$1554	$3078
16"	95 3/4"	38 1/8"	19 15/16"	3	**53K9638HBH**	1726	3420
16"	101 3/4"	38 1/8"	19 15/16"	4	**53K10238HBH**	2338	4630
16"	107 3/4"	38 1/8"	19 15/16"	4	**53K10838HBH**	2485	4924
Glass Doors							
Four Doors							
16"	59 3/16"	38 1/8"	19 15/16"	—	**53K6038HBHG**	$1708	$2603
16"	65 3/16"	38 1/8"	19 15/16"	—	**53K6638HBHG**	1898	2893
16"	71 3/16"	38 1/8"	19 15/16"	—	**53K7238HBHG**	2115	3222
Six Doors (shown)							
16"	89 3/4"	38 1/8"	19 15/16"	—	**53K9038HBHG**	$2222	$3387
16"	95 3/4"	38 1/8"	19 15/16"	—	**53K9638HBHG**	2469	3761
16"	101 3/4"	38 1/8"	19 15/16"	—	**53K10238HBHG**	3342	5092
16"	107 3/4"	38 1/8"	19 15/16"	—	**53K10838HBHG**	3555	5418
Writable Glass Doors							
Four Doors							
16"	59 3/16"	38 1/8"	19 15/16"	—	**53K6038HBHG2** †	$1912	$2911
16"	65 3/16"	38 1/8"	19 15/16"	—	**53K6638HBHG2** †	2123	3235
16"	71 3/16"	38 1/8"	19 15/16"	—	**53K7238HBHG2** †	2366	3605
Six Doors (shown)							
16 "	89 3/4"	38 1/8"	19 15/16"	—	**53K9038HBHG2** †	$2485	$3787
16 "	95 3/4"	38 1/8"	19 15/16"	—	**53K9638HBHG2** †	2761	4208
16 "	101 3/4"	38 1/8"	19 15/16"	—	**53K10238HBHG2** †	3739	5696
16 "	107 3/4"	38 1/8"	19 15/16"	—	**53K10838HBHG2** †	3977	6061

Standard Includes

- Center support on six-door models
- Unfinished back
- Three black plastic grommets with cover (one at top center and one in each lower corner)
- Finished inset top
- 102" and 108"W models consist of two sections, shipped in separate cartons (assembly required)

How to Specify

Solid Door Models:

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Lock option:
KRB = Key random, black lock cores (+$58 per lock)
KRS = Key random, silver lock cores (+$58 per lock)
KS = Key specific (+$36 per lock [specify lock cores separately])
X = Non-locking
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Wood finish designator (omit for L model)
⑥ Front finish designator (omit for W model)
⑦ Chassis finish designator (omit for W model)

Glass or Writable Glass Models:

❶ Model
❷ Chassis material:
L = Laminate
W = Wood
③ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Chassis finish designator

Tackboards & Slat Wall Tiles

Pricing

For Use with Highback Organizers

GSA SIN 711-8
COM Non-Contract

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	81
Finishes & Materials	209

D	W	H	COM Yardage 66"W Non-Dir.	Model	COM	Panel Fabric Gr. A–E	Upholstery Fabric Gr. 1–3	Gr. 4–6
Tackboards								
For Use with 60"W Highback Organizer								
7⁄8"	58"	16"	2.5 yards	**KAC5816TBK**	$332	$374	$385	$452
For Use with 66"W Highback Organizer								
7⁄8"	64 1⁄8"	16"	2.5 yards	**KAC6416TBK**	$316	$376	$391	$486
For Use with 72"W Highback Organizer								
7⁄8"	70 1⁄8"	16"	2.5 yards	**KAC7016TBK** Ⓚ	$349	$409	$424	$519
For Use with 90"W Highback Organizer								
7⁄8"	88"	16"	2.5 yards	**KAC8816TBK**	$425	$488	$503	$602
For Use with 96"W Highback Organizer (specify 2)								
7⁄8"	46 1⁄8"	16"	2.5 yards	**KAC4616TBK**	$309	$333	$339	$377
For Use with 102"W Highback Organizer (specify 2)								
7⁄8"	49 1⁄8"	16"	2.5 yards	**KAC4916TBK**	$316	$340	$346	$384
For Use with 108"W Highback Organizer (specify 2)								
7⁄8"	52 1⁄8"	16"	2.5 yards	**KAC5216TBK**	$327	$351	$357	$395

D	W	H	Model	Price
Metal Slat Wall Tile				
For Use with 60"W Highback Organizer				
3⁄4"	58"	13"	**KAC5813SW**	$532
For Use with 66"W Highback Organizer				
3⁄4"	63 3⁄4"	13"	**KAC6413SW**	$540
For Use with 72"W Highback Organizer				
3⁄4"	69 3⁄4"	13"	**KAC7013SW**	$550

Note: Tackboards may be wall-mounted with anchors (not provided).

Panel Fabric
➤See page 219.

Seating Upholstery Fabric
➤See page 223.

Work Tools for Slat Wall Tile
➤See the Perks Price List.

Standard Includes

- Routed channels at center and ends to help manage cords

Note: Panel fabric on 62"W or wider tackboards and upholstery fabric on 50"W or wider tackboards is turned 90° and applied railroad style.

How to Specify

Tackboards

❶ Model
② Fabric grade
③ Fabric number

Slat Wall Tiles

❶ Model
② Finish designator:
462 = Cinder
501 = Platinum Metallic (+10%)
544 = Silver Pearl (+10%)

Ⓚ = Kwik Office model available.

Set-on-Surface Open Bookcases

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	82
Finishes & Materials	209

D	W	H	Model	Laminate	Wood
Open Bookcase					
15 3/16"	14 15/16"	38 1/8"	**53K1538BCO**	$415	$821
15 3/16"	17 15/16"	38 1/8" (shown)	**53K1838BCO**	446	882
15 3/16"	29 15/16"	38 1/8"	**53K3038BCO**	551	1090
15 3/16"	35 7/8"	38 1/8" (shown)	**53K3638BCO**	592	1172

Standard Includes

- Two 3/4"-thick shelves; top shelf is adjustable
- Unfinished back
- Finished inset top
- Open bottom

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Chassis finish designator

IMPORTANT:
Set-on-surface models are for use on top of a worksurface only; not for freestanding applications.

Set-on-Surface Bookcases

Pricing

GSA SIN 711-8
†GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Product Information	82
Finishes & Materials	209
Locking Information	232







D	W	H	Model	Laminate	Wood
Solid Door(s)					
Single Door, Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCHR**	$613	$1214
16"	17 15/16"	38 1/8"	**53K1838BCHR**	660	1305
Single Door, Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCHL**	$613	$1214
16"	17 15/16"	38 1/8"	**53K1838BCHL**	660	1305
Double Door (shown)					
16"	29 15/16"	38 1/8"	**53K3038BCH**	$796	$1576
16"	35 7/8"	38 1/8"	**53K3638BCH**	875	1730
Glass Door(s)					
Single Door, Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCHRG**	$838	$1272
16"	17 15/16"	38 1/8"	**53K1838BCHRG**	943	1437
Single Door, Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCHLG**	$838	$1272
16"	17 15/16"	38 1/8"	**53K1838BCHLG**	943	1437
Double Door (shown)					
16"	29 15/16"	38 1/8"	**53K3038BCHG**	$1088	$1650
16"	35 7/8"	38 1/8"	**53K3638BCHG**	1250	1905
Writable Glass Door(s)					
Single Door, Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCHRG2** †	$942	$1426
16"	17 15/16"	38 1/8"	**53K1838BCHRG2** †	1054	1607
Single Door, Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCHLG2** †	$942	$1426
16"	17 15/16"	38 1/8"	**53K1838BCHLG2** †	1054	1607
Double Door (shown)					
16"	29 15/16"	38 1/8"	**53K3038BCHG2** †	$1221	$1851
16"	35 7/8"	38 1/8"	**53K3638BCHG2** †	1398	2130

IMPORTANT:
Set-on-surface models are for use on top of a worksurface only; not for freestanding applications.

Standard Includes

- Doors with adjustable hinges
- Two ¾"-thick shelves; top shelf is adjustable
- Unfinished back
- Finished inset top

How to Specify

Solid Door Models:

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)

Glass or Writable Glass Door Models:

❶ Model
❷ Chassis material:
L = Laminate
W = Wood
③ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Chassis finish designator

Set-on-Surface Organizers

Pricing

GSA SIN 711-8
†GSA SIN 711-2
FSC-C01059 available

D	W	H	Model	Laminate	Wood
Solid Door					
Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCSHR**	$666	$1317
16"	17 15/16"	38 1/8"	**53K1838BCSHR**	716	1417
Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCSHL**	$666	$1317
16"	17 15/16"	38 1/8"	**53K1838BCSHL**	716	1417



Glass Door					
Hinge on Right (shown)					
16"	17 15/16"	38 1/8"	**53K1838BCSHRG**	$1024	$1560
Hinge on Left					
16"	17 15/16"	38 1/8"	**53K1838BCSHLG**	$1024	$1560



Writable Glass Door					
Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCSHRG2** †	$1020	$1549
16"	17 15/16"	38 1/8"	**53K1838BCSHRG2** †	1145	1746
Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCSHLG2** †	$1020	$1549
16"	17 15/16"	38 1/8"	**53K1838BCSHLG2** †	1145	1746

IMPORTANT:
Set-on-surface models are for use on top of a worksurface only; not for freestanding applications.

Related Products:



D	W	H	Model	Price
Project Trays for 18"W Set-on-Surface Organizers				
14 3/8"	16 3/8"	3"	**53K1714T**	$251

Note: 18"W models will accommodate up to five project trays.

Standard Includes

- Door with adjustable hinges
- Five shelves (four adjustable); bottom shelf is fixed
- Unfinished back
- Finished inset top
- No pulls

How to Specify

Solid Door Models:

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Lock option:
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Wood finish designator (omit for L model)
⑥ Front laminate designator (omit for W model)
⑦ Chassis laminate designator (omit for W model)

Glass or Writable Glass Door Models:

❶ Model
❷ Chassis material:
L = Laminate **W** = Wood
③ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Chassis finish designator

Project Trays:

❶ Model
② Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Wood finish designator

16"D Vertical Storage

Pricing

Space Dividers

GSA SIN 711-2

How to Specify Our Products ➤See page 3
Product Information 83
Finishes & Materials 209
Locking Information 232





D	W	H	Model	Laminate	Wood
Right					
16"	29 15/16"	48 7/8"	**53K3050SDHBFRP**	$2810	$3612
Left					
16"	29 15/16"	48 7/8"	**53K3050SDHBFLP**	$2810	$3612

Standard Includes

- Bottom section: wide box/lateral file with lock
- Middle section: cubby area on one side; open (no side or back panels) on the other
- Top section: hinged door on one side; cubby area on the other
- Partially finished back: two-piece non-matched set for top and bottom sections and open middle section
- Anti-tip device on bottom drawer

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Locking solid door and drawers, key random, black lock cores (+$59)
KRS = Locking solid doors and drawers, key random, silver lock cores (+$59)
KS = Locking solid door and drawers, key specific (+$15); specify 2 lock cores separately
XKRB = Non-locking door; locking drawers, key random, black lock core
XKRS = Non-locking door; locking drawers, key random, silver lock core
XKS = Non-locking door; locking drawers, key specific (-$22); specify 1 lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Lateral File

GSA SIN 711-2

How to Specify Our Products ➤See page 3
Product Information 83
Finishes & Materials 209
Locking Information 232



D	*W*	*H*	*Model*	*Laminate*	*Wood*
Full Back					
16"	35⅞"	48⅞"	**53K3650LFFOFF**	$2673	$3476
Partial Back					
16"	35⅞"	48⅞"	**53K3650LFFOPF**	$2455	$3148

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 189.

Back Panels
➤See page 189.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Upper section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Finished back: two-piece matched set on full-back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Bookcases with Solid Sliding Door and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	83
Finishes & Materials	209
Locking Information	232



D	W	H	Model	Laminate	Wood
Full Back					
16"	35⅞"	66⅞"	**53K3667LFFOSFF**	$2700	$3513
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOSFF**	3074	3992



Partial Back					
16"	35⅞"	66⅞"	**53K3667LFFOSPF**	$2483	$3185
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOSPF**	2857	3663

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 189.

Back Panels
➤See page 189.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: non-locking sliding door and center divider with 7 holes on 67" model or 17 holes on 80" model, spaced 1¼" apart to accept shelves
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Writable Glass Sliding Door and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	83
Finishes & Materials	209
Locking Information	232



D	W	H	Model	Laminate	Wood
Full Back					
16"	35⅞"	66⅞"	**53K3667LFFOSFFG2**	$2930	$3810
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOSFFG2**	3336	4330



Partial Back					
16"	35⅞"	66⅞"	**53K3667LFFOSPFG2**	$2699	$3461
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOSPFG2**	3104	3980

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 189.

Back Panels
➤See page 189.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: non-locking sliding door and center divider with 7 holes on 67" model or 3 holes on 80" model, spaced 1¼" apart to accept shelves
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Glass pattern:
202G = Ice Gloss
⑥ Door frame finish:
511 = Silver Satin
⑦ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Wood finish designator (omit for L model)
⑨ Front laminate designator (omit for W model)
⑩ Chassis laminate designator (omit for W model)
⑪ Back laminate designator (omit for W model)
⑫ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Solid Hinged Doors and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	83
Finishes & Materials	209
Locking Information	232



D	*W*	*H*	*Model*	*Laminate*	*Wood*
Full Back					
16"	35⅞"	66⅞"	**53K3667LFFOHFF**	$2976	$3755
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOHFF**	3390	4397



Partial Back					
16"	35⅞"	66⅞"	**53K3667LFFOHPF**	$2759	$3538
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOHPF**	3173	4069

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 189.

Back Panels
➤See page 189.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: adjustable shelf with 3 holes spaced 1¼" apart
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+$59)
KRS = Locking doors and drawers, key random, silver lock cores (+$59)
KS = Locking doors and drawers, key specific (+$15); specify 2 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock core
XKRS = Non-locking doors; locking drawers, key random, silver lock core
XKS = Non-locking doors; locking drawers, key specific (-$22); specify 1 lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Bookcases with Writable Glass Hinged Doors and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	83
Finishes & Materials	209
Locking Information	232



D	*W*	*H*	*Model*	*Laminate*	*Wood*
Full Back					
16"	35⅞"	66⅞"	**53K3667LFFOHFFG2**	$3230	$4195
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOHFFG2**	3680	4772



Partial Back					
16"	35⅞"	66⅞"	**53K3667LFFOHPFG2**	$2999	$3846
16"	35⅞"	79³⁄₁₆" (shown)	**53K3680LFFOHPFG2**	3450	4422

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 189.

Back Panels
➤See page 189.

Standard Includes

- Bottom section: two lateral file drawers with lock
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: adjustable shelf with 3 holes spaced 1¼" apart
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Glass pattern:
202G = Ice Gloss
⑥ Door frame finish:
511 = Silver Satin
⑦ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Wood finish designator (omit for L model)
⑨ Front laminate designator (omit for W model)
⑩ Chassis laminate designator (omit for W model)
⑪ Back laminate designator (omit for W model)
⑫ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Shelves and Back Panels

Pricing

For Use with 16"D Vertical Storage

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Product Information	83
Finishes & Materials	209
Locking Information	232

Organizer Shelves

D	W	H	Model	Laminate	Wood
14 7/16"	34 1/4"	3 11/16"	**53K1536OS**	$277	$355

Straight Shelves

For Use Inside Sliding-Door Cabinets

14 3/8"	16 3/16"	3/4"	**53K1518SS**	$131	$251

For Use Inside Hinged-Door Cabinets or Open Bookcase Sections

14 3/8"	34 1/4"	3/4"	**53K1536SS**	184	323



Bookcase Center Section Back Panels

D	W	H	For Use with	Model	Laminate	Wood
3/4"	35 7/8"	20 11/16"	67" and 80"H units	**53K3621BPLF**	$217	$328
3/4"	35 7/8"	21 7/8"	50"H units	**53K3622BPLF**	217	328

Center section back panels can be used to enclose partial-back models or to replace center section back panel on full-back models. Specify in a different material or finish from the unit to add a contrasting band of color.

Standard Includes

- Shelf or panel
- Attachment brackets

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Wood finish price group (omit for L model):
STD = Standard
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

24"D Vertical Storage

Open Bookcases with File/File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	84
Finishes & Materials	209
Locking Information	232



D	W	H	Model	Laminate	Wood
File/File					
23½"	14 15/16"	41 11/16"	**53K1542VBFFF**	$1971	$2592
23½"	14 15/16"	48 7/8" (shown)	**53K1550VBFFF**	2074	2728
23½"	14 15/16"	66 7/8"	**53K1567VBFF**	2184	2871

Standard Includes

- Two letter-width file drawers
- Lock
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core
KRS = Key random, silver lock core
KS = Key specific (-$22); specify lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

24"D Vertical Storage Towers

Pricing

Front Access

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Product Information	84
Finishes & Materials	209
Locking Information	232





D	W	H	Model	Laminate	Wood
Box/Box/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53K2442VWHRBBFF**	$2408	$3085
23½"	23¾"	48⅞"	**53K2450VWHRBBFF**	2481	3180
23½"	23¾"	66⅞" (shown)	**53K2467VWHRBBF**	2496	3033
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53K2442VWHLBBFF**	$2408	$3085
23½"	23¾"	48⅞"	**53K2450VWHLBBFF**	2481	3180
23½"	23¾"	66⅞"	**53K2467VWHLBBF**	2496	3033
File/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53K2442VWHRFFF**	$2360	$3025
23½"	23¾"	48⅞"	**53K2450VWHRFFF**	2434	3118
23½"	23¾"	66⅞" (shown)	**53K2467VWHRFF**	2463	2999
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53K2442VWHLFFF**	$2360	$3025
23½"	23¾"	48⅞"	**53K2450VWHLFFF**	2434	3118
23½"	23¾"	66⅞"	**53K2467VWHLFF**	2463	2999

Standard Includes

- Box/box file or file/file letter-width pedestal
- Lock on box/box/file or file/file pedestal
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Wardrobe area with removable coat rod and one fixed shelf 12" above bottom panel; interior width 7⅞"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+$118)
KRS = Locking doors and drawers, key random, silver lock cores (+$118)
KS = Locking doors and drawers, key specific (+$44); specify 3 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock cores
XKRS = Non-locking doors; locking drawers, key random, silver lock cores
XKS = Non-locking doors; locking drawers, key specific (-$22); specify 1 lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator (omit for L model)
⑧ Front laminate designator (omit for W model)
⑨ Chassis laminate designator (omit for W model)
⑩ Back laminate designator (omit for W model)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

24"D Vertical Storage Towers

Pricing

Side-Access Bookcase

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	84
Finishes & Materials	209
Locking Information	232



D	W	H	Model	Laminate	Wood
Box/Box/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53K2442VBWHRBBFF**	$2534	$3247
23½"	23¾"	48 7/8"	**53K2450VBWHRBBFF**	2612	3349
23½"	23¾"	66 7/8"	**53K2467VBWHRBBF**	2750	3525
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53K2442VBWHLBBFF**	$2534	$3247
23½"	23¾"	48 7/8"	**53K2450VBWHLBBFF**	2612	3349
23½"	23¾"	66 7/8" (shown)	**53K2467VBWHLBBF**	2750	3525
File/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53K2442VBWHRFFF**	$2483	$3184
23½"	23¾"	48 7/8"	**53K2450VBWHRFFF**	2561	3283
23½"	23¾"	66 7/8" (shown)	**53K2467VBWHRFF**	2695	3456
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53K2442VBWHLFFF**	$2483	$3184
23½"	23¾"	48 7/8"	**53K2450VBWHLFFF**	2561	3283
23½"	23¾"	66 7/8"	**53K2467VBWHLFF**	2695	3456

Standard Includes

- Box/box file or file/file letter-width pedestal
- Lock on box/box/file or file/file pedestal
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Wardrobe area with removable coat rod and one fixed shelf 12" above bottom panel; interior width 7 7/8"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+$59)
KRS = Locking doors and drawers, key random, silver lock cores (+$59)
KS = Locking doors and drawers, key specific (+$15); specify 2 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock core
XKRS = Non-locking doors; locking drawers, key random, silver lock core
XKS = Non-locking doors; locking drawers, key specific (-$22); specify 1 lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1 **STD2** = Group 2 (+20%)
⑦ Wood finish designator (omit for L model)
⑧ Front laminate designator (omit for W model)
⑨ Chassis laminate designator (omit for W model)
⑩ Back laminate designator (omit for W model)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

30"D Vertical Storage Towers

Pricing

Side-Access Wardrobe

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	84
Finishes & Materials	209
Locking Information	232



D	W	H	Model	Laminate	Wood
Box/Box/File					
Wardrobe Hinged Right					
29 1/16"	14 15/16"	41 11/16"	**53K1542VWHRBBFF**	$2712	$3475
29 1/16"	14 15/16"	48 7/8"	**53K1550VWHRBBFF**	2795	3583
29 1/16"	14 15/16"	66 7/8"	**53K1567VWHRBBF**	2942	3773
Wardrobe Hinged Left					
29 1/16"	14 15/16"	41 11/16" (shown)	**53K1542VWHLBBFF**	$2712	$3475
29 1/16"	14 15/16"	48 7/8"	**53K1550VWHLBBFF**	2795	3583
29 1/16"	14 15/16"	66 7/8"	**53K1567VWHLBBF**	2942	3773
File/File					
Wardrobe Hinged Right					
29 1/16"	14 15/16"	41 11/16"	**53K1542VWHRFFF**	$2658	$3408
29 1/16"	14 15/16"	48 7/8"	**53K1550VWHRFFF**	2740	3513
29 1/16"	14 15/16"	66 7/8"	**53K1567VWHRFF**	2884	3698
Wardrobe Hinged Left					
29 1/16"	14 15/16"	41 11/16"	**53K1542VWHLFFF**	$2658	$3408
29 1/16"	14 15/16"	48 7/8"	**53K1550VWHLFFF**	2740	3513
29 1/16"	14 15/16"	66 7/8" (shown)	**53K1567VWHLFF**	2884	3698

Standard Includes

- Box/box file or file/file letter-width pedestal
- Lock on box/box/file or file/file pedestal
- Front-access single-door storage area: one adjustable shelf on 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Coat hook in side-access area
- One fixed shelf 12" above bottom panel in side access area of 50" and 67"H units;; interior width 7 7/8"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Locking doors and drawers, key random, black lock cores (+$118)
KRS = Locking doors and drawers, key random, silver lock cores (+$118)
KS = Locking doors and drawers, key specific (+$44); specify 3 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock core
XKRS = Non-locking doors; locking drawers, key random, silver lock core
XKS = Non-locking doors; locking drawers, key specific (-$22); specify 1 lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1 **STD2** = Group 2 (+20%)
⑦ Wood finish designator (omit for L model)
⑧ Front laminate designator (omit for W model)
⑨ Chassis laminate designator (omit for W model)
⑩ Back laminate designator (omit for W model)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

24"D Vertical Storage Cabinets

Pricing

Single Door

GSA SIN 711-8
†GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Product Information	84
Finishes & Materials	209
Locking Information	232

D	*W*	*H*	*Model*	*Laminate*	*Wood*
Wardrobe or Shelf Storage					
Hinged Right (shown)					
23½"	17 15/16"	66⅞"	**53K1867VWHR**	$2062	$2722
Hinged Left					
23½"	17 15/16"	66⅞"	**53K1867VWHL**	$2062	$2722



Wardrobe and Open Shelves					
Wardrobe on Right, Hinged Right					
23½"	29 15/16"	66⅞"	**53K3067VWHROS** †	$2414	$3217
Wardrobe on Left, Hinged Left (shown)					
23½"	29 15/16"	66⅞"	**53K3067VWHLOS** †	$2414	$3217

Standard Includes

- Door with adjustable hinges
- Shelves:
  - —18"W model: five shelves, three are adjustable and removable, two are fixed (including bottom shelf)
  - —30"W model: five shelves in open bookcase side, two at the top adjust up and down 1¼", three are fixed
- Removable coat rod
- One fixed shelf in wardrobe area of 30"W model, 12" above fixed bottom panel
- Unfinished back
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)

24"D Vertical Storage Cabinets

Pricing

Double Doors

GSA SIN 711-8
FSC-C01059 available



D	W	H	Model	Laminate	Wood
Wardrobe on Right					
23½"	35⅞"	66⅞"	**53K3667VHH**	$2682	$3529



Lateral File					
23½"	29 15⁄16"	66⅞"	**53K3067VHF2**	$2758	$3645
23½"	35⅞"	66⅞""	**53K3667VHF2**	2904	3837

Standard Includes

- Doors with adjustable hinges
- Unfinished back
- Finished inset top

Wardrobe model—

- Five shelves: three are adjustable and removable, two are fixed (including bottom shelf)
- Removable coat rod and one shelf

Lateral file model—

- Two lateral file drawers
- Lock in lateral file
- One adjustable shelf (top)
- Two fixed shelves (including bottom shelf)

How to Specify

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Pull option:
➤See page 77 for designators.
④ Lock option:
Wardrobe model—
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
KS = Key specific (+$36); specify lock core separately
X = Non-locking
Lateral file/storage model—
KRB = Locking doors and drawers, key random, black lock cores (+$59)
KRS = Locking doors and drawers, key random, silver lock cores (+$59)
KS = Locking doors and drawers, key specific (+$15); specify 2 lock cores separately
XKRB = Non-locking doors; locking drawers, key random, black lock core
XKRS = Non-locking doors; locking drawers, key random, silver lock core
XKS = Non-locking doors; locking drawers, key specific (-$22); specify 1 lock core separately
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Freestanding Shelving Units

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Product Information	85
Finishes & Materials	209
Locking Information	232





A = adjustable shelf; can be positioned up or down 1¼".

D	*W*	*H*	*Model*	*Laminate*	*Wood*
Three Shelves					
15 3/16"	35 7/8"	41 11/16"	**53K3642BCSUSS**	$644	$1158
Four Shelves					
15 3/16"	35 7/8"	48 7/8"	**53K3650BCSUSS**	$760	$1369

Standard Includes

- ¾"-thick shelves
- 11 7/8" shelf openings when shelves are in center position
- Open top to accommodate organizer shelves or straight shelves; specified separately
- Finished back

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Straight Shelves and Organizer Shelves
➤See page 189.

Freestanding Open Bookcases

Straight Front

GSA SIN 711-2
FSC-C01059 available

How to Specify Our Products	➤See page 3
Product Information	85
Finishes & Materials	209
Locking Information	232

D	W	H	Model	Laminate	Wood
Two Shelves					
15 3/16"	35 7/8"	27 9/16"	**53K3628BCOSSF**	$525	$947



Five Shelves					
15 3/16"	35 7/8"	66 7/8"	**53K3667BCOSSF**	$929	$1674



Six Shelves					
15 3/16"	35 7/8"	79 3/16"	**53K3680BCOSSF**	$1013	$1810
15 3/16"	35 7/8"	84"*	**53K3684BCOSSF**	$1108	$1978



**84"H model ships with tip-resistance bracket ships with unit and attaches to wall*

A = adjustable shelf; can be positioned up or down 1¼".

Component tops for use with 16"D low storage may be used on straight-front freestanding open bookcases.
➤See page 170.

Standard Includes

- ¾"-thick shelves
- 11 7/8" shelf openings when shelves are in center position
- Finished inset top
- Unfinished back

How to Specify

1. Model
2. Material:
   L = Laminate
   W = Wood
3. Finish price group (omit for L model):
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
4. Finish designator

Freestanding Open Bookcases

Arc Front

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Product Information	85
Finishes & Materials	209
Locking Information	232



Two Shelves

D	W	H	Model	Laminate	Wood
18⅛"	35⅞"	27⅝"	**53K3628BCOF**	$554	$997



Three Shelves

D	W	H	Model	Laminate	Wood
18⅛"	35⅞"	40¼"	**53K3640BCOF**	$677	$1219



Four Shelves

D	W	H	Model	Laminate	Wood
18⅛"	35⅞"	52⅞"	**53K3653BCOF** K	$800	$1441



Five Shelves

D	W	H	Model	Laminate	Wood
18⅛"	35⅞"	67"	**53K3667BCOF** K	$979	$1761

A = adjustable shelf; can be positioned up or down 1¼".

Standard Includes

- ¾"-thick shelves that extend 3" beyond the 15¹³⁄₁₆"D end panels
- 11⅞" shelf openings when shelves are in center position
- Finished inset top
- Unfinished back

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

K = Kwik Office model available.

Table Tops

Round and Square

Pricing

GSA SIN 711-8
FSC-C01059 available

How to Specify Our Products	➤See page 3
Product Information	86
Base Requirements	87
Finishes & Materials	209

D	*W*	*H*	*Model*	*Laminate with P Rim*	*Wood or Lam. with Wood F or M Rim*	*Wood or Lam. with Wood S Rim*
Round						
36" diameter		1 3/16"	**53K36RD**	$443	$925	$1018
42" diameter		1 3/16"	**53K42RD**	492	1040	1144
48" diameter		1 3/16"	**53K48RD**	540	1172	1290
60" diameter		1 3/16"	**53K60RD**	742	1554	1710
Square						
36"	36"	1 3/16"	**53K3636SQ**	$443	$925	$1018
42"	42"	1 3/16"	**53K4242SQ**	492	1040	1144
48"	48"	1 3/16"	**53K4848SQ**	540	1172	1290
60"	60"	1 3/16"	**53K6060SQ**	742	1554	1710

IMPORTANT: Support bases or table legs must be specified separately. Support bases
➤See page 87 for base requirements.

Support Bases
➤See pages 201–202.

Standard Includes

- Worksurface
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W models)

Table Tops

Pricing

Racetrack and Elliptical

GSA SIN 711-8
†GSA SIN 711-9
FSC-C01059 available



D	W	H	Model	Laminate with P Rim	Wood or Lam. with Wood F or M Rim	Wood or Lam. with Wood S Rim
Racetrack						
36"	72"	1 3/16"	**53K3672RC**	$790	$1204	$1280

Elliptical						
40"	72"	1 3/16"	**53K4072WSEL**	$841	$1281	$1362

Related Products:



D	W	H	Model	Price
Glass Modesty Panel for Racetrack or Elliptical Tables				
1 3/16"	36 1/16"	10"	**53K3609MPHG** †	$451

IMPORTANT: Support bases or table legs must be specified separately.
➤See page 87 for base requirements.

Support Bases
➤See pages 201–202.

How to Specify Our Products	➤See page 3
Product Information	86
Base Requirements	87
Finishes & Materials	209

Standard Includes

- Worksurface
- Attachment hardware

How to Specify

Table Tops

❶ Model
❷ Worksurface material:
L = Laminate with PVC rim
LW = Laminate with wood softened or reed rim
1LW = Laminate with wood knife rim
W = Wood with wood softened or reed rim
1W = Wood with wood knife rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W models)

Modesty Panel

❶ Model
② Glass pattern:
11 = Opaque Frost
③ Finish designator:
510 = Silver Frost metallic

Table Bases

Pricing

Fixed Height

GSA SIN 711-9
†GSA SIN 711-11
††GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	86
Base Requirements	87
Finishes & Materials	209

D	W	H	Column	Model	Price
Metal Bases					
Round					
24" diameter		27¾"	3"	**53K26BRFP** ††	$1556



Square					
24"	24"	27¾"	2¾" x 2¾"	**53K2626BSFP** ††	$1556



Diameter	H	Model	Laminate	Wood
Cylinder Base				
16"	27½"	**CBS2716CY**	$796	$1035



Diameter	H	Model	Price
Static or Mobile Metal Column Leg			
1½"	27¾"	**AB2802BC** †	$220

IMPORTANT: Table tops have specific requirements for support.
➤See page 87 for base requirements.

Table tops
➤See pages 199–200.

Standard Includes

- Base: steel or wood
- Attachment hardware

How to Specify

Metal Base

❶ Model
② Finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Cylinder Base

❶ Model
❷ Material:
L = Laminate
W = Wood
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Column Legs

❶ Model
② Base function:
S = Static
M = Mobile
③ Finish price group:
STD = Standard
④ Finish designator:
Paint number or
490 = Chrome

Table Bases

Pricing

Adjustable Height

GSA SIN 711-9
†GSA SIN 711-2

How to Specify Our Products ➤See page 3
Product Information 86
Base Requirements 87
Finishes & Materials 209



D	W	H	Column	Model	Price
Metal Bases					
Round					
24" diameter		27¾"	2⁹⁄₁₆"	**53K26BRGMP** †	$2501



Square					
24"	24"	27¾"	2¾" x 2¾"	**53K2626BSGMP** †	$2501

Static or Mobile Adjustable-Height Column Legs (set of 4)			
2⅜"	25¾"–34⅝" without top	**CBM2803CA2**	$885

IMPORTANT: Table tops have specific requirements for support.
➤See page 87 for base requirements.

Table tops
➤See pages 199–200.

Standard Includes

- Base or legs: steel
- Height-adjust release paddle for installation on underside of top on gas lift models; adjusts from 26" to 42"H
- Attachment hardware

How to Specify

Mechanical Gas Lift Base

❶ Model
② Finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Adjustable-Height Column Legs

❶ Model
② Base function:
S = Static
M = Mobile
③ Finish:
462 = Cinder
501 = Platinum Metallic
510 = Silver Frost Metallic

Table Bases

Pricing

Fixed-Height T-Legs

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	86
Finishes & Materials	209



D	*W*	*H*	*For Use With*	*Model*	*Price*
23 1/16"	31 1/8"	27 1/16"	36"W top	**53K2436TBTFMP**	$773
23 1/16"	37 1/8"	27 1/16"	42"W top	**53K2442TBTFMP**	798
23 1/16"	43 1/8"	27 1/16"	48"W top	**53K2448TBTFMP**	823
23 1/16"	49 1/16"	27 1/16"	54"W top	**53K2454TBTFMP**	849
23 1/16"	55 1/16"	27 1/16"	60"W top	**53K2460TBTFMP**	875
23 1/16"	61 1/16"	27 1/16"	66"W top	**53K2466TBTFMP**	901
23 1/16"	67"	27 1/16"	72"W top	**53K2472TBTFMP**	928
23 1/16"	73"	27 1/16"	78"W top	**53K2478TBTFMP**	956
23 1/16"	79"	27 1/16"	84"W top	**53K2484TBTFMP**	985
23 1/16"	85"	27 1/16"	90"W top	**53K2490TBTFMP**	1016
23 1/16"	90 15/16"	27 1/16"	96"W top	**53K2496TBTFMP**	1046

Standard Includes

- Undersurface rails
- Two non-adjustable T-legs
- Attachment hardware
- Ships ready to assemble

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
③ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

IMPORTANT: Fixed-height T-leg table bases are for use with 24", 30", and 36"D tops only.

T-leg Casters for Individual Tables
➤See page 134.

Table Bases

Pricing

Fixed-Height Return T-Legs

GSA SIN 711-2



D	W	H	For Use With	Model	Price
23 1/16"	43 1/16"	27 1/16"	42"W top	**53K2442TBTFRP**	$580
23 1/16"	49 1/16"	27 1/16"	48"W top	**53K2448TBTFRP**	599
23 1/16"	55 1/16"	27 1/16"	54"W top	**53K2454TBTFRP**	616
23 1/16"	61 1/16"	27 1/16"	60"W top	**53K2460TBTFRP**	636
23 1/16"	67"	27 1/16"	66"W top	**53K2466TBTFRP**	656
23 1/16"	72 1/4"	27 1/16"	72"W top	**53K2472TBTFRP**	675
23 1/16"	79"	27 1/16"	78"W top	**53K2478TBTFRP**	697
23 1/16"	85"	27 1/16"	84"W top	**53K2484TBTFRP**	719
23 1/16"	90 15/16"	27 1/16"	90"W top	**53K2490TBTFRP**	739

IMPORTANT: Fixed-height T-leg table bases are for use with 24", 30", and 36"D tops only.

IMPORTANT: Two flat brackets, specified separately, are required.
➤See page 102.

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	86
Finishes & Materials	209

Standard Includes

- Undersurface rails
- One non-adjustable T-leg
- Return mounting bracket
- Attachment hardware
- Ships ready to assemble
  Note: Rails will extend underneath the adjoining main surface for connection.

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
③ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Table Bases

Pricing

Fixed-Height Extension Post-Legs

GSA SIN 711-2



D	W	H	For Use With	Model	Price
23 1/16"	43 1/16"	27 1/16"	42"W top	**53K2442TBCFEP**	$522
23 1/16"	49 1/16"	27 1/16"	48"W top	**53K2448TBCFEP**	539
23 1/16"	55 1/16"	27 1/16"	54"W top	**53K2454TBCFEP**	555
23 1/16"	61 1/16"	27 1/16"	60"W top	**53K2460TBCFEP**	573

IMPORTANT: Fixed-height extension post-legs are for use with 24", 30", and 36"D tops only. Extension post-leg bases are intended for use as a return base. Depending on the depths of the main and extension worksurfaces, the post leg will be inset approximately 12"–15" from the end of the extension worksurface.

IMPORTANT: Two flat brackets, specified separately, are required.
➤See page 102.

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 86
Finishes & Materials 209

Standard Includes

- Undersurface rails
- Return bracket
- Post leg
- Ships ready to assemble
- Attachment hardware

Note: Rails will extend underneath the adjoining main surface for connection.

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Table Bases

Pricing

Fixed-Height 90° and 120° Corner Base

GSA SIN 711-2

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 86
Finishes & Materials 209



D	W	H	For Use With	Model	Price
90°					
45 7/16"	45 7/16"	27 11/16"	24"D x 48"W top	**53K2448TBLFP**	$1809
42 7/16"	42 7/16"	27 11/16"	30"D x 48"W top	**53K3048TBLFP**	1809



120°					
51 5/16"	68 1/4"	27 11/16"	24"D x 48"W top	**53K2448TBYFP**	$1991
49 13/16"	65 5/8"	27 11/16"	30"D x 48"W top	**53K3048TBYFP**	1991

IMPORTANT: These fixed-height table bases are for use with 90° and 120° corner worksurfaces.

T-leg Casters for Individual Tables
➤See page 134.

Standard Includes

- Undersurface rails
- Two non-adjustable T-legs and one post leg
- Attachment brackets
- Ships ready to assemble

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
③ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Related Products

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	80
Finishes & Materials	209



D	W	H	Model	Price
Filler Strips for Overhead Storage				
1⅜"		16"	**53K0116CPFS**	$52
1⅜"		18¾"	**53K0119CPFS**	52

Standard Includes

• One metal filler strip: black finish

Note: Filler strip can be applied to back edge of Traxx-mounted cabinet to conceal the exposed Traxx bracket. Non-handed. They are recommended, but not required; back panel of overhead cabinet is recessed between end panels.

How to Specify

❶ Model

D	W	H	Model	Price
Ganging Bracket				
5¾"	1¾"	1⅛"	**KACGB1**	$33

Standard Includes

• One ganging bracket: black finish

Note: Ganging brackets are optional. They can be used when two or more cabinets or pedestals are positioned side-by-side creating a built-up appearance without defacing the outside of the cabinet.

How to Specify

❶ Model

Notes

Samples:

Samples of Kimball Office wood finishes and paints are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur in color and texture. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	210
Wood Finishes	211
Special Wood Finishes	212
Previously Developed Finishes	213
Characteristics, Care, and Maintenance	214
Laminate	215
Customer-Specified Laminate	216
Paint	217
PVC and Resin	218
Kimball Office Fabrics	219
Vision Collection Panel Fabrics	219
Vision Collection Seating Fabrics	223
Alliance Program Fabrics	228
Overview	228
Carded Patterns	229
Customer's Own Material	230
Customer's Own Leather	230

Wood Finishes	➤See page 211
Laminate	215
Paint	217
Fabrics	219

Kimball Office offers a diverse collection of surface materials. Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The Fabric Collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Generations Collection:

The Generations Collection is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support long-standing customers and to help transition you to the current offering. ➤Visit kimballoffice.com to see the Generations Collection.

IMPORTANT: Materials in this collection should not be used to set standard color palettes for new installations.

Materials in this offering can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 235 for complete warranty information.

Wood Finishes

Matrix

	Cherry					Maple			Oak			Walnut						Sapele			Zebrawood		
	MC Amber*	CC Cordoba*	MH Mocha*	SC Sedona*		IM Brighton*	TM Huntington*		CO Canyon	YO Monterey		ES Espresso*	MW Midtown*	TW Tribeca*	NW Tuscan	UW Urban*		CS Coco	SS Sienna		CZ Clear		
Price Group	1	1	1	1		1	1		1	1		1	1	1	1	1		2	2		2		
Priority	●	●	●	●		●	●		●	●		●	●	●	●	●		●	●		●		

* Available on models specified with the FSC-certified wood option.

Key:
● = Standard finish

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact By Design to review veneer options and discuss special quotes.
➤See page 210 for program overview.
➤See page 214 for wood finish characteristics, care and maintenance.

Price Groups:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Special Wood Finishes

Standard Finishes on Alternate Wood Species

Wood Finishes ➤See page 211
Laminate 215
Paint 217
Fabrics 219

Standard finish colors on alternate wood species are available.

Applicability of special finish colors depends on the wood species to which they are applied. Priority is available in:

- Cherry (price group 1)
- Maple (price group 1)
- Walnut (price group 1)
- Sapele (price group 2)

Note: Priority is also standard in Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut veneers; however, special finishes are not available on these veneers.

If one of our standard finishes is not appropriate, Kimball Office also has a library of previously developed special finishes, which may be an acceptable match for your application. A custom finish can also be developed to meet specific needs.
➤See next page for previously developed and custom finishes.

Upcharges:

A **10%** upcharge per line item (model) for special wood finishes applies. Upcharge is calculated on the base price, before other option upcharges are added.

Special Finish Designators:

	Wood Species		
Color	*Cherry*	*Maple*	*Walnut*
Amber	Standard/MC	MA00174KOG	WA02905KOG
Espresso	×	×	Standard/ES
Mocha	Standard/MH	×	WA02920KOG

× = Not feasible on wood species

Note: We have not yet developed special finish designators for standard finishes on alternate wood species for other wood finishes.

How to Specify

① Model:
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② Finish type:
For the “Finish type” step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish

③ Finish designator:
For the “Finish designator” step, insert the designator from the table at left.

Special Wood Finishes

Application Guidelines

Previously Developed and Custom Finishes

Wood Finishes	➤See page 211
Laminate	215
Paint	217
Fabrics	219

Previously developed and custom finishes are available for special requirements. Kimball Office has an extensive library of previously developed special finishes which may be an acceptable match for your application. If not, a custom finish can be developed to meet specific needs.

Samples of previously developed special finishes are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. Priority is available in:

- Cherry (price group 1)
- Maple (price group 1)
- Walnut (price group 1)
- Sapele (price group 2)

Note: Priority is also standard in Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut veneers; however, special finishes are not available on these veneers.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. Custom finishes will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used. Models receiving a special finish will also be assessed an upcharge.

A **10%** upcharge per line item (model number) for special wood finish is calculated on the Grade 1 upholstery price, then added to the price for the selected fabric grade, to arrive at the list price.

How to Specify

① Model:
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② Finish type:
For the “Finish type” step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish

③ Finish designator:
For the “Finish designator” step, insert the designator provided to you by customer service.

Wood Finish Characteristics

Application Guidelines

Including Care and Maintenance Tips

Wood Finishes	➤See page 211
Laminate	215
Paint	217
Fabrics	219

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultra-violet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Brighton maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Laminate

Matrix

Key:
● = Standard finish

	Woodgrain														Solid													CSL
	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood		480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby		
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1		
HPL worksurfaces & tables	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●		●
Laminate fronts/chassis	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●		●	●	●	●		
Laminate center drawer	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●		●	●	●	●		

	Pattern																	
	874 Bronze Legacy	842 Canyon Zephyr	823 Carbon Evolv	841 Desert Zephyr	862 Grey Glace	844 Loden Zephyr	843 Misted Zephyr	846 Morro Zephyr	812 Mushroom Tigris	860 Neutral Santos	808 Nickel Evolv	807 Silicon Evolv	873 Tawny Legacy	805 Titanium Evolv	809 Tungsten Evolv	802 White Nebula	814 White Tigris
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HPL worksurfaces & tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Laminate fronts/chassis																		
Laminate center drawer																		

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Customer Specified Laminate

Application Guidelines

GSA Non-Contract

Wood Finishes	➤See page 211
Laminate	215
Paint	217
Fabrics	219

Customer specified laminate (CSL) is available on Priority HPL surfaces. CSL is not available for TFL surfaces.
➤Contact Customer Service to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact By Design at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Upcharges:

A **20%** upcharge per line item (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

How to Specify

① Model:
Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② Finish type: For the “Finish type” step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ Finish designator: For the “Finish designator” step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint

Matrix

Key:
● = Standard finish ○ = Upcharge applies

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

		Solid Paint																				Metallic							Non-Paint	
		480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby	514 Carbon Metallic	501 Platinum Metallic	507 Patina Metallic	505 Satin Bronze Metallic	510 Silver Frost Metallic	544 Silver Pearl	504 Taupe Metallic	490 Chrome	497 Polished Aluminum
Progressive	Support rails & brackets							●														○	○				○			
	Open-frame legs & U-legs							●														○	○				○			
	90° & 120° corner supports							●														○	○				○			
	Top cap & slat tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	○	○	○	○		○	○		
	Starter brackets & stanchions							●														○	○				○			
	Cntr-mount brackets, dividers							●														○	○				○			
	Privacy screen brackets							●														○	○							
	T-leg, 90°, 120° rail & column							●														○	○				○			
	T-leg, 90°, 120° foot							●														○	○				○			○
	Post-leg extension bases							●														○	○				○			
	Bridge kit							●														○	○				○			
	Snap-on cable manager							●														○	○				○			
Classic	Round support column					●		●														●	●				●			
	Square fluted support column					●		●														●	●			●	●			
	Adjustable-height U-legs							●														○	○				○			
Progressive/Classic	Glass modesty panel frame																									●				
	Slat tiles for highbacks					●																	●				●			
	Round & square metal bases					●																○	○				○			
	Column legs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●								●	
	Adjustable-ht. column legs					●																	●			●				
	T-leg, 90°, 120° rail & column							●														○	○				○			
	T-leg, 90°, 120° foot							●														○	○				○			○

PVC and Resin

Matrix

Key:
● = Standard finish

	Solid Color PVC													Woodgrain PVC												
	480 Antique White	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	450 Fog	488 Frosty White	461 Graphite	420 Sandstone	425 Shadow	460 Storm	419 Wallaby	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood
Softened PVC rim (P)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Worksurface wire manager	●	●	●	●	●	●	●	●	●	●	●	●														

	Resin		
	22 Alpine White	23 Mist	24 Breeze
Privacy screens	●	●	●

Program Overview ➤See page 210
Cut Yardage 220
Seating Upholstery 223
Cleaning Codes 222

Price Grade A

COM (Customer's Own Material)

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e
100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.
➤www.green-e.org

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from tile to tile.

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10602	Citrine
10603	Cloud
10604	Dune
10605	Key Lime
10606	Lapis
10607	Linen
10608	Moonstone
10609	Mulberry
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350	Atlantic
10351	Driftwood
10352	Honeycomb
10353	Indigo
10354	Khaki
10355	Kiwi
10356	Lead
10357	Mandarin
10358	Palm
10359	Rattan
10360	Sequoia
10361	Slate
10362	Spa
10363	Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320	Clam
10321	Eucalyptus
10322	Goldust
10323	Graphite
10324	Pear
10325	Seal
10326	Heron
10327	Tan
10328	Taupestone
10329	Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202	Wrought Iron
2216	Paraffin
2222	Twine
2229	Thunder
2239	Spun Gold
2240	Wasabi
2244	Titanium
2250	Truffle
2266	Copper
2275	Melba

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450	Bark
10451	Ecru
10452	Fog
10453	Midnight
10454	Mink
10455	Olive
10456	Orchid
10457	Pearl
10458	Solar

Key:
= Terratex = Green-e

Cleaning Codes ➤See page 222

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	*List Price per Yard*
A	$35
B	46
C	53
D	71
E	108

For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

How to Specify

① Model:
KOPNLCUTYDG = panel fabric
② Fabric grade
③ Fabric number

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo sampels can be ordered directly from Momentum at themomgroup.com

25401	Aloe
25402	Azure
25403	Calla
25404	Coastal
25405	Delft
25406	Dove
25407	Dragon
24608	Eureka
25409	Fern
25410	Harbobur
25411	Lily
25412	Lime
25413	Midnight
25414	Nectar
25415	Patina
25416	Putty
25417	Roast
25418	Roma
25419	Rubine
25420	Sketch
25421	Tanzanite
25422	Taupe
25423	Toasty

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302	Egyptian
25303	Cashmere
25304	Chiffon
25305	Shantung
25306	Twill
25307	Dupioni
25308	Angora
25309	Tweed
25310	Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380	Champagne
10381	Cobblestone
10382	Desert
10383	Mist
10384	Taupestone
10385	Timberwolf

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10655	Moss
10656	Sand

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Key:
= Terratex = Green-e

Cleaning Codes ➤See page 222

Panel Fabric Application:



Casegoods Tackboards, Priority Tackboards and Tiles, Fluent Workwalls, Xsite Tiles, and Xsede Tiles

Railroad Application



Other Kimball Office Products

Standard Panel Application

All panel fabrics will be applied in railroad (horizontal) style to tackboards, tiles and workwalls. When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear.

Key:
= Terratex = Green-e

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply.
➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align — Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	*Carnegie Number*
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line — KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect — KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Cleaning Codes:

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code D
- Dry clean only.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 235 for complete warranty information.

Seating Fabrics

List

For Use on Cushion-Top Pedestals, Low Storage Cushions, and Tackboards

Key:
A = Heavy duty | a = General contract | terratex = Terratex | e = Green-e

Cleaning Codes ➤See page 225

Price Grade 1

Blink

Price Grade: 1
Content: 87.6% post-industrial recycled polyester; 12.4% post-consumer recycled polyester
Width: 54"W
Repeat: 0.35"H; 0.23"V
Abrasion: A 100,000 Double Rubs
Cleaning: WS

11800	Sandollar
11801	Driftwood
11802	Sea Mist
11803	Caribbean Breeze
11804	Tropical Waters
11805	Seaweed
11806	Indigo
11808	Sangria
11809	Dahlia
11810	Sunrise
11811	Java
11812	Black Magic

Disperse

Price Grade: 1
Content: 100% polyester, (62% recycled)
Finish: Stain repellant
Backing: Latex
Width: 54"W
Repeat: None
Abrasion: A 100,000 double rubs
Cleaning: WS

11750	Wasabi
11751	Meadow
11752	Oceanside
11753	Aquamarine
11754	Latte
11755	Scarlet
11756	Cocoa
11757	Midnight Blue
11758	Smoke
11759	Ash
11760	Cabernet
11761	Noir

Lifesaver

Price Grade: 1
Content: 92% pre-consumer recycled polyester, 8% post-consumer recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: .625"H x .625"V
Abrasion: A 40,000 double rubs
Cleaning: WS

10940	Carbon
10941	Cocoa
10942	Fir
10944	French Navy
10945	Hot Sun
10946	Lapis
10947	Poppy
10948	Port
10949	Ruby
10950	Safari
10951	Sunglow

Seasons

Price Grade: 1
Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester
Width: 54"W
Repeat: 4"H x 1.7"V
Abrasion: A 50,000 double rubs
Cleaning: WS

10980	Almond
10981	Espresso
10982	Fern
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate

Soundbyte

Price Grade: 1
Content: 100% recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: 7"H x 35"V
Abrasion: A 30,000 double rubs
Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e

100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.

➤www.green-e.org

Key:
A = Heavy duty
a = General contract
= Terratex
= Green-e

Cleaning Codes ➤See page 225

Price Grade 2

Dolce (polyurethane)

Price Grade:	**2**
Content:	100% polyurethane
Finish:	Superior Abrasion/ Silverguard
Backing:	100% rayon
Width:	54"W
Repeat:	None
Abrasion:	A 400,000 double rubs
Cleaning:	WS; cleanable with diluted bleach solution
Restrictions:	Not available on tack-boards or fabric-covered overheads

11900	Black
11901	Mocha
11902	Meteor
11903	Artesian
11904	Indigo
11905	Peacock
11906	Grass
11907	Citron
11908	Fuschia
11909	Poppy
11910	Tangelo
11911	Burgundy
11912	Chocolate
11913	Lion
11914	Latte
11915	Ivory
11916	White
11917	Camel
11918	Mushroom

Flicker

Price Grade:	**2**
Content:	78% post-industrial recycled polyester, 22% post-consumer recycled polyester
Width:	54"W
Repeat:	.84"H x 2.5"V
Abrasion:	A 51,000 double rubs
Cleaning:	WS

11130	Parchment
11133	Ruby
11134	Sangria
11137	Heron
11138	Ironwork
11139	Lapis
11140	Midnight Blue
11141	Pine
11143	Riviera

Mingle

Price Grade:	**2**
Content:	100% Eco-Intelligent® polyester
Width:	54"W
Repeat:	.08"H x .12"V
Abrasion:	A 100,000 double rubs
Cleaning:	WS

11000	Basket
11001	Capri
11003	Cobalt
11005	Ink
11006	Laguna
11007	Limeade
11008	Mandarin
11009	Pony
11010	Scarlet
11011	Seagull
11012	Willow

Spectrum

Price Grade:	**2**
Content:	100% pre-consumer recycled polyester
Finish:	Blockaide™
Backing:	SBR latex
Width:	54"W
Repeat:	None
Abrasion:	A 100,000+ double rubs
Cleaning:	WS

20001	Mimosa
20003	Lime
20020	Black
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20072	Breeze
20079	Tangerine
20081	Charcoal
20095	Red

Cut Yardage Program:

Kimball Office seating upholstery is available in whole yards for fabric or faux leather and in half or whole hides for leather. List prices include freight.

Fabric Price Grade	*List Price per Yard*
1	$35
2	53
3	70
4	91
5	119
6	159
7	202

Leather Price Grade	*List Price per Half Hide (25–28 sq ft)*	*List Price per Full Hide (50–57 sq ft)*
L7	$533	$1093
L8	632	1302

How to Specify

① Model:
KOUPHCUTYDG = fabric or faux leather
KOLTHRFHIDE = leather (full hide)
KOLTHRHHIDE = leather (half hide)
② Upholstery grade
③ Upholstery number

Key:
A = Heavy duty a = General contract
= Terratex = Green-e

Twilight

Price Grade:	**2**
Content:	100% pre-consumer recycled polyester; Green-e certified
Finish:	Blockaide™
Width:	54"W
Repeat:	None
Abrasion:	A 50,000 double rubs
Cleaning:	WS

23101	Ocean
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23119	Tangerine
23120	Nude

Price Grade 3

COL (Customer's Own Leather)

No fabrics available in price grade 3 at this time.

Price Grade 4

Silvertex

Price Grade:	**4**
Content:	60% vinyl, 30% polyester Hi-Loft2™ textile, 10% urethane
Finish:	SILVERGUARD®/ PERMABLOK3®
Backing:	Polyester Hi-Loft2™
Width:	54"W
Repeat:	None
Abrasion:	A 100,000+ double rubs
Cleaning:	WS/B

41301	Basil
41302	Ice
41303	Mandarin
41304	Raspberry
41305	Sunkist
41306	Mocha
41307	Carbon
41308	Jet
41309	Storm
41310	Sapphire
41311	Champagne
41312	Celery
41313	Meteor
41314	Cream
41315	Chestnut
41316	Luggage
41317	Taupe
41318	Borscht
41319	Lagoon
41320	Turquoise
41321	Marine Blue
41322	Umber
41323	Blackberry
41324	Sage
41325	Bottle

Cleaning Codes:

Cleaning Code B
- Cleanable with diluted bleach solution

Cleaning Code D
- Dry clean only.

Cleaning Code L
- Use a clean cloth with warm water and mild soap as soon as possible.

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Fire Retardant Fabrics
- Solvent-based fabric cleaning or dry cleaning are recommended.
- Cleaning with water or water-based cleaners could result in salt ringing.
- Test proposed cleaning procedure on a small portion of fabric before cleaning entire piece.

Key:
A = Heavy duty
a = General contract
= Terratex
= Green-e

Cleaning Codes ➤See page 225

Price Grade 5

No fabrics available in price grade 5 at this time.

Price Grade 6

Essence/Ultraleather™

Price Grade:	**6**
Content:	100% polyurethane
Backing:	100% reinforced rayon
Width:	54"W
Repeat:	None
Abrasion:	A 400,000 double rubs
Cleaning:	WS/B

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

Price Grade 7

No fabrics available in price grade 7 at this time.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 235 for complete warranty information.

Railroad Application

Railroad application of any fabric must be custom quoted.
➤Please contact ***By Design.***

Key:

A = Heavy duty upholstery
a = General contract upholstery
= Terratex
= Green-e

Price Grade L7

Davenport

Price Grade: **L7**
Content: Top grain leather
Abrasion: A 1,000+ cycles (Tabor Test)

70101	Chamois
70102	Camel
70103	Earthy
70105	Bark
70106	Fennel
70107	Glass Block
70108	Celadon
70109	Austin
70110	Olive
70111	Brown
70112	Atlantis
70113	Yonder
70114	Tomato
70115	Black
70116	Plum
70117	Smoke
70118	Dusk

Price Grade L8

Heritage

Price Grade: **L8**
Content: Top grain leather; two-toned savagé
Abrasion: A 1,000+ cycles (Tabor Test)

81002	Carnelian
81005	Carob
81028	Sorrel
81041	Rosewood
81060	Avocado
81075	Titan
81076	Navy

Showcase

Price Grade: **L8**
Content: Full grain leather; chrome-free
Abrasion: A 1,000+ cycles (Tabor Test)

80101	Sky
80102	Butler
80103	Cream
80104	Bonton
80105	Greige
80106	Power
80107	Garnet
80108	Chestnut
80109	Bittersweet
80110	Jet

Leather Characteristics:

Different coverings and seating constructions will respond better than others to specific seating applications. Certain leathers are more prone to relaxing over time and may demonstrate characteristics such as wrinkling or puddling. This does not indicate that the covering or application is deficient, but is considered a normal, inherent characteristic.

Some Kimball Office leathers and faux leathers may relax over time creating a loosely upholstered appearance.

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.

Cleaning Leather:

Regular Cleaning

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air dry.

Note: Never use furniture polishes, oils, solvents, varnishes, abrasive cleaners, ammonia, wax, or saddle soaps on leather.

Alliance Program Fabrics

Overview

For Use on Cushion-Top Pedestals and Low Storage Cushions

Carded Patterns ➤See page 229

Kimball Office has formed partnerships with the top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

Patterns from Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics are available in a variety of design aesthetics and price points to meet all of your fabric needs. Carded fabrics are listed in this price list. ➤See Surface Materials at www.kimballoffice.com for a wide variety of additional graded-in fabrics from Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Application of Alliance Program fabrics will be as depicted on the website or memo sample unless otherwise instructed on the order.

Directional fabrics, such as stripes, patterns, and plaids, may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders should be specified as a COM.

Alliance graded pricing includes the cost of the material. Repeat is also accounted for and no additional upcharge is required.

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered normal behavior as an inherent characteristic of the fabric.

IMPORTANT: The information provided in this section of the price list is the most current information available at the time this price list was published. Contact Customer Service before finalizing any orders to check availability.

Lead Time:

Lead times for alliance fabrics are based on supplier availability.
Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. Contact Customer Service for availability before finalizing orders.

TB133:

Contact Customer Service about TB133 requirements.
Note: Many of these fabrics may pass additional flammability tests. Please inquire about compliance with specific regulations.

Samples:

For memo samples, contact our alliance partners directly.

Arc Com
800.223-5466
www.arc-com.com

Carnegie
800.727.6770
www.carnegiefabrics.com

CF Stinson
800.841.6279
www.cfstinson.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Maharam
800.645.3943
www.maharam.com

Mayer Fabrics
800.428.4415
www.mayerfabrics.com

Momentum Textiles
800.366.6839
www.themomgroup.com

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

How to Specify

To take advantage of this program, simply follow the "How to Specify" steps listed on the alliance upholstery pricing page within each section. Add the appropriate three-letter supplier prefix to the fabric grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stnson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

Alliance Program Fabrics

List

Carded Patterns

Alliance Program Overview ➤See page 228

Kimball Office has formed partnerships with Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics to provide a broad range of design-oriented fabrics. Carded patterns are listed here.

➤To view the complete offering of graded-in fabrics, visit www.kimballoffice.com.

CFStinson
800.841.6279
www.cfstinson.com

Pattern	*Price Grade*
Avant	E
Carlisle	C
Cassidy	C
Excursion	E
Juxy	F
Lava	K
Martini	I
Natural World	I
Script	H
Tendril	E
Wicker	H
Wyatt	E

Maharam
800.645.3943
www.maharam.com

Pattern	*Price Grade*
Abacus Standard	F
Bar	C
Bevel	D
Cartouche	K
Cinch	G
Coin	B
Coincide	H
Contrary	K
Disc	C
Ditto	L
Divide	C
Exchange	E
Lariat	C
Manner	B
Medium	B
Messenger	B
Metric	B
Offset	M
Pick	B
Plait	F
Runner Standard	I
Shuttle Standard	H
Stack	I
Tally	L
Technic	B
Vary	I
Waxen	D

Momentum
800.366.6839
www.themomgroup.com

Pattern	*Price Grade*
Amuse	E
Banter	Q
Beeline	C
Bloc	I
Bravo II	B
Camber	L
Canter	A
Clang	C
Course	H
Cover Cloth	C
Current	B
Elevate	K
Eon	B
Epic	A
Estrella	H
Free	B
Fuse	A
Habit	C
Infinity	A
Keynote	C
Kinney	C
Knack	B
Line Up	B
Marathon	A
Medley	J
Millenium	A
Oath	D
Odyssey	A
Proximity	K
Silica	F
Silica Leather	F
Silica Tech	F
Solace	C
Syntax	B
Torque	I
Tradition	A
Twist	H
Velocity	D
Via	B
Vox	A

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

Pattern	*Price Grade*
Brisa	I
Brisa Distressed	J
Brisa Fresco	K
Ultraleather Pro	J
Viva	G

Samples:

For memo samples, contact our alliance partners directly.

Arc Com
800.223-5466
www.arc-com.com

Carnegie
800.727.6770
www.carnegiefabrics.com

CF Stinson
800.841.6279
www.cfstinson.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Maharam
800.645.3943
www.maharam.com

Mayer Fabrics
800.428.4415
www.mayerfabrics.com

Momentum Textiles
800.366.6839
www.themomgroup.com

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

Program Overview	➤See page 210
Cut Yardage	220
Seating Upholstery	223
Cleaning Codes	222

Customer's Own Material (COM) Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM/COL and expediting delivery of the material, sent prepaid, to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on product for non-preapproved fabrics is required.
➤Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:
- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

U.L. Listing/Flammability:

COM must be U.L. listed for use on tiles for benching stanchions before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Customer is responsible for fabric meeting the appropriate Cal. TB133.

Customer's Own Leather (COL)

Customer's Own Leather (COL) is available for use on pedestal and low storage cushions.

Leather is a natural product and variations in texture is a pleasing quality belong exclusively to high grade, full top-grain leathers.

Yardage/Sq. Footage Requirements:

➤See the product's pricing pages for COM yardage and COL square footage requirements.

Shipment of COM/COL:

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

For Priority tackboards:
Kimball Office
COM Department
Dock 11
1620 Cherry Street
Jasper, IN 47549

For Priority tiles for benching stanchions:
Kimball Office
COM Department—Kimball Office
1881 West Seltice Way
Post Falls, ID 83854

For Priority mobile pedestal cushion and low storage cushions:
Kimball Office
COM Department
340 East 11th Avenue
Jasper, IN 47549-1001

IMPORTANT: Tag all materials with the Kimball Office dealer name and the purchase order number.

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤Contact your Customer Service Team to obtain information on preapproved COMs.

Repeat Fabrics:

It is Kimball Office standard process to match repeat fabrics on fabric covered Overhead and Highback Organizer doors.

Repeat fabrics will be matched in what Kimball Office deems the best possible application of the pattern.

Additional COM yardage is required for repeat fabrics.

Repeat	*Additional Yardage required per Overhead Door*
0–6"	None
6"–12"	0.166 yards
12"–18"	0.500 yards
18"–24"	0.666 yards
24" or more	1.000 yard

Note: If the customer requires that the repeat fabric be applied in a random fashion, Kimball Office requires written notification in advance of order processing to that effect.
➤Contact your Customer Service Team to obtain necessary waiver.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:
- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

	➤See page
Locking Information	232
Terms & Conditions	233
Product Warranty	235
Operating Load Capacities	236
Filing Capabilities	237
Model Number Index	238

Locking Information

GSA SIN 711-8

Terms & Conditions	➤See page 233
Product Warranty	235
Operating Load Capacities	236
Filing Capabilities	237

Locking storage units can be specified as:
- Key random with a black lock core and hinged key (KRB);
- Key random with a silver (matte nickel) lock core and round-head key (KRS); or
- Key specific (KS)

Black lock cores and hinged keys are identical to the ones used with other casegoods and systems products.

Silver lock cores and round keys are matte nickel. These lock cores and keys are identical to the ones used with Fluent and Hum. Minds at Work. series.

Key Random:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB300 (black) or KCCG001 to KCCG100 (silver).

Randomly numbered lock core(s) will ship standard along with your order for field installation. *Exception: Randomly numbered lock cores on Kwik Office models are shipped installed.*

KCC*001 KCC*002 KCC*001



KCC*003

KCC*001

With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KCCB001 to KCCB300 (black) or KCCG001 to KCCG100 (silver).

KCC*005 KCC*005 KCC*005



KCC*005

KCC*005

To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Installing Locks:

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Changing Locks:

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Change key model KCCB1CK allows removal of keys within these ranges:
KCCB001–KCCB300
KCCG001–KCCG100

Master Keys:

Master key model KC2GMK will unlock any lock within these key ranges:
KCCB001–KCCB300
KCCG001–KCCG100

Model/Key Range *Price*

Black Lock Cores & Hinged Key

KCCB001 to KCCB300 $22

Silver (Matte Nickel) Lock Cores & Round Key

KCCG001 to KCCG100 $22

Change Key

KCCB1CK $6

Master Key

KC2GMK $12

How to Specify

❶ Specify exact key number for lock cores or model number for change or master key

Operating Load Capacities

Locking Information ➤See page 232
Terms & Conditions 233
Product Warranty 235
Filing Capabilities 237

Component	*Operating Load Capacity (Functional Loads)*	*Example*
Desks and worksurfaces <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desks and worksurfaces 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desks and worksurfaces >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Transaction counter, shelf, or secondary surface <16"D	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Extendible elements (pedestal drawer, shelves, etc.)	.017 lb. per cubic inch of drawer interior filing space, distributive loading *Note: File drawers are to support hanging files only; they are not intended for bottom loading.*	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Freestanding storage or bookcase top <38"H	200 lbs. concentrated loading .26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Freestanding storage or bookcase top 38"H–72"H	.26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Freestanding storage or bookcase top >72"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18" in height)	24"D x 36"W x 18"H = 264 lbs.
Storage or hutch bottom <60"H	.20 lb. per square inch of surface area, distributive loading	
Storage or hutch bottom >60"H	.09 lb. per square inch of surface area, distributive loading	

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

The table at left lists the operating load capacities of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 (2008 Desk and Table Products Tests) and X5.9 (2004 Storage Units Tests). The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Filing Capabilities

Locking Information ➤See page 232
Terms & Conditions 233
Product Warranty 235
Operating Load Capacities 236

	Exterior Unit or Ped Dimensions		Interior Dimensions			Standard Filing Capabilities	
Description	*Nominal Depth*	*Nominal Width*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Box Drawers	24"–36"	15" (letter width*)	17"	11½"	2½"	—	—
	24"–36"	18" (legal width*)	17"	14½"	2½"	—	—
Wide Box Drawers	16"	30"	12"	26⅜"	2½"	—	—
	16"	36"	12"	32⅜"	2½"	—	—
File Drawers	24"	15" (letter width*)	17"	12"	9"	Letter	Legal, double letter, and EDP
	24"	18" (legal width*)	17"	15"	9"	Legal	Legal, double letter, and EDP
	30"	15" (letter width*)	17"	12"	9"	Letter	Legal, double letter, and EDP
	30"	18" (legal width*)	17"	15"	9"	Legal	Legal, double letter, and EDP
	36"	15" (letter width*)	25"	12"	9"	Letter	Legal, double letter, and EDP
	36"	18" (legal width*)	25"	15"	9"	Legal	Legal, double letter, and EDP
Lateral Drawers	16"	30"	12"	26⅜"	9"	Legal, letter, and EDP	Letter
	16"	36"	12"	32⅜"	9"	Legal, letter, and EDP	Letter
	24"	30"	15"	26⅜"	9"	Legal, letter, and EDP	Legal and letter
	24"	36"	15"	32⅜"	9"	Legal, letter, and EDP	Legal and letter
Center Drawers	22"	18"	17"	14½"	1½"	—	—
	22"	30"	17"	26⅜"	1½"	—	—
	22"	36"	17"	32⅜"	1½"	—	—

**For built-up units, such as desks, returns, and credenzas, please reference the applicable pricing page for width (letter or legal) of the pedestal.*

Filing Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞".

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.
➤See the Perks Price List.

Model Number Index

Terms & Conditions	➤See page 233
Product Warranty	235
Operating Load Capacities	236
Filing Capabilities	237

Model	➤See page
53K0116CPFS	207
53K0119CPFS	207
53K10238HBH	178
53K10238HBHG	178
53K10238HBHG2	178
53K1028SLUMSAP	164
53K10838HBH	178
53K10838HBHG	178
53K10838HBHG2	178
53K1128SS	158
53K1228MPH	155
53K1266WSRCW	144
53K1430OS	172
53K1436OS	172
53K1515SSTW	175
53K1515SSU	120
53K1518SS	189
53K1518SSTW	175
53K1518SSU	120
53K1521SSU	120
53K1524SSTW	175
53K1524SSU	120
53K1527SSU	120
53K1530SS	172
53K1530SSTW	175
53K1530SSU	120
53K1533SSTW	175
53K1533SSU	120
53K1536OS	189
53K1536SS	172, 189
53K1536SSTW	175
53K1536SSU	120
53K1538BCHL	181
53K1538BCHLG	181
53K1538BCHLG2	181
53K1538BCHR	181
53K1538BCHRG	181
53K1538BCHRG2	181
53K1538BCO	180
53K1538BCSHL	182
53K1538BCSHLG2	182
53K1538BCSHR	182
53K1538BCSHRG2	182
53K1542VBFFF	190
53K1542VWHLBBFF	193
53K1542VWHLFFF	193
53K1542VWHRBBFF	193
53K1542VWHRFFF	193
53K1550VBFFF	190
53K1550VWHLBBFF	193
53K1550VWHLFFF	193
53K1550VWHRBBFF	193
53K1550VWHRFFF	193
53K1567VBFF	190
53K1567VWHLBBF	193
53K1567VWHLFF	193
53K1567VWHRBBF	193
53K1567VWHRFF	193
53K1606OSDP	120
53K16108CPT	170
53K163015BCO	167
53K163015LF1	169
53K163015LFM1	169
53K163022BCO	167
53K163022PFBLF	168
53K163022PFOLF	169
53K163022PMOLF	169
53K1630CPT	170
53K1630OSS	118
53K1630PC	171
53K163615BCO	167
53K163615LF1	169
53K163615LFM1	169
53K163622BCO	167
53K163622PFBLF	168
53K163622PFOLF	169
53K163622PMOLF	169
53K1636CPT	170
53K1636OSS	118
53K1636PC	171
53K1642OSS	118
53K1648OSS	118
53K1648OSSLM	119
53K1648OSSYM	119
53K1654OSS	118
53K1660CPT	170
53K1660OSS	118
53K1666CPT	170
53K1666OSS	118
53K1672CPT	170
53K1672OSS	118
53K1678OSS	118
53K1684OSS	118
53K1690CPT	170
53K1690OSS	118
53K1696OSS	118
53K16CMSD	134
53K1714T	182
53K1828MPH	155
53K1838BCHL	181
53K1838BCHLG	181
53K1838BCHLG2	181
53K1838BCHR	181
53K1838BCHRG	181
53K1838BCHRG2	181
53K1838BCO	180
53K1838BCSHL	182
53K1838BCSHLG	182
53K1838BCSHLG2	182
53K1838BCSHR	182
53K1838BCSHRG	182
53K1838BCSHRG2	182
53K1867VWHL	194
53K1867VWHR	194
53K21CMSS	134
53K2212PSER	122
53K2215PMAFL	166
53K2215PMAFW	166
53K2216PSER	122
53K2218CDW	139
53K2230CDW	139
53K2236CDW	139
53K2330OS	172
53K2330SS	172
53K2336OS	172
53K2336SS	172
53K2405EP	113
53K2405EPT	161
53K2405SLOFPP	103
53K2406WSD	162
53K24102WSS	147
53K24108CPT	170
53K24108WSS	147
53K2411EP	113
53K2411EPT	161
53K2411SLOFPP	103
53K24120WSS	147
53K2412PSR	121
53K2412WSS	162
53K2415PMBBFL	166
53K2415PMBBFW	166
53K2415PMBFCL	166
53K2415PMBFCW	166
53K2415PMFFL	166
53K2415PMFFW	166
53K2415PUBBF	151
53K2415PUBBFS	114
53K2415PUFF	151
53K2415PUFFS	114
53K2416PSR	121
53K2418PUBBF	151
53K2418PUFF	151
53K2418SESL	158
53K2418SESR	158
53K2428EPS	113
53K2428MPH	155
53K2428SLOAP	103
53K2428SLOSP	103
53K2428SLUEAP	104
53K2428SLUESP	104
53K2428SLUMAP	105
53K2428SLUMSP	105
53K2428SLUSAP	164
53K2428ST	160
53K243015BCO	167
53K243015LF1	169
53K243015LFM1	169
53K243022BCO	167
53K243022PFBLF	168
53K243022PFOLF	169
53K243022PMOLF	169
53K2430BEF	141
53K2430CPT	170
53K2430LFF2	154
53K2430LFF3	154
53K2430LFF4	154
53K2430LFM2	152
53K2430LFM2S	114
53K2430LFM3	153
53K2430LFM4	153
53K2430PC	171
53K2430PUBBFL	152
53K2430PUBBR	152
53K2430PUH	152
53K2430WSS	147
53K243615BCO	167
53K243615LF1	169
53K243615LFM1	169
53K243622BCO	167
53K243622PFBLF	168
53K243622PFOLF	169
53K243622PMOLF	169
53K2436BEF	141
53K2436CPT	170
53K2436LFF2	154
53K2436LFF3	154
53K2436LFF4	154
53K2436LFM2	152
53K2436LFM3	153
53K2436LFM4	153
53K2436PC	171
53K2436PUBBFL	152
53K2436PUBBR	152
53K2436PUH	152
53K2436PUPU	152
53K2436TBT	125, 129
53K2436TBTFMP	203
53K2436WBS	91
53K2436WSS	147
53K2442BEF	141
53K2442RLEF	140
53K2442RREF	140
53K2442TBC	127, 131
53K2442TBCFEP	205
53K2442TBT	125, 126, 129, 130
53K2442TBTFMP	203
53K2442TBTFRP	204
53K2442VBWHLBBFF	192
53K2442VBWHLFFF	192
53K2442VBWHRBBFF	192
53K2442VBWHRFFF	192
53K2442VWHLBBFF	191
53K2442VWHLFFF	191
53K2442VWHRBBFF	191
53K2442VWHRFFF	191
53K2442WBAE	93
53K2442WBS	91
53K2442WBU	96
53K2442WSS	147
53K2448BEF	141
53K2448FLSAP	108
53K2448FLSSP	108
53K2448FYAP	109
53K2448FYSAP	109
53K2448FYSP	109
53K2448FYSSP	109
53K2448RLEF	140
53K2448RREF	140
53K2448TBC	127, 131
53K2448TBCFEP	205
53K2448TBL	128, 132
53K2448TBLFP	206
53K2448TBT	125, 126, 129, 130
53K2448TBTFMP	203
53K2448TBTFRP	204
53K2448TBY	128, 132
53K2448TBYFP	206
53K2448WBAE	93
53K2448WBL	98, 99
53K2448WBS	91
53K2448WBU	96
53K2448WBY	98, 99

Model Number Index

continued

Model	➤See page
53K2448WSS	147
53K2450VBWHLBBFF	192
53K2450VBWHLFFF	192
53K2450VBWHRBBFF	192
53K2450VBWHRFFF	192
53K2450VWHLBBFF	191
53K2450VWHLFFF	191
53K2450VWHRBBFF	191
53K2450VWHRFFF	191
53K2454TBC	127, 131
53K2454TBCFEP	205
53K2454TBT	125, 126, 129, 130
53K2454TBTFMP	203
53K2454TBTFRP	204
53K2454WBAE	93
53K2454WBS	91
53K2454WBU	96
53K2454WSS	147
53K2460CPT	170
53K2460TBC	127, 131
53K2460TBCFEP	205
53K2460TBT	125, 126, 129, 130
53K2460TBTFMP	203
53K2460TBTFRP	204
53K2460WBAE	93
53K2460WBS	91
53K2460WBU	96
53K2460WSS	147
53K2466CKF	142
53K2466CLF	143
53K2466CPT	170
53K2466CRF	143
53K2466CSF	142
53K2466RLEF	140
53K2466RREF	140
53K2466TBT	125, 126, 129, 130
53K2466TBTFMP	203
53K2466TBTFRP	204
53K2466WBAE	93
53K2466WBS	91
53K2466WBU	96
53K2466WSS	147
53K2467VBWHLBBF	192
53K2467VBWHLFF	192
53K2467VBWHRBBF	192
53K2467VBWHRFF	192
53K2467VWHLBBF	191
53K2467VWHLFF	191
53K2467VWHRBBF	191
53K2467VWHRFF	191
53K2472CKF	142
53K2472CLF	143
53K2472CPT	170
53K2472CRF	143
53K2472CSF	142
53K2472TBT	125, 126, 129, 130
53K2472TBTFMP	203
53K2472TBTFRP	204
53K2472WBAE	93
53K2472WBS	91
53K2472WBU	96
53K2472WSS	147
53K2478TBT	125, 126, 129, 130
53K2478TBTFMP	203
53K2478TBTFRP	204
53K2478WBAE	93
53K2478WBS	91
53K2478WBU	96
53K2478WSS	147
53K2484TBT	125, 126, 129, 130
53K2484TBTFMP	203
53K2484TBTFRP	204
53K2484WBAE	93
53K2484WBS	91
53K2484WBU	96
53K2484WSS	147
53K2490CPT	170
53K2490TBT	125, 126, 129, 130
53K2490TBTFMP	203
53K2490TBTFRP	204
53K2490WBAE	93
53K2490WBS	91
53K2490WBU	96
53K2490WSS	147
53K2496TBT	125, 129
53K2496TBTFMP	203
53K2496WBS	91
53K2496WSS	147
53K25102WSS	148
53K25108WSS	148
53K25120WSS	148
53K2530BEF	141
53K2530LFF2	154
53K2530LFF3	154
53K2530LFF4	154
53K2530WSS	148
53K2536BEF	141
53K2536LFF2	154
53K2536LFF3	154
53K2536LFF4	154
53K2536WSS	148
53K2536WSSB	148
53K2536WSSR	148
53K2542BEF	141
53K2542RLEF	140
53K2542RREF	140
53K2542WSS	148
53K2542WSSB	148
53K2542WSSR	148
53K2548BEF	141
53K2548RLEF	140
53K2548RREF	140
53K2548WSS	148
53K2548WSSB	148
53K2548WSSR	148
53K2554WSS	148
53K2560WSS	148
53K2566CKF	142
53K2566CLF	143
53K2566CRF	143
53K2566CSF	142
53K2566RLEF	140
53K2566RREF	140
53K2566WSS	148
53K2572CKF	142
53K2572CLF	143
53K2572CRF	143
53K2572CSF	142
53K2572WSS	148
53K2578WSS	148
53K2584WSS	148
53K2590WSS	148
53K2596WSS	148
53K2626BSFP	201
53K2626BSGMP	202
53K26BRFP	201
53K26BRGMP	202
53K2812PSER	122
53K2816PSER	122
53K3005EP	113
53K3005EPT	161
53K3005SLOFPP	103
53K3011EP	113
53K3011EPT	161
53K3011SLOFPP	103
53K3012PSR	121
53K3015PUBBF	151
53K3015PUBBFS	114
53K3015PUFF	151
53K3015PUFFS	114
53K3015SESL	157
53K3015SESR	157
53K3016PSR	121
53K3016SOHU	117
53K3016SOHUG2	117
53K3016SOS	174
53K3016SOSU	116
53K3016SOSUG2	116
53K3018PUBBF	151
53K3018PUFF	151
53K3018SESL	157
53K3018SESR	157
53K3019SOH	177
53K3028EP	160
53K3028EPS	113
53K3028MPH	155
53K3028SLOAP	103
53K3028SLOSP	103
53K3028SLUEAP	104
53K3028SLUESP	104
53K3028SLUMAP	105
53K3028SLUMSP	105
53K3028SLUSAP	164
53K3028ST	160
53K3036WBS	91
53K3038BCH	181
53K3038BCHG	181
53K3038BCHG2	181
53K3038BCO	180
53K3042WBAE	93
53K3042WBS	91
53K3042WBU	96
53K3048FLSAP	108
53K3048FLSSP	108
53K3048FYAP	109
53K3048FYSAP	109
53K3048FYSP	109
53K3048FYSSP	109
53K3048TBL	128, 132
53K3048TBLFP	206
53K3048TBY	128, 132
53K3048TBYFP	206
53K3048WBAE	93
53K3048WBL	98, 99
53K3048WBS	91
53K3048WBU	96
53K3048WBY	98, 99
53K3050SDHBFLP	183
53K3050SDHBFRP	183
53K3054WBAE	93
53K3054WBS	91
53K3054WBU	96
53K3060DDFB	135
53K3060DDFBA	135
53K3060WBAE	93
53K3060WBS	91
53K3060WBU	96
53K3060WSS	145
53K3066DDFB	135
53K3066DLFB	136
53K3066DLFBA	137
53K3066DRFB	136
53K3066DRFBA	137
53K3066WBAE	93
53K3066WBS	91
53K3066WBU	96
53K3066WSS	145
53K3066WSU	146
53K3067VHF2	195
53K3067VWHLOS	194
53K3067VWHROS	194
53K3072DDFB	135
53K3072WBAE	93
53K3072WBS	91
53K3072WBU	96
53K3072WSPL	146
53K3072WSPR	146
53K3078WBAE	93
53K3078WBS	91
53K3078WBU	96
53K3084WBAE	93
53K3084WBS	91
53K3084WBU	96
53K3090WBAE	93
53K3090WBS	91
53K3090WBU	96
53K3096WBS	91
53K3260DDFB	135
53K3260DDFBA	135
53K3260WSS	145
53K3266DDFB	135
53K3266DLFB	136
53K3266DLFBA	137
53K3266DRFB	136
53K3266DRFBA	137
53K3266WSS	145
53K3266WSU	146
53K3272DDFB	135
53K3272WSPL	146
53K3272WSPR	146
53K3412PSER	122
53K3416PSER	122

Model Number Index

continued

Terms & Conditions ➤See page 233
Product Warranty 235
Operating Load Capacities 236
Filing Capabilities 237

Model	➤See page
53K3605EP	113
53K3605EPT	161
53K3605SLOFPP	103
53K3609MPHG	200
53K3611EP	113
53K3611EPT	161
53K3611SLOFPP	103
53K3612PSR	121
53K3615PUBBFS	114
53K3615PUFFS	114
53K3616PSR	121
53K3616SOHU	117
53K3616SOHUG2	117
53K3616SOS	174
53K3616SOSU	116
53K3616SOSUG2	116
53K3618N	110
53K3618NS	110
53K3618PUBBF	151
53K3618PUFF	151
53K3618SESL	157
53K3618SESR	157
53K3618SP	111
53K3619SOH	177
53K3621BPLF	189
53K3622BPLF	189
53K3628BCOF	198
53K3628BCOSSF	197
53K3628EP	160
53K3628EPS	113
53K3628MPH	155
53K3628PSC	124
53K3628SLOAP	103
53K3628SLOSP	103
53K3628SLUEAP	104
53K3628SLUESP	104
53K3628SLUMAP	105
53K3628SLUMSP	105
53K3628SLUSAP	164
53K3628ST	160
53K3636SL	159
53K3636SQ	199

Model	➤See page
53K3636WBS	91
53K3636WSCC	149
53K3638BCH	181
53K3638BCHG	181
53K3638BCHG2	181
53K3638BCO	180
53K3640BCOF	198
53K3642BCSUSS	196
53K3642WBAE	93
53K3642WBS	91
53K3642WBU	96
53K3648WBAE	93
53K3648WBS	91
53K3648WBU	96
53K3650BCSUSS	196
53K3650LFFOFF	184
53K3650LFFOPF	184
53K3653BCOF	198
53K3654WBAE	93
53K3654WBS	91
53K3654WBU	96
53K3660WBAE	93
53K3660WBS	91
53K3660WBU	96
53K3666WBAE	93
53K3666WBS	91
53K3666WBU	96
53K3667BCOF	198
53K3667BCOSSF	197
53K3667LFFOHFF	187
53K3667LFFOHFFG2	188
53K3667LFFOHPF	187
53K3667LFFOHPFG2	188
53K3667LFFOSFF	185
53K3667LFFOSFFG2	186
53K3667LFFOSPF	185
53K3667LFFOSPFG2	186
53K3667VHF2	195
53K3667VHH	195
53K3672DDFB	135
53K3672DDFBA	135
53K3672DLFB	136

Model	➤See page
53K3672DLFBA	137
53K3672DRFB	136
53K3672DRFBA	137
53K3672RC	200
53K3672WBAE	93
53K3672WBEL	97
53K3672WBER	97
53K3672WBS	91
53K3672WBU	96
53K3672WBW	94
53K3672WSA	145
53K3672WSS	145
53K3672WSU	146
53K3678WBAE	93
53K3678WBS	91
53K3678WBU	96
53K3680BCOSSF	197
53K3680LFFOHFF	187
53K3680LFFOHFFG2	188
53K3680LFFOHPF	187
53K3680LFFOHPFG2	188
53K3680LFFOSFF	185
53K3680LFFOSFFG2	186
53K3680LFFOSPF	185
53K3680LFFOSPFG2	186
53K3684BCOSSF	197
53K3684WBAE	93
53K3684WBS	91
53K3684WBU	96
53K3684WSU	146
53K3690WBAE	93
53K3690WBS	91
53K3690WBU	96
53K3696WBS	91
53K36RD	199
53K36SRUP	102
53K36TCP	112
53K3737WSCC	149
53K3872DDFB	135
53K3872DDFBA	135
53K3872DLFB	136
53K3872DLFBA	137

Model	➤See page
53K3872DRFB	136
53K3872DRFBA	137
53K3872WSAS	145
53K3872WSS	145
53K3872WSU	146
53K3884WSU	146
53K4072WSEL	200
53K4212PSR	121
53K4216PSR	121
53K4216SOHU	117
53K4216SOHUG2	117
53K4216SOSU	116
53K4216SOSUG2	116
53K4218N	110
53K4218NS	110
53K4218SP	111
53K4228MPH	155
53K4228PSC	124
53K4242SL	159
53K4242SQ	199
53K4242WSCC	149
53K4272DLFEB	138
53K4272DRFEB	138
53K4272WSA	145
53K4272WSAS	145
53K4278WBV	95
53K42RD	199
53K42SRUP	102
53K42TCP	112
53K42WBKBP	133
53K4343WSCC	149
53K4472DLFEB	138
53K4472DRFEB	138
53K4806MPCSW	173
53K48120WBS	92
53K4812MPCSW	173
53K4812PSR	121
53K48144WBS	92
53K4815PUD1	115
53K4815PUD2	115
53K4815PUD8	115
53K4816PSR	121

Model	➤See page
53K4816SOHU	117
53K4816SOHUG2	117
53K4816SOS	174
53K4816SOSU	116
53K4816SOSUG2	116
53K4818N	110
53K4818NS	110
53K4818SP	111
53K4819SOH	177
53K4828EPS	113
53K4828MPH	155
53K4828PSC	124
53K4828SLOAP	103
53K4828SLOSP	103
53K4828SLUEAP	104
53K4828SLUESP	104
53K4828SLUMAP	105
53K4828SLUMSP	105
53K4848SQ	199
53K4848WBS	92
53K4854WBS	92
53K4860WBS	92
53K4866WBS	92
53K4872WBS	92
53K4878WBS	92
53K4884WBS	92
53K4890WBS	92
53K4896WBS	92
53K48RD	199
53K48SRUP	102
53K48TCLP	112
53K48TCP	112
53K48TCYP	112
53K48WBKBP	133
53K5009MPHG	156
53K5015PUD1S	115
53K5015PUD2S	115
53K5015PUD8S	115
53K5028EPSS	113
53K5028MPH	156
53K5028SLUEASP	106
53K5028SLUESSP	106

Model	➤See page
53K5028SLUMASP	107
53K5028SLUMSSP	107
53K5309MPHG	156
53K5328MPH	156
53K5412PSR	121
53K5416PSR	121
53K5416SOHU	117
53K5416SOHUG2	117
53K5416SOSU	116
53K5416SOSUG2	116
53K5418N	110
53K5418NS	110
53K5418SP	111
53K5428MPH	155
53K54SRUP	102
53K54TCP	112
53K54WBKBP	133
53K6006MPCSW	173
53K6012MPCSW	173
53K6012PSR	121
53K60144WBS	92
53K6015PUD1	115
53K6015PUD2	115
53K6015PUD8	115
53K6016PSR	121
53K6016SOHU	117
53K6016SOHUG2	117
53K6016SOS	174
53K6016SOSU	116
53K6016SOSUG2	116
53K6018N	110
53K6018NS	110
53K6018SP	111
53K6019SOH	177
53K6028EPS	113
53K6028SLOAP	103
53K6028SLOSP	103
53K6028SLUEAP	104
53K6028SLUESP	104
53K6028SLUMAP	105
53K6028SLUMSP	105
53K6032HBSF	176

Model Number Index

continued

Terms & Conditions	➤See page 233
Product Warranty	235
Operating Load Capacities	236
Filing Capabilities	237

Model	➤See page
53K6038HBH	178
53K6038HBHG	178
53K6038HBHG2	178
53K6038HBS	176
53K6060SQ	199
53K6060WBS	92
53K6066WBS	92
53K6072WBS	92
53K6078WBS	92
53K6084WBS	92
53K6090WBS	92
53K6096WBS	92
53K60RD	199
53K60SRUP	102
53K60TCP	112
53K60WBKBP	133
53K6215PUD1S	115
53K6215PUD2S	115
53K6215PUD8S	115
53K6228EPSS	113
53K6228SLUEASP	106
53K6228SLUESSP	106
53K6228SLUMASP	107
53K6228SLUMSSP	107
53K6509MPHG	156
53K6528MPH	156
53K6612PSR	121
53K6616PSR	121
53K6616SOHU	117
53K6616SOHUG2	117
53K6616SOS	174
53K6616SOSU	116
53K6616SOSUG2	116
53K6618N	110
53K6618NS	110
53K6618SP	111
53K6619SOH	177
53K6632HBSF	176
53K6638HBH	178
53K6638HBHG	178
53K6638HBHG2	178
53K6638HBS	176
53K66SRUP	102
53K66TCP	112
53K66WBKBP	133
53K7212PSR	121
53K7216PSR	121
53K7216SOHU	117
53K7216SOHUG2	117
53K7216SOS	174
53K7216SOSU	116
53K7216SOSUG2	116
53K7218N	110
53K7218NS	110
53K7218SP	111
53K7219SOH	177
53K7232HBSF	176
53K7238HBH	178
53K7238HBHG	178
53K7238HBHG2	178
53K7238HBS	176
53K72SRUP	102
53K72TCP	112
53K72WBKBP	133
53K7812PSR	121
53K7816PSR	121
53K7818N	110
53K7818NS	110
53K7818SP	111
53K78SRUP	102
53K78TCP	112
53K8412PSR	121
53K8416PSR	121
53K8418N	110
53K8418NS	110
53K8418SP	111
53K84SRUP	102
53K84TCP	112
53K9012PSR	121
53K9016PSR	121
53K9018N	110
53K9018NS	110
53K9018SP	111
53K9038HBH	178
53K9038HBHG	178
53K9038HBHG2	178
53K9038HBS	176
53K90SRUP	102
53K90TCP	112
53K9618N	110
53K9618NS	110
53K9618SP	111
53K9638HBH	178
53K9638HBHG	178
53K9638HBHG2	178
53K9638HBS	176
53K96SRUP	102
53K96TCP	112
53KCBJC	134
53KCST	134
53KCSU	103, 104
53KEPSBP	113, 114, 115, 173
53KOBLP	120
53KOBP	120
53KOBYP	120
53KPSBFP	123
53KPSBSP	123
53KPSBU1P	123
53KPSBU2P	123
53KSKOP	120
53KSSDPP	115
53KSSEPP	113
53KWBRP	102
AB2802BC	201
ACAWBP1	102
CBM2803CA2	202
CBS2716CY	201
KAC2804SFBP	163
KAC2804SSFP	163
KAC2806SFB2	163
KAC2812SHB2	163
KAC4616TBK	179
KAC4916TBK	179
KAC5216TBK	179
KAC5813SW	179
KAC5816TBK	179
KAC6413SW	179
KAC6416TBK	179
KAC7013SW	179
KAC7016TBK	179
KAC8816TBK	179
KACGB1	207
KC2GMK	232
KCCB***	232
KCCB1CK	232
KCCG***	232

Notes

Kimball® Office

PRIORITY™ enhancements Price List

Casegoods

This price list is effective December 15, 2014 and supercedes all previously printed or electronically released versions.

A competitively engineered casegoods and benching platform, Priority supports every type of work environment and allows you to only pay for the specific features you need. Priority, truly, offers functionality—from its most elemental form to it's most option-rich models.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Sustainability	4
Introduction	5
Distinctives	5
Typical Configurations	6
Statement of Line	9
Planning	27
Progressive	28
Classic	30
Progressive/Classic	36
Pricing	47
Progressive	48
Classic	62
Progressive/Classic	93
Finishes & Materials	135
Resources	159
Locking Information	160
Terms & Conditions	161
Product Warranty	163
Operating Load Capacities	164
Filing Capabilities	165
Model Number Index	166

How to Use this Price List

Statement of Line	➤See page 9
Planning	27
Pricing	47
Finishes & Materials	135

We suggest that you familiarize yourself with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration, a table showing available sizes, and page cross references to the applicable pricing and how to specify pages.



Overviews offer a quick look at the distinguishing features of the product line.



Product Information pages provide detailed information about the product, connections that can be made with other models, planning factors, and applications guidelines.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

➤See page 3 for detailed information about how to specify Kimball Office products.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Use the Resources in the back of the price list. This repository of Locking Information, Terms and Conditions, Warranty, Operating Load Capacities, and Filing Capacities. You'll also find a model number index with references to the appropriate pricing page.

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Standard product modifications are available on select products.
➤See the Product Modifications Price List at www.kimballoffice.com

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

Priority Progressive products (excluding electric height-adjustable tables) are U.L. 962 listed. Electric height-adjustable tables use U.L. recognized components.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

How to Specify Our Products

Statement of Line	➤See page 9
Planning	27
Pricing	47
Finishes & Materials	135

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.


PRIORITY™ enhancements Classic

Double-Pedestal Desks — Pricing

GSA Contract Pending

Rectangular Top

Softened or Read Rim

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
30"	60"	28½"	28"	27½"	5½"	53KE3060DDFB	$1424	$1594	$2348	$2348
30"	66"	28½"	34"	27½"	5½"	53KE3066DDFB	1488	2023	3083	2464
30"	72"	28½"	40"	27½"	5½"	53KE3072DDFB	1555	2058	3131	2585
36"	72"	28½"	40"	27½"	5½"	53KE3672DDFB	1624	2128	3241	2712

Knife Rim

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
30"	60"	28½"	28"	27½"	5¼"*	53KE3060DDFB	–	–	$2471	$2471
30"	66"	28½"	34"	27½"	5¼"*	53KE3066DDFB	–	–	2592	2592
30"	72"	28½"	40"	27½"	5¼"*	53KE3072DDFB	–	–	2730	2730
36"	72"	28½"	40"	27½"	5¼"*	53KE3672DDFB	–	–	2853	2853

Approach side

Arc Top

Softened or Read Rim

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
30"	60"	28½"	28"	27½"	6"±	53KE3060DDFBA	$1455	$1628	$2397	$2397
36"	72"	28½"	40"	27½"	6"±	53KE3672DDFBA	1659	1855	2768	2768

Knife Rim

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
30"	60"	28½"	28"	27½"	6"±	53KE3060DDFBA	–	–	$2522	$2522
36"	72"	28½"	40"	27½"	6"±	53KE3672DDFBA	–	–	2913	2913

*Knife rim overhangs user side by 1".
Arc top depth dimensions represent the widest point.

Center Drawers ➤See page 66.

Page 62

Pricing

Abbreviation Key ➤See page 3
Product Information 31
Finishes & Materials 135
Locking Information 168

Standard Includes
- Box/box/file letter-width pedestal, left
- File/file letter-width pedestal, right
- Breakfront modesty panel

How to Specify
❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL
L = HPL/TFL
LW = HPL/wood
W = Wood/wood
❸ Pedestal option:
B = BBF/FF
④ Rim profile:
P = Softened plastic (LL or L)
F = Softened wood (LW or W)
M = Read wood (LW or W)
S = Knife wood (LW or W)
⑤ Pull option:
➤See page 37 for designators.
⑥ Lock option:
X = Non-locking
KS = Key specific (+$100); specify two lock cores separately
KRB = Key random, black lock core (+$150)
KRS = Key random, silver lock core (+$150)
⑦ Worksurface grommet option:
➤See page 77 for designators.
X = No grommet
⑧ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

"Standard Includes" lists what is included as part of the base model.

Follow these steps to build a complete model number.

Selections that will incur an upcharge or decrease to the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for an **arc-top double pedestal desk.**
➤See page 62 for the corresponding pricing table and How to Specify steps.

❶	❷❸	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪
53KE3060DDFBA	LL	8	P	61MB	KRB	G1LRMB	STD	MW	MW	MW

Base Model

Note: Steps ⑩ and ⑪ were not applicable for the laminate with wood rim model and were omitted for the specification as indicated in the How to Specify steps.

Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Sustainability

Enhancing the Home We All Share

Statement of Line	➤See page 9
Planning	27
Pricing	47
Finishes & Materials	135

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™
INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE)
is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

pura

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC
www.fsc.org
FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Distinctives

of Progressive and Classic Priority

Statement of Line	➤See page 9
Planning	27
Pricing	47
Finishes & Materials	135

Priority offers you two distinctive styles and aesthetics to select from when planning with Priority:

Progressive Priority details promote a table based product with a lighter scale and ideal for more compact offices. The floating top affect on storage and open leg supports are the signature of Progressive Priority. This aesthetic is evident throughout the progressive section of this price list from benching to private office components.

Classic Priority is the foundational elements of this series. In this section, you will find built up desks as well as modular components that feature a more transitional style with worksurfaces attaching directly to storage element.

Similarities:

- Storage is available in the same heights, widths and depths.
- Overall storage depth, width, and height are the same in both Progressive and Classic.
- Softened- and reed-rim worksurfaces feature the rim on all four sides of the surface.

Differences:

- Classic knife-rim surfaces have the mitred rim on the user edge only and overhangs the storage by 1¼". Knife-rim surfaces on returns and bridges feature a reverse knife edge for a flush fit with the adjoining surface.
- Progressive knife-rim surfaces have the mitred rim on all four sides of the surface and align with the storage. Knife-rim surfaces join together without a coped rim.
- Classic undersurface storage features an unfinished, open top.
- Progressive Priority utilizes finished-top storage with ¾" spacers that mount to the worksurfaces and undersurface support rails providing a "floating" top affect.
- Classic pedestals are available with lock in the top drawer.
- Progressive pedestals are available with a lock in the bottom drawer.

Mixing Progressive and Classic Priority:

- There are numerous items in the Priority offering that work well with both styles of Priority. Those items not mounted below the worksurface, such as low storage, overheads, highback organizers, vertical storage, and tables, can be used with both classic and progressive office layouts.
- As a general guideline, classic undersurface storage units, modesty panels, and support panels should not be used with Progressive knife-rim worksurfaces.
- Progressive pedestals can be used with Classic surfaces.
- Mixing softened- or reed-rim worksurfaces will work with either Progressive or Classic arrangements.
- Progressive knife-rim worksurfaces cannot be mixed with Classic bridge and return knife-rim surfaces.
- Pedestal starter brackets, undersurface support rails, and U-leg supports were designed to work with Progressive products. However, pedestal starter brackets and undersurface support rails can be used between Classic storage units where an unsupported span of more than 48"W is desired. These brackets would be mounted at a different height on Classic storage.
- Progressive end panels and Classic modesty panels and end supports should not be mixed in the arrangement.



Progressive Priority **Classic Priority**



Low height and mobile storage **Progressive Priority** **Classic Priority** **Vertical Storage**

Typical Configurations

Statement of Line	➤See page 9
Planning	27
Pricing	47
Finishes & Materials	135



Qty	*Model*	*Description*	*Price (each)*
With Laminate TFL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2436LFF2LL	PRIORITY, LAT FILE, 2 DWR	$919
1	53KE2448RLEFLL2	PRIORITY, RETURN, LEFT, FF	849
1	53KE3066DRFBLL1	PRIORITY, DESK, SGL PED, RECT, RH, BBF	1339
		TOTAL	**$3107**
With Laminate HPL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2436LFF2L	PRIORITY, LAT FILE, 2 DWR,	$1043
1	53KE2448RLEFL2	PRIORITY, RETURN, LEFT, FF	1019
1	53KE3066DRFBL1	PRIORITY, DESK, SGL PED, RECT, RH, BBF	1519
		TOTAL	**$3581**
With Wood Worksurfaces (F or M Rim) and Wood Chassis			
1	53KE2436LFF2W	PRIORITY, LAT FILE, 2 DWR	$1743
1	53KE2448RLEFW2	PRIORITY, RETURN, LEFT, FF	1598
1	53KE3066DRFBW1	PRIORITY, DESK, SGL PED, RECT, RH, BBF	2275
		TOTAL	**$5616**



Qty	*Model*	*Description*	*Price (each)*
With Laminate TFL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2448BEFLL	PRIORITY, BRIDGE, MODESTY PANEL	$419
1	53KE2472CLFLL6	PRIORITY, CRED, SGL PED, LH, LAM, LAT FILE	1435
1	53K3667BCOSSFL	PRIORITY, BOOKCASE, FREESTANDING, OPEN, STR SHELF	929
1	53KE3672DRFBLL1	PRIORITY, DESK, SGL PED, RECT, RH, BBF	1425
		TOTAL	**$4208**
With Laminate HPL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2448BEFL	PRIORITY, BRIDGE, MODESTY PANEL	$449
1	53KE2472CLFL6	PRIORITY, CRED, SGL PED, LH, LAT FILE	1555
1	53K3667BCOSSFL	PRIORITY, BOOKCASE, FREESTANDING, OPEN, STR SHELF	929
1	53KE3672DRFBL1	PRIORITY, DESK, SGL PED, RECT, RH, BBF	1604
		TOTAL	**$4537**
With Wood Worksurfaces (F or M Rim) and Wood Chassis			
1	53KE2448BEFW	PRIORITY, BRIDGE, MODESTY PANEL	$543
1	53KE2472CLFW6	PRIORITY, CRED, SGL PED, LH, LAT FILE	2060
1	53K3667BCOSSFW	PRIORITY, BOOKCASE, FREESTANDING, OPEN, STR SHELF	1674
1	53KE3672DRFBW1	PRIORITY, DESK, SGL PED, RECT, RH, BBF	2385
		TOTAL	**$6662**

continued

Statement of Line	➤See page 9
Planning	27
Pricing	47
Finishes & Materials	135





Qty	*Model*	*Description*	*Price (each)*
With Laminate TFL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2442RREFLL2	PRIORITY, RETURN, RIGHT, FF	$813
1	53KE3672DLFBLL1	PRIORITY, DESK, SGL PED, RECT, LH, BBF	1425
		TOTAL	**$2238**
With Laminate HPL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2442RREFL2	PRIORITY, RETURN, RIGHT, FF	$910
1	53KE3672DLFBL1	PRIORITY, DESK, SGL PED, RECT, LH, BBF	1604
		TOTAL	**$2514**
With Wood Worksurfaces (F or M Rim) and Wood Chassis			
1	53KE2442RREFW2	PRIORITY, RETURN, RIGHT, FF	$1524
1	53KE3672DLFBW1	PRIORITY, DESK, SGL PED, RECT, LH, BBF	2385
		TOTAL	**$3909**

Qty	*Model*	*Description*	*Price (each)*
With Laminate TFL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2415PUFFL	PRIORITY, PEDESTAL, UNDERSURFACE, FF	$683
1	53K2442WSSLL	PRIORITY, SURFACE, RECT	189
1	53K3628STL	PRIORITY, END PANEL, T-LEG	361
1	53K3672WSULL	PRIORITY, SURFACE, U SHAPE	507
1	KAC2804SFBP	ACCESSORIES-CG, SUPPORT, FULL CYL BASE	299
		TOTAL	**$2039**
With Laminate HPL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2415PUFFL	PRIORITY, PEDESTAL, UNDERSURFACE, FF	$683
1	53K2442WSSL	PRIORITY, SURFACE, RECT	241
1	53K3628STL	PRIORITY, END PANEL, T-LEG	361
1	53K3672WSUL	PRIORITY, SURFACE, U SHAPE	698
1	KAC2804SFBP	ACCESSORIES-CG, SUPPORT, FULL CYL BASE	299
		TOTAL	**$2282**
With Wood Worksurfaces (F or M Rim) and Wood Chassis			
1	53KE2415PUFFW	PRIORITY, PEDESTAL, UNDERSURFACE, FF	$934
1	53K2442WSSW	PRIORITY, SURFACE, RECT	396
1	53K3628STW	PRIORITY, END PANEL, T-LEG	597
1	53K3672WSUW	PRIORITY, SURFACE, U SHAPE	840
1	KAC2804SFBP	ACCESSORIES-CG, SUPPORT, FULL CYL BASE	299
		TOTAL	**$3066**

Typical Configurations

continued

Statement of Line	➤See page 9
Planning	27
Pricing	47
Finishes & Materials	135



Qty	*Model*	*Description*	*Price (each)*
With Laminate TFL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2442BEFLL	PRIORITY, BRIDGE, MODESTY PANEL	$402
1	53KE2472CRFLL2	PRIORITY, CRED, SGL PED, RIGHT, FF	1095
1	53KE3672DLFBLL1	PRIORITY, DESK, SGL PED, RECT, LH, BBF	1425
1	53K7238HBHL	PRIORITY, HIBK ORGR, HNG DOOR	1479
		TOTAL	**$4401**
With Laminate HPL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2442BEFL	PRIORITY, BRIDGE, MODESTY PANEL	$431
1	53KE2472CRFL2	PRIORITY, CRED, SGL PED, RIGHT, FF	1225
1	53KE3672DLFBL1	PRIORITY, DESK, SGL PED, RECT, LH, BBF	1604
1	53K7238HBHL	PRIORITY, HIBK ORGR, HNG DOOR	1479
		TOTAL	**$4739**
With Wood Worksurfaces (F or M Rim) and Wood Chassis			
1	53KE2442BEFW	PRIORITY, BRIDGE, MODESTY PANEL	$521
1	53KE2472CRFW2	PRIORITY, CRED, SGL PED, RIGHT, FF	1765
1	53KE3672DLFBW1	PRIORITY, DESK, SGL PED, RECT, LH, BBF	2385
1	53K7238HBHW	PRIORITY, HIBK ORGR, HNG DOOR	2930
		TOTAL	**$7601**



Qty	*Model*	*Description*	*Price (each)*
With Laminate TFL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2472CKFLL2	PRIORITY, CREDENZA, KNSP, FF/FF	$1505
1	53KE3672DDFBLL8	PRIORITY, DESK, DBL PED, RECT, BBF/FF	1624
1	53K7238HBHL	PRIORITY, HIBK ORGR, HNG DOOR	1479
		TOTAL	**$4608**
With Laminate HPL Worksurfaces (P Rim) and TFL Chassis			
1	53KE2472CKFL2	PRIORITY, CREDENZA, KNSP, FF/FF	$1685
1	53KE3672DDFBL8	PRIORITY, DESK, DBL PED, RECT, BBF/FF	1803
1	53K7238HBHL	PRIORITY, HIBK ORGR, HNG DOOR	1479
		TOTAL	**$4967**
With Wood Worksurfaces (F or M Rim) and Wood Chassis			
1	53KE2472CKFW2	PRIORITY, CREDENZA, KNSP, FF/FF	$2337
1	53KE3672DDFBW8	PRIORITY, DESK, DBL PED, RECT, BBF/FF	2712
1	53K7238HBHW	PRIORITY, HIBK ORGR, HNG DOOR	2930
		TOTAL	**$7979**

Statement of Line

Table of Contents

	➤See page
Progressive Priority	10
Worksurfaces	10
Storage	11
Classic Priority	12
Assembled Desks	12
Assembled Returns	12
Assembled Bridges	12
Assembled Credenzas	13
Transaction Counters	13
Modular Worksurfaces	14
Modular Storage	15
Modular Modesty Panels	16
Modular Support	17
Progressive/Classic Priority	18
Mobile Pedestals	18
Low Storage	19
Overheads & Highback Organizers	20
Tackboards and Slatwalls	21
Set-on-Surface Storage	21
Vertical Storage	22
Freestanding Bookcases	23
Table Tops and Occasional Tables	24
Modesty Panels	24
Freestanding Table Bases	24
T-Leg Table Bases	25

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular

● = Rim on 4 sides

■ = Wire manager on back side; rim on front and sides

➤See pages 48–50 to specify.

	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	120"W	144"W
24"D	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■		
30"D	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■		
36"D	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■		
48"D			●	●	●	●	●	●	●	●	●	●	●
60"D					●	●	●	●	●	●	●		●



Wedge

➤See page 52 to specify.

	72"W
36"D	●

Oval

➤See page 53 to specify.

	78"W
42"D	●



Arc End

➤See page 51 to specify.



U-Shaped

➤See page 54 to specify.

	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W
24"D	●	●	●	●	●	●	●	●	●
30"D	●	●	●	●	●	●	●	●	●
36"D	●	●	●	●	●	●	●	●	●



Extended

➤See page 55 to specify.

	72"W
36"D	●





90° and 120° Corner

● = Rim on all sides

■ = Wire manager on back side; rim on other sides

➤See pages 56–57 to specify.

	48"W
24"D	●■
30"D	●■

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Box/Box/File Pedestal

➤See page 60 to specify.

	15"W
24"D	●
30"D	●
36"D	●

File/File Pedestal

➤See page 60 to specify.

	15"W
24"D	●
30"D	●
36"D	●

Lateral File Pedestal

➤See page 60 to specify.

	30"W
24"D	●



Box/Box/File—Box/Box/File Double-Sided Pedestal

➤See page 61 to specify.

	15"W
48"D	●
60"D	●



File/File—File/File Double-Sided Pedestal

➤See page 61 to specify.

	15"W
48"D	●
60"D	●



Box/Box/File—File/File Double-Sided Pedestal

➤See page 61 to specify.

	15"W
48"D	●
60"D	●



Box/Box/File—Box/Box/File Double-Sided Pedestal for use with Stanchion

➤See page 61 to specify.

	15"W
50"D	●
62"D	●



File/File—File/File Double-Sided Pedestal for use with Stanchion

➤See page 61 to specify.

	15"W
50"D	●
62"D	●



Box/Box/File—File/File Double-Sided Pedestal for use with Stanchion

➤See page 61 to specify.

	15"W
50"D	●
62"D	●

Assembled Casegoods

Statement of Line

Desks, Returns, and Bridges

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular-Top Double Pedestal Desks

➤See page 62 to specify.

	60"W	66"W	72"W
30"D	●	●	●
36"D			●



Arc-Top Double Pedestal Desks

➤See page 62 to specify.

	60"W	72"W
30"D	●	
36"D		●



Rectangular-Top Single Pedestal Desks

Available in left and right models.

➤See page 63 to specify.

	66"W	72"W
30"D	●	
36"D		●



Arc-Top Single Pedestal Desks

Available in left and right models.

➤See page 64 to specify.

	66"W	72"W
30"D	●	
36"D		●



Extended-Top Single Pedestal Desks

Available in left and right models.

➤See page 65 to specify.

	72"W
42"D	●

Center Drawers

➤See page 66 to specify.

	18"W	30"W	36"W
22"D	●	●	●



File/File Pedestal Executive Returns

Available in left and right models.

➤See page 67 to specify.

	42"W	48"W
24"D	●	●



Multi-File Pedestal Executive Returns

Available in left and right models.

➤See page 67 to specify.

	66"W
24"D	●



Bridges

➤See page 68 to specify.

	30"W	36"W	42"W	48"W
24"D	●	●	●	●

Assembled Casegoods

Statement of Line

Credenzas and Transaction Counters

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Storage Credenzas

➤See page 69 to specify.

	66"W	72"W
24"D	●	●



Kneespace Credenzas

➤See page 69 to specify.

	66"W	72"W
24"D	●	●



Single-Pedestal Credenzas

Available in left and right models.

➤See page 70 to specify.

	66"W	72"W
24"D	●	●



Lateral File Credenzas

Available in left and right models.

➤See page 70 to specify.

	72"W
24"D	●



Transaction Counters

➤See page 71 to specify.

	65"W
12"D	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular Desk Worksurfaces

➤See page 72 to specify.

	60"W	66"W	72"W
30"D	●	●	
36"D			●



Arc Desk Worksurfaces

➤See page 72 to specify.

	72"W
36"D	●
42"D	●



P-Shaped Worksurfaces

Available in left and right models.

➤See page 73 to specify.

	72"W
30"D	●



U-Shaped Worksurfaces

➤See page 73 to specify.

	66"H	72"H	84"H
30"W	●		
36"W		●	●



Corner Worksurfaces

➤See page 76 to specify.

	36"W	42"W
36"D	●	
42"D		●



Rectangular Worksurfaces

➤See pages 74–75 to specify.

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	102"W	108"W	120"W
24"D	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Box/Box/File Pedestals

➤See page 78 to specify.

	15"W	18"W
24"D	●	●
30"D	●	●
36"D		●

File/File Pedestals

➤See page 78 to specify.

	15"W	18"W
24"D	●	●
30"D	●	●
36"D		●



Hinged-Door Storage

➤See page 79 to specify.

	30"W	36"W
24"D	●	●

Two-Drawer Lateral File Pedestals

➤See page 79 to specify.

	30"W	36"W
24"D	●	●



Multi-File Pedestals

Available in box/box/open/lateral and box/box/file/lateral models.

➤See page 79 to specify.

	30"W	36"W
24"D	●	●



Printer/CPU Storage

➤See page 79 to specify.

	36"W
24"D	●



Three-Drawer Lateral Files with Open Top

➤See page 80 to specify.

	30"W	36"W
24"D	●	●

Four-Drawer Lateral Files with Open Top

➤See page 80 to specify.

	30"W	36"W
24"D	●	●



Two-Drawer Lateral Files with Finished Top

➤See page 81 to specify.

	30"W	36"W
24"D	●	●

Three-Drawer Lateral Files with Finished Top

➤See page 81 to specify.

	30"W	36"W
24"D	●	●



Four-Drawer Lateral Files with Finished Top

➤See page 81 to specify.

	30"W	36"W
24"D	●	●

Ganging Brackets

➤See page 134 to specify.

Modular Components

Statement of Line

Modesty Panels

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Hinged Modesty Panels

➤See page 82 to specify.

	12"W	18"W	24"W	30"W	36"W	42"W	48"W	54"W
28"H	●	●	●	●	●	●	●	●

Modesty Panels for U- and P-Shaped Worksurfaces

● = Wood or laminate

■ = Glass

➤See page 83 to specify.

	For use with U- or P-shaped worksurfaces: 66"W	72"W	84"W
10"H	■	■	■
28"H	●	●	●

Technology Modesty Panels

➤See page 82 to specify.

	23"W	24"W	26'W	27'W	28'W	29'W	30"W	32"W	34"W	36"W	40"W	42"W	46"W
25"H	●	●	●	●	●	●	●	●	●	●	●	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

End Supports
Available in left and right models.
➤See pages 84–85 to specify.

	15"W	18"W
24”D		●
30"D	●	●
36"D		●

Worksurface Mid-Support Panels
➤See page 85 to specify.

11"D	●



Corner Supports
➤See page 86 to specify.

	36"W	42"W
36"D	●	
42"D		●



End Support Panels
➤See page 87 to specify.

	30"D	36"D
28"H	●	●



T-Leg End Support Panels
➤See pages 87–88 to specify.

	24"D	30"D	36"D
6"H	●	●	●
12"H	●	●	●
28"H	●	●	●

Support Drawers
➤See page 89 to specify.

	15"D
5"H	●

Support Shelves
➤See page 89 to specify.

	15"D
11"H	●



Support Columns
Available in column and half-cylinder models.
➤See page 90 to specify.

28"H	●



Adjustable-Height U-Legs
Available in end- and mid-support models.
➤See page 91 to specify.

	10"D	24"D	30"D	36"D
28"H	●	●	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Cushion-Top Box/File Mobile Pedestals

➤See page 93 to specify.

15"W

24"D ●

Box/Box/File Mobile Pedestals

➤See page 93 to specify.

15"W

24"D ●

File/File Mobile Pedestals

➤See page 93 to specify.

15"W

24"D ●

Active File Mobile Pedestals

➤See page 93 to specify.

15"W

22"D ●

Storage

Statement of Line

Low Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Low Storage Open Bookcase

➤See page 94 to specify.

	30"W	36"W
16"D	●	●
24"D	●	●



Low Storage with Wide Box and Lateral File Drawer

➤See page 95 to specify.

	30"W	36"W
16"D	●	●
24"D	●	●

Low Storage with Lateral File Drawer

Available in lateral file and open/lateral file models.

● = Freestanding

■ = Mobile

➤See page 96 to specify.

	30"W	36"W
16"D	●■	●■
24"D	●■	●■



Component Tops

➤See page 97 to specify.

	30"W	36"W	60"W	66"W	72"W	90"W	108"W
16"D	●	●	●	●	●	●	●
24"D	●	●	●	●	●	●	●

Cushion Tops

➤See page 98 to specify.

	30"W	36"W
16"D	●	●
24"D	●	●

Organizer Shelves

➤See page 99 to specify.

	28"W	34"W
15"D	●	●
22"D	●	●

Straight Shelves

➤See page 99 to specify.

	28"W	34"W
15"D	●	●
22"D	●	●



Modesty Panel/ Cable Surround

➤See page 100 to specify.

	48W	60"W
6"H	●	●
12"H	●	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Sliding-Door Overhead Cabinets
Available with solid or writable glass door; wall or Traxx mount
➤See page 101 to specify.

	30"W	36"W	48"W	60"W	66"W	72"W
16"H	●	●	●	●	●	●



Sliding-Door Highback Organizers
Available with solid or writable glass door
➤See page 103 to specify.

	60"W	66"W	72"W	90"W	96"W	102"W	108"W
33"H	●	●	●				
38"H	●	●	●	●	●	●	●

Interior Shelves
For use in wall-mount sliding-door overheads.
➤See page 102 to specify.

	13"W	16"W	22"W	28"W	31"W	34"W
14"D	●	●	●	●	●	●



Hinged-Door Overhead Storage
Available with solid, glass, or writable glass doors; for wall or Traxx mount
● = Two-door models
▲ = Three-door models
■ = Four-door models
➤See page 104 to specify.

	30"W	36"W	48"W	60"W	66"W	72"W
19"H	●	●	▲	■	■	■



Hinged-Door Highback Organizers
Available with solid, glass, or writable glass doors
● = Four-door models
■ = Six-door models
➤See page 105 to specify.

	60"W	66"W	72"W	90"W	96"W	102"W	108"W
38"H	●	●	●	■	■	■	■



Filler Strips for Overhead Storage
➤See page 134 to specify.

	16"H	19"H
2"D	●	●

Storage

Statement of Line

Tackboards, Slatwall, and Set-on-Surface Storage

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Tackboards
For use with 38"H highback organizers or wall-mountable.
➤See page 106 to specify.

	46"W	49"W	52"W	58"W	64"W	70"W	88"W
16"H	●	●	●	●	●	●	●

Metal Slatwall
For use with 38"H highback organizers.
➤See page 106 to specify.

	60"W	66"W	72"W
13"H	●	●	●



Set-on-Surface Open Bookcases
➤See page 107 to specify.

	38"H
15"W	●
18"W	●
30"W	●
36"W	●



Set-on-Surface Bookcases
Available in single- and double-door models; solid, glass, and writable glass doors.
➤See page 108 to specify.

	38"H
15"W	●
18"W	●
30"W	●
36"W	●

Set-on-Surface Organizers
Available with solid, glass, and writable glass doors.
➤See page 109 to specify.

	38"H
15"W	●
18"W	●

Project Trays
➤See page 109 to specify.

	16"W
14"D	●

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Space Dividers
Available in full- and partial-back models.
➤See page 110 to specify.

	49"H
30"W	●



Bookcases with Lateral File
Available in full- and partial-back models.
➤See page 111 to specify.

	49"H
36"W	●



Bookcases with Sliding Door and Lateral File
Available with solid door or writable glass door; full- and partial-back models.
➤See pages 112–113 to specify.

	67"H	80"H
36"W	●	●



Bookcases with Hinged Doors and Lateral File
Available with solid doors or writable glass doors; full- and partial-back models.
➤See pages 114–115 to specify.

	67"H	80"H
36"W	●	●

Organizer and Straight Shelves
● = Organizer shelf
■ = Straight shelf
➤See page 116 to specify.

	15"W	34"W
14"D	■	●■



Back Panels
➤See page 116 to specify.

	21"H	22"H
36"W	●	●



Bookcase with File/File
➤See page 117 to specify.

	42"H	49"H	67"H
15"W	●	●	●



Front-Access Storage Towers
Available with box/box/file or file/file; left and right models.
➤See page 118 to specify.

	42"H	49"H	67"H
24"W	●	●	●



Side-Access Storage Towers
Available with box/box/file or file/file; left and right models.
➤See page 119 to specify.

	42"H	49"H	67"H
24"W	●	●	●



Side-Access Wardrobe Storage Towers
Available with box/box/file or file/file; left and right models.
➤See page 120 to specify.

	42"H	49"H	67"H
15"W	●	●	●



Single-Door Cabinets
➤See page 121 to specify.

	67"H
18"W	●
30"W	●



Double-Door Cabinets
● = Wardrobe
■ = Lateral File
➤See page 122 to specify.

	67"H
30"W	■
36"W	●■

Freestanding Bookcases

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Shelving Units

➤See page 123 to specify.

	42"H	50"H
36"D	●	●



Straight-Front Bookcases

➤See page 124 to specify.

	28"H	67"H	80"H	84"H
36"W	●	●	●	●





Arc-Front Bookcases

➤See page 125 to specify.

	28"H	40"H	53"H	67"H
36"W	●	●	●	●

Tables

Statement of Line

Tops, Modesty Panels, and Freestanding Table Bases

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Round

➤See page 126 to specify.

36" diameter	●
42" diameter	●
48" diameter	●
60" diameter	●



Square

➤See page 126 to specify.

	36"W	42"W	48"W	60"W
36"D	●			
42"D		●		
48"D			●	
60"D				●



Racetrack

➤See page 127 to specify.

	72"W
36"D	●

Elliptical

➤See page 127 to specify.

	72"W
40"D	●



Square Occasional Table

➤See the Tables Price List.

	24"W
24"D	●



Glass Modesty Panel

➤See page 127 to specify.

	9"H
36"W	●



Round Metal Bases

➤See page 128 for fixed height.
➤See page 129 for adjustable height.

	28"H
24" diameter	●



Square Metal Bases

➤See page 128 for fixed height.
➤See page 129 for adjustable height.

	28"H
24" square	●



Column Legs

Available in static and mobile.

➤See page 128 for fixed height.
➤See page 129 for adjustable height.

	28"H
2" diameter	●

Cylinder Bases

Available in laminate and wood.

➤See page 128 to specify.

	28"H
16" diameter	●

T-Leg Table Bases

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Fixed-Height T-Leg Bases

● = Main (2 legs and rails)
■ = Return (1 leg and rails)
➤See pages 130–131 to specify.

	For Use with Worksurfaces:										
	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
28"H	●	●■	●■	●■	●■	●■	●■	●■	●■	●■	●



Fixed-Height 90° and 120° Bases

➤See page 133 to specify.

	For Use with 120° worksurfaces:	
	24" x 48"	30" x 48"
28"H	●	●



Fixed-Height Extension Post-Leg Bases

➤See page 132 to specify.

	For Use with Worksurfaces:			
	42"W	48"W	54"W	60"W
28"H	●	●	●	●

Notes

PLANNING

Table of Contents

	➤See page
Progressive	28
Private Office Solutions Overview	28
Worksurfaces	29
Classic	30
Assembled & Modular Casegoods Overview	30
Assembled Casegoods	31
Modular Worksurfaces	32
Modular Support	33
Modular Storage	34
Modular Modesty Panels	35
Progressive/Classic	36
Storage & Tables Overview	36
Pull Options	37
Undersurface & Low Storage	38
Overhead Storage	39
Highback Organizers	40
Set-on-Surface Storage	41
16"D Vertical Storage	42
24" & 30"D Vertical Storage	43
Shelving Units & Bookcases	44
Table Tops & Bases	45
Table Base Requirements	46

Plan your Priority. This section will help you design and plan a Priority installation. Learn about the products and how they interconnect to create the perfect work environment.

Private Office Solutions

Overview

Distinctives	➤See page 5
Typical Configurations	6
Statement of Line	9
Finishes & Materials	135

Desking configuration can be created by selecting:
- Progressive worksurfaces
- U-legs, open legs, or end panels
- Undersurface or low storage

Use worksurfaces with low storage to create a layered look. Select from rectangular, wedge, arc-end, or other worksurface shapes.

Vertical storage and overheads, detailed in the Progressive/Classic section of the price list, are universal within the Priority series.



Use vertical storage along with low or undersurface storage to create a work-wall.

Face-mounted locks are optional on all undersurface storage and storage doors above the worksurface.

Progressive/classic overheads can be wall-mounted or Traxx-mounted as shown here.

Support options, such as U-legs, open-frame legs (shown), wood end panels, or pedestals, are designed so that the worksurface appears to "float" ¾" above the support.

➤See page 5 for Progressive and Classic distinctives

Exterior wood surfaces are available in the following veneers:
- Cherry (plain-sliced, slip-matched)
- Maple (plain-sliced, slip-matched)
- Quarter-cut Oak
- Walnut (plain-sliced, book-matched)
- Quarter-cut Walnut
- Sapele (quarter-sliced, slip-matched); premium veneer, upcharge applies
- Zebrawood; premium veneer, upcharge applies



Add mobile storage for enhanced flexibility.

Privacy screens and modesty panel/cable surrounds, specified separately, can attach to worksurfaces for additional privacy.

Dimensions:



Materials:

Worksurfaces
- **W** Wood worksurface, rim, and chassis
- **LW** HPL worksurface, wood rim and wood chassis
- **L** HPL worksurface, PVC rim, and TFL chassis
- **LL** TFL worksurface, PVC rim, and TFL chassis

Supports
- Powder-coated steel

Privacy Screens
- Resin

Storage
- Wood
- Laminate
- Writable-glass doors on select models

Statement of Line	➤See page 10
Pricing	48
Factory-Installed Grommet/Cutouts	58
Finishes & Materials	135

Details

IMPORTANT: Progressive Priority worksurfaces are intended for use with Progressive Priority supports:
- Undersurface support rails
- Open-frame or U-legs
- End panels
- Pedestals or low storage

Note: Knife rim worksurfaces cannot be supported by Classic Priority supports or undersurface storage, or used in Systems applications.

Worksurfaces are 1 3/16" thick, 3-ply balanced construction.



P Softened PVC rim | **F** Softened wood rim | **M** Reed wood rim | **S** Knife wood rim

Rim profile is 1/8" thick and appears on all edges of the worksurface. Laminate models are available with a softened PVC rim. Wood and laminate with wood rim models are available with a softened, reed, or knife rim.



Knife rim on worksurfaces appears on all four sides and butts end to end.



Wire manager option is available on 24", 30", and 36"W rectangular worksurfaces and corner worksurfaces. This flexible trough allows cords and cables to be routed along the back edge of the worksurface. Selected rim profile appears on the on the front and side edges. Wire manager is recommended for back-to-back benching applications.



Progressive rectangular worksurfaces are available in five depths: 24", 30", 36", 48", and 60" and in widths ranging from 36" up to 144" depending on the depth of the surface. 120" and 144"W worksurfaces are two pieces and feature a matched set of veneers or random-matched laminate (HPL or TFL). Wood-grain on smaller surfaces runs the width of the surface.

➤See the Statement of Line or the pricing pages for sizing combinations.



24", 30", or 36"D | 48" or 60"D

24"–36"D rectangular surfaces can be used to build:
- Private office configurations
- Freestanding open-plan applications
- Single-sided benching applications
- Double-sided benching applications (24" and 30"D only)
- Height-adjustable tables

48" and 60"D rectangular surfaces can be used to build:
- Double-sided benching applications
- Large conference or work tables

Other Progressive worksurface shapes include: U-shape, arc-end, extended, wedge, oval, 90° corner, and 120° corner.

A variety of factory-installed grommet and cut-out options are available.

➤See pages 58–59.

Connections



Progressive pedestals, U-legs, and open legs, specified separately, are designed to be support so that the worksurface appears to "float" 3/4" above support and storage. Undersurface storage satisfies both support and storage needs. Pedestal must match worksurface depth.
IMPORTANT: Supports and brackets must be specified separately for all worksurfaces.



Undersurface support rails, specified separately, are required for all surfaces.

➤See the Priority Price List.

Note: Rails are standard with height-adjustable bases.

Ganging units together result in no "dimensional creep." There is no limitation as to number and width of tables that can be joined. Varying widths of worksurfaces are not intended for use together in a straight, linear application (side by side).



Return worksurfaces can be created by adding a 24", 30", or 36"D worksurface and appropriate support legs perpendicular to the main worksurface. Use a return mounting bracket and two flat brackets, specified separately. Rail will be 6" longer than the return surface for connection to main surface.

➤See the Priority Price List for bracket and attachment details.



Low storage models can be used when the worksurface is placed at 29"H or higher. Clearance from the undersurface support rail to the floor is 25 9/16".



U-Legs or Open-Frame Legs | Height-Adjustable T-Legs or Fixed-Height T-Legs

78"W oval worksurface can be supported by several different support-U-legs, open-frame legs, height-adjustable, or fixed-height T-legs. Specify components to create a 30"D x 54"W frame for U-legs and open-frame legs. Specify components to create a 30"D x 60"W frame for height-adjustable or fixed-height T-legs.

Assembled & Modular Casegoods

Overview

Statement of Line	➤See page 12
Assembled Casegoods Product Info	31
Modular Worksurfaces Product Info	32
Finishes & Materials	135

Fully assembled and modular casegoods fit an extensive range of design, application, space, and budget challenges.

Wood veneers on wood and laminate with wood rim models are carefully selected and matched to assure proper balance and consistency.

Chassis and drawer/door fronts on laminate models feature thermally fused laminate (TFL). Grain direction runs top to bottom.

Laminate models offer great flexibility in finish selections. The worksurface, rim, drawer/door fronts, and chassis may be specified in different colors.

Pedestals are full height and letter width on assembled units. They connect directly to surfaces. Locks are optional.

Drawer fronts are ¾"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.



Worksurfaces are 1 3/16"-thick, 3-ply, balanced construction and available in wood, high-pressure laminate (HPL), or thermally fused laminate (TFL).

Worksurface rims are ⅛" thick. Softened and reed rim profiles appear on all four edges of the worksurface. Knife rim profile appears on the user edge and overhangs by 1¼"; side and back edges are flat.
Exception: Desks feature knife rim on the approach and user sides.

Materials:

W Wood worksurface, rim, and chassis
LW HPL worksurface, wood rim and wood chassis
L HPL worksurface, PVC rim, and TFL chassis
LL TFL worksurface, PVC rim, and TFL chassis

Worksurface Rim Profiles:



P Softened PVC rim
F Softened wood rim
M Reed wood rim

S Knife wood rim

Laminate models are available with a softened PVC (P) rim profile. Wood and laminate/wood rim models are available with a softened (F), reed (M), or knife (S) rim profile.

Pull Options:

➤See page 34.

Statement of Line	➤See page 12
Overview	30
Pricing	62
Finishes & Materials	135

Details

Exterior wood surfaces are available in the following veneers:
- Cherry (plain-sliced, slip-matched)
- Maple (plain-sliced, slip-matched)
- Quarter-cut Oak
- Walnut (plain-sliced, book-matched)
- Quarter-cut Walnut
- Sapele (quarter-sliced, slip-matched); premium veneer, upcharge applies
- Zebrawood; premium veneer, upcharge applies

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.

Drawer fronts are ¾"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.

Drawer sides and back are ½" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Optional wood drawers are available on wood and laminate with wood rim/chassis units. Drawer sides and back are ½" thick with veneer faces. Bottoms are ¼" thick with veneer faces. Interiors are sealed, sanded, and finished with a clear durable topcoat.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box, file, and lateral file drawers feature full extension slides.

Black filing rods are standard in all file drawers to accommodate various filing requirements.
➤See page 165 for filing capabilities.

Face-mounted locks are optional on all desks, credenzas, returns, and undersurface pedestals. Lock cylinders are removable if rekeying is necessary. Key random and key specific options are available.
➤See page 160 for lock information.
Note: Details above also apply to Priority Classic modular worksurfaces, support, and storage.

Technology Features

Structural panel separates the drawers from the cable routing compartment to prevent unwanted access to the drawer contents.

Hinged modesty panel, optional on assembled bridges, returns, kneespace, and single pedestal credenzas, swings inward to allow access to wall outlets. It lifts from the floor and is held in place by leveling feet.



Black half-round grommet is available factory installed at the top center of hinged modesty panels; upcharge applies.

A variety of factory-installed worksurface grommet options are available.
➤See page 77.

Connections



Returns and bridges with knife rim profile have a reverse knife edge on abutting edges to provide a flush fit with the adjoining surface.



Flush installation Recessed installation

Hinged modesty panels can be installed in a flush or recessed location. Flush installation visually lines up modesty panel with the adjoining side panels for an exposed orientation. Recessed installation insets modesty panel 6" from the back edge of the worksurfaces to create an area to store cords and cables. Recessed modesty panel allows the whole unit to be placed flush against the wall.

IMPORTANT: Single-pedestal desks and single-pedestal credenzas are not intended for use as standalone units.

Statement of Line	➤See page 14
Overview	30
Pricing	72
Finishes & Materials	135

Details

Modular worksurfaces are sized in 6" increments that correspond to Priority pedestals and storage. Appropriate bracketry is included. They are available in thermally fused laminate (TFL), high-pressure laminate (HPL), HPL with a wood rim, and wood.

IMPORTANT: Fully assembled models and modular components may be used together in the same configuration.



P Softened PVC rim | **F** Softened wood rim | **M** Reed wood rim | **S** Knife wood rim

Laminate (HPL and TFL) models are available with a softened PVC (P) rim profile.

Wood and HPL/wood rim models are available with a softened (F), reed (M), or knife (S) rim profile.

Attachment brackets based on the application specified are standard on all worksurface shapes.

Connections



Note: Arrows on illustration indicate grain direction.

Modular worksurfaces are interchangeable; however, to receive the correct brackets, the application—main (M), extension (E), or filler (F)—must be specified. Main surfaces receive no attachment hardware; extension surfaces receive 2 flat brackets; and filler surfaces receive 4 flat brackets.
➤See pricing pages for bracketry options by worksurface shape.

If the application or position of the worksurface needs to be changed, it can be accomplished by changing the bracketry.
Exception: All desk worksurfaces must be used as a "main" worksurface.

24"D rectangular worksurfaces are for use with 24"D pedestals.

Worksurfaces can be scribed on site to conform with oblique angles, irregular column placement, and historical preservation guidelines. These are just a few instances where this capability becomes an asset.



Filler and extension surfaces with knife rim profile have a reverse knife edge on abutting edges to provide a flush fit with the adjoining surface. Back and exposed side edge of extension worksurfaces are flat.

Main knife rim worksurfaces cannot be used adjacent to a corner worksurface.

Planning Factors



The maximum recommended span of an unsupported worksurface is 48" using Classic storage and support; longer distances require additional support.

A variety of factory-installed worksurface grommet options are available.
➤See page 77.



The maximum span for an unsupported worksurface can be extended to 96" between Classic pedestals, end panels, or storage units by utilizing Progressive starter brackets and appropriately sized undersurface support rails. Starter brackets would be placed at the side of the storage unit and/or end panels even with the top of the pedestal. Rails would connect to starter brackets at both ends. Storage units will be defaced.
For example: To span 72" unsupported, specify a 72"W (nominal) undersurface support rail and a starter bracket for each storage unit/end panel.
➤See the Progressive planning section for more information.

Consider the load a worksurface will carry when planning support. Additional support is recommended for surfaces where heavy equipment will be placed. Support can be placed where needed without the limitations of predrilled or predetermined locations.
➤See following page for modular support product information.

Modular Support

Statement of Line	➤See page 17
Overview	30
Pricing	84
Finishes & Materials	135

Details

IMPORTANT: Fully assembled models and modular components may be used together in the same configuration.

Modular support components are designed to support classic worksurfaces.



End supports can support the non-pedestal end of a worksurface to create a single pedestal desk or credenza for use in an L- or U-configuration. End support consists of an end panel, back/modesty panel, and two support panels. End supports for use with 24" or 25" worksurfaces include a second cutout on the kneespace support panel.

Undersurface pedestals, low storage with support drawers or shelves, and modesty panel/cable surround can also support the end of worksurfaces.
➤See page 15 for Classic storage components.
➤See page 38 for Progressive/Classic storage components.



Hinged modesty panels are optional. They are for use in conjunction with undersurface pedestals and worksurfaces to create an enclosed kneewell. A black half-round grommet is available factory-installed at the top center on hinged modesty panels; upcharge applies.



Classic height-adjustable U-leg is 27¾"H and adjusts from 24¾"–32¼" in ⅜" increments. U-legs can be used to displace wood end panels on desks, returns or modular return and extension worksurfaces; not intended for use to create a freestanding table. End U-legs are available in 24", 30", and 36"D. Mid-support U-leg is 10"D and is for use on 24"D, 30"D, and 36"D surfaces only. All adjustable U-legs feature a button that indexes into notches in the inner leg member. By depressing the button, the leg releases the lower leg assembly. This gives the user the ability to change the height as needed throughout the day. Legs can be used with classic Priority, Definition or Footprint worksurfaces. For 1⅜16" worksurfaces, support is required every 48"; for 1⅝16" worksurfaces, support is required every 60".



Hinged modesty panels are used to build bridges and returns along with worksurfaces and pedestals.



Full-height wood or laminate modesty panels are for use in conjunction with rectangular, P-shaped, or U-shaped worksurfaces, an end panel, and a square metal column base or wood half-cylinder base. Grain runs horizontal on laminate model. Field installation of grommets is recommended to ensure placement of the grommet on the user's side of the modesty panel.



Partial-height glass modesty panels are for use in with P-or U-shaped worksurfaces, an end panel, and a square metal column base or wood half-cylinder base.



T-leg end panels can also be used to support the end of a worksurface when there is no pedestal. Modesty panel cannot be used in conjunction with T-leg end panels. They cannot be used with a modesty panel.



5" and 11" T-leg end panels are for use on top of low storage to support worksurfaces. 5"H model sits atop 22"H storage; 11"H model is for use with 15"H storage. Component top is required.

Connections

Hinged modesty panel always spans between two pedestals or between a pedestal and an end-support panel. It cannot extend behind the back of a pedestal. They attach to the underside of the worksurface and do not deface the sides of adjacent pedestals. They can be installed flush with pedestal back or recessed. Hinge feature on modesty panels allows easy access to wall power.



Corner-support panels are used with corner worksurface. Assembly includes modesty and wing support panels. Corner worksurface is specified separately.

Planning Factors



The maximum recommended span of an unsupported worksurface is 48"; longer distances require additional support.

Consider the load a worksurface will carry when planning support. Additional support is recommended for surfaces where heavy equipment will be placed. Support can be placed where needed without the limitations of predrilled or predetermined locations.



12"D worksurface mid-support panel (model 53K1128SSW) can be used for additional support. Worksurface support panel does not allow modesty panel to hinge forward. Back edge is chamfered for cable management.

Statement of Line ➤See page 15
Overview 30
Pricing 78
Finishes & Materials 135

Details

Classic undersurface pedestals feature an open top or unfinished and a fully finished back panel. Pedestals connect directly to worksurfaces. Undersurface pedestals are available as:

- Box/box/file
- File/file
- Two-drawer lateral file
- Multi-file
- Hinged-door storage
- Printer/CPU storage

IMPORTANT: Classic storage models with open tops must be used with Classic modular worksurfaces, specified separately; they cannot be used with Progressive knife rim worksurfaces.

Three-drawer and four-drawer lateral files with open top are also available. These models have an unfinished back.

Locks are optional on all peds and located in the upper right corner of the top drawer face.

Printer/CPU storage organizes printers, CPUs, and paper for easy accessibility.



Support drawers and shelves can be used as support on top of low storage. 5"H support drawer unit is for use with 22"H low storage; 11"H support shelf is for use with 15"H low storage. They replace the need for a T-leg end panel as worksurface support on low storage. Component top for low storage must be specified.

Finished top two-, three-, and four-drawer lateral files feature an interlock mechanism that allows only one drawer to be open at a time. Two-drawer units feature a finished back and cord openings; three- and four-drawer units have an unfinished back and no cord openings.

30" and 36"D hinged-door pedestals include one fixed shelf and no cord openings.

Connections



Ganging adjacent lateral files is recommended.

Planning Factors

Classic undersurface pedestals can support the end of Classic worksurfaces. Pedestal depth must match desk worksurface end depth.



Hinged modesty panel always spans between two pedestals or between a pedestal and an end-support panel. It cannot extend behind the back of a pedestal.

Pull Options:



89 Studio



91 Niche



90 Trinity (+$25 per unit;

61 Helix



63 Link



64 Wisp

Available finishes:
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

IMPORTANT: Specify pull option and finish together in one step, inserting an underscore between.
Example: **89_514** = Studio pull, carbon metallic

61 Helix



63 Link

64 Wisp

Available finish:
SF Silver Frost Metallic

IMPORTANT: Specify pull option and finish together in one step.
Example: **61SF** = Helix pull, silver frost metallic

Boring patterns:

Studio	7.55"
Niche	3.77"
Trinity	6.29"
Helix	6.29"
Link	6.29"
Wisp	7.48"

Modular Modesty Panels

Statement of Line	➤See page 16
Overview	30
Pricing	82
Finishes & Materials	135

Details



Hinged modesty panel always spans between two pedestals or between a pedestal and an end-support panel. It cannot extend behind the back of a pedestal.



Technology modesty panels are available to provide wall access for units built from modular components. Assembled bridges and returns without a modesty panel will not accept the technology modesty panel. Widths are available up to 46".



Face of unit is hinged at the center to fold down to access wall.

Connections

Technology modesty panel is not freestanding and must be secured between storage, end panels, or support panels.



Elevation View

Gap between the top of the modesty and underside of the worksurface of 2 3/16" allows cords from adjoining extensions or main worksurfaces to exit into the cavity.



Plan View

When mounted flush with the back of storage or end panel, the modesty creates a 5 7/8" cavity to store cords. The unit can be mounted forward to create a larger cavity to the wall.

Planning Factors

Specify the same size modesty panel as the kneespace width into which it will fit.



Bridge worksurfaces can be placed above a technology modesty panel. Two 12"D worksurface support panels are required to which the technology modesty panel will attach.
The technology panel and the support panels do not attach to or provide support for the bridge; bridge is supported by adjacent worksurfaces with flat brackets.



Returns and credenzas created from modular components can accommodate a technology panel. One 12"D worksurface support panels is required to mount on the open end. Order the modesty to correspond with the kneespace width for assembled returns without modesty.

For modular returns, calculate the kneespace opening to determine the modesty panel width. For example: 72"W worksurface – 15"W pedestal = 57"W technology modesty panel.

Related Products



Factory-installed worksurface grommet options (G1 and G19) are designed to allow cords to fall directly into the technology modesty panel's cavity.
➤See the Perks Price List for power/data center and field-installed grommets.

Storage & Tables

Overview

Typical Configurations	➤See page 6
Statement of Line	18
Base Requirements	46
Finishes & Materials	135

Products in this section are universal to both Progressive and Classic styles. Items not mounted below the worksurface, such as low storage, overheads, highback organizers, vertical storage, and tables, can complement both classic and progressive office layouts.



Overheads, highback organizers, and set-on-surface storage are available in a variety of door selections.

Modesty panel/cable surround conceals power and data below the surface and can also provide support in progressive and classic applications.

Utilize low storage for storage, extra work area, occasional seating and to divide space.

Vertical storage can be used in private office, open plan, and benching applications.

Low storage, when used with component worksurfaces and additional support such as a short end panels or modesty panel/cable surround, can provide support for worksurfaces and create a layered affect to the workstation.

Face-mounted locks are standard on all undersurface storage and optional on storage doors above the worksurface.

Progressive/classic overheads can be wall-mounted or Traxx-mounted as shown here.

Stand-alone tables utilizing fixed, round, or square bases complete the office.

➤See page 5 for Progressive and Classic distinctives.

Pull Options

Application Guidelines

Typical Configurations	➤See page 6
Statement of Line	18
Base Requirements	46
Finishes & Materials	135



89 Studio



91 Niche



90 Trinity
(+$25/unit)

61 Helix



63 Link



64 Wisp

Finishes:
Paint—
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

Finishes:
Paint—
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

SF Silver Frost Metallic

Boring Patterns:

Studio	7.55"
Niche	3.77"
Trinity	6.29"

Boring Patterns:

Helix	6.29"
Link	6.29"
Wisp	7.48"

Pull Size:

	Width	*Height*	*Projection*
Studio	7⅞"	⅜"	1⅛"
Niche	5⅜"	⅞"	⅞"
Trinity	9¼"	⅜"	⅞"

Pull Size:

	Width	*Height*	*Projection*
Helix	7⅝"	½"	1¼"
Link	6⅝"	1⅛"	1"
Wisp	9⅞"	⅝"	1⅛"

How to Specify

Specify pull option and finish together in one step. If pull finish designator is a number, insert an underscore between the pull designator and the finish designator. For finish designators that are letters, put the pull and finish together without a space or underscore.

Example:
89_514 = Studio pull, carbon metallic

Undersurface & Low Storage

Product Information

Overview	➤See page 36
Statement of Line	18
Pricing	93
Finishes & Materials	135

Details

Pedestals and low storage units are available in wood or laminate and are finished on all sides. Laminate units offer flexibility in color selection in on drawer fronts, back and chassis. This option enables you to utilize storage elements to create an environment to meet your brand and image.

Anti-tip mechanism and lock are standard on all mobile pedestals and low storage with drawers. Mobile low storage units also include counterweights.



Mobile cushion-top pedestal provides occasional seating as well as storage. The 24"H box/file mobile pedestal easily stows under surfaces in both progressive and classic applications.

Mobile box/box/file and file/file pedestals stow under surfaces in Classic applications only. IMPORTANT: In Progressive applications, these pedestals interfere with the undersurface support rails; they can be used next to a progressive surface but not underneath.

23"H active file provides two divided sections in the top area to place papers and folders for easy access to work-in-progress. The open slot in the rear of the pedestal allows for hanging Pendaflex® folders for hot project files. Lock in bottom drawer locks both box and file drawer. Active file easily stores under surface of Progressive and Classic offices.



Low storage is available freestanding or mobile. Units are available in two heights (15 3/16" and 21 3/8"H), two widths (30" and 36"W), and in two depths (16" and 24"D). Low storage is available in a variety of configurations, including open bookcase, open/lateral file and box/lateral file.



Mobile low storage units feature inset casters enabling the mobile and freestanding units to align when sitting next to each other. Mobile low storage cannot be used to support worksurfaces or other storage.

Priority low storage bottom drawers align with other Priority storage units to keep a consistent visual within the office.

Connections

Use component tops to span multiple low storage units for a cleaner aesthetic.

15"H open bookcase features three holes spaced 3 3/16" apart and accepts either three straight or organizer shelves, specified separately.



22"H open bookcase features a fixed shelf. There are two holes spaced 3 3/16" apart above the fixed shelf to accept either two straight or organizer shelves. There are 3 holes below the fixed shelf to accept either three straight shelves or organizer shelves, specified separately.



22"H open/lateral file unit accepts either two straight or organizer shelves in open area. If using as a pedestal cushion or component top with an open/lateral, shelves cannot be used in the top position.

Planning Factors

Component tops in either softened or knife rim are required for the box/lateral file units. Knife rim component tops extend ¼" beyond the drawer fronts.

If using low height storage in conjunction with end panels for support, 1 3/16" component tops are required to span the low storage. 5" or 11" end panels are then placed atop the storage and properly align to undersurface height.

If using low height storage as freestanding units, component tops are required for the box/lateral unit but not required on other units.

Low storage cushion, specified separately, is the same thickness as the component tops (1 3/16") for visual alignment. In depth, the pedestal cushion aligns with the drawer fronts on the low height storage.

Open areas in the low storage accept either straight or organizer shelves. Organizer shelves should be installed with the organizer leg pointed downward. To add color contrast to units, specify shelves in different finish or material than the low storage unit.

33"H highback organizers can be used above freestanding, fixed-height low storage with component tops to divide space and provide additional storage.

If using low storage in a freestanding application without component tops or with a high-back organizer, pedestal ganging bracket (KACGB1) is recommended.

Overhead Storage

Overview	➤See page 36
Statement of Line	20
Pricing	101
Finishes & Materials	135

Details

Overhead storage cabinets are 16"D and with wood or laminate chassis.

Sliding-door overhead cabinets are 16"H and available in widths from 30"–72". They feature one non-locking, solid or writable glass door that can slide from side to side. One side of the unit will be open at all times; center panel divides the space.

Hinged-door overhead cabinets are available in 30", 36", 48", 60", 66", and 72" widths. These 19"H units offer solid, opaque glass, or writable gass doors.

Finished inset top, finished bottom, and apron rail conceal lighting.

2 door



3 door



4 door

Hinged-Door Configurations:

- 30"W and 36"W overhead storage cabinets have 2 doors.
- 48"W overhead storage cabinets have 3 doors.
- 60"–72"W overhead storage cabinets have 4 doors.

Note: A support panel divides the interior into separate sections as indicated above.



Wood hinged four-door models feature one set of doors with matching grain pattern; laminate models feature two sets of two-doors that match.

Back panels are inset between the end panels on both wall-mount and Traxx-mount models for a neat appearance.

Connections

Overhead storage cabinets can be Traxx or wall mounted. 30"W overheads must be supported by at least two solid attachment points on a wall. 36"W must be supported by at least three solid attachment points on a wall. 48", 60", 66", and 72"W overheads must be supported by at least four solid attachment points on a wall.

Wall-mount models include attachment brackets and rail.

Traxx-mount models include an attachment bracket. Traxx and tiles must be specified separately.

Related Products

Interior shelves, specified separately, are available for wall-mount sliding door overheads to enhance organization.
➤See page 102.

Glass Pattern/Door Frame Finish:

- Opaque Frost glass (11) with Silver Frost frame (510); available on hinged-door models only
- Ice Gloss Writable Glass (202G) with Silver Satin frame (511)

Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.

Highback Organizers

Overview	➤See page 36
Statement of Line	20
Pricing	103
Finishes & Materials	135

Details

Sliding-door highback organizers feature a wood or laminate chassis and one non-locking, solid or writable glass door that can slide from side to side. One side of the unit will be open at all times; center panel divides the space.



33"H sliding-door models are available in 60", 66", or 72" widths. Back is finished and the area below the cabinet is open for use in open plan applications.



38"H sliding-door models are available in 60", 66", 72", 90", and 96" widths. Back is unfinished and is for use in private office applications. Back panel features three black plastic grommets with cover (one at top center and one in each lower corner).

Grain direction on laminate backs 60"W or wider runs horizontally.



Hinged-door highback organizers are available in widths ranging from 60"–108"; they are 38"H (nominal). Back is unfinished for use in private office applications. These units are offered with solid, opaque glass, or writable gass doors.



4 door



6 door

Hinged-Door Configurations:

- 60"–72"W overhead storage and highback organizers have 4 doors.
- 90"–108"W highback organizers have six doors.

Note: A support panel divides the interior into separate sections as indicated above.

Wood hinged four-door models feature one set of doors with matching grain pattern; laminate models feature two sets of two-doors that match.

Finished, inset top and apron rail conceals lighting.

Back panels on overhead storage cabinets are inset between the end panels on both wall-mount and Traxx-mount models for a neat appearance.

Connections

33"H highback organizers can be used above freestanding, fixed-height low storage with component worksurfaces to divide space and provide additional storage.
➤See dimensions and illustrations at right.

If using low storage in a freestanding application without component tops or with a highback organizer, pedestal ganging bracket (KACGB1) is recommended.

Highback organizers require proper support, such as non-adjustable legs, end panels, or pedestals directly under the worksurface where the end panel of the highback rests.

Planning Factors



Highback organizers can be specified with set-on-surface storage to create a variety of configurations.

Related Products

38"H highback organizers accept slat tiles or tackboards, specified separately.

Dimensions:





Glass Pattern/Door Frame Finish:

- Opaque Frost glass (11) with Silver Frost frame (510); available on hinged-door models only
- Ice Gloss Writable Glass (202G) with Silver Satin frame (511)

Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.

Set-on-Surface Storage

Product Information

Overview	➤See page 36
Statement of Line	21
Pricing	107
Finishes & Materials	135

Details



Set-on-surface bookcases are for use on top of worksurfaces. Chassis is 16"D and available in wood or laminate. Single-door, double-door, and open bookcase models feature two ¾"-thick shelves; top shelf is adjustable.

Set-on-surface organizers can be used in conjunction with set-on-surface bookcases, highback organizers, and overheads.

Doors are available in solid, opaque glass, and writable glass options. Glass doors are non-locking.

Connections

Ganging adjacent units is recommended. Ganging bolts are included.



Planning Factors

Set-on-surface models align with highback organizers for a clean aesthetic.

Nominal widths of 15", 18", 30", and 36" can be used together to create a workwall. Bookcases and organizers can be used together.

IMPORTANT: Set-on-surface storage is not intended for freestanding applications.

Related Products



Project trays, specified separately, are available for use in 18"W set-on-surface organizer models; they will accommodate up to five project trays.
➤See page 109.

Glass Pattern/Door Frame Finish:

- Opaque Frost glass (11) with Silver Frost frame (510); available on hinged-door models only
- Ice Gloss Writable Glass (202G) with Silver Satin frame (511)

Note: Expo or Expo2 dry-erase markers are recommended for use on writable glass doors. Other low-odor dry-erase markers are not recommended, as they may leave undesirable results when erased.

Vertical Storage

Product Information

16"D

Overview	➤See page 36
Statement of Line	22
Pricing	110
Finishes & Materials	135

Details

16"D vertical storage is available in space divider and bookcase/lateral file models. Both are offered in laminate or wood.

➤See applicable price list for additional information on options.



Space divider vertical storage units provide storage as well as side-to-side privacy. These units can be positioned so that the overhead section spans above the worksurface while the box/lateral file spans below the surface; open area is 11 9/16". Units are 16"D x 29 15/16"W and 48 7/8"H and available in left or right orientation. Units feature a two piece, non-matched back panel set for the upper and lower sections.

Each space divider unit consists of:

- Bottom section with a wide box/lateral file with lock in bottom drawer; anti-tip device is standard in bottom drawer.
- Middle section with cubby area on one side and open area on the other.
- Top section with hinged door on one side and cubby area on the other.





Bookcase with two-drawer lateral files are available in nominal heights of 50", 67" and 80"H in wood or laminate. Lock in top drawer position. These units can be used to divide space in open plan areas. Units feature finished backs with finished inset top. Full back units for the 67" and 80"H units feature three-piece matched back panel set. Partial back units have open center sections and feature two-piece non-matched back panel sets.

All bookcase vertical storage models accept straight or organizer shelves in 20 9/16"H center area, specified separately. 50"H units feature bookcase area with five holes spaced 3¼" apart. 67" and 80"H units feature center section with five holes spaced 3¼" apart.

Top section with center divider is available with one sliding door (non-locking) or two hinged doors in wood, laminate or writable glass. Hinged doors feature pulls in vertical position with locking or non-locking doors. Top section has 7 holes on 67"H model or 17 holes on the 80" model, spaced 1¼" apart to accept straight interior shelves for additional organization.

Connections

IMPORTANT: **All units must be ganged** with provided ganging bolt and are not intended for use as a single, freestanding unit.

Starter brackets, specified separately, can be attached to back of unit. Starter brackets connect to undersurface support rails to support surfaces, displacing the need for a support leg on that side. Storage unit will be defaced.

➤See the Priority Price List for starter bracket planning information.

Planning Factors

Units are designed so that the middle sections align with worksurface heights; see illustration at left.



Center Back Panel
Installed on Opposite Side

Specify back panels separately in a different material or finish to add a band of color to the center section to create a non-monochromatic aesthetic. Center back panels on full-back models can be removed in the field and replaced with another in a different material or finish, or moved to the front of the unit, exposing the center section to the opposite side.

Vertical Storage

Product Information

24" and 30"D

Overview	➤See page 36
Statement of Line	22
Pricing	117
Finishes & Materials	135

Details

24" and 30"D vertical storage is available in a variety of shelf, door, drawer, and wardrobe configurations.



Open bookcase with letter-width file drawers have finished inset top and are 23½"D and 14 15/16"W. Three height options: nominal 42" and 50"H units have finished backs and one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf.



Front access vertical storage towers with finished inset top are available in left or right configurations and in nominal heights 42", 50", and 67". Nominal 42" and 50" H units have finished backs for use in open plan. Select from either box/box/file or file/file letter width drawer options with lock. Shelf storage above drawers include and one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf. Wardrobe area in applicable models includes removable coat rod and one fixed shelf 12" above bottom panel; interior width is 7⅞"W. Door pulls are in vertical application and feature optional locking.





Side-access bookcase vertical storage towers with finished inset top are available in left or right configurations and in nominal heights 42", 50", and 67". Nominal 42" and 50"H units have finished backs for use in open plan. Select from either box/box/file or file/file letter width drawer options with lock. Shelf storage above drawers includes one adjustable shelf; nominal 67"H unit has unfinished back and one fixed and one adjustable shelf. Wardrobe area includes removable coat rod and one fixed shelf 12" above bottom panel; interior width is 7⅞"W. Door pulls are in vertical application and feature optional locking.



Side-access wardrobe units are 29 11/16"D and are intended for end-of-run applications with wardrobe sections facing outward in left or right configurations. Available in nominal heights of 42", 50", and 67" with finished inset tops. 42" and 50" units have finished backs for use in open plan; 67" units have unfinished backs. Units are 15"W with either letter width box/box/file or file/file configurations with optional lock. Front-access single-door storage area has one adjustable shelf on 50"H units; and one fixed and one adjustable shelf in 67" units. Wardrobe area is 7⅞"W; 42" wardrobe has one coat hook while the 50" and 67" units contain removable coat rod and fixed shelf 12" above bottom panel.



Single- and double-door units are 68"H nominal heights feature combinations of shelf storage. Single-door units are 18" or 30"W nominal with left or right hinged doors with shelf or wardrobe storage. Double-door units offer combinations of shelves and lateral file or shelves and wardrobe. Locking is optional.

Connections

Starter brackets, specified separately, can be attached to back of unit. Starter brackets connect to undersurface support rails to support surfaces, displacing the need for a support leg on that side. Storage unit will be defaced.

➤See the Priority Price List for starter bracket planning information.

Planning Factors

Units are designed to complement Progressive and Classic applications.

When using storage in place of support legs, be aware of starter bracket location. In Progressive applications, bracket is mounted ¾" higher than in Classic applications.

Shelving Units and Bookcases

Product Information

Overview	➤See page 36
Statement of Line	23
Pricing	123
Finishes & Materials	135

Details

Freestanding shelving units are available in 42" or 50"H with finished backs. Shelves are ¾" thick. These units align with other vertical units and can be used to divide space as well as provide storage. Top section accepts straight and organizer shelves or can remain open for binder storage.

Freestanding bookcases are available with arc front or straight front in laminate or wood. These units have finished inset tops and unfinished backs. Shelves are ¾" thick. Both straight and arc front models are 35⅞" wide and feature 11⅞" shelf openings when shelves are in center position unless otherwise noted.



42"H shelving unit accepts up to four organizer shelves and one straight shelf. Straight shelf must always be used in top position. One adjustable shelf can be positioned up or down 1¼"; shelves are ¾" thick. 11⅞" shelf openings when shelves are in center position (excluding top section). Accommodates five straight shelves or four organizer shelves, and/or component top.



50"H unit accepts up to two organizer shelves and one straight shelf. Straight shelf must always be used in top position. Two adjustable shelves can be positioned up or down 1¼"; shelves are ¾" thick. 11⅞" shelf openings when shelves are in center position (excluding top section). Top area holds two organizer shelves or three straight shelves, and/or component top.



Straight front units are 15³⁄₁₆"D and feature adjustable shelves as noted below that can be positioned up or down 1¼".

- Two-shelf unit features one adjustable shelf and is 27⁹⁄₁₆"H.
- Five shelf unit features three adjustable shelves and is 66⅞"H. Top opening is 13⅜".
- Six-shelf unit is available in two heights: 79³⁄₁₆" or 84". Both units offer three adjustable shelves. 79"H unit has 13⅜" opening in top position while the 84" model has a 17¹⁵⁄₁₆" top opening. 84" ships with a tip-resistant kit and must be attached to a wall.



Arc-front bookcases feature shelves that extend 3" beyond the 15¹³⁄₁₆" end panels.

- Two shelf unit is 27⅝"H with one adjustable shelf.
- Three shelf unit is 40¼"H with one adjustable shelf.
- Four shelf unit is 35⅞"H with two adjustable shelves.
- Five shelf unit is 52⅞"H with three adjustable shelves.

Table Tops & Bases

Product Information

Overview	➤See page 36
Statement of Line	24
Pricing	126
Finishes & Materials	135

Details



Table tops are available in wood, high-pressure laminate (HPL) with wood rim, and HPL with a PVC rim, or thermally fused laminate (TFL) with a PVC rim. Select from round, square, racetrack, and ellipse shapes.

Table tops are 1 3/16" thick, 3-ply, balanced construction. Rims are ⅛" thick.



P Softened PVC rim | **F** Softened wood rim | **M** Reed wood rim | **S** Knife wood rim

Laminate models are available with a softened PVC (P) rim profile.

Wood and laminate/wood rim models are available with a softened (F), reed (M), or knife (S) rim profile.

Base requirements differ based on the table top shape and size.
➤See page 46 for base requirements.

Cylinder base is available in wood or laminate. For use with round, square, and racetrack tops. Specify two for racetrack tops.



Round and square bases are available in fixed and adjustable-height (gas lift) models. Height-adjustable models are standard with a release paddle for field installation on the underside of the top. Adjustment range is 16" from 26"–42"H. Accepts round 36" or 42" 1 3/16" table tops only; neither base accepts casters.



Column legs are specified singly and are available in static model with glide or mobile model with locking caster. They are available in a paint finishes or chrome. These can be used to support table tops or as support at the end of a worksurface.

Adjustable-height column legs feature a fluted surface and are available in cinder, platinum metallic, or silver frost metallic finish. Static model or mobile model with locking caster are available; both models may be set to heights ranging from 25¾"–34⅝" (without top) to allow the table to nest under other worksurfaces or tables. Mobile models are not applicable to 36" round top. Standard model includes set of four legs.



Modesty panels are available to attach to the underside of 36" x 72" racetrack or 40" x 72" elliptical table tops. They feature a metal frame with silver frost finish and an opaque frost glass insert.

Select contemporary table bases, available as part the Kimball Office contemporary tables offering, are available for use Priority table tops:
- 24"-diameter cylinder base (CBS2724CYL)
- 16" soft-square (CBS1627SSW)
- 16" square (CBS1627SQW)
- 24" square (CBS2427SQW)

➤See the Tables Price List to specify.



Fixed-height T-leg and post-leg style bases, similar to Progressive height-adjustable bases, but with no height adjustability, are available. Fixed-height T-leg bases are applicable to rectangular worksurfaces or racetrack table tops. Fixed-height 90° and 120° bases (shown above) are applicable to 90° and 120° worksurfaces, respectively. These bases ship ready to assemble. Plastic leveling inserts located at the bottom of the feet provides 1" of adjustment. Aluminum foot on T-legs can be specified in polished (upcharge applies) or in a contrasting color from the column. The maximum kneespace clearance is 20 9/16".

➤See the pricing pages for the size of base required based on the table top size.



Fixed-height T-leg bases, for use with 24", 30", and 36"D worksurfaces, consist of one or two T-legs with feet and a set of undersurface support rails that run underneath the center of the worksurface. Return mounting bracket is included with the return model. Specify two flat brackets separately for return applications.

Maximum load*: 400 lbs. BIFMA/670 lbs. UL
Max. load L-config*: 775 lbs. BIFMA/1300 lbs. UL

*Maximum load for tables with casters is 120 lbs.; applies to all table base types.



Fixed-height extension post-leg bases consist of one or post-leg and a set of undersurface support rails that run underneath the center of the worksurface. They are intended for use as a return base. Depending on the depth of the main worksurface and the depth of the extension worksurface, the post will be inset approximately 12"–15" fro the end of the extension worksurface. Return mounting bracket is included. Specify two flat brackets separately for return applications.

Maximum load*: 400 lbs. BIFMA/670 lbs. UL
Max. load L-config*: 775 lbs. BIFMA/1300 lbs. UL

*Maximum load for tables with casters is 120 lbs.; applies to all table base types.

T-leg casters for field installation may be specified separately for tables up to 36"D x 96"W.

➤See the Priority Price List.



Field installed caster kits for T-leg bases are available.
Note: Casters are not directly applicable to a 3-leg 90° or 120° base with center post. To create a mobile 3-leg table, order two caster kits, a return foot kit model 53KFKTR for the post leg, and hardware bag #2417313 (service parts) for screw to attach the foot and casters.

Base Requirements

Application Guidelines

For Table Tops

Overview	➤See page 36
Statement of Line	24
Pricing	126
Finishes & Materials	135

Top Shape		Round Metal 53K26BRF	Round Metal Adjustable 53K26BRGM	Square Metal 53K2626BSF	Square Metal Adjustable 53K2626BSGM	Cylinder CBS2716CY	Static Column Leg AB2802BC	Mobile Column Leg AB2802BC	Static Adjustable Column CBM2803CA2	Mobile Adjustable Column CBM2803CA2		Cylinder CBS2724CYW*	24" Square CBS2427SQW*	Soft-Square CBS1627SSW*	16" Square CBS1627SQW
Round	36" dia.	1	1			1	4	4	4						
	42" dia.	1	1			1	4	4	4	4					
	48" dia.					1	4	4	4	4					
	60" dia.											1	1		
Square	36" x 36"			1	1	1	4	4						1	1
	42" x 42"			1	1		4	4						1	1
	48" x 48"												1	1	1
	60" x 60"												1		
Racetrack	36" x 72"					2	4	4	4	4				2	2
Elliptical	40" x 72"								4	4					

* These bases are available in the Kimball Office Tables Price List.

PRICING

Table of Contents



	➤See page
Progressive	48
Worksurfaces	48
Undersurface Pedestals	60
Classic	62
Assembled Casegoods	62
Modular Worksurfaces	72
Modular & Freestanding Storage	78
Modular Supports	84
Progressive/Classic	93
Mobile Storage	93
Low Storage	94
Overhead Storage	101
Highback Organizers	103
Set-on-Surface Storage	107
Vertical Storage	110
Freestanding Shelving Units & Bookcases	123
Table Tops & Bases	126
Related Products	134

24"–36"D Rectangular Worksurfaces

Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135







D	W	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
24"	36 1/16"	1 3/16"	**53K2436WBS**	$156	$212	$374	$374	$413	$413
24"	42 1/16"	1 3/16"	**53K2442WBS**	189	241	396	396	437	437
24"	48 1/16"	1 3/16"	**53K2448WBS**	221	267	430	430	474	474
24"	54"	1 3/16"	**53K2454WBS**	265	296	469	469	517	517
24"	60"	1 3/16"	**53K2460WBS**	273	323	491	491	541	541
24"	66"	1 3/16"	**53K2466WBS**	314	374	536	536	590	590
24"	71 15/16"	1 3/16"	**53K2472WBS**	326	386	555	555	611	611
24"	77 15/16"	1 3/16"	**53K2478WBS**	335	417	583	583	642	642
24"	83 15/16"	1 3/16"	**53K2484WBS**	344	447	629	629	692	692
24"	89 15/16"	1 3/16"	**53K2490WBS**	366	478	652	652	719	719
24"	95 7/8"	1 3/16"	**53K2496WBS**	366	507	697	697	767	767
30"	36 1/16"	1 3/16"	**53K3036WBS**	$177	$245	$406	$406	$447	$447
30"	42 1/16"	1 3/16"	**53K3042WBS**	201	278	439	439	483	483
30"	48 1/16"	1 3/16"	**53K3048WBS**	229	316	475	475	522	522
30"	54"	1 3/16"	**53K3054WBS**	254	350	522	522	575	575
30"	60"	1 3/16"	**53K3060WBS**	294	380	552	552	608	608
30"	66"	1 3/16"	**53K3066WBS**	318	439	601	601	661	661
30"	71 15/16"	1 3/16"	**53K3072WBS**	342	452	629	629	692	692
30"	77 15/16"	1 3/16"	**53K3078WBS**	355	489	669	669	737	737
30"	83 15/16"	1 3/16"	**53K3084WBS**	380	525	711	711	783	783
30"	89 15/16"	1 3/16""	**53K3090WBS**	404	561	753	753	828	828
30"	95 7/8"	1 3/16"	**53K3096WBS**	427	594	791	791	871	871
36"	36 1/16"	1 3/16"	**53K3636WBS**	$242	$333	$396	$396	$437	$437
36"	42 1/16"	1 3/16"	**53K3642WBS**	277	381	452	452	498	498
36"	48 1/16"	1 3/16"	**53K3648WBS**	317	437	508	508	559	559
36"	54"	1 3/16"	**53K3654WBS**	357	493	563	563	620	620
36"	60"	1 3/16""	**53K3660WBS**	398	548	618	618	681	681
36"	66"	1 3/16"	**53K3666WBS**	426	586	674	674	742	742
36"	71 15/16"	1 3/16"	**53K3672WBS**	451	622	700	700	770	770
36"	77 15/16"	1 3/16"	**53K3678WBS**	458	675	777	777	856	856
36"	83 15/16"	1 3/16"	**53K3684WBS**	496	731	845	845	928	928
36"	89 15/16"	1 3/16"	**53K3690WBS**	497	790	927	927	1021	1021
36"	95 7/8"	1 3/16"	**53K3696WBS**	512	853	945	945	1039	1039

* Height (thickness) for TFL worksuraces is 1 1/8".

IMPORTANT: Support rails or height-adjustable base must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface grommet/cutout option:
X = No grommet or cutout
➤See page 58 for designators.
⑤ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

24"–36"D Rectangular Worksurfaces

Pricing

Wire Manager

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135





D	W	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
24"	36 1/16"	1 3/16"	**53K2436WBS**	$198	$255	$419	$419	$456	$456
24"	42 1/16"	1 3/16"	**53K2442WBS**	231	284	441	441	481	481
24"	48 1/16"	1 3/16"	**53K2448WBS**	263	311	475	475	518	518
24"	54"	1 3/16"	**53K2454WBS**	307	340	513	513	561	561
24"	60"	1 3/16"	**53K2460WBS**	336	367	536	536	585	585
24"	66"	1 3/16"	**53K2466WBS**	356	419	580	580	635	635
24"	71 15/16"	1 3/16"	**53K2472WBS**	368	430	601	601	656	656
24"	77 15/16"	1 3/16"	**53K2478WBS**	377	462	629	629	688	688
24"	83 15/16"	1 3/16"	**53K2484WBS**	386	491	672	672	735	735
24"	89 15/16"	1 3/16"	**53K2490WBS**	408	522	697	697	762	762
24"	95 7/8"	1 3/16"	**53K2496WBS**	429	551	741	741	812	812
30"	36 1/16"	1 3/16"	**53K3036WBS**	$219	$288	$450	$450	$491	$491
30"	42 1/16"	1 3/16"	**53K3042WBS**	243	323	483	483	528	528
30"	48 1/16"	1 3/16"	**53K3048WBS**	271	361	519	519	567	567
30"	54"	1 3/16"	**53K3054WBS**	296	394	567	567	618	618
30"	60"	1 3/16"	**53K3060WBS**	315	424	597	597	652	652
30"	66"	1 3/16"	**53K3066WBS**	360	483	644	644	704	704
30"	71 15/16"	1 3/16"	**53K3072WBS**	384	497	672	672	735	735
30"	77 15/16"	1 3/16"	**53K3078WBS**	397	533	713	713	782	782
30"	83 15/16"	1 3/16"	**53K3084WBS**	422	569	756	756	827	827
30"	89 15/16"	1 3/16"	**53K3090WBS**	446	606	797	797	872	872
30"	95 7/8"	1 3/16"	**53K3096WBS**	469	639	835	835	916	916
36"	36 1/16"	1 3/16"	**53K3636WBS**	$284	$378	$441	$441	$481	$481
36"	42 1/16"	1 3/16"	**53K3642WBS**	319	425	497	497	543	543
36"	48 1/16"	1 3/16"	**53K3648WBS**	359	481	552	552	604	604
36"	54"	1 3/16"	**53K3654WBS**	399	537	608	608	665	665
36"	60"	1 3/16"	**53K3660WBS**	440	592	664	664	726	726
36"	66"	1 3/16"	**53K3666WBS**	468	632	720	720	787	787
36"	71 15/16"	1 3/16"	**53K3672WBS**	493	667	744	744	815	815
36"	77 15/16"	1 3/16"	**53K3678WBS**	500	721	823	823	899	899
36"	83 15/16"	1 3/16"	**53K3684WBS**	538	775	889	889	974	974
36"	89 15/16"	1 3/16"	**53K3690WBS**	539	834	973	973	1066	1066
36"	95 7/8"	1 3/16"	**53K3696WBS**	554	896	989	989	1083	1083

* Height (thickness) for TFL worksuraces is 1 1/8".

IMPORTANT: Support rails or height-adjustable base must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on three sides
- Wire manager on back side

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
❸ Rim option:
3 = Wire manager
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
⑤ Worksurface grommet/cutout option:
X = No grommet or cutout
➤See page 58 for designators.
⑥ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for W and 1W models)
⑩ Wire manager finish designator

48"–60"D Rectangular Worksurfaces

Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135





D	*W*	*H**	*Model*	***TFL (LL)*** *P Rim*	***HPL (L)*** *P Rim*	***HPL (LW)*** *F/M Rim*	***Wood (W)*** *F/M Rim*	***HPL (1LW)*** *S Rim*	***Wood (1W)*** *S Rim*
48"	48 1/16"	1 3/16"	**53K4848WBS**	$450	$540	$1172	1172	$1290	1290
48"	54"	1 3/16"	**53K4854WBS**	475	594	1289	1289	1443	1443
48"	60"	1 3/16"	**53K4860WBS**	520	653	1418	1418	1588	1588
48"	66"	1 3/16"	**53K4866WBS**	572	719	1560	1560	1747	1747
48"	71 15/16"	1 3/16"	**53K4872WBS**	629	790	1715	1715	1920	1920
48"	77 15/16"	1 3/16"	**53K4878WBS**	692	869	1888	1888	2114	2114
48"	83 15/16"	1 3/16"	**53K4884WBS**	762	956	2076	2076	2325	2325
48"	89 15/16"	1 3/16"	**53K4890WBS**	837	1100	2180	2180	2442	2442
48"	95 7/8"	1 3/16"	**53K4896WBS**	890	1225	2205	2205	2470	2470
48"	120"	1 3/16"	**53K48120WBS**	1220	1875	3745	3745	4194	4194
48"	143 15/16"	1 3/16"	**53K48144WBS**	1340	1998	3980	3980	4460	4460
60"	60"	1 3/16"	**53K6060WBS**	$618	$742	$1554	1554	$1710	1710
60"	66"	1 3/16"	**53K6066WBS**	680	816	1742	1742	1951	1951
60"	71 15/16"	1 3/16"	**53K6072WBS**	748	897	1916	1916	2146	2146
60"	77 15/16"	1 3/16"	**53K6078WBS**	823	988	2108	2108	2360	2360
60"	83 15/16"	1 3/16"	**53K6084WBS**	905	1087	2319	2319	2597	2597
60"	89 15/16"	1 3/16"	**53K6090WBS**	995	1194	2551	2551	2857	2857
60"	95 7/8"	1 3/16"	**53K6096WBS**	1094	1315	2806	2806	3142	3142
60"	143 15/16"	1 3/16"	**53K60144WBS**	2205	3869	5395	5395	5935	5935

* Height (thickness) for TFL worksuraces is 1 1/8".

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface (120" and 144" widths are two matched pieces)
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface grommet/cutout option:
X = No grommet or cutout
➤See page 58 for designators.
⑤ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

Arc-End Worksurfaces

Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135







D	W	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
24"	42 1/16"	1 3/16"	**53K2442WBAE**	$222	$269	$477	$477	$525	$525
24"	48 1/16"	1 3/16"	**53K2448WBAE**	247	299	517	517	569	569
24"	54"	1 3/16"	**53K2454WBAE**	257	331	563	563	620	620
24"	60"	1 3/16"	**53K2460WBAE**	262	361	590	590	649	649
24"	66"	1 3/16"	**53K2466WBAE**	305	420	643	643	709	709
24"	71 15/16"	1 3/16"	**53K2472WBAE**	314	433	667	667	733	733
24"	77 15/16"	1 3/16"	**53K2478WBAE**	339	467	700	700	771	771
24"	83 15/16"	1 3/16"	**53K2484WBAE**	363	501	754	754	830	830
24"	89 15/16"	1 3/16"	**53K2490WBAE**	389	536	784	784	862	862
30"	42 1/16"	1 3/16"	**53K3042WBAE**	$252	$311	$527	$527	$580	$580
30"	48 1/16"	1 3/16"	**53K3048WBAE**	258	356	571	571	628	628
30"	54"	1 3/16"	**53K3054WBAE**	284	392	628	628	691	691
30"	60"	1 3/16"	**53K3060WBAE**	309	426	664	664	730	730
30"	66"	1 3/16"	**53K3066WBAE**	358	493	721	721	793	793
30"	71 15/16"	1 3/16"	**53K3072WBAE**	367	507	754	754	830	830
30"	77 15/16"	1 3/16"	**53K3078WBAE**	398	548	803	803	885	885
30"	83 15/16"	1 3/16"	**53K3084WBAE**	426	587	854	854	940	940
30"	89 15/16"	1 3/16"	**53K3090WBAE**	457	630	904	904	994	994
36"	42 1/16"	1 3/16"	**53K3642WBAE**	$310	$427	$544	$544	$599	$599
36"	48 1/16"	1 3/16"	**53K3648WBAE**	356	490	610	610	671	671
36"	54"	1 3/16"	**53K3654WBAE**	401	552	676	676	744	744
36"	60"	1 3/16"	**53K3660WBAE**	446	614	743	743	818	818
36"	66"	1 3/16"	**53K3666WBAE**	478	659	811	811	891	891
36"	71 15/16"	1 3/16"	**53K3672WBAE**	507	698	840	840	924	924
36"	77 15/16"	1 3/16"	**53K3678WBAE**	549	757	934	934	1027	1027
36"	83 15/16"	1 3/16"	**53K3684WBAE**	594	819	1013	1013	1116	1116
36"	89 15/16"	1 3/16"	**53K3690WBAE**	643	886	1113	1113	1226	1226

* Height (thickness) for TFL worksuraces is 1 1/8".

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Wedge Worksurfaces

Pricing

Rim on Four Sides

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135



A	*B*	*C*	*D*	*H**	*Model*	***TFL (LL)*** *P Rim*	***HPL (L)*** *P Rim*	***HPL (LW)*** *F/M Rim*	***Wood (W)*** *F/M Rim*	***HPL (1LW)*** *S Rim*	***Wood (1W)*** *S Rim*
24"	36"	24"	71 5/16"	1 3/16"	**53K3672WBW**	$507	$698	$840	$840	$1009	$1009

* Height (thickness) for TFL worksuraces is 1⅛".

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Oval Worksurfaces

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135

D	*W*	*H**	*Model*	***TFL (LL)*** *P Rim*	***HPL (L)*** *P Rim*	***HPL (LW)*** *F/M Rim*	***Wood (W)*** *F/M Rim*	***HPL (1LW)*** *S Rim*	***Wood (1W)*** *S Rim*
42 1/16"	77 15/16"	1 3/16"	**53K4278WBV**	$643	$886	$1113	$1113	$1226	$1226

* Height (thickness) for TFL worksuraces is 1 1/8".

IMPORTANT: Support rails or height-adjustable base must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

U-Shaped Worksurfaces

Pricing

Rim on All Sides

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135







D	W	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
24"	42 1/16"	1 3/16"	**53K2442WBU**	$222	$269	$477	$477	$525	$525
24"	48 1/16"	1 3/16"	**53K2448WBU**	247	299	517	517	569	569
24"	54"	1 3/16"	**53K2454WBU**	257	331	563	563	620	620
24"	60"	1 3/16"	**53K2460WBU**	262	361	590	590	649	649
24"	66"	1 3/16"	**53K2466WBU**	305	420	643	643	709	709
24"	71 15/16"	1 3/16"	**53K2472WBU**	314	433	667	667	733	733
24"	77 15/16"	1 3/16"	**53K2478WBU**	339	467	700	700	771	771
24"	83 15/16"	1 3/16"	**53K2484WBU**	363	501	754	754	830	830
24"	89 15/16"	1 3/16"	**53K2490WBU**	389	536	784	784	862	862
30"	42 1/16"	1 3/16"	**53K3042WBU**	$252	$311	$527	$527	$580	$580
30"	48"	1 3/16"	**53K3048WBU**	258	356	571	571	628	628
30"	54"	1 3/16"	**53K3054WBU**	284	392	628	628	691	691
30"	60"	1 3/16"	**53K3060WBU**	309	426	664	664	730	730
30"	66"	1 3/16"	**53K3066WBU**	358	493	721	721	793	793
30"	71 15/16"	1 3/16"	**53K3072WBU**	367	507	754	754	830	830
30"	77 15/16"	1 3/16"	**53K3078WBU**	398	548	803	803	885	885
30"	83 15/16"	1 3/16"	**53K3084WBU**	426	587	854	854	940	940
30"	89 15/16"	1 3/16"	**53K3090WBU**	457	630	904	904	994	994
36"	42 1/16"	1 3/16"	**53K3642WBU**	$310	$427	$544	$544	$599	$599
36"	48 1/16"	1 3/16"	**53K3648WBU**	356	490	610	610	671	671
36"	54"	1 3/16"	**53K3654WBU**	401	552	676	676	744	744
36"	60"	1 3/16"	**53K3660WBU**	446	614	743	743	818	818
36"	66"	1 3/16"	**53K3666WBU**	478	659	811	811	891	891
36"	71 15/16"	1 3/16"	**53K3672WBU**	507	698	840	840	924	924
36"	77 15/16"	1 3/16"	**53K3678WBU**	549	757	934	934	1027	1027
36"	83 15/16"	1 3/16"	**53K3684WBU**	594	819	1013	1013	1116	1116
36"	89 15/16"	1 3/16"	**53K3690WBU**	643	886	1113	1113	1226	1226

* Height (thickness) for TFL worksuraces is 1 1/8".

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Extended Worksurfaces

Pricing

Rim on All Sides

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135





Extension on Right

A	B	C	D	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
36"	36"	24"	72"	1 3/16"	**53K3672WBER**	$557	$698	$840	$840	$1009	$1009





Extension on Left

A	B	C	D	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
36"	36"	24"	72"	1 3/16"	**53K3672WBEL**	$557	$698	$840	$840	$1009	$1009

* Height (thickness) for TFL worksuraces is 1⅛".

IMPORTANT: Support rails must be specified separately.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on four sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface grommet/cutout option:
X = No grommet or cutout
➤See page 58 for designators.
⑤ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

Corner Worksurfaces

Pricing

Rim on All Sides

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135



90° Corner

A	B	C	D	E	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
48 1/16"	48 1/16"	24"	24"	34"	1 3/16"	**53K2448WBL**	$446	$603	$802	$802	$964	$964
48 1/16"	48 1/16"	30"	30"	25 1/2"	1 3/16"	**53K3048WBL**	549	663	883	883	1059	1059



120° Corner

A	B	C	D	E	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
48 1/16"	48 1/16"	24"	24"	59 3/16"	1 3/16"	**53K2448WBY**	$490	$646	$973	$973	$1167	$1167
48 1/16"	48 1/16"	30"	30"	53 1/8"	1 3/16"	**53K3048WBY**	604	700	991	991	1190	1190

* Height (thickness) for TFL worksuraces is 1 1/8".

Corner Support Frames
➤See the Priority Price List.

90° and 120° Height-Adjustable Bases
➤See the Priority Price List.

IMPORTANT: Support rails are included with corner support frames and height-adjustable bases, but must be specified separately if using U-legs for support.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Rim on all sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface grommet/cutout option:
X = No grommet or cutout
➤See page 58 for designators.
⑤ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W and 1W models)

Corner Worksurfaces

Pricing

Wire Manager

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135



90° Corner

A	B	C	D	E	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
48 1/16"	48 1/16"	24"	24"	34"	1 3/16"	**53K2448WBL**	$521	$692	$891	$891	$1052	$1052
48 1/16"	48 1/16"	30"	30"	25 1/2"	1 3/16"	**53K3048WBL**	624	752	972	972	1148	1148



120° Corner

A	B	C	D	E	H*	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
48 1/16"	48 1/16"	24"	24"	59 3/16"	1 3/16"	**53K2448WBY**	$565	$735	$1061	$1080	$1256	$1256
48 1/16"	48 1/16"	30"	30"	53 1/8"	1 3/16"	**53K3048WBY**	624	789	1080	1080	1279	1279

* Height (thickness) for TFL worksuraces is 1 1/8".

Corner Support Frames
➤See the Priority Price List.

90° and 120° Height-Adjustable Bases
➤See the Priority Price List.

IMPORTANT: Support rails are included with corner support frames and height-adjustable bases, but must be specified separately if using U-legs for support.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Worksurface
- Wire manager on back (A & B) sides
- Rim on sides and front edges

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
❸ Rim option:
3 = Wire manager
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
⑤ Worksurface grommet/cutout option:
X = No grommet or cutout
➤See page 58 for designators.
⑥ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for W and 1W models)
⑩ Wire manager finish designator

Factory-Installed Grommets/Cut-Outs

Options Pricing

For 24", 30", and 36"D Worksurfaces

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G1 Plastic Grommets										
24", 30", and 36"D rect. TFL	**G1L**	+$55	**G1R**	+$55	**G1LR**	+$110	**G1C**	+$55	**G1A**	+$165
24", 30", and 36"D rect. HPL or wood	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	**G1C**	+$57	**G1A**	+$171
G19 Metal Grommets										
24", 30", and 36"D rect. TFL	**G19L**	+$55	**G19R**	+$55	**G19LR**	+$110	**G19C**	+$55	**G19A**	+$165
24", 30", and 36"D rect. HPL or wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
36"D extended TFL	**G19L**	+$55	**G19R**	+$55	**G19LR**	+$110	**G19C**	+$55	**G19A**	+$165
36"D extended HPL or wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
90° and 120° corner TFL	**G19L**	+$55	**G19R**	+$55	**G19LR**	+$110	**G19C**	+$55	**G19A**	+$165
90° and 120° corner HPL or wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
G20 Cut-Outs*										
24", 30", and 36"D rect. TFL	—		—		—		**G20C**	+$50	—	
24", 30", and 36"D rect. HPL or wood	—		—		—		**G20C**	+$52	—	
90° and 120° corner TFL	**G20L**	+$50	**G20R**	+$50	**G20LR**	+$100	—		—	
90° and 120° corner HPL or wood	**G20L**	+$52	**G20R**	+$52	**G20LR**	+$104	—		—	

**G20 cutouts cannot be used on surfaces supported by a main T-leg base.*

Related Products

G19 metal grommets for field installation are also available. Note the location of support legs to ensure they do not interfere with grommet locations.
➤See the Perks Price List.



G20 cut-out is designed to accept 8 5/16" x 5 5/16" power/data center (model 99KPDCAM), specified separately.
➤See the Perks Price List.



G1 or G19 Grommets



**1 11/16" on 24"D; 6 11/16" on 30" or 36"D*

G20 Cut-Outs

Standard Includes/Available Finishes



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Available finish:
MB Matte Black



G19 metal grommet is a two-piece unit with black brush access. Available powdercoat finishes:
405 Designer White
487 Brushed Nickel
490 Polished Chrome
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G1LMB = G1 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix with a designator and price are available. Arc-end, wedge, oval, and U-shaped worksurfaces do not offer factory-installed grommet options.

Factory-Installed Grommets/Cut-Outs

Options Pricing

For 48" and 60"D Worksurfaces

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	29
Finishes & Materials	135

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G10 Plastic Grommets										
48"W–66"W rect. TFL	—		—		—		**G10C**	+$79	—	
48"W–66"W rect. HPL or wood	—		—		—		**G10C**	+$82	—	
72"W–96"W rect. TFL	**G10L**	+$79	**G10R**	+$79	**G10LR**	+$158	**G10C**	+$79	**G10A**	+$237
72"W–96"W rect. HPL or wood	**G10L**	+$82	**G10R**	+$82	**G10LR**	+$164	**G10C**	+$82	**G10A**	+$246
120"W–144"W rect. TFL	**G10L**	+$79	**G10R**	+$79	**G10LR**	+$158	—		—	
120"W–144"W rect. HPL or wood	**G10L**	+$82	**G10R**	+$82	**G10LR**	+$164	—		—	
C2 Cut-Outs										
48"W–66"W rect. TFL	—		—		—		**C2C**	+$50	—	
48"W–66"W rect. HPL or wood	—		—		—		**C2C**	+$50	—	
72"W–96"W rect. TFL	**C2L**	+$50	**C2R**	+$50	**C2LR**	+$100	**C2C**	+$50	**C2A**	+$150
72"W–96"W rect. HPL or wood	**C2L**	+$52	**C2R**	+$52	**C2LR**	+$104	**C2C**	+$52	**C2A**	+$156
120"W–144"W rect. TFL	**C2L**	+$50	**C2R**	+$50	**C2LR**	+$100	—		—	
120"W–144"W rect. HPL or wood	**C2L**	+$52	**C2R**	+$52	**C2LR**	+$104	—		—	
C3 Cut-Outs										
72"W–96"W rect. TFL	—		—		—		**C3C**	+$50	—	
72"W–96"W rect. HPL or wood	—		—		—		**C3C**	+$52	—	
120"W–144"W rect. TFL	**C3L**	+$50	**C3R**	+$50	**C3LR**	+$100	—		—	
120"W–144"W rect. HPL or wood	**C3L**	+$52	**C3R**	+$52	**C3LR**	+$104	—		—	
144"W rect. TFL or wood (60"D only)*	—		—		—		**C3C**	+$50	—	
144"W rect. HPL or wood (60"D only)*	—		—		—		**C3C**	+$52	—	

* Cut-out will span the two-piece surface.



G10 Grommets



C2 Cut-Outs



C3 Cut-Outs

Options

G10 grommet features a touch-latch for open and closure. Pops open for use; push down to close when not in use. Black plastic.

Related Products

C2 cut-out is designed to accept 10" power/data center (models KCU0810ELPDC or KCU0810ELPDCH), specified separately.
➤See the Tables Price List.



C3 cut-out is designed to accept 40" power/data center (model KCU0840ELPDC), specified separately.
➤See the Tables Price List.

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the grommet locations shown in the matrix with a designator and price are available. G10 grommets cannot be specified along with C2 or C3 power/data cutouts.

Undersurface Pedestals

Pricing

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	➤See Priority Price List
Finishes & Materials	135
Locking Information	160

Box/Box/File

D	W	H	Model	Laminate	Wood
Letter Width					
23½"	14 15/16"	27 9/16"	**53KE2415PUBBFS**	$739	$991
29 11/16 "	14 15/16"	27 9/16"	**53KE3015PUBBFS**	781	1042
35⅝"	14 15/16"	27 9/16"	**53KE3615PUBBFS**	824	1097

File/File

D	W	H	Model	Laminate	Wood
Letter Width					
23½"	14 15/16"	27 9/16"	**53KE2415PUFFS**	$716	$956
29 11/16 "	14 15/16"	27 9/16"	**53KE3015PUFFS**	761	997
35⅝"	14 15/16"	27 9/16"	**53KE3615PUFFS**	794	1039

Lateral File

D	W	H	Model	Laminate	Wood
23½ "	29 15/16"	27 9/16"	**53KE2430LFM2S**	$996	$1666

Related Products:

Starter Bracket

D	W	H	Model	Price
21⅜"	13 15/16"	2¾"	**53KEPSBP**	$100

IMPORTANT: Starter bracket must be specified separately.

Standard Includes

- Enclosed top with four spacers
- Finished back panel

How to Specify

Pedestal

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Chassis back finish designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Starter Bracket or Stanchion

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Double-Sided Undersurface Pedestals

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	➤See Priority Price List
Finishes & Materials	135
Locking Information	160



D	W	H	Model	Laminate	Wood
Box/Box/File—Box/Box/File					
47 11/16"	14 15/16"	27 9/16"	**53KE4815PUD1**	$1589	$2145
59 3/4"	14 15/16"	27 9/16"	**53KE6015PUD1**	1684	2256
For Use with Stanchions					
50 3/16"	14 15/16"	27 9/16"	**53KE5015PUD1S**	$1612	$2181
62 1/4"	14 15/16"	27 9/16"	**53KE6215PUD1S**	1708	2280



D	W	H	Model	Laminate	Wood
File/File—File/File					
47 11/16"	14 15/16"	27 9/16"	**53KE4815PUD2**	$1538	$2067
59 3/4"	14 15/16"	27 9/16"	**53KE6015PUD2**	1638	2157
For Use with Stanchions					
50 3/16"	14 15/16"	27 9/16"	**53KE5015PUD2S**	$1562	$2090
62 1/4"	14 15/16"	27 9/16"	**53KE6215PUD2S**	1662	2181



D	W	H	Model	Laminate	Wood
Box/Box/File—File/File					
47 11/16"	14 15/16"	27 9/16"	**53KE4815PUD8**	$1564	$2105
59 3/4"	14 15/16"	27 9/16"	**53KE6015PUD8**	1661	2206
For Use with Stanchions					
50 3/16"	14 15/16"	27 9/16"	**53KE5015PUD8S**	$1587	$2129
62 1/4"	14 15/16"	27 9/16"	**53KE6215PUD8S**	1685	2230



IMPORTANT: Specify stanchions separately for 50" and 62"W pedestals.

IMPORTANT: Starter bracket must be specified separately. Specify 2 for end application, specify 4 for mid-support application.

Related Products:

D	W	H	Model	Price
Stanchion for 50 3/16" and 62 3/16" Pedestals				
4 5/16"	2 3/8"	45 11/16"	**53KSSDPP**	$220
Starter Bracket				
21 3/8"	13 15/16"	2 3/4"	**53KEPSBP**	$100

Standard Includes

- Enclosed top with 8 spacers
- One cord opening in top of pedestal

How to Specify

Pedestal

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$72); specify two lock cores separately
KRB = Key random, black lock core (+$116)
KRS = Key random, silver lock core (+$116)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Starter Bracket or Stanchion

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Double-Pedestal Desks

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	31
Finishes & Materials	135
Locking Information	160





Approach side

Rectangular Top

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Softened or Reed Rim										
30"	60"	28¾"	28"	27½"	5¾"	**53KE3060DDFB**	$1424	$1594	$2348	$2348
30"	66"	28¾"	34"	27½"	5¾"	**53KE3066DDFB**	1488	1666	2464	2464
30"	72"	28¾"	40"	27½"	5¾"	**53KE3072DDFB**	1555	1739	2585	2585
36"	72"	28¾"	40"	27½"	5¾"	**53KE3672DDFB**	1624	1803	2712	2712
Knife Rim										
32"	60"	28¾"	28"	27½"	5¾"*	**53KE3260DDFB**	—	—	$2471	$2471
32"	66"	28¾"	34"	27½"	5¾"*	**53KE3266DDFB**	—	—	2592	2592
32"	72"	28¾"	40"	27½"	5¾"*	**53KE3272DDFB**	—	—	2720	2720
38"	72"	28¾"	40"	27½"	5¾"*	**53KE3872DDFB**	—	—	2853	2853



Arc Top

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Softened or Reed Rim										
30"	60"	28¾"	28"	27½"	6⅞"	**53KE3060DDFBA**	$1455	$1628	$2397	$2397
36"	72"	28¾"	40"	27½"	6⅞"	**53KE3672DDFBA**	1659	1855	2768	2768
Knife Rim										
32"	60"	28¾"	28"	27½"	6⅞"*	**53KE3260DDFBA**	—	—	$2522	$2522
38"	72"	28¾"	40 "	27½"	6⅞"*	**53KE3872DDFBA**	—	—	2913	2913

**Knife rim overhangs user side by 1¼".*
Arc top depth dimensions represent the widest point.

Center Drawers
➤See page 66.

Standard Includes

- Box/box/file letter-width pedestal, left
- File/file letter-width pedestal, right
- Breakfront modesty panel

How to Specify

❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL
L = HPL/TFL
LW = HPL/wood
W = Wood/wood
❸ Pedestal option:
8 = BBF/FF
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
⑤ Pull option:
➤See page 37 for designators.
⑥ Lock option:
X = Non-locking
KS = Key specific (+$72); specify two lock cores separately
KRB = Key random, black lock core (+$116)
KRS = Key random, silver lock core (+$116)
⑦ Worksurface grommet option:
➤See page 77 for designators.
X = No grommet
⑧ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Single-Pedestal Desks

Pricing

Rectangular Top

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	31
Finishes & Materials	135
Locking Information	160





Approach side

Pedestal on Right

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Softened or Reed Rim										
30"	66"	28¾"	49"	27½"	5¾"	**53KE3066DRFB**	$1339	$1519	$2275	$2275
36"	72"	28¾"	55"	27½"	5¾"	**53KE3672DRFB**	1425	1604	2385	2385
Knife Rim										
32"	66"	28¾"	49"	27½"	5¾"	**53KE3266DRFB**	—	—	$2392	$2392
38"	72"	28¾"	55"	27½"	5¾"	**53KE3872DRFB**	—	—	2507	2507





Approach side

Pedestal on Left

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Softened or Reed Rim										
30"	66"	28¾"	49"	27½"	5¾"	**53KE3066DLFB**	$1339	$1519	$2275	$2275
36"	72"	28¾"	55"	27½"	5¾"	**53KE3672DLFB**	1425	1604	2385	2385
Knife Rim										
32"	66"	28¾"	49"	27½"	5¾"	**53KE3266DLFB**	—	—	$2392	$2392
38"	72"	28¾"	55"	27½"	5¾"	**53KE3872DLFB**	—	—	2507	2507

**Knife rim overhangs user side by 1¼".*

Single-pedestal desks can be used as standalone units.

Center Drawers
➤See page 66.

Standard Includes

- Box/box/file letter-width pedestal
- Breakfront modesty panel

How to Specify

❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL
L = HPL/TFL
LW = HPL/wood
W = Wood/wood
❸ Pedestal option:
1 = BBF
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
⑤ Pull option:
➤See page 37 for designators.
⑥ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑦ Worksurface grommet option:
X = No grommet or cutout
➤See page 58 for designators.
⑧ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Single-Pedestal Desks

Pricing

Arc Top

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	31
Finishes & Materials	135
Locking Information	160



D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Pedestal on Right										
Softened or Reed Rim										
30"	66"	28¾"	49"	27½"	5¾"	**53KE3066DRFBA**	$1367	$1525	$2322	$2322
36"	72"	28¾"	55"	27½"	5¾"	**53KE3672DRFBA**	1455	1622	2434	2434
Knife Rim										
32"	66"	28¾"	49""	27½"	5¾"*	**53KE3266DRFBA**	—	—	$2441	$2441
38"	72"	28¾"	55"	27½"	5¾"*	**53KE3872DRFBA**	—	—	2558	2558



D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Pedestal on Left										
Softened or Reed Rim										
30"	66"	28¾"	49""	27½"	5¾"	**53KE3066DLFBA**	$1367	$1525	$2322	$2322
36"	72"	28¾"	55"	27½"	5¾"	**53KE3672DLFBA**	1455	1622	2434	2434
Knife Rim										
32"	66"	28¾"	49""	27½"	5¾"*	**53KE3266DLFBA**	—	—	$2441	$2441
38"	72"	28¾"	55"	27½"	5¾"*	**53KE3872DLFBA**	—	—	2558	2558

**Knife rim overhangs user side by 1¼".*
Arc top depth dimensions represent the widest point.

Single-pedestal desks can be used as standalone units.

Center Drawers
➤See page 66.

Standard Includes

- Box/box/file letter-width pedestal
- Breakfront modesty panel

How to Specify

❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL
L = HPL/TFL
LW = HPL/wood
W = Wood/wood
❸ Pedestal option:
1 = BBF
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
⑤ Pull option:
➤See page 37 for designators.
⑥ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑦ Worksurface grommet option:
X = No grommet
➤See page 77 for designators.
⑧ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Single-Pedestal Desks

Pricing

Extended Top

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	31
Finishes & Materials	135
Locking Information	160





Approach side





Approach side

D	W	H	KW	KH	AO	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Pedestal on Right										
Softened or Reed Rim										
42"	72"	28¾"	55"	27½"	5¾"	**53KE4272DRFEB**	$1583	$1745	$2592	$2592
Knife Rim										
44"	72"	28¾"	55"	27½"	5¾"*	**53KE4472DRFEB**	—	—	$2725	$2725
Pedestal on Left										
Softened or Reed Rim										
42"	72"	28¾"	55"	27½"	5¾"	**53KE4272DLFEB**	$1583	$1745	$2592	$2592
Knife Rim										
44"	72"	28¾"	55"	27½"	5¾"*	**53KE4472DLFEB**	—	—	$2725	$2725

**Knife rim overhangs user side by 1¼".*

IMPORTANT: Single-pedestal desks are not intended for use as standalone units.

Center Drawers
➤See page 66.

Standard Includes

- Box/box/file letter-width pedestal
- Breakfront modesty panel

How to Specify

❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL
L = HPL/TFL
LW = HPL/wood
W = Wood/wood
❸ Pedestal option:
1 = BBF
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
⑤ Pull option:
➤See page 37 for designators.
⑥ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑦ Worksurface grommet option:
X = No grommet
➤See page 77 for designators.
⑧ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Worksurface finish designator
⑩ Drawer front finish designator (omit for LW and W models)
⑪ Chassis finish designator (omit for LW and W)
⑫ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑬ Rim finish designator (omit for W models)
⑭ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Center Drawers

Pricing

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	31
Finishes & Materials	135



D	*W*	*H*	*Model*	*Price*
Wood Center Drawers				
For Use with 60" and 66"W Single-Pedestal Desks				
21¾"	17¾"	2¼"	**53K2218CDW**	$243
For Use with 66"W Double-Pedestal Desks and 72"W Single-Pedestal Desks				
21¾"	29¾"	2¼"	**53K2230CDW**	$323
For Use with 72"W Double-Pedestal Desks				
21¾"	36¾"	2¼"	**53K2236CDW**	363



Laminate Center Drawers				
For Use with 72"W Single- and Double-Pedestal Desks				
20"	24"	2¾"	**53KE2024CDL**	$112

IMPORTANT: Not for use when undersurface support rails are in use.

Standard Includes

- Center drawer: wood or laminate (TFL)
- Attachment hardware

How to Specify

Wood Center Drawer

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator
④ Wood interior drawer option (omit for standard drawers):
WD = Wood interior drawers (+10%)

Laminate Center Drawer

❶ Model
② Laminate (TFL) color

Executive Returns

Pricing

GSA SIN 711-8









D	W	H	KW	KH	Number of Optional Locks	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
File/File Pedestal on Right										
Softened or Reed Rim										
24"	42"	28¾"	27"	27½"	1	**53KE2442RREF**	$813	$910	$1524	$1524
24"	48"	28¾"	33"	27½"	1	**53KE2448RREF**	849	1019	1598	1598
Knife Rim										
25"	42"	28¾"	27"	27½"	1	**53KE2542RREF**	—	—	$1603	$1603
25"	48"	28¾"	33"	27½"	1	**53KE2548RREF**	—	—	1681	1681
File/File Pedestal on Left										
Softened or Reed Rim										
24"	42"	28¾"	27"	27½"	1	**53KE2442RLEF**	$813	$910	$1524	$1524
24"	48"	28¾"	33"	27½"	1	**53KE2448RLEF**	849	1019	1598	1598
Knife Rim										
25"	42"	28¾"	27"	27½"	1	**53KE2542RLEF**	—	—	$1603	$1603
25"	48"	28¾"	33"	27½"	1	**53KE2548RLEF**	—	—	1681	1681
Multi-File Pedestal on Right										
Softened or Reed Rim										
24"	66"	28¾"	30"	27½"	2	**53KE2466RREF**	$1166	$1301	$2177	$2177
Knife Rim										
25"	66"	28¾"	30"	27½"	2	**53KE2566RREF**	—	—	$2289	$2289
Multi-File Pedestal on Left										
Softened or Reed Rim										
24"	66"	28¾"	30"	27½"	2	**53KE2466RLEF**	$1166	$1301	$2177	$2177
Knife Rim										
25"	66"	28¾"	30"	27½"	2	**53KE2566RLEF**	—	—	$2289	$2289

**Knife rim overhangs user side by 1¼".*



Modesty panel grommet option

Standard Includes

- File/file letter-width pedestal or 36"W multi-file pedestal (two box drawers, one file drawer, and one lateral file drawer)
- Fixed modesty panel (ships unattached; assembly required)
- Front-to-back grain direction on worksurface on file/file returns and wood multi-file returns; side-to-side on laminate multi-file return

How to Specify

❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL **L** = HPL/TFL
LW = HPL/wood **W** = Wood/wood
❸ Pedestal option:
2 = File/file **10** = Multi-file
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
⑤ Pull option:
➤See page 37 for designators.
⑥ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑦ Modesty panel option:
X = Fixed modesty panel
H = Hinged modesty panel (+$50)
⑧ Worksurface grommet option:
X = No grommet
➤See page 77 for designators.
⑨ Modesty panel grommet option:
X = No grommet
MG1MB = Center top (+$55); matte black
⑩ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Worksurface finish designator
⑫ Drawer front finish designator (omit for LW and W models)
⑬ Chassis finish designator (omit for LW and W)
⑭ Rim finish price group (omit for LL, L, and W models):
STD = Group 1 **STD2** = Group 2 (+20%)
⑮ Rim finish designator (omit for W models)
⑯ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Bridges

Pricing

GSA SIN 711-8
FSC-C010590 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	31
Finishes & Materials	135



D	W	H	KH	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
With Modesty Panel								
Softened or Reed Rim								
24"	30"	28¾"	27½"	**53KE2430BEF**	$371	$397	$475	$475
24"	36"	28¾"	27½"	**53KE2436BEF**	386	414	498	498
24"	42"	28¾"	27½"	**53KE2442BEF**	402	431	521	521
24"	48"	28¾"	27½"	**53KE2448BEF**	419	449	543	543
Knife Rim								
25"	30"	28¾"	27½"	**53KE2530BEF**	—	—	$513	$513
25"	36"	28¾"	27½"	**53KE2536BEF**	—	—	538	538
25"	42"	28¾"	27½"	**53KE2542BEF**	—	—	563	563
25"	48"	28¾"	27½"	**53KE2548BEF**	—	—	586	586

**Knife rim overhangs user side by 1¼".*



Modesty panel grommet option

Standard Includes

- Fixed modesty panel (ships unattached; assembly required)
- Front-to-back grain direction on worksurface

How to Specify

❶ Model
❷ Worksurface/modesty panel materials:
LL = TFL/TFL
L = HPL/TFL
LW = HPL/wood
W = Wood/wood
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
④ Modesty panel option:
X = Fixed modesty panel
H = Hinged modesty panel (+$50)
⑤ Worksurface grommet option:
X = No grommet
➤See page 77 for designators.
⑥ Modesty panel grommet option:
X = No grommet
MG1MB = Center top (+$55); matte black
⑦ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑧ Worksurface finish designator
⑨ Chassis finish designator (omit for LW and W models)
⑩ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for W models)

Credenzas

Pricing

Storage and Kneespace

†GSA SIN 711-9
††GSA SIN 711-8





D	W	H	KW	KH	Number of Optional Locks	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Storage †										
Softened or Reed Rim										
24"	66"	28¾"			3	**53KE2466CSF**	$1516	$1682	$2483	$2483
24"	72"	28¾"			3	**53KE2472CSF**	1587	1759	2521	2521
Knife Rim										
25"	66"	28¾"			3	**53KE2566CSF**	—	—	$2616	$2616
25"	72"	28¾"			3	**53KE2572CSF**	—	—	2656	2656
Kneespace ††										
Softened or Reed Rim										
24"	66"	28¾"	34"	27½"	2	**53KE2466CKF**	$1440	$1596	$2331	$2331
24"	72"	28¾"	40"	27½"	2	**53KE2472CKF**	1505	1685	2337	2337
Knife Rim										
25"	66"	28¾"	34"	27½"	2	**53KE2566CKF**	—	—	$2454	$2454
25"	72"	28¾"	40"	27½"	2	**53KE2572CKF**	—	—	2460	2460

**Knife rim overhangs user side by 1¼".*



Modesty panel grommet option on kneespace model

Standard Includes

- Two file/file letter-width pedestals
- Two hinged doors and one adjustable shelf in center section of storage credenza
- Fixed modesty panel on kneespace credenza (ships unattached; assembly required)
- Finished back

How to Specify

❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL **L** = HPL/TFL
LW = HPL/wood **W** = Wood/wood
❸ Pedestal option:
2 = File/file
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
⑤ Pull option:
➤See page 37 for designators.
⑥ Lock option:
X = Non-locking
KS = Key specific (+$36 per lock); specify lock core(s) separately
KRB = Key random, black core (+$58 per lock)
KRS = Key random, silver core (+$58 per lock)
⑦ Modesty panel option:
X = Fixed modesty panel
H = Hinged modesty panel (+$50)
⑧ Worksurface grommet option:
➤See page 77 for designators.
X = No grommet
⑨ Modesty panel grommet option (omit for storage credenza):
X = No grommet
MG1MB = Center top (+$55); matte black
⑩ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Worksurface finish designator
⑫ Drawer front finish designator (omit for LW and W models)
⑬ Chassis finish designator (omit for LW and W)
⑭ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑮ Rim finish designator (omit for W models)
⑯ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Credenzas

Pricing

Single Pedestal and Lateral File

GSA SIN 711-8

Abbreviation Key	➤See page 3
Product Information	31
Finishes & Materials	135
Locking Information	160











Modesty panel grommet option

IMPORTANT: Single-pedestal credenzas are not intended for use as standalone units.

D	W	H	KW	KH	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Single-Pedestal on Right									
Softened or Reed Rim									
24"	66"	28¾"	49"	27½"	**53KE2466CRF**	$1049	$1174	$1683	$1683
24"	72"	28¾"	55"	27½"	**53KE2472CRF**	1095	1225	1765	1765
Knife Rim									
25"	66"	28¾"	49"	27½"	**53KE2566CRF**	—	—	$1770	$1770
25"	72"	28¾"	55"	27½"	**53KE2572CRF**	—	—	1856	1856
Single-Pedestal on Left									
Softened or Reed Rim									
24"	66"	28¾"	49"	27½"	**53KE2466CLF**	$1049	$1125	$1683	$1683
24"	72"	28¾"	55"	27½"	**53KE2472CLF**	1095	1225	1765	1765
Knife Rim									
25"	66"	28¾"	49"	27½"	**53KE2566CLF**	—	—	$1770	$1770
25"	72"	28¾"	55"	27½"	**53KE2572CLF**	—	—	1856	1856
Lateral File on Right									
Softened or Reed Rim									
24"	72"	28¾"	41"	27½"	**53KE2472CRF**	$1435	$1555	$2060	$2060
Knife Rim									
25"	72"	28¾"	41"	27½"	**53KE2572CRF**	—	—	2166	$2166
Lateral File on Left									
Softened or Reed Rim									
24"	72"	28¾"	41"	27½"	**53KE2472CLF**	$1435	$1555	$2060	$2060
Knife Rim									
25"	72"	28¾"	41"	27½"	**53KE2572CLF**	—	—	2166	$2166

**Knife rim overhangs user side by 1¼".*

Standard Includes

- File/file letter-width pedestal or 30"W lateral file
- Fixed modesty panel (ships unattached; assembly required)
- Finished back

How to Specify

❶ Model

❷ Worksurface/chassis materials:
LL = TFL/TFL **L** = HPL/TFL
LW = HPL/wood **W** = Wood/wood

❸ Pedestal option:
2 = File/File **6** = Lateral File

④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)

⑤ Pull option: ➤See page 37 for designators.

⑥ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)

⑦ Modesty panel option:
X = Fixed modesty panel
H = Hinged modesty panel (+$50)

⑧ Worksurface grommet option:
➤See page 77 for designators.
X = No grommet

⑨ Modesty panel grommet option:
X = No grommet
MG1MB = Center top (+$55); matte black

⑩ Worksurface finish price group (omit for LL):
STD = Group 1 **STD2** = Group 2 (+20%)

⑪ Worksurface finish designator

⑫ Drawer front finish designator (omit for LW and W models)

⑬ Chassis finish designator (omit for LW and W)

⑭ Rim finish price group (omit for LL, L, and W):
STD = Group 1 **STD2** = Group 2 (+20%)

⑮ Rim finish designator (omit for W models)

⑯ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Transaction Counters

GSA SIN 711-8

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	31
Finishes & Materials	135



D	*W*	*H*	*Model*	***TFL Top TFL Chassis (LL)***	***HPL Top TFL Chassis (L)***	***HPL Top Wood Chassis (LW)***	***Wood Top Wood Chassis (W)***
Wood Front							
12"	65"	15¾"	**53K1266WSRCW**	$1028	$1179	$1798	$1798

IMPORTANT: Transaction counters are for use with 66” and 72”W rectangular desks and worksurfaces with a breakfront modesty panel.

Standard Includes

- Softened rim profile
- Tackboard (user side): Terra Plus 3413 Stone fabric

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F rim
W = Wood with F rim
③ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Worksurface finish designator
⑤ Chassis finish designator (omit for LW and W models)
⑥ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W models)

Desk Worksurfaces

Pricing

For Use with Classic Undersurface Storage and Support Panels

GSA SIN 711-8
FSC-C010590 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	32
Finishes & Materials	135



D	W	H	AO	ED	Model	TFL (LL)	HPL (L)	HPL (LW)	Wood (W)
Rectangular for Use as Main Worksurface									
Softened or Reed Rim									
30"	60"	1 3/16"		30"	**53K3060WSS**	$294	$380	$552	$552
30"	66"	1 3/16"		30"	**53K3066WSS**	318	439	601	601
36"	72"	1 3/16"		36"	**53K3672WSS**	451	622	700	700
Knife Rim									
32"	60"	1 3/16"		30"	**53K3260WSS**	—	—	$601	$601
32"	66"	1 3/16"		30"	**53K3266WSS**	—	—	629	629
38"	72"	1 3/16"		36"	**53K3872WSS**	—	—	777	777



Arc for Use as Main Worksurface									
Softened or Reed Rim									
36"	72"	1 3/16"	6 7/8"	30"	**53K3672WSA**	$557	$698	$840	$840
42"	72"	1 3/16"	6 7/8"	36"	**53K4272WSA**	585	704	997	997
Knife Rim									
38"	72"	1 3/16"	5 7/8"*	30"	**53K3872WSAS**	—	—	$924	$924
42"	72"	1 3/16"	5 7/8"*	36"	**53K4272WSAS**	—	—	1104	1104

**Knife rim overhangs user side by 1 1/4".*
Arc top depth dimensions represent the widest point.

IMPORTANT: Pedestals must match worksurface end depth. Kneespace should not exceed 48".

Pedestals
➤See page 78.

Center Drawers
➤See page 66.

Standard Includes

- Worksurface
- Rim profile on all four sides

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F, M, or S rim
W = Wood with F, M, or S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
④ Worksurface grommet option:
➤See page 77 for designators.
X = No grommet
⑤ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

P-Shaped & U-Shaped Worksurfaces

GSA SIN 711-8
FSC-C010590 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	32
Finishes & Materials	135







D	W	H	Diameter	Model	TFL (LL)	HPL (L)	HPL (LW)	Wood (W)
P-Shaped, Right								
Softened or Reed Rim								
30"	72"	1 3/16"	36"	**53K3072WSPR**	$477	$690	$976	$976
Knife Rim								
32"	72"	1 3/16"	36"	**53K3272WSPR**	—	—	$1005	$1005
P-Shaped, Left								
Softened or Reed Rim								
30"	72"	1 3/16"	36"	**53K3072WSPL**	$477	$690	$976	$976
Knife Rim								
32"	72"	1 3/16"	36"	**53K3272WSPL**	—	—	$1005	$1005
U-Shaped								
Softened or Reed Rim								
30"	66"	1 3/16"		**53K3066WSU**	$358	$493	$721	$721
36"	72"	1 3/16"		**53K3672WSU**	507	698	840	840
36"	84"	1 3/16"		**53K3684WSU**	594	819	1013	1013
Knife Rim								
32"	66"	1 3/16"		**53K3266WSU**	—	—	$754	$754
38"	72"	1 3/16"		**53K3872WSU**	—	—	934	934
38"	84"	1 3/16"		**53K3884WSU**	—	—	1113	1113

IMPORTANT: Support base and end panel must be specified separately. Modesty panel is also required for 84"W U-shaped worksurface.

Modesty Panels
➤See page 83.

End Panels
➤See page 87.

Support Columns
➤See page 90.

Standard Includes

- Worksurface
- Rim on all sides

Note: For knife rim surfaces, straight end will feature a reverse knife rim on "extension" worksurface and a flat edge on "main" worksurfaces.

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F, M, or S rim
W = Wood with F, M, or S rim
③ Worksurface type:
M = Main
E = Extension
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
Note: Straight end will have a reverse knife rim on "extension" worksurfaces and flat edge on "main" worksurfaces.
⑤ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

Rectangular Worksurfaces

Pricing

For Use with 24"D Classic Undersurface Storage and Support Panels

GSA SIN 711-8
FSC-C010590 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	32
Finishes & Materials	135





Extension (return)



Filler (bridge)

D	W	H	Model	TFL (LL)	HPL (L)	HPL (LW)	Wood (W)
For Use as Main, Extension, or Filler Worksurface							
Softened or Reed Rim							
24"	30"	1 3/16"	**53K2430WSS**	$145	$189	$353	$353
24"	36"	1 3/16"	**53K2436WSS**	156	212	374	374
24"	42"	1 3/16"	**53K2442WSS**	189	241	396	396
24"	48"	1 3/16"	**53K2448WSS**	221	267	430	430
24"	54"	1 3/16"	**53K2454WSS**	265	296	469	469
24"	60"	1 3/16"	**53K2460WSS**	273	323	491	491
24"	66"	1 3/16"	**53K2466WSS**	314	374	536	536
24"	72"	1 3/16"	**53K2472WSS**	326	386	555	555
24"	78"	1 3/16"	**53K2478WSS**	335	417	583	583
24"	84"	1 3/16"	**53K2484WSS**	344	447	629	629
24"	90"	1 3/16"	**53K2490WSS**	366	478	652	652
24"	96"	1 3/16"	**53K2496WSS**	387	507	697	697
24"	102"	1 3/16"	**53K24102WSS**	—	578	772	772
24"	108"	1 3/16"	**53K24108WSS**	—	601	789	789
24"	120"	1 3/16"	**53K24120WSS**	—	654	884	884

➤See next page for **knife rim** rectangular worksurfaces.

Standard Includes

- Worksurface (grain direction runs lengthwise)
- Rim profile on all four sides
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
③ Worksurface type:
M = Main
E = Extension
F = Filler
④ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
⑤ Worksurface grommet option:
➤See page 77 for designators
X = No grommet
⑤ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

Undersurface Storage
➤See pages 78–79.

Support Panels
➤See page 85.

Hinged Modesty Panels
➤See page 82.

Rectangular Worksurfaces

Pricing

For Use with 24"D Classic Undersurface Storage and Support Panels, continued

GSA SIN 711-8
FSC-C010590 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	32
Finishes & Materials	135



D	W	H	Model	TFL (LL)	HPL (L)	HPL (LW)	Wood (W)
For Use as Main Worksurfaces							
Knife Rim*							
25"	30"	1 3/16"	**53K2530WSS**	—	—	$406	$406
25"	36"	1 3/16"	**53K2536WSS**	—	—	413	413
25"	42"	1 3/16"	**53K2542WSS**	—	—	437	437
25"	48"	1 3/16"	**53K2548WSS**	—	—	474	474
25"	54"	1 3/16"	**53K2554WSS**	—	—	517	517
25"	60"	1 3/16"	**53K2560WSS**	—	—	541	541
25"	66"	1 3/16"	**53K2566WSS**	—	—	590	590
25"	72"	1 3/16"	**53K2572WSS**	—	—	611	611
25"	78"	1 3/16"	**53K2578WSS**	—	—	642	642
25"	84"	1 3/16"	**53K2584WSS**	—	—	692	692
25"	90"	1 3/16"	**53K2590WSS**	—	—	719	719
25"	96"	1 3/16"	**53K2596WSS**	—	—	767	767
25"	102"	1 3/16"	**53K25102WSS**	—	—	851	851
25"	108"	1 3/16"	**53K25108WSS**	—	—	867	867
25"	120"	1 3/16"	**53K25120WSS**	—	—	973	973
For Use as Extension Worksurfaces (Returns)							
Knife Rim							
25"	36"	1 3/16"	**53K2536WSSR**	—	—	$413	$413
25"	42"	1 3/16	**53K2542WSSR**	—	—	437	437
25"	48"	1 3/16"	**53K2548WSSR**	—	—	474	474
For Use as Filler Worksurface (Bridges)							
Knife Rim							
25"	36"	1 3/16"	**53K2536WSSB**	—	—	$413	$413
25"	42"	1 3/16"	**53K2542WSSB**	—	—	437	437
25"	48"	1 3/16"	**53K2548WSSB**	—	—	474	474





**Knife rim "main" worksurface cannot be used adjacent to corner worksurfaces.*

➤See previous page for **softened and reed rim** rectangular worksurfaces.

Undersurface Storage
➤See pages 78–79.

Support Panels
➤See page 85.

Hinged Modesty Panels
➤See page 82.

Standard Includes

- Worksurface (grain direction runs lengthwise)
- User's edge: knife rim profile (overhangs user side by 1¼")
- Side edges:
  - Flat (no rim profile) on "main" worksurfaces
  - Flat (no rim profile) on the pedestal side (exposed side edge) and reverse knife rim on abutting side on "extension" worksurfaces
  - Reverse knife rim on both sides on "filler" worksurfaces
- Back edge: flat (no rim profile)
- Attachment hardware

How to Specify

❶ Model
❷ Pedestal location (include for "extension" worksurface only):
R = Right (shown at left)
L = Left
❸ Worksurface material:
LW = HPL with S rim
W = Wood with S rim
④ Rim profile:
S = Knife wood
⑤ Worksurface grommet option:
➤See page 77 for designators
X = No grommet
⑥ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Worksurface finish designator
⑧ Rim finish price group (omit for W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (omit for W models)

Corner Worksurfaces

Pricing

GSA SIN 711-8
FSC-C010590 available

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	32
Finishes & Materials	135



D	W	H	Front Edge	Model	TFL (LL)	HPL (L)	HPL (LW)	Wood (W)
Corner								
Softened or Reed Rim								
36"	36"	1 3/16"	17"	**53K3636WSCC**	$317	$439	$645	$645
42"	42"	1 3/16"	25 7/16"	**53K4242WSCC**	357	493	722	722
Knife Rim*								
37"	37"	1 3/16"	17"	**53K3737WSCC**	—	—	$739	$739
43"	43"	1 3/16"	25 7/16"	**53K4343WSCC**	—	—	792	792

**Knife rim corner worksurface must be used with knife rim rectangular "extension" or "filler" worksurfaces only.*

IMPORTANT: Support base must be specified separately.

Corner Support
➤See page 86.

Standard Includes

- Worksurface
- Grain direction runs parallel to the user edge
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F, M, or S rim
W = Wood with F, M, or S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
④ Worksurface grommet option:
➤See page 77 for designators.
X = No grommet
⑤ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Worksurface finish designator
⑦ Rim finish price group (omit for LL, L, and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (omit for W models)

Factory-Installed Grommets

Options Pricing

GSA SIN 711-8

How to Specify our Products	➤See page 3
Abbreviation Key	3
Product Information	32
Finishes & Materials	135

	Left Designator	Upcharge	*Right* Designator	Upcharge	*Left & Right* Designator	Upcharge	*Center* Designator	Upcharge	*Left, Right, & Ctr.* Designator	Upcharge
G1 Plastic Grommets										
Rectangular, arc, and extended desks	**G1L**	+$55	**G1R**	+$55	**G1LR**	+$110	—		—	
Executive returns	—		—		—		**G1C**	+$55	—	
Bridges with modesty panel	—		—		—		**G1C**	+$55	—	
Kneespace and single-ped credenzas	—		—		—		**G1C**	+$55	—	
Storage and lateral file credenzas	—		—		**G1LR**	+$110	—		—	
Desk worksurfaces TFL	**G1L**	+$55	**G1R**	+$55	**G1LR**	+$110	—		—	
Desk worksurfaces HPL and wood	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	—		—	
24”/25”D rectangular TFL	**G1L**	+$55	**G1R**	+$55	**G1LR**	+$110	**G1C**	+$55	**G1A**	+$165
24”/25”D rectangular HPL and wood	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	**G1C**	+$57	**G1A**	+$171
Corner worksurfaces TFL	—		—		—		**G1C**	+$55	—	
Corner worksurfaces HPL and wood	—		—		—		**G1C**	+$57	—	
G19 Metal Grommets										
Rectangular, arc, and extended desks	**G19L**	+$55	**G19R**	+$55	**G19LR**	+$110	—		—	
Executive returns	—		—		—		**G19C**	+$55	—	
Bridges with modesty panel	—		—		—		**G19C**	+$55	—	
Kneespace and single-ped credenzas	—		—		—		**G19C**	+$55	—	
Storage and lateral file credenzas	—		—		**G19LR**	+$110	—		—	
Desk worksurfaces TFL	**G19L**	+$55	**G19R**	+$55	**G19LR**	+$110	—		—	
Desk worksurfaces HPL and wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—		—	
24”/25”D rectangular TFL	**G19L**	+$55	**G19R**	+$55	**G19LR**	+$110	**G19C**	+$55	**G19A**	+$165
24”/25”D rectangular HPL and wood	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	**G19C**	+$57	**G19A**	+$171
Corner worksurfaces TFL	—		—		—		**G19C**	+$55	—	
Corner worksurfaces HPL and wood	—		—		—		**G19C**	+$57	—	

Worksurface grommets are located 3⅜" from the side edge. Location relative to the approach or back edge is 13½" on arc worksurfaces (to top of arc), 7½" on all rectangular and extended desk worksurfaces, and 3⅜" for all other surface shapes.



















Standard Includes/Available Finishes



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Available finish:
MB Matte Black



G19 metal grommet is a two-piece unit with black brush access. Available powdercoat finishes:
405 Designer White
487 Brushed Nickel
490 Polished Chrome
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G1LMB = G1 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix with a designator and price are available. Note: P-shaped and U-shaped worksurfaces do not offer factory-installed grommet options.

Undersurface Storage

Pricing

15" and 18"W Pedestals

GSA SIN 711-8

How to Specify our Products	➤See page 3
Product Information	34
Finishes & Materials	135
Locking Information	160

D	W	H	Model	Laminate (L)	Wood (W)
Box/Box/File					
Letter Width					
23⅝"	15"	27⅝"	**53KE2415PUBBF**	$702	$970
29⅝"	15"	27⅝"	**53KE3015PUBBF**	747	1020
Legal Width					
23⅝"	18"	27⅝"	**53KE2418PUBBF**	$740	$992
29⅝"	18"	27⅝"	**53KE3018PUBBF**	788	1050
35⅝"	18"	27⅝"	**53KE3618PUBBF**	838	1110

File/File					
Letter Width					
23⅝"	15"	27⅝"	**53KE2415PUFF**	$683	$934
29⅝"	15"	27⅝"	**53KE3015PUFF**	727	975
Legal Width					
23⅝"	18"	27⅝"	**53KE2418PUFF**	$717	$956
29⅝"	18"	27⅝"	**53KE3018PUFF**	763	1008
35⅝"	18"	27⅝"	**53KE3618PUFF**	813	1059

Standard Includes

- Finished back panel
- Open top

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Desk Worksurfaces
➤See page 72.

Rectangular Worksurfaces
➤See pages 74–75.

Ganging Brackets
➤See page 134.

Undersurface Storage

Pricing

30" and 36"W Pedestals

GSA SIN 711-8
FSC-C010590 available

How to Specify our Products	➤See page 3
Product Information	34
Finishes & Materials	135
Locking Information	160







D	W	H	Number of Optional Locks	Model	Laminate (L)	Wood (W)
Hinged-Door Storage						
23⅝"	30"	27⅝"	1	**53KE2430PUH**	$979	$1311
23⅝"	36"	27⅝"	1	**53KE2436PUH**	1063	1422
Two-Drawer Lateral File						
23⅝"	30"	27⅝"	1	**53KE2430LFM2**	$844	$1645
23⅝"	36"	27⅝"	1	**53KE2436LFM2**	881	1762
Multi-File						
Box/Box/Open/Lateral File						
23½"	30"	27⅝"	1	**53KE2430PUBBR**	$1259	$1697
23½"	36"	27⅝"	1	**53KE2436PUBBR**	1363	1833
Box/Box/File/Lateral File						
23⅝"	30"	27⅝"	2	**53KE2430PUBBFL**	$1256	$1695
23⅝"	36"	27⅝"	2	**53KE2436PUBBFL**	1360	1831
Printer/CPU Storage						
23⅝"	36"	27⅝"	—	**53KE2436PUPU**	$1119	$1478

IMPORTANT:
Worksurfaces must be specified separately.

Rectangular Worksurfaces
➤See page 74–75.

Ganging Brackets
➤See page 134.

Standard Includes

- Finished back panel
- Open top
- Adjustable shelf on hinged-door model
- Door and drawer pull on each door/drawer; lateral file drawer on box/box/file/lateral multi-file pedestal has two pulls
- One adjustable shelf at top of printer/CPU storage; printer (bottom) shelf has a 100 lb. weight limit
- Interlock mechanism (allows only one drawer to be open at a time to help prevent tipping)

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option (omit for printer/CPU storage model):
➤See page 37 for designators.
④ Lock option (omit for printer/cpu storage):
X = Non-locking
KS = Key specific (+$36 per lock); specify lock core(s) separately
KRB = Key random, black lock core (+$58 per lock)
KRS = Key random, silver lock core (+$58 per lock)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%); available on hinged-door and printer/CPU models only
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):
WD = Wood interior drawers (+10%)

Lateral Files

Pricing

For Use with Rectangular Worksurfaces

GSA SIN 711-8

How to Specify our Products	➤See page 3
Product Information	34
Finishes & Materials	135
Locking Information	160

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Three Drawers					
23⅝"	30"	40⅛"	**53KE2430LFM3**	$1416	$2306
23⅝"	36"	40⅛"	**53KE2436LFM3**	1545	2511

Four Drawers					
23⅝"	30"	52⅝"	**53KE2430LFM4**	$1618	$2629
23⅝"	36"	52⅝"	**53KE2436LFM4**	1763	2862

IMPORTANT:
Worksurfaces must be specified separately.

Rectangular Worksurfaces
➤See page 74–75.

Ganging Brackets
➤See page 134.

Standard Includes

- Unfinished back panel
- Open top
- Interlock mechanism (allows only one drawer to be open at a time to help prevent tipping)

How to Specify

❶ Model
② Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Drawer front finish designator (omit for W model)
⑧ Chassis finish designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Lateral Files

Pricing

Freestanding

GSA SIN 711-8

How to Specify our Products	➤See page 3
Product Information	34
Finishes & Materials	135
Locking Information	160

D	W	H	Model	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
Two Drawers							
Softened or Reed Rim							
24"	30"	28¾"	**53KE2430LFF2**	$870	$988	$1653	$1653
24"	36"	28¾"	**53KE2436LFF2**	919	1043	1743	$1743
Knife Rim							
25"	30"	28¾"	**53KE2530LFF2**	—	—	$1704	$1704
25"	36"	28¾"	**53KE2536LFF2**	—	—	1797	1797
Three Drawers							
Softened or Reed Rim							
24"	30"	41⁵⁄₁₆"	**53KE2430LFF3**	$991	$1124	$1875	$1875
24"	36"	41⁵⁄₁₆"	**53KE2436LFF3**	1046	1186	1977	1977
Knife Rim							
25"	30"	41⁵⁄₁₆"	**53KE2530LFF3**	—	—	$1933	$1933
25"	36"	41⁵⁄₁₆"	**53KE2536LFF3**	—	—	2038	2038
Four Drawers							
Softened or Reed Rim							
24"	30"	54"	**53KE2430LFF4**	$1127	$1277	$2126	$2126
24"	36"	54"	**53KE2436LFF4**	1189	1347	2241	2241
Knife Rim							
25"	30"	54"	**53KE2530LFF4**	—	—	$2192	$2192
25"	36"	54"	**53KE2536LFF4**	—	—	2310	2310

**Knife rim overhangs user side by 1¼".*

Standard Includes

- Interlock mechanism (allows only one drawer to be open at a time)
- Finished top with rim on four sides
- Finished back on two- and three-drawer models; unfinished back on four-drawer model

How to Specify

❶ Model
❷ Worksurface/chassis materials:
LL = TFL/TFL
L = HPL/TFL
LW = HPL/wood
W = Wood/wood
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (LW or W)
④ Pull option:
➤See page 37 for designators.
⑤ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑥ Worksurface finish price group (omit for LL models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Worksurface finish designator
⑧ Drawer front finish designator (omit for LW and W models)
⑨ Chassis finish designator (omit for LW and W models)
⑩ Rim finish price group (omit for LL, L, and W):
STD = Group 1
STD2 = Group 2 (+20%)
⑪ Rim finish designator (omit for W models)
⑫ Wood interior drawer option (omit for standard drawers and LL & L models):
WD = Wood interior drawers (+10%)

Modesty Panels

Pricing

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135



D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Hinged Modesty Panels					
¾"	11⅞"	27⅝"	**53K1228MPH**	$184	$278
¾"	17⅞"	27⅝"	**53K1828MPH**	192	294
¾"	23⅞"	27⅝"	**53K2428MPH**	202	309
¾"	29⅞"	27⅝"	**53K3028MPH**	213	323
¾"	35⅞"	27⅝"	**53K3628MPH**	222	339
¾"	41⅞"	27⅝"	**53K4228MPH**	233	356
¾"	47⅞"	27⅝"	**53K4828MPH**	243	369
¾"	53 13/16"	27⅝"	**53K5428MPH**	254	387
Technology Modesty Panels					
6⅜"	22 13/16"	25⅛"	**53KE2325MPT**	$408	$754
6⅜"	23⅞"	25⅛"	**53KE2425MPT**	408	757
6⅜"	25 13/16"	25⅛"	**53KE2625MPT**	417	768
6⅜"	26⅞"	25⅛"	**53KE2725MPT**	425	773
6⅜"	27 11/16"	25⅛"	**53KE2825MPT**	434	782
6⅜"	28 13/16"	25⅛"	**53KE2925MPT**	442	786
6⅜"	29⅞"	25⅛"	**53KE3025MPT**	455	792
6⅜"	31 13/16"	25⅛"	**53KE3225MPT**	469	807
6⅜"	33 11/16"	25⅛"	**53KE3425MPT**	483	820
6⅜"	35⅞"	25⅛"	**53KE3625MPT**	498	828
6⅜"	39 11/16"	25⅛"	**53KE4025MPT**	513	846
6⅜"	41⅞"	25⅛"	**53KE4225MPT**	528	864
6⅜"	45 11/16"	25⅛"	**53KE4625MPT**	544	882

IMPORTANT: Technology modesty panels are for use with modular components only.

Desk Worksurfaces
➤See page 72.

Rectangular Worksurfaces
➤See page 74–75.

Undersurface Storage
➤See pages 78–79.

Standard Includes

Hinged Modesty Panel
- Modesty panel: finished both sides
- Floor glides
- Hinge attachment hardware

Technology Modesty Panel
- Modesty panel: wood
- Hinged door

How to Specify

Hinged Modesty Panel

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Modesty panel grommet option:
X = No grommet



MG1MB = Center top (+$57); matte black
④ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Technology Modesty Panel

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Modesty Panels

Pricing

For Use with P- and U-Shaped Worksurfaces

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135



D	W	H	Model	Laminate (L)	Wood (W)
Full-Height Modesty Panel					
For Use with 66"W P- or U-Shaped Worksurface					
¾"	49 11/16"	27 5/8"	**53K5028MPH**	$252	$385
For Use with 72"W P- or U-Shaped Worksurface					
¾"	52 11/16"	27 5/8"	**53K5328MPH**	$262	$399
For Use with 84"W P- or U-Shaped Worksurface					
¾"	64 5/8"	27 5/8"	**53K6528MPH**	$287	$437



D	W	H	For Use with	Model	Price
Partial-Height Glass Modesty Panel					
For Use with 66"W P- or U-Shaped Worksurface					
13/16"	49 11/16"	10"		**53K5009MPHG**	$469
For Use with 72"W P- or U-Shaped Worksurface					
13/16"	52 11/16"	10"		**53K5309MPHG**	$496
For Use with 84"W P- or U-Shaped Worksurface					
13/16"	64 5/8"	10"		**53K6509MPHG**	$528

IMPORTANT: Modesty panels are for use with an end support panel and a square fluted-metal column or half cylinder. They cannot be used with T-leg end support panels.

Support Columns
➤See page 90.

Field-installed Grommets
➤See the Perks Price List.

Standard Includes

- Modesty panel
- Horizontal grain direction on laminate full-height modesty panels
- Attachment hardware

How to Specify

Full-Height Modesty Panels

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Partial-Height Glass Modesty Panels

❶ Model
② Glass pattern:
11 = Opaque Frost
③ Frame paint finish:
510 = Silver Frost metallic

Modular Support Panels

Pricing

For Use with Desk Worksurfaces

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Right End Support					
For Use with 30 x 60, 32 x 60, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	15"	27⅝"	**53KE3015SESR**	$412	$830
For Use with 36 x 72 arc, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	18"	27⅝"	**53KE3018SESR**	$418	$840
For Use with 42 x 72 arc, 36 x 72, 38 x 72 Rectangular Desk Worksurfaces					
35⅝"	18"	27⅝"	**53KE3618SESR**	$518	$854



Left End Support					
For Use with 30 x 60, 32 x 60, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	15"	27⅝"	**53KE3015SESL**	$412	$830
For Use with 36 x 72 arc, 30 x 66 and 32 x 66 Rectangular Desk Worksurfaces					
29⅝"	18"	27⅝"	**53KE3018SESL**	$418	$840
For Use with 42 x 72 arc, 36 x 72, 38 x 72 Rectangular Desk Worksurfaces					
35⅝"	18"	27⅝"	**53KE3618SESL**	$518	$854

IMPORTANT: End-support panels are used to support the non-pedestal end of a worksurface.

Desk Worksurfaces
➤See page 72.

Standard Includes

- End-support panel
- Attachment hardware

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Modular Support Panels

Pricing

For Use with Rectangular 24" and 25"D Worksurfaces

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135

D	W	H	Model	Laminate (L)	Wood (W)
Right End Support					
23⅝"	15"	27⅝"	**53KE2415SESR**	$388	$793
23⅝"	18"	27⅝"	**53KE2418SESR**	400	817



Left End Support					
23⅜"	18"	27⅝"	**53KE2415SESL**	$388	$793
23⅜"	18"	27⅝"	**53KE2418SESL**	400	817



Worksurface Mid-Support					
10¾"	1 3/16"	27⅝"	**53K1128SS**	$173	$330

IMPORTANT: End-support panels are used to support the non-pedestal end of a worksurface.

Rectangular Worksurfaces
➤See pages 74–75.

Standard Includes

- Support panel
- Attachment hardware

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Support Panels

Pricing

For Use with Corner Worksurfaces

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135



D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Corner Support					
36"	36"	27⅝"	**53K3636SL**	$729	$1204
42"	42"	27⅝"	**53K4242SL**	754	1244

Standard Includes

- Back/modesty panels
- Inside support panels
- Attachment hardware

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

IMPORTANT: Corner support panels are for use with corner worksurfaces only.

Corner Worksurfaces
➤See page 76.

Supports Panels

Pricing

For Use with P-Shaped, U-Shaped, and Rectangular Worksurfaces

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135



D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
End Support					
30 1/16"	1 3/16"	27 5/8"	**53K3028EP**	$204	$339
36 1/16"	1 3/16"	27 5/8"	**53K3628EP**	215	354



T-Leg End Support					
23 7/8"	1 3/16"	27 5/8"	**53K2428ST**	$335	$551
29 7/8"	1 3/16"	27 5/8"	**53K3028ST**	348	575
35 7/8"	1 3/16"	27 5/8"	**53K3628ST**	361	597

IMPORTANT: End-support panels must be used in conjunction with a non-hinged modesty panel and a square metal column base or wood half-cylinder base.

Modesty Panels
➤See page 83.

IMPORTANT: T-leg end supports are for use with worksurfaces where a pedestal is not used. It cannot be used with a modesty panel.

Standard Includes

- End-support panel
- Attachment hardware

How to Specify

Wood End Support Panels

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Laminate End Support Panels

❶ Model
❷ Material:
L = Laminate
③ Finish designator

T-Leg End Support Panels

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Support Panels

Pricing

For Use with Low Storage

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
T-Leg End Supports					
For Use with 15"H Low Storage					
23⅞"	1³⁄₁₆"	11⁷⁄₁₆"	**53K2411EPT**	$467	$661
29¹⁵⁄₁₆"	1³⁄₁₆"	11⁷⁄₁₆"	**53K3011EPT**	489	695
35⅞"	1³⁄₁₆"	11⁷⁄₁₆"	**53K3611EPT**	518	733
For Use with 22"H Low Storage					
23⅞"	1³⁄₁₆"	5⅛"	**53K2405EPT**	$261	$400
29¹⁵⁄₁₆"	1³⁄₁₆"	5⅛"	**53K3005EPT**	278	422
35⅞"	1³⁄₁₆"	5⅛"	**53K3605EPT**	306	445

Standard Includes

- T-leg end-support panel
- Attachment hardware

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Low Storage
➤See pages 94–96.

Support Drawers & Shelves

Pricing

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Support Drawer					
14 15/16"	23½"	5⅛"	**53K2406WSD**	$355	$467

Support Shelf					
14 15/16"	22¾"	11 7/16"	**53K2412WSS**	$414	$545



Standard Includes

- Drawer or shelf unit
- Attachment hardware

How to Specify

Support Drawer

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option (omit for shelf model):
➤See page 37 for designators.
④ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator (omit for L model)
⑥ Drawer front finish designator (omit for W models)
⑦ Chassis finish designator (omit for W models)
⑧ Wood interior drawer option (omit for standard drawer and L models):
WD = Wood interior drawer (+10%)

Support Shelf

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Support Columns

Pricing

For Use with P-Shaped, U-Shaped, and Rectangular Worksurfaces

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135





Dia.	*H*	*Model*	*Price*
Round Metal Column			
4"	27¾"	**KAC2804SFBP**	$299
Wood Column			
6"	27¾"	**KAC2806SFB2**	$623
Wood Half-Cylinder			
12"	27¾"	**KAC2812SHB2**	$664

D	*W*	*H*	*Model*	*Price*
Square Fluted-Metal Column				
4"	4"	28"	**KAC2804SSFP**	$323

IMPORTANT: Round metal column and wood column bases cannot be used with modesty panels or end panels. Must be used with a T-leg end support panel.

Modesty Panels
➤See page 83.

End Panels
➤See page 87.

Standard Includes

- Column or half-cylinder
- Attachment hardware

How to Specify

Round Metal Column Base

❶ Model
② Paint designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic
544 = Silver Pearl

Wood Column Base or Wood Half-Cylinder Base

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Square Fluted-Metal Column Base

❶ Model
② Paint designator:
405 = Designer White
462 = Cinder
501 = Platinum Metallic (+10%)
510 = Silver Frost Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

U-Legs

Pricing

For Use with P-Shaped, U-Shaped, and Rectangular Worksurfaces

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	33
Finishes & Materials	135



D	*W*	*H*	*Model*	*Price*
Adjustable-Height End-Support U-Legs				
23 5/16"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K2428SLUSAP**	$590
29 3/4"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K3028SLUSAP**	617
35 3/4"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K3628SLUSAP**	645

Adjustable-Height Mid-Support U-Legs				
9 13/16"	2 3/8"	27 3/4" (24 3/4"–32 1/4")	**53K1028SLUMSAP**	$502

Standard Includes

- U-leg (manual adjust in 3/8" increments)
- Attachment hardware

How to Specify

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Notes

Mobile Pedestals

Pricing

GSA SIN 711-2
COM/COL Non-Contract

How to Specify Our Products	➤See page 3
Product Information	38
Finishes & Materials	135
Locking Information	160

D	W	H	Model	Fabric Price Grade 1 or COM	2	3 or COL	4	5	6	7
Box/File with Cushion Top										
Laminate										
23"	14 15/16"	23 9/16"	**53KE2415PMBFCL**	$819	$842	$857	$872	$893	$1125	$937
Wood										
23"	14 15/16"	23 9/16"	**53KE2415PMBFCW**	$1268	$1291	$1306	$1321	$1342	$1364	$1386

D	W	H	Model	Price
Box/Box/File				
Laminate				
23"	14 15/16"	27 5/16"	**53KE2415PMBBFL**	$790
Wood				
23"	14 15/16"	27 5/16"	**53KE2415PMBBFW**	$1407
File/File				
Laminate				
23"	14 15/16"	27 5/16"	**53KE2415PMFFL**	$765
Wood				
23"	14 15/16"	27 5/16"	**53KE2415PMFFW**	$1338
Active File				
Laminate				
22 13/16"	14 15/16"	23"	**53KE2215PMAFL**	$945
Wood				
22 13/16"	14 15/16"	23"	**53KE2215PMAFW**	$1279

Standard Includes

- Finished front, back, sides, and ¾"-thick self-edge top
- Anti-tip device on bottom drawer
- Dual-wheel locking casters
- Upholstered cushion top on box/file model: seating upholstery (except leather) COM yardage = .8 yard 54"W non-directional fabric
- Active file model top area: two sections for storage and hanging Pendaflex® folders in the rear section

How to Specify

❶ Model
② Pull option:
➤See page 37 for designators.
③ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish designator (omit for L model)
⑥ Front laminate designator (omit for W model)
⑦ Chassis laminate designator (omit for W model)
⑧ Back laminate designator (omit for W model)
⑨ Fabric grade (include for cushion-top model only)
⑩ Fabric designator (include for cushion-top model only)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Low Storage

Open Bookcase

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	38
Finishes & Materials	135

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
15"H					
15 3/16"	29 5/16"	15 3/16"	**53K163015BCO**	$586	$772
15 3/16"	35 7/8"	15 3/16"	**53K163615BCO**	629	826
22 11/16"	29 5/16"	15 3/16" (shown)	**53K243015BCO**	684	897
22 11/16	35 7/8"	15 3/16"	**53K243615BCO**	730	960
22"H					
15 3/16"	29 5/16"	21 3/8"	**53K163022BCO**	$733	$966
15 3/16"	35 7/8"	21 3/8" (shown)	**53K163622BCO**	785	1033
22 11/16"	29 5/16"	21 3/8"	**53K243022BCO**	854	1122
22 11/16"	35 7/8"	21 3/8"	**53K243622BCO**	913	1200

IMPORTANT: Low storage must be used with a component top if adding an open-frame or U-leg on top to support a worksurface.

Component Tops
➤See page 97.

Cushion Tops
➤See page 98.

Straight Shelves and Organizer Shelves
➤See page 99.

Standard Includes

15"H
- Finished interior, back, sides, and subtop
- 1 fixed shelf (bottom)
- 3 holes spaced 3¼" apart; accepts straight shelves and organizer shelves, specified separately

22"H
- Finished back and sides
- 2 fixed shelves in 22"H model (bottom and center)
- 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves, specified separately

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Wood finish designator (omit for L model)
⑤ Chassis laminate designator (omit for W model)
⑥ Back laminate designator (omit for W model)

Low Storage

Pricing

Wide Box/Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	38
Finishes & Materials	135
Locking Information	160

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
22"H					
16"	29 15/16"	21 3/8"	**53KE163022PFBLF**	$773	$1304
16"	35 7/8"	21 3/8"	**53KE163622PFBLF**	831	1397
23 1/2"	29 15/16"	21 3/8"	**53KE243022PFBLF**	910	1525
23 1/2"	35 7/8"	21 3/8" (shown)	**53KE243622PFBLF**	975	1634

IMPORTANT: Low storage must be used with a component top or cushion top.

Component Tops
➤See page 97.

Cushion Tops
➤See page 98.

Standard Includes

- Finished front, back, and sides
- Open top
- Anti-tip device on bottom drawer

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Low Storage

Lateral File and Open/Lateral File

How to Specify Our Products ➤See page 3
Product Information 38
Finishes & Materials 135
Locking Information 160



IMPORTANT: Low storage must be used with a component top if adding an open-frame or U-leg on top to support a worksurface.

Component Tops
➤See page 97.

Cushion Tops
➤See page 98.

Straight Shelves and Organizer Shelves
➤See page 99.

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
15"H					
Fixed					
16"	29 15/16"	15 3/16"	**53KE163015LF1**	$480	$822
16"	35 7/8"	15 3/16"	**53KE163615LF1**	515	881
23 1/2"	29 15/16"	15 3/16" (shown)	**53KE243015LF1**	566	965
23 1/2"	35 7/8"	15 3/16"	**53KE243615LF1**	610	1035
Mobile					
16"	29 15/16"	15 3/16" (shown)	**53KE163015LFM1**	$534	$909
16"	35 7/8"	15 3/16"	**53KE163615LFM1**	572	974
23 1/2"	29 15/16"	15 3/16"	**53KE243015LFM1**	628	1067
23 1/2"	35 7/8"	15 3/16"	**53KE243615LFM1**	676	1144
22"H					
Fixed					
16"	29 15/16"	21 3/8" (shown)	**53KE163022PFOLF**	$658	$1113
16"	35 7/8"	21 3/8"	**53KE163622PFOLF**	706	1193
23 1/2"	29 15/16"	21 3/8"	**53KE243022PFOLF**	773	1304
23 1/2"	35 7/8"	21 3/8"	**53KE243622PFOLF**	831	1397
Mobile					
16"	29 15/16"	21 3/8"	**53KE163022PMOLF**	$729	$1231
16"	35 7/8"	21 3/8"	**53KE163622PMOLF**	782	1320
23 1/2"	29 15/16"	21 3/8"	**53KE243022PMOLF**	856	1440
23 1/2"	35 7/8"	21 3/8" (shown)	**53KE243622PMOLF**	919	1542

Standard Includes

15"H
- Finished front, back, sides, and subtop
- Anti-tip device on bottom drawer
- Four non-locking casters on mobile units

22"H
- Finished front, back, and sides
- 1 fixed shelf in 22"H model
- 2 holes spaced 3 1/4" apart to accept straight shelves and organizer shelves, specified separately
- Anti-tip device on bottom drawer
- Four non-locking casters on mobile units

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawer and L models):
WD = Wood interior drawer (+10%)

Rectangular Component Tops

Pricing

For Low Storage

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	38
Finishes & Materials	135





D	W	H	Model	TFL (LL) P Rim	HPL (L) P Rim	HPL (LW) F/M Rim	Wood (W) F/M Rim	HPL (1LW) S Rim	Wood (1W) S Rim
For Use with 16"D Low Storage									
16 7/16"*	30 1/16"	1 3/16"	**53K1630CPT**	$135	$178	$341	$341	$394	$394
16 7/16"*	36 1/16"	1 3/16"	**53K1636CPT**	146	200	363	363	401	401
16 7/16"*	60"	1 3/16"	**53K1660CPT**	166	300	480	480	530	530
16 7/16"*	66"	1 3/16"	**53K1666CPT**	184	323	525	525	579	579
16 7/16"*	71 15/16"	1 3/16"	**53K1672CPT**	204	344	545	545	601	601
16 7/16"*	89 15/16"	1 3/16"	**53K1690CPT**	222	472	641	641	706	706
16 7/16"*	107 7/8"	1 3/16"	**53K16108CPT**	257	545	777	777	857	857
For Use with 24"D Low Storage									
24"*	30 1/16"	1 3/16"	**53K2430CPT**	$145	$189	$353	$353	$406	$406
24"*	36 1/16"	1 3/16"	**53K2436CPT**	156	212	374	374	413	413
24"*	60"	1 3/16"	**53K2460CPT**	294	323	491	491	541	541
24"*	66"	1 3/16"	**53K2466CPT**	314	374	536	536	590	590
24"*	71 15/16"	1 3/16"	**53K2472CPT**	326	386	555	555	611	611
24"*	89 15/16"	1 3/16"	**53K2490CPT**	366	478	652	652	719	719
24"*	107 7/8"	1 3/16"	**53K24108CPT**	451	601	789	789	867	867

** Knife rim tops are 5/16" deeper (16 3/4" and 24 5/16", respectively) than softened or reed rim tops. Rim overhangs 5/16" on user side.*

IMPORTANT: Component tops may be specified to span more than one low storage unit.

Component tops for use with 16"D low storage may also be used on straight-front freestanding open bookcases.
➤See page 124.

Standard Includes

- Worksurface
- P, F, or M rim on four sides; knife rim (S) on user side only (flat back and side edges)

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
W = Wood with F or M rim
1LW = HPL with S rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (LL or L)
F = Softened wood (LW or W)
M = Reed wood (LW or W)
S = Knife wood (1LW or 1W)
④ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for LL, L, W, and 1W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W and 1W models)

Cushion Tops

Pricing

For Use with Low Storage

GSA SIN 711-2
COM/COL Non-Contract

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	38
Finishes & Materials	135

D	W	H	Model	Fabric Price Grade 1 or COM	2	3 or COL	4	5	6	7
For Use with 16"D Low Storage										
16 7/16"	30 1/16"	1 3/16"	**53K1630PC**	$413	$437	$452	$467	$489	$512	$535
16 7/16"	36 1/16"	1 3/16"	**53K1636PC**	422	446	461	476	498	521	544

For Use with 24"D Low Storage										
24"	30 1/16"	1 3/16"	**53K2430PC**	$444	$474	$493	$512	$539	$568	$597
24"	36 1/16"	1 3/16"	**53K2436PC**	453	483	502	521	548	577	606

Standard Includes

- Upholstered cushion

COM yardage = .8 yard 54"W non-directional fabric for 16"D model; 1 yard 54"W non-directional fabric for 24"D model

COL square footage =
13.5 sq ft. for 53K1630PC
14.5 sq ft. for 53K1636PC
18.5 sq ft. for 53K2430PC or 53K2436PC

How to Specify

❶ Model
② Fabric grade
③ Fabric designator

Shelves

Pricing

For Use with Low Storage

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	38
Finishes & Materials	135

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Organizer Shelves					
14 7/16"	28 1/4"	3 3/16"	**53K1430OS**	$190	$359
14 7/16"	34 1/4"	3 3/16"	**53K1436OS**	216	378
21 7/8"	28 1/4"	3 3/16"	**53K2330OS**	235	438
21 7/8"	34 1/4"	3 3/16"	**53K2336OS**	262	461
Straight Shelves					
14 3/8"	28 1/4"	3/4"	**53K1530SS**	$162	$306
14 3/8"	34 1/4"	3/4"	**53K1536SS**	184	323
21 7/8"	28 1/4"	3/4"	**53K2330SS**	196	304
21 7/8"	34 1/4"	3/4"	**53K2336SS**	165	289

IMPORTANT: Straight shelf models above are also applicable to sliding-door vertical storage models.

Standard Includes

- Shelf: finished on all sides
- Attachment brackets

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Standard
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Modesty Panel/Cable Surround

Pricing

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Overview	36
Finishes & Materials	135



D	W	H	Model	Price
6"H				
25⅝"	47⅞"	5⅛"	**53K4806MPCSW**	$445
25⅝"	59 13⁄16"	5⅛"	**53K6006MPCSW**	467



D	W	H	Model	Price
12"H				
25⅝"	47⅞"	11 7⁄16"	**53K4812MPCSW**	$489
25⅝"	59 13⁄16"	11 7⁄16"	**53K6012MPCSW**	513

Related Product:

D	W	H	Model	Price
Starter Bracket				
21⅜"	13 15⁄16"	2¾"	**53KEPSBP**	$100

IMPORTANT: Depth of modesty panel/cable surround also functions as an end panel when used with low storage.

IMPORTANT: If using in a progressive application, specify starter bracket (shown above) and under-surface support rails. For classic application with unsupported span of 48" or greater, refer to planning guidelilnes.

Undersurface Support Rails
➤See the Priority Price List.

Standard Includes

- Modesty panel/cable surround: wood
- Attachment hardware for classic application

How to Specify

Modesty Panel/Cable Surround

❶ Model
② Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Wood finish designator

Starter Bracket

❶ Model
② Finish designator:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Sliding-Door Overhead Storage

Pricing

Wall Mount or Traxx Mount

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	39
Finishes & Materials	135

D	W	H	Model	Laminate (L)	Wood (W)
Solid Door					
15¾"	29 15⁄16"	16"	**53K3016SOS**	$669	$1020
15¾"	35 7⁄8"	16"	**53K3616SOS**	720	1093
15¾"	47 7⁄8"	16"	**53K4816SOS**	872	1323
15¾"	59 13⁄16"	16"	**53K6016SOS**	1054	1550
15¾"	65 13⁄16"	16"	**53K6616SOS**	1159	1704
15¾"	71 13⁄16"	16"	**53K7216SOS**	1386	2048

Writable Glass Door					
15¾"	29 15⁄16"	16"	**53K3016SOS**	$787	$1198
15¾"	35 7⁄8"	16"	**53K3616SOS**	845	1283
15¾"	47 7⁄8"	16"	**53K4816SOS**	1025	1555
15¾"	59 13⁄16"	16"	**53K6016SOS**	1238	1876
15¾"	65 13⁄16"	16"	**53K6616SOS**	1362	2063
15¾"	71 13⁄16"	16"	**53K7216SOS**	1627	2481

Filler strips
➤See page 134.

LED and flourescent task lights
➤See the Casegoods Price List.

IMPORTANT: Traxx-mounted overhead storage requires Traxx and tiles, specified separately.
➤See the Systems Price List.

Standard Includes

- One non-locking door
- Full-height recessed back panel
- Finished inset top
- Center divider
- Attachment brackets and rail on wall-mount models; Traxx overhead brackets on traxx-mount
- Ganging bolt

How to Specify

Solid Door Models

❶ Model
❷ Attachment method:
M = Wall mount
T = Traxx mount
❸ Material:
L = Laminate
W = Wood
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish designator (omit for L model)
⑥ Front laminate designator (omit for W model)
⑦ Chassis laminate designator (omit for W model)

Writable Glass Door Models

❶ Model
❷ Attachment method:
M = Wall mount
T = Traxx mount
❸ Door material:
G2 = Writable glass
❹ Chassis material:
L = Laminate
W = Wood
⑤ Glass pattern:
202G = Ice Gloss Writable
⑥ Door frame paint finish:
511 = Silver Satin
⑦ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Chassis finish designator

Interior Shelves

Pricing

For Use with Wall-Mount Sliding-Door Overheads

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	39
Finishes & Materials	135

D	*W*	*H*	*For Use With*	*Model*	***Laminate (L)***	***Wood (W)***
Interior Shelves						
13¼"	13¼"	¾"	30"W unit	**53K1515SSTW**	$120	$235
13¼"	16³⁄₁₆"	¾"	36"W unit	**53K1518SSTW**	128	251
13¼"	22⁵⁄₁₆"	¾"	48"W unit	**53K1524SSTW**	135	267
13¼"	28¼"	¾"	60"W unit	**53K1530SSTW**	140	283
13¼"	31¼"	¾"	66"W unit	**53K1533SSTW**	145	293
13¼"	34³⁄₁₆"	¾"	72"W unit	**53K1536SSTW**	161	300

Standard Includes

- Shelf
- Attachment brackets

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Standard
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

IMPORTANT: These shelves are not applicable to Traxx-mount sliding-door overheads.

Sliding-Door Highback Organizers

Pricing

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	40
Finishes & Materials	135









D	W	H	WC	Model	Laminate (L)	Wood (W)
Solid Door						
33"H						
16"	59 13/16"	33 7/16"	17½"	**53K6032HBSF**	$1381	$2735
16"	65 13/16"	33 7/16"	17½"	**53K6632HBSF**	1533	3039
16"	71 13/16"	33 7/16"	17½"	**53K7232HBSF**	1710	3386
38"H						
16"	59 13/16"	38 1/8"	19 5/16"	**53K6038HBS**	$1256	$2485
16"	65 13/16"	38 1/8"	19 5/16"	**53K6638HBS**	1395	2761
16"	71 13/16"	38 1/8"	19 5/16"	**53K7238HBS**	1554	3078
16"	89¾"	38 1/8"	19 5/16"	**53K9038HBS**	1632	3232
16"	95¾"	38 1/8"	19 5/16"	**53K9638HBS**	1811	3590
Writable Glass Door						
33"H						
16"	59 13/16"	33 7/16"	17½"	**53K6032HBSF**	$1924	$2960
16"	65 13/16"	33 7/16"	17½"	**53K6632HBSF**	2114	3253
16"	71 13/16"	33 7/16"	17½"	**53K7232HBSF**	2332	3586
38"H						
16"	59 13/16"	38 1/8"	19 5/16"	**53K6038HBS**	$1728	$2635
16"	65 13/16"	38 1/8"	19 5/16"	**53K6638HBS**	1921	2927
16"	71 13/16"	38 1/8"	19 5/16"	**53K7238HBS**	2141	3260
16"	89¾"	38 1/8"	19 5/16"	**53K9038HBS**	2248	3428
16"	95¾"	38 1/8"	19 5/16"	**53K9638HBS**	2498	3808

Standard Includes

- One non-locking door
- Back:
  –On 33"H, finished back on storage cabinet part and open below
  –On 38"H, unfinished back/back panel with three black plastic grommets with cover (one at top center and one in each lower corner)
- Horizontal grain direction on laminate backs 60"W and wider
- Finished inset top
- Center divider

How to Specify

Solid Door Models

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Wood finish designator (omit for L model)
⑤ Front laminate designator (omit for W model)
⑥ Chassis laminate designator (omit for W model)
⑥ Back laminate designator (omit for 38"H model and all W models)

Writable Glass Door Models

❶ Model
❷ Door material:
G2 = Writable glass
❸ Chassis material:
L = Laminate **W** = Wood
④ Glass pattern:
202G = Ice Gloss Writable
⑤ Door frame paint finish:
511 = Silver Satin
⑥ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Chassis finish designator
⑧ Back laminate designator (omit for 38"H model and all W models)

Tackboards and Slat Wall Tiles
➤See page 106.

LED and Flourescent Task Lights
➤See the Casegoods Price List.

Hinged-Door Overhead Storage

Pricing

Wall Mount or Traxx Mount

GSA SIN 711-8
† GSA SIN 711-2
FSC-C010590 available

D	W	H	Number of Optional Locks	Model	Laminate (L)	Wood (W)
Solid Doors						
Two Doors (shown)						
15¾"	29 15/16"	18 13/16"	1	**53K3019SOH**	$704	$1074
15¾"	35⅞"	18 13/16"	1	**53K3619SOH**	757	1151
Three Doors						
15¾"	47⅞"	18 13/16"	2	**53K4819SOH**	$918	$1392
Four Doors						
15¾"	59 13/16"	18 13/16"	2	**53K6019SOH**	$1109	$1630
15¾"	65 13/16"	18 13/16"	2	**53K6619SOH**	1220	1796
15¾"	71 13/16"	18 13/16"	2	**53K7219SOH**	1460	2224
Glass Doors						
Two Doors						
15¾"	29 15/16"	18 13/16"	—	**53K3019SOH**	$894	$1182
15¾"	35⅞"	18 13/16"	—	**53K3619SOH**	957	1265
Three Doors (shown)						
15¾"	47⅞"	18 13/16"	—	**53K4819SOH**	$1164	$1530
Four Doors						
15¾"	59 13/16"	18 13/16"	—	**53K6019SOH**	$1405	$1849
15¾"	65 13/16"	18 13/16"	—	**53K6619SOH**	1547	2034
15¾"	71 13/16"	18 13/16"	—	**53K7219SOH**	1853	2445
Writable Glass Doors						
Two Doors						
15¾"	29 15/16"	18 13/16"	—	**53K3019SOH** †	$1001	$1322
15¾"	35⅞"	18 13/16"	—	**53K3619SOH** †	1071	1416
Three Doors						
15¾"	47⅞"	18 13/16"	—	**53K4819SOH** †	$1301	$1713
Four Doors (shown)						
15¾"	59 13/16"	18 13/16"	—	**53K6019SOH** †	$1571	$2068
15¾"	65 13/16"	18 13/16"	—	**53K6619SOH** †	1729	2276
1¾"	71 13/16"	18 13/16"	—	**53K7219SOH** †	2072	2735





Filler Strips
➤See page 134.

IMPORTANT:
Traxx-mounted overhead storage requires Traxx and tiles, specified separately.
➤See the Systems Price List.

Standard Includes

- Recessed back panel: full height on wall-mount models; ¾-height on Traxx-mount models
- Finished inset top
- Doors on four-door models: one set of matching doors on wood models; two sets of two matching doors on laminate models
- Attachment brackets and rail on wall-mount models; Traxx overhead brackets on traxx-mount
- Ganging bolt

How to Specify

Solid Door Models

❶ Model
❷ Attachment method:
M = Wall mount **T** = Traxx mount
❸ Material:
L = Laminate **W** = Wood
④ Lock option:
X = Non-locking
KS = Key specific (+$36 per lock); specify lock core(s) separately
KRB = Key random, black lock core (+$58 per lock)
KRS = Key random, silver lock core (+$58 per lock)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)

Glass or Writable Glass Models

❶ Model
❷ Attachment method:
M = Wall mount **T** = Traxx mount
❸ Door material:
G = Glass **G2** = Writable glass
❹ Chassis material:
L = Laminate **W** = Wood
⑤ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
⑥ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Chassis finish designator

Hinged-Door Highback Organizers

Pricing

GSA SIN 711-8
† GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	40
Finishes & Materials	135







IMPORTANT: 102" and 108"W highbacks accommodates two task or LED light fixtures up to 48"W.

Tackboards and Slat Wall Tiles
➤See page 106.

Lighting
➤See the Casegoods P.L.

D	*W*	*H*	*WC*	*Number of Optional Locks*	*Model*	***Laminate (L)***	***Wood (W)***
Solid Doors							
Four Doors (shown)							
16"	59 3/16"	38 1/8"	19 15/16"	2	**53K6038HBH**	$1196	$2368
16"	65 3/16"	38 1/8"	19 15/16"	2	**53K6638HBH**	1329	2631
16"	71 3/16"	38 1/8"	19 15/16"	2	**53K7238HBH** Kᵩ	1479	2930
Six Doors							
16"	89 3/4"	38 1/8"	19 15/16"	3	**53K9038HBH**	$1554	$3078
16"	95 3/4"	38 1/8"	19 15/16"	3	**53K9638HBH**	1726	3420
16"	101 3/4"	38 1/8"	19 15/16"	4	**53K10238HBH**	2338	4630
16"	107 3/4"	38 1/8"	19 15/16"	4	**53K10838HBH**	2485	4924
Glass Doors							
Four Doors							
16"	59 3/16"	38 1/8"	19 15/16"	—	**53K6038HBHG**	$1708	$2603
16"	65 3/16"	38 1/8"	19 15/16"	—	**53K6638HBHG**	1898	2893
16"	71 3/16"	38 1/8"	19 15/16"	—	**53K7238HBHG**	2115	3222
Six Doors (shown)							
16"	89 3/4"	38 1/8"	19 15/16"	—	**53K9038HBHG**	$2222	$3387
16"	95 3/4"	38 1/8"	19 15/16"	—	**53K9638HBHG**	2469	3761
16"	101 3/4"	38 1/8"	19 15/16"	—	**53K10238HBHG**	3342	5092
16"	107 3/4"	38 1/8"	19 15/16"	—	**53K10838HBHG**	3555	5418
Writable Glass Doors							
Four Doors							
16"	59 3/16"	38 1/8"	19 15/16"	—	**53K6038HBHG2** †	$1912	$2911
16"	65 3/16"	38 1/8"	19 15/16"	—	**53K6638HBHG2** †	2123	3235
16"	71 3/16"	38 1/8"	19 15/16"	—	**53K7238HBHG2** †	2366	3605
Six Doors (shown)							
16"	89 3/4"	38 1/8"	19 15/16"	—	**53K9038HBHG2** †	$2485	$3787
16"	95 3/4"	38 1/8"	19 15/16"	—	**53K9638HBHG2** †	2761	4208
16"	101 3/4"	38 1/8"	19 15/16"	—	**53K10238HBHG2** †	3739	5696
16"	107 3/4"	38 1/8"	19 15/16"	—	**53K10838HBHG2** †	3977	6061

Standard Includes

- Center support on six-door models
- Unfinished back
- Three black plastic grommets with cover (one at top center and one in each lower corner)
- Finished inset top
- 102" and 108"W models consist of two sections, shipped in separate cartons (assembly required)

How to Specify

Solid Door Models

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Lock option:
X = Non-locking
KS = Key specific (+$36 per lock); specify lock core(s) separately
KRB = Key random, black lock core (+$58 per lock)
KRS = Key random, silver lock core (+$58 per lock)
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Wood finish designator (omit for L model)
⑥ Front finish designator (omit for W model)
⑦ Chassis finish designator (omit for W model)

Glass or Writable Glass Models

❶ Model
❷ Chassis material:
L = Laminate **W** = Wood
③ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Chassis finish designator

Kᵩ = Kwik Office model available.

Tackboards & Slat Wall Tiles

Pricing

For Use with Highback Organizers

GSA SIN 711-8
COM Non-Contract

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	40
Finishes & Materials	135

D	W	H	COM Yardage 66"W Non-Dir.	Model	COM	Panel Fabric Gr. A–E	Upholstery Fabric Gr. 1–3	Upholstery Fabric Gr. 4–6
Tackboards								
For Use with 60"W Highback Organizer								
7/8"	58"	16"	2.5 yards	**KAC5816TBK**	$332	$374	$385	$452
For Use with 66"W Highback Organizer								
7/8"	64 1/8"	16"	2.5 yards	**KAC6416TBK**	$316	$376	$391	$486
For Use with 72"W Highback Organizer								
7/8"	70 1/8"	16"	2.5 yards	**KAC7016TBK** K	$349	$409	$424	$519
For Use with 90"W Highback Organizer								
7/8"	88"	16"	2.5 yards	**KAC8816TBK**	$425	$488	$503	$602
For Use with 96"W Highback Organizer (specify 2)								
7/8"	46 1/8"	16"	2.5 yards	**KAC4616TBK**	$309	$333	$339	$377
For Use with 102"W Highback Organizer (specify 2)								
7/8"	49 1/8"	16"	2.5 yards	**KAC4916TBK**	$316	$340	$346	$384
For Use with 108"W Highback Organizer (specify 2)								
7/8"	52 1/8"	16"	2.5 yards	**KAC5216TBK**	$327	$351	$357	$395

D	W	H	Model	Price
Metal Slat Wall Tile				
For Use with 60"W Highback Organizer				
3/4"	58"	13"	**KAC5813SW**	$532
For Use with 66"W Highback Organizer				
3/4"	63 3/4"	13"	**KAC6413SW**	$540
For Use with 72"W Highback Organizer				
3/4"	69 3/4"	13"	**KAC7013SW**	$550

Note: Tackboards may be wall-mounted with anchors (not provided).

Panel Fabric
➤See page 147.

Seating Upholstery Fabric
➤See page 151.

Work Tools for Slat Wall Tile
➤See the Perks Price List.

Standard Includes

- Routed channels at center and ends to help manage cords

Note: Panel fabric on 62"W or wider tackboards and upholstery fabric on 50"W or wider tackboards is turned 90° and applied railroad style.

How to Specify

Tackboards

❶ Model
② Fabric grade
③ Fabric number

Slat Wall Tiles

❶ Model
② Finish designator:
462 = Cinder
501 = Platinum Metallic (+10%)
544 = Silver Pearl (+10%)

K = Kwik Office model available.

Set-on-Surface Open Bookcases

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	41
Finishes & Materials	135

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Open Bookcase					
15 3/16"	14 15/16"	38 1/8"	**53K1538BCO**	$415	$821
15 3/16"	17 15/16"	38 1/8" (shown)	**53K1838BCO**	446	882
15 3/16"	29 15/16"	38 1/8"	**53K3038BCO**	551	1090
15 3/16"	35 7/8"	38 1/8" (shown)	**53K3638BCO**	592	1172

Standard Includes

- Two 3/4"-thick shelves; top shelf is adjustable
- Unfinished back
- Finished inset top
- Open bottom

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Chassis finish designator

IMPORTANT:
Set-on-surface models are for use on top of a worksurface only; not for freestanding applications.

Set-on-Surface Bookcases

Pricing

GSA SIN 711-8
† GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Product Information	41
Finishes & Materials	135
Locking Information	160







D	W	H	Model	Laminate (L)	Wood (W)
Solid Door(s)					
Single Door, Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCHR**	$613	$1214
16"	17 15/16"	38 1/8"	**53K1838BCHR**	660	1305
Single Door, Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCHL**	$613	$1214
16"	17 15/16"	38 1/8"	**53K1838BCHL**	660	1305
Double Door (shown)					
16"	29 15/16"	38 1/8"	**53K3038BCH**	$796	$1576
16"	35 7/8"	38 1/8"	**53K3638BCH**	875	1730
Glass Door(s)					
Single Door, Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCHRG**	$838	$1272
16"	17 15/16"	38 1/8"	**53K1838BCHRG**	943	1437
Single Door, Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCHLG**	$838	$1272
16"	17 15/16"	38 1/8"	**53K1838BCHLG**	943	1437
Double Door (shown)					
16"	29 15/16"	38 1/8"	**53K3038BCHG**	$1088	$1650
16"	35 7/8"	38 1/8"	**53K3638BCHG**	1250	1905
Writable Glass Door(s)					
Single Door, Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCHRG2** †	$942	$1426
16"	17 15/16"	38 1/8"	**53K1838BCHRG2** †	1054	1607
Single Door, Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCHLG2** †	$942	$1426
16"	17 15/16"	38 1/8"	**53K1838BCHLG2** †	1054	1607
Double Door (shown)					
16"	29 15/16"	38 1/8"	**53K3038BCHG2** †	$1221	$1851
16"	35 7/8"	38 1/8"	**53K3638BCHG2** †	1398	2130

IMPORTANT:
Set-on-surface models are for use on top of a worksurface only; not for freestanding applications.

Standard Includes

- Doors with adjustable hinges
- Two ¾"-thick shelves; top shelf is adjustable
- Unfinished back
- Finished inset top

How to Specify

Solid Door Models

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)

Glass or Writable Glass Door Models

❶ Model
❷ Chassis material:
L = Laminate
W = Wood
③ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Chassis finish designator

Set-on-Surface Organizers

Pricing

GSA SIN 711-8
† GSA SIN 711-2
FSC-C010590 available

Solid Door

D	W	H	Model	Laminate (L)	Wood (W)
Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCSHR**	$666	$1317
16"	17 15/16"	38 1/8"	**53K1838BCSHR**	716	1417
Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCSHL**	$666	$1317
16"	17 15/16"	38 1/8"	**53K1838BCSHL**	716	1417

Glass Door

D	W	H	Model	Laminate (L)	Wood (W)
Hinge on Right (shown)					
16"	17 15/16"	38 1/8"	**53K1838BCSHRG**	$1024	$1560
Hinge on Left					
16"	17 15/16"	38 1/8"	**53K1838BCSHLG**	$1024	$1560



Writable Glass Door

D	W	H	Model	Laminate (L)	Wood (W)
Hinge on Right (shown)					
16"	14 15/16"	38 1/8"	**53K1538BCSHRG2** †	$1020	$1549
16"	17 15/16"	38 1/8"	**53K1838BCSHRG2** †	1145	1746
Hinge on Left					
16"	14 15/16"	38 1/8"	**53K1538BCSHLG2** †	$1020	$1549
16"	17 15/16"	38 1/8"	**53K1838BCSHLG2** †	1145	1746

IMPORTANT:
Set-on-surface models are for use on top of a worksurface only; not for freestanding applications.

Related Products:



D	W	H	Model	Price
Project Trays for 18"W Set-on-Surface Organizers				
14 3/8"	16 3/8"	3"	**53K1714T**	$251

Note: 18"W models will accommodate up to five project trays.

Standard Includes

- Door with adjustable hinges
- Five shelves (four adjustable); bottom shelf is fixed
- Unfinished back
- Finished inset top
- No pulls

How to Specify

Solid Door Models

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Wood finish designator (omit for L model)
⑥ Front laminate designator (omit for W model)
⑦ Chassis laminate designator (omit for W model)

Glass or Writable Glass Door Models

❶ Model
❷ Chassis material:
L = Laminate **W** = Wood
③ Glass pattern/door frame finish:
11 510 = Opaque Frost Glass/Silver Frost
202G 511 = Ice Gloss Writable/Silver Satin
④ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Chassis finish designator

Project Trays

❶ Model
② Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Wood finish designator

16"D Vertical Storage

Pricing

Space Dividers

GSA SIN 711-2

How to Specify Our Products ➤See page 3
Product Information 42
Finishes & Materials 135
Locking Information 160





D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Right					
16"	29 15/16"	48 7/8"	**53KE3050SDHBFRP**	$2394	$3442
Left					
16"	29 15/16"	48 7/8"	**53KE3050SDHBFLP**	$2394	$3442

Standard Includes

- Bottom section: wide box/lateral file
- Middle section: cubby area on one side; open (no side or back panels) on the other
- Top section: hinged door on one side; cubby area on the other
- Partially finished back: two-piece non-matched set for top and bottom sections and open middle section
- Anti-tip device on bottom drawer

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Locking solid door & drawers, key specific (+$72); specify two lock cores separately
KRB = Locking solid door and drawers, key random, black lock cores (+$116)
KRS = Locking solid door and drawers, key random, silver lock cores (+$116)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	42
Finishes & Materials	135
Locking Information	160



D	W	H	Model	Laminate (L)	Wood (W)
Full Back					
16"	35 7/8"	48 7/8"	**53KE3650LFFOFF**	$2455	$3311
Partial Back					
16"	35 7/8"	48 7/8"	**53KE3650LFFOPF**	$2251	$2993

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 116.

Back Panels
➤See page 116.

Standard Includes

- Bottom section: two lateral file drawers
- Upper section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Finished back: two-piece matched set on full-back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Solid Sliding Door and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	42
Finishes & Materials	135
Locking Information	160





D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Full Back					
16"	35⅞"	66⅞"	**53KE3667LFFOSFF**	$2481	$3346
16"	35⅞"	79 3/16" (shown)	**53KE3680LFFOSFF**	2832	3810
Partial Back					
16"	35⅞"	66⅞"	**53KE3667LFFOSPF**	$2277	$3029
16"	35⅞"	79 3/16" (shown)	**53KE3680LFFOSPF**	2628	3492

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 116.

Back Panels
➤See page 116.

Standard Includes

- Bottom section: two lateral file drawers
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: non-locking sliding door and center divider with 7 holes on 67" model or 17 holes on 80" model, spaced 1¼" apart to accept shelves
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Drawer lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Writable Glass Sliding Door and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	42
Finishes & Materials	135
Locking Information	160



D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Full Back					
16"	35⅞"	66⅞"	**53KE3667LFFOSFFG2**	$2869	$3749
16"	35⅞"	79³⁄₁₆" (shown)	**53KE3680LFFOSFFG2**	3275	4268



Partial Back					
16"	35⅞"	66⅞"	**53KE3667LFFOSPFG2**	$2638	$3399
16"	35⅞"	79³⁄₁₆" (shown)	**53KE3680LFFOSPFG2**	3043	3918

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 116.

Back Panels
➤See page 116.

Standard Includes

- Bottom section: two lateral file drawers
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: non-locking sliding door and center divider with 7 holes on 67" model or 3 holes on 80" model, spaced 1¼" apart to accept shelves
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Drawer lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Glass pattern:
202G = Ice Gloss
⑥ Door frame finish:
511 = Silver Satin
⑦ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Wood finish designator (omit for L model)
⑨ Front laminate designator (omit for W model)
⑩ Chassis laminate designator (omit for W model)
⑪ Back laminate designator (omit for W model)
⑫ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Solid Hinged Doors and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	42
Finishes & Materials	135
Locking Information	160



D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Full Back					
16"	35⅞"	66⅞"	**53KE3667LFFOHFF**	$2740	$3581
16"	35⅞"	79³⁄₁₆" (shown)	**53KE3680LFFOHFF**	3129	4203



Partial Back					
16"	35⅞"	66⅞"	**53KE3667LFFOHPF**	$2536	$3371
16"	35⅞"	79³⁄₁₆" (shown)	**53KE3680LFFOHPF**	2925	3885

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 116.

Back Panels
➤See page 116.

Standard Includes

- Bottom section: two lateral file drawers
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: adjustable shelf with 3 holes spaced 1¼" apart
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Locking solid door & drawers, key specific (+$72); specify two lock cores separately
KRB = Locking solid door and drawers, key random, black lock cores (+$116)
KRS = Locking solid door and drawers, key random, silver lock cores (+$116)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

16"D Vertical Storage

Pricing

Bookcases with Writable Glass Hinged Doors and Lateral File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	42
Finishes & Materials	135
Locking Information	160



D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Full Back					
16"	35⅞"	66⅞"	**53KE3667LFFOHFFG2**	$3168	$4134
16"	35⅞"	79³⁄₁₆" (shown)	**53KE3680LFFOHFFG2**	3618	4710



Partial Back					
16"	35⅞"	66⅞"	**53KE3667LFFOHPFG2**	$2847	$3784
16"	35⅞"	79³⁄₁₆" (shown)	**53KE3680LFFOHPFG2**	3388	4360

IMPORTANT:
Units must be ganged.

IMPORTANT:
Shelves are specified separately.

Straight Shelves and Organizer Shelves
➤See page 116.

Back Panels
➤See page 116.

Standard Includes

- Bottom section: two lateral file drawers
- Middle section: 5 holes spaced 3¼" apart to accept straight shelves and organizer shelves
- Top section: adjustable shelf with 3 holes spaced 1¼" apart
- Finished back: three-piece matched set for full-back model; two-piece non-matched set for top and bottom sections with open middle section on partial back model
- Finished inset top
- Ganging bolt

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Drawer lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Glass pattern:
202G = Ice Gloss
⑥ Door frame finish:
511 = Silver Satin
⑦ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Wood finish designator (omit for L model)
⑨ Front laminate designator (omit for W model)
⑩ Chassis laminate designator (omit for W model)
⑪ Back laminate designator (omit for W model)
⑫ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Shelves and Back Panels

Pricing

For Use with 16"D Vertical Storage

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Product Information	42
Finishes & Materials	135
Locking Information	160

D	W	H	Model	Laminate (L)	Wood (W)
Organizer Shelves					
14 7/16"	34 1/4"	3 11/16"	**53K1536OS**	$277	$355

D	W	H	Model	Laminate (L)	Wood (W)
Straight Shelves					
For Use Inside Sliding-Door Cabinets					
14 3/8"	16 3/16"	3/4"	**53K1518SS**	$131	$251
For Use Inside Hinged-Door Cabinets or Open Bookcase Sections					
14 3/8"	34 1/4"	3/4"	**53K1536SS**	$184	$323



D	W	H	For Use with	Model	Laminate (L)	Wood (W)
Bookcase Center Section Back Panels						
3/4"	35 7/8"	20 11/16"	67" and 80"H units	**53K3621BPLF**	$217	$328
3/4"	35 7/8"	21 7/8"	50"H units	**53K3622BPLF**	217	328

Center section back panels can be used to enclose partial-back models or to replace center section back panel on full-back models. Specify in a different material or finish from the unit to add a contrasting band of color.

Standard Includes

- Shelf or panel
- Attachment brackets

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Wood finish price group (omit for L model):
STD = Standard
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

24"D Vertical Storage

Pricing

Open Bookcases with File/File

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	43
Finishes & Materials	135
Locking Information	160



D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
File/File					
23½"	14 15⁄16"	41 11⁄16"	**53KE1542VBFFF**	$1662	$2454
23½"	14 15⁄16"	48 7⁄8" (shown)	**53KE1550VBFFF**	1752	2586
23½"	14 15⁄16"	66 7⁄8"	**53KE1567VBFF**	1848	2725

Standard Includes

- Two letter-width file drawers
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Back laminate designator (omit for W model)
⑩ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

24"D Vertical Storage Towers

Pricing

Front Access

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	43
Finishes & Materials	135
Locking Information	160





D	W	H	Model	Laminate (L)	Wood (W)
Box/Box/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53KE2442VWHRBBFF**	$2043	$2932
23½"	23¾"	48 7/8"	**53KE2450VWHRBBFF**	2107	3024
23½"	23¾"	66 7/8" (shown)	**53KE2467VWHRBBF**	2119	2882
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53KE2442VWHLBBFF**	$2043	$2932
23½"	23¾"	48 7/8"	**53KE2450VWHLBBFF**	2107	3024
23½"	23¾"	66 7/8"	**53KE2467VWHLBBF**	2119	2882
File/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53KE2442VWHRFFF**	$2001	$2874
23½"	23¾"	48 7/8"	**53KE2450VWHRFFF**	2065	2964
23½"	23¾"	66 7/8" (shown)	**53KE2467VWHRFF**	2091	2849
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53KE2442VWHLFFF**	$2001	$2874
23½"	23¾"	48 7/8"	**53KE2450VWHLFFF**	2065	2964
23½"	23¾"	66 7/8"	**53KE2467VWHLFF**	2091	2849

Standard Includes

- Box/box file or file/file letter-width pedestal
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Wardrobe area with removable coat rod and one fixed shelf 12" above bottom panel; interior width 7 7/8"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate **W** = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Locking doors & drawers, key specific (+$108); specify three lock cores separately
KRB = Locking doors and drawers, key random, black lock cores (+$174)
KRS = Locking doors and drawers, key random,black, silver lock cores (+$174)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator (omit for L model)
⑧ Front laminate designator (omit for W model)
⑨ Chassis laminate designator (omit for W model)
⑩ Back laminate designator (omit for W model)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

24"D Vertical Storage Towers

Pricing

Side-Access Bookcase

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	43
Finishes & Materials	135
Locking Information	160

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Box/Box/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53KE2442VBWHRBBFF**	$2153	$3089
23½"	23¾"	48 7/8"	**53KE2450VBWHRBBFF**	2221	3188
23½"	23¾"	66 7/8"	**53KE2467VBWHRBBF**	2341	3358
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53KE2442VBWHLBBFF**	$2153	$3089
23½"	23¾"	48 7/8"	**53KE2450VBWHLBBFF**	2221	3188
23½"	23¾"	66 7/8" (shown)	**53KE2467VBWHLBBF**	2341	3358
File/File					
Wardrobe Hinged Right					
23½"	23¾"	41 11/16"	**53KE2442VBWHRFFF**	$2109	$3028
23½"	23¾"	48 7/8"	**53KE2450VBWHRFFF**	2176	3124
23½"	23¾"	66 7/8" (shown)	**53KE2467VBWHRFF**	2293	3291
Wardrobe Hinged Left					
23½"	23¾"	41 11/16"	**53KE2442VBWHLFFF**	$2109	$3028
23½"	23¾"	48 7/8"	**53KE2450VBWHLFFF**	2176	3124
23½"	23¾"	66 7/8"	**53KE2467VBWHLFF**	2293	3291

Standard Includes

- Box/box file or file/file letter-width pedestal
- Shelf storage above drawers: one adjustable shelf on 42" and 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Wardrobe area with removable coat rod and one fixed shelf 12" above bottom panel; interior width 7 7/8"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Locking door & drawers, key specific (+$72); specify two lock cores separately
KRB = Locking door and drawers, key random, black lock cores (+$116)
KRS = Locking door and drawers, key random,black, silver lock cores (+$116)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator (omit for L model)
⑧ Front laminate designator (omit for W model)
⑨ Chassis laminate designator (omit for W model)
⑩ Back laminate designator (omit for W model)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

30"D Vertical Storage Towers

Pricing

Side-Access Wardrobe

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Product Information	43
Finishes & Materials	135
Locking Information	160



D	W	H	Model	Laminate (L)	Wood (W)
Box/Box/File					
Wardrobe Hinged Right					
29 1/16"	14 15/16"	41 1/16"	**53KE1542VWHRBBFF**	$2308	$3310
29 1/16"	14 15/16"	48 7/8"	**53KE1550VWHRBBFF**	2380	3414
29 1/16"	14 15/16"	66 7/8"	**53KE1567VWHRBBF**	2508	3598
Wardrobe Hinged Left					
29 1/16"	14 15/16"	41 1/16" (shown)	**53KE1542VWHLBBFF**	$2308	$3310
29 1/16"	14 15/16"	48 7/8"	**53KE1550VWHLBBFF**	2380	3414
29 1/16"	14 15/16"	66 7/8"	**53KE1567VWHLBBF**	2508	3598
File/File					
Wardrobe Hinged Right					
29 1/16"	14 15/16"	41 1/16"	**53KE1542VWHRFFF**	$2261	$3245
29 1/16"	14 15/16"	48 7/8"	**53KE1550VWHRFFF**	2333	3346
29 1/16"	14 15/16"	66 7/8"	**53KE1567VWHRFF**	2458	3526
Wardrobe Hinged Left					
29 1/16"	14 15/16"	41 1/16"	**53KE1542VWHLFFF**	$2261	$3245
29 1/16"	14 15/16"	48 7/8"	**53KE1550VWHLFFF**	2333	3346
29 1/16"	14 15/16"	66 7/8" (shown)	**53KE1567VWHLFF**	2458	3526

Standard Includes

- Box/box file or file/file letter-width pedestal
- Front-access single-door storage area: one adjustable shelf on 50"H models; one fixed shelf and one adjustable shelf on 67"H models
- Side-access wardrobe area with coat hook (42"H) or removable coat rod and one fixed shelf 12" above bottom panel (50" and 67"H); interior width 7 7/8"W
- Doors with adjustable hinges on shelf storage and wardrobe sections
- Finished back on 42" and 50"H models; unfinished back on 67"H models
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Locking doors & drawers, key specific (+$108); specify three lock cores separately
KRB = Locking doors and drawers, key random, black lock cores (+$174)
KRS = Locking doors and drawers, key random,black, silver lock cores (+$174)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator (omit for L model)
⑧ Front laminate designator (omit for W model)
⑨ Chassis laminate designator (omit for W model)
⑩ Back laminate designator (omit for W model)
⑪ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

24"D Vertical Storage Cabinets

Pricing

Single Door

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Product Information	43
Finishes & Materials	135
Locking Information	160

D	W	H	Model	Laminate (L)	Wood (W)
Wardrobe or Shelf Storage					
Hinged Right (shown)					
23½"	17 15⁄16"	66 7⁄8"	**53K1867VWHR**	$2062	$2722
Hinged Left					
23½"	17 15⁄16"	66 7⁄8"	**53K1867VWHL**	$2062	$2722



Wardrobe and Open Shelves					
Wardrobe on Right, Hinged Right					
23½"	29 15⁄16"	66 7⁄8"	**53K3067VWHROS**	$2414	$3217
Wardrobe on Left, Hinged Left (shown)					
23½"	29 15⁄16"	66 7⁄8"	**53K3067VWHLOS**	$2414	$3217

Standard Includes

- Door with adjustable hinges
- Shelves:
  - —18"W model: five shelves, three are adjustable and removable, two are fixed (including bottom shelf)
  - —30"W model: five shelves in open bookcase side, two at the top adjust up and down 1¼", three are fixed
- Removable coat rod
- One fixed shelf in wardrobe area of 30"W model, 12" above fixed bottom panel
- Unfinished back
- Finished inset top

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)
⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)

24"D Vertical Storage Cabinets

Pricing

Double Doors

GSA SIN 711-8
† GSA SIN 711-2
FSC-C010590 available



D	*W*	*H*	*Number of Lock Cores*	*Model*	***Laminate (L)***	***Wood (W)***
Wardrobe on Right						
23½"	35⅞"	66⅞"	1	**53K3667VHH**	$2682	$3529



Lateral File						
23½"	29 15/16"	66⅞"	2	**53KE3067VHF2** †	$2348	$3474
23½"	35⅞"	66⅞""	2	**53KE3667VHF2** †	2673	3660

Standard Includes

- Doors with adjustable hinges
- Unfinished back
- Finished inset top

Wardrobe model—

- Five shelves: three are adjustable and removable, two are fixed (including bottom shelf)
- Removable coat rod and one shelf

Lateral file model—

- Two lateral file drawers
- One adjustable shelf (top)
- Two fixed shelves (including bottom shelf)

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Pull option:
➤See page 37 for designators.
④ Lock option:
X = Non-locking

Wardrobe model—
KS = Key specific (+$36); specify lock core separately
KRB = Key random, black lock core (+$58)
KRS = Key random, silver lock core (+$58)

Lateral file/storage model—
KS = Locking doors & drawers, key specific (+$72); specify two lock cores separately
KRB = Locking doors and drawers, key random, black lock cores (+$116)
KRS = Locking doors and drawers, key random, silver lock cores (+$116)

⑤ Wood finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Wood finish designator (omit for L model)
⑦ Front laminate designator (omit for W model)
⑧ Chassis laminate designator (omit for W model)
⑨ Wood interior drawer option (omit for standard drawers and L models):
WD = Wood interior drawers (+10%)

Freestanding Shelving Units

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Product Information	44
Finishes & Materials	135
Locking Information	160





A = adjustable shelf; can be positioned up or down 1¼".

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Three Shelves					
15 3/16"	35 7/8"	41 11/16"	**53K3642BCSUSS**	$644	$1158
Four Shelves					
15 3/16"	35 7/8"	48 7/8"	**53K3650BCSUSS**	$760	$1369

Standard Includes

- ¾"-thick shelves
- 11 7/8" shelf openings when shelves are in center position
- Open top to accommodate organizer shelves or straight shelves; specified separately
- Finished back

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Straight Shelves and Organizer Shelves
➤See page 116.

Freestanding Open Bookcases

Pricing

Straight Front

GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products	➤See page 3
Product Information	44
Finishes & Materials	135
Locking Information	160







A = adjustable shelf; can be positioned up or down 1¼".

D	*W*	*H*	*Model*	***Laminate (L)***	***Wood (W)***
Two Shelves					
15 3/16"	35 7/8"	27 9/16"	**53K3628BCOSSF**	$525	$947
Five Shelves					
15 3/16"	35 7/8"	66 7/8"	**53K3667BCOSSF**	$929	$1674
Six Shelves					
15 3/16"	35 7/8"	79 3/16"	**53K3680BCOSSF**	$1013	$1810
15 3/16"	35 7/8"	84"*	**53K3684BCOSSF**	$1108	$1978

**84"H model ships with tip-resistance bracket ships with unit and attaches to wall*

Component tops for use with 16"D low storage may be used on straight-front freestanding open bookcases.
➤See page 97.

Standard Includes

- ¾"-thick shelves
- 11 7/8" shelf openings when shelves are in center position
- Finished inset top
- Unfinished back

How to Specify

1. Model
2. Material:
   L = Laminate
   W = Wood
3. Finish price group (omit for L model):
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
4. Finish designator

Freestanding Open Bookcases

Pricing

Arc Front

GSA SIN 711-8
FSC-C010590 available

How to Specify Our Products	➤See page 3
Product Information	44
Finishes & Materials	135
Locking Information	160



Two Shelves

D	W	H	Model	Laminate (L)	Wood (W)
18⅛"	35⅞"	27⅝"	**53K3628BCOF**	$554	$997



Three Shelves

D	W	H	Model	Laminate (L)	Wood (W)
18⅛"	35⅞"	40¼"	**53K3640BCOF**	$677	$1219



Four Shelves

D	W	H	Model	Laminate (L)	Wood (W)
18⅛"	35⅞"	52⅞"	**53K3653BCOF** K	$800	$1441



13⅜"

Five Shelves

D	W	H	Model	Laminate (L)	Wood (W)
18⅛"	35⅞"	67"	**53K3667BCOF** K	$979	$1761

A = adjustable shelf; can be positioned up or down 1¼".

Standard Includes

- ¾"-thick shelves that extend 3" beyond the 15¹³⁄₁₆"D end panels
- 11⅞" shelf openings when shelves are in center position
- Finished inset top
- Unfinished back

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group (omit for L model):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

K = Kwik Office model available.

Table Tops

Pricing

Round and Square

GSA SIN 711-8
† TFL GSA SIN 711-2
FSC-C010590 available

How to Specify Our Products ➤See page 3
Product Information 45
Base Requirements 46
Finishes & Materials 135

D	W	H*	Model	(LL) † P Rim	(L) P Rim	(LW) F/M Rim	(W) F/M Rim	(1LW) S Rim	(1W) S Rim
Round									
36" diameter		1 3/16"	**53K36RD**	$369	$443	$925	$925	$1018	$1018
42" diameter		1 3/16"	**53K42RD**	410	492	1040	1040	1144	1144
48" diameter		1 3/16"	**53K48RD**	450	540	1172	1172	1290	1290
60" diameter		1 3/16"	**53K60RD**	618	742	1554	1554	1710	1710
Square									
36"	36"	1 3/16"	**53K3636SQ**	$369	$443	$925	$925	$1018	$1018
42"	42"	1 3/16"	**53K4242SQ**	410	492	1040	1040	1144	1144
48"	48"	1 3/16"	**53K4848SQ**	450	540	1172	1172	1290	1290
60"	60"	1 3/16"	**53K6060SQ**	618	742	1554	1554	1710	1710

IMPORTANT: Support bases or table legs must be specified separately. Support bases
➤See page 46 for base requirements.

Support Bases
➤See pages 128–129.

Standard Includes

- Worksurface
- Attachment hardware

How to Specify

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
1LW = HPL with S rim
W = Wood with F or M rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for LL, L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W models)

Table Tops

Pricing

Racetrack and Elliptical

GSA SIN 711-8
† GSA SIN 711-9
†† TFL GSA SIN 711-2
FSC-C010590 available



D	W	H*	Model	(LL) †† P Rim	(L) P Rim	(LW) F/M Rim	(W) F/M Rim	(1LW) S Rim	(1W) S Rim
Racetrack									
36"	72"	1 3/16"	**53K3672RC**	$497	$790	$1204	$1204	$1280	$1280

D	W	H*	Model	(LL) †† P Rim	(L) P Rim	(LW) F/M Rim	(W) F/M Rim	(1LW) S Rim	(1W) S Rim
Elliptical									
40"	72"	1 3/16"	**53K4072WSEL**	$547	$841	$1281	$1281	$1362	$1362

Related Products:



D	W	H	Model	Price
Modesty Panel for Racetrack or Elliptical Tables				
1 3/16"	36 1/16"	10"	**53K3609MPHG** †	$451

IMPORTANT: Support bases or table legs must be specified separately.
➤See page 46 for base requirements.

Support Bases
➤See pages 128–129.

How to Specify Our Products ➤See page 3
Product Information 45
Base Requirements 46
Finishes & Materials 135

Standard Includes

- Worksurface
- Attachment hardware

How to Specify

Table Tops

❶ Model
❷ Worksurface material:
LL = TFL with P rim
L = HPL with P rim
LW = HPL with F or M rim
1LW = HPL with S rim
W = Wood with F or M rim
1W = Wood with S rim
③ Rim profile:
P = Softened PVC (L models only)
F = Softened wood (LW or W models only)
M = Reed wood (LW or W models only)
S = Knife wood (1LW or 1W models only)
④ Worksurface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for LL, L and W models):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for W models)

Modesty Panel

❶ Model
② Glass pattern:
11 = Opaque Frost
③ Finish designator:
510 = Silver Frost metallic

Table Bases

Pricing

Fixed Height

GSA SIN 711-9
† GSA SIN 711-11
†† GSA SIN 711-2

Metal Bases

Round

D	W	H	Column	Model	Price
24" diameter		27¾"	3"	**53K26BRFP** ††	$1556



Square

D	W	H	Column	Model	Price
24"	24"	27¾"	2¾" x 2¾"	**53K2626BSFP** ††	$1556

Cylinder Base

Diameter	H	Model	*Laminate (L)*	*Wood (W)*
16"	27½"	**CBS2716CY**	$796	$1035



Static or Mobile Metal Column Leg

Diameter	H	Model	Price
1½"	27¾"	**AB2802BC** †	$220

IMPORTANT: Table tops have specific requirements for support.
➤See page 46 for base requirements.

Table tops
➤See pages 126–127.

How to Specify Our Products ➤See page 3
Product Information 45
Base Requirements 46
Finishes & Materials 135

Standard Includes

- Base: steel or wood
- Attachment hardware

How to Specify

Metal Base

❶ Model
② Finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Cylinder Base

❶ Model
❷ Material:
L = Laminate
W = Wood
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Column Legs

❶ Model
② Base function:
S = Static
M = Mobile
③ Finish price group:
STD = Standard
④ Finish designator:
Paint number or
490 = Chrome

Table Bases

Pricing

Adjustable Height

GSA SIN 711-9
† GSA SIN 711-2

How to Specify Our Products ➤See page 3
Product Information 45
Base Requirements 46
Finishes & Materials 135



D	W	H	Column	Model	Price
Metal Bases					
Round					
24" diameter		27¾"	2⁹⁄₁₆"	**53K26BRGMP** †	$2501



Square					
24"	24"	27¾"	2¾" x 2¾"	**53K2626BSGMP** †	$2501

Static or Mobile Adjustable-Height Column Legs (set of 4)					
2⅜"		25¾"–34⅝" without top		**CBM2803CA2**	$885

IMPORTANT: Table tops have specific requirements for support.
➤See page 46 for base requirements.

Table tops
➤See pages 126–127.

Standard Includes

- Base or legs: steel
- Height-adjust release paddle for installation on underside of top on gas lift models; adjusts from 26" to 42"H
- Attachment hardware

How to Specify

Mechanical Gas Lift Base

❶ Model
② Finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Adjustable-Height Column Legs

❶ Model
② Base function:
S = Static
M = Mobile
③ Finish:
462 = Cinder
501 = Platinum Metallic
510 = Silver Frost Metallic

Table Bases

Pricing

Fixed-Height T-Legs

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	135



D	*W*	*H*	*For Use With*	*Model*	*Price*
23 1/16"	31 1/8"	27 1/16"	36"W top	**53K2436TBTFMP**	$773
23 1/16"	37 1/8"	27 1/16"	42"W top	**53K2442TBTFMP**	798
23 1/16"	43 1/8"	27 1/16"	48"W top	**53K2448TBTFMP**	823
23 1/16"	49 1/16"	27 1/16"	54"W top	**53K2454TBTFMP**	849
23 1/16"	55 1/16"	27 1/16"	60"W top	**53K2460TBTFMP**	875
23 1/16"	61 1/16"	27 1/16"	66"W top	**53K2466TBTFMP**	901
23 1/16"	67"	27 1/16"	72"W top	**53K2472TBTFMP**	928
23 1/16"	73"	27 1/16"	78"W top	**53K2478TBTFMP**	956
23 1/16"	79"	27 1/16"	84"W top	**53K2484TBTFMP**	985
23 1/16"	85"	27 1/16"	90"W top	**53K2490TBTFMP**	1016
23 1/16"	90 15/16"	27 1/16"	96"W top	**53K2496TBTFMP**	1046

Standard Includes

- Undersurface rails
- Two non-adjustable T-legs
- Attachment hardware
- Ships ready to assemble

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
③ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

IMPORTANT: Fixed-height T-leg table bases are for use with 24", 30", and 36"D tops only.

T-leg Casters for Individual Tables
➤See the Priority Price List.

Table Bases

Pricing

Fixed-Height Return T-Legs

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	135



D	W	H	For Use With	Model	Price
23 1/16"	43 1/16"	27 11/16"	42"W top	**53K2442TBTFRP**	$580
23 1/16"	49 1/16"	27 11/16"	48"W top	**53K2448TBTFRP**	599
23 1/16"	55 1/16"	27 11/16"	54"W top	**53K2454TBTFRP**	616
23 1/16"	61 1/16"	27 11/16"	60"W top	**53K2460TBTFRP**	636
23 1/16"	67"	27 11/16"	66"W top	**53K2466TBTFRP**	656
23 1/16"	72 1/4"	27 11/16"	72"W top	**53K2472TBTFRP**	675
23 1/16"	79"	27 11/16"	78"W top	**53K2478TBTFRP**	697
23 1/16"	85"	27 11/16"	84"W top	**53K2484TBTFRP**	719
23 1/16"	90 15/16"	27 11/16"	90"W top	**53K2490TBTFRP**	739

IMPORTANT: Fixed-height T-leg table bases are for use with 24", 30", and 36"D tops only.

IMPORTANT: Two flat brackets, specified separately, are required. ➤See the Priority Price List.

Standard Includes

- Undersurface rails
- One non-adjustable T-leg
- Return mounting bracket
- Attachment hardware
- Ships ready to assemble

Note: Rails will extend underneath the adjoining main surface for connection.

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
③ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Table Bases

Pricing

Fixed-Height Extension Post-Legs

GSA SIN 711-2



D	*W*	*H*	*For Use With*	*Model*	*Price*
23 11/16"	43 1/16"	27 11/16"	42"W top	**53K2442TBCFEP**	$522
23 11/16"	49 1/16"	27 11/16"	48"W top	**53K2448TBCFEP**	539
23 11/16"	55 1/16"	27 11/16"	54"W top	**53K2454TBCFEP**	555
23 11/16"	61 1/16"	27 11/16"	60"W top	**53K2460TBCFEP**	573

IMPORTANT: Fixed-height extension post-legs are for use with 24", 30", and 36"D tops only. Extension post-leg bases are intended for use as a return base. Depending on the depths of the main and extension worksurfaces, the post leg will be inset approximately 12"–15" from the end of the extension worksurface.

IMPORTANT: Two flat brackets, specified separately, are required. ➤See the Priority Price List.

How to Specify Our Products ➤See page 3
Abbreviation Key 3
Product Information 45
Finishes & Materials 135

Standard Includes

- Undersurface rails
- Return bracket
- Post leg
- Ships ready to assemble
- Attachment hardware

Note: Rails will extend underneath the adjoining main surface for connection.

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Table Bases

Pricing

Fixed-Height 90° and 120° Corner Base

GSA SIN 711-2

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	45
Finishes & Materials	135



D	*W*	*H*	*For Use With*	*Model*	*Price*
90°					
45 7/16"	45 7/16"	27 11/16"	24"D x 48"W top	**53K2448TBLFP**	$1809
42 7/16"	42 7/16"	27 11/16"	30"D x 48"W top	**53K3048TBLFP**	1809



120°					
51 5/16"	68 1/4"	27 11/16"	24"D x 48"W top	**53K2448TBYFP**	$1991
49 13/16"	65 5/8"	27 11/16"	30"D x 48"W top	**53K3048TBYFP**	1991

IMPORTANT: These fixed-height table bases are for use with 90° and 120° corner worksurfaces.

T-leg Casters for Individual Tables
➤See the Priority Price List.

Standard Includes

- Undersurface rails
- Two non-adjustable T-legs and one post leg
- Attachment brackets
- Ships ready to assemble

How to Specify

❶ Model
② Rail and column finish:
405 = Designer White
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)
③ Foot finish:
405 = Designer White
497 = Polished Aluminum (+5%)
501 = Platinum Metallic (+10%)
514 = Carbon Metallic (+10%)
544 = Silver Pearl (+10%)

Note: If the same metallic finish is specified for both the rail/column and foot, upcharge is applied only once per model.

Related Products

GSA SIN 711-8

How to Specify Our Products	➤See page 3
Abbreviation Key	3
Product Information	39
Finishes & Materials	135



D	W	H	Model	Price
Filler Strips for Overhead Storage				
1⅜"		16"	**53K0116CPFS**	$52
1⅜"		18¾"	**53K0119CPFS**	52

Standard Includes

• One metal filler strip: black finish

Note: Filler strip can be applied to back edge of Traxx-mounted cabinet to conceal the exposed Traxx bracket. Non-handed. They are recommended, but not required; back panel of overhead cabinet is recessed between end panels.

How to Specify

❶ Model

D	W	H	Model	Price
Ganging Bracket				
5¾"	1¾"	1⅛"	**KACGB1**	$33

Standard Includes

• One ganging bracket: black finish

Note: Ganging brackets are optional. They can be used when two or more cabinets or pedestals are positioned side-by-side creating a built-up appearance without defacing the outside of the cabinet.

How to Specify

❶ Model

Samples:

Samples of Kimball Office wood finishes and paints are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur in color and texture. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	136
Wood Finishes	137
Special Wood Finishes	138
Previously Developed Finishes	139
Characteristics, Care, and Maintenance	140
Laminate	141
Customer-Specified Laminate	142
Paint	143
PVC and Resin	144
Kimball Office Fabrics	147
ACT Performance Icons	145
Fabric Application Matrix	146
Panel Fabrics	147
Seating Fabrics	151
Alliance Program Fabrics	156
Overview	156
Carded Patterns	157
Customer's Own Material	158
Customer's Own Leather	158

Wood Finishes	➤See page 137
Laminate	141
Paint	143
Fabrics	147

Kimball Office offers a diverse collection of surface materials. Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The Fabric Collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Generations Collection:

The Generations Collection is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support long-standing customers and to help transition you to the current offering. ➤Visit kimballoffice.com to see the Generations Collection.

IMPORTANT: Materials in this collection should not be used to set standard color palettes for new installations.

Materials in this offering can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 163 for complete warranty information.

Wood Finishes

Matrix

Key:
● = Standard finish

	Cherry					Maple			Oak			Walnut						Sapele			Zebrawood		
	MC Amber*	CC Cordoba*	MH Mocha*	SC Sedona*		IM Brighton*	TM Huntington*		CO Canyon	YO Monterey		ES Espresso*	MW Midtown*	TW Tribeca*	NW Tuscan	UW Urban*		CS Coco	SS Sienna		CZ Clear		
Price Group	1	1	1	1		1	1		1	1		1	1	1	1	1		2	2		2		
Priority	●	●	●	●		●	●		●	●		●	●	●	●	●		●	●		●		

* Available on models specified with the FSC-certified wood option.

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact By Design to review veneer options and discuss special quotes.

➤See page 136 for program overview.
➤See page 140 for wood finish characteristics, care and maintenance.

Price Groups:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Special Wood Finishes

Standard Finishes on Alternate Wood Species

Wood Finishes ➤See page 137
Laminate 141
Paint 143
Fabrics 147

Standard finish colors on alternate wood species are available.

Applicability of special finish colors depends on the wood species to which they are applied. Priority is available in:

- Cherry (price group 1)
- Maple (price group 1)
- Walnut (price group 1)
- Sapele (price group 2)

Note: Priority is also standard in Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut veneers; however, special finishes are not available on these veneers.

If one of our standard finishes is not appropriate, Kimball Office also has a library of previously developed special finishes, which may be an acceptable match for your application. A custom finish can also be developed to meet specific needs.
➤See next page for previously developed and custom finishes.

Upcharges:

A **10%** upcharge per line item (model) for special wood finishes applies. Upcharge is calculated on the base price, before other option upcharges are added.

Special Finish Designators:

	Wood Species		
Color	*Cherry*	*Maple*	*Walnut*
Amber	Standard/MC	MA00174KOG	WA02905KOG
Espresso	×	×	Standard/ES
Mocha	Standard/MH	×	WA02920KOG

× = Not feasible on wood species

Note: We have not yet developed special finish designators for standard finishes on alternate wood species for other wood finishes.

How to Specify

① Model:
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② Finish type:
For the “Finish type” step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish

③ Finish designator:
For the “Finish designator” step, insert the designator from the table at left.

Special Wood Finishes

Previously Developed and Custom Finishes

Wood Finishes	➤See page 137
Laminate	141
Paint	143
Fabrics	147

Previously developed and custom finishes are available for special requirements. Kimball Office has an extensive library of previously developed special finishes which may be an acceptable match for your application. If not, a custom finish can be developed to meet specific needs.

Samples of previously developed special finishes are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. Priority is available in:

- Cherry (price group 1)
- Maple (price group 1)
- Walnut (price group 1)
- Sapele (price group 2)

Note: Priority is also standard in Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut veneers; however, special finishes are not available on these veneers.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. Custom finishes will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used. Models receiving a special finish will also be assessed an upcharge.

A **10%** upcharge per line item (model number) for special wood finish is calculated on the Grade 1 upholstery price, then added to the price for the selected fabric grade, to arrive at the list price.

How to Specify

① Model:
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② Finish type:
For the “Finish type” step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish

③ Finish designator:
For the “Finish designator” step, insert the designator provided to you by customer service.

Wood Finish Characteristics

Application Guidelines

Including Care and Maintenance Tips

Wood Finishes	➤See page 137
Laminate	141
Paint	143
Fabrics	147

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultra-violet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Brighton maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Key:
● = Standard finish

	Woodgrain														Solid													CSL
	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood		480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby		
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1		
TFL worksurfaces & tables	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●		●	●	●	●		
HPL worksurfaces & tables	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●		●
Laminate fronts/chassis	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●		●	●	●	●		
Laminate center drawer	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●		●	●	●	●		

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

	Pattern																
	874 Bronze Legacy	842 Canyon Zephyr	823 Carbon Evolv	841 Desert Zephyr	862 Grey Glace	844 Loden Zephyr	843 Misted Zephyr	846 Morro Zephyr	812 Mushroom Tigris	860 Neutral Santos	808 Nickel Evolv	807 Silicon Evolv	873 Tawny Legacy	805 Titanium Evolv	809 Tungsten Evolv	802 White Nebula	814 White Tigris
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TFL worksurfaces & tables																	
HPL worksurfaces & tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Laminate fronts/chassis																	
Laminate center drawer																	

Customer Specified Laminate

Application Guidelines

GSA Non-Contract

Wood Finishes	➤See page 137
Laminate	141
Paint	143
Fabrics	147

Customer specified laminate (CSL) is available on Priority HPL surfaces. CSL is not available for TFL surfaces.
➤Contact Customer Service to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact By Design at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Upcharges:

A **20%** upcharge per line item (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

How to Specify

① Model:
Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② Finish type: For the “Finish type” step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ Finish designator: For the “Finish designator” step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint

Matrix

Key:
● = Standard finish ○ = Upcharge applies

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

		Solid Paint																					Metallic								Non-Paint	
		480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby	514 Carbon Metallic	501 Platinum Metallic	507 Patina Metallic	505 Satin Bronze Metallic	510 Silver Frost Metallic	544 Silver Pearl	504 Taupe Metallic	490 Chrome	497 Polished Aluminum	
Progressive	Support rails & brackets							●															○	○				○				
	Open-frame legs & U-legs							●															○	○				○				
	90° & 120° corner supports							●															○	○				○				
	Top cap & slat tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		○	○	○	○		○	○			
	Starter brackets & stanchions							●															○	○				○				
	Cntr-mount brackets, dividers							●															○	○				○				
	Privacy screen brackets							●															○	○								
	T-leg, 90°, 120° rail & column							●															○	○				○				
	T-leg, 90°, 120° foot							●															○	○				○				○
	Post-leg extension bases							●															○	○				○				
	Bridge kit							●															○	○				○				
	Snap-on cable manager							●															○	○				○				
Classic	Round support column					●		●															●	●				●				
	Square fluted support column					●		●															●	●			●	●				
	Adjustable-height U-legs							●															○	○				○				
Progressive/Classic	Glass modesty panel frame																										●					
	Slat tiles for highbacks					●																		●				●				
	Round & square metal bases					●																	○	○				○				
	Column legs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●									●		
	Adjustable-ht. column legs					●																		●			●					
	T-leg, 90°, 120° rail & column							●															○	○				○				
	T-leg, 90°, 120° foot							●															○	○				○				○

PVC and Resin

Matrix

Key:
● = Standard finish

	Solid Color PVC													Woodgrain PVC												
	480 Antique White	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	450 Fog	488 Frosty White	461 Graphite	420 Sandstone	425 Shadow	460 Storm	419 Wallaby	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood
Softened PVC rim (P)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Worksurface wire manager	●	●	●	●	●	●	●	●	●	●	●	●														

	Resin		
	22 Alpine White	23 Mist	24 Breeze
Privacy screens	●	●	●

Program Overview ➤See page 136
Cut Yardage 148
Seating Upholstery 151
Cleaning Codes 150

All Kimball Office fabrics meet, and in most cases exceed, the minimum requirements set up by ACT. For the purpose of uniformity in the industry, Kimball Office will be utilizing the ACT icons on swatchcards and related materials.

The Association for Contract Textiles (ACT) has developed voluntary performance guidelines to make fabric specification easier. The five symbols give architects, designers, and end-users a vast amount of performance information in a succinct visual way. Look for these symbols on ACT member company sampling to assure that the fabrics you specify perform up to contract standards and pass all applicable testing.

These categories describe a material's performance features as measured by specified methods under standard laboratory conditions. All tests referenced here are intended to represent the most current version of a test method. Note: Individual ACT member product information may represent a different version of a test method depending on the date the product was introduced to the market.

IMPORTANT: These tests represent minimum requirements which are subject to change without notice and may not reflect requirements or laws in all locations.

Flammability:

The measurement of a fabric's performance when it is exposed to specific sources of ignition.
Note: ACT guidelines specify different flammability tests dictated by the intended end use for the fabric.

Upholstery
California Technical Bulletin #117 Section E—Class 1 (Pass)

Wrapped Panels and Upholstered Walls
ASTM E 84 (Unadhered Mounting Method)—Class A or Class 1

Wet & Dry Crocking:

Transfer of dye from the surface of a dyed or printed fabric onto another surface by rubbing.

Upholstery
AATCC 8—
Dry Crocking, Grade 4 minimum
Wet Crocking, Grade 3 minimum

Wrapped Panels and Upholstered Walls
AATCC 8—
Dry Crocking, Grade 3 minimum
Wet Crocking, Grade 3 minimum

Colorfastness to Light:

A material's degree of resistance to the fading effect of light.

Upholstery
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Wrapped Panels and Upholstered Walls
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Physical Properties:

Pilling is the formation of fuzzy balls of fiber on the surface of a fabric that remain attached to the fabric. Breaking strength is the measurement of stress exerted to pull a fabric apart under tension. Seam slippage is the movement of yarns in a fabric that occurs when it is pulled apart at a seam.

Upholstery
Brush pill—ASTM D3511, Class 3 minimum or Martindale Tester ASTM D4970, Class 3 minimum

Breaking strength ASTM D5034 (Grab Test)—50 lbs. minimum in warp and weft

Seam slippage ASTM D4034—
25 lbs. minimum in warp and weft

Wrapped Panels and Upholstered Walls
Breaking strength ASTM D5034 (Grab Test)—35 lbs. minimum in warp and weft

Abrasion Resistance:

The surface wear of a fabric caused by rubbing and contact with another fabric.

General Contract Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—15,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—
20,000 cycles Martindale method

Heavy Duty Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—30,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—
40,000 cycles Martindale method

End use examples of heavy-duty installations where upholstery fabrics rated at 30,000 double rubs should be appropriate are single shift corporate, hotel rooms/suites, conference rooms and dining area usage.

ACT acknowledges that there are extreme wear situations that may require higher levels of abrasion resistance. End use examples that may require higher than 30,000 double rubs include: 24 hour transportation terminals, 24 hour telemarketing, 24 hour healthcare emergency rooms, 24 hour casino gambling areas, and such public gathering places as theatres, stadiums, lecture halls and fast food restaurants.

It is strongly suggested that double rubs exceeding 100,000 are not meaningful in providing additional value in use. Higher abrasion resistance does not necessarily indicate a significant extension of the service life of the fabric.

The Wyzenbeek and Martindale tests are the two methods commonly used to predict wearability. Actual performance is determined by many factors such as fiber content, weaves, finishes, furniture design, maintenance, cleaning, and usage. Durability of an upholstery fabric is a complex interaction (combination) of a number of performance tests that, in addition to abrasion, includes seam slippage, pilling, tensile strength, and usage. There is no correlation between the Wyzenbeek and Martindale tests so it is not possible to estimate the number of cycles that would be achieved on one test if the results from the other test were known.

Wood Finishes	➤See page 137
Laminate	141
Paint	143
Fabrics	147

Standard Application:



Cetra
Interworks EQ

Directional fabrics are “cut up the roll” for standard application unless specified differently.

Railroad Application:



Xsite Tiles
Xsede Tiles
Priority Tiles

All fabrics will be applied in railroad (horizontal) fashion to Xsede, Priority, and Xsite tiles and larger-size tackboards. When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear.
➤See pricing pages for product application.

Railroad application of Kimball Office panel fabrics and COM requires a custom quote for all other products that do not have railroading listed as an option in the price list.
➤Please contact ***By Design.***

Panel Fabrics

List

For Fabric Tiles and Tackboards

Program Overview	➤See page 136
Cut Yardage	148
Seating Upholstery	151
Cleaning Codes	150

Price Grade A

COM (Customer's Own Material)

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e
100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.
➤www.green-e.org

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from tile to tile.

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10602	Citrine
10603	Cloud
10604	Dune
10605	Key Lime
10606	Lapis
10607	Linen
10608	Moonstone
10609	Mulberry
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350	Atlantic
10351	Driftwood
10352	Honeycomb
10353	Indigo
10354	Khaki
10355	Kiwi
10356	Lead
10357	Mandarin
10358	Palm
10359	Rattan
10360	Sequoia
10361	Slate
10362	Spa
10363	Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320	Clam
10321	Eucalyptus
10322	Goldust
10323	Graphite
10324	Pear
10325	Seal
10326	Heron
10327	Tan
10328	Taupestone
10329	Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202	Wrought Iron
2216	Paraffin
2222	Twine
2229	Thunder
2239	Spun Gold
2240	Wasabi
2244	Titanium
2250	Truffle
2266	Copper
2275	Melba

Key:
= Terratex = Green-e

Cleaning Codes ➤See page 150

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	*List Price per Yard*
A	$35
B	46
C	53
D	71
E	108

For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

How to Specify

① Model:
KOPNLCUTYDG = panel fabric
② Fabric grade
③ Fabric number

Key:
= Terratex = Green-e

Cleaning Codes ➤See page 150

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450	Bark
10451	Ecru
10452	Fog
10453	Midnight
10454	Mink
10455	Olive
10456	Orchid
10457	Pearl
10458	Solar

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo sampels can be ordered directly from Momentum at themomgroup.com

25401	Aloe
25402	Azure
25403	Calla
25404	Coastal
25405	Delft
25406	Dove
25407	Dragon
24608	Eureka
25409	Fern
25410	Harbobur
25411	Lily
25412	Lime
25413	Midnight
25414	Nectar
25415	Patina
25416	Putty
25417	Roast
25418	Roma
25419	Rubine
25420	Sketch
25421	Tanzanite
25422	Taupe
25423	Toasty

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302	Egyptian
25303	Cashmere
25304	Chiffon
25305	Shantung
25306	Twill
25307	Dupioni
25308	Angora
25309	Tweed
25310	Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380	Champagne
10381	Cobblestone
10382	Desert
10383	Mist
10384	Taupestone
10385	Timberwolf

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10655	Moss
10656	Sand

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Key:
= Terratex = Green-e

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply.
➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align — Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	*Carnegie Number*
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line — KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect — KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Cleaning Codes:

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code D
- Dry clean only.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 163 for complete warranty information.

Seating Fabrics

List

For Use on Cushion-Top Pedestals, Low Storage Cushions, and Tackboards

Key:
A = Heavy duty | a = General contract | terratex = Terratex | Green-e = Green-e

Cleaning Codes ➤See page 153

Price Grade 1

Blink

Price Grade: 1
Content: 87.6% post-industrial recycled polyester; 12.4% post-consumer recycled polyester
Width: 54"W
Repeat: 0.35"H; 0.23"V
Abrasion: A 100,000 Double Rubs
Cleaning: WS

11800	Sandollar
11801	Driftwood
11802	Sea Mist
11803	Caribbean Breeze
11804	Tropical Waters
11805	Seaweed
11806	Indigo
11807	Violet
11808	Sangria
11809	Dahlia
11810	Sunrise
11811	Java
11812	Black Magic

Disperse

Price Grade: 1
Content: 100% polyester, (62% recycled)
Finish: Stain repellant
Backing: Latex
Width: 54"W
Repeat: None
Abrasion: A 75,000 double rubs
Cleaning: WS

11750	Wasabi
11751	Meadow
11752	Oceanside
11753	Aquamarine
11754	Latte
11755	Scarlet
11756	Cocoa
11757	Midnight Blue
11758	Smoke
11759	Ash
11760	Cabernet
11761	Noir

Lifesaver

Price Grade: 1
Content: 92% pre-consumer recycled polyester, 8% post-consumer recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: .625"H x .625"V
Abrasion: A 40,000 double rubs
Cleaning: WS

10940	Carbon
10941	Cocoa
10942	Fir
10944	French Navy
10945	Hot Sun
10946	Lapis
10947	Poppy
10948	Port
10949	Ruby
10950	Safari
10951	Sunglow

Seasons

Price Grade: 1
Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester
Width: 54"W
Repeat: 4"H x 1.7"V
Abrasion: A 50,000 double rubs
Cleaning: WS

10980	Almond
10981	Espresso
10982	Fern
10983	Honeycomb
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate

Soundbyte

Price Grade: 1
Content: 100% recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: 7"H x 35"V
Abrasion: A 30,000 double rubs
Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e

100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.

➤www.green-e.org

Key:
A = Heavy duty
= General contract
= Terratex
= Green-e

Cleaning Codes ➤See page 153

Price Grade 2

Dolce (polyurethane)

Price Grade: **2**
Content: 100% polyurethane
Finish: Superior Abrasion/ Silverguard
Backing: 100% rayon
Width: 54"W
Repeat: None
Abrasion: A 400,000 double rubs
Cleaning: WS; cleanable with diluted bleach solution
Restriction: Not available on tackboards or fabric-covered overheads

11900	Black
11901	Mocha
11902	Meteor
11903	Artesian
11904	Indigo
11905	Peacock
11906	Grass
11907	Citron
11908	Fuschia
11909	Poppy
11910	Tangelo
11911	Burgundy
11912	Chocolate
11913	Lion
11914	Latte
11915	Ivory
11916	White
11917	Camel
11918	Mushroom

Flicker

Price Grade: **2**
Content: 78% post-industrial recycled polyester, 22% post-consumer recycled polyester
Width: 54"W
Repeat: .84"H x 2.5"V
Abrasion: A 51,000 double rubs
Cleaning: WS

11130	Parchment
11131	Cherry
11132	Magenta
11133	Ruby
11134	Sangria
11135	Sunset
11136	Celery
11137	Heron
11138	Ironwork
11139	Lapis
11140	Midnight Blue
11141	Pine
11142	Plum
11143	Riviera

Mingle

Price Grade: **2**
Content: 100% Eco-Intelligent® polyester
Width: 54"W
Repeat: .08"H x .12"V
Abrasion: A 100,000 double rubs
Cleaning: WS

11000	Basket
11001	Capri
11002	Checkered Flag
11003	Cobalt
11004	Concord
11005	Ink
11006	Laguna
11007	Limeade
11008	Mandarin
11009	Pony
11010	Scarlet
11011	Seagull
11012	Willow

Spectrum

Price Grade: **2**
Content: 100% pre-consumer recycled polyester
Finish: Blockaide™
Backing: SBR latex
Width: 54"W
Repeat: None
Abrasion: A 100,000+ double rubs
Cleaning: WS

20001	Mimosa
20003	Lime
20011	Sand
20015	Marigold
20020	Black
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20069	Grape
20072	Breeze
20079	Tangerine
20081	Charcoal
20084	Royal
20095	Red

Cut Yardage Program:

Kimball Office seating upholstery is available in whole yards for fabric or faux leather and in half or whole hides for leather. List prices include freight.

Fabric Price Grade	*List Price per Yard*
1	$35
2	53
3	70
4	91
5	119
6	159
7	202

Leather Price Grade	*List Price per Half Hide (25–28 sq ft)*	*List Price per Full Hide (50–57 sq ft)*
L7	$533	$1093
L8	632	1302

How to Specify

① Model:
KOUPHCUTYDG = fabric or faux leather
KOLTHRFHIDE = leather (full hide)
KOLTHRHHIDE = leather (half hide)
② Upholstery grade
③ Upholstery number

Key:
A = Heavy duty a = General contract
= Terratex = Green-e

Tikki

Price Grade: **2**
Content: 61.11% rayon, 38.89% polyester
Backing: Acrylic
Width: 58"W
Repeat: 1.25"H x 2.313"V
Abrasion: A 40,000 double rubs
Cleaning: S
TB133: Not available

11100	Andiron
11101	Anise
11102	Blue Jay
11103	Brandywine
11104	Green Tea
11105	Gumdrop
11106	Lemon Zest
11107	Marina
11108	Mesquite
11109	Night
11110	Pear
11111	Raspberry
11112	Satchel
11113	Tumbleweed

Twilight

Price Grade: **2**
Content: 100% pre-consumer recycled polyester;
Green-e certified
Finish: Blockaide™
Width: 54"W
Repeat: None
Abrasion: A 50,000 double rubs
Cleaning: WS

23101	Ocean
23102	Teal
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23107	Aristocrat
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23112	Chartreuse
23113	Luxe
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23118	Gingerbread
23119	Tangerine
23120	Nude

Price Grade 3

Botan

Price Grade: **3**
Content: 66.29% post-industrial recycled polyester, 33.71% post-consumer recycled polyester
Width: 59"W
Repeat: 3.688"H x 2.5"V
Abrasion: A 60,000 double rubs
Cleaning: WS

11400	Basket
11401	Blackbird
11402	Caribbean
11403	Charcoal
11404	Cider
11405	Clam
11406	Copper
11407	Pony
11408	Shoreline
11409	Sun

Fiji

Price Grade: **3**
Content: 57% Eco-Intelligent® polyester, 38% post-industrial recycled polyester, 5% post-consumer recycled polyester
Width: 54"W
Repeat: 13.5"H x 21.7"V
Abrasion: a 21,000 double rubs
Cleaning: WS

11280	Amethyst
11281	Ash
11282	Cardinal
11283	Chino
11284	Dove
11285	Espresso
11286	Onyx
11287	Saffron
11288	Sapphire
11289	Spring
11290	Sunset

Cleaning Codes:

Cleaning Code B
- Cleanable with diluted bleach solution

Cleaning Code D
- Dry clean only.

Cleaning Code L
- Use a clean cloth with warm water and mild soap as soon as possible.

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Fire Retardant Fabrics
- Solvent-based fabric cleaning or dry cleaning are recommended.
- Cleaning with water or water-based cleaners could result in salt ringing.
- Test proposed cleaning procedure on a small portion of fabric before cleaning entire piece.

Key:
A = Heavy duty
a = General contract
= Terratex
= Green-e

Cleaning Codes ➤See page 153

Price Grade 4

Ezra

Price Grade: **4**
Content: 42.35% rayon, 41.48% cotton, 12.77% polyester, 1.75% post-industrial recycled polyester, .95% post-consumer recycled polyester, .7% nylon
Backing: Acrylic
Width: 55"W
Repeat: None
Abrasion: A 60,000 double rubs
Cleaning: S
TB133: Not available
Restriction: Not available on fabric-covered overheads

11460	Bamboo
11461	Black Pearl
11462	Cayenne
11463	Copper
11464	Denim
11465	Ebony
11466	Ecru
11467	Granny Smith
11468	Lagoon
11469	Latte
11470	Orchid
11471	Red
11472	Saddle
11473	Shoreline
11474	Timberwolf

Silvertex

Price Grade: **4**
Content: 60% vinyl, 30% polyester Hi-Loft2™ textile, 10% urethane
Finish: SILVERGUARD®/ PERMABLOK3®
Backing: Polyester Hi-Loft2™
Width: 54"W
Repeat: None
Abrasion: A 100,000+ double rubs
Cleaning: WS, cleanable with diluted bleach solution

41301	Basil
41302	Ice
41303	Mandarin
41304	Raspberry
41305	Sunkist
41306	Mocha
41307	Carbon
41308	Jet
41309	Storm
41310	Sapphire
41311	Champagne
41312	Celery
41313	Meteor
41314	Cream
41315	Chestnut
41316	Luggage
41317	Taupe
41318	Borscht
41319	Lagoon
41320	Turquoise
41321	Marine Blue
41322	Umber
41323	Blackberry
41324	Sage
41325	Bottle
41326	Mocha

Price Grade 5

No fabrics available in price grade 5 at this time.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 163 for complete warranty information.

Railroad Application

Railroad application of any fabric must be custom quoted.
➤Please contact ***By Design.***

Key:
A = Heavy duty upholstery
a = General contract upholstery
= Terratex
= Green-e

Price Grade 6

Essence/Ultraleather™

Price Grade: **6**
Content: 100% polyurethane
Backing: 100% reinforced rayon
Width: 54"W
Repeat: None
Abrasion: A 400,000 double rubs
Cleaning: WS, cleanable with diluted bleach solution

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

Price Grade 7

No fabrics available in price grade 7 at this time.

Price Grade L7

Davenport

Price Grade: **L7**
Content: Top grain leather
Abrasion: A 1,000+ cycles (Tabor Test)

70101	Chamois
70102	Camel
70103	Earthy
70105	Bark
70106	Fennel
70107	Glass Block
70108	Celadon
70109	Austin
70110	Olive
70111	Brown
70112	Atlantis
70113	Yonder
70114	Tomato
70115	Black
70116	Plum
70117	Smoke
70118	Dusk

Price Grade L8

Heritage

Price Grade: **L8**
Content: Top grain leather; two-toned savagé
Abrasion: A 1,000+ cycles (Tabor Test)

81002	Carnelian
81005	Carob
81028	Sorrel
81041	Rosewood
81060	Avocado
81075	Titan
81076	Navy

Showcase

Price Grade: **L8**
Content: Full grain leather; chrome-free
Abrasion: A 1,000+ cycles (Tabor Test)

80101	Sky
80102	Butler
80103	Cream
80104	Bonton
80105	Greige
80106	Power
80107	Garnet
80108	Chestnut
80109	Bittersweet
80110	Jet

Leather Characteristics:

Different coverings and seating constructions will respond better than others to specific seating applications. Certain leathers are more prone to relaxing over time and may demonstrate characteristics such as wrinkling or puddling. This does not indicate that the covering or application is deficient, but is considered a normal, inherent characteristic.

Some Kimball Office leathers and faux leathers may relax over time creating a loosely upholstered appearance.

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.

Cleaning Leather:

Regular Cleaning

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air dry.

Note: Never use furniture polishes, oils, solvents, varnishes, abrasive cleaners, ammonia, wax, or saddle soaps on leather.

Alliance Program Fabrics

Overview

For Use on Cushion-Top Pedestals and Low Storage Cushions

Carded Patterns ➤See page 157

Kimball Office has formed partnerships with the top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

Patterns from Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics are available in a variety of design aesthetics and price points to meet all of your fabric needs. Carded fabrics are listed in this price list. ➤See Surface Materials at www.kimballoffice.com for a wide variety of additional graded-in fabrics from Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Application of Alliance Program fabrics will be as depicted on the website or memo sample unless otherwise instructed on the order.

Directional fabrics, such as stripes, patterns, and plaids, may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders should be specified as a COM.

Alliance graded pricing includes the cost of the material. Repeat is also accounted for and no additional upcharge is required.

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered normal behavior as an inherent characteristic of the fabric.

IMPORTANT: The information provided in this section of the price list is the most current information available at the time this price list was published. Contact Customer Service before finalizing any orders to check availability.

Lead Time:

Lead times for alliance fabrics are based on supplier availability.
Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. Contact Customer Service for availability before finalizing orders.

TB133:

Contact Customer Service about TB133 requirements.
Note: Many of these fabrics may pass additional flammability tests. Please inquire about compliance with specific regulations.

Samples:

For memo samples, contact our alliance partners directly.

Arc Com
800.223-5466
www.arc-com.com

Carnegie
800.727.6770
www.carnegiefabrics.com

CF Stinson
800.841.6279
www.cfstinson.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Maharam
800.645.3943
www.maharam.com

Mayer Fabrics
800.428.4415
www.mayerfabrics.com

Momentum Textiles
800.366.6839
www.themomgroup.com

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

How to Specify

To take advantage of this program, simply follow the "How to Specify" steps listed on the alliance upholstery pricing page within each section. Add the appropriate three-letter supplier prefix to the fabric grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stnson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

Alliance Program Fabrics

List

Carded Patterns

Alliance Program Overview ➤See page 156

Kimball Office has formed partnerships with Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics to provide a broad range of design-oriented fabrics. Carded patterns are listed here.

➤To view the complete offering of graded-in fabrics, visit www.kimballoffice.com.

CFStinson
800.841.6279
www.cfstinson.com

Pattern	*Price Grade*
Avant	E
Carlisle	C
Cassidy	C
Excursion	E
Juxy	F
Lava	K
Martini	I
Natural World	I
Script	H
Tendril	E
Wicker	H
Wyatt	E

Maharam
800.645.3943
www.maharam.com

Pattern	*Price Grade*
Abacus Standard	F
Bar	C
Bevel	D
Cartouche	K
Cinch	G
Coin	B
Coincide	H
Contrary	K
Disc	C
Ditto	L
Divide	C
Exchange	E
Lariat	C
Manner	B
Medium	B
Messenger	B
Metric	B
Offset	M
Pick	B
Plait	F
Runner Standard	I
Shuttle Standard	H
Stack	I
Tally	L
Technic	B
Vary	I
Waxen	D

Momentum
800.366.6839
www.themomgroup.com

Pattern	*Price Grade*
Amuse	E
Banter	Q
Beeline	C
Bloc	I
Bravo II	B
Camber	L
Canter	A
Clang	C
Course	H
Cover Cloth	C
Current	B
Elevate	K
Eon	B
Epic	A
Estrella	H
Free	B
Fuse	A
Habit	C
Infinity	A
Keynote	C
Kinney	C
Knack	B
Line Up	B
Marathon	A
Medley	J
Millenium	A
Oath	D
Odyssey	A
Proximity	K
Silica	F
Silica Leather	F
Silica Tech	F
Solace	C
Syntax	B
Torque	I
Tradition	A
Twist	H
Velocity	D
Via	B
Vox	A

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

Pattern	*Price Grade*
Brisa	I
Brisa Distressed	J
Brisa Fresco	K
Ultraleather Pro	J
Viva	G

Samples:

For memo samples, contact our alliance partners directly.

Arc Com
800.223-5466
www.arc-com.com

Carnegie
800.727.6770
www.carnegiefabrics.com

CF Stinson
800.841.6279
www.cfstinson.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Maharam
800.645.3943
www.maharam.com

Mayer Fabrics
800.428.4415
www.mayerfabrics.com

Momentum Textiles
800.366.6839
www.themomgroup.com

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

Program Overview	➤See page 136
Cut Yardage	148
Seating Upholstery	151
Cleaning Codes	150

Customer's Own Material (COM) Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM/COL and expediting delivery of the material, sent prepaid, to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on product for non-preapproved fabrics is required.
➤Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:
- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

U.L. Listing/Flammability:

COM must be U.L. listed for use on tiles for benching stanchions before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Customer is responsible for fabric meeting the appropriate Cal. TB133.

Customer's Own Leather (COL)

Customer's Own Leather (COL) is available for use on pedestal and low storage cushions.

Leather is a natural product and variations in texture is a pleasing quality belong exclusively to high grade, full top-grain leathers.

Yardage/Sq. Footage Requirements:

➤See the product's pricing pages for COM yardage and COL square footage requirements.

Shipment of COM/COL:

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

For Priority tackboards:
Kimball Office
COM Department
Dock 11
1620 Cherry Street
Jasper, IN 47549

For Priority tiles for benching stanchions:
Kimball Office
COM Department—Kimball Office
1881 West Seltice Way
Post Falls, ID 83854

For Priority mobile pedestal cushion and low storage cushions:
Kimball Office
COM Department
340 East 11th Avenue
Jasper, IN 47549-1001

IMPORTANT: Tag all materials with the Kimball Office dealer name and the purchase order number.

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤Contact your Customer Service Team to obtain information on preapproved COMs.

Repeat Fabrics:

It is Kimball Office standard process to match repeat fabrics on fabric covered Overhead and Highback Organizer doors.

Repeat fabrics will be matched in what Kimball Office deems the best possible application of the pattern.

Additional COM yardage is required for repeat fabrics.

Repeat	*Additional Yardage required per Overhead Door*
0–6"	None
6"–12"	0.166 yards
12"–18"	0.500 yards
18"–24"	0.666 yards
24" or more	1.000 yard

Note: If the customer requires that the repeat fabric be applied in a random fashion, Kimball Office requires written notification in advance of order processing to that effect.
➤Contact your Customer Service Team to obtain necessary waiver.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:
- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

	➤See page
Locking Information	160
Terms & Conditions	161
Product Warranty	163
Operating Load Capacities	164
Filing Capabilities	165
Model Number Index	166

Locking Information

GSA SIN 711-8

Terms & Conditions	➤See page 161
Product Warranty	163
Operating Load Capacities	164
Filing Capabilities	165

Locking storage units can be specified as:
- Key random with a black lock core and hinged key (KRB);
- Key random with a silver (matte nickel) lock core and round-head key (KRS); or
- Key specific (KS)

Black lock cores and hinged keys are identical to the ones used with other casegoods and systems products.

Silver lock cores and round keys are matte nickel. These lock cores and keys are identical to the ones used with Definition, Fluent and Hum. Minds at Work. series.

Key Random:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB300 (black) or KCCG001 to KCCG100 (silver).

Randomly numbered lock core(s) will ship standard along with your order for field installation. *Exception: Randomly numbered lock cores on Kwik Office models are shipped installed.*

KCC*001 KCC*002 KCC*001



KCC*001

KCC*003

With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KCCB001 to KCCB300 (black) or KCCG001 to KCCG100 (silver).

KCC*005 KCC*005 KCC*005



KCC*005

KCC*005

To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Installing Locks:

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Changing Locks:

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Change key model KCCB1CK allows removal of keys within these ranges:
KCCB001–KCCB300
KCCG001–KCCG100

Master Keys:

Master key model KC2GMK will unlock any lock within these key ranges:
KCCB001–KCCB300
KCCG001–KCCG100

Model/Key Range *Price*

Black Lock Cores & Hinged Key

KCCB001 to KCCB300 $22

Silver (Matte Nickel) Lock Cores & Round Key

KCCG001 to KCCG100 $22

Change Key

KCCB1CK $6

Master Key

KC2GMK $12

How to Specify

❶ Specify exact key number for lock cores or model number for change or master key

Operating Load Capacities

Locking Information	➤See page 160
Terms & Conditions	161
Product Warranty	163
Filing Capabilities	165

Component	*Operating Load Capacity (Functional Loads)*	*Example*
Desks and worksurfaces <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desks and worksurfaces 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desks and worksurfaces >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Transaction counter, shelf, or secondary surface <16"D	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Extendible elements (pedestal drawer, shelves, etc.)	.017 lb. per cubic inch of drawer interior filing space, distributive loading *Note: File drawers are to support hanging files only; they are not intended for bottom loading.*	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Freestanding storage or bookcase top <38"H	200 lbs. concentrated loading .26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Freestanding storage or bookcase top 38"H–72"H	.26 lb. per square inch of surface area, distributive loading	24"D x 36"W = 225 lbs.
Freestanding storage or bookcase top >72"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18" in height)	24"D x 36"W x 18"H = 264 lbs.
Storage or hutch bottom <60"H	.20 lb. per square inch of surface area, distributive loading	
Storage or hutch bottom >60"H	.09 lb. per square inch of surface area, distributive loading	

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

The table at left lists the operating load capacities of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 (2008 Desk and Table Products Tests) and X5.9 (2004 Storage Units Tests). The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Filing Capabilities

Locking Information ➤See page 160
Terms & Conditions 161
Product Warranty 163
Operating Load Capacities 164

	Exterior Unit or Ped Dimensions		Interior Dimensions			Standard Filing Capabilities	
Description	*Nominal Depth*	*Nominal Width*	*Inside Depth*	*Inside Width*	*Inside Height*	*Front-to-Back*	*Side-to-Side*
Box Drawers	24"–36"	15" (letter width*)	17"	11½"	2½"	—	—
	24"–36"	18" (legal width*)	17"	14½"	2½"	—	—
Wide Box Drawers	16"	30"	12"	26⅜"	2½"	—	—
	16"	36"	12"	32⅜"	2½"	—	—
File Drawers	24"	15" (letter width*)	17"	12"	9"	Letter	Legal, double letter, and EDP
	24"	18" (legal width*)	17"	15"	9"	Legal	Legal, double letter, and EDP
	30"	15" (letter width*)	17"	12"	9"	Letter	Legal, double letter, and EDP
	30"	18" (legal width*)	17"	15"	9"	Legal	Legal, double letter, and EDP
	36"	15" (letter width*)	25"	12"	9"	Letter	Legal, double letter, and EDP
	36"	18" (legal width*)	25"	15"	9"	Legal	Legal, double letter, and EDP
Lateral Drawers	16"	30"	12"	26⅜"	9"	Legal, letter, and EDP	Letter
	16"	36"	12"	32⅜"	9"	Legal, letter, and EDP	Letter
	24"	30"	15"	26⅜"	9"	Legal, letter, and EDP	Legal and letter
	24"	36"	15"	32⅜"	9"	Legal, letter, and EDP	Legal and letter
Center Drawers	22"	18"	17"	14½"	1½"	—	—
	22"	30"	17"	26⅜"	1½"	—	—
	22"	36"	17"	32⅜"	1½"	—	—

**For built-up units, such as desks, returns, and credenzas, please reference the applicable pricing page for width (letter or legal) of the pedestal.*

Filing Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞".

IMPORTANT: For all pedestals where legal front-to-back filing is standard, letter front-to-back filing is possible by specifying universal file bars separately.
➤See the Perks Price List.

Model Number Index

Terms & Conditions	➤See page 161
Product Warranty	163
Operating Load Capacities	164
Filing Capabilities	165

Model	➤See page
53K0116CPFS	134
53K0119CPFS	134
53K10238HBH	105
53K10238HBHG	105
53K10238HBHG2	105
53K1028SLUMSAP	91
53K10838HBH	105
53K10838HBHG	105
53K10838HBHG2	105
53K1128SS	85
53K1228MPH	82
53K1266WSRCW	71
53K1430OS	99
53K1436OS	99
53K1515SSTW	102
53K1518SS	116
53K1518SSTW	102
53K1524SSTW	102
53K1530SS	99
53K1530SSTW	102
53K1533SSTW	102
53K1536OS	116
53K1536SS	99, 116
53K1536SSTW	102
53K1538BCHL	108
53K1538BCHLG	108
53K1538BCHLG2	108
53K1538BCHR	108
53K1538BCHRG	108
53K1538BCHRG2	108
53K1538BCO	107
53K1538BCSHL	109
53K1538BCSHLG2	109
53K1538BCSHR	109
53K1538BCSHRG2	109
53K16108CPT	97
53K163015BCO	94
53K163022BCO	94
53K1630CPT	97
53K1630PC	98
53K163615BCO	94
53K163622BCO	94
53K1636CPT	97
53K1636PC	98
53K1660CPT	97
53K1666CPT	97
53K1672CPT	97
53K1690CPT	97
53K1714T	109
53K1828MPH	82
53K1838BCHL	108
53K1838BCHLG	108
53K1838BCHLG2	108
53K1838BCHR	108
53K1838BCHRG	108
53K1838BCHRG2	108
53K1838BCO	107
53K1838BCSHL	109
53K1838BCSHLG	109
53K1838BCSHLG2	109
53K1838BCSHR	109
53K1838BCSHRG	109
53K1838BCSHRG2	109
53K1867VWHL	121
53K1867VWHR	121
53K2218CDW	66
53K2230CDW	66
53K2236CDW	66
53K2330OS	99
53K2330SS	99
53K2336OS	99
53K2336SS	99
53K2405EPT	88
53K2406WSD	89
53K24102WSS	74
53K24108CPT	97
53K24108WSS	74
53K2411EPT	88
53K24120WSS	74
53K2412WSS	89
53K2428MPH	82
53K2428SLUSAP	91
53K2428ST	87
53K243015BCO	94
53K243022BCO	94
53K2430CPT	97
53K2430PC	98
53K2430WSS	74
53K243615BCO	94
53K243622BCO	94
53K2436CPT	97
53K2436PC	98
53K2436TBTFMP	130
53K2436WBS	48, 49
53K2436WSS	74
53K2442TBCFEP	132
53K2442TBTFMP	130
53K2442TBTFRP	131
53K2442WBAE	51
53K2442WBS	48, 49
53K2442WBU	54
53K2442WSS	74
53K2448TBCFEP	132
53K2448TBLFP	133
53K2448TBTFMP	130
53K2448TBTFRP	131
53K2448TBYFP	133
53K2448WBAE	51
53K2448WBL	56, 57
53K2448WBS	48, 49
53K2448WBU	54
53K2448WBY	56, 57
53K2448WSS	74
53K2454TBCFEP	132
53K2454TBTFMP	130
53K2454TBTFRP	131
53K2454WBAE	51
53K2454WBS	48, 49
53K2454WBU	54
53K2454WSS	74
53K2460CPT	97
53K2460TBCFEP	132
53K2460TBTFMP	130
53K2460TBTFRP	131
53K2460WBAE	51
53K2460WBS	48, 49
53K2460WBU	54
53K2460WSS	74
53K2466CPT	97
53K2466TBTFMP	130
53K2466TBTFRP	131
53K2466WBAE	51
53K2466WBS	48, 49
53K2466WBU	54
53K2466WSS	74
53K2472CPT	97
53K2472TBTFMP	130
53K2472TBTFRP	131
53K2472WBAE	51
53K2472WBS	48, 49
53K2472WBU	54
53K2472WSS	74
53K2478TBTFMP	130
53K2478TBTFRP	131
53K2478WBAE	51
53K2478WBS	48, 49
53K2478WBU	54
53K2478WSS	74
53K2484TBTFMP	130
53K2484TBTFRP	131
53K2484WBAE	51
53K2484WBS	48, 49
53K2484WBU	54
53K2484WSS	74
53K2490CPT	97
53K2490TBTFMP	130
53K2490TBTFRP	131
53K2490WBAE	51
53K2490WBS	48, 49
53K2490WBU	54
53K2490WSS	74
53K2496TBTFMP	130
53K2496WBS	48, 49
53K2496WSS	74
53K25102WSS	75
53K25108WSS	75
53K25120WSS	75
53K2530WSS	75
53K2536WSS	75
53K2536WSSB	75
53K2536WSSR	75
53K2542WSS	75
53K2542WSSB	75
53K2542WSSR	75
53K2548WSS	75
53K2548WSSB	75
53K2548WSSR	75
53K2554WSS	75
53K2560WSS	75
53K2566WSS	75
53K2572WSS	75
53K2578WSS	75
53K2584WSS	75
53K2590WSS	75
53K2596WSS	75
53K2626BSFP	128
53K2626BSGMP	129
53K26BRFP	128
53K26BRGMP	129
53K3005EPT	88
53K3011EPT	88
53K3016SOS	101
53K3019SOH	104
53K3028EP	87
53K3028MPH	82
53K3028SLUSAP	91
53K3028ST	87
53K3036WBS	48, 49
53K3038BCH	108
53K3038BCHG	108
53K3038BCHG2	108
53K3038BCO	107
53K3042WBAE	51
53K3042WBS	48, 49
53K3042WBU	54
53K3048TBLFP	133
53K3048TBYFP	133
53K3048WBAE	51
53K3048WBL	56, 57
53K3048WBS	48, 49
53K3048WBU	54
53K3048WBY	56, 57
53K3054WBAE	51
53K3054WBS	48, 49
53K3054WBU	54
53K3060WBAE	51
53K3060WBS	48, 49
53K3060WBU	54
53K3060WSS	72
53K3066WBAE	51
53K3066WBS	48, 49
53K3066WBU	54
53K3066WSS	72
53K3066WSU	73
53K3067VWHLOS	121
53K3067VWHROS	121
53K3072WBAE	51
53K3072WBS	48, 49
53K3072WBU	54
53K3072WSPL	73
53K3072WSPR	73
53K3078WBAE	51
53K3078WBS	48, 49
53K3078WBU	54
53K3084WBAE	51
53K3084WBS	48, 49
53K3084WBU	54
53K3090WBAE	51
53K3090WBS	48, 49
53K3090WBU	54
53K3096WBS	48, 49
53K3260WSS	72
53K3266WSS	72
53K3266WSU	73
53K3272WSPL	73
53K3272WSPR	73
53K3605EPT	88
53K3609MPHG	127
53K3611EPT	88
53K3616SOS	101
53K3619SOH	104
53K3621BPLF	116

Model Number Index

continued

Terms & Conditions	➤See page 161
Product Warranty	163
Operating Load Capacities	164
Filing Capabilities	165

Model	➤See page
53K3622BPLF	116
53K3628BCOF	125
53K3628BCOSSF	124
53K3628EP	87
53K3628MPH	82
53K3628SLUSAP	91
53K3628ST	87
53K3636SL	86
53K3636SQ	126
53K3636WBS	48, 49
53K3636WSCC	76
53K3638BCH	108
53K3638BCHG	108
53K3638BCHG2	108
53K3638BCO	107
53K3640BCOF	125
53K3642BCSUSS	123
53K3642WBAE	51
53K3642WBS	48, 49
53K3642WBU	54
53K3648WBAE	51
53K3648WBS	48, 49
53K3648WBU	54
53K3650BCSUSS	123
53K3653BCOF	125
53K3654WBAE	51
53K3654WBS	48, 49
53K3654WBU	54
53K3660WBAE	51
53K3660WBS	48, 49
53K3660WBU	54
53K3666WBAE	51
53K3666WBS	48, 49
53K3666WBU	54
53K3667BCOF	125
53K3667BCOSSF	124
53K3667VHH	122
53K3672RC	127
53K3672WBAE	51
53K3672WBEL	55
53K3672WBER	55
53K3672WBS	48, 49
53K3672WBU	54
53K3672WBW	52
53K3672WSA	72
53K3672WSS	72
53K3672WSU	73
53K3678WBAE	51
53K3678WBS	48, 49
53K3678WBU	54
53K3680BCOSSF	124
53K3684BCOSSF	124
53K3684WBAE	51
53K3684WBS	48, 49
53K3684WBU	54
53K3684WSU	73
53K3690WBAE	51
53K3690WBS	48, 49
53K3690WBU	54
53K3696WBS	48, 49
53K36RD	126
53K3737WSCC	76
53K3872WSAS	72
53K3872WSS	72
53K3872WSU	73
53K3884WSU	73
53K4072WSEL	127
53K4228MPH	82
53K4242SL	86
53K4242SQ	126
53K4242WSCC	76
53K4272WSA	72
53K4272WSAS	72
53K4278WBV	53
53K42RD	126
53K4343WSCC	76
53K4806MPCSW	100
53K48120WBS	50
53K4812MPCSW	100
53K48144WBS	50
53K4816SOS	101
53K4819SOH	104
53K4828MPH	82
53K4848SQ	126
53K4848WBS	50
53K4854WBS	50
53K4860WBS	50
53K4866WBS	50
53K4872WBS	50
53K4878WBS	50
53K4884WBS	50
53K4890WBS	50
53K4896WBS	50
53K48RD	126
53K5009MPHG	83
53K5028MPH	83
53K5309MPHG	83
53K5328MPH	83
53K5428MPH	82
53K6006MPCSW	100
53K6012MPCSW	100
53K60144WBS	50
53K6016SOS	101
53K6019SOH	104
53K6032HBSF	103
53K6038HBH	105
53K6038HBHG	105
53K6038HBHG2	105
53K6038HBS	103
53K6060SQ	126
53K6060WBS	50
53K6066WBS	50
53K6072WBS	50
53K6078WBS	50
53K6084WBS	50
53K6090WBS	50
53K6096WBS	50
53K60RD	126
53K6509MPHG	83
53K6528MPH	83
53K6616SOS	101
53K6619SOH	104
53K6632HBSF	103
53K6638HBH	105
53K6638HBHG	105
53K6638HBHG2	105
53K6638HBS	103
53K7216SOS	101
53K7219SOH	104
53K7232HBSF	103
53K7238HBH	105
53K7238HBHG	105
53K7238HBHG2	105
53K7238HBS	103
53K9038HBH	105
53K9038HBHG	105
53K9038HBHG2	105
53K9038HBS	103
53K9638HBH	105
53K9638HBHG	105
53K9638HBHG2	105
53K9638HBS	103
53KE1542VBFFF	117
53KE1542VWHLBBFF	120
53KE1542VWHLFFF	120
53KE1542VWHRBBFF	120
53KE1542VWHRFFF	120
53KE1550VBFFF	117
53KE1550VWHLBBFF	120
53KE1550VWHLFFF	120
53KE1550VWHRBBFF	120
53KE1550VWHRFFF	120
53KE1567VBFF	117
53KE1567VWHLBBF	120
53KE1567VWHLFF	120
53KE1567VWHRBBF	120
53KE1567VWHRFF	120
53KE163015LF1	96
53KE163015LFM1	96
53KE163022PFBLF	95
53KE163022PFOLF	96
53KE163022PMOLF	96
53KE163615LF1	96
53KE163615LFM1	96
53KE163622PFBLF	95
53KE163622PFOLF	96
53KE163622PMOLF	96
53KE2024CDL	66
53KE2215PMAFL	93
53KE2215PMAFW	93
53KE2325MPT	82
53KE2415PMBBFL	93
53KE2415PMBBFW	93
53KE2415PMBFCL	93
53KE2415PMBFCW	93
53KE2415PMFFL	93
53KE2415PMFFW	93
53KE2415PUBBF	78
53KE2415PUBBFS	60
53KE2415PUFF	78
53KE2415PUFFS	60
53KE2415SESL	85
53KE2415SESR	85
53KE2418PUBBF	78
53KE2418PUFF	78
53KE2418SESL	85
53KE2418SESR	85
53KE2425MPT	82
53KE243015LF1	96
53KE243015LFM1	96
53KE243022PFBLF	95
53KE243022PFOLF	96
53KE243022PMOLF	96
53KE2430BEF	68
53KE2430LFF2	81
53KE2430LFF3	81
53KE2430LFF4	81
53KE2430LFM2	79
53KE2430LFM2S	60
53KE2430LFM3	80
53KE2430LFM4	80
53KE2430PUBBFL	79
53KE2430PUBBR	79
53KE2430PUH	79
53KE243615LF1	96
53KE243615LFM1	96
53KE243622PFBLF	95
53KE243622PFOLF	96
53KE243622PMOLF	96
53KE2436BEF	68
53KE2436LFF2	81
53KE2436LFF3	81
53KE2436LFF4	81
53KE2436LFM2	79
53KE2436LFM3	80
53KE2436LFM4	80
53KE2436PUBBFL	79
53KE2436PUBBR	79
53KE2436PUH	79
53KE2436PUPU	79
53KE2442BEF	68
53KE2442RLEF	67
53KE2442RREF	67
53KE2442VBWHLBBFF	119
53KE2442VBWHLFFF	119
53KE2442VBWHRBBFF	119
53KE2442VBWHRFFF	119
53KE2442VWHLBBFF	118
53KE2442VWHLFFF	118
53KE2442VWHRBBFF	118
53KE2442VWHRFFF	118
53KE2448BEF	68
53KE2448RLEF	67
53KE2448RREF	67
53KE2450VBWHLBBFF	119
53KE2450VBWHLFFF	119
53KE2450VBWHRBBFF	119
53KE2450VBWHRFFF	119
53KE2450VWHLBBFF	118
53KE2450VWHLFFF	118
53KE2450VWHRBBFF	118
53KE2450VWHRFFF	118
53KE2466CKF	69
53KE2466CLF	70
53KE2466CRF	70
53KE2466CSF	69
53KE2466RLEF	67
53KE2466RREF	67
53KE2467VBWHLBBF	119
53KE2467VBWHLFF	119
53KE2467VBWHRBBF	119
53KE2467VBWHRFF	119

Terms & Conditions ➤See page 161
Product Warranty 163
Operating Load Capacities 164
Filing Capabilities 165

Model	➤See page
53KE2467VWHLBBF	118
53KE2467VWHLFF	118
53KE2467VWHRBBF	118
53KE2467VWHRFF	118
53KE2472CKF	69
53KE2472CLF	70
53KE2472CRF	70
53KE2472CSF	69
53KE2530BEF	68
53KE2530LFF2	81
53KE2530LFF3	81
53KE2530LFF4	81
53KE2536BEF	68
53KE2536LFF2	81
53KE2536LFF3	81
53KE2536LFF4	81
53KE2542BEF	68
53KE2542RLEF	67
53KE2542RREF	67
53KE2548BEF	68
53KE2548RLEF	67
53KE2566CKF	69
53KE2566CLF	70
53KE2566CRF	70
53KE2566CSF	69
53KE2566RLEF	67
53KE2566RREF	67
53KE2572CKF	69
53KE2572CLF	70
53KE2572CRF	70
53KE2572CSF	69
53KE2625MPT	82
53KE2725MPT	82
53KE2825MPT	82
53KE2925MPT	82
53KE3015PUBBF	78
53KE3015PUBBFS	60
53KE3015PUFF	78
53KE3015PUFFS	60
53KE3015SESL	84
53KE3015SESR	84
53KE3018PUBBF	78

Model	➤See page
53KE3018PUFF	78
53KE3018SESL	84
53KE3018SESR	84
53KE3025MPT	82
53KE3050SDHBFLP	110
53KE3050SDHBFRP	110
53KE3060DDFB	62
53KE3060DDFBA	62
53KE3066DDFB	62
53KE3066DLFB	63
53KE3066DLFBA	64
53KE3066DRFB	63
53KE3066DRFBA	64
53KE3067VHF2	122
53KE3072DDFB	62
53KE3225MPT	82
53KE3260DDFB	62
53KE3260DDFBA	62
53KE3266DDFB	62
53KE3266DLFB	63
53KE3266DLFBA	64
53KE3266DRFB	63
53KE3266DRFBA	64
53KE3272DDFB	62
53KE3425MPT	82
53KE3615PUBBFS	60
53KE3615PUFFS	60
53KE3618PUBBF	78
53KE3618PUFF	78
53KE3618SESL	84
53KE3618SESR	84
53KE3625MPT	82
53KE3650LFFOFF	111
53KE3650LFFOPF	111
53KE3667LFFOHFF	114
53KE3667LFFOHFFG2	115
53KE3667LFFOHPF	114
53KE3667LFFOHPFG2	115
53KE3667LFFOSFF	112
53KE3667LFFOSFFG2	113
53KE3667LFFOSPF	112
53KE3667LFFOSPFG2	113

Model	➤See page
53KE3667VHF2	122
53KE3672DDFB	62
53KE3672DDFBA	62
53KE3672DLFB	63
53KE3672DLFBA	64
53KE3672DRFB	63
53KE3672DRFBA	64
53KE3680LFFOHFF	114
53KE3680LFFOHFFG2	115
53KE3680LFFOHPF	114
53KE3680LFFOHPFG2	115
53KE3680LFFOSFF	112
53KE3680LFFOSFFG2	113
53KE3680LFFOSPF	112
53KE3680LFFOSPFG2	113
53KE3872DDFB	62
53KE3872DDFBA	62
53KE3872DLFB	63
53KE3872DLFBA	64
53KE3872DRFB	63
53KE3872DRFBA	64
53KE4025MPT	82
53KE4225MPT	82
53KE4272DLFEB	65
53KE4272DRFEB	65
53KE4472DLFEB	65
53KE4472DRFEB	65
53KE4625MPT	82
53KE4815PUD1	61
53KE4815PUD2	61
53KE4815PUD8	61
53KE5015PUD1S	61
53KE5015PUD2S	61
53KE5015PUD8S	61
53KE6015PUD1	61
53KE6015PUD2	61
53KE6015PUD8	61
53KE6215PUD1S	61
53KE6215PUD2S	61
53KE6215PUD8S	61
53KEPSBP	60, 61, 100
53KSSDPP	61

Model	➤See page
AB2802BC	128
CBM2803CA2	129
CBS2716CY	128
KAC2804SFBP	90
KAC2804SSFP	90
KAC2806SFB2	90
KAC2812SHB2	90
KAC4616TBK	106
KAC4916TBK	106
KAC5216TBK	106
KAC5813SW	106
KAC5816TBK	106
KAC6413SW	106
KAC6416TBK	106
KAC7013SW	106
KAC7016TBK	106
KAC8816TBK	106
KACGB1	134
KC2GMK	160
KCCB***	160
KCCB1CK	160
KCCG***	160

Notes

PRIORITY™ Double Pedestal Desks Arc Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE3060DDFBAW8	PRIORITY,DESK,DOUBLE PEDESTAL,ARC,WOOD,BBF/FF	--	--	--	2397
53KE3672DDFBAW8	PRIORITY,DESK,DOUBLE PEDESTAL,ARC,WOOD,BBF/FF	--	--	--	2768
53KE3260DDFBAW8	PRIORITY,DESK,DOUBLE PEDESTAL,ARC,WOOD,BBF/FF,KNIFE	--	--	--	2522
53KE3872DDFBAW8	PRIORITY,DESK,DOUBLE PEDESTAL,ARC,WOOD,BBF/FF	--	--	--	2913
53KE3060DDFBALW8	PRIORITY,DESK,DOUBLE PEDESTAL,ARC,LAMINATE/WOOD,BBF/FF	--	--	2397	--
53KE3260DDFBALW8	PRIORITY,DOUBLE PEDESTAL,ARC,LAMINATE/WOOD,BBF/FF,KNIFE	--	--	2522	--
53KE3672DDFBALW8	PRIORITY,DESK,DOUBLE PEDESTAL,ARC,LAMINATE/WOOD,BBF/FF	--	--	2768	--
53KE3872DDFBALW8	PRIORITY,DESK,DOUBLE PEDESTAL,ARC,LAMINATE/WOOD,BBF/FF	--	--	2913	--

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Double Pedestal Desks Rectangle Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE3060DDFBW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,WOOD,BBF/FF	--	--	--	2348
53KE3066DDFBW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,WOOD,BBF/FF	--	--	--	2464
53KE3072DDFBW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,WOOD,BBF/FF	--	--	--	2585
53KE3672DDFBW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,WOOD,BBF/FF	--	--	--	2712
53KE3260DDFBW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,WOOD,BBF/FF,KNIFE	--	--	--	2471
53KE3266DDFBW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,WOOD,BBF/FF	--	--	--	2592
53KE3272DDFBW8	PRIORITY,DESK,DBL PEDESTAL,RECTANGLE,WOOD,BBF/FF	--	--	--	2720
53KE3872DDFBW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,WOOD,BBF/FF	--	--	--	2853
53KE3060DDFBLW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,LAM/WOOD,BBF/FF	--	--	2348	--
53KE3066DDFBLW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,LAM/WOOD,BBF/FF	--	--	2464	--
53KE3072DDFBLW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,LAM/WOOD,BBF/FF	--	--	2585	--
53KE3672DDFBLW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,LAM/WOOD,BBF/FF	--	--	2712	--
53KE3260DDFBLW8	PRIORITY,DESK,DOUBLE,RECTANGLE,LAMINATE/WOOD,BBF/FF,KNIFE	--	--	2471	--
53KE3266DDFBLW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,LAM/WOOD,BBF/FF	--	--	2592	--

PRIORITY™ Double Pedestal Desks Rectangle Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE3272DDFBLW8	PRIORITY,DESK,DBL PEDESTAL,RECTANGLE,LAMINATE/WOOD,BBF/FF	--	--	2720	--
53KE3872DDFBLW8	PRIORITY,DESK,DOUBLE PEDESTAL,RECTANGLE,LAM/WOOD,BBF/FF	--	--	2853	--

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Single-Pedestal Desks Arc Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE3060DRFBALL1	PRIORITY,DESK,SGL PED,ARC,RH,LA,BBF(TFL)	1437	--	--	--
53KE3072DRFBALL1	PRIORITY,DESK,SGL PED,ARC,RH,LA,BBF(TFL)	1497	--	--	--
53KE3060DLFBALL1	PRIORITY,DESK,SGL PED,ARC,LH,LA,BBF(TFL)	1437	--	--	--
53KE3072DLFBALL1	PRIORITY,DESK,SGL PED,ARC,LH,LA,BBF(TFL)	1497	--	--	--
53KE3060DRFBAL1	PRIORITY,DESK,SGL PED,ARC,RH,LAMINATE,BBF	--	1610	--	--
53KE3072DRFBAL1	PRIORITY,DESK,SGL PED,ARC,RH,LAMINATE,BBF	--	1692	--	--
53KE3060DLFBAL1	PRIORITY,DESK,SGL PED,ARC,LH,LAMINATE,BBF	--	1610	--	--
53KE3072DLFBAL1	PRIORITY,DESK,SGL PED,ARC,LH,LAMINATE,BBF	--	1692	--	--
53KE3060DRFBAW1	PRIORITY,DESK,SGL PED,ARC,RH,WOOD,BBF	--	--	--	2303
53KE3072DRFBAW1	PRIORITY,DESK,SGL PED,ARC,RH,WOOD,BBF	--	--	--	2538
53KE3060DLFBAW1	PRIORITY,DESK,SGL PED,ARC,LH,WOOD,BBF	--	--	--	2303
53KE3072DLFBAW1	PRIORITY,DESK,SGL PED,ARC,LH,WOOD,BBF	--	--	--	2538
53KE3260DRFBAW1	PRIORITY,DESK,SGL PED,ARC,RH,WOOD,BBF	--	--	--	2418
53KE3272DRFBAW1	PRIORITY,DESK,SGL PED,ARC,RH,WOOD,BBF	--	--	--	2665
53KE3260DLFBAW1	PRIORITY,DESK,SGL PED,ARC,LH,WOOD,BBF	--	--	--	2418
53KE3272DLFBAW1	PRIORITY,DESK,SGL PED,ARC,LH,WOOD,BBF	--	--	--	2665
53KE3060DRFBALW1	PRIORITY,DESK,SGL PED,ARC,RH,LAMINATE/WOOD,BBF	--	--	2303	--
53KE3072DRFBALW1	PRIORITY,DESK,SGL PED,ARC,RH,LAMINATE/WOOD,BBF	--	--	2538	--
53KE3060DLFBALW1	PRIORITY,DESK,SGL PED,ARC,LH,LAMINATE/WOOD,BBF	--	--	2303	--
53KE3072DLFBALW1	PRIORITY,DESK,SGL PED,ARC,LH,LAMINATE/WOOD,BBF	--	--	2538	--

PRIORITY™ Single-Pedestal Desks Arc Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE3260DRFBALW1	PRIORITY,DESK,SGL PED,ARC,RH,LAMINATE/WOOD,BBF	--	--	2418	--
53KE3272DRFBALW1	PRIORITY,DESK,SGL PED,ARC,RH,LAMINATE/WOOD,BBF	--	--	2665	--
53KE3260DLFBALW1	PRIORITY,DESK,SGL PED,ARC,LH,LAMINATE/WOOD,BBF	--	--	2418	--
53KE3272DLFBALW1	PRIORITY,DESK,SGL PED,ARC,LH,LAMINATE/WOOD,BBF	--	--	2665	--

Options:

	X = Non-locking
	KS = Key specific (+$37); specify lock core separately
	KRB = Key random, black lock core (+$62)
Lock option:	KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Single-Pedestal Desks Rectangle Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE3060DRFBLL1	PRIORITY,DESK,SGL PED,RECT,RH,LA,BBF(TFL)	1409	--	--	--
53KE3072DRFBLL1	PRIORITY,DESK,SGL PED,RECT,RH,LA,BBF(TFL)	1468	--	--	--
53KE3060DLFBLL1	PRIORITY,DESK,SGL PED,RECT,LH,LA,BBF(TFL)	1409	--	--	--
53KE3072DLFBLL1	PRIORITY,DESK,SGL PED,RECT,LH,LA,BBF(TFL)	1468	--	--	--
53KE3060DRFBL1	PRIORITY,DESK,SGL PED,RECT,RH,LAMINATE,BBF	--	1578	--	--
53KE3072DRFBL1	PRIORITY,DESK,SGL PED,RECT,RH,LAMINATE,BBF	--	1622	--	--
53KE3060DLFBL1	PRIORITY,DESK,SGL PED,RECT,LH,LAMINATE,BBF	--	1578	--	--
53KE3072DLFBL1	PRIORITY,DESK,SGL PED,RECT,LH,LAMINATE,BBF	--	1622	--	--
53KE3060DRFBW1	PRIORITY,DESK,SGL PED,RECT,RH,WOOD,BBF	--	--	--	2258
53KE3072DRFBW1	PRIORITY,DESK,SGL PED,RECT,RH,WOOD,BBF	--	--	--	2488
53KE3060DLFBW1	PRIORITY,DESK,SGL PED,RECT,LH,WOOD,BBF	--	--	--	2258
53KE3072DLFBW1	PRIORITY,DESK,SGL PED,RECT,LH,WOOD,BBF	--	--	--	2488
53KE3260DRFBW1	PRIORITY,DESK,SGL PED,RECT,RH,WOOD,BBF	--	--	--	2371
53KE3272DRFBW1	PRIORITY,DESK,SGL PED,RECT,RH,WOOD,BBF	--	--	--	2613
53KE3260DLFBW1	PRIORITY,DESK,SGL PED,RECT,LH,WOOD,BBF	--	--	--	2371
53KE3272DLFBW1	PRIORITY,DESK,SGL PED,RECT,LH,WOOD,BBF	--	--	--	2613
53KE3060DRFBLW1	PRIORITY,DESK,SGL PED,RECT,RH,LAMINATE/WOOD,BBF	--	--	2258	--

PRIORITY™ Single-Pedestal Desks Rectangle Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE3072DRFBLW1	PRIORITY,DESK,SGL PED,RECT,RH,LAMINATE/WOOD,BBF	--	--	2488	--
53KE3060DLFBLW1	PRIORITY,DESK,SGL PED,RECT,LH,LAMINATE/WOOD,BBF	--	--	2258	--
53KE3072DLFBLW1	PRIORITY,DESK,SGL PED,RECT,LH,LAMINATE/WOOD,BBF	--	--	2488	--
53KE3260DRFBLW1	PRIORITY,DESK,SGL PED,RECT,RH,LAMINATE/WOOD,BBF	--	--	2371	--
53KE3272DRFBLW1	PRIORITY,DESK,SGL PED,RECT,RH,LAMINATE/WOOD,BBF	--	--	2613	--
53KE3260DLFBLW1	PRIORITY,DESK,SGL PED,RECT,LH,LAMINATE/WOOD,BBF	--	--	2371	--
53KE3272DLFBLW1	PRIORITY,DESK,SGL PED,RECT,LH,LAMINATE/WOOD,BBF	--	--	2613	--

Options:

	X = Non-locking
	KS = Key specific (+$37); specify lock core separately
	KRB = Key random, black lock core (+$62)
Lock option:	KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Single-Pedestal Cock Pit Desks Arc Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE4872DRCFBALL1	PRIORITY,DSK,SGL PD,ARC, CP,RH,LA,BBF-TFL	2236	--	--	--
53KE4872DLCFBALL1	PRIORITY,DSK,SGL PD,ARC, CP,LH,LA,BBF-TFL	2236	--	--	--
53KE4872DRCFBAL1	PRIORITY,DSK,SGL PED,ARC,COCKPT,RH,LA,BBF	--	2504	--	--
53KE4872DLCFBAL1	PRIORITY,DSK,SGL PED,ARC,COCKPT,LH,LA,BBF	--	2504	--	--
53KE4872DRCFBAW1	PRIORITY,DSK,SGL PED,ARC,COCKPT,RH,WOOD,BBF	--	--	--	3274
53KE5072DRCFBAW1	PRIORITY,DSK,SGL PED,ARC,COCKPT,RH,WOOD,BBF	--	--	--	3359
53KE4872DLCFBAW1	PRIORITY,DSK,SGL PED,ARC,COCKPT,LH,WOOD,BBF	--	--	--	3274
53KE5072DLCFBAW1	PRIORITY,DSK,SGL PED,ARC,COCKPT,LH,WOOD,BBF	--	--	--	3359
53KE4872DRCFBALW1	PRIORITY,DSK,SGL PED,ARC,CP,RH,LAMINATE/WOOD,BBF	--	--	3274	--
53KE5072DRCFBALW1	PRIORITY,DSK,SGL PED,ARC,CP,RH,LAMINATE/WOOD,BBF	--	--	3359	--
53KE4872DLCFBALW1	PRIORITY,DSK,SGL PED,ARC,CP,LH,LAMINATE/WOOD,BBF	--	--	3274	--
53KE5072DLCFBALW1	PRIORITY,DSK,SGL PED,ARC,CP,LH,LAMINATE/WOOD,BBF	--	--	3359	--

Options:

	X = Non-locking
	KS = Key specific (+$37); specify lock core separately
	KRB = Key random, black lock core (+$62)
Lock option:	KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Single-Pedestal Cock Pit Desks Rectangle Top

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE4872DRCFBLL1	PRIORITY,DSK,SGL PD,REC, CP,RH,LA,BBF-TFL	2172	--	--	--
53KE4872DLCFBLL1	PRIORITY,DSK,SGL PD,REC, CP,LH,LA,BBF-TFL	2172	--	--	--
53KE4872DRCFBL1	PRIORITY,DSK,SGL PED,RECT,CP,RH,LAMINATE,BBF	--	2433	--	--
53KE4872DLCFBL1	PRIORITY,DSK,SGL PED,RECT,CP,LH,LAMINATE,BBF	--	2433	--	--
53KE4872DRCFBW1	PRIORITY,DSK,SGL PED,RECT,CP,RH,WOOD,BBF	--	--	--	3199
53KE5072DRCFBW1	PRIORITY,DSK,SGL PED,RECT,CP,RH,WOOD,BBF	--	--	--	3359
53KE4872DLCFBW1	PRIORITY,DSK,SGL PED,RECT,CP,LH,WOOD,BBF	--	--	--	3199
53KE5072DLCFBW1	PRIORITY,DSK,SGL PED,RECT,CP,LH,WOOD,BBF	--	--	--	3359
53KE4872DRCFBLW1	PRIORITY,DSK,SGL PED,RECT,CP,RH,LA/WOOD,BBF	--	--	3199	--
53KE5072DRCFBLW1	PRIORITY,DSK,SGL PD,RECT,CP,RH,LAMINATE/WOOD,BBF	--	--	3359	--
53KE4872DLCFBLW1	PRIORITY,DSK,SGL PED,RECT,CP,LH,LA/WOOD,BBF	--	--	3199	--
53KE5072DLCFBLW1	PRIORITY,DSK,SGL PD,RECT,CP,LH,LAMINATE/WOOD,BBF	--	--	3359	--

Options:

	X = Non-locking
	KS = Key specific (+$37); specify lock core separately
	KRB = Key random, black lock core (+$62)
Lock option:	KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Executive Returns

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE2442RREFW2	PRIORITY,RETURN,RIGHT,WOOD,FF	--	--	--	1524
53KE2542RREFW2	PRIORITY,RETURN,RIGHT,WOOD,FF	--	--	--	1603
53KE2442RLEFW2	PRIORITY,RETURN,LEFT,WOOD,FF	--	--	--	1524
53KE2542RLEFW2	PRIORITY,RETURN,LEFT,WOOD,FF	--	--	--	1603
53KE2442RREFLW2	PRIORITY,RETURN,RIGHT,LAMINATE/WOOD,FF	--	--	1524	--
53KE2542RREFLW2	PRIORITY,RETURN,RIGHT,LAMINATE/WOOD,FF	--	--	1603	--
53KE2442RLEFLW2	PRIORITY,RETURN,LEFT,LAMINATE/WOOD,FF	--	--	1524	--
53KE2542RLEFLW2	PRIORITY,RETURN,LEFT,LAMINATE/WOOD,FF	--	--	1603	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Bridges

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE2430BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	475
53KE2436BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	498
53KE2442BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	521
53KE2448BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	543
53KE2530BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	513
53KE2536BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	538
53KE2542BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	563
53KE2548BEFW	PRIORITY,BRIDGE,MODESTY PANEL,WOOD	--	--	--	586
53KE2430BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	475	--
53KE2436BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	498	--
53KE2442BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	521	--
53KE2448BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	543	--
53KE2530BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	513	--
53KE2536BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	538	--
53KE2542BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	563	--
53KE2548BEFLW	PRIORITY,BRIDGE,MODESTY PANEL,LAMINATE/WOOD	--	--	586	--

Options:

Modesty panel grommet option:	X = No grommet MG1MB = Center top (+$59); matte black
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Cockpit Corner Unit

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K4848CCFBLL	PRIORITY,CORNER COCKPIT UNIT,LAMINATE(TFL)	1693	--	--	--
53K4848CCLL	PRIORITY,CORNER COCKPIT UNIT,LAMINATE(TFL)	1693	--	--	--
53K4848CCFBL	PRIORITY,CORNER COCKPIT UNIT,LAMINATE	--	1896	--	--
53K4848CCL	PRIORITY,CORNER COCKPIT UNIT,LAMINATE	--	1896	--	--
53K4848CCFBW	PRIORITY,CORNER COCKPIT UNIT,WOOD	--	--	--	2139
53K4848CCW	PRIORITY,CORNER COCKPIT UNIT,WOOD	--	--	--	2139
53K4949CCFBLW	PRIORITY,CRNR COCKPIT,FRT-BK GRN,LT,WOOD	--	--	--	2246
53K4949CCFBRW	PRIORITY,CRNR COCKPIT,FRT-BK GRN, RT,WOOD	--	--	--	2246
53K4949CCLW	PRIORITY,CORNER COCKPIT,LEFT,WOOD	--	--	--	2246
53K4949CCRW	PRIORITY,CORNER COCKPIT,RIGHT,WOOD	--	--	--	2246
53K4848CCFBLW	PRIORITY,CORNER COCKPIT UNIT,LAMINATE/WOOD	--	--	2139	--
53K4848CCLW	PRIORITY,CORNER COCKPIT UNIT,LAMINATE/WOOD	--	--	2139	--
53K4949CCFBLLW	PRIORITY,CRNR COCKPT,FRT-BK GRN,LT,LM/WOOD	--	--	2246	--
53K4949CCFBRLW	PRIORITY,CRNR COCKPT,FRT-BK GRN,RT,LM/WOOD	--	--	2246	--
53K4949CCLLW	PRIORITY,CORNER COCKPIT,LEFT,LAMINATE/WOOD	--	--	2246	--
53K4949CCRLW	PRIORITY,CORNER COCKPIT,RGHT,LAMINATE/WOOD	--	--	2246	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Credenzas - Kneespace and Storage

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE2466CKFW2	PRIORITY,CREDENZA,KNEESPACE,WOOD,FF/FF	--	--	--	2331
53KE2472CKFW2	PRIORITY,CREDENZA,KNEESPACE,WOOD,FF/FF	--	--	--	2337
53KE2566CKFW2	PRIORITY,CREDENZA,KNEESPACE,WOOD,FF/FF	--	--	--	2454
53KE2572CKFW2	PRIORITY,CREDENZA,KNEESPACE,WOOD,FF/FF	--	--	--	2460
53KE2466CRFW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,RIGHT,WOOD,FF	--	--	--	1683
53KE2472CRFW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,RIGHT,WOOD,FF	--	--	--	1765
53KE2566CRFW2	PRIORITY,CREDENZA,SGL PEDESTAL,RIGHT,WOOD,FF	--	--	--	1770
53KE2572CRFW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,RIGHT,WOOD,FF	--	--	--	1856
53KE2466CLFW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,LEFT,WOOD,FF	--	--	--	1683
53KE2472CLFW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,LEFT,WOOD,FF	--	--	--	1765
53KE2566CLFW2	PRIORITY,CREDENZA,SGL PEDESTAL,LEFT,WOOD,FF	--	--	--	1770
53KE2572CLFW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,LEFT,WOOD,FF	--	--	--	1856
53KE2472CRFW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,RH,WOOD,LATERAL FILE	--	--	--	2060
53KE2572CRFW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,RH,WOOD,LATERAL FILE	--	--	--	2166
53KE2472CLFW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,LH,WOOD,LATERAL FILE	--	--	--	2060
53KE2572CLFW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,LEFT,WOOD,LATERAL FILE	--	--	--	2166
53KE2466CKFLW2	PRIORITY,CREDENZA,KNEESPACE,LAMINATE/WOOD,FF/FF	--	--	2331	--
53KE2472CKFLW2	PRIORITY,CREDENZA,KNEESPACE,LAMINATE/WOOD,FF/FF	--	--	2337	--
53KE2566CKFLW2	PRIORITY,CREDENZA,KNEESPACE,LAMINATE/WOOD,FF/FF	--	--	2454	--
53KE2572CKFLW2	PRIORITY,CREDENZA,KNEESPACE,LAMINATE/WOOD,FF/FF	--	--	2460	--
53KE2466CRFLW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,RIGHT,LAMINATE/WOOD,FF	--	--	1683	--
53KE2472CRFLW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,RIGHT,LAMINATE/WOOD,FF	--	--	1765	--
53KE2566CRFLW2	PRIORITY,CREDENZA,SGL PEDESTAL,RIGHT,LAMINATE/WOOD,FF	--	--	1770	--
53KE2572CRFLW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,RIGHT,LAMINATE/WOOD,FF	--	--	1856	--
53KE2466CLFLW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,LEFT,LAMINATE/WOOD,FF	--	--	1683	--

PRIORITY™ Credenzas - Kneespace and Storage

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE2472CLFLW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,LEFT,LAMINATE/WOOD,FF	--	--	1765	--
53KE2566CLFLW2	PRIORITY,CREDENZA,SGL PEDESTAL,LEFT,LAMINATE/WOOD,FF	--	--	1770	--
53KE2572CLFLW2	PRIORITY,CREDENZA,SINGLE PEDESTAL,LEFT,LAMINATE/WOOD,FF	--	--	1856	--
53KE2472CRFLW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,RH,LAM/WOOD,LATERAL FILE	--	--	2060	--
53KE2572CRFLW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,RH,LAM/WOOD,LATERAL FILE	--	--	2166	--
53KE2472CLFLW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,LH,LAM/WOOD,LATERAL FILE	--	--	2060	--
53KE2572CLFLW6	PRIORITY,CREDENZA,SINGLE PEDESTAL,LH,LAM/WOOD,LATERAL FILE	--	--	2166	--

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)
Modesty panel grommet option:	X = No grommet MG1MB = Center top (+$59); matte black
Modesty panel option:	X = Fixed modesty panel H = Hinged modesty panel (+$54)

PRIORITY™ Desk Worksurfaces - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K3072WSSLL	PRIORITY,SURFACE,RECT,LAMINATE(TFL)	353	--	--	--
53K3072WSSL	PRIORITY,SURFACE,RECT,LAMINATE	--	467	--	--
53K3072WSSW	PRIORITY,SURFACE,RECTANGULAR,WOOD	--	--	--	649
53K3272WSSW	PRIORITY,SURFACE,RECT,KNIFE RIM,WOOD	--	--	--	714
53K3072WSSLW	PRIORITY,SURFACE,RECT,LAMINATE/WOOD RIM	--	--	649	--
53K3272WSSLW	PRIORITY,SURFACE,RECT,KNF RIM,LAMINATE/WOOD RIM	--	--	714	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Rectangular Cockpit Desk Worksurfaces - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K4872WSSCLLL	PRIORITY,SURF,RECT,COCKPIT,LEFT,LAMINATE(TFL)	561	--	--	--
53K4872WSSCRLL	PRIORITY,SURF,RECT,COCKPIT,RT,LAMINATE(TFL)	561	--	--	--
53K4872WSSCLL	PRIORITY,SURFACE,RECT,COCKPIT,LEFT,LAMINATE	--	658	--	--
53K4872WSSCRL	PRIORITY,SURFACE,RECT,COCKPIT,RIGHT,LAMINATE	--	658	--	--
53K4872WSSCLW	PRIORITY,SURF,RECT,COCKPIT,LEFT,WOOD	--	--	--	954
53K4872WSSCRW	PRIORITY,SURF,RECT,COCKPIT,RIGHT,WOOD	--	--	--	954
53K5072WSSCLW	PRIORITY,SURF,RECT,COCKPIT,LEFT,KNIFE,WOOD	--	--	--	1049
53K5072WSSCRW	PRIORITY,SURF,RECT,COCKPIT,RT,KNIFE,WOOD	--	--	--	1049
53K4872WSSCLLW	PRIORITY,SURF,RECT,COCKPIT,LEFT,LAMINATE/WOOD	--	--	954	--
53K4872WSSCRLW	PRIORITY,SURF,RECT,COCKPIT,RT,LAMINATE/WOOD	--	--	954	--
53K5072WSSCLLW	PRIORITY,SURF,RECT,COCKPIT,LT,KNF,LAMINATE/WOOD	--	--	1049	--
53K5072WSSCRLW	PRIORITY,SURF,RECT,COCKPIT,RT,KNF,LAMINATE/WOOD	--	--	1049	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Arc Cockpit Desk Worksurfaces - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K4872WSACLLL	PRIORITY,SURFACE,ARC,COCKPIT,LT,LAMINATE(TFL)	587	--	--	--
53K4872WSACRLL	PRIORITY,SURFACE,ARC,COCKPIT,RT,LAMINATE(TFL)	587	--	--	--
53K4872WSACLL	PRIORITY,SURFACE,ARC,COCKPIT,LEFT,LAMINATE	--	688	--	--
53K4872WSACRL	PRIORITY,SURFACE,ARC,COCKPIT,RIGHT,LAMINATE	--	688	--	--
53K4872WSACLW	PRIORITY,SURFACE,ARC,COCKPIT,LEFT,WOOD	--	--	--	998
53K4872WSACRW	PRIORITY,SURFACE,ARC,COCKPIT,RIGHT,WOOD	--	--	--	998
53K5072WSACLW	PRIORITY,SURF,ARC,COCKPIT,LEFT,KNIFE,WOOD	--	--	--	1098
53K5072WSACRW	PRIORITY,SURF,ARC,COCKPIT,RIGHT,KNIFE,WOOD	--	--	--	1098
53K4872WSACLLW	PRIORITY,SURFACE,ARC,COCKPIT,LEFT,LAMINATE/WOOD	--	--	998	--
53K4872WSACRLW	PRIORITY,SURFACE,ARC,COCKPIT,RT,LAMINATE/WOOD	--	--	998	--
53K5072WSACLLW	PRIORITY,SURF,ARC,COCKPIT,LT,KNF,LAMINATE/WOOD	--	--	1098	--
53K5072WSACRLW	PRIORITY,SURF,ARC,COCKPIT,RT,KNF,LAMINATE/WOOD	--	--	1098	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Taper Worksurfaces - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K2460WSTPLLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE (TFL)	394	--	--	--
53K2466WSTPLLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE (TFL)	422	--	--	--
53K2472WSTPLLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE (TFL)	449	--	--	--
53K3060WSTPLLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE (TFL)	394	--	--	--
53K3066WSTPLLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE (TFL)	422	--	--	--
53K3072WSTPLLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE (TFL)	449	--	--	--
53K2460WSTPLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE	--	525	--	--
53K2466WSTPLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE	--	563	--	--
53K2472WSTPLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE	--	601	--	--
53K3060WSTPLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE	--	525	--	--
53K3066WSTPLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE	--	563	--	--
53K3072WSTPLL	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE	--	601	--	--
53K2460WSTPLW	PRIORITY,SURFACE,TAPER,LEFT,WOOD	--	--	--	761
53K2466WSTPLW	PRIORITY,SURFACE,TAPER,LEFT,WOOD	--	--	--	816
53K2472WSTPLW	PRIORITY,SURFACE,TAPER,LEFT,WOOD	--	--	--	871
53K2560WSTPLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,WOOD	--	--	--	837
53K2566WSTPLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,WOOD	--	--	--	898

PRIORITY™ Taper Worksurfaces - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K2572WSTPLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,WOOD	--	--	--	959
53K3060WSTPLW	PRIORITY,SURFACE,TAPER,LEFT,WOOD	--	--	--	761
53K3066WSTPLW	PRIORITY,SURFACE,TAPER,LEFT,WOOD	--	--	--	816
53K3072WSTPLW	PRIORITY,SURFACE,TAPER,LEFT,WOOD	--	--	--	871
53K3260WSTPLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,WOOD	--	--	--	837
53K3266WSTPLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,WOOD	--	--	--	898
53K3272WSTPLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,WOOD	--	--	--	959
53K2460WSTPLLW	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE/WOOD	--	--	761	--
53K2466WSTPLLW	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE/WOOD	--	--	816	--
53K2472WSTPLLW	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE/WOOD	--	--	871	--
53K2560WSTPLLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,LAMINATE/WOOD	--	--	837	--
53K2566WSTPLLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,LAMINATE/WOOD	--	--	898	--
53K2572WSTPLLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,LAMINATE/WOOD	--	--	959	--
53K3060WSTPLLW	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE/WOOD	--	--	761	--
53K3066WSTPLLW	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE/WOOD	--	--	816	--
53K3072WSTPLLW	PRIORITY,SURFACE,TAPER,LEFT,LAMINATE/WOOD	--	--	871	--
53K3260WSTPLLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,LAMINATE/WOOD	--	--	838	--
53K3266WSTPLLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,LAMINATE/WOOD	--	--	898	--
53K3272WSTPLLW	PRIORITY,SURF,TAPER,LEFT,KNF RIM,LAMINATE/WOOD	--	--	959	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ U-Shaped Worksurfaces - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K3072WSULL	PRIORITY,SURFACE,U SHAPE,LAMINATE(TFL)	379	--	--	--
53K3072WSUL	PRIORITY,SURFACE,U SHAPE,LAMINATE		523	--	--
53K3072WSUW	PRIORITY,SURFACE,U SHAPE,WOOD	--	--	--	779
53K3272WSUW	PRIORITY,SURFACE,U SHAPE,KNIFE RIM,WOOD	--	--	--	857
53K3072WSULW	PRIORITY,SURFACE,U SHAPE,LAMINATE/WOOD	--	--	779	--
53K3272WSULW	PRIORITY,SURFACE,U SHAPE,KNF RIM,LAMINATE/WOOD	--	--	857	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Rectangular Worksurfaces - Front-to-Back Grain Direction / For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K2430WSSFBLL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LA(TFL)	150	--	--	--
53K2436WSSFBLL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LA(TFL)	161	--	--	--
53K2442WSSFBLL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LA(TFL)	195	--	--	--
53K2448WSSFBLL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LA(TFL)	228	--	--	--
53K2454WSSFBLL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAM(TFL)	274	--	--	--
53K2460WSSFBLL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAM(TFL)	282	--	--	--
53K2466WSSFBLL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LA(TFL)	324	--	--	--
53K2430WSSFBL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE	--	195	--	--
53K2436WSSFBL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE	--	219	--	--
53K2442WSSFBL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE	--	249	--	--
53K2448WSSFBL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE	--	276	--	--
53K2454WSSFBL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE	--	306	--	--
53K2460WSSFBL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE	--	333	--	--
53K2466WSSFBL	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE	--	386	--	--
53K24102WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	797
53K24108WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	815
53K24120WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	913
53K2430WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	364
53K2436WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	386
53K2442WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	409
53K2448WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	444
53K2454WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	484
53K2460WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	507

PRIORITY™ Rectangular Worksurfaces - Front-to-Back Grain Direction / For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K2466WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	553
53K2472WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	573
53K2478WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	602
53K2484WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	649
53K2490WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	673
53K2496WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	720
53K25102WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	879
53K25108WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	895
53K25120WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	1005
53K2530WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	419
53K2536WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	426
53K2542WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	451
53K2548WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	489
53K2554WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	534
53K2560WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	559
53K2566WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	609
53K2572WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	631
53K2578WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	663
53K2584WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	714
53K2590WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	742
53K2596WSSFBW	PRIORITY,SURFACE,RECT,FRT-BK GRN,WOOD	--	--	--	792
53K2536WSSRFBRW	PRIORITY,SURF,RTN,FRT-BK GRN,RT,WOOD	--	--	--	426
53K2542WSSRFBRW	PRIORITY,SURF,RTN,FRT-BK GRN,RT,WOOD	--	--	--	451
53K2548WSSRFBRW	PRIORITY,SURF,RTN,FRT-BK GRN,RIGHT,WOOD	--	--	--	489
53K2536WSSRFBLW	PRIORITY,SURF,RTN,FRT-BK GRN,LEFT,WOOD	--	--	--	426
53K2542WSSRFBLW	PRIORITY,SURF,RTN,FRT-BK GRN,LEFT,WOOD	--	--	--	451
53K2548WSSRFBLW	PRIORITY,SURF,RTN,FRT-BK GRN,LEFT,WOOD	--	--	--	489
53K2430WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	364	--
53K2436WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	386	--
53K2442WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	409	--
53K2448WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	444	--
53K2454WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	484	--
53K2460WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	507	--
53K2466WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	553	--
53K2530WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	419	--
53K2536WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	426	--
53K2542WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	451	--
53K2548WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	489	--
53K2554WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	534	--
53K2560WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	559	--
53K2566WSSFBLW	PRIORITY,SURFACE,RECT,FRT-BK GRN,LAMINATE/WOOD	--	--	609	--
53K2536WSSRFBRLW	PRIORITY,SURF,RTN,FRT-BK GRN,RT,LAMINATE/WOOD	--	--	426	--
53K2542WSSRFBRLW	PRIORITY,SURF,RTN,FRT-BK GRN,RT,LAMINATE/WOOD	--	--	451	--
53K2548WSSRFBRLW	PRIORITY,SURF,RTN,FRT-BK GRN,RT,LAMINATE/WOOD	--	--	489	--
53K2536WSSRFBLLW	PRIORITY,SURF,RTN,FRT-BK GRN,LEFT,LAMINATE/WOOD	--	--	426	--
53K2542WSSRFBLLW	PRIORITY,SURF,RTN,FRT-BK GRN,LEFT,LAMINATE/WOOD	--	--	451	--

PRIORITY™ Rectangular Worksurfaces - Front-to-Back Grain Direction / For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K2548WSSRFBLLW	PRIORITY,SURF,RTN,FRT-BK GRN,LEFT,LAMINATE/WOOD	--	--	489	--
53K2536WSSBFBW	PRIORITY,BRIDGE SURFACE,FRT-BK GRN,WOOD	--	--	--	426
53K2542WSSBFBW	PRIORITY,BRIDGE SURFACE,FRT-BK GRN,WOOD	--	--	--	451
53K2548WSSBFBW	PRIORITY,BRDG SURFACE,FRT-BK GRN,WOOD	--	--	--	489
53K2536WSSBFBLW	PRIORITY,BRDG SURFACE,FRT-BK GRN,LAMINATE/WOOD	--	--	426	--
53K2542WSSBFBLW	PRIORITY,BRDG SURFACE,FRT-BK GRN,LAMINATE/WOOD	--	--	451	--
53K2548WSSBFBLW	PRIORITY,BRDG SURFACE,FRT-BK GRN,LAMINATE/WOOD	--	--	489	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ End Panels - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K2328EPL	PRIORITY,END PANEL,LAM	--	198	--	--
53K2428EPL	PRIORITY,END PANEL,LAMINATE	--	203	--	--
53K2928EPL	PRIORITY,END PANEL,LAM	--	211	--	--
53K3528EPL	PRIORITY,END PANEL,LAM	--	223	--	--
53K2328EPW	PRIORITY,END PANEL,WOOD	--	--	--	340
53K2428EP	PRIORITY,END PANEL,WOOD	--	--	--	345
53K2928EPW	PRIORITY,END PANEL,WOOD	--	--	--	354
53K3528EPW	PRIORITY,END PANEL,WOOD	--	--	--	370

Options:

Finish price group:	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Full-Height Modesty/Back Panels - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K10228MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	423	--	--
53K10528MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	435	--	--
53K10828MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	447	--	--
53K11128MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	459	--	--
53K11428MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	471	--	--
53K11728MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	483	--	--
53K12028MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	495	--	--
53K1528MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	130	--	--
53K1828MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	133	--	--
53K2428MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	149	--	--
53K2728MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	159	--	--
53K3028MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	172	--	--
53K3328MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	173	--	--
53K3628MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	210	--	--
53K3928MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	219	--	--
53K4128MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	223	--	--
53K4228MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	228	--	--
53K4428MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	244	--	--
53K4528MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	248	--	--
53K4728MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	260	--	--
53K4828MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	265	--	--
53K5028MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	273	--	--
53K5128MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	275	--	--
53K5328MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	275	--	--
53K5428MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	278	--	--
53K5628MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	278	--	--
53K5728MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	283	--	--
53K6028MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	269	--	--
53K6328MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	279	--	--
53K6628MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	305	--	--
53K6928MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	314	--	--
53K7228MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	320	--	--
53K7528MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	326	--	--
53K7828MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	333	--	--
53K8128MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	339	--	--
53K8428MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	351	--	--
53K8728MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	363	--	--
53K9028MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	375	--	--
53K9328MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	387	--	--
53K9628MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	399	--	--
53K9928MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	411	--	--
53K3313MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	138	--	--
53K3613MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	142	--	--
53K3913MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	149	--	--
53K4113MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	150	--	--
53K4213MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	152	--	--

PRIORITY™ Full-Height Modesty/Back Panels - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K4413MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	159	--	--
53K4513MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	162	--	--
53K4713MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	165	--	--
53K4813MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	167	--	--
53K5013MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	169	--	--
53K5113MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	172	--	--
53K5313MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	179	--	--
53K5413MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	182	--	--
53K5613MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAM	--	189	--	--
53K5713MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	192	--	--
53K6013MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	202	--	--
53K6313MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	212	--	--
53K6613MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	222	--	--
53K6913MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	232	--	--
53K7213MPL	PRIORITY,MODESTY PANEL,LAMINATE	--	242	--	--
53K10227MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	423	--	--
53K10527MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	435	--	--
53K10827MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	447	--	--
53K11127MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	459	--	--
53K11427MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	471	--	--
53K11727MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	483	--	--
53K12027MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	495	--	--
53K1527MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	130	--	--
53K1827MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	133	--	--
53K2427MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	149	--	--
53K2727MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	159	--	--
53K3027MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	172	--	--
53K3327MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	173	--	--
53K3627MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	210	--	--
53K3927MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	219	--	--
53K4227MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	228	--	--
53K4527MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	248	--	--
53K4827MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	265	--	--
53K5127MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	278	--	--
53K5427MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	305	--	--
53K5727MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	283	--	--
53K6027MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	269	--	--
53K6327MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	279	--	--
53K6627MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	305	--	--
53K6927MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	314	--	--
53K7227MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	320	--	--
53K7527MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	326	--	--
53K7827MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	333	--	--
53K8127MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	339	--	--
53K8427MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	351	--	--
53K8727MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	363	--	--

PRIORITY™ Full-Height Modesty/Back Panels - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K9027MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	375	--	--
53K9327MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	387	--	--
53K9627MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	399	--	--
53K9927MPL	PRIORITY,MODESTY/BACK PANEL,FULL,LAMINATE	--	411	--	--
53K10228MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	923
53K10528MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	957
53K10828MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	968
53K11128MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	980
53K11428MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	991
53K11728MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	1002
53K12028MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	1014
53K1528MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	355
53K1828MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	360
53K2428MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	366
53K2728MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	372
53K3028MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	376
53K3328MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	388
53K3628MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	399
53K3928MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	414
53K4128MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	422
53K4228MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	427
53K4428MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	458
53K4528MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	462
53K4728MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	493
53K4828MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	497
53K5028MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	494
53K5128MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	499
53K5328MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	504
53K5428MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	509
53K5628MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	511
53K5728MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	516
53K6028MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	518
53K6328MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	544
53K6628MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	586
53K6928MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	657
53K7228MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	698
53K7528MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	713
53K7828MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	727
53K8128MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	740
53K8428MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	753
53K8728MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	768
53K9028MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	784
53K9328MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	816
53K9628MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	853
53K9928MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	889
53K3313MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	368

PRIORITY™ Full-Height Modesty/Back Panels - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K3613MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	379
53K3913MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	393
53K4113MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	403
53K4213MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	406
53K4413MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	436
53K4513MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	439
53K4713MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	469
53K4813MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	472
53K5013MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	471
53K5113MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	474
53K5313MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	481
53K5413MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	484
53K5613MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	487
53K5713MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	490
53K6013MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	492
53K6313MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	517
53K6613MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	527
53K6913MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	591
53K7213MPW	PRIORITY,MODESTY PANEL,WOOD	--	--	--	629
53K10227MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	923
53K10527MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	957
53K10827MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	968
53K11127MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	980
53K11427MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	991
53K11727MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	1002
53K12027MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	1014
53K1527MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	355
53K1827MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	360
53K2427MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	366
53K2727MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	372
53K3027MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	376
53K3327MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	388
53K3627MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	399
53K3927MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	414
53K4227MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	427
53K4527MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	462
53K4827MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	497
53K5127MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	499
53K5427MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	509
53K5727MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	516
53K6027MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	518
53K6327MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	544
53K6627MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	586
53K6927MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	657
53K7227MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	698
53K7527MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	713

PRIORITY™ Full-Height Modesty/Back Panels - For Flush-Surface Applications

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K7827MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	727
53K8127MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	740
53K8427MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	753
53K8727MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	768
53K9027MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	784
53K9327MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	816
53K9627MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	853
53K9927MPW	PRIORITY,MODESTY/BACK PANEL,FULL,WOOD	--	--	--	889

Options:

Finish price group:
- STD = Group 1
- STD2 = Group 2 (+20%)

PRIORITY™ End-Support U-Legs - For Floating-Surface Applications

Model Number	Model Description	Price
53K2441SLUESSHP	PRIORITY,LEG,U,END,STTC,STANDING HGT,PNT	469
53K3041SLUESSHP	PRIORITY,LEG,U,END,STTC,STANDING HGT,PNT	496
53K3641SLUESSHP	PRIORITY,LEG,U,END,STTC,STANDING HGT,PNT	520
53K4841SLUESSHP	PRIORITY,LEG,U,END,STTC,STANDING HGT,PNT	761
53K6041SLUESSHP	PRIORITY,LEG,U,END,STTC,STANDING HGT,PNT	841

Options:

Finish designator:
- 405 = Designer White
- 425 = Shadow
- 462 = Cinder
- 501 = Platinum Metallic (+10%)
- 514 = Carbon Metallic (+10%)
- 544 = Silver Pearl (+10%)

PRIORITY™ Recessed & Stanchion Recessed Mid-Support U-Legs - For Floating-Surface Applications

Model Number	Model Description	Price
53K4828SLURMSP	PRIORITY,LEG,U,RECESSED-MID,STATIC,PNT	913
53K6028SLURMSP	PRIORITY,LEG,U,RECESSED-MID,STATIC,PNT	990
53K4828SLURMAP	PRIORITY,LEG,U,RECESSED-MID,ADJ,PNT	1055
53K6028SLURMAP	PRIORITY,LEG,U,RECESSED-MID,ADJ,PNT	1131
53K5028SLURMSSP	PRIORITY,LEG,U,RCSD-MID,STTC,STNCHN,PNT	1020
53K6228SLURMSSP	PRIORITY,LEG,U,RCSD-MID,STTC,STNCHN,PNT	1096
53K5028SLURMASP	PRIORITY,LEG,U,RCSD-MID,ADJ,STNCHN,PNT	1160
53K6228SLURMASP	PRIORITY,LEG,U,RCSD-MID,ADJ,STNCHN,PNT	1237

Options:

	405 = Designer White
	425 = Shadow
	462 = Cinder
	501 = Platinum Metallic (+10%)
	514 = Carbon Metallic (+10%)
Finish designator:	544 = Silver Pearl (+10%)

PRIORITY™ Fabric Privacy Screens

		Fabric Price Grade				
Model Number	Model Description	A or COM	B	C	D	E
53K2412PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	585	596	603	615	632
53K3012PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	622	636	645	659	680
53K3612PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	662	679	645	707	733
53K4212PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	704	723	736	756	785
53K4812PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	749	770	785	807	840
53K5412PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	775	800	817	843	882
53K6012PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	802	830	848	877	920
53K6612PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	830	860	880	912	958
53K7212PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	859	892	914	947	998
53K2416PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	622	637	646	661	684
53K3016PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	662	681	693	712	741
53K3616PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	704	726	741	764	798
53K4216PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	749	774	736	817	856
53K4816PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	797	825	843	872	915
53K5416PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	826	859	881	914	965
53K6016PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	856	891	915	951	1006
53K6616PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	887	927	954	996	1058
53K7216PSF	PRIORITY,PRIVACY SCREEN,TACKABLE FABRIC	919	964	995	1041	1112

Options:

Finish Price Group:	Std = Group 1
	Stdm = Group M (+10%)

PRIORITY™ Storage - Undersurface Pedestals with Finished Back - For Floating-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2415PUHRL	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,LAMINATE	768	--
53KE2418PUHRL	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,LAMINATE	814	--
53KE3015PUHRL	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,LAMINATE	806	--
53KE3018PUHRL	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,LAMINATE	854	--
53KE2415PUHLL	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,LAMINATE	768	--
53KE2418PUHLL	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,LAMINATE	814	--
53KE3015PUHLL	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,LAMINATE	806	--
53KE3018PUHLL	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,LAMINATE	854	--
53KE2415PUHRSL	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,LAMINATE	825	--
53KE2418PUHRSL	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,LAMINATE	883	--
53KE3015PUHRSL	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,LAMINATE	875	--
53KE3018PUHRSL	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,LAMINATE	936	--
53KE2415PUHLSL	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,LAMINATE	825	--
53KE2418PUHLSL	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,LAMINATE	883	--
53KE3015PUHLSL	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,LAMINATE	875	--
53KE3018PUHLSL	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,LAMINATE	936	--
53KE2430PUHSL	PRIORITY,HINGE DOOR,STOR UNIT,SPCRS,LAMINATE	849	--
53KE2436PUHSL	PRIORITY,HINGE DOOR,STOR UNIT,SPCRS,LAMINATE	1014	--
53KE2415PUOSSL	PRIORITY,UDSF,OPEN STORAGE,SPACERS,LAMINATE	755	--
53KE2418PUOSSL	PRIORITY,UDSF,OPEN STORAGE,SPACERS,LAMINATE	792	--
53KE2430PUOSSL	PRIORITY,UDSF,OPEN STORAGE,SPACERS,WOOD	834	--
53KE2436PUOSSL	PRIORITY,UDSF,OPEN STORAGE,SPACERS,LAMINATE	991	--
53KE3015PUOSSL	PRIORITY,UDSF,OPEN STORAGE,SPACERS,LAMINATE	790	--
53KE3018PUOSSL	PRIORITY,UDSF,OPEN STORAGE,SPACERS,LAMINATE	827	--
53KE2415PUOFSL	PRIORITY,UDSF,OPEN/FILE,SPACERS,LAMINATE	729	--
53KE2418PUOFSL	PRIORITY,UDSF,OPEN/FILE,SPACERS,LAMINATE	762	--
53KE3015PUOFSL	PRIORITY,UDSF,OPEN/FILE,SPACERS,LAMINATE	763	--
53KE3018PUOFSL	PRIORITY,UDSF,OPEN/FILE,SPACERS,LAMINATE	818	--
53KE2436LFM2SL	PRIORITY,LF,UDSF,2 DWR,WITH SPACERS,LAMINATE	1119	--
53KE2430PUBBLSL	PRIORITY,PED,OPEN LEFT,BB RT,SPACERS,LAMINATE	1435	--
53KE2430PUBBRSL	PRIORITY,PED,OPEN LEFT,BB RT,SPACERS,LAMINATE	1435	--
53KE2436PUBBLSL	PRIORITY,PED,UDSF,BB L,OPEN R,LF,SPCRS,L	1545	--
53KE2436PUBBRSL	PRIORITY,PED,OPEN LEFT,BB RT,SPACERS,LAMINATE	1545	--
53KE2430PUBBFLSL	PRIORITY,PED,UDSF,FILE L,BB R,LF,SPCRS,L	1431	--
53KE2430PUBBFRSL	PRIORITY,PED,UDSF,BB L,FILE R,LF,SPCRS,L	1431	--
53KE2436PUBBFLSL	PRIORITY,PED,UDSF,FILE L,BB R,LF,SPCRS,L	1542	--
53KE2436PUBBFRSL	PRIORITY,PED,UDSF,BB L,FILE R,LF,SPCRS,L	1542	--
53KE2415PUHRW	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,WOOD	--	1086
53KE2418PUHRW	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,WOOD	--	1030
53KE3015PUHRW	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,WOOD	--	1041
53KE3018PUHRW	PRIORITY,HINGE DOOR,STOR UNIT,RIGHT,WOOD	--	1120
53KE2415PUHLW	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,WOOD	--	1086
53KE2418PUHLW	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,WOOD	--	1030
53KE3015PUHLW	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,WOOD	--	1041
53KE3018PUHLW	PRIORITY,HINGE DOOR,STOR UNIT,LEFT,WOOD	--	1120
53KE2415PUHRSW	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,WOOD	--	1065
53KE2418PUHRSW	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,WOOD	--	1146
53KE3015PUHRSW	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,WOOD	--	1134

PRIORITY™ Storage - Undersurface Pedestals with Finished Back - For Floating-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE3018PUHRSW	PRIORITY,HNG DOOR,STOR UNIT,R,SPACERS,WOOD	--	1219
53KE2415PUHLSW	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,WOOD	--	1065
53KE2418PUHLSW	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,WOOD	--	1146
53KE3015PUHLSW	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,WOOD	--	1134
53KE3018PUHLSW	PRIORITY,HNG DOOR,STOR UNIT,L,SPACERS,WOOD	--	1219
53KE2430PUHSW	PRIORITY,HINGE DOOR,STOR UNIT,SPCRS,WOOD	--	1319
53KE2436PUHSW	PRIORITY,HINGE DOOR,STOR UNIT,SPCRS,WOOD	--	1593
53KE2415PUOSSW	PRIORITY,UDSF,OPEN STORAGE,SPACERS,WOOD	--	939
53KE2418PUOSSW	PRIORITY,UDSF,OPEN STORAGE,SPACERS,WOOD	--	1005
53KE2430PUOSSW	PRIORITY,UDSF,OPEN STORAGE,SPACERS, WOOD	--	1151
53KE2436PUOSSW	PRIORITY,UDSF,OPEN STORAGE,SPACERS,WOOD	--	1403
53KE3015PUOSSW	PRIORITY,UDSF,OPEN STORAGE,SPACERS,WOOD	--	1010
53KE3018PUOSSW	PRIORITY,UDSF,OPEN STORAGE,SPACERS,WOOD	--	1088
53KE2415PUOFSW	PRIORITY,UDSF,OPEN/FILE,SPACERS,WOOD	--	946
53KE2418PUOFSW	PRIORITY,UDSF,OPEN/FILE,SPACERS,WOOD	--	1017
53KE3015PUOFSW	PRIORITY,UDSF,OPEN/FILE,SPACERS,WOOD	--	1034
53KE3018PUOFSW	PRIORITY,UDSF,OPEN/FILE,SPACERS,WOOD	--	1113
53KE2436LFM2SW	PRIORITY,LAT FILE,UDSF,2 DWR,WITH SPACERS,WOOD	--	1871
53KE2430PUBBLSW	PRIORITY,PED,UDSF,BB L,OPEN R,LF,SPCRS,W	--	1899
53KE2430PUBBRSW	PRIORITY,PED,OPEN LEFT,BB RT,SPACERS,WOOD	--	1899

PRIORITY™ Storage - Undersurface Pedestals with Finished Back - For Floating-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2436PUBBLSW	PRIORITY,PED,UDSF,BB LEFT,OPEN RT,LF,WOOD	--	2043
53KE2436PUBBRSW	PRIORITY,PED,OPEN LEFT,BB RIGHT,SPACERS,WOOD	--	2043
53KE2430PUBBFLSW	PRIORITY,PED,UDSF,FILE L,BB R,LF,SPCRS,W	--	1897
53KE2430PUBBFRSW	PRIORITY,PED,UDSF,BB L,FILE R,LF,SPCRS,W	--	1897
53KE2436PUBBFLSW	PRIORITY,PED,UDSF,FILE LEFT,BB RIGHT,LF,SPCRS,WOOD	--	2041
53KE2436PUBBFRSW	PRIORITY,PED,UDSF,BB LEFT,FILE RIGHT,LF,SPCRS,WOOD	--	2041

Options:

	X = Non-locking
	KS = Key specific (+$37); specify lock core separately
	KRB = Key random, black lock core (+$62)
Lock option:	KRS = Key random, silver lock core (+$62)
Wood finish price group (omit for L model):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):	WD = Wood interior drawers (+5%)
	405 = Designer White
	425 = Shadow
	462 = Cinder
	501 = Platinum Metallic (+10%)
Starter Bracket	514 = Carbon Metallic (+10%)
Finish designator:	544 = Silver Pearl (+10%)

PRIORITY™ Storage - Undersurface Pedestals with Finished Back - For Flush-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2415PUOSL	PRIORITY,PED,UNDERSURFACE,OPEN STOR,LAMINATE	705	--
53KE2418PUOSL	PRIORITY,PED,UNDERSURFACE,OPEN STOR,LAMINATE	742	--
53KE2430PUOSL	PRIORITY,UDSF,OPEN STORAGE,SPACERS,LAMINATE	784	--
53KE2436PUOSL	PRIORITY,UDSF,OPEN STORAGE,LAMINATE	961	--
53KE2448PUOSL	PRIORITY,PED,UNDERSURFACE,OPEN STOR,LAMINATE	1188	--
53KE3015PUOSL	PRIORITY,PED,UNDERSURFACE,OPEN STOR,LAMINATE	740	--
53KE3018PUOSL	PRIORITY,PED,UNDERSURFACE,OPEN STOR,LAMINATE	777	--
53KE2415PUOFL	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,LAMINATE	679	--
53KE2418PUOFL	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,LAMINATE	712	--
53KE3015PUOFL	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,LAMINATE	713	--
53KE3018PUOFL	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,LAMINATE	748	--
53KE2430PUBBLL	PRIORITY,PED,UDSF,BB LEFT,OPEN RT,LF,LAMINATE	1335	--

PRIORITY™ Storage - Undersurface Pedestals with Finished Back - For Flush-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2436PUBBLL	PRIORITY,PED,OPEN RIGHT,BB LEFT,SPACERS,LAMINATE	1445	--
53KE2430PUBBFRL	PRIORITY,PED,UDSF,BB LEFT, FILE RT,LF,LA	1331	--
53KE2436PUBBFRL	PRIORITY,PED,UDSF,BB LEFT,FILE RIGHT,LF,SPCRS,LAM	1442	--
53KE2415PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	889
53KE2418PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	955
53KE2430PUOSW	PRIORITY,UDSF,OPEN STORAGE,WOOD	--	1121
53KE2436PUOSW	PRIORITY,UDSF,OPEN STORAGE,WOOD	--	1373
53KE2448PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	1941
53KE3015PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	960
53KE3018PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	1038
53KE2415PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	896
53KE2418PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	967
53KE3015PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	984
53KE3018PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	1063
53KE2415PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	889
53KE2418PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	955
53KE2430PUOSW	PRIORITY,UDSF,OPEN STORAGE,WOOD	--	1121
53KE2436PUOSW	PRIORITY,UDSF,OPEN STORAGE,WOOD	--	1373

PRIORITY™ Storage - Undersurface Pedestals with Finished Back - For Flush-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2448PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	1941
53KE3015PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	960
53KE3018PUOSW	PRIORITY,PED,UNDERSURFACE,OPEN STOR,WOOD	--	1038
53KE2415PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	896
53KE2418PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	967
53KE3015PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	984
53KE3018PUOFW	PRIORITY,PED,UNDERSURFACE,OPEN/FILE,WOOD	--	1063
53KE2430PUBBLW	PRIORITY,PED,UDSF,BB LEFT,OPEN RT,LF,WOOD	--	1799
53KE2436PUBBLW	PRIORITY,PED,UDSF,BB LEFT,OPEN RIGHT,LF,WOOD	--	1943
53KE2430PUBBFRW	PRIORITY,PED,UDSF,BB LEFT, FILE RT,LF,WOOD	--	1797
53KE2436PUBBFRW	PRIORITY,PED,UDSF,BB LEFT,OPEN RT,LF,WOOD	--	1941

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Wood finish price group (omit for L model):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):	WD = Wood interior drawers (+5%)
Starter Bracket Finish designator:	405 = Designer White 425 = Shadow 462 = Cinder 501 = Platinum Metallic (+10%) 514 = Carbon Metallic (+10%) 544 = Silver Pearl (+10%)

PRIORITY™ Storage - Undersurface Pedestals with Open Back - For Flush-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2415PUOBHRL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,R,LAMINATE	738	--
53KE2418PUOBHRL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,R,LAMINATE	791	--
53KE3015PUOBHRL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,R,LAMINATE	784	--
53KE3018PUOBHRL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,R,LAMINATE	841	--
53KE2415PUOBHLL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,L,LAMINATE	738	--
53KE2418PUOBHLL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,L,LAMINATE	791	--
53KE3015PUOBHLL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,L,LAMINATE	784	--
53KE3018PUOBHLL	PRIORITY,HINGE DOOR,STR UNIT,OPEN BK,L,LAMINATE	841	--
53KE2430PUOBHL	PRIORITY,OPEN BACK,HINGE DOOR,STOR UNIT,LAMINATE	719	--
53KE2436PUOBHL	PRIORITY,OPEN BACK,HNGE DOOR,STOR UNIT,LAMINATE	884	--
53KE2415PUOBBBFL	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,LAMINATE	709	--
53KE2418PUOBBBFL	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,LAMINATE	749	--
53KE3015PUOBBBFL	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,LAMINATE	757	--
53KE3018PUOBBBFL	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,LAMINATE	800	--
53KE3618PUOBBBFL	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,LAMINATE	853	--
53KE2415PUOBFFL	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,LAMINATE	689	--
53KE2418PUOBFFL	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,LAMINATE	725	--
53KE3015PUOBFFL	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,LAMINATE	736	--
53KE3018PUOBFFL	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,LAMINATE	774	--
53KE3618PUOBFFL	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,LAMINATE	827	--
53KE2415PUOBOSL	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,LAMINATE	670	--
53KE2418PUOBOSL	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,LAMINATE	707	--
53KE2430PUOBOSL	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,LAMINATE	754	--
53KE2436PUOBOSL	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,LAMINATE	931	--
53KE3015PUOBOSL	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,LAMINATE	705	--
53KE3018PUOBOSL	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,LAMINATE	742	--
53KE2415PUOBOFL	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,LAMINATE	644	--
53KE2418PUOBOFL	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,LAMINATE	677	--
53KE3015PUOBOFL	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,LAMINATE	678	--
53KE3018PUOBOFL	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,LAMINATE	713	--
53KE2430PUOBLFL	PRIORITY,PED UNSF,OPEN BACK,LATERAL FILE,LAMINATE	865	--
53KE2436PUOBLFL	PRIORITY,PED UNSF,OPEN BACK,LAT FILE,LAMINATE	884	--
53KE2430PUOBBBLL	PRIORITY,PED,OPEN BK,OPEN RT,BB LEFT,LAMINATE	1305	--
53KE2436PUOBBBLL	PRIORITY,PED,OPEN BK,OPEN R,BB L,SPCRS,L	1415	--
53KE2430PUOBBBFLL	PRIORITY,PED,UNSF,OPEN BK,BB-R,FILE-L,LA	1301	--
53KE2430PUOBBBFRL	PRIORITY,PED,UNSF,OPEN BK,BB-L,FILE-R,LA	1301	--
53KE2430PUOBBBRL	PRIORITY,PED,OPEN BK,OPEN LEFT,BB RT,LAMINATE	1305	--
53KE2436PUOBBBFLL	PRIORITY,PED,OPEN BK,BB-R,FILE-L,SPCRS,L	1412	--
53KE2436PUOBBBFRL	PRIORITY,PED,OPEN BK,BB-L,FILE-R,SPCRS,L	1412	--
53KE2436PUOBBBRL	PRIORITY,PED,OPEN BK,OPEN L,BB R,SPCRS,L	1415	--
53KE2436PUOBPUL	PRIORITY,PED,UDSF,OPEN BACK,PTR/CPU,LAMINATE	1156	--
53KE2415PUOBHRW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,R,WOOD	--	950
53KE2418PUOBHRW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,R,WOOD	--	1033
53KE3015PUOBHRW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,R,WOOD	--	1112
53KE3018PUOBHRW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,R,WOOD	--	1090
53KE2415PUOBHLW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,L,WOOD	--	950
53KE2418PUOBHLW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,L,WOOD	--	1033
53KE3015PUOBHLW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,L,WOOD	--	1112

PRIORITY™ Storage - Undersurface Pedestals with Open Back - For Flush-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE3018PUOBHLW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BK,L,WOOD	--	1090
53KE2430PUOBHW	PRIORITY,PED UNSF,OPEN BACK,LAT FILE,WOOD	--	1184
53KE2436PUOBHW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BOOKCASEK,WOOD	--	1463
53KE2415PUOBOSW	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,WOOD	--	854
53KE2418PUOBOSW	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,WOOD	--	920
53KE2430PUOBOSW	PRIORITY,UDSF,OPEN STORAGE,LAMINATE	--	1089
53KE2436PUOBOSW	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,WOOD	--	1335
53KE3015PUOBOSW	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,WOOD	--	925
53KE3018PUOBOSW	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,WOOD	--	1003
53KE2415PUOBOFW	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,WOOD	--	861
53KE2418PUOBOFW	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,WOOD	--	929
53KE3015PUOBOFW	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,WOOD	--	949
53KE3018PUOBOFW	PRIORITY,PED,UNSF,OPEN BK,OPEN/FILE,WOOD	--	890
53KE2430PUOBLFW	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,LAMINATE	--	1376
53KE2436PUOBLFW	PRIORITY,PED UNSF,OPEN BOOKCASEK,LAT FILE,WOOD	--	1565
53KE2430PUOBBBLW	PRIORITY,PED,OPEN BK,OPEN RT,BB LEFT,WOOD	--	1769
53KE2436PUOBBBLW	PRIORITY,PED,OPEN BK,OPEN LEFT,BB RT,LAMINATE	--	1913
53KE2430PUOBBBFLW	PRIORITY,PED,UNSF,OPEN BK,BB-R,FILE-L,WOOD	--	1747
53KE2430PUOBBBFRW	PRIORITY,PED,UNSF,OPEN BK,BB-L,FILE-R,WOOD	--	1747
53KE2430PUOBBBRW	PRIORITY,PED,OPEN BK,OPEN LEFT,BB RT,WOOD	--	1769
53KE2436PUOBBBFLW	PRIORITY,PED,UNSF,OPEN BK,BB-L,FILE-R,LA	--	1911
53KE2436PUOBBBFRW	PRIORITY,PED,OPEN BK,OPEN RT,BB LEFT,LAMINATE	--	1911
53KE2436PUOBBBRW	PRIORITY,OPEN BACK,HNGE DOOR,STOR UNIT,LAMINATE	--	1913
53KE2436PUOBPUW	PRIORITY,PED,UNSF,OPEN BACK,PTR/CPU,WOOD	--	1537

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Wood finish price group (omit for L model):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):	WD = Wood interior drawers (+5%)

PRIORITY™ Storage - Undersurface Pedestals with Open Back - For Floating-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2415PUOBBBFSL	PRIORITY,PED,OPEN BACK,BBF,SPACERS,LAMINATE	753	--
53KE3015PUOBBBFSL	PRIORITY,PED,OPEN BACK,BBF,SPACERS,LAMINATE	798	--
53KE3615PUOBBBFSL	PRIORITY,PED,OPEN BACK,BBF,SPACERS,LAMINATE	843	--
53KE2415PUOBFFSL	PRIORITY,PED,OPEN BACK,FF,SPACERS,LAMINATE	729	--
53KE3015PUOBFFSL	PRIORITY,PED,OPEN BACK,FF,SPACERS,LAMINATE	777	--
53KE3615PUOBFFSL	PRIORITY,PED,OPEN BACK,FF,SPACERS,LAMINATE	812	--
53KE2415PUOBHRSL	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,L	795	--
53KE2418PUOBHRSL	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,L	853	--
53KE3015PUOBHRSL	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,L	845	--
53KE3018PUOBHRSL	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,L	906	--
53KE2415PUOBHLSL	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,L	795	--
53KE2418PUOBHLSL	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,L	853	--
53KE3015PUOBHLSL	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,L	845	--
53KE3018PUOBHLSL	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,L	906	--
53KE2430PUOBHSL	PRIORITY,OPEN BK,HNGE DOOR,SPACERS,LAMINATE	809	--
53KE2436PUOBHSL	PRIORITY,OPEN BK,HNGE DOOR,SPACERS,LAMINATE	974	--
53KE2415PUOBOSSL	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,LAMINATE	725	--
53KE2418PUOBOSSL	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,LAMINATE	762	--
53KE2430PUOBOSSL	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,LAMINATE	804	--
53KE2436PUOBOSSL	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,LAMINATE	961	--
53KE3015PUOBOSSL	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,LAMINATE	760	--
53KE3018PUOBOSSL	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,LAMINATE	797	--
53KE2415PUOBOFSL	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,LAMINATE	699	--
53KE2418PUOBOFSL	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,LAMINATE	732	--
53KE3015PUOBOFSL	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,LAMINATE	733	--
53KE3018PUOBOFSL	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,LAMINATE	888	--
53KE2430LFOBM2SL	PRIORITY,LF,OPEN BACK,2 DWR,SPACERS,LAMINATE	1026	--
53KE2436LFOBM2SL	PRIORITY,LF,OPEN BACK,2 DWR,SPACERS,LMINATE	1089	--
53KE2430PUOBBBLSL	PRIORITY,PED,OPEN BK,OPEN R,BB L,SPCRS,L	1395	--
53KE2430PUOBBBRSL	PRIORITY,PED,OPEN BK,OPEN L,BB R,SPCRS,L	1395	--
53KE2436PUOBBBLSL	PRIORITY,PED,OPEN BK,OPEN RT,BB LEFT,SPCRS,LAMINATE	1505	--
53KE2436PUOBBBRSL	PRIORITY,PED,OPEN BK,OPEN LT,BB RT,SPCRS,LAMINATE	1505	--
53KE2430PUOBBBFLSL	PRIORITY,PED,OPEN BK,BB-R,FILE-LSPCRS,L	1391	--
53KE2430PUOBBBFRSL	PRIORITY,PED,OPEN BK,BB-L,FILE-R,SPCRS,L	1391	--
53KE2436PUOBBBFLSL	PRIORITY,PED,OPEN BK,BB-RT,FILE-LT,SPCRS,LAMINATE	1502	--
53KE2436PUOBBBFRSL	PRIORITY,PED,OPEN BK,BB-LT,FILE-RT,SPCRS,LAMINATE	1502	--
53K0128CPFSL	PRIORITY,PEDESTAL,FILLER STRIP,LAMINATE	162	--
53KE2415PUOBBBFW	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,WOOD	--	993
53KE2418PUOBBBFW	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,WOOD	--	1017
53KE3015PUOBBBFW	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,WOOD	--	1046
53KE3018PUOBBBFW	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,WOOD	--	1078
53KE3618PUOBBBFW	PRIORITY,PED,UNDERSURF,OPEN BACK,BBF,WOOD	--	1142
53KE2415PUOBFFW	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,WOOD	--	955
53KE2418PUOBFFW	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,WOOD	--	978
53KE3015PUOBFFW	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,WOOD	--	999
53KE3018PUOBFFW	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,WOOD	--	1033
53KE3618PUOBFFW	PRIORITY,PED,UNDERSURF,OPEN BACK,FF,WOOD	--	1088
53KE2415PUOBBBFSW	PRIORITY,PED,OPEN BACK,BBF,SPACERS,WOOD	--	1020

PRIORITY™ Storage - Undersurface Pedestals with Open Back - For Floating-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE3015PUOBBBFSW	PRIORITY,PED,OPEN BACK,BBF,SPACERS,WOOD	--	1075
53KE3615PUOBBBFSW	PRIORITY,PED,OPEN BACK,BBF,SPACERS,WOOD	--	1133
53KE2415PUOBFFSW	PRIORITY,PED,OPEN BACK,FF,SPACERS,WOOD	--	983
53KE3015PUOBFFSW	PRIORITY,PED,OPEN BACK,FF,SPACERS,WOOD	--	1027
53KE3615PUOBFFSW	PRIORITY,PED,OPEN BACK,FF,SPACERS,WOOD	--	1071
53KE2415PUOBHRSW	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,W	--	1035
53KE2418PUOBHRSW	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,W	--	1116
53KE3015PUOBHRSW	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,W	--	1104
53KE3018PUOBHRSW	PRIORITY,HNG DOOR,STOR,OPEN BK,R,SPACERS,W	--	1189
53KE2415PUOBHLSW	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,W	--	1035
53KE2418PUOBHLSW	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,W	--	1116
53KE3015PUOBHLSW	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,W	--	1104
53KE3018PUOBHLSW	PRIORITY,HNG DOOR,STOR,OPEN BK,L,SPACERS,W	--	1189
53KE2430PUOBHSW	PRIORITY,HINGE DOOR,STOR UNIT,OPEN BOOKCASEK,WOOD	--	1279
53KE2436PUOBHSW	PRIORITY,OPEN BK,HNGE DOOR,SPACERS,WOOD	--	1553
53KE2415PUOBOSSW	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,WOOD	--	909
53KE2418PUOBOSSW	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,WOOD	--	975
53KE2430PUOBOSSW	PRIORITY,UNSF,OPEN BACK,OPEN STORAGE,WOOD	--	1121
53KE2436PUOBOSSW	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,WOOD	--	1373
53KE3015PUOBOSSW	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,WOOD	--	980
53KE3018PUOBOSSW	PRIORITY,OPEN BACK,OPEN STOR,SPACERS,WOOD	--	1038
53KE2415PUOBOFSW	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,WOOD	--	916
53KE2418PUOBOFSW	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,WOOD	--	987
53KE3015PUOBOFSW	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,WOOD	--	1004
53KE3018PUOBOFSW	PRIORITY,OPEN BACK,OPEN/FILE,SPACERS,WOOD	--	1083
53KE2430LFOBM2SW	PRIORITY,LF,OPEN BACK,2 DWR,SPACERS,WOOD	--	1736
53KE2436LFOBM2SW	PRIORITY,LAT FILE,OPEN BACK,2 DWR,SPACERS,WOOD	--	1841

PRIORITY™ Storage - Undersurface Pedestals with Open Back - For Floating-Surface Applications

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2430PUOBBBLSW	PRIORITY,PED,OPEN BK,OPEN R,BB L,SPCRS,W	--	1859
53KE2430PUOBBBRSW	PRIORITY,PED,OPEN BK,OPEN L,BB R,SPCRS,W	--	1859
53KE2436PUOBBBLSW	PRIORITY,PED,OPEN BK,OPEN RT,BB LEFT,WOOD	--	2003
53KE2436PUOBBBRSW	PRIORITY,PED,OPEN BK,OPEN LEFT,BB RT,WOOD	--	2003
53KE2430PUOBBBFLSW	PRIORITY,PED,OPEN BK,BB-R,FILE-L,SPCRS,W	--	1857
53KE2430PUOBBBFRSW	PRIORITY,PED,OPEN BK,BB-L,FILE-R,SPCRS,W	--	1857
53KE2436PUOBBBFLSW	PRIORITY,PED,UNSF,OPEN BK,BB-R,FILE-L,WOOD	--	2001
53KE2436PUOBBBFRSW	PRIORITY,PED,UNSF,OPEN BK,BB-L,FILE-R,WOOD	--	2001
53K0128CPFSW	PRIORITY,PEDESTAL,FILLER STRIP,WOOD	--	274

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Wood finish price group (omit for L model):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):	WD = Wood interior drawers (+5%)
Starter Bracket Finish designator:	405 = Designer White 425 = Shadow 462 = Cinder 501 = Platinum Metallic (+10%) 514 = Carbon Metallic (+10%) 544 = Silver Pearl (+10%)

PRIORITY™ Storage - Mobile Pedestals

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2415PMBFFCL	PRIORITY,PED,MBL,FLAT CUSH TOP,BF,LAMINATE	848	--
53KE2415PMBFFCW	PRIORITY,PED,MBL,FLAT CUSH TOP,BF,WOOD	--	1344

PRIORITY™ Storage - Low Storage

Model Number	Model Description	Laminate (L)	Wood (W)
53KE164222POLBLFRL	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,LAMINATE	1087	--
53KE164822POLBLFRL	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,LAMINATE	1182	--
53KE244222POLBLFRL	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,LAMINATE	1283	--
53KE244822POLBLFRL	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,LAMINATE	1300	--
53KE164222PBLFLORL	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,LAMINATE	1087	--
53KE164822PBLFLORL	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,LAMINATE	1182	--
53KE244222PBLFLORL	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,LAMINATE	1283	--
53KE244822PBLFLORL	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,LAMINATE	1300	--
53KE164222POLBLFRW	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,WOOD	--	1538
53KE164822POLBLFRW	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,WOOD	--	1672
53KE244222POLBLFRW	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,WOOD	--	1815
53KE244822POLBLFRW	PRIORITY,PED,OPEN LEFT,BOX/LF RIGHT,WOOD	--	1839
53KE164222PBLFLORW	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,WOOD	--	1538
53KE164822PBLFLORW	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,WOOD	--	1672
53KE244222PBLFLORW	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,WOOD	--	1815
53KE244822PBLFLORW	PRIORITY,PED,BOX/LF LEFT,OPEN RIGHT,WOOD	--	1839

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Wood finish price group (omit for L model):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers, L models, and printer/cpu storage):	WD = Wood interior drawers (+5%)

PRIORITY™ Storage - Rectangular Component Tops - For Use with Low Storage

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K1642CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	159	--	--	--
53K1648CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	165	--	--	--
53K1684CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	221	--	--	--
53K1696CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	252	--	--	--
53K2442CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	292	--	--	--
53K2448CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	298	--	--	--
53K2484CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	371	--	--	--
53K2496CPTLL	PRIORITY,COMP TOP,RECT,LAMINATE(TFL)	454	--	--	--
53K1642CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	288	--	--
53K1648CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	295	--	--

PRIORITY™ Storage - Rectangular Component Tops - For Use with Low Storage

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K1684CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	482	--	--
53K1696CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	516	--	--
53K2442CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	320	--	--
53K2448CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	326	--	--
53K2484CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	601	--	--
53K2496CPTL	PRIORITY,COMP TOP,RECT,LAMINATE	--	613	--	--
53K1642CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	520
53K1642CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	488
53K1648CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	541
53K1648CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	491
53K1684CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	722
53K1684CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	652
53K1696CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	876
53K1696CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	778
53K2442CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	545
53K2442CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	499
53K2448CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	551
53K2448CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	502
53K2484CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	727
53K2484CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	669
53K2496CPT1W	PRIORITY,COMP TOP,RECT,KNIFE RIM,WOOD	--	--	--	886
53K2496CPTW	PRIORITY,COMP TOP,RECT,WOOD	--	--	--	799
53K1642CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	520	--
53K1642CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	488	--
53K1648CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	541	--
53K1648CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	491	--
53K1684CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	722	--
53K1684CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	652	--
53K1696CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	876	--
53K1696CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	778	--
53K2442CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	545	--

PRIORITY™ Storage - Rectangular Component Tops - For Use with Low Storage

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53K2442CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	499	--
53K2448CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	551	--
53K2448CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	502	--
53K2484CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	727	--
53K2484CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	669	--
53K2496CPT1LW	PRIORITY,COMP TOP,RECT,KNIFE RIM,LAMINATE/WOOD	--	--	886	--
53K2496CPTLW	PRIORITY,COMP TOP,RECT,LAMINATE/WOOD RIM	--	--	799	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Storage - Cushion Tops - For Use with Low Storage

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7
53K1642PC	PRIORITY,PEDESTAL,CUSHION	452	477	493	508	530	554	578
53K1648PC	PRIORITY,PEDESTAL,CUSHION	457	482	498	513	535	559	583
53K2442PC	PRIORITY,PEDESTAL,CUSHION	484	515	535	554	582	612	642
53K2448PC	PRIORITY,PEDESTAL,CUSHION	489	520	540	559	587	617	647

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K4216SOSML	PRIORITY,OVHD STOR,SL,WALL MT,LAM DOOR,LAM	809	--
53K5416SOSML	PRIORITY,OVHD STOR,SL,WALL MT,LAM DOOR,LAM	979	--
53K7816SOSML	PRIORITY,OVHD STOR,SL,WALL MT,LAM DOOR,LAM	1557	--
53K8416SOSML	PRIORITY,OVHD STOR,SL,WALL MT,LAM DOOR,LAM	1651	--
53K9016SOSML	PRIORITY,OVHD STOR,SL,WALL MT,LAM DOOR,LAM	1750	--
53K9616SOSML	PRIORITY,OVHD STOR,SL,WALL MT,LAM DOOR,LAM	1855	--
53K3016SOSMG2L	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,LAMINATE	787	--
53K3616SOSMG2L	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,LAMINATE	845	--
53K4216SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	896	--
53K4816SOSMG2L	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,LAMINATE	1025	--
53K5416SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	1087	--
53K6016SOSMG2L	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,LAMINATE	1238	--
53K6616SOSMG2L	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,LAMINATE	1362	--
53K7216SOSMG2L	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,LAMINATE	1627	--
53K7816SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	1725	--
53K8416SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	1828	--
53K9016SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	2054	--
53K9616SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	2054	--
53K3016SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	776	--
53K3616SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	800	--
53K4216SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	825	--
53K4816SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	850	--
53K5416SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	901	--
53K6016SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	955	--
53K6616SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1012	--
53K7216SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1073	--
53K7816SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1127	--
53K8416SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1183	--
53K9016SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1242	--
53K9616SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1304	--
53K3031SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	1595	--
53K3631SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	1653	--
53K4231SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	1713	--
53K4831SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	1775	--
53K5431SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	1839	--
53K6031SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	1906	--
53K6631SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	1975	--
53K7231SOSML	PRIORITY,OVHD,SLIDING,WALL MT,LAM DOOR,LAM	2047	--
53K3031SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	1786	--
53K3631SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	1851	--
53K4231SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	1918	--
53K4831SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	1988	--
53K5431SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	2060	--
53K6031SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	2135	--
53K6631SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	2212	--
53K7231SOSMG2L	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,LAMINATE	2292	--
53K3031SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	796	--
53K3631SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	838	--
53K4231SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	882	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K4831SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	967	--
53K5431SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	992	--
53K6031SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1044	--
53K6631SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1113	--
53K7231SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1197	--
53K7831SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1220	--
53K8431SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1250	--
53K9031SOOML	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1325	--
53K9631SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1405	--
53K4216SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	809	--
53K5416SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	979	--
53K7816SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1557	--
53K8416SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1651	--
53K9016SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1750	--
53K9616SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1855	--
53K3016SOSTG2L	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,LAMINATE	787	--
53K3616SOSTG2L	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,LAMINATE	845	--
53K4216SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	896	--
53K4816SOSTG2L	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,LAMINATE	1025	--
53K5416SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	1087	--
53K6016SOSTG2L	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,LAMINATE	1238	--
53K6616SOSTG2L	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,LAMINATE	1362	--
53K7216SOSTG2L	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,LAMINATE	1627	--
53K7816SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	1725	--
53K8416SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	1828	--
53K9016SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	2054	--
53K9616SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	2054	--
53K3016SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	776	--
53K3616SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	800	--
53K4216SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	825	--
53K4816SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	850	--
53K5416SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	901	--
53K6016SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	955	--
53K6616SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1012	--
53K7216SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1073	--
53K7816SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1127	--
53K8416SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1183	--
53K9016SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1242	--
53K9616SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1304	--
53K3031SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1595	--
53K3631SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1653	--
53K4231SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1713	--
53K4831SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1775	--
53K5431SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1839	--
53K6031SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1906	--
53K6631SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	1975	--
53K7231SOSTL	PRIORITY,OVHD STOR,SL,TRAXX,LAMINATE DOOR,LAMINATE	2047	--
53K3031SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	1786	--
53K3631SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	1851	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K4231SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	1918	--
53K4831SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	1988	--
53K5431SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	2060	--
53K6031SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	2135	--
53K6631SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	2212	--
53K7231SOSTG2L	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,LAMINATE	2292	--
53K3031SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	796	--
53K3631SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	838	--
53K4231SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	882	--
53K4831SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	967	--
53K5431SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	992	--
53K6031SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1044	--
53K6631SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1113	--
53K7231SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1197	--
53K7831SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1220	--
53K8431SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1250	--
53K9031SOOTL	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	1325	--
53K9631SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1405	--
53K4219SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	742	--
53K5419SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1058	--
53K7819SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1230	--
53K8419SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1300	--
53K9019SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1390	--
53K9619SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1480	--
53K4219SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1128	--
53K5419SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1340	--
53K7819SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2034	--
53K8419SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2124	--
53K9019SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2214	--
53K9619SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2303	--
53K3019SOHMG2L	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,LAMINATE	1001	--
53K3619SOHMG2L	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,LAMINATE	1071	--
53K4219SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1210	--
53K4819SOHMG2L	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,LAMINATE	1301	--
53K5419SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1451	--
53K6019SOHMG2L	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,LAMINATE	1571	--
53K6619SOHMG2L	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,LAMINATE	1729	--
53K7219SOHMG2L	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,LAMINATE	2072	--
53K7819SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2162	--
53K8419SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2252	--
53K9019SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2341	--
53K9619SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2434	--
53KE3019SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	541	--
53KE3619SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	620	--
53KE4219SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	712	--
53KE4819SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	794	--
53KE5419SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	828	--
53KE6019SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	858	--
53KE6619SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	905	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53KE7219SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	992	--
53KE7819SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1023	--
53KE8419SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1075	--
53KE9019SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1085	--
53KE9619SOOML	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1147	--
53K3031SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	832	--
53K3631SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	924	--
53K4231SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1038	--
53K4831SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1166	--
53K5431SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1209	--
53K6031SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1305	--
53K6631SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1391	--
53K7231SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1497	--
53K7831SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1525	--
53K8431SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1563	--
53K9031SOHML	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1656	--
53K9631SOHML	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	1756	--
53K3031SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1081	--
53K3631SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1201	--
53K4231SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1350	--
53K4831SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1516	--
53K5431SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1571	--
53K6031SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1697	--
53K6631SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1809	--
53K7231SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1946	--
53K7831SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	1983	--
53K8431SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2031	--
53K9031SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,LAMINATE DOOR,LAMINATE	2153	--
53K9631SOHMGL	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2282	--
53K3031SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2056	--
53K3631SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2120	--
53K4231SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2185	--
53K4831SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2253	--
53K5431SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2388	--
53K6031SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2531	--
53K6631SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2683	--
53K7231SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2844	--
53K7831SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	2987	--
53K8431SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	3136	--
53K9031SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	3293	--
53K9631SOHMG2L	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,LAMINATE	3457	--
53K4219SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	742	--
53K5419SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1058	--
53K7819SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1230	--
53K8419SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1300	--
53K9019SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1390	--
53K9619SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1480	--
53K4219SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1128	--
53K5419SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1340	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K7819SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2034	--
53K8419SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2124	--
53K9019SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2214	--
53K9619SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2303	--
53K3019SOHTG2L	PRIORITY,OVHD,HINGED,TRAXX MOUNT,GLASS DOORS,LAMINATE	1001	--
53K3619SOHTG2L	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GL DR,LAMINATE	1071	--
53K4219SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1210	--
53K4819SOHTG2L	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GL DR,LAMINATE	1301	--
53K5419SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1451	--
53K6019SOHTG2L	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GL DR,LAMINATE	1571	--
53K6619SOHTG2L	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GL DR,LAMINATE	1729	--
53K7219SOHTG2L	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GL DR,LAMINATE	2072	--
53K7819SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2162	--
53K8419SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2252	--
53K9019SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2341	--
53K9619SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2434	--
53KE3019SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	541	--
53KE3619SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	620	--
53KE4219SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	712	--
53KE4819SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	794	--
53KE5419SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	828	--
53KE6019SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	858	--
53KE6619SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	905	--
53KE7219SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	992	--
53KE7819SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1023	--
53KE8419SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1075	--
53KE9019SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1085	--
53KE9619SOOTL	PRIORITY,OVERHEAD,OPEN,TRAXX MT,LAMINATE	1147	--
53K3031SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	832	--
53K3631SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	924	--
53K4231SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1038	--
53K4831SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1166	--
53K5431SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1209	--
53K6031SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1305	--
53K6631SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1391	--
53K7231SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1497	--
53K7831SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1525	--
53K8431SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1563	--
53K9031SOHTL	PRIORITY,OVERHEAD,OPEN,WALL MT,LAMINATE	1656	--
53K9631SOHTL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	1756	--
53K3031SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1081	--
53K3631SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1201	--
53K4231SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1350	--
53K4831SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1516	--
53K5431SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1571	--
53K6031SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1697	--
53K6631SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1809	--
53K7231SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1946	--
53K7831SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	1983	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K8431SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2031	--
53K9031SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,LAMINATE DOOR,LAMINATE	2282	--
53K9631SOHTGL	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2282	--
53K3031SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2056	--
53K3631SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2120	--
53K4231SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2185	--
53K4831SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2253	--
53K5431SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2388	--
53K6031SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2531	--
53K6631SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2683	--
53K7231SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2844	--
53K7831SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	2987	--
53K8431SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	3136	--
53K9031SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	3457	--
53K9631SOHTG2L	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,LAMINATE	3457	--
53K3024SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1162	--
53K3624SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1198	--
53K4224SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1235	--
53K4824SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1273	--
53K5424SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1349	--
53K6024SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1430	--
53K6624SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1516	--
53K7224SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1607	--
53K7824SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1688	--
53K8424SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1772	--
53K9024SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1861	--
53K9624SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1954	--
53K3024SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1468	--
53K3624SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1514	--
53K4224SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1561	--
53K4824SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1609	--
53K5424SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1706	--
53K6024SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1808	--
53K6624SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1916	--
53K7224SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2031	--
53K7824SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2133	--
53K8424SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2240	--
53K9024SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2352	--
53K9624SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2469	--
53K3024SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	1966	--
53K3624SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2027	--
53K4224SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2089	--
53K4824SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2154	--
53K5424SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2283	--
53K6024SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2420	--
53K6624SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2565	--
53K7224SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2719	--
53K7824SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2855	--
53K8424SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2998	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K9024SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	3148	--
53K9624SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	3305	--
53K3024SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	884	--
53K3624SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	912	--
53K4224SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	940	--
53K4824SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	969	--
53K5424SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1027	--
53K6024SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1089	--
53K6624SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1154	--
53K7224SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1223	--
53K7824SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1285	--
53K8424SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1336	--
53K9024SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1383	--
53K9624SOPSOML	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,LAMINATE	1431	--
53K3036SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1199	--
53K3636SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1262	--
53K4236SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1402	--
53K4836SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1508	--
53K5436SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1598	--
53K6036SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1694	--
53K6636SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1796	--
53K7236SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1904	--
53K7836SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	1980	--
53K8436SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	2049	--
53K9036SOPSHML	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2121	--
53K9636SOPSHML	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	2248	--
53K3036SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1559	--
53K3636SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1641	--
53K4236SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1823	--
53K4836SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	1960	--
53K5436SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2078	--
53K6036SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2203	--
53K6636SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2335	--
53K7236SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2475	--
53K7836SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2574	--
53K8436SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2664	--
53K9036SOPSHMGL	PRIORITY,OVHD PAPER STORAGE,HNGD,WALL,LAM DOOR,LAM	2757	--
53K9636SOPSHMGL	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2923	--
53K3036SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	1652	--
53K3636SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	1739	--
53K4236SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	1933	--
53K4836SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2078	--
53K5436SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2203	--
53K6036SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2335	--
53K6636SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2475	--
53K7236SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2623	--
53K7836SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2728	--
53K8436SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	2824	--
53K9036SOPSHMG2L	PRIORITY,OVHD PAPER STOR,HNGD,WALL,GLASS DOOR,LAM	2923	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K9636SOPSHMG2L	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,L	3098	--
53K3036SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1051	--
53K3636SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1118	--
53K4236SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1189	--
53K4836SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1265	--
53K5436SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1354	--
53K6036SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1448	--
53K6636SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1550	--
53K7236SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1658	--
53K7836SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1774	--
53K8436SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	1898	--
53K9036SOPSOML	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	2031	--
53K9636SOPSOML	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	2299	--
53K3024SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1162	--
53K3624SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1198	--
53K4224SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1235	--
53K4824SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1273	--
53K5424SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1349	--
53K6024SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1430	--
53K6624SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1516	--
53K7224SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1607	--
53K7824SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1688	--
53K8424SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1772	--
53K9024SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1861	--
53K9624SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1954	--
53K3024SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1468	--
53K3624SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1514	--
53K4224SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1561	--
53K4824SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1609	--
53K5424SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1706	--
53K6024SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1808	--
53K6624SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1916	--
53K7224SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2031	--
53K7824SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2133	--
53K8424SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2240	--
53K9024SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2352	--
53K9624SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2469	--
53K3024SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	1966	--
53K3624SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2027	--
53K4224SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2089	--
53K4824SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2154	--
53K5424SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2283	--
53K6024SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2420	--
53K6624SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2565	--
53K7224SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2719	--
53K7824SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2855	--
53K8424SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2998	--
53K9024SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	3148	--
53K9624SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	3305	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K3024SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	884	--
53K3624SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	912	--
53K4224SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	940	--
53K4824SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	969	--
53K5424SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1027	--
53K6024SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1089	--
53K6624SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1154	--
53K7224SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1223	--
53K7824SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1285	--
53K8424SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1336	--
53K9024SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1383	--
53K9624SOPSOTL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1431	--
53K3036SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1199	--
53K3636SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1262	--
53K4236SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1402	--
53K4836SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1508	--
53K5436SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1598	--
53K6036SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1694	--
53K6636SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1796	--
53K7236SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1904	--
53K7836SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	1980	--
53K8436SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	2049	--
53K9036SOPSHTL	PRIORITY,OVERHEAD,PAPER STOR,OPEN,WALL MT,LAM	2121	--
53K9636SOPSHTL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	2248	--
53K3036SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1559	--
53K3636SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1641	--
53K4236SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1823	--
53K4836SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	1960	--
53K5436SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2078	--
53K6036SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2203	--
53K6636SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2335	--
53K7236SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2475	--
53K7836SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2574	--
53K8436SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2664	--
53K9036SOPSHTGL	PRIORITY,OVHD PAPER STORAGE,HNG,TRAXX,LAM DOOR,LAM	2757	--
53K9636SOPSHTGL	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2923	--
53K3036SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	1652	--
53K3636SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	1739	--
53K4236SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	1933	--
53K4836SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2078	--
53K5436SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2203	--
53K6036SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2335	--
53K6636SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2475	--
53K7236SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	2623	--
53K7836SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2728	--
53K8436SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	2824	--
53K9036SOPSHTG2L	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,GLASS DOOR,LAM	2923	--
53K9636SOPSHTG2L	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,L	3098	--
53K3036SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1051	--

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K3636SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1118	--
53K4236SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1189	--
53K4836SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1265	--
53K5436SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1354	--
53K6036SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1448	--
53K6636SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1550	--
53K7236SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1658	--
53K7836SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1774	--
53K8436SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	1898	--
53K9036SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	2031	--
53K9636SOPSOTL	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,L	2299	--
53K4216SOSMW	PRIORITY,OVHD STOR,SL,WALL MT,WOOD DOOR,WOOD	--	1281
53K5416SOSMW	PRIORITY,OVHD STOR,SL,WALL MT,WOOD DOOR,WOOD	--	1584
53K7816SOSMW	PRIORITY,OVHD STOR,SL,WALL MT,WOOD DOOR,WOOD	--	2655
53K8416SOSMW	PRIORITY,OVHD STOR,SL,WALL MT,WOOD DOOR,WOOD	--	3021
53K9016SOSMW	PRIORITY,OVHD STOR,SL,WALL MT,WOOD DOOR,WOOD	--	3491
53K9616SOSMW	PRIORITY,OVHD STOR,SL,WALL MT,WOOD DOOR,WOOD	--	4015
53K3016SOSMG2W	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,WOOD	--	1198
53K3616SOSMG2W	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,WOOD	--	1283
53K4216SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	1462
53K4816SOSMG2W	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,WOOD	--	1555
53K5416SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	1799
53K6016SOSMG2W	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,WOOD	--	1876
53K6616SOSMG2W	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,WOOD	--	2063
53K7216SOSMG2W	PRIORITY,OVERHEAD,SL,WALL MT,GLASS DR,WOOD	--	2481
53K7816SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	2883
53K8416SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	3247
53K9016SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	3946
53K9616SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	4332
53K3016SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1444
53K3616SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1504
53K4216SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1567
53K4816SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1632
53K5416SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1700
53K6016SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1771
53K6616SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1844
53K7216SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1921
53K7816SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2017
53K8416SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2118
53K9016SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2224
53K9616SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2335
53K3031SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	2333
53K3631SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	2456
53K4231SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	2586
53K4831SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	2722
53K5431SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	3024
53K6031SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	3130
53K6631SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	3164
53K7231SOSMW	PRIORITY,OVHD,SLIDING,WALL MT,WOOD DOOR,WOOD	--	3208

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K3031SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	2800
53K3631SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	2947
53K4231SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	3103
53K4831SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	3266
53K5431SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	3629
53K6031SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	3756
53K6631SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	3797
53K7231SOSMG2W	PRIORITY,OVHD,SL,WALL MT,GLASS DOOR,WOOD	--	4491
53K3031SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	950
53K3631SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1079
53K4231SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1316
53K4831SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1438
53K5431SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1834
53K6031SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1926
53K6631SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1964
53K7231SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2001
53K7831SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2061
53K8431SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2123
53K9031SOOMW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2187
53K9631SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2252
53K4216SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	1281
53K5416SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	1584
53K7816SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	2655
53K8416SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	3021
53K9016SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	3491
53K9616SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	4015
53K3016SOSTG2W	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,WOOD	--	1198
53K3616SOSTG2W	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,WOOD	--	1283
53K4216SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	1462
53K4816SOSTG2W	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,WOOD	--	1555
53K5416SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	1799
53K6016SOSTG2W	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,WOOD	--	1876
53K6616SOSTG2W	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,WOOD	--	2063
53K7216SOSTG2W	PRIORITY,OVERHEAD STORAGE,SL,TRAXX,GLASS DR,WOOD	--	2481
53K7816SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	2883
53K8416SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	3247
53K9016SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	3946
53K9616SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	4332
53K3016SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1444
53K3616SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1504
53K4216SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1567
53K4816SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1632
53K5416SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1700
53K6016SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1771
53K6616SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1844
53K7216SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1921
53K7816SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2017
53K8416SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2118
53K9016SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2224

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K9616SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2335
53K3031SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	2333
53K3631SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	2456
53K4231SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	2586
53K4831SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	2722
53K5431SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	3024
53K6031SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	3130
53K6631SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	3164
53K7231SOSTW	PRIORITY,OVHD STOR,SL,TRAXX,WOOD DOOR,WOOD	--	3208
53K3031SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	2800
53K3631SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	2947
53K4231SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	3103
53K4831SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	3266
53K5431SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	3629
53K6031SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	3756
53K6631SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	3797
53K7231SOSTG2W	PRIORITY,OVHD STOR,SL,TRAXX,GLASS DOOR,WOOD	--	4491
53K3031SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	950
53K3631SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1079
53K4231SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1316
53K4831SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1438
53K5431SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1834
53K6031SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1926
53K6631SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1964
53K7231SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2001
53K7831SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2061
53K8431SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2123
53K9031SOOTW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2187
53K9631SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2252
53K4219SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	1241
53K5419SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	1669
53K7819SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2303
53K8419SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2616
53K9019SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	3006
53K9619SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	3131
53K4219SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	1361
53K5419SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2038
53K7819SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2539
53K8419SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2851
53K9019SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3357
53K9619SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3481
53K3019SOHMG2W	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,WOOD	--	1322
53K3619SOHMG2W	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,WOOD	--	1416
53K4219SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	1577
53K4819SOHMG2W	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,WOOD	--	1713
53K5419SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	1985
53K6019SOHMG2W	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,WOOD	--	2068
53K6619SOHMG2W	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,WOOD	--	2276
53K7219SOHMG2W	PRIORITY,OVERHEAD,HINGED,WALL MNT,GLASS DR,WOOD	--	2735

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K7819SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2712
53K8419SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3024
53K9019SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3630
53K9619SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3757
53KE3019SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	814
53KE3619SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	888
53KE4219SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	958
53KE4819SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	995
53KE5419SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1225
53KE6019SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1286
53KE6619SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1325
53KE7219SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1403
53KE7819SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	1724
53KE8419SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2041
53KE9019SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2318
53KE9619SOOMW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	2441
53K3031SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	1588
53K3631SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	1765
53K4231SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	1983
53K4831SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2228
53K5431SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2659
53K6031SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2741
53K6631SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2755
53K7231SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2769
53K7831SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2852
53K8431SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	2938
53K9031SOHMW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3114
53K9631SOHMW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	3301
53K3031SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2255
53K3631SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2506
53K4231SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2816
53K4831SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3164
53K5431SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3776
53K6031SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3893
53K6631SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3912
53K7231SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3932
53K7831SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4050
53K8431SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4171
53K9031SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,WOOD DOOR,WOOD	--	4422
53K9631SOHMGW	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4687
53K3031SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2582
53K3631SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	2869
53K4231SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3224
53K4831SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	3623
53K5431SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4323
53K6031SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4457
53K6631SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4480
53K7231SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4502
53K7831SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4637

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K8431SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	4776
53K9031SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	5063
53K9631SOHMG2W	PRIORITY,OVHD,HNGD,WALL MT,GLASS DOOR,WOOD	--	5367
53K4219SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	1241
53K5419SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	1669
53K7819SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2303
53K8419SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2616
53K9019SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	3006
53K9619SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	3131
53K4219SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	1361
53K5419SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2038
53K7819SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2539
53K8419SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2851
53K9019SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3357
53K9619SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3481
53K3019SOHTG2W	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GLASS DR,WOOD	--	1322
53K3619SOHTG2W	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GLASS DR,WOOD	--	1416
53K4219SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	1577
53K4819SOHTG2W	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GLASS DR,WOOD	--	1713
53K5419SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	1985
53K6019SOHTG2W	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GLASS DR,WOOD	--	2068
53K6619SOHTG2W	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GLASS DR,WOOD	--	2276
53K7219SOHTG2W	PRIORITY,OVERHEAD,HINGED,TRAXX MNT,GLASS DR,WOOD	--	2735
53K7819SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2712
53K8419SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3024
53K9019SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3630
53K9619SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3757
53KE3019SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	814
53KE3619SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	888
53KE4219SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	958
53KE4819SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	995
53KE5419SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1225
53KE6019SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1286
53KE6619SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1325
53KE7219SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1403
53KE7819SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	1724
53KE8419SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2041
53KE9019SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2318
53KE9619SOOTW	PRIORITY,OVERHEAD,OPEN,TRAXX MT,WOOD	--	2441
53K3031SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	1588
53K3631SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	1765
53K4231SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	1983
53K4831SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2228
53K5431SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2659
53K6031SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2741
53K6631SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2755
53K7231SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2769
53K7831SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2852
53K8431SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	2938

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K9031SOHTW	PRIORITY,OVERHEAD,OPEN,WALL MT,WOOD	--	3114
53K9631SOHTW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	3301
53K3031SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2255
53K3631SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2506
53K4231SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2816
53K4831SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3164
53K5431SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3776
53K6031SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3893
53K6631SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3912
53K7231SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3932
53K7831SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4050
53K8431SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4171
53K9031SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,WOOD DOOR,WOOD	--	4422
53K9631SOHTGW	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4687
53K3031SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2582
53K3631SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	2869
53K4231SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3224
53K4831SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	3623
53K5431SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4323
53K6031SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4457
53K6631SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4480
53K7231SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4502
53K7831SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4637
53K8431SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	4776
53K9031SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	5063
53K9631SOHTG2W	PRIORITY,OVHD,HNGD,TRAXX MT,GLASS DOOR,WOOD	--	5367
53K3024SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	1473
53K3624SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	1559
53K4224SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	1723
53K4824SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	1925
53K5424SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2334
53K6024SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2388
53K6624SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2428
53K7224SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2508
53K7824SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2832
53K8424SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3143
53K9024SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3766
53K9624SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3911
53K3024SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2048
53K3624SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2156
53K4224SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2270
53K4824SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2389
53K5424SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2580
53K6024SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2787
53K6624SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3009
53K7224SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3250
53K7824SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3510
53K8424SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3791
53K9024SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4094

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K9624SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4422
53K3024SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2648
53K3624SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2788
53K4224SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2935
53K4824SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3089
53K5424SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3336
53K6024SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3603
53K6624SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3891
53K7224SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4203
53K7824SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4539
53K8424SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4902
53K9024SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	5294
53K9624SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	5718
53K3024SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1314
53K3624SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1372
53K4224SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1432
53K4824SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1466
53K5424SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1750
53K6024SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1812
53K6624SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1854
53K7224SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	1927
53K7824SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	2254
53K8424SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	2570
53K9024SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	3076
53K9624SOPSOMW	PRIORITY,OVHD,PAPER STORAGE,OPEN,WALL,WOOD	--	3211
53K3036SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	1986
53K3636SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2113
53K4236SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2348
53K4836SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	2588
53K5436SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3237
53K6036SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3327
53K6636SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3358
53K7236SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3397
53K7836SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3465
53K8436SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3534
53K9036SOPSHMW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3605
53K9636SOPSHMW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	3677
53K3036SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2582
53K3636SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2746
53K4236SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3053
53K4836SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3365
53K5436SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4208
53K6036SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4325
53K6636SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4365
53K7236SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4416
53K7836SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4504
53K8436SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4594
53K9036SOPSHMGW	PRIORITY,OVHD PAPER STOR,HNGD,WALL,WOOD DOOR,WOOD	--	4686
53K9636SOPSHMGW	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4780

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K3036SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2736
53K3636SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	2911
53K4236SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3236
53K4836SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	3567
53K5436SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4461
53K6036SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4584
53K6636SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4627
53K7236SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4681
53K7836SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4775
53K8436SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4870
53K9036SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	4967
53K9636SOPSHMG2W	PRIORITY,OVHD,PAPER STOR,HNG,WALL MT,GLASS DOOR,WD	--	5067
53K3036SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	1483
53K3636SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	1612
53K4236SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	1812
53K4836SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	1948
53K5436SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	2357
53K6036SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	2499
53K6636SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	2523
53K7236SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	2574
53K7836SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	2625
53K8436SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	2678
53K9036SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2732
53K9636SOPSOMW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	2786
53K3024SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	1473
53K3624SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	1559
53K4224SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	1723
53K4824SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	1925
53K5424SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2334
53K6024SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2388
53K6624SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2428
53K7224SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2508
53K7824SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2832
53K8424SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3143
53K9024SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3766
53K9624SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3911
53K3024SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2048
53K3624SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2156
53K4224SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2270
53K4824SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2389
53K5424SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2580
53K6024SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2787
53K6624SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3009
53K7224SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3250
53K7824SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3510
53K8424SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3791
53K9024SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4094
53K9624SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4422
53K3024SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2648

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K3624SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2788
53K4224SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2935
53K4824SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3089
53K5424SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3336
53K6024SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3603
53K6624SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3891
53K7224SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4203
53K7824SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4539
53K8424SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4902
53K9024SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	5294
53K9624SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	5718
53K3024SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1314
53K3624SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1372
53K4224SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1432
53K4824SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1466
53K5424SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1750
53K6024SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1812
53K6624SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1854
53K7224SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	1927
53K7824SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	2254
53K8424SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	2570
53K9024SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	3076
53K9624SOPSOTW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	3211
53K3036SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	1986
53K3636SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2113
53K4236SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2348
53K4836SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	2588
53K5436SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3237
53K6036SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3327
53K6636SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3358
53K7236SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3397
53K7836SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3465
53K8436SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3534
53K9036SOPSHTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,WALL MT,WOOD	--	3605
53K9636SOPSHTW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	3677
53K3036SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2582
53K3636SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2746
53K4236SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3053
53K4836SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3365
53K5436SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4208
53K6036SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4325
53K6636SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4365
53K7236SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4416
53K7836SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4504
53K8436SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4594
53K9036SOPSHTGW	PRIORITY,OVHD PAPER STOR,HNGD,TRAXX,WOOD DOOR,WOOD	--	4686
53K9636SOPSHTGW	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4780
53K3036SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2736
53K3636SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	2911

PRIORITY™ Storage - Wall- and Traxx-Mount Overheads

Model Number	Model Description	Laminate (L)	Wood (W)
53K4236SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3236
53K4836SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	3567
53K5436SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4461
53K6036SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4584
53K6636SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4627
53K7236SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4681
53K7836SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4775
53K8436SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4870
53K9036SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	4967
53K9636SOPSHTG2W	PRIORITY,OVHD,PAPER STOR,HNG,TRAXX MT,GLASS DOOR,W	--	5067
53K3036SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	1483
53K3636SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	1612
53K4236SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	1812
53K4836SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	1948
53K5436SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2357
53K6036SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2499
53K6636SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2523
53K7236SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2574
53K7836SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2625
53K8436SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2678
53K9036SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2732
53K9636SOPSOTW	PRIORITY,OVERHEAD,PAPER STORAGE,OPEN,TRAXX MT,WOOD	--	2786

Options:

Wood finish price group (omit for L):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Storage - 22"H Wall-Mount Tackboards - For Use with 16"H Sliding-Door and Open Overheads

Model Number	Model Description	COM	Panel Fabric Gr A-E	Seating Fabric Gr 1-3	Gr 4-6
KAC3022TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	340	353	356	375
KAC3622TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	348	363	367	390
KAC4222TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	356	374	378	406
KAC4822TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	359	379	384	416
KAC5422TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	368	391	396	432
KAC6022TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	383	408	414	453
KAC6622TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	399	427	433	476
KAC7222TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	404	432	438	481
KAC7822TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	438	471	478	529
KAC8422TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	508	543	551	606
KAC9022TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	574	612	621	679
KAC9622TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	612	652	662	724
KAC3022TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	769	782	785	804
KAC3622TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	851	866	870	893
KAC4222TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	882	900	904	932
KAC4822TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	892	912	917	949
KAC5422TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	921	944	949	985
KAC6022TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	950	975	981	1020
KAC6622TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	973	1001	1007	1050
KAC7222TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	990	1020	1027	1074
KAC7822TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	1047	1080	1087	1138
KAC8422TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	1127	1162	1170	1225
KAC9022TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	1257	1295	1304	1362
KAC9622TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	1341	1381	1391	1453
KAC3020TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	309	319	322	338
KAC3620TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	317	329	332	351
KAC4220TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	323	338	341	364
KAC4820TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	326	343	346	372
KAC5420TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	335	354	358	387
KAC6020TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	348	369	374	406
KAC6620TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	363	386	391	427
KAC7220TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	367	391	396	434
KAC7820TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	398	423	429	468
KAC8420TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	462	490	496	539
KAC9020TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	522	560	569	627
KAC9620TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	557	597	607	669
KAC3020TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	699	712	715	734
KAC3620TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	774	789	793	816
KAC4220TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	784	802	806	834
KAC4820TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	802	822	827	859
KAC5420TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	837	860	865	901
KAC6020TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	864	889	895	934
KAC6620TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	884	912	918	961
KAC7220TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	900	930	937	984
KAC7820TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	952	985	992	1043
KAC8420TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	1025	1060	1068	1123
KAC9020TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	1143	1181	1190	1248
KAC9620TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	1219	1259	1269	1331
KAC3014TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	216	224	225	237

PRIORITY™ Storage - 22"H Wall-Mount Tackboards - For Use with 16"H Sliding-Door and Open Overheads

Model Number	Model Description	COM	Panel Fabric Gr A-E	Seating Fabric Gr 1-3	Gr 4-6
KAC3614TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	222	232	234	249
KAC4214TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	226	237	240	258
KAC4814TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	229	242	245	265
KAC5414TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	234	249	252	275
KAC6014TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	244	260	264	289
KAC6614TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	254	272	276	304
KAC7214TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	257	276	281	311
KAC7814TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	278	299	304	337
KAC8414TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	323	346	351	386
KAC9014TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	365	389	395	433
KAC9614TBKW	ACCESSORIES-CG,TACKBOARD,WALL MOUNT	390	415	421	460
KAC3014TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	489	497	498	510
KAC3614TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	542	552	554	569
KAC4214TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	562	573	576	594
KAC4814TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	576	589	592	612
KAC5414TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	586	601	604	627
KAC6014TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	605	621	625	650
KAC6614TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	619	637	641	669
KAC7214TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	630	649	654	684
KAC7814TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	666	687	692	725
KAC8414TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	717	740	745	780
KAC9014TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	800	824	830	868
KAC9614TBKTB	ACCESS-CG,TACKBOARD W/TOOL BAR,WALL MNT	853	878	884	923

PRIORITY™ Storage - Wall- and Traxx-Mount Cubbies

Model Number	Model Description	Laminate (L)	Wood (W)
53K3010WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	423	--
53K3610WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	477	--
53K4210WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	553	--
53K4810WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	591	--
53K5410WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	610	--
53K6010WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	629	--
53K6610WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	643	--
53K7210WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	662	--
53K7810WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	686	--
53K8410WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	789	--
53K9010WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	820	--
53K9610WCBOML	PRIORITY,WALL CUBBY,OPEN,WALL MT,LAMINATE	984	--
53K3010WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	423	--
53K3610WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	477	--
53K4210WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	553	--
53K4810WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	591	--
53K5410WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	610	--
53K6010WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	629	--
53K6610WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	643	--
53K7210WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	657	--
53K7810WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	686	--
53K8410WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	789	--
53K9010WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	820	--
53K9610WCBOTL	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,LAMINATE	984	--
53K3010WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	638
53K3610WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	714
53K4210WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	809
53K4810WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	942
53K5410WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1120
53K6010WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1192
53K6610WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1327
53K7210WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1336
53K7810WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1536
53K8410WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1563
53K9010WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1767
53K9610WCBOMW	PRIORITY,WALL CUBBY,OPEN,WALL MT,WOOD	--	1875
53K3010WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	638
53K3610WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	714
53K4210WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	809
53K4810WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	942
53K5410WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1120
53K6010WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1192
53K6610WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1327

PRIORITY™ Storage - Wall- and Traxx-Mount Cubbies

Model Number	Model Description	Laminate (L)	Wood (W)
53K7210WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1336
53K7810WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1536
53K8410WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1563
53K9010WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1767
53K9610WCBOTW	PRIORITY,WALL CUBBY,OPEN,TRAXX MT,WOOD	--	1875

Options:

Wood finish price group (omit for L):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Storage - Wall- and Traxx-Mount Cubbies

Model Number	Model Description	Laminate (L)	Wood (W)
53KE0824SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	271	--
53KE0830SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	277	--
53KE0836SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	283	--
53KE0842SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	288	--
53KE0848SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	293	--
53KE0854SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	327	--
53KE0860SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	333	--
53KE0866SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	339	--
53KE0872SHML	PRIORITY,SHELF,WALL MOUNT,LAMINATE	344	--
53KE0824SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	434
53KE0830SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	443
53KE0836SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	453
53KE0842SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	461
53KE0848SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	469
53KE0854SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	523
53KE0860SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	533
53KE0866SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	542
53KE0872SHMW	PRIORITY,SHELF,WALL MOUNT,WOOD	--	550

Options:

Wood finish price group (omit for L):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Storage - Center-Mount Overheads

Model Number	Model Description	Price
53K0110CPFS	PRIORITY,FILLER STRIP,BLACK	55
53K0124CPFS	PRIORITY,FILLER STRIP,BLACK	55
53K0131CPFS	PRIORITY,FILLER STRIP,BLACK	55
53K0136CPFS	PRIORITY,FILLER STRIP,BLACK	55

Model Number	Model Description	Laminate (L)	Wood (W)
53K3016SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	864	--
53K3616SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	921	--
53K4216SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	996	--
53K4816SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	1101	--
53K5416SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	1190	--
53K6016SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	1313	--
53K6616SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	1439	--
53K7216SOSUG2L	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,LAMINATE	1704	--
53K3016SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	1077	--
53K3616SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	1148	--
53K4216SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	1240	--
53K4816SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	1392	--
53K5416SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	1528	--
53K6016SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	1649	--
53K6616SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	1807	--
53K7216SOHUG2L	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,LAMINATE	2149	--
53K3016SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	1316
53K3616SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	1401
53K4216SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	1528
53K4816SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	1673
53K5416SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	1782
53K6016SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	1993
53K6616SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	2181
53K7216SOSUG2W	PRIORITY,OVERHEAD STORAGE,SL,UPMOUNT,GLASS,WOOD	--	2599
53K3016SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	1440
53K3616SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	1533
53K4216SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	1656
53K4816SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	1830
53K5416SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	1978
53K6016SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	2186
53K6616SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	2368
53K7216SOHUG2W	PRIORITY,OVERHEAD,HINGED,UPMOUNT,GLASS DR,WOOD	--	2853

Options:

Wood finish price group (omit for L):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Storage - Highback Organizers

Model Number	Model Description	Laminate (L)	Wood (W)
53K7838HBSL	PRIORITY,HIGHBACK ORGANIZER,SLIDING,LAMINATE	1661	--
53K8438HBSL	PRIORITY,HIGHBACK ORGANIZER,SLIDING,LAMINATE	1695	--
53K6050HBSL	PRIORITY,HIGHBACK ORGANIZER,SLIDING,LAMINATE	1852	--
53K6650HBSL	PRIORITY,HIGHBACK ORGANIZER,SLIDING,LAMINATE	1949	--
53K7250HBSL	PRIORITY,HIGHBACK ORGANIZER,SLIDING,LAMINATE	2052	--
53K6038HBSG2L	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,LAMINATE	1728	--
53K6638HBSG2L	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,LAMINATE	1921	--
53K7238HBSG2L	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,LAMINATE	2141	--
53K7838HBSG2L	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,LAMINATE	2159	--
53K8438HBSG2L	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,LAMINATE	2203	--
53K9038HBSG2L	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,LAMINATE	2248	--
53K9638HBSG2L	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,LAMINATE	2498	--
53K6050HBSG2L	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,LAMINATE	2500	--
53K6650HBSG2L	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,LAMINATE	2632	--
53K7250HBSG2L	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,LAMINATE	2770	--
53K7838HBHL	PRIORITY,HIGHBK ORGR,HINGED,LAMINATE	1614	--
53K8438HBHL	PRIORITY,HIGHBK ORGR,HINGED,LAMINATE	1650	--
53K10250HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1876	--
53K10850HBHL	PRIORITY,HIGHBACK ORGR,HINGED DOOR,LAMINATE	2010	--
53K6050HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1257	--
53K6650HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1369	--
53K7250HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1502	--
53K7850HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1628	--
53K8450HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1682	--
53K9050HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1716	--
53K9650HBHL	PRIORITY,HIBK ORGR,HINGED DOOR,LAMINATE	1748	--
53K7838HBHGL	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2292	--
53K8438HBHGL	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2342	--
53K10250HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	3129	--
53K10850HBHGL	PRIORITY,HIGHBACK ORGR,HNGD, GLASS DOOR,LAMINATE	3301	--
53K6050HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2229	--
53K6650HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2310	--
53K7250HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2394	--
53K7850HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2526	--
53K8450HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2665	--
53K9050HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2811	--
53K9650HBHGL	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2966	--
53K10238HBHG2L	PRIORITY,HIGHBACK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	3739	--
53K10838HBHG2L	PRIORITY,HIGHBACK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	3977	--
53K6038HBHG2L	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	1912	--
53K6638HBHG2L	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2123	--
53K7238HBHG2L	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2366	--
53K7838HBHG2L	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2416	--
53K8438HBHG2L	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2466	--
53K9038HBHG2L	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2485	--
53K9638HBHG2L	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,LAMINATE	2761	--
53K10250HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	3285	--
53K10850HBHG2L	PRIORITY,HIGHBACK ORGR,HNGD, GLASS DOOR,LAMINATE	3466	--
53K6050HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2341	--

PRIORITY™ Storage - Highback Organizers

Model Number	Model Description	Laminate (L)	Wood (W)
53K6650HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2426	--
53K7250HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2514	--
53K7850HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2652	--
53K8450HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2798	--
53K9050HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	2952	--
53K9650HBHG2L	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,LAMINATE	3114	--
53K10238HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1799	--
53K10838HBOL	PRIORITY,HIGHBACK ORGR,OPEN,LAMINATE	1910	--
53K6038HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1166	--
53K6638HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1241	--
53K7238HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1410	--
53K7838HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1516	--
53K8438HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1592	--
53K9038HBOL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	1655	--
53K9638HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1721	--
53K10250HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1782	--
53K10850HBOL	PRIORITY,HIGHBACK ORGR,OPEN,LAMINATE	1910	--
53K6050HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1182	--
53K6650HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1273	--
53K7250HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1397	--
53K7850HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1514	--
53K8450HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1598	--
53K9050HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1647	--
53K9650HBOL	PRIORITY,HIBK ORGR,OPEN,LAMINATE	1661	--
53K10238HBPSHL	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,LAM	2123	--
53K10838HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAMINATE	2251	--
53K6038HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	1367	--
53K6638HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	1494	--
53K7238HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	1633	--
53K7838HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	1764	--
53K8438HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	1861	--
53K9038HBPSHL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1954	--
53K9638HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	2032	--
53K10250HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAMINATE	3011	--
53K10850HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAMINATE	3099	--
53K6050HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	1810	--
53K6650HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	1926	--
53K7250HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	2049	--
53K7850HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	2213	--
53K8450HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	2390	--
53K9050HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	2581	--
53K9650HBPSHL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	2788	--
53K10238HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2760	--
53K10838HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2926	--
53K6038HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	1777	--
53K6638HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	1942	--
53K7238HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2123	--
53K7838HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2293	--
53K8438HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2419	--

PRIORITY™ Storage - Highback Organizers

Model Number	Model Description	Laminate (L)	Wood (W)
53K9038HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HINGED DOOR,LAM	2540	--
53K9638HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2641	--
53K10250HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3914	--
53K10850HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	4029	--
53K6050HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2354	--
53K6650HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2504	--
53K7250HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2664	--
53K7850HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2877	--
53K8450HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3107	--
53K9050HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3355	--
53K9650HBPSHGL	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3624	--
53K10238HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2926	--
53K10838HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3101	--
53K6038HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	1884	--
53K6638HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2059	--
53K7238HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2250	--
53K7838HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2430	--
53K8438HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2564	--
53K9038HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2692	--
53K9638HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2800	--
53K10250HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	4149	--
53K10850HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	4270	--
53K6050HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2495	--
53K6650HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2654	--
53K7250HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	2824	--
53K7850HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3049	--
53K8450HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3293	--
53K9050HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3557	--
53K9650HBPSHG2L	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,LAM	3841	--
53K10238HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1799	--
53K10838HBPSOL	PRIORITY,HIGHBACK ORGR,PAPER STORAGE,OPEN,LAMINATE	1910	--
53K6038HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1166	--
53K6638HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1241	--
53K7238HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1410	--
53K7838HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1516	--
53K8438HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1592	--
53K9038HBPSOL	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,LAMINATE	1655	--
53K9638HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1721	--
53K10250HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	2203	--
53K10850HBPSOL	PRIORITY,HIGHBACK ORGR,PAPER STORAGE,OPEN,LAMINATE	2313	--
53K6050HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1493	--
53K6650HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1605	--
53K7250HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1726	--
53K7850HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1812	--
53K8450HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1903	--
53K9050HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	1998	--
53K9650HBPSOL	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,LAMINATE	2098	--
53K7838HBSW	PRIORITY,HIGHBACK ORGANIZER,SLIDING,WOOD	--	3358
53K8438HBSW	PRIORITY,HIGHBACK ORGANIZER,SLIDING,WOOD	--	3392

PRIORITY™ Storage - Highback Organizers

Model Number	Model Description	Laminate (L)	Wood (W)
53K6050HBSW	PRIORITY,HIGHBACK ORGANIZER,SLIDING,WOOD	--	3377
53K6650HBSW	PRIORITY,HIGHBACK ORGANIZER,SLIDING,WOOD	--	3482
53K7250HBSW	PRIORITY,HIGHBACK ORGANIZER,SLIDING,WOOD	--	3589
53K6038HBSG2W	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,WOOD	--	2635
53K6638HBSG2W	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,WOOD	--	2927
53K7238HBSG2W	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,WOOD	--	3260
53K7838HBSG2W	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,WOOD	--	3326
53K8438HBSG2W	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,WOOD	--	3359
53K9038HBSG2W	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,WOOD	--	3428
53K9638HBSG2W	PRIORITY,HIBACK ORGANIZER,SL,GLASS DOOR,WOOD	--	3808
53K6050HBSG2W	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,WOOD	--	3531
53K6650HBSG2W	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,WOOD	--	3640
53K7250HBSG2W	PRIORITY,HIBK ORGANIZER,SL,GLASS DOOR,WOOD	--	3753
53K7838HBHW	PRIORITY,HIGHBK ORGR,HINGED,WOOD	--	2550
53K8438HBHW	PRIORITY,HIGHBK ORGR,HINGED,WOOD	--	2890
53K10250HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	4630
53K10850HBHW	PRIORITY,HIGHBACK ORGR,HINGED DOOR,WOOD	--	4820
53K6050HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	2678
53K6650HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	2735
53K7250HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	2834
53K7850HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	3286
53K8450HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	3725
53K9050HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	4290
53K9650HBHW	PRIORITY,HIBK ORGR,HINGED DOOR,WOOD	--	4438
53K7838HBHGW	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	3042
53K8438HBHGW	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	3169
53K10250HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	4496
53K10850HBHGW	PRIORITY,HIGHBACK ORGR,HNGD, GLASS DOOR,WOOD	--	4676
53K6050HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3216
53K6650HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3350
53K7250HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3490
53K7850HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3699
53K8450HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3921
53K9050HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	4157
53K9650HBHGW	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	4323
53K10238HBHG2W	PRIORITY,HIGH BACK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	5696
53K10838HBHG2W	PRIORITY,HIGH BACK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	6061
53K6038HBHG2W	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	2911
53K6638HBHG2W	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	3235
53K7238HBHG2W	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	3605
53K7838HBHG2W	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	3712
53K8438HBHG2W	PRIORITY,HIBK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	3749
53K9038HBHG2W	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	3787
53K9638HBHG2W	PRIORITY,HIBACK ORGANIZER,HINGED,GLASS DOOR,WOOD	--	4208
53K10250HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	4743
53K10850HBHG2W	PRIORITY,HIGHBACK ORGR,HNGD, GLASS DOOR,WOOD	--	4933
53K6050HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3393
53K6650HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3535
53K7250HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3682

PRIORITY™ Storage - Highback Organizers

Model Number	Model Description	Laminate (L)	Wood (W)
53K7850HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	3903
53K8450HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	4137
53K9050HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	4385
53K9650HBHG2W	PRIORITY,HIBK ORGR,HNGD, GLASS DOOR,WOOD	--	4561
53K10238HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	2876
53K10838HBOW	PRIORITY,HIGHBACK ORGR,OPEN,WOOD	--	3032
53K6038HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	1471
53K6638HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	1516
53K7238HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	1601
53K7838HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	1955
53K8438HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	2297
53K9038HBOW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	2622
53K9638HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	2729
53K10250HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	3517
53K10850HBOW	PRIORITY,HIGHBACK ORGR,OPEN,WOOD	--	3712
53K6050HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	1854
53K6650HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	1909
53K7250HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	2020
53K7850HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	2478
53K8450HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	2919
53K9050HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	3176
53K9650HBOW	PRIORITY,HIBK ORGR,OPEN,WOOD	--	3303
53K10238HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	4210
53K10838HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	4357
53K6038HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	2594
53K6638HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	2639
53K7238HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	2718
53K7838HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	3071
53K8438HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	3409
53K9038HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	3784
53K9638HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	4087
53K10250HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	5213
53K10850HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	5596
53K6050HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	3233
53K6650HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	3289
53K7250HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	3399
53K7850HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	3849
53K8450HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	4282
53K9050HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	5067
53K9650HBPSHW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	5142
53K10238HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5346
53K10838HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5533
53K6038HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	3295
53K6638HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	3352
53K7238HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	3452
53K7838HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	3901
53K8438HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4330
53K9038HBPSHGW	PRIORITY,HIBK ORGR,PAPER STORAGE,HINGED DOOR,WOOD	--	4806
53K9638HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5190

PRIORITY™ Storage - Highback Organizers

Model Number	Model Description	Laminate (L)	Wood (W)
53K10250HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	6359
53K10850HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	6827
53K6050HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4042
53K6650HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4111
53K7250HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4249
53K7850HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4811
53K8450HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5224
53K9050HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	6182
53K9650HBPSHGW	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	6274
53K10238HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5667
53K10838HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5865
53K6038HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	3492
53K6638HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	3553
53K7238HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	3659
53K7838HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4135
53K8438HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4589
53K9038HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5094
53K9638HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5502
53K10250HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	6677
53K10850HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	7168
53K6050HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4244
53K6650HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4316
53K7250HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	4462
53K7850HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5052
53K8450HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	5485
53K9050HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	6491
53K9650HBPSHG2W	PRIORITY,HIBK ORGR,PAPER STOR,HNGD, GLASS DOOR,WD	--	6588
53K10238HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	3620
53K10838HBPSOW	PRIORITY,HIGHBACK ORGR,PAPER STORAGE,OPEN,WOOD	--	3766
53K6038HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	1994
53K6638HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2036
53K7238HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2726
53K7838HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2469
53K8438HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2808
53K9038HBPSOW	PRIORITY,OVHD,PAPER STORAGE,OPEN,TRAXX,WOOD	--	3360
53K9638HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	3470
53K10250HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	4224
53K10850HBPSOW	PRIORITY,HIGHBACK ORGR,PAPER STORAGE,OPEN,WOOD	--	4415
53K6050HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2383
53K6650HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2438
53K7250HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2547
53K7850HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	2999
53K8450HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	3433
53K9050HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	3899
53K9650HBPSOW	PRIORITY,HIBK ORGR,PAPER STORAGE,OPEN,WOOD	--	4024

Options:

Wood finish price group (omit for L):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Storage - Tackboards - For Use with Highback Organizers (without Paper Storage)

Model Number	Model Description	COM	Panel Fabric Gr A-E	Seating Fabric Gr 1-3	Gr 4-6
KAC5018TBK	ACCESSORIES-CG,TACKBOARD	279	296	300	327
KAC5318TBK	ACCESSORIES-CG,TACKBOARD	296	314	319	347
KAC5918TBK	ACCESSORIES-CG,TACKBOARD	308	328	333	364
KAC6518TBK	ACCESSORIES-CG,TACKBOARD	322	345	350	385
KAC7118TBK	ACCESSORIES-CG,TACKBOARD	326	351	356	364
KAC7718TBK	ACCESSORIES-CG,TACKBOARD	353	378	384	423
KAC8318TBK	ACCESSORIES-CG,TACKBOARD	411	439	445	488
KAC8918TBK	ACCESSORIES-CG,TACKBOARD	465	495	502	549
KAC9518TBK	ACCESSORIES-CG,TACKBOARD	496	529	536	587
KAC5018TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	397	414	300	445
KAC5318TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	404	422	427	455
KAC5918TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	561	581	586	618
KAC6518TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	580	603	608	643
KAC7118TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	586	611	616	655
KAC7718TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	598	623	629	668
KAC8318TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	610	638	644	687
KAC8918TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	637	667	674	721
KAC9518TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	667	700	707	758
KAC5012TBK	ACCESSORIES-CG,TACKBOARD	186	198	200	218
KAC5312TBK	ACCESSORIES-CG,TACKBOARD	197	205	212	231
KAC5912TBK	ACCESSORIES-CG,TACKBOARD	205	219	222	243
KAC6512TBK	ACCESSORIES-CG,TACKBOARD	215	230	234	257
KAC7112TBK	ACCESSORIES-CG,TACKBOARD	227	244	247	273
KAC7712TBK	ACCESSORIES-CG,TACKBOARD	236	254	258	286
KAC8312TBK	ACCESSORIES-CG,TACKBOARD	274	293	298	327
KAC8912TBK	ACCESSORIES-CG,TACKBOARD	310	331	335	367
KAC9512TBK	ACCESSORIES-CG,TACKBOARD	331	353	358	392
KAC5012TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	265	277	279	243
KAC5312TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	269	281	284	303
KAC5912TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	374	388	391	412
KAC6512TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	387	402	406	429
KAC7112TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	402	419	422	448
KAC7712TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	410	428	432	460
KAC8312TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	418	437	442	471
KAC8912TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	425	446	450	482
KAC9512TBKTB	ACCESSORIES-CG,TACKBOARD W/TOOL BAR	445	467	472	506

PRIORITY™ Storage - Bookcases

Model Number	Model Description	Laminate (L)	Wood (W)
53K1550BCOL	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,LAMINATE	649	--
53K1850BCOL	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,LAMINATE	668	--
53K3050BCOL	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,LAMINATE	856	--
53K3650BCOL	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,LAMINATE	881	--
53K1550BCHLL	PRIORITY,BOOKCASE,HNGD,LEFT,LAMINATE DOOR,LAMINATE	702	--
53K1850BCHLL	PRIORITY,BOOKCASE,HNGD,LEFT,LAMINATE DOOR,LAMINATE	756	--
53K1550BCHRL	PRIORITY,BOOKCASE,HNGD,RIGHT,LAM DOOR,LAM	702	--
53K1850BCHRL	PRIORITY,BOOKCASE,HNGD,RIGHT,LAM DOOR,LAM	756	--
53K3050BCHL	PRIORITY,BOOKCASE,DOORS,SET ON SURFACE,LAMINATE	1123	--
53K3650BCHL	PRIORITY,BOOKCASE,DOORS,SET ON SURFACE,LAMINATE	1210	--
53K1550BCHLGL	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,LAMINATE	994	--
53K1850BCHLGL	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,LAMINATE	1080	--
53K1550BCHRGL	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,LAMINATE	994	--
53K1850BCHRGL	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,LAMINATE	1080	--
53K3050BCHGL	PRIORITY,BOOKCASE,GLASS DOORS,LAMINATE CHASSIS	1246	--
53K3650BCHGL	PRIORITY,BOOKCASE,GLASS DOORS,LAMINATE CHASSIS	1354	--
53K1538BCHLG2L	PRIORITY,BOOKCASE,HINGED,LEFT,GLASS DOOR,LAMINATE	942	--
53K1550BCHLG2L	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,LAMINATE	1093	--
53K1838BCHLG2L	PRIORITY,BOOKCASE,HINGED,LEFT,GLASS DOOR,LAMINATE	1054	--
53K1850BCHLG2L	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,LAMINATE	1188	--
53K1538BCHRG2L	PRIORITY,BOOKCASE,HINGED,RIGHT,GLASS DOOR,LAMINATE	942	--
53K1550BCHRG2L	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,LAMINATE	1093	--
53K1838BCHRG2L	PRIORITY,BOOKCASE,HINGED,RIGHT,GLASS DOOR,LAMINATE	1054	--
53K1850BCHRG2L	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,LAMINATE	1188	--
53K3038BCHG2L	PRIORITY,BOOKCASE,GLASS DOORS,LAMINATE CHASSIS	1221	--
53K3050BCHG2L	PRIORITY,BOOKCASE,GLASS DOORS,LAMINATE CHASSIS	1370	--
53K3638BCHG2L	PRIORITY,BOOKCASE,GLASS DOORS,LAMINATE CHASSIS	1398	--
53K3650BCHG2L	PRIORITY,BOOKCASE,GLASS DOORS,LAMINATE CHASSIS	1489	--
53K1550BCSHLL	PRIORITY,BOOKCASE ORGANIZER,LT,HNGD DOOR,LAMINATE	772	--
53K1850BCSHLL	PRIORITY,BOOKCASE ORGANIZER,LT,HNGD DOOR,LAMINATE	832	--
53K1550BCSHRL	PRIORITY,BOOKCASE ORGANIZER,RT,HNGD DOOR,LAMINATE	772	--
53K1850BCSHRL	PRIORITY,BOOKCASE ORGANIZER,RT,HNGD DOOR,LAMINATE	832	--
53K1550BCSHLGL	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,LAM	1093	--
53K1850BCSHLGL	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,LAM	1188	--
53K1550BCSHRGL	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,LAM	1093	--
53K1850BCSHRGL	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,LAM	1188	--
53K1538BCSHLG2L	PRIORITY,BOOKCASE ORGANIZER,HINGED,LEFT,GL DOOR,LAMINATE	1020	--
53K1550BCSHLG2L	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,LAM	1203	--
53K1838BCSHLG2L	PRIORITY,BOOKCASE ORGANIZER,HINGED,LEFT,GLASS DR,LAMINATE	1145	--
53K1850BCSHLG2L	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,LAM	1307	--
53K1538BCSHRG2L	PRIORITY,BOOKCASE ORGANIZER,HINGED,RT,GLASS DOOR,LAMINATE	1020	--
53K1550BCSHRG2L	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,LAM	1203	--
53K1838BCSHRG2L	PRIORITY,BOOKCASE ORGANIZER,HINGED,RIGHT,GLASS DR,LAMINATE	1145	--
53K1850BCSHRG2L	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,LAM	1307	--
53K3028BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	507	--
53K3040BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	618	--
53K3053BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	748	--
53K3067BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	935	--

PRIORITY™ Storage - Bookcases

Model Number	Model Description	Laminate (L)	Wood (W)
53K3080BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	1024	--
53K3084BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	1124	--
53K3640BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	668	--
53K3653BCOSSFL	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,LAMINATE	798	--
53KE1580VBFFL	PRIORITY,BOOKCASE/FF,LAMINATE	1532	--
53K3680BCOFL	PRIORITY,BOOKCASE,FREESTANDING,OPEN,LAMINATE	1124	--
53KE2480VBWHLBBFL	PRIORITY,BOOKCASE/WRB,LEFT,BBF,LAMINATE	1909	--
53KE2480VBWHRBBFL	PRIORITY,BOOKCASE/WRB,RIGHT,BBF,LAMINATE	1909	--
53KE2480VBWHLFFL	PRIORITY,BOOKCASE/WRB,LEFT,FF,LAMINATE	1860	--
53KE2480VBWHRFFL	PRIORITY,BOOKCASE/WRB,RIGHT,FF,LAMINATE	1860	--
53K1550BCOW	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,WOOD	--	1063
53K1850BCOW	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,WOOD	--	1074
53K3050BCOW	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,WOOD	--	1403
53K3650BCOW	PRIORITY,BOOKCASE,SET ON SURFACE,OPEN,WOOD	--	1418
53K1550BCHLW	PRIORITY,BOOKCASE,HNGD,LEFT,WOOD DOOR,WOOD	--	1460
53K1850BCHLW	PRIORITY,BOOKCASE,HNGD,LEFT,WOOD DOOR,WOOD	--	1577
53K1550BCHRW	PRIORITY,BOOKCASE,HNGD,RIGHT,WOOD DOOR,WOOD	--	1460
53K1850BCHRW	PRIORITY,BOOKCASE,HNGD,RIGHT,WOOD DOOR,WOOD	--	1577
53K3050BCHW	PRIORITY,BOOKCASE,DOORS,SET ON SURFACE,WOOD	--	2321
53K3650BCHW	PRIORITY,BOOKCASE,DOORS,SET ON SURFACE,WOOD	--	2523
53K1550BCHLGW	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,WOOD	--	1491
53K1850BCHLGW	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,WOOD	--	1620
53K1550BCHRGW	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,WOOD	--	1491
53K1850BCHRGW	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,WOOD	--	1620
53K3050BCHGW	PRIORITY,BOOKCASE,GLASS DOORS,WOOD CHASSIS	--	1869
53K3650BCHGW	PRIORITY,BOOKCASE,GLASS DOORS,WOOD CHASSIS	--	2031
53K1538BCHLG2W	PRIORITY,BOOKCASE,HINGED,LEFT,GLASS DOOR,WOOD	--	1426
53K1550BCHLG2W	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,WOOD	--	1640
53K1838BCHLG2W	PRIORITY,BOOKCASE,HINGED,LEFT,GLASS DOOR,WOOD	--	1607
53K1850BCHLG2W	PRIORITY,BOOKCASE,HNGD,LEFT,GLASS DOOR,WOOD	--	1782
53K1538BCHRG2W	PRIORITY,BOOKCASE,HINGED,RIGHT,GLASS DOOR,WOOD	--	1426
53K1550BCHRG2W	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,WOOD	--	1640
53K1838BCHRG2W	PRIORITY,BOOKCASE,HINGED,RIGHT,GLASS DOOR,WOOD	--	1607
53K1850BCHRG2W	PRIORITY,BOOKCASE,HNGD,RIGHT,GLASS DOOR,WOOD	--	1782
53K3038BCHG2W	PRIORITY,BOOKCASE,GLASS DOORS,WOOD CHASSIS	--	1851
53K3050BCHG2W	PRIORITY,BOOKCASE,GLASS DOORS,WOOD CHASSIS	--	2055
53K3638BCHG2W	PRIORITY,BOOKCASE,GLASS DOORS,WOOD CHASSIS	--	2130
53K3650BCHG2W	PRIORITY,BOOKCASE,GLASS DOORS,WOOD CHASSIS	--	2234
53K1550BCSHLW	PRIORITY,BOOKCASE ORGANIZER,LT,HNGD DOOR,WOOD	--	1606
53K1850BCSHLW	PRIORITY,BOOKCASE ORGANIZER,LT,HNGD DOOR,WOOD	--	1735
53K1550BCSHRW	PRIORITY,BOOKCASE ORGANIZER,RT,HNGD DOOR,WOOD	--	1606
53K1850BCSHRW	PRIORITY,BOOKCASE ORGANIZER,RT,HNGD DOOR,WOOD	--	1735
53K1550BCSHLGW	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,WOOD	--	1640
53K1850BCSHLGW	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,WOOD	--	1782
53K1550BCSHRGW	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,WOOD	--	1640
53K1850BCSHRGW	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,WOOD	--	1782
53K1538BCSHLG2W	PRIORITY,BOOKCASE ORGANIZER,HINGED,LEFT,GLASS DOOR,WOOD	--	1549
53K1550BCSHLG2W	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,WOOD	--	1804
53K1838BCSHLG2W	PRIORITY,BOOKCASE ORGANIZER,HINGED,LEFT,GLASS DOOR,WOOD	--	1746

PRIORITY™ Storage - Bookcases

Model Number	Model Description	Laminate (L)	Wood (W)
53K1850BCSHLG2W	PRIORITY,BOOKCASE ORGR,HNGD,LEFT,GLASS DOOR,WOOD	--	1960
53K1538BCSHRG2W	PRIORITY,BOOKCASE ORGANIZER,HINGED,RT,GLASS DOOR,WOOD	--	1549
53K1550BCSHRG2W	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,WOOD	--	1804
53K1838BCSHRG2W	PRIORITY,BOOKCASE ORGANIZER,HINGED,RIGHT,GLASS DR,WOOD	--	1746
53K1850BCSHRG2W	PRIORITY,BOOKCASE ORGR,HNGD,RIGHT,GLASS DOOR,WOOD	--	1960
53K3028BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	954
53K3040BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	1192
53K3053BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	1427
53K3067BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	1724
53K3080BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	1869
53K3084BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	2047
53K3640BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	1242
53K3653BCOSSFW	PRIORITY,BOOKCASE,FRSTDG,OPEN,STR SHELF,WOOD	--	1477
53K3680BCOFW	PRIORITY,BOOKCASE,FREESTANDING,OPEN,WOOD	--	1969
53KE1580VBFFW	PRIORITY,BOOKCASE/FF,WOOD	--	2923
53KE2480VBWHLBBFW	PRIORITY,BOOKCASE/WRB,LEFT,BBF,WOOD	--	3627
53KE2480VBWHRBBFW	PRIORITY,BOOKCASE/WRB,RIGHT,BBF,WOOD	--	3627
53KE2480VBWHLFFW	PRIORITY,BOOKCASE/WRB,LEFT,FF,WOOD	--	3585
53KE2480VBWHRFFW	PRIORITY,BOOKCASE/WRB,RIGHT,FF,WOOD	--	3585

Options:

	X = Non-locking
	KS = Key specific (+$37); specify lock core separately
	KRB = Key random, black lock core (+$62)
Lock option:	KRS = Key random, silver lock core (+$62)
Wood finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Lateral Files

Model Number	Model Description	TFL Top TFL Chassis (LL)	HPL Top TFL Chassis (L)	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)
53KE2430LFFFB4LL	PRIORITY,LF,FNSH BK,4DWR,LAMINATE TOP,LAMINATE-TFL	1395	--	--	--
53KE2436LFFFB4LL	PRIORITY,LF,FNSH BACK,4 DWR,LAMINATE TOP,LAMINATE-TFL	1460	--	--	--
53KE2430LFFFB4L	PRIORITY,LF,FNSH BACK,4 DWR,LAMINATE TOP,LAMINATE		1554	--	--
53KE2436LFFFB4L	PRIORITY,LF,FNSH BK,4DWR,LAMINATE TOP,LAMINATE		1628	--	--
53KE2430LFFFB4W	PRIORITY,LF,FNSH BACK,4 DWR,WOOD TOP,WOOD	--	--	--	2479
53KE2436LFFFB4W	PRIORITY,LF,UDSF,2 DWR,WITH SPACERS,WOOD	--	--	--	2600
53KE2530LFFFB4W	PRIORITY,LF,FNSH BK,4 DWR,WOOD TOP,KNF,WOOD	--	--	--	2549
53KE2536LFFFB4W	PRIORITY,LF,FNSH BK,4 DWR,WOOD TOP,KNF,WOOD	--	--	--	2674
53KE2430LFFFB4LW	PRIORITY,LF,FNSH BACK,4 DWR,LAMINATE TOP,WOOD	--	--	2479	--
53KE2436LFFFB4LW	PRIORITY,LF,FNSH BACK,4 DWR,WOOD TOP,WOOD	--	--	2600	--
53KE2530LFFFB4LW	PRIORITY,LF,FNSH BK,4 DWR,LAMINATE TOP,KNF,WOOD	--	--	2549	--
53KE2536LFFFB4LW	PRIORITY,LF,FNSH BK,4 DWR,LAMINATE TOP,KNF,WOOD	--	--	2674	--

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Lateral Files

Model Number	Model Description	Laminate (L)	Wood (W)
53KE3650LFFOPFL	PRIORITY,LF,OPEN,PARTIAL HEIGHT FINISHED BACK,LAMINATE	2251	--
53KE3667LFFOSFFL	PRIORITY,LF,SLIDING,FULL FINISHED BACK,LAMINATE	2481	--
53KE3680LFFOSFFL	PRIORITY,LF,SLIDING,FULL FINISHED BACK,LAMINATE	2832	--
53KE3667LFFOSFFG2L	PRIORITY,LF,SLIDING,FULL FINISHED BK,GLASS,LAMINATE	2869	--
53KE3680LFFOSFFG2L	PRIORITY,LF,SLIDING,FULL FINISHED BACK,GLASS,LAMINATE	3275	--
53KE3667LFFOSPFL	PRIORITY,LF,SLIDING,PARTIAL HEIGHT FINISHED BACK,LAMINATE	2277	--
53KE3680LFFOSPFL	PRIORITY,LF,SLIDING,PARTIAL HEIGHT FINISHED BACK,LAMINATE	2628	--
53KE3667LFFOSPFG2L	PRIORITY,LF,SLIDING,PARTIAL HEIGHT FINISHED BK,GLASS,LAMINAT	2638	--
53KE3680LFFOSPFG2L	PRIORITY,LF,SLIDING,PARTIAL HEIGHT FINISHED BACK,GLASS,LAM	3043	--
53KE3667LFFOHFFL	PRIORITY,LF,HINGED,FULL FINISHED BACK,LAMINATE	2740	--
53KE3680LFFOHFFL	PRIORITY,LF,HINGED,FULL FINISHED BACK,LAMINATE	3129	--

53KE3667LFFOHFFG2L	PRIORITY,LF,HINGED,FULL FINISHED BK,GLASS,LAMINATE	3168	--	
53KE3680LFFOHFFG2L	PRIORITY,LF,HINGED,FULL FINISHED BACK,GLASS,LAMINATE	3618	--	
53KE3667LFFOHPFL	PRIORITY,LF,HINGED,PARTIAL HEIGHT FINISHED BACK,LAMINATE	2536	--	
53KE3680LFFOHPFL	PRIORITY,LF,HINGED,PARTIAL HEIGHT FINISHED BACK,LAMINATE	2925	--	
53KE3667LFFOHPFG2L	PRIORITY,LF,HINGED,PARTIAL HEIGHT FINISHED BK,GLASS,LAMINATE	2847	--	
53KE3680LFFOHPFG2L	PRIORITY,LF,HINGED,PARTIAL HEIGHT FINISHED BACK,GLASS,LAM	3388	--	
53K243667LFOSFFG2L	PRIORITY,LF,SLDG,FULL FNSHD BK,GLASS,LAMINATE	2898	--	
53K243680LFOSFFG2L	PRIORITY,LF,SLDG,FULL FNSHD BK,GLASS,LAMINATE	3308	--	
53KE243667LFFOSFFW	PRIORITY,LF,SLIDING,PRTL FNSHD BACK,LAMINATE	3582	--	
53KE243680LFFOSFFW	PRIORITY,LF,SLIDING,PRTL FNSHD BACK,LAMINATE	4079	--	
53K243667LFOSPFG2L	PRIORITY,LF,SLDG,PRTL FNSHD BK,GLASS,LAMINATE	2664	--	
53K243680LFOSPFG2L	PRIORITY,LF,SLDG,PRTL FNSHD BK,GLASS,LAMINATE	3043	--	
53KE243667LFFOSPFW	PRIORITY,LF,HINGED,FULL FNSHD BACK,LAMINATE	3243	--	
53KE243680LFFOSPFW	PRIORITY,LF,FNSH BACK,4 DWR,LAMINATE TOP,LAMINATE	3739	--	
53K243667LFOHFFG2L	PRIORITY,LF,HNGD,FULL FNSHD BK,GLASS,LAMINATE	3200	--	
53K243680LFOHFFG2L	PRIORITY,LF,HNGD,FULL FNSHD BK,GLASS,LAMINATE	3654	--	
53KE243667LFFOHFFW	PRIORITY,LF,HINGED,PRTL FNSHD BACK,LAMINATE	3834	--	
53KE243680LFFOHFFW	PRIORITY,LF,HINGED,PRTL FNSHD BACK,LAMINATE	4500	--	
53K243667LFOHPFG2L	PRIORITY,LF,HNGD,PRTL FNSHD BK,GLASS,LAMINATE	2875	--	
53K243680LFOHPFG2L	PRIORITY,LF,HNGD,PRTL FNSHD BK,GLASS,LAMINATE	3422	--	
53KE243667LFFOHPFW	PRIORITY,LF,SLIDING,FULL FNSHD BACK,LAMINATE	3609	--	
53KE243680LFFOHPFW	PRIORITY,LF,SLIDING,FULL FNSHD BACK,LAMINATE	4159	--	
53KE3080VHF2L	PRIORITY,LAT FILE/STORAGE,2 DWR,LAMINATE	2196	--	
53KE3680VHF2L	PRIORITY,LAT FILE/STORAGE,2 DWR,LAMINATE	2227	--	
53KE3667LFFOSFFG2W	PRIORITY,LF,SLIDING,FULL FINISHED BK,GLASS,WOOD	--	3749	
53KE3680LFFOSFFG2W	PRIORITY,LF,SLIDING,FULL FINISHED BACK,GLASS,WOOD	--	4268	
53KE3667LFFOSPFG2W	PRIORITY,LF,SLIDING,PARTIAL HEIGHT FINISHED BK,GLASS,WOOD	--	3399	
53KE3680LFFOSPFG2W	PRIORITY,LF,SLIDING,PARTIAL HEIGHT FINISHED BACK,GLASS,WOOD	--	3918	
53KE3667LFFOHFFG2W	PRIORITY,LF,HINGED,FULL FINISHED BK,GLASS,WOOD	--	4134	
53KE3680LFFOHFFG2W	PRIORITY,LF,HINGED,FULL FINISHED BACK,GLASS,WOOD	--	4710	
53KE3667LFFOHPFG2W	PRIORITY,LF,HINGED,PARTIAL HEIGHT FINISHED BK,GLASS,WOOD	--	3784	
53KE3680LFFOHPFG2W	PRIORITY,LF,HINGED,PARTIAL HEIGHT FINISHED BACK,GLASS,WOOD	--	4360	
53KE243667LFFOSFFL	PRIORITY,LF,SLIDING,FULL FNSHD BACK,WOOD	--	2506	
53KE243680LFFOSFFL	PRIORITY,LF,SLIDING,FULL FNSHD BACK,WOOD	--	2860	
53K243667LFOSFFG2W	PRIORITY,LF,SLDG,FULL FNSHD BK,GLASS,WOOD	--	3786	
53K243680LFOSFFG2W	PRIORITY,LF,SLDG,FULL FNSHD BK,GLASS,WOOD	--	4311	
53KE243667LFFOSPFL	PRIORITY,LF,SLIDING,PRTL FNSHD BACK,WOOD	--	2300	
53KE243680LFFOSPFL	PRIORITY,LF,SLIDING,PRTL FNSHD BACK,WOOD	--	2654	
53K243667LFOSPFG2W	PRIORITY,LF,SLDG,PRTL FNSHD BK,GLASS,WOOD	--	3433	
53K243680LFOSPFG2W	PRIORITY,LF,SLDG,PRTL FNSHD BK,GLASS,WOOD	--	3957	
53KE243667LFFOHFFL	PRIORITY,LF,HINGED,FULL FNSHD BACK,WOOD	--	2767	
53KE243680LFFOHFFL	PRIORITY,LF,HINGED,FULL FNSHD BACK,WOOD	--	3160	
53K243667LFOHFFG2W	PRIORITY,LF,HNGD,FULL FNSHD BK,GLASS,WOOD	--	4175	
53K243680LFOHFFG2W	PRIORITY,LF,HNGD,FULL FNSHD BK,GLASS,WOOD	--	4757	
53KE243667LFFOHPFL	PRIORITY,LF,HINGED,PRTL FNSHD BACK,WOOD	--	2561	
53KE243680LFFOHPFL	PRIORITY,LF,HINGED,PRTL FNSHD BACK,WOOD	--	2954	
53K243667LFOHPFG2W	PRIORITY,LF,HNGD,PRTL FNSHD BK,GLASS,WOOD	--	3822	

PRIORITY™ Lateral Files

Model Number	Model Description	Laminate (L)	Wood (W)
53K243680LFOHPFG2W	PRIORITY,LF,HNGD,PRTL FNSHD BK,GLASS,WOOD	--	4404
53KE3080VHF2W	PRIORITY,LAT FILE/STORAGE,2 DWR,WOOD	--	3977
53KE3680VHF2W	PRIORITY,LAT FILE/STORAGE,2 DWR,WOOD	--	4190

Options:

	X = Non-locking
	KS = Key specific (+$37); specify lock core separately
	KRB = Key random, black lock core (+$62)
Lock option:	KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Vertical Storage

Model Number	Model Description	Laminate (L)	Wood (W)
53K1542VWHLL	PRIORITY,VERTICAL STOR,LH,STOR WRB,LAMINATE	1175	--
53K1542VWHRL	PRIORITY,VERTICAL STOR,RH,STOR WRB,LAMINATE	1175	--
53K1550VWHLL	PRIORITY,VERTICAL STOR,LH,STOR WRB,LAMINATE	1237	--
53K1550VWHRL	PRIORITY,VERTICAL STOR,RH,STOR WRB,LAMINATE	1237	--
53K1567VWHLL	PRIORITY,VERTICAL STOR,LH,STOR WRB,LAMINATE	1302	--
53K1567VWHRL	PRIORITY,VERTICAL STOR,RH,STOR WRB,LAMINATE	1302	--
53K1580VWHLL	PRIORITY,VERTICAL STOR,LH,STOR WRB,LAMINATE	1371	--
53K1580VWHRL	PRIORITY,VERTICAL STOR,RH,STOR WRB,LAMINATE	1371	--
53K1880VWHLL	PRIORITY,VERTICAL STOR,LH,STOR WRB,LAMINATE	1486	--
53K1880VWHRL	PRIORITY,VERTICAL STOR,RH,STOR WRB,LAMINATE	1486	--
53K2442VWHLOSL	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,LAMINATE	1634	--
53K2442VWHROSL	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,LAMINATE	1634	--
53K2450VWHLOSL	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,LAMINATE	1776	--
53K2450VWHROSL	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,LAMINATE	1776	--
53K2467VWHLOSL	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,LAMINATE	1930	--
53K2467VWHROSL	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,LAMINATE	1930	--
53K2480VWHLOSL	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,LAMINATE	2098	--
53K2480VWHROSL	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,LAMINATE	2098	--
53K3080VWHLOSL	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,LAMINATE	2128	--
53K3080VWHROSL	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,LAMINATE	2128	--
53K3680VHHL	PRIORITY,STORAGE WRB,DOUBLE DOORS,LAMINATE	1970	--
53KE2480VWHLBBFL	PRIORITY,STOR/WRB,LEFT,BBF,LAMINATE	1801	--

PRIORITY™ Vertical Storage

Model Number	Model Description	Laminate (L)	Wood (W)
53KE2480VWHRBBFL	PRIORITY,STOR/WRB,RIGHT,BBF,LAMINATE	1801	--
53KE2480VWHLFFL	PRIORITY,STOR/WRB,LEFT,FF,LAMINATE	1755	--
53KE2480VWHRFFL	PRIORITY,STOR/WRB,RIGHT,FF,LAMINATE	1755	--
53KE1580VWHLBBFL	PRIORITY,WARDOOROBE,HINGED,LT,BBF,LAMINATE	2311	--
53KE1580VWHRBBFL	PRIORITY,WARDOOROBE,HINGED,RT,BBF,LAMINATE	2311	--
53KE1580VWHLFFL	PRIORITY,WARDOOROBE,HINGED,LT,FF,LAMINATE	2265	--
53KE1580VWHRFFL	PRIORITY,WARDOOROBE,HINGED,RT,FF,LAMINATE	2265	--
53K1542VWHLW	PRIORITY,VERTICAL STOR,LH,STOR WRB,WOOD	--	1763
53K1542VWHRW	PRIORITY,VERTICAL STOR,RH,STOR WRB,WOOD	--	1763
53K1550VWHLW	PRIORITY,VERTICAL STOR,LH,STOR WRB,WOOD	--	1856
53K1550VWHRW	PRIORITY,VERTICAL STOR,RH,STOR WRB,WOOD	--	1856
53K1567VWHLW	PRIORITY,VERTICAL STOR,LH,STOR WRB,WOOD	--	1954
53K1567VWHRW	PRIORITY,VERTICAL STOR,RH,STOR WRB,WOOD	--	1954
53K1580VWHLW	PRIORITY,VERTICAL STOR,LH,STOR WRB,WOOD	--	2057
53K1580VWHRW	PRIORITY,VERTICAL STOR,RH,STOR WRB,WOOD	--	2057
53K1880VWHLW	PRIORITY,VERTICAL STOR,LH,STOR WRB,WOOD	--	2660
53K1880VWHRW	PRIORITY,VERTICAL STOR,RH,STOR WRB,WOOD	--	2660
53K2442VWHLOSW	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,WOOD	--	2451
53K2442VWHROSW	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,WOOD	--	2451
53K2450VWHLOSW	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,WOOD	--	2664
53K2450VWHROSW	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,WOOD	--	2664
53K2467VWHLOSW	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,WOOD	--	2895
53K2467VWHROSW	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,WOOD	--	2895
53K2480VWHLOSW	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,WOOD	--	3147
53K2480VWHROSW	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,WOOD	--	3147
53K3080VWHLOSW	PRIORITY,WARDOOROBE,HNGD,LT,OPEN SHELF,WOOD	--	3751
53K3080VWHROSW	PRIORITY,WARDOOROBE,HNGD,RT,OPEN SHELF,WOOD	--	3751
53K3680VHHW	PRIORITY,STORAGE WRB,DOUBLE DOORS,WOOD	--	3994
53KE2480VWHLBBFW	PRIORITY,STOR/WRB,LEFT,BBF,WOOD	--	3422
53KE2480VWHRBBFW	PRIORITY,STOR/WRB,RIGHT,BBF,WOOD	--	3422
53KE2480VWHLFFW	PRIORITY,STOR/WRB,LEFT,FF,WOOD	--	3382
53KE2480VWHRFFW	PRIORITY,STOR/WRB,RIGHT,FF,WOOD	--	3382
53KE1580VWHLBBFW	PRIORITY,WARDOOROBE,HINGED,LT,BBF,WOOD	--	3852

PRIORITY™ Vertical Storage

Model Number	Model Description	Laminate (L)	Wood (W)
53KE1580VWHRBBFW	PRIORITY,WARDOOROBE,HINGED,RT,BBF,WOOD	--	3852
53KE1580VWHLFFW	PRIORITY,WARDOOROBE,HINGED,LT,FF,WOOD	--	3775
53KE1580VWHRFFW	PRIORITY,WARDOOROBE,HINGED,RT,FF,WOOD	--	3775

Options:

Lock option:	X = Non-locking KS = Key specific (+$37); specify lock core separately KRB = Key random, black lock core (+$62) KRS = Key random, silver lock core (+$62)
Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)
Wood interior drawer option (omit for standard drawers and LL & L models):	WD = Wood interior drawers (+5%)

PRIORITY™ Table Desks

Model Number	Model Description	Price	TFL Top TFL Chassis (LL) P Rim	HPL Top TFL Chassis (L) P Rim	HPL Top Wood Chassis (LW)	Wood Top Wood Chassis (W)	Black Painted Glass
53K3872WSEL1LW	PRIORITY,SURF,ELLIPTICAL,KNIFE RIM,WOOD	--	--	--	--	1203	--
53K3872WSELL	PRIORITY,SURFACE,ELLIPTICAL,LAMINATE	--	--	869	--	--	--
53K3872WSELLL	PRIORITY,SURFACE,ELLIPTICAL,LAMINATE(TFL)	--	631	--	--	--	--
53K3872WSELLW	PRIORITY,SURFACE,ELLIPTICAL,LAMINATE/WOOD	--	--	--	1092	--	--
53K3872WSELBPG	PRIORITY,SURF,ELLIPTICAL,PNTD BACK GLASS	--	--	--	--	--	3499
53K3872WSELW	PRIORITY,SURF,ELLIPTICAL,WOOD	--	--	--	--	1092	--
53K3672WSSBPG	PRIORITY,SURF,RECTANGULAR,PNTD BK GLASS	--	--	--	--	--	3119
		--	--	--	--	--	
53K265730TBFCTWH	PRIORITY,TABLE BASE,FACET,PAINT,WHITE	1999	--	--	--	--	--

Options:

Worksurface finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Rim finish price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Table - Electric Height-Adjustable Table Bases - Table Desk Surround for Use with Main T-Leg

Model Number	Model Description	TFL Ends TFL Modesty (LL)	TFL Ends Wood Modesty (LW)	Wood Ends TFL Modesty (WL)	Wood Ends Wood Modesty (WW)
53KE3060DDSLL	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-LAMINATE	830	--	--	--
53KE3066DDSLL	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-LAMINATE	851	--	--	--
53KE3072DDSLL	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-LAMINATE	873	--	--	--
53KE3672DDSLL	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-LAMINATE	895	--	--	--
53KE3060DDSLW	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-WOOD	--	830	--	--
53KE3066DDSLW	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-WOOD	--	851	--	--
53KE3072DDSLW	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-WOOD	--	873	--	--
53KE3672DDSLW	PRIORITY,DESK SURROUND-LAMINATE,MODESTY-WOOD	--	895	--	--
53KE3060DDSWW	PRIORITY,DESK SURROUND-WOOD,MODESTY-WOOD	--	--	--	1526
53KE3066DDSWW	PRIORITY,DESK SURROUND-WOOD,MODESTY-WOOD	--	--	--	1557
53KE3072DDSWW	PRIORITY,DESK SURROUND-WOOD,MODESTY-WOOD	--	--	--	1589
53KE3672DDSWW	PRIORITY,DESK SURROUND-WOOD,MODESTY-WOOD	--	--	--	1621
53KE3060DDSWL	PRIORITY,DESK SURROUND-WOOD,MODESTY-LAMINATE	--	--	1526	--
53KE3066DDSWL	PRIORITY,DESK SURROUND-WOOD,MODESTY-LAMINATE	--	--	1557	--
53KE3072DDSWL	PRIORITY,DESK SURROUND-WOOD,MODESTY-LAMINATE	--	--	1589	--
53KE3672DDSWL	PRIORITY,DESK SURROUND-WOOD,MODESTY-LAMINATE	--	--	1621	--

Options:

End Support finish price group (omit for LL):	STD = Group 1 STD2 = Group 2 (+20%)
Modesty Panel price group (omit for LL, L, and W models):	STD = Group 1 STD2 = Group 2 (+20%)

PRIORITY™ Accessories

Model Number	Model Description	Laminate	Wood
53K2236OSL	PRIORITY,ORGR SHELF,FOR VERT STOR,LAMINATE	311	--
53K2236OSW	PRIORITY,ORGR SHELF,FOR VERT STOR,WOOD	--	548
53K2236SSL	PRIORITY,STR SHELF,FOR VERT STOR,LAMINATE	233	--
53K2236SSW	PRIORITY,STR SHELF,FOR VERT STOR,WOOD	--	376
53KE3050SDHBFLPL	PRIORITY,SPACE DIVIDER,HINGED,BF,LEFT,PARTIAL HEIGHT BACK,LA	2394	--
53KE3050SDHBFRPL	PRIORITY,SPACE DIVIDER,HINGED,BF,RH,PARTIAL HEIGHT BACK,LAM	2394	--

Model Number	Model Description	Price	
53KSPB	PRIORITY,SUPPORT PANEL BRACKET,BLACK	12	--

Kimball® Office

SEATING Price List

This price list is effective January 21, 2015 and supercedes all previously printed or electronically released versions.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Kwik Office Program	4
Sustainability	5
Kimball Office Seating	7
Seating at a Glance	8
Seating by Price Range	10
Product Information	15
Finishes and Materials	289
Kimball Office | interstuhl	321
Seating At a Glance	322
Seating by Price Range	323
Product Information	325
Finishes and Materials	341
Resources	349
Terms and Conditions	350
Asset Tag Locations	350
Product Warranty	352
Product Warranty for Bingo	353
BIFMA and ANSI Testing	354
Model Number Index	357

Kimball Office

How to Use this Price List

Kwik Office Program ➤See page 4
How to Specify Our Products 3
Sustainability 5

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Seating at a Glance matrices provide a quick reference of Kimball Office Seating and Kimball Office | Interstuhl Seating by category.



Seating by Price Range provides a quick reference to help you find the right chair for your application.



Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Overviews offer a quick look at the distinguishing features of the product line.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

icon indicates models that are available for quick shipment.
➤See the Kwik Office Price List.

(FSC) icon indicates models available with the FSC option (3% upcharge) at standard leadtime to meet FSC certification.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL us LISTED

How to Specify Our Products

Kwik Office Program ➤See page 4
How to Use this Price List 2
Sustainability 5

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



DELANO™
Kimball Office Seating

Benches and Ottoman Pricing
with Kimball Office Upholstery
GSA SIN 711-16

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Benches										
3-Seat Bench										
K90KK		$3671	$3787	$3859	$3935	$4039	$4151	$4263	$4723	$4983
K90KKF	TB133	3895	4011	4083	4159	4263	—	—	4947	5207
2-Seat Bench										
K90JJ		$2698	$2782	$2834	$2889	$2964	$3046	$3128	$3461	$3650
K90JJF	TB133	2861	2945	2997	3052	3127	—	—	3624	3813
Ottoman										
K90AC		$844	$888	$915	$943	$982	$1024	$1066	$1239	$1336
K90ACF	TB133	959	1003	1030	1058	1097	—	—	1354	1451

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 232.

Page 78 Delano

Actual Dimensions ➤See page 73
Overview 74
Alliance Program Pricing 79
COM/COL Yardage Req. 244

TB133
Fire code treatment is available on select Kimball Office upholstery.
➤See page 226 for upholstery selections.
➤See page 249 for COM or COL process overview.

How to Specify
Bench
❶ Model
Accent/Bolster:
② Upholstery grade
③ Upholstery number
Seat (primary)
④ Upholstery grade
⑤ Upholstery number
Wall:
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator
⑧ Fastener finish:
462 = Circle
Ottoman
❶ Model
② Upholstery grade
③ Upholstery number

TB113 fire code treatment availability options are listed here. TB133 models are listed in the pricing table.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for a **Delano Two-Seat Bench.**
➤See page 90 for the corresponding pricing table and How to Specify steps.

❶	②	③	④	⑤	⑥	⑦	⑧
K90JJ	2	20020	2	20020	STD	MC	462
Base Model							

Pricing Table Abbreviations

D = Depth
W = Width
H = Height
T = Thickness
KW = Kneespace Width
KH = Kneespace Height
WC = Worksurface Clearance

Kwik Office Program

Sustainability ➤See page 5
How to Use this Price List 2
How to Specify Our Products 3

Kwik Office casegoods are available to ship within five business days upon receipt of a credit-approved order.

Specific models and options from the following lines are available:

- Acapella
- Alumma
- Beo
- Bingo
- Campos
- Collage
- Event
- Fit
- Hero. Just for You.
- Itsa
- Muirfield
- Poly
- Pose
- Stature
- Wish

Model Numbers:

Models and finishes that are available on Kwik Office have been marked with a K icon in this price list.

Kwik Office model numbers are different from standard model numbers. Base model numbers for Kwik Office products include all options and finish designators.

The K icon on standard lead-time pricing pages indicates availability; it does not provide the correct model numbers and option designators for specifying. You must use the complete model numbers listed i the Kwik Office Price List.

Include only Kwik Office models on your order. Any orders containing non-Kwik Office products will be treated as such and entered at standard lead times. Indicate clearly at the top of your order “Kwik Office.”

Changes and Cancellations:

No changes or cancellations will be accepted after order entry for Kwik Office products.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Contact Customer Service for availability.

Kwik Office Program ➤See page 4
How to Use this Price List 2
How to Specify Our Products 3

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠
Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Notes

SEATING

➤See page 321 for
Kimball Office | interstuhl seating.

	➤See page
Seating At a Glance	8
Seating by Price Range	10
Accent Pillows	13
Acapella®	15
Adagiato™	19
Alumma™	23
Arpeggio®	27
Beo®	31
Bingo®	53
Boyd™	57
Campos™	63
Carrington™	67
Clairmont™	73
Collage™	79
Delano™	85
Dwell™	103
Enjoy™	109
Event™	113
Flip	121
Independence™	125
Innsbruck™/ Osterley Park™	139
Itsa™	143
Muirfield™	151
Poly™	157
Pose®	161
Stature®	171
Talent™	177
Villa™	181
Vista™	219
Wish™	225
Wish™ Classic	269
Xtreme™	279
Finishes & Materials	289

Kimball® Office

Seating at a Glance

Statement of Line

By Category

Select models are represented in this chart. A variety of options are available within each seating line.
➤See the individual chapters for all models available.

Executive Desk Seating:

Clairmont
➤See page 73.

Independence Newcastle
➤See page 125.

Independence Springfield
➤See page 125.

Independence Suffolk
➤See page 125.

Muirfield
➤See page 151.

Stools & Sit-to-Stand:

Bingo
➤See page 53.

Itsa
➤See page 143.

Wish
➤See page 225.

Wish Classic
➤See page 269.

Xtreme
➤See page 279.

High-Performance Task:

Campos
➤See page 63.

Itsa
➤See page 143.

Wish
➤See page 225.

Wish Classic
➤See page 269.

Xtreme
➤See page 279.

Conference:

Alumma
➤See page 23.

Stature
➤See page 171.

Side & Guest Seating:

Acapella
➤See page 15.

Adagiato
➤See page 19.

Alumma
➤See page 23.

Arpeggio
➤See page 27.

Beo
➤See page 31.

Beo Guest
➤See page 32.

Carrington
➤See page 67.

Clairmont
➤See page 73.

Collage
➤See page 79.

Event
➤See page 113.

Event with Tablet
➤See page 113.

Independence Newcastle
➤See page 125.

Independence Richland
➤See page 125.

Independence Springfield
➤See page 125.

Independence Suffolk
➤See page 125.

Innsbruck/ Osterley Park
➤See page 139.

Muirfield
➤See page 151.

Poly
➤See page 157.

Stature
➤See page 171.

Seating at a Glance

Statement of Line

continued

Select models are represented in this chart. A variety of options are available within each seating line.
➤See the individual chapters for all models available.

Stacking:

Bingo
➤See page 53.

Event
➤See page 113.

Poly
➤See page 157.

Nesting:

Flip
➤See page 121.

Bariatric:

Beo
➤See page 32.

Event
➤See page 113.

Collage
➤See page 79.

Lounge Seating:

Beo Lounge
➤See page 33.

Boyd
➤See page 57.

Delano
➤See page 85.

Dwell
➤See page 103.

Enjoy
➤See page 109.

Independence Hillsborough
➤See page 125.

Independence Hillsborough
➤See page 125.


Pose
➤See page 161.

Talent
➤See page 177.

Villa
➤See page 181.

Vista
➤See page 219.

Benches:


Beo
➤See page 32.

Carrington
➤See page 67.

Collage
➤See page 79.


Pose
➤See page 161.


Talent
➤See page 177.

Villa
➤See page 181.

Tables:

Beo
➤See page 33.

Delano
➤See page 85.

Pose
➤See page 161.

Villa
➤See page 181.

Additional occasional tables
➤See the Tables Price List.

Pillows:


Accent Pillows
➤See page 13.

Kimball® Office

Seating by Price Range

Matrix

Key:
- = Available in price range

Use this chart to see which seating lines are available in your price range. Price ranges reflect seating in price grade 1 upholstery.

	Price Range														
	$300–$449	$450–$599	$600–$749	$750–$899	$900–$1049	$1050–$1199	$1200–$1349	$1350–$1499	$1500–$1649	$1650–$1799	$1800–$1949	$1950–$2099	$2100–$2249	$2250–$2399	$2400+
Executive Desk															
Clairmont									•	•					
Independence Newcastle								•							
Independence Springfield								•	•	•					
Independence Suffolk						•									
Muirfield									•						
High-Performance Task															
Campos				•											
Itsa		•	•	•											
Wish			•	•	•										
Xtreme						•	•	•							
Stools															
Bingo (per stool)		•													
Itsa				•	•										
Wish & Wish Classic					•	•									
Xtreme						•	•	•							
Conference															
Alumma		•	•												
Stature					•	•	•	•							
Benches															
Beo							•	•							
Carrington											•				
Collage								•							
Talent										•					
Villa							•			•					

Kimball® Office

Seating by Price Range

Matrix

continued

Key:
- = Available in price range

Use this chart to see which seating lines are available in your price range. Price ranges reflect seating in price grade 1 upholstery.

	$300–$449	$450–$599	$600–$749	$750–$899	$900–$1049	$1050–$1199	$1200–$1349	$1350–$1499	$1500–$1649	$1650–$1799	$1800–$1949	$1950–$2099	$2100–$2249	$2250–$2399	$2400+
	Price Range														
Side, Stacking, Guest, & Lounge															
Acapella					•										
Adagiato					•	•									
Arpeggio						•									
Beo			•	•	•	•	•	•	•	•	•	•	•	•	•
Bingo	•	•													
Carrington								•							
Clairmont						•									
Collage					•										
Delano (including tables)				•		•		•	•	•				•	•
Dwell							•	•	•	•	•	•	•	•	•
Enjoy											•				•
Event	•	•													
Flip		•	•												
Independence Hillsborough										•					•
Independence Newcastle						•									
Independence Richland				•	•	•									
Independence Springfield								•	•						
Independence Suffolk				•											
Innsbruck/Osterley Park											•	•			
Muirfield						•									
Poly	•														
Pose (including tables)				•	•	•				•	•	•			•
Stature			•	•	•										
Talent					•						•				•
Villa					•		•	•	•	•	•	•	•	•	•
Vista											•	•		•	•

Notes

Pillows

Pricing

with Kimball Office Upholstery

Take order 10/15/14
GSA Non-Contract







Model	Welt	Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
18” x 18" Square										
K77P1818	No Welt	$115	$135	$147	$159	$177	$196	$214	$292	$335
K77P1818WLT	With Welt	155	176	189	203	222	242	262	345	392
11” x 24" Rectangle										
K77P1124	No Welt	$105	$131	$147	$163	$186	$210	$235	$336	$393
K77P1124WLT	With Welt	145	174	192	210	235	263	290	403	467
21” x 6" Bolster										
K77P216	No Welt	$125	$143	$155	$166	$183	$201	$218	$291	$332
K77P216WLT	With Welt	165	186	199	213	232	252	272	355	402

Contrasting fabric is available on pillows with welt.

Alliance Program ➤See page 14
COM/COL Yardage Req. 309

TB133

Fire code treatment is not available on accent pillows.

How to Specify

❶ Model

Pillow:
② Upholstery grade
③ Upholstery number

Welt (omit for models without welt):
④ Upholstery grade
⑤ Upholstery number

Pillows

Pricing

with Alliance Program Upholstery

Take order 10/15/14
GSA Non-Contract

Alliance Program ➤See page
COM/COL Yardage Req. 309

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K77P1124	$143	$160	$176	$188	$205	$222	$234	$252	$270
	286	313	369	403	408	417	425	434	471
K77P1124WLT	188	207	224	238	257	276	289	309	329
	347	378	440	478	483	494	503	513	554
K77P1818	144	157	169	179	192	205	214	227	241
	253	274	317	343	346	354	360	367	395
K77P1818WLT	187	201	213	224	238	252	261	276	291
	304	327	372	401	404	412	419	426	457
K77P216	152	165	176	185	197	209	218	231	243
	255	274	314	339	342	349	355	361	388
K77P216WLT	197	211	223	234	248	262	271	286	301
	314	337	382	411	414	422	429	436	467

TB133

Fire code treatment is not available on accent pillows.

How to Specify

❶ Model

Pillow:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Welt (omit for models without welt):
④ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
⑤ Upholstery number

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting fabric is available on pillows with welt.

ACAPELLA®

Side Chairs

Statement of Line

Acapella seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

High Back with Arms

➤See page 17 to specify.

Height	37½"
Width	23¼"
Depth	25¼"
Arm height	26½"
Seat height	18½"
Seat width	18¼"
Seat depth	17¼"

Mid-Back with Arms

➤See page 17 to specify.

Height	34¼"
Width	23¼"
Depth	23¼"
Arm height	25¾"
Seat height	18¼"
Seat width	19½"
Seat depth	17¾"

Wood Top Rail with Arms

➤See page 17 to specify.

Height	35"
Width	23¼"
Depth	24¾"
Arm height	26⅜"
Seat height	18½"
Seat width	19"
Seat depth	18¼"



High Back without Arms

➤See page 17 to specify.

Height	37½"
Width	21½"
Depth	25¼"
Seat height	18½"
Seat width	20"
Seat depth	17¼"

Mid-Back without Arms

➤See page 17 to specify.

Height	34¼"
Width	20½"
Depth	23¼"
Seat height	18¼"
Seat width	20"
Seat depth	17¾"

Wood Top Rail without Arms

➤See page 17 to specify.

Height	35"
Width	20¾"
Depth	24½"
Seat height	18½"
Seat width	19"
Seat depth	17¾"

Side Chairs

Overview

Statement of Line	➤See page 15
Kimball Office Uph. Pricing	17
COM/COL Yardage Req.	309
Finishes & Materials	289

Frame is constructed of kiln-dried maple hardwoods.

Corners are reinforced with wood corner blocks and lag bolts. Metal brackets are also used on armless models to provide additional support.

Joints are double doweled and securely glued to ensure maximum strength.



Back and seat are fully upholstered. Cushions are high resiliency, CFC-free polyurethane foam.

Nylon glides are 7⁄8" in diameter and dome shaped.

Details

High Back | Mid-Back | Wood Top Rail

Three different Acapella models are available; each has its own distinct design and is available with or without arms.

Seat suspension on high back and mid-back models is constructed of 1⁄2"-thick, 9-ply, molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges.

Seat suspension on wood top rail model is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails.

Seat cushion, applied to the flexible webbing suspension, is 1 3⁄8" thick on high back models, 1 5⁄8" thick on mid-back models, and 1 1⁄2" thick on wood top rail models.

Seat upholstery on high back and mid-back models is wrapped over the seat cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is fitted into the frame with wood screws inserted into the wood corner blocks.

Seat upholstery on wood top rail model is wrapped over the seat cushion and secured to the side, front, and back rails with upholstery staples.

Back on high back and mid-back models is constructed of heavy webbing secured to the frame with staples. 1"-thick foam is applied to the webbing. Upholstery is wrapped over the foam and secured with upholstery staples.

Back on wood top rail model is constructed using 3⁄16"-thick, 3-ply, contour molded plywood. Press fit fasteners attach the back to the frame. Upholstery is wrapped over 1"-thick foam and secured with upholstery staples.

Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 15
Overview 16
Alliance Program Pricing 18
COM/COL Yardage Req. 309

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
High Back										
With Arms										
K46CC		$1078	$1120	$1147	$1173	$1211	$1252	$1292	$1459	$1553
K46CCF	TB133	1226	1268	1295	1321	1359	1400	1440	1607	1701
Armless										
K46DD		$1048	$1090	$1117	$1143	$1181	$1222	$1262	$1429	$1523
K46DDF	TB133	1197	1239	1266	1292	1330	1371	1411	1578	1672
Mid-Back										
With Arms										
K46AA Ks		$1078	$1117	$1142	$1166	$1202	$1239	$1277	$1432	$1519
K46AAF	TB133	1240	1279	1304	1328	1364	1401	$1439	1594	$1681
Armless										
K46BB		$1048	$1087	$1112	$1136	$1172	$1209	$1247	$1402	$1489
K46BBF	TB133	1210	1249	1274	1298	1334	1371	1409	1564	1651
Wood Top Rail										
With Arms										
K46EE		$1107	$1149	$1176	$1202	$1240	$1281	$1321	$1488	$1582
K46EEF	TB133	1256	1298	1325	1351	1389	1430	1470	1637	1731
Armless										
K46HH		$1078	$1117	$1142	$1166	$1202	$1239	$1277	$1432	$1519
K46HHF	TB133	1217	1256	1281	1305	1341	1378	1416	1571	1658

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

Ks = Kwik Office model available.

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 15
Overview 16
Kimball Office Uph. Pricing 17
COM/COL Yardage Req. 309

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K46AA	$1137	$1163	$1186	$1205	$1231	$1257	$1276	$1303	$1330
	1355	1397	1481	1534	1541	1555	1568	1581	1638
K46BB	1107	1133	1156	1175	1201	1227	1246	1273	1300
	1325	1367	1451	1504	1511	1525	1538	1551	1608
K46CC	1141	1169	1194	1215	1243	1271	1291	1320	1350
	1376	1421	1512	1569	1576	1592	1606	1620	1681
K46DD	1111	1139	1164	1185	1213	1241	1261	1290	1320
	1346	1391	1482	1539	1546	1562	1576	1590	1651
K46EE	1170	1198	1223	1244	1272	1300	1320	1349	1379
	1405	1450	1541	1598	1605	1621	1635	1649	1710
K46HH	1137	1163	1186	1205	1231	1257	1276	1303	1330
	1355	1397	1481	1534	1541	1555	1568	1581	1638

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Adagiato seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Wood Back

➤See page 21 to specify.

Height	31"
Width	22"
Depth	24½"
Arm height	26¾"
Seat height	18½"
Seat width	19½"
Seat depth	18¼"

Half-Height Back Cushion

➤See page 21 to specify.

Height	31"
Width	22"
Depth	24½"
Arm height	26¾"
Seat height	18½"
Seat width	19½"
Seat depth	17¼"

Full-Height Back Cushion

➤See page 21 to specify.

Height	31"
Width	22"
Depth	24½"
Arm height	26¾"
Seat height	18½"
Seat width	19½"
Seat depth	17¼"

Side Chairs

Overview

Statement of Line ➤See page 19
Kimball Office Uph. Pricing 21
COM/COL Yardage Req. 309
Finishes & Materials 289

Back features a doweled, solid-beech inner frame. 3-ply custom-contoured beech veneer is applied to the front and back surfaces. Back is bolted to a 1/4" steel bracket welded to the frame.

Seat tilts back and the back is slightly reclined so the user can assume a natural, relaxed posture.



Arms are solid beech and connected at miter with a 90° steel dowel. A black decorative bolt attaches the arms to the back. The front of the arms are inserted into the metal leg frame and fastened with a wood screw.

Black nylon glides are 1 1/8" in diameter and swivel for maximum stability on all floors.

Legs are 1" diameter, 15-gauge tubular steel. They are welded to 1"-diameter steel cross members. 1 3/8" x 1/4" flat steel stretchers, running front to back, join front and back cross members.

Details

Wood Back

Half-Height Cushion

Full-Height Cushion

Three back styles are available—wood back, half-height back cushion, and full-height back cushion.

Seat suspension is constructed of 19/32"-molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion is 2"-thick, high resiliency, CFC-free molded polyurethane foam. Cushion is attached to the steel stretchers with wood screws.

Seat upholstery features a wrap-around upholstery method and 2 1/2" boxing with top stitching.

Back cushion, on applicable models, is constructed of 3/4"-thick foam applied to a 3/16" hardboard panel. Cushion upholstery with 1" boxing is wrapped over the foam and secured with upholstery staples. Half-height cushion attaches with press-fit fasteners. Full-height cushion attaches with keyhole slot at the top of the cushion and press-fit fasteners at the bottom of the cushion.

Contrasting upholstery is available on half-height and full-height back cushion models. Use an electronic specification tool for accurate pricing.

Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 19
Overview 20
Alliance Program Pricing 22
COM/COL Yardage Req. 309

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Wood Back										
K55AA		$1087	$1108	$1121	$1135	$1154	$1174	$1194	$1277	$1324
K55AAF	TB133	1189	1210	1223	1237	1256	1276	1296	$1379	$1426
Half-Height Back Cushion										
K55BB		$1196	$1229	$1250	$1271	$1301	$1333	$1364	$1495	$1569
K55BBF	TB133	1317	1350	1371	1392	1422	1454	1485	1616	1690
Full-Height Back Cushion										
K55CC		$1245	$1284	$1308	$1334	$1369	$1406	$1444	$1598	$1685
K55CCF	TB133	1397	1436	1460	1486	1521	1558	1596	1750	1837

Contrasting upholstery is available on half-height and full-height back cushion models. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Cushion (omit for K55AA):
② Upholstery grade
③ Upholstery number

Seat Cushion:
④ Upholstery grade
⑤ Upholstery number

Back and Arms:
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Frame:
⑧ Paint designator:
501 = Platinum Metallic
503 = Satin Nickel Metallic

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 19
Overview 20
Kimball Office Uph. Pricing 21
COM/COL Yardage Req. 309

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K55AA	$1119	$1133	$1145	$1156	$1170	$1184	$1193	$1208	$1223
	1236	1259	1304	1333	1336	1344	1351	1358	1389
K55BB	1246	1268	1287	1304	1326	1348	1363	1386	1410
	1430	1466	1537	1582	1587	1600	1611	1622	1670
K55CC	1304	1330	1353	1373	1399	1425	1442	1470	1497
	1522	1564	1648	1702	1708	1722	1735	1748	1806

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available on half-height and full-height back cushion models. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back Cushion (omit for K55AA):
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Seat Cushion:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Back and Arms:
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Frame:
⑧ Paint designator:
501 = Platinum Metallic
503 = Satin Nickel Metallic

Alumma seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

High-Back Conference Chairs

➤See page 25 to specify.

Height	42"–46"
Width	28"
Depth	27"
Arm height	25"–29"
Seat height	17"–21"
Seat width	19"
Seat depth	19"

Mid-Back Conference Chairs

➤See page 25 to specify.

Height	35"–39"
Width	28"
Depth	26"
Arm height	25"–29"
Seat height	17"–21"
Seat width	19"
Seat depth	19"

Mid-Back Side Chairs

➤See page 25 to specify.

Height	35"–39"
Width	28"
Depth	26"
Arm height	25"–29"
Seat height	17"–21"
Seat width	19"
Seat depth	19"

Conference and Side Chairs

Frame features a chrome finish.

Back and seat consist of faux leather over top 10mm foam.

Arms are covered with faux leather.

Knee-tilt control is standard.

Five-star base with chrome finish features casters on high-back and mid-back conference models and glides on side chairs.



Details

Alumma seating is available in high-back and mid-back swivel conference models, as well as a mid-back side chair featuring fixed glides.

Back and seat are available in white or black faux leather. Contrasting faux leather is not available.



Side chair features glides on a five-star base for stationary, non-mobile conference seating.

Alumma seating meets all applicable BIFMA and ANSI requirements

TB117 requirements are met by Alumma seating.

TB133 models are not available.

Ships knocked down:
- Back, arms, seat, and controls
- Cylinder
- Base, casters or glides

Adjustability Features

	High Back	*Mid-back*	*Fixed*
Knee tilt	•	•	•
Swivel	•	•	•
Pneu. height	•	•	•

• standard

Knee tilt control provides minimal rise of the front seat edge when reclining, allowing the user's feet to remain firmly on the floor. Back may be locked in a full upright position by pushing in pneumatic height adjustment lever. Recommended for users weighing 253 lbs. or less.

Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated. Upward movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

Conference and Side Chairs

Pricing

GSA Non-Contract

Actual Dimensions ➤See page 23
Overview 24

Model	*Faux Leather Color*	*Price*
High-Back Conference		
K75CSHBBSL	Black	$673
K75CSHBWSL	White	673
Mid-Back Conference		
K75CSMBBSL	Black	$615
K75CSMBWSL	White	615
Mid-Back Side		
K75CFMBBSL	Black	$565
K75CFMBWSL	White	565

TB133

Fire code treatment is not available on Alumma.

How to Specify

❶ Model

Contrasting upholstery is not available.

= Kwik Office model available.

Notes

ARPEGGIO®

Statement of Line

Side Chairs

Arpeggio seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Rolled Back

➤See page 29 to specify.

Height	32½"
Width	25¾"
Depth	26"
Arm height	25½"
Seat height	18½"
Seat width	19¼"
Seat depth	18¾"

Pillow Back

➤See page 29 to specify.

Height	33¼"
Width	30"
Depth	25¾"
Arm height	27¾"
Seat height	18½"
Seat width	19¼"
Seat depth	18"

Side Chairs

Statement of Line ➤See page 27
Kimball Office Uph. Pricing 29
COM/COL Yardage Req. 309
Finishes & Materials 289

Frame is constructed of kiln-dried maple hardwoods.

Back and seat are fully upholstered. Cushions are high-resiliency, CFC-free polyurethane foam.



Corners are reinforced with wood corner blocks and tie screws.

Joints are double doweled and securely glued to ensure maximum strength.

Nylon glides are 7⁄8" in diameter.

Details

Rolled Back

Pillow Back

Two different Arpeggio models are available; each has its own distinct design.

Seat suspension is constructed of 3⁄4" thick molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion, applied to the flexible webbing suspension, is 2" thick.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is fitted into the frame with wood screws inserted into the wood corner blocks.

Back is constructed using 9⁄16"-thick, 9-ply molded plywood. Machine screws and T-nuts attach the back to the frame. Upholstery is wrapped over 3"-thick sculpted foam and secured with upholstery staples.

Back of pillow back model is topped with 1 1⁄4 ounces of low melt conjugate fiber wrap for added comfort.

Outer back is constructed with 3⁄16" thick 3-ply molded plywood and 1⁄4" thick foam. Outer back is attached with press fit fasteners.

Contrasting piping is available in any Kimball Office fabric or leather.

Contrasting back is available on pillow back model with Kimball Office upholstery, COM, COL, or Alliance Program upholstery. Use an electronic specification tool for accurate pricing.

Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Rolled Back										
ARP-GC4A		$1270	$1342	$1388	$1433	$1498	$1568	$1637	$1923	$2084
ARP-GC4AF	TB133	1530	1602	1648	$1693	1758	—	—	2183	2344
Pillow Back										
ARP-GC4E		$1301	$1376	$1423	$1471	$1539	$1611	$1684	$1981	$2148
ARP-GC4EF	TB133	1616	1691	1738	1786	1854	—	—	2296	2463

Contrasting piping is available in any Kimball Office fabric or leather only. No upcharge.

Contrasting back is available on pillow back model with Kimball Office upholstery, COM, COL, or Alliance Program upholstery. Use an electronic specification tool for accurate pricing.
➤See page 302.

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

Actual Dimensions ➤See page 27
Overview 28
Alliance Program Pricing 30
COM/COL Yardage Req. 309

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

Rolled-Back Side Chair

❶ Model

Seat, Back, and Arms (primary):
② Upholstery grade
③ Upholstery number

Piping:
④ Upholstery grade
⑤ Upholstery number

Frame:
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Pillow-Back Side Chair

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat and Arms (primary):
④ Upholstery grade
⑤ Upholstery number

Piping:
⑥ Upholstery grade
⑦ Upholstery number

Frame:
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 27
Overview 28
Kimball Office Uph. Pricing 29
COM/COL Yardage Req. 309

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
ARP-GC4A	$1378	$1426	$1469	$1505	$1553	$1601	$1635	$1685	$1736
	1781	1858	2014	2112	2124	2151	2175	2199	2304
ARP-GC4E	$1414	$1464	$1509	$1546	$1596	$1646	$1681	$1734	$1786
	1834	1914	2076	2179	2191	2218	2243	2268	2379

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting piping is available in any Kimball Office fabric or leather only. No upcharge.

Contrasting back is available on pillow back model with Kimball Office upholstery, COM, COL, or Alliance Program upholstery. Use an electronic specification tool for accurate pricing.
➤See page 302.

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Seat, back and arms (primary on rolled-back); back on pillow-back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat and arms (primary on pillow back); (omit steps 4 & 5 for rolled-back model):

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

Piping:

⑤ If same, Alliance partner designator and upholstery grade (see above); if contrasting, Kimball Office upholstery grade

⑥ Upholstery number

Frame:

⑦ Finish price group:
STD = Group 1

⑧ Finish designator

Beo side seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Half Back

Top half of back is upholstered, bottom half is ladder back.

➤See page 35 to specify.

Height	32¾"
Width	22¼"
Depth	25⅝"
Arm height	26"
Seat height	18⅝"
Seat width	19½"
Seat depth	18"

Three-Quarter Back

Top three-quarters of back is upholstered, bottom quarter is ladder back.

➤See page 35 to specify.

Height	32¾"
Width	22¼"
Depth	25⅝"
Arm height	26"
Seat height	18⅝"
Seat width	19½"
Seat depth	18"

Ladder Back

➤See page 35 to specify.

Height	32¾"
Width	22¼"
Depth	25⅝"
Arm height	26"
Seat height	18⅝"
Seat width	19½"
Seat depth	18"

Vertical Insert Back

➤See page 35 to specify.

Height	32¾"
Width	22¼"
Depth	25⅝"
Arm height	26"
Seat height	18⅝"
Seat width	19½"
Seat depth	18"

Full Back

➤See page 35 to specify.

Height	32¾"
Width	22¼"
Depth	25⅝"
Arm height	26"
Seat height	18⅝"
Seat width	19½"
Seat depth	18"

Button Back

➤See page 35 to specify.

Height	32¾"
Width	22¼"
Depth	25⅝"
Arm height	26"
Seat height	18⅝"
Seat width	19½"
Seat depth	18"

Beo guest seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

One-Seaters

Available in full or half back models.

➤See page 38 to specify.

Height	32¾"
Width	23⅜"
Depth	26⅜"
Arm height	26"
Seat height	19"
Seat width	20½"
Seat depth	18½"



Bariatric*

Available in full or half back models.

➤See page 39 to specify.

	Full Size	*Mid-Size*
Height	32¾"	32¾"
Width	36"	25¼"
Depth	26⅜"	26⅜"
Arm height	26"	26"
Seat height	19"	19"
Seat width	33¼"	22½"
Seat depth	18½"	18½"

*Meets bariatric testing requirements of 500 lbs.

Tandem Two-Seaters

Available in full or half back models.

➤See page 38 to specify.

Height	32¾"
Width	45¼"
Depth	24¾"
Arm height	26"
Seat height	19"
Seat width	20½"
Seat depth	18½"



Tandem Three-Seaters

Available in full or half back models.

➤See page 38 to specify.

Height	32¾"
Width	67⅛"
Depth	24¾"
Arm height	26"
Seat height	19"
Seat width	20½"
Seat depth	18½"



Tandem Starter and Add-On Kits

Available in full or half back models.

➤See page 40 to specify.

Height	32¾"
Width	23⅜" (starter) 21⅞" (add-on)
Depth	24¾"
Arm height	26"
Seat height	19"
Seat width	20½" or 33¼"*
Seat depth	18½"



Bench

➤See page 38 to specify.

Height	22¾"
Width	46⅝"
Depth	24"
Arm height	22¼"
Seat height	19"
Seat width	43¾"
Seat depth	24½"



In-Line Table

➤See page 42 to specify.

Height	17⅝"
Width	24⁹⁄₁₆"
Depth	19¹¹⁄₁₆"



Corner Table

➤See page 42 to specify.

Height	17⅝"
Width	41⅞"
Depth	26"



Left End Table

➤See page 42 to specify.

Height	17⅝"
Width	24⁹⁄₁₆"
Depth	19⅝"



Right End Table

➤See page 42 to specify.

Height	17⅝"
Width	24⁹⁄₁₆"
Depth	19⅝"

Beo lounge seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards and meet Heavy Duty testing requirements of 350 lbs per seat.

One-Seaters

Available with clean-out, mobile, tablet arm, and arm cap options.

➤See page 46 to specify.

Height	32"
Width	25½" or 28½"
Depth	29½"
Arm height	25½"
Seat height	19"
Seat width	21½" or 24½"
Seat depth	18¾"



Two-Seaters

Available with clean-out, tablet arm, and arm cap options.

➤See page 47 to specify.

Height	32"
Width	49"
Depth	29½"
Arm height	25½"
Seat height	19"
Seat width	45"
Seat depth	18¾"



Tandem Two-Seaters

Available with clean-out, tablet arm, and arm cap options.

➤See page 48 to specify.

Height	32"
Width	49" or 55"
Depth	29½"
Arm height	25½"
Seat height	19"
Seat width	21½" or 24½"
Seat depth	18¾"



Tandem Three-Seaters

Available with clean-out, tablet arm, and arm cap options.

➤See page 49 to specify.

Height	32"
Width	72½"
Depth	29½"
Arm height	25½"
Seat height	19"
Seat width	21½"
Seat depth	18¾"

Tablet Arms

➤See page 51 to specify.

Height	¾"
Width	18 7/16"
Depth	13"



Magazine Tables

➤See page 52 to specify.

Height	18 3/16"
Width	39 7/8"
Depth	19 11/16"

End Tables

➤See page 52 to specify.

Height	20⅛
Width	21 1/32"
Depth	24 9/16"

Side Seating

Overview

Pricing ➤See page 35
Alliance Program Pricing 36
COM/COL Yardage Req. 309

Steam-bent frame is constructed of kiln-dried European beech to support the body's curves.

Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use.

Seat rails are reinforced with wood corner blocks and cleats attached with glue and wood screws.

Seat suspension is constructed of 9/32" thick molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a secure suspension.

Seat assembly is attached with wood screws to wood cleats on the frame.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Nylon glides are 7/8" in diameter.



Horizontal back slats on applicable models are individually shaped for optimal comfort. Slats are secured using mortise and tenon joinery.

Seat cushions are made of 1¼" thin-profile, high-resiliency, CFC-free foam for maximum comfort and durability.

Curved top rail is visible. It separates the front and back upholstery panels and adds to Beo's aesthetics.



Decorative reveal detail at the arm/leg joint. Reveal is 2mm deep by 4mm wide.

Wall-saver back legs flare slightly so they contact the baseboard first, saving the wall's finish and protecting the chair back.

Details

Half Back

¾ Back

Ladder-back

Vertical Insert Back

Full Back

Button Back

Six different back styles are available for Beo side seating.

Upholstered back on applicable models is constructed of two panels that are sandwiched together. Each panel features a contoured 3-ply cross-banded plywood inner panel. Inner panels are covered with high-resiliency, CFC-free foam (1/2" on the front and 1/4" on the back). Upholstery is wrapped around the inner panels and secured with upholstery staples. Both front and back upholstery panels are securely attached to the top wood rail and cleats with Christmas-tree fasteners.



Black polyurethane arm caps are available as an option on Beo side chairs.

Contrasting upholstery on backs and seats is available on Beo side chairs. If different price grades are selected, use an electronic specification tool for accurate pricing.
➤See page 302.

Contrasting button upholstery is available on the button-back model.
Note: Contrasting button must be specified in Kimball Office fabric of leather.

Related Products



Freestanding Beo occasional tables are available in magazine and end models. Tables cannot be ganged to Beo side chairs.

Ganging tables are not applicable for side seating models.

Accent pillows are available.
➤See page 13.

Side Seating

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview	➤See page 34
Alliance Program Pricing	36
COM/COL Yardage Req.	309
Finishes & Materials	289

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Half Back										
K58AT		$861	$885	$901	$916	$937	$961	$983	$1079	$1132
K58ATF**	TB133	952	976	992	1007	1028	1052	1074	1170	1223
Three-Quarter Back										
K58BT K		$813	$843	$862	$881	$908	$937	$966	$1085	$1152
K58BTF**	TB133	922	952	971	990	1017	1046	1075	1194	1261
Ladderback										
K58CT		$873	$894	$907	$921	$940	$960	$980	$1063	$1110
K58CTF**	TB133	946	967	980	994	1013	1033	1053	1136	1183
Vertical Insert Back										
K58DT		$896	$917	$931	$944	$963	$983	$1004	$1086	$1134
K58DTF**	TB133	988	1009	1023	1036	1055	1075	1096	1178	1226
Full Back										
K58ET K		$909	$945	$967	$991	$1023	$1057	$1093	$1235	$1315
K58ETF**	TB133	1030	1066	1088	1112	1144	1178	1214	1356	1436
Button Back										
K58HT		$922	$958	$980	$1004	$1036	$1070	$1106	$1248	$1328
K58HTF**	TB133	1044	1080	1102	1126	1158	1192	1228	1370	1450

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Arm option (omit for standard models):
8 = Polyurethane arm caps (+$82)

Back (omit for ladderback model):
③ Upholstery grade
④ Upholstery number

Seat:
⑤ Upholstery grade
⑥ Upholstery number

Accent/Button (include for button back model only):
⑦ Upholstery grade
⑧ Upholstery number
Note: Available in Kimball Office fabric or leather only.

Frame:
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

K = Kwik Office model available.

Side Seating

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 34
Kimball Office Uph. Pricing 35
COM/COL Yardage Req. 309

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K58AT	$897	$913	$928	$939	$956	$971	$983	$999	$1016
	1031	1057	1109	1141	1146	1154	1163	1171	1206
K58BT	858	878	896	911	931	951	965	986	1007
	1026	1058	1123	1164	1169	1180	1190	1200	1244
K58CT	905	919	931	942	956	970	979	994	1009
	1022	1045	1090	1119	1122	1130	1137	1144	1175
K58DT	928	942	955	965	979	993	1002	1018	1032
	1046	1068	1113	1142	1145	1153	1160	1167	1198
K58ET	963	987	1009	1027	1051	1075	1091	1117	1141
	1165	1203	1281	1331	1337	1349	1361	1373	1427
K58HT	976	1000	1022	1040	1064	1088	1104	1130	1154
	1178	1216	1294	1344	1350	1362	1374	1386	1440

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
❷ Arm option (omit for standard models):
8 = Polyurethane arm caps (+$82)

Back:
③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
④ Upholstery number

Seat:
⑤ Alliance partner designator and upholstery grade (see above)
⑥ Upholstery number

Accent/Button (include for K58HT only):
⑦ If same, Alliance partner designator and upholstery grade (see above); if contrasting, Kimball Office upholstery grade
⑧ Upholstery number

Frame:
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

Guest Seating

Overview

Pricing	➤See page 40
Alliance Program Pricing	41
COM/COL Yardage Req.	309
Finishes & Materials	289

Frame is constructed of kiln-dried European beech. While similar to Beo side chairs, guest seating models are designed to accept add-on kits and ganging tables.

Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use.

Backs feature a high-tension, sheet webbing suspension that is stapled to the frame, over which upholstery is placed.

Seats feature a high-tension, strip webbing suspension that is stapled to the frame. Seat upholstery features a wrap-around upholstery method and is stapled into place.

Wall-saver back legs flare slightly so they contact the baseboard first, saving the wall's finish and protecting the chair back.



Cushions are made of of high grade, high resiliency, CFC-free, laminated polyurethane foam. Seat cushions are 1" thick. Back cushions are ½" thick.



Nylon glides are ⅞" in diameter.

Details

Fully Assembled | Starter Kit | Add-On Kit

Guest seating is available as fully assembled one-, two, and three-seat runs; ready-to-assemble one-seat starter and one-seat add-on models are available to create seating runs of any length.



Full Back | Half Back

All guest and bariatric models are available with a fully upholstered back or half upholstered back.

Bench is available to provide accessible seating from both sides. It is intended for freestanding use only.



Bariatric chairs fit specialized requirements in a variety of settings. Full-size models are 36"W with a more robust frame that supports up to 500 pounds. Mid-size models are 25¼". They can be ganged to tables.



Black polyurethane arm caps are available on Beo guest one-seat, tandem, and bariatric models. They are not available on benches.

Contrasting upholstery on backs and seats is available on Beo guest chairs.
➤See page 302.

Connections



To build a tandem guest seating run, specify one starter kit and any number of add-on kits. Knocked down units include upholstered seat, upholstered back, and hardware. Starter kits include two arms, one left and one right; add-on kits include one center arm. Arms included with the starter kit will be used at the far left and right ends of the seating run. *Note: One starter kit and one add-on kit will create an identical model to the fully assembled tandem two-seat model.*

Related Products

Ganging tables attach to guest models at the end of seating runs, in-line between seats, or at a corner in a 90° configuration. Ganging tables do not attach to bench, lounge or side seating models.

Guest Seating

Pricing

Fully Assembled

GSA SIN 711-16
† GSA SIN 711-17





Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seaters										
Full Back (shown)										
K58JT		$1005	$1053	$1083	$1113	$1157	$1203	$1249	$1441	$1547
K58JTF**	TB133	$1097	$1145	$1175	1205	$1249	$1295	$1341	$1533	$1639
Half Back										
K58KT		$1005	$1047	$1073	$1100	$1138	$1178	$1220	$1385	$1480
K58KTF**	TB133	1097	1139	1165	1192	1230	1270	1312	1477	1572
Tandem Two-Seaters										
Full Back										
K58MT †		$1774	$1868	$1926	$1984	$2068	$2158	$2248	$2618	$2824
K58MTF** †	TB133	1913	2007	2065	2123	2207	2297	2387	2757	2963
Half Back (shown)										
K58PT †		$1774	$1852	$1901	$1951	$2021	$2096	$2172	$2481	$2656
K58PTF** †	TB133	1913	1991	2040	2090	2160	2235	2311	2620	2795
Tandem Three-Seaters										
Full Back (shown)										
K58RT †		$2450	$2588	$2676	$2762	$2888	$3020	$3154	$3702	$4010
K58RTF** †	TB133	2682	2820	2908	2994	3120	3252	3386	3934	4242
Half Back										
K58ST †		$2450	$2567	$2641	$2715	$2820	$2933	$3047	$3510	$3772
K58STF** †	TB133	2682	2799	2873	2947	3052	3165	3279	3742	4004
Bench										
K58AB		$1444	$1519	$1567	$1614	$1682	$1754	$1827	$2124	$2292
K58ABF	TB133	1584	1659	1707	1754	1822	1894	1967	2264	2432

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Overview ➤See page 37
Alliance Program Pricing 41
COM/COL Yardage Req. 309
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Arm option (omit for standard models and bench):
8 = Polyurethane arm caps (+$41 per arm)

Back:
③ Upholstery grade
④ Upholstery number

Seat:
⑤ Upholstery grade
⑥ Upholstery number

Frame:
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Guest Seating

Pricing

Fully Assembled Bariatric

GSA SIN 711-16

Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
Bariatric										
Full Back										
K58ZZT		$1531	$1595	$1633	$1673	$1731	$1791	$1853	$2103	$2243
K58ZZTF**	TB133	1841	1905	1943	1983	2041	2101	2163	2413	2553
Half Back (shown)										
K58DET		$1531	$1580	$1610	$1641	$1685	$1731	$1779	$1971	$2080
K58DETF**	TB133	1671	1720	1750	1781	1825	1871	1919	2111	2220
Mid-Size Bariatric										
Full Back (shown)										
K58BW		$1131	$1195	$1233	$1273	$1331	$1391	$1453	$1703	$1843
K58BWF**	TB133	1222	1286	1324	1364	1422	1482	1544	1794	1934
Half Back										
K58BX		$1131	$1180	$1210	$1241	$1285	$1331	$1379	$1571	$1680
K58BXF**	TB133	1222	1271	1301	1332	1376	1422	1470	1662	1771

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Overview ➤See page 37
Alliance Program Pricing 41
COM/COL Yardage Req. 309
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Arm option (omit for standard models):
8 = Polyurethane arm caps (+$41 per arm)

Back:
③ Upholstery grade
④ Upholstery number

Seat:
⑤ Upholstery grade
⑥ Upholstery number

Frame:
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Guest Seating

Pricing

Ready-to-Assemble

GSA SIN 711-17

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Tandem Starter Kits										
Full Back (shown)										
K58STLRUT		$1029	$1077	$1107	$1137	$1181	$1227	$1273	$1465	$1571
K58STLRUTF**	TB133	1121	1169	1199	1229	1273	1319	1365	1557	1663
Half Back										
K58STLRHT		$1029	$1071	$1097	$1124	$1162	$1202	$1244	$1409	$1504
K58STLRHTF**	TB133	1121	1163	1189	1216	1254	1294	1336	1501	1596
Tandem Add-On Kits										
Full Back (shown)										
K58ADDCUT		$832	$880	$910	$940	$984	$1030	$1076	$1268	$1374
K58ADDCUTF**	TB133	924	972	1002	1032	1076	1122	1168	1360	1466
Half Back										
K58ADDCHT		$832	$874	$900	$927	$965	$1005	$1047	$1212	$1307
K58ADDCHTF**	TB133	924	966	992	1019	1057	1097	1139	1304	1399

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Overview ➤See page 37
Alliance Program Pricing 41
COM/COL Yardage Req. 309
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Arm option (omit for standard models):
8 = Polyurethane arm caps (+$41 per arm)

Back:
③ Upholstery grade
④ Upholstery number

Seat:
⑤ Upholstery grade
⑥ Upholstery number

Frame:
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Guest Seating

Pricing

Alliance Program Upholstery

GSA SIN 711-16
† GSA SIN 711-17

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K58AB	$1557	$1607	$1652	$1689	$1739	$1789	$1824	$1877	$1929
	1977	2057	2219	2322	2334	2362	2387	2412	2522
K58ADDCUT †	904	936	964	988	1020	1052	1076	1108	1142
	1172	1224	1328	1394	1402	1420	1436	1452	1522
K58ADDCHT †	895	923	948	969	997	1025	1045	1074	1104
	1130	1175	1266	1324	1330	1346	1360	1374	1435
K58BW	1225	1267	1305	1337	1379	1421	1451	1495	1539
	1579	1645	1783	1869	1879	1901	1923	1943	2037
K58BX	1204	1236	1266	1290	1322	1355	1377	1411	1445
	1476	1528	1633	1700	1708	1725	1742	1758	1830
K58DET	1604	1636	1666	1690	1722	1755	1777	1811	1845
	1876	1928	2033	2100	2108	2125	2142	2158	2230
K58JT	1077	1109	1137	1161	1193	1225	1249	1281	1315
	1345	1397	1501	1567	1575	1593	1609	1625	1695
K58KT	1068	1096	1121	1142	1170	1198	1218	1247	1277
	1303	1348	1439	1497	1503	1519	1533	1547	1608
K58MT †	1914	1976	2032	2078	2140	2202	2246	2310	2376
	2434	2534	2736	2862	2878	2912	2942	2974	3110
K58PT †	1891	1943	1989	2029	2081	2133	2169	2224	2279
	2328	2411	2580	2687	2699	2729	2754	2780	2894
K58RT †	2658	2750	2832	2900	2992	3084	3150	3246	3342
	3430	3578	3876	4064	4088	4138	4184	4230	4432
K58ST †	2625	2703	2773	2832	2910	2988	3043	3125	3207
	3280	3405	3659	3819	3838	3882	3920	3960	4131
K58STLRUT †	1101	1133	1161	1185	1217	1249	1273	1305	1339
	1369	1421	1525	1591	1599	1617	1633	1649	1719
K58STLRHT †	1092	1120	1145	1166	1194	1222	1242	1271	1301
	1327	1372	1463	1521	1527	1543	1557	1571	1632
K58ZZT	1625	1667	1705	1737	1779	1821	1851	1895	1939
	1979	2045	2183	2269	2279	2301	2323	2343	2437

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Overview ➤See page 37
Kimball Office Pricing 35
COM/COL Yardage Req. 309
Finishes & Materials 289

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
❷ Arm option (omit for standard models):
8 = Polyurethane arm caps (+$41 per arm cap)

Back:
③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
④ Upholstery number

Seat:
⑤ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
⑥ Upholstery number

Frame:
⑦ Finish price group:
STD = Group 1
⑧ Finish designator

Ganging Tables

Pricing

For Use with Guest Seating

GSA SIN 711-17

Overview ➤See page 37
Finishes & Materials 289









D	*W*	*H*	*Model*	*Price*
In-Line Table				
19 11/16"	24 9/16"	17 5/8"	**K58TGI2025W**	$758
Corner Table				
26"	41 7/8"	17 5/8"	**K58TGC264218W**	$892
End Table				
Left				
19 5/8"	24 9/16"	17 5/8"	**K58TGL202518W**	$830
Right				
19 5/8"	24 9/16"	17 5/8"	**K58TGR202518W**	$830

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Lounge Seating

and Freestanding Occasional Tables

Overview

Pricing	➤See page 46
Alliance Program Pricing	50
COM/COL Yardage Req.	309
Finishes & Materials	289

Frame is constructed of ¾" plywood, utilizing lap-joint construction that is glued and screwed.

Legs and base rails are kiln-dried European beech. Legs and rail joints are double doweled, securely glued, and reinforced with corner blocks that are glued and screwed to the base rails. The base frame is attached to the seat frame with wood screws through the rails.

Wall-saver back legs flare slightly so they contact the baseboard first, saving the wall's finish and protecting the chair back.



Clean-out option makes cleaning of seat easier by allowing dirt to exit the chair to the floor where it can be swept up.

Seats feature a high-tension, strip webbing suspension that is stapled to the frame. Seat upholstery features a wrap-around upholstery method and is stapled into place.

Mobile option, available on one-seaters, provides casters on the front legs and a black handle on the back.

Backs feature a high-tension, sheet webbing suspension that is stapled to the frame, over which upholstery is placed.

Armrest tops and outside panels have ½" thick, high-grade polyurethane foam.

Non-skid, adjustable glides are ¾" in diameter.



Wide seat models are available in one-seat and tandem two-seat styles. Each seat width is increased by 3" over the standard model.

Cushions are made of high grade, high resiliency, CFC-free, laminated polyurethane foam. Seat and back cushions are 3" thick.

Details

One-Seater

Two-Seater

Tandem Two-Seater



Tandem Three-Seater

Lounge seating is available in one-seat and two-seat models, and in two-seat and three-seat tandem models.

Contrasting upholstery is available on the back, seat and arms. If different price grades are selected, use an electronic specification tool for accurate pricing.
➤See page 302.



Tablet arms are available.
➤See page 44 for details.



Wood or black polyurethane arm caps are available.
➤See page 44 for details.

Related Products



Freestanding Beo occasional tables are available in magazine and end models. Tables cannot be ganged to lounge seating.

Accent pillows are available.
➤See page 13.

Arm Options

Options Pricing

For One-Seat and Two-Seat Lounges

Pricing ➤See page 46
Alliance Program Pricing 50
COM/COL Yardage Req. 310
Finishes & Materials 289



Tablet arms are available. Tablet arms may be specified for the right, left, or center arm (one per model), and are available with a 3D laminate, phenolic-core laminate, or wood surface.
Note: Arm location is defined from the user's perspective when seated in the chair.

If more than one tablet arm is desired on a particular model, specify a tablet grommet, and order a tablet model separately.
➤See page 51.



Arm caps are applicable to arms without a tablet. When specified together on a lounge model, tablet and arm cap materials are paired: Wood arm caps with a wood tablet; black polyurethane arm caps with a 3D laminate or laminate tablet.

Arm Option Designator	***One-Seat Lounge*** *Location*	*Upcharge*	***Two-Seat Lounge*** *Location*	*Upcharge*
3D Laminate Tablet Arms				
4L = 3D laminate tablet (left)		+$299		+$299
4R = 3D laminate tablet (right)		+$299		+$299
4LR = 3D laminate tablet (left), tablet grommet (right)		+$325		+$325
4RL = 3D laminate tablet (right), tablet grommet (left)		+$325		+$325
4L9R = 3D laminate tablet (left), polyurethane arm cap (right)		+$351		+$351
4R9L = 3D laminate tablet (right), polyurethane arm cap (left)		+$351		+$351
Laminate Tablet Arms				
5L = Laminate tablet (left)		+$336		+$336
5R = Laminate tablet (right)		+$336		+$336
5LR = Laminate tablet (left), tablet grommet (right)		+$362		+$362
5RL = Laminate tablet (right), tablet grommet (left)		+$362		+$362
5L9R = Laminate tablet (left), polyurethane arm cap (right)		+$388		+$388
5R9L = Laminate tablet (right), polyurethane arm cap (left)		+$388		+$388
Wood Tablet Arms				
6L = Wood tablet (left)		+$361		+$361
6R = Wood tablet (right)		+$361		+$361
6LR = Wood tablet (left), tablet grommet (right)		+$387		+$387
6RL = Wood tablet (right), tablet grommet (left)		+$387		+$387
6L7R = Wood tablet arm (left), wood arm cap (right)		+$438		+$438
6R7L = Wood tablet arm (right), wood arm cap (left)		+$438		+$438
Arm Caps Only				
7R7L = Wood arm caps (left and right)		+$154		+$154
9R9L = Polyurethane arm caps (left and right)		+$104		+$104

How to Specify

① Insert the location designator into model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the combinations shown at left are available.

Arm Options

Options Pricing

For Tandem Two-Seat and Three-Seat Lounges

Pricing ➤See page 46
Alliance Program Pricing 50
COM/COL Yardage Req. 310
Finishes & Materials 289



Tablet arms are available. Tablet arms may be specified for the right, left, or center arm (one per model), and are available with a 3D laminate, phenolic-core laminate, or wood surface.
Note: Arm location is defined from the user's perspective when seated in the chair.

Center tablet option on tandem three-seater provides one tablet and two grommets, one in each of the center arms.

If more than one tablet arm is desired on a particular model, specify a tablet grommet, and order a tablet model separately.
➤See page 51.



Arm caps are applicable to arms without a tablet. Tablet and arm cap materials on the same lounge model will always match: wood arm caps match wood tablets; polyurethane arm caps match 3D laminate or laminate tablets.

Arm Option Designator	***Tandem Two-Seat*** *Location*	*Upcharge*	***Tandem Three-Seat*** *Location*	*Upcharge*
3D Laminate Tablet Arms				
4L = 3D laminate tablet (left)		+$299		+$299
4C = 3D laminate tablet (center)		+$299		+$351
4R = 3D laminate tablet (right)		+$299		+$299
4L9R9C = 3D laminate tablet (left), polyurethane arm caps (right & center)		+$403		+$403
4C9R9L = 3D laminate tablet (center), polyurethane arm caps (left & right)		+$403		+$455
4R9L9C = 3D laminate tablet (right), polyurethane arm cap (left & center)		+$403		+$403
4RLC = 3D laminate tablet (right), grommets (left and center)		+$351		+$351
Laminate Tablet Arms				
5L = Laminate tablet (left)		+$336		+$336
5C = Laminate tablet (center)		+$336		+$388
5R = Laminate tablet (right)		+$336		+$336
5L9R9C = Laminate tablet (left), polyurethane arm caps (right & center)		+$440		+$440
5C9R9L = Laminate tablet (center), polyurethane arm caps (left & right)		+$440		+$492
5R9L9C = Laminate tablet (right), polyurethane arm cap (left & center)		+$440		+$440
5RLC = Laminate tablet (right), grommets (left and center)		+$388		+$388
Wood Tablet Arms				
6L = Wood tablet (left)		+$361		+$361
6C = Wood tablet (center)		+$361		+$413
6R = Wood tablet (right)		+$361		+$361
6L7R7C = Wood tablet (left), wood arm caps (right & center)		+$515		+$515
6C7R7L = Wood tablet (center), wood arm caps (left & right)		+$515		+$567
6R7L7C = Wood tablet (right), wood arm cap (left & center)		+$515		+$515
6RLC = Wood tablet (right), grommets (left and center)		+$413		+$413
Arm Caps Only				
7R7L7C = Wood arm caps (left, right, and center)		+$231		+$308
9R9L9C = Polyurethane arm caps (left, right, and center)		+$156		+$208

How to Specify

① Insert the location designator into model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the combinations shown at left are available.

Lounge Seating

Pricing

One-Seaters

GSA SIN 711-16

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seater										
K58VT		$1791	$1896	$1963	$2028	$2124	$2225	$2326	$2743	$2978
K58VTF**	TB133	1963	2068	2135	2200	2296	2397	2498	2915	3150
Plus 3" Seat Width										
K58VT2		$1898	$2003	$2070	$2135	$2231	$2332	$2433	$2850	$3085
K58VT2F**	TB133	2070	2175	2242	2307	2403	2504	2605	3022	3257
One-Seater with Clean-Out Option										
K58VT1		$1898	$2009	$2080	$2150	$2249	$2357	$2464	$2904	$3152
K58VT1F**	TB133	2070	2181	2252	2322	2421	2529	2636	3076	3324
Plus 3" Seat Width										
K58VT12		$2005	$2116	$2187	$2257	$2356	$2464	$2571	$3011	$3259
K58VT12F**	TB133	2177	2288	2359	2429	2528	2636	2743	3183	3431

IMPORTANT: Tablet arm options are not available on the standard-width one-seater with clean-out option. Specify the plus-3"-seat-width model if you want to specify both tablet and clean-out options.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Freestanding Tables
➤See page 52.

Overview ➤See page 43
Alliance Program Pricing 50
COM/COL Yardage Req. 310
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Mobile option (if applicable):
3 = Casters on front legs; handle on back (+$155)
❸ Arm options (if applicable):
➤See page 44 for designators.

Back:
⑥ Upholstery grade
⑦ Upholstery number

Seat:
⑧ Upholstery grade
⑨ Upholstery number

Arms:
⑩ Upholstery grade
⑪ Upholstery number

Wood Surfaces:
⑫ Finish price group:
STD = Group 1
⑬ Finish designator

Laminate Tablet (if applicable):
⑭ Laminate price group:
STD = Group 1
⑮ Laminate designator

Lounge Seating

Pricing

Two-Seaters

GSA SIN 711-16





Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
Two-Seater										
K58WT		$2890	$3070	$3184	$3298	$3460	$3634	$3808	$4522	$4923
K58WTF**	TB133	3236	3416	3530	3644	3806	3980	4154	4868	5269
Two-Seater with Clean-Out Option										
K58WT1		$3104	$3293	$3413	$3533	$3704	$3887	$4069	$4821	$5243
K58WT1F**	TB133	3450	3639	3759	3879	4050	4233	4415	5167	5589

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Freestanding Tables
➤See page 52.

Overview ➤See page 43
Alliance Program Pricing 50
COM/COL Yardage Req. 310
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Arm options (if applicable):
➤See page 44 for designators.

Back:
⑤ Upholstery grade
⑥ Upholstery number

Seat:
⑦ Upholstery grade
⑧ Upholstery number

Arms:
⑨ Upholstery grade
⑩ Upholstery number

Wood Surfaces:
⑪ Finish price group:
STD = Group 1
⑫ Finish designator

Laminate Tablet (if applicable):
⑬ Laminate price group:
STD = Group 1
⑭ Laminate designator

Lounge Seating

Pricing

Tandem Two-Seaters

GSA SIN 711-17





Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Tandem Two-Seater										
K58XT		$3188	$3398	$3531	$3664	$3853	$4056	$4259	$5092	$5561
K58XTF**	TB133	3535	3745	3878	4011	4200	4403	4606	5439	5908
Plus 3" Seat Width										
K58XT2		$3402	$3614	$3747	$3881	$4072	$4277	$4481	$5320	$5791
K58XT2F**	TB133	3749	3961	4094	4228	4419	4624	4828	5667	6138
Tandem Two-Seater with Clean-Out Option										
K58XT1		$3402	$3624	$3764	$3905	$4105	$4320	$4534	$5414	$5910
K58XT1F**	TB133	3749	3971	4111	4252	4452	4667	4881	5761	6257
Plus 3" Seat Width										
K58XT12		$3616	$3839	$3981	$4123	$4323	$4539	$4755	$5643	$6141
K58XT12F**	TB133	3963	4186	4328	4470	4670	4886	5102	5990	6488

IMPORTANT: Tablet arm options are not available on the standard-width tandem two-seater with clean-out option. Specify the plus-3"-seat-width model if you want to specify both tablet and clean-out options.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Freestanding Tables
➤See page 52.

Overview ➤See page 43
Alliance Program Pricing 50
COM/COL Yardage Req. 310
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Arm options (if applicable):
➤See page 45 for designators.

Back:
⑤ Upholstery grade
⑥ Upholstery number

Seat:
⑦ Upholstery grade
⑧ Upholstery number

Arms:
⑨ Upholstery grade
⑩ Upholstery number

Wood Surfaces:
⑪ Finish price group:
STD = Group 1
⑫ Finish designator

Laminate Tablet (if applicable):
⑬ Laminate price group:
STD = Group 1
⑭ Laminate designator

Lounge Seating

Tandem Three-Seaters

GSA SIN 711-17





Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Tandem Three-Seater										
K58YT		$4569	$4839	$5010	$5181	$5424	$5685	$5946	$7016	$7620
K58YTF**	TB133	5031	5301	5472	5643	5886	6147	6408	7478	8082
Tandem Three-Seater with Clean-Out Option										
K58YT1		$4889	$5183	$5369	$5555	$5821	$6104	$6388	$7555	$8212
K58YT1F**	TB133	5351	5645	5831	6017	6283	6566	6850	8017	8674

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Freestanding Tables
➤See page 52.

Overview ➤See page 43
Alliance Program Pricing 50
COM/COL Yardage Req. 310
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

** = Placeholder for Beo arm option designators. They are part of the base model number and appear before the F designator for TB133.

How to Specify

❶ Model
❷ Arm options (if applicable):
➤See page 45 for designators.

Back:
③ Upholstery grade
④ Upholstery number

Seat:
⑤ Upholstery grade
⑥ Upholstery number

Arms:
⑦ Upholstery grade
⑧ Upholstery number

Wood Surfaces:
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

Laminate Tablet (if applicable):
⑪ Laminate price group:
STD = Group 1
⑫ Laminate designator

Lounge Seating

Pricing

Alliance Program Upholstery

GSA SIN 711-16
† GSA SIN 711-17

Overview ➤See page 43
Kimball Office Pricing 46
COM/COL Yardage Req. 310
Finishes & Materials 289

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K58VT	$1948	$2019	$2081	$2133	$2204	$2274	$2323	$2397	$2470
	2537	2648	2877	3019	3037	3075	3111	3145	3299
K58VT1	2064	2139	2205	2260	2335	2409	2461	2538	2615
	2686	2804	3044	3196	3216	3256	3293	3330	3494
K58VT2	2055	2126	2188	2240	2311	2381	2430	2504	2577
	2644	2755	2984	3126	3144	3182	3218	3252	3406
K58VT12	2171	2246	2312	2367	2442	2516	2568	2645	2722
	2793	2911	3151	3303	3323	3363	3400	3437	3601
K58WT	3161	3280	3388	3478	3598	3718	3803	3928	4055
	4167	4361	4751	4996	5026	5092	5152	5213	5476
K58WT1	3388	3514	3627	3723	3849	3975	4063	4196	4328
	4448	4650	5061	5319	5350	5421	5482	5546	5823
K58XT †	3502	3643	3769	3874	4013	4154	4253	4399	4546
	4679	4902	5358	5645	5680	5757	5828	5897	6205
K58XT1 †	3735	3883	4017	4127	4275	4424	4527	4682	4837
	4978	5215	5696	6000	6036	6118	6192	6266	6591
K58XT2 †	3719	3860	3987	4093	4235	4375	4474	4621	4770
	4903	5129	5588	5877	5912	5990	6059	6131	6440
K58XT12 †	3951	4100	4234	4346	4495	4643	4749	4904	5061
	5203	5441	5925	6231	6269	6350	6425	6499	6827
K58YT †	4974	5154	5316	5451	5632	5810	5938	6126	6315
	6486	6774	7359	7728	7773	7872	7961	8052	8448
K58YT1 †	5331	5526	5702	5849	6045	6241	6379	6585	6790
	6977	7291	7927	8329	8378	8486	8583	8681	9112

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

IMPORTANT: Tablet arm options are not available on the standard-width one- and tandem two-seaters with clean-out option. Specify the plus-3"-seat-width model if you want to specify both tablet and clean-out options.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133 fire code treatment is available on select Alliance program upholstery.
➤See page 319 for overview.

How to Specify

❶ Model
❷ Mobile option (if applicable; available only one-seater):
3 = Casters on front legs; handle on back (+$155)
❸ Arm options (if applicable):
➤See page 45 for designators.

Back:
④ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
⑤ Upholstery number

Seat:
⑥ Alliance partner designator and upholstery grade (see abvove)
⑦ Upholstery number

Arms:
⑧ Alliance partner designator and upholstery grade (see above)
⑨ Upholstery number

Wood Surfaces:
⑩ Finish price group:
STD = Group 1
⑪ Finish designator

Laminate Tablet (if applicable):
⑫ Laminate price group:
STD = Group 1
⑬ Laminate designator

Tablet Arms

Pricing

For Use with Lounge Seating

GSA SIN 711-16

Overview ➤See page 43
Finishes & Materials 289

D	*W*	*H*	*Model*	*Price*
3D Laminate Tablet Arm				
13"	18 7/16"	¾"	**K58TT4**	$310
Phenolic-Core Laminate Tablet Arm				
13"	18 7/16"	¾"	**K58TT5**	$347
Wood Tablet Arm				
13"	18 7/16"	¾"	**K58TT6**	$374

How to Specify

Wood Tablet
❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

3D Laminate Tablet
❶ Model

Laminate Tablet
❶ Model
② Laminate price group:
STD = Group 1
③ Laminate designator

Freestanding Tables

Pricing

GSA SIN 711-11

Overview ➤See page 43
Finishes & Materials 289



D	*W*	*H*	*Model*	*Price*
Magazine Table				
19 11/16"	39 7/8"	18 3/16"	**K58TMG204018W**	$1059
End Table				
24 9/16"	21 1/32"	20 1/8"	**K58TEN252120W**	$919

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Bingo seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Stacking Side Chairs with Arms

➤See page 55 to specify.

Height	32¾"
Width	24¼"
Depth	23¼
Arm height	26½"
Seat height	18⅛"
Seat width	17½"
Seat depth	17¾"

Stacking Side Chairs without Arms

➤See page 55 to specify.

Height	32¾"
Width	19¾"
Depth	23¼
Arm height	—
Seat height	18⅛"
Seat width	17½"
Seat depth	17¾"

Stools without Arms

➤See page 56 to specify.

Height	44½"
Width	21½"
Depth	24¾"
Arm height	—
Seat height	29¾"
Seat width	17½"
Seat depth	17¾"

Ganging Device

➤See page 55 to specify.

Stacking Side Chairs and Stools

Statement of Line ➤See page 53
Finishes & Materials 289

Shell is beech wood that has been custom molded and contoured for comfort and support.

Arm supports, legs, and cross members are 25⁄32" x 3⁄32" hot rolled, welded, chrome plated, tubular steel.

Joints are welded.



Arm caps are 1 5⁄8" thick solid bentwood, finished to match the shell. Two countersunk wood screws attach each arm cap to the arm supports.

Black plastic glides fit like a cap over the ends of the tubular steel frame.

Details

With arms

Without arms

Bingo side chairs are available with arms and without arms.

Bingo stools are available with without arms.

Shell is constructed of 7⁄16"-thick, 8-ply, molded plywood that is cross banded for strength. Shell is attached to the frame with four countersunk wood screws threaded into two wood cleats that are glued to the shell.

Side chairs and stools are each stackable up to four high.

Rubber stack bumpers and tube closures are standard.

Side chairs are shipped four per carton when applicable.

Stools are shipped two per carton.
IMPORTANT: Stools are ordered in sets of 2.

Connections

Side chairs may be ganged with ganging devices that snap onto the legs. Armless models or alternating armless and armchair models may be connected.
Note: Two armchair models cannot be ganged side by side.

Black ganging devices, ordered separately, are sold in packages of 5 pairs. One pair is required to gang two chairs. Two pairs will gang three chairs.

Stacking Side Chairs

Pricing

GSA SIN 711-18

Actual Dimensions ➤See page 53
Overview 54
Finishes & Materials 289

Model	*Description*	*Price*
With Arms		
K50AA Ⓚ	Amber wood finish on shell	$538
K50AE Ⓚ	Ebony paint finish on shell	538
K50AH	Honey wood finish on shell	538
K50AW Ⓚ	White paint finish on shell	538
Without Arms		
K50NA Ⓚ	Amber wood finish on shell	$435
K50NE Ⓚ	Ebony paint finish on shell	435
K50NH	Honey wood finish on shell	435
K50NW Ⓚ	White paint finish on shell	435

Related Products:

Model	*Description*	*Price*
Ganging Devices (Package of 5 pairs)		
K50GB Ⓚ	One package (5 pairs) of ganging devices will connect 6 chairs.	$44

How to Specify

❶ Model

Side chairs will be shipped four per carton when applicable.

Ganging device may be used to connect armless chairs or alternating armless and armchair models side by side. Ganging devices will be packaged separately.
Note: Two armchairs cannot be ganged.

Ⓚ = Kwik Office model available.

Stacking Stools

Pricing

GSA SIN 711-18

Actual Dimensions ➤See page 53
Overview 54
Finishes & Materials 289

Model	*Description*	*Price per carton*
Without Arms		
K50SNA Ks	Amber wood finish on shells; carton of 2	$1315
K50SNE Ks	Ebony paint finish on shells; carton of 2	1315
K50SNH	Honey wood finish on shells; carton of 2	1315
K50SNW Ks	White paint finish on shells; carton of 2	1315

How to Specify

❶ Model

IMPORTANT: Stools are ordered and shipped two per carton. For example, ordering (1) model K50SN will result in (1) carton being shipped, containing (2) stools. Price shown is per carton. Both chairs in the carton will have the same shell color.

Ks = Kwik Office model available.

Boyd seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.



1-Seat Lounge

Available with standard or sewn-tufted back cushion.

➤See page 59 to specify.

Height	32"
Width	28½"
Depth	30"
Arm height	26½"
Seat height	19"
Seat width	22½"
Seat depth	19"



2-Seat Lounge

Available with standard or sewn-tufted back cushion.

➤See page 60 to specify.

Height	32"
Width	51"
Depth	30"
Arm height	26½"
Seat height	19"
Seat width	45"
Seat depth	19"



3-Seat Lounge

Available with standard or sewn-tufted back cushion.

➤See page 61 to specify.

Height	32"
Width	73½"
Depth	30"
Arm height	26½"
Seat height	19"
Seat width	67½"
Seat depth	19"

Lounge Seating

Statement of Line ➤See page 57
Finishes & Materials 289
COM/COL Yardage Req. 310

Back cushion contains 4¾"-thick high-density, high-resiliency, CFC-free, laminated polyurethane foam. Select standard cushion or sewn-tufted cushion.

Frame is constructed of ¾" plywood, utilizing lap joint construction that is glued and screwed.



6"H legs are platinum metallic powder-coated steel and available in either square or round profile.

Attached seat cushion is 6"-thick thick and made of high-grade, high-resiliency, CFC-free, laminated polyurethane.

Non-skid, nylon glides are ⅞" in diameter.

Details

Boyd is offered in one-, two-, and three-seat lounge models. Models meet or exceed the applicable BIFMA/ANSI standards.

Leg and rail joints are double doweled, securely glued, and reinforced with corner blocks that are then glued and screwed to the base rails. The base frame is attached to the seat frame with wood screws through the rails.

Back cushions consist of high-density, high-resiliency foam over a non-stretch woven suspension that is stapled to the frame.

Seat is designed for comfort, giving you a residential feel. Wrinkles in the seat cushion are adherent to the design and should be expected.

Arms feature a sewn slipcover over top ½"-thick, high-grade polyurethane foam.



Contrasting fabric may be specified on the outer frame (back, arms, front kick-rail), back cushion, and seat cushion.

Related Products

Accent pillows are available.
➤See page 13.

One-Seat Lounges

Pricing

with Kimball Office Upholstery

GSA Contract Pending

Actual Dimensions ➤See page 57
Overview 58
Alliance Program Pricing 62
COM/COL Yardage Req. 310





Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Sewn-Tufted Back Cushion										
K741AT		$1540	$1705	$1808	$1916	$2064	$2224	$2384	$3039	$3410
K741ATF	TB133	1640	1805	1908	2016	2164	2324	2484	3139	3510
Standard Back Cushion										
K741A		$1340	$1505	$1608	$1716	$1864	$2024	$2184	$2839	$3210
K741AF	TB133	1440	1605	1708	1816	1964	2124	2284	2939	3310

When specifying a striped or directional textile, a solid pattern is recommended for the back cushion due to alignment constraints.

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Frame (primary):
② Upholstery grade
③ Upholstery number

Back Cushion:
④ Upholstery grade
⑤ Upholstery number

Seat Cushion:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Leg style:
R = Round
S = Square

⑨ Leg paint color:
501 = Platinum Metallic

Two-Seat Lounges

Pricing

with Kimball Office Upholstery

GSA Contract Pending

Actual Dimensions ➤See page 57
Overview 58
Alliance Program Pricing 62
COM/COL Yardage Req. 310





Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
Sewn-Tufted Back Cushion										
K742AT		$2290	$2494	$2620	$2752	$2934	$3130	$3326	$4132	$4586
K742ATF	TB133	2440	2644	2770	2902	3084	3280	3476	4282	4736
Standard Back Cushion										
K742A		$1890	$2094	$2220	$2352	$2534	$2730	$2926	$3732	$4186
K742AF	TB133	2040	2244	2370	2502	2684	2880	3076	3882	4336

When specifying a striped or directional textile, a solid pattern is recommended for the back cushion due to alignment constraints.

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Frame (primary):
② Upholstery grade
③ Upholstery number

Back Cushions:
④ Upholstery grade
⑤ Upholstery number

Seat Cushions:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Leg style:
R = Round
S = Square

⑨ Leg paint color:
501 = Platinum Metallic

Three-Seat Lounges

Pricing

with Kimball Office Upholstery

GSA Contract Pending





Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
Sewn-Tufted Back Cushion										
K743AT		$3190	$3463	$3632	$3811	$4056	$4318	$4580	$5662	$6272
K743ATF	TB133	3490	3763	3932	4111	4356	4618	4880	5962	6572
Standard Back Cushion										
K743A		$2690	$2963	$3132	$3311	$3556	$3818	$4080	$5162	$5772
K743AF	TB133	2990	3263	3432	3611	3856	4118	4380	5462	6072

When specifying a striped or directional textile, a solid pattern is recommended for the back cushion due to alignment constraints.

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

Actual Dimensions ➤See page 57
Overview 58
Alliance Program Pricing 62
COM/COL Yardage Req. 310

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Frame (primary):
② Upholstery grade
③ Upholstery number

Back Cushions:
④ Upholstery grade
⑤ Upholstery number

Seat Cushions:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Leg style:
R = Round
S = Square

⑨ Leg paint color:
501 = Platinum Metallic

Lounge Seating

Pricing

with Alliance Program Upholstery

GSA Contract Pending

Actual Dimensions ➤See page 57
Overview 58
COM/COL Yardage Req. 310

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K741A	$1591	$1699	$1796	$1883	$1990	$2104	$2178	$2298	$2412
	2514	2691	3050	3278	3308	3365	3422	3479	3717
K741AT	1791	1899	1996	2083	2190	2304	2378	2498	2612
	2714	2891	3250	3478	3508	3565	3622	3679	3917
K742A	2198	2332	2450	2556	2688	2828	2920	3066	3206
	3332	3550	3990	4270	4306	4376	4446	4516	4810
K742AT	2598	2732	2850	2956	3088	3228	3320	3466	3606
	3732	3950	4390	3478	4706	4776	4846	4916	5210
K743A	3103	3282	3442	3584	3761	3949	4072	4268	4456
	4627	4918	5510	5886	5934	6028	6122	6216	6610
K743AT	3603	3782	3942	4084	4261	4449	4572	4768	4956
	5127	5418	6010	6386	6434	6528	6622	6716	7110

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional textile, a solid pattern is recommended for the back cushion due to alignment constraints.

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Frame (primary):
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Back Cushions:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Seat Cushions:
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

⑧ Leg style:
R = Round
S = Square

⑨ Leg paint color:
501 = Platinum Metallic

CAMPOS™ designed by interstuhl

Statement of Line

Desk Chairs

Upholstered-Back Desk Chairs

➤See page 65 to specify.

Height	39¾"–49⅜"
Width	25¾"–27"
Depth	25"
Arm height	23⅞"–35⅛"
Seat height	15⅞"–23"
Seat width	19¾"
Seat depth	16⅝"
Kneespace	19¾"

Mesh-Back Desk Chairs

➤See page 65 to specify.

Height	40⅛"–50½"
Width	26"–26¾"
Depth	25"
Arm height	24"–36¼"
Seat height	15⅞"–23"
Seat width	19⅝"
Seat depth	16½"
Kneespace	19¾"

Campos seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Height Ranges:

Patented twist/threaded column allows pneumatic cylinder to be adjusted, resulting in varying ranges for overall, seat, and arm heights.

Upholstered-Back Desk Chairs	
Lowest Column Position	
Overall height	39¾"–47½"
Arm height	23⅞"–33⅜"
Seat height	15⅞"–21¼"
Highest Column Position	
Overall height	41½"–49⅜"
Arm height	25½"–35⅛"
Seat height	17⅝"–23"

Mesh-Back Desk Chairs	
Lowest Column Position	
Overall height	40⅛"–48"
Arm height	24"–33½"
Seat height	15⅞"–21¼"
Highest Column Position	
Overall height	42¾"–50½"
Arm height	26½"–36¼"
Seat height	17⅝"–23"

Note: Chairs are shipped with the column set at a mid-point between the lowest and highest positions

Desk Chairs

Overview

Pricing	➤See page 65
Alliance Program Pricing	66
COM/COL Yardage Req.	311
Finishes & Materials	289

Mesh-back models incorporate a mesh design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions. Available in three colors. The mesh is pulled over a structural, black metal tubular frame.

Arm structure consists of a steel upright covered in black nylon.

Seat cushions are 2 1/8" thick—1 3/4" CFC- and CHC-free molded foam, over a seven-layer molded plywood shell.

Black, dual-wheel casters on desk chairs are 65mm in diameter. Specify hard casters (802) for use on carpet (standard) or soft casters (801) for use on hard floors (upcharge applies).

Upholstered-back models feature a nine-layer molded plywood shell surrounded by molded, CFC- and CHC-free foam and upholstery.

Standard five-star base is 30% glass-filled nylon, textured, black plastic. Cast aluminum base with a polished finish is available as an option (upcharge applies).



Back features a three-position lock with release mechanism.

T-shaped arm rests are standard with 2D adjustability. User can adjust the arm vertically within a 4 1/4" range (11 positions) and horizontally within a 2 1/2" range. Arm caps are black polyurethane.

Seat slider is available as an option to adjust the seat depth for comfort. Seat depth is adjusted by grasping the left lever below the seat, pulling upward, and sliding forward or rearward; locks within a 2" range.

Synchro mechanism provides fully synchronized seat-to-back movement. Allows user to lock the chair in multiple positions within the range of movement using a single lever.

Seat height adjusts from 15 7/8"–23" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Details

Two back styles are available:
- Mesh back
- Upholstered back

Optional adjustable lumbar support on mesh-back chairs utilizes air-pressure technology integrated into the mesh back.

Optional adjustable lumbar support on upholstered-back chairs features a molded polyurethane lumbar pad that can be manually adjusted by turning a small knob.

Chair is shipped knocked down in four parts and can be assembled without tools.
➤See assembly instructions at www.kimballoffice.com

Campos desk chairs are user rated up to 275 lbs.

Campos is warranted for three-shift (24/7) service.

Adjustability Features

Synchro-tilt	•
Pneumatic height	•
Swivel	•
Lumbar	○
Seat slider	○
Anti-kick back	•
Tilt tension	•
Back tilt lock	•
2-D arms	•
4-D arms	○

• = standard ○ = option

Anti-kick back feature controls forward movement of the back rest when the lock is disengaged.

Tilt tension control adjusts the amount of resistance the user feels when leaning back.

4-D arm option enables the user to make front-to-back adjustment within a 2" range (6 positions), side-to-side adjustment (5 positions), and pivots inward and outward 10° with two stops.

Desk Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview	➤See page 64
Alliance Program Pricing	66
COM/COL Yardage Req.	311
Finishes & Materials	289

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Mid-Back with Upholstered Seat and Back										
K15C27 Ⓚ		$870	$921	$953	$985	$1031	$1081	$1129	$1330	$1445
K15C27F	TB133	$1180	$1231	$1263	$1295	$1341	$1391	$1439	$1640	$1755
Mid-Back with Upholstered Seat and Mesh Back										
K17C27 Ⓚ		$964	$986	$999	$1013	$1033	$1054	$1074	$1160	$1209

IMPORTANT: Vinyl upholstery may result in gathers and puckers.

Contrasting upholstery is available.
➤See page 302.

TB133

Fire code treatment is available on Campos upholstered-back models in select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:

② Upholstery grade (omit for mesh-back model)

③ Upholstery number or mesh designator:
8140 = Black mesh
8146 = Red mesh
8147 = Beige mesh

Seat:

④ Upholstery grade

⑤ Upholstery number

⑥ Lumbar support option:
604 = Adjustable (+$129)
X = None

⑦ Arm style:
703 = 2D
709 = 4D (+$52)

⑧ Seat slider option:
601 = Adjustable (+$52)
X = None

⑨ Base finish designator:
532217 = Black plastic
521304 = Polished aluminum (+$129)

⑩ Casters:
802 = Hard (for use on carpet)
801 = Soft (for hard floors) (+$24)

Ⓚ = Kwik Office model available.

Desk Chairs

with Alliance Program Upholstery

Overview ➤See page 64
Kimball Office Pricing 65
COM/COL Yardage Req. 311
Finishes & Materials 289

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K15C27	$946	$980	$1011	$1036	$1070	$1104	$1128	$1163	$1199
	1231	1285	1395	1464	1473	1492	1508	1525	1600
K17C27	996	1011	1024	1035	1049	1064	1074	1089	1104
	1118	1141	1188	1217	1221	1229	1236	1243	1275

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. If different price grades are selected, use an electronic specification tool for accurate pricing.
➤See page 302.

TB133 fire code treatment is available on the upholstered-back model only.
➤See page 319 for overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade (omit for mesh-back model):
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number or mesh designator:
8140 = Black mesh
8146 = Red mesh
8147 = Beige mesh

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Lumbar support option:
604 = Adjustable (+$129)
X = None

⑦ Arm style:
703 = 2D
709 = 4D (+$52)

⑧ Seat slider option:
601 = Adjustable (+$52)
X = None

⑨ Base finish designator:
532217 = Black plastic
521304 = Polished aluminum (+$129)

⑩ Casters:
802 = Hard (for use on carpet)
801 = Soft (for hard floors) (+$24)

Carrington seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Slat High-Back Side Chair

➤See page 69 to specify.

Height	37"
Width	23¼"
Depth	24¼"
Arm height	24"
Seat height	18"
Seat width	20"
Seat depth	19"

Slat Mid-Back Side Chair

➤See page 69 to specify.

Height	31"
Width	23¼"
Depth	24"
Arm height	24"
Seat height	18"
Seat width	20"
Seat depth	19"

Upholstered High-Back Side Chair

➤See page 70 to specify.

Height	37"
Width	23¼"
Depth	24¼"
Arm height	24"
Seat height	18"
Seat width	20"
Seat depth	19"

Upholstered Mid-Back Side Chair

➤See page 70 to specify.

Height	31"
Width	23¼"
Depth	24"
Arm height	24"
Seat height	18"
Seat width	20"
Seat depth	19"



Slat-Back Bench

➤See page 69 to specify.

Height	31"
Width	47"
Depth	23¼"
Arm height	24"
Seat height	18"
Seat width	43¾"
Seat depth	19¼"

Side Chairs and Bench

Statement of Line	➤See page 67
Kimball Office Uph. Pricing	69
Finishes & Materials	289
COM/COL Yardage Req.	311

Frame is constructed of kiln-dried maple hardwoods.

Joints are double doweled and securely glued to ensure maximum strength.

Corners are reinforced with wood corner blocks and tie screws.



Slats on slat back models are individually shaped and hand set using mortise and tenon joints to prevent twisting.

Cushions are high-resiliency, CFC-free polyurethane foam.

Nylon glides are ⅞" in diameter.

Details

Slat Back

Upholstered Back

Two different back styles are available on Carrington side chairs; each is available as a high back or mid-back. Two-seat bench is available with slat back.

Seat suspension is constructed of molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion, applied to the flexible webbing suspension, is 3¾" thick on high back and mid-back chairs and 4" thick on two-seat bench.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is fitted into the frame with wood screws inserted into the wood corner blocks.

Back on upholstered back model is constructed using molded plywood that is secured to the frame with wood dowels and screws.1⅝" thick foam is applied to the plywood panel on the inside back of high-back models (foam is 1¼" on mid-back models); ⅜" thick foam is applied to the outside back. Upholstery is wrapped over the foam and secured with upholstery staples.

Arms on upholstered back chairs have upholstered wood inserts shaped to fit the inner arm of the chair frame. ¼" thick foam covers both sides of the 1½" thick panels. Arm inserts are held in place with wood dowels and screws.

Slat-Back Side Chairs and Bench

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 67
Overview 68
Alliance Program Pricing 71
COM/COL Yardage Req. 311



Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
High Back										
83408		$1591	$1615	$1630	$1645	$1667	$1690	$1713	$1809	$1862
83408F	TB133	1683	1707	1722	1737	1759	1782	1805	1901	1954
Mid-Back										
83409		$1455	$1479	$1494	$1509	$1531	$1554	$1577	$1673	$1726
83409F	TB133	1544	1568	1583	1598	1620	1643	1666	1762	1815
Bench										
83422		$2090	$2114	$2129	$2144	$2166	$2189	$2212	$2308	$2361
83422F	TB133	2178	2202	2217	2232	2254	2277	2300	2396	2449

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

Upholstered-Back Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 67
Overview 68
Alliance Program Pricing 71
COM/COL Yardage Req. 311

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
High Back										
83410		$1591	$1642	$1674	$1707	$1753	$1802	$1851	$2053	$2167
83410F	TB133	1780	1831	1863	1896	1942	1991	2040	2242	2356
Mid-Back										
83411		$1455	$1497	$1524	1550	$1588	$1629	$1669	$1836	$1930
83411F	TB133	1608	1650	1677	1703	1741	1782	1822	1989	2083

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

Faux leather upholstery with TB133 option is not available on Carrington upholstered-back models.

Side Chairs and Bench

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 67
Overview 68
Kimball Office Uph. Pricing 69
COM/COL Yardage Req. 311

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
83408	1627	1643	1657	1669	1685	1701	1713	1729	1746
	1761	1787	1839	1872	1876	1885	1893	1901	1936
83409	1491	1507	1521	1533	1549	1565	1577	1593	1610
	1625	1651	1703	1736	1740	1749	1757	1765	1800
83410	1668	1702	1732	1758	1792	1826	1849	1885	1921
	1953	2008	2118	2188	2196	2215	2232	2249	2324
83411	1518	1546	1571	1592	1620	1648	1668	1697	1727
	1753	1798	1889	1946	1953	1969	1983	1997	2058
83422	2126	2142	2156	2168	2184	2200	2212	2228	2245
	2260	2286	2338	2371	2375	2384	2392	2400	2435

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Notes

Clairmont seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

High Back with Enclosed Arms and Button Detailing

➤See page 75 to specify.

Height	43"–48¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20"
Seat depth	19"
Kneespace	25"

High Back with Enclosed Arms and Vertical Stitching

➤See page 75 to specify.

Height	43"–48¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20"
Seat depth	19"
Kneespace	25"

High Back with Open Arms and Button Detailing

➤See page 75 to specify.

Height	43"–48¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20¾"
Seat depth	19"
Kneespace	25"

High Back with Open Arms and Vertical Stitching

➤See page 75 to specify.

Height	43"–48¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20¾"
Seat depth	19"
Kneespace	25"

Mid-Back with Enclosed Arms and Button Detailing

➤See page 76 to specify.

Height	39"–44¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20"
Seat depth	19"
Kneespace	25"

Mid-Back with Enclosed Arms and Vertical Stitching

➤See page 76 to specify.

Height	39"–44¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20"
Seat depth	19"
Kneespace	25"

Mid-Back with Open Arms and Button Detailing

➤See page 76 to specify.

Height	39"–44¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20¾"
Seat depth	19"
Kneespace	25"

Mid-Back with Open Arms and Vertical Stitching

➤See page 76 to specify.

Height	39"–44¼"
Width	27"
Depth	29"
Arm height	27"–32¼"
Seat height	18¼"–23½"
Seat width	20¾"
Seat depth	19"
Kneespace	25"



Side Chair with Open Arms and Button Detailing

➤See page 77 to specify.

Height	38"
Width	25"
Depth	30"
Arm height	26"
Seat height	19"
Seat width	19¾"
Seat depth	19"
Kneespace	25"

Side Chair with Open Arms and Vertical Stitching

➤See page 77 to specify.

Height	38"
Width	25"
Depth	30"
Arm height	26"
Seat height	19"
Seat width	19¾"
Seat depth	19"
Kneespace	25"

Side Chairs and Bench

Overview

Statement of Line	➤See page 73
Kimball Office Uph. Pricing	75
Finishes & Materials	289
COM/COL Yardage Req.	311

Outer back is upholstered.

Cushions are CFC-free, contoured polyurethane foam.

5-prong base on desk chairs has a rigid, steel understructure. Maple hardwood base caps have a sloped profile.

Black, hard dual-wheel casters for use on carpeted floors are standard.



Open arms are upholstered separately and attached to the frame with metal brackets, T-nuts, and ¼"-diameter machine screws.

Enclosed arms on desk chairs are constructed with wood interior members. Arms are attached to the frame with metal brackets, T-nuts, and ¼"-diameter machine screws.

Waterfall front edge slopes forward to reduce pressure and increase a in the user's legs.

Back on side chairs is constructed of webbing that is stretched and stapled to the chair frame. A 2" thick cushion, plus an additional inch of foam in the lumbar area, is applied to the flexible webbing suspension.

Nickel-plated glides on side chairs are ⅞" in diameter.



Front of arms are maple hardwoods with detailing to match the wood base caps.

Seat cushion on side chair is 3¼" thick and is applied to the flexible webbing suspension.

Details

Two different upholstery details are available on Clairmont; both are available high back or mid-back models.

Two different arm styles are available on Clairmont desk chairs: enclosed arm and open arm.

Shell on desk chairs is single-shell construction fabricated with 9-ply molded plywood.

Frame on side chairs is kiln-dried maple hardwoods. Joints of back legs are double doweled and securely glued. Front legs use mortise and tenon joinery. For added strength, wood corner blocks and screws are used in conjunction with tie screws to reinforce frame corners.

Seat suspension on side chairs is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails.

Cushions on desk chairs are 3" thick on the seat and inside back and ¼" thick on the outside back.

Upholstery is wrapped over cushions and secured with upholstery staples.

Controls are attached to the frame with T-nuts and machine screws.

Soft, black, dual-wheel casters are available as an option and should be specified for use on hard floors; upcharge applies.

Antique English hooded ball casters for use on hard floors are available as an option; upcharge applies.

Adjustability Features

	High Back	*Mid-back*
Knee tilt and upright back lock	•	•
Tilt tension	•	•
Swivel	•	•
Pneu. height	•	•

• standard

Knee tilt control provides minimal rise of the front seat edge when reclining, allowing the user's feet to remain firmly on the floor. Back may be locked in a full upright position by pushing in pneumatic height adjustment lever. Recommended for users weighing 225 lbs. or less.

Tilt tension control adjusts the amount of resistance the user feels when leaning back.

Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated. Upward movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

High Back Desk Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 73
Overview 74
Alliance Program Pricing 78
COM/COL Yardage Req. 311

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Enclosed Arms										
Button Detailing										
20-2633T		$1881	$1974	$2033	$2092	$2176	$2265	$2355	$2724	$2932
20-2633TF	TB133	2220	2313	2372	2431	2515	2604	2694	3063	3271
Vertical Stitching										
20-2633V		$1881	$1974	$2033	$2092	$2176	$2265	$2355	$2724	$2932
20-2633VF	TB133	2220	2313	2372	2431	2515	2604	2694	3063	*3271*
Open Arms										
Button Detailing										
20-2613T		$1784	$1877	$1936	$1995	$2079	$2168	$2258	$2627	$2835
20-2613TF	TB133	2121	2214	2273	2332	2416	2505	2595	2964	3172
Vertical Stitching										
20-2613V		$1784	$1877	$1936	$1995	$2079	$2168	$2258	$2627	$2835
20-2613VF	TB133	2121	2214	2273	2332	2416	2505	2595	2964	3172

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Casters:
C3 = Hard
C4 = Soft (+$24)
C44 = Antique English hooded ball (+$24)

Faux leather upholstery with TB133 option is not available on Clairmont enclosed arm models.

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

Mid-Back Desk Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 73
Overview 74
Alliance Program Pricing 78
COM/COL Yardage Req. 311

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Enclosed Arms										
Button Detailing										
20-2632T		$1790	$1877	$1932	$1987	$2066	$2150	$2234	$2579	$2773
20-2632TF	TB133	2108	2195	2250	2305	2384	2468	2552	2897	3091
Vertical Stitching										
20-2632V		$1790	$1877	$1932	$1987	$2066	$2150	$2234	$2579	$2773
20-2632VF	TB133	2108	2195	2250	2305	2384	2468	2552	2897	3091
Open Arms										
Button Detailing										
20-2612T		$1695	$1782	$1837	$1892	$1971	$2055	$2139	$2484	$2678
20-2612TF	TB133	2011	2098	2153	2208	2287	2371	2455	2800	2994
Vertical Stitching										
20-2612V		$1695	$1782	$1837	$1892	$1971	$2055	$2139	$2484	$2678
20-2612VF	TB133	2011	2098	2153	2208	2287	2371	2455	2800	2994

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Casters:
C3 = Hard
C4 = Soft (+$24)
C44 = Antique English hooded ball (+$24)

Faux leather upholstery with TB133 option is not available on Clairmont enclosed arm models.

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Open Arms										
Button Detailing										
20-5012T		$1101	$1194	$1253	$1312	$1396	$1485	$1575	$1944	$2152
20-5012TF	TB133	1438	1531	1590	1649	1733	1822	1912	2281	2489
Vertical Stitching										
20-5012V		$1101	$1194	$1253	$1312	$1396	$1485	$1575	$1944	$2152
20-5012VF	TB133	1438	1531	1590	1649	1733	1822	1912	2281	2489

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

Actual Dimensions ➤See page 73
Overview 74
Alliance Program Pricing 78
COM/COL Yardage Req. 311

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

Desk and Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 73
Overview 74
Kimball Office Uph. Pricing 75
COM/COL Yardage Req. 311

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
20-2612T	$1826	$1884	$1936	$1979	$2037	$2095	$2136	$2197	$2258
	2313	2406	2594	2713	2727	2759	2788	2817	2945
20-2612V	1826	1884	1936	1979	2037	2095	2136	2197	2258
	2313	2406	2594	2713	2727	2759	2788	2817	2945
20-2613T	1924	1986	2041	2088	2150	2212	2255	2320	2385
	2444	2544	2745	2872	2888	2922	2953	2984	3120
20-2613V	1924	1986	2041	2088	2150	2212	2255	2320	2385
	2444	2544	2745	2872	2888	2922	2953	2984	3120
20-2632T	1921	1979	2031	2074	2132	2190	2231	2292	2353
	2408	2501	2689	2808	2822	2854	2883	2912	3040
20-2632V	1921	1979	2031	2074	2132	2190	2231	2292	2353
	2408	2501	2689	2808	2822	2854	2883	2912	3040
20-2633T	2021	2083	2138	2185	2247	2309	2352	2417	2482
	2541	2641	2842	2969	2985	3019	3050	3081	3217
20-2633V	2021	2083	2138	2185	2247	2309	2352	2417	2482
	2541	2641	2842	2969	2985	3019	3050	3081	3217
20-5012T	1241	1303	1358	1405	1467	1529	1572	1637	1702
	1761	1861	2062	2189	2205	2239	2270	2301	2437
20-5012V	1241	1303	1358	1405	1467	1529	1572	1637	1702
	1761	1861	2062	2189	2205	2239	2270	2301	2437

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Casters (omit for side chair):
C3 = Hard
C4 = Soft (+$24)
C44 = Antique English hooded ball (+$24)

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

COLLAGE™

Side Chairs and Bench

Statement of Line

Collage seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Arched Arms with Fully Upholstered Back

➤See page 81 to specify.

Height	31¾"
Width	22½"
Depth	23¾"
Arm height	25½"
Seat height	18½"
Seat width	20"
Seat depth	18"

Arched Arms with Wood Top Rail

➤See page 82 to specify.

Height	32¼"
Width	22½"
Depth	24½"
Arm height	25¾"
Seat height	18½"
Seat width	20"
Seat depth	18½"

Sloped Arms

➤See page 81 to specify.

Height	31¾"
Width	22½"
Depth	23¾"
Arm height	25½"
Seat height	18½"
Seat width	20"
Seat depth	18"

Rolled Arms

➤See page 81 to specify.

Height	31¾"
Width	22¾"
Depth	23¾"
Arm height	25¾"
Seat height	18½"
Seat width	20"
Seat depth	18"

Angular Arms

➤See page 82 to specify.

Height	31¾"
Width	23"
Depth	24½"
Arm height	25½"
Seat height	18½"
Seat width	20"
Seat depth	18½"

Angular Arms with Slat Back

➤See page 82 to specify.

Height	31¾"
Width	22½"
Depth	23¾"
Arm height	25½"
Seat height	18½"
Seat width	20"
Seat depth	19¼"

Armless

➤See page 82 to specify.

Height	31¾"
Width	22¼"
Depth	24"
Arm height	—
Seat height	18½"
Seat width	20"
Seat depth	17½"



Bench with Arched Arms

Also available in a bariatric model.

➤See page 82 to specify.

Height	32¼"
Width	50"
Depth	24½"
Arm height	25¾"
Seat height	18½"
Seat width	47½"
Seat depth	18½"

Side Chairs and Bench

Statement of Line	➤See page 79
Kimball Office Uph. Pricing	81
Finishes & Materials	289
COM/COL Yardage Req.	311

Frame is constructed of kiln-dried maple hardwoods.

Joints are double doweled and securely glued to ensure maximum strength.



Cushions are high-resiliency, CFC-free polyurethane foam.

Corners are reinforced with wood corner blocks and tie screws on all models.

Nylon glides are ⅞" in diameter.

Details

Four different arm shapes are available on Collage side chairs: arched, sloped, rolled, and angular. Each has its own distinct design. Armless side chair is also available.

Wood Top Rail

Fully Upholstered

Top rail styles include fully upholstered and wood.

Back shapes include square, arched, and slat back.
➤See Statement of Line or pricing pages for arm and back combinations.

Two-seat bench is available with arched arms and fully upholstered back.

Bariatric bench is available with arched arms and fully upholstered back; rated to hold up to 500 lbs.

Seat suspension is constructed of ½"-thick, 5-ply molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion is applied to the flexible webbing suspension. Foam is 1¾" thick on chairs and 2½" thick on two-seat bench.

Seat upholstery is wrapped over cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is attached to wood cleats on the chair frame with wood screws. Piping trims the front edge of the seat.

Back on fully upholstered models is constructed of 1"-thick foam applied to ⅜"-thick, 5-ply contoured plywood. Back is attached to the frame with press fit fasteners.

Back on wood top rail models is constructed of 1"-thick foam applied to ⅜"-thick, 5-ply contoured plywood. Back is attached to the frame with T-nuts, machine screws, and metal brackets.

Back on slat back chair is constructed of ¼"-thick, 5-ply molded plywood slats that are machined to shape and glued individually into slots in the frame.

Back upholstery is wrapped in place and secured with upholstery staples.

Outer back panel is constructed of ⅜"-thick foam applied to 3/16"-thick, 3-ply contoured plywood. Press fit fasteners attach outer back panel to the inner back.

Fully Upholstered-Back Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 79
Overview 80
Alliance Program Pricing 83
COM/COL Yardage Req. 311

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Arched Arms										
4605		$952	$994	$1021	$1047	$1085	$1126	$1166	$1333	$1427
4605F	TB133	1095	1137	1164	1190	1228	1269	1309	1476	1570
Sloped Arms										
4635		$1045	$1087	$1114	$1140	$1178	$1219	$1259	$1426	$1520
4635F	TB133	1188	1230	1257	1283	1321	1362	1402	1569	1663
Rolled Arms										
4620 K		$1104	$1146	$1173	$1199	$1237	1278	$1318	$1485	$1579
4620F	TB133	1247	1289	1316	1342	1380	1421	1461	1628	1722

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

K = Kwik Office model available.

Wood Top Rail Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 79
Overview 80
Alliance Program Pricing 83
COM/COL Yardage Req. 311



Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Arched Arms										
4610 Ⓚ		$983	$1016	$1037	$1058	$1088	$1119	$1151	$1282	$1356
4610F	TB133	1097	1130	1151	1172	1202	1233	1265	1396	1470
Angular Arms										
4630		$1106	$1139	$1160	$1181	$1211	$1242	$1274	$1405	$1479
4630F	TB133	1218	1251	1272	1293	1323	1354	1386	1517	1591
Angular Arms and Slat Back										
4640		$1106	$1133	$1150	$1167	$1192	$1218	$1244	$1351	$1411
4640F	TB133	1197	1224	1241	1258	1283	1309	1335	1442	1502
Armless										
4600		$946	$979	$1000	$1021	$1051	$1082	$1114	$1245	$1319
4600F	TB133	1059	1092	1113	1134	1164	1195	1227	1358	1432
Bench with Arched Arms										
4642		$1548	$1602	$1636	$1670	$1719	$1771	$1823	$2038	$2158
4642F	TB133	1732	1786	1820	1854	1903	1955	2007	2222	2342
Bariatric Bench with Arched Arms										
4644		$1661	$1718	$1754	$1790	$1842	$1897	$1952	$2178	$2305
4644F	TB133	1845	1902	1938	1974	2026	2081	2136	2362	2489

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

Ⓚ = Kwik Office model available.

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 79
Overview 80
Kimball Office Uph. Pricing 81
COM/COL Yardage Req. 311

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
4600	$996	$1018	$1037	$1054	$1076	$1098	$1113	$1136	$1159
	1180	1216	1287	1332	1338	1350	1361	1372	1420
4605	1015	1043	1068	1089	1117	1145	1165	1194	1224
	1250	1295	1386	1443	1450	1466	1480	1494	1555
4610	1033	1055	1074	1091	1113	1135	1150	1173	1196
	1217	1253	1324	1369	1375	1387	1398	1409	1457
4620	1167	1195	1220	1241	1269	1297	1317	1346	1376
	1402	1447	1538	1595	1602	1618	1632	1646	1707
4630	1156	1178	1197	1214	1236	1258	1273	1296	1319
	1340	1376	1447	1492	1498	1510	1521	1532	1580
4635	1108	1136	1161	1182	1210	1238	1258	1287	1317
	1343	1388	1479	1536	1543	1559	1573	1587	1648
4640	1147	1165	1181	1194	1212	1230	1243	1262	1281
	1298	1327	1385	1422	1426	1436	1445	1454	1494
4642	1629	1665	1697	1724	1760	1796	1822	1859	1897
	1931	1989	2106	2180	2189	2209	2227	2245	2324
4644	1747	1785	1819	1847	1885	1923	1950	1990	2030
	2066	2127	2250	2328	2337	2358	2227	2396	2480

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Notes

Delano seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.



3-Seat Lounges
Available with or without arms.
➤See page 88 to specify.

Height	33"
Width	80"
Depth	27¾"
Arm height	25"
Seat height	20"
Seat width	72"
Seat depth	18"



2-Seat Lounges
Available with or without arms.
➤See page 88 to specify.

Height	33"
Width	56"
Depth	27¾"
Arm height	25"
Seat height	20"
Seat width	48"
Seat depth	18"



1-Seat Lounge
Available with or without arms.
➤See page 88 to specify.

Height	33"
Width	32"
Depth	27¾"
Arm height	25"
Seat height	20"
Seat width	24"
Seat depth	18"



Bench
Available in 3-seat and 2-seat models.
➤See page 90 to specify.

	3-seat	*2-seat*
Height	25"	25"
Width	80"	56"
Depth	27¾"	27¾"
Arm height	—	—
Seat height	20"	20"
Seat width	72"	48"
Seat depth	18"	18"

Ottoman
➤See page 90 to specify.

Height	18"
Width	24"
Depth	24"



Tandem Seating with Center In-line Table or Storage Table
Available with or without arms.
➤See pages 92–94 to specify.

Height	33"
Width	80"
Depth	27¾"
Arm height	25"
Seat height	20"
Seat width	24" + 24"
Seat depth	18"



Tandem Seating with End In-line Table or Storage Table
Available with or without arms.
➤See pages 96–98 to specify.

Height	33"
Width	80"
Depth	27¾"
Arm height	25"
Seat height	20"
Seat width	48"
Seat depth	18"



Arms and Tablet Arms
Available for field installation.
➤See page 100 to specify.



Freestanding Tables
Available in rectangular magazine table and square end table models.
➤See page 102 to specify.

Height	16"
Width	24", 30", 36", 48"
Depth	24"



Configurable In-Line Tables
Available in center, end, center storage, end storage, 90° and 45° models.
➤See page 102 to specify.

	Ctr/End	*90°*	*45°*
Height	16"	16"	16"
Width	24"	30"	25½"
Depth	24"	30"	27½"

Lounge Seating

Overview

Statement of Line ➤See page 85
Finishes & Materials 289
COM/COL Yardage Req. 311

Wall is constructed of ¾" MDF and attached to the arms/backs using black 5⁄16" diameter, socket head bolts inserted through a decorative brushed aluminum washer.

Arm frames are constructed of ¾" plywood, wrapped with ¼" foam (foam is covered with ½ ounce of polyester on top of arm for added comfort), slipcovered, and attached to both the frame and the wall.

15" writing surface on tablet arm swivels 180°. Tablet mounts to a mechanism that fits into the structure of the tablet arm. Tablet is ¾" plywood with a wood veneer or black 3D laminate writing surface.



Legs are solid aluminum and finished with a natural, brushed finish.

Non-skid glides are ¾" in diameter and adjustable.

Related Products

Accent pillows are available.
➤See page 13.

Details


With Arms


Without Arms

Lounge seating is available in 3-, 2-, and 1-seat models, each with or without factory-installed arms. Arms are also available for field installation.

Center

Right

Left

Tandem seating is available with in-line or in-line storage tables, located center, right or left. Models are available with or without factory-installed arms. Arms are also available for field installation.



Tablet arm is available factory installed or for field installation. Wood tablet surface is standard; black 3D laminate surface is available as an option.

Frame is constructed of ¾" plywood and attached to the wall. Frame construction meets or exceeds ANSI/BIFMA x5.4-1997, Lounge Seating Test Standard.

Back is constructed of 9⁄16" plywood.

Back cushions are 2" high-grade, CFC-free polyurethane foam wrapped with ½ oz. of polyester. Each cushion is 24"W and upholstered using a slip-cover-style upholstery method.

Seats have a high-tension strip webbing suspension that is stapled to the frame.

Seat cushions are 3½" high-grade, CFC-free polyurethane foam that is custom shaped. Each cushion is 24"W and upholstered using a slipcover-style upholstery method.

Bolster is 4½" foam, wrapped with ½ oz. polyester, slipcovered and closed with a zipper. The bolster is attached to the back of the seat box.

All seating models are fully upholstered. Bottom is finished with a black fabric dust cover.

Tables are constructed of ¾" plywood. Corners are mitered, then glued and cleated together. Tops on rectangular and square tables are ¾" plywood with quarter-cut sketch veneer and a non-rubbed finish. Tops on side and 45-degree tables are ¾" plywood with plain-sliced book-matched veneer and a non-rubbed finish.

Storage tables feature a pull-out drawer. Drawer sides have a ½" flakeboard core with a maple veneer face and back. Drawer bottom is 7⁄32" 5-ply construction with a maple face and maple/birch back. Drawer fronts have a ¾" flakeboard core with a grade 1 veneer face and grade 2 veneer back. Fronts are fastened to the drawer with washer head (truss) screws. Dowel construction is utilized. Black, progressive-action slides with precision steel ballbearings ensure long lasting, quiet and smooth operation. Slide fully extends (19") and has a 100 lb. load rating. Drawer outside dimensions: 18"D x 21½"W x 8½"H; inside dimensions 17"D x 20½"W x 8¼"H.





Freestanding tables are available in two design: rectangular magazine and square end.


Center In-Line


End In-Line


90° In-Line


45° In-Line

Configurable tables are available in four designs. Center and end in-line tables are also available as storage tables.

Statement of Line ➤See page 85
Kimball Office Uph. Pricing 88
Finishes & Materials 289
COM/COL Yardage Req. 311



Description	*Base Model**	*Quantity*	*Price*	
1-seat lounge without arms	K90AA	4	$ 1983	ea
24" square end table	K90BD	1	1333	
90° In-line configurable table	K90KP	2	1506	ea
Configuration dimensions: 170" x 77"		**Total**	$12277	



Description	*Base Model**	*Quantity*	*Price*	
3-seat lounge without arms	K90CC	2	$ 4193	ea
Arm	K90ARM	2	335	ea
1-seat lounge without arms	K90AA	2	1983	ea
45° in-line configurable table	K90MR	2	1506	ea
90° in-line configurable table	K90KP	1	1506	
Configuration dimensions: 156" x 96"		**Total**	$17540	



Description	*Base Model**	*Quantity*	*Price*	
2-seat lounge without arms	K90BB	2	$ 3054	ea
1-seat lounge without arms	K90AA	2	1983	ea
45° in-line configurable table	K90MR	2	1506	ea
90° In-line configurable table	K90KP	1	1506	
Configuration dimensions: 80" x 140"		**Total**	$14592	



Description	*Base Model**	*Quantity*	*Price*	
2-seat lounge without arms	K90BB	4	$ 3054	ea
30" square end table	K90CE	1	1607	
Configuration dimensions: 150" x 150"		**Total**	$13823	

More Configurations:



- Two 2-seat lounges without arms
- Tablet arm, wood
- Arm
- 90° in-line configurable table



- Four 1-seat lounges without arms
- Two tablet arms, wood
- Two arms
- Two 45° in-line configurable tables

Lounge Seating

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Alliance Program Pricing 89
COM/COL Yardage Req. 311







When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
With Arms										
3-Seat Lounge										
K90HH		$4729	$4939	$5072	$5205	$5395	$5597	$5800	$6633	$7102
K90HHF	TB133	5209	5419	5552	5685	5875	—	—	7113	7582
2-Seat Lounge										
K90EE		$3590	$3758	$3865	$3971	$4123	$4285	$4447	$5113	$5489
K90EEF	TB133	3962	4130	4237	4343	4495	—	—	5485	5861
1-Seat Lounge (shown)										
K90DD		$2518	$2641	$2719	$2796	$2908	$3026	$3145	$3634	$3908
K90DDF	TB133	2899	3022	3100	3177	3289	—	—	4015	4289
1-Seat Lounge With Tablet Arm, Right (shown)										
K90DDTR		$2921	$3044	$3122	$3199	$3311	$3429	$3548	$4037	$4311
K90DDTRF	TB133	3174	3297	3375	3452	3564	—	—	4290	4564
1-Seat Lounge With Tablet Arm, Left										
K90DDTL		$2921	$3044	$3122	$3199	$3311	$3429	$3548	$4037	$4311
K90DDTLF	TB133	3174	3297	3375	3452	3564	—	—	4290	4564
Without Arms										
3-Seat Lounge (shown)										
K90CC		$4193	$4364	$4472	$4581	$4735	$4900	$5065	$5743	$6125
K90CCF	TB133	4562	4733	4841	4950	5104	—	—	6112	6494
2-Seat Lounge										
K90BB		$3054	$3183	$3265	$3347	$3463	$3588	$3712	$4223	$4512
K90BBF	TB133	3303	3432	3514	3596	3712	—	—	4472	4761
1-Seat Lounge										
K90AA		$1983	$2067	$2121	$2173	$2250	$2330	$2412	$2745	$2933
K90AAF	TB133	2120	2204	2258	2310	2387	—	—	2882	3070

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Accent/Bolster:
④ Upholstery grade
⑤ Upholstery number

Seat/Arms (primary):
⑥ Upholstery grade
⑦ Upholstery number

Wall and/or Tablet Surface:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Tablet writing surface (include for tablet arm models only):
W = Wood
T = Black 3D laminate (-$52)
⑪ Fastener finish:
462 = Cinder

Lounge Seating

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Kimball Office Uph. Pricing 88
COM/COL Yardage Req. 311

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K90DD	$2703	$2785	$2858	$2919	$3001	$3083	$3142	$3227	$3313
	3391	3523	3789	3958	3978	4024	4065	4106	4286
K90DDTL	3106	3188	3261	3322	3404	3486	3545	3630	3716
	3794	3926	4192	4361	4381	4427	4468	4509	4689
K90DDTR	3106	3188	3261	3322	3404	3486	3545	3630	3716
	3794	3926	4192	4361	4381	4427	4468	4509	4689
K90EE	3843	3955	4055	4139	4251	4363	4441	4559	4677
	4783	4963	5326	5556	5583	5646	5702	5758	6004
K90HH	5045	5185	5310	5415	5555	5695	5793	5940	6087
	6220	6445	6899	7186	7221	7298	7368	7438	7746
K90AA	$2110	$2166	$2216	$2257	$2313	$2369	$2409	$2468	$2526
	2580	2670	2851	2967	2980	3012	3040	3068	3191
K90BB	3248	3334	3411	3476	3562	3648	3707	3798	3889
	3970	4108	4387	4563	4584	4632	4675	4718	4907
K90CC	4450	4564	4666	4752	4866	4980	5059	5179	5299
	5407	5590	5960	6194	6222	6285	6342	6399	6650

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Accent/Bolster:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Seat/Arms (primary):
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

Wall and/or Tablet Surface:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Tablet writing surface (include for tablet arm models only):
W = Wood
T = Black 3D laminate (-$52)
⑪ Fastener finish:
462 = Cinder

Benches and Ottoman

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Alliance Program Pricing 91
COM/COL Yardage Req. 311





Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Benches										
3-Seat Bench										
K90KK		$3790	$3910	$3986	$4062	$4170	$4286	$4402	$4878	$5146
K90KKF	TB133	4022	4142	4218	4294	4402	—	—	5110	5378
2-Seat Bench										
K90JJ		$2786	$2873	$2928	$2984	$3062	$3146	$3230	$3574	$3769
K90JJF	TB133	2954	3041	3096	3152	3230	—	—	3742	3937
Ottoman										
K90AC		$871	$916	$945	$973	$1014	$1057	$1101	$1279	$1380
K90ACF	TB133	990	1035	1064	1092	1133	—	—	1398	1499

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

Bench

❶ Model

Accent/Bolster:
② Upholstery grade
③ Upholstery number

Seat (primary):
④ Upholstery grade
⑤ Upholstery number

Wall:
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator
⑧ Fastener finish:
462 = Cinder

Ottoman

❶ Model
② Upholstery grade
③ Upholstery number

Benches and Ottoman

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Kimball Office Uph. Pricing 90
COM/COL Yardage Req. 311

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K90AC	$939	$969	$996	$1018	$1048	$1078	$1099	$1131	$1162
	1191	1239	1336	1398	1405	1422	1437	1452	1518
K90JJ	2917	2975	3027	3071	3129	3187	3226	3288	3349
	3404	3497	3685	3804	3818	3850	3879	3908	4036
K90KK	3970	4050	4122	4182	4262	4342	4398	4482	4566
	4642	4770	5030	5194	5214	5258	5298	5338	5514

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

Bench

❶ Model

Accent/Bolster:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat (primary):

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

Wall:

⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)

⑦ Wood finish designator

⑧ Fastener finish:
462 = Cinder

Ottoman

❶ Model

② Alliance partner designator and upholstery grade (see above)

③ Upholstery number

Tandem Seating with Center In-Line Table

with Kimball Office Upholstery

Pricing

GSA SIN 711-16

Actual Dimensions	➤See page 85
Overview	86
Alliance Program Pricing	93
COM/COL Yardage Req.	311











When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
With Arms										
Without Tablet Arm										
K90MM		$5263	$5452	$5572	$5692	$5862	$6045	$6227	$6976	$7399
K90MMF	TB133	5429	5618	5738	5858	6028	—	—	7142	7565
With Tablet Arm, Left										
K90MMTL		$5667	$5856	$5976	$6096	$6266	$6449	$6631	$7380	$7803
K90MMTLF	TB133	5815	6004	6124	6244	6414	—	—	7528	7951
With Tablet Arm, Right										
K90MMTR		$5667	$5856	$5976	$6096	$6266	$6449	$6631	$7380	$7803
K90MMTRF	TB133	5815	6004	6124	6244	6414	—	—	7528	7951
With Tablet Arms, Left and Right										
K90MMTB		$6068	$6257	$6377	$6497	$6667	$6850	$7032	$7781	$8204
K90MMTBF	TB133	6201	6390	6510	6630	6800	—	—	7914	8337
Without Arms										
K90PP		$4729	$4879	$4974	$5069	$5205	$5350	$5494	$6089	$6424
K90PPF	TB133	4986	5136	5231	5326	5462	—	—	6346	6681

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Accent/Bolster:
④ Upholstery grade
⑤ Upholstery number

Seat/Arms (primary):
⑥ Upholstery grade
⑦ Upholstery number

Wall and/or Tablet Surface:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Tablet writing surface (include for tablet arm models only):
W = Wood
T = Black 3D laminate (-$52)
⑪ Fastener finish:
462 = Cinder

Tandem Seating with Center In-Line Table

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Kimball Office Uph. Pricing 92
COM/COL Yardage Req. 311

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K90MM	$5547	$5673	$5786	$5881	$6007	$6133	$6220	$6353	$6486
	6605	6807	7216	7474	7505	7575	7638	7701	7978
K90MMTB	6352	6478	6591	6686	6812	6938	7025	7158	7291
	7410	7612	8021	8279	8310	8380	8443	8506	8783
K90MMTL	5951	6077	6190	6285	6411	6537	6624	6757	6890
	7009	7211	7620	7878	7909	7979	8042	8105	8382
K90MMTR	5951	6077	6190	6285	6411	6537	6624	6757	6890
	7009	7211	7620	7878	7909	7979	8042	8105	8382
K90PP	4955	5055	5144	5219	5319	5419	5489	5594	5700
	5794	5955	6279	6484	6508	6564	6614	6664	6884

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Accent/Bolster:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Seat/Arms (primary):
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

Wall and/or Tablet Surface:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Tablet writing surface (include for tablet arm models only):
W = Wood
T = Black 3D laminate (-$52)
⑪ Fastener finish:
462 = Cinder

Tandem Seating with Center In-Line Storage Table

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions	➤See page 85
Overview	86
Alliance Program Pricing	95
COM/COL Yardage Req.	311



When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
With Arms										
Without Tablet Arm										
K90RR		$5599	$5788	$5908	$6028	$6198	$6381	$6563	$7312	$7735
K90RRF	TB133	5751	5940	6060	6180	6350	—	—	7464	7887
With Tablet Arm, Left										
K90RRTL		$6002	$6191	$6311	$6431	$6601	$6784	$6966	$7715	$8138
K90RRTLF	TB133	6137	6326	6446	6566	6736	—	—	7850	8273
With Tablet Arm, Right										
K90RRTR		$6002	$6191	$6311	$6431	$6601	$6784	$6966	$7715	$8138
K90RRTRF	TB133	6137	6326	6446	6566	6736	—	—	7850	8273
With Tablet Arms, Left and Right										
K90RRTB		$6404	$6593	$6713	$6833	$7003	$7186	$7368	$8117	$8540
K90RRTBF	TB133	6524	6713	6833	6953	7123	—	—	8237	8660
Without Arms										
K90SS		$5063	$5216	$5313	$5410	$5548	$5696	$5843	$6450	$6792
K90SSF	TB133	5308	5461	5558	5655	5793	—	—	6695	7037

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Accent/Bolster:
④ Upholstery grade
⑤ Upholstery number

Seat/Arms (primary):
⑥ Upholstery grade
⑦ Upholstery number

Wall and/or Tablet Surface:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Tablet writing surface (include for tablet arm models only):
W = Wood
T = Black 3D laminate (-$52)
⑪ Fastener finish:
462 = Cinder

Tandem Seating with Center In-Line Storage Table

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K90RR	5883	6009	6122	6217	6343	6469	6556	6689	6822
	6941	7143	7552	7810	7841	7911	7974	8037	8314
K90RRTB	6688	6814	6927	7022	7148	7274	7361	7494	7627
	7746	7948	8357	8615	8646	8716	8779	8842	9119
K90RRTL	6286	6412	6525	6620	6746	6872	6959	7092	7225
	7344	7546	7955	8213	8244	8314	8377	8440	8717
K90RRTR	6286	6412	6525	6620	6746	6872	6959	7092	7225
	7344	7546	7955	8213	8244	8314	8377	8440	8717
K90SS	5293	5395	5486	5563	5665	5767	5838	5945	6053
	6149	6313	6644	6853	6878	6935	6986	7037	7261

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

Actual Dimensions ➤See page 85
Overview 86
Kimball Office Uph. Pricing 94
COM/COL Yardage Req. 311

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Accent/Bolster:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Seat/Arms (primary):
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

Wall and/or Tablet Surface:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Tablet writing surface (include for tablet arm models only):
W = Wood
T = Black 3D laminate (-$52)
⑪ Fastener finish:
462 = Cinder

Tandem Seating with End In-Line Table

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Alliance Program Pricing 97
COM/COL Yardage Req. 311









When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

Model	*TB133*	*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
		Kimball Office Upholstery Price Grade								
With Arm										
With Table, Left/Arm, Right (as seated)										
K90YY		$5063	$5213	$5308	$5403	$5539	$5684	$5828	$6423	$6758
K90YYF	TB133	5308	5458	5553	5648	5784	—	—	6668	7003
With Table, Right/Arm Left (as seated)										
K90TT		$5063	$5231	$5338	$5444	$5596	$5758	$5920	$6586	$6962
K90TTF	TB133	5308	5476	5583	5689	5841	—	—	6831	7207
Without Arm										
With Table, Left (as seated)										
K90AB		$4795	$4924	$5006	$5088	$5204	$5329	$5453	$5964	$6253
K90ABF	TB133	4977	5106	5188	5270	5386	—	—	6146	6435
With Table, Right (as seated)										
K90WW		$4795	$4924	$5006	$5088	$5204	$5329	$5453	$5964	$6253
K90WWF	TB133	4977	5106	5188	5270	5386	—	—	6146	6435

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Accent/Bolster:
④ Upholstery grade
⑤ Upholstery number

Seat/Arms (primary):
⑥ Upholstery grade
⑦ Upholstery number

Wall:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator

⑩ Fastener finish:
462 = Cinder

Tandem Seating with End In-Line Table

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Kimball Office Uph. Pricing 96
COM/COL Yardage Req. 311

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K90AB	$4989	$5075	$5152	$5217	$5303	$5389	$5448	$5539	$5630
	5711	5849	6128	6304	6325	6373	6416	6459	6648
K90TT	5316	5428	5528	5612	5724	5836	5914	6032	6150
	6256	6436	6799	7029	7056	7119	7175	7231	7477
K90WW	4989	5075	5152	5217	5303	5389	5448	5539	5630
	5711	5849	6128	6304	6325	6373	6416	6459	6648
K90YY	5289	5389	5478	5553	5653	5753	5823	5928	6034
	6128	6289	6613	6818	6842	6898	6948	6998	7218

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Accent/Bolster:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Seat/Arms (primary):
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

Wall:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Fastener finish:
462 = Cinder

Tandem Seating with End In-Line Storage Table

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions	➤See page 85
Overview	86
Alliance Program Pricing	99
COM/COL Yardage Req.	311









When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
With Arm										
With Storage Table, Left/Arm, Right (as seated)										
K90ZZ		$5399	$5549	$5644	$5739	$5875	$6020	$6164	$6759	$7094
K90ZZF	TB133	5630	5780	5875	5970	6106	—	—	6990	7325
With Storage Table, Right/Arm Left (as seated)										
K90VV		$5399	$5567	$5674	$5780	$5932	$6094	$6256	$6922	$7298
K90VVF	TB133	5630	5798	5905	6011	6163	—	—	7153	7529
Without Arm										
With Storage Table, Left (as seated)										
K90BC		$5132	$5261	$5343	$5425	$5541	$5666	$5790	$6301	$6590
K90BCF	TB133	5301	5430	5512	5594	5710	—	—	6470	6759
With Storage Table, Right (as seated)										
K90XX		$5132	$5261	$5343	$5425	$5541	$5666	$5790	$6301	$6590
K90XXF	TB133	5301	5430	5512	5594	5710	—	—	6470	6759

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Accent/Bolster:
④ Upholstery grade
⑤ Upholstery number

Seat/Arms (primary):
⑥ Upholstery grade
⑦ Upholstery number

Wall:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator

⑩ Fastener finish:
462 = Cinder

Tandem Seating with End In-Line Storage Table

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Kimball Office Uph. Pricing 98
COM/COL Yardage Req. 311

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K90BC	5326	5412	5489	5554	5640	5726	5785	5876	5967
	6048	6186	6465	6641	6662	6710	6753	6796	6985
K90XX	5326	5412	5489	5554	5640	5726	5785	5876	5967
	6048	6186	6465	6641	6662	6710	6753	6796	6985
K90VV	5652	5764	5864	5948	6060	6172	6250	6368	6486
	6592	6772	7135	7365	7392	7455	7511	7567	7813
K90ZZ	5625	5725	5814	5889	5989	6089	6159	6264	6370
	6464	6625	6949	7154	7178	7234	7284	7334	7554

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional upholstery, a solid pattern is recommended for the bolster.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Arms and Tablet Arms for Field Installation
➤See page 100.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Accent/Bolster:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Seat/Arms (primary):
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

Wall:
⑧ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Wood finish designator
⑩ Fastener finish:
462 = Cinder

Arms and Tablet Arms

Pricing

with Kimball Office Upholstery

GSA SIN 711-16



Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Non-Handed Arm										
K90ARM		$335	$377	$404	$430	$468	$509	$549	$716	$810
K90ARMF	TB133	465	507	534	560	598	—	—	846	940
Non-Handed Tablet Arm										
With Wood Writing Surface										
K90TBLTARMW		$804	$846	$873	$899	$937	$978	$1018	$1185	$1279
K90TBLTARMWF	TB133	917	959	986	1012	1050	—	—	1298	1392
With Black 3D Laminate Writing Surface										
K90TBLTARMT		$706	$748	$775	$801	$839	$880	$920	$1087	$1181
K90TBLTARMTF	TB133	851	893	920	946	984	—	—	1232	1326

Arms and tablet arms are for field-installation on lounge or tandem seating models.

Actual Dimensions ➤See page 85
Overview 86
Alliance Program Pricing 101
COM/COL Yardage Req. 311

Standard Includes

- Arm
- Tablet arm, if specified (wood or black 3D laminate
- Two flat attachment brackets
- Eight screws

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

Arm or Tablet Arm with 3D Laminate Writing Surface

❶ Model
② Upholstery grade
③ Upholstery number
④ Fastener finish:
462 = Cinder

Tablet Arm with Wood Writing Surface

❶ Model
② Upholstery grade
③ Upholstery number
④ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish designator
⑥ Fastener finish:
462 = Cinder

Arms and Tablet Arms

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 85
Overview 86
Kimball Office Uph. Pricing 100

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K90ARM	398	426	451	472	500	528	548	577	607
	633	678	769	826	833	849	863	877	938
K90TBLTARMT	769	797	822	843	871	899	919	948	978
	1004	1049	1140	1197	1204	1220	1234	1248	1309
K90TBLTARMW	867	895	920	941	969	997	1017	1046	1076
	1102	1147	1238	1295	1302	1318	1332	1346	1407

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Arms and tablet arms are for field-installation on lounge or tandem seating models.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

Arm or Tablet Arm with 3D Laminate Writing Surface

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Fastener finish:
462 = Cinder

Tablet Arm with Wood Writing Surface

❶ Model
② Alliance partner designator and upholstery grade (see above)
③ Upholstery number
④ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish designator
⑥ Fastener finish:
462 = Cinder

Freestanding and Configurable Tables

Pricing

GSA SIN 711-16

Statement of Line ➤See page 85
Overview 86













D	*W*	*H*	*Model*	*Price*
Freestanding Rectangular Magazine Tables				
24"	36"	16"	**K90DH**	$1779
24"	48"	16"	**K90EJ**	2165
Freestanding Square End Tables				
24"	24"	16"	**K90BD**	$1333
30"	30"	16"	**K90CE**	1607
Center In-Line Tables				
Non-Storage Table				
24"	24"	16"	**K90HK**	$1172
Storage Table				
24"	24"	16"	**K90PS**	$1506
End In-Line Tables				
Non-Storage Table, Right or Left				
24"	24"	16"	**K90JM**	$1240
Storage Table, Left (as seated)				
24"	24"	16"	**K90SV**	$1575
Storage Table, Right (as seated)				
24"	24"	16"	**K90RT**	$1575
90° In-Line Table				
30"	30"	16"	**K90KP**	$1506
45° In-Line Table				
27½"	25½"	16"	**K90MR**	$1506

Standard Includes

- Crescent pull on storage table: matte nickel-plated finish
- Attachment brackets

➤See page 86 for actual dimensions of pull-out drawer on storage tables.
Note: Freestanding, 90° and 45° in-line tables are not available in storage models.

How to Specify

❶ Model
② Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Wood finish designator
④ Fastener finish:
462 = Cinder

Dwell seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.



24"W Lounge

➤See page 105 for angled-back models.
➤See page 106 for rounded-back models.

Height	28 15/16"
Width	24"
Depth	20 7/16"
Seat height	18½"
Seat width	24"
Seat depth	17 13/16"



30"W Lounge

➤See page 105 for angled-back models.
➤See page 106 for rounded-back models.

Height	28 15/16"
Width	30"
Depth	20 7/16"
Seat height	18½"
Seat width	30"
Seat depth	17 13/16"



36"W Lounge

➤See page 105 for angled-back models.
➤See page 106 for rounded-back models.

Height	28 15/16"
Width	36"
Depth	20 7/16"
Seat height	18½"
Seat width	36
Seat depth	17 13/16"



51"W Lounge

➤See page 105 for angled-back models.
➤See page 106 for rounded-back models.

Height	28 15/16"
Width	51"
Depth	20 7/16"
Seat height	18½"
Seat width	51
Seat depth	17 13/16"



Modular Ottoman

➤See page 107 to specify.

Height	18½"
Width	24"
Depth	24"

Square Ancillary Ottoman

➤See page 107 to specify.

Height	18"
Width	18½"
Depth	18½"

Round Ancillary Ottoman

➤See page 107 to specify.

Height	18"
Width	20"
Depth	20"

Lounge Seating

Statement of Line ➤See page 103
Finishes & Materials 289
COM/COL Yardage Req. 312

Back cushion contains high-density, high-resiliency, CFC-free, laminated polyurethane foam. Foam is 2¼" thick on angled-back models and 3½" thick on rounded-back models.

Frame is constructed of ¾" plywood, utilizing lap joint construction that is glued and screwed.

Seat cushion is 3½" thick and made of high-grade, high-resiliency, CFC-free, laminated polyurethane.



4" Legs are aluminum and available in a polished or powder-coated platinum metallic finish.

Non-skid, clear nylon glides enable 2½" of leg height adjustment

Platinum metallic power/USB grommet, featuring one power, two USB outlets, and 6"L cord, are available on lounges and modular ottomans in left, right (as seated; shown), or both kick rail positions.



Non-skid, ¾" soft glides are standard on ancillary ottomans; 37mm caster options are available for mobility.

Details

Dwell is offered in 24", 30", 36", and 51"W lounge models, which meet or exceed the applicable BIFMA Heavy Duty Lounge and ANSI standards. Lounge models are available with an angled back or rounded back.

Leg and rail joints are securely glued and reinforced with screws. The base frame is attached to the seat frame with bolts.

Back cushions consist of high-density, high-resiliency foam over a non-stretch woven suspension that is stapled to the frame.



24"W modular ottoman has the same depth as lounge units and can be ganged to lounge units to create a variety of configurations.

20"W ancillary ottomans, shown at left, are available in square or round models. Standard with glides or with optional casters, ancillary ottomans facilitate impromptu meetings and open collaboration.



Contrasting fabric on the top and sides may be specified on modular and ancillary ottomans.



Contrasting fabric on the back and seat may be specified on lounge units. When specifying a striped or directional textile, a solid pattern is recommended for the back cushion due to alignment constraints.

Connections



Lounges and modular ottomans may be ganged together. Two ganging brackets (K60GB) are required to join two units together. Pre-drilled holes in the base accept the ganging bracket or its small mating piece. Once brackets are installed, units slide together for a secure connection. To disconnect, lift up and pull outward on the unit with the mating pieces.

Power cannot be daisychained for power/USB grommets.

Related Products

Accent pillows are available.
➤See page 13.

Angled-Back Lounges

with Kimball Office Upholstery

Pricing

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 103
Overview 104
Alliance Program Pricing 108
COM/COL Yardage Req. 312









Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
24"W Angled-Back Lounges										
K92124A		$1245	$1324	$1372	$1423	$1493	$1569	$1645	$1956	$2131
K92124AF	TB133	1345	1424	1472	1523	1593	1669	1745	2056	2231
30"W Angled-Back Lounges										
K92130A		$1445	$1524	$1572	$1623	$1693	$1769	$1845	$2156	$2331
K92130AF	TB133	1570	1649	1697	1748	1818	1894	1970	2281	2456
36"W Angled-Back Lounges										
K92136A		$1645	$1724	$1772	$1823	$1893	$1969	$2045	$2356	$2531
K92136AF	TB133	1795	1874	1922	1973	2043	2119	2195	2506	2681
51"W Angled-Back Lounges										
K92251A		$1995	$2105	$2173	$2246	$2344	$2451	$2558	$2995	$3242
K92251AF	TB133	2195	2305	2373	2446	2544	2651	2758	3195	3442

Related Product:

Model	Price
Two-Piece Ganging Device	
K60GB	$32

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Leg color:
501 = Platinum Metallic
497 = Polished (+$80)

⑦ Power/USB grommet option:
X = None
G55KRPL = Left kick rail; platinum metallic (+$340)
G55KRPR = Right kick rail; platinum metallic (+$340)
G55KRPLR = Left and right kick rail; platinum metallic (+$680)

Ganging Brackets
❶ Model

Note: Two ganging brackets are required to join two units together; specify two K60GB models to gang two units together.

Rounded-Back Lounges

Pricing

with Kimball Office Upholstery

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 103
Overview 104
Alliance Program Pricing 108
COM/COL Yardage Req. 312







Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
24"W Rounded-Back Lounges										
K92124R		$1345	$1424	$1472	$1523	$1593	$1669	$1745	$2056	$2231
K92124RF	TB133	1445	1524	1572	1623	1693	1769	1845	2156	2331
30"W Rounded-Back Lounges										
K92130R		$1545	$1624	$1672	$1723	$1793	$1869	$1945	$2256	$2431
K92130RF	TB133	1670	1749	1797	1848	1918	1994	2070	2381	2556
36"W Rounded-Back Lounges										
K92136R		$1745	$1824	$1872	$1923	$1993	$2069	$2145	$2456	$2631
K92136RF	TB133	1895	1974	2022	2073	2143	2219	2295	2606	2781
51"W Rounded-Back Lounges										
K92251R		$2195	$2305	$2373	$2446	$2544	$2651	$2758	$3195	$3442
K92251RF	TB133	2395	2505	2573	2646	2744	2851	2958	3395	3642

Related Product:

Model	Price
Two-Piece Ganging Device	
K60GB	$32

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Leg color:
501 = Platinum Metallic
497 = Polished (+$80)

⑦ Power/USB grommet option:
X = None
G55KRPL = Left kick rail; platinum metallic (+$340)
G55KRPR = Right kick rail; platinum metallic (+$340)
G55KRPLR = Left and right kick rail; platinum metallic (+$680)

Ganging Brackets
❶ Model

Note: Two ganging brackets are required to join two units together; specify two K60GB models to gang two units together.

Ottomans

Pricing

with Kimball Office Upholstery

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 103
Overview 104
Alliance Program Pricing 108
COM/COL Yardage Req. 312



Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Modular Ottomans										
K92MO24		$895	$953	$989	$1027	$1079	$1135	$1191	$1421	$1551
K92MO24F	TB133	970	1028	1064	1102	1154	1210	1266	1496	1626
Square Ancillary Ottomans										
K92SAO20		$545	$600	$634	$670	$719	$773	$827	$1045	$1169
K92SAO20F	TB133	595	650	684	720	769	823	877	1095	1219
Round Ancillary Ottomans										
K92RAO20		$545	$600	$634	$670	$719	$773	$827	$1045	$1169
K92RAO20F	TB133	595	650	684	720	769	823	877	1095	1219

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

Ganging Brackets for Modular Ottoman
➤See page 105.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery.
➤See page 319 for COM or COL.

How to Specify

Modular Ottoman

❶ Model

Top:

② Upholstery grade
③ Upholstery number

Sides:

④ Upholstery grade
⑤ Upholstery number

⑥ Leg color:
501 = Platinum Metallic
497 = Polished (+$80)

⑦ Power/USB grommet option:
X = None
G55KRPL = Left kick rail; platinum metallic (+$340)
G55KRPR = Right kick rail; platinum metallic (+$340)
G55KRPLR = Left and right kick rail; platinum metallic (+$680)

Ancillary Ottoman

❶ Model

Top:

② Upholstery grade
③ Upholstery number

Sides:

④ Upholstery grade
⑤ Upholstery number

⑥ Caster option:
C22 = ¾" soft glides
C31 = Black, hard dual-wheel casters (+$23)
C32 = Black, soft dual-wheel casters (+$46)

Lounge Seating and Ottomans

Pricing

with Alliance Program Upholstery

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 103
Overview 104
COM/COL Yardage Req. 312

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K92124A	$1364	$1416	$1461	$1502	$1553	$1607	$1642	$1699	$1753
	1801	1885	2055	2163	2177	2204	2231	2258	2371
K92124R	1464	1516	1561	1602	1653	1707	1742	1799	1853
	1901	1985	2155	2263	2277	2304	2331	2358	2471
K92130A	1564	1616	1661	1702	1753	1807	1842	1899	1953
	2001	2085	2255	2363	2377	2404	2431	2458	2571
K92130R	1664	1716	1761	1802	1853	1907	1942	1999	2053
	2101	2185	2355	2463	2477	2504	2531	2558	2671
K92136A	1764	1816	1861	1902	1953	2007	2042	2099	2153
	2201	2285	2455	2563	2577	2604	2631	2658	2771
K92136R	1864	1916	1961	2002	2053	2107	2142	2199	2253
	2301	2385	2555	2663	2677	2704	2731	2758	2871
K92251A	2162	2235	2299	2356	2428	2504	2553	2634	2710
	2778	2895	3135	3287	3306	3344	3382	3420	3579
K92251R	2362	2435	2499	2556	2628	2704	2753	2834	2910
	2978	3095	3335	3487	3506	3544	3582	3620	3779
K92MO24	983	1021	1055	1085	1123	1163	1189	1231	1271
	1307	1369	1495	1575	1585	1605	1625	1645	1729
K92RAO20	629	665	697	726	762	800	824	865	903
	936	995	1115	1191	1201	1220	1239	1258	1337
K92SAO20	629	665	697	726	762	800	824	865	903
	936	995	1115	1191	1201	1220	1239	1258	1337

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting fabric is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Alliance program upholstery. ➤See page 319.

How to Specify

❶ Model

Back/Ottoman Top:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat/Ottoman Sides:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Leg color (omit for anc. ottoman):
501 = Platinum Metallic
497 = Polished (+$80)

⑦ Power/USB grommet option (omit for ancillary ottoman):
X = None
G55KRPL = Left kick rail; platinum metallic (+$340)
G55KRPR = Right kick rail; platinum metallic (+$340)
G55KRPLR = Left and right kick rail; platinum metallic (+$680)

⑦ Caster option (include for ancillary ottoman only):
C22 = ¾" soft glides
C31 = Black, hard dual-wheel casters (+$23)
C32 = Black, soft dual-wheel casters (+$46)

Enjoy seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

One-Seat Lounge

➤See page 111 to specify.

Height	34"
Width	39"
Depth	34"
Arm height	26"
Seat height	19"
Seat width	22"
Seat depth	22"



Two-Seat Lounge

➤See page 111 to specify.

Height	34"
Width	64"
Depth	34"
Arm height	26"
Seat height	19"
Seat width	48"
Seat depth	22"



Three-Seat Lounge

➤See page 111 to specify.

Height	34"
Width	79"
Depth	34"
Arm height	26"
Seat height	19"
Seat width	62"
Seat depth	22"

Lounge Seating

Overview

Statement of Line ➤See page 109
Finishes & Materials 289
COM/COL Yardage Req. 312

Frame is constructed of ¾" plywood, utilizing lap-joint construction that is glued and screwed.

Back cushions contain 4" high-density, high-resiliency, CFC-free, laminated polyurethane foam.



Legs and base rails are maple and available in a variety of finishes.

Seat cushions are 5" thick, removable, reversible, and replaceable. Seat cushions are made of high-grade, high-resiliency, CFC-free, laminated polyurethane.

Non-skid, nylon glides are ⅞" in diameter.

Details

One-seat

Two-seat



Three-seat

Enjoy is offered in one-, two-, and three-seat lounge models. Models meet or exceed the applicable BIFMA/ANSI standards and meets Kimball Heavy Duty testing requirements as follows:

One-seat model (K431A)	350 lbs.
Two-seat model (K432A)	700 lbs.
Three-seat model (K433A)	1050 lbs.

Two- and three-seat lounge models also exceed Bariatric testing requirements.

Legs and rail joints are double doweled, securely glued, and reinforced with corner blocks that are the glued and screwed to the base rails. The base frame is attached to the seat frame with wood screws through the rails.

Backs feature a high-tension, strip webbing suspension that is stapled to the frame, over which upholstery is placed.

Arms and outside panels have 1¼"-thick, high-grade polyurethane foam on the inner and top of the arm and ¼"-thick, high-grade polyurethane foam on the outer arm. Upholstery has ¼" sewn-in foam with slipcover, stapled into place.

Seats feature high-tension strip webbing that is stapled to the frame. Seat cushions are upholstered using a slipcover method that is finished with double-needle stitch detailing.



Contrasting fabric may be specified on the back, base/seat, and arms. Use electronic specification tool for accurate pricing if specifying fabrics in different price grades.

Related Products

Accent pillows are available.
➤See page 13.

Lounge Seating

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 109
Overview 110
Alliance Program Pricing 112
COM/COL Yardage Req. 312





Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
One-Seat										
K431A		$1945	$2146	$2273	$2401	$2583	$2776	$2970	$3767	$4216
K431AF	TB133	1945	2249	2376	2504	2686	2879	3073	3870	4319
Two-Seat										
K432A		$2723	$2987	$3154	$3321	$3560	$3814	$4069	$5117	$5706
K432AF	TB133	3100	3364	3531	3698	3937	4191	4446	5494	6083
Three-Seat										
K433A		$3556	$3904	$4124	$4345	$4659	$4994	$5330	$6711	$7488
K433AF	TB133	3866	4214	4434	4655	4969	5304	5640	7021	7798

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Pose Benches and Ottomans
➤See page 167.

Pose Tables
➤See page 169.

Talent Benches and Ottomans
➤See page 179.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Arm Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

Leg Finish:
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Lounge Seating

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 109
Overview 110
Kimball Office Uph. Pricing 111
COM/COL Yardage Req. 312

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K431A	$2248	$2382	$2501	$2602	$2736	$2870	$2963	$3104	$3245
	3372	3588	4022	4297	4330	4404	4471	4538	4833
K432A	3120	3296	3453	3585	3761	3937	4061	4245	4430
	4597	4880	5451	5812	5856	5953	6041	6129	6516
K433A	4079	4311	4518	4693	4925	5157	5319	5562	5806
	6026	6399	7152	7628	7686	7814	7930	8046	8556

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back Upholstery:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Seat/Base Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Arm Upholstery:
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

Leg Finish:
⑧ Finish price group:
STD = Group 1
⑨ Finish designator

Event side seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

4-Leg with Arms
Stacking
➤See page 115 to specify.

Height	31"
Width	23"
Depth	21"
Arm height	25¼"
Seat height	18¼"
Seat width	18"
Seat depth	17¼"

4-Leg without Arms
Stacking
➤See page 115 to specify.

Height	31"
Width	20"
Depth	21"
Seat height	18¼"
Seat width	18"
Seat depth	17¼"

Bariatric 4-Leg with Arms
Non-stacking
➤See page 115 to specify.

Height	31"
Width	35⅛"
Depth	21"
Arm height	25¼"
Seat height	17½"
Seat width	30"
Seat depth	17"

4-Leg with Tablet Arm
Non-stacking
➤See page 116 to specify.

Height	31"
Width	22¼"
Depth	28"
Arm height	27½"
Seat height	18¼"
Seat width	18"
Seat depth	17¼"
Tablet arm depth	½"
Tablet arm width	12¼"
Tablet arm length	22¼"

Sled Base with Arms
Non-stacking
➤See page 117 to specify.

Height	31"
Width	23"
Depth	21"
Arm height	25¼"
Seat height	18¼"
Seat width	18"
Seat depth	17¼"

Sled Base without Arms
Non-stacking
➤See page 117 to specify.

Height	31"
Width	20"
Depth	21"
Seat height	18¼"
Seat width	18"
Seat depth	17¼"

Mobile 4-Leg with Arms
Stacking
➤See page 118 to specify.

Height	31"
Width	23"
Depth	21"
Arm height	25¼"
Seat height	18¼"
Seat width	18"
Seat depth	17¼"

4-Leg without Arms
Stacking
➤See page 118 to specify.

Height	31"
Width	20"
Depth	21"
Seat height	18¼"
Seat width	18"
Seat depth	17¼"

Ganging Device
➤See page 115 to specify.

Transport Dolly
Accommodates a stack of six chairs.
➤See page 115 to specify.

Side Chairs

Overview

Statement of Line	➤See page 113
Alliance Program Pricing	119
Finishes & Materials	289
COM/COL Yardage Req.	313

Back and seat are fully upholstered. Seat is tilted back, and the back is slightly reclined to allow the user to assume a more natural, relaxed posture.

Back upholstery, including ¾"-thick foam for the inside back and ¼" thick foam for the outside back, is applied to the back as a slipcover and secured with upholstery staples.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.



Arm caps are injection molded nylon and attached to the frame with a pressure fit. They are color matched to the frame; 501 Platinum metallic finish receives black armcaps.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Backs are secured to the frame with 4 countersunk flat-head screws, 11-gauge steel plates, and T-nuts. Round back models are constructed using an injection molded polypropylene panel. Flair back models are constructed using ⅜"-thick, 7-ply, molded plywood.

End caps are fitted into the frames of armless models; they are plastic on Cinder (black) frames and metal (color coordinated to the frame) on platinum metallic frames.



Cushions are high resilience, CFC-free polyurethane foam. Seat cushion is 1¼" thick.

Legs are angled for stability and available in textured powdercoat finish or smooth platinum metallic paint.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the cross members. Seat pan is attached to the seat frame with four machine screws and T-nuts.

Black nylon ball glides are standard on static 4-leg models. Hard casters are standard on mobile models.

Details



Round

Flair

Two open back shapes are available on all Event models:
- Round (shown at left, top)
- Flair (shown at left, bottom)

Three arm styles are available: with arms, without arms, and with tablet arm (4-leg non-mobile models only). Tablet arm, ½" x 12¼" x 22¼", is hinged for easy access. It has a black phenolic core with radius edge and black laminate top and bottom surfaces. Mounted on the right.



4-Leg



Sled Base



Mobile

Three unique leg frames are available 4-leg, sled base, and mobile. Frames are ⅞" diameter, 14-gauge tubular steel. Cross members are ¾" diameter, 14-gauge steel. Leg frames are joined to the cross members with metal inert gas (MIG) welds.

4-leg models and mobile models without arms stack up to 6 chairs high; mobile models with arms stack up to 4 chairs high.

Sled base, 4-leg with tablet arm, and bariatric models are non-stacking.

Bariatric 4-leg with arms is available to accommodate up to 500 lbs.

Contrasting upholstery on backs and seats is available on Event side chairs. If different price grades are selected, use an electronic specification tool for accurate pricing.
➤See page 302.

Flat glides are available on 4-leg models for use on textured, soft, or wood surfaces. Glide has a silver-plated top with white nylon pad. Upcharge applies.

Soft casters for use on hard floors are available on mobile models. Upcharge applies.
Note: Sled base should not be used on hard floors for stability reasons and to prevent surface damage.

Chairs are shipped three to a carton when applicable.

Related Products

Ganging devices, ordered separately in sets of 5 pairs, are available to gang like models. The 2½" x 5¾" polypropylene devices snap onto chair legs. One pair is required to gang two chairs.

Transport dolly is available to move up to six 4-leg chairs at a time. Dolly has a tubular steel frame, green powdercoat finish, and 8" semi-pneumatic ball-bearing wheels. Removable handle allows for storage.

4-Leg Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18
† GSA SIN 711-19

Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
With Arms (stacking)										
Round Open Back										
95-2D † Ⓚ		$323	$351	$367	$384	$408	$434	$461	$568	$628
95-2DF †	TB133	455	483	499	516	540	566	593	700	760
Flair Open Back										
95-2R †		$388	$416	$432	$449	$473	$499	$526	$633	$693
95-2RF †	TB133	521	549	565	582	606	632	659	766	826
Without Arms (stacking)										
Round Open Back										
95-1D † Ⓚ		$301	$329	$345	$362	$386	$412	$439	$546	$606
95-1DF †	TB133	$434	$462	$478	$495	$519	$545	$572	$679	$739
Flair Open Back										
95-1R †		$357	$385	$401	$418	$442	$468	$495	$602	$662
95-1RF †	TB133	489	517	533	550	574	600	627	734	794
Bariatric with Arms (non-stacking)										
Round Open Back										
95-9D		$973	$1021	$1051	$1082	$1126	$1172	$1218	$1408	$1515
95-9DF	TB133	1139	1187	1217	1248	1292	1338	1384	1574	1681
Flair Open Back										
95-9R		$973	$1021	$1051	$1082	$1126	$1172	$1218	$1408	$1515
95-9RF	TB133	1139	1187	1217	1248	1292	1338	1384	1574	1681

➤See page 114 for illustrations of back styles.

Vinyl upholstery may result in gathers and puckers.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Related Products:

Model	*Description*	*Price*
95-A Ⓚ	Ganging devices (package of 5 pairs); will connect 6 chairs.	$47
95-TD	Transport dolly (32½"D x 44¾"H x 19"W)	$455

Overview ➤See page 114
Alliance Program Pricing 119
Finishes & Materials 289
COM/COL Yardage Req. 313

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

Frame:
⑥ Paint price group:
STD = Non-metallic paint
STDM = Metallic paint (+10% to grade 1 price)
⑦ Paint designator:
462 = Cinder
501 = Platinum Metallic
⑧ Glides:
STD = Nylon ball glides
C8 = Flat glides (+$18)

Ⓚ = Kwik Office model available.

4-Leg Side Chairs with Tablet Arm

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 114
Alliance Program Pricing 119
Finishes & Materials 289
COM/COL Yardage Req. 313

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
With Tablet Arm (non-stacking)										
Round Open Back										
95-5D		$562	$590	$606	$623	$647	$673	$700	$807	$867
95-5DF	TB133	696	724	740	757	781	807	834	941	1001
Flair Open Back										
95-5R		$562	$590	$606	$623	$647	$673	$700	$807	$867
95-5RF	TB133	696	724	740	757	781	807	834	941	1001

➤See page 114 for illustrations of back styles.

Vinyl upholstery may result in gathers and puckers.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

Frame:
⑥ Paint price group:
STD = Non-metallic paint
STDM = Metallic paint (+10% to grade 1 price)
⑦ Paint designator:
462 = Cinder
501 = Platinum Metallic
⑧ Glides:
STD = Nylon ball glides
C8 = Flat glides (+$18)

Sled-Base Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview	➤See page 114
Alliance Program Pricing	119
Finishes & Materials	289
COM/COL Yardage Req.	313



Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
With Arms (non-stacking)										
Round Open Back										
95-4D		$449	$477	$493	$510	$534	$560	$587	$694	$754
95-4DF	TB133	580	608	624	641	665	691	718	825	885
Flair Open Back										
95-4R		$449	$477	$493	$510	$534	$560	$587	$694	$754
95-4RF	TB133	580	608	624	641	665	691	718	825	885
Without Arms (non-stacking)										
Round Open Back										
95-3D		$417	$445	$461	$478	$502	$528	$555	$662	$722
95-3DF	TB133	549	577	593	610	634	660	687	794	854
Flair Open Back										
95-3R		$417	$445	$461	$478	$502	$528	$555	$662	$722
95-3RF	TB133	549	577	593	610	634	660	687	794	854

Related Products:

Model	Description	Price
95-A Ⓚ	Ganging devices (package of 5 pairs); will connect 6 chairs.	$47

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

Frame:
⑥ Paint price group:
STD = Non-metallic paint
STDM = Metallic paint (+10% to grade 1 price)
⑦ Paint designator:
462 = Cinder
501 = Platinum Metallic

➤See page 114 for illustrations of back styles.

Vinyl upholstery may result in gathers and puckers.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Ⓚ = Kwik Office model available.

Mobile 4-Leg Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-19

Overview	➤See page 114
Alliance Program Pricing	119
Finishes & Materials	289
COM/COL Yardage Req.	313

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
With Arms (stacking)										
Round Open Back										
95-6D K		$374	$402	$418	$435	$459	$485	$512	$619	$679
95-6DF	TB133	509	537	553	570	594	620	647	754	814
Flair Open Back										
95-6R		$460	$488	$504	$521	$545	$571	$598	$705	$765
95-6RF	TB133	594	622	638	655	679	705	732	839	899
Without Arms (stacking)										
Round Open Back										
95-7D K		$354	$382	$398	$415	$439	$465	$492	$599	$659
95-7DF	TB133	487	515	531	548	572	598	625	732	792
Flair Open Back										
95-7R		$428	$456	$472	$489	$513	$539	$566	$673	$733
95-7RF	TB133	561	589	605	622	646	672	699	806	866

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

Frame:
⑥ Paint price group:
STD = Non-metallic paint
STDM = Metallic paint (+10% to grade 1 price)
⑦ Paint designator:
462 = Cinder
501 = Platinum Metallic
⑧ Casters:
C3 = Hard casters
C4 = Soft casters (+$24)

➤See page 114 for illustrations of back styles.

Vinyl upholstery may result in gathers and puckers.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

K = Kwik Office model available.

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18
† GSA SIN 711-19

Overview ➤See page 114
Kimball Office Pricing 115
Finishes & Materials 289
COM/COL Yardage Req. 313

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
95-1D †	$342	$360	$376	$389	$407	$425	$438	$457	$476
	493	522	581	617	622	631	640	649	689
95-1R †	398	416	432	445	463	481	494	513	532
	549	578	637	673	678	687	696	705	745
95-2D †	364	382	398	411	429	447	460	479	498
	515	544	603	639	644	653	662	671	711
95-2R †	429	447	463	476	494	512	525	544	563
	580	609	668	704	709	718	727	736	776
95-3D	458	476	492	505	523	541	554	573	592
	609	638	697	733	738	747	756	765	805
95-3R	458	476	492	505	523	541	554	573	592
	609	638	697	733	738	747	756	765	805
95-4D	490	508	524	537	555	573	586	605	624
	641	670	729	765	770	779	788	797	837
95-4R	490	508	524	537	555	573	586	605	624
	641	670	729	765	770	779	788	797	837
95-5D	603	621	637	650	668	686	699	718	737
	754	783	842	878	883	892	901	910	950
95-5R	603	621	637	650	668	686	699	718	737
	754	783	842	878	883	892	901	910	950
95-6D †	415	433	449	462	480	498	511	530	549
	566	595	654	690	695	704	713	722	762
95-6R †	501	519	535	548	566	584	597	616	635
	652	681	740	776	781	790	799	808	848
95-7D †	395	413	429	442	460	478	491	510	529
	546	575	634	670	675	684	693	702	742
95-7R †	469	487	503	516	534	552	565	584	603
	620	649	708	744	749	758	767	776	816
95-9D	1046	1078	1106	1130	1162	1194	1216	1250	1284
	1314	1366	1469	1535	1542	1560	1576	1592	1663
95-9R	1046	1078	1106	1130	1162	1194	1216	1250	1284
	1314	1366	1469	1535	1542	1560	1576	1592	1663

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Vinyl upholstery may result in gathers and puckers.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Seat:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Frame:
⑥ Paint price group:
STD = Non-metallic paint
STDM = Metallic paint (+10% to grade 1 price)
⑦ Paint designator:
462 = Cinder
501 = Platinum Metallic
⑧ Glides (omit for sled-base and mobile models):
STD = Nylon ball glides
C8 = Flat glides (+$18)
⑨ Casters (omit for 4-leg and sled-base models):
C3 = Hard casters
C4 = Soft casters (+$24)

Notes

Flip seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Nesting Chair with Glides

➤See page 123 to specify.

Height	35"
Width	24"
Depth	23"
Arm height	27"
Seat height	19"
Seat width	20"
Seat depth	18"
Nested depth	6"

Nesting Chair with Casters

➤See page 123 to specify.

Height	35"
Width	24"
Depth	23"
Arm height	27"
Seat height	19"
Seat width	20"
Seat depth	18"
Nested depth	6"

Tablet Top

➤See page 123 to specify.

Height	3"
Width	13"
Depth	13"
Installed height	27"

Ganging Brackets

➤See page 123 to specify.

Nesting Chairs

Statement of Line ➤See page 121
Finishes & Materials 289
COM/COL Yardage Req. 313

Polyester mesh back is available in Cinder

Frame is available in Cinder or Chrome finish.

Glides are black plastic.



Laminate tablet tops are available separately. Tops are attached to right arm only as seated. Chairs can be nested when tablet top is installed. Available in off-white laminate only.

Seat cushion is available in Kimball Office fabrics, alliance program fabrics or COM. Fabric is upholstered over molded foam.

Casters are black plastic.



Arms are standard with a polyurethane insert.

Seat cushion is available in Kimball Office fabrics, alliance program fabrics or COM. Fabric is upholstered over molded foam.

Details

Flip seating meets all applicable BIFMA/ANSI standards.

Flip seating meets TB117 requirements; TB133 models are not available.

Flip chairs are sold as singles or in sets of 2 or sets of 4.

Flip chairs may be ganged together. Ganging brackets are specified separately and are shipped in sets of 10. Brackets attach to front and back legs on adjacent chairs; two brackets are required between each chair in the run.



Seats flip up to allow chairs to nest together for storage.

Nesting Chairs

Pricing

with Kimball Office Upholstery

GSA Contract Pending

Actual Dimensions ➤See page 121
Overview 122
Alliance Program Pricing 124
COM/COL Yardage Req. 313

Model	Frame	Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Nesting Chairs with Glides										
Single										
K76BMUG1	Black	$566	$608	$635	$661	$699	$740	$780	$947	$1041
K76CMUG1	Chrome	604	646	673	699	737	778	818	985	1079
Set of Two										
K76BMUG2	Black	$1052	$1136	$1189	$1242	$1318	$1399	$1480	$1814	$2001
K76CMUG2	Chrome	1127	1211	1264	1317	1393	1474	1555	1889	2076
Set of Four										
K76BMUG4	Black	$1984	$2152	$2258	$2365	$2516	$2678	$2841	$3507	$3882
K76CMUG4	Chrome	2134	2302	2408	2515	2666	2828	2991	3657	4032
Nesting Chairs with Casters										
Single										
K76BMUC1	Black	$591	$633	$660	$686	$724	$765	$805	$972	$1066
K76CMUC1	Chrome	629	671	698	724	762	803	843	1010	1104
Set of Two										
K76BMUC2	Black	$1077	$1161	$1214	$1267	$1343	$1424	$1505	$1839	$2026
K76CMUC2	Chrome	1152	1236	1289	1342	1418	1499	1580	1914	2101
Set of Four										
K76BMUC4	Black	$2009	$2177	$2283	$2390	$2541	$2703	$2866	$3532	$3907
K76CMUC4	Chrome	2159	2327	2433	2540	2691	2853	3016	3682	4057

Sets of two or four will be identical and shipped in the same carton.

Related Products:

Model	Price
Tablet Top	
K76TT	$95
Ganging Brackets (10 brackets)	
K76GB	$50

Tablet top includes aluminum mounting hardware.

Ganging brackets are sold in sets of 10; two brackets required per chair connection.

TB133

Fire code treatment is not available on Flip chairs.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number

Lounge Seating

Pricing

with Alliance Program Upholstery

GSA Contract Pending

Actual Dimensions ➤See page 121
Overview 122
COM/COL Yardage Req. 313

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K76BMUC1	$654	$682	$707	$728	$756	$784	$804	$833	$863
	889	934	1025	1082	1089	1105	1119	1133	1194
K76BMUC2	1203	1259	1309	1351	1407	1463	1503	1561	1620
	1673	1763	1945	2060	2074	2105	2133	2161	2284
K76BMUC4	2261	2373	2474	2558	2670	2782	2860	2978	3095
	3202	3381	3745	3975	4003	4064	4120	4176	4423
K76BMUG1	629	657	682	703	731	759	779	808	838
	864	909	1000	1057	1064	1080	1094	1108	1169
K76BMUG2	1178	1234	1284	1326	1382	1438	1478	1536	1595
	1648	1738	1920	2035	2049	2080	2108	2136	2259
K76BMUG4	2236	2348	2449	2533	2645	2757	2835	2953	3070
	3177	3356	3720	3950	3978	4039	4095	4151	4398
K76CMUC1	692	720	745	766	794	822	842	871	901
	927	972	1063	1120	1127	1143	1157	1171	1232
K76CMUC2	1278	1334	1384	1426	1482	1538	1578	1636	1695
	1748	1838	2020	2135	2149	2180	2208	2236	2359
K76CMUC4	2411	2523	2624	2708	2820	2932	3010	3128	3245
	3352	3531	3895	4125	4153	4214	4270	4326	4573
K76CMUG1	667	695	720	741	769	797	817	846	876
	902	947	1038	1095	1102	1105	1132	1146	1207
K76CMUG2	1253	1309	1359	1401	1457	1513	1553	1611	1670
	1723	1813	1995	2110	2124	2155	2183	2211	2334
K76CMUG4	2386	2498	2599	2683	2795	2907	2985	3103	3220
	3327	3506	3870	4100	4128	4189	4245	4301	4548

TB133

Fire code treatment is not available on Flip chairs.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

FLIP® Armless Nesting Chairs with Black Frame - Mobile

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76BMUC1XA	FLIP,Nest,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,ARML,QTY1	571	614	642	669	708	750	792	964	1061
K76BMUC1XAF	FLIP,Nest,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,ARML,QTY1 FIRE	646	689	717	744	783	825	867	1039	1136
K76BMUC2XA	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,ARML,QTY2	1037	1124	1180	1233	1311	1395	1479	1824	2017
K76BMUC2XAF	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,ARML,QTY2 FIRE	1187	1274	1330	1383	1461	1545	1629	1974	2167
K76BMUC4XA	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,ARML,QTY4	1929	2103	2215	2321	2478	2646	2814	3503	3889
K76BMUC4XAF	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,ARML,QTY4 FIRE	2229	2403	2515	2621	2778	2946	3114	3803	4189

FLIP® Armless Nesting Chairs with Chrome Frame - Mobile

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76CMUC1XA	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,ARML,QTY1	609	652	680	707	746	788	830	1002	1099
K76CMUC1XAF	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,ARML,QTY1 FIRE	684	727	755	782	821	863	905	1077	1174
K76CMUC2XA	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,ARML,QTY2	1112	1199	1255	1308	1386	1470	1554	1899	2092
K76CMUC2XAF	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,ARML,QTY2 FIRE	1262	1349	1405	1458	1536	1620	1704	2049	2242
K76CMUC4XA	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,ARML,QTY4	2079	2253	2365	2471	2628	2796	2964	3653	4039
K76CMUC4XAF	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,ARML,QTY4 FIRE	2379	2553	2665	2771	2928	3096	3264	3953	4339

FLIP® Armless Nesting Chairs with Black Frame - Static

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76BMUG1XA	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,STTC,ARML,QTY1	546	589	617	644	683	725	767	939	1036
K76BMUG1XAF	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,STTC,ARML,QTY1 FIRE	621	664	692	719	758	800	842	1014	1111
K76BMUG2XA	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,STTC,ARML,QTY2	1012	1099	1155	1208	1286	1370	1454	1799	1992
K76BMUG2XAF	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,STTC,ARML,QTY2 FIRE	1162	1249	1305	1358	1436	1520	1604	1949	2142
K76BMUG4XA	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,STTC,ARML,QTY4	1904	2078	2190	2296	2453	2621	2789	3478	3864
K76BMUG4XAF	FLIP,NEST,UPHOLSTERED SEAT,BLACK FRAME,STTC,ARML,QTY4 FIRE	2204	2378	2490	2596	2753	2921	3089	3778	4164

FLIP® Armless Nesting Chairs with Chrome Frame - Static

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76CMUG1XA	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,STTC,ARML,QTY1	584	627	655	682	721	763	805	977	1074
K76CMUG1XAF	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,STTC,ARML,QTY1 FIRE	659	702	730	757	796	838	880	1052	1149
K76CMUG2XA	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,STTC,ARML,QTY2	1087	1174	1230	1283	1361	1445	1529	1874	2067
K76CMUG2XAF	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,STTC,ARML,QTY2 FIRE	1237	1324	1380	1433	1511	1595	1679	2024	2217
K76CMUG4XA	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,STTC,ARML,QTY4	2054	2228	2340	2446	2603	2771	2939	3628	4014
K76CMUG4XAF	FLIP,NEST,UPHOLSTERED SEAT,CHROME FRAME,STTC,ARML,QTY4 FIRE	2354	2528	2640	2746	2903	3071	3239	3928	4314

FLIP® Nesting Chairs with Black Frame - Mobile

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76BMUG1F	FLIP,NESTING,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,QTY 1 FIRE	641	684	712	739	778	820	862	1034	1131
K76BMUC2F	FLIP,NESTING,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,QTY 2 FIRE	1227	1314	1370	1423	1501	1585	1669	2014	2207
K76BMUC4F	FLIP,NESTING,UPHOLSTERED SEAT,BLACK FRAME,MOBLE,QTY 4 FIRE	2309	2483	2595	2701	2858	3026	3194	3883	4269

POLY™ Stackable Side Chairs

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K95BRCH	POLY,BOOKRACK,CHROME,SET OF 5	670	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
K95M	POLY,STACKING,MESH	411	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
K95P	POLY,STACKING,PLASTIC	322	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

VILLA™ Tall-Back Lounges with Kimball Office Upholstery

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K602TBFS1LWS	VILLA,2 SEAT,TALL BACK,FLOATING SURFACE,KNIFE RIM,LAMINATE	3191	3358	3466	3569	3720	3882	4044	3781	3926
K602TBFS1WS	VILLA,2 SEAT,TALL BACK,FLOATING SURFACE,KNIFE RIM,WOOD	3291	3458	3566	3669	3820	3982	4144	3881	4026
K602TB	VILLA,TWO SEAT,TALL BACK	2262	2429	2537	2640	2791	2953	3115	2852	2997

ABBOTT™ Side Chairs with Kimball Office Upholstery

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K52S1AUFBU	ABBOTT,1 SEAT,ARMS,UPH FULL BACK/SEAT	845	895	927	957	1002	1050	1098	1295	1405
K52S1AUWTRU	ABBOTT,1 SEAT,ARMS,WD RL,UPH BACK/SEAT	980	1024	1052	1078	1117	1159	1201	1374	1470
K52S1AWHBU	ABBOTT,1 SEAT,ARMS,WD HALF BACK,UPH SEAT	799	827	845	862	887	914	941	1052	1114

TUCKER™ Side and Tandem Seating with Kimball Office Upholstery

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K53S1AUCOU	TUCKER,SIDE,1 ST,ARMS,UPH BK,CO,UPH SEAT	799	849	881	911	956	1004	1052	1249	1359
K53T2AUCOU	TUCKER,TANDEM,2 ST,ARMS,UPH BK,CO,UPH ST	1600	1696	1758	1817	1904	1997	2090	2471	2685
K53T3AUCOU	TUCKER,TANDEM,3 ST,ARMS,UPH BK,CO,UPH ST	2400	2540	2630	2715	2841	2976	3111	3665	3975

NASH™ Side Chairs with Kimball Office Upholstery

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K54GC	NASH GUEST CLUB	1315	1386	1432	1476	1541	1610	1679	1961	2120
K54GCF	NASH GUEST CLUB FIRE	1440	1511	1557	1601	1666	1735	1804	2086	2245

WISH™ Sit-to-Stand Seating Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Price
K20TMAM2DSTSF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,2D ARM,STS,FIRE	1424
K20TMAM4DSTSF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,4D ARM,SIT TO STAND,F	1496
K20TMAMCA8STSF	WISH TSK,MESH BK,ALUM WB,MESH SEAT,C ARM W/PU ARM CAP,STS,F	1496
K20TMAMCASTSF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,C ARM,SIT TO STAND,F	1460
K20TMAMHASTSF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,HGT ADJ ARM,STS,FIRE	1352
K20TMAMXASTSF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,ARMLESS,STS,FIRE	1280

WISH™ Sit-to-Stand Seating Mesh Back | Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K20TMAU2DSTSF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,2D ARM,SIT TO STAND,F	1424	1450	1466	1483	1507	1532	1557	1661	1719
K20TMAU4DSTSF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,4D ARM,SIT TO STAND,F	1496	1522	1538	1555	1579	1604	1629	1733	1791
K20TMAUCASTSF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,C ARM,SIT TO STAND,FIRE	1460	1486	1502	1519	1543	1568	1593	1697	1755
K20TMAUHASTSF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,HGT ADJ ARM,STS,FIRE	1352	1378	1394	1411	1435	1460	1485	1589	1647
K20TMAUCA8STSF	WISH TASK,MESH BK,ALUM WB,UPH SEAT,C ARM W/PU ARM CAP,STS,F	1496	1522	1538	1555	1579	1604	1629	1733	1791

Options:

Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$54)
LUM = Adjustable lumbar (+$54)

Lumbar support:
X = None
462 = Cinder
497 = Polished aluminum (+$80)

Control finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$69)

Base finish:
497 = Polished aluminum (+$80)
C40 = Hard 65mm

Casters:
C41 = Soft 65mm (+$25)

WISH™ High-Performance Task Chairs Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Price
K20TMAM2DF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,2D ARM,FIRE	1199
K20TMAM4DF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,4D ARM,FIRE	1424
K20TMAMXAF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,ARMLESS,FIRE	1055
K20TMAMCA8F	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,C ARM W/PU ARM CAP,F	1271
K20TMAMCAF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,C ARM,FIRE	1235
K20TMAMHAF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,HGT ADJ ARM,FIRE	1127

WISH™ High-Performance Task Chairs Mesh Back | Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K20TMAU2DF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,2D ARM,FIRE	1199	1225	1241	1258	1282	1307	1332	1436	1494
K20TMAUXAF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,ARMLESS,FIRE	1055	1081	1097	1114	1138	1163	1188	1292	1350
K20TMAUXASTSF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,ARMLESS,STS,FIRE	1280	1306	1322	1339	1363	1388	1413	1517	1575
K20TMAUCA8F	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,C ARM W/PU ARM CAP,FIRE	1271	1297	1313	1330	1354	1379	1404	1508	1566
K20TMAUCAF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,C ARM,FIRE	1235	1261	1277	1294	1318	1343	1368	1472	1530
K20TMAUHAF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,HGT ADJ ARM,FIRE	1127	1153	1169	1186	1210	1235	1260	1364	1422

Options:

Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$54)
LUM = Adjustable lumbar (+$54)

Lumbar support: X = None
462 = Cinder

Control finish: 497 = Polished aluminum (+$80)
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$69)

Base finish: 497 = Polished aluminum (+$80)
C40 = Hard 65mm

Casters: C41 = Soft 65mm (+$25)

WISH™ Low-Height High-Performance Task Chairs Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Price
K20TMAMXALHF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,ARMLESS,LOW HGT,FIRE	1087
K20TMAMCALHF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,C ARM,LOW HGT,FIRE	1267
K20TMAMHALHF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,HGT ADJ ARM,LOW HGT,F	1159
K20TMAMCA8LHF	WISH TSK,MESH BK,ALM WB,MESH ST,C ARM W/PU ARM CAP,LOW HGT,F	1303
K20TMAM2DLHF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,2D ARM,LOW HGT,FIRE	1231
K20TMAM4DLHF	WISH TASK,MESH BACK,ALUM WB,MESH SEAT,4D ARM,LOW HGT,FIRE	1303

WISH™ Low-Height High-Performance Task Chairs Mesh Back | Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K20TMAU2DLHF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,2D ARM,LOW HGT,FIRE	1231	1257	1273	1290	1314	1339	1364	1468	1526
K20TMAU4DLHF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,4D ARM,LOW HGT,FIRE	1303	1329	1345	1362	1386	1411	1436	1540	1598
K20TMAUXALHF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,ARMLESS,LOW HGT,FIRE	1087	1113	1129	1146	1170	1195	1220	1324	1382
K20TMAUCALHF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,C ARM,LOW HGT,FIRE	1267	1293	1309	1326	1350	1375	1400	1504	1562
K20TMAUHALHF	WISH TASK,MESH BACK,ALUM WB,UPH SEAT,HGT ADJ ARM,LOW HGT,F	1159	1185	1201	1218	1242	1267	1292	1396	1454
K20TMAUCA8LHF	WISH TSK,MESH BK,ALUM WB,UPH ST,C ARM W/PU ARM CAP,LOW HGT,F	1303	1329	1345	1362	1386	1411	1436	1540	1598

Options:

Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$54)
LUM = Adjustable lumbar (+$54)

Lumbar support:
X = None
462 = Cinder

Control finish:
497 = Polished aluminum (+$80)
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$69)

Base finish:
497 = Polished aluminum (+$80)
C40 = Hard 65mm

Casters:
C41 = Soft 65mm (+$25)

WISH™ Stools Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Price
K20SMAM2DF	WISH STOOL,MESH BACK,ALUM WB,MESH SEAT,2D ARM,FIRE	1424
K20SMAM4DF	WISH STOOL,MESH BACK,ALUM WB,MESH SEAT,4D ARM,FIRE	1496
K20SMAMXAF	WISH STOOL,MESH BACK,ALUM WB,MESH SEAT,ARMLESS,FIRE	1280
K20SMAMCA8F	WISH STOOL,MESH BACK,ALUM WB,MESH SEAT,C ARM W/PU ARM	1496
K20SMAMCAF	WISH STOOL,MESH BACK,ALUM WB,MESH SEAT,C ARM,FIRE	1460
K20SMAMHAF	WISH STOOL,MESH BACK,ALUM WB,MESH SEAT,HGT ADJ ARM,FI	1352

Options:

Arm upright finish (include for 2D or 4D models only):	462 = Cinder 497 = Polished aluminum (+$54) LUM = Adjustable lumbar (+$54)
Lumbar support:	X = None 462 = Cinder
Control finish:	497 = Polished aluminum (+$80) 462 = Cinder on plastic base 501 = Platinum metallic on aluminum base (+$69)
Base finish:	497 = Polished aluminum (+$80) C40 = Hard 65mm
Casters:	C41 = Soft 65mm (+$25)

WISH™ Stools Mesh Back | Upholstered Seat | Aluminum Wishbone

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K20SMAU2DF	WISH STOOL,MESH BACK,ALUM WB,UPH SEAT,2D ARM,FIRE	1424	1450	1466	1483	1507	1532	1557	1661	1719
K20SMAU4DF	WISH STOOL,MESH BACK,ALUM WB,UPH SEAT,4D ARM,FIRE	1496	1522	1538	1555	1579	1604	1629	1733	1791
K20SMAUXAF	WISH STOOL,MESH BACK,ALUM WB,UPH SEAT,ARMLESS,FIRE	1280	1306	1322	1339	1363	1388	1413	1517	1575
K20SMAUCA8F	WISH STOOL,MESH BACK,ALUM WB,UPH SEAT,C ARM W/PU ARM (	1496	1522	1538	1555	1579	1604	1629	1733	1791
K20SMAUCAF	WISH STOOL,MESH BACK,ALUM WB,UPH SEAT,C ARM,FIRE	1460	1486	1502	1519	1543	1568	1593	1697	1755
K20SMAUHAF	WISH STOOL,MESH BACK,ALUM WB,UPH SEAT,HGT ADJ ARM,FIRI	1352	1378	1394	1411	1435	1460	1485	1589	1647

Options:

Arm upright finish (include for 2D or 4D models only):	462 = Cinder 497 = Polished aluminum (+$54) LUM = Adjustable lumbar (+$54)
Lumbar support:	X = None 462 = Cinder
Control finish:	497 = Polished aluminum (+$80) 462 = Cinder on plastic base 501 = Platinum metallic on aluminum base (+$69)
Base finish:	497 = Polished aluminum (+$80) C40 = Hard 65mm
Casters:	C41 = Soft 65mm (+$25)

FLIP® Nesting Chairs with Chrome Frame - Mobile

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76CMUC1F	FLIP,NESTING,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,QTY 1 FIRE	704	747	775	802	841	883	925	1097	1194
K76CMUC2F	FLIP,NESTING,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,QTY 2 FIRE	1302	1389	1445	1498	1576	1660	1744	2089	2282
K76CMUC4F	FLIP,NESTING,UPHOLSTERED SEAT,CHROME FRAME,MOBLE,QTY 4 FIRE	2459	2633	2745	2851	3008	3176	3344	4033	4419

FLIP® Nesting Chairs with Black Frame - Static

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76BMUG1F	FLIP,NESTING,UPHOLSTERED SEAT,BLACK FRAME,STTC,QTY 1 FIRE	641	684	712	739	778	820	862	1034	1131
K76BMUG2F	FLIP,NESTING,UPHOLSTERED SEAT,BLACK FRAME,STTC,QTY 2 FIRE	1202	1289	1345	1398	1476	1560	1644	1989	2182
K76BMUG4F	FLIP,NESTING,UPHOLSTERED SEAT,BLACK FRAME,STTC,QTY 4 FIRE	2284	2458	2570	2676	2833	3001	3169	3858	4244

FLIP® Nesting Chairs with Chrome Frame - Static

Model Number	Model Description	Grade 1 or COM	Grade 2	Grade 3 or COL	Grade 4	Grade 5	Grade 6	Grade 7	Grade L7	Grade L8
K76CMUG1F	FLIP,NESTING,UPHOLSTERED SEAT,CHROME FRAME,STTC,QTY 1 FIRE	679	722	750	777	816	858	900	1072	1169
K76CMUG2F	FLIP,NESTING,UPHOLSTERED SEAT,CHROME FRAME,STTC,QTY 2 FIRE	1277	1364	1420	1473	1551	1635	1719	2064	2257
K76CMUG4F	FLIP,NESTING,UPHOLSTERED SEAT,CHROME FRAME,STTC,QTY 4 FIRE	2434	2608	2720	2826	2983	3151	3319	4008	4394
K76BMUC1XA	GAS CYL 50MM BK	571	614	642	669	708	750	792	964	1061

Independence seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Suffolk Desk Chairs

➤See page 126 for product overview.
➤See page 127 to specify.

Height	37"–39¾"
Width	26"
Depth	28"
Arm height	26¼"–29"
Seat height	16"–18¾"
Seat width	19"
Seat depth	19"

Suffolk Mid-Back Side Chairs

➤See page 126 for product overview.
➤See page 127 to specify.

Height	37"
Width	26¾"
Depth	27"
Arm height	26"
Seat height	19½"
Seat width	20¾"
Seat depth	19½"

Suffolk Open-Back Side Chairs

➤See page 126 for product overview.
➤See page 127 to specify.

Height	30½"
Width	25¾"
Depth	22¾"
Arm height	26"
Seat height	18½"
Seat width	18½"
Seat depth	18"

Springfield Desk Chairs

Available with or without button tufting.

➤See page 128 for product overview.
➤See page 129 to specify.

Height	37¼"–41¼"
Width	24½"
Depth	27½"
Arm height	25¾"–29½"
Seat height	18¼"–21½"
Seat width	18½"
Seat depth	18¼"



Springfield Side Chairs

Available with or without button tufting.

➤See page 128 for product overview.
➤See page 129 to specify.

Height	37¾"
Width	23½"
Depth	27½"
Arm height	26¼"
Seat height	18½"
Seat width	18½"
Seat depth	18¼"

Newcastle Desk Chairs

➤See page 130 for product overview.
➤See page 131 to specify.

Height	32½"–35¾"
Width	26¼"
Depth	27"
Arm height	25"–28½"
Seat height	19½"–22¾"
Seat width	19½"
Seat depth	18¾"



Newcastle Desk Chairs

➤See page 130 for product overview.
➤See page 131 to specify.

Height	33"
Width	26¼"
Depth	25½"
Arm height	24¾"
Seat height	19¼"
Seat width	19½"
Seat depth	18¾"

Richland Side Chairs

Available with and without arms.

➤See page 132 for product overview.
➤See page 133 to specify.

	With arms	*Armless*
Height	39¾"	39¾"
Width	23¼"	20¼"
Depth	22½"	22½"
Arm height	25¾"	—
Seat height	19⅜"	19⅜"
Seat width	18½"	18⅝"
Seat depth	17½"	17½"



Hillsborough Side Chair

➤See page 134 for product overview.
➤See page 135 to specify.

Height	42¾"
Width	31½"
Depth	32"
Arm height	26"
Seat height	19"
Seat width	19¼"
Seat depth	19¾"



Hillsborough Lounge Seating

Available in 2-seat and 3-seat models.

➤See page 134 for product overview.
➤See page 135 to specify.

	2-seat	*3-seat*
Height	35"	36½"
Width	64"	88"
Depth	32"	32"
Arm height	28½"	28½"
Seat height	18"	18"
Seat width	42"	68"
Seat depth	21"	21"

SUFFOLK™ Desk and Side Chairs

Overview

Statement of Line ➤See page 125
Finishes & Materials 289
COM/COL Yardage Req. 312

Frame is kiln-dried hackberry.

Brass trim nails, standard on all models, are individually driven head to head around the bottom edge of the upholstered arm caps.

Antique English hooded ball casters are standard on desk chair with casters.



Arm caps are upholstered.

Cushions are high-resiliency, CFC-free polyurethane foam.

5-prong base has a rigid steel understructure and hardwood caps with radius ends.

Details

Mid-Back Desk Chair

Mid-Back Side Chair

Open Back Side Chair

Three models are available: mid-back desk, mid-back side, and a complementary open-back side chair.

Joints are double doweled and securely glued to ensure maximum strength. Tie screws are added for strength. Seat is reinforced with corner blocks and four screws.

Side-to-side rails on desk chair provide strength and a secure place to mount the swivel tilt mechanism.

Seat suspension is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails.

3" thick seat cushion is applied to the flexible webbing suspension.

1½" thick back cushion is bonded to the hardwood back panel.

Upholstery is wrapped over the cushions and secured with upholstery staples.

Swivel tilt mechanism on desk chair is attached with T-nuts and machine screws.

Nickel-plated glides on side chairs are ⅞" in diameter.

Adjustability Features

Desk Chair	
Swivel tilt	•
Pneumatic height	•

• = standard

Swivel tilt control allows reclining while keeping the back-to-seat angle constant. It features a heavy-duty adjustable torsion spring.

Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated. Up or down movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

SUFFOLK™ Desk and Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125
Overview 126
Alliance Program Pricing 136
COM/COL Yardage Req. 313

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Mid-Back Desk Chair										
82		$1224	$1290	$1332	$1374	$1433	$1497	$1561	$1822	$1970
82F	TB133	1463	1529	1571	1613	1672	1736	1800	2061	2209
Mid-Back Side Chair										
84		$901	$967	$1009	$1051	$1110	$1174	$1238	$1499	$1647
84F	TB133	1139	1205	1247	1289	1348	1412	1476	1737	1885
Open Back Side Chair										
81		$854	$893	$918	$942	$978	$1015	$1053	$1208	$1295
81F	TB133	994	1033	1058	1082	1118	1155	1193	1348	1435

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Base (omit for side chairs):
B11 = 5-prong base, wood base caps with radius ends
⑦ Casters (omit for side chairs):
C44 = Antique English hooded ball casters for desk chair (set of 5)

SPRINGFIELD™ Desk and Side Chairs

Overview

Statement of Line ➤See page 125
Finishes & Materials 289
COM/COL Yardage Req. 313

Frame is kiln-dried maple hardwoods.

Brass trim nails, if selected, are individually driven head to head around the bottom edge of seat and around back.

Antique English hooded ball casters are standard on desk chairs.



Arms are maple hardwoods.

Cushions are high-resiliency, CFC-free polyurethane foam.

5-prong base has a rigid steel understructure and curved hardwood caps.

Details

Desk chair (plain upholstery)

Side chair

Desk chair (button-tufted upholstery)

Side chair

Button tufting features hand-pleated diamond tufts on seat and inside back. Metal-prong button unit is pulled through the cover and foam, then inserted through a paperboard washer and a self-locking steel spring retainer and clinched.

Springfield desk chairs are suitable for pull-up use in conference settings.

Joints are double doweled and securely glued to ensure maximum strength. Tie screws are added for strength. Seat is reinforced with corner blocks secured with four screws.

Side-to-side rails on desk chair provide strength and a secure place to mount the swivel tilt mechanism.

Seat suspension is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails.

Seat cushion is dual density foam applied to the flexible webbing suspension.

Back suspension is constructed of four weaves of heavy webbing secured to the frame with staples. A lighter weight webbing is then applied over the four-weave strips. Foam is applied to the suspension.

Upholstery is wrapped over the cushions and secured with upholstery staples.

Swivel tilt mechanism on desk chair is attached with T-nuts and machine screws.

Nickel-plated glides on side chairs are 7/8" in diameter.

Adjustability Features

Desk Chair	
Swivel tilt	•
Pneumatic height	•

• = standard

Swivel tilt control allows reclining while keeping the back-to-seat angle constant. It features a heavy-duty adjustable torsion spring.

Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated. Up or down movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

SPRINGFIELD™ Desk and Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125
Overview 128
Alliance Program Pricing 136
COM/COL Yardage Req. 313

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
High-Back Desk Chairs										
Plain Upholstery										
972		$1644	$1707	$1747	$1787	$1844	$1904	$1965	$2215	$2356
972F	TB133	1871	1934	1974	2014	2071	2131	2192	2442	2583
Plain Upholstery with Trim Nails										
972N		$1696	$1759	$1799	$1839	$1896	$1956	$2017	$2267	$2408
972NF	TB133	1919	1982	2022	2062	2119	2179	2240	2490	2631
Button Tufted										
972T		$1837	$1903	$1945	$1987	$2046	$2110	$2174	$2435	$2583
972TF	TB133	2074	2140	2182	2224	2283	2347	2411	2672	2820
Button Tufted with Trim Nails										
972TN		$1886	$1952	$1994	$2036	$2095	$2159	$2223	$2484	$2632
972TNF	TB133	2123	2189	2231	2273	2332	2396	2460	2721	2869
Side Chairs										
Plain Upholstery										
974		$1405	$1468	$1508	$1548	$1605	$1665	$1726	$1976	$2117
974F	TB133	1631	1694	1734	1774	1831	1891	1952	2202	2343
Plain Upholstery with Trim Nails										
974N		$1450	$1513	$1553	$1593	$1650	$1710	$1771	$2021	$2162
974NF	TB133	1676	1739	1779	1819	1876	1936	1997	2247	2388
Button Tufted										
974T		$1565	$1631	$1673	$1715	$1774	$1838	$1902	$2163	$2311
974TF	TB133	1803	1869	1911	1953	2012	2076	2140	2401	2549
Button Tufted with Trim Nails										
974TN		$1611	$1677	$1719	$1761	$1820	$1884	$1948	$2209	$2357
974TNF	TB133	1849	1915	1957	1999	2058	2122	2186	2447	2595

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Base (omit for side chairs):
B11 = 5-prong base, wood base caps with radius ends
⑦ Casters (omit for side chairs):
C44 = Antique English hooded ball casters for desk chair (set of 5)

NEWCASTLE™ Desk and Side Chairs

Overview

Statement of Line ➤See page 125
Finishes & Materials 289
COM/COL Yardage Req. 313

Frame is kiln-dried maple hardwoods.



Front of arms are maple hardwoods with detailing to match the wood base caps.

Cushions are dual-density, high resiliency, CFC-free polyurethane foam.

5-prong base has a rigid steel understructure and hardwood caps with square ends.

Antique English hooded ball casters are standard on desk chairs.

Details

Desk Chair

Side Chair

Two models are available: desk chair and side chair.

Joints are double doweled and securely glued to ensure maximum strength. Tie screws are added for strength. Seat is reinforced with corner blocks secured with four screws.

Side-to-side rails on desk chair provide strength and a secure place to mount the swivel tilt mechanism.

Seat suspension is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails.

Newcastle desk chairs are suitable for pull-up use in conference settings.

Seat cushion is applied to the flexible webbing suspension.

Back is constructed of vertical and horizontal strips of heavy webbing secured to the frame with staples. Foam is applied to the webbing.

Upholstery is wrapped over the cushions and secured with upholstery staples.

Swivel tilt mechanism on desk chair is attached with machine screws and T-nuts.

Nylon glides on side chairs are 7/8" in diameter.

Adjustability Features

Desk Chair	
Swivel tilt	•
Pneumatic height	•

• = standard

Swivel tilt control allows reclining while keeping the back-to-seat angle constant. It features a heavy-duty adjustable torsion spring.

Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated. Up or down movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

NEWCASTLE™ Desk and Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125
Overview 130
Alliance Program Pricing 136
COM/COL Yardage Req. 313



Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Desk Chair										
942		$1530	$1608	$1657	$1707	$1777	$1852	$1928	$2237	$2411
942F	TB133	1811	1889	1938	1988	2058	2133	2209	2518	2692
Side Chair										
944		$1226	$1304	$1353	$1403	$1473	$1548	$1624	$1933	$2107
944F	TB133	1506	1584	1633	1683	1753	1828	1904	2213	2387

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Base (omit for side chairs):
B76 = 5-prong base, wood base caps with square ends
⑦ Casters (omit for side chairs):
C44 = Antique English hooded ball casters (set of 5)

RICHLAND™ Side Chairs

Overview

Statement of Line ➤See page 125
Finishes & Materials 289
COM/COL Yardage Req. 313

Frame is kiln-dried maple hardwoods.

Chippendale splat back features either a fluted or rounded design.



Legs are reinforced with stretchers and rails for added durability.

Cushions are dual-density, high resiliency, CFC-free polyurethane foam.

Nylon glides are 7/8" in diameter.

Details

With arms Without arms

Fluted Chippendale splat-back models are available with or without arms.

With arms Without arms

Round Chippendale splat-back models are available with or without arms.

Joints are double doweled and securely glued to ensure maximum strength. Seat is reinforced with corner blocks secured with eight screws. Leg-to-side rail joint is secured with 1/4"-20 bolt and barrel nut.

Seat suspension is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails.

Seat cushion is applied to the flexible webbing suspension.

Upholstery is wrapped over the cushion and secured with upholstery staples.

RICHLAND™ Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125
Overview 132
Alliance Program Pricing 137
COM/COL Yardage Req. 313



Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Fluted Chippendale Splat Back										
With Arms										
995		$1078	$1099	$1112	$1126	$1145	$1165	$1185	$1268	$1315
995F	TB133	1155	1176	1189	1203	1222	1242	1262	1345	1392
Armless										
997		$919	$940	$953	$967	$986	$1006	$1026	$1109	$1156
997F	TB133	993	1014	1027	1041	1060	1080	1100	1183	1230
Round Chippendale Splat Back										
With Arms										
996		$1214	$1235	$1248	$1262	$1281	$1301	$1321	$1404	$1451
996F	TB133	1289	1310	1323	1337	1356	1376	1396	1479	1526
Armless										
998		$1051	$1072	$1085	$1099	$1118	$1138	$1158	$1241	$1288
998F	TB133	1127	1148	1161	1175	1194	1214	1234	1317	1364

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

HILLSBOROUGH™ Lounge Seating

Overview

Statement of Line ➤See page 125
Finishes & Materials 289
COM/COL Yardage Req. 313

Frame is kiln-dried maple hardwoods.

Brass trim nails are individually driven head to head around the bottom edge of seat and on the front of rolled arm.



Cushions are high-resiliency, CFC-free polyurethane foam.

Legs are reinforced with stretchers and rails for added durability.

Details

Side Chair

2-Seat Lounge



3-Seat Lounge

Joints are double doweled and securely glued to ensure maximum strength. Tie screws are added for strength. Seat is reinforced with support rails and corner blocks secured with four screws for extreme rigidity and strength.

Seat suspension is constructed with pre-assembled high carbon, high tensile, hand drawn drop-in coil spring units, covered with a high-quality woven webbing. A ¼" insulator pad is applied over the seat suspension. Denim material is upholstered over the pad.

Removable seat cushions have 4¼" of bonded foam on side chair, 4" of bonded foam on 2-seat and 3-seat lounge.

Back suspension is constructed of five 11" gauge sinuous springs that are suspended from the frame by metal clips. Springs are tied together with a strong steel-resistant wrapping.

Back cushion is 3" thick and is supported with a layer of high-quality woven webbing covering the back suspension. Rails are padded with foam for additional cushioning.

Upholstery is wrapped over the cushions and secured with upholstery staples.

Nickel-plated glides are ⅞" in diameter.

Related Products

Accent pillows are available.
➤See page 13.

HILLSBOROUGH™ Lounge Seating

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125
Overview 134
Alliance Program Pricing 138
COM/COL Yardage Req. 313







Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Wing Chair										
956		$1808	$1955	$2048	$2141	$2274	$2416	$2558	$3141	$3469
956F	TB133	2337	2484	2577	2670	2803	2945	3087	3670	3998
Camel-Back 2-Seat Lounge										
957		$2791	$3004	$3139	$3274	$3466	$3671	$3877	$4722	$5198
957F	TB133	3558	3771	3906	4041	4233	4438	4644	5489	5965
Camel-Back 3-Seat Lounge										
958		$3388	$3688	$3878	$4068	$4338	$4628	$4918	$6108	$6778
958F	TB133	4470	4770	4960	5150	5420	5710	6000	7190	7860

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

Faux leather upholstery with TB133 option is not available on Hillsborough wing chairs and lounges.

Desk Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
82	$1323	$1367	$1407	$1440	$1484	$1528	$1558	$1605	$1651
	1693	1763	1906	1996	2007	2031	2053	2075	2172
942	1647	1699	1746	1785	1837	1889	1925	1980	2034
	2084	2167	2336	2443	2456	2484	2510	2536	2651
972	1739	1781	1818	1850	1892	1934	1963	2007	2051
	2091	2159	2295	2381	2392	2415	2436	2457	2549
972N	1791	1833	1870	1902	1944	1986	2015	2059	2103
	2143	2211	2347	2433	2444	2467	2488	2509	2601
972T	1936	1980	2020	2053	2097	2141	2171	2218	2264
	2306	2376	2519	2609	2620	2644	2666	2688	2785
972TN	1985	2029	2069	2102	2146	2190	2220	2267	2313
	2355	2425	2568	2658	2669	2693	2715	2737	2834

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Base:
B11 = Base for Suffolk
B74 = Base for Springfield
B76 = Base for Newcastle
⑦ Casters:
C44 = Antique English hooded ball casters (set of 5)

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
81	$913	$939	$962	$981	$1007	$1033	$1052	$1079	$1106
	1131	1173	1257	1310	1317	1331	1344	1357	1414
84	1000	1044	1084	1117	1161	1205	1235	1282	1328
	1370	1440	1583	1673	1684	1708	1730	1752	1849
944	1343	1395	1442	1481	1533	1585	1621	1676	1730
	1780	1863	2032	2139	2152	2180	2206	2232	2347
974	1500	1542	1579	1611	1653	1695	1724	1768	1812
	1852	1920	2056	2142	2153	2176	2197	2218	2310
974N	1545	1587	1624	1656	1698	1740	1769	1813	1857
	1897	1965	2101	2187	2198	2221	2242	2263	2355
974T	1664	1708	1748	1781	1825	1869	1899	1946	1992
	2034	2104	2247	2337	2348	2372	2394	2416	2513
974TN	1710	1754	1794	1827	1871	1915	1945	1992	2038
	2080	2150	2293	2383	2394	2418	2440	2462	2559
995	1110	1124	1136	1147	1161	1175	1184	1199	1214
	1227	1250	1295	1324	1327	1335	1342	1349	1380
996	1246	1260	1272	1283	1297	1311	1320	1335	1350
	1363	1386	1431	1460	1463	1471	1478	1485	1516
997	951	965	977	988	1002	1016	1025	1040	1055
	1068	1091	1136	1165	1168	1176	1183	1190	1221
998	1083	1097	1109	1120	1134	1148	1157	1172	1187
	1200	1223	1268	1297	1300	1308	1315	1322	1353

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Lounge Seating

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 125

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
956	$2029	$2127	$2215	$2288	$2386	$2484	$2553	$2656	$2759
	2852	3009	3327	3528	3552	3606	3655	3704	3920
957	3111	3253	3380	3487	3629	3771	3870	4019	4168
	4303	4531	4992	5283	5319	5397	5468	5539	5851
958	3838	4038	4218	4368	4568	4768	4908	5118	5328
	5518	5838	6488	6898	6948	7058	7158	7258	7698

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.

➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

INNSBRUCK™ and OSTERLEY PARK™

Statement of Line

Side Chairs

Innsbruck and Osterley Park seating is dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Arched Arms with Upholstered Back

➤See page 141 to specify.

Height	37"
Width	23¼"
Depth	23¼"
Arm height	25¾"
Seat height	18½"
Seat width	21"
Seat depth	18½"

Arched Arms with Veneered Splat Back

➤See page 141 to specify.

Height	37"
Width	23¼"
Depth	23¼"
Arm height	25¾"
Seat height	18½"
Seat width	21"
Seat depth	18½"

Arched Arms with Eyes Splat Back

➤See page 141 to specify.

Height	37"
Width	23¼"
Depth	23¼"
Arm height	25¾"
Seat height	18½"
Seat width	21"
Seat depth	18½"

Scrolled Arms with Upholstered Back

➤See page 141 to specify.

Height	35¾"
Width	23¼"
Depth	22"
Arm height	25¾"
Seat height	18½"
Seat width	21"
Seat depth	18½"

Scrolled Arms with Triple Splat Back

➤See page 141 to specify.

Height	35¾"
Width	23¼"
Depth	22"
Arm height	25¾"
Seat height	18½"
Seat width	21"
Seat depth	18½"

Scrolled Arms with Scroll Splat Back

➤See page 141 to specify.

Height	35¾"
Width	23¼"
Depth	22"
Arm height	25¾"
Seat height	18½"
Seat width	21"
Seat depth	18½"

Side Chairs

Statement of Line ➤See page 139
Finishes & Materials 289
COM/COL Yardage Req. 313

Frame is kiln-dried maple hardwoods.



Detailing on veneered, eyes, and scroll splat back has a contrasting Ebony finish. All three splats on triple splat back model have an Ebony finish.

Cushions are high-resiliency, CFC-free polyurethane foam.

Plastic glides are 5⁄8" in diameter.

Details

Uph. Back

Veneered Splat Back

Eyes Splat Back

Three different arched arm models are available: upholstered back, veneered splat back, and eyes splat back.

Uph. Back

Triple Splat Back

Scroll Splat Back

Three different scrolled arm models are available: upholstered back, triple splat back, and scroll splat back.

Joints are double doweled and securely glued to ensure maximum strength. Wood corner blocks, wood screws, and glue reinforce adjacent seat rails.

Seat rails are faced with vertical, straight-cut veneer for grain uniformity throughout the entire chair.

Seat suspension is constructed of unidirectional webbing that is machine stretched across the open frame and stapled to the side rails.

Back on upholstered back models has a contoured interior frame of 5⁄8" thick dimensioned plywood, covered with a solid webbing. 1" thick foam is applied to the webbing. Frame is attached to the chair with steel pins and wood screws.

Top rail on scrolled arm models is white ash burl veneer.

Center splat on veneered splat back model utilizes white ash burl veneer.

Upholstery is wrapped over the cushion, secured with upholstery staples, and finished with upholstery gimp.

Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 139
Overview 140
Alliance Program Pricing 142
COM/COL Yardage Req. 313

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Arched Arms										
Upholstered Back										
76-5012		$1877	$1904	$1921	$1938	$1963	$1989	$2015	$2122	$2182
76-5012F	TB133	1964	1991	2008	2025	2050	2076	2102	2209	2269
Veneered Splat Back										
76-5014		$2050	$2074	$2089	$2104	$2126	$2149	$2172	$2268	$2321
76-5014F	TB133	2136	2160	2175	2190	2212	2235	2258	2354	2407
Eyes Splat Back										
76-5015		$2050	$2074	$2089	$2104	$2126	$2149	$2172	$2268	$2321
76-5015F	TB133	2136	2160	2175	2190	2212	2235	2258	2354	2407
Scrolled Arms										
Upholstered Back										
76-0012		$2050	$2077	$2094	$2111	$2136	$2162	$2188	$2295	$2355
76-0012F	TB133	2136	2163	2180	2197	2222	2248	2274	2381	2441
Triple Splat Back										
76-0016		$2221	$2245	$2260	$2275	$2297	$2320	$2343	$2439	$2492
76-0016F	TB133	2308	2332	2347	2362	2384	2407	2430	2526	2579
Scroll Splat Back										
76-0017		$2221	$2245	$2260	$2275	$2297	$2320	$2343	$2439	$2492
76-0017F	TB133	2308	2332	2347	2362	2384	2407	2430	2526	2579

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 139
Overview 140
Kimball Office Uph. Pricing 141
COM/COL Yardage Req. 313

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
76-0012	$2091	$2109	$2125	$2138	$2156	$2174	$2187	$2206	$2225
	2242	2271	2329	2366	2370	2380	2389	2398	2438
76-0016	2257	2273	2287	2299	2315	2331	2343	2359	2376
	2391	2417	2469	2502	2506	2515	2523	2531	2566
76-0017	2257	2273	2287	2299	2315	2331	2343	2359	2376
	2391	2417	2469	2502	2506	2515	2523	2531	2566
76-5012	1918	1936	1952	1965	1983	2001	2014	2033	2052
	2069	2098	2156	2193	2197	2207	2216	2225	2265
76-5014	2086	2102	2116	2128	2144	2160	2172	2188	2205
	2220	2246	2298	2331	2335	2344	2352	2360	2395
76-5015	2086	2102	2116	2128	2144	2160	2172	2188	2205
	2220	2246	2298	2331	2335	2344	2352	2360	2395

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Itsa seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

1.0 Armless Task Chair

- Knee-tilt or synchro-tilt control

➤See page 147 to specify.

Height	38"–43"
Width	27¾"
Depth	26"
Seat height	18⅛"–23⅛"
Seat width	21¼"
Seat depth:	
– Without seat slider	18¼"
– With seat slider	18¼"–20¾"
Seat angle:	
– Knee-tilt models	7.1°
– Synchro-tilt models	4.2°
Kneespace	21½"

1.0 Task Chair with Height-Adjustable Arms

- Knee-tilt or synchro-tilt control

➤See page 147 to specify.

Height	38"–43"
Width	27¾"
Depth	26"
Seat height	18⅛"–23⅛"
Seat width	21¼"
Seat depth:	
– Without seat slider	18¼"
– With seat slider	18¼"–20¾"
Seat angle:	
– Knee-tilt models	7.1°
– Synchro-tilt models	4.2°
Kneespace	21½"
Arm height from seat	8¼"–10½"
Arm height from floor	24¼"–31½"
Between arm cap supports	19½"

1.0 Task Chair with Height- and Width-Adjustable Arms

- Knee-tilt or synchro-tilt control

➤See page 147 to specify.

Height	38"–43"
Width	27¾"
Depth	26"
Seat height	18⅛"–23⅛"
Seat width	21¼"
Seat depth:	
– Without seat slider	18¼"
– With seat slider	18¼"–20¾"
Seat angle:	
– Knee-tilt models	7.1°
– Synchro-tilt models	4.2°
Kneespace	21½"
Arm height from seat	8¼"–10½"
Arm height from floor	24¼"–31½"
Between arm cap supports	19½"–23¾"

1.0 Armless Stool

- Knee-tilt

➤See page 147 to specify.

Height	42⅞"–50⅞"
Width	27¾"
Depth	26"
Seat height	23"–31
Seat width	21¼"
Seat depth	18¼"
Seat angle	7.1°
Kneespace	21½"

1.0 Stool with Height-Adjustable Arms

- Knee-tilt or synchro-tilt control

➤See page 147 to specify.

Height	42⅞"–50⅞"
Width	27¾"
Depth	26"
Seat height	23"–31
Seat width	21¼"
Seat depth	18¼"
Seat angle:	7.1°
Kneespace	21½"
Arm height from seat	8¼"–10½"
Arm height from floor	29⅛"–37⅛"
Between arm cap supports	19½"

1.0 Task 300 Chairs

Itsa seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

1.0 Armless Task 300 Chair

- Synchro-tilt control

➤See page 148 to specify.

Height	37¾"–42¾"
Width	27¾"
Depth	26"
Seat height	17¼"–22¼"
Seat width	21¼"
Seat depth:	
– Without seat slider	18¼"
– With seat slider	18¼"–20¾"
Seat angle	4.2°
Kneespace	21½"

1.0 Task 300 Chair with Height-Adjustable Arms

- Synchro-tilt control

➤See page 148 to specify.

Height	37¾"–42¾"
Width	27¾"
Depth	26"
Seat height	17¼"–22¼"
Seat width	21¼"
Seat depth:	
– Without seat slider	18¼"
– With seat slider	18¼"–20¾"
Seat angle	4.2°
Kneespace	21½"
Arm height from seat	8¼"–10½"
Arm height from floor	24¼"–31½"
Between arm cap supports	19½"

1.0 Task 300 Chair with Height- and Width-Adjustable Arms

- Synchro-tilt control

➤See page 148 to specify.

Height	37¾"–42¾"
Width	27¾"
Depth	26"
Seat height	17¼"–22¼"
Seat width	21¼"
Seat depth:	
– Without seat slider	18¼"
– With seat slider	18¼"–20¾"
Seat angle	4.2°
Kneespace	21½"
Arm height from seat	8¼"–10½"
Arm height from floor	24¼"–31½"
Between arm cap supports	19½"–23¾"

Itsa seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

2.0 Armless Task Chair

- Knee-tilt or synchro-tilt control

➤See page 149 to specify.

Height	38½"–43"
Width	27½"
Depth	26"
Seat height	16¾"–21¼"
Seat width	19½"
Seat depth:	
– Without seat slider	18"
– With seat slider	18"–20½"
Seat angle:	
– Knee-tilt models	7.8°
– Synchro-tilt models	4.9°
Kneespace	21½"

2.0 Task Chair with Height-Adjustable Arms

- Knee-tilt or synchro-tilt control

➤See page 149 to specify.

Height	38½"–43"
Width	27½"
Depth	26"
Seat height	16¾"–21¼"
Seat width	19½"
Seat depth:	
– Without seat slider	18"
– With seat slider	18"–20½"
Seat angle:	
– Knee-tilt models	7.8°
– Synchro-tilt models	4.2°
Kneespace	21½"
Arm height from seat	8¼"–10½"
Arm height from floor	24¼"–31½"
Between arm cap supports	19"



2.0 Armless Stool

- Knee-tilt

➤See page 149 to specify.

Height	43⅜"–51⅜"
Width	27½"
Depth	26"
Seat height	21⅝"–29⅝"
Seat width	19½"
Seat depth	18"
Seat angle	7.8°
Kneespace	18¾"

2.0 Stool with Height-Adjustable Arms

- Knee-tilt

➤See page 149 to specify.

Height	43⅜"–51⅜"
Width	27½"
Depth	26"
Seat height	21⅝"–29⅝"
Seat width	19½"
Seat depth	18"
Seat angle:	7.8°
Kneespace	18¾"
Arm height from seat	7½"–10"
Arm height from floor	29⅛"–37⅛"
Between arm cap supports	19"

Task Chairs and Stools

Overview

Statement of Line ➤See page 143
Kimball Office Uph. Pricing 147
Finishes & Materials 289
COM/COL Yardage Req. 313

Mesh back, available in seven colors, is 84% texturized polyester and 16% elastin. The mesh is pulled over a metal frame and stapled into a plastic insert at the bottom.

Seat cushions feature a seamless, pull-over style upholstery. 1.0 models have 2½" of molded, CFC-free, urethane foam applied over a recycled plastic seat shell. 2.0 models (shown) have 1" slab foam with a ½" foam overlay topper and a ½" foam bottom (to give contour to seat) applied over a plywood seat shell.



Arm caps are soft, self-skinning polyurethane foam molded over a steel core for strength.

Arms are height adjustable within a 2½" range by the push of a button. 1.0 models (shown) lock into one of 7 positions. 2.0 models lock into one of 5 positions.

Height- and width-adjustable arms on 1.0 models also have a width adjustable range of 4¼".

5-prong base on 1.0 and 2.0 task chairs is constructed of extremely rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Black, hard dual-wheel casters are standard. Soft dual-wheel casters are available as an option on 1.0 and 2.0 task chairs and stools; upcharge applies.



Contoured "sit spot" and waterfall front edge provides optimal seated support and prevents undue pressure in the lower thigh/knee area.

Footring is standard on stools.

Details



Itsa 1.0 | 1.0 with TB133 | Itsa 2.0

Itsa 1.0 | Itsa 2.0

Seat cushion and armrest design on 1.0 models make it ideal for users of all sizes. Seat cushion and armrest design on 2.0 models, along with a lower seat height range, make it is ideal for users of smaller stature.

Itsa 1.0 task 300 base is constructed of aluminum with a black, powdercoat finish. Task 300 chairs are rated to seat individuals weighing up to 300 lbs.

Seat slider option is available on all models to adjust the seat depth, providing additional comfort for users with long legs. Seat depth is adjusted via a single lever and locks in one of 6 positions within a 2½" range. Upcharge applies.

TB133 is available. 1.0 models with TB133 will feature a different armcap profile than the standard model.
➤See above.

Itsa seating is warranted for three-shift (24/7) service.
➤See Product Warranty, page 352.

Adjustability Features

	Chair	*300*	*Stool*
Knee tilt	•		•
Synchro tilt	•	•	
Swivel	•	•	•
Pneumatic height	•	•	•
Side tension	•	•	•
Seat slider	○	○	
Back tilt lock	•	•	•
Arm height	•	•	•
Arm width	•	•	

• = standard ○ = option

Knee-tilt control provides minimal rise of the front seat edge when reclining, allowing the user's feet to remain firmly on the floor. Back may be locked in a full upright position by pushing in pneumatic height adjustment lever.

Synchro-tilt control provides fully synchronized seat-to-back movement, plus:
• Free-float movement allows user to lock the chair in one of multiple positions within the range of movement using a single lever.
• Anti-kickback clutch controls forward movement of backrest when the lock is disengaged.
• Reclining tension adjustment is user friendly and accommodates a wide range of weights via a single lever on the left side of the chair (as seated).

Pneumatic height adjustment allows user to raise or lower the seat while seated. Upward movement of control lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

1.0 Task Chairs and Stools

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 146
Alliance Program Pricing 150
Finishes & Materials 289
COM/COL Yardage Req. 313

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless 1.0 Task Chairs										
Knee-Tilt Control										
K38EE		$639	$666	$683	$700	$725	$751	$777	$884	$944
K38EEF	TB133	728	755	772	789	814	840	866	973	1033
Synchro-Tilt Control										
K38HH		$751	$778	$795	$812	$837	$863	$889	$996	$1056
K38HHF	TB133	838	865	882	899	924	950	976	1083	1143
1.0 Task Chairs with Height-Adjustable Arms										
Knee-Tilt Control										
K38AA Ⓚ		$751	$778	$795	$812	$837	$863	$889	$996	$1056
K38AAF	TB133	$838	$865	$882	$899	$924	$950	$976	$1083	$1143
Synchro-Tilt Control										
K38BB Ⓚ		$861	$888	905	$922	$947	$973	$999	$1106	1166
K38BBF	TB133	950	977	994	1011	1036	1062	1088	1195	1255
1.0 Task Chairs with Height- and Width-Adjustable Arms										
Knee-Tilt Control										
K38GG		$805	$832	$849	$866	$891	$917	$943	$1050	$1110
K38GGF	TB133	894	921	938	955	980	1006	1032	1139	1199
Synchro-Tilt Control										
K38JJ		$945	$972	$989	$1006	$1031	$1057	$1083	$1190	$1250
K38JJF	TB133	1034	1061	1078	1095	1120	1146	1172	1279	1339
Armless 1.0 Stools										
Knee-Tilt Control										
K38VV		$799	$826	$843	$860	$885	$911	$937	$1044	$1104
K38VVF	TB133	888	915	932	949	974	1000	1026	1133	1193
1.0 Stools with Height-Adjustable Arms										
Knee-Tilt Control										
K38TT		$911	$938	$955	$972	$997	$1023	$1049	$1156	$1216
K38TTF	TB133	999	1026	1043	1060	1085	1111	1137	1244	1304

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color number:
8201 = Cobalt
8202 = Jet (black)
8203 = Lime
8204 = Mandarin
8205 = Slate
8206 = Tango
8207 = Tawny

Seat:
③ Upholstery grade
④ Upholstery number

⑤ Seat slider (omit for stools):
SL = Seat slider (+$103); available on chairs only.
X = None
⑥ Casters:
C3 = Hard casters
C4 = Soft casters (+$24)

Ⓚ = Kwik Office model available.

1.0 Task 300 Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 146
Alliance Program Pricing 150
Finishes & Materials 289
COM/COL Yardage Req. 313

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless 1.0 Task 300 Chairs										
Synchro-Tilt Control										
K38KK		$805	$832	$849	$866	$891	$917	$943	$1050	$1110
K38KKF	TB133	894	921	938	955	980	1006	1032	1139	1199
1.0 Task 300 Chairs with Height-Adjustable Arms										
Synchro-Tilt Control										
K38MM		$917	$944	$961	$978	$1003	$1029	$1055	$1162	$1222
K38MMF	TB133	1006	1033	1050	1067	1092	1118	1144	1251	1311
1.0 Task 300 Chairs with Height- and Width-Adjustable Arms										
Synchro-Tilt Control										
K38PP		$973	$1000	$1017	$1034	$1059	$1085	$1111	$1218	$1278
K38PPF	TB133	1061	1088	1105	1122	1147	1173	1199	1306	1366

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color number:
8201 = Cobalt
8202 = Jet (black)
8203 = Lime
8204 = Mandarin
8205 = Slate
8206 = Tango
8207 = Tawny

Seat:
③ Upholstery grade
④ Upholstery number

⑤ Seat slider:
SL = Seat slider (+$103)
X = None

2.0 Task Chairs and Stools

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 146
Alliance Program Pricing 150
Finishes & Materials 289
COM/COL Yardage Req. 313

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless 2.0 Task Chairs										
Knee-Tilt Control										
K38RR		$639	$666	$683	$700	$725	$751	$777	$884	$944
K38RRF	TB133	728	755	772	789	814	840	866	973	1033
Synchro-Tilt Control										
K38SS		751	778	795	812	837	863	889	996	1056
K38SSF	TB133	838	865	882	899	924	950	976	1083	1143
2.0 Task Chairs with Height-Adjustable Arms										
K38CC Ⓚ		$751	$778	$795	$812	$837	$863	$889	$996	$1056
K38CCF	TB133	838	865	882	899	924	950	976	1083	1143
Synchro-Tilt Control										
K38DD Ⓚ		861	888	905	922	947	973	999	1106	1166
K38DDF	TB133	950	977	994	1011	1036	1062	1088	1195	1255
Armless 2.0 Stool										
Knee-Tilt Control										
K38XX		$799	$826	$843	$860	$885	$911	$937	$1044	$1104
K38XXF		888	915	932	949	974	1000	1026	1133	1193
2.0 Stool with Height-Adjustable Arms										
Knee-Tilt Control										
K38WW		$911	$938	$955	$972	$997	$1023	$1049	$1156	$1216
K38WWF	TB133	999	1026	1043	1060	1085	1111	1137	1244	1304

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color number:
8201 = Cobalt
8202 = Jet (black)
8203 = Lime
8204 = Mandarin
8205 = Slate
8206 = Tango
8207 = Tawny

Seat:
③ Upholstery grade
④ Upholstery number

⑤ Seat slider (omit for stools):
SL = Seat slider (+$103); available on chairs only.
X = None
⑥ Casters:
C3 = Hard casters
C4 = Soft casters (+$24)

Ⓚ = Kwik Office model available.

Task Chairs and Stools

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 146
Kimball Office Uph. Pricing 147
Finishes & Materials 289
COM/COL Yardage Req. 313

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K38AA	$792	$810	$826	839	$857	$875	$888	$907	$926
	943	972	1030	1067	1071	1081	1090	1099	1139
K38BB	902	920	936	949	967	985	998	1017	1036
	1053	1082	1140	1177	1181	1191	1200	1209	1249
K38CC	792	810	826	839	857	875	888	907	926
	943	972	1030	1067	1071	1081	1090	1099	1139
K38DD	902	920	936	949	967	985	998	1017	1036
	1053	1082	1140	1177	1181	1191	1200	1209	1249
K38EE	680	698	714	727	745	763	776	795	814
	831	860	918	955	959	969	978	987	1027
K38GG	846	864	880	893	911	929	942	961	980
	997	1026	1084	1121	1125	1135	1144	1153	1193
K38KK	846	864	880	893	911	929	942	961	980
	997	1026	1084	1121	1125	1135	1144	1153	1193
K38MM	958	976	992	1005	1023	1041	1054	1073	1092
	1109	1138	1196	1233	1237	1247	1256	1265	1305
K38PP	1014	1032	1048	1061	1079	1097	1110	1129	1148
	1165	1194	1252	1289	1293	1303	1312	1321	1361
K38RR	680	698	714	727	745	763	776	795	814
	831	860	918	955	959	969	978	987	1027
K38SS	792	810	826	839	857	875	888	907	926
	943	972	1030	1067	1071	1081	1090	1099	1139
K38TT	952	970	986	999	1017	1035	1048	1067	1086
	1103	1132	1190	1227	1231	1241	1250	1259	1299
K38VV	840	858	874	887	905	923	936	955	974
	991	1020	1078	1115	1119	1129	1138	1147	1187
K38VV	840	858	874	887	905	923	936	955	974
	991	1020	1078	1115	1119	1129	1138	1147	1187
K38XX	840	858	874	887	905	923	936	955	974
	991	1020	1078	1115	1119	1129	1138	1147	1187

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color number:
8201 = Cobalt
8202 = Jet (black)
8203 = Lime
8204 = Mandarin
8205 = Slate
8206 = Tango
8207 = Tawny

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Seat slider (omit for stools):
SL = With seat slider (+$103)
X = None

⑥ Casters (omit for Task 300 models):
C3 = Hard casters
C4 = Soft casters (+$24)

MUIRFIELD™

Desk and Side Chairs

Statement of Line

Muirfield seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

High Back with Horizontal Stitching

➤See page 153 to specify.

Height	42"–47"
Width	26¼"
Depth	28¼"
Arm height	26"–31"
Seat height	16¾"–21¾"
Seat width	19"
Seat depth	18"
Kneespace	23¾"

High Back with Vertical Stitching

➤See page 153 to specify.

Height	42"–47"
Width	26¼"
Depth	28¼"
Arm height	26"–31"
Seat height	16¾"–21¾"
Seat width	19"
Seat depth	18"
Kneespace	23¾"

High Back with Button Detailing

➤See page 153 to specify.

Height	42"–47"
Width	26¼"
Depth	28¼"
Arm height	26"–31"
Seat height	16¾"–21¾"
Seat width	19"
Seat depth	18"
Kneespace	23¾"

Mid-Back with Horizontal Stitching

➤See page 154 to specify.

Height	39"–44"
Width	26¼"
Depth	28¼"
Arm height	26"–31"
Seat height	16¾"–21¾"
Seat width	19"
Seat depth	18"
Kneespace	23¾"

Mid-Back with Vertical Stitching

➤See page 154 to specify.

Height	39"–44"
Width	26¼"
Depth	28¼"
Arm height	26"–31"
Seat height	16¾"–21¾"
Seat width	19"
Seat depth	18"
Kneespace	23¾"

Mid-Back with Button Detailing

➤See page 154 to specify.

Height	39"–44"
Width	26¼"
Depth	28¼"
Arm height	26"–31"
Seat height	16¾"–21¾"
Seat width	19"
Seat depth	18"
Kneespace	23¾"

Side Chair with Horizontal Stitching

➤See page 155 to specify.

Height	38½"
Width	27"
Depth	29¾"
Arm height	26"–31"
Seat height	26"
Seat width	19½"
Seat depth	19½"
Kneespace	24½"



Side Chair with Vertical Stitching

➤See page 155 to specify.

Height	38½"
Width	27"
Depth	29¾"
Arm height	26"–31"
Seat height	26"
Seat width	19½"
Seat depth	19½"
Kneespace	24½"



Side Chair with Button Detailing

➤See page 155 to specify.

Height	38½"
Width	27"
Depth	29¾"
Arm height	26"–31"
Seat height	26"
Seat width	19½"
Seat depth	19½"
Kneespace	24½"

Desk and Side Chairs

Statement of Line ➤See page 151
Finishes & Materials 289
COM/COL Yardage Req. 312

Outer back has ¼" foam and is fully upholstered.

Arms have rigid, molded-urethane inserts, wrapped with ½"-thick foam (1" thick on arm tops), and secured to the seat and back with metal L-brackets, T-nuts, and machine screws.

5-prong base on desk chairs has a rigid, steel understructure. Maple hardwood radius-end base caps (B75) with Antique English hooded-ball casters are standard.



Cushions are 2¼"-thick, high-resiliency, CFC-free polyurethane foam.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Details

Horizontal Stitching

Vertical Stitching

Button Detailing

Three different upholstery details are available on both high-back or mid-back models: vertical stitching, horizontal stitching, or button detailing.



Curved base caps (B31) with Antique English hooded-ball casters are available on desk chairs; upcharge applies.

Shell on desk chair is a one-piece, 9-ply molded plywood panel.

Frame on side chairs is kiln-dried maple hardwoods. Joints on back legs are double doweled and glued. Front legs use mortise and tenon joinery. Wood corner blocks, screws, and tie screws reinforce frame corners.

Seat suspension on side chair is constructed of unidirectional webbing that is machine stretched across the frame and stapled to the side rails. Seat cushion is 3½" thick.

Back suspension on side chair is constructed of vertical and horizontal webbing stapled to the back frame.

Upholstery is wrapped over cushions and secured with staples.

Nickel-plated glides on side chairs are ⅞" in diameter.

Controls on desk chairs are attached to the frame with T-nuts and machine screws.

Adjustability Features

Knee tilt and upright back lock	•
Tilt tension	•
Swivel	•
Pneu. height	•

• = standard

Knee tilt control provides minimal rise of the front seat edge when reclining, allowing the user's feet to remain firmly on the floor. Back may be locked in a full upright position by pushing in pneumatic height adjustment lever. Recommended for users weighing 225 lbs. or less.

Tilt tension control adjusts the amount of resistance the user feels when leaning back.

Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated.

High Back Desk Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 151
Overview 152
Alliance Program Pricing 156
COM/COL Yardage Req. 314

Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
Horizontal Stitching										
22-2833H		$1738	$1822	$1875	$1928	$2004	$2085	$2166	$2500	$2687
22-2833HF	TB133	2040	2124	2177	2230	2306	—	—	2802	2989
Button Detailing										
22-2833T		$1738	$1822	$1875	$1928	$2004	$2085	$2166	$2500	$2687
22-2833TF	TB133	2040	2124	2177	2230	2306	—	—	2802	2989
Vertical Stitching										
22-2833V Ⓚ		$1738	$1822	$1875	$1928	$2004	$2085	$2166	$2500	$2687
22-2833VF	TB133	2040	2124	2177	2230	2306	—	—	2802	2989

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Base number:
B75 = Radius end base caps
B31 = Curved base caps (+$12)
⑦ Casters:
C44 = Antique English hooded ball casters

Ⓚ = Kwik Office model available.

Mid-Back Desk Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 151
Overview 152
Alliance Program Pricing 156
COM/COL Yardage Req. 314

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Horizontal Stitching										
22-2832H		$1710	$1788	$1837	$1887	$1957	$2032	$2108	$2417	$2591
22-2832HF	TB133	1992	2070	2119	2169	2239	—	—	2699	2873
Button Detailing										
22-2832T		$1710	$1788	$1837	$1887	$1957	$2032	$2108	$2417	$2591
22-2832TF	TB133	1992	2070	2119	2169	2239	—	—	2699	2873
Vertical Stitching										
22-2832V K		$1710	$1788	$1837	$1887	$1957	$2032	$2108	$2417	$2591
22-2832VF	TB133	1992	2070	2119	2169	2239	—	—	2699	2873

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Base number:
B75 = Radius end base caps
B31 = Curved base caps (+$12)
⑦ Casters:
C44 = Antique English hooded ball casters

K = Kwik Office model available.

Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18







Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
		Kimball Office Upholstery Price Grade								
Horizontal Stitching										
22-5032H		$1093	$1177	$1230	$1283	$1359	$1440	$1521	$1855	$2042
22-5032HF	TB133	1394	1478	1531	1584	1660	—	—	2156	2343
Button Detailing										
22-5032T		$1093	$1177	$1230	$1283	$1359	$1440	$1521	$1855	$2042
22-5032TF	TB133	1394	1478	1531	1584	1660	—	—	2156	2343
Vertical Stitching										
22-5032V K		$1093	$1177	$1230	$1283	$1359	$1440	$1521	$1855	$2042
22-5032VF	TB133	1394	1478	1531	1584	1660	—	—	2156	2343

Actual Dimensions ➤See page 151
Overview 152
Alliance Program Pricing 156
COM/COL Yardage Req. 314

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator

K = Kwik Office model available.

Desk and Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 151
Kimball Office Uph. Pricing 153
Finishes & Materials 289
COM/COL Yardage Req. 314

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
22-2832H	$1827	$1879	$1926	$1965	$2017	$2069	$2105	$2160	$2214
	2264	2347	2516	2623	2636	2664	2690	2716	2831
22-2832T	1827	1879	1926	1965	2017	2069	2105	2160	2214
	2264	2347	2516	2623	2636	2664	2690	2716	2831
22-2832V	1827	1879	1926	1965	2017	2069	2105	2160	2214
	2264	2347	2516	2623	2636	2664	2690	2716	2831
22-2833H	1864	1920	1970	2012	2068	2124	2164	2222	2281
	2334	2424	2606	2721	2735	2766	2794	2822	2945
22-2833T	1864	1920	1970	2012	2068	2124	2164	2222	2281
	2334	2424	2606	2721	2735	2766	2794	2822	2945
22-2833V	1864	1920	1970	2012	2068	2124	2164	2222	2281
	2334	2424	2606	2721	2735	2766	2794	2822	2945
22-5032H	1219	1275	1325	1367	1423	1479	1519	1577	1636
	1689	1779	1961	2076	2090	2121	2149	2177	2300
22-5032T	1219	1275	1325	1367	1423	1479	1519	1577	1636
	1689	1779	1961	2076	2090	2121	2149	2177	2300
22-5032V	1219	1275	1325	1367	1423	1479	1519	1577	1636
	1689	1779	1961	2076	2090	2121	2149	2177	2300

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Finish price group:
STD = Group 1
⑤ Finish designator
⑥ Base number (omit for side chair):
B75 = Radius-end base caps
B31 = Curved base caps (+$12)
⑦ Casters (omit for side chair):
C44 = Antique English hooded ball casters

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Poly side seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Sled-Base Side Chair
Stacking
➤See page 159 to specify.

Height	31¾"
Width	19⅝"
Depth	22"
Seat height	17½"
Seat width	17⅛"
Seat depth	16⅜"
Seat angle	7°

Sled-Base Side Chair (Set of 4)
Stacking
➤See page 159 to specify.

Height	31¾"
Width	19⅝"
Depth	22"
Seat height	17½"
Seat width	17⅛"
Seat depth	16⅜"
Seat angle	7°



Transport Dolly
Accommodates a stack of 30 chairs.
➤See page 159 to specify.

Height	13⅜"
Width	22⅝"
Depth	32"

Stackable Side Chairs

Overview

Statement of Line ➤See page 157
Pricing 159
Finishes & Materials 289

100% polyester mesh back and seat is available in five colors:
- Big Sky
- Black Tie
- Crimson
- Tangerine
- Kiwi



Back and seat frame is black plastic.

Legs have a polished chrome finish.

Mesh on the front of the seat features a tighter weave for additional support.

Black plastic glides are standard and can be used to gang adjacent chairs.

Details

Compact stacking sled-base design enables chairs to be stacked up to 30 high on a dolly or up to 10 high on the floor.

TB133 approved as standard. There are no separate models or pricing.

Chairs are available singly or in sets of four chairs. Sets of four are available under one model number; all chairs in the set will have the same mesh color.

Chairs are shipped four to a carton when applicable.

Poly chairs accommodate up to 253 lbs.

Related Products



Transport dolly is available to move up to 30 chairs. Dolly has a tubular steel frame, gray powdercoat finish, and four 8" semi-pneumatic ball-bearing wheels. Poly chairs stacked 30 high on the dolly will have an overall height of 70" and overall width of 37".

Ganging devices are not required. The black plastic glides that are standard also serve as a ganging bracket.

Stackable Side Chairs

Pricing

GSA SIN 711-19

Actual Dimensions ➤See page 157
Overview 158
Finishes & Materials 289



Model	*Description*	*Price*
Single Chairs		
K95MBSB1 K	Big Sky mesh color	$411
K95MBKB1 K	Black Tie mesh color	411
K95MCRB1 K	Crimson mesh color	411
K95MKWB1 K	Kiwi mesh color	411
K95MTGB1 K	Tangerine mesh color	411
Set of Four Chairs		
K95MBSB4 K	Big Sky mesh color	$1218
K95MBKB4 K	Black Tie mesh color	1218
K95MCRB4 K	Crimson mesh color	1218
K95MKWB4 K	Kiwi mesh color	1218
K95MTGB4 K	Tangerine mesh color	1218

Related Products:

Model	*Description*	*Price*
Transport Dolly		
K95TD K	32"D x 22⅝"W x 13⅜"H	$508

TB133

Poly side chairs are TB133 approved as standard.

How to Specify

❶ Model

K = Kwik Office model available.

Notes

Pose seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.



Three-Seat Lounge without Arms

➤See page 165 to specify.

Height	35½"
Width	77¾"
Depth	34¼"
Arm height	—
Distance between arms	—
Seat height	17½"
Seat width	77¾"
Seat depth	20½"



Two-Seat Lounge without Arms

➤See page 165 to specify.

Height	35½"
Width	53¾"
Depth	34¼"
Arm height	—
Distance between arms	—
Seat height	17½"
Seat width	53¾"
Seat depth	20½"

One-Seat Lounge without Arms

➤See page 165 to specify.

Height	35½"
Width	29¾"
Depth	34¼"
Arm height	—
Distance between arms	—
Seat height	17½"
Seat width	29¾"
Seat depth	20½"



Three-Seat Lounge with Arms

➤See page 166 to specify.

Height	35½"
Width	77¾"
Depth	34¼"
Arm height	23¾"
Distance between arms	72¼"
Seat height	17½"
Seat width	77¾"
Seat depth	20½"



Two-Seat Lounge with Arms

➤See page 166 to specify.

Height	35½"
Width	53¾"
Depth	34¼"
Arm height	23¾"
Distance between arms	48¼"
Seat height	17½"
Seat width	53¾"
Seat depth	20½"

One-Seat Lounge with Arms

➤See page 166 to specify.

Height	35½"
Width	29¾"
Depth	34¼"
Arm height	23¾"
Distance between arms	24¼"
Seat height	17½"
Seat width	29¾"
Seat depth	20½"



Benches

➤See page 167 to specify.

Height	17½"
Width	48" or 60"
Depth	24"



Ottomans

➤See page 167 to specify.

Height	17½"
Width	24" or 30"
Depth	30"



Freestanding End and Corner Tables

➤See page 169 to specify and for table dimensions.



Freestanding Magazine Table

➤See page 169 to specify and for table dimensions.

Lounge Seating

Overview

Statement of Line	➤See page 161
Configurations	164
Finishes & Materials	289
COM/COL Yardage Req.	314

Frame is constructed of ¾" plywood, utilizing lap joint construction that is glued and screwed. All upholstered models are standard in kiln-dried maple hardwoods.

Lounge units feature a wall-saver back leg.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. The base frame is then attached to the seat frame with wood screws through the corner blocks. Units over 48"L feature additional screws to provide extra support.

Rails and top of the legs are accented with a decorative reveal.



Piping is standard around the entire edge of both the front and back of the back cushion.

Cushions are high-resiliency, CFC-free, polyurethane foam. Seat cushions, specifically, are 5"-thick, high-grade, laminated polyurethane foam that is custom shaped.

Non-skid glides are ¾" in diameter and adjustable.



Ottoman and bench frame are constructed of 5½"-thick, high-grade polyurethane foam applied to a ¾" plywood frame using lap joint construction that is glued and screwed. A sewn slipcover is applied over the foam and attached with upholstery staples. Benches feature a sewn seam in the center. Legs and rails of base frames are constructed using double dowel and glue construction with corner blocks, which are also glued and screwed to the base rails. The rails feature a ¼" set back when attached to the legs. Tops of the legs are accented with ¼" decorative reveal. The base frame is then attached to the seat frame with wood screws through the corner blocks.

Details



Three-Seat Two-Seat One-Seat



With Arms Without Arms

Lounge seating is available in three-, two-, and one-seat models, each with or without arms.

Seats have a high-tension strip webbing suspension that is stapled to the frame. Seat upholstery features a wrap-around upholstery method and is stapled into place.

Back features a non-stretch woven suspension that is stapled to the frame, over which upholstery is placed.

Back cushions are 5½"-thick, high-grade polyurethane foam wrapped with ¾ oz. bonded polyester, which is slipcovered and closed with a zipper.

Armrest tops and outside panels are ½"-thick, high-grade polyurethane foam. The interior arm used 1"-thick, high-grade polyurethane foam. Upholstery is a sewn slipcover that is stapled into place.

Pose lounge, ottomans, and benches meet or exceed the applicable BIFMA/ANSI standards and meet Kimball Heavy Duty testing requirements of 350 lbs.

Contrasting upholstery may be selected for the back cushion; use electronic specification tool for accurate pricing.
Note: Seat and outer back/frame upholstery will be the same.



Contrasting piping may be specified in Kimball Office fabric or leather.
Note: Piping appears on the back cushion only and not on the seat cushion or the outer back/frame.

All models are fully upholstered. Bottom is finished with a black, fabric dust cover prior to the wood frame being attached.

Related Products

Accent pillows are available.
➤See page 13.

Freestanding Tables

Statement of Line	➤See page 161
Configurations	164
Finishes & Materials	289
COM/COL Yardage Req.	314

Tops feature a ¼" x ¼" reveal and are ¾" veneered plywood.

Corners are mitered utilizing double biscuit joinery which is glued and cleated together.



Corners are mitered utilizing double biscuit joinery which is glued and cleated together.

¾" non-skid, adjustable glides are standard on all Pose tables.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. Tops of the legs and rails feature a ¼" decorative reveal. The base frame is then attached to the table frame with wood screws through cleats.

Details

Freestanding tables are available in three designs.

End and corner tables are constructed of ¾" veneered plywood. Tops are attached to the table frame with metal brackets and screws.



Magazine table tops feature mitered corners with ¼" x ¼" reveal are ¾" veneered plywood utilizing biscuit joinery that is glued and cleated together. End panels are ¾" veneered plywood; attachment of bottom shelf utilizes joints which are securely fastened with screws, dowels, and concealed fasteners to ensure maximum strength. The center divider is constructed of ¾" veneered plywood that is attached to the bottom panel with glue and screws. The side rails feature a ¼" setback of 5¾" and are attached to the underside of the bottom shelf with screws through the corner blocks.

Metal ganging brackets are spaced evenly over the wood base frame of the adjoining models and tightened. All models are capable of ganging, dependent upon user preference and needs.

Statement of Line ➤See page 161
Finishes & Materials 289
COM/COL Yardage Req. 314



Description	*Base Model**	*Quantity*	*Price*
24" x 24" end table	K35T242416W	3	$1291 ea.
1-seat lounge without arms	K35AA	4	1960 ea.
30" x 30" corner table	K35T303016W	2	1527 ea.
Ganging brackets	K35GB	8	30 ea.
Configuration dimensions: 152½" x 152½"		**Total**	$15007



Description	*Base Model**	*Quantity*	*Price*
24" x 24" end table	K35T242416W	1	$1291 ea.
2-seat lounge without arms	K35BB	2	2769 ea.
Ganging brackets	K35GB	2	30 ea.
Configuration dimensions: 88¼" x 88¼"		**Total**	$6889



Description	*Base Model**	*Quantity*	*Price*
24" x 24" end table	K35T242416W	2	$1291 ea.
24" x 24" ottoman	K35JJ	2	803 ea.
Ganging brackets	K35GB	4	30 ea.
Configuration dimensions: 48" x 48"		**Total**	$4308



Description	*Base Model**	*Quantity*	*Price*
24" x 24" end table	K35T242416W	2	$1291 ea.
24" x 60" bench	K35MM	1	2075 ea.
Ganging brackets	K35GB	2	30 ea.
Configuration dimensions: 24" x 108"		**Total**	$4717

More Configurations:



- Four 24" x 24" ottomans
- Four ganging brackets

Configuration dimensions: 48" x 48"

The configurations shown on this page are just a few examples of those possible with Pose components.

Note: Prices shown at right for upholstered models reflect the Kimball Office grade 1 prices.

Lounge Seating without Arms

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 161
Overview 162
Alliance Program Pricing 168
COM/COL Yardage Req. 313







Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seat Lounge										
K35AA Ⓚ		$1960	$2098	$2186	$2273	$2397	$2531	$2664	$3211	$3520
K35AAF	TB133	2063	2201	2289	2376	2500	2634	2767	3314	3623
Two-Seat Lounge										
K35BB Ⓚ		$2769	$2988	$3127	$3266	$3463	$3674	$3886	$4754	$5244
K35BB	TB133	2924	3143	3282	3421	3618	3829	4041	4909	5399
Three-Seat Lounge										
K35CC		$3578	$3860	$4039	$4217	$4472	$4743	$5016	$6135	$6765
K35CCF	TB133	3887	4169	4348	4526	4781	5052	5325	6444	7074

Related Products:

Model	Description	Price
Ganging Devices		
K35GB	Package of 1 pair; will connect 2 units	$30

Contrasting piping on back cushion is available in any Kimball Office fabric or leather only. No upcharge.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

When specifying a striped or directional upholstery, a solid pattern is recommended for the back cushion due to alignment constraints.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back cushion:
② Upholstery grade
③ Upholstery number

Seat and frame:
④ Upholstery grade
⑤ Upholstery number

Back cushion piping:
⑥ Upholstery grade
⑦ Upholstery number

Wood frame:
⑧ Wood finish price group:
STD = Group 1
⑨ Wood finish designator

Ⓚ = Kwik Office model available.

Lounge Seating with Arms

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 161
Overview 162
Alliance Program Pricing 168
COM/COL Yardage Req. 313





Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
One-Seat Lounge										
K35DD		$2191	$2344	$2441	$2538	$2676	$2824	$2972	$3578	$3920
K35DDF	TB133	2294	2447	2544	2641	2779	2927	3075	3681	4023
Two-Seat Lounge										
K35EE		$2999	$3245	$3401	$3556	$3779	$4016	$4254	$5230	$5779
K35EEF	TB133	3154	3400	3556	3711	3934	4171	4409	5385	5934
Three-Seat Lounge										
K35FF		$3809	$4127	$4329	$4529	$4817	$5123	$5431	$6693	$7403
K35FFF	TB133	4470	4788	4990	5190	5478	5784	6092	7354	8064

Contrasting piping on back cushion is available in any Kimball Office fabric or leather only. No upcharge.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

When specifying a striped or directional upholstery, a solid pattern is recommended for the back cushion due to alignment constraints.

Ganging Brackets
➤See page 165.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back cushion:
② Upholstery grade
③ Upholstery number

Seat and frame:
④ Upholstery grade
⑤ Upholstery number

Back cushion piping:
⑥ Upholstery grade
⑦ Upholstery number

Wood frame:
⑧ Wood finish price group:
STD = Group 1
⑨ Wood finish designator

Lounge Benches and Ottomans

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 161
Overview 162
Alliance Program Pricing 168
COM/COL Yardage Req. 313







Kimball Office Upholstery Price Grade

D	W	Model	1 or COM	2	3 or COL	4	5	6	7	L7	L8
Benches											
24"	48"	**K35KK** Ⓚ	$1728	$1773	$1802	$1830	$1871	$1914	$1958	$2136	$2237
24"	60"	**K35MM**	2075	2150	2198	2245	2313	2385	2458	2755	2923
With TB133											
24"	48"	**K35KKF**	$1883	$1928	$1957	$1985	$2026	$2069	$2113	$2291	$2392
24"	60"	**K35MMF**	2230	2305	2353	2400	2468	2540	2613	2910	3078
Ottomans											
24"	24"	**K35JJ** Ⓚ	$803	$845	$872	$898	$936	$977	$1017	$1184	$1278
30"	30"	**K35LL**	1035	1110	1158	1205	1273	1345	1418	1715	1883
With TB133											
24"	24"	**K35JJF**	$907	$949	$976	$1002	$1040	$1081	$1121	$1288	$1382
30"	30"	**K35LLF**	1138	1213	1261	1308	1376	1448	1521	1818	1986

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Wood finish price group:
STD = Group 1
⑤ Wood finish designator

Ganging Brackets
➤See page 165.

Ⓚ = Kwik Office model available.

Lounge Seating, Benches, and Ottomans

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 161
Overview 162
COM/COL Yardage Req. 313

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K35AA	$2167	$2259	$2342	$2411	$2503	$2595	$2659	$2756	$2853
	2940	3087	3386	3574	3597	3648	3694	3740	3942
K35BB	3098	3244	3375	3485	3631	3777	3878	4032	4185
	4324	4558	5032	5331	5368	5448	5521	5594	5915
K35CC	4002	4190	4358	4499	4687	4875	5007	5204	5401
	5580	5882	6492	6877	6925	7028	7122	7216	7629
K35DD	2421	2523	2615	2691	2793	2895	2966	3074	3181
	3278	3441	3772	3981	4006	4062	4113	4164	4389
K35EE	3369	3533	3680	3802	3966	4130	4246	4418	4590
	4746	5009	5541	5877	5918	6008	6090	6172	6533
K35FF	4287	4499	4689	4847	5059	5271	5421	5643	5865
	6067	6407	7095	7529	7583	7699	7805	7911	8377
K35JJ	866	894	919	940	968	996	1016	1045	1075
	1101	1146	1237	1294	1301	1317	1331	1345	1406
K35KK	1796	1826	1853	1875	1905	1935	1956	1988	2019
	2048	2096	2193	2255	2262	2279	2294	2309	2375
K35LL	1148	1198	1243	1280	1330	1380	1415	1468	1520
	1568	1648	1810	1913	1925	1953	1978	2003	2113
K35MM	2188	2238	2283	2320	2370	2420	2455	2508	2560
	2608	2688	2850	2953	2965	2993	3018	3043	3153

How to Specify

❶ Model

Back cushion:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat and frame:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

Back cushion piping:

⑥ If same, Alliance partner designator and upholstery grade (see above); if contrasting, Kimball Office upholstery grade

⑦ Upholstery number

Wood frame:

⑧ Wood finish price group:
STD = Group 1

⑨ Wood finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting piping on back cushion is available in any Kimball Office fabric or leather only. No upcharge.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Freestanding Tables

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Statement of Line ➤See page 161
Overview 163









D	W	H	Model	Description	Price
End Table					
24"	24"	16"	**K35T242416W**		$1291
Corner Table					
30"	30"	16"	**K35T303016W**		$1527
Magazine Table					
24"	48"	16"	**K35T244816W**	Each compartment is 11½"D x 22⅞"W x 5"H.	$1998
24"	60"	16"	**K35T246016W**	Each compartment is 11½"D x 28⅞"W x 5"H.	$2353

How to Specify

❶ Model
② Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Wood finish designator

Magazine tables have widthwise and lengthwise center dividers, which create four undersurface storage compartments (two on each side of the table).

Ganging Brackets
➤See page 165.

Notes

STATURE®

Desk and Side Chairs

Statement of Line

Stature seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

High Back with Wood Base and Arms

➤See page 173 to specify.

Height	38⅛"–43⅛"
Width	26⅜"
Depth	26⅜"
Arm height	26⅝"–31⅜"
Seat height	16½"–21½"
Seat width	20½"
Seat depth	18"
Kneespace	20⅜"

High Back with Black Base and Arms

➤See page 173 to specify.

Height	38¼"–42¾"
Width	25¼"
Depth	27"
Arm height	26"–30¾"
Seat height	17"–21¼"
Seat width	20½"
Seat depth	18"
Kneespace	20⅜"

Mid-Back with Wood Base and Arms

➤See page 173 to specify.

Height	34¾"–39¾"
Width	26⅜"
Depth	25½"
Arm height	26⅝"–31⅜"
Seat height	16½"–21½"
Seat width	20½"
Seat depth	18"
Kneespace	20⅜"

Mid-Back with Black Base and Arms

➤See page 173 to specify.

Height	34¾"–39¼"
Width	25¼"
Depth	27"
Arm height	27"
Seat height	17"–21¼"
Seat width	20½"
Seat depth	18"
Kneespace	20⅜"

Note: All models are available with accent/headers; dimensions are the same for models with accent/headers.

Side Chair with Wood Frame

➤See page 175 to specify.

Height	35⅛"
Width	26⅜"
Depth	25¼"
Arm height	27⅝"
Seat height	18"
Seat width	20½"
Seat depth	18"
Kneespace	20½"

Side Chair with Black Metal Frame

➤See page 175 to specify.

Height	35"
Width	24¼"
Depth	25¾"
Arm height	27"
Seat height	18½"
Seat width	20¼"
Seat depth	18"
Kneespace	20½"

Desk and Side Chairs

Overview

Statement of Line ➤See page 171
Finishes & Materials 289
COM/COL Yardage Req. 314

Outer back is fully upholstered.

Back cushion is high resiliency, CFC-free, polyurethane foam.

Hardwood base caps are kiln-dried maple supported by a rigid steel substructure.

Black, glass-filled nylon base is textured for scuff resistance.

Hard, black, dual-wheel casters for use on carpeted floors are standard.

Soft dual-wheel casters are available and should be specified for use on hard floors. Casters are black. Upcharge applies.



Arms on desk chairs are offered in kiln-dried maple with black urethane caps on models with wood bases, or soft urethane insert-molded over a steel core on models with a black nylon base.

Seat cushion is CFC-free molded urethane foam.

Waterfall front edge slopes forward to reduce pressure and increase circulation for the user's legs.



Hardwood-frame side chairs are kiln-dried maple. Joints are double doweled and glued to ensure maximum strength. Frame assembly is mounted in holes bored into the leg and secured with steel brackets and wood screws.

Metal-frame side chairs use 1⅛" diameter, 13 gauge steel tubing and feature a black, textured powdercoat. Frame components are welded together using a precision weld fixture to ensure accuracy and rigidity. Arms have black urethane caps.

Glides on wood frame side chair are dome-shaped plastic and ⅞" in diameter.

Glides on metal frame side chair are nylon ball inserts and 1⅛" in diameter.

Details

Wood base and arms



Black base and arms

Two arm/base styles are available on desk chairs: wood or black urethane. Shroud and controls are black.

Accent/header is available on all Stature desk and side chairs. Contrasting upholstery is an option.

Contoured back shell is blow-molded polyethylene.

Seat rails on side chairs are ¾" diameter (outside), 14-gauge tubular steel.

Back is upholstered using a slipcover-style upholstery technique.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the metal seat rails on side chair frame and the control mechanism of desk chair.

Seat is upholstered using a pull-around upholstery technique.

Cushions are 2" thick on the seat and 1½" thick on the back.

Arms of desk chairs are attached to the seat with a steel support bracket and ¼" diameter machine screws.

Adjustability Features

	Desk Chair
Knee tilt and upright back lock	•
Tilt tension	•
Swivel	•
Pneu. height	•

• = standard

Knee-tilt control provides minimal rise of the front edge of the seat when reclining. Back may be locked in a full upright position by pushing pneumatic height adjustment lever inward. Recommended for users weighing 225 lbs. or less.

Tilt tension control adjusts the amount of resistance the user feels when leaning back.

Pneumatic height adjustment allows user to raise or lower the seat height with a control lever while seated. Upward movement of lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

Note: Tailstock bracket allows the back upright to fasten directly to the control mechanism for added support and rigidity. Back upright mounting plate is 10-gauge metal.

Desk Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 171
Overview 172
Alliance Program Pricing 174
COM/COL Yardage Req. 314

Illustrations show chairs with wood base/frame.

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
High Back Desk Chairs										
Wood Base and Arms										
K11AA K		$1358	$1406	$1436	$1467	$1510	$1556	$1603	$1793	$1900
K11AAF	TB133	1535	$1583	1613	1644	1687	1733	1780	1970	2077
Black Base and Arms										
K30AA		$1029	$1077	$1107	$1138	$1181	$1227	$1274	$1464	$1571
K30AAF	TB133	1207	1255	1285	1316	1359	1405	1452	1642	1749
High Back Desk Chairs with Accent/Header										
Wood Base and Arms										
K11BB		$1516	$1567	$1599	$1632	$1678	$1727	$1776	$1978	$2092
K11BBF	TB133	1724	1775	1807	1840	1886	1935	1984	2186	2300
Black Base and Arms										
K30BB		$1185	$1236	$1268	$1301	$1347	$1396	$1445	$1647	$1761
K30BBF	TB133	1395	1446	1478	1511	1557	1606	1655	1857	1971
Mid-Back Desk Chairs										
Wood Base and Arms										
K11CC K		$1295	$1337	$1364	$1390	$1428	$1469	$1509	$1676	$1770
K11CCF	TB133	1463	1505	1532	1558	1596	1637	1677	1844	1938
Black Base and Arms										
K30CC		$1006	$1048	$1075	$1101	$1139	$1180	$1220	$1387	$1481
K30CCF	TB133	1172	1214	1241	1267	1305	1346	1386	1553	1647
Mid-Back Desk Chairs with Accent/Header										
Wood Base and Arms										
K11DD		$1454	$1499	$1528	$1556	$1597	$1640	$1684	$1862	$1963
K11DDF	TB133	1654	1699	1728	1756	1797	1840	1884	2062	2163
Black Base and Arms										
K30DD		$1164	$1209	$1238	$1266	$1307	$1350	$1394	$1572	$1673
K30DDF	TB133	1364	1409	1438	1466	1507	1550	1594	1772	1873

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

Stature desk chair models with black base specified for TB133 compliance will have a metal base.

How to Specify

❶ Model

Accent/Header (omit for chairs without accent/header):
② Upholstery grade
③ Upholstery number

Chair Upholstery:
④ Upholstery grade
⑤ Upholstery number

Wood base/frame: (omit for black base/frame models):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

⑧ Casters:
C1 = Hard for black base
C2 = Soft for black base (+$24)
C3 = Hard for wood base
C4 = Soft for wood base (+$24)

K = Kwik Office model available.

Desk Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 171
Overview 172
Kimball Office Uph. Pricing 173
COM/COL Yardage Req. 314

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K11AA	$1430	$1462	$1491	$1515	$1547	$1579	$1601	$1635	$1668
	1699	1750	1854	1920	1928	1945	1961	1977	2048
K11BB	1593	1627	1657	1683	1717	1751	1774	1810	1846
	1878	1933	2043	2113	2121	2140	2157	2174	2249
K11CC	1358	1386	1411	1432	1460	1488	1508	1537	1567
	1593	1638	1729	1786	1793	1809	1823	1837	1898
K11DD	1522	1552	1579	1601	1631	1661	1682	1714	1745
	1774	1822	1919	1981	1988	2005	2020	2035	2101
K30AA	1101	1133	1162	1186	1218	1250	1272	1306	1339
	1370	1421	1525	1591	1599	1616	1632	1648	1719
K30BB	1262	1296	1326	1352	1386	1420	1443	1479	1515
	1547	1602	1712	1782	1790	1809	1826	1843	1918
K30CC	1069	1097	1122	1143	1171	1199	1219	1248	1278
	1304	1349	1440	1497	1504	1520	1534	1548	1609
K30DD	1232	1262	1289	1311	1341	1371	1392	1424	1455
	1484	1532	1629	1691	1698	1715	1730	1745	1811

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

Stature desk chair models with black base specified for TB133 compliance will have a metal base.

How to Specify

❶ Model

Accent/Header (omit for chairs without accent/header):
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Chair Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Wood base/frame (omit for black base models):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator
⑧ Casters:
C1 = Hard for black base
C2 = Soft for black base (+$24)
C3 = Hard for wood base
C4 = Soft for wood base (+$24)

Side Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 171
Overview 172
Alliance Program Pricing 176
COM/COL Yardage Req. 314

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Side Chairs										
Wood Frame										
K11EE Ⓚ		$994	$1036	$1063	$1089	$1127	$1168	$1208	$1375	$1469
K11EEF	TB133	1162	1204	1231	1257	1295	1336	1376	1543	1637
Black Metal Frame										
K30EE		$813	$855	$882	$908	$946	$987	$1027	$1194	$1288
K30EEF	TB133	981	1023	1050	1076	1114	1155	1195	1362	1456
Side Chairs with Accent/Header										
Wood Frame										
K11FF		$1154	$1199	$1228	$1256	$1297	$1340	$1384	$1562	$1663
K11FFF	TB133	1353	1398	1427	1455	1496	1539	1583	1761	1862
Black Metal Frame										
K30FF		$966	$1011	$1040	$1068	$1109	$1152	$1196	$1374	$1475
K30FFF	TB133	1167	1212	1241	1269	1310	1353	1397	1575	1676

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Accent/Header (omit for chairs without accent/header):
② Upholstery grade
③ Upholstery number

Chair Upholstery:
④ Upholstery grade
⑤ Upholstery number

Wood base/frame: (omit for black base/frame models):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Illustrations show chairs with wood base/frame.

Ⓚ = Kwik Office model available.

Side Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 171
Overview 172
Kimball Office Uph. Pricing 175
COM/COL Yardage Req. 314

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K11EE	$1057	$1085	$1110	$1131	$1159	$1187	$1207	$1236	$1266
	1292	1337	1428	1485	1492	1508	1522	1536	1597
K11FF	1222	1252	1279	1301	1331	1361	1382	1414	1445
	1474	1522	1619	1681	1688	1705	1720	1735	1801
K30EE	876	904	929	950	978	1006	1026	1055	1085
	1111	1156	1247	1304	1311	1327	1341	1355	1416
K30FF	1034	1064	1091	1113	1143	1173	1194	1226	1257
	1286	1334	1431	1493	1500	1517	1532	1547	1613

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Accent/Header (omit for chairs without accent/header):
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Chair Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Wood base/frame (omit for black base models):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator
⑧ Casters:
C1 = Hard for black base
C2 = Soft for black base (+$24)
C3 = Hard for wood base
C4 = Soft for wood base (+$24)

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TALENT™

Lounge Seating

Statement of Line

Talent seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.



2½-Seat Lounge

➤See page 179 to specify.

Height	34½"
Width	61½"
Depth	30½"
Arm height	26"
Seat height	19½"
Seat width	54"
Seat depth	20"

1-Seat Lounge

➤See page 179 to specify.

Height	34½"
Width	31½"
Depth	30½"
Arm height	26"
Seat height	19½"
Seat width	23½"
Seat depth	20"



Bench

➤See page 179 to specify.

Height	19½"
Width	53"
Depth	25"

Ottoman

➤See page 179 to specify.

Height	19½"
Width	25"
Depth	25"

Lounge Seating

Statement of Line ➤See page 177
Finishes & Materials 289
COM/COL Yardage Req. 314

Frame is constructed of ¾" plywood, utilizing lap joint construction that is glued and screwed. All upholstered models are standard in kiln-dried maple hardwoods.

Cushions are high-grade resiliency, CFC-free polyurethane foam.



Legs are flared and accented with a decorative base rail.

Non-skid glides are ¾" in diameter and adjustable.

Details



2½-Seat

1-Seat

Lounge seating is available in two-and-half-seat and one-seat models with arms.



Bench is 53"W.

Ottoman is 25"W.

Wood base on all models is available in all Kimball Office standard wood finishes.

Back and seats feature high-tension, strip-webbing suspensions that are stapled to the frame.

Back cushions are 1½"-thick, high-grade, laminated polyurethane foam. Back upholstery features ¼" sewn-in foam and uses a slipcover upholstery method that is stapled into place.

Seat cushions are 6"-thick high-grade laminated polyurethane foam that is custom shaped. Seat upholstery uses a wrap-around upholstery method that is stapled into place.

All models are fully upholstered. Bottom is finished with a black fabric dust cover.

Armrest tops and outside panels are constructed with ¼"-thick, high-grade polyurethane foam. Upholstery features an additional ¼" sewn-in foam and uses a slipcover upholstery method that is stapled into place.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks that are also glued and screwed to the base rails. The base frame is attached to the seat frame with wood screws through the rails. Two-and-a-half seat and bench models have additional screws to provide extra support.

Talent lounge seating and bench meet or exceed the applicable BIFMA/ANSI standards and meet Kimball Heavy Duty testing requirements of 350 lbs.

Related Products

Accent pillows are available.
➤See page 13.

Lounge Seating

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 177
Overview 178
Alliance Program Pricing 180
COM/COL Yardage Req. 314





Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
2½-Seat Lounge with Arms										
K65BB		$3115	$3295	$3409	$3523	$3685	$3859	$4033	$4747	$5149
K65BBF	TB133	3209	3389	3503	3617	3779	3953	4127	4841	5243
One-Seat Lounge Arms										
K65AA		$2075	$2195	$2271	$2347	$2455	$2571	$2687	$3163	$3431
K65AAF	TB133	2156	2276	2352	2428	2536	2652	2768	3244	3512
Bench										
K65CC		$1780	$1878	$1939	$2001	$2089	$2183	$2277	$2664	$2882
K65CCF	TB133	1819	1917	1978	2040	2128	2222	2316	2703	2921
Ottoman										
K65DD		$1155	$1215	$1253	$1291	$1345	$1403	$1461	$1699	$1833
K65DDF	TB133	1479	1539	1577	1615	1669	1727	1785	2023	2157

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model
② Upholstery grade
③ Upholstery number
④ Wood finish price group:
STD = Group 1
⑤ Wood finish designator

When specifying a striped or directional textile, a solid pattern is recommended for the back cushion due to alignment constraints.

Lounge Seating

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Actual Dimensions ➤See page 177
Overview 178
Kimball Office Uph. Pricing 179
COM/COL Yardage Req. 314

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K65AA	$2255	$2335	$2407	$2467	$2547	$2627	$2683	$2767	$2851
	2927	3055	3315	3479	3499	3543	3583	3623	3799
K65BB	3385	3505	3613	3703	3823	3943	4027	4153	4279
	4393	4585	4975	5221	5251	5317	5377	5437	5701
K65CC	1926	1991	2050	2099	2164	2229	2274	2342	2411
	2472	2576	2788	2921	2937	2973	3005	3038	3181
K65DD	1245	1285	1321	1351	1391	1431	1459	1501	1543
	1581	1645	1775	1857	1867	1889	1909	1929	2017

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
④ Wood finish price group:
STD = Group 1
⑤ Wood finish designator

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

When specifying a striped or directional textile, a solid pattern is recommended for the back cushion due to alignment constraints.

Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289



One-Seat Lounge with Arms on Both Sides
➤See page 192 for 4"-arm models.
➤See page 196 for 5"-arm and mobile models.

One-Seat Lounge with Arm on Left
➤See page 193 for 4"-arm models.
➤See page 197 for 5"-arm models.

One-Seat Lounge with Arm on Right
➤See page 194 for 4"-arm models.
➤See page 198 for 5"-arm models.

One-Seat Lounge without Arms
➤See page 200 to specify.



Two-Seat Lounge with Arms on Both Sides
➤See page 192 for 4"-arm models
➤See page 196 for 5"-arm models



Two-Seat Lounge with Arm on Left
➤See page 193 for 4"-arm models.
➤See page 197 for 5"-arm models.



Two-Seat Lounge with Arm on Right
➤See page 194 for 4"-arm models.
➤See page 198 for 5"-arm models.



Two-Seat Lounge without Arms
➤See page 200 to specify.



Three-Seat Lounge with Arms on Both Sides
➤See page 192 for 4"-arm models
➤See page 196 for 5"-arm models



Three-Seat Lounge with Arm on Left
➤See page 193 for 4"-arm models.
➤See page 197 for 5"-arm models.



Three-Seat Lounge with Arm on Right
➤See page 194 for 4"-arm models.
➤See page 198 for 5"-arm models.



Three-Seat Lounge without Arms
➤See page 200 to specify.

VILLA™

Statement of Line

Privacy-Back Lounge Seating

Overview	➤See page 185
Actual Dimensions	191
Finishes & Materials	289



Privacy-Back One-Seat Lounge
Available in 24"W and 30"W models.
➤See page 202 to specify.



Privacy-Back One-Seat Lounges with Left Shade™
Available in 24"W and 30"W models.
➤See page 204 to specify.



Privacy-Back One-Seat Lounges with Right Shade™
Available in 24"W and 30"W models.
➤See page 205 to specify.



Privacy-Back One-Seat Lounges with Left and Right Shade™
Available in 24"W and 30"W models.
➤See page 206 to specify.

Note: Units with Shade™ are available in semi-private and private models.



Privacy-Back Two-Seat Lounge
➤See page 202 to specify.



Privacy-Back Two-Seat Lounges with Left Shade™
➤See page 204 to specify.



Privacy-Back Two-Seat Lounges with Right Shade™
➤See page 205 to specify.



Privacy-Back Two-Seat Lounges with Left and Right Shade™
➤See page 206 to specify.



Privacy-Back 90° Corner
➤See page 209 to specify.

Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289



90° Corner
➤See page 208 to specify.



45° Corner
➤See page 210 to specify.



Plateau Corner
➤See page 210 to specify.



45° Crescent
➤See page 212 to specify.

30° Inside Wedge
➤See page 212 to specify.

150° Outside Wedge
➤See page 212 to specify.



Hexagon Bench
➤See page 214 to specify.

45° Crescent Bench
➤See page 214 to specify.



Rectangle Bench
➤See page 214 to specify.



Square Ottoman
➤See page 214 to specify.

Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289



Freestanding Corner Tables
➤See page 216 to specify.



Freestanding Magazine Tables
Available in open-storage and non-storage models.
➤See page 216 to specify.

Freestanding Rectangle Tables
➤See page 216 to specify.

Freestanding 90° Triangle Tables
➤See page 216 to specify.



Freestanding 90° Crescent Tables
➤See page 216 to specify.

Freestanding Round Tables
➤See page 216 to specify.

Lounge Seating

Overview

Actual Dimensions ➤See page 191
Finishes & Materials 289

Frame is constructed of ¾" plywood, using a lap-joint construction method. The frame is glued and screwed together.

Seat cushions contain 3½" high-density, high-resiliency slab foam over a webbed suspension. They are removable and replaceable. Soft seat option is available.

Back cushions contain 2½" high-density, high-resiliency foam over a non-stretch woven suspension that is stapled to the frame.



Power/USB grommets are available in left (shown), right, or left and right kick rail on all lounge models.

Wood or laminate tablet arms are available on models with 4" arms. Tablet arms may be specified for the right (shown), left, or both left and right arms. Models with 4" arms on both sides may be specified with a tablet arm on one side and an armcap on the other.
Note: Location is defined from the user's perspective when seated in the chair.



Arm tops and outside panels feature ¾"-thick, high-grade polyurethane foam.

Wood or laminate arm caps are available for 4"-arm models.

Square legs are steel with a platinum powdercoat finish. They are attached with wood screws through the frame's corner blocks.

Non-skid, adjustable glides are 2" in diameter.

Details

All Villa lounge models are fully upholstered. Bottoms are finished with a black fabric dust cover. Legs are attached after upholstery is applied.

Villa seat and back cushions are upholstered using a slipcover method and finished with single and double French seams.

Arms feature a sewn slipcover with French seams that is stapled into place.

Soft seat cushion option is available on all Villa models, except youth lounge. Provides 10 lb. Visco foam layer atop HR45 foam to provide comfort and support. Certain upholsteries might wrinkle over time with soft seat option.



Wood or laminate floating top is available on Villa plateau corner.



Contrasting fabric may be specified on the back, base/seat, arms, and headrest (privacy-back models).

Mobile one-seat lounge features 5" arms on both sides and includes cupholders in both arms, non-handed tablet arm, front casters, and black handle.



Privacy-back seating is available in armless 24"W one-seat, 30"W one-seat, armless two-seat models, with or without Shade, and 90° corner models. Luan material is added to the back for flexibility, support, and overall comfort. Leather is not available on backs of privacy-back models, but may be selected for the headrest and seat.

Tables are available with HPL laminate or wood top; round tables are also available with a white matte glass top. Legs are the same as those featured on lounge seating models; square steel with a platinum powdercoat finish. All tables, except round models can gang to any lounge unit. Grommets are available.
➤See page 187.

Related Products

Accent pillows are available.
➤See page 13.

Power/USB Grommet Options

Factory-Installed in Kick Rail of Upholstered Models

Grommet Designators	*Upcharge*
G55KRPL = Left front kick rail; platinum metallic	+$340
G55KRPR = Right front kick rail; platinum metallic	+$340
G55KRPLR = Left and right front kick rail; platinum metallic	+$680



Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289



G55 power/USB grommets feature a single-sided, pneumatic pop-out design and 6’ cord. Actual cutout size is for 4” x 5”. Grommets are painted in platinum

How to Specify

① **Insert the grommet designator** in applicable step in the model number sequence.

Table Cutout/Grommet Options

Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289

Table Shape	*Grommet Designators*	*Cut-Out Location Designators*	*Upcharge*	*Location of Cut-Outs*
Corner and Magazine (non-storage)	**G21** = power/power grommet **G22** = power/data grommet	**R** = Right **L** = Right **RL** = Two cutouts, right and left **C** = Center	+$ 465 per grommet	
	G23 = 3 power on each side **G24** = 2 power/1 data on each side	**C** = Center	+$ 878 per grommet	
	G25 = 1 power/2 USB on both sides	**C** = Center	+$1033 per grommet	
Rectangle	**G21** = power/power grommet **G22** = power/data grommet	**R** = Right **L** = Right **RL** = Two cutouts, right and left	+$ 465 per grommet	
90° wedge	**G21** = power/power grommet **G22** = power/data grommet	**R** = Right **L** = Right **RL** = Two cutouts, right and left **F** = Front **B** = Back	+$ 465 per grommet	
	G23 = 3 power on each side **G24** = 2 power/1 data on each side	**C** = Center	+$ 878 per grommet	
	G25 = 1 power/2 USB on both sides	**C** = Center	+$1033 per grommet	
90° triangle	**G21** = power/power grommet **G22** = power/data grommet	**R** = Right **L** = Right **RL** = Two cutouts, right and left	+$ 465 per grommet	
	G23 = 3 power on each side **G24** = 2 power/1 data on each side	**C** = Center	+$ 878 per grommet	
	G25 = 1 power/2 USB on both sides	**C** = Center	+$1033 per grommet	
Round	**G10** = 2 power/1 data	**C** = Center	+$ 492 per grommet	



G21/G22



G23/G24/G25

G21 and G22 grommets feature a single-sided, pneumatic pop-up design and 6' cord for 4" x 5" cutouts: anodized aluminum

G23, G24, and G25 grommets feature a double-sided, pneumatic pop-up design and 6' cord for 7¹¹⁄₁₆" x 6½" cutout: anodized aluminum



G10 grommet includes two power outlets, one data port (RJ45), 6' grounded cord with 15-amp plug: matte black

How to Specify

① **Insert the grommet designator and cut-out location designator** in step ⑦ in the table's model number sequence.

Note: Specify the grommet and location designators together. For example, G21RL.

Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289

The configurations shown on this page are just a few examples of those possible with Villa components.
Note: Prices shown at right for upholstered models reflect the Kimball Office grade 1 prices.



Units, incuding models with Shade™, may be ganged together. Two ganging brackets are required to join two units together. Pre-drilled holes in the base accept the ganging bracket or its small mating piece. Once brackets are installed, units slide together for a secure connection. To disconnect, lift up and pull outward on the unit with the mating pieces.
➤See page 217 to specify.
➤Assembly instructions and video available at: www.kimballoffice.com



Description	*Base Model**	*Quantity*	*Price*
45° crescent bench	K60CB	8	$1884 ea.
90° triangle table with wood top	K60T90TW	2	1661 ea.
Corner table with wood top	K60T292918W	1	1661 ea.
Ganging brackets	K60GB	24	33 ea.
		Total	$20847



Description	*Base Model**	*Quantity*	*Price*
One-seat lounge with 5" arms	K6015A	2	$2106 ea.
–with soft seat cushion	option	2	+$52 ea.
Three-seat lounge with 5" arms	K6035A	1	3329 ea.
–with soft seat cushion	option	3	+$52 ea.
Magazine table	K60T296019W	1	2328 ea.
		Total	$10129



Description	*Base Model**	*Quantity*	*Price*
Two-seat privacy back lounge	K602FPB	4	$3329 ea.
Corner table with wood top	K60T292918W	1	1661 ea.
		Total	$14977



Description	*Base Model**	*Quantity*	*Price*
One-seat lounge with arms	K601A	4	$1884 ea.
Rectangle bench	K60RB	2	1439 ea.
Ganging bracket	K60GB	2	33 ea.
		Total	$10480

Configurations and Planning

continued

Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289

The configurations shown on this page are just a few examples of those possible with Villa components.
Note: Prices shown at right for upholstered models reflect the Kimball Office grade 1 prices.



Units, incuding models with Shade™, may be ganged together. Two ganging brackets are required to join two units together. Pre-drilled holes in the base accept the ganging bracket or its small mating piece. Once brackets are installed, units slide together for a secure connection. To disconnect, lift up and pull outward on the unit with the mating pieces.
➤See page 217 to specify.
➤Assembly instructions and video available at: www.kimballoffice.com



Description	*Base Model**	*Quantity*	*Price*
90° corner	K6090C	1	$2106 ea.
Two-seat lounge without arms	K602	1	2218 ea.
Three-seat lounge without arms	K603	1	2829 ea.
Ganging brackets	K60GB	4	33 ea.
Configuration dimensions: 101.5" x 77.5"		**Total**	$7285

Note: Specify non-booth-application 90° corner model for this application. Fabric pattern will be applied diagonally, bridging between the adjacent armless units that feature front-to-back fabric.



Description	*Base Model**	*Quantity*	*Price*
Plateau corner with laminate top	K60PCTL	1	$3135 ea.
Two-seat lounge without arms	K602	1	2218 ea.
Three-seat lounge without arms	K603	1	2829 ea.
Hexagon bench	K60HB	1	1884 ea.
Rectangle bench	K60RB	1	1439 ea.
Ganging brackets	K60GB	8	33 ea.
Configuration dimensions: 137.25" x 120.25"		**Total**	$11769



Description	*Base Model**	*Quantity*	*Price*
Two-seat lounge without arms	K602	3	$2218 ea.
45° corner	K6045C	2	2551 ea.
Hexagon bench	K60HB	1	1884 ea.
Rectangle bench	K60RB	1	1439 ea.
Ganging brackets	K60GB	12	33 ea.
Configuration dimensions: 195.25" x 126"		**Total**	$15475



Description	*Base Model**	*Quantity*	*Price*
Plateau corner with laminate top	K60PCTL	2	$3135 ea.
Three-seat lounge with right arm	K603RA	2	2995 ea.
Three-seat lounge with left arm	K603LA	2	2995 ea.
Ganging brackets	K60GB	8	33 ea.
Configuration dimensions: 248.50" x 248.50"		**Total**	$18514

Configurations and Planning

continued

Overview ➤See page 185
Actual Dimensions 191
Finishes & Materials 289

The configurations shown on this page are just a few examples of those possible with Villa components.
Note: Prices shown at right for upholstered models reflect the Kimball Office grade 1 prices.



Units, incuding models with Shade™, may be ganged together. Two ganging brackets are required to join two units together. Pre-drilled holes in the base accept the ganging bracket or its small mating piece. Once brackets are installed, units slide together for a secure connection. To disconnect, lift up and pull outward on the unit with the mating pieces.

➤See page 217 to specify.

➤Assembly instructions and video available at: www.kimballoffice.com



Description	*Base Model**	*Quantity*	*Price*
90° corner (booth appl., left)	K6090CL	2	$2106 ea.
90° corner (booth appl., right)	K6090CR	2	2106 ea.
One-seat lounge without arms	K601	2	1551 ea.
Square ottoman	K60SO	2	1106 ea.
Corner table, wood top	K60T292918W	1	1661 ea.
Ganging brackets	K60GB	12	33 ea.
Configuration dimensions: 87" x 82.75"		**Total**	$15795

Note: Specify booth-application 90° corner models for this application. Fabric pattern will be applied front-to-back, matching the adjacent armless unit.



Description	*Base Model**	*Quantity*	*Price*
Rectangle bench	K60RB	3	$1439 ea.
Hexagon bench	K60HB	2	1884 ea.
Corner table, wood top	K60T292918W	2	1661 ea.
Ganging brackets	K60GB	12	33 ea.
Configuration dimensions: 41" x 280.50"		**Total**	$11803



Description	*Base Model**	*Quantity*	*Price*
Three-seat lounge with right arm	K603RA	2	$2995 ea.
Three-seat lounge with left arm	K603LA	2	2995 ea.
Corner table, wood top	K60T292918W	2	1661 ea.
Ganging brackets	K60GB	12	33 ea.
Configuration dimensions: 58" x 181.50"		**Total**	$15698

Actual Dimensions

Villa lounge, corners, and benches are dimensionally consistent, meet or exceed the applicable BIFMA/ANSI standards, and meet or exceed Kimball Heavy Duty testing requirements of 350 lbs.

Two-seat lounge models and rectangle bench are rated at 700 lbs. Three-seat lounge models are rated at 1,050 lbs.

➤See pricing pages for actual dimensions for tables.




	One-Seat Lounge	Two-Seat Lounge	Three-Seat Lounge	24"W Privacy Back	30"W Privacy Back	Two-Seat Privacy Back	90° Corner Lounge	90° Corner Privacy Back
Depth	29"	29"	29"	29"	29"	29"	38½"	38½"
Width				24¼"	30¼"	48¼"	29¼"	29¼"
—Without Arms	24¼"	48¼"	72¼"					
—One 4" Arm	28¼"	52¼"	76¼"					
—One 5" Arm	29½"	53½"	77½"					
—Mobile Model	35"							
—Two 4" Arms	32½"	56¼"	80¼"					
—Two 5" Arms	35"	58¾"	82¾"					
—One Shade				26¾"	32¾"	50¾"		
—Two Shades				29¼"	35¼"	53¼"		
Height	35¼"	35¼"	35¼"	55⅝"	55⅝"	55⅝"	35¼"	55⅝"
Arm Height	26⅜"	26⅜"	26⅜"					
Seat Depth	21⁵⁄₁₆"	21⁵⁄₁₆"	21⁵⁄₁₆"	21⁵⁄₁₆"	21⁵⁄₁₆"	21⁵⁄₁₆"	34¾"	34¾"
Seat Width	24¼"	48¼"	72¼"	24¼"	30¼"	48¼"	30"	30"
Seat Height	18¾"	18¾"	18¾"	18¾"	18¾"	18¾"	18¾"	18¾"

	45° Corner	Plateau Corner	45° Crescent	Inside Wedge	Outside Wedge	Hexagon Bench	Crescent Bench	Rectangle Bench	Square Ottoman
Depth	39"	48"	32"	25½"	25½"	41"	32"	29"	29"
Width	39"	39¼"	53"	48½"	40½"	39¼"	53"	48"	29"
Height	35¼"	35¼"	35¼"	35¼"	35¼"	18¾"	18¾"	18¾"	18¾"
Seat Depth	33¼"	27¼"	21⁵⁄₁₆"	19"	19"	41"	29"	29"	29"
Seat Width	44½"	44½"	53"	40½"	40½"	39¼"	53"	48"	29"
Seat Height	18¾"	18¾"	18¾"	18¾"	18¾"	18¾"	18¾"	18¾"	18¾"

Lounges with 4" Arms on Both Sides

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Overview	➤See page 185
Alliance Program Pricing	195
COM/COL Yardage Req.	314
Finishes & Materials	289







Left



Right

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seat										
K601A		$1884	$2061	$2173	$2285	$2445	$2616	$2786	$3489	$3884
K601AF**	TB133	2051	2228	2340	2452	2612	2783	2953	3656	4051
Two-Seat										
K602A		$2551	$2773	$2913	$3055	$3255	$3468	$3683	$4563	$5059
K602AF**	TB133	2773	2995	3135	3277	3477	3690	3905	4785	5281
Three-Seat										
K603A		$3107	$3374	$3543	$3712	$3954	$4211	$4469	$5528	$6124
K603AF**	TB133	3440	3707	3876	4045	4287	4544	4802	5861	6457

Options:

Description	***Laminate*** *How to Specify*	*Add/Deduct $*	***Wood*** *How to Specify*	*Add/Deduct $*
Tablet arm left	Specify **TLL**	+$336	Specify **TLW**	+$361
Tablet arm right	Specify **TRL**	+$336	Specify **TRW**	+$361
Tablet arm left & arm cap right	Specify **TLLACRL**	+$439	Specify **TLWACRW**	+$475
Tablet arm right & arm cap left	Specify **TRLACLL**	+$439	Specify **TRWACLW**	+$475
Tablet arms left and right *Note: Available on two-seat and three-seat models only.*	Specify **TRLL**	+$672	Specify **TRLW**	+$722
Arm caps left and right	Specify **ACL**	+$206	Specify **ACW**	+$228

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.
** = Placeholder for option designators that are part of the base model number. These appear before the F designator for TB133.

How to Specify

❶ Model
❷ Option designator (+$; omit if not applicable):
➤See options table for designators.

Back Upholstery:
③ Upholstery grade
④ Upholstery number

Seat/Base Upholstery:
⑤ Upholstery grade
⑥ Upholstery number

Arm Upholstery:
⑦ Upholstery grade
⑧ Upholstery number

Tablet Arm/Arm Cap
(omit if not applicable):
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

⑪ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑫ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Lounges with 4" Arm on Left Side

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Overview	➤See page 185
Alliance Program Pricing	195
COM/COL Yardage Req.	314
Finishes & Materials	289





Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seat										
K601LA		$1773	$1911	$1999	$2085	$2210	$2344	$2476	$3025	$3333
K601LAF**	TB133	1940	2078	2166	2252	2377	2511	2643	3192	3500
Two-Seat										
K602LA		$2384	$2567	$2683	$2799	$2964	$3140	$3317	$4043	$4452
K602LAF**	TB133	2606	2789	2905	3021	3186	3362	3539	4265	4674
Three-Seat										
K603LA		$2995	$3223	$3368	$3511	$3718	$3938	$4158	$5063	$5572
K603LAF**	TB133	3329	3557	3702	3845	4052	4272	4492	5397	5906

Options:

Description	*Laminate* How to Specify	Add/Deduct $	*Wood* How to Specify	Add/Deduct $
Tablet arm	Specify **TL**	+$336	Specify **TW**	+$361
Arm cap	Specify **ACL**	+$103	Specify **ACW**	+$114

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.
** = Placeholder for option designators that are part of the base model number. These appear before the F designator for TB133.

How to Specify

❶ Model
❷ Option designator (+$; omit if not applicable):
➤See options table for designators.

Back Upholstery:
③ Upholstery grade
④ Upholstery number

Seat/Base Upholstery:
⑤ Upholstery grade
⑥ Upholstery number

Arm Upholstery:
⑦ Upholstery grade
⑧ Upholstery number

Tablet Arm/Arm Cap
(omit if not applicable):
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

⑪ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑫ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Lounges with 4" Arm on Right Side

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Overview	➤See page 185
Alliance Program Pricing	195
COM/COL Yardage Req.	314
Finishes & Materials	289





Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seat										
K601RA		$1773	$1911	$1999	$2085	$2210	$2344	$2476	$3025	$3333
K601RAF**	TB133	1940	2078	2166	2252	2377	2511	2643	3192	3500
Two-Seat										
K602RA		$2384	$2567	$2683	$2799	$2964	$3140	$3317	$4043	$4452
K602RAF**	TB133	2606	2789	2905	3021	3186	3362	3539	4265	4674
Three-Seat										
K603RA		$2995	$3223	$3368	$3511	$3718	$3938	$4158	$5063	$5572
K603RAF**	TB133	3329	3557	3702	3845	4052	4272	4492	5397	5906

Options:

Description	*Laminate* How to Specify	Add/Deduct $	*Wood* How to Specify	Add/Deduct $
Tablet arm	Specify **TL**	+$336	Specify **TW**	+$361
Arm cap	Specify **ACL**	+$103	Specify **ACW**	+$114

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.
** = Placeholder for option designators that are part of the base model number. These appear before the F designator for TB133.

How to Specify

❶ Model
❷ Option designator (+$; omit if not applicable):
➤See options table for designators.

Back Upholstery:
③ Upholstery grade
④ Upholstery number

Seat/Base Upholstery:
⑤ Upholstery grade
⑥ Upholstery number

Arm Upholstery:
⑦ Upholstery grade
⑧ Upholstery number

Tablet Arm/Arm Cap
(omit if not applicable):
⑨ Finish price group:
STD = Group 1
⑩ Finish designator

⑪ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑫ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Lounges with 4" Arm(s)

with Alliance Program Upholstery

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K601A	2150	2268	2373	2462	2580	2698	2781	2904	3029
	3140	3330	3713	3955	3984	4050	4109	4168	4427
K601LA	1980	2072	2154	2223	2315	2407	2473	2568	2666
	2752	2900	3199	3387	3410	3462	3508	3554	3755
K601RA	1980	2072	2154	2223	2315	2407	2473	2568	2666
	2752	2900	3199	3387	3410	3462	3508	3554	3755
K602A	2885	3033	3165	3277	3425	3573	3675	3831	3986
	4127	4365	4845	5149	5186	5267	5341	5415	5741
K602LA	2659	2781	2890	2982	3104	3226	3311	3439	3567
	3683	3879	4275	4525	4556	4623	4684	4745	5013
K602RA	2659	2781	2890	2982	3104	3226	3311	3439	3567
	3683	3879	4275	4525	4556	4623	4684	4745	5013
K603A	3509	3687	3846	3979	4157	4335	4460	4647	4834
	5003	5289	5866	6231	6275	6373	6462	6551	6943
K603LA	3338	3490	3626	3739	3891	4043	4151	4310	4470
	4614	4858	5351	5662	5700	5784	5860	5936	6270
K603RA	3338	3490	3626	3739	3891	4043	4151	4310	4470
	4614	4858	5351	5662	5700	5784	5860	5936	6270

Options:

Description	***Laminate*** *How to Specify*	*Add/Deduct $*	***Wood*** *How to Specify*	*Add/Deduct $*
Tablet arm	Specify **TL**	+$336	Specify **TW**	+$361
Arm cap	Specify **ACL**	+$103	Specify **ACW**	+$114

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

How to Specify

❶ Model
❷ Option designator (+$; omit if not applicable):
➤See pricing page for Kimball Office upholstery for designators.

Back Upholstery:
③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
④ Upholstery number

Seat/Base Upholstery:
⑤ Alliance partner designator and upholstery grade (see above)
⑥ Upholstery number

Arm Upholstery:
⑦ Alliance partner designator and upholstery grade (see above)
⑧ Upholstery number

Tablet Arm/Arm Cap (omit if n/a):
⑨ Finish price group: **STD** = Grp. 1
⑩ Finish designator

⑪ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑫ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Lounges with 5" Arms on Both Sides

Pricing

with Kimball Office Upholstery

GSA SIN 711-16







Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seat										
K6015A		$2106	$2283	$2395	$2507	$2667	$2838	$3008	$3711	$4106
K6015AF	TB133	2273	2450	2562	2674	2834	3005	3175	3878	4273
One-Seat Mobile										
With Laminate Non-Handed Tablet Arm, Two Cupholders, and Front Casters										
K601ACHTLM		$2645	$2822	$2934	$3046	$3206	$3377	$3547	$4250	$4645
K601ACHTLMF	TB133	2811	2988	3100	3212	3372	3543	3713	4416	4811
With Wood Non-Handed Tablet Arm, Two Cupholders, and Front Casters										
K601ACHTWM		$2673	$2850	$2962	$3074	$3234	$3405	$3575	$4278	$4673
K601ACHTWMF	TB133	2839	3016	3128	3240	3400	3571	3741	4444	4839
Two-Seat										
K6025A		$2773	$2995	$3135	$3277	$3477	$3690	$3905	$4785	$5281
K6025AF	TB133	2995	3217	3357	3499	3699	3912	4127	5007	5503
Three-Seat										
K6035A		$3329	$3596	$3765	$3934	$4176	$4433	$4691	$5750	$6346
K6035AF	TB133	3662	3929	4098	4267	4509	4766	5024	6083	6679

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Overview ➤See page 185
Alliance Program Pricing 199
COM/COL Yardage Req. 314
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Arm Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑨ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Lounges with 5" Arm on Left Side

Pricing

with Kimball Office Upholstery

GSA SIN 711-16





Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seat										
K6015LA		$1940	$2078	$2166	$2252	$2377	$2511	$2643	$3192	$3500
K6015LAF	TB133	2106	2244	2332	2418	2543	2677	2809	3358	3666
Two-Seat										
K6025LA		$2551	$2734	$2850	$2966	$3131	$3307	$3484	$4210	$4619
K6025LAF	TB133	2773	2956	3072	3188	3353	3529	3706	4432	4841
Three-Seat										
K6035LA		$3163	$3391	$3536	$3679	$3886	$4106	$4326	$5231	$5740
K6035LAF	TB133	3495	3723	3868	4011	4218	4438	4658	5563	6072

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Overview ➤See page 185
Alliance Program Pricing 199
COM/COL Yardage Req. 314
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Arm Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)

⑨ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Lounges with 5" Arms on Right Side

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Overview	➤See page 185
Alliance Program Pricing	199
COM/COL Yardage Req.	314
Finishes & Materials	289







Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
One-Seat										
K6015RA		$1940	$2078	$2166	$2252	$2377	$2511	$2643	$3192	$3500
K6015RAF	TB133	2106	2244	2332	2418	2543	2677	2809	3358	3666
Two-Seat										
K6025RA		$2551	$2734	$2850	$2966	$3131	$3307	$3484	$4210	$4619
K6025RAF	TB133	2773	2956	3072	3188	3353	3529	3706	4432	4841
Three-Seat										
K6035RA		$3163	$3391	$3536	$3679	$3886	$4106	$4326	$5231	$5740
K6035RAF	TB133	3495	3723	3723	4011	4218	4438	4658	5563	6072

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Arm Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)

⑨ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Lounges with 5" Arm(s)

with Alliance Program Upholstery

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K601ACHTWM	2939	3057	3162	3251	3369	3487	3570	3693	3818
	3929	4119	4502	4744	4773	4839	4898	4957	5216
K601ACHTLM	2911	3029	3134	3223	3341	3459	3542	3665	3790
	3901	4091	4474	4716	4745	4811	4870	4929	5188
K6015A	2372	2490	2595	2684	2802	2920	3003	3126	3251
	3362	3552	3935	4177	4206	4272	4331	4390	4649
K6015LA	2147	2239	2321	2390	2482	2574	2640	2735	2833
	2919	3067	3366	3554	3577	3629	3675	3721	3922
K6015RA	2147	2239	2321	2390	2482	2574	2640	2735	2833
	2919	3067	3366	3554	3577	3629	3675	3721	3922
K6025A	3107	3255	3387	3499	3647	3795	3897	4053	4208
	4349	4587	5067	5371	5408	5489	5563	5637	5963
K6025LA	2826	2948	3057	3149	3271	3393	3478	3606	3734
	3850	4046	4442	4692	4723	4790	4851	4912	5180
K6025RA	2826	2948	3057	3149	3271	3393	3478	3606	3734
	3850	4046	4442	4692	4723	4790	4851	4912	5180
K6035A	3731	3909	4068	4201	4379	4557	4682	4869	5056
	5225	5511	6088	6453	6497	6595	6684	6773	7165
K6035LA	3506	3658	3794	3907	4059	4211	4319	4478	4638
	4782	5026	5519	5830	5868	5952	6028	6104	6438
K6035RA	3506	3658	3794	3907	4059	4211	4319	4478	4638
	4782	5026	5519	5830	5868	5952	6028	6104	6438

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

How to Specify

❶ Model

Back Upholstery:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Seat/Base Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Arm Upholstery:
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

⑧ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑨ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Lounges without Arms

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Overview	➤See page 185
Alliance Program Pricing	201
COM/COL Yardage Req.	314
Finishes & Materials	289



Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
One-Seat										
K601		$1551	$1647	$1708	$1768	$1855	$1948	$2040	$2422	$2636
K601F	TB133	1661	1757	1818	1878	1965	2058	2150	2532	2746
Two-Seat										
K602		$2218	$2359	$2448	$2538	$2665	$2800	$2937	$3496	$3811
K602F	TB133	2384	2525	2614	2704	2831	2966	3103	3662	3977
Three-Seat										
K603		$2829	$3015	$3133	$3250	$3419	$3598	$3778	$4516	$4931
K603F	TB133	3107	3293	3411	3528	3697	3876	4056	4794	5209

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

⑥ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)

⑦ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Lounges without Arms

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K601	$1695	$1759	$1816	$1864	$1928	$1992	$2038	$2104	$2172
	2232	2335	2543	2674	2690	2726	2758	2790	2930
K602	2430	2524	2608	2679	2773	2867	2932	3031	3129
	3219	3370	3675	3868	3892	3943	3990	4037	4244
K603	3109	3233	3344	3436	3560	3684	3772	3902	4032
	4150	4349	4751	5005	5036	5104	5166	5228	5501

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

How to Specify

❶ Model

Back Upholstery:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Seat/Base Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

⑥ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑦ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Privacy-Back Lounges

Pricing

with Kimball Office Upholstery

GSA SIN 711-16
† GSA Pending

Overview	➤See page 185
Alliance Program Pricing	203
COM/COL Yardage Req.	314
Finishes & Materials	289





Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
24"W One-Seat										
K601FPB		$2106	$2234	$2315	$2397	$2512	$2636	$2759	$2677	$2818
K601FPBF	TB133	2328	2456	2537	2619	2734	2858	2981	2899	3040
30"W One-Seat †										
K601WFPB		$2506	$2642	$2727	$2816	$2938	$3070	$3202	$3163	$3326
K601WFPBF	TB133	2686	2822	2907	2996	3118	3250	3382	3343	3506
Two-Seat										
K602FPB		$3329	$3518	$3639	$3759	$3930	$4114	$4297	$4197	$4410
K602FPBF	TB133	3718	3907	4028	4148	4319	4503	4686	4586	4799

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number
Note: Leather is not available on back. L7 and L8 pricing reflects grade 1 fabric on back.

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Accent/Headrest Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑨ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Privacy-Back Lounges

Pricing

with Alliance Program Upholstery

GSA SIN 711-16
† GSA Pending

Overview ➤See page 185
Finishes & Materials 289

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K601FPB	$2299	$2384	$2460	$2525	$2610	$2695	$2755	$2844	$2935
	3015	3153	3430	3605	3626	3673	3716	3759	3946
K601WFPB †	2713	2802	2882	2953	3042	3136	3197	3296	3390
	3474	3620	3916	4104	4128	4175	4222	4269	4466
K602FPB	3614	3740	3855	3950	4076	4202	4291	4424	4557
	4677	4880	5291	5551	5582	5651	5715	5779	6056

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

How to Specify

❶ Model

Back Upholstery:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
Note: Leather is not available on back.

Seat/Base Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Accent/Headrest Upholstery:
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

⑧ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑨ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Privacy-Back Lounges with Left Shade™

Pricing

with Kimball Office Upholstery

GSA Pending

Overview	➤See page 185
Alliance Program Pricing	207
COM/COL Yardage Req.	314
Finishes & Materials	289



Semi-Private Shade



Private Shade



Semi-Private Shade



Private Shade



Semi-Private Shade



Private Shade

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
		Kimball Office Upholstery Price Grade								
24"W One-Seat										
Semi-Private Shade										
K601FPBSUMBL		$2296	$2554	$2714	$2881	$3112	$3360	$3609	$2848	$2985
K601FPBSUMBLF	TB133	2546	2804	2964	3131	3362	3610	3859	3098	3235
Private Shade										
K601FPBSUMTL		$2296	$2554	$2714	$2881	$3112	$3360	$3609	$2848	$2985
K601FPBSUMTLF	TB133	2546	2804	2964	3131	3362	3610	3859	3098	3235
30"W One-Seat										
Semi-Private Shade										
K601WFPBSUMBL		$2696	$2966	$3134	$3310	$3551	$3812	$4073	$3353	$3516
K601WFPBSUMBLF	TB133	2996	3266	3434	3610	3851	4112	4373	3653	3816
Private Shade										
K601WFPBSUMTL		$2696	$2966	$3134	$3310	$3551	$3812	$4073	$3353	$3516
K601WFPBSUMTLF	TB133	2996	3266	3434	3610	3851	4112	4373	3653	3816
Two-Seat										
Semi-Private Shade										
K602FPBSUMBL		$3519	$3836	$4034	$4240	$4524	$4831	$5137	$4358	$4565
K602FPBSUMBLF	TB133	3919	4236	4434	4640	4924	5231	5537	4758	4965
Private Shade										
K602FPBSUMTL		$3519	$3836	$4034	$4240	$4524	$4831	$5137	$4358	$4565
K602FPBSUMTLF	TB133	3919	4236	4434	4640	4924	5231	5537	4758	4965

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery.
➤See page 319 for COM or COL.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number
Note: Leather is not available on back. L7 and L8 pricing reflects grade 1 fabric on back.

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Accent/Headrest Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

Outside Shade Upholstery:
⑧ Upholstery grade
⑨ Upholstery number

Shade Boxing Upholstery:
⑩ Upholstery grade
⑪ Upholstery number

Inside Shade Upholstery:
⑫ Upholstery grade
⑬ Upholstery number

⑭ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)

⑮ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Privacy-Back Lounges with Right Shade™

Pricing

with Kimball Office Upholstery

GSA Pending

Overview	➤See page 185
Alliance Program Pricing	207
COM/COL Yardage Req.	314
Finishes & Materials	289



Semi-Private Shade



Private Shade

Semi-Private Shade



Private Shade



Semi-Private Shade



Private Shade

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
		Kimball Office Upholstery Price Grade								
24"W One-Seat										
Semi-Private Shade										
K601FPBSUMBR		$2296	$2554	$2714	$2881	$3112	$3360	$3609	$2848	$2985
K601FPBSUMBRF	TB133	2546	2804	2964	3131	3362	3610	3859	3098	3235
Private Shade										
K601FPBSUMTR		$2296	$2554	$2714	$2881	$3112	$3360	$3609	$2848	$2985
K601FPBSUMTRF	TB133	2546	2804	2964	3131	3362	3610	3859	3098	3235
30"W One-Seat										
Semi-Private Shade										
K601WFPBSUMBR		$2696	$2966	$3134	$3310	$3551	$3812	$4073	$3353	$3516
K601WFPBSUMBRF	TB133	2996	3266	3434	3610	3851	4112	4373	3653	3816
Private Shade										
K601WFPBSUMTR		$2696	$2966	$3134	$3310	$3551	$3812	$4073	$3353	$3516
K601WFPBSUMTRF	TB133	2996	3266	3434	3610	3851	4112	4373	3653	3816
Two-Seat										
Semi-Private Shade										
K602FPBSUMBR		$3519	$3836	$4034	$4240	$4524	$4831	$5137	$4358	$4565
K602FPBSUMBRF	TB133	3919	4236	4434	4640	4924	5231	5537	4758	4965
Private Shade										
K602FPBSUMTR		$3519	$3836	$4034	$4240	$4524	$4831	$5137	$4358	$4565
K602FPBSUMTRF	TB133	3919	4236	4434	4640	4924	5231	5537	4758	4965

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery.
➤See page 319 for COM or COL.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number
Note: Leather is not available on back. L7 and L8 pricing reflects grade 1 fabric on back.

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Accent/Headrest Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

Outside Shade Upholstery:
⑧ Upholstery grade
⑨ Upholstery number

Shade Boxing Upholstery:
⑩ Upholstery grade
⑪ Upholstery number

Inside Shade Upholstery:
⑫ Upholstery grade
⑬ Upholstery number

⑭ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)

⑮ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Privacy-Back Lounges with Left and Right Shade™

Pricing

with Kimball Office Upholstery

GSA Pending



Semi-Private Shade



Private Shade



Semi-Private Shade



Private Shade



Semi-Private Shade



Private Shade

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
24"W One-Seat										
Semi-Private Shade										
K601FPBSUMBLR		$2486	$2744	$2904	$3071	$3302	$3550	$3799	$3038	$3175
K601FPBSUMBLRF	TB133	2836	3094	3254	3421	3652	3900	4149	3388	3525
Private Shade										
K601FPBSUMTLR		$2486	$2744	$2904	$3071	$3302	$3550	$3799	$3038	$3175
K601FPBSUMTLRF	TB133	2836	3094	3254	3421	3652	3900	4149	3388	3525
30"W One-Seat										
Semi-Private Shade										
K601WFPBSUMBLR		$2886	$3156	$3324	$3500	$3741	$4002	$4263	$3543	$3706
K601WFPBSUMBLRF	TB133	3286	3556	3724	3900	4141	4402	4663	3943	4106
Private Shade										
K601WFPBSUMTLR		$2886	$3156	$3324	$3500	$3741	$4002	$4263	$3543	$3706
K601WFPBSUMTLRF	TB133	3286	3556	3724	3900	4141	4402	4663	3943	4106
Two-Seat										
Semi-Private Shade										
K602FPBSUMBLR		$3709	$4026	$4224	$4430	$4714	$5021	$5327	$4548	$4755
K602FPBSUMBLRF	TB133	4209	4526	4724	4930	5214	5521	5827	5048	5255
Private Shade										
K602FPBSUMTLR		$3709	$4026	$4224	$4430	$4714	$5021	$5327	$4548	$4755
K602FPBSUMTLRF	TB133	4209	4526	4724	4930	5214	5521	5827	5048	5255

Overview ➤See page 185
Alliance Program Pricing 207
COM/COL Yardage Req. 314
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery.
➤See page 319 for COM or COL.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number
Note: Leather is not available on back. L7 and L8 pricing reflects grade 1 fabric on back.

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Accent/Headrest Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

Outside Shade Upholstery:
⑧ Upholstery grade
⑨ Upholstery number

Shade Boxing Upholstery:
⑩ Upholstery grade
⑪ Upholstery number

Inside Shade Upholstery:
⑫ Upholstery grade
⑬ Upholstery number

⑭ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)

⑮ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Privacy-Back Lounges with Shade™

Pricing

with Alliance Program Upholstery

GSA Pending

Overview ➤See page 185
Finishes & Materials 289

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K601FPBSUMBL or R	$2686	$2856	$3006	$3140	$3307	$3485	$3601	$3787	$3964
	4123	4399	4957	5312	5358	5446	5535	5624	5996
K601FPBSUMBLR	$2876	$3046	$3196	$3330	$3497	$3675	$3791	$3977	$4154
	4313	4589	5147	5502	5548	5636	5725	5814	6186
K601FPBSUMTL or R	2686	2856	3006	3140	3307	3485	3601	3787	3964
	4123	4399	4957	5312	5358	5446	5535	5624	4466
K601FPBSUMTLR	2876	3046	3196	3330	3497	3675	3791	3977	4154
	4313	4589	5147	5502	5548	5636	5725	5814	6186
K601WFPBSUMBL or R	3105	3283	3440	3581	3756	3942	4064	4259	4445
	4612	4901	5486	5858	5906	5999	6092	6185	6575
K601WFPBSUMBLR	3295	3473	3630	3771	3946	4132	4254	4449	4635
	4802	5091	5676	6048	6096	6189	6282	6375	6765
K601WFPBSUMTL or R	3105	3283	3440	3581	3756	3942	4291	4259	4445
	4612	4901	5486	5858	5906	5999	6092	6185	6575
K601WFPBSUMTLR	3295	3473	3630	3771	3946	4132	4254	4449	4635
	4802	5091	5676	6048	6096	6189	6282	6375	6765
K602FPBSUMBL or R	4000	4209	4393	4558	4765	4984	5127	5355	5574
	5771	6110	6798	7235	7291	7400	7509	7619	8077
K602FPBSUMBLR	4190	4399	4583	4748	4955	5174	5317	5545	5764
	5961	6300	6988	7425	7481	7590	7699	7809	8267
K602FPBSUMTL or R	4000	4209	4393	4558	4765	4984	5127	5355	5574
	5771	6110	6798	7235	7291	7400	7509	7619	8077
K602FPBSUMTLR	4190	4399	4583	4748	4955	5174	5317	5545	5764
	5961	6300	6988	7425	7481	7590	7699	7809	8267

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

How to Specify

❶ Model

Back Upholstery:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number
Note: Leather not available on back.

Seat/Base Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Accent/Headrest Upholstery:
⑥ Alliance partner designator and upholstery grade (see above)
⑦ Upholstery number

Outside Shade Upholstery:
⑧ Alliance partner designator and upholstery grade (see above)
⑨ Upholstery number

Shade Boxing Upholstery:
⑩ Alliance partner designator and upholstery grade (see above)
⑪ Upholstery number

Inside Shade Upholstery:
⑫ Alliance partner designator and upholstery grade (see above)
⑬ Upholstery number

⑭ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 per seat cushion)
⑮ Power/USB grommet option:
➤See page 186.
X = No grommet

90° Corners

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Overview	➤See page 185
Alliance Program Pricing	211
COM/COL Yardage Req.	314
Finishes & Materials	289

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
90° Corner										
Fabric Applied Diagonally on Seat										
K6090C		$2106	$2253	$2346	$2440	$2572	$2714	$2856	$3438	$3767
K6090CF	TB133	2328	2475	2568	2662	2794	2936	3078	3660	3989
Left (as seated); Fabric Applied Front to Back										
K6090CL		$2106	$2253	$2346	$2440	$2572	$2714	$2856	$3438	$3767
K6090CLF	TB133	2328	2475	2568	2662	2794	2936	3078	3660	3989
Right (as seated); Fabric Applied Front to Back										
K6090CR		$2106	$2253	$2346	$2440	$2572	$2714	$2856	$3438	$3767
K6090CRF	TB133	2328	2475	2568	2662	2794	2936	3078	3660	3989

Fabric Application Diagrams (by model):



Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

IMPORTANT: Fabrics reflect light differently when viewed at various angles, creating a natural phenomenon called “flip.” Flip is visible on all fabrics and is not considered a defect; it is more easily recognized on fabrics with a nap or shimmer and more apparent on crescent or corner units.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

⑥ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52)
⑦ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Privacy-Back 90° Corners

Pricing

with Kimball Office Upholstery

GSA SIN 711-16

Overview	➤See page 185
Alliance Program Pricing	211
COM/COL Yardage Req.	314
Finishes & Materials	289



Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
90° Corner										
Fabric Applied Diagonally on Seat										
K6090CFPB		$3495	$3690	$3814	$3937	$4113	$4301	$4490	$4311	$4512
K6090CFPBF	TB133	3940	4135	4259	4382	4558	4746	4935	4756	4957
Left (as seated); Fabric Applied Front to Back										
K6090CFPBL		$3495	$3690	$3814	$3937	$4113	$4301	$4490	$4311	$4512
K6090CFPBLF	TB133	3940	4135	4259	4382	4558	4746	4935	4756	4957
Right (as seated); Fabric Applied Front to Back										
K6090CFPBR		$3495	$3690	$3814	$3937	$4113	$4301	$4490	$4311	$4512
K6090CFPBRF	TB133	3940	4135	4259	4382	4558	4746	4935	4756	4957

Fabric Application Diagrams (by model):



Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

IMPORTANT: Fabrics reflect light differently when viewed at various angles, creating a natural phenomenon called “flip.” Flip is visible on all fabrics and is not considered a defect; it is more easily recognized on fabrics with a nap or shimmer and more apparent on crescent or corner units.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number
Note: Leather is not available on back. L7 and L8 pricing reflects grade 1 fabric on back.

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

Accent/Headrest Upholstery:
⑥ Upholstery grade
⑦ Upholstery number

⑧ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52)
⑨ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

45° Corners and Plateau Corners

Pricing

with Kimball Office Upholstery

GSA SIN 711-16







Floating top option for plateau corner model.

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

IMPORTANT: Fabrics reflect light differently when viewed at various angles, creating a natural phenomenon called “flip.” Flip is visible on all fabrics and is not considered a defect; it is more easily recognized on fabrics with a nap or shimmer and more apparent on crescent or corner units.

Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
45° Corner										
K6045C		$2551	$2707	$2806	$2904	$3045	$3196	$3346	$3966	$4314
K6045CF	TB133	2773	2929	3028	3126	3267	3418	3568	4188	4536
Plateau Corner										
K60PC		$2773	$2929	$3028	$3126	$3267	$3418	$3568	$4188	$4536
K60PCF**	TB133	2995	3151	3250	3348	3489	3640	3790	4410	4758

Overview ➤See page 185
Alliance Program Pricing 211
COM/COL Yardage Req. 314
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.
** = Placeholder for option designators that are part of the base model number. These appear before the F designator for TB133.

How to Specify

❶ Model
❷ Floating top for plateau corner (omit if not applicable):
TL = Laminate top (+$336)
TW = Wood top (+$361)

Back Upholstery:
③ Upholstery grade
④ Upholstery number

Seat/Base Upholstery:
⑤ Upholstery grade
⑥ Upholstery number

Floating Top for Plateau Corner (omit if not applicable):
⑦ Finish price group:
STD = 1
STD2 = 2 (+20%)
⑧ Finish designator

⑨ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$104)
⑩ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

90°, Privacy-Back 90°, 45°, and Plateau Corners

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K6045C	$2785	$2889	$2982	$3060	$3164	$3268	$3342	$3450	$3560
	3658	3825	4163	4376	4402	4460	4512	4564	4792
K6090C	2327	2425	2513	2587	2685	2783	2850	2954	3057
	3150	3307	3625	3826	3850	3904	3953	4002	4218
K6090CL	2327	2425	2513	2587	2685	2783	2850	2954	3057
	3150	3307	3625	3826	3850	3904	3953	400242184218	
K6090CR	2327	2425	2513	2587	2685	2783	2850	2954	3057
	3150	3307	3625	3826	3850	3904	3953	4002	4218
K6090CFPB	3788	3918	4035	4132	4262	4392	4483	4620	4756
	4880	5088	5510	5777	5809	5881	5946	6011	6297
K6090CFPBL	3788	3918	4035	4132	4262	4392	4483	4620	4756
	4880	5088	5510	5777	5809	5881	5946	6011	6297
K6090CFPBR	3671	3795	3905	4003	4126	4256	4341	4477	4607
	4724	4926	5335	5595	5628	5693	5758	5823	6096
K60PC	3007	3111	3204	3282	3386	3490	3564	3672	3782
	3880	4047	4385	4598	4624	4682	4734	4786	5014

How to Specify

❶ Model
❷ Floating top for plateau corner (omit if not applicable):
TL = Laminate top (+$336)
TW = Wood top (+$361)

Back Upholstery:
③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
④ Upholstery number

Seat/Base Upholstery:
⑤ Alliance partner designator and upholstery grade (see above)
⑥ Upholstery number

Accent/Headrest Upholstery (include for privacy-back model):
⑥ Upholstery grade
⑦ Upholstery number

Floating Top for Plateau Corner (omit if not applicable):
⑦ Finish price group:
STD = 1
STD2 = 2 (+20%)
⑧ Finish designator

⑨ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$52 for 90° corner, +$104 for 45° corner and plateau corner)
⑩ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

Crescents and Wedges

Pricing

with Kimball Office Upholstery

GSA SIN 711-16



Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
45° Crescent										
K60CC		$2440	$2593	$2690	$2787	$2925	$3073	$3220	$3827	$4169
K60CCF	TB133	2662	2827	2932	3036	3185	3344	3503	4158	4527
30° Inside Wedge										
K60IW		$2440	$2581	$2671	$2760	$2888	$3024	$3160	$3721	$4037
K60IWF	TB133	2662	2803	2893	2982	3110	3246	3382	3943	4259
150° Outside Wedge										
K60OW		$2106	$2242	$2327	$2413	$2534	$2665	$2796	$3332	$3635
K60OWF	TB133	2328	2464	2549	2635	2756	2887	3018	3554	3857

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

IMPORTANT: Fabrics reflect light differently when viewed at various angles, creating a natural phenomenon called “flip.” Flip is visible on all fabrics and is not considered a defect; it is more easily recognized on fabrics with a nap or shimmer and more apparent on crescent or corner units.

Fabrics with a distinct pattern do not lend themselves to the curved design of crescent models and are not recommended for use on these units.
➤See page 296.

Overview ➤See page 185
Alliance Program Pricing 213
COM/COL Yardage Req. 314
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back Upholstery:
② Upholstery grade
③ Upholstery number

Seat/Base Upholstery:
④ Upholstery grade
⑤ Upholstery number

⑥ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$104)
⑦ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Crescents and Wedges

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K60CC	$2670	$2772	$2863	$2940	$3042	$3144	$3215	$3322	$3430
	3526	3690	4021	4230	4255	4312	4363	4414	4638
K60IW	2652	2746	2831	2902	2995	3090	3156	3255	3354
	3443	3594	3900	4093	4116	4168	4216	4263	4470
K60OW	2309	2399	2480	2548	2638	2728	2791	2886	2981
	3066	3211	3505	3689	3711	3762	3806	3852	4049

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

How to Specify

❶ Model

Back Upholstery:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Seat/Base Upholstery:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

⑥ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$104)
⑦ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Benches

Pricing

with Kimball Office Upholstery

GSA SIN 711-16







Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Hexagon Bench										
K60HB		$1884	$2016	$2100	$2183	$2302	$2430	$2557	$3081	$3376
K60HBF	TB133	2106	2238	2322	2405	2524	2652	2779	3303	3598
Crescent Bench										
K60CB		$1884	$2019	$2105	$2190	$2312	$2442	$2573	$3108	$3410
K60CBF	TB133	1995	2130	2216	2301	2423	2553	2684	3219	3521
Rectangle Bench										
K60RB		$1439	$1541	$1606	$1670	$1762	$1861	$1959	$2364	$2592
K60RBF	TB133	1551	1653	1718	1782	1874	1973	2071	2476	2704
Square Ottoman										
K60SO		$1106	$1199	$1258	$1317	$1401	$1490	$1580	$1949	$2157
K60SOF	TB133	1189	1282	1341	1400	1484	1573	1663	2032	2240

Ganging devices
➤See page 217.

Certain upholsteries might wrinkle over time with soft seat option.

Use an electronic specification tool for accurate pricing when specifying contrasting fabrics.

Fabrics with a distinct pattern do not lend themselves to the curved design of crescent models and are not recommended for use on these units. As well, fabric “flip” may be more apparent on crescent models.
➤See page 296.

Overview ➤See page 185
Alliance Program Pricing 215
COM/COL Yardage Req. 314
Finishes & Materials 289

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Seat/Base Upholstery:
② Upholstery grade
③ Upholstery number

④ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$156 for hexagon bench; +$104 for crescent and rectangle benches; +$52 for square ottoman)
⑤ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Benches

Pricing

with Alliance Program Upholstery

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K60CB	$2087	$2177	$2258	$2325	$2415	$2505	$2568	$2663	$2757
	2843	2987	3279	3464	3486	3536	3581	3626	3824
K60HB	2082	2170	2249	2315	2403	2491	2553	2645	2738
	2821	2962	3248	3428	3450	3499	3543	3587	3780
K60RB	1592	1660	1721	1772	1840	1908	1956	2027	2099
	2163	2272	2493	2632	2649	2687	2721	2755	2904
K60SO	1246	1308	1363	1410	1472	1534	1577	1642	1707
	1766	1866	2067	2194	2210	2244	2275	2306	2442

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319.

How to Specify

❶ Model

Seat/Base Upholstery:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

④ Seat cushion firmness:
STD = Standard cushion
SOFT = Soft cushions (+$156 for hexagon bench; +$104 for crescent and rectangle benches; +$52 for square ottoman)

⑤ Power/USB grommet option:
➤See page 186 for designators and upcharges.
X = No grommet

Ganging devices
➤See page 217.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Freestanding Tables

Pricing

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289





D	W	H	Model	Top Material: Laminate	Top Material: Wood	Top Material: Matte Glass
Corner Tables						
29"	29"	18¾"	**K60T292918**	$1607	$1661	—
Magazine Tables						
29"	48"	18¾"	**K60T294819**	$1995	$2106	—
29"	60"	18¾"	**K60T296019**	2218	2328	—
Magazine Tables with Open Storage Area						
29"	48"	18¾"	**K60TOS294819**	$3996	$4107	—
29"	60"	18¾"	**K60TOS296019**	4218	4329	—
Rectangle Tables						
29"	14"	18¾"	**K60T291419**	$1106	$1217	—
90° Triangle Tables						
29⅛"	41⅛"	18¾"	**K60T90T**	$1551	$1661	—
90° Wedge Tables						
29⅛"	41⅛"	18¾"	**K60T90D**	$1884	$1995	—
Round Tables						
18" diameter		18¾"	**K60TR1819**	$1306	$1384	$1717
30" diameter		18¾"	**K60TR3019**	1862	1940	2328
42" diameter		18¾"	**K60TR4219**	2751	2829	3440

How to Specify

❶ Model
❷ Top material:
L = Laminate
W = Wood
G = 202 Ice Glass (available on round table models only)

Wood finish:
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Laminate finish (include for laminate top model only)
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator

⑦ Cutout/grommet option (omit for magazine tables with open storage area):
➤See page 187 for designators and upcharges.
X = No cutout/grommet

Ganging Devices

Pricing

GSA SIN 711-16

Overview ➤See page 185
Finishes & Materials 289



Model	*Price*
Two-Piece Ganging Device	
K60GB	$33

How to Specify

❶ Model



Two ganging brackets are required to join two units together; specify two K60GB models to gang two units together. Pre-drilled holes in the base accept the ganging bracket or its small mating piece. Once brackets are installed, units slide together for a secure connection. To disconnect, lift up and pull outward on the unit with the mating pieces.

➤Assembly instructions and video available at: www.kimballoffice.com

Notes

Vista seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.



Three-Seat Lounge
Available with or without legs.
➤See page 221 for models with piping.
➤See page 223 for models without piping.

Height	31"
Width	81¼"
Depth	33¾"
Arm height	26½"
Seat height	17¾"
Seat width	66½"
Seat depth	21"



Two-Seat Lounge
Available with or without legs.
➤See page 221 for models with piping.
➤See page 223 for models without piping.

Height	31"
Width	59¼"
Depth	33¾"
Arm height	26½"
Seat height	17¾"
Seat width	44½"
Seat depth	21"



One-Seat Lounge
Available with or without legs.
➤See page 221 for models with piping.
➤See page 223 for models without piping.

Height	31"
Width	37¼"
Depth	33¾"
Arm height	26½"
Seat height	17¾"
Seat width	22½"
Seat depth	21"

Lounge Seating

Overview

Statement of Line ➤See page 219
Finishes & Materials 289
COM/COL Yardage Req. 317

Frame is constructed of 7/8" plywood.

Cushions are high-resiliency, CFC-free polyurethane foam.



All models are fully upholstered. Bottom is finished with a black fabric dust cover.

Non-skid glides are 1¾" in diameter and adjustable.

Details

Vista is available in three-, two-, and one-seat models and with or without piping.



Models with legs are available on all sizes. Wood finishes are standard.

Seats have a high resiliency sheet webbing suspension that is stapled to the frame. Frame construction meets or exceeds GSA Heavy Duty Testing requirements.

Seat cushions are removable and feature 7" of dual-density, custom-shaped foam. Each cushion is 22"W, slipcovered, and closed with zippers.

Back features a non-stretch woven suspension that is stapled to the frame.

Back cushions are attached and feature 5½" of dual-density, custom-shaped foam.

Armrest frames are wrapped with ½" high-density foam, slipcovered, and attached to units with three 7/16" carriage bolts per arm.

Legs, on applicable models, are kiln-dried select hardwoods and are attached using three wood screws. Each leg contains a non-skid adjustable glide.

Contrasting upholstery is available on models without piping. Back and seat upholstery applies to the cushions; arms and frame upholstery applies to remainder of the lounge model.

Contrasting piping may be specified on applicable models in Kimball Office fabric or leather.

Related Products

Accent pillows are available.
➤See page 13.

Lounge Seating with Piping

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 219
Overview 220
Alliance Program Pricing 222
COM/COL Yardage Req. 317





Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Without Legs										
Three-Seat Lounge										
1746		$3484	$3880	$4131	$4382	$4738	$5121	$5504	$7074	$7959
1746F	TB133	4922	5318	5569	5820	6176	6559	6942	8512	9397
Two-Seat Lounge (shown)										
1744		$2723	$3056	$3267	$3478	$3778	$4099	$4421	$5742	$6486
1744F	TB133	3935	4268	4479	4690	4990	5311	5633	6954	7698
One-Seat Lounge										
1742		$2067	$2295	$2439	$2584	$2789	$3009	$3230	$4134	$4643
1742F	TB133	2894	3122	3266	3411	3616	3836	4057	4961	5470
Wood Finished Legs										
Three-Seat Lounge										
1746LW		$3607	$4003	$4254	$4505	$4861	$5244	$5627	$7197	$8082
1746LWF	TB133	5046	5442	5693	5944	6300	6683	7066	8636	9521
Two-Seat Lounge (shown)										
1744LW		$2847	$3180	$3391	$3602	$3902	$4223	$4545	$5866	$6610
1744LWF	TB133	4058	4391	4602	4813	5113	5434	5756	7077	7821
One-Seat Lounge										
1742LW		$2191	$2419	$2563	$2708	$2913	$3133	$3354	$4258	$4767
1742LWF	TB133	3018	3246	3390	3535	3740	3960	4181	5085	5594

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Upholstery (primary):
② Upholstery grade
③ Upholstery number

Piping:
④ Upholstery grade
⑤ Upholstery number

Finish (omit for models without legs):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Contrasting upholstery option is not available on Vista models with piping.

Lounge Seating with Piping

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 219
Overview 220
Kimball Office Uph. Pricing 221
COM/COL Yardage Req. 317

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
1742	$2409	$2561	$2698	$2812	$2964	$3116	$3222	$3382	$3541
	3686	3929	4423	4735	4773	4856	4932	5008	5343
1742LW	2533	2685	2822	2936	3088	3240	3346	3506	3665
	3810	4053	4547	4859	4897	4980	5056	5132	5467
1744	3223	3445	3644	3811	4033	4255	4410	4643	4876
	5087	5443	6164	6619	6675	6797	6908	7019	7507
1744LW	3347	3569	3768	3935	4157	4379	4534	4767	5000
	5211	5567	6288	6743	6799	6921	7032	7143	7631
1746	4078	4342	4580	4778	5042	5306	5490	5768	6045
	6296	6718	7576	8117	8183	8328	8460	8592	9173
1746LW	4201	4465	4703	4901	5165	5429	5613	5891	6168
	6419	6841	7699	8240	8306	8451	8583	8715	9296

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery option is not available on Vista models with piping.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Upholstery (primary):
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Piping:
④ If same, Alliance partner designator and upholstery grade (see above); if contrasting, Kimball Office upholstery grade
⑤ Upholstery number

Finish (Include for LW models only):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Lounge Seating without Piping

with Kimball Office Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 219
Overview 220
Alliance Program Pricing 224
COM/COL Yardage Req. 317





Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Without Legs										
Three-Seat Lounge										
1756		$3384	$3748	$3977	$4207	$4534	$4885	$5235	$6675	$7486
1756F	TB133	4789	5153	5382	5612	5939	6290	6640	8080	8891
Two-Seat Lounge (shown)										
1754		$2658	$2973	$3173	$3372	$3655	$3960	$4264	$5514	$6217
1754F	TB133	3736	4051	4251	4450	4733	5038	5342	6592	7295
One-Seat Lounge										
1752		$1996	$2212	$2349	$2485	$2680	$2889	$3098	$3954	$4437
1752F	TB133	2795	3011	3148	3284	3479	3688	3897	4753	5236
Wood Finished Legs										
Three-Seat Lounge										
1756LW		$3506	$3870	$4099	$4329	$4656	$5007	$5357	$6797	$7608
1756LWF	TB133	4913	5277	5506	5736	6063	6414	6764	8204	9015
2-Seat Lounge (shown)										
1754LW		$2782	$3097	$3297	$3496	$3779	$4084	$4388	$5638	$6341
1754LWF	TB133	3861	4176	4376	4575	4858	5163	5467	6717	7420
One-Seat Lounge										
1752LW		$2120	$2336	$2473	$2609	$2804	$3013	$3222	$4078	$4561
1752LWF	TB133	2918	3134	3271	3407	3602	3811	4020	4876	5359

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back and seat upholstery:
② Upholstery grade
③ Upholstery number

Arm/frame upholstery (primary):
④ Upholstery grade
⑤ Upholstery number

Finish (include for LW models only):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Lounge Seating without Piping

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Actual Dimensions ➤See page 219
Overview 220
Kimball Office Uph. Pricing 223
COM/COL Yardage Req. 317

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
1752	$2320	$2464	$2594	$2701	$2845	$2990	$3091	$3241	$3393
	3530	3760	4228	4523	4559	4638	4711	4782	5099
1752LW	2444	2588	2718	2825	2969	3114	3215	3365	3517
	3654	3884	4352	4647	4683	4762	4835	4906	5223
1754	3131	3340	3530	3687	3897	4107	4254	4474	4695
	4895	5231	5913	6343	6396	6512	6616	6721	7183
1754LW	3255	3464	3654	3811	4021	4231	4378	4598	4819
	5019	5355	6037	6467	6520	6636	6740	6845	7307
1756	3928	4170	4388	4570	4812	5054	5223	5477	5731
	5961	6348	7136	7631	7691	7825	7946	8067	8599
1756LW	4050	4292	4510	4692	4934	5176	5345	5599	5853
	6083	6470	7258	7753	7813	7947	8068	8189	8721

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back and seat upholstery:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Arm/frame upholstery (primary):
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

Finish (Include for LW models only):
⑥ Finish price group:
STD = Group 1
⑦ Finish designator

Wish seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Armless

Mesh back, mesh-upholstered seat
➤See page 236 for plastic wishbone.
➤See page 237 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 238 for plastic wishbone.
➤See page 240 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 242 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	40¼"–45"	37¾"–42½"
Width	26¼"	26¼"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	n/a
Arm height from floor – Seat slider	n/a n/a
Width between armcaps	n/a
Seat height – Seat slider	16"–20¾" 16½"–21¼"
Seat width	19¾"
Kneespace	19¾"

Height-Adjustable Arms

Mesh back, mesh-upholstered seat
➤See page 236 for plastic wishbone.
➤See page 237 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 238 for plastic wishbone.
➤See page 240 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 242 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	40¼"–45"	37¾"–42½"
Width	27½"	27½"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	8⅛"–11¼"
Arm height from floor – Seat slider	25¼"–32⅞" 25¾"–33⅜"
Width between armcaps	19⅛"
Seat height – Seat slider	16"–20¾" 16½"–21¼"
Seat width	19¾"
Kneespace	19¾"

Height- and Width-Adjustable Arms
Available with 2D or 4D armcaps.

Mesh back, mesh-upholstered seat
➤See page 236 for plastic wishbone.
➤See page 237 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 238 for plastic wishbone.
➤See page 240 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 242 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	40¼"–45"	37¾"–42½"
Width	26¼"–27⅝"	26¼"–27⅝"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	7⅜"–11⅜"
Arm height from floor – Seat slider	23¼"–32" 23¾"–32½"
Width between armcaps	19½"–22⅝"
Seat height – Seat slider	16"–20¾" 16½"–21¼"
Seat width	19¾"
Kneespace	19¾"

Conference Arms
Available with or without arm pads.

Mesh back, mesh-upholstered seat
➤See page 236 for plastic wishbone.
➤See page 237 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 238 for plastic wishbone.
➤See page 240 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 242 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	40¼"–45"	37¾"–42½"
Width	26¼"	26¼"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	10⅜"
Arm height from floor – Seat slider	26½"–29" 27"–29½"
Width between armcaps	19⅛"
Seat height – Seat slider	16"–20¾" 16½"–21¼"
Seat width	19¾"
Kneespace	19¾"

** Armrest height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

Wish Classic models are available.
➤See page 269.

WISH™

Statement of Line

Low-Height High-Performance Task Chairs

Wish seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Armless

Mesh back, mesh-upholstered seat
➤See page 244 for plastic wishbone.
➤See page 245 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 246 for plastic wishbone.
➤See page 248 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 250 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	38⅞"–41¼"	36⅜"–38¾"
Width	26¼"	26¼"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	n/a
Arm height from floor – Seat slider	n/a n/a
Width between armcaps	n/a
Seat height – Seat slider	14⅝"–17" 15⅛"–17½"
Seat width	19¾"
Kneespace	19¾"

Height-Adjustable Arms

Mesh back, mesh-upholstered seat
➤See page 244 for plastic wishbone.
➤See page 245 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 246 for plastic wishbone.
➤See page 248 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 250 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	38⅞"–41¼"	36⅜"–38¾"
Width	27½"	27½"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	8⅛"–11¼"
Arm height from floor – Seat slider	23"–28⅜" 23½"–28⅞"
Width between armcaps	19⅛"
Seat height – Seat slider	14⅝"–17" 15⅛"–17½"
Seat width	19¾"
Kneespace	19¾"

Height- and Width-Adjustable Arms

Available with 2D or 4D armcaps.

Mesh back, mesh-upholstered seat
➤See page 244 for plastic wishbone.
➤See page 245 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 246 for plastic wishbone.
➤See page 248 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 250 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	38⅞"–41¼"	36⅜"–38¾"
Width	26¼"–27⅝"	26¼"–27⅝"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	7⅜"–11⅜"
Arm height from floor – Seat slider	21⅞"–28¼" 22⅜"–28¾"
Width between armcaps	19½"–22⅝"
Seat height – Seat slider	14⅝"–17" 15⅛"–17½"
Seat width	19¾"
Kneespace	19¾"

Conference Arms

Available with or without arm pads.

Mesh back, mesh-upholstered seat
➤See page 244 for plastic wishbone.
➤See page 245 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 246 for plastic wishbone.
➤See page 248 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 250 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	38⅞"–41¼"	36⅜"–38¾"
Width	26¼"	26¼"
Depth – Seat slider	23⅞" 23⅞"–26⅞"	25" 25"–28"
Seat depth – Seat slider	16⅜" 16⅜"–19⅜"	16½" 16½"–19½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	10⅜"
Arm height from floor – Seat slider	25"–27⅜" 25½"–27⅞"
Width between armcaps	19⅛"
Seat height – Seat slider	14⅝"–17" 15⅛"–17½"
Seat width	19¾"
Kneespace	19¾"

** Armrest height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

Wish Classic models are available.
➤See page 269.

Wish seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Armless

Mesh back, mesh-upholstered seat
➤See page 252 for plastic wishbone.
➤See page 253 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 254 for plastic wishbone.
➤See page 256 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 258 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	43⅞"–51⅝"	41⅜"–49⅛"
Width	26¼"	26¼"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	n/a
Arm height from floor	n/a
Width between armcaps	n/a
Seat height	18⅞"–26⅝"
Seat width	19¾"
Kneespace	19¾"

Height-Adjustable Arms

Mesh back, mesh-upholstered seat
➤See page 252 for plastic wishbone.
➤See page 253 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 254 for plastic wishbone.
➤See page 256 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 258 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	43⅞"–51⅝"	41⅜"–49⅛"
Width	27½"	27½"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	8⅛"–11¼"
Arm height from floor	27⅝"–38⅞"
Width between armcaps	19⅛"
Seat height	18⅞"–26⅝"
Seat width	19¾"
Kneespace	19¾"

Height- and Width-Adjustable Arms

Available with 2D or 4D armcaps.

Mesh back, mesh-upholstered seat
➤See page 252 for plastic wishbone.
➤See page 253 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 254 for plastic wishbone.
➤See page 256 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 258 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	43⅞"–51⅝"	41⅜"–49⅛"
Width	26¼"–27⅝"	26¼"–27⅝"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	7⅜"–11⅜"
Arm height from floor	26⅜"–38⅜"
Width between armcaps	19½"–22⅝"
Seat height	18⅞"–26⅝"
Seat width	19¾"
Kneespace	19¾"

Conference Arms

Available with or without arm pads.

Mesh back, mesh-upholstered seat
➤See page 252 for plastic wishbone.
➤See page 253 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 254 for plastic wishbone.
➤See page 256 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 258 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	43⅞"–51⅝"	41⅜"–49⅛"
Width	26¼"	26¼"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	10⅜"
Arm height from floor	30"–37¾"
Width between armcaps	19⅛"
Seat height	18⅞"–26⅝"
Seat width	19¾"
Kneespace	19¾"

** Armrest height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

Wish seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Armless

Mesh back, mesh-upholstered seat
➤See page 260 for plastic wishbone.
➤See page 261 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 262 for plastic wishbone.
➤See page 264 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 266 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	46"–53¾"	43½"–51¼"
Width	26¼"	26¼"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	n/a
Arm height from floor	n/a
Width between armcaps	n/a
Seat height	21¾"–29½"
Seat width	19¾"
Kneespace	19¾"

Height-Adjustable Arms

Mesh back, mesh-upholstered seat
➤See page 260 for plastic wishbone.
➤See page 261 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 262 for plastic wishbone.
➤See page 264 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 266 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	46"–53¾"	43½"–51¼"
Width	27½"	27½"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	8⅛"–11¼"
Arm height from floor	29¾"–41"
Width between armcaps	19⅛"
Seat height	21¾"–29½"
Seat width	19¾"
Kneespace	19¾"

Height- and Width-Adjustable Arms
Available with 2D or 4D armcaps.

Mesh back, mesh-upholstered seat
➤See page 260 for plastic wishbone.
➤See page 261 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 262 for plastic wishbone.
➤See page 264 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 266 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	46"–53¾"	43½"–51¼"
Width	26¼"–27⅝"	26¼"–27⅝"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	7⅜"–11⅜"
Arm height from floor	29"–40¾"
Width between armcaps	19½"–22⅝"
Seat height	21¾"–29½"
Seat width	19¾"
Kneespace	19¾"

Conference Arms
Available with or without arm pads.

Mesh back, mesh-upholstered seat
➤See page 260 for plastic wishbone.
➤See page 261 for aluminum wishbone.

Mesh back, upholstered seat
➤See page 262 for plastic wishbone.
➤See page 264 for aluminum wishbone.

Upholstered back, upholstered seat
➤See page 266 for plastic wishbone.

	Mesh Back	*Uph Back*
Height	46"–53¾"	43½"–51¼"
Width	26¼"	26¼"
Depth	23⅞"	25"
Seat depth	16⅜"	16½"
Back-to-seat angle	94–112°	99–116°

	All
Armrest height*	10⅜"
Arm height from floor	32¾"–40"
Width between armcaps	19⅛"
Seat height	21¾"–29½"
Seat width	19¾"
Kneespace	19¾"

** Armrest height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

Wish Classic models are available.
➤See page 269.

Seating

Overview

High-Performance Task, Sit-to-Stand, and Stools

Statement of Line	➤See page 225
Adjustability Features	230
Typical Configurations	231
Finishes & Materials	289

High-performance task chairs, sit-to-stand seating, and stools are options-rich, making them customizable for any setting, user, or task; select from three performance mesh/upholstery combinations:

- Mesh-back with mesh-upholstered seat
- Mesh-back and upholstered seat
- Upholstered seat and back

Standard-height task

Arm caps are soft, black, self-skinning polyurethane foam, insert-molded over a steel core.

Arm supports on all height-adjustable arms are glass-filled nylon insert-molded over a steel core for superior support.

Low-height task



Lumbar support pad, standard on upholstered-back models, is made of polypropylene and moves 2½" for optimal comfort and support. Neoprene covers the foam in the lumbar area and facilitates movement of the lumbar pad.

Conference arms are available with or without armcaps.

Contoured seat cushions provide a waterfall front edge to enhance short- and long-term comfort.

Optional lumbar support on mesh-back models is made of high-performance polyurethane elastomer. Position of the lumbar support is adjusted by sliding it up and down on a track within a range of 2¾".

Seat cushion is 2⅛" thick and consists of 1¾" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell. Select performance mesh-covered (shown) or upholstered seat cushions.

5-prong base plastic base is standard on standard-height task chairs and stools. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters (C40) are standard-height task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).

5-prong base aluminum base is standard on low-height task and sit-to-stand models.

55mm hard dual-wheeled casters (C3) are standard on low-height task chairs and sit-to-stand seating; soft dual-wheeled casters (C4) for use on hard floors are available (upcharge applies).

Details

Six arm styles are available on Wish. ➤See page 230 for details.

Wishbone back is standard in plastic (injection-molded, glass-filled nylon) on all models; polished die-cast aluminum is also available as standard on mesh-back models.

Inner back panel on upholstered-back model is injection molded polypropylene, designed with a reinforcing pattern to ensure rigidity.

Inner seat panel is molded 9/16"-thick, 7-ply, single-shell construction with a waterfall front edge.

All Wish high-performance task, sit-to-stand, and stools meet 300 lb. weight and three-shift work requirements.

Metal footring is standard on sit-to-stand and stool models; 462 cinder.

Wish task chairs are warranted for three-shift, 24/7 service.

Arm Styles and Adjustability Features

Statement of Line ➤See page 225
Overview 229
Typical Configurations 231
Finishes & Materials 289


Armless


Height-Adjustable


Height- & Width Adj. 2D


Height- & Width Adj. 4D

Conference

Conference with Arm Pad

Six arm styles are available on Wish seating.

Height-adjustable arms adjust up and down via a push button to one of 9 positions.

Height- and width-adjustable arms adjust up and down via a push button to one of 11 positions and side to side via lever adjustment bracket.

4-D adjustable arm caps on height- and width-adjustable arms adjust in 6 directions: left and right (width), forward and backward (depth), and in and out (pivot).

Width adjustment	
– Number of positions	5
– Range	1"
Depth adjustment	
– Number of positions	5
– Range	1¾"
Pivot adjustment	
– Number of positions	5
– Pivot (each direction)	26°

Adjustability Features

	Standard Height	*Low Height*	*Sit-to-Stand*	*Stools*
Synchro-tilt control	•	•	•	•
Swivel	•	•	•	•
Pneumatic height	•	•	•	•
Side tension	•	•	•	•
Lumbar				
– Mesh back	○	○	○	○
– Upholstered back	•	•	•	•
Back tilt lock	•	•	•	•
Seat slider	○	○		

• = standard ○ = option

Synchro-tilt mechanism provides fully synchronized seat-to-back movement with a 2:1 ratio. For every 2 degrees the back moves, the seat angle changes 1 degree. Other features:

- Free-float movement allows user to lock the chair in multiple positions within the range of movement using a single lever.
- Anti-kickback clutch controls forward movement of backrest when the lock is disengaged.
- Reclining tension adjustment is user friendly and accommodates a wide range of weights via a single lever on the left side of the chair (as seated)
- Control is standard in cinder paint, but may be specified with a polished shroud to go with polished aluminum wishbone (upcharge applies)

Pneumatic height adjustment allows user to raise or lower the seat while seated. Upward movement of control lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

Lumbar support position is adjusted by sliding it up and down on a track within a range of 2¾".

Typical Configurations

Application Guidelines

Statement of Line ➤See page 225
Overview 229
Adjustability Features 230
Finishes & Materials 289

High-Performance Task Chairs

Application:	Executive Offices		Executive Offices		Offices and Cubicles		Offices and Cubicles	
Base Model Number:	**K20TMAU4D**		**K20TUPU4D**		**K20TMPM2D**		**K20TUPU2D**	
Back:	Mesh		Upholstered		Mesh		Upholstered	
Seat:	Upholstered		Upholstered		Mesh-Upholstered		Upholstered	
Arm Type:	4D		4D		2D		2D	
Wishbone Material:	Aluminum		Plastic		Plastic		Plastic	
Base Price (Grade 1):		$1188		$1040		$940		$997
Wishbone Finish:	**497**	Standard	**462**	Standard	**501**	+$50	**501**	+$50
Arm Upright Finish:	**462**	Standard	**497**	+$50	**462**	Standard	**462**	Standard
Lumbar Support:	**LUM**	+$50	**LUM**	Standard	**LUM**	+$50	**LUM**	Standard
Control Finish:	**497**	+$75	**497**	+$75	**462**	Standard	**462**	Standard
Seat Slider:	**SL**	+$70	**SL**	+$70	**SL**	+$70	**SL**	+$70
Base Finish:	**497**	+$75	**462**	Standard	**501**	+$65	**501**	+$65
Casters:	**C40**	Standard	**C40**	Standard	**C40**	Standard	**C40**	Standard
Price with Options:		**$1458**		**$1235**		**$1175**		**$1182**
Low-Height Model with Same Options:	**K20TMAU4DLH**	$1490	**K20TUPU4DLH**	$1330	**K20TMPM2DLH**	$1210	**K20TUPU2DLH**	$1277

Typical Configurations

Statement of Line ➤See page 225
Overview 229
Adjustability Features 230
Finishes & Materials 289

High-Performance Task Chairs, continued

Application:	Collaboration Spaces & Huddle Areas		Collaboration Spaces & Huddle Areas		High-Traffic & Multi-User Areas		High-Traffic & Multi-User Areas	
Base Model Number:	**K20TMPMHA**		**K20TUPUHA**		**K20TMPMHA**		**K20TUPUHA**	
Back:	Mesh		Upholstered		Mesh		Upholstered	
Seat:	Mesh-Upholstered		Upholstered		Mesh-Upholstered		Upholstered	
Arm Type:	Height Adjustable		Height Adjustable		Height Adjustable		Height Adjustable	
Wishbone Material:	Plastic		Plastic		Plastic		Plastic	
Base Price (Grade 1):		$840		$934		$840		$934
Wishbone Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**501**	+$50
Arm Upright Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**462**	Standard
Lumbar Support:	**LUM**	+$50	**LUM**	Standard	**X** (none)	NA	**LUM**	Standard
Control Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**462**	Standard
Seat Slider:	**SL**	+$70	**SL**	+$70	**X** (none)	NA	**SL**	+$70
Base Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**501**	+$65
Casters:	**C40**	Standard	**C40**	Standard	**C40**	Standard	**C40**	Standard
Price with Options:		**$960**		**1004**		**$840**		**$1119**
Low-Height Model with Same Options:	**K20TMPMHALH**	$995	**K20TUPUHALH**	$1099	**K20TMPMHALH**	$875	**K20TUPUHALH**	$1214

Typical Configurations

Statement of Line ➤See page 225
Overview 229
Adjustability Features 230
Finishes & Materials 289

High-Performance Task Chairs, continued

Application:	Training & Conferencing		Training & Conferencing		Training & Conferencing		
Base Model Number:	**K20TMPMXA**		**K20TUPUXA**		**K20TMPUXA**		
Back:	Mesh		Upholstered		Mesh		
Seat:	Mesh-Upholstered		Upholstered		Upholstered		
Arm Type:	Armless		Armless		Armless		
Wishbone Material:	Plastic		Plastic		Plastic		
Base Price (Grade 1):		$780		$807		$780	
Wishbone Finish:	**462**	Standard	**462**	Standard	**462**	Standard	
Arm Upright Finish:	**462**	Standard	**462**	Standard	**462**	Standard	
Lumbar Support:	**X** (none)	NA	**LUM**	Standard	**X** (none)	NA	
Control Finish:	**462**	Standard	**462**	Standard	**462**	Standard	
Seat Slider:	**X** (none)	NA	**X** (none)	NA	**X** (none)	NA	
Base Finish:	**462**	Standard	**462**	Standard	**462**	Standard	
Casters:	**C40**	Standard	**C40**	Standard	**C40**	Standard	
Price with Options:		**$780**		**$807**		**780**	
Low-Height Model with Same Options:	**K20TMPMXALH**	$815	**K20TUPUXALH**	$902	**K20TMPUXALH**	$815	

Typical Configurations

Statement of Line ➤See page 227
Overview 229
Adjustability Features 230
Finishes & Materials 289

Sit-to-Stand Seating

Application:	A&D Drafting Rooms		A&D Drafting Rooms		Labs & Hospital Nursing Stations		Labs & Hospital Nursing Stations	
Base Model Number:	**K20TMAU4DSTS**		**K20TUPU4DSTS**		**K20TMPM2DSTS**		**K20TUPU2DSTS**	
Back:	Mesh		Upholstered		Mesh		Upholstered	
Seat:	Upholstered		Upholstered		Mesh-Upholstered		Upholstered	
Arm Type:	4D		4D		2D		2D	
Wishbone Material:	Aluminum		Plastic		Plastic		Plastic	
Base Price (Grade 1):		$1413		$1300		$1190		$1257
Wishbone Finish:	**497**	Standard	**462**	Standard	**501**	+$50	**462**	Standard
Arm Upright Finish:	**462**	Standard	**497**	+$50	**462**	Standard	**462**	Standard
Lumbar Support:	**LUM**	+$50	**LUM**	Standard	**LUM**	+$50	**LUM**	Standard
Control Finish:	**497**	+$75	**497**	+$75	**462**	Standard	**462**	Standard
Seat Slider:	NA	NA	NA	NA	NA	NA	NA	NA
Base Finish:	**497**	+$75	**497**	+$75	**501**	+$65	**462**	Standard
Footring Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**462**	Standard
Casters:	**C40**	Standard	**C41**	+$23	**C41**	+$23	**C41**	+$23
Price with Options:		**$1613**		**$1523**		**$1378**		**$1280**

Typical Configurations

Statement of Line ➤See page 228
Overview 229
Adjustability Features 230
Finishes & Materials 289

Stools

Application:	Collaborative Spaces with Multi-Level Worksurfaces		Collaborative Spaces with Multi-Level Worksurfaces		High-Traffic Dining & Break Stations		Bar-Height Conferencing	
Base Model Number:	**K20SMAMHA**		**K20SUPUHA**		**K20SMPUHA**		**K20SMPMXA**	
Back:	Mesh		Upholstered		Mesh		Mesh	
Seat:	Mesh-Upholstered		Upholstered		Upholstered		Mesh-Upholstered	
Arm Type:	Height Adjustable		Height Adjustable		Height Adjustable		Armless	
Wishbone Material:	Aluminum		Plastic		Plastic		Plastic	
Base Price (Grade 1):		$1269		$1194		$1110		$1030
Wishbone Finish:	**497**	Standard	**462**	Standard	**501**	+$50	**462**	Standard
Arm Upright Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**462**	Standard
Lumbar Support:	**LUM**	+$50	**LUM**	Standard	**X** (none)	NA	**X** (none)	NA
Control Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**462**	Standard
Seat Slider:	NA	NA	NA	NA	NA	NA	NA	NA
Base Finish:	**462**	Standard	**462**	Standard	**501**	+$65	**462**	Standard
Footring Finish:	**462**	Standard	**462**	Standard	**462**	Standard	**462**	Standard
Casters:	**C40**	Standard	**C40**	Standard	**C41**	+$23	**C40**	Standard
Price with Options:		**$1319**		**$1194**		**$1248**		**$1030**

High-Performance Task Chairs

Pricing

Mesh Back | Mesh-Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 225
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20TMPMXA		$780
K20TMPMXAF	TB133*	863

Height-Adjustable Arms with Fixed Armcaps		
K20TMPMHA		$840
K20TMPMHAF	TB133*	923

Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20TMPM2D		$940
K20TMPM2DF	TB133*	1023

Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20TMPM4D		$1020
K20TMPM4DF	TB133*	1103

Polished Conference (C) Arms		
K20TMPMCA		$980
K20TMPMCAF	TB133*	1063

Polished Conference (C) Arms with PU Arm Pads		
K20TMPMCA8		$1020
K20TMPMCA8F	TB133*	1103

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators.

Seat:

③ Mesh color
➤See page 301 for designators.

④ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑤ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Seat slider:
SL = Seat slider (+$70)
X = None

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

High-Performance Task Chairs

Pricing

Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 225
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20TMAMXA		$972
K20TMAMXAF	TB133*	1055

Height-Adjustable Arms with Fixed Armcaps		
K20TMAMHA		$1044
K20TMAMHAF	TB133*	1127

Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20TMAM2D		$1116
K20TMAM2DF	TB133*	1199

Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20TMAM4D		$1188
K20TMAM4DF	TB133*	1271

Polished Conference (C) Arms		
K20TMAMCA		$1152
K20TMAMCAF	TB133*	1235

Polished Conference (C) Arms with PU Arm Pads		
K20TMAMCA8		$1188
K20TMAMCA8F	TB133*	1271

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators.

Seat:

③ Mesh color
➤See page 301 for designators.

④ Wishbone finish:
497 = Polished aluminum

⑤ Arm upright finish (include for 2D or 4D models):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑧ Seat slider:
SL = Seat slider (+$70)
X = None

⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 225
Overview 229
Alliance Program Pricing 239
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TMPUXA		$780	$806	$822	$839	$863	$888	$913	$1017	$1075
K20TMPUXAF	TB133*	863	889	905	922	946	971	996	1100	1158
Height-Adjustable Arms with Fixed Armcaps										
K20TMPUHA		$840	$866	$882	$899	$923	$948	$973	$1077	$1135
K20TMPUHAF	TB133*	923	949	965	982	1006	1031	1056	1160	1218
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TMPU2D		$940	$966	$982	$999	$1023	$1048	$1073	$1177	$1235
K20TMPU2DF	TB133*	1023	1049	1065	1082	1106	1131	1156	1260	1318
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TMPU4D		$1020	$1046	$1062	$1079	$1103	$1128	$1153	$1257	$1315
K20TMPU4DF	TB133*	1103	1129	1145	1162	1186	1211	1236	1340	1398
Polished Conference (C) Arms										
K20TMPUCA		$980	$1006	$1022	$1039	$1063	$1088	$1113	$1217	$1275
K20TMPUCAF	TB133*	1063	1089	1105	1122	1146	1171	1196	1300	1358
Polished Conference (C) Arms with PU Arm Pads										
K20TMPUCA8		$1020	$1046	$1062	$1079	$1103	$1128	$1153	$1257	$1315
K20TMPUCA8F	TB133*	1103	1129	1145	1162	1186	1211	1236	1340	1398

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators.

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497= Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Seat slider:
SL = Seat slider (+$70)
X = None
⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑩ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497= Polished aluminum (+$75)
⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending
TB133 Pending

Actual Dimensions ➤See page 225
Overview 229
Kimball Office Uph. Pricing 238
COM/COL Yardage Req. 317

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K20TMPU2D	$980	$997	$1012	$1026	$1043	$1061	$1072	$1091	$1109
	1125	1153	1210	1246	1251	1260	1269	1278	1315
K20TMPU4D	1060	1077	1092	1106	1123	1141	1152	1171	1189
	1205	1233	1290	1326	1331	1340	1349	1358	1395
K20TMPUCA	1020	1037	1052	1066	1083	1101	1112	1131	1149
	1165	1193	1250	1286	1291	1300	1309	1318	1355
K20TMPUCA8	1060	1077	1092	1106	1123	1141	1152	1171	1189
	1205	1233	1290	1326	1331	1340	1349	1358	1395
K20TMPUHA	880	897	912	926	943	961	972	991	1009
	1025	1053	1110	1146	1151	1160	1169	1178	1215
K20TMPUXA	820	837	852	866	883	901	912	931	949
	965	993	1050	1086	1091	1100	1109	1118	1155

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators.

Seat:
③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
④ Upholstery number
⑤ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497= Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Seat slider: **X** = None
SL = Seat slider (+$70)
⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑩ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497= Polished aluminum (+$75)
⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat | Aluminum Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 225
Overview 229
Alliance Program Pricing 241
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TMAUXA		$972	$998	$1014	$1031	$1055	$1080	$1105	$1209	$1267
K20TMAUXAF	TB133*	1055	1081	1097	1114	1138	1163	1188	1292	1350
Height-Adjustable Arms with Fixed Armcaps										
K20TMAUHA		$1044	$1070	$1086	$1103	$1127	$1152	$1177	$1281	$1339
K20TMAUHAF	TB133*	1127	1153	1169	1186	1210	1235	1260	1364	1422
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TMAU2D		$1116	$1142	$1158	$1175	$1199	$1224	$1249	$1353	$1411
K20TMAU2DF	TB133*	1199	1225	1241	1258	1282	1307	1332	1436	1494
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TMAU4D		$1188	$1214	$1230	$1247	$1271	$1296	$1321	$1425	$1483
K20TMAU4DF	TB133*	1271	1297	1313	1330	1354	1379	1404	1508	1566
Polished Conference (C) Arms										
K20TMAUCA		$1152	$1178	$1194	$1211	$1235	$1260	$1285	$1389	$1447
K20TMAUCAF	TB133*	1235	1261	1277	1294	1318	1343	1368	1472	1530
Polished Conference (C) Arms with PU Arm Pads										
K20TMAUCA8		$1188	$1214	$1230	$1247	$1271	$1296	$1321	$1425	$1483
K20TMAUCA8F	TB133*	1271	1297	1313	1330	1354	1379	1404	1508	1566

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators.

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
497 = Polished aluminum
⑥ Arm upright finish (include for 2D or 4D models):
462 = Cinder
497 = Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Seat slider:
SL = Seat slider (+$70)
X = None
⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑩ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)
⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Aluminum Wishbone

GSA Pending
TB133 Pending

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K20TMAU2D	$1156	$1173	$1188	$1202	$1219	$1237	$1248	$1267	$1285
	1301	1329	1386	1422	1427	1436	1445	1454	1491
K20TMAU4D	1228	1245	1260	1274	1291	1309	1320	1339	1357
	1373	1401	1458	1494	1499	1508	1517	1526	1563
K20TMAUCA	1192	1209	1224	1238	1255	1273	1284	1303	1321
	1337	1365	1422	1458	1463	1472	1481	1490	1527
K20TMAUCA8	1228	1245	1260	1274	1291	1309	1320	1339	1357
	1373	1401	1458	1494	1499	1508	1517	1526	1563
K20TMAUHA	1084	1101	1116	1130	1147	1165	1176	1195	1213
	1229	1257	1314	1350	1355	1364	1373	1382	1419
K20TMAUXA	1012	1029	1044	1058	1075	1093	1104	1123	1141
	1157	1185	1242	1278	1283	1292	1301	1310	1347

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Actual Dimensions ➤See page 225
Overview 229
Kimball Office Uph. Pricing 240
COM/COL Yardage Req. 317

TB133

Fire code treatment is available on select Alliance Program upholstery. ➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators.

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Wishbone finish:
497 = Polished aluminum

⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑧ Seat slider: **X** = None
SL = Seat slider (+$70)

⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑩ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

High-Performance Task Chairs

Pricing

Upholstered Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Kimball Office Upholstery Price Grade

Model		*1 or COM*	*2*	*3 or COL*	*4*	*5*	*6*	*7*	*L7*	*L8*
Armless										
K20TUPUXA		$807	$850	$877	$906	$945	$987	$1029	$1202	$1299
K20TUPUXAF	TB133*	893	936	963	992	1031	1073	1115	1288	1385
Height-Adjustable Arms with Fixed Armcaps										
K20TUPUHA		$934	$977	$1004	$1033	$1072	$1114	$1156	$1329	$1426
K20TUPUHAF	TB133*	1020	1063	1090	1119	1158	1200	1242	1415	1512
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TUPU2D		$997	$1040	$1067	$1096	$1135	$1177	$1219	$1392	$1489
K20TUPU2DF	TB133*	1083	1126	1153	1182	1221	1263	1305	1478	1575
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TUPU4D		$1040	$1083	$1110	$1139	$1178	$1220	$1262	$1435	$1532
K20TUPU4DF	TB133*	1126	1169	1196	1225	1264	1306	1348	1521	1618
Polished Conference (C) Arms										
K20TUPUCA		$1000	$1043	$1070	$1099	$1138	$1180	$1222	$1395	$1492
K20TUPUCAF	TB133*	1086	1129	1156	1185	1224	1266	1308	1481	1578
Polished Conference (C) Arms with PU Arm Pads										
K20TUPUCA8		$1040	$1083	$1110	$1139	$1178	$1220	$1262	$1435	$1532
K20TUPUCA8F	TB133*	1126	1169	1196	1225	1264	1306	1348	1521	1618

Actual Dimensions ➤See page 225
Overview 229
Alliance Program Pricing 243
COM/COL Yardage Req. 317

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Seat slider:
SL = Seat slider (+$70)
X = None

⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑩ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on plastic base (+$65)
497 = Polished aluminum (+$75)

⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

High-Performance Task Chairs

Pricing

Upholstered Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending

Actual Dimensions ➤See page 225
Overview 229
Kimball Office Uph. Pricing 242
COM/COL Yardage Req. 317

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20TUPU2D	$1065	$1095	$1122	$1144	$1174	$1204	$1225	$1257	$1288
	1317	1365	1462	1524	1531	1547	1562	1577	1644
K20TUPU4D	1108	1138	1165	1187	1217	1247	1268	1300	1331
	1360	1408	1505	1567	1574	1590	1605	1620	1687
K20TUPUCA	1066	1095	1120	1143	1171	1201	1220	1252	1282
	1309	1355	1450	1510	1518	1533	1548	1563	1625
K20TUPUCA8	1106	1135	1160	1183	1211	1241	1260	1292	1322
	1349	1395	1490	1550	1558	1573	1588	1603	1665
K20TUPUHA	1002	1032	1059	1081	1111	1141	1162	1194	1225
	1254	1302	1399	1461	1468	1484	1499	1514	1581
K20TUPUXA	875	905	932	954	984	1014	1035	1067	1098
	1127	1175	1272	1334	1341	1357	1372	1387	1454

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

Matched directional fabrics may not be aligned due to chair shape and contour.

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Seat slider:
SL = Seat slider (+$70)
X = None

⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑩ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Mesh Back | Mesh-Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 226
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20TMPMXALH		$815
K20TMPMXALHF	TB133*	898

Height-Adjustable Arms with Fixed Armcaps		
K20TMPMHALH		$875
K20TMPMHALHF	TB133*	958

Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20TMPM2DLH		$975
K20TMPM2DLHF	TB133*	1058

Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20TMPM4DLH		$1055
K20TMPM4DLHF	TB133*	1138

Polished Conference (C) Arms		
K20TMPMCALH		$1015
K20TMPMCALHF	TB133*	1098

Polished Conference (C) Arms with PU Arm Pads		
K20TMPMCA8LH		$1055
K20TMPMCA8LHF	TB133*	1138

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators.

Seat:
③ Mesh color
➤See page 301 for designators.

④ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑤ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Seat slider:
SL = Seat slider (+$70)
X = None

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 226
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20TMAMXALH		$1004
K20TMAMXALHF	TB133*	1087

Height-Adjustable Arms with Fixed Armcaps		
K20TMAMHALH		$1076
K20TMAMHALHF	TB133*	1159

Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20TMAM2DLH		$1148
K20TMAM2DLHF	TB133*	1231

Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20TMAM4DLH		$1220
K20TMAM4DLHF	TB133*	1303

Polished Conference (C) Arms		
K20TMAMCALH		$1184
K20TMAMCALHF	TB133*	1267

Polished Conference (C) Arms with PU Arm Pads		
K20TMAMCA8LH		$1220
K20TMAMCA8LHF	TB133*	1303

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators.

Seat:

③ Mesh color
➤See page 301 for designators

④ Wishbone finish:
497 = Polished aluminum

⑤ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Seat slider:
SL = Seat slider (+$70)
X = None

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Casters:
C3 = Hard 55mm
C4 = Soft 55 mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 226
Overview 229
Alliance Program Pricing 247
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TMPUXALH		$815	$841	$857	$874	$898	$923	$948	$1052	$1110
K20TMPUXALHF	TB133*	898	924	940	957	981	1006	1031	1135	1193
Height-Adjustable Arms with Fixed Armcaps										
K20TMPUHALH		$875	$901	$917	$934	$958	$983	$1008	$1112	$1170
K20TMPUHALHF	TB133*	958	984	1000	1017	1041	1066	1091	1195	1253
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TMPU2DLH		$975	$1001	$1017	$1034	$1058	$1083	$1108	$1212	$1270
K20TMPU2DLHF	TB133*	1058	1084	1100	1117	1141	1166	1191	1295	1353
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TMPU4DLH		$1055	$1081	$1097	$1114	$1138	$1163	$1188	$1292	$1350
K20TMPU4DLHF	TB133*	1138	1164	1180	1197	1221	1246	1271	1375	1433
Polished Conference (C) Arms										
K20TMPUCALH		$1015	$1041	$1057	$1074	$1098	$1123	$1148	$1252	$1310
K20TMPUCALHF	TB133*	1098	1124	1140	1157	1181	1206	1231	1335	1393
Polished Conference (C) Arms with PU Arm Pads										
K20TMPUCA8LH		$1055	$1081	$1097	$1114	$1138	$1163	$1188	$1292	$1350
K20TMPUCA8LHF	TB133*	1138	1164	1180	1197	1221	1246	1271	1375	1433

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Seat slider:
SL = Seat slider (+$70)
X = None
⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑩ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)
⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55 mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending
TB133 Pending

Actual Dimensions ➤See page 226
Overview 229
Kimball Office Uph. Pricing 246
COM/COL Yardage Req. 317

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20TMPU2DLH	$1015	$1032	$1047	$1061	$1078	$1096	$1107	$1126	$1144
	1160	1188	1245	1281	1286	1295	1304	1313	1350
K20TMPU4DLH	1095	1112	1127	1141	1158	1176	1187	1206	1224
	1240	1268	1325	1361	1366	1375	1384	1393	1430
K20TMPUCALH	1055	1072	1087	1101	1118	1136	1147	1166	1184
	1200	1228	1285	1321	1326	1335	1344	1353	1390
K20TMPUCA8LH	1095	1112	1127	1141	1158	1176	1187	1206	1224
	1240	1268	1325	1361	1366	1375	1384	1393	1430
K20TMPUHALH	915	932	947	961	978	996	1007	1026	1044
	1060	1088	1145	1181	1186	1195	1204	1213	1250
K20TMPUXALH	855	872	887	901	918	936	947	966	984
	1000	1028	1085	1121	1126	1135	1144	1153	1190

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133

Fire code treatment is available on select Alliance Program upholstery. ➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Wishbone finish: **462** = Cinder
501 = Platinum metallic (+$50)

⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑧ Seat slider: **X** = None
SL = Seat slider (+$70)

⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑩ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55 mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat | Aluminum Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 226
Overview 229
Alliance Program Pricing 249
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TMAUXALH		$1004	$1030	$1046	$1063	$1087	$1112	$1137	$1241	$1299
K20TMAUXALHF	TB133*	1087	1113	1129	1146	1170	1195	1220	1324	1382
Height-Adjustable Arms with Fixed Armcaps										
K20TMAUHALH		$1076	$1102	$1118	$1135	$1159	$1184	$1209	$1313	$1371
K20TMAUHALHF	TB133*	1159	1185	1201	1218	1242	1267	1292	1396	1454
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TMAU2DLH		$1148	$1174	$1190	$1207	$1231	$1256	$1281	$1385	$1443
K20TMAU2DLHF	TB133*	1231	1257	1273	1290	1314	1339	1364	1468	1526
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TMAU4DLH		$1220	$1246	$1262	$1279	$1303	$1328	$1353	$1457	$1515
K20TMAU4DLHF	TB133*	1303	1329	1345	1362	1386	1411	1436	1540	1598
Polished Conference (C) Arms										
K20TMAUCALH		$1184	$1210	$1226	$1243	$1267	$1292	$1317	$1421	$1479
K20TMAUCALHF	TB133*	1267	1293	1309	1326	1350	1375	1400	1504	1562
Polished Conference (C) Arms with PU Arm Pads										
K20TMAUCA8LH		$1220	$1246	$1262	$1279	$1303	$1328	$1353	$1457	$1515
K20TMAUCA8LHF	TB133*	1303	1329	1345	1362	1386	1411	1436	1540	1598

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
497 = Polished aluminum
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Seat slider:
SL = Seat slider (+$70)
X = None
⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑩ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)
⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55 mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Aluminum Wishbone

GSA Pending
TB133 Pending

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20TMAU2DLH	$1188	$1205	$1220	$1234	$1251	$1269	$1280	$1299	$1317
	1333	1361	1418	1454	1459	1468	1477	1486	1523
K20TMAU4DLH	1260	1277	1292	1306	1323	1341	1352	1371	1389
	1405	1433	1490	1526	1531	1540	1549	1558	1595
K20TMAUCALH	1224	1241	1256	1270	1287	1305	1316	1335	1353
	1369	1397	1454	1490	1495	1504	1513	1522	1559
K20TMAUCA8LH	1260	1277	1292	1306	1323	1341	1352	1371	1389
	1405	1433	1490	1526	1531	1540	1549	1558	1595
K20TMAUHALH	1116	1133	1148	1162	1179	1197	1208	1227	1245
	1261	1289	1346	1382	1387	1396	1405	1414	1451
K20TMAUXALH	1044	1061	1076	1090	1107	1125	1136	1155	1173
	1189	1217	1274	1310	1315	1324	1333	1342	1379

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Actual Dimensions ➤See page 226
Overview 229
Kimball Office Uph. Pricing 248
COM/COL Yardage Req. 317

TB133

Fire code treatment is available on select Alliance Program upholstery. ➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Wishbone finish:
497 = Polished aluminum

⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑧ Seat slider: **X** = None
SL = Seat slider (+$70)

⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑩ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55 mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Upholstered Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 226
Overview 229
Alliance Program Pricing 251
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TUPUXALH		$902	$945	$972	$1001	$1040	$1082	$1124	$1297	$1394
K20TUPUXALHF	TB133*	988	1031	1058	1087	1126	1168	1210	1383	1480
Height-Adjustable Arms with Fixed Armcaps										
K20TUPUHALH		$1029	$1072	$1099	$1128	$1167	$1209	$1251	$1424	$1521
K20TUPUHALHF	TB133*	1115	1158	1185	1214	1253	1295	1337	1510	1607
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TUPU2DLH		$1092	$1135	$1162	$1191	$1230	$1272	$1314	$1487	$1584
K20TUPU2DLHF	TB133*	1178	1221	1248	1277	1316	1358	1400	1573	1670
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TUPU4DLH		$1135	$1178	$1205	$1234	$1273	$1315	$1357	$1530	$1627
K20TUPU4DLHF	TB133*	1221	1264	1291	1320	1359	1401	1443	1616	1713
Polished Conference (C) Arms										
K20TUPUCALH		$1095	$1138	$1165	$1194	$1233	$1275	$1317	$1490	$1587
K20TUPUCALHF	TB133*	1181	1224	1251	1280	1319	1361	1403	1576	1673
Polished Conference (C) Arms with PU Arm Pads										
K20TUPUCA8LH		$1135	$1178	$1205	$1234	$1273	$1315	$1357	$1530	$1627
K20TUPUCA8LHF	TB133*	1221	1264	1291	1320	1359	1401	1443	1616	1713

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Seat slider:
SL = Seat slider (+$70)
X = None

⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑩ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Low-Height High-Performance Task Chairs

Pricing

Upholstered Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending
TB133 Pending

Actual Dimensions ➤See page 226
Overview 229
Kimball Office Uph. Pricing 250
COM/COL Yardage Req. 317

Model	*Alliance Upholstery Price Grade* A	B	C	D	E	F	G	H	I
	J	K	L	M	N	O	P	Q	R
K20TUPU2DLH	$1158	$1187	$1212	$1235	$1263	$1293	$1312	$1344	$1374
	1401	1447	1542	1602	1610	1625	1640	1655	1717
K20TUPU4DLH	1201	1230	1255	1278	1306	1336	1355	1387	1417
	1444	1490	1585	1645	1653	1668	1683	1698	1760
K20TUPUCALH	1161	1190	1215	1238	1266	1296	1315	1347	1377
	1404	1450	1545	1605	1613	1628	1643	1658	1720
K20TUPUCA8LH	1201	1230	1255	1278	1306	1336	1355	1387	1417
	1444	1490	1585	1645	1653	1668	1683	1698	1760
K20TUPUHALH	1095	1124	1149	1172	1200	1230	1249	1281	1311
	1338	1384	1479	1539	1547	1562	1577	1592	1654
K20TUPUXALH	968	997	1022	1045	1073	1103	1122	1154	1184
	1211	1257	1352	1412	1420	1435	1450	1465	1527

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

Matched directional fabrics may not be aligned due to chair shape and contour.

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Seat slider:
SL = Seat slider (+$70)
X = None

⑨ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑩ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Sit-to-Stand Seating

Pricing

Mesh Back | Mesh-Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 227
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20TMPMXASTS		$1030
K20TMPMXASTSF	TB133*	1113
Height-Adjustable Arms with Fixed Armcaps		
K20TMPMHASTS		$1090
K20TMPMHASTSF	TB133*	1173
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20TMPM2DSTS		$1190
K20TMPM2DSTSF	TB133*	1273
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20TMPM4DSTS		$1270
K20TMPM4DSTSF	TB133*	1353
Polished Conference (C) Arms		
K20TMPMCASTS		$1230
K20TMPMCASTSF	TB133*	1313
Polished Conference (C) Arms with PU Arm Pads		
K20TMPMCA8STS		$1270
K20TMPMCA8STSF	TB133*	1353

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators

Seat:
③ Mesh color
➤See page 301 for designators

④ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑤ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑧ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑨ Footring finish:
462 = Cinder

⑩ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Sit-to-Stand Seating

Pricing

Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 227
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20TMAMXASTS		$1197
K20TMAMXASTSF	TB133*	1280
Height-Adjustable Arms with Fixed Armcaps		
K20TMAMHASTS		$1269
K20TMAMHASTSF	TB133*	1352
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20TMAM2DSTS		$1341
K20TMAM2DSTSF	TB133*	1424
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20TMAM4DSTS		$1413
K20TMAM4DSTSF	TB133*	1496
Polished Conference (C) Arms		
K20TMAMCASTS		$1377
K20TMAMCASTSF	TB133*	1460
Polished Conference (C) Arms with PU Arm Pads		
K20TMAMCA8STS		$1413
K20TMAMCA8STSF	TB133*	1496

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators

Seat:

③ Mesh color
➤See page 301 for designators

④ Wishbone finish:
497= Polished aluminum

⑤ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑧ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑨ Footring finish:
462 = Cinder

⑩ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Sit-to-Stand Seating

Pricing

Mesh Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 227
Overview 229
Alliance Program Pricing 255
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TMPUXASTS		$1030	$1056	$1072	$1089	$1113	$1138	$1163	$1267	$1325
K20TMPUXASTSF	TB133*	1113	1139	1155	1172	1196	1221	1246	1350	1408
Height-Adjustable Arms with Fixed Armcaps										
K20TMPUHASTS		$1090	$1116	$1132	$1149	$1173	$1198	$1223	$1327	$1385
K20TMPUHASTSF	TB133*	1173	1199	1215	1232	1256	1281	1306	1410	1468
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TMPU2DSTS		$1190	$1216	$1232	$1249	$1273	$1298	$1323	$1427	$1485
K20TMPU2DSTSF	TB133*	1273	1299	1315	1332	1356	1381	1406	1510	1568
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TMPU4DSTS		$1270	$1296	$1312	$1329	$1353	$1378	$1403	$1507	$1565
K20TMPU4DSTSF	TB133*	1353	1379	1395	1412	1436	1461	1486	1590	1648
Polished Conference (C) Arms										
K20TMPUCASTS		$1230	$1256	$1272	$1289	$1313	$1338	$1363	$1467	$1525
K20TMPUCASTSF	TB133*	1313	1339	1355	1372	1396	1421	1446	1550	1608
Polished Conference (C) Arms with PU Arm Pads										
K20TMPUCA8STS		$1270	$1296	$1312	$1329	$1353	$1378	$1403	$1507	$1565
K20TMPUCA8STSF	TB133*	1353	1379	1395	1412	1436	1461	1486	1590	1648

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)
⑨ Footring finish:
462 = Cinder
⑩ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Sit-to-Stand Seating

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending
TB133 Pending

Actual Dimensions ➤See page 227
Overview 229
Kimball Office Uph. Pricing 254
COM/COL Yardage Req. 317

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20TMPU2DSTS	$1230	$1247	$1262	$1276	$1293	$1311	$1322	$1341	$1359
	1375	1403	1460	1496	1501	1510	1519	1528	1565
K20TMPU4DSTS	1310	1327	1342	1356	1373	1391	1402	1421	1439
	1455	1483	1540	1576	1581	1590	1599	1608	1645
K20TMPUCASTS	1270	1287	1302	1316	1333	1351	1362	1381	1399
	1415	1443	1500	1536	1541	1550	1559	1568	1605
K20TMPUCA8STS	1310	1327	1342	1356	1373	1391	1402	1421	1439
	1455	1483	1540	1576	1581	1590	1599	1608	1645
K20TMPUHASTS	1130	1147	1162	1176	1193	1211	1222	1241	1259
	1275	1303	1360	1396	1401	1410	1419	1428	1465
K20TMPUXASTS	1070	1087	1102	1116	1133	1151	1162	1181	1199
	1215	1243	1300	1336	1341	1350	1359	1368	1405

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

TB133

Fire code treatment is available on select Alliance Program upholstery. ➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C3 = Hard 55mm

Sit-to-Stand Seating

Pricing

Mesh Back | Upholstered Seat | Aluminum Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 227
Overview 229
Alliance Program Pricing 257
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TMAUXASTS		$1197	$1223	$1239	$1256	$1280	$1305	$1330	$1434	$1492
K20TMAUXASTSF	TB133*	1280	1306	1322	1339	1363	1388	1413	1517	1575
Height-Adjustable Arms with Fixed Armcaps										
K20TMAUHASTS		$1269	$1295	$1311	$1328	$1352	$1377	$1402	$1506	$1564
K20TMAUHASTSF	TB133*	1352	1378	1394	1411	1435	1460	1485	1589	1647
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TMAU2DSTS		$1341	$1367	$1383	$1400	$1424	$1449	$1474	$1578	$1636
K20TMAU2DSTSF	TB133*	1424	1450	1466	1483	1507	1532	1557	1661	1719
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TMAU4DSTS		$1413	$1439	$1455	$1472	$1496	$1521	$1546	$1650	$1708
K20TMAU4DSTSF	TB133*	1496	1522	1538	1555	1579	1604	1629	1733	1791
Polished Conference (C) Arms										
K20TMAUCASTS		$1377	$1403	$1419	$1436	$1460	$1485	$1510	$1614	$1672
K20TMAUCASTSF	TB133*	1460	1486	1502	1519	1543	1568	1593	1697	1755
Polished Conference (C) Arms with PU Arm Pads										
K20TMAUCA8STS		$1413	$1439	$1455	$1472	$1496	$1521	$1546	$1650	$1708
K20TMAUCA8STSF	TB133*	1496	1522	1538	1555	1579	1604	1629	1733	1791

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
497 = Polished aluminum
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)
⑩ Footring finish:
462 = Cinder
⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Sit-to-Stand Seating

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Aluminum Wishbone

GSA Pending
TB133 Pending

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20TMAU2DSTS	$1381	$1398	$1413	$1427	$1444	$1462	$1473	$1492	$1510
	1526	1554	1611	1647	1652	1661	1670	1679	1716
K20TMAU4DSTS	1453	1470	1485	1499	1516	1534	1545	1564	1582
	1598	1626	1683	1719	1724	1733	1742	1751	1788
K20TMAUCASTS	1417	1434	1449	1463	1480	1498	1509	1528	1546
	1562	1590	1647	1683	1688	1697	1706	1715	1752
K20TMAUCA8STS	1453	1470	1485	1499	1516	1534	1545	1564	1582
	1598	1626	1683	1719	1724	1733	1742	1751	1788
K20TMAUHASTS	1309	1326	1341	1355	1372	1390	1401	1420	1438
	1454	1482	1539	1575	1580	1589	1598	1607	1644
K20TMAUXASTS	1237	1254	1269	1283	1300	1318	1329	1348	1366
	1382	1410	1467	1503	1508	1517	1526	1535	1572

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Actual Dimensions ➤See page 227
Overview 229
Kimball Office Uph. Pricing 256
COM/COL Yardage Req. 317

TB133

Fire code treatment is available on select Alliance Program upholstery. ➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Wishbone finish:
497 = Polished aluminum

⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Sit-to-Stand Seating

Pricing

Upholstered Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 227
Overview 229
Alliance Program Pricing 259
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20TUPUXASTS		$1067	$1110	$1137	$1166	$1205	$1247	$1289	$1462	$1559
K20TUPUXASTSF	TB133*	1153	1196	1223	1252	1291	1333	1375	1548	1645
Height-Adjustable Arms with Fixed Armcaps										
K20TUPUHASTS		$1194	$1237	$1264	$1293	$1332	$1374	$1416	$1589	$1686
K20TUPUHASTSF	TB133*	1280	1323	1350	1379	1418	1460	1502	1675	1772
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20TUPU2DSTS		$1257	$1300	$1327	$1356	$1395	$1437	$1479	$1652	$1749
K20TUPU2DSTSF	TB133*	1343	1386	1413	1442	1481	1523	1565	1738	1835
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20TUPU4DSTS		$1300	$1343	$1370	$1399	$1438	$1480	$1522	$1695	$1792
K20TUPU4DSTSF	TB133*	1386	1429	1456	1485	1524	1566	1608	1781	1878
Polished Conference (C) Arms										
K20TUPUCASTS		$1260	$1303	$1330	$1359	$1398	$1440	$1482	$1655	$1752
K20TUPUCASTSF	TB133*	1346	1389	1416	1445	1484	1526	1568	1741	1838
Polished Conference (C) Arms with PU Arm Pads										
K20TUPUCA8STS		$1300	$1343	$1370	$1399	$1438	$1480	$1522	$1695	$1792
K20TUPUCA8STSF	TB133*	1386	1429	1456	1485	1524	1566	1608	1781	1878

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Sit-to-Stand Seating

Pricing

Upholstered Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending
TB133 Pending

Actual Dimensions ➤See page 227
Overview 229
Kimball Office Uph. Pricing 258
COM/COL Yardage Req. 317

Model	*Alliance Upholstery Price Grade*								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
	J	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20TUPU2DSTS	$1323	$1352	$1377	$1400	$1428	$1458	$1477	$1509	$1539
	1566	1612	1707	1767	1775	1790	1805	1820	1882
K20TUPU4DSTS	1366	1395	1420	1443	1471	1501	1520	1552	1582
	1609	1655	1750	1810	1818	1833	1848	1863	1925
K20TUPUCASTS	1326	1355	1380	1403	1431	1461	1480	1512	1542
	1569	1615	1710	1770	1778	1793	1808	1823	1885
K20TUPUCA8STS	1366	1395	1420	1443	1471	1501	1520	1552	1582
	1609	1655	1750	1810	1818	1833	1848	1863	1925
K20TUPUHASTS	1260	1289	1314	1337	1365	1395	1414	1446	1476
	1503	1549	1644	1704	1712	1727	1742	1757	1819
K20TUPUXASTS	1133	1162	1187	1210	1238	1268	1287	1319	1349
	1376	1422	1517	1577	1585	1600	1615	1630	1692

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

Matched directional fabrics may not be aligned due to chair shape and contour.

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on aluminum base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C3 = Hard 55mm
C4 = Soft 55mm (+$23)

Stools

Pricing

Mesh Back | Mesh-Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 228
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20SMPMXA		$1030
K20SMPMXAF	TB133*	1113
Height-Adjustable Arms with Fixed Armcaps		
K20SMPMHA		$1110
K20SMPMHAF	TB133*	1193
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20SMPM2D		$1190
K20SMPM2DF	TB133*	1273
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20SMPM4D		$1270
K20SMPM4DF	TB133*	1353
Polished Conference (C) Arms		
K20SMPMCA		$1230
K20SMPMCAF	TB133*	1313
Polished Conference (C) Arms with PU Arm Pads		
K20SMPMCA8		$1270
K20SMPMCA8F	TB133*	1353

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators

Seat:

③ Mesh color
➤See page 301 for designators

④ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑤ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑧ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑨ Footring finish:
462 = Cinder

⑩ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Stools

Mesh Back | Mesh-Upholstered Seat | Aluminum Wishbone

Pricing

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 228
Overview 229
Adjustability Features 230
Finishes & Materials 289

Model		*Price*
Armless		
K20SMAMXA		$1197
K20SMAMXAF	TB133*	1280
Height-Adjustable Arms with Fixed Armcaps		
K20SMAMHA		$1269
K20SMAMHAF	TB133*	1352
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)		
K20SMAM2D		$1341
K20SMAM2DF	TB133*	1424
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)		
K20SMAM4D		$1413
K20SMAM4DF	TB133*	1496
Polished Conference (C) Arms		
K20SMAMCA		1377
K20SMAMCAF	TB133*	1460
Polished Conference (C) Arms with PU Arm Pads		
K20SMAMCA8		$1413
K20SMAMCA8F	TB133*	1496

TB133

Fire code treatment is available on Wish mesh-back/mesh-seat models.

How to Specify

❶ Model

Back:

② Mesh color:
Mesh color
➤See page 301 for designators

Seat:

③ Mesh color:
Mesh color
➤See page 301 for designators

④ Wishbone finish:
497 = Polished aluminum

⑤ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑦ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑧ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑨ Footring finish:
462 = Cinder

⑩ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Stools

Pricing

Mesh Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 228
Overview 229
Alliance Program Pricing 263
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20SMPUXA		$1030	$1056	$1072	$1089	$1113	$1138	$1163	$1267	$1325
K20SMPUXAF	TB133*	1113	1139	1155	1172	1196	1221	1246	1350	1408
Height-Adjustable Arms with Fixed Armcaps										
K20SMPUHA		$1110	$1136	$1152	$1169	$1193	$1218	$1243	$1347	$1405
K20SMPUHAF	TB133*	1193	1219	1235	1252	1276	1301	1326	1430	1488
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20SMPU2D		$1190	$1216	$1232	$1249	$1273	$1298	$1323	$1427	$1485
K20SMPU2DF	TB133*	1273	1299	1315	1332	1356	1381	1406	1510	1568
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20SMPU4D		$1270	$1296	$1312	$1329	$1353	$1378	$1403	$1507	$1565
K20SMPU4DF	TB133*	1353	1379	1395	1412	1436	1461	1486	1590	1648
Polished Conference (C) Arms										
K20SMPUCA		$1230	$1256	$1272	$1289	$1313	$1338	$1363	$1467	$1525
K20SMPUCAF	TB133*	1313	1339	1355	1372	1396	1421	1446	1550	1608
Polished Conference (C) Arms with PU Arm Pads										
K20SMPUCA8		$1270	$1296	$1312	$1329	$1353	$1378	$1403	$1507	$1565
K20SMPUCA8F	TB133*	1353	1379	1395	1412	1436	1461	1486	1590	1648

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color:
Mesh color
➤See page 301 for designators

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)
⑩ Footring finish:
462 = Cinder
⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Stools

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending
TB133 Pending

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20SMPU2D	$1230	$1247	$1262	$1276	$1293	$1311	$1322	$1341	$1359
	1375	1403	1460	1496	1501	1510	1519	1528	1565
K20SMPU4D	1310	1327	1342	1356	1373	1391	1402	1421	1439
	1455	1483	1540	1576	1581	1590	1599	1608	1645
K20SMPUCA	1270	1287	1302	1316	1333	1351	1362	1381	1399
	1415	1443	1500	1536	1541	1550	1559	1568	1605
K20SMPUCA8	1310	1327	1342	1356	1373	1391	1402	1421	1439
	1455	1483	1540	1576	1581	1590	1599	1608	1645
K20SMPUHA	1150	1167	1182	1196	1213	1231	1242	1261	1279
	1295	1323	1380	1416	1421	1430	1439	1448	1485
K20SMPUXA	1070	1087	1102	1116	1133	1151	1162	1181	1199
	1215	1243	1300	1336	1341	1350	1359	1368	1405

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Actual Dimensions ➤See page 228
Overview 229
Kimball Office Uph. Pricing 262
COM/COL Yardage Req. 317

TB133

Fire code treatment is available on select Alliance Program upholstery. ➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color ➤See page 301.

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Stools

Pricing

Mesh Back | Upholstered Seat | Aluminum Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions ➤See page 228
Overview 229
Alliance Program Pricing 265
COM/COL Yardage Req. 317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20SMAUXA		$1197	$1223	$1239	$1256	$1280	$1305	$1330	$1434	$1492
K20SMAUXAF	TB133*	1280	1306	1322	1339	1363	1388	1413	1517	1575
Height-Adjustable Arms with Fixed Armcaps										
K20SMAUHA		$1269	$1295	$1311	$1328	$1352	$1377	$1402	$1506	$1564
K20SMAUHAF	TB133*	1352	1378	1394	1411	1435	1460	1485	1589	1647
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20SMAU2D		$1341	$1367	$1383	$1400	$1424	$1449	$1474	$1578	$1636
K20SMAU2DF	TB133*	1424	1450	1466	1483	1507	1532	1557	1661	1719
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20SMAU4D		$1413	$1439	$1455	$1472	$1496	$1521	$1546	$1650	$1708
K20SMAU4DF	TB133*	1496	1522	1538	1555	1579	1604	1629	1733	1791
Polished Conference (C) Arms										
K20SMAUCA		$1377	$1403	$1419	$1436	$1460	$1485	$1510	$1614	$1672
K20SMAUCAF	TB133*	1460	1486	1502	1519	1543	1568	1593	1697	1755
Polished Conference (C) Arms with PU Arm Pads										
K20SMAUCA8		$1413	$1439	$1455	$1472	$1496	$1521	$1546	$1650	$1708
K20SMAUCA8F	TB133*	1496	1522	1538	1555	1579	1604	1629	1733	1791

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Mesh color
➤See page 301 for designators

Seat:
③ Upholstery grade
④ Upholstery number
⑤ Wishbone finish:
497 = Polished aluminum
⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)
⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None
⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)
⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)
⑩ Footring finish:
462 = Cinder
⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Stools

Pricing

Mesh Back | Upholstered Seat (Alliance Program) | Aluminum Wishbone

GSA Pending
TB133 Pending

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20SMAU2D	$1381	$1398	$1413	$1427	$1444	$1462	$1473	$1492	$1510
	1526	1554	1611	1647	1652	1661	1670	1679	1716
K20SMAU4D	1453	1470	1485	1499	1516	1534	1545	1564	1582
	1598	1626	1683	1719	1724	1733	1742	1751	1788
K20SMAUCA	1417	1434	1449	1463	1480	1498	1509	1528	1546
	1562	1590	1647	1683	1688	1697	1706	1715	1752
K20SMAUCA8	1453	1470	1485	1499	1516	1534	1545	1564	1582
	1598	1626	1683	1719	1724	1733	1742	1751	1788
K20SMAUHA	1309	1326	1341	1355	1372	1390	1401	1420	1438
	1454	1482	1539	1575	1580	1589	1598	1607	1644
K20SMAUXA	1237	1254	1269	1283	1300	1391	1329	1348	1366
	1382	1410	1467	1503	1508	1517	1526	1535	1572

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Actual Dimensions ➤See page 228
Overview 229
Kimball Office Uph. Pricing 264
COM/COL Yardage Req. 317

TB133

Fire code treatment is available on select Alliance Program upholstery. ➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Mesh color
➤See page 301 for designators

Seat:

③ Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

④ Upholstery number

⑤ Wishbone finish:
497 = Polished aluminum

⑥ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑦ Lumbar support (shown):
LUM = Adjustable lumbar (+$50)
X = None

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Stools

Pricing

Upholstered Back | Upholstered Seat | Plastic Wishbone

GSA Pending
*TB133 Pending

Actual Dimensions	➤See page 228
Overview	229
Alliance Program Pricing	267
COM/COL Yardage Req.	317

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Armless										
K20SUPUXA		$1067	$1110	$1137	$1166	$1205	$1247	$1289	$1462	$1559
K20SUPUXAF	TB133*	1153	1196	1223	1252	1291	1333	1375	1548	1645
Height-Adjustable Arms with Fixed Armcaps										
K20SUPUHA		$1194	$1237	$1264	$1293	$1332	$1374	$1416	$1589	$1686
K20SUPUHAF	TB133*	1280	1323	1350	1379	1418	1460	1502	1675	1772
Height- and Width-Adjustable Arms with Fixed Armcaps (2D)										
K20SUPU2D		$1257	$1300	$1327	$1356	$1395	$1437	$1479	$1652	$1749
K20SUPU2DF	TB133*	1343	1386	1413	1442	1481	1523	1565	1738	1835
Height- and Width-Adjustable Arms with Adjustable Armcaps (4D)										
K20SUPU4D		$1300	$1343	$1370	$1399	$1438	$1480	$1522	$1695	$1792
K20SUPU4DF	TB133*	1386	1429	1456	1485	1524	1566	1608	1781	1878
Polished Conference (C) Arms										
K20SUPUCA		$1260	$1303	$1330	$1359	$1398	$1440	$1482	$1655	$1752
K20SUPUCAF	TB133*	1346	1389	1416	1445	1484	1526	1568	1741	1838
Polished Conference (C) Arms with PU Arm Pads										
K20SUPUCA8		$1300	$1343	$1370	$1399	$1438	$1480	$1522	$1695	$1792
K20SUPUCA8F	TB133*	1386	1429	1456	1485	1524	1566	1608	1781	1878

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Stools

Pricing

Upholstered Back | Upholstered Seat (Alliance Program) | Plastic Wishbone

GSA Pending
TB133 Pending

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20SUPU2D	$1323	$1352	$1377	$1400	$1428	$1458	$1477	$1509	$1539
	1566	1612	1707	1767	1775	1790	1805	1820	1882
K20SUPU4D	1366	1395	1420	1443	1471	1501	1520	1552	1582
	1609	1655	1750	1810	1818	1833	1848	1863	1925
K20SUPUCA	1326	1355	1380	1403	1431	1461	1480	1512	1542
	1569	1615	1710	1770	1778	1793	1808	1823	1885
K20SUPUCA8	1366	1395	1420	1443	1471	1501	1520	1552	1582
	1609	1655	1750	1810	1818	1833	1848	1863	1925
K20SUPUHA	1260	1289	1314	1337	1365	1395	1414	1446	1476
	1503	1549	1644	1704	1712	1727	1742	1757	1819
K20SUPUXA	1133	1162	1187	1210	1238	1268	1287	1319	1349
	1376	1422	1517	1577	1585	1600	1615	1630	1692

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.

Matched directional fabrics may not be aligned due to chair shape and contour.

Actual Dimensions ➤See page 228
Overview 229
Kimball Office Uph. Pricing 266
COM/COL Yardage Req. 318

TB133

Fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Wishbone finish:
462 = Cinder
501 = Platinum metallic (+$50)

⑦ Arm upright finish (include for 2D or 4D models only):
462 = Cinder
497 = Polished aluminum (+$50)

⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+$75)

⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+$65)
497 = Polished aluminum (+$75)

⑩ Footring finish:
462 = Cinder

⑪ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+$23)

Notes

Wish Classic seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

Task Chairs with Height-Adjustable Arms

➤See page 272 to specify.

Height	39"–44¾"
Width	27½"
Depth	26½"
Arm height*	7"–9½"
Seat height	17"–21½"
Seat width	18¾"
Seat depth	19"

Task Chairs with Conference Arms

➤See page 272 to specify.

Height	39"–44¾"
Width	27½"
Depth	26½"
Arm height*	8¾"
Seat height	17"–21½"
Seat width	18¾"
Seat depth	19"

Task Chairs without Arms

➤See page 272 to specify.

Height	39"–44¾"
Width	27½"
Depth	26½"
Arm height*	—
Seat height	17"–21½"
Seat width	18¾"
Seat depth	19"

Task 300 Chairs with Height-Adjustable Arms

➤See page 274 to specify.

Height	38¾"–43¼"
Width	26¾"
Depth	26½"
Arm height*	7¾"–10⅜"
Seat height	16½"–21⅛"
Seat width	18¾"
Seat depth	17⁵⁄₁₆"

Task 300 Chairs with Conference Arms

➤See page 274 to specify.

Height	38¾"–43¼"
Width	26¾"
Depth	26½"
Arm height*	9⅜"
Seat height	16½"–21⅛"
Seat width	18¾"
Seat depth	17⁵⁄₁₆"

Task 300 Chairs without Arms

➤See page 274 to specify.

Height	38¾"–43¼"
Width	26¾"
Depth	26½"
Arm height*	—
Seat height	16½"–21⅛"
Seat width	18¾"
Seat depth	17⁵⁄₁₆"

Stools with Height-Adjustable Arms

➤See page 276 to specify.

Height	44½"–52¼"
Width	27½"
Depth	26½"
Arm height*	8¼"–10½"
Seat height	22"–29¾"
Seat width	18¾"
Seat depth	17"

Stools with Conference Arms

➤See page 276 to specify.

Height	44½"–52¼"
Width	27½"
Depth	26½"
Arm height*	9"
Seat height	22"–29¾"
Seat width	18¾"
Seat depth	17"

Stools without Arms

➤See page 276 to specify.

Height	44½"–52¼"
Width	27½"
Depth	26½"
Arm height*	—
Seat height	22"–29¾"
Seat width	18¾"
Seat depth	17"

➤See page 271 for additional actual dimensions, including kneespace, arm support width, arm cap distance, seat slider and low-seat options.

** Arm height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

Task Chairs and Stools

Overview

Statement of Line ➤See page 269
Finishes & Materials 289
COM/COL Yardage Req. 314

Lumbar support pad, made of polypropylene, moves 2½" for optimal comfort and support. Neoprene covers the foam in the lumbar area and facilitates movement of the lumbar pad.

Height-adjustable arms adjust with a push button to one of 5 positions within a range of 2¼" and can be specified with fixed arm caps.

Arm supports are glass filed nylon, insert molded over a steel core for superior support.

5-prong base is constructed of rigid, glass-filled nylon. Black surface is textured for scuff resistance.

5-prong, 27" black aluminum base on Task 300 chairs was tested using 450 lbs. of force.

Seat slider option is available on task chairs to adjust the seat depth for comfort. Seat depth is adjusted via a single lever and locks in one of 6 positions within a 2" range. Upcharge applies. Seat slider is not available on stools.

Low seat-height option, compatible with the BIFMA recommended minimum of 15", is available. The seat height adjustment range is 3". Upcharge applies. Not available on Task 300.



Contoured CFC-free polyurethane foam provides comfort consistency and proper ergonomic support.

Back cushions have 1¾" CFC-free polyurethane foam to enhance comfort and reduce fatigue. Edges of foam used on seat and back are wrapped with ⅜" of higher density foam for cleaner edges and contours.

Arm caps are soft, black, self-skinning polyurethane foam, insert molded over a steel core for strength.

Seat cushions have 2" base foam, plus a ½" soft topper pad to enhance comfort and reduce fatigue. Base foam includes ½" filler centered on the bottom of the cushion for added support. Seat cushions feature a waterfall front edge.

Hard dual-wheel casters (C1) are standard.

Soft dual-wheel casters are available for use on hard floors. Casters are black. Upcharge applies. Not available on Task 300.

Foot ring on stools is height adjustable with a total range of 3½". Foot ring is black tubular steel.

Details

Fixed Conference

Task chairs are available with adjustable-height arms with fixed arms caps, conference arms, or without arms.

Stools are available with adjustable height arms and fixed arm caps or without arms.

Wishbone back frame is injection molded, glass-filled nylon. Frame is attached with 2 high-tensile M10-1.5 x 35mm Allen-head bolts with grade 8 heavy steel flat washers.

Inner back panel is injection molded polypropylene, designed with a reinforcing pattern to ensure rigidity.

Inner seat panel is molded 9⁄16"-thick, 9-ply (1⁄16" poplar per ply), single-shell construction with a waterfall front edge.

Seamed slipcover-style upholstery on the back and seat accommodates a wide variety of fabrics and leather.

Task 300 chairs are rated to seat individuals weighing up to 300 lbs.

Adjustability Features

Synchro-tilt	•
Swivel	•
Pneumatic height	•
Side tension	•
Lumbar	•
Seat slider	○
Back tilt lock	•
Arm height	○

• = standard ○ = option

Synchro-tilt mechanism provides fully synchronized seat-to-back movement with a 2:1 ratio. For every 2 degrees the back moves, the seat angle changes 1 degree. Other features:

- Free-float movement allows user to lock the chair in multiple positions within the range of movement using a single lever.
- Anti-kickback clutch controls forward movement of backrest when the lock is disengaged.
- Reclining tension adjustment is user friendly and accommodates a wide range of weights via a single lever on the left side of the chair (as seated).

Pneumatic height adjustment allows user to raise or lower the seat while seated. Upward movement of control lever located beneath the seat activates a gas cylinder to quickly adjust the chair.

Actual Dimensions

	Task Chairs	Task 300 Chairs	Stools
Height	39"–44¾"	38¾"–43¼"	44½"–52¼"
Width	27½"	26¾"	27½"
Depth	26½"	26½"	26½"
Arm height*			
• Height-adjustable arm models	7"–9½"	7¾"–10⅜"	8¼"–10½"
• Conference arm models	8¾"	9⅜"	9"
Arm support width			
• Height-adjustable arm models	18½"	18½"	18½"
• Conference arm models	21¼"	21¼"	21¼"
Arm cap width distance on height-adjustable arms	18½"	18½"	—
Seat height			
• Standard pneumatic	17"–21½"	16½"–21⅛"	22"–29¾"
• Standard pneumatic; seat slider	18"–22½"	17½"–22¼"	—
• Low-seat pneumatic	15"–18"	—	—
• Low-seat pneumatic; seat slider	16"–19"	—	—
Seat width	18¾"	18¾"	18¾"
Seat depth			
• Without seat slider	19"	17 5/16"	17"
• Seat slider	19"–21½"	16½"–18¼"	16¼"–18¼"
Kneespace	18¾"	18¾"	18¾"

Wish Classic chairs are dimensionally consistent. Measurements were obtained using the ANSI/BIFMA accepted chair measurement device and process.
** Arm height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

Task Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 270
Actual Dimensions 271
Alliance Program Pricing 273
COM/COL Yardage Req. 318

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Height-Adjustable Arms										
With Fixed Arm Caps										
K20BT Ⓚ		$944	$980	$1002	$1026	$1058	$1092	$1128	$1270	$1350
K20BTF	TB133	1033	1069	1091	1115	1147	1181	1217	1359	1439
Conference Arms										
K20JT		$1009	$1045	$1067	$1091	$1123	$1157	$1193	$1335	$1415
K20JTF	TB133	1100	1136	1158	1182	1214	1248	1284	1426	1506
Armless										
K20AT		$813	$849	$871	$895	$927	$961	$997	$1139	$1219
K20ATF	TB133	902	938	960	984	1016	1050	1086	1228	1308

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Matched directional fabrics may not be aligned due to chair shape and contour.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Back frame finish:
462 = Cinder
501 = Platinum (+$52)

⑦ Seat slider:
SL = Seat slider (+$72)
X = None

⑧ Pneumatic cylinder:
STD = Standard
LS = Low seat (+$26)

⑨ Base finish:
462 = Cinder

⑩ Casters:
C1 = Hard
C2 = Soft (+$24)

Ⓚ = Kwik Office model available.

Task Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 270
Actual Dimensions 271
Kimball Office Uph. Pricing 272
COM/COL Yardage Req. 318

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20AT	$867	$891	$913	$931	$955	$979	$995	$1021	$1045
	1069	1107	1185	1235	1241	1253	1265	1277	1331
K20BT	998	1022	1044	1062	1086	1110	1126	1152	1176
	1200	1238	1316	1366	1372	1384	1396	1408	1462
K20JT	1063	1087	1109	1127	1151	1175	1191	1217	1241
	1265	1303	1381	1431	1437	1449	1461	1473	1527

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Matched directional fabrics may not be aligned due to chair shape and contour.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
CAR[grade] = Carnegie
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
③ Upholstery number

Seat:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

⑥ Back frame finish:
462 = Cinder
501 = Platinum (+$52)
⑦ Seat slider:
SL = Seat slider (+$72)
X = None
⑧ Pneumatic cylinder:
STD = Standard
LS = Low seat (+$26)
⑨ Base finish:
462 = Cinder
⑩ Casters:
C1 = Hard
C2 = Soft (+$24)

Task 300 Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview	➤See page 270
Actual Dimensions	271
Alliance Program Pricing	275
COM/COL Yardage Req.	314

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Height-Adjustable Arms										
With Fixed Arm Caps										
K20MT		$1161	$1197	$1219	$1243	$1275	$1309	$1345	$1487	$1567
K20MTF	TB133	1250	1286	1308	1332	1364	1398	1434	1576	1656
Conference Arms										
K20NT		$1161	$1197	$1219	$1243	$1275	$1309	$1345	$1487	$1567
K20NTF	TB133	1250	1286	1308	1332	1364	1398	1434	1576	1656
Armless										
K20LT		$863	$899	$921	$945	$977	$1011	$1047	$1189	$1269
K20LTF	TB133	952	988	1010	1034	1066	1100	1136	1278	1358

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Back frame finish:
462 = Cinder
501 = Platinum (+$52)

⑦ Seat slider:
SL = Seat slider (+$72)
X = None

⑧ Pneumatic cylinder:
STD = Standard

⑨ Base finish:
462 = Cinder

⑩ Casters:
C1 = Hard

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Matched directional fabrics may not be aligned due to chair shape and contour.

Task 300 Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 270
Actual Dimensions 271
Kimball Office Uph. Pricing 274
COM/COL Yardage Req. 318

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20LT	$917	$941	$963	$981	$1005	$1029	$1045	$1071	$1095
	1119	1157	1235	1285	1291	1303	1315	1327	1381
K20MT	1215	1239	1261	1279	1303	1327	1343	1369	1393
	1417	1455	1533	1583	1589	1601	1613	1625	1679
K20NT	1215	1239	1261	1279	1303	1327	1343	1369	1393
	1417	1455	1533	1583	1589	1601	1613	1625	1679

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
CAR[grade] = Carnegie
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
③ Upholstery number

Seat:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

⑥ Back frame finish:
462 = Cinder
501 = Platinum (+$52)
⑦ Seat slider:
SL = Seat slider (+$72)
X = None
⑧ Pneumatic cylinder:
STD = Standard
⑨ Base finish:
462 = Cinder
⑩ Casters:
C1 = Hard

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Matched directional fabrics may not be aligned due to chair shape and contour.

Stools

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 270
Actual Dimensions 271
Alliance Program Pricing 277
COM/COL Yardage Req. 314

Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Height-Adjustable Arms										
With Fixed Arm Caps										
K20ET		$1180	$1216	$1238	$1262	$1294	$1328	$1364	$1506	$1586
K20ETF	TB133	1270	1306	1328	1352	1384	1418	1454	1596	1676
Conference Arms										
K20KT		$1246	$1282	$1304	$1328	$1360	$1394	$1430	$1572	$1652
K20KTF	TB133	1336	1372	1394	1418	1450	1484	1520	1662	1742
Armless										
K20DT		$1052	$1088	$1110	$1134	$1166	$1200	$1236	$1378	$1458
K20DTF	TB133	1142	1178	1200	1224	1256	1290	1326	1468	1548

Seat slider option is not available on Wish stools.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Matched directional fabrics may not be aligned due to chair shape and contour.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Back frame finish:
462 = Cinder
501 = Platinum (+$52)
⑦ Pneumatic cylinder:
STD = Standard
⑧ Base finish:
462 = Cinder
⑨ Casters:
C1 = Hard
C2 = Soft (+$24)

Stools

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 270
Actual Dimensions 271
Kimball Office Uph. Pricing 276
COM/COL Yardage Req. 318

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K20DT	$1106	$1130	$1152	$1170	$1194	$1218	$1234	$1260	$1284
	1308	1346	1424	1474	1480	1492	1504	1516	1570
K20ET	1234	1258	1280	1298	1322	1346	1362	1388	1412
	1436	1474	1552	1602	1608	1620	1632	1644	1698
K20KT	1300	1324	1346	1364	1388	1412	1428	1454	1478
	1502	1540	1618	1668	1674	1686	1698	1710	1764

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Matched directional fabrics may not be aligned due to chair shape and contour.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:
② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ Upholstery number

Seat:
④ Alliance partner designator and upholstery grade (see above)
⑤ Upholstery number

⑥ Back frame finish:
462 = Cinder
501 = Platinum (+$52)
⑦ Pneumatic cylinder:
STD = Standard
⑧ Base finish:
462 = Cinder
⑨ Casters:
C1 = Hard
C2 = Soft (+$24)

Notes

Xtreme seating models are dimensionally consistent and meet or exceed the applicable BIFMA/ANSI standards.

High Back with Adjustable Arms

➤See page 282 to specify.

Height	37¼"–45¼"
Width	27¾"
Depth	25½"
Seat height	17½"–22½"
Seat width	20½"
Seat depth	16½"

High Back without Arms

➤See page 282 to specify.

Height	37¼"–45¼"
Width	27¾"
Depth	25½"
Seat height	17½"–22½"
Seat width	20½"
Seat depth	16½"

Mid-Back with Adjustable Arms

➤See page 284 to specify.

Height	34¼"–42½"
Width	27¾"
Depth	25½"
Seat height	17½"–22½"
Seat width	20½"
Seat depth	16½"

Mid-Back without Arms

➤See page 284 to specify.

Height	34¼"–42½"
Width	27¾"
Depth	25½"
Seat height	17½"–22½"
Seat width	20½"
Seat depth	16½"

Mid-Back Stool with Adjustable Arms

➤See page 286 to specify.

Height	44"–53½"
Width	27¾"
Depth	25½"
Seat height	26½"–33¼"
Seat width	20½"
Seat depth	16½"

Mid-Back Stool without Arms

➤See page 286 to specify.

Height	44"–53½"
Width	27¾"
Depth	25½"
Seat height	26½"–33¼"
Seat width	20½"
Seat depth	16½"

Adjustable-arm models are available with choice of:

- Height-adjustable arms
- Height- and width-adjustable arms
- Fully adjustable arms.

➤See page 281 for additional actual dimensions, including kneespace, arm support width, arm cap distance, seat slider and telescoping pneumatic options.

Desk Chairs and Stools

Overview

Statement of Line ➤See page 279
Finishes & Materials 289
COM/COL Yardage Req. 318

Outer back is fully upholstered.

Adjustable-height back, standard on all models, allows proper positioning of lumbar, helping prevent lower back fatigue and ensure comfort. Back adjusts through 6 positions over a 3¼" range.

Arms have a structural metal upright encased in an injection molded, glass-filled nylon shroud. Arms are secured to the chair with metal brackets and ¼" fasteners.



Black, glass-filled base, is available on high and mid-back chairs, is textured for scuff resistance.

Base on stool has a metal understructure and a two-piece polypropylene overlay and lower shroud.

Two densities of CFC-free urethane foam provide seat and back with consistent comfort and appropriate contours for superior ergonomic support.

Adjustable arms adjust in width via a lever to one of 4 positions within a 3" range. Push button allows arm height to be adjusted and locked into one of 7 positions within a 2½" range.

Fully adjustable arms combine the standard height and width adjustments with the added benefit of a pivot adjustment. Pivot adjustment allows arm caps to rotate inward or outward to one of 3 different positions over a 30° range.

Black, dual-wheel casters for use on carpeted floors are standard.

Soft, black, dual-wheel casters are available as an option and should be specified for use on hard floors. Upcharge applies.

Details



Standard TB133 compliant

Arms caps on TB133 models have a different profile than those on standard models.

Outer shell is injection-molded polypropylene.

Inner shell is blow-molded polypropylene, designed with a deep ribbing pattern to ensure rigidity.

Seat cushions have 2¼" base foam, plus a ¼" soft topper pad to enhance comfort and reduce fatigue.

Back cushions have 2¾" contoured base foam to enhance comfort and reduce fatigue.

Seamed slipcover-style upholstery on both the back and seat accommodates a wide variety of fabrics and leather.

Seat slider models allow the user to set the depth of the seat to match their physical requirements. Seat depth is adjusted via a single lever and locks in one of 7 positions within a 1¾" range.

Adjustability Features

Synchro-tilt	•
Swivel	•
Pneumatic height	•

• = standard ○ = option

Synchro-tilt mechanism provides fully synchronized seat-to-back movement with a 2:1 ratio. For every 2 degrees the back moves, the seat angle changes 1 degree. Other features:

- Free-float movement allows user to lock the chair in multiple positions within the range of movement using a single lever.
- Anti-kickback clutch controls forward movement of backrest when the lock is disengaged.
- Reclining tension adjustment is user friendly and accommodates a wide range of weights via a single lever on the left side of the chair (as seated).

Seat height is adjusted pneumatically. Range varies with model and choice of options from 15¼"–20½" to 17½"–22¼".
➤See page 281.

Telescoping pneumatic cylinder (P3) is available on desk chairs for lower seat-height requirements. Upcharge applies.

Foot ring on stools is height adjustable in 1" increments with a total range of 4". Foot ring is tubular and wire steel.

Actual Dimensions

Statement of Line ➤See page 279
Finishes & Materials 289
COM/COL Yardage Req. 318

Xtreme chairs and stools are dimensionally consistent. Measurements were obtained using the ANSI/BIFMA accepted chair measurement device and process.

	High Back	Mid-Back	Stool
Height	37¼"–45¼"	34¼"–42½"	44"–53½"
Width	27¾"	27¾"	27¾"
Depth	25½"	25½"	25½"
Arm height*			
• Height-adjustable arms	8¼"–10½"	8¼"–10½"	8¼"–10½"
• Height- and width-adjustable arms	7¾"–10½"	7¾"–10½"	7¾"–10½"
• Fully adjustable arms	8¾"–11⅞"	8¾"–11⅞"	8¾"–11⅞"
• Armless	—	—	—
Arm support width			
• Height adjustable arms	19"	19"	19"
• Height and width adjustable arms	17¼"–21"	17¼"–21"	17¼"–21"
• Fully adjustable arms	15¾"–20½"	15¾"–20½"	15¾"–20½"
Arm caps width distance	18½"	18½"	18½"
Seat height			
• Standard pneumatic	17½"–22½"	17½"–22½"	26½"–33¼"
• Standard pneumatic; seat slider	17½"–22½"	17½"–22½"	—
• Telescoping pneumatic (P3)	15¼"–20½"	15¼"–20½	—
• Telescoping pneumatic (P3); seat slider	15¼"–20½"	15¼"–20½"	—
Seat width	20½"	20½"	20½"
Seat depth			
• Base model (static seat)	16½"	16½"	16½"
• Seat slider	16¾"–18½"	16¾"–18½"	—
Kneespace	21½"	21½"	21½"
Back height adjustment	3¼"	3¼"	3¼"

** Arm height measurements for high performance task seating are made from upper seat surface to upper arm surface with a BIFMA sanctioned CMD.*

High Back Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview	➤See page 280
Actual Dimensions	281
Alliance Program Pricing	283
COM/COL Yardage Req.	318



Model		Kimball Office Upholstery Price Grade 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Height-Adjustable Arms										
K31WY		$1273	$1324	$1356	$1388	$1435	$1484	$1533	$1736	$1849
K31WYF	TB133	1362	1413	1445	1477	1524	1573	1622	1825	1938
With Seat Slider Option										
K31XZ		$1364	$1415	$1447	$1479	$1526	$1575	$1624	$1827	$1940
K31XZF	TB133	1454	1505	1537	1569	1616	1665	1714	1917	2030
Height- and Width-Adjustable Arms										
K31AD		$1441	$1492	$1524	$1557	$1602	$1652	$1701	$1904	$2017
K31ADF	TB133	1531	1582	1614	1647	1692	1742	1791	1994	2107
With Seat Slider Option										
K31BE		$1533	$1584	$1616	$1648	$1695	$1744	$1793	$1996	$2109
K31BEF	TB133	1622	1673	1705	1737	1784	1833	1882	2085	2198
Fully Adjustable Arms										
K31VW		$1441	$1492	$1524	$1556	$1603	$1652	$1701	$1904	$2017
K31VWF	TB133	1531	1582	1614	1646	1693	1742	1791	1994	2107
With Seat Slider Option										
K31XY		$1533	$1584	$1616	$1648	$1695	$1744	$1793	$1996	$2109
K31XYF	TB133	1622	1673	1705	1737	1784	1833	1882	2085	2198
Armless										
K31EH		$1150	$1201	$1233	$1265	$1312	$1361	$1410	$1613	$1726
K31EHF	TB133	1240	1291	1323	1355	1402	1451	1500	1703	1816
With Seat Slider Option										
K31HJ		$1241	$1292	$1324	$1356	$1403	$1452	$1501	$1704	$1817
K31HJF	TB133	1331	1382	1414	1446	1493	1542	1591	1794	1907

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Leather is upholstered in loose fashion.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Pneumatic cylinder:
STD = Standard
P3 = Telescoping (+$86)

⑦ Casters:
C9 = Hard casters
C2 = Soft casters (+$24)

High Back Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 280
Actual Dimensions 281
Kimball Office Uph. Pricing 282
COM/COL Yardage Req. 318

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K31AD	$1517	$1552	$1582	$1608	$1642	$1675	$1699	$1736	$1771
	1803	1857	1968	2038	2046	2065	2081	2099	2173
K31BE	$1610	$1643	$1674	$1700	$1733	$1768	$1791	$1827	$1863
	1895	1950	2060	2130	2138	2157	2174	2191	2265
K31EH	1227	1260	1291	1317	1350	1385	1408	1444	1480
	1512	1567	1677	1747	1755	1774	1791	1808	1882
K31HJ	1318	1351	1382	1408	1441	1476	1499	1535	1571
	1603	1658	1768	1838	1846	1865	1882	1899	1973
K31VW	1518	1551	1582	1608	1641	1676	1699	1735	1771
	1803	1858	1968	2038	2046	2065	2082	2099	2173
K31WY	1350	1383	1414	1440	1473	1508	1531	1567	1603
	1635	1690	1800	1870	1878	1897	1914	1931	2005
K31XY	1610	1643	1674	1700	1733	1768	1791	1827	1863
	1895	1950	2060	2130	2138	2157	2174	2191	2265
K31XZ	1441	1474	1505	1531	1564	1599	1622	1658	1694
	1726	1781	1891	1961	1969	1988	2005	2022	2096

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Pneumatic cylinder:
STD = Standard
P3 = Telescoping (+$86)

⑦ Casters:
C9 = Hard casters
C2 = Soft casters (+$24)

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Mid-Back Chairs

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 280
Actual Dimensions 281
Alliance Program Pricing 285
COM/COL Yardage Req. 318

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Height-Adjustable Arms										
K31JM		$1213	$1261	$1291	$1322	$1365	$1411	$1458	$1648	$1755
K31JMF	TB133	1302	1350	1380	1411	1454	1500	1547	1737	1844
With Seat Slider Option										
K31KP		$1305	$1353	$1383	$1414	$1457	$1503	$1550	$1740	$1847
K31KPF	TB133	1394	1442	1472	1503	1546	1592	1639	1829	1936
Height- and Width-Adjustable Arms										
K31RT		$1380	$1428	$1458	$1489	$1532	$1578	$1625	$1815	$1922
K31RTF	TB133	1469	1517	1547	1578	1621	1667	1714	1904	2011
With Seat Slider Option										
K31SV		$1472	$1520	$1550	$1581	$1624	$1670	$1717	$1907	$2014
K31SVF	TB133	1561	1609	1639	1670	1713	1759	1806	1996	2103
Fully Adjustable Arms										
K31ZA		$1380	$1428	$1458	$1489	$1532	$1578	$1625	$1815	$1922
K31ZAF	TB133	1469	1517	1547	1578	1621	1667	1714	1904	2011
With Seat Slider Option										
K31BD		$1472	$1520	$1550	$1581	$1624	$1670	$1717	$1907	$2014
K31BDF	TB133	1561	1609	1639	1670	1713	1759	1806	1996	2103
Armless										
K31RR		$1090	$1138	$1168	$1199	1242	$1288	$1335	$1525	$1632
K31RRF	TB133	1180	1228	1258	1289	1332	1378	1425	1615	1722
With Seat Slider Option										
K31SS		$1182	$1230	$1260	$1291	$1334	$1380	$1427	$1617	$1724
K31SSF	TB133	1271	1319	1349	1380	1423	1469	1516	1706	1813

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Leather is upholstered in loose fashion.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Pneumatic cylinder:
STD = Standard
P3 = Telescoping (+$86)

⑦ Casters:
C9 = Hard casters
C2 = Soft casters (+$24)

Mid-Back Chairs

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 280
Actual Dimensions 281
Kimball Office Uph. Pricing 284
COM/COL Yardage Req. 318

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K31BD	1544	1576	1605	1629	1661	1692	1715	1749	1782
	1812	1864	1968	2034	2042	2059	2075	2092	2162
K31JM	1285	1317	1346	1370	1402	1433	1456	1490	1523
	1553	1605	1709	1775	1783	1800	1816	1833	1903
K31RR	1162	1194	1223	1247	1279	1310	1333	1367	1400
	1430	1482	1586	1652	1660	1677	1693	1710	1780
K31RT	1452	1484	1513	1537	1569	1600	1623	1657	1690
	1720	1772	1876	1942	1950	1967	1983	2000	2070
K31ZA	1452	1484	1513	1537	1569	1600	1623	1657	1690
	1720	1772	1876	1942	1950	1967	1983	2000	2070
K31KP	1377	1409	1438	1462	1494	1525	1548	1582	1615
	1645	1697	1801	1867	1875	1892	1908	1925	1995
K31SS	1254	1286	1315	1339	1371	1402	1425	1459	1492
	1522	1574	1678	1744	1752	1769	1785	1802	1872
K31SV	1544	1576	1605	1629	1661	1692	1715	1749	1782
	1812	1864	1968	2034	2042	2059	2075	2092	2162

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Pneumatic cylinder:
STD = Standard
P3 = Telescoping (+$86)

⑦ Casters:
C9 = Hard casters
C2 = Soft casters (+$24)

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Mid-Back Stools

Pricing

with Kimball Office Upholstery

GSA SIN 711-18

Overview ➤See page 280
Actual Dimensions 281
Alliance Program Pricing 287
COM/COL Yardage Req. 318

Model		*Kimball Office Upholstery Price Grade* 1 or COM	2	3 or COL	4	5	6	7	L7	L8
Height-Adjustable Arms										
K31DJ		$1472	$1520	$1550	$1581	$1624	$1670	$1717	$1907	$2014
K31DJF	TB133	1561	1609	1639	1670	1713	1759	1806	1996	2103
Height- and Width-Adjustable Arms										
K31HM		$1641	$1689	$1719	$1750	$1793	1839	$1886	$2076	$2183
K31HMF	TB133	1730	1778	1808	1839	1882	1928	1975	2165	2272
Fully Adjustable Arms										
K31DH		$1641	$1689	$1719	$1750	$1793	$1839	$1886	$2076	$2183
K31DHF	TB133	1730	1778	1808	1839	1882	1928	1975	2165	2272
Armless										
K31ST		$1352	$1400	$1430	$1461	$1504	$1550	$1597	$1787	$1894
K31STF	TB133	1440	1488	1518	1549	1592	1638	1685	1875	1982

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

Leather is upholstered in loose fashion.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 296 for upholstery selections.
➤See page 319 for COM or COL process overview.

How to Specify

❶ Model

Back:
② Upholstery grade
③ Upholstery number

Seat:
④ Upholstery grade
⑤ Upholstery number

⑥ Casters:
C1 = Hard for stools
C2 = Soft for stools (+$24)

Mid-Back Stools

Pricing

with Alliance Program Upholstery

GSA SIN 711-18

Overview ➤See page 280
Actual Dimensions 281
Kimball Office Uph. Pricing 286
COM/COL Yardage Req. 318

	Alliance Upholstery Price Grade								
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*	*I*
Model	*J*	*K*	*L*	*M*	*N*	*O*	*P*	*Q*	*R*
K31DH	1713	1745	1774	1798	1830	1861	1884	1918	1951
	1981	2033	2137	2203	2211	2228	2244	2261	2331
K31DJ	1544	1576	1605	1629	1661	1692	1715	1749	1782
	1812	1864	1968	2034	2042	2059	2075	2092	2162
K31HM	1713	1745	1774	1798	1830	1861	1884	1918	1951
	1981	2033	2137	2203	2211	2228	2244	2261	2331
K31ST	1424	1456	1485	1509	1541	1572	1595	1629	1662
	1692	1744	1848	1914	1922	1939	1955	1972	2042

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program upholstery.

Contrasting upholstery is available. Use an electronic specification tool for accurate pricing.
➤See page 302.

TB133

TB133 fire code treatment is available on select Alliance Program upholstery.
➤See page 319 for process and pricing overview.

How to Specify

❶ Model

Back:

② Alliance partner designator and upholstery grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics

③ Upholstery number

Seat:

④ Alliance partner designator and upholstery grade (see above)

⑤ Upholstery number

⑥ Casters:
C9 = Hard casters
C2 = Soft casters (+$24)

Notes

Samples:

Samples of Kimball Office wood finishes and paints are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur in color and texture. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	290
Wood Finishes	291
Special Wood Finishes	292
Laminate, Paint, Non-Paint	293
Kimball Office Fabrics	294
ACT Performance Icons	294
Standard Regulation Testing	295
Fabric Application Matrix	296
Faux Leather & Leather Matrix	297
Colorways	298
Cut Yardage	299
Cleaning Fabrics	300
Cleaning Leather	301
Contrasting Options	302
Alliance Program Fabrics	303
Applicability Guidelines	304
Carded Patterns	305
COM & COL	306
Applicability Guidelines	307
Additional Information	308
Yardage Requirements	309
TB133 Process Overview for COM, COL, and Alliance Program Fabrics	319
Inquiry Form	320

Wood Finishes ➤See page 291
Kimball Office Upholstery 294
Alliance Program Uphol. 303
COM & COL 306

Kimball Office offers a diverse collection of surface materials. Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Generations Collection:

The Generations Collection is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support long-standing customers and to help transition you to the current offering.
➤Visit kimballoffice.com to see the Generations Collection.

IMPORTANT: Materials in this collection should not be used to set standard color palettes for new installations.

Materials in this offering can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 352 for complete warranty information.

Wood Finishes

Matrix

	MC Amber	CC Cordoba	MH Mocha	SC Sedona	IM Brighton	TM Huntington	CO Canyon	YO Monterey	ES Espresso	MW Midtown	TW Tribeca	NW Tuscan	UW Urban	CX Coco	SX Sienna	CS Coco Sapele	SS Sienna Sapele	CZ Clear Zebrawood
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2
Acapella	•Ⓚ	•Ⓚ	•	•	•	•	•	•	•	•Ⓚ	•Ⓚ	•	•	•	•			
Adagiato	•	•	•	•	•†	•	•	•	•	•	•	•	•	•	•			
Arpeggio	•	•	•	•	•	•			•	•	•		•	•	•			
Beo Side and Lounge	•Ⓚ	•Ⓚ	•	•	•†	•	•	•	•	•Ⓚ	•Ⓚ	•	•	•	•			
Beo Guest and Tables	•	•	•	•		•	•		•	•	•	•	•	•	•			
Carrington (maple)	•	•	•	•	•	•			•	•	•		•	•	•			
Clairmont	•	•	•	•	•	•			•	•	•		•	•	•			
Collage	•Ⓚ	•Ⓚ	•	•	•	•	•	•	•	•Ⓚ	•Ⓚ	•	•	•	•			
Delano	•	•	•	•	•	•			•	•	•		•			•	•	•
Delano Tables	•	•	•	•	•	•			•	•	•		•			•	•	•
Enjoy	•	•	•	•	•	•			•	•	•		•	•	•			
Independence Suffolk	•	•	•	•					•	•	•		•	•	•			
Independence (all others)	•	•	•	•	•	•			•	•	•		•	•	•			
Innsbruck/Osterley Park	•	•	•	•		•			•	•	•		•	•	•			
Muirfield	•Ⓚ	•Ⓚ	•	•	•	•			•	•Ⓚ	•Ⓚ		•	•	•			
Pose	•Ⓚ	•Ⓚ	•	•	•	•	•	•	•	•Ⓚ	•Ⓚ	•	•	•	•			
Pose Tables	•Ⓚ	•Ⓚ	•	•	•	•	•	•	•	•Ⓚ	•Ⓚ	•	•			•	•	
Stature	•Ⓚ	•Ⓚ	•	•	•	•			•	•Ⓚ	•Ⓚ		•	•	•			
Talent	•	•	•	•	•	•			•	•	•		•	•	•			
Villa (including floating tops)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
Villa Tables	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•
Vista	•	•	•	•	•	•			•	•	•		•	•	•			

† Adagiato and Beo are constructed of beech wood. Brighton and Monterey wood finishes on Beech is complimentary to Brighton on maple and Monterey on oak, but are not a direct match. Brighton and Monterey wood finishes are not available on Beo guest seating or Beo tables due to a different drying process resulting in a different base color that these light finishes will not cover.

Note: Bingo is available in Amber, Ebony, Honey, and White. Bingo model numbers incorporate the finish designators. Event, Itsa, Wish, and Xtreme are non-wood series.

Key:
- • = Available
- Ⓚ = Available on Kwik Office models
- † = Exceptions apply (see below)

Price Group Designators:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Characteristics:

Each piece of natural wood offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. Kimball Office carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Brighton (IM) is a clear finish. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

All woods are susceptible to darkening from exposure to UV rays (sunlight and other sources), especially cherry and maple. Care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change.

The wood species on seating may vary from the wood species on the casegood or system. Different wood species offer unique texture and grain which provide more variation in finish color; however seating finishes are compatible with casegoods and systems finishes.
➤For Casegoods or Systems products, please see the appropriate price list for finish or paint designators and product application.

Wood Finishes

Matrix

Special Wood Finishes

Previously developed and custom finishes are available for special requirements. Kimball Office has an extensive library of previously developed special finishes which may be an acceptable match for your application. If not, a custom finish can be developed to meet specific needs.

Samples of previously developed special finishes are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. The matrix at right shows the types of woods used for each series.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. Custom finishes will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Upcharges:

A one-time fee of $300 (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used. Models receiving a special finish will also be assessed an upcharge.

A 10% upcharge per line item (model number) for special wood finish is calculated on the Grade 1 upholstery price, then added to the price for the selected fabric grade, to arrive at the list price.

Example:
Collage model 4605 in grade 5 upholstery and special wood finish—

Grade 1 upholstery price	$ 952.00
	x .10
Upcharge for special finish	$ 92.20
Grade 5 upholstery price	+1085.00
List price	$1143.20

Wood Species by Series:

	Beech	Cherry	Maple	Walnut	Sapele
Price Group	*1*	*1*	*1*	*1*	*2*
Acapella			•		
Adagiato	•				
Arpeggio			•		
Beo	•				
Carrington			•		
Clairmont			•		
Collage			•		
Enjoy			•		
Independence			○		
Innsbruck			•		
Muirfield			•		
Osterley Park			•		
Pose Lounge			•		
Pose Tables		•	•	•	•
Stature			•		
Talent			•		
Villa Lounge			•		
Villa Tables		•	•	•	•
Vista			•		

Note: Delano and Bingo are not available in special finishes. Special finishes are not available on Zebrawood. Independence Suffolk is constructed of hackberry.

Key:
• = standard wood species
○ = standard wood species on most models in series.

How to Specify

① Build the complete model specification by following the "How to Specify" on the appropriate pricing page for the product that is to receive the special finish.

② For the "finish price group" step, insert special finish code (in place of STD):
ZBECH1 = Special beech finish
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the wood species used in the seating model.
➤See chart at left.

③ For the "Finish designator" step, insert the designator provided to you by Customer Service.

Laminate, Paint, and Non-Paint Finishes

Matrix

Key:
- • = Available
- **$** = Option; upcharge applies
- Ⓚ = Available on Kwik Office models

	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood	480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby
	Woodgrain Laminate													Solid Laminate											
Villa arm caps, tablet arms, plateau floating tops, table tops	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

	462 Cinder	503 Satin Nickel	501 Platinum Metallic	Ebony	White	Polished Aluminum	Chrome	Black
	Paint					Non-Paint		
Adagiato		•	•					
Alumma							•	
Bingo				•	•		• Ⓚ	
Boyd			•					
Campos						• Ⓚ		•
Dwell						•		
Flip	•						•	
Event	• Ⓚ		$					
Itsa	• Ⓚ							
Poly							• Ⓚ	
Stature								• Ⓚ
Villa			•					
Wish	•		$					
Wish Classic	• Ⓚ		$ Ⓚ					
Xtreme								•

Note: Only series that are available in paint, non-paint finishes, and laminate are listed here.

Upcharges:

10% upcharge applies for metallic paint on Event. Upcharge is calculated on the Grade 1 upholstery price, then added to the price for the selected fabric grade, to arrive at the list price.

Example:

Event model 95-2D in grade 5 fabric and metallic paint—

Grade 1 uph. price	$323.00
	x .10
Upcharge for metallic	$ 31.30
Grade 5 fabric price	+408.00
List price	$427.30

Flat upcharge applies for metallic paint on Wish.

➤See individual pricing pages.

Characteristics:

- Metallic paint finishes may appear to have variations in color due to its reflective qualities.
- Woodgrain laminates are matched to wood finishes with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Wood Finishes ➤See page 291
Alliance Program Uphol. 303
COM & COL 306

All Kimball Office fabrics meet, and in most cases exceed, the minimum requirements set up by ACT. For the purpose of uniformity in the industry, Kimball Office will be utilizing the ACT icons on swatchcards and related materials.

The Association for Contract Textiles (ACT) has developed voluntary performance guidelines to make fabric specification easier. The five symbols give architects, designers, and end-users a vast amount of performance information in a succinct visual way. Look for these symbols on ACT member company sampling to assure that the fabrics you specify perform up to contract standards and pass all applicable testing.

These categories describe a material's performance features as measured by specified methods under standard laboratory conditions. All tests referenced here are intended to represent the most current version of a test method. Note: Individual ACT member product information may represent a different version of a test method depending on the date the product was introduced to the market.

IMPORTANT: These tests represent minimum requirements which are subject to change without notice and may not reflect requirements or laws in all locations.

Flammability:

The measurement of a fabric's performance when it is exposed to specific sources of ignition. Note: ACT guidelines specify different flammability tests dictated by the intended end use for the fabric.

Upholstery
California Technical Bulletin #117
Section E—Class 1 (Pass)

Wrapped Panels and Upholstered Walls
ASTM E 84 (Unadhered Mounting Method)—Class A or Class 1

Wet & Dry Crocking:

Transfer of dye from the surface of a dyed or printed fabric onto another surface by rubbing.

Upholstery
AATCC 8—
Dry Crocking, Grade 4 minimum
Wet Crocking, Grade 3 minimum

Wrapped Panels and Upholstered Walls
AATCC 8—
Dry Crocking, Grade 3 minimum
Wet Crocking, Grade 3 minimum

Colorfastness to Light:

A material's degree of resistance to the fading effect of light.

Upholstery
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Wrapped Panels and Upholstered Walls
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Physical Properties:

Pilling is the formation of fuzzy balls of fiber on the surface of a fabric that remain attached to the fabric. Breaking strength is the measurement of stress exerted to pull a fabric apart under tension. Seam slippage is the movement of yarns in a fabric that occurs when it is pulled apart at a seam.

Upholstery
Brush pill—ASTM D3511, Class 3 minimum or Martindale Tester ASTM D4970, Class 3 minimum

Breaking strength ASTM D5034 (Grab Test)—50 lbs. minimum in warp and weft

Seam slippage ASTM D4034—
25 lbs. minimum in warp and weft

Wrapped Panels and Upholstered Walls
Breaking strength ASTM D5034 (Grab Test)—35 lbs. minimum in warp and weft

Abrasion Resistance:

The surface wear of a fabric caused by rubbing and contact with another fabric.

General Contract Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—15,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—20,000 cycles Martindale method

Heavy Duty Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—30,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—40,000 cycles Martindale method

End use examples of heavy-duty installations where upholstery fabrics rated at 30,000 double rubs should be appropriate are single shift corporate, hotel rooms/suites, conference rooms and dining area usage.

ACT acknowledges that there are extreme wear situations that may require higher levels of abrasion resistance. End use examples that may require higher than 30,000 double rubs include: 24 hour transportation terminals, 24 hour telemarketing, 24 hour healthcare emergency rooms, 24 hour casino gambling areas, and such public gathering places as theatres, stadiums, lecture halls and fast food restaurants.

It is strongly suggested that double rubs exceeding 100,000 are not meaningful in providing additional value in use. Higher abrasion resistance does not necessarily indicate a significant extension of the service life of the fabric.

The Wyzenbeek and Martindale tests are the two methods commonly used to predict wear-ability. Actual performance is determined by many factors such as fiber content, weaves, finishes, furniture design, maintenance, cleaning, and usage. Durability of an upholstery fabric is a complex interaction (combination) of a number of performance tests that, in addition to abrasion, includes seam slippage, pilling, tensile strength, and usage.

There is no correlation between the Wyzenbeek and Martindale tests so it is not possible to estimate the number of cycles that would be achieved on one test if the results from the other test were known.

Kimball Office Seating Fabrics

Application Guidelines

Standard Regulation Testing

Key:
- • = Complies with standard
- ▲ = Test not conducted by supplier

Pattern	*California TB117 (Section E)*	*UFAC Classification 1 or A*	*Port Authority of NY and NJ (Method 5903)*
Blink	•	•	
Davenport	•	•	•
Disperse	•	•	
Dolce	•	•	
Essence/Ultraleather™	•	•	
Flicker	•	•	
Heritage	•	•	•
Lifesaver	•	•	
Mingle	•	•	
Seasons	•	•	
Showcase	•	•	•
Silvertex	•	•	
Soundbyte	•	•	
Spectrum	•	•	•
Twilight	•	•	•

Fire Codes & Flammability:

TB117
California Flammability Regulation #117 is a set of minimum allowable standards of flammability to which all upholstered furniture sold in the State of California must comply. It relates primarily to fabric coverings and resilient fillings. All shipments of Kimball Office upholstery comply with Regulation #117 and our invoices and law labels for such goods bear certification that our upholstered products comply.

UFAC
All Kimball Office seating is made in accordance with the Upholstered Furniture Action Council (UFAC) criteria to reduce chance of ignition by burning cigarettes.

TB133 Factor
TB133 factor is a full-scale fire test for furniture manufactured for public use in which an entire piece of furniture is tested as a unit. Kimball Office offers a wide variety of seating products that can be manufactured to meet TB133.

Double Upholstery Method
Kimball Office products are first upholstered with a fire barrier, the upholstery is then applied over the barrier. The addition of this barrier may slightly alter the comfort and/or aesthetics of the seating product.

Advisory
Purchaser must consult local fire and code official to determine the suitability of product being selected for any particular application.

Certain jurisdictions may require the use of additional fire retardants of composite flammability testing. Kimball Office assumes no responsibility for composite testing or for compliance with any particular code or other flammability standards different than as contained in applicable catalog information unless such requirements are specified in writing by purchaser to Kimball Office prior to confirmation of order. Cost of additional flammability treatments or testing needs of purchaser shall be borne by purchaser.

Kimball Office Seating Fabrics

Matrix

- ● = Available
- ○ = Available (but not on all models)
- ✦ = Available; TB133 available
- ✧ = TB133 available (but not on all models)
- Ⓚ = Available on Kwik Office models

	Blink	Disperse	Lifesaver	Seasons	Soundbyte	Flicker	Mingle	Spectrum	Twilight	Silvertex
Price Grade	1	1	1	1	1	2	2	2	2	4
Acapella	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Accent pillows	●	●	●	●	●	●	●	●	●	●
Adagiato	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Arpeggio	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Beo	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Boyd	✦	✦	●	✦	✦	✦	✦	✦	✦	✦
Campos	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Carrington	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Clairmont	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Collage	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Delano	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Dwell	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Enjoy	✦	✦	●	●	●	●	●	●	●	●
Event	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Flip	●	●	●	●	●	●	●	●	●	●
Independence	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Innsbruck/Osterley Park	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Itsa	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Muirfield	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Pose	✦	✦Ⓚ	●	●Ⓚ	●Ⓚ	●	●	●Ⓚ	●Ⓚ	●
Stature	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Talent	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Villa	✦	✦	○	✦	✦	✦	✦	✦	✦	✦
Vista	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Wish	●	●	●	●	●	●	●	●	●	●
Wish Classic	✦	✦Ⓚ	✦	✦Ⓚ	✦Ⓚ	✦	✦	✦Ⓚ	✦Ⓚ	✦
Xtreme	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦

Characteristics:

- Certain fabrics may relax over time (e.g., some woven fabrics) creating a loosely upholstered appearance.
- Some fabrics may wrinkle, pill, fuzz, or puddle as a normal, inherent characteristic. This does not indicate that the covering or application is deficient.
- Fabrics are cut to provide the best match possible when transitioning from piece to piece.
- Fabrics reflect light differently when viewed at various angles, creating a natural phenomenon called “flip.” Flip is visible on all fabrics and is not considered a defect; it is more easily recognized on fabrics with a nap or shimmer and more apparent on crescent or corner units.
- Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.
- Fabrics are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

Kimball Office Seating Fabrics

Matrix

Faux Leather and Leather

- ● = Available
- ○ = Available (but not on all models)
- ✦ = Available; TB133 available
- ✧ = TB133 available (but not on all models)
- Ⓚ = Available on Kwik Office models

	Faux Leathers					Leathers		
	Dolce	Essence/Ultraleather				Davenport	Heritage	Showcase
Price Grade	2	6				L7	L8	L8
Acapella	✦Ⓚ	✦Ⓚ				✦Ⓚ	✦	✦
Accent pillows	●	●				●	●	●
Adagiato	✦	✦				✦	✦	✦
Arpeggio	●	●				✦	✦	✦
Beo	✧	✦Ⓚ				✦Ⓚ	✦	✦
Boyd	✦	✦				✦	✦	✦
Campos	✦Ⓚ	✦Ⓚ				✦Ⓚ	✦	✦
Carrington	✦	●✧				✦	✦	✦
Clairmont	✧	●✧				✦	✦	✦
Collage	✦Ⓚ	✦Ⓚ				✦Ⓚ	✦	✦
Delano	✧	●				✦	✦	✦
Dwell	✦	✦				✦	✦	✦
Enjoy	●	●				●	●	●
Event	✦Ⓚ	✦Ⓚ				✦Ⓚ	✦	✦
Flip	●	●				●	●	●
Independence	✧	●✧				✦	✦	✦
Innsbruck/Osterley Park	✦	✦				✦	✦	✦
Itsa	✦Ⓚ	✦Ⓚ				✦Ⓚ	✦	✦
Muirfield	●Ⓚ	●Ⓚ				✦Ⓚ	✦	✦
Pose	●Ⓚ	●Ⓚ				●Ⓚ	●	●
Stature	✧Ⓚ	✦Ⓚ				✦Ⓚ	✦	✦
Talent	●	●				✦	✦	✦
Villa	✦	✦				✦	✦	✦
Vista	●	●				✦	✦	✦
Wish	●	●				●	●	●
Wish Classic	✦Ⓚ	✦Ⓚ				Ⓚ	✦	✦
Xtreme	✦	✦				✦	✦	✦

Characteristics:

- Certain leathers and faux leathers may relax over time (e.g., some woven fabrics) creating a loosely upholstered appearance.
- Some leathers and faux leathers may wrinkle or puddle as a normal, inherent characteristic. This does not indicate that the covering or application is deficient.
- Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.
- Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.
- Leathers and faux leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

Key:
Kwik = Available on Kwik Office
A = Heavy duty upholstery
a = General contract upholstery

Price Grade 1

COM (Customer's Own Material)
➤See page 306.

Blink

Price Grade: **1**
Content: 87.6% post-industrial recycled polyester; 12.4% post-consumer recycled polyester
Width: 54"W
Repeat: 0.35"H; 0.23"V
Abrasion: A 100,000 Double Rubs
Cleaning: WS

11800	Sandollar
11801	Driftwood
11802	Sea Mist
11803	Caribbean Breeze
11804	Tropical Waters
11805	Seaweed
11806	Indigo
11808	Sangria
11809	Dahlia
11810	Sunrise
11811	Java
11812	Black Magic

Disperse Kwik

Price Grade: **1**
Content: 100% polyester, (62% recycled)
Finish: Stain repellant
Backing: Latex
Width: 54"W
Repeat: None
Abrasion: A 100,000 double rubs
Cleaning: WS

11750	Wasabi
11751	Meadow
11752	Oceanside
11753	Aquamarine
11754	Latte
11755	Scarlet
11756	Cocoa
11757	Midnight Blue
11758	Smoke
11759	Ash
11760	Cabernet
11761	Noir

Lifesaver

Price Grade: **1**
Content: 92% pre-consumer recycled polyester, 8% post-consumer recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: .625"H x .625"V
Abrasion: A 40,000 double rubs
Cleaning: WS
Restrictions: N/A on Villa Crescent

10940	Carbon
10941	Cocoa
10942	Fir
10944	French Navy
10945	Hot Sun
10946	Lapis
10947	Poppy
10948	Port
10949	Ruby
10950	Safari
10951	Sunglow

Seasons Kwik

Price Grade: **1**
Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester
Width: 54"W
Repeat: 4"H x 1.7"V
Abrasion: A 50,000 double rubs
Cleaning: WS

10980	Almond
10981	Espresso
10982	Fern
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate

Soundbyte Kwik

Price Grade: **1**
Content: 100% recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: 7"H x 35"V
Abrasion: A 30,000 double rubs
Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

Price Grade 2

Dolce (polyurethane) Kwik

Price Grade: **2**
Content: 100% polyurethane
Finish: Superior Abrasion/ Silverguard
Backing: 100% rayon
Width: 54"W
Repeat: None
Abrasion: A 400,000 double rubs
Cleaning: WS; cleanable with diluted bleach solution
Restrictions: N/A on tackboards or fabric-covered overheads

11900	Black
11901	Mocha
11902	Meteor
11903	Artesian
11904	Indigo
11905	Peacock
11906	Grass
11907	Citron
11908	Fuschia
11909	Poppy
11910	Tangelo
11911	Burgundy
11912	Chocolate
11913	Lion
11914	Latte
11915	Ivory
11916	White
11917	Camel
11918	Mushroom

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:
- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e
100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.
www.green-e.org

Colorways, continued

Key:
Ks = Available on Kwik Office
A = Heavy duty upholstery
a = General contract upholstery

Flicker

Price Grade: **2**
Content: 78% post-industrial recycled polyester, 22% post-consumer recycled polyester
Width: 54"W
Repeat: .84"H x 2.5"V
Abrasion: A 51,000 double rubs
Cleaning: WS

11130	Parchment
11133	Ruby
11134	Sangria
11137	Heron
11138	Ironwork
11139	Lapis
11140	Midnight Blue
11141	Pine
11143	Riviera

Mingle

Price Grade: **2**
Content: 100% Eco-Intelligent® polyester
Width: 54"W
Repeat: .08"H x .12"V
Abrasion: A 100,000 double rubs
Cleaning: WS

11000	Basket
11001	Capri
11003	Cobalt
11005	Ink
11006	Laguna
11007	Limeade
11008	Mandarin
11009	Pony
11010	Scarlet
11011	Seagull
11012	Willow

Spectrum Ks

Price Grade: **2**
Content: 100% pre-consumer recycled polyester
Finish: Blockaide™
Backing: SBR latex
Width: 54"W
Repeat: None
Abrasion: A 100,000+ double rubs
Cleaning: WS

20001	Mimosa
20003	Lime
20020	Black
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20072	Breeze
20079	Tangerine
20081	Charcoal
20095	Red

Twilight Ks

Price Grade: **2**
Content: 100% pre-consumer recycled polyester; Green-e certified
Finish: Blockaide™
Width: 54"W
Repeat: None
Abrasion: A 50,000 double rubs
Cleaning: WS

23101	Ocean
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23119	Tangerine
23120	Nude

Price Grade 3

COL (Customer's Own Leather)
➤See page 306.

Railroad Application:

Railroad application of any fabric must be custom quoted.
➤Please contact ***By Design.***

Cut Yardage:

Kimball Office upholstery is available in whole yards for fabric or faux leather and in half or whole hides for leather. List prices include freight.

Price Grade	*List Price per yard*
1	$35
2	53
3	70
4	91
5	119
6	159
7	202

Leather Grade	*List Price per Half Hide (25–28 sq ft)*	*List Price per Full Hide (50–57 sq ft)*
L7	$533	$1093
L8	632	1302

How to Specify

① Model number:
KOUPHCUTYDG = fabric or faux leather
KOLTHRFHIDE = leather (full hide)
KOLTHRHHIDE = leather (half hide)
② Upholstery grade
③ Upholstery number

Key:
K = Available on Kwik Office
A = Heavy duty upholstery
a = General contract upholstery

Price Grade 4

Silvertex

Price Grade:	**4**
Content:	60% vinyl, 30% polyester Hi-Loft2™ textile, 10% urethane
Finish:	SILVERGUARD®/ PERMABLOK3®
Backing:	Polyester Hi-Loft2™
Width:	54"W
Repeat:	None
Abrasion:	A 100,000+ double rubs
Cleaning:	WS/B

41301	Basil
41302	Ice
41303	Mandarin
41304	Raspberry
41305	Sunkist
41306	Mocha
41307	Carbon
41308	Jet
41309	Storm
41310	Sapphire
41311	Champagne
41312	Celery
41313	Meteor
41314	Cream
41315	Chestnut
41316	Luggage
41317	Taupe
41318	Borscht
41319	Lagoon
41320	Turquoise
41321	Marine Blue
41322	Umber
41323	Blackberry
41324	Sage
41325	Bottle

Price Grade 5

No fabrics available in price grade 5 at this time.

Price Grade 6

Essence/Ultraleather™ K

Price Grade:	**6**
Content:	100% polyurethane
Backing:	100% reinforced rayon
Width:	54"W
Repeat:	None
Abrasion:	A 400,000 double rubs
Cleaning:	WS/B

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

Price Grade 7

No fabrics available in price grade 7 at this time.

Cleaning Fabrics:

Cleaning Code B
- Cleanable with diluted bleach solution

Cleaning Code D
- Dry clean only.

Cleaning Code L
- Use a clean cloth with warm water and mild soap as soon as possible.

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Fire Retardant Fabrics
- Solvent-based fabric cleaning or dry cleaning are recommended.
- Cleaning with water or water-based cleaners could result in salt ringing.
- Test proposed cleaning procedure on a small portion of fabric before cleaning entire piece.

Kimball Office Seating Fabrics

List

Colorways, continued

Key:
K = Available on Kwik Office
A = Heavy duty upholstery
a = General contract upholstery

Price Grade L7

Davenport

Price Grade: **L7**
Content: Top grain leather
Abrasion: A 1,000+ cycles (Tabor Test)

70101	Chamois
70102	Camel
70103	Earthy
70105	Bark
70106	Fennel
70107	Glass Block
70108	Celadon
70109	Austin
70110	Olive
70111	Brown
70112	Atlantis
70113	Yonder
70114	Tomato
70115	Black K
70116	Plum
70117	Smoke
70118	Dusk

Price Grade L8

Heritage

Price Grade: **L8**
Content: Top grain leather; two-toned savagé
Abrasion: A 1,000+ cycles (Tabor Test)

81002	Carnelian
81005	Carob
81028	Sorrel
81041	Rosewood
81060	Avocado
81075	Titan
81076	Navy

Showcase

Price Grade: **L8**
Content: Full grain leather; chrome-free
Abrasion: A 1,000+ cycles (Tabor Test)

80101	Sky
80102	Butler
80103	Cream
80104	Bonton
80105	Greige
80106	Power
80107	Garnet
80108	Chestnut
80109	Bittersweet
80110	Jet

Mesh

Applies to:
- Wish

8150	Sand
8151	Java
8152	Raven
8153	Grey
8154	Quick Silver
8155	Magenta
8156	Yellow
8157	Moss
8158	Turquoise

Cleaning Leather:

Regular Cleaning
- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning
- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air dry.

Note: Never use furniture polishes, oils, solvents, varnishes, abrasive cleaners, ammonia, wax, or saddle soaps on leather.

Characteristics:

- Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Contrasting Upholstery and Piping Options

Overview ➤See page 290
Vision Collection Matrix 296
Faux Leather & Leather 297

Contrasting Upholstery:

Contrasting upholstery is defined by entire back and seat upholstery application. Contrasting upholstery is available on the following seating series:

- Adagiato (half- and full-height back cushion models)
- Beo
- Boyd (all models)
- Delano (lounge and tandem models)
- Enjoy (all models)
- Event (all models)
- Pose (lounge models)
- Villa (lounge, corner, and wedge models)
- Wish (upholstered-back models)
- Wish Classic (all models)
- Xtreme (all models)

Select any contrasting Kimball Office, Alliance Program, COM, or COL upholstery.

IMPORTANT: When specifying contrasting fabric, use an electronic specification tools for pricing. If one is not available, you may contact Customer Service.

Special Applications:

- Arpeggio pillow back models—Back upholstery applies to pillow back only. Remainder of the chair (seat, arms, outer shell) is contrasting.
- Delano back upholstery applies to back; bolster applies to pillow; seat and arms applies to remainder of chair. The bolster and seat/arms can both be contrasting.
- Vista (models without piping)—Back and seat upholstery applies to cushions. Remainder of the chair (arms and frame) is contrasting.
- Pose contrasting back upholstery applies to the cushion back only. Remainder of the chair (seat, arms, and outer shell) is contrasting.

Contrasting Button:

Contrasting button is available on the following seating series at no upcharge:

- Beo (button back model)

Kimball Office fabric or leather MUST be specified if you desire a contrasting upholstery on the button; Alliance program upholstery is not available for contrasting button.

Contrasting Piping:

Contrasting piping is available on the following Kimball Office seating at no upcharge:

- Arpeggio (all models)
- Pose (lounge models)
- Vista (models with piping)

Kimball Office fabric or leather MUST be specified; Alliance program upholstery is not available for contrasting piping.

How to Specify

① Follow the “How to Specify” steps on the appropriate pricing pages for the seating model, indicating the contrasting fabric, button, or piping information in the order outlined.

Alliance Program Fabrics

Program Overview

Overview	➤See page 290
Applicability Guidelines	304
TB133 Information	319
TB133 Inquiry Form	320

Kimball Office has formed partnerships with the top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

Patterns from Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics are available in a variety of design aesthetics and price points to meet all of your fabric needs. Carded fabrics are listed in this price list. ➤See Surface Materials at www.kimballoffice.com for a wide variety of additional graded-in fabrics from Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Application of Alliance Program fabrics will be as depicted on the website or memo sample unless otherwise instructed on the order.

Directional fabrics, such as stripes, patterns, and plaids, may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders should be specified as a COM.

Alliance graded pricing includes the cost of the material. Repeat is also accounted for and no additional upcharge is required.

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered normal behavior as an inherent characteristic of the fabric.

IMPORTANT: The information provided in this section of the price list is the most current information available at the time this price list was published. Contact Customer Service before finalizing any orders to check availability.

Lead Time:

Lead times for alliance fabrics are based on supplier availability. Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. Contact Customer Service for availability before finalizing orders.

TB133:

Contact Customer Service about TB133 requirements.
Note: Many of these fabrics may pass additional flammability tests. Please inquire about compliance with specific regulations.

Samples:

For memo samples, contact our alliance partners directly.

Arc Com
800.223-5466
www.arc-com.com

Carnegie
800.727.6770
www.carnegiefabrics.com

CF Stinson
800.841.6279
www.cfstinson.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Maharam
800.645.3943
www.maharam.com

Mayer Fabrics
800.428.4415
www.mayerfabrics.com

Momentum Textiles
800.366.6839
www.themomgroup.com

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

How to Specify

① Follow the “How to Specify” steps listed on the alliance upholstery pricing page within each section.
② For the “upholstery grade” step, add the appropriate three-letter supplier prefix to the fabric grade:
ARC[grade] = Arc Com
CAR[grade] = Carnegie
CFS[grade] = CF Stinson
KNL[grade] = KnollTextiles
MHM[grade] = Maharam
MAF[grade] = Mayer Fabrics
MOM[grade] = Momentum
ULT[grade] = Ultrafabrics
③ For the “upholstery designator” use the designator for the pattern/color:

Example:

①	②	③	④
K46CC	**CARJ**	6136_10	STD

⑤
MC

Kimball® Office

Alliance Program Fabric

Matrix

Applicability by Seating Line

Kimball Office has listed general applicability guidelines for each seating frame due to application constraints or aesthetic concerns in the matrix at right.

Appearance guidelines indicate characteristics that may be apparent when certain types of fabrics are applied; these are not restrictions, but are intended to educate customers on the potential appearance of their product. Guidelines 1 through 4 are explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

Restrictions indicate types of fabrics that cannot be used on the indicated seating line. Fabrics associated with guidelines 5 and 6 prevent us from upholstering them on the applicable chair series.
Note: Specific seating and fabric combinations that are not possible are noted for applicable graded-in Alliance fabrics on the following pages.

IMPORTANT: These guidelines do not constitute any responsibility nor any warranty on the part of Kimball Office as to appearance, behavior, or durability of a material.

	Appearance Guidelines				Restrictions	
	1	2	3	4	5	6
Acapella	•	•	•	•		
Adagiato	•		•	•		•
Arpeggio	•	•	•	•		•
Beo	•		•	•		•
Boyd	•	•	•	•		•
Campos	•		•	•		•
Carrington	•		•	•		
Clairmont	•	•	•	•		•
Collage	•		•	•		
Delano	•	•	•	•		•
Enjoy	•	•	•	•		•
Event	•		•	•		•
Flip	•	•	•	•		
Independence Richland	•		•	•		
Independence (all others)	•	•	•	•		•
Innsbruck/Osterley Park	•		•	•		
Itsa	•	•	•	•		•
Muirfield	•	•	•	•		•
Pose	•	•	•	•		•
Stature with accent header	•	•	•	•		•
Stature (all others)	•		•	•		
Talent	•	•	•	•		•
Villa	•	•	•	•		•
Vista	•	•	•	•		
Wish and Wish Classic	•	•	•	•		•
Xtreme	•		•	•	•	

Key:
- • = Guideline or restriction applies to seating line.

Appearance Guidelines:

1 Thick or stiff textiles may result in gathers and puckers around corners, contours and certain seams.
2 Matched directional textiles, such as stripes, plaids, and patterns, may not align properly (e.g., decorative stitching, tufting, buttons, seams, seat-to-back match, etc.)
3 Textiles with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4 Mohair, velvet, and chenille may be easily bruised or have the potential for crooked seams due to the heavy nap and flip.

Restrictions:

5 Textiles that are not approved for glue application cannot be used. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing, or glue bleeding through the fabric.
6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Alliance Program Fabrics

List

Carded Patterns

Cleaning Codes ➤See page 300
Applicability Guidelines 304

Kimball Office has formed partnerships with Arc Com, Carnegie, CF Stinson, KnollTextiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics to provide a broad range of design-oriented fabrics. Carded patterns are listed here.

➤To view the complete offering of graded-in fabrics, visit www.kimballoffice.com.

CFStinson
800.841.6279
www.cfstinson.com

Pattern	*Price Grade*
Avant	E
Carlisle	C
Cassidy	C
Excursion	E
Juxy	F
Lava	K
Martini	I
Natural World	I
Script	H
Tendril	E
Wicker	H
Wyatt	E

Maharam
800.645.3943
www.maharam.com

Pattern	*Price Grade*
Abacus Standard	F
Bar	C
Bevel	D
Cartouche	K
Cinch	G
Coin	B
Coincide	H
Contrary	K
Disc	C
Ditto	L
Divide	C
Exchange	E
Lariat	C
Manner	B
Medium	B
Messenger	B
Metric	B
Offset	M
Pick	B
Plait	F
Runner Standard	I
Shuttle Standard	H
Stack	I
Tally	L
Technic	B
Vary	I
Waxen	D

Momentum
800.366.6839
www.themomgroup.com

Pattern	*Price Grade*
Amuse	E
Banter	Q
Beeline	C
Bloc	I
Bravo II	B
Camber	L
Canter	A
Clang	C
Course	H
Cover Cloth	C
Current	B
Elevate	K
Eon	B
Epic	A
Estrella	H
Free	B
Fuse	A
Habit	C
Infinity	A
Keynote	C
Kinney	C
Knack	B
Line Up	B
Marathon	A
Medley	J
Millenium	A
Oath	D
Odyssey	A
Proximity	K
Silica	F
Silica Leather	F
Silica Tech	F
Solace	C
Syntax	B
Torque	I
Tradition	A
Twist	H
Velocity	D
Via	B
Vox	A

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

Pattern	*Price Grade*
Brisa	I
Brisa Distressed	J
Brisa Fresco	K
Ultraleather Pro	J
Viva	G

Samples:

For memo samples, contact our alliance partners directly.

Arc Com
800.223-5466
www.arc-com.com

Carnegie
800.727.6770
www.carnegiefabrics.com

CF Stinson
800.841.6279
www.cfstinson.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Maharam
800.645.3943
www.maharam.com

Mayer Fabrics
800.428.4415
www.mayerfabrics.com

Momentum Textiles
800.366.6839
www.themomgroup.com

Ultrafabrics
877.309.6648
www.ultrafabricsllc.com

COM and COL

Process Overview

Applicability	➤See page 307
Additional Information	308
Yardage Requirements	309
TB133 on COM/COL	319

Kimball Office will upholster its products in fabric or leather supplied by the customer whenever possible.

IMPORTANT: Before placing an order utilizing COM or COL, please read all the information in this section. Orders for COM or COL are not subject to return.

Step ①

Review applicability guidelines and restrictions for the seating frame.
➤See page 307.

Step ②

Send a sample to Kimball Office for approval. Sample should be no smaller than 5" x 7" for fabric or 4" x 4" for leather. Include a list of model numbers on which you wish to use the COM. Reference “application approval” and send to:

Kimball Office
Attn: COM Administration
1600 Royal Street
Jasper, IN 47549

Kimball Office will advise of approval or disapproval. Approval signifies only that such fabric or leather can be applied to the products for which intended. Such approval does not constitute any responsibility nor any warranty on the part of Kimball Office as to appearance, behavior, or durability of the fabric or leather.

Step ③

Verify yardage requirements.
➤See page 309.

Step ④

Prepare and send your purchase order. Purchase order must include:

- Fabric vendor
- Pattern number and name
- Color number and name
- Application instructions (i.e., direction of pattern) for striped, plaid, patterned, or unusual fabrics and which face to use if fabric is reversible.
  Note: If you do not supply application instructions, Kimball Office will apply the fabric in what it determines to be the best manner, and cannot be held responsible after the upholstery is applied.

Kimball Office will send an acknowledgement of your order with a tentative order ship date and the date by which your COM or COL must be received. If your material is not received by the specified date, your ship date will be reassigned.

Step ⑤

After you receive order acknowledgement from Kimball Office, ship your material to:

Kimball Office
Attn: COM Department
340 East 11th Avenue
Jasper, IN 47549-1001

Please include:

- Dealer name and p.o. number
- Kimball Office seating model number
- Quantity of chairs
- Kimball Office acknowledgement number

Kimball Office

COM and COL

Matrix

Applicability by Seating Line

GSA Non-Contract

Kimball Office has listed general applicability guidelines for each seating frame due to application constraints or aesthetic concerns in the matrix at right.

Appearance guidelines indicate characteristics that may be apparent when certain types of fabrics are applied; these are not restrictions, but are intended to educate customers on the potential appearance of their product. Guidelines 1 through 4 are explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

Restrictions indicate types of fabrics that cannot be used on the indicated seating line. Fabrics associated with guidelines 5 and 6 prevent us from upholstering them on the applicable chair series.

IMPORTANT: These guidelines do not constitute any responsibility nor any warranty on the part of Kimball Office as to appearance, behavior, or durability of a material.

	Appearance Guidelines				Restrictions	
	1	2	3	4	5	6
Acapella	•	•	•	•		
Adagiato	•		•	•		•
Arpeggio	•	•	•	•		•
Beo	•		•	•		•
Boyd	•	•	•	•		•
Campos	•		•	•		•
Carrington	•		•	•		
Clairmont	•	•	•	•		•
Collage	•		•	•		
Delano	•	•	•	•		•
Enjoy	•	•	•	•		•
Event	•		•	•		•
Flip	•	•	•	•		
Independence Richland	•		•	•		
Independence (all others)	•	•	•	•		•
Innsbruck/Osterley Park	•		•	•		
Itsa	•	•	•	•		•
Muirfield	•	•	•	•		•
Pose	•	•	•	•		•
Stature with accent header	•	•	•	•		•
Stature (all others)	•		•	•		
Talent	•	•	•	•		•
Villa	•	•	•	•		•
Vista	•	•	•	•		
Wish and Wish Classic	•	•	•	•		•
Xtreme	•		•	•	•	

Key:

- • = Guideline or restriction applies to seating line.

Appearance Guidelines:

1 Thick or stiff textiles may result in gathers and puckers around corners, contours and certain seams.

2 Matched directional textiles, such as stripes, plaids, and patterns, may not align properly (e.g., decorative stitching, tufting, buttons, seams, seat-to-back match, etc.)

3 Textiles with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.

4 Mohair, velvet, and chenille may be easily bruised or have the potential for crooked seams due to the heavy nap and flip.

Restrictions:

5 Textiles that are not approved for glue application cannot be used. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing, or glue bleeding through the fabric.

6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Overview	➤See page 306
Applicability	307
Yardage Requirements	309
TB133 on COM/COL	319

Fabric Characteristics:

Kimball Office inspects fabrics for mill imperfections, but some are difficult to recognize. Kimball Office is solely responsible for seating workmanship and cannot assume responsibility or liability for the durability, tailoring appearance or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered normal behavior as an inherent characteristic of the fabric.

Directional upholstery, such as stripes, patterns, and plaids may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return. If in doubt about an upholstery application, please contact Customer Service prior to placing the order.

Decorative Fabric Patterns:

Yardage requirements are greatly affected by not only the size of repeats, but also by the print or pattern. Kimball Office cuts all seating patterns with aesthetic concerns in mind for high quality and consistency.
➤Refer to appropriate column in the COM yardage table on page 309.



The illustration above depicts two seat cushions in the proper placement on a piece of decorative fabric. Please note the unusable fabric. It is not always appropriate to place a seat pattern at the edge of the fabric. Due to this circumstance, please include an additional one-half yard per order.
Note: If repeats are not to be matched, please contact Customer Service.

Directional Fabrics:

Some COM fabrics are considered directional that may not be considered directional by the fabric supplier due to the upholstering process used by Kimball Office.



"Up the Roll"



"Railroaded"

Application of COM fabrics—"up the roll" or "railroaded"—will be as depicted on the swatch card or website. If a different application is desired, the pattern must be custom quoted.
➤Please contact ***By Design***.

Customer's Own Leather:

Customer's own leather yardage (size) requirements for Kimball Office seating are based on an average hide size of 45–50 sq. feet. Consult Customer Service for requirements for other hide sizes.

The shape of a hide and the usable, clean square footage may make it necessary for us to request more leather after COL is received.

Calf hides must be at least 30 square feet of clean, usable, matching hides. When specifying calf hides, add 15% to COL requirements.
➤See page 309 for COL requirements.

Leather is a natural product and variation in texture is a pleasing quality belonging exclusively to high grade, full top grain leathers.

Flammability Compliance:

Kimball Office assumes no responsibility for the flame retardancy of any COM/COL. Customers are solely responsible for making sure that COM/COL complies with all applicable codes and regulations.

When COM/COL products must meet specific requirements, Kimball Office will require the customer to supply documentation that the material meets the code requirements.

Kimball strives to create upholstered products with no added fire retardant chemicals. Written confirmation is required from the fabric or leather manufacturer stating that the COM/COL provided does not contain any fire retardant chemicals. Without adequate confirmation from the manufacturer, Kimball Office will continue to apply these approved materials, but will consider the COM/COL as containing fire retardant chemicals, and will label as such.

COM/COL Storage:

Kimball Office will store excess COM/COL for 6 weeks after completion of order. Unallocated COM fabric will be stored for three months.

Kimball Office must be advised if COM is to be retained longer than three months for a future order or if it is to be returned.

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Kimball Office has analyzed each model to most accurately reflect the yardage requirements. The yardage requirement for each model is based on 54"W fabric and cutting the fabric up the roll.

For widths other than 54", increase the yardage requirement by the factors below:

Fabric width	*Increase yardage*
50"–53"	15%
48"–49"	30%
45"–47"	45%

Larger Orders:

When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.
➤Contact Customer Service.

Railroad Application:

If COM fabric is to be "railroaded," contact Customer Service for yardage requirements.

Large Repeats:

For repeats larger than 18", we suggest a swatch with one full repeat be sent for yardage requirement assessment:
Kimball Office
Attn: COM Dept.
340 East 11th Avenue
Jasper, IN 47549-1001
Please note the model number and number of chairs.

	COM				COL
Model	*Non-Dir.*	*1–4" Repeat*	*5–11" Repeat*	*12–18" Repeat*	*Sq. Ft.*
Acapella					
K46AA	1.3	2.2	2.6	2.9	26.0
K46BB	1.3	2.2	2.6	2.9	26.0
K46CC	1.4	1.5	2.0	3.0	28.0
K46DD	1.4	1.5	2.0	3.0	28.0
K46EE	1.4	1.6	2.0	2.9	28.0
K46HH	1.3	1.4	1.7	2.9	25.0
Accent Pillows					
K77P1818	0.7	0.7	0.7	0.7	12.4
K77P1124	0.9	0.9	0.9	0.9	16.9
K77P216	0.6	0.6	0.6	0.6	12.2
K77P1818WLT	0.7	0.7	0.7	0.7	14.1
Welt only	0.5	0.5	0.5	0.5	1.7
K77P1124WLT	1.0	1.0	1.0	1.0	18.6
Welt only	0.1	0.1	0.1	0.1	1.7
K77P216WLT	0.7	0.7	0.7	0.7	13.9
Welt only	0.1	0.1	0.1	0.1	1.7
Adagiato					
K55AA	0.7	0.8	0.8	1.2	13.0
K55BB	0.7	0.9	1.2	1.7	13.0
Back	0.4	0.5	0.6	0.8	8.0
Seat	0.7	0.8	0.8	1.2	13.0
K55CC	0.8	1.2	1.3	1.9	15.0
Back	0.6	0.8	0.8	0.9	12.0
Seat	0.7	0.8	0.8	1.2	13.0
Arpeggio					
ARP-GC4A	2.3	2.8	3.6	4.9	50.0
ARP-GC4B	2.1	2.7	3.6	4.9	47.0
ARP-GC4E	2.5	3.0	3.7	4.8	54.0
Pillow back	1.0	1.2	1.2	1.3	20.0
Seat/arms	1.9	2.4	2.7	3.8	40.0

	COM				COL
Model	*Non-Dir.*	*1–4" Repeat*	*5–11" Repeat*	*12–18" Repeat*	*Sq. Ft.*
Beo Side & Guest Seating					
K58AB	2.5	3.7	4.5	4.7	50.7
K58ADDCHT	1.4	1.8	2.5	4.1	28.4
Back	0.6	1.1	1.2	1.3	10.0
Seat	1.0	1.0	1.1	1.0	17.0
K58ADDCUT	1.6	1.8	2.7	4.3	32.4
Back	0.7	0.8	1.3	1.9	13.0
Seat	1.0	1.0	1.1	1.0	17.0
K58AT	0.8	1.0	1.4	2.3	15.0
Back	0.5	0.5	0.6	1.3	8.0
Seat	0.8	0.9	1.1	1.0	7.5
K58BT	1.0	1.3	1.9	2.4	20.0
Back	0.6	0.7	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.0	7.5
K58BW	1.6	2.3	2.6	2.9	32.0
Back	1.0	1.0	1.2	1.1	20.0
Seat	0.7	1.4	1.3	1.9	14.0
K58BX	1.4	2.0	2.5	2.4	28.0
Back	1.0	1.0	1.2	1.1	20.0
Seat	0.6	1.2	1.3	1.4	12.0
K58CT	0.7	0.9	1.1	1.1	15.0
K58DET	1.7	2.2	3.0	4.9	34.5
Back	1.1	1.2	1.3	1.4	19.5
Seat	1.0	1.0	1.2	1.1	18.0
K58DT	0.7	0.9	1.1	1.1	15.0
Back	0.6	0.6	0.7	0.8	5.0
Seat	0.8	0.9	1.1	1.0	7.5
K58ET	1.2	1.3	2.0	2.9	24.0
Back	0.7	0.7	0.7	1.9	12.0
Seat	0.8	0.9	1.1	1.0	7.5
K58HT	1.2	1.3	2.0	2.9	24.0
Back	0.7	0.7	0.7	1.9	12.0
Seat	0.8	0.9	1.1	1.0	7.5
K58JT	1.6	1.8	2.7	3.9	32.4
Back	0.7	0.8	1.3	1.9	13.0
Seat	1.0	1.0	1.1	1.0	17.0
K58KT	1.4	1.8	2.7	4.1	28.4
Back	0.6	1.1	1.2	1.3	10.0
Seat	1.0	1.0	1.1	1.0	17.0

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
K58MT	3.1	3.4	5.2	7.5	62.8
Back	1.3	1.4	2.6	3.9	24.5
Seat	1.7	1.8	2.1	2.1	32.0
K58PT	2.6	3.3	4.6	7.5	52.7
Back	1.0	2.1	2.4	2.3	18.0
Seat	1.7	1.8	2.1	2.1	32.0
K58RT	4.6	5.0	7.7	11.2	93.2
Back	1.9	2.1	3.8	5.9	36.0
Seat	2.5	2.5	3.0	3.0	47.5
K58ST	3.9	4.9	6.9	11.3	79.0
Back	1.4	2.6	3.7	3.3	26.5
Seat	2.5	2.5	3.0	3.0	47.5
K58STLRHT	1.4	1.8	2.5	4.1	28.4
Back	0.6	1.1	1.2	1.3	10.0
Seat	1.0	1.0	1.1	1.0	17.0
K58STLRUT	1.6	1.8	2.7	3.9	32.4
Back	0.7	0.8	1.3	1.9	13.0
Seat	1.0	1.0	1.1	1.0	17.0
K58ZZT	2.1	2.3	3.5	5.1	42.6
Back	1.3	1.4	1.3	1.9	24.5
Seat	1.0	1.0	1.2	1.1	18.0
Beo Lounge Seating					
K58VT	4.6	5.3	6.5	7.2	85.5
Back	1.6	1.7	2.0	2.0	30.0
Seat	1.1	1.2	1.8	2.3	20.0
Arms	1.9	2.4	2.7	2.9	35.5
K58VT1	4.8	5.4	6.6	7.7	89.5
Back	1.7	1.7	2.0	2.0	31.0
Seat	1.2	1.3	1.9	2.8	23.0
Arms	1.9	2.4	2.7	2.9	35.5
K58VT12	4.7	5.6	6.8	7.2	86.0
Back	1.6	1.7	2.0	2.0	30.5
Seat	1.2	1.5	2.1	2.3	20.0
Arms	1.9	2.4	2.7	2.9	35.5
K58VT2	4.6	5.3	6.5	7.2	85.5
Back	1.6	1.7	2.0	2.0	30.0
Seat	1.1	1.2	1.8	2.3	20.0
Arms	1.9	2.4	2.7	2.9	35.5
K58WT	5.7	6.5	9.6	10.2	107.0
Back	2.4	2.5	3.8	4.0	45.0
Seat	1.4	1.6	3.1	3.3	26.5
Arms	1.9	2.4	2.7	2.9	35.5
K58WT1	6.0	8.5	10.2	11.2	114.0
Back	2.5	3.7	4.2	4.0	49.0
Seat	1.6	2.4	3.3	4.3	29.5
Arms	1.9	2.4	2.7	2.9	35.5
For one-seat and two-seat lounge models with arm options, add or subtract from unit (or arms, if contrasting):					
Tablet only	+0.1	0.0	+0.2	0.0	+3.5
Tablet and one grommet	+0.2	0.0	+0.4	0.0	+7.0
Tablet and one arm cap arm cap	-0.1	0.0	0.0	0.0	-1.0
Arm caps only	-0.2	0.0	-0.2	0.0	-4.5
For tandem two- and three-seat lounge models with arm options, add or subtract from unit (or arms, if contrasting):					
Tablet only	+0.1	0.0	+0.2	0.0	+3.5
Tablet and two grommets	+0.3	0.0	+0.6	0.0	+10.5
Tablet and two arm caps	-0.2	0.0	-0.2	0.0	-4.5
Arm caps only	-0.4	0.0	-0.4	0.0	-9.0
K58XT	6.5	8.3	11.6	11.7	123.5
Back	2.4	2.5	3.8	4.0	45.0
Seat	1.7	2.2	3.7	4.3	32.0
Arms	2.4	3.6	4.1	3.4	46.5
K58XT1	6.7	9.0	11.7	12.7	127.5
Back	2.4	2.8	3.9	4.0	45.5
Seat	1.9	2.6	3.7	5.3	35.5
Arms	2.4	3.6	4.1	3.4	46.5
K58XT12	7.5	10.2	12.5	13.6	145.0
Back	2.8	3.3	4.2	4.3	53.5
Seat	2.0	3.0	4.1	5.2	37.9
Arms	2.8	3.9	4.2	4.1	53.5
K58XT2	6.9	9.6	11.9	11.7	132.0
Back	2.4	3.3	3.9	4.0	45.5
Seat	2.1	2.7	3.9	4.3	40.0
Arms	2.4	3.6	4.1	3.4	46.5
K58YT	8.8	11.5	16.5	17.7	170.0
Back	3.1	3.6	5.7	6.0	60.5
Seat	2.5	3.2	5.8	6.3	48.0
Arms	3.2	4.7	5.0	5.4	61.5
K58YT1	9.6	12.6	16.5	19.2	184.5
Back	3.7	4.1	5.7	6.0	71.0
Seat	2.7	3.8	5.8	7.8	52.0
Arms	3.2	4.7	5.0	5.4	61.5
Boyd					
K741A	4.1	5.8	7.5	7.4	82.0
Back	0.9	1.0	1.7	2.2	18.0
Seat	1.1	1.2	1.5	1.8	22.0
Frame	3.7	4.3	5.0	5.0	74.0
K741AT	4.5	6.2	7.5	7.8	90.0
Back	0.9	1.4	1.7	2.2	18.0
Seat	1.1	1.2	1.5	1.8	22.0
Frame	3.7	4.3	5.0	5.0	74.0
K742A	6.0	8.9	11.1	12.2	119.5
Back	1.5	1.8	3.3	4.2	30.0
Seat	1.5	2.2	3.0	3.8	30.0
Frame	4.0	5.4	6.3	6.0	80.0
K742AT	6.1	9.4	11.1	12.2	121.5
Back	1.5	2.4	3.3	4.2	30.0
Seat	1.5	2.2	3.0	3.8	30.0
Frame	4.0	5.4	6.3	6.0	80.0
K743A	7.8	11.4	15.2	17.2	155.5
Back	2.3	2.8	4.8	6.2	46.0
Seat	2.3	3.2	4.6	5.8	46.0
Frame	4.8	6.6	7.5	7.0	96.0
K743AT	8.2	12.7	15.2	17.2	163.5
Back	2.3	3.8	4.8	6.2	46.0
Seat	2.3	3.2	4.6	5.8	46.0
Frame	4.8	6.6	7.5	7.0	96.0

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Campos					
K15C27	1.6	1.7	2.0	3.0	30.0
Back	1.1	1.2	1.7	2.0	19.5
Seat	0.8	0.9	1.1	1.0	7.5
K17C27	0.8	0.9	1.1	1.0	7.5
Carrington					
83308	0.8	0.9	1.1	1.1	12.0
83309	0.8	0.9	1.1	1.1	12.0
83310	1.7	1.9	2.6	2.9	35.0
83311	1.4	1.8	2.4	2.9	30.0
83322	0.8	0.9	1.1	1.1	55.0
83408	0.8	0.9	1.1	1.1	12.0
83409	0.8	0.9	1.1	1.1	12.0
83410	1.7	1.9	2.6	2.9	35.0
83411	1.4	1.8	2.4	2.9	30.0
83422	0.8	0.9	1.1	1.1	55.0
Clairmont					
20-2612T	2.9	3.0	3.0	3.1	50.0
20-2612V	2.9	3.0	3.0	3.1	50.0
20-2613T	3.1	3.2	3.2	3.6	55.0
20-2613V	3.1	3.2	3.2	3.6	55.0
20-2632T	2.9	3.1	4.0	4.5	60.0
20-2632V	2.9	3.1	4.0	4.5	60.0
20-2633T	3.1	3.8	4.3	4.5	65.0
20-2633V	3.1	3.8	4.3	4.5	65.0
20-5012T	3.1	3.2	3.3	3.3	53.0
20-5012V	3.1	3.2	3.3	3.3	53.0
Collage					
4600	1.1	1.4	2.0	2.9	21.5
4605	1.4	1.7	2.6	2.9	24.0
4610	1.1	1.5	2.0	2.9	22.0
4620	1.4	1.7	2.6	2.9	27.0
4630	1.1	1.4	2.0	2.9	21.5
4635	1.4	1.7	2.6	2.9	24.0
4640	0.9	1.0	1.1	1.1	8.0
4642	1.8	1.9	2.2	2.9	35.0
4644	1.9	2.1	2.2	2.9	35.0
Delano					
K90AA	2.3	4.1	5.0	4.9	45.0
Back	0.8	1.1	1.2	1.3	18.0
Bolster	0.5	0.7	0.7	0.9	11.0
Seat	1.6	2.7	3.2	3.0	33.0
K90AB	3.8	7.4	8.1	7.4	73.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.0	4.2	4.7	4.4	49.0
K90AC	1.5	2.6	3.1	3.1	30.0
K90ARM	1.4	1.6	2.0	2.0	28.0
K90BB	3.8	7.4	8.1	7.4	73.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.0	4.2	4.7	4.4	49.0
K90BC	3.8	7.4	8.1	7.4	73.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.0	4.2	4.7	4.4	49.0
K90CC	5.3	10.5	11.7	11.0	105.0
Back	1.7	2.0	3.7	3.7	38.0
Bolster	1.0	1.8	1.9	1.9	21.0
Seat	3.1	5.8	6.2	5.9	66.0
K90DD	3.8	4.6	6.3	8.5	73.0
Back	0.8	1.2	1.2	1.3	18.0
Bolster	0.5	0.7	0.7	0.9	11.0
Seat/arms	3.0	3.6	4.7	7.4	63.0
K90DDTL	3.8	4.6	6.3	8.5	73.0
Back	0.8	1.2	1.2	1.3	18.0
Bolster	0.5	0.7	0.7	0.9	11.0
Seat/arms	3.0	3.6	4.7	7.4	63.0
K90DDTR	3.8	4.6	6.3	8.5	73.0
Back	0.8	1.2	1.2	1.3	18.0
Bolster	0.5	0.7	0.7	0.9	11.0
Seat/arms	3.0	3.6	4.7	7.4	63.0
K90EE	5.2	7.3	9.9	11.9	102.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	3.8	4.1	6.1	8.5	78.0
K90HH	6.8	10.4	13.2	14.9	132.0
Back	1.7	2.0	3.7	3.7	38.0
Bolster	1.0	1.8	1.9	1.9	21.0
Seat/arms	4.5	5.8	7.8	9.8	95.0
K90JJ	2.7	5.2	5.9	5.4	54.0
Back	n/a				
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.0	4.2	4.7	4.4	49.0
K90KK	3.7	7.3	8.1	7.5	74.0
Back	n/a				
Bolster	1.0	1.8	1.9	1.9	21.0
Seat	3.1	5.8	6.2	5.9	66.0
K90MM	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0
K90MMTB	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0
K90MMTL	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0
K90MMTR	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0
K90PP	4.3	8.2	9.6	8.5	87.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.4	4.1	5.8	5.3	65.0
K90RR	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
K90RRTB	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0
K90RRTL	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0
K90RRTR	5.7	8.2	11.1	13.0	114.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	4.3	5.4	7.5	9.6	94.0
K90SS	4.3	8.2	9.6	8.5	87.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.4	4.1	5.8	5.3	65.0
K90TBLTARM	1.4	1.6	2.0	2.0	28.0
K90TT	4.6	7.3	8.7	9.6	102.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	3.1	4.2	5.3	6.6	78.0
K90VV	4.6	7.3	8.7	9.6	102.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	3.1	4.2	5.3	6.6	78.0
K90WW	3.8	7.4	8.1	7.4	73.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.0	4.2	4.7	4.4	49.0
K90XX	3.8	7.4	8.1	7.4	73.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat	2.0	4.2	4.7	4.4	49.0
K90YY	4.6	7.3	8.7	9.6	86.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	3.1	4.2	5.3	6.6	64.0
K90ZZ	4.6	7.3	8.7	9.6	86.0
Back	1.4	2.2	2.5	2.5	30.0
Bolster	0.7	1.3	1.3	1.4	15.0
Seat/arms	3.1	4.2	5.3	6.6	64.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Dwell					
K92SA020	1.7	1.8	2.0	4.9	34.0
Top	0.7	0.7	0.7	0.9	14.0
Side	1.2	1.3	1.3	1.9	24.0
K92M024	1.7	3.1	3.5	4.9	34.0
Top	0.8	0.9	1.1	1.0	16.0
Side	1.2	2.4	2.5	3.9	24.0
K92RAO20	1.2	1.4	1.9	3.9	24.0
Top	0.7	0.7	0.7	0.9	14.0
Side	1.2	1.4	1.9	2.9	24.0
K92124A	2.2	2.9	3.5	4.8	44.0
Back	1.5	1.6	1.7	1.9	30.0
Seat	1.2	1.4	2.0	2.8	24.0
K92124R	2.2	2.9	3.5	4.8	44.0
Back	1.5	1.6	1.7	1.9	30.0
Seat	1.2	1.4	2	2.8	24.0
K92130A	3.0	3.3	3.5	4.8	60.0
Back	1.5	1.6	1.7	2.4	30.0
Seat	1.6	1.8	2.2	2.8	32.0
K92130R	3.0	3.3	3.5	4.8	60.0
Back	1.5	1.6	1.7	2.4	30.0
Seat	1.6	1.8	2.2	2.8	32.0
K92136A	3.0	3.3	3.7	4.8	60.0
Back	1.5	1.6	2.0	2.9	30.0
Seat	1.6	1.8	2.1	2.8	32.0
K92136R	3.0	3.3	3.7	4.8	60.0
Back	1.5	1.6	2	2.9	30.0
Seat	1.6	1.8	2.1	2.8	32.0
K92251R	3.4	3.6	3.8	4.8	68.0
Back	2.2	2.4	2.6	2.9	44.0
Seat	1.6	1.8	2.1	2.8	32.0
K92251A	3.4	3.6	3.8	4.8	68.0
Back	2.2	2.4	2.6	2.9	44.0
Seat	1.6	1.8	2.1	2.8	32.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Enjoy					
K431A	6.3	8.1	9.2	9.8	122.0
Back	1.9	2.1	2.1	3.1	36.0
Base/Seat	1.7	2.6	3.7	3.8	33.0
Arms	3.1	3.5	3.9	4.0	60.0
K432A	7.9	10.8	12.3	14.2	156.0
Back	2.8	2.9	3.3	4.1	54.0
Base/Seat	2.9	4.3	6.0	6.2	56.0
Arms	3.1	3.5	3.9	4.0	60.0
K433A	11.2	12.4	15.3	14.6	221.0
Back	3.7	3.8	4.9	5.1	72.0
Base/Seat	4.8	5.1	6.9	7.2	94.0
Arms	3.1	3.5	3.9	4.0	60.0

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Event					
95-1D	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-1R	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-2D	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-2R	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-3D	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-3R	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-4D	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-4R	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-5D	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-5R	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-6D	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-6R	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-7D	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-7R	0.9	1.0	1.4	2.3	18.0
Back	0.5	0.6	0.7	1.3	10.0
Seat	0.8	0.9	1.1	1.1	16.0
95-9D	1.6	1.8	2.1	2.3	30.5
Back	0.9	1.0	1.2	1.3	17.0
Seat	0.8	0.9	1.1	1.0	14.0
95-9R	1.6	1.8	2.1	2.3	30.5
Back	1.0	1.0	1.2	1.3	17.0
Seat	0.8	0.9	1.1	1.0	14.0
Flip					
K76BMU	0.8	0.8	1.1	1.0	14.0
K76CMU	0.8	0.8	1.1	1.0	14.0
Independence					
81	1.3	1.9	2.0	2.2	22.0
82	2.2	2.6	3.6	3.7	40.0
84	2.2	2.6	3.6	3.7	40.0
942	2.6	3.3	3.9	4.9	57.0
944	2.6	3.3	3.9	4.9	57.0
956	4.9	5.8	6.8	7.9	90.0
957	7.1	8.8	9.5	12.1	150.0
958	10.0	12.4	17.9	18.7	220.0
972	2.1	2.4	3.2	3.3	40.0
972N	2.1	2.4	3.2	3.3	40.0
972T	2.2	3.3	3.4	3.7	45.0
972TN	2.2	3.3	3.4	3.7	45.0
974	2.1	2.4	3.2	3.3	40.0
974N	2.1	2.4	3.2	3.3	40.0
974T	2.2	3.3	3.4	3.7	45.0
974TN	2.2	3.3	3.4	3.7	45.0
995	0.7	0.8	1.0	1.0	12.0
996	0.7	0.8	1.0	1.0	12.0
997	0.7	0.8	1.0	1.0	12.0
998	0.7	0.8	1.0	1.0	12.0
Innsbruck & Osterley Park					
76-0012	0.9	1.8	2.2	2.5	20.0
76-0016	0.8	0.9	1.3	1.0	8.0
76-0017	0.8	0.9	1.3	1.0	8.0
76-5012	0.9	1.8	2.2	2.5	20.0
76-5014	0.8	0.9	1.3	1.0	8.0
76-5015	0.8	0.9	1.3	1.0	8.0
Itsa					
K38AA	0.9	0.9	1.1	1.0	15.5
K38BB	0.9	0.9	1.1	1.0	15.5
K38CC	0.9	1.0	1.1	1.0	17.0
K38DD	0.9	1.0	1.1	1.0	17.0
K38EE	0.9	0.9	1.1	1.0	15.5
K38GG	0.9	0.9	1.1	1.0	15.5
K38HH	0.9	0.9	1.1	1.0	15.5
K38JJ	0.9	0.9	1.1	1.0	15.5
K38KK	0.9	0.9	1.1	1.0	15.5
K38MM	0.9	0.9	1.1	1.0	15.5
K38PP	0.9	0.9	1.1	1.0	15.5
K38RR	0.9	1.0	1.1	1.0	17.0
K38SS	0.9	1.0	1.1	1.0	17.0
K38TT	0.9	0.9	1.1	1.0	15.5
K38VV	0.9	0.9	1.1	1.0	15.5
K38WW	0.9	1.0	1.1	1.0	17.0
K38XX	0.9	1.0	1.1	1.0	17.0

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Muirfield					
22-2832H	2.6	3.1	3.6	3.9	58.0
22-2832T	2.6	3.1	3.6	3.9	58.0
22-2832V	2.6	3.1	3.6	3.9	58.0
22-2833H	2.8	3.4	3.7	3.9	63.0
22-2833T	2.8	3.4	3.7	3.9	63.0
22-2833V	2.8	3.4	3.7	3.9	63.0
22-5032H	2.8	3.5	4.1	5.3	58.0
22-5032T	2.8	3.5	4.1	5.3	58.0
22-5032V	2.8	3.5	4.1	5.3	58.0
Pose					
K35AA	4.2	4.6	6.2	7.3	84.0
Back cushion	1.2	1.7	2.1	2.8	24.0
Frame	3.4	3.6	4.9	5.4	68.0
K35BB	6.5	8.4	10.9	13.8	130.0
Back cushion	2.2	3.2	4.8	7.3	44.0
Frame	5.1	5.6	7.0	8.6	102.0
K35CC	8.5	12.6	14.7	16.3	170.0
Back cushion	3.3	4.6	6.1	7.8	66.0
Frame	6.1	8.3	8.9	10.6	122.0
K35DD	4.8	5.9	7.0	8.5	96.0
Back cushion	1.2	1.7	1.9	2.8	24.0
Arms/frame	3.9	4.6	5.8	7.5	78.0
K35EE	7.2	10.4	12.3	13.3	144.0
Back cushion	2.3	3.3	3.7	5.3	46.0
Arms/frame	5.9	7.5	8.9	9.1	118.0
K35FF	9.3	14.3	17.4	18.8	186.0
Back cushion	3.3	4.8	5.9	8.6	66.0
Arms/frame	7.3	9.8	11.9	11.5	146.0
K35JJ	1.4	1.5	1.4	1.8	28.0
K35LL	1.5	1.5	1.8	1.9	30.0
K35KK	2.5	2.7	2.6	3.3	50.0
K35MM	2.5	2.7	2.6	3.3	50.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Stature					
K11AA	1.6	2.1	2.7	3.1	32.0
K11BB	1.6	2.1	2.7	3.1	32.0
Accent	0.4	0.5	0.6	0.8	8.0
Chair	1.5	2.1	2.8	3.0	30.0
K11CC	1.5	2.1	2.5	3.0	31.0
K11DD	1.5	2.1	2.5	3.0	31.0
Accent	0.4	0.5	0.6	0.8	8.0
Chair	1.4	2.1	2.1	3.0	28.0
K11EE	1.5	2.1	2.5	3.0	31.0
K11FF	1.5	2.1	2.5	3.0	31.0
Accent	0.4	0.5	0.6	0.8	8.0
Chair	1.4	2.1	2.1	3.0	28.0
K30AA	1.6	2.1	2.7	3.1	32.0
K30BB	1.6	2.1	2.7	3.1	32.0
Accent	0.4	0.5	0.6	0.8	8.0
Chair	1.5	2.1	2.8	3.0	30.0
K30CC	1.5	2.1	2.5	3.0	31.0
K30DD	1.5	2.1	2.5	3.0	31.0
Accent	0.4	0.5	0.6	0.8	8.0
Chair	1.4	2.0	2.1	3.0	28.0
K30EE	1.5	2.1	2.5	3.0	31.0
K30FF	1.5	2.1	2.5	3.0	31.0
Accent	0.4	0.5	0.6	0.8	8.0
Chair	1.4	2.0	2.1	3.0	28.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Talent					
K65AA	4.0	5.9	7.1	7.4	77.0
K65BB	7.1	9.1	9.8	10.3	141.5
K65CC	3.5	5.3	5.3	7.3	70.0
K65DD	1.6	3.5	3.4	4.9	32.0
Villa					
K601	2.6	3.3	4.9	5.7	50.0
Back	1.8	1.9	2.1	3.1	33.3
Base/seat	1.4	1.5	2.7	3.7	25.0
K601A	4.7	6.0	7.8	8.8	91.0
Back	1.8	1.9	2.1	3.1	33.3
Base/seat	1.4	1.5	2.7	3.7	25.0
Arms	2.7	2.8	3.8	4.0	51.5
K601FPB	3.2	4.1	5.3	6.0	62.0
Back	2.2	2.3	2.6	3.8	43.0
Base/seat	1.4	1.5	2.7	3.7	25.0
Headrest	0.7	0.7	0.8	1.2	14.0
K601FPBSUMBL	4.9	5.7	9.1	9.3	98.0
Back	2.2	2.3	2.6	3.8	43.0
Base/seat	1.4	1.5	2.7	3.7	25.0
Headrest	0.7	0.7	0.8	1.2	14.0
Shade	1.9	2.6	3.3	4.4	38.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K601FPBSUMBLR	6.7	7.5	11.6	12.7	133.5
Back	2.2	2.3	2.6	3.8	43.0
Base/seat	1.4	1.5	2.7	3.7	25.0
Headrest	0.7	0.7	0.8	1.2	14.0
Shade	3.5	4.5	6.3	7.8	70.0
Inside Shade	1.5	1.8	2.3	3.3	80.0
Outside Shade	1.5	1.8	2.3	3.3	30.0
Shade Boxing	1.6	1.6	2.0	3.4	32.0

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
K601FPBSUMBR	4.9	5.7	9.1	9.3	98.0
Back	2.2	2.3	2.6	3.8	43.0
Base/seat	1.4	1.5	2.7	3.7	25.0
Headrest	0.7	0.7	0.8	1.2	14.0
Shade	1.9	2.6	3.3	4.4	38.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K601FPBSUMTL	5.0	5.9	8.6	9.2	100.0
Back	2.2	2.3	2.6	3.8	43.0
Base/seat	1.4	1.5	2.7	3.7	25.0
Headrest	0.7	0.7	0.8	1.2	14.0
Shade	2.0	2.9	3.3	4.4	40.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K601FPBSUMTLR	6.7	7.5	11.6	12.7	133.5
Back	2.2	2.3	2.6	3.8	43.0
Base/seat	1.4	1.5	2.7	3.7	25.0
Headrest	0.7	0.7	0.8	1.2	14.0
Shade	3.4	4.4	6.3	7.8	68.0
Inside Shade	1.5	1.8	2.3	3.3	30.0
Outside Shade	1.5	1.8	2.3	3.3	30.0
Shade Boxing	1.6	1.6	2.0	3.4	32.0
K601FPBSUMTR	5.0	5.9	8.6	9.2	100.0
Back	2.2	2.3	2.6	3.8	43.0
Base/seat	1.4	1.5	2.7	3.7	25.0
Headrest	0.7	0.7	0.8	1.2	14.0
Shade	2.0	2.9	3.3	4.4	40.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K601LA	3.8	4.7	6.4	6.8	73.0
Back	1.8	1.9	2.1	3.1	33.3
Base/seat	1.4	1.5	2.7	3.7	25.0
Arms	1.4	1.5	2.0	2.0	26.0
K601RA	3.8	4.7	6.4	6.8	73.0
Back	1.8	1.9	2.1	3.1	33.3
Base/seat	1.4	1.5	2.7	3.7	25.0
Arms	1.4	1.5	2.0	2.0	26.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
K601WFPB	4.6	5.1	5.8	7.2	92.0
Back	2.2	2.6	2.6	4.0	44.0
Base/seat	1.7	2.1	2.4	3.7	34.0
Headrest	0.8	0.9	1.2	1.3	16.0
K601WFPBSUMBL	6.0	7.0	7.3	10.2	119.5
Back	2.2	2.6	2.6	4.0	44.0
Base/seat	1.7	2.1	2.4	3.7	34.0
Headrest	0.8	0.9	1.2	1.3	16.0
Shade	1.9	2.6	3.3	4.4	38.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K601WFPBSUMBLR	7.4	8.9	9.7	13.2	14.7
Back	2.2	2.6	2.6	4.0	44.0
Base/seat	1.7	2.1	2.4	3.7	34.0
Headrest	0.8	0.9	1.2	1.3	16.0
Shade	3.5	4.5	6.3	7.8	70.0
Inside Shade	1.5	1.8	2.3	3.3	80.0
Outside Shade	1.5	1.8	2.3	3.3	30.0
Shade Boxing	1.6	1.6	2.0	3.4	32.0
K601WFPBSUMBR	6.0	7.0	7.3	10.2	119.5
Back	2.2	2.6	2.6	4.0	44.0
Base/seat	1.7	2.1	2.4	3.7	34.0
Headrest	0.8	0.9	1.2	1.3	16.0
Shade	1.9	2.6	3.3	4.4	38.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K601WFPBSUMTL	6.0	7.0	7.3	10.2	119.5
Back	2.2	2.6	2.6	4.0	44.0
Base/seat	1.7	2.1	2.4	3.7	34.0
Headrest	0.8	0.9	1.2	1.3	16.0
Shade	2.0	2.9	3.3	4.4	40.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
K601WFPBSUMTLR	7.4	8.9	9.7	13.2	147.0
Back	2.2	2.6	2.6	4.0	44.0
Base/seat	1.7	2.1	2.4	3.7	34.0
Headrest	0.8	0.9	1.2	1.3	16.0
Shade	3.5	4.5	6.3	7.8	70.0
Inside Shade	1.5	1.8	2.3	3.3	30.0
Outside Shade	1.5	1.8	2.3	3.3	30.0
Shade Boxing	1.6	1.6	2.0	3.4	32.0
K601WFPBSUMTR	6.0	7.0	7.3	10.2	119.5
Back	2.2	2.6	2.6	4.0	44.0
Base/seat	1.7	2.1	2.4	3.7	34.0
Headrest	0.8	0.9	1.2	1.3	16.0
Shade	2.0	2.9	3.3	4.4	40.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K6015A	4.7	6.0	7.8	8.8	91.0
Back	1.8	1.9	2.1	3.1	33.3
Base/seat	1.4	1.5	2.7	3.7	25.0
Arms	2.7	2.8	3.8	4.0	51.5
K6015LA	3.8	4.7	6.4	6.8	73.0
Back	1.8	1.9	2.1	3.1	33.3
Base/seat	1.4	1.5	2.7	3.7	25.0
Arm	1.4	1.5	2.0	2.0	26.0
K6015RA	3.8	4.7	6.4	6.8	73.0
Back	1.8	1.9	2.1	3.1	33.3
Base/seat	1.4	1.5	2.7	3.7	25.0
Arm	1.4	1.5	2.0	2.0	26.0
K602	4.3	6.3	8.2	9.3	82.5
Back	2.6	3.5	3.9	5.1	51.0
Base/seat	2.1	3.0	4.5	6.2	40.0
K602A	5.9	9.1	11.8	12.3	117.0
Back	2.6	3.5	3.9	5.1	51.0
Base/seat	2.1	3.0	4.5	6.2	40.0
Arms	2.7	2.8	3.8	4.0	51.5
K602FPB	5.5	8.5	11.0	11.5	108.5
Back	3.1	4.2	4.7	6.1	62.5
Base/seat	2.1	3.0	4.5	6.2	40.0
Headrest	1.1	1.1	1.2	1.9	21.5

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	1–4" Repeat	5–11" Repeat	12–18" Repeat	COL Sq. Ft.
K602FPBSUMBL	6.8	9.3	13.1	14.0	135.5
Back	3.1	4.2	4.7	6.1	62.5
Base/seat	2.1	3.0	4.5	6.2	40.0
Headrest	1.1	1.1	1.2	1.9	21.5
Shade	1.9	2.6	3.3	4.4	38.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K602FPBSUMBLR	8.4	10.3	16.2	16.5	167.5
Back	3.1	4.2	4.7	6.1	62.5
Base/seat	2.1	3.0	4.5	6.2	40.0
Headrest	1.1	1.1	1.2	1.9	21.5
Shade	3.5	4.5	6.3	7.8	70.0
Inside Shade	1.5	1.8	2.3	3.3	30.0
Outside Shade	1.5	1.8	2.3	3.3	30.0
Shade Boxing	1.6	1.6	2.0	3.4	32.0
K602FPBSUMBR	6.8	9.3	13.1	14.0	135.5
Back	3.1	4.2	4.7	6.1	62.5
Base/seat	2.1	3.0	4.5	6.2	40.0
Headrest	1.1	1.1	1.2	1.9	21.5
Shade	1.9	2.6	3.3	4.4	38.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K602FPBSUMTL	6.8	9.3	13.1	14.0	135.5
Back	3.1	4.2	4.7	6.1	62.5
Base/seat	2.1	3.0	4.5	6.2	40.0
Headrest	1.1	1.1	1.2	1.9	21.5
Shade	2.0	2.9	3.3	4.4	40.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K602FPBSUMTLR	8.4	10.3	16.2	16.5	167.5
Back	3.1	4.2	4.7	6.1	62.5
Base/seat	2.1	3.0	4.5	6.2	40.0
Headrest	1.1	1.1	1.2	1.9	21.5
Shade	3.4	4.4	6.3	7.8	68.0
Inside Shade	1.5	1.8	2.3	3.3	30.0
Outside Shade	1.5	1.8	2.3	3.3	30.0
Shade Boxing	1.6	1.6	2.0	3.4	32.0

Model	COM Non-Dir.	1–4" Repeat	5–11" Repeat	12–18" Repeat	COL Sq. Ft.
K602FPBSUMTR	6.8	9.3	13.1	14.0	135.5
Back	3.1	4.2	4.7	6.1	62.5
Base/seat	2.1	3.0	4.5	6.2	40.0
Headrest	1.1	1.1	1.2	1.9	21.5
Shade	2.0	2.9	3.3	4.4	40.0
Inside Shade	1.5	1.6	1.7	1.8	15.0
Outside Shade	1.5	1.6	1.7	1.8	15.0
Shade Boxing	1.6	1.6	1.7	1.8	16.0
K602LA	5.2	7.8	10.0	10.3	102.0
Back	2.6	3.5	3.9	5.1	51.0
Base/seat	2.1	3.0	4.5	6.2	40.0
Arms	1.4	1.5	2.0	2.0	26.0
K602RA	5.2	7.8	10.0	10.3	102.0
Back	2.6	3.5	3.9	5.1	51.0
Base/seat	2.1	3.0	4.5	6.2	40.0
Arms	1.4	1.5	2.0	2.0	26.0
Base/seat	2.1	3.0	4.5	6.2	40.0
Arms	1.4	1.5	2.0	2.0	26
K6025A	5.9	9.1	11.8	12.3	117.0
Back	2.6	3.5	3.9	5.1	51.0
Base/seat	2.1	3.0	4.5	6.2	40.0
Arms	2.7	2.8	3.8	4.0	51.5
K6025LA	5.2	7.8	10.0	10.3	102.0
Back	2.6	3.5	3.9	5.1	51.0
Base/seat	2.1	3.0	4.5	6.2	40.0
Arm	1.4	1.5	2.0	2.0	26.0
K6025RA	5.2	7.8	10.0	10.3	102.0
Back	2.6	3.5	3.9	5.1	51.0
Base/seat	2.1	3.0	4.5	6.2	40.0
Arm	1.4	1.5	2.0	2.0	26.0
K603	5.8	9.5	11.8	13.7	114.0
Back	3.3	5.2	5.8	7.1	63.0
Base/seat	2.9	4.3	6.3	8.7	57.0
K603A	7.7	12.3	15.2	17.2	151.0
Back	3.3	5.2	5.8	7.1	63.0
Base/seat	2.9	4.3	6.3	8.7	57.0
Arms	2.7	2.8	3.8	4.0	51.5
K603LA	6.8	11.0	13.7	14.7	133.0
Back	3.3	5.2	5.8	7.1	63.0
Base/seat	2.9	4.3	6.3	8.7	57.0
Arms	1.4	1.5	2.0	2.0	26.0

Model	COM Non-Dir.	1–4" Repeat	5–11" Repeat	12–18" Repeat	COL Sq. Ft.
K603RA	6.8	11.0	13.7	14.7	133.0
Back	3.3	5.2	5.8	7.1	63.0
Base/seat	2.9	4.3	6.3	8.7	57.0
Arms	1.4	1.5	2.0	2.0	26.0
K6035A	7.7	12.3	15.2	17.2	151.0
Back	3.3	5.2	5.8	7.1	63.0
Base/seat	2.9	4.3	6.3	8.7	57.0
Arms	2.7	2.8	3.8	4.0	51.5
K6035LA	6.8	11.0	13.7	14.7	133.0
Back	3.3	5.2	5.8	7.1	63.0
Base/seat	2.9	4.3	6.3	8.7	57.0
Arm	1.4	1.5	2.0	2.0	26.0
K6035RA	6.8	11.0	13.7	14.7	133.0
Back	3.3	5.2	5.8	7.1	63.0
Base/seat	2.9	4.3	6.3	8.7	57.0
Arm	1.4	1.5	2.0	2.0	26.0
K6045C	4.8	5.7	6.6	8.2	94.0
Back	3.4	3.5	4.8	6.1	66.0
Base/seat	1.8	2.2	2.4	4.3	34.0
K6090C	3.7	4.5	6.2	7.2	71.5
Back	2.9	3.5	4.2	4.4	55.0
Base/Seat	1.6	1.7	2.4	4.2	29.0
K6090CL	3.3	3.9	5.7	6.7	63.0
Back	2.9	3.5	4.2	4.4	55.0
Base/Seat	1.2	1.4	2.6	3.7	21.5
K6090CR	3.3	3.9	5.7	6.7	63.0
Back	2.9	3.5	4.2	4.4	55.0
Base/Seat	1.2	1.4	2.6	3.7	21.5
K6090CFPB	5.7	7.1	8.6	11.2	112.0
Back	3.5	4.6	4.3	6.5	69.0
Base/seat	1.6	1.7	2.4	4.2	29.0
Headrest	1.6	1.7	2.4	2.3	32.0
K6090CFPBL	5.2	6.9	7.0	10.5	103.5
Back	3.5	4.6	4.3	6.5	69.0
Base/seat	1.2	1.4	2.6	3.7	21.5
Headrest	1.6	1.7	2.4	2.3	32.0
K6090CFPBR	5.2	6.9	7.0	10.5	103.5
Back	3.5	4.6	4.3	6.5	69.0
Base/seat	1.2	1.4	2.6	3.7	21.5
Headrest	1.6	1.7	2.4	2.3	32.0

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
K60CB	3.3	4.3	4.7	7.2	63.0
K60CC	4.3	5.3	6.9	8.7	83.5
Back	3.4	3.5	3.9	4.5	66.5
Base/seat	2.2	2.4	3.3	3.2	39.0
K60HB	4.4	4.7	6.4	9.7	85.0
K60IW	4.4	5.2	6.0	8.2	86.0
Back	3.1	3.4	4.8	5.4	60.0
Base/seat	1.6	2.0	2.5	3.9	31.0
K60OW	4.2	5.0	5.8	7.8	82.0
Back	3.0	3.3	4.6	5.2	58.0
Base/seat	1.6	1.9	2.4	3.8	30.0
K60PC	5.1	6.0	7.5	10.7	99.0
Back	3.4	4.0	7.0	7.6	66.0
Base/seat	1.8	2.3	2.7	4.2	34.0
K60RB	3.4	6.3	6.3	8.2	67.0
K60SO	3.1	3.7	3.7	4.7	59.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Vista					
1742	7.6	8.7	10.0	10.0	145.0
1742L	7.6	8.7	10.0	10.0	145.0
1744	11.1	12.9	14.9	14.9	233.0
1744L	11.1	12.9	14.9	14.9	233.0
1746	13.2	17.2	21.3	21.3	291.0
1746L	13.2	17.2	21.3	21.3	291.0
1752	7.2	8.2	9.4	9.7	145.0
Cushions	2.4	2.9	3.9	3.9	49.0
Arms/frame	4.9	5.5	5.7	6.7	100.0
1752L	7.2	8.2	9.4	9.7	145.0
Cushions	2.4	2.9	3.9	3.9	49.0
Arms/frame	4.9	5.5	5.7	6.7	100.0
1754	10.5	11.4	14.8	14.8	233.0
Cushions	4.0	5.2	7.9	10.0	81.0
Arms/frame	5.9	6.6	7.0	8.3	120.0
1754L	10.5	11.4	14.8	14.8	233.0
Cushions	4.0	5.2	7.9	10.0	81.0
Arms/frame	5.9	6.6	7.0	8.3	120.0
1756	12.1	14.6	19.7	19.7	291.0
Cushions	6.1	7.2	12.1	12.1	124.0
Arms/frame	6.8	8.1	9.4	11.7	138.0
1756L	12.1	14.6	19.7	19.7	291.0
Cushions	6.1	7.2	12.1	12.1	124.0
Arms/frame	6.8	8.1	9.4	11.7	138.0

Model	COM Non-Dir.	COM 1–4" Repeat	COM 5–11" Repeat	COM 12–18" Repeat	COL Sq. Ft.
Wish					
K20TMPU**	0.8	1.0	1.3	1.4	14.0
K20TMAU**	0.8	1.0	1.3	1.4	14.0
K20TUPU**	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20SMPU**	0.8	1.0	1.3	1.4	14.0
K20SMAU**	0.8	1.0	1.3	1.4	14.0
K20SUPU**	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0

Overview ➤See page 306
Applicability 307
Additional Information 308
TB133 on COM/COL 319

Model	COM Non-Dir.	1–4" Repeat	5–11" Repeat	12–18" Repeat	COL Sq. Ft.
Wish Classic					
K20AT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20BT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20CT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20DT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20ET	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20JT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20KT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20LT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20MT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0
K20NT	1.2	1.6	2.3	3.2	25.0
Back	0.8	1.1	1.5	1.7	14.0
Seat	0.8	1.0	1.3	1.4	14.0

Model	COM Non-Dir.	1–4" Repeat	5–11" Repeat	12–18" Repeat	COL Sq. Ft.
Xtreme					
K31AD	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31BD	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31BE	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31DH	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31DJ	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31EH	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31HJ	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31HM	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31JM	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31KP	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31RR	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31RT	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31SS	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31ST	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31SV	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0
K31VW	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31WY	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31XY	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31XZ	1.7	2.0	2.5	3.1	34.0
Back	1.3	1.7	2.0	2.1	27.0
Seat	0.9	1.0	1.2	1.2	18.0
K31ZA	1.6	2.0	2.4	3.0	33.0
Back	1.1	1.5	1.5	2.0	23.0
Seat	0.9	1.0	1.2	1.2	18.0

TB133 Process

for COM, COL, and Alliance Program Upholstery

Overview	➤See page 290
Alliance Program	303
COM and COL	306
TB133 Inquiry Form	320

Kimball Office provides TB133 testing services for COM (Customers Own Material), COL (Customers Own Leather), and Alliance Program upholstery orders. We require that COM, COL, or Alliance Program upholstery first be evaluated for application approval, then for TB133 approval.

California Technical Bulletin No. 133—Flammability Test Procedure for Seating Furniture for Use in Public Occupancies—provides guidelines for a full-scale, composite burn test. To obtain TB133 certification, a specific model/upholstery combination must be subjected to and pass TB133 testing.

IMPORTANT: The CAL TB133 Seating Fabric Inquiry Form must be submitted prior to order entry for all seating with COM, COL, or Alliance Program upholstery specified to meet TB133.
➤See page 320.

The Process:

① If specifying Alliance Program upholstery for TB133, contact Customer Service to receive a custom quote for your seating order.

② Complete the CAL TB133 Seating Fabric Inquiry Form and submit it to Customer Service.

③ Kimball Office will determine:
- If the fabric is similar in content to a previously approved fabric for the chair model;
- If additional testing is required because no similar test documentation was found for the model/upholstery combination; or
- If the combination will not meet TB133 requirements, based on previous testing.

④ If a burn test is required, pricing for the testing will be as follows:
- $1300 (list, including shipping) for testing services; plus the
- Chair price (test sample)

Note: COM price is invoiced at Kimball Office Upholstery price grade 1, plus the cost of the COM; COL is invoiced at price grade 3 plus the cost of the leather. All Alliance Program upholstery orders must be custom quoted.

⑤ If the model/upholstery combination passes testing, you will receive proof of TB133 certification, at which time you may place your seating order.

Kimball® Office

CAL TB133 COM/COL/ALLIANCE SEATING FABRIC INQUIRY FORM

DEALER INFORMATION

Dealer/Specifier:	City/State:	
Dealer Contact Name:	Phone:	Fax:
Dealer Account#:	Email Address:	
PO # (if applicable):	Client/Project Name and Location:	

MATERIAL INFORMATION

(Dealer is responsible for accuracy of information)

Fabric Supplier:	Pattern Name & Number:	
Chair Model Number(s): 1.	New Request: ☐ Yes ☐ No If no, please provide quote #:	Letter Needed: ☐ Yes ☐ No
2.	Fabric Content:	Fabric Treatment:
3.	Backing:	Finish:
4.	Width:	Weight (oz/linear yd):

For Internal Use Only

KIMBALL OFFICE

Inquiry Date:		Customer Service Contact:	
Sales Order #:	Quote #: (If Applicable)	Ship Date:	Form Number:

NOTE: California Technical Bulletin No. TB133 is a full scale burn test. Kimball Office will provide TB133 testing services for COM (Customer's Own Material), COL (Customer's Own Leather) or Alliance Partner pattern orders. TB133 Certification is based on actual testing. Approval can also be determined by similar, previously tested fabrics on similar chair models by experts familiar with TB133 testing. As there are a wide array of materials and chair models it is inconceivable to test all possible material and model combinations. All COM, COL and Alliance patterns must first be evaluated for application approval, then for TB133 approval.

COM APPROVAL INFORMATION

☐ Fabric is similar in content to a previously approved fabric for this chair model and will not require a full scale burn test. Letter of Assurance is available upon request.

☐ Additional testing will be required because no similar test documentation was found for this content/model. To proceed with TB133 testing, please submit a purchase order and yardage needed for a specific model. Certification Letter is available upon request.

☐ Based on previously tested models, this will not meet TB133 requirements.

Comments:	**Burn Facility Address:** **Contact Name** **Phone Number**
Approver:	
Approval/Disapproval Date:	

SEATING

Table of Contents

	➤See page
Seating At a Glance	322
Seating by Price Range	323
Fit™	325
Hero. Just for You.™	329
Silver™	333
Xantos™	337
Finishes & Materials	341

Seating At a Glance

Statement of Line

By Category

Select models are represented in this chart. A variety of options are available within each seating line. ➤See the individual chapters for all models available.

Executive Desk Seating:

Silver
➤See page 333.
- High back
- Mid-back

Work/Task:

Hero. Just for You.
➤See page 329.
- Mid-back

Xantos
➤See page 337.
- Mid-back

General Office:

Silver
➤See page 333.
- Mid-back
- Low back

Stacking:

Hero. Just for You.
➤See page 329.
- Cantilever

Xantos
➤See page 337.
- Cantilever

Side Seating:

Hero. Just for You.
➤See page 329.
- Cantilever

Silver
➤See page 333.
- 4-star base
- 4-leg

Xantos
➤See page 337.
- Cantilever

Conference:

Silver
➤See page 333.
- High back
- Mid-back

Lounge:

Fit
➤See page 325.

Kimball® Office | interstuhl®

Seating by Price Range

Matrix

Key:
- = Available in price range

Use this to see which seating lines are available in your price range. Price ranges reflect seating in the least expensive fabric grade available for the seating line.

	$600–$849	$850–$999	$1000–$1249	$1250–$1499	$1500–$1749	$1750–$1999	$2000–$2249	$2250–$2499	$2500–$2749	$2750–$2999	$3000–$3249	$3250–$3499	$3500–$3749	$3750–$3999	$4000–$4249	$4250–$4499	$4500–$4749	$4750–$4999	$5000–$5249	$5250–$5499	$5500–$5999	$6000+
	Price Range																					
Executive Desk																						
Silver																						•
Work/Task																						
Hero. Just for You.				•	•	•																
Xantos						•	•															
General Office																						
Silver															•		•			•	•	•
Stacking Side																						
Hero. Just for You.	•																					
Xantos		•																				
Side																						
Silver										•	•	•	•	•	•	•	•	•	•			
Lounge																						
Fit			•																			

Notes

Fit models are dimensionally consistent. Measurements were obtained using the ANSI/BIFMA accepted chair measurement device and process.

Lounge

➤See page 327 to specify.

Height	38"
Width at top	29"
Width at bottom	38"
Depth	39½"

Headrest

➤See page 327 to specify.

Height	4½"
Width	25¼"
Depth	7½"

Lounge Seating

Fabric-covered headrest, specified separately, is made of CFC- and CHC-free molded foam, covered in 69% Trevira CS (flame-retardant polyester) and 31% Lycra.

Frame is $1^{3}/_{16}$" tubular steel, powder-coated and painted to match mesh seat.



Seat is made of 3D fabric with open mesh structure and various fabric zones of 81% Trevira CS (flame-retardant polyester) and 19% Lycra. Available in four colors: black, red, green, and grey

Details

Lounge ships knocked down in two pieces.

Black felt glides are available on side chairs that will be used on hard floors. Upcharge applies.

User rated up to 285 lbs.

Cleaning

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Lounge Seating

Pricing

GSA SIN 711-18

Overview ➤See page 326
Finishes & Materials 341

Model		*Price*
Lounge		
QKFI01 K		$1552
KFI01F	TB133	1648
Headrest		
QKFI02 K		$449
KFI02F	TB133	543

Lounge model ships knocked down (KD).

TB133

Fire code treatment is available.

How to Specify

Lounge

❶ Model
② Mesh/frame color:
8217 = Black
8287 = Grey
8288 = Red
8289 = Green
③ Glides for use on hard floors:
821 = Felt (+$36)
X = None

Headrest

❶ Model
② Fabric color:
8217 = Black
8287 = Grey
8288 = Red
8289 = Green

K = Kwik Office model available.

Notes

HERO. JUST FOR YOU.™

Statement of Line

Desk and Side Chairs

Mesh Mid-Back with Arms

➤See page 331 to specify.

Height	41"–47¼"*
Width	29⅜"
Depth	28⅜"
Arm height	24⅛"–34⅜"*
Seat height	16¼"–22⁷⁄₁₆"*
Seat width	18½"
Seat depth	16¾"–18¾"
Kneespace	22⅞"

Mesh Mid-Back without Arms

➤See page 331 to specify.

Height	41"–47¼"*
Width	29⅜"
Depth	28⅜"
Arm height	—
Seat height	16¼"–22⁷⁄₁₆"*
Seat width	18½"
Seat depth	16¾"–18¾"
Kneespace	22⅞"

Mesh-Back Stacking Side Chair

➤See page 332 to specify.

Height	36¼"
Width	24"
Depth	24⅝"
Arm height	26⅜"
Seat height	18¼"
Seat width	18¾"
Seat depth	18⅜"
Kneespace	19"

Hero models are dimensionally consistent. Measurements were obtained using the ANSI/BIFMA accepted chair measurement device and process.

Height Ranges:

Patented twist/threaded column allows pneumatic cylinder to be adjusted, resulting in varying ranges for overall, seat, and arm heights.

Mid-Back Desk Chairs	
Lowest Column Position	
Overall height	41"–45¼"
Arm height	24⅛"–32⅝"
Seat height	16¼"–20¾"
Highest Column Position	
Overall height	42⁹⁄₁₆"–47¼"
Arm height	25¾"–34⅜"
Seat height	18³⁄₁₆"–22⁷⁄₁₆"

Note: Chairs are shipped with the column set at a mid-point between the lowest and highest positions.

Desk and Side Chairs

Overview

Statement of Line ➤See page 329
Finishes & Materials 341
COM/COL Process 346

Mesh-back models incorporate a ribbed design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions. Available in three colors. The mesh is secured to a structural, black plastic frame made of glass- filled polypropylene.

Seat height adjusts from 16 1/4" to 22 7/16" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Adjustable lumbar support for mesh-back desk chairs utilizes a molded polyurethane pad, allowing 2" height and 1" depth adjustments.

Autofit synchro mechanism with automatic weight regulation and fine adjustment is standard. 126° maximum opening angle between seat and back; can be locked in four positions.



T-shaped arm rests are standard with 2D adjustability. User can adjust the arm vertically within a 4" range (11 positions); technician can adjust the arm horizontally within a 1 3/4" range (unlimited positions). Arm caps are black polyurethane.

Seat cushions are 2 1/8" thick—1 3/4" CFC- and CHC-free molded foam, plus 3/8" Dacron top pad.

Fabric or leather upholstery is unglued, ensuring optimal air movement.

Five-star base is available in glass-filled nylon black plastic or cast aluminum in three finish options.

Black, dual-wheel casters on desk chairs are 65mm in diameter and available in hard and soft options. Specify hard casters (802) for chairs that will be used on carpeted floors. Specify soft casters (801) for chairs that will be used on hard floors.

Details

Upholstered-back models features a three-piece assembly—a visible, black plastic/polypropylene back with 3/4" CFC- and CHC-free molded foam covered in specified upholstery. The fabric back assembly is then secured to a structural frame made of glass-filled polypropylene.

Adjustable lumbar support for upholstered-back desk chairs utilizes air-pressure technology. Height is adjustable within a 2 1/2" range.

4-D arm option enables the user to make front-to-back adjustment within a 2" range (7 positions) and 360° pivot (10 positions). Includes the same adjustment features as 2-D arms, as well.

Side chairs feature a 7/8" tubular steel frame. Mesh-back construction is the same as desk chair. Seat cushions are 1 9/16" CFC- and CHC-free molded foam. Stackable up to 4 high.

Desk and side chairs are user rated up to 275 lbs.

Adjustability Features

Synchro-tilt	•
Pneumatic height	•
Swivel	•
Tilt tension	•
Lumbar	○
Seat depth	○
Back tilt lock	•
2-D arms	•
4-D arms	○

• = standard ○ = option

Active seat depth adjustment option provides user with more resting surface for their thighs; 2" adjustment range.

Anti-kick back feature controls forward movement of the back rest when the lock is disengaged.

Mesh-Back Desk Chairs

Pricing

GSA SIN 711-18
COM/COL GSA Non-Contract

Overview ➤See page 330
Finishes & Materials 341
COM/COL Process 346

Model			Upholstery Pattern: King, Lucia, Royal	Aquarius, Magic	Remix	Divina Melange, Steelcut	Nappa Leather	Semi-Aniline Leather	Customer's Own: Material (COM)	Leather (COL)
Mid-Back with Arms										
K172H7 Ⓚ			$1946	$1997	$2030	$2141	$2241	$2241	$1946	$1987
K172H7F	TB133	—	2108	2159	2192	2303	2403	2403	—	—
Mid-Back without Arms										
K172H			$1769	$1820	$1853	$1964	$2064	$2064	$1769	$1810
K172HF	TB133	—	1931	1982	2015	2126	2226	2226	—	—

Mesh high-back models include mesh headrest in the same color mesh.

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 343 for upholstery selections.

How to Specify

❶ Model
② Mesh color:
8000 = Anthracite
8010 = Black
8020 = Orange
③ Seat upholstery pattern name
④ Seat upholstery color designator
⑤ Lumbar support option:
604 = Adjustable (+$88)
X = None
⑥ Arm style (omit for armless model):
703 = 2D
709 = 4D (+$52)
⑦ Seat depth adjustment option:
601 = Adjustable (+$77)
X = None
⑧ Base finish designator:
532217 = Black plastic
521217 = Black aluminum (+$77)
521234 = Brilliant silver (+$77)
521304 = Polished (+$155)
⑨ Casters:
802 = Hard (for use on carpet)
801 = Soft (for use on hard floors)

Ⓚ = Kwik Office model available.

Stacking Side Chairs

Pricing

GSA SIN 711-18
COM/COL GSA Non-Contract

Overview ➤See page 330
Finishes & Materials 341
COM/COL Process 346

Model			Upholstery Pattern: King, Lucia, Royal	Aquarius, Magic	Remix	Divina Melange, Steelcut	Nappa Leather	Semi-Aniline Leather	Customer's Own: Material (COM)	Leather (COL)
Mesh Back										
K570H K			$821	$872	$905	$988	$1116	$1116	$821	$862
K570HF	TB133	—	989	1040	1073	1156	1284	1284	—	—

TB133

Fire code treatment is available on select Kimball Office upholstery.
➤See page 343 for upholstery selections.

How to Specify

❶ Model
② Mesh color:
8000 = Anthracite
8010 = Black
8020 = Orange
③ Seat upholstery pattern name
④ Seat upholstery color designator
⑤ Frame finish designator:
2217 = Black
2234 = Brilliant silver
2324 = Chrome (+$77)
⑥ Glides:
821 = Black felt for use on hard floors (+$36)
X = None

K = Kwik Office model available.

SILVER™

Desk Chairs

Silver models are dimensionally consistent. Measurements were obtained using the ANSI/BIFMA accepted chair measurement device and process.

High-Back Desk Chairs

➤See page 335 to specify.

Height	47 15/16"–52 7/16"
Width	26 1/4"
Depth	26 1/2"
Arm height	25 3/4"–30 3/8"
Seat height	16 1/2"–20 13/16"
Seat width	19 3/16"
Seat depth	17 3/16"
Kneespace	22"

Mid-Back Desk Chairs

➤See page 335 to specify.

Height	38 1/2"–43"
Width	26 1/4"
Depth	26 1/2"
Arm height	25 3/4"–30 3/8"
Seat height	16 1/2"–20 13/16"
Seat width	19 3/16"
Seat depth	17 3/16"
Kneespace	22"

Low-Back Desk Chairs

➤See page 335 to specify.

Height	35 1/8"–39 5/8"
Width	26 1/4"
Depth	26 1/2"
Arm height	25 3/4"–30 3/8"
Seat height	16 1/2"–20 13/16"
Seat width	19 3/16"
Seat depth	17 3/16"
Kneespace	22"

Desk Chairs

Overview

Statement of Line ➤See page 333
Finishes & Materials 341
COM/COL Process 346

Integrated headrest on high-back model is upholstered to match back and seat.

Seat cushions are 2 3/4" thick, 2 3/8" CFC- and CHC-free molded foam, plus 3/8" Dacron top pad applied over a 1/8"-thick ABS panel.

Fabric or leather upholstery is unglued, ensuring optimal air movement.



Back cushions are 2" thick, 1 5/8" CFC- and CHC-free molded foam, plus 3/8" cotton top pad applied over a 1/8"-thick ABS panel.

Arm rest cushions are 1 3/16"- thick, CFC- and CHC-free molded foam, applied over a 1/8"-thick ABS panel.

Fold-out crank on the underside of the seat allows the chair's function to be matched specifically to its user's body weight.

Patented synchronous mechanism on desk chairs combines the backward motion of the backrest with balanced inclination of the seat, providing optimum support for the body in any position. 116° maximum opening angle between seat and back, with infinitely lockable positions. Anti-kick back feature controls forward movement of the back rest when the lock is disengaged.

Contoured shell is die cast aluminum and available in white or brushed finish.

Seat height adjusts from 16 1/2"–20 13/16" via a pneumatic (gas) cylinder.



Five-star cast aluminum base is available in three finishes.

Casters feature a static discharge function and are hermetically sealed to keep bearings free of dirt and dust.

Details



Dual-wheel casters on desk chairs are 65mm in diameter and available in hard and soft options. Hard casters are light grey; soft casters are dark grey. Specify hard casters (804) for chairs that will be used on carpeted floors. Specify soft casters (803) for chairs that will be used on hard floors.

Desk chairs are user rated up to 275 lbs.

Adjustability Features

Synchro-tilt	•
Pneumatic height	•
Swivel	•
Tilt tension	•
Back tilt lock	•

• = standard ○ = option

Synchro-tilt control provides fully synchronized seat-to-back movement, plus:

- Free-float movement allows user to lock the chair in one of multiple positions within the range of movement using a single lever.
- Anti-kickback clutch controls forward movement of backrest when the lock is disengaged.
- Reclining tension adjustment is user friendly and accommodates a wide range of weights via a single lever on the left side of the chair (as seated).

Tilt tension control adjusts the amount of resistance the user feels when leaning back.

Desk Chairs

Pricing

GSA SIN 711-18
COM/COL GSA Non-Contract

Overview ➤See page 334
Finishes & Materials 341
COM/COL Process 346

Model			Upholstery Pattern: King, Lucia, Royal	Aquarius, Magic	Remix	Divina Melange, Steelcut	Nappa Leather	Semi-Aniline Leather	Customer's Own: Material (COM)	Leather (COL)
High Back										
White Shell										
K362S2268			—	—	—	$7955	—	$8886	$7792	$7864
K362S2268F	TB133	—	—	—	—	8487	—	9418	—	—
Brushed Shell										
K362S2349			—	—	—	10053	—	10984	9890	9962
K362S2349F	TB133	—	—	—	—	10583	—	11514	—	
Mid-Back										
White Shell										
K262S2268			—	—	—	$7019	—	$7822	$6872	$6945
K262S2268F	TB133	—	—	—	—	7439	—	8242	—	—
Brushed Shell										
K262S2349			—	—	—	9034	—	9837	8887	8960
K262S2349F	TB133	—	—	—	—	9455	—	10258	—	—
Low Back										
White Shell										
K162S2268			—	—	—	$6412	—	$7109	$6293	$6366
K162S2268F	TB133	—	—	—	—	$6832	—	$7529	—	—
Brushed Shell										
K162S2349			—	—	—	8320	—	9017	8201	8274
K162S2349F	TB133	—	—	—	—	8741	—	9438	—	—

King, Lucia, Royal, Aquarius, Magic, Remix, and Nappa fabric/leather patterns are not available on Silver.

TB133

Fire code treatment is available on select Kimball Office upholstery. ➤See page 343 for upholstery selections.

How to Specify

❶ Model
② Upholstery pattern name
③ Upholstery color designator
④ Casters:
804 = Hard (for use on carpet)
803 = Soft (for use on hard floors)

Notes

Xantos models are dimensionally consistent. Measurements were obtained using the ANSI/BIFMA accepted chair measurement device and process.

Mesh-Back Desk Chairs with Adjustable Arms

➤See page 339 to specify.

Height	39½"–44"
Width	26"
Depth	26"
Arm height	25⅝"–33⅛"
Seat height	17½"–21⅞"
Seat width	18½"
Seat depth	17"–18½"
Kneespace	19"

Mesh-Back Desk Chairs with Loop Arms

➤See page 339 to specify.

Height	39½"–44"
Width	26"
Depth	26"
Arm height	26¼"–30¾"
Seat height	17½"–21⅞"
Seat width	18½"
Seat depth	17"–18½"
Kneespace	19"

Armless Mesh-Back Desk Chair

➤See page 339 to specify.

Height	39½"–44"
Width	26"
Depth	26"
Arm height	—
Seat height	17½"–21⅞"
Seat width	18½"
Seat depth	17"–18½"
Kneespace	19"

Stacking Side Chair

➤See page 340

Height	35⅝"
Width	24⅝"
Depth	24¾"
Arm height	25½"
Seat height	18¼"
Seat width	18¾"
Seat depth	17⅝"
Kneespace	19¼"

Desk and Side Chairs

Overview

Statement of Line ➤See page 337
Finishes & Materials 341
COM/COL Process 346

Mesh-back, on applicable models, is available in two patterns. The mesh is stretched over a cast aluminum frame.

Seat height adjusts from 17½"–21⅞" via a pneumatic (gas) cylinder.



Seat cushions are 1¾"-thick—1⅜" CFC- and CHC-free molded foam, plus ⅜" Dacron top pad.

Fabric or leather upholstery is unglued, ensuring optimal air movement.

Adjustable arms are standard with 2D adjustability. User can adjust the arm vertically within a 3⅛" range (6 positions); technician can adjust the arm horizontally within a 1½" range (unlimited positions).

Arm caps on adjustable arm models are black plastic. Leather arm caps are available; upcharge applies.

Black, dual-wheel casters on desk chairs are 65mm in diameter and available in hard and soft options. Specify hard casters (800) for chairs that will be used on carpeted floors. Specify soft casters (801) for chairs that will be used on hard floors.



Loop arms models feature soft leather arm caps. Arm finish matches the finish specified for the frame/base.

Aluminum frame and base is available in three finishes.

Details

Two arm styles are available on Xantos desk chairs:
- Adjustable
- Loop

Optional, adjustable lumbar support for desk chairs utilizes air-pressure technology. Height is adjustable within a 2½" range.

Side chairs feature a ⅞" tubular steel cantilever-style frame; Back and seat constructions are consistent with mesh-back desk chairs. Stackable up to 4 high for models with plastic arm caps; 2 high for leather arm cap models.

Desk and side chairs are user rated up to 275 lbs.

Adjustability Features

Synchro-tilt	•
Pneumatic height	•
Swivel	•
Tilt tension	•
Lumbar	○
Seat depth	○
Back tilt lock	•
2-D arms on adjustable arm models	•

• = standard ○ = option

Active seat depth adjustment option provides user with more resting surface for their thighs; 1½" adjustment range.

Synchro-tilt mechanism provides synchronized seat-to-back movement with a 2:1 ratio, every 2 degrees the back moves the seat angle changes 1 degree. 126° maximum opening angle between seat and back.

Free-float movement allows user to lock the chair in multiple positions.

Anti-kickback feature controls forward movement of backrest when the lock is disengaged.

Reclining tension adjustment accommodates a wide range of weight.

Mesh-Back Desk Chairs

Pricing

Overview ➤See page 338
Finishes & Materials 341
COM/COL Process 346

GSA SIN 711-18
COM/COL GSA Non-Contract

Model			Upholstery Pattern: King, Lucia, Royal	Aquarius, Magic	Remix	Divina Melange, Steelcut	Nappa Leather	Semi-Aniline Leather	Customer's Own: Material (COM)	Leather (COL)
With Adjustable Arms										
KX2727			$2081	$2128	$2161	$2267	$2363	$2363	$2081	$2122
KX2727F	TB133	—	2251	2298	2331	2437	2533	2533	—	—
With Loop Arms										
KX272704			$2102	$2149	$2182	$2288	$2384	$2384	$2102	$2143
KX272704F	TB133	—	2273	2320	2353	2459	2555	2555	—	—
Armless										
KX272			$1854	$1901	$1934	$2040	$2136	$2136	$1854	$1895
KX272F	TB133	—	2023	2070	2103	2209	2305	2305	—	—

TB133

Fire code treatment is available on select Kimball Office upholstery. ➤See page 343 for upholstery selections.

How to Specify

❶ Model
② Mesh pattern/color:
8140 = Single color, black
8100 = Checkered pattern, black
③ Seat upholstery pattern name
④ Seat upholstery color designator
⑤ Frame/base finish designator:
2217 = Black
2234 = Brilliant silver
2304 = Polished (+$114)
⑥ Arm cap material (omit for armless and loop-arm models):
703 = Black plastic
706 = Leather (+$41); black leather on fabric upholstered seats; matching leather on leather upholstered seats
⑦ Seat depth adjustment option:
601 = Adjustable (+$124)
X = None
⑧ Cylinder:
STD = Standard
⑨ Casters:
800 = Hard (for use on carpet)
801 = Soft (for use on hard floors)

Mesh-Back Stacking Side Chairs

Pricing

Overview ➤See page 338
Finishes & Materials 341
COM/COL Process 346

GSA SIN 711-18
COM/COL GSA Non-Contract

Model			Upholstery Pattern: King, Lucia, Royal	Aquarius, Magic	Remix	Divina Melange, Steelcut	Nappa Leather	Semi-Aniline Leather	Customer's Own: Material (COM)	Leather (COL)
Cantilever										
KX570			$1103	$1150	$1183	$1289	$1379	$1379	$1103	$1144
KX570F	TB133	—	1273	1320	1353	1459	1549	1549	—	—

TB133

Fire code treatment is available on select Kimball Office upholstery. ➤See page 343 for upholstery selections.

How to Specify

❶ Model
② Mesh pattern/color:
8140 = Single color, black
8100 = Checkered pattern, black
③ Seat upholstery pattern name
④ Seat upholstery color designator
⑤ Frame/base finish designator:
2217 = Black
2234 = Brilliant silver
2324 = Chrome (+$289)
⑥ Arm cap material:
703 = Black plastic
706 = Leather (+$41); black leather on fabric upholstered seats; matching leather on leather upholstered seats
⑦ Glides:
X = None
821 = Black felt for use on hard floors (+$36)

Finishes & Materials

Samples:

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order swatches:

- Visit our web site at **www.kimballoffice.com** to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.



	➤See page
Paint & Non-Paint	342
Seating Fabrics	343
Application Matrix	343
Fabric & Leather Colorways	344
Cleaning Codes	344
Contrasting Upholstery	345
Standard Regulation Testing	345
Cut Yardage Program	345
COM & COL	346
Process Overview	346
Application Test Form	347

Paint and Non-Paint Finishes

Matrix

Key:
- • = Available
- **$** = Option; upcharge applies

	Paint					Non-Paint							
	Black	Green	Grey	Red		Black Aluminum	Black Plastic	Brilliant Silver	Brushed	Chrome	Polished Aluminum	Sandblasted	White
Fit	•	•	•	•									
Hero. Just for You.													
–Desk						$	•	$			$		
–Side	•							•		$			
–Mobile	•							•			$		
Silver									$			$	•
Xantos													
–Desk	•							•			$		
–Side	•							•		$			

Seating Fabrics

Matrix

- ● = Available
- ○ = Available (but not on all models)
- ✦ = Available; TB133 available
- ✧ = TB133 available (but not on all models)
- Kj = Available on Kwik Office models

	Aquarius	Divina Melange	King	Lucia	Magic	Nappa Leather	Remix	Royal	Semi-Aniline Leather	Steelcut
Fit										
Hero. Just for You.	✦	✦	✦	✦	✦	✦	✦	✦	✦	✦
Silver	✦	✦							✦	✦
Xantos	✦	✦	✦		✦	✦	✦	✦	✦	✦

Characteristics:

- Certain fabrics may relax over time (e.g., some woven fabrics) creating a loosely upholstered appearance.
- Some fabrics may wrinkle, pill, fuzz, or puddle as a normal, inherent characteristic. This does not indicate that the covering or application is deficient.
- Fabrics are cut to provide the best match possible when transitioning from piece to piece.
- Fabrics reflect light differently when viewed at various angles, creating a natural phenomenon called “flip.” Flip is visible on all fabrics and is not considered a defect; it is more easily recognized on fabrics with a nap or shimmer and more apparent on crescent or corner units.
- Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.
- Fabrics are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

Paints & Non-Paint ➤See page 342
Contrasting Upholstery 345
COM & COL 346

Fabric

Aquarius

100% Pure New Wool; 55"W
Repeat: None
Cleaning Code: WS

4101	Cool Grey
4102	Black
4108	Bright Red
4109	Berry
4112	Wine
4116	Ocean Blue
4120	Pine
4128	Mushroom
4129	Peridot
4199	Dark Chocolate

Divina Melange

100% New Wool
Repeat: None
Cleaning Code: S
Abrasion: 45,000 cycles, Martindale

DM01	Night Sky
DM02	Tidewater
DM04	Lime Twist
DM06	Firefly
DM11	Charcoal
DM17	Limestone

King

100% Polyester Trevira CS; 55"W
Repeat: None
Cleaning Code: WS

KI01	Black
KI02	Medium Blue
KI03	Bright Red
KI04	Spring Green
KI05	Camel
KI12	Bright Blue
KI51	Warm Grey

Lucia

100% Polyester; 55"W
Repeat: None
Cleaning Code: WS

5800	Black
5802	Grey
5807	Red
5892	Beige
6015	Dark Blue
6040	Wine

Magic

Leatherette (Polyamid, Polymethan)
Repeat: None

MG01	Obsidian
MG02	Marina Blue
MG11	Pewter

Remix

90% New Wool, 10% Nylon
Repeat: None
Cleaning Code: S
Abrasion: 100,000 cycles, Martindale

RE02	Midnight
RE05	Mohave
RE12	Deep Indigo
RE13	Bittersweet
RE42	Aquamarine
RE61	Onyx

Royal

100% Polyester
Repeat: None
Cleaning Code: WS
Abrasion: 200,000 cycles, Martindale

RO01	Raven
RO02	Sky Blue
RO03	Poppy
RO04	Willow
RO22	Ocean
RO41	Slate

Steelcut

90% New Wool, 10% Nylon
Repeat: None
Cleaning Code: S
Abrasion: 80,000 cycles, Martindale

SC01	Iron
SC03	Mango
SC06	Citron
SC12	Commodore
SC22	Calypso
SC81	Gunmetal

Leather

Nappa Leather

Dyed-Through Leather

0781	Coal
0782	Lakeshore
0786	Greystone

Semi-Aniline Leather

Fully-Grained Natural Nappa Leather with Light Finish

SA01	Ebony
SA03	Blaze
SA04	Moss
SA05	Chestnut
SA17	Créme

Cleaning Codes:

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code D
- Dry clean only.

Key:
• = Complies with standard

Contrasting Upholstery:

Contrasting upholstery is defined by entire back and seat upholstery application. Contrasting upholstery is available on the following seating series:
• Hero. Just for You.
• Xantos

How to Specify

① Follow the How to Specify steps on the appropriate pricing pages for the seating model, indicating the contrasting fabric information in the order outlined.

Note: The best way to price a seating product with contrasting upholstery is by using an electronic specification tool. If one is not available, you may contact Customer Service.

Advisory:

Purchaser must consult local fire and code official to determine the suitability of product being selected for any particular application. Certain jurisdictions may require the use of additional fire retardants of composite flammability testing. Kimball Office assumes no responsibility for composite testing or for compliance with any particular code or other flammability standards different than as contained in applicable catalog information unless such requirements are specified in writing by purchaser to Kimball Office prior to confirmation of order. Cost of additional flammability treatments or testing needs of purchaser shall be borne by purchaser.

TB117:

California Flammability Regulation #117 is a set of minimum allowable standards of flammability to which all upholstered furniture sold in the State of California must comply. It relates primarily to fabric coverings and resilient fillings. All shipments of Kimball Office upholstery comply with Regulation #117 and our invoices and law labels for such goods bear certification that our upholstered products comply.

UFAC:

All Kimball Office seating is made in accordance with the Upholstered Furniture Action Council (UFAC) criteria to reduce chance of ignition by burning cigarettes.

TB133 Factor:

TB133 factor is a full-scale fire test for furniture manufactured for public use in which an entire piece of furniture is tested as a unit. Kimball Office offers a wide variety of seating products that can be manufactured to meet TB133

Standard Regulation Testing by Upholstery Pattern:

Pattern	*California TB117 (Section E)*	*UFAC Classification 1 or A*
Aquarius	•	•
Divina Melange	•	•
King	•	•
Lucia	•	•
Magic	•	•
Remix	•	•
Steelcut	•	•

Flame Resistance

Flammability testing determines a fabrics resistance to burning.

Application	*Passes*
Upholstery	California Bulletin 117, Section E, Class 1
Panels and uphol. walls	ASTM E-84 (unadhered method), Class A or 1

Cut Yardage:

Kimball Office Interstuhl upholstery is available on a cut yardage basis; whole yards only. List prices include freight.

Fabric Pattern	*List Price per yard*
Aquarius	$182
Divina Melange	296
King	142
Lucia	142
Magic	182
Remix	169
Royal	142
Steelcut	296

Leather	*List Price per Full Hide (50–57 sq ft)*
Nappa	$1286
Semi-Aniline	$1286

How to Specify

① Model number:
KOUPHCUTYDG2 = fabric
KOLTHRFHIDE2 = leather (full hide)
② Upholstery pattern
③ Upholstery color number

Paints & Non-Paint ➤See page 342
Cleaning Codes 344
Contrasting Upholstery 345
Application Test Form 347

Kimball Office will upholster its products in materials supplied by the customer whenever possible. Before ordering COM/COL, please read all the information in this section.

Application Approval:

Kimball Office requires that a sample (2 yards of fabric or 22 sq. ft. of leather) be submitted along with a purchase order for testing and a COM/COL Application Test Form prior to an order being placed.
➤See page 347 for Test Request Form.

Kimball Office approval signifies only that such materials can be applied to the products for which it was tested. Such approval does not constitute any responsibility nor any warranty on the part of Kimball Office as to appearance, behavior, or durability of the material.

Fabric Characteristics:

Kimball Office inspects fabrics for mill imperfections, but some are difficult to recognize. Kimball Office is solely responsible for seating workmanship and cannot assume responsibility or liability for the durability, tailoring appearance or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered normal behavior as an inherent characteristic of the fabric.

Directional upholstery, such as stripes, patterns, and plaids may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return. If in doubt about an upholstery application, please contact Customer Service prior to placing the order.

Kimball Office will apply the fabric as indicated on the Application Test Request Form, and cannot be held responsible after the upholstery is applied.

Decorative Patterns:

Yardage requirements are greatly affected by not only the size of repeats, but also by the print or pattern. Kimball Office cuts all seating patterns with aesthetic concerns in mind for high quality and consistency, unless directed otherwise on the Application Test Request Form

Directional Fabrics:

Some COM fabrics are considered directional that may not be considered directional by the fabric supplier due to the upholstering process used by Kimball Office.



Cut “Up the Roll” Railroaded

Application of COM fabrics—”up the roll” or “railroaded”—will be as depicted on the swatch card or website. If a different application is desired, the pattern must be custom quoted.
➤Please contact ***By Design***.

Flammability Compliance:

Kimball Office assumes no responsibility for the flame retardancy of any COM/COL. Customers are solely responsible for making sure that COM/COL complies with all applicable codes and regulations.

When COM/COL products must meet specific requirements, Kimball Office will require the customer to supply documentation that the material meets the code requirements.

Kimball strives to create upholstered products with no added fire retardant chemicals. Written confirmation is required from the fabric or leather manufacturer stating that the COM/COL provided does not contain any fire retardant chemicals. Without adequate confirmation from the manufacturer, Kimball Office will continue to apply these approved materials, but will consider the COM/COL as containing fire retardant chemicals, and will label as such.

Customer’s Own Leather:

Kimball Office is pleased to cooperate with COL selections whenever possible.

Leather is a natural product and variation in texture is a pleasing quality belonging exclusively to high grade, full top grain leathers.

Size requirements are based on usable sq, footage. The shape of a hide and the usable, clean footage may make it necessary for us to request more leather after COL is received.

Calf hides must be at least 30 square feet of clean, usable, matching hides. When specifying calf hides, add 15% to COL requirements.

Storage:

Kimball Office will not store excess COM/COL after completion of order.

How to Order

① Request application testing.
➤See form and specific instructions on page 347.
② You will receive notification of approval or disapproval via e-mail.
③ Submit your purchase order.
Note: Order will be acknowledged with a tentative ship date and notification of the date COM/COL must be received. If not received by that date, your ship date will be reassigned.
④ After order acknowledgement is received, ship fabric or leather “DDP” (delivered duty paid) to:
Interstuhl Büromöbel GmbH & Co. KG
Brühlstrasse 21
Wareneingang Textil—Rampe 1
D-72469 Messstetten–Tieringen
Germany
Attn: COM/COL Application Test Department

Include:
- Dealer name
- Purchase order number
- Kimball Office seating model number(s)
- Quantity of chairs
- Kimball Office acknowledgement number

IMPORTANT: Due to specific international shipping requirements, it is recommended that COM/COL be shipped directly from the mill.

Kimball Office | interstuhl

COM and COL Form

Application Test Request Form

GSA Non-Contract

Paints & Non-Paint ➤See page 342
Cleaning Codes 344
Contrasting Upholstery 345

Dealer Information

Dealer/Specifier

Dealer Contact Name

Contact Email

Dealer Account #

PO#

Address

City, State

Phone

Fax

Client/Project Name

Location

Material Information

Fabric Supplier

Pattern Name & Number / Color Name & Number

Fabric Content

Fabric Treatment

Backing

Finish

Width or Hide Size

Weight (oz/linear yd)

Chair Information

Chair Model Number 1

Chair Model Number 2

Chair Model Number 3

Note: Each chair model is considered a separate test and will be charged accordingly.

Fabric Application

☐ Standard ☐ Railroad

(requires custom quote)

Top of back

Staple sample of fabric here in desired orientation

Staple sample of fabric here in desired orientation

Front of seat

For Kimball Office use only

Receipt Date

FedEx #

Forward Date

Close Date

Characteristic Value

For Interstuhl use only

Comments

Approver

Approval / Disapproval Date

Chair 1 ☐ Approved ☐ Not Approved

Model Number Yardage/Sq. Ft.

Comments

Chair 2 ☐ Approved ☐ Not Approved

Model Number Yardage/Sq. Ft.

Comments

Chair 3 ☐ Approved ☐ Not Approved

Model Number Yardage/Sq. Ft.

Comments

How to Apply for Testing

① Complete an Application Test Request Form for each unique COM/COL pattern and color.

② Prepare Purchase Order for application testing, listing test model **INTAPPLTEST** (one for each application test requested). Each chair model and unique fabric combination is considered a separate test and will be billed at $50 net per test.

③ Ship:

- 2 yards of fabric or 22 square feet of leather for each chair model to be tested
- Application Test Request Form(s)
- Purchase Order

to:
Kimball Office
Attn: COM Administration
1600 Royal Street
Jasper, IN 47546

Note: Dealer is responsible for accuracy of information. If the chair model you desire changes after testing/approval, a new test must be completed.

Notes

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

	➤See page
Terms and Conditions	350
Asset Tag Locations	350
Product Warranty	352
Warranty for Bingo	353
BIFMA and ANSI Testing	354
Model Number Index	357

BIFMA and ANSI Chair Testing

X5.1–2011 General Purpose Office Chair Tests

Terms & Conditions ➤See page 362
Product Warranty 364
Warranty for Bingo 365

Backrest Strength Test: Type **I**—back tilt chair, 200 lb. force applied, 300 lb. proof load. Type **II** & **III**—back tilt chair, 150 lb. force applied, 250 lb. proof load.



Base Test: Using 2500 lb. force for one minute, 2500 lb. proof load.



Drop Test: Using 225 lb. weight, 300 lb. proof load with 6" drop.



Swivel Cycle Test: 250 lb. on seat rotating base, 60,000 cycles at mid point and 60,000 lowest position.



Tilt Mechanism Test: 300,000 tilts with 225 lb. in seat.

Seat Durability Test: 125 lb. weight dropped onto seat 100,000 cycles.



Front Load Ease: 165 lb. alternating for 40,000 cycles.



Front Stability Test: Apply 135 lb. on front edge of seat while applying horizontal 4.5 lb. force at top of seat.



Rear Stability Test: 173 lb. on seat, no less than 20 lb. of pressure should be required to tip chair back.



Arm Strength Test—Downward Application: 169 lb. force applied downward at arm's weakest point, 253 lb. proof load.



Arm Strength Test—Outward Application: 100 lb. force applied outward at arm's weakest point, 150 lb. proof load.



Chair/Chair Base Durability Test: 2,000 cycles over obstruction, 98,000 over smooth along a 30" distance with a 250 lb. load.

Chair Testing:

The X5.1–2011 General Purpose Office Chair Tests were developed by the Business and Institutional Furniture Manufacturer's Association (BIFMA) and approved by the American National Standards Institute (ANSI). These performance tests determine the stamina of seating in its day to day use.

Kimball Office is a member of the Business and Institutional Furniture Manufacturer's Association.

Note: This testing does not serve as a warranty or guarantee. Generally, products within this price list meet or exceed the applicable BIFMA/ANSI standards.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

continued

Terms & Conditions ➤See page 362
Product Warranty 364
Warranty for Bingo 365

Backrest Durability Test: Type **I**—with 225 lb. on seat with chair fully reclined with 100 lb. force, 80,000 cycles. Type **II** & **III**—with 225 lb. on seat and tilting with 75 lbs. force, 80,000 cycles. After 80,000 are complete, 40,000 will be off center testing.



Leg Strength Test—Front Application: 75 lb. force applied, 113 lb. proof load.



Leg Strength Test—Side Application: 75 lb. force applied, 113 lb. proof load.



Footrest Durability Test: 200 lb. weight applied along a 4" length of the footrest, 50,000 cycles.



Arm Durability Test: Apply 90 lb. force at 10° angle for 60,000 cycles.



Out Stop Test for Chairs with Manually Adjustable Seat Depth: 163 lb. forward force with 55 lb. downward force for 25 cycles.



Tablet Arm Test—Static: 150 lb. load level for 1 minute.



Table Arm Load Ease Test—Cyclic: 77 lb. dropped onto tablet center surface for 100,000 cycles.

Notes

Terms & Conditions ➤See page 362
Product Warranty 364
Warranty for Bingo 365
BIFMA and ANSI Testing 366

Terms & Conditions ➤See page 350
Asset Tag Locations 350
Product Warranty 352
BIFMA and ANSI Testing 354

Model	➤See page
1742	221
1742LW	221
1744	221
1744LW	221
1746	221
1746LW	221
1752	223
1752LW	223
1754	223
1754LW	223
1756	223
1756LW	223
20-2612T	76
20-2612V	76
20-2613T	75
20-2613V	75
20-2632T	76
20-2632V	76
20-2633T	75
20-2633V	75
20-5012T	77
20-5012V	77
22-2832H	154
22-2832T	154
22-2832V	154
22-2833H	153
22-2833T	153
22-2833V	153
22-5032H	155
22-5032T	155
22-5032V	155
4600	82
4605	81
4610	82
4620	81
4630	82
4635	81
4640	82
4642	82
4644	82
76-0012	141
76-0016	141
76-0017	141
76-5012	141
76-5014	141
76-5015	141
81	127
82	127
83408	69
83409	69
83410	70
83411	70
83422	69
84	127
942	131
944	131
95-1D	115
95-1R	115
95-2D	115
95-2R	115
95-3D	117
95-3R	117
95-4D	117
95-4R	117
95-5D	116
95-5R	116
95-6D	118
95-6R	118
95-7D	118
95-7R	118
95-9D	115
95-9R	115
95-A	115, 117
95-TD	115
956	135
957	135
958	135
972	129
972N	129
972T	129
972TN	129
974	129
974N	129
974T	129
974TN	129
995	133
996	133
997	133
998	133
ARP-GC4A	29
ARP-GC4E	29
K11AA	173
K11BB	173
K11CC	173
K11DD	173
K11EE	175
K11FF	175
K15C27	65
K162S2268	335
K162S2349	335
K172H	331
K172H7	331
K17C27	65
K20AT	272
K20BT	272
K20DT	276
K20ET	276
K20JT	272
K20KT	276
K20LT	274
K20MT	274
K20NT	274
K20SMAM2D	261
K20SMAM4D	261
K20SMAMCA	261
K20SMAMCA8	261
K20SMAMHA	261
K20SMAMXA	261
K20SMAU2D	264
K20SMAU4D	264
K20SMAUCA	264
K20SMAUCA8	264
K20SMAUHA	264
K20SMAUXA	264
K20SMPM2D	260
K20SMPM4D	260
K20SMPMCA	260
K20SMPMCA8	260
K20SMPMHA	260
K20SMPMXA	260
K20SMPU2D	262
K20SMPU4D	262
K20SMPUCA	262
K20SMPUCA8	262
K20SMPUHA	262
K20SMPUXA	262
K20SUPU2D	266
K20SUPU4D	266
K20SUPUCA	266
K20SUPUCA8	266
K20SUPUHA	266
K20SUPUXA	266
K20TMAM2D	237
K20TMAM2DLH	245
K20TMAM2DSTS	253
K20TMAM4D	237
K20TMAM4DLH	245
K20TMAM4DSTS	253
K20TMAMCA	237
K20TMAMCA8	237
K20TMAMCA8LH	245
K20TMAMCA8STS	253
K20TMAMCALH	245
K20TMAMCASTS	253
K20TMAMHA	237
K20TMAMHALH	245
K20TMAMHASTS	253
K20TMAMXA	237
K20TMAMXALH	245
K20TMAMXASTS	253
K20TMAU2D	240
K20TMAU2DLH	248
K20TMAU2DSTS	256
K20TMAU4D	240
K20TMAU4DLH	248
K20TMAU4DSTS	256
K20TMAUCA	240
K20TMAUCA8	240
K20TMAUCA8LH	248
K20TMAUCA8STS	256
K20TMAUCALH	248
K20TMAUCASTS	256
K20TMAUHA	240
K20TMAUHALH	248
K20TMAUHASTS	256
K20TMAUXA	240
K20TMAUXALH	248
K20TMAUXASTS	256
K20TMPM2D	236
K20TMPM2DLH	244
K20TMPM2DSTS	252
K20TMPM4D	236
K20TMPM4DLH	244
K20TMPM4DSTS	252
K20TMPMCA	236
K20TMPMCA8	236
K20TMPMCA8LH	244
K20TMPMCA8STS	252
K20TMPMCALH	244
K20TMPMCASTS	252
K20TMPMHA	236
K20TMPMHALH	244
K20TMPMHASTS	252
K20TMPMXA	236
K20TMPMXALH	244
K20TMPMXASTS	252
K20TMPU2D	238
K20TMPU2DLH	246
K20TMPU2DSTS	254
K20TMPU4D	238
K20TMPU4DLH	246
K20TMPU4DSTS	254
K20TMPUCA	238
K20TMPUCA8	238
K20TMPUCA8LH	246

Model	➤See page
K20TMPUCA8STS	254
K20TMPUCALH	246
K20TMPUCASTS	254
K20TMPUHA	238
K20TMPUHALH	246
K20TMPUHASTS	254
K20TMPUXA	238
K20TMPUXALH	246
K20TMPUXASTS	254
K20TUPU2D	242
K20TUPU2DLH	250
K20TUPU2DSTS	258
K20TUPU4D	242
K20TUPU4DLH	250
K20TUPU4DSTS	258
K20TUPUCA	242
K20TUPUCA8LH	250
K20TUPUCA8STS	258
K20TUPUCALH	250
K20TUPUCASTS	258
K20TUPUHA	242
K20TUPUHALH	250
K20TUPUHASTS	258
K20TUPUXA	242
K20TUPUXALH	250
K20TUPUXASTS	258
K262S2268	335
K262S2349	335
K30AA	173
K30BB	173
K30CC	173
K30DD	173
K30EE	175
K30FF	175
K31AD	282
K31BD	284
K31BE	282
K31DH	286
K31DJ	286
K31EH	282
K31HJ	282
K31HM	286
K31JM	284
K31KP	284
K31RR	284
K31RT	284
K31SS	284
K31ST	286
K31SV	284
K31VW	282
K31WY	282
K31XY	282
K31XZ	282
K31ZA	284
K35AA	165
K35BB	165
K35CC	165
K35DD	166
K35EE	166
K35FF	166
K35GB	165
K35JJ	167
K35KK	167
K35LL	167
K35MM	167
K35T242416W	169
K35T244816W	169
K35T246016W	169
K35T303016W	169
K362S2268	335
K362S2349	335
K38AA	147
K38BB	147
K38CC	149
K38DD	149
K38EE	147
K38GG	147
K38HH	147
K38JJ	147
K38KK	148
K38MM	148
K38PP	148
K38RR	149
K38SS	149
K38TT	147
K38VV	147
K38WW	149
K38XX	149
K431A	111
K432A	111
K433A	111
K46AA	17
K46BB	17
K46CC	17
K46DD	17
K46EE	17
K46HH	17
K50AA	55
K50AE	55
K50AH	55
K50AW	55
K50GB	55
K50NA	55
K50NE	55
K50NH	55
K50NW	55
K50SNA	56
K50SNE	56
K50SNH	56
K50SNW	56
K55AA	21
K55BB	21
K55CC	21
K570H	332
K58AB	38
K58ADDCHT	40
K58ADDCUT	40
K58AT	35
K58BT	35
K58BW	39
K58BX	39
K58CT	35
K58DET	39
K58DT	35
K58ET	35
K58HT	35
K58JT	38
K58KT	38
K58MT	38
K58PT	38
K58RT	38
K58ST	38
K58STLRHT	40
K58STLRUT	40
K58TEN252120W	52
K58TGC264218W	42
K58TGI2025W	42
K58TGL202518W	42
K58TGR202518W	42
K58TMG204018W	52
K58TT4	51
K58TT5	51
K58TT6	51
K58VT	46
K58VT1	46
K58VT12	46
K58VT2	46
K58WT	47
K58WT1	47
K58XT	48
K58XT1	48
K58XT12	48
K58XT2	48
K58YT	49
K58YT1	49
K58ZZT	39
K601	200
K6015A	196
K6015LA	197
K6015RA	198
K601A	192
K601ACHTLM	196
K601ACHTWM	196
K601FPB	202
K601FPBSUMBL	204
K601FPBSUMBLR	206
K601FPBSUMBR	205
K601FPBSUMTL	204
K601FPBSUMTLR	206
K601FPBSUMTR	205
K601LA	193
K601RA	194
K601WFPB	202
K601WFPBSUMBL	204
K601WFPBSUMBLR	206
K601WFPBSUMBR	205
K601WFPBSUMTL	204
K601WFPBSUMTLR	206
K601WFPBSUMTR	205
K602	200
K6025A	196
K6025LA	197
K6025RA	198
K602A	192
K602FPB	202
K602FPBSUMBL	204
K602FPBSUMBLR	206
K602FPBSUMBR	205
K602FPBSUMTL	204
K602FPBSUMTLR	206
K602FPBSUMTR	205
K602LA	193
K602RA	194
K603	200
K6035A	196
K6035LA	197
K6035RA	198
K603A	192
K603LA	193
K603RA	194
K6045C	210
K6090C	208
K6090CFPB	209
K6090CFPBL	209
K6090CFPBR	209

Model Number Index

continued

Terms & Conditions ➤See page 350
Asset Tag Locations 350
Product Warranty 352
BIFMA and ANSI Testing 354

Model	➤See page
K6090CL	208
K6090CR	208
K60CB	214
K60CC	212
K60GB	105, 106
K60HB	214
K60IW	212
K60OW	212
K60PC	210
K60RB	214
K60SO	214
K60T291419	216
K60T292918	216
K60T294819	216
K60T296019	216
K60T90D	216
K60T90T	216
K60TOS294819	216
K60TOS296019	216
K60TR1819	216
K60TR3019	216
K60TR4219	216
K65AA	179
K65BB	179
K65CC	179
K65DD	179
K741A	59
K741AT	59
K742A	60
K742AT	60
K743A	61
K743AT	61
K75CFMBBSL	25
K75CSHBBSL	25
K75CSMBBSL	25
K76BMUC1	123
K76BMUC2	123
K76BMUC4	123
K76BMUG1	123
K76BMUG2	123
K76BMUG4	123
K76CMUC1	123
K76CMUC2	123
K76CMUC4	123
K76CMUG1	123
K76CMUG2	123
K76CMUG4	123
K76GB	123
K76TT	123
K77P1124	13
K77P1124WLT	13
K77P1818	13
K77P1818WLT	13
K77P216	13
K77P216WLT	13
K90AA	88
K90AB	96
K90AC	90
K90ARM	100
K90BB	88
K90BC	98
K90BD	102
K90CC	88
K90CE	102
K90DD	88
K90DDTL	88
K90DDTR	88
K90DH	102
K90EE	88
K90EJ	102
K90HH	88
K90HK	102
K90JJ	90
K90JM	102
K90KK	90
K90KP	102
K90MM	92
K90MMTB	92
K90MMTL	92
K90MMTR	92
K90MR	102
K90PP	92
K90PS	102
K90RR	94
K90RRTB	94
K90RRTL	94
K90RRTR	94
K90RT	102
K90SS	94
K90SV	102
K90TBLTARMT	100
K90TBLTARMW	100
K90TT	96
K90VV	98
K90WW	96
K90XX	98
K90YY	96
K90ZZ	98
K92124A	105
K92124R	106
K92130A	105
K92130R	106
K92136A	105
K92136R	106
K92251A	105
K92251R	106
K92MO24	107
K92RAO20	107
K92SAO20	107
K95MBKB1	159
K95MBKB4	159
K95MBSB1	159
K95MBSB4	159
K95MCRB1	159
K95MCRB4	159
K95MKWB1	159
K95MKWB4	159
K95MTGB1	159
K95MTGB4	159
K95TD	159
KFI01F	335
KFI02F	335
KX272	339
KX2727	339
KX272704	339
KX570	340
QKFI01	335
QKFI02	335

Kimball® Office

SYSTEMS Price List

This price list is effective December 15, 2014 and supercedes all previously printed or electronically released versions.



	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Kwik™ Office Program	4
Product Positioning	5
Product Integration	12
Sustainability	15
Panel Systems	17
Cetra	17
Xsite	111
Interworks EQ	241
Traxx and Tiles	333
Footprint	349
Worksurfaces & Support	350
Mobile Tables	471
Storage	475
Lighting	569
Finishes & Materials	575
Resources	607
Terms and Conditions	608
Asset Tag Locations	608
Product Warranty	610
Operating Load Capacities	611
Model Number Index	612

How to Use this Price List

Product Positioning	➤See page 5
Product Integration	12
Sustainability	15
Finishes & Materials	575

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Product Information pages provide detailed information about the product, connections that can be made with other models, and planning factors, and applications guidelines.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

Product Positioning	➤See page 5
Product Integration	12
Sustainability	15
Finishes & Materials	575

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



CETRA® System

Acoustical Panels — Pricing

30" and 37"H

GSA SIN 711-1
COM GSA Non-Contract

D	W	H	Model	Powered Base Wireway, Fabric Price Grade A or COM	B	C	D	E	Non-Powered or Hardwired, Fabric Price Grade A or COM	B	C	D	E
30"H Panels													
2¼"	18"	30⅛"	**AP1830A**	$739	$759	$775	$797	$829	$570	$590	$606	$628	$660
	24"		**AP2430A**	812	832	848	870	902	642	662	678	700	732
	30"		**AP3030A**	890	910	926	948	980	719	739	755	777	809
	36"		**AP3630A**	960	1002	1032	1076	1142	788	830	860	904	970
	42"		**AP4230A**	1032	1074	1104	1148	1214	860	902	932	976	1042
	48"		**AP4830A**	1101	1143	1173	1217	1283	934	976	1006	1050	1116
	60"		**AP6030A**	1252	1294	1324	1368	1434	1080	1122	1152	1196	1262
37"H Panels													
2¼"	18"	37⅛"	**AP1837A**	$746	$772	$790	$816	$858	$572	$598	$616	$642	$684
	24"		**AP2437A**	816	842	860	886	928	644	670	688	714	756
	30"		**AP3037A**	892	918	936	962	1004	720	746	764	790	832
	36"		**AP3637A**	963	1011	1047	1097	1175	790	838	874	924	1002
	42"		**AP4237A**	1037	1085	1121	1171	1249	864	912	948	998	1076
	48"		**AP4837A**	1110	1158	1194	1244	1322	936	984	1020	1070	1148
	60"		**AP6037A**	1255	1303	1339	1389	1467	1086	1134	1170	1220	1298

IMPORTANT: When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

18"W panels do not accept power entry or receptacles.

Specify electrical jumper cables and receptacles separately.
➤See pages 103–109.

Communication Wireway Cover
➤See page 109.

Page 44

Cetra

Features ➤See page 20
Product Information 21
Application Guidelines 34
Power & Data Overview 36

Standard Includes
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify
❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood **P** = Paint
④ Type of electrical system (omit for non-powered/hard-wired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened **C** = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
*Applies once per model.
⑩ Wireway finish designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for an **Cetra panel.**
➤See page 45 for the corresponding pricing table and How to Specify steps.

❶	❷❸	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬	⑭
AP2430A	P W	84	A	STD	MC	P1	STD	462	B	2202	B	2202

Base Model

Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Kwik Office Program

Product Positioning ➤See page 5
Product Integration 12
Sustainability 15
Finishes & Materials 575

Kwik Office systems are available to ship within ten (10) business days upon receipt of a credit-approved order.

Specific models and options from the following lines are available:
- Interworks EQ
- Traxx and Tiles
- Footprint
- Task Lights

The Kwik Office program is designed to provide the flexibility required to meet the immediate needs of our customers. Kwik Office offers a large selection of Kimball Office product in an extensive finish offering.

The Kwik Office Price List is the most complete reference for Systems, Casegoods, Tables, Metal Filing, and Seating products. Although we indicate which models are available, please use the Kwik Office Price List to specify.

Model Numbers:

Models and finishes that are available on Kwik Office have been marked with a K icon in this price list.

Kwik Office model numbers are different from standard model numbers. Base model numbers for Kwik Office products include all options and finish designators.

The K icon on standard lead-time pricing pages indicates availability; it does not provide the correct model numbers and option designators for specifying. You must use the complete model numbers listed in the Kwik Office Price List.

Include only Kwik Office models on your order. Any orders containing non-Kwik Office products will be treated as such and entered at standard lead times. Indicate clearly at the top of your order “Kwik Office.”

Changes and Cancellations:

No changes or cancellations will be accepted after order entry for Kwik Office products.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Contact Customer Service for availability.

Product Positioning

Sustainability	➤See page 15
Cetra	17
Xsite	111
Interworks EQ	241

The information at right is provided to assist customers in gaining a general understanding of product compatibility.

Several additional resources are available to further explore specific compatibility issues including:

- Your Kimball Office Sales Person
- Kimball Office Divisional Specification Analysts
- Your Kimball Office Customer Service Team

Customers are encouraged to verify the application via specifying tips in the price list prior to placing an order to ensure the best results.

Cetra	Xsite	Interworks EQ
Overview		
Elegant and refined, Cetra offers a solid sense of permanence in the open plan. Cetra's mixture of materials and warm woods not only presents an elegant image, but also combines to make Cetra one of the strongest and most durable panel systems in the industry, increasing the value of our customer's investment. Particularly popular in financial and law offices as well as customer interface areas, Cetra is perfect for areas where making an impression counts.	A "frame and tile" system, Xsite is an innovative, next-generation approach to the open plan. Xsite's off-modular placement of components helps optimize space utilization. In addition, Xsite's aesthetic appeal—with eight-foot wide tiles, nearly seamless tile integration, and a wide range of options—makes it one of the most beautiful systems in the industry.	Easy to specify, quick to install and simple to reconfigure, Interworks EQ is perfect for creating straightforward, highly productive workspaces. Integral top cable lay-in lets you route all the data cables you need, with easy access for quick changes. Slim and clean, Interworks EQ works for you.
Ability to Change Appearance		
Use of sectional panels provides flexibility. Many appearances can be created with broad selection of panel types.	Key benefit. Total flexibility from one panel side to the other, including segmented on one side and monolithic on the other, allows for creating different appearances.	Use of sectional panels provides flexibility
Stacking as an option within application requirements. Hi-lo requires specific connectors.	Stacking as an option within application requirements.	Height changes between panels are simple. Stacking as an option with application requirements.
Panel Thickness		
2⅝" thickness provides solid appearance (electrical and cable routing in panel base or mid-wireway).	3¼" thickness provides substantial wall appearance (space inside panel is used for some inset tiles and for cabling capabilities).	2" thickness minimizes floor space (perimeter channels within panel provide vertical and horizontal routing of cables and electrical).

Product Positioning

continued

Sustainability ➤See page 15
Cetra 17
Xsite 111
Interworks EQ 241

Cetra	Xsite	Interworks EQ
Materials/Finishes		
Full offering of Kimball Office paints and wood finishes	Full offering of Kimball Office paints and wood finishes.	Available in select colors.
Steel frame.	Steel frame.	Steel frame.
Trim		
Softened and square top caps in paint or wood. Transitional top caps in wood. Solid wood end trim available in paint or wood finishes. Radius and square vertical corners available in fabric, wood veneer, or paint on aluminum. Wood and painted top caps available at the same price.	Flat or curved profile top caps. Top caps can be specified to span frames up to 8'W for a seamless appearance. End trim is available in flat or curved profiles to match top cap profiles. Vertical trim has a flat profile.	Crowned profile top caps. Full-height end trim provides finished look for end of run. Finish channels for corners (fabric only).
Panel Heights		
8 standard heights (30", 37", 42", 50", 56", 61", 68", 80") and 19 optional heights using 7", 12" and 19" stackable panels in conjunction with the heights above. Floor-to-ceiling top channel provides light and sound seal, but panels do not attach to ceiling. Maximum ceiling height is 118".	7 heights (30", 42", 50", 55", 68", 80", 93"). 80" and 93" achieved by stacking.	7 heights (34", 42", 48", 54", 62", 66", 80").

Product Positioning

continued

Sustainability	➤See page 15
Cetra	17
Xsite	111
Interworks EQ	241

Cetra	Xsite	Interworks EQ
Positioning of Worksurfaces, Storage and Accessories		
Attached on vertical channels at panel joints.	100% off-module placement of worksurfaces, storage, and accessories exactly where you need them.	Attached on vertical channels at panel joints.
Panel Runs		
28 feet or 7 panels for supported run of panels. The steel-to-steel panel connection allows for fewer wing panels and longer panel runs.	12’ for supported panel run. Welded frames allow for fewer wing panels and longer panel runs.	10 feet or 3 panels for supported run of panels. Wing walls and attachment to worksurfaces important for panel support. Panels come with carpet grippers to help prevent unsupported panels from moving.
Connection Method		
Top and bottom connector brackets bring panels together in a rigid steel-to-steel connection. Brackets are provided.	Welded frames connected by alignment bolts through frame verticals. All necessary hardware is supplied.	Continuous, flexible polypropylene hinge locks panels together through side rails along the full height of the panel. The same piece is used for all connections (2 come with each panel). Alignment clips slip into alignment slots to vertically align panels.

Product Positioning

continued

Sustainability	➤See page 15
Cetra	17
Xsite	111
Interworks EQ	241

Cetra	Xsite	Interworks EQ
Directional Connectors and Corner Trim		
Directional connectors are structural and required for their specific application. Available in fabric, paint, and wood finishes. End trim is available in paint or wood finishes, and in 3 profiles. 90° available in radius or square profile.	Directional connectors are specific to their application. One piece construction of vertical trim pieces allow for consistent finish from top to bottom. Connectors and end trim are available in paint or wood finishes.	Finish channels are required at change-of-directions to provide proper alignment. Finish channels are fabric with top caps and wireway covers in select colors.
Connections made at 90° and 120° angles.	Connections made at 90° and 120° angles.	Connections made at any angle. *Note: Corner trim available for 90° and 120° angles.*
Wall Attachment		
Easily accomplished by using a “W” wall mount connector (adds 2¾" to dimension) or by using an “M” wall mount connector (adds ⅝"). Shimming may be required with “M” connector. Panel run is attached to the connector.	Adjustable wall channel available to compensate for out-of-plumb wall conditions. Panel run is attached to a wall-mount channel.	Accomplished by attaching panel wall mount to the wall. The panel run is attached using the flexible polymer hinge that connects panels together. Shimming may be required.
Panel-to-Traxx Attachment		
M connectors attach to the wall and are compatible with wall Traxx.	Use off-module frame to attach to Traxx. Panel run is attached using frame-to-frame alignment bolts. Specify tiles, Xsite Traxx, and top caps to span across off-module frame for a seamless appearance.	Traxx panel starter kit (¼") is attached to Traxx on wall. The panel run is attached using the flexible polymer hinge that connects panels together. Very clean connection and allows for future flexibility in placement.
68"H panel is compatible with wall-mounted Traxx and 37"H tiles. 80"H panel is compatible with wall-mounted Traxx and 49"H tiles.	68"H frame is compatible with wall-mounted Traxx and 37"H tiles. 80"H structure is compatible with wall-mounted Traxx and 49"H tiles.	66"H panel is compatible with wall-mounted Traxx and 36"H tiles. 80"H panel is compatible with wall-mounted Traxx and 49"H tiles.

Product Positioning

continued

Sustainability	➤See page 15
Cetra	17
Xsite	111
Interworks EQ	241

Cetra	Xsite	Interworks EQ
Vertical Space Division (Increase/Decrease Visual Access through Stacking)		
Stackable modules are offered with the intended purpose to add height to all panels in a station. Limited ability for “stepping” heights with stackable panels. Stacking modules are load bearing in the proper application. Limited to two stacking panels. Maximum overall height is 118".	Stacking modules offered. Stacking modules are load bearing in the proper application. Limited to one 1-high or one 2-high stacking frame. Maximum overall height is 93¼".	Stacking modules offered. Stacking modules are load bearing in the proper application. Limited to two stacking panels. Maximum overall height is 80"H.
Hi-Lo Capabilities (Stepping to Various Heights)		
Specific hi-lo trim kits must be ordered that includes modified top cap for adjacent panel width and specific top cap bracket for connectors. Additional specification information must be provided at time of order. Reconfigurations may require additional items.	Hi-lo applications are accomplished by placing different height frames (or connector) side-by-side. Specify appropriate vertical trim piece to finish end of the taller panel.	Easily accomplished with few limitations.
Vertical Space Utilization (Mounting Height of Worksurfaces and Storage)		
Worksurfaces are hung on slots at 1" increments in the “J” channel.	Worksurfaces are mounted at either 2- or 3-high position on horizontal Xsite Traxx and may be lowered with height adjustable bracket.	Worksurfaces are hung on slots at 1" increments in the panel frame.
Overhead storage is hung on slots at 1" increments in the “J” channel.	Recommended height for overhead storage mounted on the face of the panel is 5-high (68"H). Center-mounted overhead can be positioned on top of any base frame.	Overhead storage is hung on slots at 1" increments in the panel frame.

continued

Sustainability	➤See page 15
Cetra	17
Xsite	111
Interworks EQ	241

Cetra	Xsite	Interworks EQ
Circuits and Circuit Types		
8-wire electrical system: 4 circuit with 3 and 1 arrangement 4 circuit with 2 and 2 arrangement 10-wire electrical system: 4 circuit 2 and 2 arrangement 6 circuit 3 and 3 arrangement *Note: Mid-wireway option allows two electrical distribution systems to be installed doubling capacity.*	**Base wireway** 10-wire electrical system with shared neutral: 6 circuit with 3 and 3 arrangement Also can use 10-wire shared neutral as 8-wire system for: 4 circuit with 2 and 2 arrangement 4 circuit with 3 and 1 arrangement 10-wire electrical system with independent neutral: 4 circuit with 2 and 2 arrangement **Technology tile** 8-wire electrical system: 4 circuit with 3 and 1 arrangement 4 circuit with 2 and 2 arrangement Ties to base wireway with vertical jumper **Power/Data tile** 10-wire electrical system	8-wire electrical system: 4 circuit with 3 and 1 arrangement 4 circuit with 2 and 2 arrangement

Product Positioning

continued

Sustainability ➤See page 15
Cetra 17
Xsite 111
Interworks EQ 241

Cetra	Xsite	Interworks EQ
Ease of Laying In Data and Communication Cables		
Cables are routed through base wireway of panel (next to shielded electrical) as standard. Base wireway can accommodate 18 ¼"-diameter cables at 40% fill. Mid-wireway panels allow electrical to be routed in mid-wireway channel and communication cables in the base wireway. Mid-wireway can accommodate 31 ¼"-diameter cables at 40% fill.	Top lay-in is standard below the frame top cap. Top channel can accommodate 36 ¼"-diameter cables at 40% fill. Cables can also be routed inside between the frame and the tiles (similar to building wall construction).	Top lay-in is standard in top of panel. Top channel can accommodate 22 ¼"-diameter cables at 40% fill. Frame of panel allows for vertical routing of individual cables to ports in the base wireway. Base wireway can also accommodate 8 ¼"-diameter cables at 40% fill.
Power and Communications Access for Users		
Power is standard in base wireway. Mid-wireway panels are also available.	Power standard in base wireway. Cabling may be located in base; however, the recommended location is at the top of the frame.	Power is standard in base wireway. Mid-wireway panels are also available.
High-Speed Cable Capability		
Mid-wireway panels provide pathway for electrical wiring to provide separation and allow for increased capacity in the base wireway for high-speed cables.	Top lay-in allowable bend radius and free space within the frame make Xsite very responsive to future high-speed cabling requirements through separation, capacity, and clearance.	Top lay-in and channel around the perimeter of the panel make Interworks EQ very responsive to future high-speed cable requirements through separation, capacity, and clearance.

Product Integration

Between Kimball Office Systems, Worksurfaces, and Storage

Sustainability	➤See page 15
Cetra	17
Xsite	111
Interworks EQ	241

Cetra	Xsite	Interworks EQ
Footprint Worksurfaces		
All Kimball Office Footprint worksurfaces work well. However, sectional and mid-wireway panels will not align specifically with the top of 1 3/16" surfaces.	All Kimball Office Footprint worksurfaces work well.	All Kimball Office Footprint worksurfaces work well.
Cetra specific straight transaction counters mount inside the panel, just below the top cap. Task light soffits are used to conceal brackets.	Counters mount on top of panel.	Counters mount on top of panel.
Footprint Support		
End panels with specific bracketry for Cetra are recommended to tie to the panel. *Note: Freestanding end panels do not attach to the panel. Specify support bracket or gusset for lateral support.*	*Note: Freestanding end panels do not attach to the panel. Specify support bracket or gusset for lateral support.*	End panels with specific bracketry for Interworks EQ are recommended to tie to the panel. *Note: Freestanding end panels do not attach to the panel. Specify support bracket or gusset for lateral support.*

continued

Sustainability ➤See page 15
Cetra 17
Xsite 111
Interworks EQ 241

Cetra	Xsite	Interworks EQ
Footprint Storage		
All Kimball Office Footprint undersurface storage and mobile undersurface storage work well with Cetra.	All Kimball Office Footprint undersurface storage works well with Xsite.	All Kimball Office Footprint undersurface storage works well with Interworks EQ.
All Kimball Office Footprint overhead storage works with Cetra (with appropriate brackets), with the exception of flat profile center-mount overheads and bevel profile half-height shelves. Square and radius profile storage work very well.	All Kimball Office Footprint overhead storage works with Xsite (with appropriate brackets), with the exception of bevel profile half-height shelves.	Kimball Office bevel and lunar profile (metal) overhead storage works very well. Other Kimball Office overhead storage will not hang on Interworks EQ panels.
Footprint freestanding vertical storage in square and radius profile is compatible in height to Cetra 68"H panels.	Footprint freestanding vertical storage in square and radius profile is compatible in height to Xsite 68"H (5-high) panels.	Footprint freestanding vertical storage in square and radius profile is not compatible in height to Interworks EQ 66"H panels.
Metal storage towers, including those with wood fronts, are 66"H (nominal). They can be used with Cetra panels, but will not be an exact match in height.	Metal storage towers, including those with wood fronts, are available in 3 heights. 49"H (nominal) models are designed for compatibility with 3.5-high panels; 54" and 66"H (nominal) models can be used with Xsite, but will not be an exact match in height to 4-high and 5-high panels.	66"H (nominal) metal storage towers, including those with wood fronts, are designed for compatibility with Interworks EQ 66"H panels and alignment with Interworks EQ panel-mounted overheads.
Work tools are compatible with Cetra sectional slat tiles and load bars mounted on Cetra panels.	Work tools are compatible with slat tiles. Select work tools are compatible with Xsite Traxx, and the Xsite Traxx can serve as a load bar. Traxx presentation tools can be suspended from Xsite Traxx.	Work tools are hung on load bars mounted on Interworks EQ panels.

continued

Sustainability ➤See page 15
Cetra 17
Xsite 111
Interworks EQ 241

Cetra	Xsite	Interworks EQ
Priority™ and Definition® Casegoods		
Priority and Definition worksurfaces work well with the exception of the knife edge (due to dimensions).	Priority and Definition worksurfaces work well with the exception of the knife edge (due to dimensions).	Priority and Definition worksurfaces work well with the exception of the knife edge (due to dimensions). Requires shortening of surfaces by 1⁄8" when surfaces are surrounded by panels.
Priority and Definition undersurface components can be used with Cetra. Vertical storage heights may not align with panel-mounted cabinets.	Priority and Definition undersurface components can be used with Xsite. Vertical storage heights may not align with panel-mounted cabinets.	Priority and Definition undersurface components can be used with Interworks EQ. Vertical storage heights will not align with panel-mounted cabinets.
Priority and Definition wall mounted overhead storage can be used with Cetra.	Priority and Definition wall mounted overhead storage can be used with Xsite. Center-mounted overhead can be positioned on top of any base frame.	Priority and Definition wall mounted overhead storage units are not compatible with Interworks EQ.

Product Positioning	➤See page 5
Product Integration	12
Finishes & Materials	575

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Notes

CETRA®

System

Table of Contents

	➤See page
Statement of Line	18
Panels	18
Connectors and Trim	19
Power and Data	20
Planning	21
Features Overview	21
Product Information	22
Application Guidelines	34
Power & Data Planning	36
Overview	36
Product Information	37
Standard 8-Wire System	40
Enhanced 10-Wire System	41
Cable Management	42
Pricing & Specifying	45
Panels	45
Connectors and Trim	70
Power and Data	101

Panels

Statement of Line

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Tackable Acoustical Panels
➤See page 22 for product info.
➤See pages 45–48 to specify.

Combination Panels
➤See page 22 for product info.
➤See pages 49–51 to specify.



Mid-Wireway Panels
➤See page 23 for product info.
➤See pages 52–53 to specify.



Ceiling Power Entry Panels
➤See page 24 for product info.
➤See page 54 to specify.



Glass Panels
➤See page 25 for product info.
➤See page 55 to specify full glass panels.
➤See page 56 to specify partial glass panels.

Sectional Panel Frames
➤See page 26 for product info.
➤See pages 57–59 to specify.



Sectional Panel Tiles
➤See page 26 for product info.
➤See pages 60–61 to specify.



Stackable Acoustical Panels and Combination Panels
➤See page 27 for product info.
➤See page 62 to specify.

Stackable Glass Panels
➤See page 27 for product info.
➤See page 63 to specify.

Stackable Ceiling Power Entry Panels
➤See page 27 for product info.
➤See page 64 to specify.

Frameless Glass
➤See page 28 for product info.
➤See page 65 to specify.



Floor-to-Ceiling Components
➤See page 66 to specify.



Privacy Panels
➤See page 29 for product info.
➤See pages 67–68 to specify.



Hinged Doors
➤See page 30 for product info.
➤See page 69 to specify.



Panel-Mount Tackboards and Markerboards
➤See page 109 to specify.

Connectors and Trim

Statement of Line

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36



End Trim
➤See page 33 for product info.
➤Standard, see page 70 to specify.
➤Stackable, see page 77 to specify.



X Connector (4-way)
➤See page 31 for product info.
➤Standard, see page 70 to specify.
➤Mid-wireway, see page 76 to specify.
➤Stackable, see page 79 to specify.



L Connector (90°)
Available in softened and square profiles.
➤See page 31 for product info.
➤Standard, see page 71 to specify.
➤Mid-wireway, see page 75 to specify.
➤Stackable, see page 78 to specify.



T Connector (3-way)
➤See page 31 for product info.
➤Standard, see page 71 to specify.
➤Mid-wireway, see page 75 to specify.
➤Stackable, see page 78 to specify.



S Connector (Straight)
➤See page 31 for product info.
➤Standard, see page 72 to specify.
➤Mid-wireway, see page 76 to specify.
➤Stackable, see page 79 to specify.

M Connector (⅝" Wall Mount)
➤See page 31 for product info.
➤Standard, see page 73 to specify.
➤Stackable, see page 80 to specify.

W Connector (2¾" Wall Mount)
➤See page 31 for product info.
➤Standard, see page 73 to specify.
➤Stackable, see page 80 to specify.



Y Connector
(3-way 120°/120°/120°)
➤See page 31 for product info.
➤See page 74 to specify.



Panel-to-Panel Hi-Lo Trim Kits
➤See page 33 for product info.
➤Standard, see page 81 to specify.
➤Stackable, see page 85 to specify.



Connector-to-Panel
Hi-Lo Trim Kits
➤See page 33 for product info.
➤Standard, see page 81 to specify.

Power and Data

Statement of Line

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36



Power Distributions
➤See page 37 for product info.
➤Standard 8-wire, see page 101.
➤Enhanced 10-wire, see page 103.



Jumper Cables
➤See page 37 for product info.
➤Standard 8-wire, see page 101
➤Enhanced 10-wire, see page 103.

Duplex Receptacles
➤See page 37 for product info.
➤Standard 8-wire, see page 102.
➤Enhanced 10-wire, see page 103.



Power Entries
➤See page 38 for product info.
➤Standard 8-wire, see page 102.
➤Enhanced 10-wire, see page 104.



Ceiling Power Entry Assembly
➤See page 38 for product info.
➤See page 104 to specify.



New York City Power Entries
➤See page 39 for product info.
➤See page 105 to specify.



Hardwire Box Assemblies
➤See page 39 for product info.
➤See page 106 to specify.



Hardwire Branching Conduit
➤See page 39 for product info.
➤See page 106 to specify.



Hardwire Ceiling Power Entry Conduit
➤See page 106 to specify.



Hardwire Cover Plates
➤See page 39 for product info.
➤See page 106 to specify.



Communication Wireway Covers
➤See page 107 to specify.

Vertical Cable Manager
➤See page 108 to specify.

Features

Overview

Statement of Line	➤See page 18
Application Guidelines	34
Power & Data Overview	36
Pricing	45

Frameless glass is field installed fo the frame with model-specific square profile top cap and glass holders. Clear glass is ⅜" thick and available in 24", 30", 36", 42", and 48" widths.

Top caps are attached by friction fit on top of panels.

Top end bracket attaches end trim to panel.

Stackable panels are available in 7", 12", and 19"H. Maximum panel height with stackable panels is 118".

Top and bottom connector brackets draw panels together in a rigid steel-to-steel interference fit with two ¼" threaded fasteners. NAAB locating clamps, welded to the brackets, create a rigid connection, and consistent narrow reveals.

Wireway covers (2 per panel) are available non-punched or punched to provide access to electrical components.

Bottom end brackets attach end trim to panel. 3" floor glide is included, and provides 2¾" of adjustment.



Directional connector top caps, included with connectors, finish the top of a panel connection. Top cap is screwed to brackets.

Connectors and stackable connectors are available to join two or more panels when changing directions in a panel run (T-connector shown).

Metal J-channels along the full height of panels and connectors, provide slots at 1" increments for vertical positioning of components.

End trims are available in softened, square, and transitional profiles. They attach as a connector.

Panels are 2⅝" thick and available in tackable acoustical, combination, mid-wireway, glass, and sectional models.

Wireways allow cable routing through the panel base and holds power distribution assemblies in powered panels. Wireways are 4⅜"H and 2½"D.

Top Cap Profiles:



Softened (A)



Square (C)



Transitional (T)

Softened and square profile top caps are available in wood and paint.

Transitional profile top caps are available in wood.

Note: Panel top caps, connector top caps, and end trims are available in all three profiles.

Electrical:

c UL US LISTED

Class A—Tackable acoustical, mid-wireway, ceiling power entry, and partial glass panels

Class C—Combination panels, sectional panels with fabric, painted, wood, or combination tiles

Tackable Acoustical & Combination Panels

Features	➤See page 21
Application Guidelines	34
Power & Data Overview	36

Details

Tackable acoustical panels are 2⅝" thick. Solid hardboard center septum is covered with two densities of fiberglass and the selected fabric.

Combination panels have fabric on one side and wood or non-metallic paint on the other. Two densities of fiberglass are covered with fabric on one side. The other side consists of wood composite covered with premium grade veneer or painted UV-filled medium-density fiberboard.

Tackable acoustical and combination panels include:

- Top cap
- Two wireway covers
- Power distribution assembly, if powered panel is specified
- Attachment brackets



Metal J-channels along the full height of all panels provide slots at 1" increments for vertical positioning of components.

Finishes & Materials

Tackable Acoustical Panels

- Kimball Office panel fabrics
- COM

Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

Combination Panels

- Fabric/wood combination
- Fabric/paint combination (excluding metallics)

Top Caps

- Wood
- Paint (not available on transitional profile)

Wireway Covers

- Paint

Acoustical Ratings

- NRC rating = .75
- STC rating = 22

Connections



Top and bottom connector brackets draw adjacent panels together in a rigid steel-to-steel interference fit with two ¼" threaded fasteners. NAAB locating clamps, welded to the brackets, create a rigid connection, and consistent narrow reveals.

Note: The number of brackets is determined automatically based on your order. Ordering extra connectors or end trims will result in a shortage of brackets. Additional top (model ATP) and bottom (ABP) brackets will need to be specified separately as service parts.

Connectors are available to join panels when changing directions in a panel run. Connectors are constructed of extruded aluminum and include factory installed J-channels.

➤See page 31.

Power distribution assembly, factory-installed in the base wireway of 24"W and wider powered panels, allows distribution of power. Power distribution assembly can also be field-installed on non-powered panels.

➤See page 37.

18"W panels can be used to pass power from one panel to another, but cannot accept receptacles. They are only available with non-punched wireway covers.



Punched and non-punched wireway covers are available for base, mid-wireway, hardwire and New York City applications. Receptacle cutouts are 2 15/16"W and 1 15/16"H. Hardwire cutouts are 2 11/16"W and 1 7/16"H.

➤See pricing pages for powered wireway punch options.
➤See page 44 for hardwire wireway punch options.

Base wireways can accommodate 18 ¼"-diameter cables at 40% fill, and 44 ¼"-diameter cables at 100% fill.

Planning Factors

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide the total by 2 to get the average.

Combination panels can create a different visual for inside and outside an office, or they can be used as an accent when the outside of the panel is used to create a hall or walkway.

Related Products

Electrical jumper cables and receptacles must be specified separately.

➤See pages 101–103.

Communication wireway covers must be specified separately. Cutouts for data ports are 2 11/16"W and 1⅜"H.

➤See page 107.

Traxx and tiles are available to integrate wall-mount applications with panel applications.

➤See page 333.

Mid-Wireway Panels

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Mid-wireway panels are 2⅝" thick and provide electrical and communications access at worksurface height. Solid hardboard center septum is covered with two densities of fiberglass and fabric.

Mid-wireway models include:
- Top cap
- Four wireway covers
- Power distribution assembly for base wireway
- Attachment brackets



Vertical wireway channel in mid-wireway panels, located between cutouts in fiberglass and septum, extends from mid-height to base wireway. It is 2.6 sq. inches and located 14" from one edge of the panel.

Finishes & Materials

Mid-Wireway Panels
- Kimball Office panel fabrics
- COM

Note: COM fabrics must be U.L. listed for use on panels.
➤See page 596 for complete information regarding U.L. approval procedures.

Top Caps
- Wood
- Paint (not available on transitional profile)

Wireway Covers
- Paint

Connections

Top and bottom connector brackets draw adjacent panels together in a rigid steel-to-steel interference fit with two ¼" threaded fasteners. NAAB locating clamps, welded to the brackets, create a rigid connection, and consistent narrow reveals.
➤See page 22 for illustration.

Connectors are available to join panels when changing directions in a panel run.
➤See page 31.

Power & Data

Electrical components used in mid-wireways are the same as those used for base wireways; specified separately.

Power distribution assembly, factory-installed in the base wireway of powered mid-wireway panels, allows distribution of power. Power distribution assembly can also be field-installed on non-powered panels.
➤See page 37.

Mid-wireways can accommodate 31 ¼"-diameter cables at 40% fill, and 78 ¼"-diameter cables at 100% fill.



Punched and non-punched wireway covers are available for mid-wireway. Receptacle cutouts are $2^{15}/_{16}$"W and $1^{15}/_{16}$"H. Hardwire cutouts are $2^{11}/_{16}$"W and $1^{7}/_{16}$"H.
➤See pricing pages for punch options.
➤See page 44 for hardwire wireway punch options.

Planning Factors

Jumper cables, which pass power from base wireway to mid-wireway, will displace one receptacle at base and mid-height.



On 36"W or wider panels, jumper cables from mid-wireway to base must be installed on same side of panel at top and bottom.



On 24"W and 30"W panels, jumper cables can connect to AEDs at the same end, or at opposite ends.

Related Products

Electrical jumper cables and receptacles must be specified separately.
➤See pages 101–103.

Communication wireway covers must be specified separately. Cutouts for data ports are $2^{11}/_{16}$"W and $1^{3}/_{8}$"H.
➤See page 107.

Ceiling Power Entry Panels

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Ceiling power entry panels are available for installations when building power will be accessed from the ceiling. ⅛" thick hardboard center septum is covered with two densities of fiberglass and the selected fabric.

Ceiling power entry panels include:
- Power pole
- Divided top cap
- Wireway covers
- Power distribution assembly
- Attachment brackets

Note: Ceiling power entry assembly must be specified separately.



Two full-height vertical channels route power and communications cabling to the base wireway. Channels are located inside the panel 12 inches from one edge. Each channel, or vertical wireway, is 2.6 sq. inches and is located between the fiberglass and septum.

Finishes & Materials

Ceiling Power Entry Panels
- Kimball Office panel fabrics
- COM

Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

Top Caps
- Wood
- Paint (not available on transitional profile)

Wireway Covers
- Paint

Connections



Extruded aluminum vertical power pole, standard with ceiling power entry panel, attaches to the top of the panel to extend the channel to ceiling height. Power pole is 5½"W, 1⅜"D, and 82"H. Any excess height telescopes into the ceiling or can be cut to size at the installation site.

Top and bottom connector brackets draw adjacent panels together in a rigid steel-to-steel interference fit with two ¼" threaded fasteners. NAAB locating clamps, welded to the brackets, create a rigid connection, and consistent narrow reveals.
➤See page 22 for illustration.

Connectors are available to join panels when changing directions in a panel run. Connectors are constructed of extruded aluminum and include factory installed J-channels.

Power & Data

Power distribution assembly, factory-installed in the base wireway allows distribution of power. Power distribution assembly can also be field-installed on non-powered panels.
➤See page 37.



Punched and non-punched wireway covers are available for base, hardwire and New York City applications. Receptacle cutouts are 2$^{15}/_{16}$"W and 1$^{15}/_{16}$"H. Hardwire cutouts are 2$^{11}/_{16}$"W and 1$^{7}/_{16}$"H.
➤See pricing pages for powered wireway punch options.
➤See page 44 for hardwire wireway punch options.

Base wireways can accommodate 18 ¼"-diameter cables at 40% fill, and 44 ¼"-diameter cables at 100% fill.

Each vertical channel can accommodate 20 ¼"-diameter cables at 40% fill.

Planning Factors

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide the total by 2 to get the average.

Related Products



Ceiling power entry assembly should be specified separately when power will be accessed from the ceiling to enable routing of power into ceiling power entry panel.
➤See page 38.

Electrical jumper cables and receptacles must be specified separately.
➤See pages 101–103.

Communication wireway covers must be specified separately. Cutouts for data ports are 2$^{11}/_{16}$"W and 1⅜"H.
➤See page 107.

Glass Panels

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Full or partial glass panels are available. Partial glass panels have glass in the upper portion and fabric on the bottom.

Glass panel models include:
- Top cap
- Two wireway covers
- Power distribution assembly, if powered panel is specified
- Attachment brackets

Tempered glass is ¼" thick and secured with a concealed channel liner.

Frames are constructed of aluminum and are painted or covered with wood or fabric.

Finishes & Materials

Full Glass Panels
- Tempered glass: clear

Partial Glass Panels
- Tempered glass: clear
- Kimball Office panel fabrics or COM *Note: COM fabrics must be U.L. listed for use on panels.*

➤See page 596 for complete information regarding U.L. approval procedures.

Panel Frame
- Wood
- Paint
- Fabric

Top Caps
- Wood
- Paint (not available on transitional profile)

Wireway Covers
- Paint

Connections

Top and bottom connector brackets draw adjacent panels together in a rigid steel-to-steel interference fit with two ¼" threaded fasteners. NAAB locating clamps, welded to the brackets, create a rigid connection, and consistent narrow reveals.

➤See page 22 for illustration.

Connectors are available to join panels when changing directions in a panel run. Connectors are constructed of extruded aluminum and include factory installed J-channels.

Power & Data

Power distribution assembly, factory-installed in the base wireway of 24"W and wider powered panels, allows distribution of power. Power distribution assembly can also be field-installed on non-powered panels.

➤See page 37.



Punched and non-punched wireway covers are available for base, mid-wireway, hardwire and New York City applications. Receptacle cutouts are $2^{15}/_{16}$"W and $1^{15}/_{16}$"H. Hardwire cutouts are $2^{11}/_{16}$"W and $1^{7}/_{16}$"H.

➤See pricing pages for powered wireway punch options.
➤See page 44 for hardwire wireway punch options.

Base wireways can accommodate 18 ¼"-diameter cables at 40% fill, and 44 ¼"-diameter cables at 100% fill.

Related Products

Electrical jumper cables and receptacles must be specified separately.

➤See pages 101–103.

Communication wireway covers must be specified separately. Cutouts for data ports are $2^{11}/_{16}$"W and $1^{3}/_{8}$"H.

➤See page 107.

Sectional Panels and Tiles

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Sectional panel frames and sectional tiles are specified separately. Sectional panels can be used in conjunction with monolithic panels.

Frames are constructed of black steel tubing. Frames are completely covered by sectional tiles. Frames models include:

- Top cap
- Two wireway covers
- Power distribution assembly, if powered panel is specified
- Attachment brackets

Metal J-channels along the full height of panel frame provide slots at 1" increments for vertical positioning of components.

Sectional tiles are available in fabric, slat, glass, ventilated, wood, or paint.
IMPORTANT: Sectional tiles in this section are for use on Cetra sectional panels only.

Two tiles are required for each section; one for each side of the panel.

Horizontal extruded aluminum channels on the frame hold tiles in place.

Fabric tiles are constructed of ½" thick wood composite covered with the selected fabric. Tiles are non-tackable and non-acoustical.

Slat tiles have 1" slats. Slat tiles are constructed of extruded anodized aluminum.

Glass tiles have an extruded aluminum frame. Top and side frame rails are 2¾"W; bottom frame rail is 1 1/16"W. Glass tiles cannot be used in 30"H panel frames. They are not visually compatible with glass stackable panels

Ventilated tiles have an extruded aluminum frame. Top, bottom and side frame rails are 2¾"W.

Wood tiles are constructed of ½" thick wood composite covered with premium veneer.

Painted tiles are ½" thick filled medium density fiberboard. They are not available in metallic paints.

Finishes & Materials

Sectional Panel Frames

- Metal: black only

Fabric Tiles

- Kimball Office panel fabrics or COM
  Note: COM fabrics must be U.L. listed for use on panels.

Slat, Ventilated, and Paint Tiles

- Paint
  Note: Metallic paint is excluded for Paint tiles, but is available on slat, and ventilated.

Glass Tiles

- Tempered glass: clear or frosted
- Tile frame: paint

Wood Tiles

- Wood finishes

Top Caps

- Wood
- Paint (not available on transitional profile)

Wireway Covers

- Paint

Sectional Panel Tile Application Guidelines:



Connections

Top and bottom connector brackets draw adjacent panels together in a rigid steel-to-steel interference fit with two ¼" threaded fasteners.
➤See page 22 for illustration.

Connectors are available to join panels when changing directions in a panel run.
➤See page 31.

Power & Data

Power distribution assembly, factory-installed in the base wireway of 24"W and wider powered panels, allows distribution of power. Power distribution assembly can also be field-installed on non-powered panels.
➤See page 37.

18"W panels can be used to pass power from one panel to another, but cannot accept receptacles. They are only available with non-punched wireway covers.

Punched and non-punched wireway covers are available for base, hardwire, and New York City applications. Receptacle cutouts are 2 15/16"W and 1 15/16"H. Hardwire cutouts are 2 11/16"W and 1 7/16"H.

Base wireways can accommodate 18 ¼"-diameter cables at 40% fill, and 44 ¼"-diameter cables at 100% fill.

Related Products

Electrical jumper cables and receptacles must be specified separately.
➤See pages 101–103.

Stackable Panels

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details

Stackable panels are available in fabric, combination, glass, and ceiling power entry. Stackable panels are for use with any standard Cetra panel to accommodate height changes up to full enclosure. Models include:

- Panel
- Attachment brackets

Note: Top cap from base panel will be used on stacking unit.

Heights available include 7", 12", and 19". Specify appropriate stackable panel to increase the height of workstation. Stackable panel heights coordinate with sectional tile heights for a consistent look when using both products in the same office setting.

Stackable fabric panels are constructed of a 1/8" thick hardboard septum covered with two densities of fiberglass and fabric (7"H panel has only one density of fiberglass per side).

Stackable combination panels are constructed of two densities of fiberglass covered with fabric on one side and wood composite covered with premium veneer or UV filled medium density fiberboard painted to specification on the other side.

Stackable glass panels are constructed of tubular aluminum frames. Tempered glass is available in clear and frosted. Glass is secured in the channel with a concealed channel liner. Stackable glass panels are not visually compatible with sectional glass tiles.

Stackable ceiling power entry panels are constructed with a 1/8" thick hardboard center septum covered with two densities of fiberglass and fabric.



Two full-height vertical channels in ceiling power entry model route power and data cabling to the base wireway.

Finishes & Materials

Stackable Acoustical Panels

- Kimball Office panel fabrics
- COM

Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

Stackable Combination Panels

- Fabric/wood combination
- Fabric/ paint combination (excluding metallics)

Stackable Glass Panels

- Glass: clear or frosted
- Frames: fabric, wood, or paint

Stackable Ceiling Power Entry Panels

- Kimball Office panel fabrics
- COM

Connections



A maximum of two panels can be stacked on to a standard panel. Maximum panel height with stackable panels is 118".

Floor-to-ceiling applications can be accommodated using the floor-to-ceiling top channel.
➤See page 35 for application guidelines.

Floor-to-ceiling top channels provide a light and sound seal, but do not attach to the ceiling. Channel is constructed of extruded PVC.

Stackable panels are loadbearing and will support overheads when used according to guidelines.
➤See page 34 for panel run rules.

Planning Factors

➤See page 35 for additional application guidelines for stackable panels.

Stackable panels may be installed on any standard Cetra panel, new or existing, without disassembling the existing panel run.

Stackable panels must be the same width as the panel they will be stacked above.

Related Products



Ceiling power entry assembly
➤See page 38.

Floor-to-ceiling top channels
➤See page 66.

Frameless Glass

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Frameless glass is clear, 3⁄8" tempered glass with flat polished edges. Model includes:

- Glass
- Two aluminum glass holders
- Two stainless steel set screws
- Four clear gaskets
- Square profile top cap
- Attachment bolts
- Two threaded plates
- Attachment screws



Two aluminum glass holders are standard with each piece of glass and are available in any paint color, independent of the top cap. The glass is centered between the glass holders and held in place with two clear gaskets per glass holder and a stainless steel set screw.



Glass sits 9⁄16" off the top cap when installed. Adjacent frameless glass models are designed to be offset from one another with a 1 1⁄8" gap.

When used in a hi-lo application, the top of the frameless glass will be flush with the top of the adjacent panel's top cap.

U.L. Listing 1286

Finishes & Materials

Frameless Glass

- Glass: clear
- Glass holders: paint
- Top cap: wood or paint

Connections



Square profile top cap, standard with frameless glass model, features pre-drilled holes, which allow the aluminum glass holders to be securely bolted to the panel frame in the field and facilitates correct placement.

Planning Factors

Frameless glass is not loadbearing. Hanging components or accessories on frameless glass is not recommended.

Frameless glass cannot be scribed in the field.

Cetra frameless glass cannot span more than one panel and must be the same width as the panel to which it is attached.

Cetra frameless glass models cannot be used on Xsite; likewise, Xsite frameless glass models cannot be used on Cetra panels.

Cetra frameless glass models cannot be attached to full glass, partial glass, or stackable glass panels, nor can they be used in a hi-lo-hi application.

Cetra frameless glass is not recommended on low panels adjacent to high-traffic areas.

Overall Heights:

Panel Height	*Overall Height incl. Frameless Glass*
30"	42 1⁄4"
37"	49 1⁄4"
42"	54 1⁄4"
50"	61 1⁄4"
56"	68 1⁄4"
61"	73 1⁄4"
68"	80 1⁄4"
80"	92 1⁄4"

Privacy Panels

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Privacy panels are available 36" or 42"W and in three designs: fabric on both sides, fabric/markerboard combination, or translucent.

Privacy panel models include:
- Top attachment bracket
- Base pivot bracket
- Caster

Fabric and fabric/markerboard combination privacy panels have an extruded aluminum frame. Interior is fiberglass over a honeycomb panel.

Translucent privacy panels feature a ribbed pattern to provide privacy, yet allow light to pass through. Frame is extruded aluminum.

Single caster allows privacy panel to pivot open or closed.

Finishes & Materials

Privacy Panel Frame
- 462 Cinder paint
- 501 Platinum metallic paint

Privacy Panel Inserts
- Kimball Office panel fabric
- Markerboard: 488M Frosty White
- Translucent

Connections



Top bracket



Top bracket shown on Cetra panel

Top attachment bracket is used to mount the privacy panel to any 68"H Cetra panel. Top bracket attaches under the top cap and can be easily relocated.





Base pivot bracket features a carpet gripper to hold bracket in place while allowing the privacy panel to swing.

Privacy panels abut the opposite panel, but do not latch.

Non-handed and reversible, privacy panels can be mounted left or right, and can be flipped so the markerboard or different fabrics can be positioned inside or outside the workstation.

Planning Factors



When mounted to the perpendicular panel (on one or both sides) in an L or T configuration, panel swings 90°.



When mounting in a straight panel run, specify privacy panel to be wider than the opening to allow for proper clearance. Panel swings 180° to lay flat against the Cetra panel.

Hinged Doors

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Hinged doors are available 36” or 42”W (nominal). All models include:
- Frame and threshold
- Top cap
- Full-length hinge
- Frame gasket
- Attachment brackets

Hinged doors are 1¾" thick and feature a honeycomb interior. Frame is extruded aluminum.

Full-length hinge is used for strength and durability.

Frame gasket protects the door when closing and quiets closure.



Locking lever is available and is suitable for ADA guidelines.

Door opening width for the 36"W door is 31¼"; for the 42"W door it is 37¼". Opening height is 76$^{13}/_{16}$". 42”W hinged doors or gates are recommended for ADA compliance. Doors are interchangeable with other 80"H panels.

Finishes & Materials

Door
- Wood finishes
- Paints (excluding metallics)

Door Frame
- Paint

Top Caps
- Wood
- Paint (not available on transitional profile)

Connections

An adjustment to the bottom bracket of hinge doors and gates is required when installation is next to a directional connector. The correct bracket must be specified separately. *Note: The correct bracketry adjustment will be generated for drawings made using an electronic specification tool. If not using an electronic specification tool, then use the guidelines provided.*

Bottom Bracketry Adjustment Guidelines

T Connections:



In this situation, substitute the bottom “T” bracket (ABT) with a bottom “L” bracket (ABL), specified separately.



In this situation, substitute the bottom “T” bracket (ABT) with a bottom straight connector bracket (ABS), specified separately.



In this situation, substitute the bottom “T” bracket (ABT) with a bottom door end connector bracket (ABD). Also specify a door plate (ABDU) to support the T connector wireway cover.

L Connections:



In this situation, substitute the bottom “L” bracket (ABL) with a bottom door end bracket (ABD), specified separately.

Straight Connections:



When door panel is located between two panels in a straight run, no adjustment is required.

Planning Factors

Hinged doors must not be placed more than one 36"W panel from a directional connector or a wall mount. Hinged doors cannot be placed next to Y or V connectors.



Maximum panel run when using doors is 16' or 4 panels. Panels must be supported on both ends.

IMPORTANT: Hinged doors cannot be used in unsupported panel runs.

Specify a W connector (2¾" wall mount) when wall mounting a hinged door for greater adjustment to compensate for out-of-plumb walls.

Connectors

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Connectors are available to join two or more panels when changing directions in a panel run.

Connector models include:
- Connector
- Top cap
- Wireway cover
- Connection bracketry

Connectors are constructed of extruded aluminum.

Metal J-channels along the full height of all connectors provide slots at 1" increments for vertical positioning of components.

Connector top caps are available in softened, square, and transitional profiles.



Mid-wireway connectors enable power and data to be passed from one panel to another at worksurface height when changing directions.

Stackable connectors are available for use with stackable panels.
➤See page 32.

Finishes & Materials

Connectors and Stackable Connectors
- Kimball Office panel fabrics
- COM
  Note: COM fabrics must be U.L. listed for use on panels.
➤See page 596 for complete information regarding U.L. approval procedures.
- Paint
- Wood
- Fabric/wood combination
- Fabric/paint combination

Connector Top Caps
- Wood
- Paint (not available on transitional profile)

Connector Wireway Covers
- Paint

Connections

Connectors can be used in the following configurations:
- L (2-way 90°)
- T (3-way 90°)
- X (4-way 90°)
- S (straight 180°)
- M or W (wall mount)
- V (2-way 135°)
- Y (3-way 120°/120°/120°)

➤See pricing pages for illustrations of each configuration.



S connectors (straight) are available to fill parallel panel runs where one panel run has a connector and the other does not. It is not required to join panels.

Y connectors are available for use in 120° applications. They cannot be used next to hinged doors.

Power & Data

Power and data can be routed through connectors.
➤See page 37 for mid-wireway jumper applications.
➤See page 42 for cable management information.

Planning Factors

Specify appropriate connectors for the combined height of standard and stackable panels. Base connector must always be the same height or taller than any adjacent standard panel.

Allow for connector thickness when space planning.
- Connectors are 2⅝" thick.
- M wall mount connectors are ⅝" thick.
- W wall mount connectors are 2¾" thick.

Thickness of the M wall mount connector corresponds to Traxx. M connectors have no adjustability for out-of-plumb walls; shimming may be required.

W wall mount connectors offer ⅝" lateral adjustment to compensate for out-of-plumb walls.

Stackable Connectors

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



Stackable connectors are available to join panels when changing directions in a panel run with stackable panels.

Stackable connector models include:
- Connector
- Connection bracketry

Note: Top caps are not included. Top cap from base connector will be used.

Connectors are constructed of extruded aluminum.

Metal J-channels along the full height of all connectors provide slots at 1" increments for vertical positioning of components.

Finishes & Materials

Stackable Connectors
- Kimball Office panel fabrics
- COM

Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

- Paint
- Wood
- Fabric/wood combination
- Fabric/paint combination

Connector Top Caps
- Wood
- Paint (not available on transitional profile)

Connections

Connectors can be used in the following configurations:
- L (2-way 90°)
- T (3-way 90°)
- X (4-way 90°)
- S (straight 180°)
- M or W (wall mount)

➤See pricing pages for illustrations of each configuration.

Note: Y configurations are not available in stackable models.

Planning Factors

Allow for connector thickness when space planning.
- Connectors—2⅝" thick
- M connectors—⅝" thick
- W connectors—2¾" thick

Specify appropriate connectors for the combined height of standard and stackable panels. Base connector must always be the same height or taller than any adjacent standard panel.

Stackable connectors can be specified in one of three ways:



① Specify stackable connectors to equal each stackable panel height. Provides the most flexibility for reconfiguration.



② Specify one stackable connector equal to the height of both stackable panels. Enables the panel height to be lowered without taking down the station; however, it provides less flexibility during reconfiguration.



③ Specify a connector equal to the combined height of the base panel and stackable panels.
This option limits the ease of reconfiguration since the workstations will need to be completely disassembled to change panel heights.



When using square profile trim, different connectors may be used above a base connector.
Example: T connector may be used on the bottom with an L connector on the top. This creates a change of height at a connector, however, stackable panels must be used on both sides of the L connector for support.

When the stackable connector is the same as the base connector, the top cap is removed from the base connector and placed above.

When an stackable connector is different than a lower connector, a new top cap bracket assembly for the upper connector needs to be specified.

➤See page 99.

Specify the same profile for both base and stackable connectors to ensure visual compatibility.

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Details



End trim is 1" thick and covers the vertical panel edge at the end of each panel run.

Hi-lo trim kits finish off the vertical end of panels when transitioning heights. Kit includes:
- Vertical end trim
- Bracket
- Top cap for the lower panel

Panel-to-panel or connector-to-panel hi-lo trim kits are available.

End trim and hi-lo trim kits are available in softened and square profiles (paint and wood) and in transitional profile (wood only).

Finishes & Materials

End Trim
- Wood
- Paint (not available on transitional profile)

Hi-Lo Trim Kits
- Wood
- Paint (not available on transitional profile

Connections

Hi-lo trim kits cannot be used:
- Next to a connector (stackable or standard) when the connector is being used next to stackable panels.
- Next to a Y connector.
- Next to a floor-to-ceiling top channel.



Overheads cannot be hung in a row of stackable panels where a hi-lo trim kit is used. They may be hung in a row beneath the hi-lo application.

Planning Factors

Specify end trim and hi-lo trim kits for the combined height of panels and stackable panels.

Allow for end trim thickness of 1" when space planning.

To specify hi-lo trim kits, determine the following:
① Height of the drop
② Width of the lower panel
③ Top cap profile
Note: Hi-lo trim kits for stackable panels are determined the same as for standard panels.

IMPORTANT: When you specify a hi-lo trim kit to be used with a directional connector, the appropriate connector top cap/bracket assemblies must be specified separately.
➤See page 100.

Due to the notching operation which must be done to the top cap of the lower panel in a hi-lo situation, a single lower panel may not be placed between two higher panels. To achieve the look of a single panel drop, specify two panels that equal the desired width (36" minimum).

Hi-lo trim kits are not available in heights less than 5" due to the attachment method.

Guidelines for Panel Runs

Features ➤See page 21
Power & Data Overview 36



Minimum wing widths apply to a freestanding "C" station that does not have support from a panel run or a wall connector at either end. Panels can be any height; however wing panels must be the same height as the panel run. The width of the wing wall increases according to height.
➤See chart for minimum wing width.



Maximum panel run for unsupported panels (those not attached to a wall, wing panel, or floor support on BOTH ends) is 3 panels with a maximum run of 12'.
➤See chart for minimum wing width.



Maximum panel run for supported panels (those supported with a wall or panel run on one end and a **same-height wing panel** on the other) is 7 panels with a maximum run of 28'. The width of the wing wall increases according to height.
➤See chart for minimum wing width.



Maximum panel run supported panels (those supported with a wall or panel run on one end and a **wing panel that is shorter than the spine** on the other) is 4 panels with a maximum run of 16'.



Maximum panel run for supported glass panels (those supported with a wall or panel run on one end and a minimum width wing panel on the other) is 3 panels with a maximum run of 9'.
➤See chart for minimum wing width if wing panel will be used for support on both ends of the run.
Note: Frameless glass cannot be attached to glass panels.



Overhead cabinets may be hung on the inside of the panel system on a maximum of three panels no greater than 12 feet. When cabinets are hung on both sides of this type of panel run, so as to counter balance the load, the length may be increased to four panels or 16 feet. For proper support, a wing panel or wall mount must be adjacent to both ends of any run of overheads.
Note: Overhead must be ganged to assure maximum rigidity.



Overhead cabinets may be stacked as long as the 12' and 16' (counter balanced) guidelines in the previous paragraph are followed. There may be a maximum of two rows of overheads unless stacking on one panel between two wing panels. Allow a minimum of 7" between overheads for proper clearance of flipper doors.

Frameless glass does not affect application guidelines, except where noted.

Definitions:

Unsupported panel runs: Runs not attached on BOTH ends to a wall, panel run, or floor support.

Floor support: Undersurface storage units, support panels, or column legs

Balanced back-to-back: Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run to eliminate the possibility of tipping or injury under standard loading and usage.

Spine Run	*Minimum Wing Width*
30", 37", 42", or 50"H	24"
56", 61", or 68"H	30"
80"H	42"
Combination panels	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run, except in free-standing "C" applications, 80"H supported runs, and runs containing combination panels.

Guidelines for Stackable Panels

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36

Stackable panels may be installed on any standard Cetra panel, new or existing, without disassembling the existing panel run.

Stackable panels must be the same width as the panel they will be stacked above.



Only two stackable panels may be stacked above a standard panel to a maximum height of 118".

Frameless glass can be used on all stackable panel models, except glass stackables. Maximum height with glass is 130¼"

Panel run rules are the same for stackable panels as for standard Cetra panels.
➤See page 34.

Stackable panel runs must have a wing panel that is equal to the combined height of the base panel plus the stackable panels, on at least one end for support.



For proper support, stackable panels must either turn a corner or be connected to a monolithic panel that is equal to the height of the base panel plus the stackable panels.



When using stackable panels to create a "step down or cityscape" effect, you can only extend out one panel width from the connector.

End trim height must match the combined height of the base and stackable panels.

Stackable panels are load-bearing and will support overheads when used according to guidelines.
➤See page 34 for maximum panel run rules.



Overheads can not be hung above 80" high.



Overheads can not be hung in a row of stackable panels where a hi-lo trim kit is used. They may be hung in a row beneath the hi-lo application.

Overheads cannot be hung on a stackable wing wall.

ATET Bracketry Guidelines:

Note: Certain applications require that additional hook brackets (model ATET) be specified separately. One bracket is standard with stackable panel.



Need 16 ATET
Will receive 10
Specify 6 addt'l

Need 4 ATET
Will receive 2
Specify 2 addt'l

When stackable panel heights are staggered, you will need 1 additional ATET bracket per panel to connect the lower stackable panel to the MIDDLE of the adjacent panel. The standard panel-to-panel bracket is used at the top connection.

When stackable panels are used between an end trim and a connector, you will need one additional ATET bracket per stackable panel to connect the bottom of each panel to the end trim on one side and the connector on the other side. The standard connector brackets are used at the top connections.
➤See page 98 to specify ATET brackets.

Floor-to-Ceiling Applications:

Floor-to-ceiling top channel is available in 12' lengths and may be field scribed to desired length. Channel provides sound and light seal for space between top of panel and ceiling. Top channel provides 2" of adjustability.
Note: Hi-lo trim and end trim cannot be used next to top channels.

To create a completely enclosed office:

① Determine your ceiling height.
② Determine the combination of standard and stackable panels that will come closest to, but below ceiling height. (Maximum of two stacking panels above a standard panel.) For varied ceiling heights use lowest point from floor to ceiling.
③ Order floor-to-ceiling top channel based on lineal feet requirement.
④ Field scribe floor-to-ceiling top channel on site for required length and to fit around square connectors.
⑤ A minimum clearance of 1½" is required to install floor-to-ceiling top channel.

Power and Data

Features ➤See page 21
Standard 8-Wire System 40
Enhanced 10-Wire System 41

Cetra panels offer a standard 8-wire system and an enhanced 10-wire system for increased capacity requirements.

Standard and enhanced electrical components are keyed differently to prevent mixing of components.

Components used to power the mid-wireway are the same as those used in the base wireway.

Building-to-panel electrical connections can be accomplished whether power is sourced in the wall, floor, or ceiling.

Duplex opening in wireway cover provides access to duplex receptacles. Openings are located 9" from the panel reveal.

Communication cables may be routed through channel in mid-wireway panels to base wireway. For standard panels, route communication cables in the base.

Power distribution assembly carries power to receptacles. They are factory installed on powered panels; they can be field installed on non-powered panels.



Power distribution assembly in mid-wireway requires field installation and must be specified separately.

Electrical jumper cables are used to pass power from panel to panel, from base to mid-wireway, and through directional connectors at the mid-wireway or base wireway. Models are specified based on the panel configuration.
➤See page 101 or 103 for details.

Wireway is 4½"H x 2½"D.

Receptacles are inserted into the power distribution assembly and secured with screws. Up to 4 duplex receptacles may be specified for each base wireway panel. Up to 8 duplex receptacles may be specified for each mid-wireway panel.

Communication wireway cover has an additional window for communication ports.
➤See page 42 for cable management application guidelines.

Wireway Cover Options:

➤See page 43 for powered and non-powered wireway cover punch options.
➤See page 44 for hardwire wireway cover punch options.
➤See page 107 for communication wireway covers.

Punch Dimensions:

Receptacle cutouts—
$2\frac{15}{16}$"W x $1\frac{15}{16}$"H

Hardwire cutouts—
$2\frac{11}{16}$"W x $1\frac{7}{16}$"H

Data port cutouts—
$2\frac{11}{16}$"W x $1\frac{3}{8}$"H

Power Distribution

Product Information

Assemblies, Jumpers, and Receptacles

Features	➤See page 21
Power & Data Overview	36
Standard 8-Wire System	40
Enhanced 10-Wire System	41

Details



Powered panels feature factory-installed electrical distribution assemblies in the base wireway. Power distribution assembly can also be field-installed on non-powered panels.

Mid-wireway powered panels feature factory-installed power distribution assembly in the base. Specify power distribution assembly for mid-wireway separately for field installation.

Power distribution assemblies and receptacles used to power the mid-wireway are the same as those used in the base wireway.

Two wiring configurations are possible utilizing the same components.
➤See pages 40–41 for planning and installation guidelines.

Duplex receptacles are rated at 15 amps and maybe installed back-to-back in base and mid-wireways.

Up to four duplex receptacles (two per side) can be installed in each base wireway.

Up to eight duplex receptacles (four per side) may be specified for each mid-wireway panel.

Connections



Jumper cables are used to pass power from panel to panel and from base to mid-wireway.

18"W panels and 6"W starter panels have no electrical access; however, 18"W panels can pass power to adjacent panels. Both are available with non-punched wireway covers only.

When an 18"W panel is used in a T configuration, one AEJ2 and one AEJ5 jumper must be used to route power through mid-wireway connectors.
➤See illustrations at right.

Planning Factors

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Hardwire electrical components for use in the base wireway are available for areas where local codes do not accept modular electrical plug-in components.
➤See page 39.

New York City electrical applications require a special power entry. Panels should be specified as non-powered and electrical distribution assemblies should be specified separately.
➤See page 39.

Mid-Wireway Jumpers:

To pass power through mid-wireway connectors, specific jumper models are required.

T Configurations



L Configurations



X Configurations



Power Entries

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40
Enhanced 10-Wire System 41

Details



For 8-wire system For 10-wire system

Floor power entry is available to bring power to the panel run from the floor or wall.



Ceiling power entry assembly is available to bring power to the panel run from the ceiling. It is used in conjunction with ceiling power entry panels.

Ceiling power entry assembly models include:
- Junction box
- 12’ jumper cable
- Hardware

Planning Factors

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Access to ceiling power source is regulated by National Code to a maximum of 12 ft. conduit.

18"W panels and 6"W starter panels have no electrical access. 18”W panels can be used to pass power from one panel to another, but cannot accept receptacles or power entries.

Power entries will take up the space of one receptacle location on the power distribution assembly.

Related Products

Hardwire electrical components are available for areas where local codes do not accept modular electrical plug-in components.
➤See page 39.

New York City electrical applications require a New York City power assembly for the panel where power entry is made.
➤See page 39.

Hardwire and New York City Components

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40
Enhanced 10-Wire System 41

Details

Hardwire panel option and components should be specified to accommodate hardwire applications.



Junction box, specified separately, is required for each panel that will receive field-installed hardwired electrical.



Branching conduit is used between boxes and for panel-to-panel connections. Conduit must be listed, ½" trade-size Greenfield.



Cover plates are available in black only. Blank junction box cover plate is required to cover junction box or power entry boxes. Cover plates from other sources will not fit properly.



New York City electrical applications require a special power entry. Panels should be specified as non-powered; power distribution assemblies should be specified separately.

Connections

Installations must be completed by a qualified electrician or an electrical engineer familiar with the National Electrical Code and the appropriate local codes.

Planning Factors

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

18"W panels are not available with the hardwire option.

Circuit Configurations

Standard 8-Wire Electrical System

Features ➤See page 21
Power & Data Overview 36
Enhanced 10-Wire System 41



Cetra 8-wire, 4-circuit system supports work environments having light- to medium-intensity computerized equipment needs. The 8-wire systems include two 12-gauge ground wires, two 10-gauge neutral wires, and four 12-gauge hot wires.



Powered panels feature factory-installed electrical distribution assemblies in the base wireway. Power distribution assemblies can be field-installed on non-powered panels.
➤See page 37.

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.
➤See wiring configurations at right.

Building-to-panel electrical connections can be accomplished from power sources in the wall, floor, or ceiling.
➤See page 38.

Duplex receptacles used for both types of configurations are the same. This simplifies specifications and allows a faster understanding of the system.
➤See page 37.

Components used in base wireway applications are also used in mid-wireway applications.

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.

All components are shipped with hardware necessary for installation.

3 and 1 (8-wire):



- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize Cetra receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize Cetra receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Approval/Compliance:

Cetra's electrical system is UL approved, complies with the National Electrical Code (NEC), and is certified for electrical safety to Canadian Standards Association (CSA) standard C22.1 No. 203.
Note: Any field modification of the electrical components voids the UL listing.

Electrical Service:

Cetra's 8-wire electrical system is rated for 20-amp service. To support the usage, 15-amp convenience receptacles can be placed anywhere along the leg of the electrical connection. In the event that an appliance, such as a larger printer/copier/plotter needs to have a 20-amp receptacle, it is recommended to use a dedicated circuit with a 15/20-amp simplex receptacle. Using 15-amp convenience receptacles will aid in ensuring that no one leg of the system can pull too much current, which could potentially cause the system to trip out and loose power across the entire system.
➤Contact By Design for details on 20-amp simplex receptacles

Circuit Configurations

Enhanced 10-Wire Electrical System

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40



The 10-wire configuration supports work environments having heavy intensity, advanced computerized equipment requirements. 10-wire systems include two 12 gauge ground wires, four 12 gauge neutral wires, and four 12 gauge hot wires.
➤See electrical service info at left.



Powered panels feature factory-installed electrical distribution assemblies in the base wireway. Power distribution assemblies can be field-installed on non-powered panels.
➤See page 37.

Two wiring configurations are possible—3 and 3 or 2 and 2—utilizing the same components.
➤See wiring configurations at right.

Building-to-panel electrical connections can be accomplished from power sources in the wall, floor, or ceiling.
➤See page 38.

Duplex receptacles used for both types of configurations are the same. This simplifies specifications and allows a faster understanding of the system.
➤See page 37.

Components used in base wireway applications are also used in mid-wireway applications.

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment.

All components are shipped with hardware necessary for installation.

3 and 3 (10-wire):



- Three DESIGNATED utility circuits and Three DESIGNATED computer circuits.
- Specify Cetra receptacles #1, #2, and #3 for the designated utility circuits and receptacles #4, #5, and #6 for the designated computer circuits.

Circuits 1, 2, and 3 share a common increased size neutral and ground wire, providing three designated circuits for lighting and other general/utility equipment. Use Kimball Office receptacles AER16, AER26, AER36.

Circuits 4, 5, and 6 share a common increased size neutral and ground wire, providing three designated circuits for computer applications. Use Kimball Office receptacles AER46, AER56, and AER66.

2 and 2 (10-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Specify Cetra receptacles #1 and #2 for the designated utility circuits and receptacles #3 and #4 for the designated computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs.

Circuits 3 and 4 provide a pair of designated circuits for computer applications.
Note: The additional two neutral wires featured in the 10-wire system configuration provide an enhanced level of power for installations having higher intensity computer equipment levels.

Approval/Compliance:

Cetra's electrical system is UL approved, complies with the National Electrical Code (NEC), and is certified for electrical safety to Canadian Standards Association (CSA) standard C22.1 No. 203.
Note: Any field modification of the electrical components voids the UL listing.

Electrical Service:

Cetra's enhanced 10-wire electrical system is rated for 20-amp service. To support the usage, 15-amp convenience receptacles can be placed anywhere along the leg of the electrical connection.

Features	➤See page 21
Power & Data Overview	36
Standard 8-Wire System	40
Enhanced 10-Wire System	41

Communication and data cables can be routed through base and mid-wireways.

Communication wireway covers for 30"W or wider panels are available. They are pre-punched to accept data access ports. Only one data opening per wireway cover is available.
➤See page 107.

The opening is left of center to allow proper clearance. This enables ports to be installed in both sides of the Cetra panel. Opening is 1⅜"H x 2¹¹⁄₁₆"W. Only one opening per wireway cover is available.

When purchasing ports commercially, verify that the depth of port and size of cover are applicable for proper fit. Data ports can be purchased through the port manufacturer or their distribution network.

L, S, and T Connectors:



Cable capacity when using communication cables is 2 sq. in. **per side** (18 ¼"-diameter cables at 40% fill) for L, S, and T connectors. One sq. in. **per side** of cable capacity (9¼"-diameter cables at 40% fill) is available when combining electrical and communication cabling.

X Connectors:



Due to flow of cable pathway when using “X” connectors (as shown in the illustration above), cable capacity for X connectors is 2 square inches **per connector** when using communication cables only or 1 sq. inch **per connector** when combining electrical and communication cabling.

Related Products

Vertical cable managers are available separately to conceal task light cords.
➤See page 108 to specify.

Wireway Cover Punch Options

Powered and Non-Powered Panels

GSA SIN 711-1

Designator	*Description*	*Price*
Standard Panel Punch Options		
P1	1 punched, 1 non-punched	No charge
P2	2 punched	No charge
NP2	2 non-punched	No charge
Mid-Wireway Panel Punch Options		
P3	2 punched, 2 non-punched	No charge
P4	4 punched	No charge
NP4	4 non-punched	No charge

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40
Enhanced 10-Wire System 41

How to Specify

① Insert the desired wireway cover designator into your specification.
➤See the panel's pricing page for model number, pricing, and how to specify.

Wireway Cover Punch Options

Options Pricing

Hardwire Panels

GSA SIN 711-1

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40
Enhanced 10-Wire System 41

Designator	*Description*	*Add $ to Hardwired Panel Price*
Standard Hardwire Panel Punch Options		
For Use with Kimball Office Junction Box		
H1	1 H punched, 1 non-punched	No charge
H2	2 H punched	No charge
NP2	2 non-punched	No charge
For Use with Midwest Interstate Junction Box		
C1	1 C punched, 1 non-punched	+$27
C2	2 C punched	+$54
Mid-Wireway Hardwire Panel Punch Options		
For Use with Kimball Office Junction Box		
H3	2 H punched, 2 non-punched	No charge
NP4	4 non-punched	No charge
For Use with Midwest Interstate Junction Box		
C3	2 C punched, 2 non-punched	+$54
C1L	1 C left-hand punched, 1 non-punched	+$27
C1R	1 C right-hand punched, 1 non-punched	+$27
C1LR	1 C left-hand punched, 1 C right-hand punched	+$54
C4	1 C left-hand punched, 1 C right-hand punched, 2 non-punched	+$54
C2L	2 C left-hand punched, 2 non-punched	+$54
C2R	2 C right-hand punched, 2 non-punched	+$54
C2LR	2 C left-hand punched, 2 C right-hand punched	+$108

How to Specify

① Insert the desired wireway cover designator into your specification.

➤See the panel's pricing page for model number, pricing, and how to specify.

H punches are compatible with Kimball Office components.

C punches are compatible with Midwest Interstate components.

For hardwired mid-wireway panels, please use electronic specification tools for accurate pricing.

Acoustical Panels

Pricing

30" and 37"H

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 22
Application Guidelines 34
Power & Data Overview 36

				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
30"H Panels													
2⅝"	18"	30⅜"	**AP1830A**	$763	$785	$799	$823	$857	$589	$611	$625	$649	$683
	24"		**AP2430A**	838	860	874	898	932	663	685	699	723	757
	30"		**AP3030A**	919	941	955	979	1013	742	764	778	802	836
	36"		**AP3630A**	991	1035	1065	1109	1179	814	858	888	932	1002
	42"		**AP4230A**	1066	1110	1140	1184	1254	888	932	962	1006	1076
	48"		**AP4830A**	1137	1181	1211	1255	1325	964	1008	1038	1082	1152
	60"		**AP6030A**	1293	1337	1367	1411	1481	1115	1159	1189	1233	1303
37"H Panels													
2⅝"	18"	37⅜"	**AP1837A**	$770	$796	$816	$842	$884	$591	$617	$637	$663	$705
	24"		**AP2437A**	843	869	889	915	957	665	691	711	737	779
	30"		**AP3037A**	921	947	967	993	1035	743	769	789	815	857
	36"		**AP3637A**	994	1044	1080	1132	1212	816	866	902	954	1034
	42"		**AP4237A**	1071	1121	1157	1209	1289	892	942	978	1030	1110
	48"		**AP4837A**	1146	1196	1232	1284	1364	966	1016	1052	1104	1184
	60"		**AP6037A**	1296	1346	1382	1434	1514	1121	1171	1207	1259	1339

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–107.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Acoustical Panels

Pricing

42" and 50"H

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 22
Application Guidelines 34
Power & Data Overview 36

				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
42"H Panels													
2⅝"	18"	42⅜"	**AP1842A**	$772	$800	$822	$852	$896	$595	$623	$645	$675	$719
	24"		**AP2442A**	849	877	899	929	973	668	696	718	748	792
	30"		**AP3042A**	923	951	973	1003	1047	744	772	794	824	868
	36"		**AP3642A**	996	1054	1094	1154	1246	818	876	916	976	1068
	42"		**AP4242A**	1075	1133	1173	1233	1325	897	955	995	1055	1147
	48"		**AP4842A**	1150	1208	1248	1308	1400	973	1031	1071	1131	1223
	60"		**AP6042A**	1301	1359	1399	1459	1551	1124	1182	1222	1282	1374
50"H Panels													
2⅝"	18"	49⅜"	**AP1850A**	$796	$830	$854	$888	$942	$622	$656	$680	$714	$768
	24"		**AP2450A**	872	906	930	964	1018	695	729	753	787	841
	30"		**AP3050A**	949	983	1007	1041	1095	771	805	829	863	917
	36"		**AP3650A**	1025	1081	1119	1177	1265	847	903	941	999	1087
	42"		**AP4250A**	1101	1163	1207	1273	1371	922	984	1028	1094	1192
	48"		**AP4850A**	1173	1241	1287	1357	1465	995	1063	1109	1179	1287
	60"		**AP6050A**	1325	1393	1439	1509	1617	1147	1215	1261	1331	1439

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Acoustical Panels

Pricing

56" and 61"H

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 22
Application Guidelines 34
Power & Data Overview 36

				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
56"H Panel													
2⅝"	18"	56⅜"	**AP1856A**	$816	$848	$870	$902	$952	$637	$669	$691	$723	$773
	24"		**AP2456A**	892	930	958	998	1058	720	758	786	826	886
	30"		**AP3056A**	966	1004	1032	1072	1132	788	826	854	894	954
	36"		**AP3656A**	1041	1097	1135	1193	1281	866	922	960	1018	1106
	42"		**AP4256A**	1120	1182	1226	1292	1390	939	1001	1045	1111	1209
	48"		**AP4856A**	1194	1264	1312	1386	1496	1020	1090	1138	1212	1322
	60"		**AP6056A**	1345	1421	1477	1557	1677	1165	1241	1297	1377	1497
61"H Panel													
2⅝"	18"	61⅜"	**AP1861A**	$835	$867	$889	$921	$971	$658	$690	$712	$744	$794
	24"		**AP2461A**	910	948	976	1016	1076	729	767	795	835	895
	30"		**AP3061A**	983	1023	1053	1095	1159	807	847	877	919	983
	36"		**AP3661A**	1059	1115	1153	1211	1299	879	935	973	1031	1119
	42"		**AP4261A**	1133	1195	1239	1305	1403	957	1019	1063	1129	1227
	48"		**AP4861A**	1212	1282	1330	1404	1514	1034	1104	1152	1226	1336
	60"		**AP6061A**	1362	1444	1502	1586	1716	1184	1266	1324	1408	1538

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Acoustical Panels

Pricing

68" and 80"H

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 22
Application Guidelines 34
Power & Data Overview 36

D	W	H	Model	Powered Base Wireway Fabric Price Grade A or COM	B	C	D	E	Non-Powered or Hardwired Fabric Price Grade A or COM	B	C	D	E
68"H Panels													
2⅝"	18"	68⅜"	**AP1868A**	$854	$886	$908	$940	$990	$677	$709	$731	$763	$813
	24"		**AP2468A**	928	966	994	1034	1094	752	790	818	858	918
	30"		**AP3068A**	1005	1051	1083	1131	1203	829	875	907	955	1027
	36"		**AP3668A**	1080	1136	1174	1232	1320	902	958	996	1054	1142
	42"		**AP4268A**	1159	1221	1265	1331	1429	980	1042	1086	1152	1250
	48"		**AP4868A**	1232	1302	1350	1424	1534	1052	1122	1170	1244	1354
	60"		**AP6068A**	1383	1469	1531	1621	1757	1205	1291	1353	1443	1579
80"H Panels													
2⅝"	18"	80⅜"	**AP1880A**	$921	$977	$1015	$1073	$1161	$741	$797	$835	$893	$981
	24"		**AP2480A**	993	1049	1087	1145	1233	815	871	909	967	1055
	30"		**AP3080A**	1069	1125	1163	1221	1309	891	947	985	1043	1131
	36"		**AP3680A**	1140	1248	1324	1438	1608	965	1073	1149	1263	1433
	42"		**AP4280A**	1218	1326	1402	1516	1686	1039	1147	1223	1337	1507
	48"		**AP4880A**	1294	1402	1478	1592	1762	1119	1227	1303	1417	1587
	60"		**AP6080A**	1446	1554	1630	1744	1914	1265	1373	1449	1563	1733

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Combination Panels

Pricing

30", 37", and 42"H

GSA SIN 711-1
COM GSA Non-Contract

				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
30"H Panels													
2⅝"	18"	30⅜"	**AP1830**	$964	$978	$989	$1004	$1026	$782	$796	$807	$822	$844
	24"		**AP2430**	1038	1057	1071	1091	1121	864	883	897	917	947
	30"		**AP3030**	1115	1137	1152	1174	1209	939	961	976	998	1033
	36"		**AP3630**	1190	1212	1227	1249	1284	1013	1035	1050	1072	1107
	42"		**AP4230**	1263	1285	1300	1322	1357	1088	1110	1125	1147	1182
	48"		**AP4830**	1341	1363	1378	1400	1435	1163	1185	1200	1222	1257
37"H Panels													
2⅝"	18"	37⅜"	**AP1837**	$966	$980	$991	$1006	$1028	$788	$802	$813	$828	$850
	24"		**AP2437**	1041	1060	1074	1094	1124	866	885	899	919	949
	30"		**AP3037**	1121	1143	1158	1180	1215	943	965	980	1002	1037
	36"		**AP3637**	1194	1218	1235	1260	1298	1020	1044	1061	1086	1124
	42"		**AP4237**	1270	1294	1311	1336	1374	1091	1115	1132	1157	1195
	48"		**AP4837**	1346	1372	1391	1419	1460	1165	1191	1210	1238	1279
42"H Panels													
2⅝"	18"	42⅜"	**AP1842**	$973	$987	$998	$1013	$1035	$793	$807	$818	$833	$855
	24"		**AP2442**	1046	1065	1079	1099	1129	868	887	901	921	951
	30"		**AP3042**	1124	1146	1161	1183	1218	945	967	982	1004	1039
	36"		**AP3642**	1198	1224	1243	1271	1312	1022	1048	1067	1095	1136
	42"		**AP4242**	1274	1303	1323	1353	1399	1095	1124	1144	1174	1220
	48"		**AP4842**	1349	1378	1398	1428	1474	1168	1197	1217	1247	1293

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❸ Material:
WN = Wood/fabric
PN = Paint/fabric
❹ Power option:
P = Powered
N = Non-powered
H = Hardwired
❹ Top cap material:
W = Wood
P = Paint
⑤ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑥ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑦ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑧ Top cap finish designator
⑨ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑩ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑪ Wireway finish designator
⑫ Side 1 finish price group:
STD = Group 1
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑬ Side 1 finish designator
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Combination Panels

Pricing

50", 56", and 61"H

GSA SIN 711-1
COM GSA Non-Contract

				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
50"H Panels													
2⅝"	18"	49⅜"	**AP1850**	$995	$1009	$1020	$1035	$1057	$817	$831	$842	$857	$879
	24"		**AP2450**	1072	1091	1105	1125	1155	895	914	928	948	978
	30"		**AP3050**	1147	1169	1184	1206	1241	967	989	1004	1026	1061
	36"		**AP3650**	1220	1249	1269	1299	1345	1045	1074	1094	1124	1170
	42"		**AP4250**	1297	1328	1350	1383	1432	1121	1152	1174	1207	1256
	48"		**AP4850**	1376	1412	1438	1475	1532	1197	1233	1259	1296	1353
56"H Panels													
2⅝"	18"	56⅜"	**AP1856**	$1101	$1115	$1126	$1141	$1163	$922	$936	$947	$962	$984
	24"		**AP2456**	1173	1192	1206	1226	1256	995	1014	1028	1048	1078
	30"		**AP3056**	1250	1272	1287	1309	1344	1072	1094	1109	1131	1166
	36"		**AP3656**	1325	1354	1374	1404	1450	1147	1176	1196	1226	1272
	42"		**AP4256**	1402	1436	1459	1494	1548	1220	1254	1277	1312	1366
	48"		**AP4856**	1474	1510	1536	1573	1630	1297	1333	1359	1396	1453
61"H Panels													
2⅝"	18"	61⅜"	**AP1861**	$1119	$1133	$1144	$1159	$1181	$938	$952	$963	$978	$1000
	24"		**AP2461**	1193	1212	1226	1246	1276	1017	1036	1050	1070	1100
	30"		**AP3061**	1265	1287	1302	1324	1359	1089	1111	1126	1148	1183
	36"		**AP3661**	1342	1368	1387	1415	1456	1164	1190	1209	1237	1278
	42"		**AP4261**	1418	1449	1471	1504	1553	1240	1271	1293	1326	1375
	48"		**AP4861**	1494	1530	1556	1593	1650	1315	1351	1377	1414	1471

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Material:
WN = Wood/fabric
PN = Paint/fabric
❸ Power option:
P = Powered
N = Non-powered
H = Hardwired
❹ Top cap material:
W = Wood
P = Paint
⑤ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑥ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑦ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑧ Top cap finish designator
⑨ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑩ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑪ Wireway finish designator
⑫ Side 1 finish price group:
STD = Group 1
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑬ Side 1 finish designator
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Combination Panels

Pricing

68" and 80"H

GSA SIN 711-1
COM GSA Non-Contract

				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
68"H Panels													
2⅝"	18"	68⅜"	**AP1868**	$1135	$1149	$1160	$1175	$1197	$959	$973	$984	$999	$1021
	24"		**AP2468**	1214	1233	1247	1267	1297	1035	1054	1068	1088	1118
	30"		**AP3068**	1290	1314	1331	1356	1394	1109	1133	1150	1175	1213
	36"		**AP3668**	1366	1392	1411	1439	1480	1186	1212	1231	1259	1300
	42"		**AP4268**	1436	1467	1489	1522	1571	1260	1291	1313	1346	1395
	48"		**AP4868**	1514	1550	1576	1613	1670	1339	1375	1401	1438	1495
80"H Panels													
2⅝"	18"	80⅜"	**AP1880**	$1203	$1256	$1293	$1348	$1432	$1024	$1077	$1114	$1169	$1253
	24"		**AP2480**	1276	1329	1366	1421	1505	1099	1152	1189	1244	1328
	30"		**AP3080**	1351	1404	1441	1496	1580	1169	1222	1259	1314	1398
	36"		**AP3680**	1426	1479	1516	1571	1655	1249	1302	1339	1394	1478
	42"		**AP4280**	1503	1558	1597	1655	1742	1324	1379	1418	1476	1563
	48"		**AP4880**	1578	1633	1672	1730	1817	1399	1454	1493	1551	1638

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❸ Material:
WN = Wood/fabric
PN = Paint/fabric
❹ Power option:
P = Powered
N = Non-powered
H = Hardwired
❺ Top cap material:
W = Wood
P = Paint
⑤ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑥ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑦ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑧ Top cap finish designator
⑨ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑩ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑪ Wireway finish designator
⑫ Side 1 finish price group:
STD = Group 1
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑬ Side 1 finish designator
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Mid-Wireway Panels

Pricing

42", 50", and 56"H

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 23
Application Guidelines 34
Power & Data Overview 36



				Powered Base Wireway					Hardwired				
				Fabric Price Grade					*Fabric Price Grade*				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
42"H Panels													
2⅝"	18"	42⅜"	**AP1842M**	$1129	$1157	$1179	$1209	$1253	—	—	—	—	—
	24"		**AP2442M**	1204	1232	1254	1284	1328	$1025	$1053	$1075	$1105	$1149
	30"		**AP3042M**	1282	1310	1332	1362	1406	1101	1129	1151	1181	1225
	36"		**AP3642M**	1352	1410	1450	1510	1602	1173	1231	1271	1331	1423
	42"		**AP4242M**	1428	1486	1526	1586	1678	1250	1308	1348	1408	1500
	48"		**AP4842M**	1504	1562	1602	1662	1754	1325	1383	1423	1483	1575
	60"		**AP6042M**	1654	1712	1752	1812	1904	1474	1532	1572	1632	1724
50"H Panels													
2⅝"	18"	49⅜"	**AP1850M**	$1155	$1187	$1209	$1241	$1291	—	—	—	—	—
	24"		**AP2450M**	1229	1263	1287	1321	1375	$1047	$1081	$1105	$1139	$1193
	30"		**AP3050M**	1303	1337	1361	1395	1449	1126	1160	1184	1218	1272
	36"		**AP3650M**	1380	1436	1474	1532	1620	1203	1259	1297	1355	1443
	42"		**AP4250M**	1456	1518	1562	1628	1726	1276	1338	1382	1448	1546
	48"		**AP4850M**	1545	1613	1659	1729	1837	1351	1419	1465	1535	1643
	60"		**AP6050M**	1682	1750	1796	1866	1974	1503	1571	1617	1687	1795
56"H Panels													
2⅝"	18"	56⅜"	**AP1856M**	$1168	$1200	$1222	$1254	$1304	—	—	—	—	—
	24"		**AP2456M**	1246	1284	1312	1352	1412	$1069	$1107	$1135	$1175	$1235
	30"		**AP3056M**	1322	1360	1388	1428	1488	1140	1178	1206	1246	1306
	36"		**AP3656M**	1398	1454	1492	1550	1638	1218	1274	1312	1370	1458
	42"		**AP4256M**	1471	1533	1577	1643	1741	1294	1356	1400	1466	1564
	48"		**AP4856M**	1550	1620	1668	1742	1852	1371	1441	1489	1563	1673
	60"		**AP6056M**	1696	1772	1828	1908	2028	1523	1599	1655	1735	1855

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify power distribution for mid-wireway separately.

Specify electrical jumper cables and receptacles for base and mid-wireway separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Base wireway power distribution assembly
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Mid-Wireway Panels

Pricing

61"H, 68"H, and 80"H

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 23
Application Guidelines 34
Power & Data Overview 36



				Powered Base Wireway					Hardwired				
				Fabric Price Grade					*Fabric Price Grade*				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
61"H Panels													
2⅝"	18"	61⅜"	**AP1861M**	$1189	$1221	$1243	$1275	$1325	—	—	—	—	—
	24"		**AP2461M**	1261	1299	1327	1367	1427	$1087	$1125	$1153	$1193	$1253
	30"		**AP3061M**	1340	1380	1410	1452	1516	1162	1202	1232	1274	1338
	36"		**AP3661M**	1416	1472	1510	1568	1656	1235	1291	1329	1387	1475
	42"		**AP4261M**	1490	1552	1596	1662	1760	1311	1373	1417	1483	1581
	48"		**AP4861M**	1564	1634	1682	1756	1866	1386	1456	1504	1578	1688
	60"		**AP6061M**	1715	1797	1855	1939	2069	1533	1615	1673	1757	1887
68"H Panels													
2⅝"	18"	68⅜"	**AP1868M**	$1210	$1242	$1264	$1296	$1346	—	—	—	—	—
	24"		**AP2468M**	1288	1326	1354	1394	1454	$1106	$1144	$1172	$1212	$1272
	30"		**AP3068M**	1357	1403	1435	1483	1555	1180	1226	1258	1306	1378
	36"		**AP3668M**	1433	1489	1527	1585	1673	1258	1314	1352	1410	1498
	42"		**AP4268M**	1510	1572	1616	1682	1780	1333	1395	1439	1505	1603
	48"		**AP4868M**	1586	1656	1704	1778	1888	1407	1477	1525	1599	1709
	60"		**AP6068M**	1734	1820	1882	1972	2108	1559	1645	1707	1797	1933
80"H Panels													
2⅝"	18"	80⅜"	**AP1880M**	$1270	$1326	$1364	$1422	$1510	—	—	—	—	—
	24"		**AP2480M**	1348	1404	1442	1500	1588	$1166	$1222	$1260	$1318	$1406
	30"		**AP3080M**	1423	1479	1517	1575	1663	1245	1301	1339	1397	1485
	36"		**AP3680M**	1500	1608	1684	1798	1968	1321	1429	1505	1619	1789
	42"		**AP4280M**	1575	1683	1759	1873	2043	1396	1504	1580	1694	1864
	48"		**AP4880M**	1650	1758	1834	1948	2118	1470	1578	1654	1768	1938
	60"		**AP6080M**	1798	1906	1982	2096	2266	1619	1727	1803	1917	2087

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify power distribution for mid-wireway separately.

Specify electrical jumper cables and receptacles for base and mid-wireway separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Base wireway power distribution assembly
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Ceiling Power Entry Panels

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 24
Application Guidelines 34
Power & Data Overview 36



				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
68"H Panels													
2⅝"	30"	68⅜"	**AP3068V**	$1424	$1470	$1502	$1550	$1622	$1246	$1292	$1324	$1372	$1444
	36"		**AP3668V**	1502	1558	1596	1654	1742	1322	1378	1416	1474	1562
	42"		**AP4268V**	1533	1595	1639	1705	1803	1358	1420	1464	1530	1628
	48"		**AP4868V**	1611	1681	1729	1803	1913	1437	1507	1555	1629	1739
80"H Panels													
2⅝"	30"	80⅜"	**AP3080V**	$1484	$1536	$1574	$1630	$1712	$1310	$1362	$1400	$1456	$1538
	36"		**AP3680V**	1563	1669	1743	1853	2021	1385	1491	1565	1675	1843
	42"		**AP4280V**	1595	1703	1779	1893	2063	1462	1570	1646	1760	1930
	48"		**AP4880V**	1656	1764	1840	1954	2124	1533	1641	1717	1831	2001

IMPORTANT: 18"W panels do not accept power entry or receptacles.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Specify ceiling power entry assembly separately.
➤See pages 102 and 104.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Divided top cap for power pole
- Power pole
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❸ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option:
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway/power pole finish desig.
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Full Glass Panels

Pricing

GSA SIN 711-1



D	W	H	Model	Powered Base Wireway Price	Non-Powered or Hardwired Price
61"H Panels					
2⅝"	24"	61⅜"	**AP2461G**	$1583	$1404
	30"		**AP3061G**	1583	1404
	36"		**AP3661G**	1655	1476
68"H Panels					
2⅝"	24"	68⅜"	**AP2468G**	$1601	$1424
	30"		**AP3068G**	1601	1424
	36"		**AP3668G**	1680	1502
80"H Panels					
2⅝"	24"	80⅜"	**AP2480G**	$1666	$1484
	30"		**AP3080G**	1666	1484
	36"		**AP3680G**	1742	1563

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Frame material:
N = Fabric
P = Paint
W = Wood
❸ Power option:
P = Powered
N = Non-powered
H = Hardwired
❹ Top cap material:
W = Wood
P = Paint
⑤ Glass option:
3 = Clear
⑥ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑦ Top cap profile:
A = Softened **C** = Square
T = Transitional (wood only)
⑧ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑨ Top cap finish designator
⑩ Wireway cover punch option:
➤See pages 43–44 for designators and upcharges, if applicable.
⑪ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
⑫ Wireway finish designator
⑬ Frame finish price group:
If wood or paint: **STD, STDM** (+10%*), **STD2** (+20%*),
**Applies once per model.*
If fabric: fabric grade
⑭ Frame finish designator or fabric number

Partial Glass Panels

Pricing

GSA SIN 711-1



				Powered Base Wireway					Non-Powered or Hardwired				
				Fabric Price Grade					*Fabric Price Grade*				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
61"H Panels													
2⅝"	30"	61⅜"	**AP3061H**	$1793	$1815	$1829	$1853	$1887	$1612	$1634	$1648	$1672	$1706
	36"		**AP3661H**	1865	1913	1947	1997	2073	1687	1735	1769	1819	1895
	42"		**AP4261H**	1945	1993	2027	2077	2153	1764	1812	1846	1896	1972
68"H Panels													
2⅝"	30"	68⅜"	**AP3068H**	$1813	$1835	$1849	$1873	$1907	$1635	$1657	$1671	$1695	$1729
	36"		**AP3668H**	1889	1937	1971	2021	2097	1711	1759	1793	1843	1919
	42"		**AP4268H**	1964	2012	2046	2096	2172	1783	1831	1865	1915	1991

Specify electrical jumper cables and receptacles separately.

Partial glass panel lower section is 29" high and available in fabric only.

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Electrical Components
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Standard Includes

- Panel
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Frame material:
N = Fabric
P = Paint
W = Wood
❸ Power option:
P = Powered
N = Non-powered
H = Hardwired
❹ Top cap material:
W = Wood **P** = Paint
⑤ Glass option: **3** = Clear
⑥ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑦ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑧ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑨ Top cap finish designator
⑩ Wireway cover punch option:
➤See pages 43–44 for designators and upcharges, if applicable.
⑪ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
⑫ Wireway finish designator
⑬ Frame finish price group:
If wood or paint: **STD, STDM** (+10%*), **STD2** (+20%*),
**Applies once per model.*
If fabric: fabric grade
⑭ Frame finish desig. or fabric number
⑮ Side 1 fabric grade
⑯ Side 1 fabric number
⑰ Side 2 fabric grade
⑱ Side 2 fabric number

Sectional Panel Frames

Pricing

30", 37", and 42"H Frames

GSA SIN 711-1



D	W	H	Model	Powered Base Wireway Price	Non-Powered or Hardwired Price
30"H Panels					
2⅝"	18"	30⅜"	**AF1830S**	$620	$444
	24"		**AF2430S**	659	481
	30"		**AF3030S**	697	525
	36"		**AF3630S**	761	590
	42"		**AF4230S**	815	640
	48"		**AF4830S**	868	693
37"H Panels					
2⅝"	18"	37⅜"	**AF1837S**	$634	$453
	24"		**AF2437S**	668	490
	30"		**AF3037S**	717	536
	36"		**AF3637S**	775	600
	42"		**AF4237S**	834	658
	48"		**AF4837S**	886	709
42"H Panels					
2⅝"	18"	42⅜"	**AF1842S**	$638	$463
	24"		**AF2442S**	684	502
	30"		**AF3042S**	740	559
	36"		**AF3642S**	793	617
	42"		**AF4242S**	850	669
	48"		**AF4842S**	908	728

IMPORTANT: 18"W panels do not accept power entry or receptacles.

Tiles are specified separately.
➤See pages 60–61.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Features ➤See page 21
Product Information 26
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Panel frame
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator

Sectional Panel Frames

Pricing

50", 56", and 61"H Frames

GSA SIN 711-1



D	W	H	Model	Powered Base Wireway Price	Non-Powered or Hardwired Price
50"H Panels					
2⅝"	18"	49⅜"	**AF1850S**	$640	$470
	24"		**AF2450S**	697	523
	30"		**AF3050S**	756	577
	36"		**AF3650S**	814	635
	42"		**AF4250S**	868	691
	48"		**AF4850S**	925	749
56"H Panels					
2⅝"	18"	56⅜"	**AF1856S**	$659	$479
	24"		**AF2456S**	717	536
	30"		**AF3056S**	770	591
	36"		**AF3656S**	825	652
	42"		**AF4256S**	880	706
	48"		**AF4856S**	939	761
61"H Panels					
2⅝"	18"	61⅜"	**AF1861S**	$668	$490
	24"		**AF2461S**	727	550
	30"		**AF3061S**	784	602
	36"		**AF3661S**	838	663
	42"		**AF4261S**	897	722
	48"		**AF4861S**	952	774

IMPORTANT: 18"W panels do not accept power entry or receptacles.

Tiles are specified separately.
➤See pages 60–61.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Features ➤See page 21
Product Information 26
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Panel frame
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired
❸ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator

Sectional Panel Frames

Pricing

68" and 80"H Frames

GSA SIN 711-1
COM GSA Non-Contract

D	W	H	Model	Powered Base Wireway Price	Non-Powered or Hardwired Price
68"H Panels					
2⅝"	18"	68⅜"	**AF1868S**	$686	$505
	24"		**AF2468S**	742	562
	30"		**AF3068S**	796	622
	36"		**AF3668S**	861	684
	42"		**AF4268S**	913	731
	48"		**AF4868S**	966	788
80"H Panels					
2⅝"	18"	80⅜"	**AF1880S**	$731	$554
	24"		**AF2480S**	788	608
	30"		**AF3080S**	847	666
	36"		**AF3680S**	902	726
	42"		**AF4280S**	959	782
	48"		**AF4880S**	1020	837

IMPORTANT: 18"W panels do not accept power entry or receptacles.

Tiles are specified separately.
➤See pages 60–61.

Specify electrical jumper cables and receptacles separately.
➤See pages 101–106.

Communication Wireway Cover
➤See page 107.

Features ➤See page 21
Product Information 26
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Panel frame
- Top cap
- Wireway covers
- Power distribution assembly, if powered panel is selected
- Attachment brackets

How to Specify

❶ Model
❸ Power option:
P = Powered
N = Non-powered
H = Hardwired
❹ Top cap material:
W = Wood
P = Paint
④ Type of electrical system (omit for non-powered/hardwired):
84 = 8-wire, 4-circuit
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit
⑤ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑥ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑦ Top cap finish designator
⑧ Wireway cover punch option (omit for 18"W panel):
➤See pages 43–44 for designators and upcharges, if applicable.
⑨ Wireway finish price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑩ Wireway finish designator

Fabric Tiles

Pricing

For Use with Sectional Panel Frames

GSA SIN 711-1
COM GSA Non-Contract

D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
7"H Fabric Tiles								
½"	17¾"	6¾"	**AI1807N**	$89	$99	$105	$115	$131
	23¾"		**AI2407N**	99	109	115	125	141
	29¾"		**AI3007N**	109	119	125	135	151
	35¾"		**AI3607N**	119	129	135	145	161
	41¾"		**AI4207N**	138	148	154	164	180
	47¾"		**AI4807N**	160	170	176	186	202
12"H Fabric Tiles								
½"	17¾"	11¾"	**AI1812N**	$94	$106	$115	$127	$146
	23¾"		**AI2412N**	103	115	124	136	155
	29¾"		**AI3012N**	116	128	137	149	168
	35¾"		**AI3612N**	129	141	150	162	181
	41¾"		**AI4212N**	145	157	166	178	197
	47¾"		**AI4812N**	162	174	183	195	214
19"H Fabric Tiles								
½"	17¾"	18¾"	**AI1819N**	$94	$111	$123	$140	$167
	23¾"		**AI2419N**	103	120	132	149	176
	29¾"		**AI3019N**	116	133	145	162	189
	35¾"		**AI3619N**	129	146	158	175	202
	41¾"		**AI4219N**	145	162	174	191	218
	47¾"		**AI4819N**	162	179	191	208	235
24"H Fabric Tiles								
½"	17¾"	24 7/16"	**AI1824N**	$109	$131	$146	$168	$203
	23¾"		**AI2424N**	119	141	156	178	213
	29¾"		**AI3024N**	132	154	169	191	226
	35¾"		**AI3624N**	149	171	186	208	243
	41¾"		**AI4224N**	167	189	204	226	261
	47¾"		**AI4824N**	183	205	220	242	277

IMPORTANT: Tiles must be specified for both sides of panel frame.

Tiles are non-acoustical and non-tackable.
➤See page 26 for tile application guidelines

Sectional Panel Frames
➤See pages 57–59.

Features ➤See page 21
Product Information 26
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Tile: fabric

How to Specify

1. Model
2. Fabric grade
3. Fabric number

Slat, Glass, Ventilated, Wood, & Painted Tiles

Pricing

For Use with Sectional Panel Frames

GSA SIN 711-1



D	W	H	Model	Slat	Glass	Ventilated	Wood	Painted
7"H Tiles								
½"	17¾"	6¾"	**AI1807**	—	$162	$156	$158	$95
	23¾"		**AI2407**	—	162	156	178	104
	29¾"		**AI3007**	—	174	164	226	118
	35¾"		**AI3607**	—	185	177	254	132
	41¾"		**AI4207**	—	205	192	286	149
	47¾"		**AI4807**	—	222	213	297	167
12"H Tiles								
½"	17¾"	11¾"	**AI1812**	—	$164	$160	$161	$100
	23¾"		**AI2412**	$455	164	160	183	115
	29¾"		**AI3012**	525	176	167	228	122
	35¾"		**AI3612**	525	192	184	257	138
	41¾"		**AI4212**	528	210	197	288	158
	47¾"		**AI4812**	528	226	218	301	172
19"H Tiles								
½"	17¾"	18¾"	**AI1819**	—	$164	$160	$161	$100
	23¾"		**AI2419**	$510	164	160	183	115
	29¾"		**AI3019**	510	176	167	228	122
	35¾"		**AI3619**	583	192	184	257	138
	41¾"		**AI4219**	586	210	197	288	158
	47¾"		**AI4819**	650	226	218	301	172
24"H Tiles								
½"	17¾"	24⁷⁄₁₆"	**AI1824**	—	$179	$172	$169	$118
	23¾"		**AI2424**	—	179	172	221	127
	29¾"		**AI3024**	—	192	184	257	141
	35¾"		**AI3624**	—	213	203	288	161
	41¾"		**AI4224**	—	228	220	327	177
	47¾"		**AI4824**	—	253	241	350	196

Glass tiles cannot be used in a 30"H sectional panel frame.

Tiles must be specified for both sides of panel frame.

Slat tiles are only available in 12" and 19" height. One single monitor arm can be accommodated per slat tile.

Sectional Panel Frames
➤See Pages 57 – 59.

Work Tools and Monitor Arms for Slat Wall Tiles
➤See the Perks Price List

Features ➤See page 21
Product Information 26
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Tile

How to Specify

Slat, Ventilated, Wood and Painted Tiles

❶ Model
❷ Type of tile:
SS = Slat
V1 = Ventilated
W = Wood
P = Paint
③ Finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
Note: Metallic paints are not available on painted tiles.
④ Finish designator

Glass Tiles

❶ Model
❸ Type of tile:
G = Glass
③ Glass option:
3 = Clear
9 = Frosted (not available on 7"H tiles) (+10% upcharge)
④ Frame finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Frame finish designator

Stackable Acoustical & Combination Panels

Pricing

GSA SIN 711-1

Features ➤See page 21
Product Information 27
Application Guidelines 34
Power & Data Overview 36



				Acoustical (Fabric)					Combination				
				Fabric Price Grade					Fabric Price Grade				
D	*W*	*H*	*Model*	*A or COM*	*B*	*C*	*D*	*E*	*A or COM*	*B*	*C*	*D*	*E*
7"H Panels													
2⅝"	18"	6¾"	**AP1807**	$250	$258	$262	$270	$282	$414	$421	$426	$434	$445
	24"		**AP2407**	263	271	275	283	295	437	444	449	457	468
	30"		**AP3007**	269	285	297	315	341	444	451	456	464	475
	36"		**AP3607**	280	296	308	326	352	462	469	474	482	493
	42"		**AP4207**	297	313	325	343	369	487	494	499	507	518
	48"		**AP4807**	300	316	328	346	372	495	502	507	515	526
	60"		**AP6007**	333	349	361	379	405	—	—	—	—	—
12"H Panels													
2⅝"	18"	11¾"	**AP1812**	$322	334	$342	$356	$374	$529	$541	$550	$562	$581
	24"		**AP2412**	339	351	359	373	391	557	569	578	590	609
	30"		**AP3012**	346	368	382	406	440	569	581	590	602	621
	36"		**AP3612**	353	375	389	413	447	580	592	601	613	632
	42"		**AP4212**	371	393	407	431	465	612	624	633	645	664
	48"		**AP4812**	378	400	414	438	472	622	634	643	655	674
	60"		**AP6012**	421	443	457	481	515	—	—	—	—	—
19"H Panels													
2⅝"	18"	18¾"	**AP1819**	$359	$375	$387	$405	$431	$591	$608	$620	$637	$664
	24"		**AP2419**	379	395	407	425	451	622	639	651	668	695
	30"		**AP3019**	391	415	433	457	495	648	665	677	694	721
	36"		**AP3619**	407	435	457	487	531	668	685	697	714	741
	42"		**AP4219**	421	453	475	507	557	695	712	724	741	768
	48"		**AP4819**	427	463	489	527	583	702	719	731	748	775
	60"		**AP6019**	476	520	550	594	664	—	—	—	—	—

Standard Includes

- Panel
- Attachment brackets

How to Specify

❶ Model
❸ Type of panel:
AS = Stackable acoustical
PNS = Paint/Fabric
WNS = Wood/Fabric
③ Side 1 fabric grade or finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Side 1 fabric number or finish designator
⑤ Side 2 fabric grade
⑥ Side 2 fabric number

A maximum of two stackable panels may be added to a standard panel. Combined panel height may not exceed 118".

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

Floor-to-Ceiling Top Channel
➤See page 66.

Stackable Glass Panels

Pricing

GSA SIN 711-1



D	W	H	Model	Frame Fabric	Frame Paint	Frame Wood
12"H Panels						
2⅝"	18"	11¾"	**AP1812G**	$538	$538	$670
	24"		**AP2412G**	578	578	724
	30"		**AP3012G**	602	602	756
	36"		**AP3612G**	631	631	790
	42"		**AP4212G**	677	677	851
	48"		**AP4812G**	717	717	897
	60"		**AP6012G**	785	785	983
19"H Panels						
2⅝"	18"	18¾"	**AP1819G**	$562	$562	$706
	24"		**AP2419G**	607	607	759
	30"		**AP3019G**	634	634	794
	36"		**AP3619G**	663	663	830
	42"		**AP4219G**	712	712	892
	48"		**AP4819G**	756	756	949
	60"		**AP6019G**	837	837	1046

A maximum of two stackable panels may be added to a standard panel. Combined panel height may not exceed 118".
➤See page 66.

Stackable glass panels are not visually compatible with sectional glass panels.

Floor-to-Ceiling Top Channel
➤See page 66.

Features ➤See page 21
Product Information 27
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Panel
- Attachment brackets

How to Specify

❶ Model
❸ Frame:
SN = Fabric
SP = Paint
SW = Wood
③ Glass option:
3 = Clear
9 = Frosted (+10%)
④ Frame finish price group:
If fabric, fabric grade.
If wood or paint,
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Finish designator or fabric number

Stackable Ceiling Power Entry Panels

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 27
Application Guidelines 34
Power & Data Overview 36



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
7"H Panels								
2⅝"	30"	6¾"	**AP3007VS**	$368	$376	$380	$388	$400
	36"		**AP3607VS**	383	399	411	429	455
	42"		**AP4207VS**	386	402	414	432	458
	48"		**AP4807VS**	399	415	427	445	471
12"H Panels								
2⅝"	30"	11¾"	**AP3012VS**	$474	$484	$490	$500	$516
	36"		**AP3612VS**	480	500	512	532	564
	42"		**AP4212VS**	480	502	516	540	574
	48"		**AP4812VS**	495	517	531	555	589
19"H Panels								
2⅝"	30"	18¾"	**AP3019VS**	$538	$552	$562	$578	$600
	36"		**AP3619VS**	554	586	608	640	690
	42"		**AP4219VS**	559	591	613	645	695
	48"		**AP4819VS**	577	613	639	677	733

Standard Includes

- Panel
- Attachment brackets

How to Specify

❶ Model
② Side 1 fabric grade
③ Side 1 fabric number
④ Side 2 fabric grade
⑤ Side 2 fabric number

A maximum of two stackable panels may be added to a standard panel. Combined panel height may not exceed 118".

When combining fabric grades on a single panel, add side 1 fabric grade price to side 2 fabric grade price, then divide total by 2 to get the average.

When specifying different fabrics, keep side 1 fabric consistent with the side 1 fabric for the standard ceiling power entry panel.

Floor-to-Ceiling Top Channel
➤See page 66.

Frameless Glass

Pricing

GSA SIN 711-1

Features ➤See page 21
Product Information 28
Application Guidelines 34
Power & Data Overview 36





D	*W*	*H*	*Fits Panel*	*Model*	*Price*
For Use Where Adjacent Panels are the Same Height					
2 5/8"	22 7/8"	11 7/16"	24"W	**AP2412FG3**	$480
	28 7/8"		30"W	**AP3012FG3**	511
	34 7/8"		36"W	**AP3612FG3**	544
	40 7/8"		42"W	**AP4212FG3**	595
	46 7/8"		48"W	**AP4812FG3**	627
For Use in Hi-Lo Application					
2 5/8"	21 7/8"	11 7/16"	24"W	**AP2412FGH3**	$480
	27 7/8"		30"W	**AP3012FGH3**	511
	33 7/8"		36"W	**AP3612FGH3**	544
	39 7/8"		42"W	**AP4212FGH3**	595
	45 7/8"		48"W	**AP4812FGH3**	627

Standard Includes

- Tempered glass pane: clear

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
C = Square
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator
⑥ Bracket paint price group:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑦ Bracket finish designator

Specify frameless glass model based on the width of the panel to which it will attach.

Top cap is available in square profile only.

Frameless glass is not for use on full glass, partial-glass, or stackable glass panels.

Floor-to-Ceiling Top Channels & Supports

Pricing

GSA SIN 711-1

Features ➤See page 21
Application Guidelines 34
Power & Data Overview 36



D	*W*	*H*	*Model*	*Price*
Floor-to-Ceiling Top Channel				
2 11⁄16"	144"	4"	**AAC144FCTC**	$632
Floor-to-Ceiling Top Channel Supports				
2 11⁄16"	1"	4"	**AACTCS**	$13

Eight top channel supports are standard with top channel. Order additional only if required.

Top channel provides 2" of adjustability.

Standard Includes

Floor-to-Ceiling Top Channels
- Set of two 12' long channels
- 8 top channel supports

Top Channel Supports
- Package of 4

How to Specify

❶ Model
② Finish designator

Privacy Panels

Pricing

Fabric and Fabric/Markerboard Combination

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
Fabric Privacy Panels								
1¾"	36"	67½"	**AP3668PPF**	$1392	$1484	$1548	$1642	$1788
	42"		**AP4268PPF**	1432	1524	1588	1682	1828
Fabric/Markerboard Combination Privacy Panels								
1¾"	36"	67½"	**AP3668PPFM**	$1490	$1536	$1568	$1615	$1688
	42"		**AP4268PPFM**	1528	1574	1606	1653	1726

When mounting privacy panel in a straight panel run, specify panel to be wider than opening to allow for proper clearance

Privacy panels are non-handed and reversible. They can be mounted left or right and can be flipped so that the markerboard or different fabrics can be positioned inside or out.

Expo or Expo2 dry erase markers are recommended for use on marker-boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Features ➤See page 21
Product Information 29
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Privacy panel
- Mounting brackets
- Caster
- Markerboard, on applicable models: 488M Frosty White

How to Specify

❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)
③ Fabric grade for side 1
④ Fabric number for side 1
⑤ Fabric grade for side 2 (omit for fabric/markerboard combination)
⑥ Fabric number for side 2 (omit for fabric/markerboard combination)

Privacy Panels

Pricing

Translucent

GSA SIN 711-1



D	*W*	*H*	*Model*	*Price*
Translucent Privacy Panels				
1¾"	36"	67½"	**AP3668PPT**	$1834
	42"		**AP4268PPT**	1872

When mounting privacy panel in a straight panel run, specify panel to be wider than opening to allow for proper clearance

Privacy panels are non-handed and reversible. They can be mounted left or right.

Features ➤See page 21
Product Information 29
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Privacy panel
- Mounting brackets
- Caster

How to Specify

❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)

Hinged Doors

Pricing

GSA SIN 711-1

Features ➤See page 21
Product Information 30
Application Guidelines 34
Power & Data Overview 36

Right hinge



Left hinge

D	*W*	*H*	*Model*	*Price*
Hinged Doors				
2⅝"	36"	80⅜"	**AP3680D**	$3120
	42"		**AP4280D**	3198

Related Products:

Description	*Model*	*Price*
Brackets		
Bottom door bracket	**ABD**	$36
Bottom L bracket	**ABL**	33
Bottom straight connector bracket	**ABS**	33
Door plate	**ABDU**	19

Specify the hinge location (right or left) so that the door will swing in the correct direction. With a right hinge, door will swing away from you to the right; with a left hinge, door will swing away from you to the left.

Doors are not applicable next to V or Y connectors.

Specify appropriate bracket when installing hinged door next to a directional connector
➤See page 30 for proper application.

42”W hinged doors are recommended for ADA compliance.

Standard Includes

- Top cap
- Attachment brackets
- Frame and threshold

How to Specify

Door

❶ Model
❷ Door material:
W = Wood
P = Paint
❸ Hinge location:
R = Right
L = Left
❹ Top cap material:
W = Wood
P = Paint
⑤ Door hardware (required):
LL2 = Locking lever (+$407)
X = No lever
⑥ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑦ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑧ Top cap finish designator
⑨ Door finish price group:
STD = Standard wood or non-metallic paint
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑩ Door finish designator

Brackets

❶ Model

End Trim and X Connectors

Pricing

GSA SIN 711-1

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36



D	*W*	*H*	*Model*	**Connector Material** *Wood*	*Paint*
End Trim					
2⅝"	1"	30⅜"	**ACC30**	$203	$156
		37⅜"	**ACC37**	207	160
		42⅜"	**ACC42**	208	162
		49⅜"	**ACC50**	219	172
		56⅜"	**ACC56**	227	178
		61⅜"	**ACC61**	233	184
		68⅜"	**ACC68**	244	192
		80⅜"	**ACC80**	258	208



D	*W*	*H*	*Model*	**Top Cap Material** *Wood or Paint*
X Connectors (4-way)				
2⅝"	2⅝"	30⅜"	**ACX30**	$284
		37⅜"	**ACX37**	288
		42⅜"	**ACX42**	294
		49⅜"	**ACX50**	307
		56⅜"	**ACX56**	312
		61⅜"	**ACX61**	318
		68⅜"	**ACX68**	327
		80⅜"	**ACX80**	342

Standard Includes

- Top cap for X connector
- Connection bracketry

How to Specify

❶ Model
❷ End trim or top cap material:
W = Wood
P = Paint
③ Profile or top cap shape:
A = Softened
C = Square
T = Transitional (wood only)
④ Finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Finish designator

L and T Connectors

Pricing

GSA SIN 711-1

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36







D	W	H	Model	Connector Material: Fabric	Wood	Paint
L Connectors (90° softened profile)						
2⅝"	2⅝"	30⅜"	**ACR30**	$251	$327	$251
		37⅜"	**ACR37**	256	338	256
		42⅜"	**ACR42**	258	341	258
		49⅜"	**ACR50**	268	354	268
		56⅜"	**ACR56**	279	363	279
		61⅜"	**ACR61**	286	370	286
		68⅜"	**ACR68**	293	377	293
		80⅜"	**ACR80**	307	391	307
L Connectors (90° square profile)						
2⅝"	2⅝"	30⅜"	**ACL30**	$251	$327	$251
		37⅜"	**ACL37**	256	338	256
		42⅜"	**ACL42**	258	341	258
		49⅜"	**ACL50**	268	354	268
		56⅜"	**ACL56**	279	363	279
		61⅜"	**ACL61**	286	370	286
		68⅜"	**ACL68**	293	377	293
		80⅜"	**ACL80**	307	391	307
T Connectors (3-way)						
2⅝"	2⅝"	30⅜"	**ACT30**	$284	$364	$284
		37⅜"	**ACT37**	288	372	288
		42⅜"	**ACT42**	294	378	294
		49⅜"	**ACT50**	307	391	307
		56⅜"	**ACT56**	312	396	312
		61⅜"	**ACT61**	318	404	318
		68⅜"	**ACT68**	327	416	327
		80⅜"	**ACT80**	342	430	342

Transitional profile top cap is available in wood only.

Standard Includes

- Top cap
- Wireway cover
- Connection bracketry

How to Specify

❶ Model
❷ Connector material:
N = Fabric
W = Wood
P = Paint
❸ Top cap material:
W = Wood
P = Paint
④ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Wireway cover finish price group:
STD = Group 1
STDM = Group M (+10%*)
⑧ Wireway finish designator
⑨ Connector finish price group:
If fabric, fabric grade.
If wood or paint,
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑩ Connector finish designator or fabric number

S Connectors

Pricing

GSA SIN 711-1



D	W	H	Model	Connector Material: Fabric	Wood	Paint	Combination
S Connectors (Straight)							
2⅝"	2⅝"	30⅜"	**ACS30**	$284	$364	$284	$364
		37⅜"	**ACS37**	288	372	288	372
		42⅜"	**ACS42**	294	378	294	378
		49⅜"	**ACS50**	307	391	307	391
		56⅜"	**ACS56**	312	396	312	396
		61⅜"	**ACS61**	318	404	318	404
		68⅜"	**ACS68**	327	416	327	416
		80⅜"	**ACS80**	342	430	342	430

S connectors are reversible.

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Top cap
- Wireway cover
- Connection bracketry

How to Specify

❶ Model
❷ Connector material:
N = Fabric
W = Wood
P = Paint
PN = Side 1 paint; side 2 fabric
WN = Side 1 wood; side 2 fabric
PW = Side 1 paint; side 2 wood
❸ Top cap material:
W = Wood
P = Paint
④ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Wireway cover finish price group:
STD = Group 1
STDM = Group M (+10%*)
⑧ Wireway finish designator
⑨ Side 1 finish price group:
If fabric, fabric grade.
If wood or paint:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
⑩ Side 1 finish designator or fabric number
⑪ Side 2 finish price group:
If fabric: fabric grade.
If wood or paint: **STD, STDM** (+10%*), **STD2** (+20%*),
**Applies once per model.*
⑫ Side 2 finish designator or fabric number

M and W Connectors

Pricing

GSA SIN 711-1

Features	➤See page 21
Product Information	31
Application Guidelines	34
Power & Data Overview	36





D	*W*	*H*	*Model*	Connector Material *Fabric*	*Wood*	*Paint*	*Combination*
M Connectors (5⁄8" Wall Mount)							
2⅝"	⅝"	30⅜"	**ACM30**	$284	—	$284	$364
		37⅜"	**ACM37**	288	—	288	372
		42⅜"	**ACM42**	294	—	294	378
		49⅜"	**ACM50**	307	—	307	391
		56⅜"	**ACM56**	312	—	312	396
		61⅜"	**ACM61**	318	—	318	404
		68⅜"	**ACM68**	327	—	327	416
		80⅜"	**ACM80**	342	—	342	430
W Connectors (2¾" Wall Mount)							
2⅝"	2¾"	30⅜"	**ACW30**	$284	$364	$284	$364
		37⅜"	**ACW37**	288	372	288	372
		42⅜"	**ACW42**	294	378	294	378
		49⅜"	**ACW50**	307	391	307	391
		56⅜"	**ACW56**	312	396	312	396
		61⅜"	**ACW61**	318	404	318	404
		68⅜"	**ACW68**	327	416	327	416
		80⅜"	**ACW80**	342	430	342	430

M & W connectors are not reversible.

M connectors are not available in wood or wood combination.

Standard Includes

- Top cap
- Connection bracketry

How to Specify

❶ Model

❷ Connector material:
N = Fabric
W = Wood
P = Paint
PN = Side 1 paint; side 2 fabric
NP = Side 1 fabric; side 2 paint
WN = Side 1 wood; side 2 fabric
NW = Side 1 fabric; side 2 wood
PW = Side 1 paint; side 2 wood
WP = Side 1 wood; side 2 paint

❸ Top cap material:
W = Wood
P = Paint

④ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)

⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)

⑥ Top cap finish designator

⑦ Side 1 finish price group:
If fabric, fabric grade.
If wood or paint:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)

⑧ Side 1 finish designator or fabric number

⑨ Side 2 finish price group:
If fabric: fabric grade.
If wood or paint: **STD, STDM** (+10%*), **STD2** (+20%*),
**Applies once per model.*

⑩ Side 2 finish designator or fabric number

Y Connectors

Pricing

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Connector Material: Fabric	Wood	Paint
Y Connectors (3-way 120°/120°/120°)						
	2⅝"	30⅜"	**ACY30**	$284	$364	$284
		37⅜"	**ACY37**	288	372	288
		42⅜"	**ACY42**	294	378	294
		49⅜"	**ACY50**	307	391	307
		56⅜"	**ACY56**	312	396	312
		61⅜"	**ACY61**	318	404	318
		68⅜"	**ACY68**	327	416	327
		80⅜"	**ACY80**	342	430	342

Y connectors are not available in combination materials, however, different fabrics may be specified on each side.

Finish must be the same for all sides when specified in wood or paint.

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Top cap
- Wireway cover
- Connection bracketry

How to Specify

❶ Model
❸ Connector material:
N = Fabric
W = Wood
P = Paint
❸ Top cap material:
W = Wood
P = Paint
④ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Wireway cover finish price group:
STD = Group 1
STDM = Group M (+10%*)
⑧ Wireway finish designator
⑨ Side 1 finish price group:
If fabric, fabric grade.
If wood or paint:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑩ Side 1 finish designator or fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number
⑬ Side 3 fabric grade
⑭ Side 3 fabric number

Mid-Wireway L and T Connectors

Pricing

GSA SIN 711-1

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36







D	W	H	Model	Connector Material: Fabric	Wood	Paint
L Connectors (90° softened profile)						
2⅝"	2⅝"	42⅜"	**ACR42M**	$350	$449	$350
		49⅜"	**ACR50M**	373	468	373
		56⅜"	**ACR56M**	388	478	388
		61⅜"	**ACR61M**	402	487	402
		68⅜"	**ACR68M**	417	498	417
		80⅜"	**ACR80M**	440	515	440
L Connectors (90° square profile)						
2⅝"	2⅝"	42⅜"	**ACL42M**	$350	$449	$350
		49⅜"	**ACL50M**	373	468	373
		56⅜"	**ACL56M**	388	478	388
		61⅜"	**ACL61M**	402	487	402
		68⅜"	**ACL68M**	417	498	417
		80⅜"	**ACL80M**	440	515	440
T Connectors (3-way)						
2⅝"	2⅝"	42⅜"	**ACT42M**	$387	$500	$387
		49⅜"	**ACT50M**	404	515	404
		56⅜"	**ACT56M**	414	525	414
		61⅜"	**ACT61M**	420	536	420
		68⅜"	**ACT68M**	432	547	432
		80⅜"	**ACT80M**	450	566	450

Standard Includes

- Top cap
- Wireway cover
- Connection bracketry

How to Specify

❶ Model
❷ Connector material:
N = Fabric
W = Wood
P = Paint
❸ Top cap material:
W = Wood
P = Paint
④ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Wireway cover finish price group:
STD = Group 1
STDM = Group M (+10%*)
⑧ Wireway finish designator
⑨ Side 1 finish price group:
If fabric, fabric grade.
If wood or paint:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑩ Connector finish designator or fabric number

Mid-Wireway X and S Connectors

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36





D	W	H	Model	Top Cap Material Wood or Paint
X Connectors (4-way)				
2⅝"	2⅝"	42⅜"	**ACX42M**	$387
		49⅜"	**ACX50M**	404
		56⅜"	**ACX56M**	414
		61⅜"	**ACX61M**	420
		68⅜"	**ACX68M**	432
		80⅜"	**ACX80M**	450

D	W	H	Model	Connector Material Fabric	Wood	Paint
S Connectors (Straight)						
2⅝"	2⅝"	42⅜"	**ACS42M**	$387	$500	$387
		49⅜"	**ACS50M**	404	515	404
		56⅜"	**ACS56M**	414	525	414
		61⅜"	**ACS61M**	420	536	420
		68⅜"	**ACS68M**	432	547	432
		80⅜"	**ACS80M**	450	566	450

Connector finish and wireway finish are not required for X connectors. Top cap finish is required.

Standard Includes

- Top cap
- Wireway cover
- Connection bracket

How to Specify

❶ Model
❷ Connector material (omit for X connector):
N = Fabric
W = Wood
P = Paint
❸ Top cap material:
W = Wood
P = Paint
④ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Wireway cover finish price group:
STD = Group 1
STDM = Group M (+10%*)
⑧ Wireway finish designator
⑨ Side 1 finish price group:
If fabric, fabric grade.
If wood or paint:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
⑩ Side 1 finish designator or fabric number (omit for X connector)
⑪ Side 2 finish price group (omit for X connector):
If fabric: fabric grade.
If wood or paint: **STD, STDM** (+10%*), **STD2** (+20%*),
**Applies once per model.*
⑫ Side 2 finish designator or fabric number (omit for X connector)

Stackable End Trim

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36



D	W	H	Model	Wood	Paint
End Trim					
Under 80"H					
2⅝"	1"	43¾"	**ACC44**	$213	$167
		50¾"	**ACC51**	221	174
		53¾"	**ACC54**	224	177
		62¾"	**ACC63**	241	185
		65¾"	**ACC66**	242	187
		69¾"	**ACC70**	249	197
		72¾"	**ACC73**	251	200
		74¾"	**ACC75**	253	205
Over 80"H					
2⅝"	1"	81¾"	**ACC82**	$312	$242
		84¾"	**ACC85**	340	268
		86¾"	**ACC87**	364	301
		91¾"	**ACC92**	394	331
		93¾"	**ACC94**	434	364
		98¾"	**ACC99**	475	394
		103¾"	**ACC104**	522	434
		105¾"	**ACC106**	552	475
		110¾"	**ACC111**	593	522
		117¾"	**ACC118**	632	569

Standard Includes

- Stackable end trim

How to Specify

❶ Model
❷ End trim material:
W = Wood
P = Paint
③ End trim profile:
A = Softened
C = Square
T = Transitional (wood only)
④ End trim finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ End trim finish designator

Transitional profile end trim is available in wood only.

End caps over 80"H feature a transition cap.

Stackable L and T Connectors

Pricing

GSA SIN 711-1

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36







D	W	H	Model	Connector Material: Fabric	Wood	Paint
L Connectors (90° softened profile)						
2⅝"	2⅝"	6¾"	**ACR07**	$113	$160	$113
		11¾"	**ACR12**	119	167	119
		13¾"	**ACR14**	124	174	124
		18¾"	**ACR19**	142	187	142
		23¾"	**ACR24**	160	207	160
		25¾"	**ACR26**	197	235	197
		30¾"	**ACR31**	253	331	253
		37¾"	**ACR38**	257	340	257
L Connectors (90° square profile)						
2⅝"	2⅝"	6¾"	**ACL07**	$113	$160	$113
		11¾"	**ACL12**	119	167	119
		13¾"	**ACL14**	124	174	124
		18¾"	**ACL19**	142	187	142
		23¾"	**ACL24**	160	207	160
		25¾"	**ACL26**	197	235	197
		30¾"	**ACL31**	253	331	253
		37¾"	**ACL38**	257	340	257
T Connectors (3-way)						
2⅝"	2⅝"	6¾"	**ACT07**	$142	$187	$142
		11¾"	**ACT12**	149	197	149
		13¾"	**ACT14**	160	207	160
		18¾"	**ACT19**	174	221	174
		23¾"	**ACT24**	187	253	187
		25¾"	**ACT26**	235	284	235
		30¾"	**ACT31**	286	366	286
		37¾"	**ACT38**	289	373	289

IMPORTANT: Top caps from base connectors are used on stackable connectors. When specifying a stackable connector that is different from the base connector, the appropriate top cap/bracket assembly must be specified separately.
➤See page 99.

Standard Includes

- Connector

How to Specify

❶ Model
❸ Connector material:
N = Fabric
W = Wood
P = Paint
③ Connector finish price group:
If fabric, fabric grade.
If wood or paint,
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Connector finish designator or fabric number

Stackable X and S Connectors

Pricing

GSA SIN 711-1

Features	➤See page 21
Product Information	31
Application Guidelines	34
Power & Data Overview	36



D	W	H	Model	Price
Stackable X Connectors (4-way)				
2⅝"	2⅝"	6¾"	**ACX07S**	$139
		11¾"	**ACX12S**	145
		13¾"	**ACX14S**	155
		18¾"	**ACX19S**	170
		23¾"	**ACX24S**	183
		25¾"	**ACX26S**	228
		30¾"	**ACX31S**	278
		37¾"	**ACX38S**	281



				Connector Material			
D	W	H	Model	Fabric	Wood	Paint	Combination
Stackable S Connectors (Straight)							
2⅝"	2⅝"	6¾"	**ACS07**	$142	$187	$142	$187
		11¾"	**ACS12**	149	197	149	197
		13¾"	**ACS14**	160	207	160	207
		18¾"	**ACS19**	174	221	174	221
		23¾"	**ACS24**	187	253	187	253
		25¾"	**ACS26**	235	284	235	284
		30¾"	**ACS31**	286	366	286	366
		37¾"	**ACS38**	289	373	289	373

IMPORTANT: Top caps from base connectors are used on stackable connectors. When specifying a stackable connector that is different from the base connector, the appropriate top cap/bracket assembly must be specified separately.
➤See page 99.

Standard Includes

- Connector

How to Specify

X Connector

❶ Model

S Connector

❶ Model
❷ Connector material:
N = Fabric
W = Wood
P = Paint
PN = Side 1 paint; side 2 fabric
WN = Side 1 wood; side 2 fabric
PW = Side 1 paint; side 2 wood
③ Side 1 connector finish price group:
If fabric, fabric grade.
If wood or paint,
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Side 1 finish designator or fabric number
⑤ Side 2 connector finish price group:
If fabric, fabric grade.
If wood or paint,
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑥ Side 2 finish designator or fabric number

Stackable M and W Connectors

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36





D	W	H	Model	Connector Material: Fabric	Wood	Paint	Combination
Stackable M Connectors (⅝" Wall Mount)							
2⅝"	⅝"	6¾"	**ACM07**	$142	—	$142	$187
		11¾"	**ACM12**	149	—	149	197
		13¾"	**ACM14**	160	—	160	207
		18¾"	**ACM19**	174	—	174	221
		23¾"	**ACM24**	187	—	187	253
		25¾"	**ACM26**	235	—	235	284
		30¾"	**ACM31**	286	—	286	366
		37¾"	**ACM38**	289	—	289	373
Stackable W Connectors (2¾" Wall Mount)							
2⅝"	2¾"	6¾"	**ACW07**	$142	$187	$142	$187
		11¾"	**ACW12**	149	197	149	197
		13¾"	**ACW14**	160	207	160	207
		18¾"	**ACW19**	174	221	174	221
		23¾"	**ACW24**	187	253	187	253
		25¾"	**ACW26**	235	284	235	284
		30¾"	**ACW31**	286	366	286	366
		37¾"	**ACW38**	289	373	289	373

M connectors are not available in wood or wood combination.

IMPORTANT: Top caps from base connectors are used on stackable connectors. When specifying a stackable connector that is different from the base connector, the appropriate top cap/bracket assembly must be specified separately.
➤See page 99.

Standard Includes

- Connector

How to Specify

❶ Model
❷ Connector material:
N = Fabric
W = Wood
P = Paint
PN = Side 1 paint; side 2 fabric
NP = Side 1 fabric; side 2 paint
WN = Side 1 wood; side 2 fabric
NW = Side 1 fabric; side 2 wood
PW = Side 1 paint; side 2 wood
WP = Side 1 wood; side 2 paint
③ Side 1 connector finish price group:
If fabric, fabric grade.
If wood or paint,
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Side 1 finish designator or fabric number
⑤ Side 2 connector finish price group:
If fabric, fabric grade.
If wood or paint, **STD, STDM** (+10%*), **STD2** (+20%*)
**Applies once per model.*
⑥ Side 2 finish designator or fabric number

Hi-Lo Trim Kits for Standard Panels

Pricing

For 5" to 13" Drops

GSA SIN 711-1



Width of Lower Panel	**Panel-to-Panel** *Model*	**Connector-to-Panel** *Model*	*Price*
5" Drop (from 42"H to 37"H; and 61"H to 56"H)			
18"	**AH0518P**	**AH0518C**	$116
24"	**AH0524P**	**AH0524C**	116
30"	**AH0530P**	**AH0530C**	116
36"	**AH0536P**	**AH0536C**	116
42"	**AH0542P**	**AH0542C**	116
48"	**AH0548P**	**AH0548C**	116
60"	**AH0560P**	**AH0560C**	116
6", 7", and 8" Drops (from 37"H to 30"H; 50"H to 42"H; 56"H to 50"H; and 68"H to 61"H)			
18"	**AH0618P**	**AH0618C**	$116
24"	**AH0624P**	**AH0624C**	116
30"	**AH0630P**	**AH0630C**	116
36"	**AH0636P**	**AH0636C**	116
42"	**AH0642P**	**AH0642C**	116
48"	**AH0648P**	**AH0648C**	116
60"	**AH0660P**	**AH0660C**	116
11", 12", and 13" Drops (from 42"H to 30"H; 50"H to 37"H; 61"H to 50"H; 68"H to 56"H; 80"H to 68"H)			
18"	**AH1218P**	**AH1218C**	$121
24"	**AH1224P**	**AH1224C**	121
30"	**AH1230P**	**AH1230C**	121
36"	**AH1236P**	**AH1236C**	121
42"	**AH1242P**	**AH1242C**	121
48"	**AH1248P**	**AH1248C**	121
60"	**AH1260P**	**AH1260C**	121

To select the correct model number, determine 1) height of drop; 2) width of the lower panel; and 3) application (panel-to-panel or connector-to-panel

IMPORTANT: When you specify a hi-lo trim kit to be used with a directional connector, the appropriate connector top cap/bracket assemblies must be specified separately.
➤See page 100.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Standard Panels

Pricing

For 14" to 24" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Connector-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	**Connector-to-Panel** *Model*	*Price*
14" Drops (from 56"H to 42"H)			
18"	**AH1418P**	**AH1418C**	$121
24"	**AH1424P**	**AH1424C**	121
30"	**AH1430P**	**AH1430C**	121
36"	**AH1436P**	**AH1436C**	121
42"	**AH1442P**	**AH1442C**	121
48"	**AH1448P**	**AH1448C**	121
60"	**AH1460P**	**AH1460C**	121
18", 19", and 20" Drops (from 50"H to 30"H; 56"H to 37"H; 61"H to 42"H; 68"H to 50"H; and 80"H to 61"H)			
18"	**AH1918P**	**AH1918C**	$129
24"	**AH1924P**	**AH1924C**	129
30"	**AH1930P**	**AH1930C**	129
36"	**AH1936P**	**AH1936C**	129
42"	**AH1942P**	**AH1942C**	129
48"	**AH1948P**	**AH1948C**	129
60"	**AH1960P**	**AH1960C**	129
24" Drop (from 61"H to 37"H; and 80"H to 56"H)			
18"	**AH2418P**	**AH2418C**	$141
24"	**AH2424P**	**AH2424C**	141
30"	**AH2430P**	**AH2430C**	141
36"	**AH2436P**	**AH2436C**	141
42"	**AH2442P**	**AH2442C**	141
48"	**AH2448P**	**AH2448C**	141
60"	**AH2460P**	**AH2460C**	141

To select the correct model number, determine 1) height of drop; 2) width of the lower panel; and 3) application (panel-to-panel or connector-to-panel)

IMPORTANT: When you specify a hi-lo trim kit to be used with a directional connector, the appropriate connector top cap/bracket assemblies must be specified separately.
➤See page 100.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Standard Panels

Pricing

For 26" to 38" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Connector-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	**Connector-to-Panel** *Model*	*Price*
26" Drops (from 55"H to 30"H; and 68"H to 42"H)			
18"	**AH2618P**	**AH2618C**	$141
24"	**AH2624P**	**AH2624C**	141
30"	**AH2630P**	**AH2630C**	141
36"	**AH2636P**	**AH2636C**	141
42"	**AH2642P**	**AH2642C**	141
48"	**AH2648P**	**AH2648C**	141
60"	**AH2660P**	**AH2660C**	141
30" and 31" Drops (from 61"H to 30"H; 68"H to 37"H; and 80"H to 50"H)			
18"	**AH3018P**	**AH3018C**	$146
24"	**AH3024P**	**AH3024C**	146
30"	**AH3030P**	**AH3030C**	146
36"	**AH3036P**	**AH3036C**	146
42"	**AH3042P**	**AH3042C**	146
48"	**AH3048P**	**AH3048C**	146
60"	**AH3060P**	**AH3060C**	146
38" Drop (from 68"H to 30"H; and 80"H to 42"H)			
18"	**AH3818P**	**AH3818C**	$160
24"	**AH3824P**	**AH3824C**	160
30"	**AH3830P**	**AH3830C**	160
36"	**AH3836P**	**AH3836C**	160
42"	**AH3842P**	**AH3842C**	160
48"	**AH3848P**	**AH3848C**	160
60"	**AH3860P**	**AH3860C**	160

To select the correct model number, determine 1) height of drop; 2) width of the lower panel; and 3) application (panel-to-panel or connector-to-panel)

IMPORTANT: When you specify a hi-lo trim kit to be used with a directional connector, the appropriate connector top cap/bracket assemblies must be specified separately.
➤See page 100.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Standard Panels

Pricing

For 43" to 50" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Connector-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	**Connector-to-Panel** *Model*	*Price*
43" Drops (from 80"H to 37"H)			
18 "	**AH4318P**	**AH4318C**	$187
24"	**AH4324P**	**AH4324C**	187
30"	**AH4330P**	**AH4330C**	187
36"	**AH4336P**	**AH4336C**	187
42"	**AH4342P**	**AH4342C**	187
48"	**AH4348P**	**AH4348C**	187
60"	**AH4360P**	**AH4360C**	187
50" Drop (from 80"H to 30"H)			
18"	**AH5018P**	**AH5018C**	$219
24"	**AH5024P**	**AH5024C**	219
30"	**AH5030P**	**AH5030C**	219
36"	**AH5036P**	**AH5036C**	219
42"	**AH5042P**	**AH5042C**	219
48"	**AH5048P**	**AH5048C**	219
60"	**AH5060P**	**AH5060C**	219

To select the correct model number, determine 1) height of drop; 2) width of the lower panel; and 3) application (panel-to-panel or connector-to-panels

IMPORTANT: When you specify a hi-lo trim kit to be used with a directional connector, the appropriate connector top cap/bracket assemblies must be specified separately.
➤See page 100.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 5" to 9" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
5" Drop		
18"	**AH0518PS**	$116
24"	**AH0524PS**	116
30"	**AH0530PS**	116
36"	**AH0536PS**	116
42"	**AH0542PS**	116
48"	**AH0548PS**	116
60"	**AH0560PS**	116
7" Drop		
18"	**AH0718PS**	$116
24"	**AH0724PS**	116
30"	**AH0730PS**	116
36"	**AH0736PS**	116
42"	**AH0742PS**	116
48"	**AH0748PS**	116
60"	**AH0760PS**	116
9" Drop		
18"	**AH0918PS**	$119
24"	**AH0924PS**	119
30"	**AH0930PS**	119
36"	**AH0936PS**	119
42"	**AH0942PS**	119
48"	**AH0948PS**	119
60"	**AH0960PS**	119

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 10" to 14" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
10" Drop		
18"	**AH1018PS**	$119
24"	**AH1024PS**	119
30"	**AH1030PS**	119
36"	**AH1036PS**	119
42"	**AH1042PS**	119
48"	**AH1048PS**	119
60"	**AH1060PS**	119
12" Drop		
18"	**AH1218PS**	$121
24"	**AH1224PS**	121
30"	**AH1230PS**	121
36"	**AH1236PS**	121
42"	**AH1242PS**	121
48"	**AH1248PS**	121
60"	**AH1260PS**	121
14" Drop		
18"	**AH1418PS**	$121
24"	**AH1424PS**	121
30"	**AH1430PS**	121
36"	**AH1436PS**	121
42"	**AH1442PS**	121
48"	**AH1448PS**	121
60"	**AH1460PS**	121

To select the correct model number, determine 1) height of drop; 2) width of the lower panels

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 15" to 17" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
15" Drop		
18"	**AH1518PS**	$121
24"	**AH1524PS**	121
30"	**AH1530PS**	121
36"	**AH1536PS**	121
42"	**AH1542PS**	121
48"	**AH1548PS**	121
60"	**AH1560PS**	121
16" Drop		
18"	**AH1618PS**	$121
24"	**AH1624PS**	121
30"	**AH1630PS**	121
36"	**AH1636PS**	121
42"	**AH1642PS**	121
48"	**AH1648PS**	121
60"	**AH1660PS**	121
17" Drop		
18"	**AH1718PS**	$129
24"	**AH1724PS**	129
30"	**AH1730PS**	129
36"	**AH1736PS**	129
42"	**AH1742PS**	129
48"	**AH1748PS**	129
60"	**AH1760PS**	129

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 19" to 22" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
19" Drop		
18"	**AH1918PS**	$129
24"	**AH1924PS**	129
30"	**AH1930PS**	129
36"	**AH1936PS**	129
42"	**AH1942PS**	129
48"	**AH1948PS**	129
60"	**AH1960PS**	129
21" Drop		
18"	**AH2118PS**	$129
24"	**AH2124PS**	129
30"	**AH2130PS**	129
36"	**AH2136PS**	129
42"	**AH2142PS**	129
48"	**AH2148PS**	129
60"	**AH2160PS**	129
22" Drop		
18"	**AH2218PS**	$129
24"	**AH2224PS**	129
30"	**AH2230PS**	129
36"	**AH2236PS**	129
42"	**AH2242PS**	129
48"	**AH2248PS**	129
60"	**AH2260PS**	129

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 24" to 28" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
24" Drop		
18"	**AH2418PS**	$141
24"	**AH2424PS**	141
30"	**AH2430PS**	141
36"	**AH2436PS**	141
42"	**AH2442PS**	141
48"	**AH2448PS**	141
60"	**AH2460PS**	141
26" Drop		
18"	**AH2618PS**	$141
24"	**AH2624PS**	141
30"	**AH2630PS**	141
36"	**AH2636PS**	141
42"	**AH2642PS**	141
48"	**AH2648PS**	141
60"	**AH2660PS**	141
28" Drop		
18"	**AH2818PS**	$144
24"	**AH2824PS**	144
30"	**AH2830PS**	144
36"	**AH2836PS**	144
42"	**AH2842PS**	144
48"	**AH2848PS**	144
60"	**AH2860PS**	144

To select the correct model number, determine 1) height of drop; 2) width of the lower panel

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 29" to 33" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
29" Drop		
18"	**AH2918PS**	$144
24"	**AH2924PS**	144
30"	**AH2930PS**	144
36"	**AH2936PS**	144
42"	**AH2942PS**	144
48"	**AH2948PS**	144
60"	**AH2960PS**	144
31" Drop		
18"	**AH3118PS**	$146
24"	**AH3124PS**	146
30"	**AH3130PS**	146
36"	**AH3136PS**	146
42"	**AH3142PS**	146
48"	**AH3148PS**	146
60"	**AH3160PS**	146
33" Drop		
18"	**AH3318PS**	$149
24"	**AH3324PS**	149
30"	**AH3330PS**	149
36"	**AH3336PS**	149
42"	**AH3342PS**	149
48"	**AH3348PS**	149
60"	**AH3360PS**	149

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 34" to 38" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
34" Drop		
18"	**AH3418PS**	$149
24"	**AH3424PS**	149
30"	**AH3430PS**	149
36"	**AH3436PS**	149
42"	**AH3442PS**	149
48"	**AH3448PS**	149
60"	**AH3460PS**	149
36" Drop		
18"	**AH3618PS**	$156
24"	**AH3624PS**	156
30"	**AH3630PS**	156
36"	**AH3636PS**	156
42"	**AH3642PS**	156
48"	**AH3648PS**	156
60"	**AH3660PS**	156
38" Drop		
18"	**AH3818PS**	$160
24"	**AH3824PS**	160
30"	**AH3830PS**	160
36"	**AH3836PS**	160
42"	**AH3842PS**	160
48"	**AH3848PS**	160
60"	**AH3860PS**	160

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 40" to 43" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
40" Drop		
18"	**AH4018PS**	$174
24"	**AH4024PS**	174
30"	**AH4030PS**	174
36"	**AH4036PS**	174
42"	**AH4042PS**	174
48"	**AH4048PS**	174
60"	**AH4060PS**	174
41" Drop		
18"	**AH4118PS**	$174
24"	**AH4124PS**	174
30"	**AH4130PS**	174
36"	**AH4136PS**	174
42"	**AH4142PS**	174
48"	**AH4148PS**	174
60"	**AH4160PS**	174
43" Drop		
18"	**AH4318PS**	$187
24"	**AH4324PS**	187
30"	**AH4330PS**	187
36"	**AH4336PS**	187
42"	**AH4342PS**	187
48"	**AH4348PS**	187
60"	**AH4360PS**	187

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 45" to 50" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
45" Drop		
18"	**AH4518PS**	$197
24"	**AH4524PS**	197
30"	**AH4530PS**	197
36"	**AH4536PS**	197
42"	**AH4542PS**	197
48"	**AH4548PS**	197
60"	**AH4560PS**	197
48" Drop		
18"	**AH4818PS**	$207
24"	**AH4824PS**	207
30"	**AH4830PS**	207
36"	**AH4836PS**	207
42"	**AH4842PS**	207
48"	**AH4848PS**	207
60"	**AH4860PS**	207
50" Drop		
18"	**AH5018PS**	$219
24"	**AH5024PS**	219
30"	**AH5030PS**	219
36"	**AH5036PS**	219
42"	**AH5042PS**	219
48"	**AH5048PS**	219
60"	**AH5060PS**	219

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 52" to 55" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
52" Drop		
18"	**AH5218PS**	$221
24"	**AH5224PS**	221
30"	**AH5230PS**	221
36"	**AH5236PS**	221
42"	**AH5242PS**	221
48"	**AH5248PS**	221
60"	**AH5260PS**	221
53" Drop		
18"	**AH5318PS**	$221
24"	**AH5324PS**	221
30"	**AH5330PS**	221
36"	**AH5336PS**	221
42"	**AH5342PS**	221
48"	**AH5348PS**	221
60"	**AH5360PS**	221
55" Drop		
18"	**AH5518PS**	$227
24"	**AH5524PS**	227
30"	**AH5530PS**	227
36"	**AH5536PS**	227
42"	**AH5542PS**	227
48"	**AH5548PS**	227
60"	**AH5560PS**	227

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 57" to 62" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
57" Drop		
18"	**AH5718PS**	$227
24"	**AH5724PS**	227
30"	**AH5730PS**	227
36"	**AH5736PS**	227
42"	**AH5742PS**	227
48"	**AH5748PS**	227
60"	**AH5760PS**	227
60" Drop		
18"	**AH6018PS**	$233
24"	**AH6024PS**	233
30"	**AH6030PS**	233
36"	**AH6036PS**	233
42"	**AH6042PS**	233
48"	**AH6048PS**	233
60"	**AH6060PS**	233
62" Drop		
18"	**AH6218PS**	$233
24"	**AH6224PS**	233
30"	**AH6230PS**	233
36"	**AH6236PS**	233
42"	**AH6242PS**	233
48"	**AH6248PS**	233
60"	**AH6260PS**	233

To select the correct model number, determine 1) height of drop; 2) width of the lower panel

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 64" to 69" Drops

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
64" Drop		
18"	**AH6418PS**	$244
24"	**AH6424PS**	244
30"	**AH6430PS**	244
36"	**AH6436PS**	244
42"	**AH6442PS**	244
48"	**AH6448PS**	244
60"	**AH6460PS**	244
67" Drop		
18"	**AH6718PS**	$244
24"	**AH6724PS**	244
30"	**AH6730PS**	244
36"	**AH6736PS**	244
42"	**AH6742PS**	244
48"	**AH6748PS**	244
60"	**AH6760PS**	244
69" Drop		
18"	**AH6918PS**	$244
24"	**AH6924PS**	244
30"	**AH6930PS**	244
36"	**AH6936PS**	244
42"	**AH6942PS**	244
48"	**AH6948PS**	244
60"	**AH6960PS**	244

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 74" to 81" Drops

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
74" Drop		
18"	**AH7418PS**	$253
24"	**AH7424PS**	253
30"	**AH7430PS**	253
36"	**AH7436PS**	253
42"	**AH7442PS**	253
48"	**AH7448PS**	253
60"	**AH7460PS**	253
76" Drop		
18"	**AH7618PS**	$253
24"	**AH7624PS**	253
30"	**AH7630PS**	253
36"	**AH7636PS**	253
42"	**AH7642PS**	253
48"	**AH7648PS**	253
60"	**AH7660PS**	253
81" Drop		
18"	**AH8118PS**	$312
24"	**AH8124PS**	312
30"	**AH8130PS**	312
36"	**AH8136PS**	312
42"	**AH8142PS**	312
48"	**AH8148PS**	312
60"	**AH8160PS**	312

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hi-Lo Trim Kits for Stackable Panels

Pricing

For 88" Drop

GSA SIN 711-1
COM GSA Non-Contract



Panel-to-Panel

Width of Lower Panel	**Panel-to-Panel** *Model*	*Price*
88" Drop		
18"	**AH8818PS**	$338
24"	**AH8824PS**	338
30"	**AH8830PS**	338
36"	**AH8836PS**	338
42"	**AH8842PS**	338
48"	**AH8848PS**	338
60"	**AH8860PS**	338

Related Product:



	Model	*Price*
Hook Bracket		
	ATET	$24

To select the correct model number, determine 1) height of drop; 2) width of the lower panel.

Transitional profile is available in wood only.

Certain applications require additional ATET brackets.
➤See page 35 for bracketry guidelines.

Features ➤See page 21
Product Information 33
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Vertical trim for taller panel
- Top cap for lower panel

How to Specify

Hi-Lo Trim Kit
❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
A = Softened
C = Square
T = Transitional (wood only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Hook Bracket
❶ Model

Connector Top Cap/Bracket Assemblies

Pricing

For Stacking Applications

GSA SIN 711-1











IMPORTANT: When specifying a stackable connector that is different than the base, the appropriate top cap/bracket assembly must be specified separately.

Stackable Connectors
➤See pages 78–80.

Model	*Wood or Paint*
Square L Top Cap	
ATL	$59
Radius L Top Cap	
ATR	$59
T Top Cap	
ATT	$59
X Top Cap	
ATX	$59
S Top Cap	
ATS	$59

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36

Standard Includes

- Top cap/bracket assembly

How to Specify

❶ Model
❷ Top cap profile
A = Softened (shown)
C = Square
T = Transitional (wood only)
❸ Top cap material:
W = Wood
P = Paint (available on softened and square profiles only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Connector Top Cap/Bracket Assemblies

For Connector-to-Panel Hi-Lo Applications

GSA SIN 711-1

Features ➤See page 21
Product Information 31
Application Guidelines 34
Power & Data Overview 36

	Model	Description	Price
Two-Way Hi-Lo Applications			
	ATLE	90°, square edge	$59
	ATRE	90°, radius edge	$59
	ATSE	180°	$59
Three-Way Hi-Lo Applications			
	ATTL	90°; one low, two high	$59
	ATTE	90°; two low, one high	$59
	ATTS	90°; one low, two high (opposite each other)	$59

	Model	Description	Price
Four-Way Hi-Lo Applications			
	ATXE	90°; three low, one high	$59
	ATXL	90°; two low, two high	$59
	ATXS	90°; two low, two high (opposite each other)	$59
	ATXT	90°; one low, three high	$59

The top cap that is standard with a connector will not work in an application where a connector-to-panel hi-lo trim kit is used. The bracket assemblies on the models on this page are different and designed specifically for the hi-lo applications shown.

IMPORTANT: Connector top cap/bracket assemblies for use in hi-lo applications must be specified separately.

Standard Includes

- Top cap/bracket assembly

How to Specify

❶ Model
❷ Top cap profile
A = Softened
C = Square
T = Transitional (wood only)
❸ Top cap material:
W = Wood
P = Paint (available on softened and square profiles only)
④ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Top cap finish designator

Standard 8-Wire Electrical Components

Pricing

4-Circuit

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Power & Data Overview 36
Product Information 37
Standard 8-Wire System 40





Model	*Description*	*Function*	*Price*
Power Distribution Assemblies			
AED18	For 18"W panel	Passes power through panel; does not accept receptacles	$173
AED24	For 24"W panel	Carries power to receptacles	173
AED30	For 30"W panel	Carries power to receptacles	173
AED36	For 36"W panel	Carries power to receptacles	173
AED42	For 42"W panel	Carries power to receptacles	173
AED48	For 48"W panel	Carries power to receptacles	173
AED60	For 60"W panel	Carries power to receptacles	173
Jumper Cables			
AEJ1	Panel to panel	Routes power panel to panel; base or mid-wireway	$86
AEJ2	At 90° corner	Routes power panel to panel thru 90° corner; base or mid-wireway	86
AEJ3	At 120° corner	Routes power panel to panel thru 120° corner; base or mid-wireway	86
AEJ5	Straight thru a connector	Routes power panel to panel straight thru connector; base or mid-wireway	86
AEJ7	At mid-wireway X connector	Routes power panel to panel through X connector at the mid-wireway	86
AET2	From base to mid-wireway	Routes power from base wireway to mid-wireway	148

Standard Includes

- Power distribution assembly or jumper cable

How to Specify

❶ Model
② Type of electrical system:
84 = 8-wire, 4-circuit

Power distribution assemblies accommodate up to 4 receptacles.

Standard 8-Wire Electrical Components

Pricing

4-Circuit

GSA SIN 711-1
COM GSA Non-Contract





Model	*Description*	*Function*	*Price*
Duplex Receptacles			
For 3 and 1 Circuit Configuration			
AER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$29
AER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	29
AER3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	29
AER4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with dedicated neutral and ground	29
For 2 and 2 Circuit Configuration			
AER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$29
AER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	29
AER4	Circuit 4 (Computer desig.)	Delivers power from desig. circuit 4 with shared neutral and ground	29
AER5	Circuit 5 (Computer desig.)	Delivers power from desig. circuit 5 with shared neutral and ground	29
Floor Power Entry			
AEF1U	Base power entry, 8-wire	Provides access to power in the floor or wall. ½" trade size x 66"L, actual outside diameter is 7⁄16".	$262
Ceiling Power Entry Assembly			
AEC1	Ceiling power entry, 8-wire	Provides access to power in the ceiling.	$323

Ceiling power entry panel must be ordered separately.
➤See page 54 for ceiling power panel.
➤See page 64 for stackable ceiling power panel.

Access to ceiling power source is regulated by National Code to maximum 12 ft. conduit.

Power distribution assemblies accommodate up to 4 receptacles.

Features ➤See page 21
Power & Data Overview 36
Product Information 38
Standard 8-Wire System 40

Standard Includes

- Receptacle or power entry
- Junction box with ceiling power entry model

How to Specify

Duplex Receptacles

❶ Model
❷ Type of electrical system:
84 = 8-wire, 4-circuit
③ Finish designator:
462 = Cinder
497 = Clear
498 = Orange (available on AER4 & AER5 only)
420 = Sandstone
460 = Storm

Power Entries

❶ Model
② Type of electrical system:
84 = 8-wire, 4-circuit

Enhanced 10-Wire Electrical Components

Pricing

4-Circuit and 6-Circuit

GSA SIN 711-1

Features ➤See page 21
Power & Data Overview 36
Product Information 37
Enhanced 10-Wire System 41





AEJ



AET

Model	*Description*	*Function*	*Price*
Power Distribution Assemblies			
AED18	For 18"W panel	Passes power through panel; does not accept receptacles	$173
AED24	For 24"W panel	Carries power to receptacles	173
AED30	For 30"W panel	Carries power to receptacles	173
AED36	For 36"W panel	Carries power to receptacles	173
AED42	For 42"W panel	Carries power to receptacles	173
AED48	For 48"W panel	Carries power to receptacles	173
AED60	For 60"W panel	Carries power to receptacles	173
Jumper Cables			
AEJ1	From panel to panel	Routes power panel to panel; base or mid-wireway	$86
AEJ2	At 90° corner	Routes power panel to panel through 90° corner; base or mid-wireway	86
AEJ3	At 120° corner	Routes power panel to panel through 120° corner; base or mid-wireway	86
AEJ5	Straight thru connector	Routes power panel to panel straight thru connector; base or mid-wireway	86
AEJ7	At mid-wireway X connector	Routes power panel to panel through X connector at the mid-wireway	86
AET2	From base to mid-wireway	Routes power from base wireway to mid-wireway	148
Duplex Receptacles			
For 2 and 2 Circuit Configuration (4-circuit)			
AER1	Circuit 1	Delivers power from circuit 1 with separate neutral and shared ground	$29
AER2	Circuit 2	Delivers power from circuit 2 with separate neutral and shared ground	29
AER3	Circuit 3 (Computer desig.)	Delivers power from desig. circuit 3 with sep. neutral and shared ground	29
AER4	Circuit 4 (Computer desig.)	Delivers power from desig. circuit 4 with sep. neutral and shared ground	29
For 3 and 3 Circuit Configuration (6-circuit)			
AER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$29
AER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	29
AER3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	29
AER4	Circuit 4 (Computer desig.)	Delivers power from desig. circuit 4 with shared neutral and ground	29
AER5	Circuit 5 (Computer desig.)	Delivers power from desig. circuit 5 with shared neutral and ground	29
AER6	Circuit 6 (Computer desig.)	Delivers power from desig. circuit 6 with shared neutral and ground	29

Power distribution assemblies accommodate up to 4 receptacles.

Standard Includes

- Power distribution assembly, jumper cable or receptacle

How to Specify

Power Distributions and Jumper Cables

❶ Model
② Type of electrical system:
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit

Duplex Receptacles

❶ Model
❷ Type of electrical system:
104 = 10-wire, 4-circuit (not available on AER5 or AER6)
106 = 10-wire, 6-circuit
③ Finish designator:
462 = Cinder
497 = Clear
498 = Orange (available on AER3, AER4, & AER5 only)

Enhanced 10-Wire Electrical Components

Pricing

4-Circuit and 6-Circuit

GSA SIN 711-1





Model	*Description*	*Function*	*Price*
Floor Power Entry			
AEF1L	Left entry (shown)	Provides access to power in the floor or wall	$262
AEF1R	Right entry	Provides access to power in the floor or wall	262
Ceiling Power Entry Assembly			
AEC1	Ceiling power entry, 10-wire	Provides access to power in the ceiling	$323

Floor power entry conduit is 3/4" trade size x 66"L, actual outside diameter is 11/16".

Floor or ceiling power entry eliminates one receptacle location.

Ceiling power entry panel must be ordered separately
➤See page 54 for ceiling power panel.
➤See page 64 for stackable ceiling power panel.

Access to ceiling power source is regulated by National Code to 12 ft. maximum conduit.

Features ➤See page 21
Power & Data Overview 36
Product Information 38
Enhanced 10-Wire System 41

Standard Includes

- Power entry
- Junction box with ceiling power entry model

How to Specify

❶ Model
② Type of electrical system:
104 = 10-wire, 4-circuit
106 = 10-wire, 6-circuit

New York City Electrical Components

GSA SIN 711-1

Features ➤See page 21
Power & Data Overview 36
Product Information 39
Enhanced 10-Wire System 41



Model	*Description*	*Function*	*Price*
Standard 8-Wire Special Power Entries			
AEF2	36" to 60" wide panels, 8-wire configuration; attaches to distribution assembly, not included; eliminates two receptacles in 36" wide panel, eliminates one receptacle in 42", 48", and 60" wide panels.	Attaches to power distribution assembly Does not accept receptacles in 36" to 60" wide panels to provide access to power in the base.	$427
AEF3	24" wide panel, 8-wire configuration; replaces distribution assembly, eliminates all receptacles, passes power one direction only per code.	Replaces power distribution assembly in 24" wide panel to provide access to power in the base.	427
AEF5	30" wide panel, 8-wire configuration; replaces distribution assembly, eliminates all receptacles, passes power one direction, additional conduit jumper can be specified separately to pass power bi-directionally.	Replaces power distribution assembly in 30" wide panel to provide access to power in the base.	427
Enhanced 10-Wire Special Power Entries			
AEF3	24" wide panel, 10-wire configuration; replaces distribution assembly, eliminates all receptacles, passes power one direction only per code.	Replaces power distribution assembly in 24" wide panel to provide access to power in the base.	$427
AEF5	30" wide panel, 10-wire configuration; replaces distribution assembly, eliminates all receptacles, passes power one direction, additional conduit jumper can be specified separately to pass power bi-directionally.	Replaces power distribution assembly in 30" wide panel to provide access to power in the base.	427
AEF6	36" wide panel, 10-wire configuration; replaces distribution assembly, eliminates two receptacles, passes power one direction, and accepts jumper on opposite end.	Replaces power distribution assembly in 36" wide panel to provide access to power in the base.	664
AEF7	42" to 60" wide panel, 10-wire configuration; replaces distribution assembly.	Replaces power distribution assembly in 42" to 60" wide panels to provide access to power in the base.	664

IMPORTANT: Special power entry is required for New York City application. Consult local electrical codes prior to specification.

Panels must be specified as non-powered.

Specify electrical jumper assembly model 1208839 (service part) for use with AEF3 or AEF5 to pass power bi-directionally.

Specify electrical jumper assembly model 1156015 (service part) for 6-circuit or model 1156016 for 4-circuit to pass power bi-directionally on enhanced 10-wire system.

Standard Includes

- Power entry

How to Specify

8-Wire Electrical System

❶ Model
② **84** = 8-wire, 4-circuit

10-Wire Electrical System

❶ Model
② **104** = 10-wire, 4-circuit
106 = 10-wire, 6-circuit

Hardwire Electrical Components

Pricing

GSA SIN 711-1

Features ➤See page 21
Power & Data Overview 36
Product Information 39
Enhanced 10-Wire System 41



AEHB1R



AEHB2A







Model	*Description*	*Function*	*Price*
Hardwire Box Assemblies			
Single			
AEHB1L	Left		$119
AEHB1R	Right		119
Double			
AEHB2A	Alternating		$127
AEHB2R	Right		127
Branching Conduit			
AEHJ1	For 36"L hardwire jumper	Used between boxes and panel-to-panel	$49
AEHJ2	For 48"L hardwire jumper	Used between boxes and panel-to-panel	56
AEHJ3	For 60"L hardwire jumper	Used between boxes and panel-to-panel	65
AEHJ4	For 84"L hardwire jumper	Used between boxes and panel-to-panel	73
Ceiling Power Entry Conduit			
AEC2			$200
Duplex Receptacle Cover Plate			
AEHCP			$15
Blank Junction Box Cover Plate			
AEHCB	Covers junction or power entry boxes *Note: Cover plates from other sources will not fit properly.*		$11

Specify ceiling power entry panel separately.
➤See page 54 for ceiling power panel.
➤See page 64 for stackable ceiling power panel.

Standard Includes

- Duplex receptacle or blank junction box cover plates: black only

How to Specify

❶ Model

Communication Wireway Covers

Pricing

GSA SIN 711-1

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40
Enhanced 10-Wire System 41



D	*W*	*H*	*Model*	*Price*
Communication Wireway Covers				
½"	30"	4⅜"	**ARPJ30A**	$66
	36		**ARPJ36A**	68
	42		**ARPJ42A**	73
	48		**ARPJ48A**	74
	60		**ARPJ60A**	80

Standard Includes

- One communication opening, 1⅜"H x 2^{11}⁄$_{16}$"W
- Two standard receptacle openings

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

IMPORTANT: Contact your local data/ communication supplier for the appropriate connector modules.

Vertical Cable Managers

Pricing

GSA SIN 711-1

D	W	H	Model	Description	Price
Black					
1"	1"	16½"	**AVCM165B**	*For use when mounting overheads 2" below the top of a 68" high panel.*	$12
		18½"	**AVCM185B**	*For use when mounting overheads at the top of a 68" high panel.*	15
Fabric Covered					
1"	1"	16½"	**AVCM165**	*For use when mounting overheads 2" below the top of a 68" high panel.*	$31
		18½"	**AVCM185**	*For use when mounting overheads at the top of a 68" high panel.*	33

Specify vertical cable manager to correspond to panel and overhead being used.

When using standard- or reduced-size square, radius, curved, lunar, flat sliding-door, or bevel profile overheads on 68"H Cetra panels, specify model AVCM185.

Traxx vertical cable manager
➤See page 346.

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40
Enhanced 10-Wire System 41

Standard Includes

- Vertical cable manager

How to Specify

Black Vertical Cable Manager
❶ Model

Fabric-Covered Vertical Cable Manager
❶ Model
② Fabric grade
③ Fabric number

Panel-Mount Tackboards & Markerboards

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 21
Power & Data Overview 36
Standard 8-Wire System 40
Enhanced 10-Wire System 41



D	W	H	Model	Panel Fabric Price Grade A or COM	B	C	D	E
Tackboards								
1"	29 13/16"	13"	**ATB3013**	$185	$209	$226	$251	$289
	35 13/16"		**ATB3613**	202	226	243	268	306
	41 13/16"		**ATB4213**	204	228	245	270	308
	47 13/16"		**ATB4813**	231	255	272	297	335
	29 13/16"	30"	**ATB3030**	257	281	298	323	361
	35 13/16"		**ATB3630**	272	296	313	338	376
	41 13/16"		**ATB4230**	278	302	319	344	382
	47 13/16"		**ATB4830**	282	306	323	348	386



D	W	H	Model	Price
Markerboards				
3/4"	29 13/16"	30"	**AMB3030**	$547
	35 13/16"		**AMB3630**	571
	41 13/16"		**AMB4230**	636
	47 13/16"		**AMB4830**	749
	59 13/16"	36"	**AMB6036**	928

A maximum of two tackboards may be panel mounted side by side.

13"H tackboards are recommended when using overheads on Cetra panels.

Expo or Expo2 dry erase markers are recommended for use on marker-boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Standard Includes

- Tackboard (fabric) or markerboard (409M Icey White)
- Black tray on markerboard
- Mounting hardware

How to Specify

Tackboard
❶ Model
② Fabric grade
③ Fabric number

Markerboard
❶ Model

Notes

XSITE®

System

	➤See page
Statement of Line	112
Frames	112
Connectors and Trim	113
Xsite Traxx & Tiles	114
Power and Data	115
Planning	116
Features Overview	116
Frames	117
Doors	121
Connectors	126
Top Caps & Trim	128
Frameless Glass	129
Application Guidelines	130
Xsite Traxx & Tiles Overview	137
Xsite Traxx	140
Tiles	141
Power & Data Overview	146
Base Wireway	147
Ceiling Power	151
Electrical Guidelines	152
Technology Tiles	156
Power/Data Tiles	162
Cable Management	166
Pricing & Specifying	167
Frames	167
Connectors & Trim	185
Xsite Traxx & Tiles	196
Power & Data	232

Frames

Statement of Line

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152



Base-Wireway Frames
➤See page 117 for product info.
➤See pages 167–168 to specify.



Open-Base Frames
➤See page 117 for product info.
➤See pages 169–170 to specify.



To-the-Floor Frames
➤See page 117 for product info.
➤See pages 171–172 to specify.

Mid-Frame Supports
➤See page 173 to specify.

3" Extenders
➤See page 174 to specify.



Off-Module Frames
Available in base-wireway, open-base, and to-the-floor models.
➤See page 118 for product info.
➤See pages 175–177 to specify.

Stacking Frames
➤See page 119 for product info.
➤See page 178 to specify.

Stacking 3" Extenders
➤See page 179 to specify.



Stacking Off-Module Frames
➤See page 120 for product info.
➤See page 180 to specify.



Sliding Privacy Door
➤See page 121 for product info.
➤See pages 181–182 to specify.

Hinged Doors
➤See page 124 for product info.
➤See page 183 to specify.



Privacy Panels
➤See page 125 for product info.
➤See page 184 to specify.

Connectors and Trim

Statement of Line

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152



2-Way/L Connectors
➤See page 126 for product info.
➤See page 185 to specify.



3-Way/T Connectors
➤See page 126 for product info.
➤See page 185 to specify.



4-Way/X Connectors
➤See page 126 for product info.
➤See page 186 to specify.

Straight Connectors
➤See page 126 for product info.
➤See page 186 to specify.

2-Way/V 120° Connectors
➤See page 126 for product info.
➤See page 187 to specify.

3-Way/Y 120° Connectors
➤See page 126 for product info.
➤See page 187 to specify.



Adjustable Wall-Mount Channels
➤See page 127 for product info.
➤See page 188 to specify.



End Trim
➤See page 128 for product info.
➤See page 189 to specify.



Hi-Lo Trim
➤See page 128 for product info.
➤See pages 190–191 to specify.



Top Caps
➤See page 128 for product info.
➤See page 192 to specify.

Frameless Glass
➤See page 129 for product info.
➤See page 193 for panes.
➤See page 195 for top caps.

Xsite Traxx and Tiles

Statement of Line

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152



Xsite Traxx
➤See page 140 for product info.
➤See page 196 to specify.



Tackable Acoustical Tiles
➤See page 141 for product info.
➤See pages 197–203 to specify.



Wood, Laminate, and Paint Tiles
➤See page 141 for product info.
➤See pages 204–208 to specify.



Glass Tiles
➤See page 142 for product info.
➤See pages 209–212 to specify.



Pass-Thru Tiles
➤See page 142 for product info.
➤See page 213 to specify.



Metal Tiles
➤See page 143 for product info.
➤See pages 214–215 to specify.



Marker Board Tiles
➤See page 144 for product info.
➤See pages 216–217 to specify.



Slat Tiles
➤See page 144 for product info.
➤See pages 218–219 to specify.



Storage Tiles
➤See page 145 for product info.
➤See page 220 to specify.



Fold-Down Tiles
➤See page 145 for product info.
➤See page 220 to specify.



Technology Tiles
➤See page 156 for product info.
➤See pages 222–223 to specify.



Power/Data Tiles
➤See page 162 for product info.
➤See page 230 to specify.

Power and Data

Statement of Line

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152



Base Wireway Harnesses

➤See page 147 for product info.
➤See page 232 to specify.



Base Wireway Jumpers

Available in standard and pass-thru models.

➤See page 148 for product info.
➤See pages 233–234 to specify.



Duplex Receptacles

➤See page 147 for product info.
➤See pages 235–236 to specify.



Base Wireway Power Entries

Available in standard and New York City models.

➤See page 149 for product info.
➤See page 237 to specify.

Ceiling Power Entries

➤See page 151 for product info.
➤See page 237 to specify.



Ceiling Power/Data Pole

➤See page 151 for product info.
➤See page 238 to specify.



Base Wireway Hardwire Boxes and Cover Plates

➤See page 150 for product info.
➤See page 239 to specify.



Technology Tile Electrical Components

➤See page 157 for product info.
➤See pages 224–229 to specify.



Power/Data Tile Electrical Components

➤See page 163 for product info.
➤See page 231 to specify.



Cable Management Components

➤See page 165 for product info.
➤See page 240 to specify.

Features

Overview

Statement of Line ➤See page 112
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Welded frames are the backbone of the Xsite system. They provide structural rigidity to the system.

Xsite panels are 3¼" thick.

Ceiling power/data pole allows power and data to be dropped down from above to clusters in open areas that are away from walls and where power/data is not accessible within the floor.

Overhead support brackets used with Xsite Traxx allow for off-module placement of Kimball Office Footprint overhead storage units.

End trims are screwed to frames for a secure fit, and provide a clean aesthetic at the end of panel runs.

Edge support brackets used with Xsite Traxx allow for adjustable support of all Kimball Office worksurfaces.

Base wireway covers provide access to power and data and are included with base wireway frames.

Kimball Office Footprint worksurfaces and storage integrate with the Xsite system.

Connectors and hi-lo trim are available to accommodate change of direction and change of the height.



Technology tile provides access to power and data at 2nd, 3rd, 4th or 5th segments.

Base power harnesses and jumpers distribute power through the base.

Frameless glass adds height to the panel for separation but keeps the look open.

Mid-frame supports provide support for tiles and components and are required wherever Traxx are used.

Top caps are specified separately and can span multiple frames. They are available up to 8 feet long for a seamless appearance.

Top channel provides top lay-in capability.

Xsite Traxx allows tile to be independent from frame for monolithic or segmented look.

Storage tiles maximize space by using interior of structure.

Accessories are available for mounting on Xsite Traxx, and slat tiles or within storage tile. You may also select from work tools and Traxx presentation tools.

Base power entry allows power to enter at the floor, wall, or column. Power can then be distributed to the base and/or jumped up to the power/data or technology tile.

Trim Profiles:



Curved



Flat

Applies to end trim, hi-lo end trim, and top caps.



Flat

Applies to connectors and frameless glass top caps.

Top caps and trim are available in wood finishes or paint.

Electrical:

c UL US LISTED

Class A—Tackable acoustical tiles. *Note: COM must comply with U.L. Standard 1286*

Class B—Laminate tiles

Class C—Wood and painted tiles

Frames

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Details



Base Wireway | Open Base | To-the-Floor

Frames are available in 18", 24", 30", 36", 42" and 48" widths and in 2-high (29 1/2"), 3-high (42 1/8"), 3.5–high (49 1/32"), 4-high (54 23/32"), and 5-high (67 5/16") heights. All frames include:

- Mid-frame supports
  - –At the 2-high and 4-high positions on 5-high frames
  - –At the 2-high position on 3-high, 3.5-high, and 4-high frames
- Glides
- Attachment hardware

Steel frames are painted black on base-wireway and to-the-floor frames and available in a variety of paint colors on open-base frames.

Base-wireway frames are available in powered and non-powered models and feature a painted base-wireway cover. Powered models include a power harness.

Open-base frames do not have a base wireway or cover and are open and finished at the bottom. Legs are painted.

To-the-floor frames allow tiles to go all the way to the floor. There is no base wireway.



Mid-frame supports are standard at the 2-high position to provide support for worksurfaces. On 5-high frames, mid-frame supports are also standard at the 4-high position to provide support for overhead storage.

Finishes & Materials

- Vertical frame: 16 gauge cold-rolled steel, black
- Horizontal frame: 14 gauge cold-rolled steel, black

Connections



Frames are attached with bolts that provide consistent alignment from frame-to-frame as well as strength and rigidity to the panel run.

Specially sized, to-the-floor tiles must be specified for the lowest segment on to-the-floor frames to accommodate the extra height. Standard tiles can be used to complete the panel. 5-high to-the-floor frames must be specified with a minimum of two segments. Due to fabric width constraints, a 5-high to-the-floor tile is not available.

Power & Data



Wireway covers for base-wireway frames are available punched or non-punched.

Deep top channel in frames allows for generous top lay-in cabling capacity.

Cutouts for routing cables vertically are provided in the frame's top channel, bottom channel, and mid-frame supports.

Data cabling can also be routed between tiles and frames.

Connectors have two openings below worksurface height (2-high) to allow cable routing behind tiles at connectors.

Planning Factors



Mid-frame supports are required wherever Xsite Traxx are used to support tiles. If planning segmented panels, additional mid-frame supports, specified separately, may be required. The mid-frame supports provided at the 2-high and 4-high positions can be relocated if tiles, worksurfaces, and overheads are not mounted at those locations; or if they interrupt the placement of glass, pass-thru, or performance tiles.

Relocation of the mid-frame support on 3.5-high and 4-high frames, or the specification of an additional mid-frame support, will be required when overheads will be mounted to the inside top of the frame to correspond with the bottom of the overhead. Relocation of the mid-frame support is not necessary for center-mounted overheads.

Related Products



3" extenders attach to frames for planning in 3" increments. They consist of two 1 1/2" frame verticals attached together. They are available for use in straight panel runs (in-line), next to a connector, or at the end of a panel run; specify the appropriate designator for the application type. Specify 3" extender to be the same height as the frame or connector to which it will attach. They are not applicable to runs of to-the-floor or open-base frames.

➤See page 174.

Note: Top caps, Traxx, and tiles must all span across the frame and the 3" extender. All models are available in additional 3" increment sizes not shown in the price list. Use electronic specification tools to specify.

Glass, storage, fold down, power/data and pass-thru tiles cannot span across the 3" extender.

Xsite Traxx and tiles complete the panel frame.

➤See page 137.

Off-Module Frames

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152

Details



Off-module frames—available in base-wireway, open-base, and to-the-floor models—are used to start a new panel run perpendicular to the existing run without using a connector. They can also be used to start a run from wall-mounted Traxx.

Off-module frames are available in 18"W, 24"W, and 30"W. All frames include:

- Mid-frame supports
  - –At the 2-high and 4-high positions on 5-high frames
  - –At the 2-high position on 3-high, 3.5-high, and 4-high frames
- Glides
- Attachment hardware|
- Top cap splice

Steel frames are painted black on base-wireway and to-the-floor frames and available in a variety of paint colors on open-base frames.

Base-wireway frames are available in powered and non-powered models and feature a painted base-wireway cover. Powered models include a power harness.

Open-base frames do not have a base wireway or cover and are open and finished at the bottom. Legs are painted.

To-the-floor frames allow tiles to go all the way to the floor. There is no base wireway.



Top cap splice, shipped standard with the off-module frame, transitions the top cap at the connection point.



Mid-frame supports are standard at the 2-high position to provide support for worksurfaces. On 5-high frames, mid-frame supports are also standard at the 4-high position to provide support for overhead storage.

Finishes & Materials

- Vertical frame: 16 gauge cold-rolled steel, black
- Horizontal frame: 14 gauge cold-rolled steel, black

Connections



A minimum of two Xsite Traxx are required to attach an off-module frame to a spine run. One attachment point must be at the uppermost point possible of the off-module connector. The other can vary depending on the location of Traxx on the spine run.



Dimensions are from centerline of Traxx.

Standard wall-mounted Traxx, when installed at proper heights for use with 37"H tiles, will integrate with Xsite Traxx in 5-high applications. Component heights will match if mounting guidelines are followed.

To ensure worksurfaces will be at the same height, use Traxx worksurface brackets for wall-mounted Traxx and Xsite worksurface brackets for Xsite Traxx. Overhead brackets are the same for standard and Xsite Traxx.

A 1" gap (approx.) will occur between the wall and the off-module frame below the bottom wall-mounted Traxx.

Power & Data

Power and data cannot be routed from the spine run into the off-module run.

Planning Factors

Return runs started with an off-module frame can provide support for spine runs.

Full-width tiles positioned on the spine run behind the off-module frame allow the off-module run to be easily reconfigured.

Hi-lo return wall can be created using an off-module frame.

In non-loadbearing conditions, the off-module frame may be equal to or less than the height of the spine run.



Loadbearing conditions require the off-module frame run to be equal to the loadbearing height of the spine run.

Mid-frame supports are required wherever Xsite Traxx are used to support tiles. If planning segmented panels, additional mid-frame supports, specified separately, may be required.

Related Products

Adjustable wall-mount channel may be specified separately to fill the gap below the lowest wall-mounted Traxx if the off-module frame will be exposed.
➤See page 127.

Stacking Frames

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152

Details



Stacking frames may be added to 2-high, 3-high, 4-high, or 5-high base frames to increase the height of the panel.
IMPORTANT: 3.5-high base frames cannot accept stacking frames.

Stacking frames are available in 1-high and 2-high segments. They include:

- Welded frame
- Attachment hardware

Finishes & Materials

- Vertical frame: 16 gauge cold-rolled steel, black
- Horizontal frame: 14 gauge cold-rolled steel, black

Connections

One 1-high or 2-high stacking frame may be added on top of a base frame (except 3.5-high) up to a max. of 93¼" including the top cap.



48"W stacking segment can span across two 24"W base structures.



Hi-lo applications can be created by using a 1-high stacking frame next to a 2-high stacking frame. Specify appropriate hi-lo vertical trim for end of the run.

Planning Factors



Stacking frames are loadbearing when same-height return runs are used at each end.

In hi-lo applications, stacking frames can be loadbearing, but require overheads on both sides.

Components must be hung on a top channel of either the base or stacking frame.



Xsite Traxx must be used at the top of the stacking frame on both sides. When stacking, the top of the base frame must have Xsite Traxx on both sides or neither side.



Center-mounted overheads can be positioned on top of stacking frames up to 4-high.

Technology tiles can be used on stacking frames where data is required; electrical cannot be accommodated because the power block mounting brackets must attach to the mid channel.

Specify mid-frame supports separately if using Xsite Traxx at the 1-high segment on a 2-high stacking frame.

Related Products

Stacking 3" extenders are available in 1-high and 2-high segments and may be added to base extenders of any height. They are available for use in straight panel runs (in-line), next to a connector, or at the end of a panel run; specify the appropriate designator for the application type. Base and stacking extender heights must be equal to the base and stacking frame heights to which they are attached. Specify top caps, Traxx and tiles to span across extenders for a seamless look.

Vertical end trim and connectors must be specified to equal the combined height of the base and stacking frames.

Xsite Traxx and tiles complete the panel frame.
➤See page 137.

Stacking Off-Module Frames

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Details



Stacking off-module frame is used to increase the height of a 2-high, 3-high, 4-high, or 5-high base off-module frame.
IMPORTANT: 3.5-high base off-module frames cannot accept stacking off-module frames.

Stacking off-module frames are available in 1-high and 2-high segments. They include:
- Welded frame
- Attachment hardware

Finishes & Materials

- Vertical frame: 16 gauge cold-rolled steel, black
- Horizontal frame: 14 gauge cold-rolled steel, black

Connections



Top cap splice, shipped standard with the stacking off-module frame, transitions the top cap at the connection point.

One 1-high or 2-high stacking off-module frame may be added to the base off-module frame (except 3.5-high).

Stacking frame must attach to at least one Xsite Traxx in the spine run.

Power & Data

Power and data cannot be routed from the spine run into an off-module run.

Planning Factors

Stacking frames are loadbearing when wing panels are used at each end.



Height of off-module run (base plus stacking frame height) must be equal to the loadbearing height of the spine run.

Specify mid-frame supports separately if using Xsite Traxx at the 1-high segment of a 2-high stacking frame.

Full-width tiles positioned on the spine run behind the off-module frame allow the off-module run to be easily reconfigured.

Related Products

Xsite Traxx and tiles complete the panel frame.
➤See page 137.

Sliding Privacy Door

Features ➤See page 116
Door Placement 130
Locking Information 123

Details



Sliding privacy doors provide a visual signal for heads down and uninterrupted work. Privacy doors are lightweight and do not have a threshold or header for a sleek design. They are not intended for use as a security door. Models include:

- Door frame and insert
- Hardware kit:
  - –Two roller wheels and attachment hardware
  - –Top guide assembly
  - –Bottom guide with alignment bracket and guide rod

Five heights are available: 3.5-high, 4-high, 5-high, 6-high, and 7-high to correspond to Xsite frame heights.



Two widths are available: 36"W and 42"W. Actual door width is 6” wider so that when closed, the door overhangs the host frame to which it is attached. Both widths meet ADA requirements for 5 lb. pull force to open and 32" minimum clearance.



Left-Hand Right-Hand

Doors are specified to open left or right. The host frame to which the sliding privacy door’s top guide is attached determines handedness.



Locking models feature a drilled hole, into which lock assemblies, included but shipped separately, are field installed on the outside of the door. Lock engages in the end trim of the host panel on the back side of the door face at 38½" from the floor. A safety release latch is installed on the inside. Locking models include:

- Lock housing, core, and key (key random option): black or matte nickel (silver)
- Safety release latch
- Lock plate
- End trim with notch for lock engagement for the host panel

Note: Key specific option is available.

➤See page 123 for more detailed locking information.

ADA-compliant door handle is available for field installation; specified separately.

U.L. listing 1286.

Finishes & Materials

- Frame: painted aluminum
- Insert: reeded polycarbonate
- Roller wheels: medium-hard durometer
- Top guide: painted steel
- Bottom guide: painted steel

Connections



Top and bottom guides affix to the panel frame. Top guide attaches to Traxx and adds 1⅝" to the overall panel thickness. Bottom guide is installed under the wireway and panel glide and prevents over extension.

Privacy doors can be added into an existing installation with 42" or 48"W panels. The wireway cover on the panel will have to be removed so the bottom glide can be installed.

➤See planning factors.

Stacking frames can be used with privacy doors. Specify end trim to match the full height of the panel.

Frames with glass tiles can be used with privacy door; however, when the door is open, the glass will be covered.

Planning Factors

Width of the panel frame to which the door attaches must be 6" wider than the door opening. For example, a 42"W door is installed on a 48"W; a 36"W door must be installed on a 42"W frame.

Height of the panel frame to which the door attaches must be equal to or taller than the privacy door. For example, a 5-high door can be used on a 7-high panel with Traxx at the 5-high position only. A 3.5-high can only be used with a 3.5-high frame.

Locking models overhang the door opening by 2" when in the open position; non-locking models recede fully over the host frame.

Electrical cannot be installed in the base wireway of the host frame.

Changing a non-locking privacy door to locking after installation is not recommended.

When installing on carpeted floors, the carpeting should have a face weight of more than 24 oz and a density level above 6000 per square yard.

➤See page 122 for additional application guidelines

Sliding Privacy Door

Application Guidelines

Door Placement Guidelines

Features ➤See page 116
Product Information 125
Locking Information 123

IMPORTANT: Sliding privacy doors "float" in the top channel and will follow the slope (if any) of the Xsite frame and floor. Any unevenness of the floor will be reflected in how the door matches up against the abutting wall or panel, and may result in a less-than-true vertical line when the door is in the closed position against the abutting panel or wall.

The door sits off the face of the host panel by ¾".



- Door may be the same height as the host frame or host frame plus a stacking frame.
  Note: 3.5H sliding privacy door can only be used on a 50"H frame.



- Door may be shorter than host frame or host frame plus stacking a frame.
  Note: Must have Traxx at the door height to accept top guide.







- Door may abut a perpendicular panel run. It is recommended that the abutting panel include a 3" extender to minimize gap.



- Door cannot travel across a connector due to the space consumed.



- Door can abut a building wall.
  ➤See note at far left.



- Multiple doors may be installed in a panel run. Follow the same application guidelines for Xsite panel runs.
  ➤See page 130.

- Cannot be used on a host frame that is attached to a wall using a wall-mount channel due to interference with the top guide.



- Any floor variation will be reflected in the privacy doors as they come toward the center.



- Can be positioned inside the workstation; consider the location of worksurfaces, overhead storage and accessories.

Sliding Privacy Door

Application Guidelines

Locking Information

GSA SIN 711-1

Features ➤See page 116
Product Information 125
Door Placement 130

Locking privacy doors can be specified as:

- Key random with a black lock core and hinged key (KRB);
- Key random with a silver (matte nickel) lock core and round-head key (KRS); or
- Key specific black (KSB);
- Key specific silver (KSS)

Key Random Option:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KSCB001 to KSCB300 (black) or KSCG001 to KSCG100 (silver).

Randomly numbered lock core(s) will ship standard along with your order for field installation.

With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific Option:

When a key specific option is selected, the sliding privacy door will be pre-drilled and fitted with hardware to accept either a black or silver lock core; however, no lock cores will be shipped standard with the unit. The price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KSCB001 to KSCB300 (black) or KSCG001 to KSCG100 (silver).

To key all the sliding privacy door units in a workstation or department alike, choose a key specific option and order the quantity of locks needed for your installation.

Black lock cores and hinged keys are identical to the ones used with Footprint storage.

Silver lock cores and round keys are matte nickel. These lock cores and keys are identical to the ones used with Definition, Fluent and Hum. Minds at Work. series.

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Change key model KSCD1CK allows removal of keys within these ranges:
KSCB001–KSCB300
KSCG001–KSCG100

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Master key model KS2GMK will unlock any lock within these key ranges:
KSCB001–KSCB300
KSCG001–KCCG100

Model/Key Range	*Price*
Black Lock Cores	
KCCB001 to KCCB300	$22
Silver Lock Cores	
KSCG001 to KSCG100	$22
Change Key	
KCCB1CK	$6
Master Key	
KC2GMK	$12

How to Specify

❶ Specify exact key number for lock cores as the model number or model number for change or master key

Hinged Door

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152

Details

Hinged doors are available in 36" and 42"W models; both are available with a right or left hinge. Right-hinge model shown at left.

Actual door width for 36"W is 32 9/16"W; 42"W door is 38 9/16" (shown above). 42"W hinged doors are appropriate for ADA compliance.

Hinged door units are designed as 7-high to accommodate the 6-high door with a 1-high tile above it. Adjacent panels must also be 7-high.

The door assembly includes:
- Door
- Attachment hardware
- Door stop and pre-assembled frame
- Door frame consisting of rubber bumpers, threshold, and mid-header
- Top header
- Two-piece vertical door jamb

Top header and mid-header resemble Traxx, but will not support components.





Locking lever is available and is suitable for ADA guidelines.

Finishes & Materials

- Door: honeycomb core overlaid with veneered 5/16" MDF (paint or wood finish)
- Door frame: aluminum, paint
- Lever/lock: satin chrome
- Threshold: anodized aluminum, black

Connections

Door frames attach directly to the adjacent frame using frame-to-frame alignment bolts. Door frames attach to connectors using connector bolts.

Use an adjustable wall-mount channel to attach a hinged door frame to a building wall. Connector will provide 3/4" of adjustability for out-of-plumb walls.
➤See page 127.

Planning Factors

Off-module frames should not be used to support panel runs that include doors.



Panel runs with doors are not considered loadbearing.



Panel runs perpendicular to runs with doors are considered loadbearing, provided that panel run application guidelines are followed.
➤See page 130.



Off-module panel runs are not suitable to provide support for the door.

Related Products

Top cap must be specified separately to span across the door frame.
➤See page 128.

Tiles must be specified separately. Specify 33"W tile for 36"W doors and 39"W tile for 42"W doors.
➤See page 141.

Privacy Panels

Product Information

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Details



Privacy panels provide a non-latching, pivoting panel solution for added privacy in workstation environments.

Privacy panels are 5-high and available in 36" and 42" widths. They are available in three designs: fabric on both sides, fabric/marker board combination, or translucent.

Privacy panel models include:
- Top attachment bracket
- Base pivot bracket
- Caster



Fabric and fabric/marker board combination privacy panels have an extruded aluminum frame. Interior is fiberglass over a honeycomb panel.



Translucent privacy panels feature a ribbed pattern to provide privacy, yet allow light to pass through. Frame is extruded aluminum.

Single caster allows privacy panel to pivot open or closed.

Finishes & Materials

Privacy Panel Frame
- 462 Cinder paint
- 501 Platinum metallic paint

Privacy Panel Inserts
- Kimball Office panel fabric
- Marker board (488M Frosty White)
- Translucent

Connections



Top bracket



Top bracket shown on Xsite panel

Top attachment bracket is used to mount the privacy panel to any 5-high Xsite panel. Top bracket attaches into Xsite Traxx and can be easily relocated.





Base pivot bracket features a carpet gripper to hold bracket in place while allowing the privacy panel to swing.

Privacy panels abut the opposite panel, but do not latch.

Non-handed and reversible, privacy panels can be mounted left or right, and can be flipped so the marker board or different fabrics can be positioned inside or outside the workstation.

Planning Factors

Privacy panels can be mounted in any 5-high or higher application, providing there is Xsite Traxx at the 5-high position.



When mounted to the perpendicular panel (on one or both sides) in an L or T configuration, panel swings 90°.



When mounting in a straight panel run, specify privacy panel to be wider than the opening to allow for proper clearance. Panel swings 180° to lay flat against the Xsite panel.

It is recommended that the privacy panel be specified to swing into the workstation.

Connectors

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Details



Connectors are available to join two or more panels when changing directions in a panel run. Connectors are constructed of extruded aluminum and have a flat profile. They are painted or covered with premium grade veneer.

Connectors can be used in the following configurations:
- L (2-way 90°)
- T (3-way 90°)
- X (4-way 90°)
- Straight (180°)
- V (2-way 120°)
- Y (3-way 120°/120°/120°)

Top cap, vertical trim, and connecting bolts are included with each connector.

Connector top caps are curved profile to match panel top caps.

Finishes & Materials

- Connector frame: extruded aluminum, black
- Connector (vertical trim): wood or paint
- Top cap: wood or paint

Power & Data



Cut outs are provided at 2-high just below the worksurface, and just above the wireway for routing cables through the connector.

Planning Factors



Straight connectors fill parallel panel runs where one panel run has a connector and the other does not. It is not required to join panels.

Specify appropriate connectors for the combined height of standard and stackable panels.

Trim Profiles:



Curved



Flat

Applies to end trim, hi-lo end trim, and top caps.



Flat

Applies to connectors (vertical trim) and frameless glass top caps.

Adjustable Wall-Mount Channels

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152

Details



Adjustable wall-mount channel is used to accommodate out-of-plumb wall conditions when attaching a panel run directly to a building wall. It allows for 3/4" adjustment.

Finishes & Materials

- 20 gauge cold-rolled steel

Connections

Attachment fasteners are not included. The installer should select and purchase the proper fasteners for the specific wall application.

Planning Factors



Thickness of an adjustable wall-mount channel is the same as wall-mounted Traxx. The wall mount channel can be used to "shim out" from the wall in applications where Traxx will be adjacent too, but not used for attaching the frame to provide proper alignment.



If you choose not to use an adjustable wall-mount channel in a wall-mount application, the available space for mounting components on the panel run perpendicular to the building wall will be reduced by 3/4" where wall-mounted Traxx and tiles extend from the wall and abut the frame.
Note: To eliminate this condition, use an adjustable wall-mount channel to shim out from the wall.



The panel run must consist of at least two tiles. Wall-mount channels are U-shaped and a single tile cannot be inserted once trim or connectors have been installed at the end of the run.

Not for use with sliding privacy doors.

Related Products



Top cap splice can be specified separately to cover the top of an adjustable wall-mount channel when using curved profile top caps.
➤See page 188.

Top Caps and End Trim

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Details

Top caps finish the top of the frame and conceal data cables in the top channel.

Specify a monolithic top cap where possible to provide a seamless look and to reduce the number of parts specified.



Top caps are available in widths up to 8'. They can be field scribed, if necessary.
Note: Top caps are available in additional widths in 3" increments up to the largest standard size. Use your electronic specification tools to specify.

End trim covers the vertical frame edge at the end of each panel run.

Hi-lo trim finishes off the vertical end of frames when transitioning heights.

Panel-to-panel and connector-to-panel hi-lo trims are available.



Finishes & Materials

- Top caps: wood or paint
- End trim: wood or paint

Connections

Top caps fit securely onto frames using a pressure-fit attachment method.

Related Products



Notched top cap, included with power/data pole, is available in 6" increments from 24" to 48"W.

Top caps for use with frameless glass are pre-drilled to accept frameless glass holders.
➤See page 129 for details.

Overall Panel Heights:

The chart below shows the overall panel height including the top cap, frame, and glides.

Panel Height	*with Curved Top Cap*	*with Flat Top Cap*
2-high	30"H	29¾"H
3-high	42 19/32"H	42⅜"H
3.5-high	49`17/32"H	49 9/32"H
4-high	55 7/32"H	54 29/32"H
5-high	67 13/16"H	67 17/32"H
6-high*	80⅜"H	80 3/16"H
7-high*	93"H	92¾"H

* 5-high base frame with stacking frame.

Frameless Glass

Product Information

Panes and Top Caps

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Details



Frameless glass is available as a clear or etched, 3⁄8"-thick, tempered glass pane with flat polished edges.

Top cap for use with frameless glass pane must be specified separately. Top cap model includes:

- Flat profile top cap with pre-drilled holes
- Choice of extruded aluminum rail or two aluminum brackets with attachment hardware



Glass sits 9⁄16" off the top cap when installed.

Finishes & Materials

- Pane: clear or etched, tempered glass
- Brackets or rail: aluminum, paint
- Top cap: metal, paint

Connections



Glass pane is centered between the two brackets (shown) or rail.



Top cap for use with frameless glass features pre-drilled holes, which allow the brackets or rail (shown) to be securely bolted to the panel frame in the field and facilitates correct placement.

Planning Factors

Frameless glass is not loadbearing. Hanging components or accessories on frameless glass is not recommended.

Frameless glass cannot be scribed in the field.



Width of the frameless glass pane must be the same width as the top cap. Both should be specified to match the width of the panel frame to which they will attach or the combined width if spanning over two or more frames up to 96"W. For example, a 96"W pane and top cap can span two 48"W frame or four 24"W frames.

Specify hi-lo models for the lower panel in a hi-lo application. Glass and top cap widths have been adjusted to accommodate the vertical hi-lo end trim.
Note: Hi-lo-hi application is not possible due to the width of the glass.

Lay-in cabling can be accommodated in the top channel. The frameless glass and glass holders will have to be removed to access the interior of the panel and cables.

3.5-high base frames can accept frameless glass, but the overall height will not line up with a 4-high panel.

Frameless glass is not recommended on low panels adjacent to high-traffic areas.

Xsite frameless glass models cannot be used on Cetra; likewise, Cetra frameless glass models cannot be used on Xsite.

Customer-supplied glass can be used with frameless glass top caps with brackets or rail. Customer's glass should be 3⁄8"-thick tempered glass or other safety material. The width of the glass should be 1⁄8" less than the width of the panel frame to which it will attach; for hi-lo applications, the glass should be 5⁄8" less wide than the panel.

Overall Heights:

Panel Height	*Overall Height incl. Frameless Glass*
2-high	42 3⁄8"
3-high	54 15⁄16"
3.5-high	61 29⁄32"
4-high	67 9⁄16"
5-high	80 1⁄8"
5-high + 1 stacking	92 3⁄4"
5-high + 2 stacking	105 3⁄8"

Codes:

U.L. Listing 1286

Panel Configurations

Without Components

Features ➤See page 116
Power & Data Overview 146
Electrical Guidelines 152

Unsupported Span:



- 8' maximum
- 2 panels maximum; and
- Minimum wing panels

➤See minimum wing panel chart at right.

C-Shaped Workstation:



- 12' maximum
- 48"W minimum wing panels on both ends

T or Wall on One Side:



- 20' maximum
- Minimum wing panel on one end
- T or wall on at least one side

➤See minimum wing panel chart at right.

Note: Frameless glass does not affect application guidelines on this page.

Definitions:

Unsupported panel runs—
Runs not attached on BOTH ends to a wall, wing panel, or floor support.

Floor support—
Undersurface storage units, support panels, or column legs

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage.

Height of Panel Run	Minimum Wing Width
2-high (30")	30"
3-high (42")	30"
3.5-high (50")	36"
4-high (54")	36"
5-high (68")	36"
6-high (80")	48"
7-high (93")	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 6-high and 7-high runs and any height C-shaped workstations must be the same height as the spine run and 48"W.

Panel Configurations

Without Overhead Storage

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Supported Runs:



- 16' maximum
- Mid-supports
- Minimum wing panels or 2 support legs; and
- No overheads
- With or without frameless glass

➤See minimum wing panel chart at right.



- 16' maximum
- Mid-supports
- Support legs or wing panels
- No overheads
- With or without frameless glass

Note: Not applicable with adjustable mid-supports.

C-Shaped Workstation:



- 20' maximum
- Mid-supports
- Minimum wing panels
- 2 floor supports mid-run, minimum;
- Floor supports at end of wing panels, and
- No overheads
- With or without frameless glass

➤See minimum wing panel chart at right.

Balanced back-to-back:



- 20' maximum
- Balanced back-to-back
- Mid-supports
- Support legs, storage, or wing panels
- No overheads
- With or without frameless glass

IMPORTANT Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, support legs, or undersurface storage.

Definitions:

Unsupported panel runs—
Runs not attached on BOTH ends to a wall, wing panel, or floor support.

Floor support—
Undersurface storage units, support panels, or column legs

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage.

Height of Panel Run	Minimum Wing Width
2-high (30")	30"
3-high (42")	30"
3.5-high (50")	36"
4-high (54")	36"
5-high (68")	36"
6-high (80")	48"
7-high (93")	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 6-high and 7-high runs and any height C-shaped workstations must be the same height as the spine run and 48"W.

Panel Configurations

With Overhead Storage

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Supported Run:



- 12' maximum
- Mid-supports; and
- Minimum wing panels or one wing panel and one end-support leg
- With or without frameless glass
- For hi-lo applications with stacking frames: overheads balanced back to back (for hi-lo with full frames: overheads can be on one side only)

➤See minimum wing panel chart on page 130.

Balanced Back-to-Back:



- 16' maximum
- Mid-supports
- Minimum wing panels; and
- Balanced back-to-back
- With or without frameless glass

➤See minimum wing panel chart on page 130.

Note: Runs over 12' are required to be balanced back-to-back.

Stacked Overheads, Unbalanced:



- 8' maximum
- 2 overheads stacked, maximum
- 4 overheads total
- Minimum wing panels
- With or without frameless glass

Stacked Overheads, Balanced Back-to-Back:



- 12' maximum
- 4 overheads per side maximum
- Balanced back to back
- Minimum wing panels
- With or without frameless glass



- 8' maximum stepped run
- Two overheads per side maximum;
- Balanced back to back
- Minimum wing panels
- With or without frameless glass

When stacking overheads, place the following at least two Traxx segments apart (e.g., at 3-high and 5-high):

- Square profile standard- or reduced-height hinged door overheads
- Square and radius profile reduced-height flipper door overheads
- Radius profile standard- or reduced-height hinged door overheads
- Lunar, curved, bevel overheads
- Flat profile overheads

When stacking overheads, place the following at least three Traxx segments apart (e.g., at 3-high and 6-high):

- Square profile standard-height flipper door overheads
- Radius profile standard-height flipper door overheads

➤See clearance chart at left.

IMPORTANT Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, support legs, or undersurface storage.

Definitions:

Unsupported panel runs—
Runs not attached on BOTH ends to a wall, wing panel, or floor support.

Balanced back-to-back—
Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Stacked Overhead Clearances:

These clearances apply between rows of overheads when placed two Traxx segments apart on 4- to 7-high panels or at 2-high and 3.5-high on a 3.5-high panel:

Overhead Profile	Clearance 4- to 7-high	Clearance 3.5-high
Square/Radius (19"H)		
–Hinged Doors	8.7"	3.0"
–Flipper Door*	19.1"	13.4"
Square/Radius (16"H)		
–Hinged Doors	8.7"	3.0"
–Flipper Door	8.7"	3.0"
Lunar	10.8"	5.1"
Curved	9.8"	4.1"
Bevel/Flat	8.7"	3.0"
Cubby	17.2"	11.5"

* Placed three segments apart. Not recommended on 3.5-high frames.

Panel Configurations

With Center-Mounted Overhead Storage

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152

Supported Run:



- 12' maximum
- Mid-supports; and
- Minimum wing panels or one wing panel and one end-support leg

➤See minimum wing panel chart on page 130.



- 16' maximum
- Mid-supports
- Minimum wing panels; or
- Support legs, storage or wing panels

Note: Not applicable with adjustable mid-supports due to stability. Not recommended for 5H or stacking frames.

Balanced Back-to-Back:



- 16' maximum
- Balanced back-to-back
- Mid-supports
- Support legs, storage or wing panels



- 16' maximum
- Mid-supports
- Minimum wing panels; and
- Balanced back-to-back
- With or without frameless glass

➤See minimum wing panel chart.

Note: Runs over 12' are required to be balanced back-to-back.

Stacked Overheads:





- 12' maximum
- Traxx-mount and center-mount overheads:
- Minimum wing panels
- With or without frameless glass

Note: Consider potential bracket interference if stacking center-mount above Traxx-mount overheads.



- 12' maximum stepped run
- Traxx-mount and center-mount overheads:
- Two overheads per side maximum;
- Balanced back to back
- Minimum wing panels
- With or without frameless glass

IMPORTANT Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, support legs, or undersurface storage.

Definitions:

Unsupported panel runs—
Runs not attached on BOTH ends to a wall, wing panel, or floor support.

Balanced back-to-back—
Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Center-Mount Overhead Heights:

Panel		***Top Cap***	
Config.	Height	Flat	Curved
Floor to Top of Overhead			
2H	29 1/2"	44 3/16"	44 9/16"
3H	42 1/8"	56 13/16"	57 3/16"
3.5H	49 1/32"	63 11/16"	64 1/16"
4H	54 23/32"	69 3/8"	69 3/4"
5H	67 5/16"	82"	82 3/8"
5H+1H	79 15/16"	94 5/8"	95"
5H+2H	92 9/16"	107 1/4"	107 5/8"
Wskf. to Bottom of Overhead			
3H	42 1/8"	13 3/8"	13 3/4"
3.5H	49 1/32"	20 1/4"	20 5/8"
4H	54 23/32"	25 15/16"	26 5/16"
5H	67 5/16"	38 9/16"	38 15/16"
5H+1H	79 15/16"	51 3/16"	51 9/16"
5H+2H	92 9/16"	63 13/16"	64 3/16"

Panel Configurations

X Configurations

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Unsupported Run:



- 8' maximum
- With or without frameless glass

Without Overhead Storage:



- 12' maximum
- Mid-supports;
- 12"D support panels;
- No overheads;
- Balanced back-to-back; and
- Column legs or stick legs for D-shape spanners
- With or without frameless glass

If adding center-mount or balanced, back-to-back overheads, or eliminating D-shape spanners, full-depth support panels are required on the ends of straight worksurfaces.

If adding overheads that will not be back to back, wing panels are required.
➤See minimum wing panel chart at right.

Mid-supports can also be used in place of 12"D support panels in balanced back-to-back applications.

With Overhead Storage:



- 16' maximum
- Mid-supports;
- Minimum wing panels or end-support legs; and
- Balanced back-to-back or center-mount overheads
- With or without frameless glass

➤See minimum wing panel chart at right. Total wing panel width must follow guidelines.

IMPORTANT Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, support legs, or undersurface storage.

Definitions:

Unsupported panel runs—
Runs not attached on BOTH ends to a wall, wing panel, or floor support.

Balanced back-to-back—
Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage.

Height of Panel Run	Minimum Wing Width
2-high (30")	30"
3-high (42")	30"
3.5-high (50")	36"
4-high (54")	36"
5-high (68")	36"
6-high (80")	48"
7-high (93")	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 6-high and 7-high runs and any height C-shaped workstations must be the same height as the spine run and 48"W.

Panel Configurations

120°/V and 120°/Y Configurations

Features	➤See page 116
Application Guidelines	130
Power & Data Overview	146
Electrical Guidelines	152

120°/V:



- 12' maximum
- Mid-supports; and
- Minimum wing panels or end-support legs;
- Floor supports on end of runs
- With or without frameless glass
- With or without face-mount or center-mount overheads

➤See minimum wing panel chart at right.

120°/Y without Overheads:



- 12' maximum
- Mid-supports;
- Minimum wing panels or floor supports on ends of runs;
- Column legs or stick legs for D-shaped spanners; and
- No overheads
- With or without frameless glass

➤See minimum wing panel chart at right.

Maximum run can be extended to 16' when panels are balanced back to back. Wing panels are required. Total wing panel width must follow guidelines.

120°/Y with Overheads:



- 16' maximum
- Mid-supports
- Minimum wing panels or end-support legs;
- Balanced back-to-back face-mount or center-mount overheads; and
- One floor support mid-run, minimum
- With or without frameless glass

➤See minimum wing panel chart at right.
at right. Total wing panel width must follow guidelines.

IMPORTANT Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, support legs, or undersurface storage.

Definitions:

Floor support—
Undersurface storage units, support panels, or column legs

Balanced back-to-back—
Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage.

Height of Panel Run	Minimum Wing Width
2-high (30")	30"
3-high (42")	30"
3.5-high (50")	36"
4-high (54")	36"
5-high (68")	36"
6-high (80")	48"
7-high (93")	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 6-high and 7-high runs and any height C-shaped workstations must be the same height as the spine run and 48"W.

Panel Configurations

Wall and Traxx-Mounted Configurations

Features ➤See page 116
Application Guidelines 130
Power & Data Overview 146
Electrical Guidelines 152

Unbalanced:



- 12' maximum
- Mid-supports;
- Floor support or wall-mounted Traxx to support worksurface end; and
- Minimum wing panel
- With or without frameless glass
- With or without face-mount or center-mount overheads

➤See minimum wing panel chart at right. Total wing panel width must follow guidelines.

Balanced Back-to-Back:



- 12' maximum
- Mid-supports
- Floor supports or wall-mounted Traxx to support worksurface end;
- Two minimum wing panels, support legs, or two full-depth support panels at the end of the run; and
- Balanced back-to-back
- With or without frameless glass
- With or without face-mount or center-mount overheads



- 16' maximum
- Mid-supports
- Floor supports or wall-mounted Traxx to support worksurface end;
- Two minimum wing panels at the end of the run; and
- Balanced back-to-back face-mount or center-mount overheads; and
- With or without frameless glass

➤See minimum wing panel chart at right. Total wing panel width must follow guidelines.



Wall-mount brackets and Traxx starter kits must be secured to the building wall by fastening into the stud or by using drywall fasteners. Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

IMPORTANT Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, support legs, or undersurface storage.

Definitions:

Floor support—
Undersurface storage units, support panels, or column legs

Balanced back-to-back—
Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage.

Height of Panel Run	Minimum Wing Width
2-high (30")	30"
3-high (42")	30"
3.5-high (50")	36"
4-high (54")	36"
5-high (68")	36"
6-high (80")	48"
7-high (93")	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 6-high and 7-high runs and any height C-shaped workstations must be the same height as the spine run and 48"W.

Xsite Traxx and Tiles

Overview

Features ➤See page 116
Tile Height Relationships 138
Xsite Traxx 140
Tiles 141

Xsite tiles are available in widths ranging from 3" to 96" and in heights of 1- to 5-high segments. Segments are nominally 12⅝"H. Additional heights—.5-, 1.5-, and 3.5-high tiles—correspond to 3.5-high frames. Xsite tile types include:

- Tackable acoustical
- To-the-floor tackable acoustical
- Glass
- Metal (perforated or embossed)
- Wood
- Laminate
- Paint
- Storage
- Fold-down
- Technology
- Power/data
- Marker board
- Slat
- Pass-thru

➤See page 138 for available sizes by tile type.

Tiles can span two or more frames on the interior or exterior of a workstation. Tiles cannot span over connectors.

Tile heights can be mixed on a panel run to create a segmented, vertical monolithic, or horizontal monolithic look.

Note: Product information and application guidelines for technology tiles and power/data tiles are located in the Xsite Power and Data section.
➤See pages 156 and 162.



Xsite Traxx provides support for Xsite tiles, holding tiles in place at the top and bottom. They can also support worksurfaces, storage, and accessories.

Tiles are installed side-by-side with no panel reveals to create a virtually seamless appearance.

3"D interior of frame can be utilized by specifying storage, fold-down, technology, power/data, or pass-thru tiles.



Tiles can vary in both height and width from one side of the frame to the other. Each side of the frame is independent of the other, allowing for different aesthetics and accommodating different functions. One side can provide a private office look while the other offers a segmented, highly personalized space.

How Tiles are Mounted:



Tiles lift in and lower into place. They are inserted into the Xsite Traxx at the top and rest on either a lower Xsite Traxx or the frame's bottom channel when in the 1st segment.

Xsite Traxx must extend the entire width of both the top and bottom of each tile. Mid-frame supports are required at each Traxx location that will support worksurfaces or storage. *Exception: Tiles that rest on the bottom channel use Traxx at the top of the tile only.*

Tiles may be omitted on panel runs where visually acceptable, provided no components are on the affected side of the frame.

Frame and Tile Height Relationships

Features	➤See page 116
Tile Availability Matrix	139
Xsite Traxx	140
Tiles	141

Illustrations at right show tile heights that match the frame height (monolithic panel plus stacking frames); however, many more tile combinations are possible.

Dimensions are calculated to the top of the frame with glides fully recessed. Curved profile top caps will add ½" to overall height; flat profile top caps will add ¼". Glides provides 2½" adjustment.

Stacking of 1-high and 2-high frames, along with 1-high and 2-high tiles, can be used to achieve structures up to 6- or 7-high. Stacking is not applicable to 3.5-high frames.

To-the-floor tackable acoustical tiles are available in 1-, 2-, 3-, and 4-high models. They are 3 13/16" longer than standard tiles and must be specified for the entire to-the-floor frame height (monolithic) or the lowest segment plus standard tiles to complete the frame above.
Note: 5-high models for to-the-floor frames are not available due to fabric limitations.

Combined tile heights must match the overall base frame height.

Base-Wireway Frames and Open-Base Frames:



To-the-Floor Frames:



3.5-High Tile Combinations:

Only the height combinations shown below are possible for 3.5-high frames.



* For to-the-floor frames, specify a to-the-floor tile for the full frame or the lowest segment.

3.5-High Frame Traxx Relationships:



Traxx locations at the 2-high and 3-high segments correspond to the same locations on other frames. Traxx at the top fo the 3.5-high frame does not line up with possible Traxx locations on other frames.

Tile Availability Matrix

Features	➤See page 116
Traxx and Tiles Overview	137
Tile Height Relationships	138
Tiles	141

	Tackable Acoustical	To-the-Floor Tackable Acoustical	Glass	Metal	Wood Laminate Paint	Storage & Fold-Down	Technology	Power/Data	Marker Board	Slat	Pass-Thru
3"W	❺❶⓯❷❸㉟❹❺										
6"W	❺❶⓯❷❸㉟❹❺										
18"W	❺❶⓯❷❸㉟❹❺	❶❷❸㉟❹	❶⓯❷❸	❺❶⓯❷	❺❶⓯❷❸					❺❶⓯❷❸	
24"W	❺❶⓯❷❸㉟❹❺	❶❷❸㉟❹	❶⓯❷❸	❺❶⓯❷	❺❶⓯❷❸	❶	❶			❺❶⓯❷❸	
30"W	❺❶⓯❷❸㉟❹❺	❶❷❸㉟❹	❶⓯❷❸	❺❶⓯❷	❺❶⓯❷❸	❶	❶	❶	❺❶⓯❷❸	❺❶⓯❷❸	❷❸
33"W	❺❶⓯❷❸㉟❹❺				❺❶⓯❷❸						
36"W	❺❶⓯❷❸㉟❹❺	❶❷❸㉟❹	❶⓯❷❸	❺❶⓯❷	❺❶⓯❷❸	❶	❶	❶	❺❶⓯❷❸	❺❶⓯❷❸	❷❸
39"W	❺❶⓯❷❸㉟❹❺				❺❶⓯❷❸						
42"W	❺❶⓯❷❸㉟❹❺	❶❷❸㉟❹	❶⓯❷	❺❶⓯❷	❺❶⓯❷❸		❶		❺❶⓯❷❸	❺❶⓯❷❸	❷
48"W	❺❶⓯❷❸㉟❹❺	❶❷❸㉟❹	❶⓯❷	❺❶⓯❷	❺❶⓯❷❸		❶		❺❶⓯❷❸	❺❶⓯❷❸	❷
54"W	❺❶⓯❷❸	❶❷❸		❺❶⓯❷	❺❶⓯❷❸				⓯❷❸		
60"W	❺❶⓯❷❸	❶❷❸		❺❶⓯❷	❺❶⓯❷❸				⓯❷❸		
66"W	❺❶⓯❷❸	❶❷❸			❺❶⓯❷❸						
72"W	❺❶⓯❷❸	❶❷❸		❺❶⓯❷	❺❶⓯❷❸						
78"W	❺❶⓯❷❸	❶❷❸			❺❶⓯❷❸						
84"W	❺❶⓯❷❸	❶❷❸			❺❶⓯❷❸						
90"W	❺❶⓯❷❸	❶❷❸			❺❶⓯❷❸						
96"W	❺❶⓯❷❸	❶❷❸			❺❶⓯❷❸						

Key:
❺ = .5-high* ❶ = 1-high ⓯ = 1.5-high* ❷ = 2-high ❸ = 3-high ㉟ = 3.5-high* ❹ = 4-high ❺ = 5-high * For use with 3.5-high frames only.

Note: Tackable acoustical (excluding to-the-floor), wood, laminate, and paint tiles are available in additional widths not listed above in 3" increments from 21"W up to the widest standard size offered for the tile height. Use an electronic specification tool to specify. Xsite tiles in woodgrain laminate available up to 57"W.

Xsite Traxx

Features	➤See page 116
Traxx and Tiles Overview	137
Tile Height Relationships	138
Tiles	141

Details

Xsite Traxx is a horizontal mounting rail that provides support for Xsite tiles, worksurfaces, storage, and accessories.



Tiles are held in place on the frame by Xsite Traxx at the top and bottom of the tile.

Xsite Traxx can span multiple frames up to 144"W for a seamless aesthetic.
Note: Xsite Traxx is available in additional widths (other than those listed on the pricing page in 3" increments up to the largest standard size. Use your electronic specification tools to specify.

Finishes & Materials

- Xsite Traxx: extruded aluminum, paint

Connections



Xsite Traxx attaches to top channels, mid-frame supports, and stacking frames with Traxx lock brackets (included). Traxx lock bracket slips under the top channel and provides tension to hold both Xsite Traxx in place.



Mid-frame supports have two cut-outs at the bottom where Traxx lock brackets can attach. The location of these cut-outs requires Traxx to be attached within 6" of frame verticals. However, Traxx can span across multiple frames.

Planning Factors

Xsite Traxx width and tile width do not have to correspond. Traxx can span across multiple tiles.

Xsite Traxx and Kimball Office Traxx are not interchangeable, but are functionally compatible. Xsite Traxx cannot be wall mounted.
➤See page 118 for off-module applications.

Xsite Traxx is required at the top of all frames on BOTH sides.

Mid-frame supports are required at each Xsite Traxx location below the top channel. Xsite Traxx may be located on one or both sides of frame where there is a mid-frame support.

Xsite Traxx can be scribed in the field.



In stacking applications, Xsite Traxx must be located at the top of the stacking frame AND on either both sides OR neither side at the top of the base frame. Traxx lock bracket will not hold a single Xsite Traxx securely against the top channel.

Tiles

Product Information

Tackable Acoustical, Wood, Laminate and Painted Tiles

Features ➤See page 116
Traxx and Tiles Overview 137
Tile Height Relationships 138
Xsite Traxx 140

Details



Tackable acoustical, to-the-floor tackable acoustical, wood, laminate, and painted tiles are available in a variety of widths and heights.

➤See tile availability matrix on page 139.



Vertical and horizontal monolithic or segmented aesthetics can be created with the use of tiles.

Tackable acoustical tiles are constructed of fiberglass and covered in fabric. They can be field scribed if necessary. Fabric is applied railroad style.

➤See page 588.

Wood, laminate and painted tiles are constructed of a 7/16" wood composite core and covered with premium-grade wood veneer or laminate, or painted.

Wood, laminate and painted tiles are very durable and are recommended for use under a worksurface, in lower positions in corridors or beside marker tiles. They can also be used to provide visual interest when creating a segmented look.



Woodgrain direction runs vertical on wood and woodgrain laminate tiles.

Finishes & Materials

- Panel fabrics
- Wood
- Laminate
- Paint (excluding metallic paint)

Connections



Tiles are held in place on the frame by Xsite Traxx at the top and bottom of the tile.



Xsite Traxx extends beyond the face of the tile by 1/16".

Power & Data

Power and data can be routed vertically in the panel's interior behind tackable acoustical, wood, laminate, and painted tiles.

Planning Factors

Specify tiles for both sides of the frame to complete the panel. Tiles may be omitted on panel runs where visually acceptable, provided no components are on the affected side of the frame.

Acoustical Ratings:

NRC = 0.70
STC = 13

Electrical:

c UL US LISTED

Class A—Tackable acoustical tiles. *Note: COM must comply with U.L. Standard 1286*

Class B—Laminate tiles

Class C—Wood and painted tiles

Tiles

Product Information

Glass and Pass-Thru Tiles

Features ➤See page 116
Traxx and Tiles Overview 137
Tile Height Relationships 138
Xsite Traxx 140

Details



Glass tiles have an extruded aluminum frame (painted or covered with premium grade veneer) with 3mm-thick (clear or frosted) or 4mm-thick (linear vertical) tempered glass. Glass tiles are available in clear, frosted, and linear-vertical pattern. Glass tiles cannot be field scribed.

Glass tiles consist of two tile frames (one for each side of the frame) with a single pane of tempered glass between them. Only one glass tile is needed to complete both sides of the frame. They are available in 1-, 1.5-, 2-, and 3-high models.



Pass-thru tiles provide access from station to station. They consist of two tile frames (one for each side of the structure) and a rubber gasket. Only one pass-thru tile is needed to complete both sides of the frame. They are available in 2- and 3-high models.



Frames on glass tiles and pass-thru tiles are 2½"W.

Finishes & Materials

- Glass tile frames: paint or wood
- Glass panes: clear, frosted, or linear vertical tempered glass
- Pass-thru tile frames: paint

Connections



Tiles are held in place on the frame by Xsite Traxx at the top and bottom of the tile.

Xsite Traxx extends beyond the face of the tile by 1⁄16".

Power & Data

Power and data cannot be routed through glass or pass-thru tiles.

Planning Factors

Mid-frame support can be removed or relocated if the standard placement interrupts the placement of a glass or pass-thru tile.

Hanging overheads over glass and pass-thru tiles is not recommended.

Consider accessory location. They may obstruct the view through glass tiles.

Glass or pass-thru tiles cannot be field scribed.

Glass tiles are not recommended for use next to adjustable wall-mount channel.

Tiles

Product Information

Metal Tiles

Features ➤See page 116
Traxx and Tiles Overview 137
Tile Height Relationships 138
Xsite Traxx 140

Details



Metal tiles are available with a perforated or embossed (shown) surface. They are available in .5-, 1-, 1.5-, and 2-high models.



Perforated metal tiles, when used on both sides of a frame, increase ventilation below the worksurface or behind computer equipment. If perforated tiles are used on both sides of a run, it is recommended that they be the same size.

Metal tiles are washable, durable, and magnetic.



Pattern of perforated or embossed tiles is consistently spaced on centerlines.
Perforation hole size: 3/16" (5 mm)
Embossed circle size: 3/8" (10 mm)

Finishes & Materials

- 18 gauge steel: paint

Connections



Tiles are held in place on the frame by Xsite Traxx at the top and bottom of the tile.

Xsite Traxx extends beyond the face of the tile by 1/16".

Planning Factors



Do not use a perforated metal tile below a technology or power/data tile to avoid seeing the jumper passing through the structure.

Tiles

Product Information

Marker Board and Slat Tiles

Features ➤See page 116
Traxx and Tiles Overview 137
Tile Height Relationships 138
Xsite Traxx 140

Details



Marker boards are available in variety of tile widths and heights to provide a larger writing surface for meeting spaces and smaller surfaces for private workspaces.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.



Slat tiles allow work tools to be placed in appropriate areas to accommodate individual user needs. They accommodate all Kimball Office metal work tools.



Slats are ¾"H; space between slats is ½"H. Trim channel is ¼"W.
.5-high = 4 slats
1-high = 8 slats
1.5-high = 14 slats
2-high = 18 slats
3-high = 28 slats

Finishes & Materials

Marker Board Tiles
- Core: standard 7/16" wood composite
- Erasable marker board surface: 409M Icey White or 483M Off White
- Vertical edges: black PVC

Slat Tiles
- Extruded aluminum: paint

Connections



Tiles are held in place on the frame by Xsite Traxx at the top and bottom of the tile.

Xsite Traxx extends beyond the face of the tile by 1/16".

Monitor arms can be used on 18", 24", and 30"W 1-high and 2-high slat tiles. 2-high tiles require an additional mid-frame support, specified separately. Only one monitor arm per slat tile can be accommodated.

Trim channel on slat tiles prevents tools from spanning across two slat tiles. Tools can hang within ¼" of edge of the tile. Trim can be removed to allow tools to span across two slat tiles.

Planning Factors



Slat tiles can be placed at right angles to each other in a corner.



Consider what will be above and below the accessory. It may interfere with other tiles such as glass or marker board.

Slat tiles placed behind overheads can provide functionality inside the overhead, since the back is open.

Tiles

Product Information

Storage and Fold-Down Tiles

Features	➤See page 116
Traxx and Tiles Overview	137
Tile Height Relationships	138
Xsite Traxx	140

Details



Storage and fold-down tiles maximize space by using the interior of the structure. Both are available in 1-high in four widths: 18", 24", 30", and 36".

Fold-down tile features a one-piece door that can be opened to provide a surface for impromptu meetings. Fold-down surface heights:

Mounted at	*Surface height*
2-high	17¼"
3-high	30"
4-high	42½"
5-high	55"
6-high	67¾"
7-high	80¼"



Finishes & Materials

Tile

- 18 gauge steel: paint

Connections



Storage tiles accept a variety of accessories, specified separately, to accommodate the user's individual work requirements.

Planning Factors

Storage tiles use the interior space of the frame; therefore, they cannot be placed back to back, nor can a storage tile be placed back to back with a power/data tile.

Specify tackable acoustical, wood, laminate, painted, metal, marker board, or slat tiles for the opposite side of the panel behind storage tiles.

Storage and fold-down tiles can be installed at the 2-high segment and above. On a 3.5-high frame, they can be installed at worksurface height with a .5-high tile above.



Do not use a storage tile below a technology or power/data tile (shown) as it will interfere with the vertical routing of power and data.

Storage and fold-down tiles cannot cross a frame or connector and cannot be field scribed.

Related Products



CD holder holds 12 CDs. It takes up the space of 3 slots in storage tile. Painted metal.
➤See the Perks Price List to specify.



Fold-down accessory kit provides a fold-down surface for existing storage tiles. It is available in three widths to correspond to storage tile.



Web kit provides five horizontal elastic bands (black) to hold items in open view. Web kit consumes the entire width of the tile. They cannot be combined with other accessories.



Translucent file pocket accommodates standard file folders and other items. It requires two slots; consumes half of each slot (two file pockets placed side by side consume 3 slots). Interior dimensions: 1¾"D x 11¾"W x 9³⁄₁₆"H.
➤See the Perks Price List to specify.



Binder shelf works only in wide center slot of 36"W storage tile.
➤See the Perks Price List to specify.

Storage Tile Capacity:

	Storage Tile Width 24"	30"	36"
CD holder	3	4	5
File pocket	10	13	16
Binder shelf	–	–	1
Fold-down accessory kit	1	1	1

Note: This table indicates the quantities of accessories that can be accommodated in a single storage tile. It assumes only one type of accessory is used in each tile.

Examples of Mixed Accessories:

24"W Storage Tile
11 slots



- 3 CD holders
- 5 file pockets

30"W Storage Tile
14 slots



- 2 CD holders
- 2 file pockets

36"W Storage Tile
15 slots



- 3 CD holders
- 4 file pockets

Power & Data

Overview

Features ➤See page 116
Base Wireway 147
Electrical Guidelines 152

Xsite offers a 10-wire power system for the base wireway.
Options include:
- 10-wire shared neutral: 6 hot (3 and 3), 2 neutral, 2 ground
- 10-wire shared neutral can be wired for 8-wire configuration by using 4 hot (3 and 1 or 2 and 2), 2 neutral, 2 ground
- 10-wire independent neutral: 4 hot (2 and 2), 4 neutral, 2 ground

Note: Independent and shared neutral components cannot be mixed.

All electrical components are non-directional. The base wireway harness simply hooks into place—no mechanical attachment is required.
Components include:
- Base or ceiling power feeds
- Base wireway harness
- Base wireway jumper
- Pass-thru jumpers
- Technology tile and components
- Power/data tile and components
- Hardwire components

The building's power capability should be determined before power is configured and components are specified.

Xsite is approved to accept Chicago electrical.

Vertical cable managers are available separately to conceal task light cords.
➤See page 240 to specify.



Ceiling power/data pole allows power and data to be dropped down from above.

Technology tiles provide access to power and data at 2nd, 3rd, 4th, and 5th segments. Technology tiles utilize an 8-wire system.

Top channel provides top lay-in capability

Data cables may be distributed through the frame and connectors. ➤See page 166 for cable management information.

Base wireway power harnesses and jumpers distribute power through the base.

Base wireway power entry allows power to enter at the floor, wall, or column. Power can then be distributed to the base and/or jumped up to a technology or power/data tile.

Wireway Cover Options:

NP2	2 non-punched
P1	1 power punched 1 non-punched
P2	2 power punched
PD1	1 power & data punched 1 non-punched *Not available on 24"W*
PD2	2 power & data punched *Not available on 24"W*

Note: All punched (power and power & data) covers include two wireway cover doors.

Wireway Cover Punch Dimensions:

2.80"W x 1.38"H.
Applies to both power and data punches.

No power or data access



Power access only



Power and data access

Base Wireway Components

Product Information

Harnesses and Receptacles

Features	➤See page 116
Power & Data Overview	146
Ceiling Power	151
Electrical Guidelines	152

Details



Base wireway harnesses distribute power through the base of the frame.



Base wireway harness provides two duplex receptacles per side, for a total of four.

Duplex receptacles are rated at either 15 or 20 amps and may be installed back-to-back in the base wireway. 20-amp models, required for some large equipment applications, protrude 1⁄8" more than 15-amp models. Duplex receptacles are available in black, white, or orange for use as a visual aid.
Note: Orange color duplex receptacles for the base wireway do not match the dark orange color for technology tile receptacles.

Up to four duplex receptacles (two per side) can be installed in each base wireway.

Finishes & Materials

Harness

- Ends: injection-molded plastic
- Conduit: 3⁄4" oval

Connections



Jumper cables are used to pass power from panel to panel or through non-powered panels.
➤See page 148.

Building-to-panel power connections can be accomplished whether the power source is in the wall, floor, or ceiling.
➤See pages 149–151.

Power entry will consume one duplex receptacle location.

Power & data poles bring voice/data cables and electrical wiring from the ceiling to the panel run.
➤See page 151.

Planning Factors

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Specify the appropriate harness based on the corresponding width of the frame. Use 24", 27", and 30"W harnesses for the corresponding frame width. For 33"–36" widths use a 36"W harness; for 39"–42" widths use a 42"W harness; for 45"–48" widths use a 48"W harness.

One receptacle location will be consumed if the harness will have a power entry (floor/wall or ceiling) jumper for technology tile or power/data tile attached.

Specify a base wireway cover without power or data access if access to power is not needed. Receptacles and a punched wireway cover can be added later as needed.

Independent and shared neutral components cannot be mixed.

New York City electrical applications require a special power entry.
➤See page 149.

Hardwire electrical components for use in the base wireway are available for areas where local codes do not accept modular electrical plug-in components.
➤See page 150.

Base Wireway Components

Product Information

Jumpers

Features	➤See page 116
Power & Data Overview	146
Ceiling Power	151
Electrical Guidelines	152

Details



Jumpers continue power between two adjacent base wireway harnesses.

Base wireway jumpers are available in 5 different models and are specified according to the application.
➤See chart at right.

Pass-thru jumpers are available in 8 different models to pass power through a frame base where duplex receptacles are not required. Size required is determined by application.
➤See chart on page 234.

Finishes & Materials

- Ends: injection-molded plastic
- Mesh sleeving
- Metal oval conduit

Planning Factors



Base wireway jumpers and pass-thru jumpers connect to a base wireway harness on each end. They cannot connect to another jumper.

Independent and shared neutral components cannot be mixed.

Related Products

Jumpers for power/data tiles
➤See page 163 for product information.
➤See page 164 for application guidelines.

Base Wireway Jumpers Connection Guidelines:

Straight-Line Connections:

36PEJB1
Panel to panel

36PEJB5
Through a connector



36PEJB5
Through a 3" extender



36PEJB8
Through a connector and 3" extender



36PEJB9
Through a 3" extender, connector, and 3" extender

90° Connections:



36PEJB2
Through a connector

36PEJB5
Through a connector and 3" extender



36PEJB8
Through a 3" extender, connector, and 3" extender

120° Connections:



36PEJB5
Through a connector



36PEJB8
Through a connector and 3" extender



36PEJB9
Through a 3" extender, connector, and 3" extender

Base Wireway Components

Product Information

Power Entries

Features	➤See page 116
Power & Data Overview	146
Ceiling Power	151
Electrical Guidelines	152

Details



Base power entries deliver power from building to frame.



New York City base power entries are available to meet codes that require a hardwired infeed connection to modular electrical systems inside the frame. New York City approval number E44747.

Capacity:

- Six 20-amp circuits for shared neutral.
- Four 20-amp circuits for independent neutral.

Finishes & Materials

- Black liquid-tight conduit; 6' length

Connections



Base power entry can be adjusted in the field for left- or right-hand applications.

New York City model passes power in one direction and accepts base wireway jumper cable on opposite end.

Planning Factors

It is most cost effective to place your infeeds at the ends of spine runs where the highest usage is expected. You can then feed returns only as needed.

Multiple power entries cannot be interconnected.

Independent and shared neutral components cannot be mixed.

System connection to building power must be made by a licensed electrician.

Base power entry extends 1¾" from face of frame; allow proper clearance.

One receptacle location will be consumed in the base wireway harness by floor/wall power entry.

If the junction box is on the wall directly behind the system connection, approximately 12" will be required for the conduit. To avoid this space requirement, offset the junction box from the system connection.

New York City model replaces the base wireway harness and eliminates two receptacles. Use in 30"W or greater structure due to box size. The electrical contractor must furnish box fittings, conduit, and wiring from the system junction box to the building power source connection for New York City models.

Base Wireway Components

Product Information

Hardwire Boxes & Cover Plates

Features ➤See page 116
Power & Data Overview 146
Ceiling Power 151
Electrical Guidelines 152

Details



Hardwire components allow field hardwiring of power within the base frame where required by local codes.



Hardwire box accommodates junctions and receptacles.



Hardwire cover plate is solid to cover and protect the contents of the hardwire box.



Hardwire cover plate for power provides an access hole, sized to fit Pass & Seymour 26242 series receptacles (or compatible size and type).



Cover plates are required for both sides of the hardwire box.

Planning Factors

For hardwire applications, specify non-powered panel frame with appropriate wireway cover punch option and hardwire electrical components separately.

Specify power or power and data base wireway covers.

Power/data tiles are compatible with hardwire applications.

Ceiling Power Entries and Power/Data Poles

Features ➤See page 116
Power & Data Overview 146
Base Wireway 147
Electrical Guidelines 152

Details

Ceiling power entries deliver building power to the base wireway in applications where power must be dropped down from above to clusters in open areas away from walls or where power is not accessible in the floor. Ceiling power entry is 12' in length.

Note: Models detailed on this page are not for use with technology tiles. ➤See page 157 for ceiling power entries for use with technology tiles.

Ceiling power entry capacity:

- Six 20-amp circuits for shared neutral
- Four 20-amp circuits for independent neutral



Power/data pole provides a chase for power or data drops from the ceiling. Pole is specified separately from power entry.



Pole is divided into two sections. A top cap and power pole trim plate are provided to blend into frame top cap. Pole is 5½"W x 82"H.

Power/data pole capacity:

- 50 ¼"-diameter cables at 40% fill or 126 ¼"-diameter cables at 100% fill (non-powered)
- 46 ¼"-diameter cables at 40% fill or 117 ¼"-diameter cables at 100% fill, (powered)
- Over 2 square inches of capacity per section of power/data pole

Finishes & Materials

Ceiling Power Entry

- ¾" oval metal conduit

Power/Data Poles

- Pole: extruded aluminum, paint
- Top cap: painted steel or wood veneer
- Trim plate: paint

Planning Factors

Plan for ceiling power entries where no glass, storage, or pass-thru tiles are used, since the conduit must have a direct path to the base wireway harness.

It is most cost effective to place your infeeds at the ends of spine runs where the highest usage is expected. You can then feed returns only as needed.

Multiple power entries cannot be interconnected.

Independent and shared neutral components cannot be mixed.

System connection to building power must be made by a licensed electrician. Ceiling power entries do not include junction box and related connectors.

6" of ceiling power entry conduit is required above ceiling for electrical connection.



Power entry must plug into right hand block of base wireway harness.

Use ceiling power entry and poles on frame that is a minimum of 24"W for terminal block to pass through frame opening.

Access to ceiling source is regulated by National Electric Code to 12' maximum conduit for our standard infeed construction. Ceiling power entry in lengths up to 24' are available with custom quote for alternate construction.

New York City approval number is E44747.

Maximum Ceiling Height for Power/Data Pole:

With Ceiling Power Entry	
2-high Frame	
24"–48"W	100 15/16"
3-high Frame	
24"–48"W	113½"
3.5-high Frame	
24"–48"W	120½"
4-high Frame	
24"–48"W	126⅛"
5-, 6-, or 7-high Frame	
24"W	140¾"
30"W	137¾"
36"W	134¾"
42"W	131¾"
48"W	128¾"

Without Ceiling Power Entry	
2-high	100 15/16"
3-high	113½"
3.5-high	120½"
4-high	126⅛"
5-high	138¾"
6-high	151⅜"
7-high	164"

Base Wireway Electrical System

Application Guidelines

Shared Neutral 10-Wire (10S) Circuit Configurations

Features	➤See page 116
Power & Data Overview	146
Base Wireway	147
Ceiling Power	151



The 10-wire configuration supports work environments having heavy intensity, advanced computerized equipment requirements. A 10-wire system consists of six 12-gauge hot wires, two 10-gauge neutral wires, and two 12-gauge ground wires.

➤See electrical service info at left.
➤See page 153 for wiring diagrams.

The same components are used for all configurations through the addition or substitution of receptacles. This simplifies specifications and allows a faster understanding of the system. In addition, components used in the bottom channel are also used in other locations except in technology tiles.

Xsite's 10-wire electrical system is rated for 20-amp service. To support the usage, 15-amp convenience receptacles can be placed anywhere along the leg of the electrical connection. In the event that an appliance, such as a larger printer/copier/plotter needs to have a 20-amp receptacle, it is recommended to use a dedicated circuit with a 20-amp receptacle. Using 15-amp convenience receptacles will aid in ensuring that no one leg of the system can pull too much current, which could potentially cause the system to trip out and lose power across the entire system.

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided here is intended to assist specifiers. Access to ceiling power source is regulated by National Code to a maximum of 12 ft. conduit.

3 and 3 (10-wire):



Circuits 1, 2, and 3 share a common 10 gauge neutral and 12 gauge ground wire, providing three designated circuits for lighting and other general/utility equipment.

Circuits 4, 5, and 6 share a common increased size neutral and isolated ground wire, providing three designated circuits for computer applications.

Circuit	*15-amp Model*	*20-amp Model*
1	36PER110S	36PER110S20
2	36PER210S	36PER210S20
3	36PER310S	36PER310S20
4	36PER4D10S	36PER4D10S20
5	36PER5D10S	36PER5D10S20
6	36PER6D10S	36PER6D10S20

IMPORTANT: Technology tiles cannot be connected to power in a base wireway utilizing this configuration.

3 and 1 (8-wire):



Circuits 1, 2, and 3 share a neutral and common ground, providing circuits for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

Circuit	*15-amp Model*	*20-amp Model*
1	36PER110S	36PER110S20
2	36PER210S	36PER210S20
3	36PER310S	36PER310S20
4	36PER4D10S	36PER4D10S20

2 and 2 (8-wire):



Circuits 1 and 2 provide a pair of designated circuits for general electrical needs.

Circuits 3 and 4 provide a pair of designated circuits for computer applications.

Circuit	*15-amp Model*	*20-amp Model*
1	36PER110S	36PER110S20
2	36PER210S	36PER210S20
3	36PER3D10S	36PER3D10S20
4	36PER4D10S	36PER4D10S20

Features	➤See page 116
Power & Data Overview	146
Base Wireway	147
Ceiling Power	151

Provide these wiring diagrams to the electrical contractor.

Xsite 3 and 3 Configuration 10-Wire:

120/208V WYE 3 Phase 8-10 Shared Neutral
Receptacles: 110S, 210S, 310S, 4D10S, 5D10S, 6D10S



Xsite 2 and 2 Configuration 10-Wire:

120/208V WYE 3 Phase 8-10 Shared Neutral
Receptacles: 110S, 210S, 3D10S, 4D10S



Xsite 3 and 1 Configuration 10-Wire:

120/208V WYE 3 Phase 8-10 Shared Neutral
Receptacles: 110S, 210S, 310S, 4D10S



Xsite 1 and 2 Configuration 10-Wire:

120/240V 1 Phase 8-10 Shared Neutral
Receptacles: 110S, 4D10S, 5D10S



Base Wireway Electrical System

Independent Neutral 10-Wire (10D) Circuit Configurations

Features ➤See page 116
Power & Data Overview 146
Base Wireway 147
Ceiling Power 151



The 10-wire configuration supports work environments having heavy intensity, advanced computerized equipment requirements. An independent neutral 10-wire system consists of four 12-gauge hot wires, four 12-gauge neutral wires, and two 12-gauge ground wires.
➤See page 155 for wiring diagrams.

The same components are used for all configurations through the addition or substitution of receptacles. This simplifies specifications and allows a faster understanding of the system. In addition, components used in the bottom channel are also used in other locations.

Base wireway independent neutral (10D) system cannot be used with technology tiles.

Xsite's 10-wire electrical system is rated for 20-amp service. To support the usage, 15-amp convenience receptacles can be placed anywhere along the leg of the electrical connection. In the event that an appliance, such as a larger printer/copier/plotter needs to have a 20-amp receptacle, it is recommended to use a dedicated circuit with a 20-amp receptacle. Using 15-amp convenience receptacles will aid in ensuring that no one leg of the system can pull too much current, which could potentially cause the system to trip out and lose power across the entire system.

IMPORTANT Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided here is intended to assist specifiers. Access to ceiling power source is regulated by National Code to a maximum of 12 ft. conduit.

2 and 2 (10-wire):



Circuits 1 and 2 each have a neutral wire and share a common ground wire, providing a pair of designated circuits for lighting and other general/utility equipment.

Circuits 3 and 4 each have a neutral wire and share an isolated ground wire, providing a pair of designated circuits for computer applications.

Circuit	*15-amp Model*	*20-amp Model*
1	36PER110D	36PER110D20
2	36PER210D	36PER210D20
3	36PER310D	n/a
4	36PER410D	36PER410D20

Features	➤See page 116
Power & Data Overview	146
Base Wireway	147
Ceiling Power	151

Provide these wiring diagrams to the electrical contractor.

Xsite 2 and 2 Configuration 10-Wire:

120/208V WYE 3 Phase 8-10 Independent Neutral
Receptacles: 110D, 210D, 310D, 410D



Xsite 2 and 2 Configuration 10-Wire:

120/240V 1 Phase 8-10 Independent Neutral
Receptacles: 110D, 210D, 310D, 410D



Xsite 2 and 1 Configuration 10-Wire:

120/208V WYE 3 Phase 8-10 Independent Neutral
Receptacles: 110D, 210D, 410D



Xsite 1 and 2 Configuration 10-Wire:

120/240V 1 Phase 8-10 Independent Neutral
Receptacles: 110D, 310D, 410D



Technology Tiles

Features ➤See page 116
Power & Data Overview 146
Tech Tile Electrical 157
Circuit Configurations 160

Details

Technology tile provides power and data at the 2nd, 3rd, 4th or 5th segments for access below the worksurfaces, at worksurface height, at standing height, or at the overhead position. Technology tiles utilize an 8-wire electrical system.



Three header options to meet user needs include:
- Tackable fabric
- Marker board
- Slat

Note: Marker board tiles should not be used on unsupported runs due to panel movement when writing on the surface.

Two to six cut-outs, depending on the width of the tile, are provided in each technology tile to accommodate duplex receptacles and/or data ports. The in-line arrangement of the cut-outs provide a clean aesthetic.
➤See chart on page 158 for configuration options.

Technology tiles without cutouts are available for a seamless look.

Finishes & Materials

- Tile: formed steel, paint
- Tile header:
  - –Tackable fabric
  - –Slat: extruded aluminum, paint
  - –Erasable marker board:
    409M Icey White or
    483M Off White
    (edges: black PVC)

Connections



Technology tiles may be powered from the base wireway with a vertical jumper. One base receptacle location will be used for the vertical jumper; no receptacle location in the technology tile is required/lost for the vertical jumper.



Ceiling power entry for technology tile can be used to bring power to the tile from above. This model cannot be used to route power down to the base wireway.

Power cannot be jumped from one technology tile to another through a connector or from a technology tile to a power/data tile.

Planning Factors

Technology tiles can be used in both Xsite cubicle and benching applications.

Technology tiles should be placed back to back for optimum component utilization. The same arrangement of duplex and data receptacles should be used in both tiles.

Technology tiles cannot be used back to back with storage tiles or power/data tiles since both tiles use the interior space of the frame.

Specify technology tiles to match the width of the frame.

Technology tiles without cutouts must be specified where pass-through jumpers will be used.

Stacking frames can accept technology tiles where only data is required. Power cannot be installed in this application because the power block mounting brackets must attach to the mid channel.

Hole cover plates, specified separately (10 per package), are recommended to cover unused power blocks and where cut-out is not being used for data.

Consider the tile below a technology tile in base entry applications. The jumper needs to pass from the base through the interior of the frame to the tile; therefore, storage tiles or any tiles where the jumper may be visible are not recommended.

Related Products

Technology tile electrical components must be specified separately.
➤See page 157.

Technology slat tile can support one or two Perks® single-monitor arms (model 99KSMAM2SMS). Perks work tools are available.
➤See the Perks Price List.

Power/data tile components cannot be used with technology tiles.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended.

Acoustical Ratings:

NRC = 0.70
STC = 13

Electrical:

c UL US LISTED

Class A—Tiles with tackable acoustical header.
Note: COM must comply with U.L. Standard 1286

Class B—Tiles with marker board header.

Technology Tile Power/Data Components

Features ➤See page 116
Power & Data Overview 146
Circuit Configurations 160

Details

Technology tile components are required to provide power and data access to the tile.

Power components for technology tiles are offered in kits based on application with specific models for each tile width. Kits include the appropriate quantity and size of power blocks, mounting brackets and hardware, harnesses, vertical and/or horizontal jumpers for the application.
➤See page 158 for kit descriptions.

Individual components in the kits may ship separately. Use assembly instructions found online at: www.kimballoffice.com/resources/assembly.aspx?sID=54



Single Block



Double Bllock

Power blocks are either single or double. Both single and double blocks are two sided and each opening can house a duplex receptacle:
- Single power block holds 1 duplex receptacle per side; total of 2
- Double power block holds 2 duplex receptacles per side; total of 4



Mounting brackets hold power blocks and are standard with the kit. A metal template also ships standard with the brackets (one per order) to assist with correct placement of the mounting brackets.



Single power block assemblies, for use behind a single tile, include an attached power harness (flexible metal conduit).



Jumpers are used to pass electricity from one point to another. There are four types of jumpers:
- Horizontal (tile-to-tile)
- Vertical (base wireway-to-tile)
- Pass-thru
- Double block-to-double block

Hardwire box allows hardwiring of power with the base of the frame to comply with local codes.



Ceiling power entry for technology tile delivers power to the tile by dropping power down from above to clusters in open areas away from walls or where power is not accessible in the floor. Ceiling power entry is 12' in length. The ceiling power entry assembly can be used with a ceiling power/data pole. Ceiling power entry connects to the end of a power block.

Duplex receptacles for use with technology tiles are rated at 15 or 20 amps. 20-amp models, required for some large equipment applications, protrude ⅛" more than 15-amp models. Duplex receptacles are available in black, white, or orange for use as a visual aid; specified separately. Trim plate is standard with each receptacle: black with Cinder or Dark Orange receptacles or white with Designer White receptacles. *Note: Dark orange receptacles are not the same color as orange base wireway receptacles.*

Hole cover plates, specified separately (10 per package), are recommended to cover unused power blocks or where cut-out is not being used for data.



Data plates have two openings and come with a voice/data adapter kit to accommodate couplers/jacks from multiple suppliers. Two of each style of adapter are standard in the kit.
➤See page 158 for adapter/manufacturer chart.

Finishes & Materials

- Power blocks: injection-molded, PVC-free plastic
- Power block brackets: formed steel
- Block-to-block and panel-to-panel jumpers: injection-molded, PVC-free plastic ends and metal conduit
- Vertical base-to-tile jumper: plastic and metal conduit
- Receptacles: injection-molded, PVC-free plastic
- Power entries: metal conduit
- Trim plates: painted steel
- Data plates: painted steel
- Voice adapter kit: PVC-free plastic

➤Product information continued on next page.

Technology Tile Power/Data Components

Product Information

continued

Features ➤See page 116
Power & Data Overview 146
Tech Tile Electrical 157
Circuit Configurations 160

Connections

Power must be "started" in a 30"W or wider tile. Power cannot be "started" from 24"W tiles due to space constraints.
➤See next page for kits applicable to 24"W tiles.

Kits for use in 30", 36", 42", and 48"W technology tiles:

Receptacle and Data Configuration Options:





Power kit with vertical jumper brings power up from the base wireway to a technology tile at 2- or 3-high in a single-frame application. Kit includes:
- Vertical (base-to-tile) jumper
- Single power block assemblies (includes two single blocks and harness) or two double power blocks with jumpers
- Mounting brackets and hardware



Power kit with vertical and horizontal jumpers brings power up from the base wireway to a technology tile at 2- or 3-high and jumps power to an adjacent technology tile not separated by a connector.
Kit includes:
- Vertical (base-to-tile) jumper
- Horizontal (tile-to-tile) jumper
- Single power block assemblies (includes two single blocks and harness) or two double power blocks with jumpers
- Mounting brackets and hardware



Power kit with horizontal jumper provides power to one tile and jumps power to an adjacent tile not separated by a connector. This kit is also applicable for a power in-feed application (ceiling, NYC, or hardwire power entry) or in a 4H or 5H application. Kit includes:
- Horizontal (tile-to-tile) jumper
- Single power block assemblies (includes two single blocks and harness) or two double power blocks with jumpers
- Mounting brackets and hardware

Note: For 4H & 5H applications, specify a base-to-tile jumper separately.



Power kit with blocks and harness only is for use at the end of a run where power will not be continued further and in single-frame applications. This kit is also applicable for a power in-feed application (ceiling, NYC, or hardwire power entry) or in a 4H or 5H application. Kit includes:
- Single power block assemblies (includes two single blocks and harness) or two double power blocks with jumpers
- Mounting brackets and hardware

Note: For 4H & 5H applications, specify a base-to-tile jumper separately.

Data Plate Adapter Reference:



Manufacturer	*Adapter**
Systimax/CommScope	AA
Uniprise/CommScope	AA
L-Com Keystone Modular	BB
Tyco SL and 100 Connect Series Modular	BB
Siemon Keystone Style	BB
Allen Tel Versa Tap Series	BB
Leviton Quick Port® Series	BB
Nordx Keystone Style	BB
Tyco SL Coupler Series	CC
Krone 6000 Series/ADC	CC
Hubbell Xcelerator™ Keystone Series	CC
Blank (no coupler/jack)	DD
Ortronics TracJack Series	EE
Panduit Mini-Com Series	FF
Microphone Jack/3-pin XLR, solder type only	GG
Video Monitor Jack/DB-15, panel-mount solder style	HH

*Adapter identifier is located on the backside of the plate.

Technology Tile Power/Data Components

Product Information

continued

Features ➤See page 116
Power & Data Overview 146
Tech Tile Electrical 157
Circuit Configurations 160

Two kits for use in 24" technology tiles:



24"W power kit with horizontal jumper provides power to one tile and jumps power to an adjacent tile not separated by a connector.
Kit includes:
- Horizontal (tile-to-tile) jumper
- One double power block
- Mounting brackets and hardware

24"W power kit with block only provides power to one tile. It may be used as illustrated at far right where power is jumped to it from an adjacent frame or in a single-frame application with a ceiling, NYC, or hardwire power entry. Kit includes:
- One double power block
- Mounting brackets and hardware

Planning Factors

Vertical jumpers included with kits are designed for bringing power to the 2- or 3-high segment. If you need to route power to a different segment, specify a kit without a vertical jumper and specify the appropriate length vertical (base-to-tile) jumper separately.

If only one frame will have a technology tile, use a power kit with vertical jumper for routing power from the base wireway. If routing power down from the ceiling, specify a kit with blocks and harness only.

Power cannot be jumped from one technology tile to another through a connector.

Power cannot be jumped from a technology tile to a power/data tile.

Data plates cannot cover power blocks, but can be used in any of the tile's cutouts.

Hole cover plates can be used over a power block or any cut-out that is not in use. Duplex receptacles are not required in all power block locations.

IMPORTANT Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided here is intended to assist specifiers.

Typical Layouts:

Four-frame benching application



Single-frame application



24"W frame application



Features ➤See page 116
Power & Data Overview 146
Tech Tile Electrical 157



8-wire configuration supports work environments having heavy-intensity advanced computerized equipment requirements. An 8-wire systems includes four 12-gauge hot wires, one 12-gauge dedicated neutral wire, one 10-gauge shared neutral wire, and two 12-gauge ground wires.
➤See electrical service info at left.
➤See wiring configurations at right and wiring diagrams on the next page.

Base wireway shared neutral (10S) system or ceiling power in-feed should be used technology tiles.
➤See page 152 for base wireway circuit configurations.

Base wireway independent neutral (10D) system cannot be used with technology tiles.

Xsite's technology tile electrical system is rated for 20-amp service. To support the usage, 15-amp convenience receptacles can be placed anywhere along the leg of the electrical connection. In the event that an appliance, such as a larger printer/copier/plotter needs to have a 20-amp receptacle, it is recommended to use a dedicated circuit with a 20-amp receptacle. Using 15-amp convenience receptacles will aid in ensuring that no one leg of the system can pull too much current, which could potentially cause the system to trip out and lose power across the entire system.

IMPORTANT Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided here is intended to assist specifiers.

3 and 1 (8-wire):



Circuits 1, 2, and 3 share a neutral and common ground, providing circuits for general electrical needs. Customarily, one or more of the circuits are reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

Cir.	*15-amp Model*	*20-amp Model*
1	36PER184SB15	36PER184SB20
2	36PER284SB15	36PER284SB20
3	36PER384SB15	36PER384SB20
4	36PER4D84SB15	36PER4D84SB20

2 and 2 (8-wire):



Circuits 1 and 2 provide a pair of designated circuits for general electrical needs.

Circuits 3 and 4 provide a pair of designated circuits for computer applications.

Cir.	*15-amp Model*	*20-amp Model*
1	36PER184SB15	36PER184SB20
2	36PER284SB15	36PER284SB20
3	36PER3D84SB15	36PER3D84SB20
4	36PER4D84SB15	36PER4D84SB20

Features	➤See page 116
Power & Data Overview	146
Tech Tile Electrical	157
Circuit Configurations	160

2 and 2 Configuration 8-Wire:

120/240V 1 Phase Shared Neutral
Receptacles: 1, 2, 3Δ, 4Δ



3 and 1 Configuration 8-Wire:

120/240V 1 Phase Shared Neutral
Receptacles: 1, 2, 3, 4Δ



Power/Data Tiles

Xsite Overview ➤See page 116
Power & Data Overview 146
Product Information 163
Application Guidelines 152

Details



Power/data tiles provide access to power and data at the 2nd, 3rd, 4th or 5th segments. They utilize the same wiring configuration as the used in the base wireway, either 10-wire shared neutral or 10-wire independent neutral.
➤See pages 152–155 for circuit configurations and wiring diagrams.



Flexible material on both ends allows excess cables to be stored inside the frame interior. Not accessible when in-line with a frame vertical.



Four cut-outs are provided in each power/data tile to accommodate a combination of four duplex receptacles and/or data ports.

Finishes & Materials

- Tile: formed steel, paint
- Trim plates and cover plates: black plastic

Connections

Power/data tiles may be powered with a ceiling infeed to provide belt line power throughout the system without extending to the base.

Power/data tile may be placed horizontally at any location on the frame provided the distribution block bracket does not conflict with the frame. Tiles should not be placed at the end of a panel run or aligned with frame verticals because the full functionality of accessing the frame interior for cable management is not realized.

Special power/data tile components are specified separately to bring and distribute power to the tile.
➤See page 163 for product info.
➤See page 164 for application guidelines.

Planning Factors

Power/data tiles may be placed back to back, provided the power and/or data components are not back to back. Power/data tiles cannot be placed back to back with technology tiles or storage tiles since both tiles use the interior space of the frame.

Place power/data tiles in frames wider than the tile to allow access to cable manager.



Consider the tile below a power/data tile in base entry applications. The jumper needs to pass from the base through the interior of the frame to the tile; therefore, storage tiles or any tiles where the jumper may be visible are not recommended.

One receptacle at the base will be used to connect the power/data tile.

Data cabling can be routed from the top, bottom, or sides. Top or bottom feed provides the least amount of conflict with opposing tiles. Specify data ports through the communications supplier or their distribution network.

Hardwire applications can be accommodated.

Related Products

Power/data tile electrical components
➤See page 163.
➤See page 164 for jumper application guidelines.

Technology tile electrical components cannot be used with power/data tiles.

Interior Dimensions:



Power/Data Tile Electrical Components

Product Information

Xsite Overview ➤See page 116
Power & Data Overview 146
Application Guidelines 152

Details

Power/data tile components are required to provide power access to the power/data tile. They utilize the same wiring configuration as the used in the base wireway, either 10-wire shared neutral or 10-wire independent neutral.
➤See pages 152–155 for circuit configurations and wiring diagrams.



Mid-distribution block bracket snaps into the power/data tile to hold two mid-distribution blocks.



Mid-distribution block screws to the mid-distribution block bracket and accepts one duplex receptacle and up to three jumpers.



Base wireway panel-to-panel jumper (36PEJB1) is used to connect two vertically adjacent receptacles.



Mid-block jumper passes power horizontally between two power/data tiles, between two sets of vertically adjacent receptacles, or to connect back-to-back tiles with staggered receptacle locations.



Base-to-power/data tile jumper passes power from base wireway harness to mid-distribution block in power/data tile. Two lengths available, one for power/data tiles located in the 2nd segment, and one for the 3rd or 4th segment. When connecting two power/data tiles across a vertical, a metal tile (up to 36"W) must be used to allow sufficient space for the jumpers.

Finishes & Materials

- Mid-distribution block: injection-molded plastic
- Mid-distribution block bracket: formed steel
- Mid-block jumper: injection-molded plastic ends; mesh sleeving
- Base-to-power/data tile jumper: injection-molded plastic ends; ¾" oval metal conduit

Planning Factors

Independent and shared neutral components cannot be mixed.

Power/data tile accepts one to four mid-distribution blocks and one to two mid-distribution block brackets. Blocks should be placed where duplex receptacles are required.

IMPORTANT: Specific guidelines apply to power/data tile jumper connections.
➤See page 164.

IMPORTANT: Technology tile electrical components cannot be used with power/data tiles.

Related Products

Power/data tiles
➤See page 162 for product information.
➤See page 230 to specify.

Power/Data Tile Electrical Components

Selecting Jumpers

Key:
- = Mid-Block Jumper
- = Base Wireway Panel-Panel Jumper
- = Base Wireway Pass-Thru Jumper
- = Base to Power/Data Tile Jumper

Note: Illustrations intended to show applications, not actual dimensions.

IMPORTANT: Power cannot be passed through connectors. If there is a connector between power/data tiles, power must be brought up from the base for each tile next to the connector.

IMPORTANT: Power cannot be jumped between power/data tiles if they are separated by a different tile type, except an embossed metal tile (see continuous beltline at right).

One Side of a Run:



Use a base wireway panel-to-panel jumper (36PEJB1) to connect two vertically adjacent receptacles.



Use base wireway panel-to-panel jumper to connect two vertically adjacent receptacles and a mid-block jumper to pass power horizontally between sets.

Back-to-Back:



Use mid-block jumper to connect back-to-back tiles with staggered receptacle locations. Two receptacles per side only. Use base wireway pane-to-panel jumper to connect two vertically adjacent receptacles.

IMPORTANT Mid-distribution blocks and brackets must be staggered side to side when using power/data tiles opposite each other (back to back).

Adjacent on Opposite Side:



Use base wireway panel-to-panel jumper to connect two vertically adjacent receptacles; use a base wireway pass-thru jumper to connect tiles that are adjacent (not back to back) on opposites sides of the run (see tile-to-tile option 2 for size).

Continuous Beltline:

Use a base pass-thru jumper to connect two inside mid-block distribution blocks.

Tile	*Specify Jumper Model*
24"W	36P36EPT
30"W	36P42EPT
36"W	36P48EPT

Tile separating the power/data tiles must be embossed metal. The frame vertical must be at least 3" from the end of the metal tile.

If metal tile exceeds 36"W, there is no standard-size jumper available.

Tile-to-Tile:

Option 1—



Use base wireway panel-to-panel jumper to connect two vertically adjacent receptacles; use a mid-block jumper to pass power horizontally between tiles.

Option 2—



Use base wireway panel-to-panel jumper to connect two vertically adjacent receptacles; use a base wireway pass-thru jumper to connect non-adjacent receptacles.

Tile 1	*Tile 2*	*Pass-Thru Jumper Model*
30"W	30"W	36P30EPT
30"W	36"W	36P36EPT
36"W	36"W	36P42EPT

Option 3—



Use base wireway panel-to-panel jumper to connect two vertically adjacent receptacles; use a base wireway pass-thru jumper to connect non-adjacent receptacles.

Tile 1	*Tile 2*	*Pass-Thru Jumper Model*
30"W	30"W	36P36EPT
30"W	36"W	36P42EPT
36"W	36"W	36P48EPT

Cable Management Components

Xsite Overview ➤See page 116
Power & Data Overview 146
Product Information 163
Application Guidelines 166

Details



Data cable manager manages up to twelve ¼" cables per side within the frame's interior.



Vertical cable manager manages cables in vertical application and conceals up to two task light cords.



Space between frame and tile is ¼", allowing cables to pass horizontally across verticals.

Finishes & Materials

- Data cable manager: polypropylene
- Vertical cable manager: fabric

Connections

Data cable managers can be located at any point up and down the frame's vertical elements.

Planning Factors



Plan for vertical cable manager to be located at the end of the cabinet. Specify the appropriate size vertical cable manager based on the space between the cabinet and worksurface below.

Cable Management

Xsite Overview ➤See page 116
Power & Data Overview 146
Product Information 163

Cables may enter the frame through a base wireway cover or through a ceiling power/data pole.

Cables may be routed through the frame in the top channel, at the bottom of the frame above the base wireway, or through the interior of the frame.

Ceiling Entry:



Ceiling entry applications utilize a power/data pole. Pole features a divided septum to separate power and data cables. Cables are distributed in the top channel of the frame and dropped down for access in power/data tiles or in the base wireway.

Base Entry:



In base entry applications, cables enter through the data opening in a base wireway cover (power and data access model). Cables are routed up to the top channel or a power/data tile.

Allow an additional 12' of cable when routing up to the top channel from the base entry.

Horizontal Routing:



Data cable manager guides cables between frame and tiles. Up to 12 ¼"-diameter cables can be accommodated on each side of the frame. Locate as many as required on the frame verticals.



Cables in top channel can be routed through connectors. Top channel is 1¾"W and 1¼"H.
➤See chart at right for cable capacity.
➤See chart at left for bend radius.

Hi-Lo Applications:

When cabling is distributed in a run with a hi-lo condition, the cabling must go into the frame, pass across the hi-lo condition, and then route back to the top of the frame.

Cable Capacities:

Capacities listed below are for ¼"-diameter cables at 40% fill. Actual capacities may vary. A substantial number of cables can also be accommodated between the frame and tiles.

	40% Fill
Top channel	36
Top channel and mid-frame support cut-out	30
Power/data pole:	
• With power	46
• Without power	50
• Per segment	25
Power/data pole to top of frame, each direction	14
Connector top cap	
• Paint:	24
• Wood	24

Bend Radius:

	Min.	*Max.*
Top channel at connector	1"	1⅜"
Through frame at connector	1"	1⅝"
Frame to wireway	1"	2⅛"
Top channel to inside frame	1"	2"
Power/data pole to top channel	1"	2"

Base-Wireway Frames

Pricing

2-High, 3-High, and 3.5-High

GSA SIN 711-1







D	W	H	Model	Powered	Non-Powered
2-High Frames					
3¼"	18"	29½"	**36P182F**	—	$144
	24"		**36P242F**	$296	154
	30"		**36P302F**	306	164
	36"		**36P362F**	313	173
	42"		**36P422F**	326	183
	48"		**36P482F**	335	192
3-High Frames					
3¼ "	18"	42⅛"	**36P183F**	—	$177
	24"		**36P243F**	$331	190
	30"		**36P303F**	346	204
	36"		**36P363F**	359	219
	42"		**36P423F**	374	232
	48"		**36P483F**	387	247
3.5-High Frames					
3¼ "	18"	49³²⁄₃₂"	**36P18H50F**	—	$190
	24"		**36P24H50F**	$342	201
	30"		**36P30H50F**	357	215
	36"		**36P36H50F**	370	230
	42"		**36P42H50F**	386	243
	48"		**36P48H50F**	399	257

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Mid-frame supports can be relocated or additional mid-frame supports may need to be specified separately.
➤See page 117 for planning factors.
➤See page 173 to specify.

IMPORTANT: 18"W panels do not accept power entry or receptacles.

For hardwire applications, specify non-powered frame and hardwire electrical components separately.

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Frame
- Attachment hardware
- Mid-frame supports at 2-high position on 3-high and 3.5-high frames
- Wireway covers
- Base wireway harness on powered frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
③ Type of power system (omit for non-powered):
10S = Shared neutral
10D = Independent neutral
④ Wireway cover punch option (omit for 18"W):
➤See page 146 for designators.
⑤ Wireway cover finish group:
STD = Group 1
STDM = Group M (+10%)
⑥ Wireway cover finish designator

Base-Wireway Frames

Pricing

4-High and 5-High

GSA SIN 711-1

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146





D	*W*	*H*	*Model*	*Powered*	*Non-Powered*
4-High Frames					
3¼"	18"	54²³⁄₃₂"	**36P184F**	—	$196
	24"		**36P244F**	$349	207
	30"		**36P304F**	363	222
	36"		**36P364F**	379	235
	42"		**36P424F**	393	251
	48"		**36P484F**	407	266
5-High Frames					
3¼"	18"	67⁵⁄₁₆"	**36P185F**	—	$227
	24"		**36P245F**	$386	245
	30"		**36P305F**	404	262
	36"		**36P365F**	425	283
	42"		**36P425F**	444	301
	48"		**36P485F**	460	318

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Use of an overhead on a 4-high frame requires the relocation of the mid-frame support. Additional mid-frame supports may need to be specified separately.
➤See page 117 for planning factors.
➤See page 173 to specify.

IMPORTANT: 18"W panels do not accept power entry or receptacles.

For hardwire applications, specify non-powered frame and hardwire electrical components separately.

Standard Includes

- Frame
- Attachment hardware
- Mid-frame supports:
  - — At 2-high position on 4-high frames
  - — At 2-high and 4-high positions on 5-high frames
- Wireway covers
- Base wireway harness on powered frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
③ Type of power system (omit for non-powered):
10S = Shared neutral
10D = Independent neutral
④ Wireway cover punch option (omit for 18"W):
➤See page 146 for designators.
⑤ Wireway cover finish group:
STD = Group 1
STDM = Group M (+10%)
⑥ Wireway cover finish designator

Open-Base Frames

Pricing

2-High, 3-High, and 3.5-High

GSA SIN 711-1







D	*W*	*H*	*Model*	*Price*
2-High Frames				
3 1/4"	18"	29 1/2"	**36P182FNOB**	$151
	24"		**36P242FNOB**	161
	30"		**36P302FNOB**	173
	36"		**36P362FNOB**	182
	42"		**36P422FNOB**	192
	48"		**36P482FNOB**	202
3-High Frames				
3 1/4"	18"	42 1/8"	**36P183FNOB**	$185
	24"		**36P243FNOB**	200
	30"		**36P303FNOB**	215
	36"		**36P363FNOB**	230
	42"		**36P423FNOB**	244
	48"		**36P483FNOB**	260
3.5-High Frames				
3 1/4"	18"	49 1/32"	**36P18H50FNOB**	$200
	24"		**36P24H50FNOB**	211
	30"		**36P30H50FNOB**	225
	36"		**36P36H50FNOB**	242
	42"		**36P42H50FNOB**	254
	48"		**36P48H50FNOB**	271

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Mid-frame supports can be relocated or additional mid-frame supports may need to be specified separately.
➤See page 117 for planning factors.
➤See page 173 to specify.

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Frame
- Attachment hardware
- Mid-frame supports at 2-high position on 3-high and 3.5-high frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model
② Frame finish group:
STD = Group 1
STDM = Group M (+10%)
③ Frame finish designator

Open-Base Frames

Pricing

4-High and 5-High

GSA SIN 711-1





D	*W*	*H*	*Model*	*Price*
4-High Frames				
3 1/4"	18"	54 23/32"	**36P184FNOB**	$207
	24"		**36P244FNOB**	217
	30"		**36P304FNOB**	233
	36"		**36P364FNOB**	247
	42"		**36P424FNOB**	264
	48"		**36P484FNOB**	279
5-High Frames				
3 1/4"	18"	67 5/16"	**36P185FNOB**	$240
	24"		**36P245FNOB**	256
	30"		**36P305FNOB**	275
	36"		**36P365FNOB**	297
	42"		**36P425FNOB**	316
	48"		**36P485FNOB**	335

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Use of an overhead on a 4-high frame requires the relocation of the mid-frame support. Additional mid-frame supports may need to be specified separately.

➤See page 117 for planning factors.
➤See page 173 to specify.

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Frame
- Attachment hardware
- Mid-frame supports:
  - — At 2-high position on 4-high frames
  - — At 2-high and 4-high positions on 5-high frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model
② Frame finish group:
STD = Group 1
STDM = Group M (+10%)
③ Frame finish designator

To-the-Floor Frames

Pricing

2-High, 3-High, and 3.5-High

GSA SIN 711-1

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146





D	W	H	Model	Price
2-High Frames				
3 1/4"	18"	29 1/2"	**36P182FNF**	$`157
	24"		**36P242FNF**	169
	30"		**36P302FNF**	181
	36"		**36P362FNF**	190
	42"		**36P422FNF**	201
	48"		**36P482FNF**	212
3-High Frames				
3 1/4"	18"	42 1/8"	**36P183FNF**	$194
	24"		**36P243FNF**	210
	30"		**36P303FNF**	224
	36"		**36P363FNF**	242
	42"		**36P423FNF**	255
	48"		**36P483FNF**	272
3.5-High Frames				
3 1/4"	18"	49 1/32"	**36P18H50FNF**	$210
	24"		**36P24H50FNF**	221
	30"		**36P30H50FNF**	236
	36"		**36P36H50FNF**	253
	42"		**36P42H50FNF**	267
	48"		**36P48H50FNF**	283

Standard Includes

- Frame
- Attachment hardware
- Mid-frame supports at 2-high position on 3-high and 3.5-high frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Mid-frame supports can be relocated or additional mid-frame supports may need to be specified separately.
➤See page 117 for planning factors.
➤See page 173 to specify.

To-the-Floor Frames

Pricing

4-High and 5-High

GSA SIN 711-1



D	W	H	Model	Price
4-High Frames				
3 1/4"	18"	54 23/32"	**36P184FNF**	$216
	24"		**36P244FNF**	226
	30"		**36P304FNF**	245
	36"		**36P364FNF**	258
	42"		**36P424FNF**	277
	48"		**36P484FNF**	293
5-High Frames				
3 1/4"	18"	67 5/16"	**36P185FNF**	$250
	24"		**36P245FNF**	269
	30"		**36P305FNF**	288
	36"		**36P365FNF**	312
	42"		**36P425FNF**	331
	48"		**36P485FNF**	350

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Use of an overhead on a 4-high frame requires the relocation of the mid-frame support. Additional mid-frame supports may need to be specified separately.

➤See page 117 for planning factors.
➤See page 173 to specify.

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Frame
- Attachment hardware
- Mid-frame supports:
  - — At 2-high position on 4-high frames
  - — At 2-high and 4-high positions on 5-high frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model

Mid-Frame Supports

Pricing

GSA SIN 711-1

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

W	*Model*	*Price*
Mid-Frame Supports		
18"	**36P18MFS**	$26
24"	**36P24MFS**	30
30"	**36P30MFS**	34
36"	**36P36MFS**	40
42"	**36P42MFS**	50
48"	**36P48MFS**	54

Standard Includes

- Mid-frame support

How to Specify

❶ Model

Mid-frame supports are required wherever Traxx are used to support tiles. Mid-frame supports that are included with frames can be relocated. Specify additional mid-frame supports if needed.

3"W Extenders

Pricing

For Use with Base-Wireway Frames

GSA SIN 711-1

D	W	H	Model	Price
2-High				
3 1/4"	3"	29 1/2"	**36P032EK**	$112
3-High				
3 1/4"	3"	42 1/8"	**36P033EK**	$118
3.5-High				
3 1/4"	3"	49	**36P03H50EK**	$121
4-High				
3 1/4"	3"	54 23/32"	**36P034EK**	$123
5-High (shown)				
3 1/4"	3"	67 5/16"	**36P035EK**	$129

Application Types:



EF
End trim–
Extender–
Frame



E
Frame–
Extender–
Connector



I
Frame–
Extender–
Frame

Traxx, tiles, and top caps should be specified to span across the frame and the extender.

Specify “EF” for application type if extender will be used at the end of a panel run next to an end trim or a connector. Specify “E” if extender will be used next to a connector. Specify “I” if extender will be used between two in-line frames.

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Extender
- Wireway cover
- Attachment hardware

How to Specify

❶ Model
② Wireway cover finish group:
STD = Group 1
STDM = Group M (+10%)
③ Wireway cover finish designator
④ Application type:
EF = End
E = Connector
I = In-line

Off-Module Frames

Pricing

Base Wireway

GSA SIN 711-1



Specify tiles and top caps separately.

Mid-frame supports are required wherever Traxx are used to support tiles. Mid-frame supports that are included can be relocated. Specify additional mid-frame supports if needed.
➤See page 173.

Loadbearing applications require off-module frame to be equal to the load-bearing height of spine run.

In non-loadbearing applications, off-module frame may be equal to, or shorter than, the height of spine run.

Off-module frame must tie into a minimum of two Xsite Traxx—one in the top position.

Specify an adjustable wall mount channel to fill the gap below a lower wall-mounted Traxx if off-module frame will be exposed.
➤See page 188.

D	*W*	*H*	*Model*	*Price*
2-High				
3 1/4"	18"	29 1/2"	**36P182FOM**	$177
	24"		**36P242FOM**	187
	30"		**36P302FOM**	201
3-High				
3 1/4"	18"	42 1/8"	**36P183FOM**	$268
	24"		**36P243FOM**	283
	30"		**36P303FOM**	300
3.5-High				
3 1/4"	18"	49"	**36P18H50FOM**	$279
	24"		**36P24H50FOM**	293
	30"		**36P30H50FOM**	309
4-High				
3 1/4"	18"	54 23/32"	**36P184FOM**	$286
	24"		**36P244FOM**	301
	30"		**36P304FOM**	318
5-High (shown)				
3 1/4"	18"	67 5/16"	**36P185FOM**	$282
	24"		**36P245FOM**	301
	30"		**36P305FOM**	324

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Frame
- Top cap splice
- Attachment hardware
- Mid-frame supports
  - At 2-high position on 3-high, 3.5-high, and 4-high frames
  - At 2-high and 4-high positions on 5-high frames
- Wireway covers

How to Specify

❶ Model
② Top cap splice finish designator:
Paint color or
501 = Platinum Metallic (+10%)
③ Wireway cover punch option (omit for 18"W):
➤See page 146 for designators.
④ Wireway cover finish group:
STD = Group 1
STDM = Group M (+10%)
⑤ Wire cover finish designator

Off-Module Frames

Pricing

Open Base

GSA SIN 711-1



D	W	H	Model	Price
2-High Frames				
3 1/4"	18"	29 1/2"	**36P182FOMOB**	$185
	24"		**36P242FOMOB**	196
	30"		**36P302FOMOB**	211
3-High Frames				
3 1/4"	18"	42 1/8"	**36P183FOMOB**	$282
	24"		**36P243FOMOB**	297
	30"		**36P303FOMOB**	315
3.5-High Frames				
3 1/4"	18"	49 1/32"	**36P18H50FOMOB**	$293
	24"		**36P24H50FOMOB**	308
	30"		**36P30H50FOMOB**	324
4-High Frames				
3 1/4"	18"	54 23/32"	**36P184FOMOB**	$300
	24"		**36P244FOMOB**	316
	30"		**36P304FOMOB**	335
5-High Frames (shown)				
3 1/4"	18"	67 5/16"	**36P185FOMOB**	$296
	24"		**36P245FOMOB**	316
	30"		**36P305FOMOB**	340

IMPORTANT: There are specific application guidelines for off-module panels, including panel height and attachment requirements.
➤See page 118.

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Mid-frame supports can be relocated or additional mid-frame supports may need to be specified separately.
➤See page 117 for planning factors.
➤See page 173 to specify.

Adjustable wall-mount channels
➤See page 188.

Features ➤See page 116
Product Information 118
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Top cap splice
- Attachment hardware
- Mid-frame supports:
  - — At 2-high position on 3-high, 3.5-high, and 4-high frames
  - — At 2-high and 4-high positions on 5-high frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model
② Top cap splice finish designator:
Paint color or
501 = Platinum Metallic (+10%)
③ Frame finish group:
STD = Group 1
STDM = Group M (+10%)
④ Frame finish designator

Off-Module Frames

Pricing

To-the-Floor

GSA SIN 711-1

Features ➤See page 116
Product Information 118
Application Guidelines 130
Power & Data Overview 146



D	*W*	*H*	*Model*	*Price*
2-High Frames				
3 1/4"	18"	29 1/2"	**36P182FOMF**	$194
	24"		**36P242FOMF**	207
	30"		**36P302FOMF**	221
3-High Frames				
3 1/4"	18"	42 1/8"	**36P183FOMF**	$295
	24"		**36P243FOMF**	312
	30"		**36P303FOMF**	330
3.5-High Frames				
3 1/4"	18"	49 1/32"	**36P18H50FOMF**	$307
	24"		**36P24H50FOMF**	322
	30"		**36P30H50FOMF**	340
4-High Frames				
3 1/4"	18"	54 23/32"	**36P184FOMF**	$315
	24"		**36P244FOMF**	331
	30"		**36P304FOMF**	350
5-High Frames (shown)				
3 1/4"	18"	67 5/16"	**36P185FOMF**	$310
	24"		**36P245FOMF**	331
	30"		**36P305FOMF**	356

Standard Includes

- Frame
- Top cap splice
- Attachment hardware
- Mid-frame supports:
  - — At 2-high position on 3-high, 3.5-high, and 4-high frames
  - — At 2-high and 4-high positions on 5-high frames

Note: To complete the panel, specify Xsite Traxx, tiles, and top cap separately.

How to Specify

❶ Model
② Top cap splice finish designator:
Paint color or
501 = Platinum Metallic (+10%)

Mid-frame supports are required wherever Xsite Traxx are used to support tiles and/or overheads. Mid-frame supports can be relocated or additional mid-frame supports may need to be specified separately.
➤See page 117 for planning factors.
➤See page 173 to specify.

Connectors
➤See page 185.

Stacking Frames

Pricing

1-High and 2-High

GSA SIN 711-1





D	W	H	Model	Price
1-High				
3¼"	18"	12⅝"	**36P181FS**	$112
	24"		**36P241FS**	121
	30"		**36P301FS**	136
	36"		**36P361FS**	149
	42"		**36P421FS**	160
	48"		**36P481FS**	167
2-High				
3¼"	18"	25¼"	**36P182FS**	$129
	24"		**36P242FS**	141
	30"		**36P302FS**	158
	36"		**36P362FS**	167
	42"		**36P422FS**	176
	48"		**36P482FS**	185

One 1-high or 2-high stacking frame can be added to 1-, 2-, 3-, 4-, or 5-high base frame.
Note: Stacking frames cannot be used on 3.5-high base frames.

Specify end trims and connectors to be equal to the combined height of base and stacking frames.

Specify mid-frame supports separately if using Traxx at the 1-high segment on a 2-high stacking frame.
➤See page 173.

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Stacking frame
- Attachment hardware

How to Specify

❶ Model

Stacking 3"W Extenders

Pricing

GSA SIN 711-1

D	W	H	Model	Price
1-High				
3¼"	3"	12⅝"	**36P031EKS**	$96
2-High (shown)				
3¼"	3"	25¼"	**36P032EKS**	$103

Application Types:



EF
End trim–
Extender–
Frame



E
Frame–
Extender–
Connector



I
Frame–
Extender–
Frame

Base and stacking extender heights must be equal to the base and stacking frame heights to which they are attached.
Note: Stacking extenders cannot be used on 3.5-high base frames.

Specify top caps, Traxx, and tiles to span across extender.

Specify “EF” for application type if extender will be used at the end of a panel run next to an end trim or a connector. Specify “E” if extender will be used next to a connector. Specify “I” if extender will be used between two in-line frames.

Features ➤See page 116
Product Information 117
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Extender

How to Specify

❶ Model
② Application type:
EF = End
E = Connector
I = In-line

Stacking Off-Module Frames

Pricing

GSA SIN 711-1

Features ➤See page 116
Product Information 118
Application Guidelines 130
Power & Data Overview 146



D	*W*	*H*	*Model*	*Price*
1-High				
3¼"	18"	12⅝"	**36P181FOMS**	$196
	24"		**36P241FOMS**	208
	30"		**36P301FOMS**	221
2-High (shown)				
3¼"	18"	25¼"	**36P182FOMS**	$211
	24"		**36P242FOMS**	223
	30"		**36P302FOMS**	235

Standard Includes

- Frame

How to Specify

❶ Model
② Top cap splice finish designator:
Paint color or
501 = Platinum Metallic (+10%)

Specify tiles and top caps separately.

Stacking off-module frame must attach to at least one Xsite Traxx in the spine run.

Specify top caps, Traxx, and tiles to span across off-module frames. *Note: Stacking off-module frames cannot be used on 3.5-high base frames.*

Specify mid-frame supports separately if using Xsite Traxx at the 1-high segment of a 2-high stacking frame.

Sliding Privacy Doors

Pricing

Non-Locking

GSA SIN 711-1

Features ➤See page 116
Product Information 125
Door Placement 130



Left-hand door shown.





D	W	H	For Use with Opening	For Use with Host Frame	***Right-Hand*** *Model*	***Left-Hand*** *Model*	Price
3.5-High							
3/4"	42 1/4"	48 1/2"	36"W	42"W	**36P36H50PDR**	**36P36H50PDL**	$1507
	48 1/4"		42"W	48"W	**36P42H50PDR**	**36P42H50PDL**	1553
4-High							
3/4"	42 1/4"	54 1/4"	36"W	42"W	**36P364PDR**	**36P364PDL**	$1539
	48 1/4"		42"W	48"W	**36P424PDR**	**36P424PDL**	1586
5-High							
3/4"	42 1/4"	66 7/8"	36"W	42"W	**36P365PDR**	**36P365PDL**	$1556
	48 1/4"		42"W	48"W	**36P425PDR**	**36P425PDL**	1603
6-High							
3/4"	42 1/4"	79 3/8"	36"W	42"W	**36P366PDR**	**36P366PDL**	$1634
	48 1/4"		42"W	48"W	**36P426PDR**	**36P426PDL**	1683
7-High							
3/4"	42 1/4"	92"	36"W	42"W	**36P367PDR**	**36P367PDL**	$1652
	48 1/4""		42"W	48"W	**36P427PDR**	**36P427PDL**	1702

Related Products:

Model							*Price*
Door Handle							
2"	2"	5 7/8"			**36PPDH**		$81

Door can be shorter than the host frame, but must have a Traxx for the top guide.
Exception: 3.5H door must be used on a 3.5H frame.

Standard Includes

- Door frame: painted aluminum
- Insert: reeded polycarbonate
- Hardware kit:
  - –Two medium-hard durometer roller wheels and attachment hardware
  - –Top guide assembly: painted steel (same color as frame)
  - –Bottom guide with alignment bracket and guide rod: painted steel (same color as frame)

How to Specify

Door

❶ Model
② Door material:
T = Translucent
③ Door trim paint price group:
STD = Group 1
STDM = Group M (+10%)
④ Door trim paint designator

Handle

❶ Model
② Paint price group:
STD = Group 1
STDM = Group M (+10%)
③ Paint designator

Sliding Privacy Doors

Pricing

Locking

GSA SIN 711-1

Features ➤See page 116
Product Information 125
Door Placement 130
Locking Information 123



Left-hand door shown.

D	W	H	For Use with Opening	For Use with Host Frame	Right-Hand Model	Left-Hand Model	Price
3.5-High							
3/4"	42 1/4"	48 1/2"	36"W	42"W	**36P36H50PDRL**	**36P36H50PDLL**	$1802
	48 1/4"		42"W	48"W	**36P42H50PDRL**	**36P42H50PDLL**	1846
4-High							
3/4"	42 1/4"	54 1/4"	36"W	42"W	**36P364PDRL**	**36P364PDLL**	$1834
	48 1/4"		42"W	48"W	**36P424PDRL**	**36P424PDLL**	1880
5-High							
3/4"	42 1/4"	66 7/8"	36"W	42"W	**36P365PDRL**	**36P365PDLL**	1850
	48 1/4"		42"W	48"W	**36P425PDRL**	**36P425PDLL**	1897
6-High							
3/4"	42 1/4"	79 3/8"	36"W	42"W	**36P366PDRL**	**36P366PDLL**	$1928
	48 1/4"		42"W	48"W	**36P426PDRL**	**36P426PDLL**	1977
7-High							
3/4"	42 1/4"	92"	36"W	42"W	**36P367PDRL**	**36P367PDLL**	$1946
	48 1/4"		42"W	48"W	**36P427PDRL**	**36P427PDLL**	1995

Hardware kit includes:
- Two medium-hard durometer roller wheels and attachment hardware
- Top guide assembly: painted steel (same color as frame)
- Bottom guide with alignment bracket and guide rod: painted steel (same color as frame)

Door can be shorter than the host frame, but must have a Traxx for the top guide.
Exception: 3.5H door must be used on a 3.5H frame.
Door handle
➤See page 181.

Standard Includes

- Door frame: painted aluminum
- Insert: reeded polycarbonate
- Hardware kit
- End trim with notch for host panel: wood or paint
- Locking mechanism:
  - –Lock housing, core, and key (key random)
  - –Safety release latch
  - –Lock plate and attachment hardware

How to Specify

❶ Model
❷ End trim material:
W = Wood **P** = Paint
③ Lock option:
KRB = Key random, black core
KRS = Key random, silver core
KSB = Key specific black (-$22); specify lock core separately
KSS = Key specific silver (-$22); specify lock core separately
➤See page 123 for locking information.
④ Door material: **T** = Translucent
⑤ Host panel end trim height:
3.5 = 3.5H host panel
4 = 4H host panel
5 = 5H host panel
6 = 6H host panel
7 = 7H host panel
⑥ End trim profile:
C = Curved **F** = Flat
⑦ End trim finish price group:
STD = Group 1
STDM = Group M
STD2 = Group 2
⑧ End trim finish designator
⑨ Door trim paint price group:
STD = Group 1
STDM = Group M (+10%)
⑩ Door trim paint designator

Hinged Doors

Pricing

GSA SIN 711-1

Overview ➤See page 116
Product Information 124
Application Guidelines 130

Right hinge shown

W	*H*	*Segment*	*Model*	*Price*
Wood Doors				
36”	92½"	7-high	**36P367FADW**	$5201
42"			**36P427FADW**	5466
Painted Doors				
36”	92½"	7-high	**36P367FADP**	$4628
42"			**36P427FADP**	4855

1-high tiles for each side of frame must be specified separately. Specify 33"W tiles for use with 36"W door and 39"W tiles for use with 42"W door.
➤See page 198.

Specify the hinge location (right or left) so that the door will swing in the correct direction. With a right hinge, door will swing away from you to the right; with a left hinge, door will swing away from you to the left.

Top cap must be specified separately to span across door frame.
➤See page 192.

42"W hinged door is recommended for ADA compliance.

Standard Includes

- Door: wood or paint (non-metallic)
- Door frame: paint
- Threshold
- Door stop

How to Specify

❶ Model
❷ Hinge location:
R = Right
L = Left
③ Door hardware:
LL2 = Locking lever (+$407)
X = No lever
④ Frame finish:
STD = Group 1
STDM = Group M (+10%)
⑤ Frame finish designator
⑥ Door finish type:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Door finish designator

Privacy Panels

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Overview ➤See page 116
Product Information 125
Application Guidelines 130

D	W	H	Model	Price	Fabric Price Grade A or COM	B	C	D	E
Fabric									
1¾"	36"	67½"	**36P3668PPF**	—	$1406	$1498	$1562	$1656	$1802
	42"		**36P4268PPF**	—	1443	1535	1599	1693	1839
Fabric/Marker Board Combination									
1¾"	36"	67½"	**36P3668PPFM**	—	$1503	$1549	$1581	$1628	$1701
	42"		**36P4268PPFM**	—	1544	1590	1622	1669	1742
Translucent									
1¾"	36"	67½"	**36P3668PPT**	$1852	—	—	—	—	—
	42"		**36P4268PPT**	1891	—	—	—	—	—

When mounting privacy panel in a straight panel run, specify panel to be wider than opening to allow for proper clearance.

Privacy panels are non-handed and reversible. They can be mounted left or right and can be flipped so that the marker board or different fabrics can be positioned inside or out.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Standard Includes

- Privacy panel
- Mounting brackets
- Caster
- Marker board, on applicable models: 488M Frosty White

How to Specify

❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)
③ Side 1 fabric grade (omit for translucent)
④ Side 1 fabric number (omit for translucent)
⑤ Side 2 fabric grade (omit for fabric/marker and translucent)
⑥ Side 2 fabric number (omit for fabric/marker and translucent)

Connectors

Pricing

2-Way/L and 3-Way/T

GSA SIN 711-1





H	Segment	Model	Connector Material: Wood	Connector Material: Paint
2-Way/L (90°)				
29½"	2-high	**36P22FCL**	$374	$156
42⅛"	3-high	**36P23FCL**	399	169
49"	3.5-high	**36P2H50FCL**	422	172
54 23/32"	4-high	**36P24FCL**	442	174
67 5/16"	5-high	**36P25FCL**	456	177
79 29/32"	6-high	**36P26FCL**	498	218
92½"	7-high	**36P27FCL**	533	248
3-Way/T				
29½"	2-high	**36P32FCT**	$373	$170
42⅛"	3-high	**36P33FCT**	395	176
49"	3.5-high	**36P3H50FCT**	415	182
54 23/32"	4-high	**36P34FCT**	433	185
67 5/16"	5-high	**36P35FCT**	440	187
79 29/32"	6-high	**36P36FCT**	479	227
92½"	7-high	**36P37FCT**	507	253

Overview ➤See page 116
Product Information 126
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Wireway cover
- Top cap
- Attachment hardware

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
❸ Connector material:
W = Wood
P = Paint
④ Top cap profile:
C = Curved
F = Flat
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Connector finish price group:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑧ Connector finish designator

Connectors

Pricing

4-Way/X and Straight

GSA SIN 711-1

Overview ➤See page 116
Product Information 126
Application Guidelines 130
Power & Data Overview 146





H	*Segment*	*Model*	***Connector Material*** *Wood*	*Paint*
4-Way/X Connector				
29½"	2-high	**36P42FCX**	$279	$182
42⅛"	3-high	**36P43FCX**	298	187
49"	3.5-high	**36P4H50FCX**	316	194
54²³⁄₃₂"	4-high	**36P44FCX**	333	200
67⁵⁄₁₆"	5-high	**36P45FCX**	335	202
79²⁹⁄₃₂"	6-high	**36P46FCX**	368	242
92½"	7-high	**36P47FCX**	387	267
Straight Connector				
29½"	2-high	**36P12FCS**	$374	156
42⅛"	3-high	**36P13FCS**	399	169
49"	3.5-high	**36P1H50FCS**	422	172
54²³⁄₃₂"	4-high	**36P14FCS**	442	174
67⁵⁄₁₆"	5-high	**36P15FCS**	456	177
79²⁹⁄₃₂"	6-high	**36P16FCS**	498	218
92½"	7-high	**36P17FCS**	533	248

Standard Includes

- Wireway cover
- Top cap
- Attachment hardware

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
❸ Connector material
(omit for 4-way/X connector):
W = Wood
P = Paint
④ Top cap profile:
C = Curved
F = Flat
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Connector finish price group:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑧ Connector finish designator

Connectors

Pricing

2-Way/V and 3-Way/Y

GSA SIN 711-1

H	Segment	Model	Connector Material: Wood	Connector Material: Paint
2-Way/V (120°)				
29½"	2-high	**36P22FCV**	$374	$251
42⅛"	3-high	**36P23FCV**	399	271
49"	3.5-high	**36P2H50FCV**	422	288
54²³⁄₃₂"	4-high	**36P24FCV**	442	306
67⁵⁄₁₆"	5-high	**36P25FCV**	456	306
79²⁹⁄₃₂"	6-high	**36P26FCV**	498	341
92½"	7-high	**36P27FCV**	533	358
3-Way/Y (120°)				
29½"	2-high	**36P32FCY**	$373	$267
42⅛"	3-high	**36P33FCY**	395	284
49"	3.5-high	**36P3H50FCY**	415	305
54²³⁄₃₂"	4-high	**36P34FCY**	433	322
67⁵⁄₁₆"	5-high	**36P35FCY**	440	322
79²⁹⁄₃₂"	6-high	**36P36FCY**	479	355
92½"	7-high	**36P37FCY**	508	374

Overview ➤See page 116
Product Information 126
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- Wireway cover
- Top cap
- Attachment hardware

How to Specify

❶ Model
❸ Top cap material:
W = Wood
P = Paint
❸ Connector material:
W = Wood
P = Paint
④ Top cap profile:
C = Curved
F = Flat
⑤ Top cap finish price group:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑥ Top cap finish designator
⑦ Connector finish price group:
STD = Group 1
STDM = Group M (+10%*)
STD2 = Group 2 (+20%*)
**Applies once per model.*
⑧ Connector finish designator

Connectors

Pricing

Adjustable Wall-Mount Channels

GSA SIN 711-1



W	H	Segment	Model	Price
Adjustable Wall-Mount Channels				
3⅜"	29½"	2-high	**36P2FCW**	$81
	42⅛"	3-high	**36P3FCW**	84
	49"	3.5-high	**36PH50FCW**	86
	54 23/32"	4-high	**36P4FCW**	87
	67 5/16"	5-high	**36P5FCW**	91
	79 29/32"	6-high	**36P6FCW**	98
	92½"	7-high	**36P7FCW**	103

Related Products:

Model	Description	Price
Top Cap Splice for Curved Profile Top Caps		
36PTCOMSP	Use to fill the gap between curved profile top caps in off-module and in-line applications or to cover the top of an adjustable wall-mount channel in wall-mount applications. Must be specified separately for in-line and wall mount applications. Included with off-module frames.	$7



Wall-mount

Specify top cap splice separately to cover the top of an adjustable wall-mount channel when using a curved profile top cap.

Specify top cap one size larger and field scribe to cover the adjustable wall-mount channel and frame when using a flat profile top cap.

Overview ➤See page 116
Product Information 126
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- U channel: painted steel

How to Specify

Wall-Mount Channel

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Top Cap Splice

❶ Model
② Finish designator:
Paint color or
501 = Platinum Metallic (+10%)

End Trim

Pricing

GSA SIN 711-1

Overview ➤See page 116
Product Information 128
Application Guidelines 130
Power & Data Overview 146



Curved Profile



Flat Profile

H	Segment	Model	Flat Profile Wood (W)	Flat Profile Paint (P)	Curved Profile Wood (W)	Curved Profile Paint (P)
End Trim						
29½"	2-high	**36P2ETC**	$144	$95	$118	$80
42⅛"	3-high	**36P3ETC**	158	103	129	85
49 1/32"	3.5-high	**36PH50ETC**	174	108	144	88
54 23/32"	4-high	**36P4ETC**	190	112	156	91
67 5/16"	5-high	**36P5ETC**	207	118	170	96
79 29/32"	6-high	**36P6ETC**	247	135	202	112
92½"	7-high	**36P7ETC**	271	150	221	123

Standard Includes

- End trim
- Attachment brackets

How to Specify

❶ Model
❷ Material:
W = Wood
P = Paint
③ Trim profile:
C = Curved
F = Flat
④ End trim finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ End trim finish designator

Hi-Lo Vertical Trim

Pricing

Panel-to-Panel

GSA SIN 711-1



Flat Profile Curved Profile

H	*Segment*	*Model*	***Flat Profile*** *Wood (W)*	*Paint (P)*	***Curved Profile*** *Wood (W)*	*Paint (P)*
For Use with 1-, 2-, 3-, 4-, and 5-High Frames						
12 15/16"	1-high	**36P1HSC**	$149	$61	$122	$51
25 1/2"	2-high	**36P2HSC**	172	68	141	57
38 1/8"	3-high	**36P3HSC**	186	74	152	61
50 11/16"	4-high	**36P4HSC**	200	81	164	65
63 5/16"	5-high	**36P5HSC**	219	85	179	68
For Use with 3.5-High Base Frames						
6"	from 3.5-high to 4-high	**36PH06HSC**	$119	$49	$98	$39
7 5/16"	from 3.5-high to 3-high	**36PH07HSC**	119	49	98	39
18 5/8"	from 3.5-high to 5-high	**36PH18HSC**	138	56	114	46
19 7/8"	from 3.5-high to 2-high	**36PH19HSC**	138	56	114	46

Overview ➤See page 116
Product Information 128
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- One vertical trim: wood or paint

How to Specify

❶ Model
❷ Material:
W = Wood
P = Paint
③ Top cap:
C = Curved
F = Flat
④ End trim finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ End trim finish designator

Hi-Lo Vertical Trim

Pricing

Connector-to-Panel

GSA SIN 711-1



Flat Profile

Curved Profile

H	Segment	Model	Flat Profile Wood (W)	Flat Profile Paint (P)	Curved Profile Wood (W)	Curved Profile Paint (P)
For Use with 1-, 2-, 3-, 4-, and 5-High Frames						
12 15/16"	1-high	**36P1HTC**	$150	$61	$123	$51
25 1/2"	2-high	**36P2HTC**	173	68	142	57
38 1/8"	3-high	**36P3HTC**	187	74	154	61
50 11/16"	4-high	**36P4HTC**	202	82	166	66
63 5/16"	5-high	**36P5HTC**	220	86	180	70
For Use with 3.5-High Base Frames						
6"	from 3.5-high to 4-high	**36PH06HTC**	$110	$49	$99	$39
7 5/16"	from 3.5-high to 3-high	**36PH07HTC**	120	48	99	39
18 5/8"	from 3.5-high to 5-high	**36PH18HTC**	139	56	115	46
19 7/8"	from 3.5-high to 2-high	**36PH19HTC**	139	56	115	46

Overview ➤See page 116
Product Information 128
Application Guidelines 130
Power & Data Overview 146

Standard Includes

- One vertical trim: wood or paint

How to Specify

❶ Model
❷ Material:
W = Wood
P = Paint
③ Top cap:
C = Curved
F = Flat
④ End trim finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ End trim finish designator

Top Caps

Pricing

GSA SIN 711-1

Overview ➤See page 116
Product Information 128
Application Guidelines 130
Power & Data Overview 146



Curved Profile



Flat Profile

H	Model	Flat Profile Wood (W)	Flat Profile Paint (P)	Curved Profile Wood (W)	Curved Profile Paint (P)
Top Caps					
18"	**36P18TC**	$88	$22	$54	$13
24"	**36P24TC**	93	27	60	19
30"	**36P30TC**	104	31	70	22
36"	**36P36TC**	113	34	80	25
42"	**36P42TC**	119	38	85	28
48"	**36P48TC**	127	39	91	29
54"	**36P54TC**	131	49	95	34
60"	**36P60TC**	140	49	103	34
66"	**36P66TC**	151	57	113	42
72"	**36P72TC**	159	66	119	51
78"	**36P78TC**	165	66	124	51
84"	**36P84TC**	180	73	136	56
90"	**36P90TC**	191	73	146	56
96"	**36P96TC**	194	81	149	61

Additional widths in 3" increments not listed in the pricing table at left are available through electronic specification tools.

Top caps for use with frameless glass
➤See page 195.

Standard Includes

- Top cap: wood or paint

How to Specify

❶ Model
❷ Material:
W = Wood
P = Paint
③ Top cap profile:
C = Curved
F = Flat
④ Finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Finish designator

Frameless Glass

Pricing

Clear Panes

GSA SIN 711-1
† GSA Contract Pending

D	W	H	Model	Price
Clear Panes				
3/8"	23 7/8"	12"	**36P241FG32**	$277
	29 7/8"		**36P301FG32**	298
	35 7/8"		**36P361FG32**	322
	41 7/8"		**36P421FG32**	370
	47 7/8"		**36P481FG32**	388
	53 7/8"		**36P541FG32** †	450
	59 7/8"		**36P601FG32**	481
	65 7/8"		**36P661FG32** †	533
	71 7/8"		**36P721FG32** †	582
	77 7/8"		**36P781FG32** †	632
	83 7/8"		**36P841FG32** †	681
	89 7/8"		**36P901FG32** †	731
	95 7/8"		**36P961FG32** †	781
For Use on Lower Panel in a Hi-Lo Application				
3/8"	23 3/8"	12"	**36P241FGH3**	$277
	29 3/8"		**36P301FGH3**	298
	35 3/8"		**36P361FGH3**	322
	41 3/8"		**36P421FGH3**	370
	47 3/8"		**36P481FGH3**	388
	53 3/8"		**36P541FGH3** †	450
	59 3/8"		**36P601FGH3**	481
	65 3/8"		**36P661FGH3** †	533
	71 3/8"		**36P721FGH3** †	582
	77 3/8"		**36P781FGH3** †	632
	83 3/8"		**36P841FGH3** †	681
	89 3/8"		**36P901FGH3** †	731
	95 3/8"		**36P961FGH3** †	781

IMPORTANT Frameless glass top cap must be specified separately. Specify pane and top cap to match the width of the panel frame or the combined width of multiple frames to which they will attach.

Overview ➤See page 116
Product Information 129
Application Guidelines 130

Standard Includes

- Frameless glass pane: clear, tempered glass

How to Specify

❶ Model

Frameless Glass

Pricing

Etched Panes

GSA Contract Pending

Overview ➤See page 116
Product Information 129
Application Guidelines 130

D	W	H	Model	Price
Etched Panes				
3/8"	23 7/8"	12"	**36P241FG72**	$356
	29 7/8"		**36P301FG72**	423
	35 7/8"		**36P361FG72**	490
	41 7/8"		**36P421FG72**	558
	47 7/8"		**36P481FG72**	625
	53 7/8"		**36P541FG72**	661
	59 7/8"		**36P601FG72**	790
	65 7/8"		**36P661FG72**	852
	71 7/8"		**36P721FG72**	919
	77 7/8"		**36P781FG72**	991
	83 7/8"		**36P841FG72**	1058
	89 7/8"		**36P901FG72**	1131
	95 7/8"		**36P961FG72**	1198
For Use on Lower Panel in a Hi-Lo Application				
3/8"	23 3/8"	12"	**36P241FGH7**	$356
	29 3/8"		**36P301FGH7**	423
	35 3/8"		**36P361FGH7**	490
	41 3/8"		**36P421FGH7**	558
	47 3/8"		**36P481FGH7**	625
	53 3/8"		**36P541FGH7**	661
	59 3/8"		**36P601FGH7**	790
	65 3/8"		**36P661FGH7**	852
	71 3/8"		**36P721FGH7**	919
	77 3/8"		**36P781FGH7**	991
	83 3/8"		**36P841FGH7**	1058
	89 3/8"		**36P901FGH7**	1131
	95 3/8"		**36P961FGH7**	1198

IMPORTANT Frameless glass top cap must be specified separately. Specify pane and top cap to match the width of the panel frame or the combined width of multiple frames to which they will attach.

Standard Includes

- Frameless glass pane: etched, tempered glass

How to Specify

❶ Model

Frameless Glass

Pricing

Top Caps

GSA SIN 711-1
† GSA Contract Pending

Overview ➤See page 116
Product Information 129
Application Guidelines 130

D	*W*	*Model*	*Price*
Top Caps with Brackets			
3 1/4"	24"	**36P24TCFGBP**	$94
	30"	**36P30TCFGBP**	98
	36"	**36P36TCFGBP**	101
	42"	**36P42TCFGBP**	107
	48"	**36P48TCFGBP**	110
	60"	**36P60TCFGBP**	119

D	*W*	*Standard Application Model*	*Hi-Lo Application Model for use on Lower Panel*	*Price*
Top Caps with Rail				
3 1/4"	24"	**36P24TCFGRP**	**36P24TCFHGP**	$160
	30"	**36P30TCFGRP**	**36P30TCFHGP**	187
	36"	**36P36TCFGRP**	**36P36TCFHGP**	214
	42"	**36P42TCFGRP**	**36P42TCFHGP**	241
	48"	**36P48TCFGRP**	**36P48TCFHGP**	267
	54"	**36P54TCFGRP** †	**36P54TCFHGP** †	294
	60"	**36P60TCFGRP**	**36P60TCFHGP**	294
	66"	**36P66TCFGRP** †	**36P66TCFHGP** †	321
	72"	**36P72TCFGRP** †	**36P72TCFHGP** †	348
	78"	**36P78TCFGRP** †	**36P78TCFHGP** †	375
	84"	**36P84TCFGRP** †	**36P84TCFHGP** †	402
	90"	**36P90TCFGRP** †	**36P90TCFHGP** †	428
	96"	**36P96TCFGRP** †	**36P96TCFHGP** †	455

IMPORTANT Frameless glass pane must be specified separately. Specify pane and top cap to match the width of the panel frame or the combined width of multiple frames to which they will attach.

IMPORTANT Top cap with brackets can be used in a hi-lo application along with a hi-lo pane. For top cap with rail in a hi-lo application, specify a hi-lo model to receive a shorter rail that can be used with a vertical hi-lo end trim and hi-lo frameless glass pane.

Standard Includes

- Flat profile top cap with pre-drilled holes
- Rail or two brackets, as specified: aluminum, paint
- Attachment bolts and hardware

How to Specify

Top Cap with Brackets or Top Cap with Rail:

❶ Model
② Top cap profile:
F = Flat
③ Finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Finish designator

Top Cap with Rail for Use in Hi-Lo Application:

❶ Model
② Hi-lo application:
L = Left
R = Right
③ Top cap profile:
F = Flat
④ Finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
⑤ Finish designator

Xsite Traxx

Pricing

GSA SIN 711-1



W	*Model*	*Price*
Frame-Mounted Xsite Traxx		
18"	**36P18PMT**	$22
24"	**36P24PMT**	27
30"	**36P30PMT**	32
36"	**36P36PMT**	37
42"	**36P42PMT**	42
48"	**36P48PMT**	50
54"	**36P54PMT**	54
60"	**36P60PMT**	57
66"	**36P66PMT**	61
72"	**36P72PMT**	68
78"	**36P78PMT**	73
84"	**36P84PMT**	80
90"	**36P90PMT**	84
96"	**36P96PMT**	92
108"	**36P108PMT**	98
120"	**36P120PMT**	110
144"	**36P144PMT**	124

Xsite Traxx is required at top location on both sides of frame.

Additional widths in 3" increments not listed in the pricing table at left are available through electronic specification tools.

Xsite Traxx are required at top and bottom of each tile except when bottom tile rests on bottom channel of frame.

Overview ➤See page 116
Traxx and Tiles Overview 137
Tile Height Relationships 138
Product Information 140

Standard Includes

- Xsite Traxx lock brackets

How to Specify

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Tackable Acoustical Tiles

Pricing

.5-High

GSA SIN 711-1
COM GSA Non-Contract



W	H	Model	Fabric Price Grade A or COM	B	C	D	E
.5-High Tiles							
18"	5¾"	**36P18H06ITASC**	$25	$39	$50	$65	$87
24"		**36P24H06ITASC**	27	46	60	80	110
30"		**36P30H06ITASC**	30	54	71	96	134
36"		**36P36H06ITASC**	34	60	79	107	148
42"		**36P42H06ITASC**	39	70	92	125	174
48"		**36P48H06ITASC**	46	82	108	145	202
54"		**36P54H06ITASC**	51	89	117	157	217
60"		**36P60H06ITASC**	56	99	130	175	243
66"		**36P66H06ITASC**	61	109	143	193	269
72"		**36P72H06ITASC**	67	117	153	206	285
78"		**36P78H06ITASC**	71	126	165	223	310
84"		**36P84H06ITASC**	77	137	180	242	337
90"		**36P90H06ITASC**	83	145	190	255	353
96"		**36P96H06ITASC**	90	157	205	275	381

IMPORTANT .5-high tile is only for use with 3.5-high frame.
➤See page 138 for specific locations.

Fabric is applied railroaded.
➤See page 588.

Specify tiles for both sides of frame.

.5-high tackable acoustical tiles (excluding to-the-floor models) are available in additional widths in 3" increments from 21" to 93"W, as well as 3" and 6"W tiles, through electronic specification tools.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tackable acoustical tile

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Tackable Acoustical Tiles

Pricing

1-High

GSA SIN 711-1
COM GSA Non-Contract



W	H	Model	Fabric Price Grade A or COM	B	C	D	E
1-High Tiles							
18"	11 7/16"	**36P181ITASC**	$29	$43	$54	$69	$91
24"		**36P241ITASC**	31	50	64	84	114
30"		**36P301ITASC**	34	58	75	100	138
33"		**36P331ITASC**	39	65	84	112	153
36"		**36P361ITASC**	39	68	88	118	164
39"		**36P391ITASC**	49	78	98	128	174
42"		**36P421ITASC**	49	80	102	135	184
48"		**36P481ITASC**	54	90	116	153	210
54"		**36P541ITASC**	59	100	129	171	236
60"		**36P601ITASC**	65	108	139	184	252
66"		**36P661ITASC**	71	119	153	203	279
72"		**36P721ITASC**	81	134	171	226	310
78"		**36P781ITASC**	85	140	179	237	324
84"		**36P841ITASC**	90	150	193	255	350
90"		**36P901ITASC**	95	160	206	273	376
96"		**36P961ITASC**	102	169	217	287	393
To-the-Floor 1-High Tiles							
18"	15 9/32"	**36P181ITASCF**	$38	$52	$63	$78	$100
24"		**36P241ITASCF**	44	63	77	97	127
30"		**36P301ITASCF**	54	78	95	120	158
36"		**36P361ITASCF**	63	92	112	142	188
42"		**36P421ITASCF**	71	102	124	157	206
48"		**36P481ITASCF**	82	118	144	181	238
54"		**36P541ITASCF**	93	134	163	205	270
60"		**36P601ITASCF**	99	142	173	218	286
66"		**36P661ITASCF**	113	161	195	245	321
72"		**36P721ITASCF**	119	172	209	264	348
78"		**36P781ITASCF**	128	183	222	280	367
84"		**36P841ITASCF**	140	200	243	305	400
90"		**36P901ITASCF**	149	214	260	327	430
96"		**36P961ITASCF**	169	236	284	354	460

Fabric is applied railroaded.
➤See page 588.

1-high tackable acoustical tiles (excluding to-the-floor models) are available in additional widths in 3" increments from 21" to 93"W, as well as 3" and 6"W tiles, through electronic specification tools.

Specify tiles for both sides of frame.

Specify 33"W tile for use above 36"W hinged door and 39"W tile for use above 42"W hinged door.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tackable acoustical tile

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Tackable Acoustical Tiles

Pricing

1.5-High

GSA SIN 711-1
COM GSA Non-Contract



W	H	Model	Fabric Price Grade A or COM	B	C	D	E
1.5-High Tiles							
18"	18⅜"	**36P18H18ITASC**	$38	$52	$63	$78	$100
24"		**36P24H18ITASC**	44	63	77	97	127
30"		**36P30H18ITASC**	54	78	95	120	158
36"		**36P36H18ITASC**	63	89	108	136	177
42"		**36P42H18ITASC**	71	102	124	157	206
48"		**36P48H18ITASC**	82	118	144	181	238
54"		**36P54H18ITASC**	93	131	159	199	259
60"		**36P60H18ITASC**	99	142	173	218	286
66"		**36P66H18ITASC**	113	161	195	245	321
72"		**36P72H18ITASC**	119	169	205	258	337
78"		**36P78H18ITASC**	128	183	222	280	367
84"		**36P84H18ITASC**	140	200	243	305	400
90"		**36P90H18ITASC**	149	211	256	321	419
96"		**36P96H18ITASC**	169	236	284	354	460

IMPORTANT 1.5-high tile is only for use with 3.5-high frame.
➤See page 138 for specific locations.

Fabric is applied railroaded.
➤See page 588.

Specify tiles for both sides of frame.

1.5-high tackable acoustical tiles (excluding to-the-floor models) are available in additional widths in 3" increments from 21" to 93"W, as well as 3" and 6"W tiles, through electronic specification tools.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tackable acoustical tile

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Tackable Acoustical Tiles

Pricing

2-High

GSA SIN 711-1
COM GSA Non-Contract



W	H	Model	Fabric Price Grade A or COM	B	C	D	E
2-High Tiles							
18"	24 1/16"	**36P182ITASC**	$50	$64	$75	$90	$112
24"		**36P242ITASC**	55	74	88	108	138
30"		**36P302ITASC**	66	90	107	132	170
36"		**36P362ITASC**	81	110	130	160	206
42"		**36P422ITASC**	90	121	143	176	225
48"		**36P482ITASC**	102	138	164	201	258
54"		**36P542ITASC**	116	157	186	228	293
60"		**36P602ITASC**	124	167	198	243	311
66"		**36P662ITASC**	140	188	222	272	348
72"		**36P722ITASC**	149	202	239	294	378
78"		**36P782ITASC**	161	216	255	313	400
84"		**36P842ITASC**	174	234	277	339	434
90"		**36P902ITASC**	186	251	297	364	467
96"		**36P962ITASC**	199	266	314	384	490
To-the-Floor 2-High Tiles							
18"	27 7/8"	**36P182ITASCF**	$65	$79	$90	$105	$127
24"		**36P242ITASCF**	83	102	116	136	166
30"		**36P302ITASCF**	98	122	139	164	202
36"		**36P362ITASCF**	118	147	167	197	243
42"		**36P422ITASCF**	134	165	187	220	269
48"		**36P482ITASCF**	152	188	214	251	308
54"		**36P542ITASCF**	172	213	242	284	349
60"		**36P602ITASCF**	187	230	261	306	374
66"		**36P662ITASCF**	207	255	289	339	415
72"		**36P722ITASCF**	224	277	314	369	453
78"		**36P782ITASCF**	244	299	338	396	483
84"		**36P842ITASCF**	260	320	363	425	520
90"		**36P902ITASCF**	278	343	389	456	559
96"		**36P962ITASCF**	297	364	412	482	588

Fabric is applied railroaded.
➤See page 588.

Specify tiles for both sides of frame.

2-high tackable acoustical tiles (excluding to-the-floor models) are available in additional widths in 3" increments from 21" to 93"W, as well as 3" and 6"W tiles, through electronic specification tools.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tackable acoustical tile

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Tackable Acoustical Tiles

Pricing

3-High

GSA SIN 711-1
COM GSA Non-Contract



W	H	Model	Fabric Price Grade A or COM	B	C	D	E
3-High Tiles							
18"	36⅝"	**36P183ITASC**	$65	$79	$90	$105	$127
24"		**36P243ITASC**	83	102	116	136	166
30"		**36P303ITASC**	98	122	139	164	202
36"		**36P363ITASC**	118	147	167	197	243
42"		**36P423ITASC**	134	165	187	220	269
48"		**36P483ITASC**	152	188	214	251	308
54"		**36P543ITASC**	172	213	242	284	349
60"		**36P603ITASC**	187	230	261	306	374
66"		**36P663ITASC**	207	255	289	339	415
72"		**36P723ITASC**	224	277	314	369	453
78"		**36P783ITASC**	244	299	338	396	483
84"		**36P843ITASC**	260	320	363	425	520
90"		**36P903ITASC**	278	343	389	456	559
96"		**36P963ITASC**	297	364	412	482	588
To-the-Floor 3-High Tiles							
18"	40⁷⁄₁₆"	**36P183ITASCF**	$73	$87	$98	$113	$135
24"		**36P243ITASCF**	91	110	124	144	174
30"		**36P303ITASCF**	112	136	153	178	216
36"		**36P363ITASCF**	133	162	182	212	258
42"		**36P423ITASCF**	154	185	207	240	289
48"		**36P483ITASCF**	178	214	240	277	334
54"		**36P543ITASCF**	201	242	271	313	378
60"		**36P603ITASCF**	219	262	293	338	406
66"		**36P663ITASCF**	242	290	324	374	450
72"		**36P723ITASCF**	263	316	353	408	492
78"		**36P783ITASCF**	285	340	379	437	524
84"		**36P843ITASCF**	304	364	407	469	564
90"		**36P903ITASCF**	325	390	436	503	606
96"		**36P963ITASCF**	347	414	462	532	638

Fabric is applied railroaded.
➤See page 588.

Specify tiles for both sides of frame.

3-high tackable acoustical tiles (excluding to-the-floor models) are available in additional widths in 3" increments from 21" to 93"W, as well as 3" and 6"W tiles, through electronic specification tools.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tackable acoustical tile

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Tackable Acoustical Tiles

Pricing

3.5-High

GSA SIN 711-1
COM GSA Non-Contract



W	H	Model	Fabric Price Grade A or COM	B	C	D	E
3.5-High Tiles							
18"	43 9/16"	**36P18H44ITASC**	$73	$87	$98	$113	$135
24"		**36P24H44ITASC**	91	110	124	144	174
30"		**36P30H44ITASC**	112	136	153	178	216
36"		**36P36H44ITASC**	133	159	178	206	247
42"		**36P42H44ITASC**	154	185	207	240	289
48"		**36P48H44ITASC**	178	214	240	277	334
To-the-Floor 3.5-High Tiles							
18"	47 3/8"	**36P18H44ITASCF**	$77	$91	$102	$117	$139
24"		**36P24H44ITASCF**	96	115	129	149	179
30"		**36P30H44ITASCF**	120	144	161	186	224
36"		**36P36H44ITASCF**	145	174	194	224	270
42"		**36P42H44ITASCF**	170	201	223	256	305
48"		**36P48H44ITASCF**	192	228	254	291	348

IMPORTANT 3.5-high tile is only for use with 3.5-high frame.
➤See page 138 for specific locations.

Fabric is applied railroaded.
➤See page 588.

Specify tiles for both sides of frame.

3.5-high tackable acoustical tiles (excluding to-the-floor models) are available in additional widths in 3" increments from 21" to 45"W, as well as 3" and 6"W tiles, through electronic specification tools.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tackable acoustical tile

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Tackable Acoustical Tiles

Pricing

4-High and 5-High

GSA SIN 711-1
COM GSA Non-Contract





W	H	Model	Fabric Price Grade A or COM	B	C	D	E
4-High Tiles							
18"	49¼"	**36P184ITASC**	$77	$91	$102	$117	$139
24"		**36P244ITASC**	96	115	129	149	179
30"		**36P304ITASC**	120	144	161	186	224
36"		**36P364ITASC**	145	174	194	224	270
42"		**36P424ITASC**	170	243	223	256	305
48"		**36P484ITASC**	192	228	254	291	348
To-the-Floor 4-High Tiles							
18"	53 1/16"	**36P184ITASCF**	$94	$108	$119	$134	$156
24"		**36P244ITASCF**	120	139	153	173	203
30"		**36P304ITASCF**	149	173	190	215	253
36"		**36P364ITASCF**	180	209	229	259	305
42"		**36P424ITASCF**	212	243	265	298	347
48"		**36P484ITASCF**	243	279	305	342	399
5-High Tiles							
18"	61⅞"	**36P185ITASC**	$94	$108	$119	$134	$156
24"		**36P245ITASC**	120	139	153	173	203
30"		**36P305ITASC**	149	173	190	215	253
36"		**36P365ITASC**	180	209	229	259	305
42"		**36P425ITASC**	212	243	265	298	347
48"		**36P485ITASC**	243	279	305	342	399

Fabric is applied railroaded.
➤See page 588.

Specify tiles for both sides of frame.

4- and 5-high tackable acoustical tiles (excluding to-the-floor models) are available in additional widths in 3" increments from 21" to 45"W, as well as 3" and 6"W tiles, through electronic specification tools.

5-high tiles are not available in to-the-floor models due to fabric limitations.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tackable acoustical tile

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Wood, Laminate, and Paint Tiles

Pricing

.5-High

GSA SIN 711-1

W	H	Model	Wood	Laminate	Paint
.5-High					
18"	5¾"	**36P18H06IT**	$174	$122	$114
24"		**36P24H06IT**	189	148	121
30"		**36P30H06IT**	202	169	127
33"		**36P33H06IT**	214	185	133
36"		**36P36H06IT**	214	185	133
39"		**36P39H06IT**	222	196	142
42"		**36P42H06IT**	222	196	142
48"		**36P48H06IT**	297	251	202
54"		**36P54H06IT**	311	265	204
60"		**36P60H06IT**	321	273	215
66"		**36P66H06IT**	341	287	228
72"		**36P72H06IT**	352	297	234
78"		**36P78H06IT**	368	312	242
84"		**36P84H06IT**	377	321	247
90"		**36P90H06IT**	386	331	252
96"		**36P96H06IT**	407	372	359

IMPORTANT .5-high tile is only for use with 3.5-high frame.
➤See page 138 for specific locations.

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint not available.

Additional widths in 3" increments not listed in the pricing table at left are available through electronic specification tools.

Woodgrain laminate is available on laminate tiles in widths up to 57".

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tile

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
P = Paint
③ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Wood, Laminate, and Paint Tiles

Pricing

1-High

GSA SIN 711-1



W	H	Model	Wood	Laminate	Paint
1-High					
18"	11 7/16"	**36P181IT**	$196	$138	128
24"		**36P241IT**	212	166	136
30"		**36P301IT**	227	190	144
33"		**36P331IT**	241	208	149
36"		**36P361IT**	241	208	149
39"		**36P391IT**	250	221	160
42"		**36P421IT**	250	221	160
48"		**36P481IT**	335	282	227
54"		**36P541IT**	349	297	230
60"		**36P601IT**	359	307	242
66"		**36P661IT**	384	324	257
72"		**36P721IT**	395	335	263
78"		**36P781IT**	413	350	272
84"		**36P841IT**	423	359	277
90"		**36P901IT**	434	373	283
96"		**36P961IT**	456	418	404

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint not available.

Additional widths in 3" increments not listed in the pricing table at left are available through electronic specification tools.

Woodgrain laminate is available on laminate tiles in widths up to 57".

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tile

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
P = Paint
③ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Wood, Laminate, and Paint Tiles

Pricing

1.5-High

GSA SIN 711-1



W	H	Model	Wood	Laminate	Paint
1.5-High					
18"	18⅜"	**36P18H18IT**	$219	$148	$136
24"		**36P24H18IT**	240	175	146
30"		**36P30H18IT**	257	200	155
33"		**36P33H18IT**	291	219	162
36"		**36P36H18IT**	291	219	162
39"		**36P39H18IT**	357	258	221
42"		**36P42H18IT**	357	258	221
48"		**36P48H18IT**	395	293	248
54"		**36P54H18IT**	437	332	256
60"		**36P60H18IT**	485	345	267
66"		**36P66H18IT**	544	372	280
72"		**36P72H18IT**	582	396	287
78"		**36P78H18IT**	632	423	300
84"		**36P84H18IT**	679	500	313
90"		**36P90H18IT**	729	533	328
96"		**36P96H18IT**	775	566	449

• IMPORTANT 1.5-high tile is only for use with 3.5-high frame.
➤See page 138 for specific locations.

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint not available.

Additional widths in 3" increments not listed in the pricing table at left are available through electronic specification tools.

Woodgrain laminate is available on laminate tiles in widths up to 57".

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

• Tile

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
P = Paint
③ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Wood, Laminate, and Paint Tiles

Pricing

2-High

GSA SIN 711-1



W	H	Model	Wood	Laminate	Paint
2-High					
18"	24 1/16"	**36P182IT**	$242	$157	$144
24"		**36P242IT**	267	184	155
30"		**36P302IT**	287	211	167
36"		**36P362IT**	342	231	174
42"		**36P422IT**	421	294	260
48"		**36P482IT**	456	305	269
54"		**36P542IT**	515	367	282
60"		**36P602IT**	572	383	293
66"		**36P662IT**	639	420	303
72"		**36P722IT**	686	457	311
78"		**36P782IT**	742	497	329
84"		**36P842IT**	800	587	349
90"		**36P902IT**	858	629	373
96"		**36P962IT**	913	665	494

Specify tiles for both sides of frame.

Wood grain direction runs vertical.

Metallic paint not available.

Additional widths in 3" increments not listed in the pricing table at left are available through electronic specification tools.

Woodgrain laminate is available on laminate tiles in widths up to 57".

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tile

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
P = Paint
③ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Wood, Laminate, and Paint Tiles

Pricing

3-High

GSA SIN 711-1



W	H	Model	Wood	Laminate	Paint
3-High					
18"	36⅝"	**36P183IT**	$326	$221	$149
24"		**36P243IT**	342	267	161
30"		**36P303IT**	428	318	185
36"		**36P363IT**	515	384	223
42"		**36P423IT**	602	449	267
48"		**36P483IT**	686	507	298
54"		**36P543IT**	772	562	336
60"		**36P603IT**	858	622	373
66"		**36P663IT**	959	679	409
72"		**36P723IT**	1028	732	446
78"		**36P783IT**	1111	791	475
84"		**36P843IT**	1197	850	521
90"		**36P903IT**	1286	907	558
96"		**36P963IT**	1370	963	599

Specify tiles for both sides of frame.

Wood grain direction is vertical.

Metallic paint not available.

Additional widths in 3" increments not listed in the pricing table at left are available through electronic specification tools.

Woodgrain laminate is available on laminate tiles in widths up to 57".

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 141
Traxx Pricing 196

Standard Includes

- Tile

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
P = Paint
③ Finish type:
STD = Group 1
STD2 = Group 2 (+20%)
④ Finish designator

Glass Tiles

Pricing

1-High

GSA SIN 711-1



W	H	Clear or Frosted Model	Price	Linear-Vertical Model	Price
Painted Frame					
18"	11 7/16"	**36P181ITGAP**	$318	**36P181ITGBP**	$363
24"		**36P241ITGAP**	346	**36P241ITGBP**	414
30"		**36P301ITGAP**	370	**36P301ITGBP**	460
33"		**36P331ITGAP**	383	**36P331ITGBP**	482
36"		**36P361ITGAP**	394	**36P361ITGBP**	503
39"		**36P391ITGAP**	418	**36P391ITGBP**	537
42"		**36P421ITGAP**	440	**36P421ITGBP**	571
48"		**36P481ITGAP**	475	**36P481ITGBP**	622
Wood Frame					
18"	11 7/16"	**36P181ITGAW**	$798	**36P181ITGBW**	$910
24"		**36P241ITGAW**	856	**36P241ITGBW**	1025
30"		**36P301ITGAW**	914	**36P301ITGBW**	1137
33"		**36P331ITGAW**	945	**36P331ITGBW**	1192
36"		**36P361ITGAW**	976	**36P361ITGBW**	1245
39"		**36P391ITGAW**	1034	**36P391ITGBW**	1329
42"		**36P421ITGAW**	1091	**36P421ITGBW**	1411
48"		**36P481ITGAW**	1174	**36P481ITGBW**	1536

Specify one glass tile to complete both sides of frame.

Power and data cables cannot be routed through glass tiles.

Specify a 33"W tile for use about a 36"W hinged door or a 39"W tile for use about a 42"W hinged door.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 142
Traxx Pricing 196

Standard Includes

- One frame with glass
- One frame without glass
- Locking clip

How to Specify

❶ Model
② Glass type:
3 = Clear
9 = Frosted
8 = Linear-Vertical
③ Finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Finish designator

Glass Tiles

Pricing

1.5-High

GSA SIN 711-1



W	H	Clear or Frosted Model	Price	Linear-Vertical Model	Price
Painted Frame					
18"	18⅜"	**36P18H18ITGAP**	$337	**36P18H18ITGBP**	$420
24"		**36P24H18ITGAP**	360	**36P24H18ITGBP**	489
30"		**36P30H18ITGAP**	381	**36P30H18ITGBP**	546
36"		**36P36H18ITGAP**	411	**36P36H18ITGBP**	610
42"		**36P42H18ITGAP**	467	**36P42H18ITGBP**	701
48"		**36P48H18ITGAP**	497	**36P48H18ITGBP**	769
Wood Frame					
18"	18⅜"	**36P18H18ITGAW**	$840	**36P18H18ITGBW**	$1050
24"		**36P24H18ITGAW**	893	**36P24H18ITGBW**	1215
30"		**36P30H18ITGAW**	946	**36P30H18ITGBW**	1353
36"		**36P36H18ITGAW**	1020	**36P36H18ITGBW**	1510
42"		**36P42H18ITGAW**	1155	**36P42H18ITGBW**	1739
48"		**36P48H18ITGAW**	1231	**36P48H18ITGBW**	1901

IMPORTANT 1.5-high tile is only for use with 3.5-high frame. 1.5-high tile must be installed above worksurface height (top position).
➤See page 138 for specific location.

Specify one glass tile to complete both sides of frame.

Power and data cables cannot be routed through glass tiles.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 142
Traxx Pricing 196

Standard Includes

- One frame with glass
- One frame without glass
- Locking clip

How to Specify

❶ Model
② Glass type:
3 = Clear
9 = Frosted
8 = Linear-Vertical
③ Finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Finish designator

Glass Tiles

Pricing

2-High

GSA SIN 711-1



W	H	Clear or Frosted Model	Price	Linear-Vertical Model	Price
Painted Frame					
18"	24 1/16"	**36P182ITGAP**	$395	**36P182ITGBP**	$494
24"		**36P242ITGAP**	424	**36P242ITGBP**	576
30"		**36P302ITGAP**	449	**36P302ITGBP**	641
36"		**36P362ITGAP**	484	**36P362ITGBP**	719
42"		**36P422ITGAP**	549	**36P422ITGBP**	826
48"		**36P482ITGAP**	584	**36P482ITGBP**	904
Wood Frame					
18"	24 1/16"	**36P182ITGAW**	$988	**36P182ITGBW**	$1235
24"		**36P242ITGAW**	1050	**36P242ITGBW**	1428
30"		**36P302ITGAW**	1111	**36P302ITGBW**	1590
36"		**36P362ITGAW**	1201	**36P362ITGBW**	1778
42"		**36P422ITGAW**	1358	**36P422ITGBW**	2045
48"		**36P482ITGAW**	1448	**36P482ITGBW**	2235

Specify one glass tile to complete both sides of frame.

Power and data cables cannot be routed through glass tiles.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 142
Traxx Pricing 196

Standard Includes

- One frame with glass
- One frame without glass
- Locking clip

How to Specify

❶ Model
② Glass type:
3 = Clear
9 = Frosted
8 = Linear-Vertical
③ Finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Finish designator

Glass Tiles

Pricing

3-High

GSA SIN 711-1



W	H	Clear or Frosted Model	Price	Linear-Vertical Model	Price
Painted Frame					
18"	36⅝"	**36P183ITGAP**	$476	**36P183ITGBP**	$663
24"		**36P243ITGAP**	503	**36P243ITGBP**	738
30"		**36P303ITGAP**	525	**36P303ITGBP**	821
36"		**36P363ITGAP**	571	**36P363ITGBP**	927
Wood Frame					
18"	36⅝"	**36P183ITGAW**	$1189	**36P183ITGBW**	$1657
24"		**36P243ITGAW**	1245	**36P243ITGBW**	1824
30"		**36P303ITGAW**	1301	**36P303ITGBW**	2033
36"		**36P363ITGAW**	1411	**36P363ITGBW**	2298

Specify one glass tile to complete both sides of frame.

Power and data cables cannot be routed through glass tiles.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 142
Traxx Pricing 196

Standard Includes

- One frame with glass
- One frame without glass
- Locking clip

How to Specify

❶ Model
② Glass type:
3 = Clear
9 = Frosted
8 = Linear-Vertical
③ Finish type:
STD = Group 1
STDM = Group M (+10%)
STD2 = Group 2 (+20%)
④ Finish designator

Pass-Thru Tiles

Pricing

GSA SIN 711-1

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 142
Traxx Pricing 196





W	*H*	*Segment*	*Model*	*Price*
2-High Tiles				
30"	24 1/16"	2 H	**36P302ITT**	$324
36"		2 H	**36P362ITT**	350
42"		2 H	**36P422ITT**	394
48"		2 H	**36P482ITT**	422
3-High Tiles				
30"	36 5/8"	3 H	**36P303ITT**	$380
36"		3 H	**36P363ITT**	409

Standard Includes

- Two frames
- Locking clip

How to Specify

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Specify one pass-thru tile to complete both sides of frame.

Power and data cables cannot be routed through pass-thru tiles.

Metal Tiles

Pricing

.5-High and 1-High

GSA SIN 711-1



Embossed shown

W	H	Model	Price
.5-High Tiles			
18"	5¾"	**36P18H06ITM**	$40
24"		**36P24H06ITM**	53
30"		**36P30H06ITM**	67
36"		**36P36H06ITM**	81
42"		**36P42H06ITM**	92
48"		**36P48H06ITM**	108
54"		**36P54H06ITM**	119
60"		**36P60H06ITM**	133
72"		**36P72H06ITM**	161
1-High Tiles			
18"	11 7/16"	**36P181ITM**	$47
24"		**36P241ITM**	59
30"		**36P301ITM**	77
36"		**36P361ITM**	90
42"		**36P421ITM**	104
48"		**36P481ITM**	120
54"		**36P541ITM**	134
60"		**36P601ITM**	149
72"		**36P721ITM**	180



IMPORTANT .5-high tile is only for use with 3.5-high frame.
➤See page 138 for specific locations.

Specify tiles for both sides of frame.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 143
Traxx Pricing 196

Standard Includes

- Metal tile

How to Specify

❶ Model
② Metal pattern:
A = Perforated
B = Embossed
③ Finish type:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator

Metal Tiles

Pricing

1.5-High and 2-High

GSA SIN 711-1



Embossed shown

W	H	Model	Price
1.5-High Tiles			
18"	18⅜"	**36P18H18ITM**	$83
24"		**36P24H18ITM**	102
30"		**36P30H18ITM**	127
36"		**36P36H18ITM**	154
42"		**36P42H18ITM**	179
48"		**36P48H18ITM**	205
54"		**36P54H18ITM**	228
60"		**36P60H18ITM**	255
72"		**36P72H18ITM**	306
2-High Tiles			
18"	24 1/16"	**36P182ITM**	$95
24"		**36P242ITM**	120
30"		**36P302ITM**	149
36"		**36P362ITM**	180
42"		**36P422ITM**	211
48"		**36P482ITM**	242
54"		**36P542ITM**	271
60"		**36P602ITM**	300
72"		**36P722ITM**	359



IMPORTANT 1.5-high tile is only for use with 3.5-high frame.
➤See page 138 for specific locations.

Specify tiles for both sides of frame.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 143
Traxx Pricing 196

Standard Includes

- Tile: metal

How to Specify

❶ Model
② Metal pattern:
A = Perforated
B = Embossed
③ Finish type:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator

Marker Board Tiles

Pricing

.5-High, 1-High, and 1.5-High

GSA SIN 711-1



W	*H*	*Model*	*Price*
.5-High Tiles			
30"	5¾"	**36P30H06ITK**	$95
36"		**36P36H06ITK**	115
42"		**36P42H06ITK**	136
48"		**36P48H06ITK**	154
1-High Tiles			
30"	11⁷⁄₁₆"	**36P301ITK**	$108
36"		**36P361ITK**	129
42"		**36P421ITK**	152
48"		**36P481ITK**	172
1.5-High Tiles			
30"	18⅜"	**36P30H18ITK**	$184
36"		**36P36H18ITK**	220
42"		**36P42H18ITK**	255
48"		**36P48H18ITK**	295
54"		**36P54H18ITK**	329
60"		**36P60H18ITK**	366

IMPORTANT .5-high and 1.5-high tiles are only for use with 3.5-high frame. ➤See page 138 for specific locations.

Specify tiles for both sides of frame.

Marker board tiles should not be used on unsupported runs due to panel movement when writing on the surface.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 144
Traxx Pricing 196

Standard Includes

- Tile: metal

How to Specify

❶ Model
② Finish designator:
409M = Icey White
483M = Off White

Marker Board Tiles

Pricing

2-High and 3-High

GSA SIN 711-1





W	*H*	*Model*	*Price*
2-High Tiles			
30"	24 1/16"	**36P302ITK**	$216
36"		**36P362ITK**	258
42"		**36P422ITK**	300
48"		**36P482ITK**	346
54"		**36P542ITK**	387
60"		**36P602ITK**	430
3-High Tiles			
30"	36 5/8"	**36P303ITK**	$324
36"		**36P363ITK**	387
42"		**36P423ITK**	451
48"		**36P483ITK**	518
54"		**36P543ITK**	579
60"		**36P603ITK**	644

Specify tiles for both sides of frame.

Marker board tiles should not be used on unsupported runs due to panel movement when writing on the surface.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 144
Traxx Pricing 196

Standard Includes

- Tile: marker board

How to Specify

❶ Model
② Finish designator:
409M = Icey White
483M = Off White

Slat Tiles

Pricing

.5-High, 1-High, and 1.5-High

GSA SIN 711-1





W	H	Model	Price
.5-High Tiles			
18"	5¾"	**36P18H06ITS**	$180
24"		**36P24H06ITS**	228
30"		**36P30H06ITS**	285
36"		**36P36H06ITS**	342
42"		**36P42H06ITS**	399
48"		**36P48H06ITS**	456
1-High Tiles			
18"	11 7/16"	**36P181ITS**	$202
24"		**36P241ITS**	256
30"		**36P301ITS**	322
36"		**36P361ITS**	385
42"		**36P421ITS**	449
48"		**36P481ITS**	513
1.5-High Tiles			
18"	18⅜"	**36P18H18ITS**	$330
24"		**36P24H18ITS**	436
30"	18⅜"	**36P30H18ITS**	545
36"		**36P36H18ITS**	656
42"		**36P42H18ITS**	763
48"		**36P48H18ITS**	872

IMPORTANT .5 and 1.5-high tiles are for only use with 3.5-high frame.
➤See page 138 for specific locations.

Specify tiles for both sides of frame.

Monitor arms can be used on 18", 24", and 30"W 1-high and 2-high slat tiles. 2-high tiles require an additional mid-frame support for stability, specified separately. One single monitor arm per slat tile can be accommodated.

Work tools and monitor arms
➤See the Perks Price List.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 144
Traxx Pricing 196

Standard Includes

- Slat tile
- Two trim channels

How to Specify

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Slat Tiles

Pricing

2-High and 3-High

GSA SIN 711-1





W	*H*	*Model*	*Price*
2-High Tiles			
18"	24 1/16"	**36P182ITS**	$389
24"		**36P242ITS**	513
30"		**36P302ITS**	640
36"		**36P362ITS**	771
42"		**36P422ITS**	898
48"		**36P482ITS**	1027
3-High Tiles			
18"	36 5/8"	**36P183ITS**	$578
24"		**36P243ITS**	771
30"		**36P303ITS**	962
36"		**36P363ITS**	1155
42"		**36P423ITS**	1346
48"		**36P483ITS**	1538

Specify tiles for both sides of frame.

Monitor arms can be used on 18", 24", and 30"W 1-high and 2-high slat tiles. 2-high tiles require an additional mid-frame support for stability, specified separately. One single monitor arm per slat tile can be accommodated.

Work tools and monitor arms
➤See the Perks Price List.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 144
Traxx Pricing 196

Standard Includes

- Slat tile
- Two trim channels

How to Specify

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Storage and Fold-Down Tiles

Pricing

GSA SIN 711-1

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 144
Traxx Pricing 196



W	*H*	*Model*	*Price*
1-High Storage Tiles			
18"	11 7/16"	**36P181ITR**	$196
24"		**36P241ITR**	234
30"		**36P301ITR**	276
36"		**36P361ITR**	317



1-High Fold-Down Tiles			
18"	11 7/16"	**36P181ITF**	$616
24"		**36P241ITF**	690
30"		**36P301ITF**	814
36"		**36P361ITF**	883

Standard Includes

- Storage or fold-down tile

How to Specify

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Specify tiles for both sides of frame.

Storage tiles cannot be placed back to back, or back to back with a technology tile or power/data tile.

Can only be installed in the 2nd segment or above.

Storage Tile Accessories
➤See page 221.

Storage Tile Accessories

Pricing

GSA SIN 711-1





D	W	H	Model	Description	Price
Web Kit					
			36AFTW	For use in storage tile only. Fits 24", 30" and 36" W storage tiles to hold and display items.	$47
Fold-Down Accessory Kits					
	24"	12"	**36A241FDK**	For use in existing 24"W storage tile only to provide a fold-down surface.	$470
	30"		**36A301FDK**	For use in existing 30"W storage tile only	513
	36"		**36A361FDK**	For use in existing 36"W storage tile only	558

Storage tiles are specified separately.
➤See page 220.

All accessories are field installed.
➤See page 145 for planning information.

Overview ➤See page 116
Traxx and Tiles Overview 137
Product Information 144
Traxx Pricing 196

Standard Includes

- Web kit or accessory kit

How to Specify

Web Kit
❶ Model

Fold-Down Accessory Kit
❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Technology Tiles

Pricing

with Cutouts

GSA SIN 711-1

Features ➤See page 116
Product Information 156
Circuit Configurations 160
Electrical Components 224



W	H	Cutouts	Model	Fabric Price Grade A or COM	B	C	D	E
1-High Fabric Tile								
24"	11 7/16"	2	**36P241ITBA**	$184	$188	$191	$195	$202
30"	11 7/16"	3	**36P301ITBA**	200	205	209	214	222
36"	11 7/16"	4	**36P361ITBA**	211	217	221	228	238
42"	11 7/16"	5	**36P421ITBA**	226	233	238	246	257
48"	11 7/16"	6	**36P481ITBA**	245	253	259	267	280



W	H	Cutouts	Model	Price
1-High Marker Board Tile				
24"	11 7/16"	2	**36P241ITBK**	$236
30"	11 7/16"	3	**36P301ITBK**	260
36"	11 7/16"	4	**36P361ITBK**	282
42"	11 7/16"	5	**36P421ITBK**	313
48"	11 7/16"	6	**36P481ITBK**	352



1-High Slat Tile				
24"	11 7/16"	2	**36P241ITBS**	$294
30"	11 7/16"	3	**36P301ITBS**	345
36"	11 7/16"	4	**36P361ITBS**	404
42"	11 7/16"	5	**36P421ITBS**	471
48"	11 7/16"	6	**36P481ITBS**	532

➤See chart on page 158 for configuration options.

Specify tiles to match the full width of the frame.

Electrical components for technology tiles must be specified separately. Components for Xsite base wireway or power/data tiles are not applicable to technology tiles. Specify hole cover plates for cut-outs that will not be used.

Work tools and monitor arms
➤Perks Price List.

Standard Includes

- Technology Tile

How to Specify

Fabric Tile

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator
④ Fabric grade
⑤ Fabric number

Slat or Markerboard Tile

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator
④ Marker board designator (omit for slat tile):
409M = Icey White
483M = Off White

Technology Tiles

Pricing

Without Cutouts

GSA SIN 711-1



W	H	Model	Fabric Price Grade A or COM	B	C	D	E
1-High Fabric Tile							
24"	11 7/16"	**36P241ITBANC**	$184	$188	$191	$195	$202
30"	11 7/16"	**36P301ITBANC**	200	205	209	214	222
36"	11 7/16"	**36P361ITBANC**	211	217	221	228	238
42"	11 7/16"	**36P421ITBANC**	226	233	238	246	257
48"	11 7/16"	**36P481ITBANC**	245	253	259	267	280



W	H	Model	Price
1-High Marker Board Tile			
24"	11 7/16"	**36P241ITBKNC**	$236
30"	11 7/16"	**36P301ITBKNC**	260
36"	11 7/16"	**36P361ITBKNC**	282
42"	11 7/16"	**36P421ITBKNC**	313
48"	11 7/16"	**36P481ITBKNC**	352



1-High Slat Tile			
24"	11 7/16"	**36P241ITBSNC**	$294
30"	11 7/16"	**36P301ITBSNC**	345
36"	11 7/16"	**36P361ITBSNC**	404
42"	11 7/16"	**36P421ITBSNC**	471
48"	11 7/16"	**36P481ITBSNC**	532

Use these tiles in conjunction with technology tiles with cutouts for a seamless look where power and data are not required.

Specify tiles to match the full width of the frame when pass-thru jumper will be used behind the tile.

Pass-thru jumpers
➤See page 228.

Work tools and monitor arms
➤Perks Price List.

Features ➤See page 116
Product Information 156
Circuit Configurations 160
Electrical Components 224

Standard Includes

- Technology tile

How to Specify

Fabric Tile

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator
④ Fabric grade
⑤ Fabric number

Slat or Markerboard Tile

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator
④ Marker board designator (omit for slat tile):
409M = Icey White
483M = Off White

Technology Tile Electrical Components

Pricing

Power Kits with Vertical Jumper

GSA SIN 711-1







For Use with Tile Width	*No. of Power Blocks*	*Max. No. of Duplex per Side*	*Available No. of Data per Side*	*Configuration*	*Model*	*Price*
Single Power Blocks						
30"	2 single	2	1		**36P30EHSV**	$506
36"	2 single	2	2		**36P36EHSV**	536
42"	2 single	2	3		**36P42EHSV**	561
48"	2 single	2	4		**36P48EHSV**	593
Double Power Blocks						
36"	2 double	4	0		**36P36EHDV**	$643
42"	2 double	4	1		**36P42EHDV**	670
48"	2 double	4	2		**36P48EHDV**	700

Legend:
■ = Duplex
▭ = Data

Cover plates can be specified for cut-outs not in use.

Data plates can be specified for any cut-out where there is no power block.

To transition power from base to 4H or 5H, select power kit without a vertical jumper and specify a vertical jumper separately.

Receptacles, data plates, and cover plates
➤See page 229.

Features ➤See page 116
Product Information 156
Circuit Configurations 160
Receptacles 229

Standard Includes

Single-Block Kit:
- Single power block assembly:
  - –Two single power blocks: injection-molded, PVC-free plastic
  - –Power harness
- Vertical base-to-tile jumper (base to 2H or 3H)
- Mounting brackets and hardware

Double-Block Kit:
- Two double power blocks: injection-molded, PVC-free plastic
- Block-to-block jumpers: PVC-free plastic
  - –Male-to-male jumper in 36"W kit
  - –8" jumper in 42"W kit
  - –14" jumper in 48"W kit
- Vertical base-to-tile jumper (base to 2H or 3H)
- Mounting brackets and hardware

How to Specify

❶ Model

Technology Tile Electrical Components

Pricing

Power Kits with Vertical and Horizontal Jumpers

GSA SIN 711-1







For Use with Tile Width	*No. of Power Blocks*	*Max. No. of Duplex per Side*	*Available. No. of Data per Side*	*Configuration*	*Model*	*Price*
Single Power Blocks						
30"	2 single	2	1		**36P30EHSVH**	$613
36"	2 single	2	2		**36P36EHSVH**	640
42"	2 single	2	3		**36P42EHSVH**	662
48"	2 single	2	4		**36P48EHSVH**	696
Double Power Blocks						
36"	2 double	4	0		**36P36EHDVH**	$745
42"	2 double	4	1		**36P42EHDVH**	773
48"	2 double	4	2		**36P48EHDVH**	799

Legend:
■ = Duplex
▭ = Data

Cover plates can be specified for cut-outs not in use.

Data plates can be specified for any cut-out where there is no power block.

To transition power from base to 4H or 5H, select power kit without a vertical jumper and specify a vertical jumper separately.

Receptacles, data plates, and cover plates
➤See page 229.

Features ➤See page 116
Product Information 156
Circuit Configurations 160
Receptacles 229

Standard Includes

Single-Block Kit:
- Single power block assembly:
  –Two single power blocks: injection-molded, PVC-free plastic
  –Power harness
- Horizontal tile-to-tile jumper: PVC-free plastic
- Vertical base-to-tile jumper (base to 2H or 3H)
- Mounting brackets and hardware

Double-Block Kit:
- Two double power blocks: injection-molded, PVC-free plastic
- Block-to-block jumpers: PVC-free plastic
  –Male-to-male jumper in 36"W kit
  –8" jumper in 42"W kit
  –14" jumper in 48"W kit
- Horizontal tile-to-tile jumper: PVC-free plastic
- Vertical base-to-tile jumper (base to 2H or 3H)
- Mounting brackets and hardware

How to Specify

❶ Model

Technology Tile Electrical Components

Pricing

Power Kits with Horizontal Jumpers

GSA SIN 711-1

Features	➤See page 116
Product Information	156
Circuit Configurations	160
Receptacles	229



Single-Block Kit

Double-Block Kit

For Use with Tile Width	*No. of Power Blocks*	*Max. No. of Duplex per Side*	*Available No. of Data per Side*	*Configuration*	*Model*	*Price*
Single Power Blocks						
30"	2 single	2	1		**36P30EHSH**	$288
36"	2 single	2	2		**36P36EHSH**	299
42"	2 single	2	3		**36P42EHSH**	310
48"	2 single	2	4		**36P48EHSH**	322
Double Power Blocks						
24"	1 double	2	0		**36P24EDH**	286
36"	2 double	4	0		**36P36EHDH**	409
42"	2 double	4	1		**36P42EHDH**	448
48"	2 double	4	2		**36P48EHDH**	474

Legend:
■ = Duplex
▭ = Data

Kits on this page can be used:
- In the middle of a ganged run to jump power to the next tile
- With a ceiling power entry
- With a vertical jumper, specified separately, to transition power from base to 4H or 5H (not applicable to 36P24EDH)
- For hardwire applications

Cover plates can be specified for cut-outs not in use.

Data plates can be specified for any cut-out where there is no power block.
➤See page 229.

Standard Includes

Single-Block Kit:
- Single power block assembly:
  - –Two single power blocks: injection-molded, PVC-free plastic
  - –Power harness
- Horizontal tile-to-tile jumper: PVC-free plastic
- Mounting brackets and hardware

Double-Block Kit:
- One or two double power blocks: injection-molded, PVC-free plastic
- Block-to-block jumpers: PVC-free plastic
  - –Male-to-male jumper in 36"W kit
  - –8" jumper in 42"W kit
  - –14" jumper in 48"W kit
- Horizontal tile-to-tile jumper: PVC-free plastic
- Mounting brackets and hardware

How to Specify

❶ Model

Technology Tile Electrical Components

Pricing

Power Kits with Blocks and Harness or Jumper Only

GSA SIN 711-1



Single-Block Kit

Double-Block Kit

For Use with Tile Width	*No. of Power Blocks*	*Max. No. of Duplex per Side*	*Available No. of Data per Side*	*Configuration*	*Model*	*Price*
Single Power Blocks						
30"	2 single	2	1		**36P30EHS**	$182
36"	2 single	2	2		**36P36EHS**	192
42"	2 single	2	3		**36P42EHS**	203
48"	2 single	2	4		**36P48EHS**	214
Double Power Blocks						
24"	1 double	2	0		**36P24ED**	$177
36"	2 double	4	0		**36P36EHD**	304
42"	2 double	4	1		**36P42EHD**	353
48"	2 double	4	2		**36P48EHD**	401

Legend:
■ = Duplex
▭ = Data

Kits on this page can be used:
- At the end of a ganged run
- With a vertical jumper, specified separately, to transition power from base to 4H or 5H in a single-station application (not applicable to 36P24ED)
- With a ceiling power entry in a single-station application
- For hardwire applications

Receptacles, data plates, and cover plates
➤See page 229.

Features ➤See page 116
Product Information 156
Circuit Configurations 160
Receptacles 229

Standard Includes

Single-Block Kit:
- Single power block assembly:
  - –Two single power blocks: injection-molded, PVC-free plastic
  - –Power harness
- Mounting brackets and hardware

Double-Block Kit:
- One or two double power blocks: injection-molded, PVC-free plastic
- Block-to-block jumpers: PVC-free plastic
  - –Male-to-male jumper in 36"W kit
  - –8" jumper in 42"W kit
  - –14" jumper in 48"W kit
- Mounting brackets and hardware

How to Specify

❶ Model

Technology Tile Electrical Components

Pricing

Jumpers and Power Entries

GSA SIN 711-1

Features ➤See page 116
Product Information 156
Circuit Configurations 160
Power/Data Pole 238









Width	*Model*	*Price*
Pass-Thru Jumpers		
24"	**36P24EPT84B**	$189
30"	**36P30EPT84B**	189
36"	**36P36EPT84B**	189
42"	**36P42EPT84B**	189
48"	**36P48EPT84B**	189

Vertical Base-to-Tile Jumpers for 4H and 5H Frames

For Use with:
- 30" Single-Block Kit (36P30EHS, 36P30EHSH)
- 42" Double-Block Kit (36P42EHD, 36P42EHDH)
- 48" Double-Block Kit (36P48EHD, 36P48EHDH)

36PEBT84J72 $361

For Use with:
- 36" Single- or Double-Block Kit (36P36EHS, 36P36EHD, 36P36EHSH, 36P36EHDH)
- 42" Single-Block Kit (36P42EHS, 36P42EHSH)
- 48" Single-Block Kit (36P48EHS, 36P48EHSH)

36PEBT84J94 $379

Ceiling Power Entry

12' length **36PEPEC84B** $267

New York City Power Entry

36PEPEBNYC84B $355

Hardwire Box

36PEHBB2 $117

Specify a technology tile without cuts for a panel with a pass-thru jumpers. They cannot be placed behind other tiles.

Standard Includes

- Pass-thru jumpers: PVC-free plastic

How to Specify

Jumpers and Power Entries
❶ Model

Hardwire Box
❶ Model
② Finish designator:
462 = Cinder
405 = Designer White

Technology Tile Electrical Components

Pricing

Receptacles, Data Plates, and Cover Plates

GSA SIN 711-1

Features ➤See page 116
Product Information 156
Circuit Configurations 160



For Use With	Available Colors: Cinder	Designer White	Dark Orange	Model	Price
15-Amp Duplex Receptacles					
Circuit 1	•	•		**36PER184SB15**	$27
Circuit 2	•	•		**36PER284SB15**	27
Circuit 3	•	•		**36PER384SB15**	27
For Dedicated or Designated Circuits					
Circuit 3	•	•	•	**36PER3D84SB15**	$27
Circuit 4	•	•	•	**36PER4D84SB15**	27
20-Amp Duplex Receptacles					
Circuit 1	•	•		**36PER184SB20**	$32
Circuit 2	•	•		**36PER284SB20**	32
Circuit 3	•	•		**36PER384SB20**	32
For Dedicated or Designated Circuits					
Circuit 3	•	•	•	**36PER3D84SB20**	$32
Circuit 4	•	•	•	**36PER4D84SB20**	32

	Model	Price
Data Plate		
	36PETTDP02	$23
Hole Cover Plates (set of 10)		
	36PETTRCP10	$49

Models on this page are not applicable to base wireway or power/data tiles.

Standard Includes

Duplex Receptacles
- One duplex receptacle: injection-molded, PVC-free plastic
- Trim plate: black with Cinder or Dark Orange receptacles; white with Designer White receptacles

Data Plate
- One plate with two openings
- Voice/data adapter kit with two of each style: black with Cinder plate or white with Designer White plate (PVC-free plastic)

Cover Plates
- Set of 10 plates: paint

How to Specify

Duplex Receptacles and Data Plates
❶ Model
② Finish designator:
462 = Cinder
405 = Designer White
698 = Dark Orange (available on noted receptacles only)

Hole Cover Plates
❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Power/Data Tiles

Pricing

GSA SIN 711-1

Features ➤See page 116
Power & Data Overview 146
Product Information 163
Application Guidelines 152



W	*H*	*Model*	*Price*
1-High Tiles			
30"	11 7/16"	**36P301ITE**	$124
36"		**36P361ITE**	166

Standard Includes

- Four trim plates
- Four blank cover plates, cinder

How to Specify

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
② Finish designator

Specify tiles for both sides of frame.

Power/data tile cannot be placed back to back with storage tiles

Mid-distribution block, distribution block bracket, mid-block jumper, and base-to-power/data tile jumper must be specified separately for power/data tile when planning to access power.

One base receptacle is used for power/data tile.

Power/data tiles cannot be connected to a technology tile.

Power/data tile electrical components
➤See page 231.

Power/Data Tile Electrical

Pricing

GSA SIN 711-1

Features	➤See page 116
Power & Data Overview	146
Product Information	163
Application Guidelines	152









Power/data tile
➤See page 230.

Model	*Description*	*Price*
Mid-Distribution Block		
36PEDM		$142
Distribution Block Bracket		
36PEDBB		$40
Mid-Block Jumper		
36PEJM	Used to connect power between adjacent or back-to-back power/data tiles	$70
Base-to-Power/Data Tile Jumpers		
36PEBTJ3	To jump from base to 2-high	$124
36PEBTJ5	To jump from base to 3-, 4- or 5-high	138

Power/data tile electrical components must be specified separately. All electrical components must be the same power type (10S or 10D).

Specify one mid-distribution block for each receptacle required.

Base-to-power/data tile jumper cannot cross frames or connectors.

How to Specify

Mid-Distribution Block and Jumpers
❶ Model
② Power type:
10S = Shared neutral
10D = Independent neutral

Distribution Block Bracket
❶ Model

Electrical Components

Pricing

Base Wireway Harnesses

GSA SIN 711-1

Features ➤See page 116
Power & Data Overview 146
Product Information 163
Electrical Guidelines 152



Model	*Description*	*Function*	*Price*
Base Wireway Harnesses			
36P24EDB	For 24"W frames	Carries power to receptacles	$142
36P30EDB	For 30"W frames	Carries power to receptacles	142
36P36EDB	For 36"W frames	Carries power to receptacles	142
36P42EDB	For 42"W frames	Carries power to receptacles	142
36P48EDB	For 48"W frames	Carries power to receptacles	142

How to Specify

❶ Model
② Power type:
10S = Shared neutral
10D = Independent neutral

IMPORTANT: All electrical components must be the same power type (10S or 10D).

Base wireway harnesses accommodate up to four receptacles.

Electrical Components

Pricing

Base Wireway Jumpers

GSA SIN 711-1

Features ➤See page 116
Power & Data Overview 146
Product Information 148
Electrical Guidelines 152



Model	*Description*	*Function*	*Price*
For Use in Straight-Line Applications			
36PEJB1	From panel to panel	Routes power panel to panel	$70
36PEJB5	Thru connector OR 3" extender	Routes power panel to panel through connector or 3" extender	70
36PEJB8	Thru connector AND 3" extender	Routes power panel to panel through connector and 3" extender	70
36PEJB9	Thru 3" extender, connector AND another 3" extender	Routes power panel to panel through connector AND two 3" extenders	70
For Use in 90° Applications			
36PEJB2	Thru connector	Routes power panel to panel through 90° corner	$70
36PEJB5	Thru connector AND 3" extender	Routes power panel to panel through 90° corner and 3" extender	70
36PEJB8	Thru 3" extender, connector AND another 3" extender	Routes power panel to panel through 90° corner AND two 3" extenders	70
For Use in 120° Applications			
36PEJB5	Thru connector	Routes power panel to panel through 120° corner	$70
36PEJB8	Thru connector AND 3" extender	Routes power panel to panel through 120° corner and 3" extender	70
36PEJB9	Thru 3" extender, connector AND another 3" extender	Routes power panel to panel through 120° corner AND two 3" extenders	70

How to Specify

❶ Model
② Power type:
10S = Shared neutral
10D = Independent neutral

Base wireway jumpers are specified according to application.
➤See page 148 for application guidelines and illustrations.

IMPORTANT: All electrical components must be the same power type (10S or 10D).

Base wireway pass-thru jumpers
➤See page 234.

Electrical Components

Pricing

Base Wireway Pass-Thru Jumpers

GSA SIN 711-1



Straightline Connection
(Thru panel shown)



90° Connection
(Thru connector and panel shown)

Base wireway pass-through jumpers are specified according to application.
➤See chart at left.

IMPORTANT: All electrical components must be the same power type (10S or 10D).

Base wireway jumpers
➤See page 233.

Model	*Price*
Pass-Thru Jumpers	
36P18EPT	$185
36P24EPT	185
36P30EPT	185
36P36EPT	185
36P42EPT	185
36P48EPT	185
36P53EPT	185
36P58EPT	185

Pass-Thru Jumper Selection:

	Straightline Connections					***90° and 120° Connections***		
Frame Width to be Passed Thru	*Thru Panel*	*Thru Connector & Panel*	*Thru 3" Extender & Panel*	*Thru Connector, 3" Extender, & Panel*	*Thru 3" Extender, Connector, 3" Extender, & Panel*	*Thru Connector & Panel*	*Thru Connector, 3" Extender, & Panel*	*Thru 3" Extender, Connector, 3" Extender, & Panel*
18"	36P18EPT	36P24EPT	36P24EPT	36P24EPT	36P30EPT	36P24EPT	36P24EPT	36P30EPT
24"	36P24EPT	36P30EPT	36P30EPT	36P30EPT	36P36EPT	36P30EPT	36P30EPT	36P36EPT
30"	36P30EPT	36P36EPT	36P36EPT	36P36EPT	36P42EPT	36P36EPT	36P36EPT	36P42EPT
36"	36P36EPT	36P42EPT	36P42EPT	36P42EPT	36P48EPT	36P42EPT	36P42EPT	36P48EPT
42"	36P42EPT	36P48EPT	36P48EPT	36P48EPT	36P53EPT	36P48EPT	36P48EPT	36P53EPT**
48"	36P48EPT	36P53EPT	36P53EPT	36P53EPT	36P58EPT	36P53EPT	36P53EPT	36P58EPT

** For this configuration at a 120° connection, specify 36P58EPT.

Features ➤See page 116
Power & Data Overview 146
Product Information 148
Electrical Guidelines 152

Standard Includes

- Jumper

How to Specify

❶ Model
② Power type:
10S = Shared neutral
10D = Independent neutral

Electrical Components

Pricing

Base Wireway 15-Amp Duplex Receptacles

GSA SIN 711-1

For Use With	Available Colors: Cinder	Nebulous White	Orange	Model	Price
Shared Neutral (10S) configured as 10-Wire, 3 and 3					
Circuit 1	•	•		**36PER110S**	$27
Circuit 2	•	•		**36PER210S**	27
Circuit 3	•	•		**36PER310S**	27
Circuit 4	•	•	•	**36PER4D10S**	27
Circuit 5	•	•	•	**36PER5D10S**	27
Circuit 6	•	•	•	**36PER6D10S**	27
Shared Neutral (10S) configured as 8-Wire, 3 and 1					
Circuit 1	•	•		**36PER110S**	$27
Circuit 2	•	•		**36PER210S**	27
Circuit 3	•	•		**36PER310S**	27
Circuit 4	•	•	•	**36PER4D10S**	27
Shared Neutral (10S) configured as 8-Wire, 2 and 2					
Circuit 1	•	•		**36PER110S**	$27
Circuit 2	•	•		**36PER210S**	27
Circuit 3	•	•	•	**36PER3D10S**	27
Circuit 4	•	•	•	**36PER4D10S**	27
Independent Neutral (10D)					
Circuit 1	•	•	•	**36PER110D**	$27
Circuit 2	•	•	•	**36PER210D**	27
Circuit 3	•	•	•	**36PER310D**	27
Circuit 4	•	•	•	**36PER410D**	27

Select receptacle models based on the wiring configuration
➤See pages 152–155 for circuit configurations and wiring diagrams.

IMPORTANT: All electrical components must be the same power type (10S or 10D). Models on this page are not applicable to technology tiles.

Mid-distribution block
➤See page 231.

Base wireway harness
➤See page 232.

Features ➤See page 116
Power & Data Overview 146
Product Information 147
Electrical Guidelines 152

Standard Includes

- Duplex receptacle

How to Specify

1. Model
2. Finish designator (omit for Cinder):
   439 = Nebulous White
   498 = Orange (available on noted receptacles only)

Electrical Components

Pricing

Base Wireway 20-Amp Duplex Receptacles

GSA SIN 711-1

For Use With	Available Colors: Cinder	Nebulous White	Orange	Model	Price
Shared Neutral (10S) configured as 10-Wire, 3 and 3					
Circuit 1	•	•		**36PER110S20**	$32
Circuit 2	•	•		**36PER210S20**	32
Circuit 3	•	•		**36PER310S20**	32
Circuit 4	•	•	•	**36PER4D10S20**	32
Circuit 5	•	•	•	**36PER5D10S20**	32
Circuit 6	•	•	•	**36PER6D10S20**	32
Shared Neutral (10S) configured as 8-Wire, 3 and 1					
Circuit 1	•	•		**36PER110S20**	$32
Circuit 2	•	•		**36PER210S20**	32
Circuit 3	•	•		**36PER310S20**	32
Circuit 4	•	•	•	**36PER4D10S20**	32
Shared Neutral (10S) configured as 8-Wire, 2 and 2					
Circuit 1	•	•		**36PER110S20**	$32
Circuit 2	•	•		**36PER210S20**	32
Circuit 3	•	•	•	**36PER3D10S20**	32
Circuit 4	•	•	•	**36PER4D10S20**	32
Independent Neutral (10D)					
Circuit 1	•	•	•	**36PER110D20**	$32
Circuit 2	•	•	•	**36PER210D20**	32
Circuit 3	*Not available in 20-amp; use 15-amp receptacle model 36PER310D.*				
Circuit 4	•	•	•	**36PER410D20**	32

Select receptacle models based on the wiring configuration. Model 36PER3D10S20 is for use only in an 8-wire, 2 + 2 configuration.
➤See pages 152–155 for circuit configurations and wiring diagrams.

20-amp receptacles protrude 1⁄8" more than 15-amp receptacles.

IMPORTANT: All electrical components must be the same power type (10S or 10D). Models on this page are not applicable to technology tiles, nor to independent neutral configurations.

Mid-distribution block
➤See page 231.

Base wireway harness
➤See page 232.

Features ➤See page 116
Power & Data Overview 146
Product Information 147
Electrical Guidelines 152

Standard Includes

- Duplex receptacle

How to Specify

1. Model
2. Finish designator (omit for Cinder):
   439 = Nebulous White
   498 = Orange

Electrical Components

Pricing

Power Entries

GSA SIN 711-1





	Model	*Price*
Base Power Entry (Non-Handed)		
6' Length	**36PEPEB**	$218
New York City Floor/Wall Power Entry		*Note: Approval number E44747.*
	36PEPEBNYC	$355
Ceiling Power Entry		
12' Length	**36PEPEC**	$267

IMPORTANT: All electrical components must be the same power type (10S or 10D). Power entries use one receptacle location.

Access to ceiling source is regulated by National Electric Code to 12' maximum conduit for standard includes construction. Lengths up to 24' are available with custom quote for alternate construction.

Ceiling power entry must plug into right-hand block of base wireway harness. It does not include junction box or related connectors.

Power/data pole must be specified separately for ceiling power entry.
➤See page 238.

Ceiling power entry for use with technology tiles
➤See page 228.

Features ➤See page 116
Power & Data Overview 146
Product Information 149
Electrical Guidelines 152

Standard Includes

- Power entry assembly

How to Specify

❶ Model
② Power type:
10S = Shared neutral
10D = Independent neutral

Electrical Components

Pricing

Power/Data Poles

GSA SIN 711-1



Top Cap Width	Pole Length	Model	Flat Profile Wood (W)	Flat Profile Paint (P)	Curved Profile Wood (W)	Curved Profile Paint (P)
Ceiling Power/Data Poles						
24"	82"	**36P24CPDPK**	$732	$557	$560	$437
30"		**36P30CPDPK**	732	557	560	437
36"		**36P36CPDPK**	732	557	560	437
42"		**36P42CPDPK**	732	557	560	437
48"		**36P48CPDPK**	732	557	560	437

Ceiling power entry for use with technology tiles
➤See page 228.

Features ➤See page 116
Power & Data Overview 146
Product Information 151
Electrical Guidelines 152

Standard Includes

- Pole: paint
- Notched structure top caps: wood or paint
- Power pole trim plate: paint

How to Specify

❶ Model
❷ Top cap material:
W = Wood
P = Paint
③ Top cap profile:
C = Curved
F = Flat
④ Top cap finish type:
STD = Group 1
STDM = Group M (+10%)
⑤ Top cap finish designator
⑥ Power pole and trim plate:
STD = Group 1
STDM = Group M (+10%*)
**Applies once per model.*
⑦ Power pole and trim plate designator

Electrical Components

Pricing

Hardwire

GSA SIN 711-1







D	*W*	*H*	*Model*	*Price*
Hardwire Box				
2⅞"	6¹¹⁄₁₆"	3¹⁄₁₆"	**36PEHBB**	$112
Hardwire Cover Plate				
			36PEHBC	$50
Hardwire Cover Plate for Power				
			36PEHBCP	$54

Use standard non-powered frames and appropriately punched wireway covers.

Consult local electrical codes prior to specification.

Receptacles, conduit, wiring, and other required components to be supplied by electrician.

Features ➤See page 116
Power & Data Overview 146
Product Information 150
Electrical Guidelines 152

Standard Includes

- Box or cover plate: galvanized

How to Specify

❶ Model

Cable Management

Pricing

GSA SIN 711-1

Features ➤See page 116
Power & Data Overview 146
Product Information 165



D	W	H	Model	Description	Price
Vertical Cable Managers					
15⁄16"	7⁄8"	19¼"	**36A1VCMN2**	For use with standard includes-height (18¹¹⁄₁₆"H) radius and square profile overheads.	$27
		21⅝"	**36A3VCMN2**	For use with reduced-height (16½"H) radius, square, bevel, flat, and curved profile overheads.	29
		23⅝"	**36A5VCMN2**	For use with lunar profile or flat profile sliding-door overheads.	33
For Use with Center-Mount Overheads					
15⁄16"	7⁄8"	14⅛"	**36A3HVCMN**	For center-mount overheads on 3H Xsite panels	$34
		21"	**36A50HVCMN**	For center-mount overheads on 3.5H Xsite panels	35
		26⅝"	**36A4HVCMN**	For center-mount overheads on 4H Xsite panels	36



Data Cable Manager			
	36ADCM	Holds 24, ¼" diameter cables. Single.	$8

Fabric is railroaded on vertical cable manager.

Standard Includes

- Cable manager

How to Specify

Vertical Cable Manager

❶ Model
② Fabric grade
③ Fabric number

Data Cable Manager

❶ Model

INTERWORKS® EQ

System

	➤See page
Statement of Line	242
Panels, Connectors, Trim	242
Power and Data	243
Planning	244
Features Overview	244
Product Information	245
Application Guidelines	254
Power & Data Planning	261
Features Overview	261
Product Information	262
8-Wire Power System	266
Cable Management	268
Pricing & Specifying	269
Panels	269
Connectors and Trim	311
Power and Data	323

Panels, Connectors, & Trim

Statement of Line

Features	➤See page 244
Product Information	245
Application Guidelines	254
Power & Data Overview	261



Tackable Acoustical Panels
➤See page 245 for product info.
➤See pages 269–272 to specify.



Glass Panels
➤See page 246 for product info.
➤See page 273 to specify.



Tackable Sectional Panels
➤See page 247 for product info.
➤See pages 274–303 to specify.

Stackable Panels
Available in fabric and glass models.
➤See page 249 for product info.
➤See pages 304–305 to specify.



Privacy Panels
➤See page 250 for product info.
➤See page 306 to specify.



Hinged Doors
➤See page 251 for product info.
➤See page 307 to specify.

Tackboards
➤See page 310 to specify.



Finish Channels
➤See page 252 for product info.
➤See pages 311–313 to specify.

Trim Top Caps
➤See page 252 for product info.
➤See page 315 to specify.



End Caps
➤See page 317 to specify.



End Trim
➤See page 318 to specify.



Traxx Starter Kit
➤See page 253 for product info.
➤See page 321 to specify.



Wall-Mount Connectors
➤See page 253 for product info.
➤See page 322 to specify.

Power and Data

Statement of Line

Features	➤See page 244
Power & Data Overview	261
Product Information	262
Circuit Configurations	266

Power Distribution Assemblies
➤See page 262 for product info.
➤See page 323.



Jumper Cables
➤See page 262 for product info.
➤See page 324.

Duplex Receptacles
➤See page 262 for product info.
➤See page 325.



Base Power Entry
➤See page 263 for product info.
➤See page 325.



Ceiling Power Entry
➤See page 263 for product info.
➤See page 325.



Hardwire Electrical
➤See page 264 for product info.
➤See page 326 to specify.



New York City Electrical
➤See page 265 for product info.
➤See page 327 to specify.



Power/Data Poles
➤See page 263 for product info.
➤See page 328 to specify.



Data Components
➤See page 329.

Data Channels
➤See page 252 for product info.
➤See pages 330–331 to specify.

Vertical Cable Managers
➤See page 332 to specify.

Features

Overview

Statement of Line	➤See page 242
Product Information	245
Application Guidelines	254
Power & Data Overview	261

Top caps feature integral snap fit to secure the top cap onto the panel.

Top channel provides lay-in capability of data cables.

Horizontal rail holds panel face in place at the top and bottom of the frame.

Full-height end trim provides a finished look at the end of the panel run.

Side rails are slotted at 1" increments for attachment of panel-supported components.

Glides provide 2" of adjustability. Carpet grippers are included.



Panel hinges lock panels together along the full height of the panel.

In-line connectors transition joints between panels in straight panel runs. Specified separately.

Alignment clips slip into alignment slots to vertically align adjacent panels.

Wireways allow power and data routing through panels bases.

Wireway covers are available punched or non-punched for power and data access.
➤See page 261.

Top Cap Profiles:



Crowned (C) top caps are available in select colors.
➤See page 580.

Electrical:

c UL US LISTED

Class A—Tackable acoustical panels

Related Products:

Traxx and tiles are available to integrate wall-mount applications and panel applications.
➤See page 333.

Tackable Acoustical Panels

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
Circuit Configurations	266

Details



Tackable acoustical panels are 2" thick and fabric covered. All panel models include:

- Top cap
- Wireway covers
- Panel hinges
- Glides and carpet grippers



Panel frame is constructed of 1¼" steel tubing. Panel interior has two sheets of ¼" thick fiberglass that are held in place at the top and bottom with a horizontal rail.



Side rails provide slots at 1" increments for mounting components.

Panel dimensions listed in the pricing tables are actual. Panel width includes the width of the panel plus the width of one panel hinge.

Finishes & Materials

Tackable Acoustical Panel

- Kimball Office panel fabrics: grade A and B
- COM

Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

Top Cap

- Aluminum: select paint colors

Wireway Covers

- Steel: select paint colors

Full-Height End Trim

- PVC: select colors

Trim Top Cap and In-Line Connector Kit

- ABS plastic: select colors

Panel Hinge

- Polypropylene: select colors

Acoustical Ratings

- NRC rating = .65
- STC rating = 15

Connections



Continuous, polypropylene panel hinge inserted into side rails locks adjacent panels together along the full height of the panel. This hinge design allows removal of a single in-line panel, simplifying reconfigurations.



In-line connector kit, specified separately, provides a connector to transition joints between panels in a straight run and an alignment clip that slips into alignment slots to vertically align adjacent panels. They are required at each in-line panel-to-panel connection.

➤See page 317.



Panel hinges interlock to form L-, T-, X- and 120°-configurations. Alignment clips, included with finish channels, are essential for proper alignment.

Panel runs may also be started using a wall-mount connector or Traxx starter kit.

➤See page 253.

Power & Data



Wireway in the panel base allows power and data cable routing.

Power distribution assembly, factory-installed in the base wireway of 24"W and wider powered panels, allows distribution of power. Power can also be field-installed on non-powered panels. 18"W panels provide no power or data access, but can pass power to adjacent panels.

➤See page 262.



Cable routing is possible in the base wireway and in the top channel. Base wireway can accommodate up to 8 ¼"-diameter data cables at 40% fill or up to 12 at 60% fill. Top channel provides lay-in capability of up to 22 ¼"-diameter data cables at 40% fill or up to 33 at 60% fill. The capacity from panel to panel is 11 at 40% fill or 16 at 60% fill. Capacity is based on ¼"-diameter (nominal) Cat 5 or Cat 6 (4-pair UTP) cables. Data cables can also be run from the base to the mid-wireway.

Related Products

Full-height end trim, specified separately, is required to provide a finished look to the end of a panel run.

➤See page 318.

Finish channels are required when changing directions. They include alignment clips for proper panel alignment and for L, T, and, and X configurations. Specify separately.

➤See page 252.

Full Glass Panels

Product Information

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
8-Wire Power System	266

Details

Full glass panels are 2" thick and feature a horizontal rail at the top and bottom. All panel models include:
- Top cap
- Wireway covers
- Panel hinges
- Glides and carpet grippers



Tempered glass is ⅛" thick and secured in an 2⅞" extruded aluminum frame. Structural frame is 1¼" steel tubing.



Side rails provide slots at 1" increments for mounting components.

Panel dimensions listed in the pricing tables are actual. Panel width includes the width of the panel plus the width of one panel hinge.

Finishes & Materials

Glass
- Tempered: clear or frosted

Glass Panel Frame
- Aluminum: select paint colors

Top Cap
- Aluminum: select paint colors

Wireway Covers
- Steel: select paint colors

Full-Height End Trim
- PVC: select colors

Trim Top Cap and In-Line Connector Kit
- ABS plastic: select colors

Panel Hinge
- Polypropylene: select colors

Connections

Worksurfaces can be mounted on glass panels; however, consider the visual through the glass from the back side.

Overheads cannot be mounted to glass panels.



Continuous, polypropylene panel hinge inserted into side rails locks adjacent panels together along the full height of the panel. This hinge design allows removal of a single in-line panel, simplifying reconfigurations.



In-line connector kit, specified separately, provides a connector to transition joints between panels in a straight run and an alignment clip that slips into alignment slots to vertically align adjacent panels. They are required at each in-line panel-to-panel connection.



Panel hinges interlock to form L-, T-, X- and 120°-configurations. Alignment clips, included with finish channels, are essential for proper alignment.

Panels runs may also be started using a wall-mount connector or Traxx starter kit.
➤See page 253.

Power & Data

Wireway in the panel base allows data routing. Glass panels do not accept power distribution assemblies or pass-thru jumpers.





Cable routing is possible in the base wireway and in the top channel. Base wireway can accommodate up to 8 ¼"-diameter data cables at 40% fill or up to 12 at 60% fill. Top channel provides lay-in capability of up to 22 ¼"-diameter data cables at 40% fill or up to 33 at 60% fill. The capacity from panel to panel is 11 at 40% fill or 16 at 60% fill. Capacity is based on ¼"-diameter (nominal) Cat 5 or Cat 6 (4-pair UTP) cables. Data cables cannot be run from the top to the bottom of full glass panels.

Related Products



Full-height end trim, specified separately, is required to provide a finished look to the end of a panel run.
➤See page 318.

Finish channels are required when changing directions. They include alignment clips for proper panel alignment and for L, T, and, and X configurations. Specify separately.
➤See page 252.

Tackable Sectional Panels

Product Information

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
8-Wire Power System	266

Details



Sectional panel frames are constructed of 1¼" steel tubing and are 2" thick. Panel tiles are held in place at the top and bottom with a horizontal rail. All panel models include:

- Sectional tiles
- Top cap
- Base wireway covers
- Panel hinges
- Glides and carpet grippers
- Power distribution assembly on powered panels

Sectional panels ship with the tiles assembled to the frame. Tiles are held in place at the top bottom with horizontal rails.

Mid-wireway sectional panel frames include, in addition to the list above:

- Base and mid-wireway power distribution assemblies
- Base-to-mid-wireway jumper
- Mid-wireway covers

Panel dimensions listed in the pricing tables are actual. Panel width includes the width of the panel plus the width of one panel hinge.



Fabric sectional tiles are constructed of ¼"-thick fiberglass and covered with the selected fabric.



Glass sectional tiles have a 2⅞" extruded aluminum frame with ⅛" tempered glass; available clear or frosted. is available in clear or frosted. Specify only one glass tile to complete both sides of the sectional panel.



Metal sectional tiles are 6"H and are designed for placement just above the worksurface for added visual interest. Metal sectional tiles match mid-wireway covers to create a consistent accent band throughout the workstation. They are available in smooth or bordered profiles.

Finishes & Materials

Sectional Tiles

- Fabric: Kimball Office panel fabrics (grades A and B)
- Tempered glass: clear or frosted
- Metal (steel): selected paint colors
- COM
  Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

Top Cap

- Aluminum: select paint colors

Wireway Covers

- Steel: select paint colors

Full-Height End Trim

- PVC: select colors

Trim Top Cap and In-Line Connector Kit

- ABS plastic: select colors

Panel Hinge

- Polypropylene: select colors

Acoustical Ratings

- NRC rating = .60
- STC rating = 14
- U.L. Listing = Class A

Connections



Continuous, polypropylene panel hinge inserted into side rails locks adjacent panels together along the full height of the panel. This hinge design allows removal of a single in-line panel, simplifying reconfigurations.



In-line connector kit, specified separately, provides a connector to transition joints between panels in a straight run and an alignment clip that slips into alignment slots to vertically align adjacent panels. They are required at each in-line panel-to-panel connection.



Panel hinges interlock to form L-, T-, X- and 120°-configurations. Alignment clips, included with finish channels, are essential for proper alignment.

Panels runs may also be started using a wall-mount connector or Traxx starter kit.
➤See page 253.

Power & Data



Wireway in the panel base allows power and data cable routing.



Mid-wireway panels provide power and data access at both worksurface height and at the base. Cables are routed up through the panel from the base wireway.

Power distribution assembly, factory-installed in the base wireway of 24"W and wider powered panels, allows distribution of power through the wireway. Power can also be field-installed on non-powered panels.
➤See page 262.

Tackable Sectional Panels

continued

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
8-Wire Power System 266





Cable routing is possible in the base wireway, mid-wireway, and in the top channel. Base wireways and mid-wireways can accommodate up to 8 ¼"-diameter data cables at 40% fill or up to 12 at 60% fill. Top channel provides lay-in capability of up to 22 ¼"-diameter data cables at 40% fill or up to 33 at 60% fill. The capacity from panel to panel is 11 at 40% fill or 16 at 60% fill. Capacity is based on ¼"-diameter (nominal) Cat 5 or Cat 6 (4-pair UTP) cables. Data cables can also be run from the base to the mid-wireway.

Related Products



Full-height end trim, specified separately, is required to provide a finished look to the end of a panel run.
➤See page 318.

Finish channels are required when changing directions. They include alignment clips for proper panel alignment and for L, T, and X configurations. Specify separately.
➤See page 252.

Panel Heights and Corresponding Tile Heights:

80"H	66"H	62"H	54"H	48"H	42"H	34"H
14" tile						
18" tile	18" tile	14" tile				
14" tile	14" tile	14" tile	20" tile	14" tile		
					8" tile	
6" tile	6" tile	6" tile	6" tile	6" tile	6" tile	6" tile
24" tile	24" tile	24" tile	24" tile	24" tile	24" tile	24" tile

Note: Sectional panels ship with the tiles assembled to the frame. Panels are specified as fully configured models.

Stackable Panels

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
8-Wire Power System 266

Details

Stackable panels are available for use on top of monolithic, glass, or sectional panels.

Stackable panels are 2" thick and have a horizontal rail at top and bottom. All stackable panels models include:
- Panel hinge
- Attachment hardware

Note: Top cap from base panel will be used on top of stacking panel.

Panel dimensions listed in the pricing tables are actual. Panel width includes the width of the panel plus the width of one panel hinge.

12", 14", and 18" panel heights are available to increase the height of the workstation. These heights correspond to sectional panel tile heights for a consistent look when using both types of panels in the same office setting.
➤See page 260 for application guidelines.

Stackable panels are available in fabric or glass.

Fabric stackable panel is constructed of steel tubing with a ¼" fiberglass core and covered with selected fabric.

Tempered glass in glass stackable is ⅛" thick and available in clear and frosted. Frames are extruded aluminum.

Top lay-in capability provides space for up to 22 ¼"-diameter data cables at 40% fill or up to 33 at 60% fill. The capacity from panel to panel is 11 at 40% fill or 16 at 60% fill. Capacity is based on ¼"-diameter (nominal) Cat 5 or Cat 6 (4-pair UTP) cables.

Finishes & Materials

Fabric Stackable Panel
- Kimball Office panel fabrics: grade A and B
- COM

  Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

Glass Stackable Panel
- Tempered glass: clear or frosted
- Steel-tubing frame: select colors

Connections



Continuous, polypropylene panel hinge inserted into side rails locks adjacent panels together along the full height of the panel. This hinge design allows removal of a single in-line panel, simplifying reconfigurations.



In-line connector kit, specified separately, provides a connector to transition joints between panels in a straight run and an alignment clip that slips into alignment slots to vertically align adjacent panels. They are required at each in-line panel-to-panel connection.



Panel hinges interlock to form L-, T-, X- and 120°-configurations. Alignment clips, included with finish channels, are essential for proper alignment.

Installation of stackable panel is accomplished without disassembling the existing panel run. Stackable panel is bolted to the base panel frame.



One or two stackable panels may be stacked onto a base panel to a maximum overall height of 80".

Width of stackable panel must match the width of the base panel.

Panel run stability rules are the same for stackable panels as for standard Interworks EQ panels.
➤See pages 254–259.

Overhead components can be supported by panel runs containing stackable panels; however, specific application guidelines apply.
➤See page 260.

Panels made prior to 2/26/07 cannot accommodate stackable panels.

Panels with model numbers beginning with 10P cannot accommodate stackable panels with model numbers beginning with 11P, and vice versa.

Related Products



Finish channels and end trim, specified separately, must match the combined height of the base and the stackable panel(s). Finish channels include alignment clips for proper panel alignment and are required in change-of-direction applications. Specify separately.
➤See page 252.

Privacy Panels

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
8-Wire Power System 266

Details



Privacy panels are available 36" or 42"W and in three designs: fabric on both sides, fabric/marker board combination, or translucent.

Privacy panel models include:
- Top attachment bracket
- Base pivot bracket
- Caster

Fabric and fabric/marker board combination privacy panels have an extruded aluminum frame. Interior is fiberglass over a honeycomb panel.

Translucent privacy panels feature a ribbed pattern to provide privacy, yet allow light to pass through. Frame is extruded aluminum.

Single caster allows privacy panel to pivot open or closed.

Finishes & Materials

Privacy Panel Frame
- 462 Cinder paint
- 501 Platinum metallic paint

Privacy Panel Inserts
- Kimball Office panel fabrics: grade A and B
- COM
  Note: COM fabrics must be U.L. listed for use on panels.
  ➤See page 596 for complete information regarding U.L. approval procedures.
- Marker board (488M Frosty White)
- Translucent

Connections



Top attachment bracket is used to mount the privacy panel to any 66"H Interworks EQ panel. Top bracket attaches under the top cap and can be easily relocated.

Privacy panel is 68"H and is compatible to, but does not directly align with, Interworks EQ panels.



Base pivot bracket features a carpet gripper to hold bracket in place while allowing the privacy panel to swing.

Privacy panels abut the opposite panel, but do not latch.

Non-handed and reversible, privacy panels can be mounted left or right, and can be flipped so the marker board or different fabrics can be positioned inside or outside the workstation.

Planning Factors



When mounted to the perpendicular panel (on one or both sides) in an L or T configuration, panel swings 90°.



When mounting in a straight panel run, specify privacy panel to be wider than the opening to allow for proper clearance. Panel will swing 180° to lay flat against the Interworks EQ panel.

Hinged Doors

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
8-Wire Power System 266

Details



Hinged doors are available 36” or 42”W (nominal). All hinged doors include:

- Frame and threshold
- Top cap
- Panel hinges
- In-line connector caps

Door is 1 7/16" thick hollow-core construction with laminate faces.



Locking lever is available and is suitable for ADA guidelines.

Door opening width for the 36"W door is 29 7/8"; for the 42"W door it is 35 7/8". Opening height is 76 3/4". 42”W hinged door is recommended for ADA guidelines.

Finishes & Materials

Door

- Solid laminate: select colors

Door Frame

- Paint: select colors

Top Cap

- Aluminum: select paint colors

Connections



Continuous, polypropylene panel hinge inserted into side rails locks adjacent panels together along the full height of the panel. This hinge design allows removal of a single in-line panel, simplifying reconfigurations.

Planning Factors



Hinged doors in a panel run must be placed next to a corner or T-configuration where panels are not wider than 48" for necessary stability. Supplemental brackets and spacers are required at panel connections along the door panel run.

Hinged door in wall-mount applications must not be more than one 18"W panel from the wall.

Finish Channels and Trim Top Caps

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
8-Wire Power System	266

Details



Finish channels provide a finished look to the end of a panel. Finish channels include alignment clips for proper panel alignment and are required in change-of-direction applications; specified separately.



Same-height corner/L-, straight/T-, and 120° V-configuration finish channels include:
- Fabric channel
- Finish channel top cap
- Metal base cover
- Alignment clip



Same-height X- and 3-way 120° Y-configurations do not require a finish channel since the connection will be concealed by the panels. Specify the appropriate top cap to bridge the gap between the panel top caps.



Varied-height 3-way/T- and 4-way/X-configuration finish channels include:
- Fabric channel (one or two)
- Finish channel top cap
- In-line fill caps
- Alignment clip(s)

The appropriate model is determined based on the difference in panel heights.

Finishes & Materials

Finish Channel
- Kimball Office panel fabrics: grades A and B
- COM

Note: COM fabrics must be U.L. listed for use on panels.

➤See page 596 for complete information regarding U.L. approval procedures.

Top Cap
- Aluminum: select paint colors

Planning Factors



3-way/T-configuration with one perpendicular lower-height panel requires specification of two finish channel models:
- Same-height straight/T finish channel in the appropriate height for the straight side; and
- Varied-height 4-way/X with two lower-height panels finish channel (models 10P**CNHLL) for the side with the lower-height perpendicular panel.

120° configurations must always be with same height panels. Varied height finish channels are not available.

To achieve a different 2-, 3-, or 4-way configuration than those shown on this page, an alternate top cap must be specified separately in addition to the finish channel.

➤See page 315.

Power & Data

When passing electrical cabling from one panel to another, finish channels are required at change-of-direction connections to enclose cabling. They are not needed between two panels in a straight panel run.



Data channels are for use in change-of-height applications to run data cables between the top channel of adjacent panels with differing heights. In-line, corner/L-, and straight/T-configuration are available. Knock outs are provided at each panel height to allow data access into the panel. All models include:
- Metal channel
- Data channel top cap
- Metal base cover
- Alignment clip
- In-line fill caps
- Top cap for the lower-height panel (in-line only)

➤See page 330 to specify.

Connectors

Product Information

Traxx Starter Kits and Wall-Mount

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
8-Wire Power System 266

Details



Traxx panel starter kit is used when starting a panel run from a wall with Traxx. The kit must be the same height as the adjoining panel. It includes necessary hardware to attach the perpendicular panel to Traxx.



Wall-mount connectors are available to start a panel run from a building wall. The wall-mount connector must be the same height as the adjoining panel and must be attached level to the start of the panel run.

IMPORTANT: The selection and purchase of the proper fasteners based on wall type for installing wall-mount and Traxx panel starter kit is the responsibility of the installer.

Finishes & Materials

Traxx Panel Starter Kit

- Paint: select colors

Wall-Mount Connector

- Paint: select colors

Related Products



Full-height end trim, specified separately, is required to provide a finished look to the end of a panel run.
➤See page 318.

Panel Configurations

Without Components

Features ➤See page 244
Power & Data Overview 261
8-Wire Power System 266

General Guidelines:

The most stable configurations are those in which panels are tied to worksurfaces and pedestals.

Workstations that include pedestals can accommodate longer panel runs.

Configurations that include overhead storage carry heavier loads and work best on shorter panel runs with additional floor supports.



Unsupported run:
- 8' maximum; and
- 2 panels maximum
- 2 supplemental brackets (recommended)



8' to 15' supported runs:
- 3 panels maximum; and
- Wing panels
- 4 supplemental brackets (recommended)

➤See minimum wing panel chart at right.

Do not exceed maximum number of panels in a run.



C-shaped workstations:
- Wing panels
- 3 supplemental brackets (recommended)

➤See minimum wing panel chart at right.

Definitions:

Unsupported panel runs: Runs not attached on BOTH ends to a wall, panel run, or floor support.

Floor support: Undersurface storage units, support panels, or column legs

Balanced back-to-back: Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage. They are critical in unsupported (panel only) configurations.

Height of Panel Run	*Minimum Wing Width*
34", 42", or 48"	30"
54", 62", or 66"	36"
80"	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 80"H runs must be 80"H.

Panel Configurations

Without Overhead Storage

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
8-Wire Power System	266

General Guidelines:

The most stable configurations are those in which panels are tied to worksurfaces and pedestals.

Workstations that include pedestals can accommodate longer panel runs.

Configurations that include overhead storage carry heavier loads and work best on shorter panel runs with additional floor supports.



Maximum 12' supported run:
- Cantilevers;
- 3 panels maximum; and
- Wing panels; and
- No overheads

➤See minimum wing panel chart at right.



Maximum 12' supported run:
- Cantilevers;
- 3 panels maximum;
- Floor supports at end of wing panel runs; and
- No overheads



Maximum 15' supported run:
- Cantilevers;
- 3 panels maximum;
- Minimum 2 floor supports mid-run;
- Floor supports at end of wing panel runs; and
- No overheads

Do not exceed maximum number of panels in a run.



Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, or undersurface storage.





IMPORTANT: It is recommended that wing panels be tied to worksurfaces at front and back edges for maximum stability. If not, specify supplemental brackets.

Specify pedestal filler strip where there is no wing panel beside a pedestal to tie the panel and pedestal together for additional support.

Definitions:

Unsupported panel runs: Runs not attached on BOTH ends to a wall, panel run, or floor support.

Floor support: Undersurface storage units, support panels, or column legs

Balanced back-to-back: Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage. They are critical in unsupported (panel only) configurations.

Height of Panel Run	*Minimum Wing Width*
34", 42", or 48"	30"
54", 62", or 66"	36"
80"	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 80"H runs must be 80"H.

Panel Configurations

With Overhead Storage

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
8-Wire Power System	266

General Guidelines:

The most stable configurations are those in which panels are tied to worksurfaces and pedestals.

Workstations that include pedestals can accommodate longer panel runs.

Configurations that include overhead storage carry heavier loads and work best on shorter panel runs with additional floor supports.



Maximum 10' supported run:
- Cantilevers;
- 3 panels maximum; and
- Wing panels

➤See minimum wing panel chart at right.



Maximum 12' supported run:
- Cantilevers;
- 3 panels maximum;
- 1 floor support, minimum; and
- Wing panels
- Two supplemental brackets recommended

➤See minimum wing panel chart at right.



Maximum 12' supported run:
- Cantilevers;
- 3 panels maximum; and
- Floor supports at end of wing panel runs



Maximum 15' supported run:
- Cantilevers;
- 3 panels maximum;
- Floor supports at end of wing panel runs; and
- 2 floor supports mid-run, minimum

Do not exceed maximum number of panels in a run.

IMPORTANT: Overhead cabinets must be ganged to ensure maximum rigidity.





IMPORTANT: It is recommended that wing panels be tied to worksurfaces at front and back edges for maximum stability. If not, specify supplemental brackets.

Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, or undersurface storage.

Specify pedestal filler strip where there is no wing panel beside a pedestal to tie the panel and pedestal together for additional support.

Definitions:

Unsupported panel runs: Runs not attached on BOTH ends to a wall, panel run, or floor support.

Floor support: Undersurface storage units, support panels, or column legs

Balanced back-to-back: Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage. They are critical in unsupported (panel only) configurations.

Height of Panel Run	*Minimum Wing Width*
34", 42", or 48"	30"
54", 62", or 66"	36"
80"	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 80"H runs must be 80"H.

Panel Configurations

X Configurations

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

General Guidelines:

The most stable configurations are those in which panels are tied to worksurfaces and pedestals.

Workstations that include pedestals can accommodate longer panel runs.

Configurations that include overhead storage carry heavier loads and work best on shorter panel runs with additional floor supports.



Unsupported run:
- 8' maximum; and
- 2 panels maximum
- 5 supplemental brackets (recommended)





12' supported run:
- Cantilevers;
- 3 panels maximum;
- 1 floor support mid-run minimum; and
- Floor supports at end of wing panel runs

Do not exceed maximum number of panels in a run.

IMPORTANT: Overhead cabinets must be ganged to ensure maximum rigidity.



IMPORTANT: It is recommended that wing panels be tied to worksurfaces at front and back edges for maximum stability. If not, specify supplemental brackets.

Definitions:

Unsupported panel runs: Runs not attached on BOTH ends to a wall, panel run, or floor support.

Floor support: Undersurface storage units, support panels, or column legs

Balanced back-to-back: Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage. They are critical in unsupported (panel only) configurations.

Height of Panel Run	*Minimum Wing Width*
34", 42", or 48"	30"
54", 62", or 66"	36"
80"	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 80"H runs must be 80"H.

Panel Configurations

120° V- and Y-Configurations

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

General Guidelines:

The most stable configurations are those in which panels are tied to worksurfaces and pedestals.

Workstations that include pedestals can accommodate longer panel runs.

Configurations that include overhead storage carry heavier loads and work best on shorter panel runs with additional floor supports.



Unsupported run:
- 8' maximum; and
- 2 panels maximum
- Supplemental brackets (recommended)



Maximum 10' supported V:
- Cantilevers;
- 3 panels maximum; and
- Wing panels

➤See minimum wing panel chart at right.

Balanced back-to-back overheads can extend maximum run to 12'



12' supported Y:
- Cantilevers;
- 3 panels 54"H maximum;
- Floor supports at end of run and one additional at mid-run; and
- No overheads



Maximum 12' supported Y:
- Cantilevers;
- 3 panels maximum;
- Wing panels;
- Balanced back-to-back overheads; and
- 1 floor support mid-run minimum

➤See minimum wing panel chart at right.

Do not exceed maximum number of panels in a run.





IMPORTANT: It is recommended that wing panels be tied to worksurfaces at front and back edges for maximum stability. If not, specify supplemental brackets.

Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, or undersurface storage.

Definitions:

Unsupported panel runs: Runs not attached on BOTH ends to a wall, panel run, or floor support.

Floor support: Undersurface storage units, support panels, or column legs

Balanced back-to-back: Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage. They are critical in unsupported (panel only) configurations.

Height of Panel Run	*Minimum Wing Width*
34", 42", or 48"	30"
54", 62", or 66"	36"
80"	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 80"H runs must be 80"H.

Panel Configurations

Wall- and Traxx-Mounted

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
Circuit Configurations	266

General Guidelines:

The most stable configurations are those in which panels are tied to worksurfaces and pedestals.

Workstations that include pedestals can accommodate longer panel runs.

Configurations that include overhead storage carry heavier loads and work best on shorter panel runs with additional floor supports.



Maximum 10' supported run:
- Cantilever next to wall;
- Cantilever in middle of run; and
- Minimum width wing panel

➤See minimum wing panel chart at right.



Maximum 12' supported run:
- Cantilever next to wall;
- Cantilevers in middle of run;
- Minimum width wing panel; and
- Balanced back to back

➤See minimum wing panel chart at right.



Wall-mount brackets and Traxx starter kits must be secured to the building wall by fastening into the stud or by using drywall fasteners. Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

Do not exceed maximum panels in a run.

Unsupported worksurface span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, or undersurface storage.

Definitions:

Unsupported panel runs: Runs not attached on BOTH ends to a wall, panel run, or floor support.

Floor support: Undersurface storage units, support panels, or column legs

Balanced back-to-back: Runs having similar components mounted to opposite sides of the run so as to counter-balance the load.

Minimum Wing Panel Widths:

Minimum wing panel widths increase according to the height of the panel run. These minimum widths eliminate the possibility of tipping or injury under standard loading and usage. They are critical in unsupported (panel only) configurations.

Height of Panel Run	*Minimum Wing Width*
34", 42", or 48"	30"
54", 62", or 66"	36"
80"	48"

IMPORTANT: Wing panel height is not required to be the same height as the panel run.
Exception: Wing panels on 80"H runs must be 80"H.

Panel Configurations

Stackable Panels

Features	➤See page 244
Application Guidelines	254
Power & Data Overview	261
Circuit Configurations	266



One or two stackable panels may be stacked onto a base panel. Maximum height of any combination of base and stackable panels is 80".

Width of stackable panel must match the width of the base panel.

Panel run stability rules are the same for stackable panels as for standard Interworks EQ panels.
➤See pages 254–259.



Turning a corner

Attached to monolithic panel

For proper support, stackable panels must either turn a corner or be connected to a panel or finish channel that is equal to the height of the base panel plus the height of the stackable panel.



When creating a "step-down" or "cityscape" effect, stackable panels can only extend out one panel width from a connector, unless a stackable load bracket is used.

Wing panel must be equal to the combined height of the base panel plus the stackable panel.



First row of stackable fabric panels above the base panel can support overheads. Overheads cannot be mounted on the second row (top row) of stackable panels.
➤See page 254 for stability rules.

Overheads mounted on 12" or 14" stackable panels will hang down on to the base panel.



Overheads cannot be hung in a row of stackable panels where a hi-lo trim kit is used. However, they may be hung in the row beneath the hi-lo application as shown above.

Stackable load brackets specified separately, are required at in-line stackable panel connections when mounting overheads on stackable panels on only one side of the run.

Stackable load brackets are not required when overheads are balanced back-to-back on stackable panels, nor at the connection to a finish channel (change of direction) or end trim (end of run).
➤See illustration at left.



Power & Data

Overview

Features	➤See page 244
Application Guidelines	254
Circuit Configurations	266
Wiring Diagrams	267

Electrical system is an 8-wire, 4-circuit system. Power is distributed through panels via wireways in the base.

Top channel provides a horizontal lay-in space for cable routing in the top of the panel, accommodating 22 ¼"-diameter cables at 40% fill.

Base-to-mid-wireway jumper cable, routed through the panel frame, distributes power from the base to the mid-wireway.

Data cables may be routed from the base to worksurface height in mid-wireway panels, up to the top channel or from the top channel down to the base through the vertical channels.

Wireway provides space at the base of the panel for power and data cable routing. Wireway is 1 15⁄16"D x 3 1⁄4"H.

Power distribution assembly in powered panels accepts up to four duplex receptacles.

Base power entries are available to bring power from the floor or wall.



Ceiling power entry and power pole are available to bring power from the ceiling to the panel.

Side rail cutout allows cables to be routed to adjacent panels.

Data port openings (two per panel side, four per side on mid-wireway panels) provide access to data cabling. Interworks EQ cover plates or commercially purchased data ports and faceplates are required.

Base wireway can accommodate up to 8 ¼"-diameter data cables.

Wireway cover is removable to allow access to cavity in the panel base. Available punched and non-punched for power and data access.

Wireway Cover Options:

NP2	2 non-punched
P1	1 power punched 1 non-punched
P2	2 power punched
PD1	1 power & data punched 1 non-punched
PD2	2 power & data punched
H1	1 hardwire punched 1 non-punched
H2	2 hardwire punched
HD1	1 hardwire & data punched 1 non-punched
HD2	2 hardwire & data punched

Punch Dimensions:

Power: 2.71"W x 1.38"H
Data: 3.00"W x 2.19"H

Power Distribution Assemblies & Receptacles

Product Information

Features	➤See page 244
Power & Data Overview	261
Circuit Configurations	266
Wiring Diagrams	267

Details



Powered panels feature factory-installed electrical distribution assemblies in the base wireway. Power can also be field-installed in non-powered panels.

Mid-wireway sectional panels feature factory-installed power distribution assemblies in both the base wireway and mid-wireway.

Power distribution assemblies and receptacles are the same for base and mid-wireway.

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.
➤See page 266 for planning and installation guidelines.

Duplex receptacles are rated at 15 amps and may be installed back-to-back in base and mid-wireways.

Two data ports can be installed in each wireway (two on one side or one on each side). There are four data port locations, however, data ports cannot be installed back to back. One data port location in the mid-wireway will be eliminated by the base-to-mid-wireway jumper.

Connections



Jumper cables are used to pass power from panel to panel at the base and from base to mid-wireway. Power cannot be passed from panel to panel at the mid-wireway.

Pass-thru jumper cables are used to pass power through non-powered panels.

18"W panels have no electrical access; however, they can accept pass-thru jumper cables to pass power to adjacent panels.

Building-to-panel power connections can be accomplished whether the power source is in the wall, floor, or ceiling.
➤See page 263.

Power and data poles bring voice/data cables and electrical wiring from the ceiling to the panel run.
➤See page 263.

Application Guidelines

IMPORTANT: **Planning actual power supplies and branch circuits** must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

New York City electrical applications require a special power entry. Panels should be specified as non-powered and electrical distribution assemblies should be specified separately.
➤See page 265.

Hardwire electrical components for use in the base wireway are available for areas where local codes do not accept modular electrical plug-in components.
➤See page 264.

Receptacle Capacity per Panel:

Panel Width	**Tackable Acoustical (Monolithic) Panels**		**Sectional Panels**		**Mid-Wireway Sectional Panels**	
	Base Wireway	*Total per Panel*	*Base Wireway*	*Total per Panel*	*Mid-Wireway*	*Total per Panel*
18"	0	0	0	0	0	0
24"	1 per side	2	1 per side	2	1 per side	4*
30"–60"	2 per side	4	2 per side	4	2 per side	8*

* Including receptacle locations in the base wireway.

Power Entries and Power/Data Poles

Features ➤See page 244
Power & Data Overview 261
Circuit Configurations 266
Wiring Diagrams 267

Details



Base power entry is available in straight, corner, end, and side models to bring power to the panel run from the floor or wall.



Ceiling power entry assembly is available to bring power to the panel run from the ceiling. It is used in conjunction with a power and data pole. Ceiling power entry assembly includes:

- Ceiling power entry
- Junction box
- 15' jumper cable
- Hardware



Power/data poles bring voice/data cables and/or electrical wiring from the ceiling to the panel. Poles include:

- Pole and cover
- Ceiling plate
- Appropriate base cover
- Alignment clip
- Fill caps

Note: Ceiling power entry assembly must be specified separately.

Application Guidelines

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Access to ceiling power source is regulated by National Electrical Code to a maximum of 12 ft. conduit.

When using power pole with two ceiling power entry assemblies, plan an extra pole for data cabling.

18"W panels have no electrical access. They can be used to pass power from one panel to another, but cannot accept receptacles or power entries.

Power entries will take up the space of one receptacle location on the power distribution assembly.

Related Products

Hardwire electrical components are available for areas where local codes do not accept modular electrical plug-in components.
➤See page 264.

New York City electrical applications require a New York City power assembly for the panel where power entry is made.
➤See page 265.

Hardwire Components

Features ➤See page 244
Power & Data Overview 261
Circuit Configurations 266
Wiring Diagrams 267

Details

Interworks EQ tackable acoustical and sectional panels are available with a hardwire option. Components should be specified separately to accommodate hardwire applications. All duplex receptacles must be Leviton brand or equivalent for hardwire.



Hardwire panels ship with an internal wireway modified to accept the junction box and one or two punched wireway covers with modified access windows.



Junction box kit, specified separately, is required for each panel that will receive field-installed hardwired electrical. Junction box kit includes:

- Junction box
- Single duplex port per side on 24”W; two ports per side on other widths
- Two junction box end caps with knockouts to feed power in from the panel ends



Side feed plate, specified separately, enables power in-feed from the side into the junction box.

End

Corner

Straight

Appropriate replacement wireway end cap should be specified to in-feed power from the end or through a finish channel.

Connections

Hardwire installations must be completed by a qualified electrician or an electrical engineer familiar with the National Electrical Code and the appropriate local codes.

Application Guidelines

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

18"W panels are not available with the hardwire option.

Hardwire Wireway Cover Options:

H1	1 hardwire punched 1 non-punched
H2	2 hardwire punched
HD1	1 hardwire & data punched 1 non-punched
HD2	2 hardwire & data punched

Punch Dimensions:

Power: 2.71"W x 1.38"H
Data: 3.00"W x 2.19"H

New York City Power Assemblies

Features ➤See page 244
Power & Data Overview 261
Circuit Configurations 266
Wiring Diagrams 267

Details

Interworks EQ tackable acoustical and sectional panels can be modified to meet New York City electrical code.

New York City electrical power assembly is available for field installation in each starter panel—those into which power from the building will be connected. The starter panel can then be hardwired in the field by a qualified electrician. New York City power assembly is only required in the starter panel. It is not available for use in 18"W or 24"W panels.

Mid-wireway panels are not available with New York City power option.



For 30"–60"W Panels

New York City power assembly includes:

- Internal panel wireway
- Jumper cable
- Junction box
- Interface plate
- Two junction box end caps
- Wireway covers

New York City power assemblies are different depending on the width of the panel as illustrated above.

Connections

Duplex receptacles are not accommodated in panels with New York City power assembly.

Data ports can be installed in panels with New York City power assembly.

Application Guidelines

IMPORTANT: **Planning actual power supplies and branch circuits** must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Circuit Configurations

Shared Neutral 8-Wire Power System

Features ➤See page 244
Power & Data Overview 261
Wiring Diagrams 267



Interworks EQ 8-wire, 4-circuit power system supports work environments having light- to medium-intensity computerized equipment needs. The 8-wire systems include two 12-gauge ground wires, two 10-gauge neutral wires, and four 12-gauge hot wires.



Powered panels feature factory-installed electrical distribution assemblies in the base wireway. Power can be field-installed on non-powered panels.
➤See page 269.

Building-to-panel electrical connections can be accomplished from power sources in the wall, floor, or ceiling.
➤See page 263.

Two wiring configurations are possible—3 and 1 or 2 and 2—utilizing the same components.
➤See wiring configurations at right.

Duplex receptacles used for both types of wiring configurations are the same. This simplifies specifications and allows a faster understanding of the system.
➤See page 262.

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided herein is intended to assist specifiers.

Installations should be in accordance with the NEC. Local codes may vary. Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. Hardware necessary for installation is shipped with all components.

3 and 1 (8-wire):



- Three utility circuits share a neutral and common ground.
- One circuit with a DEDICATED hot, neutral and ground.
- Utilize Interworks EQ receptacles #1, 2, 3 for utility and #4 for the DEDICATED ground circuit.

Circuits 1, 2, and 3 can be used for general electrical needs. Customarily, one or more of the circuits is reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

2 and 2 (8-wire):



- Two DESIGNATED utility circuits and two DESIGNATED computer circuits.
- Utilize Interworks EQ receptacles #1 and #2 for the designated utility circuits and receptacles #4 and #5 for the designated computer circuits.

Note: Receptacle #3 cannot be used in the 2 and 2 configuration. If receptacle #3 is used, possible cross feed or interference from utility circuits one and two can be introduced to computer circuits.

Circuits 1 and 2 provide a pair of designated circuits for general electrical needs, as described for the 3 & 1.

Circuits 4 and 5 provide a pair of designated circuits for computer applications.

Approval/Compliance:

Interworks EQ's electrical system is UL approved, complies with the National Electrical Code (NEC), and is certified for electrical safety to Canadian Standards Association (CSA) standard C22.1 No. 203.
Note: Any field modification of the electrical components voids the UL listing.

Wiring Diagrams

Shared Neutral 8-Wire Electrical System

Features ➤See page 244
Power & Data Overview 261
Circuit Configurations 266

Provide these wiring diagrams to the electrical contractor.

Interworks EQ 3 and 1 Configuration 8-Wire:

120/208V WYE 3 Phase 8-10 Shared Neutral
Receptacles: 1, 2, 3, and 4 (or 4Δ)



Interworks EQ 2 and 2 Configuration 8-Wire

120/208V WYE 3 Phase 8-10 Shared Neutral
Receptacles: 1, 2, 4, and 5 (or 1, 2, 3Δ, and 4Δ)



Interworks EQ 2 and 1 Configuration 8-Wire

120/240V 1 Phase 8-10 Shared Neutral
Receptacles: 1, 3, and 4 (or 4Δ)



Cable Management

Features	➤See page 244
Power & Data Overview	261
Circuit Configurations	266
Wiring Diagrams	267

Communication and data cables can be routed:
- Through top channel of panels,
- Through verticals to the base wireway.
- Through the base wireway, or
- From the base wireway up to mid-height



Cable hanger allows data cables to be routed through the base wireway.

Base wireways can have up to two data port openings on each side of the panel.

Mid-wireway panels can have up to four data port openings on each side of the panel: two in the base and two at worksurface height. However, base-to-mid-wireway jumper will eliminate access to one data port opening in the base and one in the mid-wireway.

Data ports cannot be installed back to back unless surface mounted ports are purchased commercially.



When purchasing data ports commercially, verify that the depth of the port and size of cover plate are appropriate for proper fit. Data ports can be purchased through the port manufacturer or their distribution network. Data ports up to 1½"D can be accommodated provided the data port is on Side 1 and the jumper is on Side 2 or there is no electrical jumper.

Consider the cable bend radius when planning the routing of data cables through Interworks EQ panels at panel-to-panel connections or within the panel.

	Min. Radius	*Max. Radius*
Top Channel to Vertical Channel		
	½"	1½"
Top Channel Panel-to-Panel at 90°		
	½"	1½"
Vertical Channel to Base Wireway		
	1"	2"
Mid-Wireway to Vertical Channel		
	½"	1½"

Panel-to-panel capacity is limited by the top channel cutout and is 11 at 40% fill or 16 at 60% fill..

Cable Capacities:

	¼"-diameter cables at 40% Fill*
Base Wireway	8
Top Channel	
–Acoustical	22
–Sectional	22
–Full Glass	22
Panel-to-panel	11
Vertical Channel	
–Acoustical	13
–Sectional	13
Mid-Wireway	8

** Cable capacities are based on ¼"-diameter Cat5 or Cat 6 (4-pair UTP) cables.*

Punch Dimensions:

Data: 3.00"W x 2.19"H

Related Products:

Vertical cable managers are available separately to conceal task light cords.
➤See page 332 to specify.

Tackable Acoustical Panels

Pricing

34" and 42"H

GSA SIN 711-1
COM GSA Non-Contract

D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
34"H Panels							
2"	18"	34¼"	**11P1834A** K	—	—	$355	$381
	24"		**11P2434A** K	$511	$537	385	411
	30"		**11P3034A** K	541	575	415	441
	36"		**11P3634A** K	569	617	444	492
	42"		**11P4234A** K	604	652	478	526
	48"		**11P4834A** K	624	672	498	546
	60"		**11P6034A** K	737	785	612	660
42"H Panels							
2"	18"	42¼"	**11P1842A** K	—	—	$403	$437
	24"		**11P2442A** K	$588	$622	461	495
	30"		**11P3042A** K	629	655	503	537
	36"		**11P3642A** K	684	742	557	615
	42"		**11P4242A** K	723	791	594	662
	48"		**11P4842A** K	753	813	625	685
	60"		**11P6042A** K	870	930	742	802

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 311.

In-line connector kits (required for each in-line connection)
➤See page 316.

End trim (required for finished look at end of panel runs)
➤See page 318.

Electrical components
➤See page 323.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

K = Kwik Office model available.

Tackable Acoustical Panels

Pricing

48" and 54"H

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
48"H Panels							
2"	18"	48¼"	**11P1848A** Ks	—	—	$467	$505
	24"		**11P2448A** Ks	$655	$693	529	567
	30"		**11P3048A** Ks	706	744	581	619
	36"		**11P3648A** Ks	765	823	639	697
	42"		**11P4248A** Ks	822	890	697	765
	48"		**11P4848A** Ks	855	929	729	803
	60"		**11P6048A** Ks	992	1066	866	940
54"H Panels							
2"	18"	54¼"	**11P1854A** Ks	—	—	$482	$522
	24"		**11P2454A** Ks	$663	$703	537	577
	30"		**11P3054A** Ks	721	761	592	632
	36"		**11P3654A** Ks	784	842	655	713
	42"		**11P4254A** Ks	843	911	714	782
	48"		**11P4854A** Ks	874	948	746	820
	60"		**11P6054A** Ks	1007	1091	879	963

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 311.

In-line connector kits (required for each in-line connection)
➤See page 316.

End trim (required for finished look at end of panel runs)
➤See page 318.

Electrical components
➤See page 323.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

1. Model
2. Power option:
   P = Powered
   N = Non-powered
   H = Hardwired (+$56 to non-powered)
3. Top cap material:
   P = Paint
4. Type of power system (omit for non-powered and hardwired):
   84 = 8-wire, 4-circuit
5. Top cap profile:
   C = Crowned
6. Wireway cover punch option (omit for 18"W):
   ➤See page 261 for designators.
7. Trim finish designator:
   Paint number or
   501 = Platinum Metallic (+10%)
8. Hinge color designator
9. Side 1 fabric grade
10. Side 1 fabric number
11. Side 2 fabric grade
12. Side 2 fabric number

Ks = Kwik Office model available.

Tackable Acoustical Panels

Pricing

62" and 66"H

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
62"H Panels							
2"	18"	62¼"	**11P1862A** K	—	—	$501	$541
	24"		**11P2462A** K	$674	$714	548	588
	30"		**11P3062A** K	737	785	612	660
	36"		**11P3662A** K	812	870	684	742
	42"		**11P4262A** K	859	927	734	802
	48"		**11P4862A** K	899	973	771	845
	60"		**11P6062A** K	1021	1117	894	990
66"H Panels							
2"	18"	66¼"	**11P1866A** K	—	—	$552	$592
	24"		**11P2466A** K	$735	$775	607	647
	30"		**11P3066A** K	822	870	697	745
	36"		**11P3666A** K	894	952	768	826
	42"		**11P4266A** K	941	1009	815	883
	48"		**11P4866A** K	977	1051	849	923
	60"		**11P6066A** K	1107	1203	980	1076

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 311.

In-line connector kits (required for each in-line connection)
➤See page 316.

End trim (required for finished look at end of panel runs)
➤See page 318.

Electrical components
➤See page 323.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

1. Model
2. Power option:
   P = Powered
   N = Non-powered
   H = Hardwired (+$56 to non-powered)
3. Top cap material:
   P = Paint
4. Type of power system (omit for non-powered and hardwired):
   84 = 8-wire, 4-circuit
5. Top cap profile:
   C = Crowned
6. Wireway cover punch option (omit for 18"W):
   ➤See page 261 for designators.
7. Trim finish designator:
   Paint number or
   501 = Platinum Metallic (+10%)
8. Hinge color designator
9. Side 1 fabric grade
10. Side 1 fabric number
11. Side 2 fabric grade
12. Side 2 fabric number

K = Kwik Office model available.

Tackable Acoustical Panels

Pricing

80"H

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H Panels							
2"	18"	80¼"	**11P1880A** K	—	—	$741	$801
	24"		**11P2480A** K	$927	$987	800	860
	30"		**11P3080A** K	982	1042	853	913
	36"		**11P3680A** K	1043	1165	917	1039
	42"		**11P4280A** K	1135	1257	1008	1130
	48"		**11P4880A** K	1168	1290	1042	1164

18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 311.

In-line connector kits (required for each in-line connection)
➤See page 316.

End trim (required for finished look at end of panel runs)
➤See page 318.

Electrical components
➤See page 323.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

K = Kwik Office model available.

Full Glass Panels

Pricing

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Price
62"H Panels				
2"	24"	62¼"	**11P2462G**	$999
	30"		**11P3062G**	1090
	36"		**11P3662G**	1179
66"H Panels				
2"	24"	66¼"	**11P2466G**	$1022
	30"		**11P3066G**	1113
	36"		**11P3666G**	1223
80"H Panels				
2"	24"	80¼"	**11P2480G**	$1187
	30"		**11P3080G**	1290
	36"		**11P3680G**	1419

Full glass panels are available non-powered only.

Finish channels (required for change-of-direction)
➤See page 311.

In-line connector kits (required for each in-line connection)
➤See page 316.

End trim (required for finished look at end of panel runs)
➤See page 318.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers

How to Specify

❶ Model
❷ Power option:
N = Non-powered
❸ Top cap material:
P = Paint
④ Top cap profile:
C = Crowned
⑤ Glass option:
3 = Clear
9 = Frosted (+$52)
⑥ Wireway cover punch option:
NP2 = 2 covers, non-punched
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator

Sectional Panels

Pricing

Two Tiles per Side—Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
34"H							
2"	18"	34¼"	**11P1834SFF**	—	—	$465	$561
	24"		**11P2434SFF**	$637	$733	505	601
	30"		**11P3034SFF**	670	766	538	634
	36"		**11P3634SFF**	700	796	568	664
	42"		**11P4234SFF**	739	835	610	706
	48"		**11P4834SFF**	768	864	638	734

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Sectional Panels

Pricing

Three Tiles per Side—Fabric/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
42"H							
2"	18"	42¼"	**11P1842SFFF**	—	—	$575	$719
	24"		**11P2442SFFF**	$771	$915	641	785
	30"		**11P3042SFFF**	821	965	689	833
	36"		**11P3642SFFF**	868	1012	737	881
	42"		**11P4242SFFF**	918	1062	788	932
	48"		**11P4842SFFF**	961	1105	830	974
48"H							
2"	18"	48¼"	**11P1848SFFF**	—	—	$688	$832
	24"		**11P2448SFFF**	$884	$1028	755	899
	30"		**11P3048SFFF**	939	1083	807	951
	36"		**11P3648SFFF**	989	1133	858	1002
	42"		**11P4248SFFF**	1053	1197	922	1066
	48"		**11P4848SFFF**	1096	1240	966	1110

➤See next page for 54"H fabric/fabric/fabric models.

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three fabric tiles per side
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Sectional Panels

Three Tiles per Side—Fabric/Fabric/Fabric, continued

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
54"H							
2"	18"	54¼"	**11P1854SFFF**	—	—	$713	$857
	24"		**11P2454SFFF**	$908	$1052	776	920
	30"		**11P3054SFFF**	965	1109	833	977
	36"		**11P3654SFFF**	1021	1165	889	1033
	42"		**11P4254SFFF**	1082	1226	951	1095
	48"		**11P4854SFFF**	1134	1278	1002	1146

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three fabric tiles per side
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Sectional Panels

Pricing

Three Tiles per Side—Fabric/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
42"H							
2"	18"	42¼"	**11P1842SFMF**	—	—	$575	$671
	24"		**11P2442SFMF**	$771	$867	641	737
	30"		**11P3042SFMF**	821	917	689	785
	36"		**11P3642SFMF**	868	964	737	833
	42"		**11P4242SFMF**	918	1014	788	884
	48"		**11P4842SFMF**	961	1057	830	926
48"H							
2"	18"	48¼"	**11P1848SFMF**	—	—	$688	$784
	24"		**11P2448SFMF**	$884	$980	755	851
	30"		**11P3048SFMF**	939	1035	807	903
	36"		**11P3648SFMF**	989	1085	858	954
	42"		**11P4248SFMF**	1053	1149	922	1018
	48"		**11P4848SFMF**	1096	1192	966	1062

➤See next page for 54"H fabric/fabric/fabric models.

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Metal pattern:
D = Bordered
S = Smooth
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Three Tiles per Side—Fabric/Metal/Fabric, continued

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
54"H							
2"	18"	54¼"	**11P1854SFMF**	—	—	$713	$809
	24"		**11P2454SFMF**	$908	$1004	776	872
	30"		**11P3054SFMF**	965	1061	833	929
	36"		**11P3654SFMF**	1021	1117	889	985
	42"		**11P4254SFMF**	1082	1178	951	1047
	48"		**11P4854SFMF**	1134	1230	1002	1098

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Metal pattern:
D = Bordered
S = Smooth
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Pricing

Three Tiles per Side—Fabric/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract







D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
42"H							
2"	24"	42¼"	**11P2442SFWF**	$819	$915	—	—
	30"		**11P3042SFWF**	861	957	—	—
	36"		**11P3642SFWF**	904	1000	—	—
	42"		**11P4242SFWF**	945	1041	—	—
	48"		**11P4842SFWF**	982	1078	—	—
48"H							
2"	24"	48¼"	**11P2448SFWF**	$933	$1029	—	—
	30"		**11P3048SFWF**	980	1076	—	—
	36"		**11P3648SFWF**	1025	1121	—	—
	42"		**11P4248SFWF**	1082	1178	—	—
	48"		**11P4848SFWF**	1118	1214	—	—
54"H							
2"	24"	54¼"	**11P2454SFWF**	$957	$1053	—	—
	30"		**11P3054SFWF**	1005	1101	—	—
	36"		**11P3654SFWF**	1056	1152	—	—
	42"		**11P4254SFWF**	1110	1206	—	—
	48"		**11P4854SFWF**	1154	1250	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Base wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Pricing

Three Tiles per Side—Glass/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
48"H							
2"	18"	48¼"	**11P1848SGFF**	—	—	$731	$827
	24"		**11P2448SGFF**	$929	$1025	798	894
	30"		**11P3048SGFF**	983	1079	852	948
	36"		**11P3648SGFF**	1034	1130	904	1000
	42"		**11P4248SGFF**	1105	1201	971	1067
	48"		**11P4848SGFF**	1150	1246	1019	1115
54"H							
2"	18"	54¼"	**11P1854SGFF**	—	—	$761	$857
	24"		**11P2454SGFF**	$954	$1050	824	920
	30"		**11P3054SGFF**	1012	1108	881	977
	36"		**11P3654SGFF**	1074	1170	942	1038
	42"		**11P4254SGFF**	1139	1235	1008	1104
	48"		**11P4854SGFF**	1188	1284	1057	1153

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- One glass tile
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Pricing

Three Tiles per Side—Glass/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
48"H							
2"	18"	48¼"	**11P1848SGMF**	—	—	$731	$779
	24"		**11P2448SGMF**	$929	$977	798	846
	30"		**11P3048SGMF**	983	1031	852	900
	36"		**11P3648SGMF**	1034	1082	904	952
	42"		**11P4248SGMF**	1105	1153	971	1019
	48"		**11P4848SGMF**	1150	1198	1019	1067
54"H							
2"	18"	54¼"	**11P1854SGMF**	—	—	$761	$809
	24"		**11P2454SGMF**	$954	$1002	824	872
	30"		**11P3054SGMF**	1012	1060	881	929
	36"		**11P3654SGMF**	1074	1122	942	990
	42"		**11P4254SGMF**	1139	1187	1008	1056
	48"		**11P4854SGMF**	1188	1236	1057	1105

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Standard Includes

- Top cap
- One fabric tile per side
- One glass tile
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Metal pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Three Tiles per Side—Glass/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
48"H							
2"	24"	48¼"	**11P2448SGWF**	$977	$1025	—	—
	30"		**11P3048SGWF**	1023	1071	—	—
	36"		**11P3648SGWF**	1069	1117	—	—
	42"		**11P4248SGWF**	1132	1180	—	—
	48"		**11P4848SGWF**	1170	1218	—	—
54"H							
2"	24"	54¼"	**11P2454SGWF**	$1002	$1050	—	—
	30"		**11P3054SGWF**	1052	1100	—	—
	36"		**11P3654SGWF**	1109	1157	—	—
	42"		**11P4254SGWF**	1168	1216	—	—
	48"		**11P4854SGWF**	1210	1258	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Standard Includes

- Top cap
- One fabric tile per side
- One glass tile
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑩ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑪ Hinge color designator
⑫ Side 1 fabric grade
⑬ Side 1 fabric number
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Sectional Panels

Four Tiles per Side—Fabric/Fabric/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
62"H							
2"	18"	62¼"	**11P1862SFFFF**	—	—	$866	$1058
	24"		**11P2462SFFFF**	$1064	$1256	936	1128
	30"		**11P3062SFFFF**	1140	1332	1010	1202
	36"		**11P3662SFFFF**	1198	1390	1067	1259
	42"		**11P4262SFFFF**	1266	1458	1136	1328
	48"		**11P4862SFFFF**	1322	1514	1191	1383
66"H							
2"	18"	66¼"	**11P1866SFFFF**	—	—	$879	$1071
	24"		**11P2466SFFFF**	$1078	$1270	948	1140
	30"		**11P3066SFFFF**	1156	1348	1026	1218
	36"		**11P3666SFFFF**	1220	1412	1089	1281
	42"		**11P4266SFFFF**	1284	1476	1153	1345
	48"		**11P4866SFFFF**	1339	1531	1209	1401

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Standard Includes

- Top cap
- Four fabric tiles per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
"**N** = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Sectional Panels

Pricing

Four Tiles per Side—Fabric/Fabric/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
62"H							
2"	18"	62¼"	**11P1862SFFMF**	—	—	$866	$1010
	24"		**11P2462SFFMF**	$1064	$1208	936	1080
	30"		**11P3062SFFMF**	1140	1284	1010	1154
	36"		**11P3662SFFMF**	1198	1342	1067	1211
	42"		**11P4262SFFMF**	1266	1410	1136	1280
	48"		**11P4862SFFMF**	1322	1466	1191	1335
66"H							
2"	18"	66¼"	**11P1866SFFMF**	—	—	$879	$1023
	24"		**11P2466SFFMF**	$1078	$1222	948	1092
	30"		**11P3066SFFMF**	1156	1300	1026	1170
	36"		**11P3666SFFMF**	1220	1364	1089	1233
	42"		**11P4266SFFMF**	1284	1428	1153	1297
	48"		**11P4866SFFMF**	1339	1483	1209	1353

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three fabric tiles per side
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Metal pattern:
D = Bordered
S = Smooth
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Pricing

Four Tiles per Side—Fabric/Fabric/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
62"H							
2"	24"	62¼"	**11P2462SFFWF**	$1111	$1255	—	—
	30"		**11P3062SFFWF**	1182	1326	—	—
	36"		**11P3662SFFWF**	1234	1378	—	—
	42"		**11P4262SFFWF**	1295	1439	—	—
	48"		**11P4862SFFWF**	1343	1487	—	—
66"H							
2"	24"	66¼"	**11P2466SFFWF**	$1126	$1270	—	—
	30"		**11P3066SFFWF**	1197	1341	—	—
	36"		**11P3666SFFWF**	1255	1399	—	—
	42"		**11P4266SFFWF**	1313	1457	—	—
	48"		**11P4866SFFWF**	1359	1503	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Standard Includes

- Top cap
- Three fabric tiles per side
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Base wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Four Tiles per Side—Glass/Fabric/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
62"H							
2"	18"	62¼"	**11P1862SGFFF**	—	—	$908	$1052
	24"		**11P2462SGFFF**	$1108	$1252	980	1124
	30"		**11P3062SGFFF**	1184	1328	1053	1197
	36"		**11P3662SGFFF**	1243	1387	1112	1256
	42"		**11P4262SGFFF**	1317	1461	1185	1329
	48"		**11P4862SGFFF**	1374	1518	1243	1387
66"H							
2"	18"	66¼"	**11P1866SGFFF**	—	—	$923	$1067
	24"		**11P2466SGFFF**	$1122	$1266	991	1135
	30"		**11P3066SGFFF**	1202	1346	1070	1214
	36"		**11P3666SGFFF**	1271	1415	1138	1282
	42"		**11P4266SGFFF**	1338	1482	1205	1349
	48"		**11P4866SGFFF**	1394	1538	1264	1408

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three fabric tiles per side
- One glass tile
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Pricing

Four Tiles per Side—Glass/Fabric/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
62"H							
2"	18"	62¼"	**11P1862SGFMF**	—	—	$908	$1004
	24"		**11P2462SGFMF**	$1108	$1204	980	1076
	30"		**11P3062SGFMF**	1184	1280	1053	1149
	36"		**11P3662SGFMF**	1243	1339	1112	1208
	42"		**11P4262SGFMF**	1317	1413	1185	1281
	48"		**11P4862SGFMF**	1374	1470	1243	1339
66"H							
2"	18"	66¼"	**11P1866SGFMF**	—	—	$923	$1019
	24"		**11P2466SGFMF**	$1122	$1218	991	1087
	30"		**11P3066SGFMF**	1202	1298	1070	1166
	36"		**11P3666SGFMF**	1271	1367	1138	1234
	42"		**11P4266SGFMF**	1338	1434	1205	1301
	48"		**11P4866SGFMF**	1394	1490	1264	1360

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- One glass tile
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Metal pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Four Tiles per Side—Glass/Fabric/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
62"H							
2"	24"	62¼"	**11P2462SGFWF**	$1155	$1251	—	—
	30"		**11P3062SGFWF**	1225	1321	—	—
	36"		**11P3662SGFWF**	1279	1375	—	—
	42"		**11P4262SGFWF**	1310	1406	—	—
	48"		**11P4862SGFWF**	1394	1490	—	—
66"H							
2"	24"	66¼"	**11P2466SGFWF**	$1170	$1266	—	—
	30"		**11P3066SGFWF**	1242	1338	—	—
	36"		**11P3666SGFWF**	1305	1401	—	—
	42"		**11P4266SGFWF**	1365	1461	—	—
	48"		**11P4866SGFWF**	1415	1511	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- One glass tile
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑩ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑪ Hinge color designator
⑫ Side 1 fabric grade
⑬ Side 1 fabric number
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Sectional Panels

Four Tiles per Side—Glass/Glass/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
62"H							
2"	18"	62¼"	**11P1862SGGFF**	—	—	$950	$1046
	24"		**11P2462SGGFF**	$1152	$1248	1023	1119
	30"		**11P3062SGGFF**	1229	1325	1097	1193
	36"		**11P3662SGGFF**	1289	1385	1157	1253
	42"		**11P4262SGGFF**	1367	1463	1236	1332
	48"		**11P4862SGGFF**	1428	1524	1296	1392
66"H							
2"	18"	66¼"	**11P1866SGGFF**	—	—	$965	$1061
	24"		**11P2466SGGFF**	$1167	$1263	1035	1131
	30"		**11P3066SGGFF**	1245	1341	1114	1210
	36"		**11P3666SGGFF**	1316	1412	1183	1279
	42"		**11P4266SGGFF**	1387	1483	1255	1351
	48"		**11P4866SGGFF**	1447	1543	1317	1413

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- Two glass tiles
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Four Tiles per Side—Glass/Glass/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract





D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
62"H							
2"	18"	62¼"	**11P1862SGGMF**	—	—	$950	$998
	24"		**11P2462SGGMF**	$1152	$1200	1023	1071
	30"		**11P3062SGGMF**	1229	1277	1097	1145
	36"		**11P3662SGGMF**	1289	1337	1157	1205
	42"		**11P4262SGGMF**	1367	1415	1236	1284
	48"		**11P4862SGGMF**	1428	1476	1296	1344
66"H							
2"	18"	66¼"	**11P1866SGGMF**	—	—	$965	$1013
	24"		**11P2466SGGMF**	$1167	$1215	1035	1083
	30"		**11P3066SGGMF**	1245	1293	1114	1162
	36"		**11P3666SGGMF**	1316	1364	1183	1231
	42"		**11P4266SGGMF**	1387	1435	1255	1303
	48"		**11P4866SGGMF**	1447	1495	1317	1365

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- One fabric tile per side
- Two glass tiles
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Metal pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Four Tiles per Side—Glass/Glass/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	B	Non-Powered Panels Fabric Price Grade A or COM	B
62"H							
2"	24"	62¼"	**11P2462SGGWF**	$1199	$1247	—	—
	30"		**11P3062SGGWF**	1271	1319	—	—
	36"		**11P3662SGGWF**	1324	1372	—	—
	42"		**11P4262SGGWF**	1394	1442	—	—
	48"		**11P4862SGGWF**	1447	1495	—	—
66"H							
2"	24"	66¼"	**11P2466SGGWF**	$1214	$1262	—	—
	30"		**11P3066SGGWF**	1286	1334	—	—
	36"		**11P3666SGGWF**	1351	1399	—	—
	42"		**11P4266SGGWF**	1415	1463	—	—
	48"		**11P4866SGGWF**	1468	1516	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- One fabric tile per side
- Two glass tiles
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑩ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑪ Hinge color designator
⑫ Side 1 fabric grade
⑬ Side 1 fabric number
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Sectional Panels

Pricing

Five Tiles per Side—Fabric/Fabric/Fabric/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SFFFFF**	—	—	$1142	$1382
	24"		**11P2480SFFFFF**	$1348	$1588	1217	1457
	30"		**11P3080SFFFFF**	1418	1658	1287	1527
	36"		**11P3680SFFFFF**	1486	1726	1353	1593
	42"		**11P4280SFFFFF**	1579	1819	1447	1687
	48"		**11P4880SFFFFF**	1643	1883	1511	1751

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Five fabric tiles per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑧ Hinge color designator
⑨ Side 1 fabric grade
⑩ Side 1 fabric number
⑪ Side 2 fabric grade
⑫ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Fabric/Fabric/Fabric/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SFFFMF**	—	—	$1142	$1334
	24"		**11P2480SFFFMF**	$1348	$1540	1217	1409
	30"		**11P3080SFFFMF**	1418	1610	1287	1479
	36"		**11P3680SFFFMF**	1486	1678	1353	1545
	42"		**11P4280SFFFMF**	1579	1771	1447	1639
	48"		**11P4880SFFFMF**	1643	1835	1511	1703

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Four fabric tiles per side
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile: **C** = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Metal pattern:
D = Bordered **S** = Smooth
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Fabric/Fabric/Fabric/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	24"	80¼"	**11P2480SFFFWF**	$1397	$1589	—	—
	30"		**11P3080SFFFWF**	1460	1652	—	—
	36"		**11P3680SFFFWF**	1520	1712	—	—
	42"		**11P4280SFFFWF**	1609	1801	—	—
	48"		**11P4880SFFFWF**	1664	1856	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Four fabric tiles per side
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Base wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Glass/Fabric/Fabric/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SGFFFF**	—	—	$1184	$1376
	24"		**11P2480SGFFFF**	$1392	$1584	1262	1454
	30"		**11P3080SGFFFF**	1463	1655	1331	1523
	36"		**11P3680SGFFFF**	1529	1721	1400	1592
	42"		**11P4280SGFFFF**	1628	1820	1497	1689
	48"		**11P4880SGFFFF**	1696	1888	1563	1755

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Four fabric tiles per side
- One glass tile
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
③ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Pricing

Five Tiles per Side—Glass/Fabric/Fabric/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SGFFMF**	—	—	$1184	$1328
	24"		**11P2480SGFFMF**	$1392	$1536	1262	1406
	30"		**11P3080SGFFMF**	1463	1607	1331	1475
	36"		**11P3680SGFFMF**	1529	1673	1400	1544
	42"		**11P4280SGFFMF**	1628	1772	1497	1641
	48"		**11P4880SGFFMF**	1696	1840	1563	1707

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three fabric tiles per side
- One glass tile
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Metal pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Glass/Fabric/Fabric/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	24"	80¼"	**11P2480SGFFWF**	$1440	$1584	—	—
	30"		**11P3080SGFFWF**	1502	1646	—	—
	36"		**11P3680SGFFWF**	1563	1707	—	—
	42"		**11P4280SGFFWF**	1657	1801	—	—
	48"		**11P4880SGFFWF**	1716	1860	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three fabric tiles per side
- One glass tile
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑩ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑪ Hinge color designator
⑫ Side 1 fabric grade
⑬ Side 1 fabric number
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Sectional Panels

Pricing

Five Tiles per Side—Glass/Glass/Fabric/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SGGFFF**	—	—	$1229	$1373
	24"		**11P2480SGGFFF**	$1436	$1580	1305	1449
	30"		**11P3080SGGFFF**	1507	1651	1377	1521
	36"		**11P3680SGGFFF**	1580	1724	1448	1592
	42"		**11P4280SGGFFF**	1680	1824	1551	1695
	48"		**11P4880SGGFFF**	1751	1895	1620	1764

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.
Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three fabric tiles per side
- Two glass tiles
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Pricing

Five Tiles per Side—Glass/Glass/Fabric/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SGGFMF**	—	—	$1229	$1325
	24"		**11P2480SGGFMF**	$1436	$1532	1305	1401
	30"		**11P3080SGGFMF**	1507	1603	1377	1473
	36"		**11P3680SGGFMF**	1580	1676	1448	1544
	42"		**11P4280SGGFMF**	1680	1776	1551	1647
	48"		**11P4880SGGFMF**	1751	1847	1620	1716

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- Two glass tiles
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Metal pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Glass/Glass/Fabric/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	24"	80¼"	**11P2480SGGFWF**	$1486	$1582	—	—
	30"		**11P3080SGGFWF**	1549	1645	—	—
	36"		**11P3680SGGFWF**	1615	1711	—	—
	42"		**11P4280SGGFWF**	1710	1806	—	—
	48"		**11P4880SGGFWF**	1772	1868	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.
Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- Two glass tiles
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑩ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑪ Hinge color designator
⑫ Side 1 fabric grade
⑬ Side 1 fabric number
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Glass/Glass/Glass/Fabric/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SGGGFF**	—	—	$1271	$1367
	24"		**11P2480SGGGFF**	$1479	$1575	1349	1445
	30"		**11P3080SGGGFF**	1552	1648	1420	1516
	36"		**11P3680SGGGFF**	1623	1719	1494	1590
	42"		**11P4280SGGGFF**	1731	1827	1600	1696
	48"		**11P4880SGGGFF**	1804	1900	1674	1770

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Two fabric tiles per side
- Three glass tiles
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑨ Hinge color designator
⑩ Side 1 fabric grade
⑪ Side 1 fabric number
⑫ Side 2 fabric grade
⑬ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Glass/Glass/Glass/Metal/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	18"	80¼"	**11P1880SGGGMF**	—	—	$1271	$1319
	24"		**11P2480SGGGMF**	$1479	$1527	1349	1397
	30"		**11P3080SGGGMF**	1552	1600	1420	1468
	36"		**11P3680SGGGMF**	1623	1671	1494	1542
	42"		**11P4280SGGGMF**	1731	1779	1600	1648
	48"		**11P4880SGGGMF**	1804	1852	1674	1722

18"W panel is available non-powered only; does not accept power entry or receptacles.

Fabric selected for side will apply to all tiles.

Metal pattern selected will apply to both metal tiles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- One fabric tile per side
- Three glass tiles
- One metal tile per side
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

❶ Model
❷ Power option:
P = Powered
N = Non-powered
H = Hardwired (+$56 to non-powered)
❸ Top cap material:
P = Paint
④ Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option (omit for 18"W):
➤See page 261 for designators.
⑦ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑧ Metal pattern:
D = Bordered
S = Smooth
⑨ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑩ Hinge color designator
⑪ Side 1 fabric grade
⑫ Side 1 fabric number
⑬ Side 2 fabric grade
⑭ Side 2 fabric number

Sectional Panels

Five Tiles per Side—Glass/Glass/Glass/Mid-Wireway/Fabric

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Powered Panels Fabric Price Grade A or COM	Powered Panels Fabric Price Grade B	Non-Powered Panels Fabric Price Grade A or COM	Non-Powered Panels Fabric Price Grade B
80"H							
2"	24"	80¼"	**11P2480SGGGWF**	$1528	$1576	—	—
	30"		**11P3080SGGGWF**	1591	1639	—	—
	36"		**11P3680SGGGWF**	1659	1707	—	—
	42"		**11P4280SGGGWF**	1761	1809	—	—
	48"		**11P4880SGGGWF**	1826	1874	—	—

Fabric selected for side will apply to all tiles.

Mid-wireway cover pattern selected will apply to both mid-wireway covers.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Top cap
- Three glass tiles
- One fabric tile per side
- Two mid-wireway covers
- Two base wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Two power distribution assemblies
- Base to mid-wireway jumper

How to Specify

❶ Model
❷ Power option:
P = Powered
❸ Top cap material:
P = Paint
④ Type of power system:
84 = 8-wire, 4-circuit
⑤ Top cap profile:
C = Crowned
⑥ Wireway cover punch option:
➤See page 261 for designators.
⑦ Mid-wireway cover punch option:
➤See page 261 for designators.
⑧ Mid-wireway cover pattern:
D = Bordered
S = Smooth
⑨ Glass pattern:
3 = Clear
9 = Frosted (+$52)
⑩ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑪ Hinge color designator
⑫ Side 1 fabric grade
⑬ Side 1 fabric number
⑭ Side 2 fabric grade
⑮ Side 2 fabric number

Stackable Panels

Pricing

12" and 14"H

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Fabric Price Grade A or COM	Fabric Price Grade B	Glass Price
12"H Stackable Panels						
	18"	12"	**11P1812S**	$314	$362	$484
	24"		**11P2412S**	348	396	533
	30"		**11P3012S**	399	447	613
	36"		**11P3612S**	439	487	674
	42"		**11P4212S**	465	513	714
	48"		**11P4812S**	486	534	746
	60"		**11P6012S**	560	608	860
14"H Stackable Panels						
	18"	14"	**11P1814S**	$334	$382	$513
	24"		**11P2414S**	366	414	566
	30"		**11P3014S**	422	470	649
	36"		**11P3614S**	464	512	713
	42"		**11P4214S**	491	539	758
	48"		**11P4814S**	516	564	793
	60"		**11P6014S**	591	639	911

A maximum of two stackable panels may be added on top of a standard panel. Combined panel height may not exceed 80".
➤See page 260 for application guidelines.

Finish channels and end trim must be specified to match combined height of base and stackable panels.

Stackable load brackets are required when mounting overheads on only one side of fabric stackable panels; specified separately. Only the first (lowest) stackable panel is loadbearing.
➤See page 308.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Two panel hinges

How to Specify

Fabric Panels

❶ Model
❷ Type of panel:
F = Fabric
③ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
④ Hinge color designator
⑤ Side 1 fabric grade
⑥ Side 1 fabric number
⑦ Side 2 fabric grade
⑧ Side 2 fabric number

Glass Panels

❶ Model
❷ Type of tile:
G = Glass
③ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
④ Hinge color designator
⑤ Glass:
3 = Clear
9 = Frosted (+$52)

Stackable Panels

Pricing

18"H

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Fabric Price Grade A or COM	Fabric Price Grade B	Glass Price
18"H Stackable Panels						
	18"	18"	**11P1818S**	$370	$418	$569
	24"		**11P2418S**	407	455	627
	30"		**11P3018S**	468	516	721
	36"		**11P3618S**	517	565	794
	42"		**11P4218S**	547	595	843
	48"		**11P4818S**	570	618	879
	60"		**11P6018S**	657	705	1011

A maximum of two stackable panels may be added on top of a standard panel. Combined panel height may not exceed 80".
➤See page 260 for application guidelines.

Finish channels and end trim must be specified to match combined height of base and stackable panels.

Stackable load brackets are required when mounting overheads on only one side of fabric stackable panels; specified separately. Only the first (lowest) stackable panel is loadbearing.
➤See page 308.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Two panel hinges

How to Specify

Fabric Panels

❶ Model
❷ Type of panel:
F = Fabric
③ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
④ Hinge color designator
⑤ Side 1 fabric grade
⑥ Side 1 fabric number
⑦ Side 2 fabric grade
⑧ Side 2 fabric number

Glass Panels

❶ Model
❷ Type of tile:
G = Glass
③ Trim finish designator
④ Hinge color designator
⑤ Glass:
3 = Clear
9 = Frosted (+$52)

Privacy Panels

Pricing

GSA SIN 711-1
COM GSA Non-Contract







When mounting privacy panel in a straight panel run, specify panel to be wider than opening to allow for proper clearance.

Privacy panels can be mounted left or right and are reversible so that different fabrics or marker board can be positioned inside or out.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

D	*W*	*H*	*Model*	*Fabric Price Grade A or COM*	*B*
Fabric					
1¾"	36"	67½"	**10P3668PPF**	$1430	$1522
	42"		**10P4268PPF**	1468	1560
Fabric/Marker Board Combination					
1¾"	36"	67½"	**10P3668PPFM**	$1529	$1575
	42"		**10P4268PPFM**	1570	1616

D	*W*	*H*	*Model*	*Price*
Translucent				
1¾"	36"	67½"	**10P3668PPT**	$1884
	42"		**10P4268PPT**	1923

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Mounting brackets
- Caster
- Marker board, on applicable models: 488M Frosty White

How to Specify

❶ Model
② Frame finish designator:
462 = Cinder
501 = Platinum metallic (+10%)
③ Side 1 fabric grade (omit for translucent)
④ Side 1 fabric number (omit for translucent)
⑤ Side 2 fabric grade (omit for fabric/marker board and translucent)
⑥ Side 2 fabric number (omit for fabric/marker board and translucent)

Hinged Doors

Pricing

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266





D	W	H	Model	Price
Right Hinge			*Note: Door will swing away from you to the right.*	
2"	35⅞"	80¼"	**10P3680DLR**	$2003
	41⅞"		**10P4280DLR**	2140
Left Hinge			*Note: Door will swing away from you to the left.*	
2"	35⅞"	80¼"	**10P3680DLL**	$2003
	41⅞"		**10P4280DLL**	2140

Doors cannot be placed adjacent to glass panels
➤See page 251 for planning factors.

42"W hinged door is recommended for ADA compliance.

To retrofit hinged door to 10P panels, call Customer Service to obtain required brackets.

Standard Includes

- Door panel: select solid laminates
- Frame and threshold
- Top cap
- Panel hinges
- Hardware
- In-line connector kit
- Spacer brackets
- Supplemental brackets

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Door hardware:
LL2 = Locking lever (+$407)
X = No lever
④ Top cap profile:
C = Crowned
⑤ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑥ Hinge color designator
⑦ Door laminate designator
⑧ Hinge side of door connects to an 11P panel:
Y = Yes
N = No
⑨ Lever side of door connects to an 11P panel:
Y = Yes
N = No
⑩ Supplemental bracket application on hinge side of door:
X, L, T, S, V, or Y
⑪ Supplemental bracket application on lever side of door:
X, L, T, S, V, or Y

Supplemental Brackets

Pricing

For Use with 11P or 10P Models

GSA SIN 711-1





D	*W*	*L*	*Model*	*Price*
X Bracket				
½"	24"	24"	**10PSBPNCX**	$86
T Bracket				
½"	12"	24"	**10PSBPNCT**	$86
L Bracket				
½"	12"	12"	**10PSBPNCL**	$86
S Bracket				
½"	½"	24"	**10PSBPNCS**	$86
120° V Bracket				
½"	16½"	10"	**10PSBPNCV**	$86
120° Y Bracket				
½"	16½"	20"	**10PSBPNCY**	$86
Stackable Load Brackets				
			10PLBRKT	$54

Specify supplemental brackets for maximum stability when wing panel is not tied to worksurface at front and back.
➤See pages 255–258 for application guidelines.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Bracket
- Attachment screws

How to Specify

Stackable Load Brackets

❶ Model
② Height of stackable panel: **12**, **14**, or **18**
③ Finish designator

All Other Brackets

❶ Model

Supplemental Brackets

Pricing

For Use with 10P Models

GSA SIN 711-1

D	W	L	Model	Price
Supplemental Bracket Spacer				
			10PSBSPCR K	No charge

Specify bracket spacer when using a supplemental bracket to reinforce the connection between:
- –10P tackable acoustical (monolithic) panels and 10P sectional or glass panels (old models); or
- –10P tackable acoustical (monolithic) panels and 11P sectional or glass panels.

The bracket spacer will accommodate the difference in the depth of the top channel (cable trough).

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Bracket spacer

How to Specify

❶ Model

K = Kwik Office model available.

Tackboards

Pricing

GSA SIN 711-1
COM GSA Non-Contract



D	W	H	Model	Panel Fabric Grade A or COM	Panel Fabric Grade B	Seating Fabric Grade 1	Seating Fabric Grade 2
Tackboards							
½"	29½"	15⅛"	**10A1530TB**	$165	$189	$165	$195
	35½"		**10A1536TB**	177	201	177	207
	41½"		**10A1542TB**	187	211	187	217
	47½"		**10A1548TB**	206	230	206	236
	59½"		**10A1560TB**	228	252	228	258
	29½"	19⅛"	**10A1930TB**	173	197	173	203
	35½"		**10A1936TB**	181	205	181	211
	41½"		**10A1942TB**	193	217	193	223
	47½"		**10A1948TB**	209	233	209	239
	59½"		**10A1960TB**	232	256	232	262

A maximum of two tackboards may be panel mounted side by side.

Seating fabric is turned 90° and applied railroad style to 60"W tackboards.
➤See page 588 for illustration of railroad application.

15"H tackboards are recommended when using overheads on 62"H Interworks EQ panels.

19"H tackboards are recommended when using overheads on 66"H Interworks EQ panels.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Tackboard

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Finish Channels

Pricing

For Same-Height Panel Connections

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266







T-configurations with one lower-height in-line or perpendicular panel require specification of additional models, including the straight/T finish channel shown on this page.
➤See page 312 for lower-height in-line T configuration.
➤See page 314 for lower-height perpendicular T configuration.

Top caps for use in X configurations with same height panels
➤See page 315.

D	*W*	*H*	*Model*	*Price*
Straight/T Configurations				
7/16"	2 3/8"	34"	**10P34CNT**	$101
		42"	**10P42CNT**	101
		48"	**10P48CNT**	101
		54"	**10P54CNT**	101
		62"	**10P62CNT**	101
		66"	**10P66CNT**	101
		80"	**10P80CNT**	101
Corner/L Configurations				
2 1/8"	2 1/8"	34"	**10P34CNL**	$101
		42"	**10P42CNL**	101
		48"	**10P48CNL**	101
		54"	**10P54CNL**	101
		62"	**10P62CNL**	101
		66"	**10P66CNL**	101
		80"	**10P80CNL**	101
120°/V Configurations				
2 1/8"	2 1/8"	34"	**10P34CNV**	$101
		42"	**10P42CNV**	101
		48"	**10P48CNV**	101
		54"	**10P54CNV**	101
		62"	**10P62CNV**	101
		66"	**10P66CNV**	101
		80"	**10P80CNV**	101

Standard Includes

- Finish channel top cap
- Fabric channel
- Metal base cover
- Alignment clip

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑤ Fabric grade
⑥ Fabric number

Finish Channels

Pricing

For Varied-Height 3-Way Connections—One Lower Panel

GSA SIN 711-1



D	W	H	Model	Price
2⅛"	½"	4"	**11P4CNHT**	$89
		6"	**11P6CNHT**	89
		8"	**11P8CNHT**	89
		12"	**11P12CNHT**	89
		14"	**11P14CNHT**	89
		18"	**11P18CNHT**	89
		20"	**11P20CNHT**	95
		24"	**11P24CNHT**	95
		26"	**11P26CNHT**	95
		28"	**11P28CNHT**	95
		32"	**11P32CNHT**	101
		38"	**11P38CNHT**	101
		46"	**11P46CNHT**	101

Select finish channel based on the difference in panel heights.

IMPORTANT: T-configurations with one lower-height inline panel (as shown on this page) require specification of an additional finish channel model and a top cap not on this page:
–Same-height straight/T finish channel the same height as the lower panel (10P**CNT); and
–3-way/T top cap (10PCNTTC5 or 10PCNTTC6) to sit between the straight/T finish channel and the varied-height 3-way finish channel.
➤See page 314 for T-configurations with one lower-height perpendicular panel.



Straight/T finish channels
➤See page 311.

3-way/T top caps
➤See page 315.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Fabric corner/L channel
- Top cap

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑤ Fabric grade
⑥ Fabric number

= Kwik Office model available.

Finish Channels

Pricing

For Varied-Height 4-Way Connections—One Lower Panel

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



D	*W*	*H*	*Model*	*Price*
4-Way with One Lower-Height Panel				
7/16"	2 3/8"	4"	**10P4CNHL** K	$81
		6"	**10P6CNHL** K	81
		8"	**10P8CNHL** K	81
		12"	**10P12CNHL** K	81
		14"	**10P14CNHL** K	81
		18"	**10P18CNHL** K	81
		20"	**10P20CNHL** K	81
		24"	**10P24CNHL** K	81
		26"	**10P26CNHL** K	81
		28"	**10P28CNHL** K	81
		32"	**10P32CNHL** K	81
		38"	**10P38CNHL** K	81
		46"	**10P46CNHL** K	81

Standard Includes

- Finish channel top cap
- Fabric channel
- Alignment clip
- In-line fill cap

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑤ Fabric grade
⑥ Fabric number

Select finish channel based on the difference in panel heights.

K = Kwik Office model available.

Finish Channels

Pricing

For Varied-Height 4-Way Connections—Two Lower Panels

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



Select finish channel based on the difference in panel heights.



Models on this page can also be used to create T-configurations with one lower-height perpendicular panel. Specify:
–Varied-height 4-way/X with two lower-height panels finish channel (10P**CNHLL) for the side with the lower-height perpendicular panel; and
–Same-height straight/T finish channel in the appropriate height for the straight side (10P**CNT).
Note: One of the fabric channels included with the varied-height model will not be used.

Straight/T finish channels
➤See page 311.

D	*W*	*H*	*Model*	*Price*
4-Way with Two Lower-Height In-Line Panels				
7/16"	2 3/8"	4"	**10P4CNHLL**	$87
		6"	**10P6CNHLL**	87
		8"	**10P8CNHLL**	87
		12"	**10P12CNHLL**	87
		14"	**10P14CNHLL**	87
		18"	**10P18CNHLL**	87
		20"	**10P20CNHLL**	87
		24"	**10P24CNHLL**	87
		26"	**10P26CNHLL**	87
		28"	**10P28CNHLL**	87
		32"	**10P32CNHLL**	87
		38"	**10P38CNHLL**	87
		46"	**10P46CNHLL**	87

Standard Includes

- Finish channel top cap
- Two fabric channels
- Two alignment clips
- Two in-line fill caps

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
⑤ Fabric grade
⑥ Fabric number

Trim Top Caps

Pricing

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



LTC1 LTC2



TTC1 TTC2 TTC3



TTC4 TTC5 TTC6



YTC1 XTC1

Select appropriate top cap for your application based on drawings at left.

When using a 3-way/T top cap, specify a straight finish channel that is the same height as the lower panels.

When using a 3-way varied-height finish channel, specify a 10PCNTTC5 or 10PCNTTC6 top cap, as well with a straight/T finish channel.
➤See page 312.

For 10PCNLTC1 and 10PCNLTC2, 10PCNTTC1, 10PCNTTC2, 10PCNTTC3, and 10PCNTTC4, specify a hi-lo end trim for the exposed edge of the higher panel.
➤See page 320.

Model	*Description*	*Price*
Corner/L Top Caps		
10PCNLTC1	Tops 2 varied height 90° perpendicular panels at low panels.	$28
10PCNLTC2	Tops 2 varied height 90° perpendicular panels at low panels.	28
3-Way/T Top Caps		
10PCNTTC1	Tops 3 varied height panels (2 low, 1 high) at low panels.	$28
10PCNTTC2	Tops 3 varied height panels (2 low, 1 high) at low panels.	28
10PCNTTC3	Tops 3 varied height panels (2 low, 1 high) at low panels.	28
10PCNTTC4	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
10PCNTTC5	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
10PCNTTC6	Tops 3 varied height panels (1 low, 2 high) at low panel.	28
3-Way/Y 120° Top Cap		
10PCNYTC1	Tops 3 same height panels	$28
4-Way/X Top Caps		
10PCNXTC1	Tops 4 same height panels (4 high) at all panels. Includes two alignment clips.	$28

Standard Includes

In-Line Fill Cap
- Fill cap
- Straight alignment clip

In-Line Connector Kit
- 2 in-line connectors
- 2 straight alignment clips

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

= Kwik Office model available.

In-Line Fill Caps

Pricing

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266





Model	*Description*	*Price*
In-Line Fill Cap		
10PCNIFC K	Fills gap between two in-line panels of varied height in straight panel run. For use with 10P and 11P panel models.	$26
In-Line Connector Kit		
10PCNIL K	Set of 2. For use in same-height 10P and 11P panel applications.	$28

Standard Includes

In-Line Fill Cap
- Fill cap
- Straight alignment clip

In-Line Connector Kit
- 2 in-line connectors
- 2 straight alignment clips

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile:
C = Crowned
④ Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

K = Kwik Office model available.

End Caps

Pricing

For Use with 10P Models Only

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



Model	*Description*	*Price*
Side Rail End Cap		
10PCNSREC Ⓚ	Covers top channel opening wherever panel side rail is exposed. Set of 6. For use with 10P panel models only.	$28
Wireway End Cap		
10PCNEC Ⓚ	Covers base of panel at end of panel run. Set of 6. For use with 10P panel models only.	$28

Standard Includes

- End Cap

How to Specify

❶ Model
❷ Top cap material (omit for wireway end cap):
P = Paint
③ Top cap profile (omit for wireway end cap):
C = Crowned
④ Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

Ⓚ = Kwik Office model available.

Full-Height End Trim

Pricing

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



D	*W*	*H*	*Model*	*Price*
2⅛"	½"	34"	**10P34EC**	$72
		42"	**10P42EC**	72
		48"	**10P48EC**	72
		54"	**10P54EC**	72
		62"	**10P62EC**	72
		66"	**10P66EC**	72
		80"	**10P80EC**	72

Standard Includes

- End trim

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)

= Kwik Office model available.

Hi-Lo End Trim

Pricing

For Use at In-Line Connections

GSA SIN 711-1



D	W	H	Model	Price
2⅛"	½"	4"	**10P4HTC**	$81
		6"	**10P6HTC**	81
		8"	**10P8HTC**	81
		12"	**10P12HTC**	81
		14"	**10P14HTC**	81
		18"	**10P18HTC**	81
		20"	**10P20HTC**	86
		24"	**10P24HTC**	86
		26"	**10P26HTC**	86
		28"	**10P28HTC**	86
		32"	**10P32HTC**	86
		38"	**10P38HTC**	86
		46"	**10P46HTC**	86

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Vertical end trim
- Two in-line fill caps

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)

= Kwik Office model available.

Hi-Lo End Trim

Pricing

For Use at L or T Connections

GSA SIN 711-1



D	W	H	Model	Price
2⅛"	½"	4"	**11P4HLT**	$53
		6"	**11P6HLT**	53
		8"	**11P8HLT**	53
		12"	**11P12HLT**	53
		14"	**11P14HLT**	53
		18"	**11P18HLT**	53
		20"	**11P20HLT**	58
		24"	**11P24HLT**	58
		26"	**11P26HLT**	58
		28"	**11P28HLT**	58
		32"	**11P32HLT**	58
		38"	**11P38HLT**	58
		46"	**11P46HLT**	58

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Vertical end trim
- In-line fill cap

How to Specify

❶ Model
❷ End trim material:
P = Paint
③ Top cap profile:
C = Crowned
④ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)

- Corner/L and 3-way/T top caps

➤See page 315.

= Kwik Office model available.

Connectors

Pricing

Traxx Starter Kits

GSA SIN 711-1





Specify the starter to match the height of the panel.

Traxx Panel Starter Kit includes only the necessary hardware to attach panel perpendicular to Traxx.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using Traxx panel starter kit or panel wall mount.

D	*W*	*H*	*Model*	*Description*	*Price*
Traxx Starter Kits					
1/4"	2"	29 7/8"	**10P34CNS**	For use with 34"H panel.	$121
		37 7/8"	**10P42CNS**	For use with 42"H panel.	121
		43 7/8"	**10P48CNS**	For use with 48"H panel.	121
		49 7/8"	**10P54CNS**	For use with 54"H panel.	121
		57 7/8"	**10P62CNS**	For use with 62"H panel.	121
		61 7/8"	**10P66CNS**	For use with 66"H panel.	121
		75 7/8"	**10P80CNS**	For use with 80"H panel.	121

Related Products:

D	*W*	*H*	*Model*	*Description*	*Price*
Traxx Panel-Height Full End Trim					
3/4"	1 1/2"	66"	**10P66CNETP**	For 66"H or shorter Interworks EQ panel. Use when using Traxx Panel Starter Kit at exposed end of Traxx (full to the floor). Specify paint to match adjoining panel.	$120

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Traxx starter
- In-line filler cap

How to Specify

Traxx Starter Kit

❶ Model
❷ Top cap material (omit for end trim):
P = Paint
③ Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)

End Trim

❶ Model
② Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)

Connectors

Pricing

Wall-Mount

GSA SIN 711-1



D	W	H	Model	Description	Price
Wall-Mount Connector					
1/4"	2"	29 7/8"	**10P34CNWMP** K	For use with 34"H panel.	$113
		37 7/8"	**10P42CNWMP** K	For use with 42"H panel.	113
		43 7/8"	**10P48CNWMP** K	For use with 48"H panel.	113
		49 7/8"	**10P54CNWMP** K	For use with 54"H panel.	113
		57 7/8"	**10P62CNWMP** K	For use with 62"H panel.	113
		61 7/8"	**10P66CNWMP** K	For use with 66"H panel.	113
		75 7/8"	**10P80CNWMP** K	For use with 80"H panel.	113

Specify the starter to match the height of the panel.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using or panel wall mount.

Specify same height panel.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- In-line fill cap

How to Specify

❶ Model
② Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

K = Kwik Office model available.

Electrical Components

Pricing

Power Distribution Assemblies

GSA SIN 711-1

Model	*Description*	*Function*	*Price*
Power Distribution Assemblies			
10P24ED K	For 24"W panel	Carries power to receptacles	$130
10P30ED K	For 30"W panel	Carries power to receptacles	130
10P36ED K	For 36"W panel	Carries power to receptacles	130
10P42ED K	For 42"W panel	Carries power to receptacles	130
10P48ED K	For 48"W panel	Carries power to receptacles	130
10P60ED K	For 60"W panel	Carries power to receptacles	130

Power distribution assemblies accommodate up to 4 receptacles.

Prior to 2007, Interworks used an unshielded 6-wire and 4-wire system. "Transitioning" models enable connection of previous- generation electrical system with the current 8-wire system.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Power distribution assembly

How to Specify

❶ Model
② Type of electrical system:
84 = 8-wire, 4-circuit

K = Kwik Office model available.

Electrical Components

Pricing

Jumper Cables

GSA SIN 711-1



Model	Description	Function	Price
Jumper Cables			
10PEJA K	From panel to panel	Routes power panel to panel	$64
10PEJB K	Thru finish channel	Routes power panel to panel straight through in-line finish channel or X connection	64
10PEJC K	Thru 90° or 120° connection	Routes power panel to panel around a turn	64
10P18EPTA K	Thru 18"W panel	Routes power panel to panel through 18"W panel	165
10P18EPTB K	Thru finish channel AND 18"W panel	Routes power panel to panel straight through in-line finish channel or X connection and an 18"W panel	165
Shielded Jumper Cables			
10PEJAS	From panel to panel	Routes power panel to panel; shielded with metal conduit	$104
10PEJBS	Thru finish channel	Routes power panel to panel straight through in-line finish channel or X connection; shielded with metal conduit	104
10PEJCS	Thru 90° or 120° connection	Routes power panel to panel around a turn; shielded with metal conduit	104
Jumper Cables for Transitioning from IP models to 10P or 11P Models			
Transitioning from 6-Wire to 8-Wire			
10PEJA68	From panel to panel	Routes power panel to panel	$165
10PEJB68	Thru finish channel OR 90° or 120° connection	Routes power panel to panel straight through in-line finish channel, X connection, or around a turn	165
Transitioning from 4-Wire to 8-Wire			
10PEJA48	From panel to panel	Routes power panel to panel	165
10PEJB48	Thru finish channel OR 90° or 120° connection	Routes power panel to panel straight through in-line finish channel, X connection, or around a turn	165

Prior to 2007, Interworks used an unshielded 6-wire and 4-wire system. "Transitioning" models enable connection of previous- generation electrical system with the current 8-wire system.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Jumper cable

How to Specify

❶ Model
② Type of electrical system:
84 = 8-wire, 4-circuit

K = Kwik Office model available.

Electrical Components

Pricing

Receptacles and Power Entries

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Model	Description	Function	Price
Duplex Receptacles			
For 3 + 1 Circuit Configuration			
10PER1 Ⓚ	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$33
10PER2 Ⓚ	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	33
10PER3 Ⓚ	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	33
10PER4 Ⓚ	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	33
For 2 + 2 Circuit Configuration			
10PER1 Ⓚ	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	$33
10PER2 Ⓚ	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	33
10PER4 Ⓚ	Circuit 4 (designated)	Delivers power from desig. circuit 4 with shared neutral and ground	33
10PER5 Ⓚ	Circuit 5 (designated)	Delivers power from desig. circuit 5 with shared neutral and ground	33
Base Power Entry			
10PEFPE1S Ⓚ	Straight base power entry	Provides access to power from the floor or wall; 120"L	$237
10PEFPE1L Ⓚ	Corner base power entry	Provides access to power from the floor or wall; 120"L	237
10PEFPE1E Ⓚ	End base power entry	Provides access to power from the floor or wall; 120"L	237
10PESPE1P Ⓚ	Side base power entry	Provides access to power from the floor or wall; 72"L	237
Ceiling Power Entry Assembly			
10PECPE1 Ⓚ	8-wire	Provides access to power from the ceiling. For use with ceiling power entry panel or power/data pole, specified separately. Access to ceiling power source is regulated by National Code to maximum 12 ft. conduit.	$237





Standard Includes

Receptacle
- Receptacle

Floor Power Entry
- Conduit is ½" trade size; actual outside diameter is ⅞"
- Cover plate for straight

Ceiling Power Entry Assemblly
- Junction box
- Jumper cable
- Hardware

How to Specify

❶ Model
② Type of electrical system:
84 = 8-wire, 4-circuit

Ⓚ = Kwik Office model available.

Electrical Components

Pricing

Hardwire

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



Model	*Description*	*Function*	*Price*
Junction Box Kit			
10PEHJB K		Required for field installation of hardwired electrical. Includes junction box and two end caps with knockouts: 462 Cinder	$50
Side Feed Plates			
10PEHSFP K	Set of 4	For side in-feed of power using hardwire junction box	$32
End Caps for Hardwire Applications			
10PEHEC K	End	Replaces wireway end cap at in-feed; 462 Cinder	$27
10PEHCC K	Corner	Replaces corner finish channel cover at in-feed; 462 Cinder	27
10PEHSC K	Straight	Replaces straight finish channel cover at in-feed; 462 Cinder	27
Raceway Removal Tool			
10PRT2R K	Set of 2.	Tool is required to remove hardwire raceway covers	No charge

How to Specify

Junction Box
❶ Model
② Width of panel

Side Feed Plates, End Caps, and Raceway Removal Tool
❶ Model

Standard duplex access is not available in 30"W or 36"W panels. Leviton brand or equivalent modular duplexes are required.

Junction box is required for field installation of hardwire electrical; not for use in 18"W panels.

Specify one raceway removal tool per order when specifying hardwire panels.

K = Kwik Office model available.

Electrical Components

Pricing

New York City

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



Model	*Description*	*Price*
New York City Retrofit Kits		
10P30EHPA K	For 30"W panel	$820
10P36EHPA K	For 36"W panel	820
10P42EHPA K	For 42"W panel	820
10P48EHPA K	For 48"W panel	820
10P60EHPA K	For 60"W panel	820

NYC electrical is only required in starter panels (first panel in run)

They are not for use in 18"W or 24"W panels.

Standard Includes

- Internal wireway with hardwire electrical system
- Jumper cable
- Junction box assembly
- Two end caps: 462 Cinder
- Wireway covers; one with knock-outs to punch as needed, one blank.

How to Specify

❶ Model
② Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

K = Kwik Office model available.

Power/Data Poles

Pricing

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266







D	W	H	Model	Function	Price
Straight/T or 4-Way/X					
2⅛"	2⅛"	10'	**10PCPDPSP** K	Used to run voice/data cables and/or electrical from ceiling to panel	$135
Corner/L					
2⅛"	2⅛"	10'	**10PCPDPLP** K	Used to run voice/data cables and/or electrical from ceiling to panel	$135
End					
2⅛"	2⅛"	10'	**10PCPDPEP** K	Used to run voice/data cables and/or electrical from ceiling to panel	$135

Standard Includes

- Poles
- Cover
- Ceiling plate
- Appropriate base cover
- Alignment clips
- In-line fill caps

How to Specify

❶ Model
② Top cap profile:
C = Crowned
③ Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

Poles accommodate up to two ceiling power entry assemblies, specify separately.

Ceiling power entry assembly
➤See page 325.

K = Kwik Office model available.

Data Components

Pricing

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



Model	*Description*	*Function*	*Price*
Data Cover Plates			
10PECP1 K	Painted/grommet;	Used to run voice/data into panel. Set of 6.	$41
10PEHRCP K	Painted	Covers access windows no longer in use. Set of 6.	41
Tinnerman Clips			
10ATMC K	Package of 100	Attaches to cutout to provide screw location for attachment of coverplates and data ports. Order additional Tinnerman clips only when using cover plates or data ports purchased commercially.	$26

Standard Includes

- Cover plate or clips

How to Specify

Cover Plates

❶ Model
② Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

Tinnerman Clips

❶ Model

K = Kwik Office model available.

Data Channels

Pricing

Straight/T and Corner/L

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266





D	*W*	*H*	*Model*	*Price*
Straight/T Data Channels				
2⅛"	2⅛"	42"	**10P42EDCT** K	$114
		48"	**10P48EDCT** K	114
		54"	**10P54EDCT** K	114
		62"	**10P62EDCT** K	114
		66"	**10P66EDCT** K	114
		80"	**10P80EDCT** K	114
Corner/L Data Channels				
2⅛"	2⅛"	42"	**10P42EDCL** K	$114
		48"	**10P48EDCL** K	114
		54"	**10P54EDCL** K	114
		62"	**10P62EDCL** K	114
		66"	**10P66EDCL** K	114
		80"	**10P80EDCL** K	114

Standard Includes

- Cover
- Channel top cap
- Base cover
- Alignment clip
- In-line fill caps

How to Specify

❶ Model
❷ Top cap material:
P = Paint
③ Top cap profile
C = Crowned
④ Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

Communication channels are used to run voice/data cables through two adjacent panels at different heights.

Knockouts are provided at each panel height to allow for communication access.

K = Kwik Office model available.

Data Channels

Pricing

In-Line

GSA SIN 711-1

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266



D	W	H	Model	Price
In-Line Data Channels				
2⅛"	2⅛"	4"	**10P04EDCI**	$72
		6"	**10P06EDCI**	72
		8"	**10P08EDCI**	72
		12"	**10P12EDCI**	72
		14"	**10P14EDCI**	72
		18"	**10P18EDCI**	72
		20"	**10P20EDCI**	72
		24"	**10P24EDCI**	72
		26"	**10P26EDCI**	72
		28"	**10P28EDCI**	72
		32"	**10P32EDCI**	72
		38"	**10P38EDCI**	72
		46"	**10P46EDCI**	72

Standard Includes

- Cover
- Channel top cap
- Base cover
- In-line fill caps
- Top cap for lower height panel
- Alignment clip

How to Specify

❶ Model
❷ Top cap:
P = Paint
③ Width of lower height panel
④ Top cap profile (for lower height panel):
C = Crowned
⑤ Finish designator:
Paint number or
501 = Platinum Metallic (+10%)

Data channels are used to run voice/data cables through two adjacent panels at different heights.

Knockouts are provided at each panel height to allow for communication access.

For 4-way/X configurations, use in-line data channels plus in-line fill caps for each lower panel in the configuration.

Vertical Cable Managers

Pricing

GSA SIN 711-1

D	W	H	Model	Description	Price
Black					
7/8"	1"	15 3/8"	**10AVCM16B**	For use on 62"H panel.	$15
		19 3/8"	**10AVCM20B**	For use on 66"H panel.	19
Fabric Covered					
7/8"	1"	15 3/8"	**10AVCM16**	For use on 62"H panel.	$29
		19 3/8"	**10AVCM20**	For use on 66"H panel.	32

Vertical cable managers are used to guide task light cords from overhead to standard worksurface height.

Features ➤See page 244
Application Guidelines 254
Power & Data Overview 261
Circuit Configurations 266

Standard Includes

- Vertical cable manager

How to Specify

Fabric-Covered Vertical Cable Managers

❶ Model
② Fabric grade
③ Fabric number

Black Vertical Cable Managers

❶ Model

TRAXX® & TILES

System

Table of Contents

	➤See page
Statement of Line	334
Planning	335
Features Overview	335
Traxx & Tiles Product Info	336
Installation & Planning	337
Presentation Tools	338
Pricing & Specifying	339
Traxx Components	339
Tiles	340
Presentation Tools	344
End Trim and Trim Caps	345
Trim Channels	346
Vertical Cable Managers	346
Traxx Brackets	347
Spacers	347

TRAXX® & TILES

and Presentation Tools

Statement of Line

Features	➤See page 335
Traxx & Tiles Product Info	336
Installation & Planning	337
Presentation Tools	338



Traxx
➤See page 339 to specify.



Fastener Concealment
➤See page 339 to specify.



Fabric Tiles
➤See page 340.



Marker Board Tiles
➤See page 341.



Slat Tiles
➤See pages 342–343 to specify.



Flexboards
➤See page 344 to specify.



Extendable Flip Chart Holder
➤See page 344 to specify.

Swivel Marker Board
➤See page 344 to specify.

Presentation Rail
➤See page 344 to specify.

Flip Chart Holder
➤See page 344 to specify.



End Trim
➤See page 345 to specify.

Trim Caps
➤See page 345 to specify.



Trim Channels and Vertical Cable Manager
➤See page 346 to specify.



Attachment Bracket Kits
➤See page 347 to specify.

Features

Overview

Statement of Line	➤See page 334
Traxx & Tiles Product Info	336
Installation & Planning	337
Presentation Tools	338

Traxx is a unique horizontal rail system that attaches to existing architecture, allowing free, off-module placement of Kimball Office components. Place storage, worksurfaces, tiles and panels wherever you need them.



Overhead storage can be mounted to upper Traxx.

Traxx can be mounted to most interior walls, including steel or wood stud walls, masonry block, or solid masonry walls.

Upper Traxx can be mounted to correspond with appropriate panel heights or at 80"H for conference room applications.

Tiles mount between upper and lower Traxx to add functionality to the workspace.

Worksurfaces can be mounted to lower Traxx.

Presentation tools hang from upper Traxx and slide along rail.
➤See page 344.

Fabric and standard marker board tiles can be scribed in the field to meet individual requirements.

Related Products:

Vertical cable manager is available to route cords. It is available in fabric or black plastic.
➤See page 346.

Paper Management/
Work Tools
➤See the Perks Price List.

Traxx and Tiles

Features ➤See page 335
Installation & Planning 337
Presentation Tools 338

Details



Traxx is available in lengths of 72" and 144", and can be scribed in the field. Traxx models include:
- Two Traxx (72" or 144")
- Four splice plates

Tiles are available in fabric, slat, or marker board models. Fabric and standard marker board tiles can be scribed in the field. Tile models include:
- Tile
- Two trim channels

Marker board tiles add convenient, erasable writing space and are ideal for offices, training rooms, and conference areas. Available in laminate or magnetic porcelain.

Slat tiles offer flexibility in placement of work tools. Selecting the slat tile with fabric above is an economical alternative when overhead storage will be used.

Two trim channels, standard with each tile, provide an expansion joint, wire manager attachment, and compensate for out-of-plumb walls. Additional trim channels are available, if required, for tiles that have been scribed in the field.

Finishes & Materials

Traxx
- Paint

End Trim
- Paint, except 499 Satin

Trim Cap
- Paint
- Wood finishes

Tiles
- Fabric
- Slat: paint
- Marker board: 409M Icey White or 483M Off White

Trim Channels
- Fabric
- Paint

Connections



Traxx are mounted horizontally permitting complete tie-in to all studs.

No additional blocking is required to support Traxx, if walls are designed and built to specifications outlined. ➤See page 337 for application guidelines.



Fastener concealment is used to conceal splice plates and fasteners. It does not interfere with mounted components and does not require any additional tools for installation. Fastener concealment is available in vinyl or felt. Vinyl must be specified when using presentation tools.



Splice plates are required to align two sections of Traxx in-line or when turning corners. They are easily modified in the field to accommodate angles or corners.

Planning Factors

Traxx can be mounted at any height if not corresponding to other products. ➤See page 337 for mounting heights to correspond to panel applications.

To custom paint Traxx in the field, specify 480 Antique White. Schedule delivery to precede the rest of the order to provide time for painting. Traxx should be lightly sanded before painting. Enamel based paints are recommended.

Traxx and tiles, excluding porcelain marker board) can be scribed in the field to the desired size.

Related Products

Traxx panel starter kits allow attachment of a panel anywhere along Traxx.

Full end trim is available to finish the end of tile between upper and lower Traxx.

Panel-height full end trims are available for use with Traxx panel starter kit.

Single end trim finishes the end of a single Traxx rail, if stopping Traxx short of an intersecting wall.

Trim cap slips into the top ledge of the upper Traxx to provide continuity with panel heights. ➤See page 345.

Features ➤See page 335
Traxx & Tiles Product Info 336
Presentation Tools 338

Installation Heights:

Traxx should be installed at heights to correspond with the appropriate application.

Compatible with Cetra and Xsite:



Overhead Cabinets	66⅞"H
Worksurfaces	28½"H
Conferencing Solutions	78⅞"H

Note: 37"H tiles coordinate with Cetra and Xsite 68"H applications.

Compatible with Interworks EQ:



Overhead Cabinets	65½"H
Worksurfaces	28½"H
Conferencing Solutions	78⅞"H

Note: 36"H tiles coordinate with Interworks EQ 66"H applications.



Determine proper position of Traxx using centerline of lower Traxx as a reference point.

Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered.

Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical.



Traxx extends ¾" from the wall. This dimensional loss should be considered when space planning for components, when Traxx are being used on 2 or more walls of a space.

When planning components for the entire length of the wall, total length of storage components should be a minimum of 1½" less than the total length of the wall. Filler panels may be specified to fill any remaining space.

Select worksurfaces and tiles can be field scribed to fit space.

In fixed wall Traxx applications, choose your tile height based on your specific application. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface.

Recommended Fasteners:



Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Traxx. Kimball Office defines a structural wall as a loadbearing wall constructed of materials such as poured concrete, concrete block, or studs.

Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer.

Type and Size	*Commercial Model #*
Steel studs (½" to ¾" drywall)	
Hilti® Toggler® anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	374494
Wood studs (¼" to ½" drywall) *Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.*	
Pan head sheet metal screw	10-2 PHPMS
Solid Masonry	
Crown Bolt lag shields ¼" x 1½"	
Buildex Tapcon concrete anchor screw ¼" x 2¾"	24385
Masonry Block	
Hilti Toggler anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	374494
Crown Bolt lag shields ¼" x 1½"	
Buildex Tapcon concrete anchor screw ¼" x 2¾"	24385

➤See assembly instructions on www.kimballoffice.com.

Minimum Requirements:

- Wood studs must be nominal 2" x 4" minimum.
- Metal studs must be "C" channel, 20 gauge minimum thickness.
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling.
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13).
- Traxx may not extend more than 6" beyond the last solid attachment point.
- Minimum width of Traxx that can be attached to a wall is 16" mounted to studs 16" apart.
- If an overhead is being mounted, the minimum width for Traxx is 24" with the Traxx being centered on studs 16" apart, so as not to extend more than 6" beyond the last solid attachment point.

Presentation Tools

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337

Details



Flexboards provide tackable fabric or marker board surfaces that can be positioned easily for your convenience. Flexboards hang from the center reveal of the upper Traxx. They can also hang off the top edge of the upper Traxx; however, the anti-dislodgement feature will be inactive in this position.

Flexboards are reversible. They are available in fabric/marker board and marker board/ marker board combinations. Marker board surfaces are porcelain/magnetic.



Swivel marker board hangs from the upper Traxx channel which allows it to pass over flexboards, flip chart holder, and extendable flip chart holder. It will swivel 45° for maximum flexibility. Pen holder is included.



Extendable flip chart holder provides an ergonomically correct surface for writing on flip charts. It pulls out from the wall at a 20° angle for access and to allow pages to be flipped over the back of the chart and remain attached. Ships with one pad of paper. There is a marker board surface beneath the pad. Concealed rollers on extendable flip chart holder are standard to hold any pages that are torn from the flip chart pad. Pen holder is included.

Anti-dislodgement feature on all boards keeps them in place as they move along the Traxx. Boards may be used with or without tiles.

Presentation rail is 36"W and can be used on the lower Traxx to hold presentation materials. It can also be used as an eraser tray. End caps allow two rails to be joined together to create a longer display surface. A smooth transition is accomplished by removing one end cap and inserting the exposed rail into the end cap of another rail.

Flip chart holder hangs on upper Traxx and can be repositioned easily. It holds standard size flip chart pads. Pegs are adjustable. Flip chart holder is equipped with concealed rollers to hold any pages that are torn from the flip chart pad.

Finishes & Materials

Flexboard Fabric
- 2913 Charcoal Grey
- 2914 Natural Linen

Flexboard Marker Board
- White magnetic porcelain

Presentation Rail
- Black only

Flip Chart Holders/Board Frames
- Anodized aluminum

Traxx Components

Pricing

GSA SIN 711-1







D	W	H	Model	Price
Traxx				
11/16"	72"	2"	**TTWMT72** KO	$313
	144"		**TTWMT144** KO	449
Splice Plates				
	4"	7/8"	**TTSP04** KO	$9
Fastener Concealment				
	700"	7/8"	**TTCS**	$53
	700"	7/8"	**TTCFC** KO	30

Traxx can be cut to size in the field.

IMPORTANT: Specify vinyl fastener concealment when using presentation tools. Accommodates two sets of Traxx

Four splice plates are included with each set of Traxx. Specify additional splice plates only if needed for your installation.

Trim Channels
➤See page 346.

Overhead Mounting Brackets
➤See page 544.

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338

Standard Includes

Traxx
- Set of 2 Traxx
- Four splice plates

Splice Plates
- Set of 4 plates

Fastener Concealment
- Roll: black vinyl or black felt

How to Specify

Traxx
❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Splice Plates or Fastener Concealment
❶ Model

KO = Kwik Office model available.

Fabric Tiles

Pricing

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
36"H Tiles (Compatible with the Heights of Interworks EQ Panels)								
½"	12"	35½"	**HIT1236A** K	$245	$271	$290	$313	$377
	18"		**HIT1836A** K	272	298	317	340	404
	24"		**HIT2436A** K	281	307	326	349	413
	30"		**HIT3036A** K	328	354	373	396	460
	36"		**HIT3636A** K	338	364	383	406	470
	42"		**HIT4236A** K	349	375	394	417	481
	48"		**HIT4836A** K	360	386	405	428	492
	54"		**HIT5436A** K	395	421	440	463	527
	60"		**HIT6036A** K	400	451	490	536	665
37"H Tiles (Compatible with the Heights of Xsite and Cetra Panels)								
½"	12"	36⅞"	**FIT1237A**	$253	$270	$282	$299	$326
	18"		**FIT1837A**	277	299	314	336	371
	24"		**FIT2437A**	289	313	330	355	393
	30"		**FIT3037A**	337	366	386	416	462
	36"		**FIT3637A**	349	378	398	428	474
	42"		**FIT4237A**	358	387	407	437	483
	48"		**FIT4837A**	370	399	419	449	495
	54"		**FIT5437A**	409	438	458	488	534
	60"		**FIT6037A**	413	451	479	519	579
49"H Tiles (Compatible with the Heights of Conferencing Solutions)								
½"	12"	48⅞"	**FIT1249A**	$285	$302	$314	$331	$358
	18"		**FIT1849A**	317	339	354	376	411
	24"		**FIT2449A**	333	357	374	399	437
	30"		**FIT3049A**	390	419	439	469	515
	36"		**FIT3649A**	394	423	443	473	519
	42"		**FIT4249A**	410	439	459	489	535
	48"		**FIT4849A**	423	452	472	502	548
	54"		**FIT5449A**	470	499	519	549	595
	60"		**FIT6049A**	472	510	538	578	638

Standard Includes

- Fabric tile
- 2 matching trim channels

How to Specify

❶ Model
② Railroaded fabric option (omit for 36"H tiles):
Y = Yes
N = No
③ Fabric grade
④ Fabric number

IMPORTANT: 37"H tiles correspond to 68"H Xsite and Cetra panels; 36"H tiles correspond to 66"H Interworks EQ panels.

Tiles can be field scribed. Additional trim channels should be specified separately if additional tiles are created.
➤See page 346.

Railroaded fabric option is available on 37"H tiles compatible with Xsite tiles. Fabric is turned 90° and applied to the tile when this option is selected.

Conferencing Solutions
➤See the Tables Price List

K = Kwik Office model available.

Marker Board Tiles

Pricing

GSA SIN 711-1

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338



			Laminate		Magnetic Porcelain	
D	*W*	*H*	*Model*	*Price*	*Model*	*Price*
36"H Tiles (Compatible with the Heights of Interworks EQ Panels)						
½"	24"	35½"	**HIT2436M**	$498	—	—
	30"		**HIT3036M**	499	—	—
	36"		**HIT3636M**	561	—	—
	42"		**HIT4236M**	604	—	—
	48"		**HIT4836M**	730	—	—
	54"		**HIT5436M**	734	—	—
	60"		**HIT6036M**	741	—	—
37"H Tiles (Compatible with the Heights of Xsite and Cetra Panels)						
½"	24"	36⅞"	**FIT2437M**	$513	**FIT2437PMM**	$537
	30"		**FIT3037M**	515	**FIT3037PMM**	539
	36"		**FIT3637M**	577	**FIT3637PMM**	622
	42"		**FIT4237M**	621	**FIT4237PMM**	624
	48"		**FIT4837M**	754	**FIT4837PMM**	859
	54"		**FIT5437M**	758	**FIT5437PMM**	867
	60"		**FIT6037M**	762	**FIT6037PMM**	879
49"H Tiles (Compatible with the Heights of Conferencing Solutions)						
½"	24"	48⅞"	**FIT2449M**	$599	**FIT2449PMM**	$654
	30"		**FIT3049M**	602	**FIT3049PMM**	658
	36"		**FIT3649M**	670	**FIT3649PMM**	754
	42"		**FIT4249M**	727	**FIT4249PMM**	829
	48"		**FIT4849M**	880	**FIT4849PMM**	1034
	54"		**FIT5449M**	884	**FIT5449PMM**	1233
	60"		**FIT6049M**	890	**FIT6049PMM**	1349

IMPORTANT: 37"H tiles correspond to 68"H Xsite and Cetra panels; 36"H tiles correspond to 66"H Interworks EQ panels.

Tiles can be field scribed (excluding porcelain marker board). Additional trim channels should be specified separately if additional tiles are created.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Trim Channels
➤See page 346.

Standard Includes

Laminate Marker Board
- Markerboard tile: Icey White or Off White laminate
- 2 complementary trim channels

Magnetic Porcelain
- Magnetic porcelain tile: white
- 2 complementary trim channels

How to Specify

❶ Model
② Laminate finish designator (omit for porcelain marker board):
409M Icey White
483M Off White

Slat Tiles

Pricing

36"H Compatible with the Heights of Interworks EQ Panels

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338









Grooves are ½" each

Slats are 1"H

D	W	H	Model	Price	Fabric Price Grade A or COM	B	C	D	E
Full Slat Tile									
½"	24"	35½"	**HIT2436SS36P**	$1303	—	—	—	—	—
	30"		**HIT3036SS36P**	1310	—	—	—	—	—
	36"		**HIT3636SS36P**	1496	—	—	—	—	—
	42"		**HIT4236SS36P**	1498	—	—	—	—	—
	48"		**HIT4836SS36P**	1663	—	—	—	—	—
16"H Slat and 20"H Fabric									
½"	24"	35½"	**HIT2436SS16**	—	$1055	$1074	$1088	$1108	$1138
	30"		**HIT3036SS16**	—	1061	1080	1094	1114	1144
	36"		**HIT3636SS16**	—	1212	1231	1245	1265	1295
	42"		**HIT4236SS16**	—	1214	1233	1247	1267	1297
	48"		**HIT4836SS16**	—	1349	1368	1382	1402	1432
24"H Slat and 12"H Fabric									
½"	24"	35½"	**HIT2436SS24**	—	$1174	$1188	$1199	$1214	$1236
	30"		**HIT3036SS24**	—	1180	1194	1205	1220	1242
	36"		**HIT3636SS24**	—	1345	1359	1370	1385	1407
	42"		**HIT4236SS24**	—	1349	1363	1374	1389	1411
	48"		**HIT4836SS24**	—	1497	1511	1522	1537	1559

IMPORTANT: 36"H tiles correspond to 66"H Interworks EQ panels.

One single monitor arm can be accommodated per full slat tile.

Work Tools and Monitor Arms
➤See the Perks Price List.

Trim Channels
➤See page 346.

Standard Includes

- Tile
- 2 matching trim channels

How to Specify

Full Slat Tiles

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Slat and Fabric Tiles

❶ Model
❷ Trim channel option:
N = Fabric trim channel
P = Painted trim channel
③ Fabric grade
④ Fabric number
⑤ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Finish designator

Slat Tiles

Pricing

37"H Compatible with the Heights of Xsite or Cetra Panels

GSA SIN 711-1
COM GSA Non-Contract

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338









Grooves are ½" each

Slats are 1"H

D	W	H	Model	Price	Fabric Price Grade A or COM	B	C	D	E
Full Slat Tile									
½"	24"	36⅞"	**FIT2437SS37P**	$1303	—	—	—	—	—
	30"		**FIT3037SS37P**	1310	—	—	—	—	—
	36"		**FIT3637SS37P**	1496	—	—	—	—	—
	42"		**FIT4237SS37P**	1498	—	—	—	—	—
	48"		**FIT4837SS37P**	1663	—	—	—	—	—
16"H Slat and 21"H Fabric									
½"	24"	36⅞"	**FIT2437SS16**	—	$1055	$1074	$1088	$1108	$1138
	30"		**FIT3037SS16**	—	1061	1080	1094	1114	1144
	36"		**FIT3637SS16**	—	1212	1231	1245	1265	1295
	42"		**FIT4237SS16**	—	1214	1233	1247	1267	1297
	48"		**FIT4837SS16**	—	1349	1368	1382	1402	1432
24"H Slat and 13"H Fabric									
½"	24"	36⅞"	**FIT2437SS24**	—	$1174	$1188	$1199	$1214	$1236
	30"		**FIT3037SS24**	—	1180	1194	1205	1220	1242
	36"		**FIT3637SS24**	—	1345	1359	1370	1385	1407
	42"		**FIT4237SS24**	—	1349	1363	1374	1389	1411
	48"		**FIT4837SS24**	—	1497	1511	1522	1537	1559

IMPORTANT: 37"H tiles correspond to 68"H Xsite and Cetra panels.

One single monitor arm can be accommodated per full slat tile.

Work Tools and Monitor Arms
➤See the Perks Price List.

Trim Channels
➤See page 346.

Standard Includes

- Tile
- 2 matching trim channels

How to Specify

Full Slat Tile

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Slat or Fabric Tile

❶ Model
❷ Trim channel option:
N = Fabric trim channel
P = Painted trim channel
③ Railroaded fabric option:
Y = Yes
N = No
④ Fabric grade
⑤ Fabric number
⑥ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑦ Finish designator

Presentation Tools

Pricing

GSA SIN 711-1

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338









All boards hang off upper Traxx and can be used with or without tiles.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

D	*W*	*H*	*Model*		*Price*
Flexboards					
Marker/Marker (Porcelain Magnetic)					
1⅛"	35 7/16"	32"	**TPT3632MMFALUM**		$966
1⅛"	35 7/16"	46⅝"	**TPT3647MMFALUM**		1291
Marker/Tackable Fabric					
1⅛"	35 7/16"	46⅝"	**TPT3647MFF**		$1330
Extendable Flip Chart Holder with Pen Holder					
3⅜"	31½"	48⅜"	**TPT3248EFCH**		$1682
Swivel Marker Board with Pen Holder					
2"	47¾"	52½"	**TPT4853SMBALUM**		$2777
Presentation Rail					
3"	36"	2½"	**FPR36**	Cinder	$139
Flip Chart Holder					
1⅜"	31½"	2¾"	**FM3203FCH**	Anodized aluminum	$517

Standard Includes

- Frame: anodized aluminum
- Mounting hardware
- Extendable flip chart holder includes one pad of paper with extendable flip chart holder, adjustable pegs, and white magnetic porcelain marker board below pad
- Pen holder on flexboard
- End caps on presentation rail

How to Specify

Marker/Tackable Fabric Flexboard

❶ Model
❷ Fabric:
2913 = Charcoal Grey
2914 = Natural Linen

Marker/Marker Flexboard, Extendable, Flip Chart Holder, Swivel Marker Board, or Presentation Rail

❶ Model

End Trim and Trim Caps

Pricing

GSA SIN 711-1

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338





D	W	H	Model	Price
Full End Trim				
For use with 37"H Cetra Tiles				
11⁄16"	1½"	40"	**TTET40**	$91
For Use with 36"H Interworks EQ Tiles				
11⁄16"	1½"	39"	**TTET39** K	$87
For Use with 49"H Conferencing Solutions Tiles				
11⁄16"	1½"	52"	**TTET52**	$105
Single End Trim				
11⁄16"	1½"	2"	**TTET02** K	$35
Trim Caps				
Wood				
9⁄16"	72"	15⁄16"	**TTC72W**	$103
Paint				
9⁄16"	72"	15⁄16"	**TTC72P**	103

Standard Includes

- End trim or trim cap

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Specify end trim for finish detail when end of Traxx and tiles are exposed. Use full end trim to cover the exposed edge of tile and upper and lower Traxx Use single end trim to cover the end of a single Traxx.

Trim cap slips into the top ledge of the upper Traxx to add finishing detail for Traxx applications.

Full end trim may be used for finish detail when end of wall mounted overhead is exposed.

K = Kwik Office model available.

Trim Channels and Vertical Cable Managers

Pricing

GSA SIN 711-1

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338



D	W	H	Model	Description	Price
Trim Channels					
For Use with 37"H Xsite or Cetra Tiles					
½"	¾"	36⅞"	**TTTC37N**	Fabric; one trim channel	$54
			TTTC37P	Paint; one trim channel	47
For Use with 36"H Interworks EQ Tiles					
½"	¾"	35⅞"	**TTTC36N** K	Fabric; one trim channel	$53
			TTTC36P K	Paint; one trim channel	44
For Use with 49"H Conferencing Solutions Tiles					
½"	¾"	48⅞"	**TTTC49N**	Fabric; one trim channel	$61
			TTTC49P	Paint; one trim channel	58
Vertical Cable Managers					
For Use with Standard-Height Square or Radius Profile Overheads and 37"H Tiles					
1"	1"	18¾"	**TTVCM19B**	Black	$32
			TTVCM19N	Fabric	44
For Use with Curved, Lunar, Bevel, or Reduced-Height Square and Radius Profile Overheads and 37"H Tiles; or Curved, Lunar, and Bevel Profile Overheads and 36"H Tiles					
1"	1"	19½"	**TTVCM20B** K	Black	$32
			TTVCM20N K	Fabric	42

Trim channels are provided with all tiles. Specify only if additional trim channels are required.

Vertical cable manager engages between the tile and trim channel.

Railroaded fabric option is available on 37"H and 49"H trim channels or 37"H vertical cable managers for use with Xsite.

Standard Includes

- Trim channel or cable manager

How to Specify

Trim Channels

❶ Model
② Railroaded fabric option (applies to TTTC37N and TTTC49N only):
Y = Yes
N = No
③ If paint, finish price group:
STD = Group 1
STDM = Group M (+10%)
If fabric, fabric grade
④ Finish designator or fabric number

Vertical Cable Managers

❶ Model
② Railroaded fabric option (applies to TTVCM19N only):
Y = Yes
N = No
③ Fabric grade (include for fabric models only)
④ Fabric number (include for fabric models only)

K = Kwik Office model available.

Brackets and Traxx Spacers

Pricing

GSA SIN 711-1

Features ➤See page 335
Traxx & Tiles Product Info 336
Installation & Planning 337
Presentation Tools 338













D	W	H	Model	Description	Price
Worksurface Bracket					
			IBTWS Ⓚ	Single bracket	$13
Overhead Bracket					
For Use with Radius, Square, and Curved Profile Overhead Storage Units					
			FBOTS	Single bracket. Specify two brackets for use with 24"W–48"W overheads; specify four brackets for use with 60"W–72"W overheads	$17
For Use with Bevel and Flat Profile Overhead Storage Units					
1⅛"	3⅝"	16⅝"	**ISBRKT** Ⓚ	Set of 2; one set required per overhead	$35
For Use with Lunar Profile Overhead Storage Units					
			24STXOHB	Set of 2; specify one set per 24"–48"W overhead	$34
			24STXOHB3	Set of 3; specify one set per 60"–72"W overhead	55
Traxx Spacers					
For use with Radius, Square, and Curved Profile Overhead Storage Units					
⅝"	71 13/16"	1"	**TTBS72**	One 72"L section; black.	$27
For use with Bevel and Flat Profile Overhead Storage Units					
½"	3⅜"	14⅛"	**ISBRKTSO** Ⓚ	Set of 2; one set required per overhead.	$70
For use with Lunar Profile Overhead Storage Units					
½"	3⅜"	12"	**24STXOHSO**	Set of 2; one set required per overhead.	$72

Specify Traxx spacer when Traxx mounting overheads without tiles. ➤See the Footprint Storage chapter for planning information.

Standard Includes

- Bracket(s)

How to Specify

Overhead Brackets and Traxx Spacers for Use with Bevel, Flat, or Lunar Profile Overheads

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

All others

❶ Model

Ⓚ = Kwik Office model available.

Notes

FOOTPRINT®

Worksurfaces, Support, Mobile Tables, and Storage



	➤See page
Worksurfaces & Support	350
Statement of Line	350
Features Overview	356
Product Information	357
Application Guidelines	358
Pricing & Specifying	370
1 3/16" Worksurfaces	370
1 9/16" Worksurfaces	436
Transaction Counters	453
Table Tops	454
Support	458
Mobile Tables	471
Statement of Line	471
Features Overview	472
Pricing & Specifying	473
Storage	475
Statement of Line	475
Features Overview	480
Product Information	481
Filing Capacities	482
Locking Information	501
Lock Core Requirements	502
Pricing & Specifying	505
Undersurface Storage	505
Low Storage	518
Overhead Storage	525
Vertical Storage	548

1 3/16" Worksurfaces

Statement of Line

Features ➤See page 356
Product Information 357
Application Guidelines 358



Straight
➤See pages 370–376 to specify.

Arc
➤See page 377 to specify.

Wedge*
Available in left and right models.
➤See pages 378–381 to specify.



Serpentine*
Available in left and right models.
➤See pages 382–383 to specify.



Corner
Available in curved, straight, split, and extended curved* models.
➤See pages 384–392 to specify.



Serpentine Corner*
Available in left and right models.
➤See pages 393–396 to specify.



120° Curved Corner*
Available in left and right models.
➤See pages 397 to specify.

Extended Straight*
Available in left and right models.
➤See pages 398–421 to specify.



Extended Arc*
Available in left and right models.
➤See page 422 to specify.



Extended Wedge*
Available in left and right models.
➤See pages 424–426 to specify.



Extended P Tops
Available in left and right models.
➤See page 427 to specify.



Extended U Tops
Available in left and right models.
➤See pages 428–429 to specify.



P Tops
Available in left and right models.
➤See page 430 to specify.

U Tops
Available with full radius or crowned end*.
➤See pages 431–432 to specify.



D-Shape
➤See page 433 to specify.



Quarter Round*
➤See page 434 to specify.

Wire Manager Filler Caps
➤See page 435 to specify.

Grommet locations are indicated on the illustrations above.
L = Left R = Right C = Center
Note: Not all grommet locations are available for all surfaces. Use electronic specification tools for available options.

Right-hand worksurfaces are shown.

Shapes marked with an asterisk (*) are unique to the 1 3/16" offering.

1 9/16" Worksurfaces

Statement of Line

Features ➤See page 356
Product Information 357
Application Guidelines 358



Straight
➤See pages 436–440 to specify.



Arc
➤See page 441 to specify.



Extended P Tops
Available in left and right models.
➤See page 442 to specify.



Extended U Tops
Available in left and right models.
➤See page 443 to specify.



P Tops
Available in left and right models.
➤See page 444 to specify.

U Tops
➤See page 445 to specify.



Straight Corner
➤See pages 446–447 to specify.



Straight Split Corner
➤See page 448 to specify.



Curved Corner
➤See pages 449–450 to specify.

Wire Manager Filler Caps
➤See page 435 to specify.

Grommet locations are indicated on the illustrations above.
L = Left R = Right C = Center
Note: Not all grommet locations are available for all surfaces. Use electronic specification tools for available options.

Right-hand worksurfaces are shown.

Shapes marked with an asterisk (*) are unique to the 1 3/16" offering.

Transaction Counters & Table Tops

Statement of Line

Features ➤See page 356
Product Information 357
Application Guidelines 358

Straight Transaction Counter
For use with Xsite and Interworks EQ.
➤See page 453 to specify.

Straight Transaction Counter
For use with Cetra.
➤See page 451 to specify.

End Counter Soffit
For use with Cetra.
➤See page 452 to specify.

Straight Counter Soffit
For use with Cetra.
➤See page 452 to specify.



Round Table Tops
Available in 1 3/16" and 1 9/16" thicknesses.
➤See pages 454–455 to specify.



Square Table Tops
Available in 1 3/16" thickness only.
➤See page 454 to specify.



Rectangular Table Tops
Available in 1 3/16" thickness only.
➤See page 454 to specify.



Racetrack Table Tops
Available in 1 3/16" and 1 9/16" thicknesses.
➤See pages 454–455 to specify.

Worksurface Support

Statement of Line

For use with Panel Systems

Features ➤See page 356
Product Information 357
Application Guidelines 358



Xsite Worksurface Edge Support
➤See page 458 to specify.



Xsite End-Support Leg
➤See page 458 to specify.



Xsite Mid-Support Leg
➤See page 458 to specify.

Xsite Stick Support Leg
➤See page 458 to specify.



Xsite Adjustable Mid-Support and Flat Brackets
➤See page 458 to specify.



Xsite Transaction Counter
➤See page 458 to specify.

Cetra Edge Brackets
➤See page 456 to specify.



Cetra Drop and Flat Brackets
➤See page 456 to specify.



Cetra Cantilevers
➤See page 457 to specify.



Cetra Support Panels
➤See page 457 to specify.

Interworks EQ Edge Support Brackets
➤See page 460 to specify.



Interworks EQ Transaction Counter Brackets
➤See page 460 to specify.



Interworks EQ Drop and Flat Brackets
➤See page 460 to specify.



Interworks EQ Cantilever Brackets
➤See page 461 to specify.



Interworks EQ Support Panels
➤See page 461 to specify.

Worksurface Support

Statement of Line

For Use with Traxx and in Freestanding Applications

Features ➤See page 356
Product Information 357
Application Guidelines 358



Traxx Worksurface Brackets
➤See page 462 to specify.



Freestanding End Supports
Available in wood and laminate.
➤See page 463 to specify.



Freestanding Corner Supports
Available in wood and laminate.
➤See page 463 to specify.



Freestanding Undersurface Support Panel
Available in wood and laminate.
➤See page 463 to specify.



Modesty Panels
Available in wood and laminate.
➤See page 464 to specify.



Metal Support Panels
Available in half and full models.
➤See page 465 to specify.



Metal Return Support Panels
Available in 8" and 12"W models.
➤See page 465 to specify.



Metal Worksurface Support Panels
➤See page 465 to specify.



Metal Corner Posts
➤See page 465 to specify.



Metal Modesty Panels
➤See page 466 to specify.



Support Panel Brackets
➤See page 467 to specify.

Worksurface Support

Statement of Line

Universal Support

Features ➤See page 356
Product Information 357
Application Guidelines 358



Gusset Bracket
➤See page 467 to specify.



4" Column Legs
Available in fixed-height and adjustable-height models.
➤See page 467 to specify.



1½" Column Legs
Available in static and mobile models.
➤See page 467 to specify.

Tapered Legs
➤See page 467 to specify.



Decorative Support Legs and Inserts
➤See page 468 to specify.



Metal Modesty Panels
➤See page 468 to specify.



T- and X-Bases
➤See page 469 to specify.

Cylinder Base
➤See page 470 to specify.



Half Cylinder Base
➤See page 470 to specify.

Features

Overview

Statement of Line ➤See page 350
Product Information 357
Application Guidelines 358

Worksurfaces can be panel-mounted, Traxx mounted, or used in freestanding applications. Two worksurface thicknesses are available: 1 3/16" and 1 9/16".

Worksurfaces have a solid core with a thermally fused laminate (TFL), high-pressure laminate (HPL), wood, or 3D laminate surface. 3D laminate worksurfaces feature a protective polymer layer that is heat formed over an MDF core.

Additional support can be provided by mid-supports, cantilevers, pedestals, column legs, and support panels.

Traxx brackets attach worksurface to bottom Traxx in Traxx-mounted applications.

Corner and end supports are available to create freestanding modular casegoods.



Xsite Traxx-mounted worksurfaces allow for flexible horizontal positioning which provides exceptional off-modular capabilities.

Cetra and Interworks EQ panels feature slots to allow worksurfaces to be mounted at any height in 1" increments.

Freestanding applications can be created by combining undersurface storage and modesty panels.

1 3/16" Rim Profiles:



Softened PVC (P) | Wood Softened (F) | Sloped Edge (S)

Softened PVC rim is available on TFL and HPL worksurfaces only. The wood softened rim is available on laminate or wood worksurfaces. Sloped rim is available on 3D laminate worksurfaces only.

1 9/16" Rim Profiles:



Self Edge (J) | PVC (P) | Waterfall (K)

Wood Softened (F) | Wood Reed (W)

Wood Scalloped (X) | Wood Transitional (E)

Self edge, PVC, and waterfall rim profiles are available on laminate worksurfaces only. Wood softened, reed, scalloped, and transitional rim profiles are available on laminate or wood worksurfaces.
IMPORTANT: All rim profiles are not available on all worksurface shapes.
➤See pricing pages.

Worksurfaces

Features ➤See page 356
Application Guidelines 358

Details

Two worksurface thicknesses are available: 1 3/16" and 1 9/16". IMPORTANT: While the 1 3/16" and 1 9/16" worksurfaces are offered in the same materials, they are not interchangeable and cannot be used next to each other.

Wire manager profile worksurfaces have a flexible rubber trough that allows cords and cables to be routed along the back edge of the worksurface.

Tables are ideal for private offices and team work areas. Two table top thicknesses are available—1 3/16" and 1 9/16"—to complement the worksurface offering.

Cylinder and half-cylinder bases are available for use with table tops. Table support bases include an anti-tip weight.

Finishes & Materials

Worksurfaces
- 3D laminate
- Thermally fused laminate (TFL)
- High-pressure laminate (HPL)
- Wood

Rims
- Sloped on 3D laminate worksurface
- PVC on laminate (HPL & TFL) worksurface
- Wood on laminate (HPL) or wood worksurface
- Laminate (HPL) on 1 9/16" laminate worksurface with self edge or waterfall rim

Wire Manager
- PVC, specified to coordinate with worksurface

Connections



When using straight worksurfaces with sloped rims perpendicular to each other, there will be a valley where the slopes meet. It is recommended that extended worksurfaces be specified where possible to eliminate the valley between surfaces.



Worksurfaces can be scribed on site to conform to oblique angles, irregular column placement, and historical preservation guidelines.

Planning Factors



Workstations using curvilinear worksurfaces need special planning to ensure there is proper clearance. Some curved worksurfaces, such as the wedge or extended wedge, will extend into the workspace making the work area too narrow for a chair. Specify corner surface in appropriate size to provide ample workspace.
➤See pricing pages for dimensions.

IMPORTANT: When using curvilinear worksurfaces, it is recommended that mobile undersurface storage is used.



Standard grain direction for wood, woodgrain laminate, and wood-grain 3D laminate worksurfaces runs the length of the worksurface. However, depending on the worksurface shape and the material, the direction can vary.
➤See pricing pages for grain direction on specific worksurface models.
Note: Special attention should be given to wood grain direction when specifying a corner worksurface in a U-configuration. If a different grain direction other than the standard is required, worksurfaces must be custom quoted.

Custom modifications can be specified using an electronic specification tool for select models without running through as a special order. These include factory-installed grommets, additional wire managers, rims, or mitering. Special dimensions are available on straight worksurfaces by specifying the next larger standard model and selecting the special cut down dimension option. Upcharges apply; not available on Kwik Office models.
Note: Special dimensions on worksurface shapes other than straight must be custom quoted.

Related Products

Brackets are available to attach worksurfaces to all Kimball Office Systems and adjacent worksurfaces.
➤See pages 458–460.

Support components are available to make worksurfaces freestanding.
➤See pages 463–470.

Accessories, including center drawer and keyboard trays, are available to add functionality to the work area.
➤See the Perks Price List.

Rim Options:

➤See appropriate pricing page for available rim options.



Wire Manager | Single Rim | Double Rim

Wire manager option has the selected rim detail on the front edge and a wire manager on the back edge. Side edges are finished to match the top surface.
Exception: Sides on 1 3/16" laminate surfaces with softened PVC rim (P) are finished to match the rim.

Single-rim option has the selected rim detail on the front edge only. Sides and back are finished to match the front rim.

Double-rim option has the rim detail on the front and back edges. Sides are finished to match the front and back rims.
Note: Only select shapes are available with double rim.

Grommets:

Factory-installed grommets are available through electronic specification tools for single and double rim worksurfaces. Factory-installed grommet option includes black plastic grommet (models 99KG50, 99KG60, 99KG80); upcharge 99KG60 applies.
Note: Not all grommet locations are available for all surfaces. Use electronic specification tools for available options.

Cetra-Supported Worksurfaces

Bracketry and Support Guidelines

Features ➤See page 356
Product Information 357
Application Guidelines

IMPORTANT: Supports and brackets must be specified separately for all worksurfaces. Specify the appropriate supports or brackets for the specific application.

Supports and brackets are packaged separately from worksurfaces.

IMPORTANT: Careful consideration must be given to dimensions when using curvilinear worksurfaces. It is recommended that mobile undersurface storage be used.

End-to-end panel-supported worksurfaces require the additional support of a cantilever, support panel, or undersurface storage at every joint.

Perpendicular panel-supported worksurfaces can use flat brackets and edge support brackets to provide adequate support at the worksurface joint.

Column or tapered legs can provide additional support for worksurfaces. Support panels may also be used. Verify dimensions before specifying.

Cetra panel-mounted worksurfaces must be supported by edge support brackets, flat brackets, cantilevers, support panels, undersurface storage units, or universal support components.
Note: When using 1 3/16" worksurfaces with Cetra sectional panels or midwireway panels, approximately 3/8" of the panel or bottom tile will be visible above the worksurface.

Unsupported span of 48" for 1 3/16" worksurfaces or 60" for 1 9/16" worksurfaces requires additional support, such as a cantilever, support panel, or undersurface storage.

Brackets should be utilized at every panel joint to fully support the surface and to tie the panels to the worksurface.

Edge support brackets attach to the panel's slotted vertical channel and provide the most secure method of supporting a worksurface. They must be secured to the underside of the worksurface. The supporting panel width must be equal to the worksurface depth. They also provide corner support for corner worksurfaces and are used as additional support behind an attached storage unit.

Drop brackets are used to attach adjacent worksurfaces at varying heights. They provide a 3" height change.

Flat brackets are used to align and secure two perpendicular or end-to-end worksurfaces.

➤Continued on next page.



Corner and straight worksurfaces



Corner and straight worksurfaces



Straight worksurfaces



Serpentine corner and wedge worksurfaces



Extended wedge, serpentine corner, and quarter round worksurfaces

LEGEND

- ○ = Edge Support Bracket
- ▭ = Cantilever
- ⬚ = Pedestal
- ▭ = Flat Bracket
- ● = Leg

Note: Worksurface spans greater than 48"W for 1 3/16" surfaces and 60"W for 1 9/16" surfaces require additional support.

Considerations:

- Worksurfaces may be used with all Kimball Office Systems. Specify appropriate bracketry and support for the application.face storage be used.
- Consider the worksurface load when planning support. For worksurfaces that will hold office equipment, such as laser printers and copiers, supplemental support other than standard bracketry is recommended.
- Undersurface storage and pedestals satisfy both storage and support needs.
- Reconfigurations of existing worksurfaces may require new supports or brackets.
- Supports may be positioned anywhere along the worksurface without the limitations of predrilled or |pre-determined locations.
- HFES Method 2 can be met when using Footprint worksurfaces and storage with keyboard kit model 99K2319KKS1.
  ➤See the Perks Price List.

Cetra-Supported Worksurfaces

continued

Features ➤See page 356
Product Information 357
Application Guidelines 358



Cetra panel-mounted support panels are 1¼" thick and are available in four depths—12", 18", 24", and 30".

18", 24", and 30"D support panels are used on the end of worksurfaces that are not panel wrapped. Support panels can also be used as additional support for worksurfaces that exceed the recommended kneespace. They should be attached to the panel in back of the worksurface and to the underside of the worksurface to provide maximum strength. Panel and worksurface brackets are attached; however, they can be reversed for left- or right-hand applications.

12"D support panels are intended for use as additional support in the middle of a run when kneespace exceeds the recommended span. 12"D support panels do not attach to panel reveals.

Support panels may be used in freestanding or Traxx applications when modesty panels are not used as long as the back edges are not exposed. Back edges of support panels are unfinished.
If the back edge of the support panel will be exposed, request that it be finished. Support panels are equipped with adjustable leveling glides to align the worksurfaces. They provide 1¼" of adjustment.

Note: Cetra support panels may be used in Interworks EQ, freestanding, or Traxx applications by removing panel brackets and ordering a support panel bracket or gusset bracket for additional support as needed. If back edge of support panel will be exposed, request that it be finished. If modesty panel is required, specify a freestanding support panel.



Pedestals provide support for the front edge of worksurfaces. A back bracket must also be used to attach the surface to the panel.



Cantilevers are used as support in the center of long worksurfaces or in configurations where other support methods are not possible. They may be used as support when placing two surfaces end to end. Cantilevers may be used as sole support when wing panel width is different than worksurface depth. A pedestal or support panel must be used if there is no wing panel. Cantilevers are handed, however, they can share the load of the adjacent worksurface with use of flat brackets.

Universal support components are available for use as additional alternative support solutions.

Xsite-Supported Worksurfaces

Bracketry and Support Guidelines

Features ➤See page 356
Product Information 357
Application Guidelines 358

IMPORTANT: Supports and brackets must be specified separately for all worksurfaces. Specify the appropriate supports or brackets for the specific application. Supports and brackets are packaged separately from the worksurfaces.

IMPORTANT: Careful consideration must be given to dimensions when using curvilinear worksurfaces. It is recommended that mobile undersurface storage be used.

End-to-end panel-supported worksurfaces require the additional support of a mid-support, support panel, or undersurface storage at every joint.

Perpendicular panel-supported worksurfaces can use flat brackets and edge support brackets to provide adequate support at the worksurface joint.

Column, stick, or tapered legs can provide additional support for worksurfaces. They can provide support to the front edge of a worksurface, but do not stabilize adjacent loadbearing panels. Support panels may also be used. Verify dimensions before specifying.



Xsite-mounted worksurfaces must be supported on the ends by edge support brackets, full-depth support panels, end-support legs, or undersurface storage unit.

Unsupported span of 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces requires additional support such as a mid-support, support panel, or undersurface storage.

Flat brackets, 12"D support panels, or mid-supports should be used as additional support at every worksurface joint. Additional support is also required every 48" on 1 3/16" worksurfaces and every 60" on 1 9/16" worksurfaces.

Use Xsite Traxx with edge support brackets to support the ends of worksurfaces whenever possible. This ties the station together providing more rigidity for the structure.

➤Continued on next page.



Corner and straight worksurfaces



Corner and straight worksurfaces



Straight worksurfaces



Serpentine corner and wedge worksurfaces



Extended wedge, serpentine corner, and quarter round worksurfaces

LEGEND

- ○ = Edge Support Bracket
- ▭ = Mid-Support
- ⬚ = Pedestal
- ▭ = Flat Bracket
- ● = Leg

Note: Worksurface spans greater than 48"W for 1 3/16" surfaces and 60"W for 1 9/16" surfaces require additional support.

Considerations:

- Worksurfaces may be used with all Kimball Office Systems. Specify appropriate bracketry and support for the application.
- Consider the worksurface load when planning support. For worksurfaces that will hold office equipment, such as laser printers and copiers, supplemental support other than bracketry is recommended.
- Undersurface storage and pedestals satisfy both storage and support needs.
- Reconfigurations of existing worksurfaces may require new supports or brackets.
- Supports may be positioned anywhere along the worksurface without the limitations of predrilled or pre-determined locations.

Xsite-Supported Worksurfaces

continued

Features ➤See page 356
Product Information 357
Application Guidelines 358

Brackets adjust for worksurface heights from 27¾" to 29", at ⅝" increments, measured from the floor to the top of the 1³⁄₁₆" worksurface.



Two edge support brackets are required for the back corner of corner surfaces, one on each side.

Specify quantity of worksurface edge support brackets to match worksurface size and type.



Adjustable Mid-Support

Adjustable worksurface mid-supports may be used as additional support. They cannot provide support at the end of a worksurface and can only be used with an end-support leg in balanced configurations. They do not extend far enough under the worksurface to provide sufficient support in one-sided configurations. Adjustable mid-supports are not visually compatible with end-support legs.

2-high adjustable mid-supports will adjust vertically from 27¾" to 29", at ⅝" increments, measured from the floor to the top of the worksurface.

3-high adjustable mid-supports will adjust vertically from 40¼" to 41½", at ⅝" increments, measured from the floor to the top of the 1³⁄₁₆" worksurface.

Specify adjustable mid-supports to match worksurface depth.



Flat brackets are used to align and secure two perpendicular or end-to-end worksurfaces.



End-support legs are for use at the end of panel run or in the middle of a run in place of a mid-support. They must be used with a worksurface and be attached vertically with two screws to the panel frame (through the tile) and to the worksurface. The worksurface conceals the attachment holes in the top of the leg.

End support legs are not applicable to 6- and 7-high configurations.

Mid-support legs are visually compatible with end-support legs. They require a flat bracket, specified separately, and must be secured to the worksurface but not to the tile and frame.



Transaction counter brackets recess into Xsite's top channel and are screwed to the frame.

Top cap is required beneath a transaction counter. The width of the top cap should match the width of the frame to which the transaction counter will be mounted. Top cap must be modified in the field to accommodate transaction counter brackets.

Specify two transaction counter brackets for 24" to 60"W counters. Specify four brackets for 66" to 96"W counters.

Transaction counter brackets will not interfere with cables routed through the top channel.

Interworks EQ-Supported Worksurfaces

Application Guidelines

Bracketry and Support Guidelines

Features ➤See page 356
Product Information 357
Application Guidelines 358

IMPORTANT: Supports and brackets must be specified separately for all worksurfaces for the specific application. Supports and brackets are packaged separately from the worksurfaces.

IMPORTANT: Careful consideration must be given to dimensions when using curvilinear worksurfaces. It is recommended that mobile undersurface storage be used.

End-to-end panel-supported worksurfaces require the additional support of a cantilever, support panel, or undersurface storage at every joint.

Perpendicular panel-supported worksurfaces can use flat brackets and edge support brackets to provide adequate support at the worksurface joint.

Column or tapered legs can provide additional support for worksurfaces. Support panels may also be used. Verify dimensions before specifying.

Interworks EQ panel-mounted worksurfaces should be supported by edge support brackets, flat brackets, support panels, cantilevers, undersurface storage units, or universal support components.

Edge support brackets attach to the panels slotted vertical channel and provide the most secure method of supporting a worksurface. They must be secured to the underside of the worksurface.

Unsupported span of 48" for 1 3/16" worksurfaces or 60" for 1 9/16" worksurfaces requires additional support, such as a cantilever, support panel, or undersurface storage.

Edge support brackets should be used at every panel joint to fully support the worksurfaces and to tie the panels to the worksurface. They manually hook into the panel side rail to prevent accidental removal. They support the worksurface at the front and back corners. The supporting panel width should be equal to the worksurface depth. They also provide corner support for corner worksurfaces and are used as additional support behind an attached storage unit.



Corner and straight worksurfaces



Corner and straight worksurfaces



Straight worksurfaces



Serpentine corner and wedge worksurfaces



Extended wedge, serpentine corner, and quarter round worksurfaces

LEGEND

- ○ = Edge Support Bracket
- ▭ = Cantilever
- ⬚ = Pedestal
- ▭ = Flat Bracket
- ● = Leg

Note: Worksurface spans greater than 48"W for 1 3/16" surfaces and 60"W for 1 9/16" surfaces require additional support.

Considerations:

- Worksurfaces may be used with all Kimball Office Systems. Specify appropriate bracketry and support for the application.
- Consider the worksurface load when planning support. For worksurfaces that will hold office equipment, such as laser printers and copiers, supplemental support other than bracketry is recommended.
- Undersurface storage and pedestals satisfy both storage and support needs.
- Reconfigurations of existing worksurfaces may require new supports or brackets.
- Supports may be positioned anywhere along the worksurface without the limitations of pre-drilled or pre-determined locations.

➤Continued on next page.

Interworks EQ-Supported Worksurfaces

continued

Features ➤See page 356
Product Information 357
Application Guidelines 358

Drop brackets are used to attach adjacent worksurfaces at varying heights. They provide a 2" height change.

Flat brackets are used to align and secure two perpendicular or end-to-end worksurfaces.



Interworks EQ panel-mounted support panels are available in four depths—12", 18", 24", and 30". They are used on the end of worksurfaces that are not panel wrapped. Support panels can also be used as additional support for worksurfaces that exceed the recommended kneespace. They should be attached to the panel in back of the worksurface and to the underside of the worksurface to provide maximum strength. Panel and worksurface brackets are attached, however, they can be reversed for left- or right-hand applications. They are equipped with adjustable leveling glides that provide 1" of adjustment to align the worksurfaces.



Cantilevers are available 24"D. They are used as added support in the center of long worksurfaces or in configurations where other support methods are not possible. They may be used as support when placing two surfaces end to end or with suspended pedestals. A pedestal or support panel must be used if there is no wing panel. Cantilevers are handed, however they can share the load of adjacent worksurface with the use of flat brackets.

Pedestals provide support for the front edge of worksurfaces. A back edge support bracket must also be used to attach the surface to the panel.

Universal support components are available for use as additional alternative support solutions.

Traxx-Supported Worksurfaces

Application Guidelines

Bracketry and Support Guidelines

Features ➤See page 356
Product Information 357
Application Guidelines 358

Traxx worksurface brackets attach worksurfaces to bottom Traxx. Traxx-mounted worksurfaces must be supported by worksurface brackets, flat brackets, support panels, undersurface storage units or universal support components. A bracket is required every 48" along back edge of worksurface in addition to corner and end locations.
Note: When using 1 3/16" worksurfaces with Traxx, approximately 3/8" of the bottom Traxx will be visible above the worksurface.

End-to-end worksurfaces require a support panel or undersurface storage for additional support of the front edge.

Perpendicular worksurfaces can use flat brackets and Traxx brackets to provide adequate support from one surface to the other at the worksurface joint.

Universal support components, such as tapered, stick, or column legs, are available as alternative support solutions for worksurfaces. ➤See page 467.

Worksurface brackets have an anti-kickout design that provides secure attachment without pre-determined positioning.



Corner and straight worksurfaces; Traxx wrapped



Corner and straight worksurfaces; support panels



Corner and straight worksurfaces; storage

LEGEND

- = Traxx bracket
- = Pedestal
- = 12" support panel
- = Support panel
- = Flat bracket

Note: Worksurface spans greater than 48"W for 1 3/16" surfaces and 60"W for 1 9/16" surfaces require additional support.

Traxx Worksurface Bracket Attachment:



Considerations:

- Worksurfaces may be used with all Kimball Office Systems. Specify appropriate bracketry and support for the application.
- Consider the worksurface load when planning support. For worksurfaces that will hold office equipment, such as laser printers and copiers, supplemental support other than bracketry is recommended.
- Undersurface storage and pedestals satisfy both storage and support needs.
- Reconfigurations of existing worksurfaces may require new supports or brackets.
- Supports may be positioned anywhere along the worksurface without the limitations of pre-drilled or pre-determined locations.

Freestanding Worksurfaces

Application Guidelines

Bracketry and Support Guidelines

Features ➤See page 356
Product Information 357
Application Guidelines 358

Freestanding worksurfaces can be created by configuring a stable combination of freestanding support panels, freestanding end supports, freestanding corner supports, square or flat profile undersurface storage. *Note: Radius profile storage is designed to be positioned within a desk shell.*

Wood and Laminate:



Freestanding undersurface support panels are used to support worksurfaces in freestanding applications. Their depth is 1⅛" less than the worksurface to accommodate a modesty panel.



Freestanding end supports are used to support worksurfaces in a freestanding application. Worksurfaces used in freestanding applications must be attached to a return or extension worksurface for additional support.



Freestanding corner supports provide support for corner worksurfaces in freestanding applications.

Universal support components, such as tapered or column legs, are available as alternative support solutions for worksurfaces.
➤See page 467.

Modesty panels provide undersurface privacy, additional support, and a finished appearance. They may be used in freestanding applications. Hardware is included for attachment to the underside of the worksurface. *Note: When using a modesty panel with a 30"D radius-profile pedestal, the worksurface must be 36"D.*



Flush appearance is achieved by specifying the modesty panel to be the same width as the worksurface. It will cover the back of storage units or supports.

➤Continued on next page.



Extended U-top, corner, and straight worksurfaces



Corner and straight worksurfaces

LEGEND

- = Flat Brackets
- = Pedestal
- = Support Panel
- = Freestanding Support
- = Modesty Panel
- = Leg

Note: Worksurface spans greater than 48"W for 1 3/16" surfaces and 60"W for 1 9/16" surfaces require additional support.

Typical Freestanding Configurations:



- Modesty panel
- Lateral file
- Support panels

- Modesty panel
- Support panels

- Modesty panel
- Pedestal
- Support panel

- Modesty panel
- Pedestals



- Modesty panel
- Support panels



- Modesty panel
- Pedestal
- Support panel



- Modesty panel
- Pedestals



- Support panels
- Corner support
- Modesty panels



- Support panel
- Corner support
- Modesty panels
- Pedestal

Freestanding Worksurfaces

Application Guidelines

continued

Features ➤See page 356
Product Information 357
Application Guidelines 358



Breakfront appearance is achieved by specifying three modesty panels. Two 18"W modesty panels to cover the backs of square profile pedestals and one equal to the width of the space between the pedestals.
Note: Breakfront appearance can only be achieved with square profile storage.



Modesty filler strip is used if a modesty panel is not specified. It maintains space for cable routing behind the pedestal and fills the 1⅛" difference in depth.

Flat brackets are used to align and secure two perpendicular or end-to-end worksurfaces.

Drop brackets are used to attach adjacent worksurfaces at varying heights. They provide a 3" height change.

Column, stick, and tapered legs cannot be used in freestanding applications.

Metal Support:

Metal modesty panels attach 4" inset from the approach side of the pedestal or support panel. Wire management is achieved via a 1½" space between the top of the modesty panel and the underside of the surface as well as a 3" gap from the bottom of the modesty panel to the floor.



Pedestal non-deface kit allows attachment of metal modesty panel to metal pedestals without drilling holes in the sides.

End panels are used to support worksurfaces in freestanding applications. They are equipped with adjustable leveling glides that provide 1" of adjustment for aligning worksurfaces. They are designed to secure metal modesty panels.

8" return support can be used as support for corner surfaces or as additional support for 24"D worksurfaces that exceed the recommended kneespace.

8"D support panels cannot support any worksurface deeper than 24". They are equipped with one leveling glide that provides 1" of adjustment for aligning worksurfaces.

Corner posts are used to create freestanding corner units. They are equipped with one leveling glide that provides 1" of adjustment for aligning worksurfaces. They are designed to secure metal modesty panels.

Filler strip is used if a metal modesty panel is not specified. It maintains space for cable routing behind the pedestal and fills the 1⅛" difference in depth for wood or laminate applications.

Flat brackets are used to align and secure two perpendicular or end-to-end worksurfaces.

Drop brackets are used to attach adjacent surfaces at varying heights. They provide a 2" height change.

Metal Support Common Applications:

8"D support panel applies to 24"D (return) worksurface.

7"D corner post applies to freestanding corner surfaces.

12"D support panel applies to any depth corner worksurface, providing it is bracketed to adjacent unit, and 30"D (return) worksurface, providing additional support is used to match surface depth.

18"D half end panel applies to any depth corner worksurface.

18"D undersurface lateral file applies to any depth worksurface, providing full end panel is included to match surface depth.

24"D pedestal and full end panel apply to 24"D or 30"D worksurfaces.

30"D pedestal and full end panel apply to 30"D or 36"D worksurfaces.

36"D full end panel applies to 36"D worksurfaces.

Freestanding Worksurfaces

continued

Features ➤See page 356
Product Information 357
Application Guidelines 358

Support and Modesty Panel Dimensions for Metal Support:

Worksurface Width & Type	*Support Type*	*Support Width(s)*	*Modesty Panel Width(s)*
36" Corner *	2 Support Panels, 1 Corner Post	12"/12"	24"/24"
36" Straight	1 Ped., 1 Support Panel	16"	20"
36" Straight	2 Support Panels	2"	34"
42" Corner	2 Support Panels, 1 Corner Post	12"/12"	30"/30"
42"/48" Corner	2 Support Panels, 1 Corner Post	12"/12"	30"/36"
42"/60" Corner	2 Support Panels, 1 Corner Post	12"/12"	30"/48"
42"/60" Corner	1 Support Panel, 1 Ped., 1 Corner Post	12"/26"	30"/34"
42" Straight	1 Ped., 1 Support Panel	16"	26"
42" Straight	2 Support Panels	2"	40"
48" Corner	2 Support Panels, 1 Corner Post	12"/12"	36"/36"
48"/42" Corner	2 Support Panels, 1 Corner Post	12"/12"	36"/30"
48"/60" Corner	2 Support Panels, 1 Corner Post	12"/12"	36"/48
48"/60" Corner	1 Support Panel, 1 Ped., 1 Corner Post	12"/26"	36"/34"
48" Straight	1 Ped., 1 Support Panel	16"	32"
48" Straight	2 Support Panels	2"	46"
54" Straight	2 Peds.	30"	24"
54" Straight	1 Ped., 1 Support Panel	16"	38"
54" Straight	2 Support Panels	2"	52"
60" Corner	2 Support Panels, 1 Corner Post	12"/12"	48"/48"
60" Corner	1 Support Panel, 1 Ped., 1 Corner Post	12"/26"	48"/34"
60" Corner	2 Peds., 1 Corner Post	26"/26"	34"/34"
60"/42" Corner	2 Support Panels, 1 Corner Post	12"/12"	48"/30"
60"/48" Corner	2 Support Panels, 1 Corner Post	12"/12"	48"/36"
60"/42" Corner	1 Support Panel, 1 Ped., 1 Corner Post	26"/12"	34"/30"
60"/48" Corner	1 Support Panel, 1 Ped., 1 Corner Post	26"/12"	34"/36"
60" Straight	2 Peds.	30"	30"
60" Straight	1 Ped., 1 Support Panel	16"	44"
60" Straight	2 Support Panels	2"	58"
66" Straight	2 Peds.	30"	36"
66" Straight	1 Ped., 1 Support Panel	16"	50"
66" Straight	2 Support Panels	2"	64"
72" Straight, Arc	2 Peds.	30"	42"
72 " Straight, Arc	1 Ped., 1 Support Panel	16"	56"
72 " Straight, Arc	2 Support Panels	2"	70"
84" Straight	2 Peds.	30"	54"
84 " Straight	1 Ped., 1 Support Panel	16"	68"
84 " Straight	2 Support Panels	2"	82"
90" Straight	2 Peds.	30"	60"
90 " Straight	1 Ped., 1 Support Panel	16"	74"
90 " Straight	2 Support Panels	2"	88"
96" Straight	2 Peds.	30"	66
96" Straight	1 Ped., 1 Support Panel	16"	80"
96" Straight	2 Support Panels	2"	94"

Notes:

** Freestanding corner units require 2 modesty panels. Corner Post is 7"W (nominal) and is inset 4" (actual); total of 11". When combined with the support panel (1"), support width is 12" (nominal). When combined with the pedestal (15"), support width is 26" (nominal).*

Unsupported surface span cannot exceed 48"W for 1 3/16" worksurfaces or 60"W for 1 9/16" worksurfaces.

To determine the metal modesty panel width, subtract the total nominal width of support (pedestal and/or end panel) from the nominal worksurface width.

Example:

60"W worksurface
– 30"W support (2 pedestals)
= 30"W modesty panel

For planning purposes, the chart at right uses the term support panel to refer to full support panels, return support panels, and worksurface support panels since all are nominally 1" wide.

Support depth underneath the left and right side of the worksurface must be equal unless the unit is secured to an adjacent, freestanding unit such as a return.

Universal Supports

Application Guidelines

Bracketry and Support Guidelines

Features ➤See page 356
Product Information 357
Application Guidelines 358

Universal supports can be used in any panel-mounted, Traxx-mounted, or freestanding application.

Support panel brackets and gusset brackets provide additional stability between a worksurface and support panel when the support panel is not attached to a panel.

Adjustable column base provides 4" of adjustment. It is equipped with a glide.

Decorative support leg includes glides and carpet grippers. Inserts are specified separately.



Metal modesty panel can be secured to decorative support leg and/or gusset bracket on either end. Gusset bracket must be specified separately.

Static and adjustable-height mobile table legs are available for use with worksurfaces and table tops.

Units using tapered leg, column leg, adjustable column base, or decorative support leg must be secured to an adjacent worksurface for stability.

Cylinder and half-cylinder bases are available for use with table tops and worksurfaces. Table support bases include anti-tip weight.

Adjustable base, X-base and T-base are available for use with table tops and worksurfaces.

Note: Review support recommendations on the pricing pages when specifying tops and support for table use.

The illustration below shows a variety of worksurface configurations and support options. Please use these examples to aid you in specifying appropriate support for specific applications.
Note: Worksurface spans greater than 48"W for 1 3/16" surfaces and 60"W for 1 9/16" surfaces require additional support.



Desking Configuration Thought Starters

Features ➤See page 356
Product Information 357
Application Guidelines 358

Desking configurations can be created using spine walls or Traxx, and for freestanding and mobile applications

Spine Wall



Freestanding & Mobile

Traxx Mounted

Freestanding—Metal

Mobile

24"D Straight Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
23 7/8"	23 7/8"	**SS2424WSS** K	$179	—	$235	$378	$401
	29 7/8"	**SS2430WSS** K	190	$235	254	407	428
	35 7/8"	**SS2436WSS** K	205	245	266	449	478
	41 7/8"	**SS2442WSS** K	232	262	288	493	519
	47 7/8"	**SS2448WSS** K	258	291	318	500	567
	53 7/8"	**SS2454WSS** K	287	336	367	544	607
	59 7/8"	**SS2460WSS** K	312	353	384	618	659
	65 7/8"	**SS2466WSS** K	362	401	437	664	697
	71 7/8"	**SS2472WSS** K	368	414	452	701	744
	77 7/8"	**SS2478WSS** K	402	487	531	752	793
	83 7/8"	**SS2484WSS** K	432	522	572	798	841
	89 7/8"	**SS2490WSS** K	458	554	606	845	891
	95 7/8"	**SS2496WSS** K	485	593	646	891	936
	101 7/8"	**SS24102WSS**	—	—	712	934	988
	107 7/8"	**SS24108WSS**	—	—	754	982	1038
	113 7/8"	**SS24114WSS**	—	—	796	1045	1166
	119 7/8"	**SS24120WSS**	—	—	835	1076	1246

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL K
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager K
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim K (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

K = Kwik Office model available.

24"D Straight Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
23 7/8"	23 7/8"	**SS2424WSS**	$184	—	$248	$518	$470
	29 7/8"	**SS2430WSS**	200	—	268	558	503
	35 7/8"	**SS2436WSS**	216	—	299	587	532
	41 7/8"	**SS2442WSS**	245	—	340	627	564
	47 7/8"	**SS2448WSS**	272	—	379	671	613
	53 7/8"	**SS2454WSS**	302	—	423	742	668
	59 7/8"	**SS2460WSS**	328	—	460	774	702
	65 7/8"	**SS2466WSS**	380	—	533	843	763
	71 7/8"	**SS2472WSS**	389	—	549	875	791
	77 7/8"	**SS2478WSS**	423	—	594	916	831
	83 7/8"	**SS2484WSS**	455	—	638	987	893
	89 7/8"	**SS2490WSS**	482	—	681	1033	929
	95 7/8"	**SS2496WSS**	511	—	726	1103	994
	101 7/8"	**SS24102WSS**	—	—	823	1215	1102
	107 7/8"	**SS24108WSS**	—	—	855	1243	1123
	113 7/8"	**SS24114WSS**	—	—	893	1286	1177
	119 7/8"	**SS24120WSS**	—	—	932	1323	1261

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side and back edges are finished to match the front rim.

* Height (thickness) for TFL worksurfaces is 1 1/8".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

24"D Straight Worksurfaces (1 3/16"H)

Pricing

Double Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
23 7/8"	35 7/8"	**SS2436WSS** K	$334	—	$444	—	—
	41 7/8"	**SS2442WSS** K	347	—	460	—	—
	47 7/8"	**SS2448WSS** K	368	—	489	—	—
	53 7/8"	**SS2454WSS** K	403	—	536	—	—
	59 7/8"	**SS2460WSS** K	416	—	552	—	—
	65 7/8"	**SS2466WSS** K	452	—	602	—	—
	71 7/8"	**SS2472WSS** K	464	—	616	—	—
	77 7/8"	**SS2478WSS** K	556	—	739	—	—
	83 7/8"	**SS2484WSS** K	606	—	806	—	—
	89 7/8"	**SS2490WSS** K	653	—	868	—	—
	95 7/8"	**SS2496WSS** K	716	—	953	—	—

Rim Profiles:

Softened PVC (P)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL K
❸ Rim option:
2 = Double rim K
④ Rim profile:
P = Softened PVC rim K
⑤ Surface finish price group:
STD = Group 1
⑥ Surface finish designator
⑦ Rim finish designator

K = Kwik Office model available.

30"D Straight Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
29 7/8"	23 7/8"	**SS3024WSS** K	$193	—	$241	$430	$471
	29 7/8"	**SS3030WSS** K	205	$240	260	465	505
	35 7/8"	**SS3036WSS** K	236	265	291	516	559
	41 7/8"	**SS3042WSS** K	268	272	298	571	616
	47 7/8"	**SS3048WSS** K	306	305	333	620	666
	53 7/8"	**SS3054WSS** K	338	368	402	702	728
	59 7/8"	**SS3060WSS** K	364	379	414	726	776
	65 7/8"	**SS3066WSS** K	424	430	470	777	833
	71 7/8"	**SS3072WSS** K	434	469	512	833	883
	77 7/8"	**SS3078WSS** K	473	577	631	884	942
	83 7/8"	**SS3084WSS** K	506	616	672	942	1002
	89 7/8"	**SS3090WSS** K	536	662	722	1000	1060
	95 7/8"	**SS3096WSS** K	568	702	769	1051	1118
	101 7/8"	**SS30102WSS**	—	—	844	1113	1172
	107 7/8"	**SS30108WSS**	—	—	895	1168	1243
	113 7/8"	**SS30114WSS**	—	—	963	1235	1322
	119 7/8"	**SS30120WSS**	—	—	993	1278	1349

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL K
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager K
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim K (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

K = Kwik Office model available.

30"D Straight Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
29 7/8"	23 7/8"	**SS3024WSS**	$203	—	$280	$558	$509
	29 7/8"	**SS3030WSS**	216	—	300	601	546
	35 7/8"	**SS3036WSS**	248	—	348	640	579
	41 7/8"	**SS3042WSS**	282	—	394	689	623
	47 7/8"	**SS3048WSS**	322	—	450	742	676
	53 7/8"	**SS3054WSS**	356	—	499	818	743
	59 7/8"	**SS3060WSS**	383	—	544	860	788
	65 7/8"	**SS3066WSS**	446	—	627	943	855
	71 7/8"	**SS3072WSS**	460	—	646	975	895
	77 7/8"	**SS3078WSS**	498	—	696	1024	953
	83 7/8"	**SS3084WSS**	533	—	749	1107	1015
	89 7/8"	**SS3090WSS**	565	—	798	1152	1075
	95 7/8"	**SS3096WSS**	599	—	849	1227	1129
	101 7/8"	**SS30102WSS**	—	—	933	1335	1210
	107 7/8"	**SS30108WSS**	—	—	994	1396	1262
	113 7/8"	**SS30114WSS**	—	—	1043	1447	1352
	119 7/8"	**SS30120WSS**	—	—	1088	1491	1415

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

30"D Straight Worksurfaces (1 3/16"H)

Pricing

Double Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	W	Model	TFL* (LL) †	3D Lam. (T)	HPL (L)	HPL with Wood Rim (LW)	Wood (W)
29 7/8"	35 7/8"	**SS3036WSS** K	$349	—	$464	—	—
	41 7/8"	**SS3042WSS** K	356	—	474	—	—
	47 7/8"	**SS3048WSS** K	378	—	503	—	—
	53 7/8"	**SS3054WSS** K	425	—	566	—	—
	59 7/8"	**SS3060WSS** K	436	—	579	$895	$808
	65 7/8"	**SS3066WSS** K	476	—	633	970	878
	71 7/8"	**SS3072WSS** K	498	—	663	1010	954
	77 7/8"	**SS3078WSS** K	539	—	717	1056	972
	83 7/8"	**SS3084WSS** K	580	—	771	1149	1035
	89 7/8"	**SS3090WSS** K	611	—	813	1196	1137
	95 7/8"	**SS3096WSS** K	652	—	867	1284	1159
	101 7/8"	**SS30102WSS**	—	—	954	1415	1231
	107 7/8"	**SS30108WSS**	—	—	1018	1473	1348
	113 7/8"	**SS30114WSS**	—	—	1066	1528	1439
	119 7/8"	**SS30120WSS**	—	—	1111	1571	1494

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL K
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim K
④ Rim profile:
P = Softened PVC rim K (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

K = Kwik Office model available.

36"D Straight Worksurfaces (1 3/16"H)

Pricing

Double Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	59 7/8"	**SS3660WSS**	$468	—	$623	$979	$884
	65 7/8"	**SS3666WSS**	539	—	717	1062	964
	71 7/8"	**SS3672WSS** K	546	—	726	1107	998
	77 7/8"	**SS3678WSS**	600	—	798	1159	1111
	83 7/8"	**SS3684WSS**	646	—	859	1279	1204
	89 7/8"	**SS3690WSS**	686	—	913	1334	1323
	95 7/8"	**SS3696WSS**	731	—	972	1483	1348
	101 7/8"	**SS36102WSS**	—	—	1069	1626	1434
	107 7/8"	**SS36108WSS**	—	—	1139	1693	1531
	113 7/8"	**SS36114WSS**	—	—	1196	1756	1677
	119 7/8"	**SS36120WSS**	—	—	1249	1810	1736

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL K
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim K
④ Rim profile:
P = Softened PVC rim K
(available on
TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified
group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

K = Kwik Office model available.

Arc Worksurfaces (1 3/16"H)

Pricing

Double Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
29 7/8"	71 7/8"	**SS3672WSA**	$738	$846	$921	$1311	$1186
	77 7/8"	**SS3678WSA**	786	898	981	1364	1311
	83 7/8"	**SS3684WSA**	834	954	1041	1484	1402
	89 7/8"	**SS3690WSA**	878	1003	1094	1628	1525
	95 7/8"	**SS3696WSA**	926	1058	1154	1692	1546

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Arc worksurfaces are 30"D on the ends and 36"D in the center.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Wedge Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
23 7/8"	41 7/8"	**SS2442WSW**	$450	—	$562	$836	$754
	47 7/8"	**SS2448WSW**	489	—	609	883	798
	53 7/8"	**SS2454WSW**	534	—	666	960	868
	59 7/8"	**SS2460WSW**	570	—	711	996	901
	65 7/8"	**SS2466WSW**	634	—	791	1072	974
	71 7/8"	**SS2472WSW**	651	—	812	1103	999
29 7/8"	41 7/8"	**SS3042WSW**	484	—	604	926	838
	47 7/8"	**SS3048WSW**	529	—	660	982	886
	53 7/8"	**SS3054WSW**	574	—	717	1065	965
	59 7/8"	**SS3060WSW**	610	—	761	1107	1000
	65 7/8"	**SS3066WSW**	685	—	854	1193	1082
	71 7/8"	**SS3072WSW**	699	—	871	1227	1107

Rim Profiles:

Softened PVC (P) Wood Softened (F)

Dimensions for Space Planning:



- 30" on 24"D worksurface
  36" on 30"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with wedge worksurfaces.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Right-Hand Wedge Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
23 7/8"	41 7/8"	**SS2442WSW**	$469	$481	$584	$883	$799
	47 7/8"	**SS2448WSW**	508	523	634	934	845
	53 7/8"	**SS2454WSW**	554	571	692	1016	919
	59 7/8"	**SS2460WSW**	593	608	739	1054	953
	65 7/8"	**SS2466WSW**	660	676	823	1137	1033
	71 7/8"	**SS2472WSW**	676	695	843	1168	1054
29 7/8"	41 7/8"	**SS3042WSW**	503	516	628	981	885
	47 7/8"	**SS3048WSW**	548	561	684	1040	936
	53 7/8"	**SS3054WSW**	597	613	744	1129	1020
	59 7/8"	**SS3060WSW**	636	652	793	1173	1059
	65 7/8"	**SS3066WSW**	709	838	884	1262	1144
	71 7/8"	**SS3072WSW**	727	866	907	1297	1174

Rim Profiles:

Sloped (S) Softened PVC (P) Wood Softened (F)

Dimensions for Space Planning:



● 30" on 24"D worksurface
36" on 30"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with wedge worksurfaces.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim

Left-Hand Wedge Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
23 7/8"	41 7/8"	**SS4224WSW**	$562	—	$836	$754	$450
	47 7/8"	**SS4824WSW**	489	—	609	883	798
	53 7/8"	**SS5424WSW**	534	—	666	960	868
	59 7/8"	**SS6024WSW**	570	—	711	996	901
	65 7/8"	**SS6624WSW**	634	—	791	1072	974
	71 7/8"	**SS7224WSW**	651	—	812	1103	999
29 7/8"	41 7/8"	**SS4230WSW**	484	—	604	926	838
	47 7/8"	**SS4830WSW**	529	—	660	982	886
	53 7/8"	**SS5430WSW**	574	—	717	1065	965
	59 7/8"	**SS6030WSW**	610	—	761	1107	1000
	65 7/8"	**SS6630WSW**	685	—	854	1193	1082
	71 7/8"	**SS7230WSW**	699	—	871	1227	1107

Rim Profiles:

Softened PVC (P) Wood Softened (F)

Dimensions for Space Planning:



- 30" on 24"D worksurface
  36" on 30"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with wedge worksurfaces.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Left-Hand Wedge Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
23 7/8"	41 7/8"	**SS4224WSW**	$469	$481	$584	$883	$799
	47 7/8"	**SS4824WSW**	508	523	634	934	845
	53 7/8"	**SS5424WSW**	554	571	692	1016	919
	59 7/8"	**SS6024WSW**	593	608	739	1054	953
	65 7/8"	**SS6624WSW**	660	676	823	1137	1033
	71 7/8"	**SS7224WSW**	676	695	843	1168	1054
29 7/8"	41 7/8"	**SS4230WSW**	503	516	628	981	885
	47 7/8"	**SS4830WSW**	548	561	684	1040	936
	53 7/8"	**SS5430WSW**	597	613	744	1129	1020
	59 7/8"	**SS6030WSW**	636	652	793	1173	1059
	65 7/8"	**SS6630WSW**	709	838	884	1262	1144
	71 7/8"	**SS7230WSW**	727	866	907	1297	1174

Rim Profiles:



Sloped (S) Softened PVC (P) Wood Softened (F)

Dimensions for Space Planning:



- 30" on 24"D worksurface
  36" on 30"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with wedge worksurfaces.
Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Serpentine Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available





Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Right-Hand								
23 7/8"	41 7/8"	29 7/8"	**SS244230WST**	$367	$416	$457	$710	$673
	47 7/8"		**SS244830WST**	441	500	549	771	731
	53 7/8"		**SS245430WST**	462	525	576	875	835
	59 7/8"		**SS246030WST**	478	541	597	901	856
	65 7/8"		**SS246630WST**	513	583	639	965	920
	71 7/8"		**SS247230WST**	552	629	689	1033	982
Left-Hand								
29 7/8"	41 7/8"	23 7/8"	**SS304224WST**	$367	$416	$457	$710	$673
	47 7/8"		**SS304824WST**	441	500	549	771	731
	53 7/8"		**SS305424WST**	462	525	576	875	835
	59 7/8"		**SS306024WST**	478	541	597	901	856
	65 7/8"		**SS306624WST**	513	583	639	965	920
	71 7/8"		**SS307224WST**	552	629	689	1033	982

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with serpentine worksurfaces.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Serpentine Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available





Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Right-Hand								
23 7/8"	41 7/8"	29 7/8"	**SS244230WST**	$377	—	$470	$856	$812
	47 7/8"		**SS244830WST**	426	—	531	919	877
	53 7/8"		**SS245430WST**	474	—	591	1017	970
	59 7/8"		**SS246030WST**	517	—	644	1066	1016
	65 7/8"		**SS246630WST**	594	—	741	1172	1117
	71 7/8"		**SS247230WST**	612	—	763	1211	1151
Left-Hand								
29 7/8"	41 7/8"	23 7/8"	**SS304224WST**	$377	—	$470	$856	$812
	47 7/8"		**SS304824WST**	426	—	531	919	877
	53 7/8"		**SS305424WST**	474	—	591	1017	970
	59 7/8"		**SS306024WST**	517	—	644	1066	1016
	65 7/8"		**SS306624WST**	594	—	741	1172	1117
	71 7/8"		**SS307224WST**	612	—	763	1211	1151

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with serpentine worksurfaces.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Straight Corner Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	B	C	D	E	Model	TFL* (LL) †	3D Lam. (T)	HPL (L)	HPL with Wood Rim (LW)	Wood (W)
Straight										
24"/24" Return Combo										
35 7/8"	35 7/8"	23 7/8"	23 7/8"	17 1/8"	**SS24363624WSCS** K	$391	—	$433	—	—
41 7/8"	41 7/8"			25 5/8"	**SS24424224WSCS** K	405	—	449	—	—
47 7/8"	47 7/8"			34 1/8"	**SS24484824WSCS** K	440	—	487	—	—
30"/30" Return Combo										
41 7/8"	41 7/8"	29 7/8"	29 7/8"	17 1/8"	**SS30424230WSCS** K	$486	—	$539	—	—
47 7/8"	47 7/8"			25 5/8"	**SS30484830WSCS** K	548	—	607	—	—



A	B	C	D	E	Model	TFL* (LL) †	3D Lam. (T)	HPL (L)	HPL with Wood Rim (LW)	Wood (W)
Straight Adjustable Split										
24"/24" Return Combo										
41 7/8"	41 7/8"	23 7/8"	23 7/8"	23 5/8"	**SS24424224WSCSS**	—	$856	$949	—	—
47 7/8"	47 7/8"			32 1/8"	**SS24484824WSCSS**	—	888	985	—	—

Rim Profiles:

Softened PVC (P)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the front rim.

Return combo dimensions are determined from left to right when seated at the worksurface

IMPORTANT: Keyboard adjuster must be specified separately for split worksurface.
➤See the Perks Price List.

* Height (thickness) for TFL worksurfaces is 1 1/8".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   LL = TFL
   L = HPL K
3. Rim option:
   3 = Wire manager K
4. Rim profile:
   P = Softened PVC rim K
5. Surface finish price group:
   STD = Group 1
6. Surface finish designator
7. Rim finish designator
8. Wire manager finish designator

K = Kwik Office model available.

Straight Corner Worksurfaces (1 3/16"H)

Pricing

Double Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold lines indicates location of rim detail. Arrow on surface indicates grain direction.



IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the front rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

Freestanding corner worksurfaces require half end panels for undersurface support. Return support panels can also be used if the unit is secured to adjacent units with flat brackets.

IMPORTANT: Keyboard adjuster must be specified separately for split worksurface.
➤See the Perks Price List.

* Height (thickness) for TFL worksurfaces is 1⅛".

A	*B*	*C*	*D*	*E*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Straight										
24"/24" Return Combo										
35⅞"	35⅞"	23⅞"	23⅞"	17⅛"	**SS24363624WSCS** K	$538	—	$597		
41⅞"	41⅞"			25⅝"	**SS24424224WSCS** K	554	—	613		
47⅞"	47⅞"			34⅛"	**SS24484824WSCS** K	584	—	647		
30"/30" Return Combo										
41⅞"	41⅞"	29⅞"	29⅞"	17⅛"	**SS30424230WSCS** K	$627	—	$695		
47⅞"	47⅞"			25⅝"	**SS30484830WSCS** K	686	—	760		
Straight Adjustable Split										
24"/24" Return Combo										
41⅞"	41⅞"	23⅞"	23⅞"	23⅝"	**SS24424224WSCSS**	$798	—	$885		
47⅞"	47⅞"			32⅛"	**SS24484824WSCSS**	831	—	921		

Rim Profiles:

Softened PVC (P)

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL K
❸ Rim option:
2 = Double rim K
④ Rim profile:
P = Softened PVC rim K
⑤ Surface finish price group:
STD = Group 1
⑥ Surface finish designator
⑦ Rim finish designator

K = Kwik Office model available.

Curved Corner Worksurfaces (1 3/16"H)

Pricing

Wire Manager—24"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	35 7/8"	23 7/8"	23 7/8"	**SS24363624WSCC** K	$417	$421	$462	$944	$934
41 7/8"	41 7/8"	23 7/8"	23 7/8"	**SS24424224WSCC** K	434	439	481	1012	995
	47 7/8"			**SS24424824WSCC**	515	—	571	—	—
	59 7/8"			**SS24426024WSCC**	651	—	722	—	—
47 7/8"	41 7/8"	23 7/8"	23 7/8"	**SS24484224WSCC**	515	—	571	—	—
	47 7/8"			**SS24484824WSCC** K	468	475	518	1013	1142
	59 7/8"			**SS24486024WSCC**	675	686	749	1437	1429
59 7/8"	41 7/8"	23 7/8"	23 7/8"	**SS24604224WSCC**	651	—	722	—	—
	47 7/8"			**SS24604824WSCC**	675	686	749	1437	1429
	59 7/8"			**SS24606024WSCC** K	915	—	1015	—	—

Rim Profiles:

Sloped (S) | Softened PVC (P) | Wood Softened (F)

Grain Direction:



Symmetrical (except 48" 3D laminate) | Symmetrical 48" 3D laminate | Right-hand | Left-hand

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

Return combo dimensions are determined from left to right when seated at the worksurface

Zebrawood woodgrain laminate cannot be applied to 60" x 60" curved corner worksurfaces.

* Height (thickness) for TFL worksurfaces is 1 1/8".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL K
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager K
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim K (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

K = Kwik Office model available.

Curved Corner Worksurfaces (1 3/16"H)

Pricing

Wire Manager—30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	41 7/8"	29 7/8"	29 7/8"	**SS30424230WSCC** K	$520	—	$576	—	—
47 7/8"	47 7/8"	29 7/8"	29 7/8"	**SS30484830WSCC** K	587	$597	650	1013	1142
	59 7/8"			**SS30486030WSCC**	761	772	843	1437	1429
59 7/8"	47 7/8"	29 7/8"	29 7/8"	**SS30604830WSCC**	761	772	843	1437	1429
	59 7/8"			**SS30606030WSCC**	960	—	1065	—	—

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Grain Direction:

Symmetrical (except 48" 3D laminate)



Symmetrical 48" 3D laminate

Right-hand

Left-hand

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

Return combo dimensions are determined from left to right when seated at the worksurface

Zebrawood woodgrain laminate cannot be applied to 60" x 60" curved corner worksurfaces.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL K
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager K
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim K (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

K = Kwik Office model available.

Curved Corner Worksurfaces (1 3/16"H)

Pricing

Wire Manager—24"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
47 7/8"	41 7/8"	23 7/8"	29 7/8"	**SS24484230WSCC**	$575	—	$637	—	—
	47 7/8"			**SS24484830WSCC**	591	$600	656	$1013	$1142
	59 7/8"			**SS24486030WSCC**	731	742	811	1437	1429
59 7/8"	41 7/8"	23 7/8"	29 7/8"	**SS24604230WSCC**	696	—	771	—	—
	47 7/8"			**SS24604830WSCC**	731	742	811	1437	1429
	59 7/8"			**SS24606030WSCC**	1036	—	1148	—	—

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Grain Direction:

Symmetrical (except 48" 3D laminate)



Symmetrical 48" 3D laminate



Right-hand



Left-hand

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

Zebrawood woodgrain laminate cannot be applied to 60" x 60" curved corner worksurfaces.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Curved Corner Worksurfaces (1 3/16"H)

Pricing

Wire Manager—30"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	47 7/8"	29 7/8"	23 7/8"	**SS30424824WSCC**	$575	—	$637	—	—
	59 7/8"			**SS30426024WSCC**	696	—	771	—	—
47 7/8"	47 7/8"			**SS30484824WSCC**	591	$600	656	$1013	$1142
	59 7/8"			**SS30486024WSCC**	731	742	811	1437	1429
59 7/8"	47 7/8"			**SS30604824WSCC**	731	742	811	1437	1429
	59 7/8"			**SS30606024WSCC**	1036	—	1148	—	—

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Grain Direction:



Symmetrical (except 48" 3D laminate)



Symmetrical 48" 3D laminate



Right-hand



Left-hand

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

Zebrawood woodgrain laminate cannot be applied to 60" x 60" curved corner worksurfaces.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Curved Corner Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combo									
35 7/8"	35 7/8"	23 7/8"	23 7/8"	**SS24363624WSCC**	$597	—	$662	$1166	$955
41 7/8"	41 7/8"			**SS24424224WSCC**	653	—	724	1233	1015
47 7/8"	47 7/8"			**SS24484824WSCC**	774	—	858	1259	1144
47 7/8"	59 7/8"			**SS24486024WSCC**	1000	—	1108	1566	1441
59 7/8"	47 7/8"			**SS24604824WSCC**	1000	—	1108	1566	1441
30"/30" Return Combo									
47 7/8"	47 7/8"	29 7/8"	29 7/8"	**SS30484830WSCC**	$774	—	$858	$1259	$1144
47 7/8"	59 7/8"			**SS30486030WSCC**	1000	—	1108	1566	1441
59 7/8"	47 7/8"			**SS30604830WSCC**	1000	—	1108	1566	1441
24"/30" Return Combo									
47 7/8"	47 7/8"	23 7/8"	29 7/8"	**SS24484830WSCC**	$774	—	$858	$1259	$1144
47 7/8"	59 7/8"			**SS24486030WSCC**	1000	—	1108	1566	1441
59 7/8"	47 7/8"			**SS24604830WSCC**	1000	—	1108	1566	1441
30"/24" Return Combo									
47 7/8"	47 7/8"	29 7/8"	23 7/8"	**SS30484824WSCC**	$774	—	$858	$1259	$1144
47 7/8"	59 7/8"			**SS30486024WSCC**	1000	—	1108	1566	1441
59 7/8"	47 7/8"			**SS30604824WSCC**	1000	—	1108	1566	1441

Rim Profiles:

Softened PVC (P) Wood Softened (F)

Grain Direction:



Symmetrical Right-hand Left-hand

IMPORTANT: Brackets must be specified separately.

Side and back edges are finished to match front rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Curved Corner Worksurfaces (1 3/16"H)

Pricing

Double Rim—24"/24" and 30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail.

A	B	C	D	Model	TFL* (LL) †	3D Lam. (T)	HPL (L)	HPL with Wood Rim (LW)	Wood (W)
24"/24" Return Combo									
35 7/8"	35 7/8"	23 7/8"	23 7/8"	**SS24363624WSCC** K	$563	—	$624	—	—
41 7/8"	41 7/8"			**SS24424224WSCC** K	578	—	640	—	—
	47 7/8"			**SS24424824WSCC**	654	—	725	—	—
	59 7/8"			**SS24426024WSCC**	781	—	866	—	—
47 7/8"	41 7/8"	23 7/8"	23 7/8"	**SS24484224WSCC**	654	—	725	—	—
	47 7/8"			**SS24484824WSCC** K	610	—	676	—	—
	59 7/8"			**SS24486024WSCC**	806	—	893	—	—
59 7/8"	41 7/8"	23 7/8"	23 7/8"	**SS24604224WSCC**	781	—	866	—	—
	47 7/8"			**SS24604824WSCC**	806	—	893	—	—
	59 7/8"			**SS24606024WSCC** K	1031	—	1142	—	—
30"/30" Return Combo									
41 7/8"	41 7/8"	29 7/8"	29 7/8"	**SS30424230WSCC** K	$660	—	$731	—	—
47 7/8"	47 7/8"	29 7/8"	29 7/8"	**SS30484830WSCC** K	723	—	801	—	—
	59 7/8"			**SS30486030WSCC**	885	—	981	—	—
59 7/8"	47 7/8"	29 7/8"	29 7/8"	**SS30604830WSCC**	885	—	981	—	—
	59 7/8"			**SS30606030WSCC** K	1070	—	1186	—	—

IMPORTANT: Brackets must be specified separately.

Side and back edges are finished to match front and back rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

Corner worksurfaces require half end panels for undersurface support. Return support panels can also be used if unit is secured to adjacent units with flat brackets.

Zebrawood woodgrain laminate cannot be applied to 60" x 60" curved corner worksurfaces.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Softened PVC (P)

Grain Direction:

Symmetrical

Right-hand

Left-hand

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   LL = TFL
   L = HPL K
3. Rim option:
   2 = Double rim K
4. Rim profile:
   P = Softened PVC rim K
5. Surface finish price group:
   STD = Group 1
6. Surface finish designator
7. Rim finish designator

K = Kwik Office model available.

Curved Corner Worksurfaces (1 3/16"H)

Pricing

Double Rim—24"/30" and 30"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail.

A	B	C	D	Model	TFL* (LL) †	3D Lam. (T)	HPL (L)	HPL with Wood Rim (LW)	Wood (W)
24"/30" Return Combo									
47 7/8"	41 7/8"	23 7/8"	29 7/8"	**SS24484230WSCC**	$711	—	$788	—	—
	47 7/8"			**SS24484830WSCC**	725	—	803	—	—
	59 7/8"			**SS24486030WSCC**	856	—	949	—	—
59 7/8"	41 7/8"	23 7/8"	29 7/8"	**SS24604230WSCC**	824	—	913	—	—
	47 7/8"			**SS24604830WSCC**	856	—	949	—	—
	59 7/8"			**SS24606030WSCC**	1141	—	1265	—	—
30"/24" Return Combo									
41 7/8"	47 7/8"	29 7/8"	23 7/8"	**SS30424824WSCC**	$654	—	$725	—	—
	59 7/8"			**SS30426024WSCC**	824	—	913	—	—
47 7/8"	47 7/8"	29 7/8"	23 7/8"	**SS30484824WSCC**	725	—	803	—	—
	59 7/8"			**SS30486024WSCC**	856	—	949	—	—
59 7/8"	47 7/8"	29 7/8"	23 7/8"	**SS30604824WSCC**	856	—	949	—	—
	59 7/8"			**SS30606024WSCC**	1141	—	1265	—	—

IMPORTANT: Brackets must be specified separately.

Side and back edges are finished to match front and back rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

Corner worksurfaces require half end panels for undersurface support. Return support panels can also be used if unit is secured to adjacent units with flat brackets.

Zebrawood woodgrain laminate cannot be applied to 60" x 60" curved corner worksurfaces.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Softened PVC (P)

Grain Direction:

Symmetrical

Right-hand

Left-hand

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   LL = TFL
   L = HPL
3. Rim option:
   2 = Double rim
4. Rim profile:
   P = Softened PVC rim
5. Surface finish price group:
   STD = Group 1
6. Surface finish designator
7. Rim finish designator

Right-Hand Serpentine Corner (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combos									
41 7/8"	59 7/8"	23 7/8"	23 7/8"	**SS24426024WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS24486024WSTC**	933	1016	1164	1436	1432
30"/30" Return Combos									
41 7/8"	59 7/8"	29 7/8"	29 7/8"	**SS30426030WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS30486030WSTC**	933	1016	1164	1436	1432
24"/30" Return Combos									
41 7/8"	59 7/8"	23 7/8"	29 7/8"	**SS24426030WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS24486030WSTC**	933	1016	1164	1436	1432
30"/24" Return Combos									
41 7/8"	59 7/8"	29 7/8"	23 7/8"	**SS30426024WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS30486024WSTC**	933	1016	1164	1436	1432

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

IMPORTANT: If using support at the narrowest point of the surface, consider the depth of the support.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Sloped (S) Softened PVC (P) Wood Softened (F)

Dimensions for Space Planning:



21" on 42"D worksurface
27" on 48"D worksurface

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Right-Hand Serpentine Corner (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combos									
41 7/8"	59 7/8"	23 7/8"	23 7/8"	**SS24426024WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS24486024WSTC**	890	—	1109	1566	1442
30"/30" Return Combos									
41 7/8"	59 7/8"	29 7/8"	29 7/8"	**SS30426030WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS30486030WSTC**	890	—	1109	1566	1442
24"/30" Return Combos									
41 7/8"	59 7/8"	23 7/8"	29 7/8"	**SS24426030WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS24486030WSTC**	890	—	1109	1566	1442
30"/24" Return Combos									
41 7/8"	59 7/8"	29 7/8"	23 7/8"	**SS30426024WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS30486024WSTC**	890	—	1109	1566	1442

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

Dimensions for Space Planning:



21" on 42"D worksurface
27" on 48"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with serpentine corner worksurfaces.

Side and back edges are finished to match front rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

IMPORTANT: If using support at the narrowest point of the surface, consider the depth of the support.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Serpentine Corner (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combos									
41 7/8"	59 7/8"	23 7/8"	23 7/8"	**SS24604224WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS24604824WSTC**	933	1016	1164	1436	1432
30"/30" Return Combos									
41 7/8"	59 7/8"	29 7/8"	29 7/8"	**SS30604230WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS30604830WSTC**	933	1016	1164	1436	1432
24"/30" Return Combos									
41 7/8"	59 7/8"	23 7/8"	29 7/8"	**SS24604230WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS24604830WSTC**	933	1016	1164	1436	1432
30"/24" Return Combos									
41 7/8"	59 7/8"	29 7/8"	23 7/8"	**SS30604224WSTC**	$814	$890	$1016	$1258	$1253
47 7/8"				**SS30604824WSTC**	933	1016	1164	1436	1432

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with serpentine corner worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

IMPORTANT: If using support at the narrowest point of the surface, consider the depth of the support.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Sloped (S) Softened PVC (P) Wood Softened (F)

Dimensions for Space Planning:



21" on 42"D worksurface
27" on 48"D worksurface

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Left-Hand Serpentine Corner (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combos									
41 7/8"	59 7/8"	23 7/8"	23 7/8"	**SS24604224WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS24604824WSTC**	890	—	1109	1566	1442
30"/30" Return Combos									
41 7/8"	59 7/8"	29 7/8"	29 7/8"	**SS30604230WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS30604830WSTC**	890	—	1109	1566	1442
24"/30" Return Combos									
41 7/8"	59 7/8"	23 7/8"	29 7/8"	**SS24604230WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS24604830WSTC**	890	—	1109	1566	1442
30"/24" Return Combos									
41 7/8"	59 7/8"	29 7/8"	23 7/8"	**SS30604224WSTC**	$780	—	$973	$1370	$1262
47 7/8"				**SS30604824WSTC**	890	—	1109	1566	1442

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

Dimensions for Space Planning:



21" on 42"D worksurface
27" on 48"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile undersurface storage units are recommended for use with serpentine corner worksurfaces.

Side and back edges are finished to match front rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

IMPORTANT: If using support at the narrowest point of the surface, consider the depth of the support.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

120° Curved Corner Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combos									
36"	36"	24"	24"	**SS24363624WSCY**	$764	$804	$847	$1355	$1262
42"	42"			**SS24424224WSCY**	818	860	907	1437	1344
48"	48"			**SS24484824WSCY**	901	949	998	1482	1387
60"	60"			**SS24606024WSCY**	—	—	1774	2625	2466
30"/30" Return Combos									
42"	42"	30"	30"	**SS30424230WSCY**	$888	—	$985	$1461	$1387
48"	48"			**SS30484830WSCY**	932	—	1033	1527	1413
60"	60"			**SS30606030WSCY**	—	—	1826	2703	2552

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Dimensions shown are nominal. Actual dimensions vary slightly to correspond to the panel system specified.

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   LL = TFL
   T = 3D laminate
   L = HPL
   LW = HPL with wood rim
   W = Wood
3. Rim option:
   3 = Wire manager
4. Panel system:
   C = Cetra
   X = Xsite
   I = Interworks EQ
5. Rim profile:
   S = Sloped rim (available on 3D laminate surface only)
   P = Softened PVC rim (available on TFL or HPL surfaces only)
   F = Wood, softened rim
6. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
7. Surface finish designator
8. Rim finish price group (include for laminate with wood rim only):
   STD = Group 1
   STD2 = Group 2 (+20%)
9. Rim finish designator (include for laminate with wood rim or P rim only)
10. Wire manager finish designator

Right-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—24"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24366624WSSE**	$770	$838	$959	$1183	$1177
	71 7/8"			**SS24367224WSSE**	839	914	1047	1291	1284
	77 7/8"			**SS24367824WSSE**	906	988	1131	1400	1391
	83 7/8"			**SS24368424WSSE**	979	1063	1221	1507	1499
	89 7/8"			**SS24369024WSSE**	1049	1143	1308	1615	1607
	95 7/8"			**SS24369624WSSE**	1118	1220	1395	1722	1713
41 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24426624WSSE**	898	978	1119	1384	1374
	71 7/8"			**SS24427224WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS24427824WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS24428424WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS24429024WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS24429624WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24486624WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS24487224WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS24487824WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS24488424WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS24489024WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS24489624WSSE**	1491	1624	1860	2300	2282

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Right-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30426630WSSE**	$898	$978	$1119	$1384	$1374
	71 7/8"			**SS30427230WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS30427830WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS30428430WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS30429030WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS30429630WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30486630WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS30487230WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS30487830WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS30488430WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS30489030WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS30489630WSSE**	1491	1624	1860	2300	2282

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Right-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—24"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24426630WSSE**	$898	$978	$1119	$1384	$1374
	71 7/8"			**SS24427230WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS24427830WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS24428430WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS24429030WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS24429630WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24486630WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS24487230WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS24487830WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS24488430WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS24489030WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS24489630WSSE**	1491	1624	1860	2300	2282

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Right-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—30"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30366624WSSE**	$770	$838	$959	$1183	$1177
	71 7/8"			**SS30367224WSSE**	839	914	1047	1291	1284
	77 7/8"			**SS30367824WSSE**	906	988	1131	1400	1391
	83 7/8"			**SS30368424WSSE**	979	1063	1221	1507	1499
	89 7/8"			**SS30369024WSSE**	1049	1143	1308	1615	1607
	95 7/8"			**SS30369624WSSE**	1118	1220	1395	1722	1713
41 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30426624WSSE**	898	978	1119	1384	1374
	71 7/8"			**SS30427224WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS30427824WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS30428424WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS30429024WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS30429624WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30486624WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS30487224WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS30487824WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS30488424WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS30489024WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS30489624WSSE**	1491	1624	1860	2300	2282

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Right-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—24"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24366624WSSE**	$733	—	$914	$1291	$1189
	71 7/8"			**SS24367224WSSE**	799	—	996	1408	1300
	77 7/8"			**SS24367824WSSE**	866	—	1079	1527	1407
	83 7/8"			**SS24368424WSSE**	931	—	1162	1644	1517
	89 7/8"			**SS24369024WSSE**	999	—	1246	1762	1624
	95 7/8"			**SS24369624WSSE**	1066	—	1330	1881	1733
41 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24426624WSSE**	854	—	1065	1506	1391
	71 7/8"			**SS24427224WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS24427824WSSE**	1010	—	1260	1781	1643
	83 7/8"			**SS24428424WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS24429024WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS24429624WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24486624WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS24487224WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS24487824WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS24488424WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS24489024WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS24489624WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30426630WSSE**	$854	—	$1065	$1506	$1391
	71 7/8"			**SS30427230WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS30427830WSSE**	1010	—	1260	1781	1643
	83 7/8"			**SS30428430WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS30429030WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS30429630WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30486630WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS30487230WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS30487830WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS30488430WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS30489030WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS30489630WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—24"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24426630WSSE**	$854	—	$1065	$1506	$1391
	71 7/8"			**SS24427230WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS24427830WSSE**	1010	—	1260	1781	1643
	83 7/8"			**SS24428430WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS24429030WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS24429630WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24486630WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS24487230WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS24487830WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS24488430WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS24489030WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS24489630WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—30"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30366624WSSE**	$733	—	$914	$1291	$1189
	71 7/8"			**SS30367224WSSE**	799	—	996	1408	1300
	77 7/8"			**SS30367824WSSE**	866	—	1079	1527	1407
	83 7/8"			**SS30368424WSSE**	931	—	1162	1644	1517
	89 7/8"			**SS30369024WSSE**	999	—	1246	1762	1624
	95 7/8"			**SS30369624WSSE**	1066	—	1330	1881	1733
41 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30426624WSSE**	854	—	1065	1506	1391
	71 7/8"			**SS30427224WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS30427824WSSE**	1010	—	1260	1781	1643
	83 7/8"			**SS30428424WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS30429024WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS30429624WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30486624WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS30487224WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS30487824WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS30488424WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS30489024WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS30489624WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—24"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24366624WSSE**	$760	—	$948	$1309	$1204
	71 7/8"			**SS24367224WSSE**	830	—	1036	1426	1312
	77 7/8"			**SS24367824WSSE**	899	—	1121	1548	1423
	83 7/8"			**SS24368424WSSE**	968	—	1207	1666	1531
	89 7/8"			**SS24369024WSSE**	1037	—	1293	1783	1643
	95 7/8"			**SS24369624WSSE**	1106	—	1378	1904	1752
41 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24426624WSSE**	886	—	1106	1527	1405
	71 7/8"			**SS24427224WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS24427824WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS24428424WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS24429024WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS24429624WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24486624WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS24487224WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS24487824WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS24488424WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS24489024WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS24489624WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30426630WSSE**	$886	—	$1106	$1527	$1405
	71 7/8"			**SS30427230WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS30427830WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS30428430WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS30429030WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS30429630WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30486630WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS30487230WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS30487830WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS30488430WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS30489030WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS30489630WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—24"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24426630WSSE**	$886	—	$1106	$1527	$1405
	71 7/8"			**SS24427230WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS24427830WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS24428430WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS24429030WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS24429630WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24486630WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS24487230WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS24487830WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS24488430WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS24489030WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS24489630WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—30"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30366624WSSE**	$760	—	$948	$1309	$1204
	71 7/8"			**SS30367224WSSE**	830	—	1036	1426	1312
	77 7/8"			**SS30367824WSSE**	899	—	1121	1548	1423
	83 7/8"			**SS30368424WSSE**	968	—	1207	1666	1531
	89 7/8"			**SS30369024WSSE**	1037	—	1293	1783	1643
	95 7/8"			**SS30369624WSSE**	1106	—	1378	1904	1752
41 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30426624WSSE**	886	—	1106	1527	1405
	71 7/8"			**SS30427224WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS30427824WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS30428424WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS30429024WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS30429624WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30486624WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS30487224WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS30487824WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS30488424WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS30489024WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS30489624WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—24"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24663624WSSE**	$770	$838	$959	$1183	$1177
	71 7/8"			**SS24723624WSSE**	839	914	1047	1291	1284
	77 7/8"			**SS24783624WSSE**	906	988	1131	1400	1391
	83 7/8"			**SS24843624WSSE**	979	1063	1221	1507	1499
	89 7/8"			**SS24903624WSSE**	1049	1143	1308	1615	1607
	95 7/8"			**SS24963624WSSE**	1118	1220	1395	1722	1713
41 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24664224WSSE**	898	978	1119	1384	1374
	71 7/8"			**SS24724224WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS24784224WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS24844224WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS24904224WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS24964224WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24664824WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS24724824WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS24784824WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS24844824WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS24904824WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS24964824WSSE**	1491	1624	1860	2300	2282

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Sloped (S) Softened PVC (P) Wood Softened (F)

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Left-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30664230WSSE**	$898	$978	$1119	$1384	$1374
	71 7/8"			**SS30724230WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS30784230WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS30844230WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS30904230WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS30964230WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30664830WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS30724830WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS30784830WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS30844830WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS30904830WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS30964830WSSE**	1491	1624	1860	2300	2282

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Left-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—24"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24663630WSSE**	$770	$838	$959	$1183	$1177
	71 7/8"			**SS24723630WSSE**	839	914	1047	1291	1284
	77 7/8"			**SS24783630WSSE**	906	988	1131	1400	1391
	83 7/8"			**SS24843630WSSE**	979	1063	1221	1507	1499
	89 7/8"			**SS24903630WSSE**	1049	1143	1308	1615	1607
	95 7/8"			**SS24963630WSSE**	1118	1220	1395	1722	1713
41 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24664230WSSE**	898	978	1119	1384	1374
	71 7/8"			**SS24724230WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS24784230WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS24844230WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS24904230WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS24964230WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24664830WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS24724830WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS24784830WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS24844830WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS24904830WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS24964830WSSE**	1491	1624	1860	2300	2282

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Left-Hand Extended Straight (1 3/16"H)

Pricing

Wire Manager—30"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30664224WSSE**	$898	$978	$1119	$1384	$1374
	71 7/8"			**SS30724224WSSE**	979	1063	1221	1507	1499
	77 7/8"			**SS30784224WSSE**	1059	1154	1321	1635	1624
	83 7/8"			**SS30844224WSSE**	1142	1244	1424	1761	1750
	89 7/8"			**SS30904224WSSE**	1224	1332	1526	1886	1874
	95 7/8"			**SS30964224WSSE**	1306	1421	1629	2010	1999
47 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30664824WSSE**	1025	1117	1278	1581	1568
	71 7/8"			**SS30724824WSSE**	1118	1220	1395	1722	1713
	77 7/8"			**SS30784824WSSE**	1211	1319	1511	1867	1855
	83 7/8"			**SS30844824WSSE**	1306	1421	1629	2010	1999
	89 7/8"			**SS30904824WSSE**	1398	1524	1744	2156	2140
	95 7/8"			**SS30964824WSSE**	1491	1624	1860	2300	2282

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Left-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—24"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24663624WSSE**	$733	—	$914	$1291	$1189
	71 7/8"			**SS24723624WSSE**	799	—	996	1408	1300
	77 7/8"			**SS24783624WSSE**	866	—	1079	1527	1407
	83 7/8"			**SS24843624WSSE**	931	—	1162	1644	1517
	89 7/8"			**SS24903624WSSE**	999	—	1246	1762	1624
	95 7/8"			**SS24963624WSSE**	1066	—	1330	1881	1733
41 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24664224WSSE**	854	—	1065	1506	1391
	71 7/8"			**SS24724224WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS24784224WSSE**	1010	—	1260	1781	1643
	83 7/8"			**SS24844224WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS24904224WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS24964224WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24664824WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS24724824WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS24784824WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS24844824WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS24904824WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS24964824WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30664230WSSE**	$854	—	$1065	$1506	$1391
	71 7/8"			**SS30724230WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS30784230WSSE**	1010	—	1259	1781	1643
	83 7/8"			**SS30844230WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS30904230WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS30964230WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30664830WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS30724830WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS30784830WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS30844830WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS30904830WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS30964830WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—24"/30" Returns

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24663630WSSE**	$733	—	$914	$1291	$1189
	71 7/8"			**SS24723630WSSE**	799	—	996	1408	1300
	77 7/8"			**SS24783630WSSE**	866	—	1079	1527	1407
	83 7/8"			**SS24843630WSSE**	931	—	1162	1644	1517
	89 7/8"			**SS24903630WSSE**	999	—	1246	1762	1624
	95 7/8"			**SS24963630WSSE**	1066	—	1330	1881	1733
41 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24664230WSSE**	854	—	1065	1506	1391
	71 7/8"			**SS24724230WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS24784230WSSE**	1010	—	1260	1781	1643
	83 7/8"			**SS24844230WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS24904230WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS24964230WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24664830WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS24724830WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS24784830WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS24844830WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS24904830WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS24964830WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Single Rim—30"/24" Returns

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30664224WSSE**	$854	—	$1065	$1506	$1391
	71 7/8"			**SS30724224WSSE**	931	—	1162	1644	1517
	77 7/8"			**SS30784224WSSE**	1010	—	1260	1781	1643
	83 7/8"			**SS30844224WSSE**	1087	—	1356	1917	1769
	89 7/8"			**SS30904224WSSE**	1165	—	1453	2055	1896
	95 7/8"			**SS30964224WSSE**	1243	—	1550	2193	2021
47 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30664824WSSE**	977	—	1218	1720	1588
	71 7/8"			**SS30724824WSSE**	1066	—	1330	1881	1733
	77 7/8"			**SS30784824WSSE**	1154	—	1438	2034	1877
	83 7/8"			**SS30844824WSSE**	1243	—	1550	2193	2021
	89 7/8"			**SS30904824WSSE**	1330	—	1659	2347	2165
	95 7/8"			**SS30964824WSSE**	1420	—	1771	2506	2310

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—24"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24663624WSSE**	$760	—	$948	$1309	$1204
	71 7/8"			**SS24723624WSSE**	830	—	1036	1426	1312
	77 7/8"			**SS24783624WSSE**	899	—	1121	1548	1423
	83 7/8"			**SS24843624WSSE**	968	—	1207	1666	1531
	89 7/8"			**SS24903624WSSE**	1037	—	1293	1783	1643
	95 7/8"			**SS24963624WSSE**	1106	—	1378	1904	1752
41 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24664224WSSE**	886	—	1106	1527	1405
	71 7/8"			**SS24724224WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS24784224WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS24844224WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS24904224WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS24964224WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	23 7/8"	23 7/8"	**SS24664824WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS24724824WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS24784824WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS24844824WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS24904824WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS24964824WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—30"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30664230WSSE**	$886	—	$1106	$1527	$1405
	71 7/8"			**SS30724230WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS30784230WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS30844230WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS30904230WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS30964230WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	29 7/8"	29 7/8"	**SS30664830WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS30724830WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS30784830WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS30844830WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS30904830WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS30964830WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—24"/30" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
35 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24663630WSSE**	$760	—	$948	$1309	$1204
	71 7/8"			**SS24723630WSSE**	830	—	1036	1426	1312
	77 7/8"			**SS24783630WSSE**	899	—	1121	1548	1423
	83 7/8"			**SS24843630WSSE**	968	—	1207	1666	1531
	89 7/8"			**SS24903630WSSE**	1037	—	1293	1783	1643
	95 7/8"			**SS24963630WSSE**	1106	—	1378	1904	1752
41 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24664230WSSE**	886	—	1106	1527	1405
	71 7/8"			**SS24724230WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS24784230WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS24844230WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS24904230WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS24964230WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	23 7/8"	29 7/8"	**SS24664830WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS24724830WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS24784830WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS24844830WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS24904830WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS24964830WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Straight (1 3/16"H)

Pricing

Double Rim—30"/24" Return Combos

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
41 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30664224WSSE**	$886	—	$1106	$1527	$1405
	71 7/8"			**SS30724224WSSE**	968	—	1207	1666	1531
	77 7/8"			**SS30784224WSSE**	1047	—	1306	1804	1660
	83 7/8"			**SS30844224WSSE**	1129	—	1407	1944	1787
	89 7/8"			**SS30904224WSSE**	1209	—	1507	2082	1917
	95 7/8"			**SS30964224WSSE**	1291	—	1610	2221	2045
47 7/8"	65 7/8"	29 7/8"	23 7/8"	**SS30664824WSSE**	1013	—	1263	1744	1607
	71 7/8"			**SS30724824WSSE**	1106	—	1378	1904	1752
	77 7/8"			**SS30784824WSSE**	1198	—	1494	2062	1899
	83 7/8"			**SS30844824WSSE**	1291	—	1610	2221	2045
	89 7/8"			**SS30904824WSSE**	1381	—	1722	2381	2191
	95 7/8"			**SS30964824WSSE**	1474	—	1839	2537	2334

Rim Profiles:

Softened PVC (P) Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Return combo dimensions are determined from left to right when seated at the worksurface.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Arc Worksurfaces (1 3/16"H)

Pricing

Double Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*E*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
30"/30" Return Combos										
41 7/8"	77 7/8"	29 7/8"	29 7/8"	15 1/8"	**SS30427830WSAE**	$1237	$1266	$1371	$1897	$1745
	83 7/8"			21 1/8"	**SS30428430WSAE**	1333	1373	1478	2040	1881
47 7/8"	77 7/8"			15 1/8"	**SS30487830WSAE**	1415	—	1568	2165	1994
	83 7/8"			21 1/8"	**SS30488430WSAE**	1526	—	1691	2332	2147
24"/30" Return Combos										
41 7/8"	71 7/8"	23 7/8"	29 7/8"	15 1/8"	**SS24427230WSAE**	$1145	$1163	$1269	$1751	$1611
	77 7/8"			21 1/8"	**SS24427830WSAE**	1237	1266	1371	1897	1745
	83 7/8"			27 1/8"	**SS24428430WSAE**	1333	1373	1478	2040	1881
47 7/8"	71 7/8"	23 7/8"	29 7/8"	15 1/8"	**SS24487230WSAE**	1306	—	1448	2002	1841
	77 7/8"			21 1/8"	**SS24487830WSAE**	1415	—	1568	2165	1994
	83 7/8"			27 1/8"	**SS24488430WSAE**	1526	—	1691	2332	2147

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side "A" dimension for 3D laminate worksurfaces is 40 9/32".

Consider dimension "E" when specifying pedestals for use with extended arc worksurfaces.

Extended arc worksurfaces with an "E" dimension of 15 1/8" are for use with 15"W pedestals only.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1 1/8".

Dimensions for Space Planning:



• 16" on 42"D worksurface
22" on 48"D worksurface

Note: Dimensions for 3D laminate worksurfaces are 1/2" less than shown.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Left-Hand Extended Arc Worksurfaces (1 3/16"H)

Pricing

Double Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*E*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
30"/30" Return Combos										
41 7/8"	77 7/8"	29 7/8"	29 7/8"	15 1/8"	**SS30784230WSAE**	$1237	$1266	$1371	$1897	$1745
	83 7/8"			21 1/8"	**SS30844230WSAE**	1333	1373	1478	2040	1881
47 7/8"	77 7/8"			15 1/8"	**SS30784830WSAE**	1415	—	1568	2165	1994
	83 7/8"			21 1/8"	**SS30844830WSAE**	1526	—	1691	2332	2147
30"/24" Return Combos										
41 7/8"	71 7/8"	29 7/8"	23 7/8"	15 1/8"	**SS30724224WSAE**	$1145	$1163	$1269	$1751	$1611
	77 7/8"			21 1/8"	**SS30784224WSAE**	1237	1266	1371	1897	1745
	83 7/8"			27 1/8"	**SS30844224WSAE**	1333	1373	1478	2040	1881
47 7/8"	71 7/8"	29 7/8"	23 7/8"	15 1/8"	**SS30724824WSAE**	1306	—	1448	2002	1841
	77 7/8"			21 1/8"	**SS30784824WSAE**	1415	—	1568	2165	1994
	83 7/8"			27 1/8"	**SS30844824WSAE**	1526	—	1691	2332	2147

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Side "A" dimension for 3D laminate worksurfaces is 40 9/32".

Consider dimension "E" when specifying pedestals for use with extended arc worksurfaces.

Extended arc worksurfaces with an "E" dimension of 15 1/8" are for use with 15"W pedestals only.

Side edges are finished to match the front and back rims.

* Height (thickness) for TFL worksurfaces is 1 1/8".

Dimensions for Space Planning:



- 16" on 42"D worksurface
  22" on 48"D worksurface

Note: Dimensions for 3D laminate worksurfaces are 1/2" less than shown.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
2 = Double rim
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Right-Hand Extended Wedge (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24" Return Combo								
41 7/8"	71 7/8"	23 7/8"	**SS24427224WSWE**	$1156	$1119	$1281	$1584	$1574
	77 7/8"		**SS24427824WSWE**	1251	1213	1387	1715	1706
47 7/8"	71 7/8"	23 7/8"	**SS24487224WSWE**	1324	1280	1467	1811	1798
	77 7/8"		**SS24487824WSWE**	1434	1387	1589	1962	1947
30" Return Combo								
41 7/8"	77 7/8"	29 7/8"	**SS30427830WSWE**	$1251	$1213	$1387	$1715	$1706
47 7/8"			**SS30487830WSWE**	1434	1387	1589	1962	1947

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)



Note: The sloped rim on 3D laminate extended wedge worksurfaces with wire manager flattens on the top and side to allow attachment of the wire manager.

Dimensions for Space Planning:



- 17" on 42"D worksurface
  23" on 48"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile pedestals are recommended for use with extended wedge worksurfaces.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Left-Hand Extended Wedge (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
24" Return Combo								
41 7/8"	71 7/8"	23 7/8"	**SS24724224WSWE**	$1156	$1119	$1281	$1584	$1574
	77 7/8"		**SS24784224WSWE**	1251	1213	1387	1715	1706
47 7/8"	71 7/8"	23 7/8"	**SS24724824WSWE**	1324	1280	1467	1811	1798
	77 7/8"		**SS24784824WSWE**	1434	1387	1589	1962	1947
30" Return Combo								
41 7/8"	77 7/8"	29 7/8"	**SS30784230WSWE**	$1251	$1213	$1387	$1715	$1706
47 7/8"			**SS30784830WSWE**	1434	1387	1589	1962	1947

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)



Note: The sloped rim on 3D laminate extended wedge worksurfaces with wire manager flattens on the top and side to allow attachment of the wire manager.

Dimensions for Space Planning:



17" on 42"D worksurface
23" on 48"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile pedestals are recommended for use with extended wedge worksurfaces.

Side edges are finished to match the top; wire manager is on the back edge.
Exception: Side edges on worksurfaces with PVC rim option (P) are finished to match the front PVC rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
3 = Wire manager
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Extended Wedge Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.



A	B	C	Model	TFL* (LL) †	3D Lam. (T)	HPL (L)	HPL with Wood Rim (LW)	Wood (W)
Right-Hand								
24" Return Combo								
41 7/8"	71 7/8"	23 7/8"	**SS24427224WSWE**	$1102	—	$1221	$1729	$1590
	77 7/8"		**SS24427824WSWE**	1193	—	1322	1871	1726
47 7/8"	71 7/8"		**SS24487224WSWE**	1257	—	1394	1973	1819
	77 7/8"		**SS24487824WSWE**	1362	—	1510	2138	1972
30" Return Combo								
41 7/8"	77 7/8"	29 7/8"	**SS30427830WSWE**	$1193	—	$1322	$1871	$1726
47 7/8"			**SS30487830WSWE**	1362	—	1510	2138	1972
Left-Hand								
24" Return Combo								
41 7/8"	71 7/8"	23 7/8"	**SS24724224WSWE**	$1102	—	$1221	$1729	$1590
	77 7/8"		**SS24784224WSWE**	1193	—	1322	1871	1726
47 7/8"	71 7/8"		**SS24724824WSWE**	1257	—	1394	1973	1819
	77 7/8"		**SS24784824WSWE**	1362	—	1510	2138	1972
30" Return Combo								
41 7/8"	77 7/8"	29 7/8"	**SS30784230WSWE**	$1193	—	$1322	$1871	$1726
47 7/8"			**SS30784830WSWE**	1362	—	1510	2138	1972

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

Dimensions for Space Planning:



● 17" on 42"D worksurface
23" on 48"D worksurface

IMPORTANT: Brackets must be specified separately.

Mobile pedestals are recommended for use with extended wedge worksurfaces.

Side and back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Extended P-Top Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

IMPORTANT: Brackets must be specified separately.

IMPORTANT: Extended P-tops should be specified with a 24"D return or corner worksurface. Notice the hand orientation of these surfaces.

Side and back edges are finished to match front rim.

Conference area of extended P-top worksurface has a diameter of 40". P-tops used in freestanding applications must be attached to a return or extension for additional support.

* Height (thickness) for TFL worksurfaces is 1⅛".

A	*B*	*C*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Right-Hand								
47⅞"	77⅞"	23⅞"	**SS244878WSPE**	$1661	—	$2071	$2704	$2512
Left-Hand								
47⅞"	77⅞"	23⅞"	**SS784824WSPE**	$1661	—	$2071	$2704	$2512

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Extended U-Top Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending





Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

IMPORTANT: Brackets must be specified separately.

IMPORTANT: Notice the hand orientation of these surfaces.

Side edges are finished to match front rim. Wire manager is on the back edge.

U-tops used in freestanding applications must be attached to a return or extension for additional support. Extended U-tops should be specified with a 24"D return or corner worksurface.

* Height (thickness) for TFL worksurfaces is 1⅛".

A	*B*	*C*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Right-Hand								
47⅞"	59⅞"	23⅞"	**SS244860WSUE**	$786	—	$980	—	—
	65⅞"		**SS244866WSUE**	819	—	1021	—	—
	71⅞"		**SS244872WSUE**	889	—	1108	—	—
	83⅞"		**SS244884WSUE**	946	—	1180	—	—
47⅞"	71⅞"	29⅞"	**SS304872WSUE**	949	—	1183	—	—
	83⅞"		**SS304884WSUE**	999	—	1246	—	—
Left-Hand								
47⅞"	59⅞"	23⅞"	**SS604824WSUE**	$786	—	$980	—	—
	65⅞"		**SS664824WSUE**	819	—	1021	—	—
	71⅞"		**SS724824WSUE**	889	—	1108	—	—
	83⅞"		**SS844824WSUE**	946	—	1180	—	—
47⅞"	71⅞"	29⅞"	**SS724830WSUE**	949	—	1183	—	—
	83⅞"		**SS844830WSUE**	999	—	1246	—	—

Rim Profiles:

Softened PVC (P)

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   LL = TFL
   L = HPL
3. Rim option:
   3 = Wire manager
4. Rim profile:
   P = Softened PVC rim
5. Surface finish price group:
   STD = Group 1
6. Surface finish designator
7. Rim finish designator
8. Wire manager finish designator

Extended U-Top Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available





Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Right-Hand								
47 7/8"	59 7/8"	23 7/8"	**SS244860WSUE**	$688	—	$915	—	—
	65 7/8"		**SS244866WSUE**	717	—	954	—	—
	71 7/8"		**SS244872WSUE**	778	—	1035	$1904	$1739
	83 7/8"		**SS244884WSUE**	830	—	1104	—	—
47 7/8"	71 7/8"	29 7/8"	**SS304872WSUE**	831	—	1106	—	—
	83 7/8"		**SS304884WSUE**	875	—	1164	—	—
Left-Hand								
47 7/8"	59 7/8"	23 7/8"	**SS604824WSUE**	$734	—	$915	—	—
	65 7/8"		**SS664824WSUE**	765	—	954	—	—
	71 7/8"		**SS724824WSUE**	830	—	1035	$1904	$1739
	83 7/8"		**SS844824WSUE**	885	—	1104	—	—
47 7/8"	71 7/8"	29 7/8"	**SS724830WSUE**	886	—	1106	—	—
	83 7/8"		**SS844830WSUE**	933	—	1164	—	—

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

IMPORTANT: Notice the hand orientation of these surfaces.

Side and back edges are finished to match front rim.

U-tops used in freestanding applications must be attached to a return or extension for additional support. Extended U-tops should be specified with a 24"D return or corner worksurface.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single-rim
④ Rim profile:
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

P-Top Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available





Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Right-Hand							
29 7/8"	71 7/8"	**SS3072WSP**	$894	$1021	$1115	$1478	$1345
35 7/8"	83 7/8"	**SS3684WSP**	1122	1284	1400	1842	1673
Left-Hand							
29 7/8"	71 7/8"	**SS7230WSP**	$894	$1021	$1115	$1478	$1345
35 7/8"	83 7/8"	**SS8436WSP**	1122	1284	1400	1842	1673

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

IMPORTANT: Notice the hand orientation of P-top surfaces.

Rim detail appears on the front and user edges.

Side edges are finished to match front rim.

Conference area of 30"D P-top worksurface is 42" in diameter; it is 48" in diameter on a 36"D P-top.

P-tops used in freestanding applications must be attached to a return or extension for additional support.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

U-Top Worksurfaces (1 3/16"H)

Pricing

Wire Manager

GSA SIN 711-1
† TFL GSA contract pending

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458





Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Radius							
29 7/8"	59 7/8"	**SS3060WSU** K	$611	—	$812	—	—
	65 7/8"	**SS3066WSU** K	639	—	850	—	—
	71 7/8"	**SS3072WSU** K	665	—	884	—	—
35 7/8"	59 7/8"	**SS3660WSU** K	648	—	862	—	—
	65 7/8"	**SS3666WSU** K	674	—	897	—	—
	71 7/8"	**SS3672WSU** K	703	—	934	—	—
Crowned							
29 7/8"	59 7/8"	**SS3060WSUC** K	$611	—	$812	—	—
	65 7/8"	**SS3066WSUC** K	639	—	850	—	—
	71 7/8"	**SS3072WSUC** K	665	—	884	—	—
35 7/8"	59 7/8"	**SS3660WSUC** K	648	—	862	—	—
	65 7/8"	**SS3666WSUC** K	674	—	897	—	—
	71 7/8"	**SS3672WSUC** K	703	—	934	—	—

Rim Profiles:

Softened PVC (P)

IMPORTANT: Brackets must be specified separately.

Wire manager is on the back edge.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

* Height (thickness) for TFL worksurfaces is 1⅛".

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   LL = TFL
   L = HPL K
3. Rim option:
   3 = Wire manager K
4. Rim profile:
   P = Softened PVC rim K
5. Surface finish price group:
   STD = Group 1
6. Surface finish designator
7. Rim finish designator
8. Wire manager finish designator

K = Kwik Office model available.

U-Top Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available





Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL)* †	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Radius							
29 7/8"	59 7/8"	**SS3060WSU** K	$531	$646	$706	$1059	$936
	65 7/8"	**SS3066WSU** K	574	699	763	1109	1035
	71 7/8"	**SS3072WSU** K	615	752	818	1159	1050
35 7/8"	59 7/8"	**SS3660WSU** K	605	—	804	—	—
	65 7/8"	**SS3666WSU** K	630	—	838	—	—
	71 7/8"	**SS3672WSU** K	656	838	872	1266	1137
Crowned							
29 7/8"	59 7/8"	**SS3060WSUC** K	$531	—	$706	—	—
	65 7/8"	**SS3066WSUC** K	574	—	763	—	—
	71 7/8"	**SS3072WSUC** K	615	—	818	—	—
35 7/8"	59 7/8"	**SS3660WSUC** K	605	—	804	—	—
	65 7/8"	**SS3666WSUC** K	630	—	838	—	—
	71 7/8"	**SS3672WSUC** K	656	—	872	—	—

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

IMPORTANT: Brackets must be specified separately.

Back edge is finished to match front rim.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL K
LW = HPL with wood rim
W = Wood
❸ Rim option:
1 = Single rim K
④ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim K (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

K = Kwik Office model available.

D-Shape Worksurfaces (1 3/16"H)

Pricing

Single Rims

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available



Note: Bold line indicates location of rim detail.

D	W	Model	TFL* (LL) †	3D Lam. (T)	HPL (L)	HPL with Wood Rim (LW)	Wood (W)
For Use with 24"D Worksurfaces							
For Use with Xsite Panel							
30"	51 1/16"	**SS2424WSD**	$999	$1016	$1107	$1884	$1269
For Use with Cetra Panel							
30"	50 3/8"	**SS2424WSD**	$999	$1016	$1107	$1884	$1269
For Use with Interworks EQ Panel							
30"	49 7/8"	**SS2424WSD**	$999	$1016	$1107	$1884	$1269
For Use with Two 30"D Worksurfaces							
For Use with Xsite Panel							
36"	63 1/16"	**SS3030WSD**	$1180	$1198	$1308	$2224	$1529
For Use with Cetra Panel							
36"	62 3/8"	**SS3030WSD**	$1180	$1198	$1308	$2224	$1529
For Use with Interworks EQ Panel							
36"	61 7/8"	**SS3030WSD**	$1180	$1198	$1308	$2224	$1529

Rim Profiles:

Sloped (S) Softened PVC (P) Wood Softened (F)

Grain Direction:



Wood Laminate or 3D Laminate

IMPORTANT: Worksurfaces are notched appropriately and dimensionally adjusted in width for the panel type specified.

IMPORTANT: Brackets must be specified separately.

Rim detail appears on the front rim only; back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   LL = TFL
   T = 3D laminate
   L = HPL
   W = Wood
   LW = HPL with wood rim
3. Rim option:
   1 = Single rim
4. Panel type:
   X = Xsite
   C = Cetra
   I = Interworks EQ
5. Rim profile:
   S = Sloped rim (available on 3D laminate surface only)
   P = Softened PVC rim (available on TFL or HPL surfaces only)
   F = Wood, softened rim
6. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
7. Surface finish designator
8. Rim finish price group (include for laminate with wood rim only):
   STD = Group 1
   STD2 = Group 2 (+20%)
9. Rim finish designator (include for laminate with wood rim or P rim only)

Quarter Round Worksurfaces (1 3/16"H)

Pricing

Single Rim

GSA SIN 711-1
† TFL GSA contract pending
FSC-C010590 available





Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Notched Quarter Round							
23 7/8"	23 7/8"	**SS2424WSQRN**	$344	$394	$428	$746	$674
29 7/8"	29 7/8"	**SS3030WSQRN**	380	432	474	836	720
Un-Notched Quarter Round							
23 7/8"	23 7/8"	**SS2424WSQR**	$344	$394	$428	$746	$674
29 7/8"	29 7/8"	**SS3030WSQR**	380	432	474	836	720

Rim Profiles:

Sloped (S)

Softened PVC (P)

Wood Softened (F)

Dimensions for Space Planning:



- 23" on 24"D worksurface
  29" on 30"D worksurface

Cetra panel type dimensions shown.

IMPORTANT: Brackets must be specified separately.

Rim detail appears on the front rim only; back edges are finished to match front rim.

* Height (thickness) for TFL worksurfaces is 1⅛".

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
LL = TFL
T = 3D laminate
L = HPL
W = Wood
LW = HPL with wood rim
❸ Rim option:
1 = Single rim
❹ Panel type (omit for un-notched quarter round):
X = Xsite
C = Cetra
I = Interworks EQ
⑤ Rim profile:
S = Sloped rim (available on 3D laminate surface only)
P = Softened PVC rim (available on TFL or HPL surfaces only)
F = Wood, softened rim
⑥ Surface finish price group:
STD = Group 1
STD2 = Group 2 3D laminate (+$62); Group 2 wood (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Surface finish designator
⑧ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (include for laminate with wood rim or P rim only)

Cable Management Accessories

Pricing

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

D	W	H	Model	Price
Wire Manager Filler Cap				
3/4"	15/16"	15/16"	**IAWMF**	$23

Standard Includes

- Worksurface

How to Specify

❶ Model
② Finish designator

Wire manager filler cap caps rear wire amanger when exposed at end-of-run.

18"D and 24"D Straight Worksurfaces (1 9/16"H)

Pricing

Wire Manager

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
17 7/8"	23 7/8"	1 9/16"	**ST1824WSS**	$239	$377	$393
	29 7/8"		**ST1830WSS**	260	409	425
	35 7/8"		**ST1836WSS**	289	445	468
	41 7/8"		**ST1842WSS**	318	480	503
	47 7/8"		**ST1848WSS**	349	519	543
	59 7/8"		**ST1860WSS**	396	584	614
	65 7/8"		**ST1866WSS**	425	618	652
	71 7/8"		**ST1872WSS**	453	656	692
23 7/8"	23 7/8"	1 9/16"	**ST2424WSS**	257	388	413
	29 7/8"		**ST2430WSS**	281	420	447
	35 7/8"		**ST2436WSS**	311	468	500
	41 7/8"		**ST2442WSS**	349	515	546
	47 7/8"		**ST2448WSS**	379	523	600
	53 7/8"		**ST2454WSS**	420	562	635
	59 7/8"		**ST2460WSS**	439	647	690
	65 7/8"		**ST2466WSS**	474	697	733
	71 7/8"		**ST2472WSS**	508	742	787
	77 7/8"		**ST2478WSS**	549	794	841
	83 7/8"		**ST2484WSS**	595	847	894
	89 7/8"		**ST2490WSS**	634	898	952
	95 7/8"		**ST2496WSS**	677	952	1002
	101 7/8"		**ST24102WSS**	750	999	1058
	107 7/8"		**ST24108WSS**	796	1050	1113
	113 7/8"		**ST24114WSS**	844	1122	1254
	119 7/8"		**ST24120WSS**	888	1156	1345

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   L = Laminate
   LW = Laminate with wood rim
   W = Wood
3. Rim option:
   3 = Wire manager (PVC and wood rims)
   31 = Wire manager (K rim only)
4. Rim profile:
   P = Softened PVC rim (available on laminate surface only)
   K = Waterfall rim (available on laminate surface only)
   F = Wood softened rim
   W = Wood reed rim
   X = Wood scalloped rim
   E = Wood transitional rim
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Surface finish designator
7. Rim finish price group (include for laminate with wood rim only):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (include for laminate with wood rim or P rim only)
9. Wire manager finish designator

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately

Side edges are finished to match the top.

24"D Straight Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available

Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
23 7/8"	23 7/8"	1 9/16"	**ST2424WSS**	$248	$547	$491
	29 7/8"		**ST2430WSS**	268	591	531
	35 7/8"		**ST2436WSS**	303	623	560
	41 7/8"		**ST2442WSS**	349	666	600
	47 7/8"		**ST2448WSS**	391	720	650
	53 7/8"		**ST2454WSS**	432	786	706
	59 7/8"		**ST2460WSS**	475	823	743
	65 7/8"		**ST2466WSS**	553	898	808
	71 7/8"		**ST2472WSS**	572	934	840
	77 7/8"		**ST2478WSS**	622	981	883
	83 7/8"		**ST2484WSS**	672	1059	954
	89 7/8"		**ST2490WSS**	721	1106	998
	95 7/8"		**ST2496WSS**	770	1185	1066
	101 7/8"		**ST24102WSS**	877	1310	1184
	107 7/8"		**ST24108WSS**	912	1342	1211
	113 7/8"		**ST24114WSS**	954	1392	1270
	119 7/8"		**ST24120WSS**	999	1434	1363

Rim Profiles:

Softened PVC (P) | Waterfall (K) | Wood Softened (F) | Reed (W) | Scalloped (X) | Transitional (E)

IMPORTANT: Brackets must be specified separately

Side and back edges are finished to match front rim.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

•Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
1 = Single rim (PVC & wood rims)
11 = Single rim (K rim only)
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
K = Waterfall rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

30"D Straight Worksurfaces (1 9/16"H)

Wire Manager

Pricing

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
29 7/8"	23 7/8"	1 9/16"	**ST3024WSS**	$291	$449	$490
	29 7/8"		**ST3030WSS**	311	483	532
	35 7/8"		**ST3036WSS**	355	543	593
	41 7/8"		**ST3042WSS**	399	602	655
	47 7/8"		**ST3048WSS**	483	660	712
	53 7/8"		**ST3054WSS**	500	743	771
	59 7/8"		**ST3060WSS**	517	769	823
	65 7/8"		**ST3066WSS**	562	825	881
	71 7/8"		**ST3072WSS**	604	881	942
	77 7/8"		**ST3078WSS**	661	943	1008
	83 7/8"		**ST3084WSS**	709	1008	1072
	89 7/8"		**ST3090WSS**	760	1069	1140
	95 7/8"		**ST3096WSS**	812	1130	1202
	101 7/8"		**ST30102WSS**	897	1196	1265
	107 7/8"		**ST30108WSS**	955	1258	1342
	113 7/8"		**ST30114WSS**	1029	1333	1429
	119 7/8"		**ST30120WSS**	1059	1383	1462

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edge.

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
3 = Wire manager (PVC and wood rims)
31 = Wire manager (K rim only)
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
K = Waterfall rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

30"D Straight Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
29 7/8"	23 7/8"	1 9/16"	**ST3024WSS**	$282	$591	$536
	29 7/8"		**ST3030WSS**	305	637	578
	35 7/8"		**ST3036WSS**	355	685	614
	41 7/8"		**ST3042WSS**	411	733	663
	47 7/8"		**ST3048WSS**	470	794	724
	53 7/8"		**ST3054WSS**	516	873	787
	59 7/8"		**ST3060WSS**	564	916	838
	65 7/8"		**ST3066WSS**	659	1012	912
	71 7/8"		**ST3072WSS**	679	1045	957
	77 7/8"		**ST3078WSS**	739	1103	1019
	83 7/8"		**ST3084WSS**	794	1192	1090
	89 7/8"		**ST3090WSS**	849	1244	1155
	95 7/8"		**ST3096WSS**	907	1327	1216
	101 7/8"		**ST30102WSS**	1000	1447	1304
	107 7/8"		**ST30108WSS**	1065	1514	1364
	113 7/8"		**ST30114WSS**	1120	1568	1465
	119 7/8"		**ST30120WSS**	1172	1615	1533

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately

Side and back edges are finished to match front rim.

Standard Includes

- Worksurface

How to Specify

Model

❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood

❸ Rim option:
1 = Single rim (PVC and wood rims)
11 = Single rim (K rim only)

④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
K = Waterfall rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim

⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)

⑥ Surface finish designator

⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)

⑧ Rim finish designator (include for laminate with wood rim or P rim only)

30"D and 36"D Straight Worksurfaces (1 9/16"H)

Pricing

Double Rim

GSA SIN 711-1
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
29 7/8"	59 7/8"	1 9/16"	**ST3060WSS**	$622	$995	$901
	65 7/8"		**ST3066WSS**	713	1077	976
	71 7/8"		**ST3072WSS**	733	1122	1060
	77 7/8"		**ST3078WSS**	794	1174	1078
	83 7/8"		**ST3084WSS**	858	1276	1149
	89 7/8"		**ST3090WSS**	907	1331	1262
	95 7/8"		**ST3096WSS**	965	1426	1288
	101 7/8"		**ST30102WSS**	1060	1571	1369
	107 7/8"		**ST30108WSS**	1131	1640	1497
	113 7/8"		**ST30114WSS**	1184	1697	1600
	119 7/8"		**ST30120WSS**	1233	1745	1658
35 7/8"	59 7/8"	1 9/16"	**ST3660WSS**	691	1087	982
	65 7/8"		**ST3666WSS**	794	1180	1069
	71 7/8"		**ST3672WSS**	822	1230	1108
	77 7/8"		**ST3678WSS**	885	1288	1234
	83 7/8"		**ST3684WSS**	953	1421	1338
	89 7/8"		**ST3690WSS**	1013	1482	1471
	95 7/8"		**ST3696WSS**	1078	1648	1497
	101 7/8"		**ST36102WSS**	1186	1805	1591
	107 7/8"		**ST36108WSS**	1265	1883	1703
	113 7/8"		**ST36114WSS**	1331	1948	1866
	119 7/8"		**ST36120WSS**	1388	2010	1928

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the front and back rims.

Double rim worksurfaces are designed for freestanding applications.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
2 = Double rim (PVC and wood rims)
21 = Double rim (K rim only)
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
K = Waterfall rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Arc Worksurfaces (1 9/16"H)

Pricing

Double Rim

GSA SIN 711-1
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
29 7/8"	71 7/8"	1 9/16"	**ST3672WSA**	$ 1022	$1458	$ 1319
	77 7/8"		**ST3678WSA**	1091	1520	1458
	83 7/8"		**ST3684WSA**	1155	1649	1558
	89 7/8"		**ST3690WSA**	1216	1809	1693
	95 7/8"		**ST3696WSA**	1282	1882	1716

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately.

Arc worksurfaces are 30"D on the ends and 36"D in the center.

Rim detail appears on the front and back rims.

Side edges are finished to match the front and back rims.

Double rim worksurfaces are designed for freestanding applications.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   L = Laminate
   LW = Laminate with wood rim
   W = Wood
3. Rim option:
   2 = Double rim
4. Rim profile:
   P = Softened PVC rim (available on laminate surface only)
   F = Wood softened rim
   W = Wood reed rim
   X = Wood scalloped rim
   E = Wood transitional rim
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Surface finish designator
7. Rim finish price group (include for laminate with wood rim):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (include for laminate with wood rim and P rim)

Extended P-Top Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available





Note: Bold line indicates location of rim detail. Arrows on surfaces indicate grain direction.

A	*B*	*C*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
Right-Hand							
47 7/8"	77 7/8"	23 7/8"	1 9/16"	**ST244878WSPE**	$2287	$2989	$2777
Left-Hand							
47 7/8"	77 7/8"	23 7/8"	1 9/16"	**ST784824WSPE**	$2287	$2989	$2777

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

Reed (W)

Scalloped (X)

Transitional (E)

IMPORTANT: Brackets must be specified separately.

IMPORTANT: Extended P-tops should be specified with a 24"D return or corner worksurface. Notice the hand orientation of these surfaces.

Side and back edges are finished to match front rim.

Conference area of extended P-top is 40" in diameter.

P-tops used in freestanding applications must be attached to a return or extension for additional support.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
1 = Single Rim
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Extended U-Top Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available





Note: Bold line indicates location of rim detail. Arrows on surfaces indicate grain direction.

A	*B*	*C*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
Right-Hand							
47 7/8"	71 7/8"	23 7/8"	1 9/16"	**ST244872WSUE**	$1517	$2099	$1916
Left-Hand							
47 7/8"	71 7/8"	23 7/8"	1 9/16"	**ST724824WSUE**	$1517	$2099	$1916

Rim Profiles:

Softened PVC (P)

Wood Softened (F)

Reed (W)

Scalloped (X)

Transitional (E)

IMPORTANT: Brackets must be specified separately.

IMPORTANT: Extended U-tops should be specified with a 24"D return or corner worksurface. Notice the hand orientation of these surfaces.

Side and back edges are finished to match front rim.

Conference area of extended U-top worksurface is 30" in diameter.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
1 = Single Rim
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

P-Top Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458





Note: Bold line indicates location of rim detail. Arrows on surfaces indicate grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
Right-Hand						
29 7/8"	71 7/8"	1 9/16"	**ST3072WSP**	$1226	$1643	$1494
35 7/8"	83 7/8"		**ST3684WSP**	1544	2047	1857
Left-Hand						
29 7/8"	71 7/8"	1 9/16"	**ST7230WSP**	$1226	$1643	$1494
35 7/8"	83 7/8"		**ST8436WSP**	1544	2047	1857

Rim Profiles:

Softened PVC (P) Self Edge (J) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately.

IMPORTANT: Notice the hand orientation of these surfaces.

Side edges are finished to match front rim.

Conference area of 30"D P-top worksurface is 42" in diameter; it is 48" in diameter on a 36"D P-top.

P-tops used in freestanding applications must be attached to a return or extension for additional support.

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   L = Laminate
   LW = Laminate with wood rim
   W = Wood
3. Rim option:
   1 = Single rim (PVC & wood rims)
   11 = Single rim (J rim only)
4. Rim profile:
   P = Softened PVC rim (available on laminate surface only)
   J = Self edge (available on laminate surface only)
   F = Wood softened rim
   W = Wood reed rim
   X = Wood scalloped rim
   E = Wood transitional rim
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Surface finish designator
7. Rim finish price group (include for laminate with wood rim only):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (include for laminate with wood or P rim only)

U-Top Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
29 7/8"	59 7/8"	1 9/16"	**ST3060WSU**	$746	$1140	$1005
	65 7/8"		**ST3066WSU**	808	1194	1111
	71 7/8"		**ST3072WSU**	873	1250	1131
35 7/8"	71 7/8"		**ST3672WSU**	982	1369	1225

Rim Profiles:

Softened PVC (P) | Self Edge (J) | Wood Softened (F) | Reed (W) | Scalloped (X) | Transitional (E)

IMPORTANT: Brackets must be specified separately.

All edges are finished to match front rim.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
1 = Single rim (PVC & wood rims)
11 = Single rim (J rim only)
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
J = Self edge (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)

Straight Corner Worksurfaces (1 9/16"H)

Pricing

Wire Manager

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*E*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combo									
35 7/8"	35 7/8"	23 7/8"	23 7/8"	16 31/32"	1 9/16"	**ST24363624WSCS**	$641	$720	$749
41 7/8"	41 7/8"			25 15/32"		**ST24424224WSCS**	711	783	807
47 7/8"	47 7/8"			33 15/16"		**ST24484824WSCS**	739	894	1077
30"/30" Return Combo									
41 7/8"	41 7/8"	29 7/8"	29 7/8"	16 31/32"	1 9/16"	**ST30424230WSCS**	$728	$799	$829
47 7/8"	47 7/8"			25 15/32"		**ST30484830WSCS**	817	965	1118

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
3 = Wire manager (PVC & wood rims)
31 = Wire manager (K rim only)
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
K = Waterfall rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Straight Corner Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*E*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combo									
35 7/8"	35 7/8"	23 7/8"	23 7/8"	16 31/32"	1 9/16"	**ST24363624WSCS**	$623	$924	$786
41 7/8"	41 7/8"			25 15/32"		**ST24424224WSCS**	686	984	845
47 7/8"	47 7/8"			33 15/16"		**ST24484824WSCS**	784	1092	1103
30"/30" Return Combo									
41 7/8"	41 7/8"	29 7/8"	29 7/8"	16 31/32"	1 9/16"	**ST30424230WSCS**	$701	$1000	$865
47 7/8"	47 7/8"			25 15/32"		**ST30484830WSCS**	793	1161	1136

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately

Side and back edges are finished to match front rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   L = Laminate
   LW = Laminate with wood rim
   W = Wood
3. Rim option:
   1 = Single rim (PVC & wood rims)
   11 = Single rim (K rim only)
4. Rim profile:
   P = Softened PVC rim (available on laminate surface only)
   K = Waterfall rim (available on laminate surface only)
   F = Wood softened rim
   W = Wood reed rim
   X = Wood scalloped rim
   E = Wood transitional rim
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Surface finish designator
7. Rim finish price group (include for laminate with wood rim only):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (include for laminate with wood rim or P rim only)

Straight Split Corner Worksurfaces (1 9/16"H)

Pricing

Wire Manager

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	*B*	*C*	*D*	*E*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combo									
41 7/8"	41 7/8"	23 7/8"	23 7/8"	25 15/32"	1 9/16"	**ST24424224WSCSS**	$974	$1041	$1062
47 7/8"	47 7/8"			33 15/16"		**ST24484824WSCSS**	1020	1156	1342
30"/30" Return Combo									
47 7/8"	47 7/8"	29 7/8"	29 7/8"	25 15/32"	1 9/16"	**ST30484830WSCSS**	$1086	$1193	$1377

Rim Profiles:

Softened PVC (P) | Waterfall (K) | Wood Softened (F) | Reed (W) | Scalloped (X) | Transitional (E)

IMPORTANT: Brackets must be specified separately.

Exception: Z brackets are included with split corner worksurfaces.

Side edges are finished to match the top; wire manager is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface

How to Specify

❶ Model
❷ Material:
L = Laminate
LW = Laminate with wood rim
W = Wood
❸ Rim option:
3 = Wire manager (PVC & wood rims)
31 = Wire manager (K rim only)
④ Rim profile:
P = Softened PVC rim (available on laminate surface only)
K = Waterfall rim (available on laminate surface only)
F = Wood softened rim
W = Wood reed rim
X = Wood scalloped rim
E = Wood transitional rim
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ Rim finish price group (include for laminate with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for laminate with wood rim or P rim only)
⑨ Wire manager finish designator

Curved Corner Worksurfaces (1 9/16"H)

Pricing

Wire Manager

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Grain runs diagonally on 48" x 48" tops and parallel to 60" side on 48" x 60" and 60" x 48" tops.

A	*B*	*C*	*D*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combo								
47 7/8"	47 7/8"	23 7/8"	23 7/8"	1 9/16"	**ST24484824WSCC**	$881	$1009	$1152
47 7/8"	59 7/8"				**ST24486024WSCC**	1176	1479	1471
59 7/8"	47 7/8"				**ST24604824WSCC**	1176	1479	1471
30"/30" Return Combo								
47 7/8"	47 7/8"	29 7/8"	29 7/8"	1 9/16"	**ST30484830WSCC**	$881	$1009	$1152
47 7/8"	59 7/8"				**ST30486030WSCC**	1176	1479	1471
59 7/8"	47 7/8"				**ST30604830WSCC**	1176	1479	1471
24"/30" Return Combo								
47 7/8"	47 7/8"	23 7/8"	29 7/8"	1 9/16"	**ST24484830WSCC**	$881	$1009	$1152
47 7/8"	59 7/8"				**ST24486030WSCC**	1176	1479	1471
59 7/8"	47 7/8"				**ST24604830WSCC**	1176	1479	1471
30"/24" Return Combo								
47 7/8"	47 7/8"	29 7/8"	23 7/8"	1 9/16"	**ST30484824WSCC**	$881	$1009	$1152
47 7/8"	59 7/8"				**ST30486024WSCC**	1176	1479	1471
59 7/8"	47 7/8"				**ST30604824WSCC**	1176	1479	1471

Rim Profiles:

Softened PVC (P) Waterfall (K) Wood Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the top; wire manager is on back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   L = Laminate
   LW = Laminate with wood rim
   W = Wood
3. Rim option:
   3 = Wire manager
4. Rim profile:
   P = Softened PVC rim (available on laminate surface only)
   F = Wood softened rim
   W = Wood reed rim
   X = Wood scalloped rim
   E = Wood transitional rim
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Surface finish designator
7. Rim finish price group (include for laminate with wood rim only):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (include for laminate with wood rim or P rim only)
9. Wire manager finish designator

Curved Corner Worksurfaces (1 9/16"H)

Pricing

Single Rim

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358
Brackets & Support 458



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Grain runs diagonally on 48" x 48" tops and parallel to 60" side on 48" x 60" and 60" x 48" tops.

A	*B*	*C*	*D*	*H*	*Model*	*Laminate (L)*	*Laminate with Wood Rim (LW)*	*Wood (W)*
24"/24" Return Combo								
47 7/8"	47 7/8"	23 7/8"	23 7/8"	1 9/16"	**ST24484824WSCC**	$841	$1288	$1161
47 7/8"	59 7/8"				**ST24486024WSCC**	1120	1629	1493
59 7/8"	47 7/8"				**ST24604824WSCC**	1120	1629	1493
30"/30" Return Combo								
47 7/8"	47 7/8"	29 7/8"	29 7/8"	1 9/16"	**ST30484830WSCC**	$841	$1288	$1161
47 7/8"	59 7/8"				**ST30486030WSCC**	1120	1629	1493
59 7/8"	47 7/8"				**ST30604830WSCC**	1120	1629	1493
24"/30" Return Combo								
47 7/8"	47 7/8"	23 7/8"	29 7/8"	1 9/16"	**ST24484830WSCC**	$841	$1288	$1161
47 7/8"	59 7/8"				**ST24486030WSCC**	1120	1629	1493
59 7/8"	47 7/8"				**ST24604830WSCC**	1120	1629	1493
30"/24" Return Combo								
47 7/8"	47 7/8"	29 7/8"	23 7/8"	1 9/16"	**ST30484824WSCC**	$841	$1288	$1161
47 7/8"	59 7/8"				**ST30486024WSCC**	1120	1629	1493
59 7/8"	47 7/8"				**ST30604824WSCC**	1120	1629	1493

Rim Profiles:

Softened PVC (P) | Waterfall (K) | Wood Softened (F) | Reed (W) | Scalloped (X) | Transitional (E)

IMPORTANT: Brackets must be specified separately.

Side and back edges are finished to match front rim.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface

How to Specify

1. Model
2. Material:
   L = Laminate
   LW = Laminate with wood rim
   W = Wood
3. Rim option:
   1 = Single Rim
4. Rim profile:
   P = Softened PVC rim (available on laminate surface only)
   F = Wood softened rim
   W = Wood reed rim
   X = Wood scalloped rim
   E = Wood transitional rim
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Surface finish designator
7. Rim finish price group (include for laminate with wood rim only):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (include for laminate with wood rim or P rim only)

Transaction Counters (1"H)

Pricing

For Use with Cetra Panels

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 358



Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*HPL (L)*	*HPL with Waterfall Rim (L1)*	*HPL with Wood Rim (LW)*	*Wood (W)*
Straight							
12"	60"	1"	**ST1260WSTC**	$371	$371	$498	$501
	72"		**ST1272WSTC**	396	396	559	566
	84"		**ST1284WSTC**	433	433	627	632
	90"		**ST1290WSTC**	453	453	660	667
	96"		**ST1296WSTC**	476	476	692	701
	102"		**ST12102WSTC**	516	516	754	798
	108"		**ST12108WSTC**	543	543	793	837
	120"		**ST12120WSTC**	601	601	852	901

Rim Profiles:

PVC (P) Waterfall (K) Softened (F) Reed (W) Scalloped (X) Transitional (E)

IMPORTANT: Brackets are included with transaction counters for use with Cetra panels. Soffits must be specified separately.
➤See page 452.

Transaction counters can only be supported by panels. Models on this page are for mounting inside Cetra panels. Transaction counters are unfinished on back edge. Rim detail appears on the front edge only.

Cetra straight transaction worksurfaces may be used on Xsite by specifying “rim detail on the back edge” through electronic specification tools.

Woodgrain runs parallel to surface width.

Standard Includes

- Transaction counter
- Brackets for attachment to Cetra panel

How to Specify

❶ Model
❷ Material:
L = HPL
L1 = HPL with waterfall (K) rim
LW = HPL with wood rim
W = Wood
③ Rim profile:
P = PVC rim (available on laminate surface only)
K = Waterfall rim (available on laminate surface only)
F = Wood, softened rim
W = Reed rim
X = Scalloped rim
E = Transitional rim
④ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Surface finish designator
⑥ Rim finish price group (omit for P & K rims):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for K rim)

Transaction Counter Soffits

Pricing

For Use With Cetra Panels

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 358

D	*W*	*H*	*Model*	*HPL*	*Wood*
End					
11"	1"	2¾"	**ST0111TLS**	$56	$68
Straight					
1"	60"	2¾"	**ST60TLSS**	$127	$169
	72"		**ST72TLSS**	148	185
	84"		**ST84TLSS**	155	202
	90"		**ST90TLSS**	161	211
	96"		**ST96TLSS**	178	228
	102"		**ST102TLSS**	256	331
	108"		**ST108TLSS**	287	369
1	120"		**ST120TLSS**	303	396

Standard Includes

- Transaction counter soffit
- Attachment hardware

How to Specify

❶ Model
❷ Material:
L = HPL
W = Wood
③ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Surface finish designator

For use under Cetra transaction counters; specify the same nominal size as the transaction counter.

Soffits are recommended to hide task lights, but are not required.

Transaction Counters (1 3/16"H)

Pricing

For Use with Xsite and Interworks EQ Panels

GSA SIN 711-1
† TFL GSA contract pending

Features ➤See page 356
Product Information 357
Application Guidelines 358

Note: Bold line indicates location of rim detail. Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*TFL* (LL)* †	*HPL (L)*
Straight					
15"	23 7/8"	1 3/16"	**SS1524WSTC**	$174	$204
	29 7/8"		**SS1530WSTC**	184	216
	35 7/8"		**SS1536WSTC**	200	234
	41 7/8"		**SS1542WSTC**	214	251
	47 7/8"		**SS1548WSTC**	230	271
	53 7/8"		**SS1554WSTC**	252	295
	59 7/8"		**SS1560WSTC**	277	325
	71 7/8"		**SS1572WSTC**	295	346

Rim Profiles:

PVC (P)

IMPORTANT: Brackets must be specified separately. Specify appropriate transaction counter brackets to coordinate with panel being used.

Transaction counter models on this page are mounted on top of and supported by Xsite or Interworks EQ panels.

Rim detail appears on all four edges.

Brackets and Support Components
➤See pages 458 and 460.

* Height (thickness) for TFL worksurfaces is 1⅛".

Standard Includes

- Transaction counter

How to Specify

1. Model
2. Material:
   LL = TFL
   L = HPL
3. Rim profile:
   P = PVC rim
4. Surface finish price group:
   STD = Group 1
5. Surface finish designator
6. Rim finish designator

Table Tops (1 3/16"H)

Pricing

GSA SIN 711-1
† TFL GSA contract pending

Features ➤See page 356
Product Information 357
Application Guidelines 358



**Round tops in 3D laminate have an actual dimension of 36", 42" or 47".*







Note: Arrow on surface indicates grain direction.

One base is required for round and square tops; two bases are required for rectangular and racetrack tops.

Support legs and bases
➤See pages 467, 469–470.
Mobile table legs and bases
➤See page 474.

* Height (thickness) for TFL worksurfaces is 1⅛".

D	*W*	*H*	*Model*	*TFL* (LL) †*	*3D Lam. (T)*	*HPL (L)*
Round						
29⅝" diameter		1 3/16"	**SS30TTRN** K	$200	—	$211
35⅝" diameter*			**SS36TTRN** K	296	$850	311
41⅝" diameter*			**SS42TTRN** K	367	919	385
47" diameter*			**SS47TTRN**	—	1024	—
47⅝" diameter			**SS48TTRN** K	407	–	427
Square						
29⅝"	29⅝"	1 3/16"	**SS3030TTSQ** K	$200	—	$211
35⅝"	35⅝"		**SS3636TTSQ** K	296	—	311
41⅝"	41⅝"		**SS4242TTSQ** K	367	—	385
Rectangular						
29⅝"	59⅝"	1 3/16"	**SS3060TTRT** K	$449	—	$472
	71⅝"		**SS3072TTRT** K	557	—	584
35⅝"	59⅝"		**SS3660TTRT** K	476	—	500
	71⅝"		**SS3672TTRT** K	610	—	640
Race Track						
35"	59"	1 3/16"	**SS3660TTRC** K	$506	—	$532
	71"		**SS3672TTRC** K	640	—	672
	83"		**SS3684TTRC** K	673	—	706

Rim Profiles:

Sloped (S)

PVC (P)

Standard Includes

- Table top

How to Specify

1. Model
2. Material:
   LL = TFL
   T = 3D laminate (available in round top only)
   L = HPL K
3. Rim profile:
   P = PVC rim K (available on TFL and HPL models only)
   S = Sloped rim (available on 3D laminate models only)
4. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 3D laminate (+$62)
5. Surface finish designator
6. Rim finish designator (omit for 3D laminate surfaces)

K = Kwik Office model available.

Table Tops (1 9/16"H)

Pricing

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358





Note: Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*HPL (L)*	*HPL with Wood Rm (LW)*	*Wood (W)*
Round						
36" diameter		1 9/16"	**ST36TTRN**	$926	$1424	$1288
42" diameter			**ST42TTRN**	1003	1517	1370
48" diameter			**ST48TTRN**	1118	1687	1526
Racetrack						
36"	72"	1 9/16"	**ST3672TTRC**	$1161	$1772	$1643

Rim Profiles:

PVC (P) Self edge (J) Softened (F) Reed (W) Scalloped (X) Transitional (E)

One base is required for round top; two bases are required for racetrack top.

Support Legs and Bases
➤See pages 467, 469–470
Mobile table legs and bases
➤See page 474.

Standard Includes

- Table top

How to Specify

1. Model
2. Material:
   L = HPL
   LW = HPL with wood rim
   W = Wood
3. Rim price group (omit for all but J rims):
   1 = Self edge (J)
4. Rim profile:
   P = PVC rim (available on HPL surface only)
   J = Self edge (available on HPL surface only)
   F = Wood, softened rim
   W = Reed rim
   X = Scalloped rim
   E = Transitional rim
5. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
   FSCW = FSC-certified group 1 wood (+3%)
6. Surface finish designator
7. Rim finish price group (omit for P & J rims and wood tops):
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Rim finish designator (omit for J rim and wood tops)

Worksurface Support

Pricing

Compatible with Cetra Panels

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 358







Model	*Description*	*Price*
Edge Support Bracket		
Right-Hand		
ABWR	Cinder finish.	$10
Left-Hand		
ABWL	Cinder finish.	$10
3" Drop Bracket		
AZB16A	For use with 18"D worksurfaces; 3" drop. Cinder finish.	$38
AZB22A	For use with 24"D worksurfaces; 3" drop. Cinder finish.	38
AZB28A	For use with 30"D worksurfaces; 3" drop. Cinder finish.	38
Flat Bracket		
IBF1	One bracket. Secures two flush, adjacent/perpendicular worksurfaces. Galvanized finish. 2"D x 5½"W.	$11

IMPORTANT: Brackets must be specified separately.
➤See page 358 for proper bracket/support application.

Brackets are sold individually, unless otherwise specified.

Standard Includes

- Worksurface support

How to Specify

❶ Model

Worksurface Support

Pricing

Compatible with Cetra Panels, continued

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 358







D	*W*	*H*	*Model*	*Description*	*Price*
Cantilever Bracket					
Right-Hand					
16 1/16"	1 1/8"	16 1/4"	**ABWC14R**	Cinder finish.	$71
Left-Hand					
16 1/16"	1 1/8"	16 1/4"	**ABWC14L**	Cinder finish.	$71

D	*W*	*H*	*Model*	*Laminate (L)*	*Wood (W)*
Support Panels					
12"	1 1/4"	24 3/4"	**AE1224**	$269	$453
		27 3/4"	**AE1227**	269	453
		38 1/32"	**AE1238**	409	686
17 11/16"		24 3/4"	**AE1824**	269	453
		27 3/4"	**AE1827**	269	453
		38 1/32"	**AE1838**	409	686
23 11/16"		24 3/4"	**AE2424**	341	480
		27 3/4"	**AE2427**	341	480
		38 1/32"	**AE2438**	510	725
29 11/16"		24 3/4"	**AE3024**	356	509
		27 3/4"	**AE3027**	356	509
		38 1/32"	**AE3038**	536	757

IMPORTANT: Brackets and support must be specified separately.
➤See page 358 for proper bracket/support application.

Brackets are sold individually, unless otherwise specified.

Standard Includes

- Worksurface support

How to Specify

Cantilever
❶ Model

Support Panels
❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Worksurface Support

Pricing

Compatible with Xsite

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 360









D	*W*	*H*	*Model*	*Description*	*Price*
Adjustable Edge-Support Brackets					
		27¾"–29" (⅝" increments)	**36WBSA**	*Note: Heights are from floor to top of 1 3/16" worksurface.*	$19
		28"–35"	**36WBSA7**		$61
End-Support Legs					
24"	2½"	27¼"	**36W2427ES**	Used with 24"D worksurfaces.	$328
30"	2½"	27¼"	**36W3027ES**	Used with 30"D worksurfaces.	345
Mid-Support Leg					
10"	2½"	27¼"	**36W1027MS**	Used with 24" and 30"D worksurfaces.	$289
Stick Support Leg					
	2½"	27¼"	**36W0227SS**	Not for use in freestanding applications.	$225

IMPORTANT: Brackets and support must be specified separately.
➤See page 360 for proper bracket/support application.

A portion of the bracket or leg will be exposed above the worksurface.

Standard Includes

- Worksurface support
- Attachment hardware

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Worksurface Support

Pricing

Compatible with Xsite, continued

GSA SIN 711-1
† GSA Contract Pending



Adjustable Mid-Support



IMPORTANT: Brackets and support must be specified separately.
➤See page 360 for proper bracket/support application.

Adjustable mid-supports are used when placing two worksurfaces end to end or when kneespace exceeds 48". Adjustable mid-support cannot provide support at the end of a worksurface. Bracket is exposed above the worksurface.

One flat bracket is required to properly join two flush, adjacent/perpendicular worksurfaces when an adjustable mid-support or mid-support leg is used; two flat brackets are required to properly secure and support when undersurface support panels or pedestals are used.

D	*W*	*H*	*Model*	*Description*	*Price*
Adjustable Mid-Supports					
19¾"	3 15⁄16"	27¾"–29"	**36W1927BCA**	Used with 24"D worksurfaces at 2H.	$138
19¾"	3 15⁄16"	40¼"–41½"	**36W1940BCA**	Used with 24"D worksurfaces at 3H.	208
25¾"	3 15⁄16"	27¾"–29"	**36W2527BCA**	Used with 30"D worksurfaces at 2H.	161
25¾"	3 15⁄16"	40¼"–41½" (⅝" increments)	**36W2540BCA**	Used with 30"D worksurfaces at 3H. *Note: Heights are from floor to top of 1 3⁄16" worksurface.*	221
Adjustable Mid-Support Cover Plate					
			36PCPMS †	Covers the back of adjustable mid-support when used with open-base frames.	$21
Flat Bracket					
2"	5½"		**IBF1**	Galvanized finish.	$11
Transaction Counter/Center-Mount Bracket					
4 7⁄16"	5	1 1⁄16"	**36WBTC**	Specify two brackets for 24"–60"W counters or specify four brackets for 66"–72"W counters; specify two brackets for each center-mounted overhead or shelf. Top cap must be field modified where transaction counter is used.	$28

Features ➤See page 356
Product Information 357
Application Guidelines 360

Standard Includes

- Worksurface support

How to Specify

Adjustable Mid-Support
❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Flat Bracket or Transaction Counter Bracket
❶ Model

Worksurface Support

Pricing

Compatible with Interworks EQ Panels

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 362



Model	*Description*	*Price*
Edge-Support Bracket		
Right-Hand		
IBRWSER K	Cinder finish.	$25
Left-Hand		
IBRWSEL K	Cinder finish.	$25
Transaction Counter Bracket		
Right-Hand		
IBTCBR1 K		$26
Left-Hand		
IBTCBL1 K		$26
Drop Bracket		
IB0224D K	For use with 24"D worksurfaces. 2" drop. Cinder finish.	$42
IB0230D K	For use with 30"D worksurfaces. 2" drop. Cinder finish.	$53
Flat Bracket		
IBF1 K	One bracket. Secures two flush, adjacent/perpendicular worksurfaces. Galvanized finish. 2"D x 5½"W.	$11

IMPORTANT: Brackets must be specified separately.
➤See page 362 for proper bracket/support application.

Brackets are sold individually, unless otherwise noted.

Specify two right-hand and two left-hand transaction counter brackets for each surface.

Standard Includes

- Bracket

How to Specify

Transaction Counter Bracket

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Edge Support, Drop, or Flat Bracket

❶ Model

K = Kwik Office model available.

Worksurface Support

Pricing

Compatible with Interworks EQ Panels, continued

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 362







D	*W*	*H*	*Model*	*Description*	*Price*
Cantilever Bracket					
Right-Hand					
21¾"	3¼"	20"	**IB24CR** K	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	$99
Left-Hand					
21¾"	3¼"	20"	**IB24CL** K	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	$99
Support Panels					
Half End Panel					
16½"	1¼"	27¼"	**IB1827H** K		$203
Full End Panel					
23⅝"	1¼"	27¼"	**IB2427F** K		$252
29⅝"			**IB3027F** K		307

IMPORTANT: Brackets and support must be specified separately.
➤See page 362 for proper bracket/support application.

Brackets are sold individually, unless otherwise specified.

Specify gusset bracket for use with support panels if additional stability is required.
➤See page 467.

Standard Includes

- Brackets to attach to panel and worksurface
- Two glides

How to Specify

❶ Model
② Finish price group (omit for cantilevers):
STD = Group 1
STDM = Group M (+10%)
③ Finish designator (omit for cantilevers):

K = Kwik Office model available.

Worksurface Support

Pricing

Compatible with Traxx Applications

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 364



Model	*Description*	*Price*
Traxx Worksurface Bracket		
IBTWS K	Single bracket	$13

Standard Includes

- Bracket

How to Specify

❶ Model

IMPORTANT: Brackets must be specified separately.
➤See page 364 for proper bracket/support application.

K = Kwik Office model available.

Worksurface Support

Pricing

Compatible with Traxx and Freestanding Applications

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 364







IMPORTANT: Supports must be specified separately.
➤See pages 364–365 for proper bracket/support application.

Support panels are sized 1⅛" less deep than the worksurface to accommodate a modesty.

Freestanding undersurface end panels are finished on front and back edges.

P-tops and U-tops used in freestanding applications must be attached to a return extension for additional support.

D	*W*	*H*	*Model*	*Laminate (L)*	*Wood (W)*
Freestanding End Supports					
29⅞"	11⅛"	24¾"	**FBT3024**	$650	$743
35⅞"			**FBT3624**	660	757
47⅞"			**FBT4824**	731	806
29⅞"	11⅛"	27¾"	**FBT3027**	655	745
35⅞"			**FBT3627**	662	769
47⅞"			**FBT4827**	739	807
Freestanding Corner Supports					
47⅞"	47⅞"	24¾"	**FBL484824**	$1497	$1614
	59⅞"		**FBL486024**	1617	1696
59⅞"	47⅞"		**FBL604824**	1617	1696
47⅞"	47⅞"	27¾"	**FBL484827**	1536	1676
	59⅞"		**FBL486027**	1660	1757
59⅞"	47⅞"		**FBL604827**	1660	1757
Freestanding Undersurface Support Panel					
12"	1"	24¾"	**FEP1224**	$250	$355
22¾"			**FEP2324**	379	449
28¾"			**FEP2924**	420	508
34¾"			**FEP3524**	523	631
12"	1"	27¾"	**FEP1227**	251	356
22¾"			**FEP2327**	407	451
28¾"			**FEP2927**	437	509
34¾"			**FEP3527**	543	632

Standard Includes

- Worksurface support

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Worksurface Support

Pricing

Compatible with Traxx and Freestanding Applications, continued

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 356
Product Information 357
Application Guidelines 364





IMPORTANT: Supports must be specified separately.
➤See pages 364–365 for proper bracket/support application

If a modesty panel is not used, specify the modesty filler strip which maintains space for cabling behind pedestal while filling the 1⅛" difference in depth.

Grain direction runs horizontal on 60"W or wider woodgrain laminate modesty panels.

If using wood modesty and support panels with flat profile metal pedestals with wood fronts to create freestanding desk applications, specify the worksurface to be deeper than the pedestals.
➤See page 485.

D	*W*	*H*	*Model*	*Laminate (L)*	*Wood (W)*
Modesty Panel					
1"	18 1⁄16"	24 3⁄16"	**FMP1824**	$269	$381
	29 13⁄16"		**FMP3024**	407	426
	35 13⁄16"		**FMP3624**	413	449
	41 13⁄16"		**FMP4224**	444	476
	47 13⁄16"		**FMP4824**	487	497
	53 13⁄16"		**FMP5424**	561	572
	59 13⁄16"		**FMP6024**	593	599
	18 1⁄16"	27 3⁄16"	**FMP1827**	272	394
	29 13⁄16"		**FMP3027**	410	444
	35 13⁄16"		**FMP3627**	418	457
	41 13⁄16"		**FMP4227**	447	487
	47 13⁄16"		**FMP4827**	497	508
	53 13⁄16"		**FMP5427**	577	578
	59 13⁄16"		**FMP6027**	599	611
	65 13⁄16"		**FMP6627**	640	671
	71 13⁄16"		**FMP7227**	667	689
	77 13⁄16"		**FMP7827**	904	1056
	83 13⁄16"		**FMP8427**	915	1109
	89 13⁄16"		**FMP9027**	920	1113
	95 13⁄16"		**FMP9627**	926	1122
	101 13⁄16"		**FMP10227**	1106	1254
	107 13⁄16"		**FMP10827**	1111	1260
	113 13⁄16"		**FMP11427**	1122	1265
	119 13⁄16"		**FMP12027**	1131	1275
Modesty Filler Strip					
1"	19⁄16"	24 3⁄16"	**FMFS0124**	$29	$39
		27 3⁄16"	**FMFS0127**	29	39

Standard Includes

- Modesty panel or filler strip

How to Specify

❶ Model
❷ Material:
L = Laminate
W = Wood
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Worksurface Support

Pricing

Compatible with Traxx and Freestanding Metal Applications

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 364



D	W	H	Model	Description	Price
Half End Panels					
16½"	1¼"	27¼"	**IF1827H** K	Non-handed.	$203
Full End Panels					
22 25/32"	1¼"	27¼"	**IF2427F** K	Non-handed.	$252
28 13/16"			**IF3027F** K	Non-handed.	307
34⅝"			**IF3627F** K	Non-handed.	363
Return Support Panels					
7⅜"	1¼"	27¼"	**IF0827RS** K	Non-handed. Use to create 24"D return.	$89
12"			**IF1227RS** K	Non-handed. Use to create 30"D return.	122
Support Panel					
12"	1¼"	27¼"	**IF1227WSP** K	Includes filler panel.	$155
Corner Post					
6 11/16"	6 11/16"	27¼"	**IF0727CP** K	Creates freestanding corner.	$278

IMPORTANT: All supports must be specified separately.
➤See pages 364–365 for proper bracket/support application.

End panels, support panels and corner post are designed to secure modesty panel.

Gusset bracket may be specified separately to provide additional stability.
➤See page 467.

Standard Includes

End Panels
- Panel
- Two floor glides (one glide on 8" return support panel)

How to Specify

❶ Model
② Surface finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

K = Kwik Office model available.

Worksurface Support

Pricing

Compatible Flat Profile Storage

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 366



IMPORTANT: All supports must be specified separately.
➤See pages 366–367 for proper bracket/support application and formula for determining modesty panel width.

Modesty panels are pre-drilled and attach 4" inset from rear of pedestal or end panel only. Gap between top of modesty panel and underside of worksurface is 1½"; gap from bottom of modesty panel to floor is 3".



D	*W*	*H*	*Model*		*Price*
Metal Modesty Panels					
1½"	19½"	23"	**IF2023M** Ⓚ		$133
	23⅞"		**IF2423M** Ⓚ	Use with 36"W corner.	133
	25½"		**IF2623M** Ⓚ		144
	29⅞"		**IF3023M** Ⓚ	Use with 42"W corner.	149
	31½"		**IF3223M** Ⓚ		157
	33¼"		**IF3423M** Ⓚ		157
	35⅞"		**IF3623M** Ⓚ	Use with 48"W corner.	157
	37½"		**IF3823M** Ⓚ		166
	39⅞"		**IF4023M** Ⓚ		166
	41⅞"		**IF4223M** Ⓚ		174
	43½"		**IF4423M** Ⓚ		174
	45¼"		**IF4623M** Ⓚ		174
	47⅞"		**IF4823M** Ⓚ	Use with 60"W corner.	182
	49½"		**IF5023M** Ⓚ		182
	51¼"		**IF5223M** Ⓚ		182
	53⅞"		**IF5423M** Ⓚ		182
	55½"		**IF5623M** Ⓚ		187
	57¼"		**IF5823M** Ⓚ		187
	59⅞"		**IF6023M** Ⓚ		187
	63¼"		**IF6423M** Ⓚ		196
	65⅞"		**IF6623M** Ⓚ		196
	67½"		**IF6823M** Ⓚ		196
	69¼"		**IF7023M** Ⓚ		208
	73½"		**IF7423M** Ⓚ		208
	79½"		**IF8023M** Ⓚ		215
	81¼"		**IF8223M** Ⓚ		215
	87¼"		**IF8823M** Ⓚ		221
	93¼"		**IF9423M** Ⓚ		227
Pedestal Non-Deface Kit					
			IFMNDF	Environmental grey finish	$57

Standard Includes

Modesty Panel
- Modesty panel: metal

Non-Deface Kit
- Upper bracket
- Lower bracket

How to Specify

Modesty Panel
❶ Model
② Surface finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Non-Deface Kit
❶ Model

(FSC) = FSC-certified wood option available.
➤See page 15.

Ⓚ = Kwik Office model available.

Worksurface Support

Pricing

Universal

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 368









D	W	H	Model	Description	Price
Support Panel Bracket					
			ABEPS	For use as additional support for wood or laminate end panels that are not next to a storage component or modesty panel. Black metal.	$11
Gusset Bracket					
9⅞"		9⅞"	**FBG** K	One. Non-handed. For use as additional support for metal support panel that is not next to a storage component or modesty panel.	$28

Diameter	H	Model	Description	Price
4" Column Legs				
Fixed Height				
4"	27¾"	**AC2804SFB**	For use as additional support option.	$273
Adjustable Height				
4"	26½"-30½"	**IB0427AC** K	For use as additional support option.	$284
1½" Column Legs (static or mobile)				
1½"	27¾"	**AC2802SFB**		$294
Tapered Legs				
4"	27¾"	**AC2804STL**	For use as additional support option.	$296

IMPORTANT: All brackets and supports must be specified separately.
➤See page 368 for proper bracket/support application.

Standard Includes

- Worksurface support

How to Specify

Support Panel Brackets
❶ Model

Gusset Bracket or 4" Column Legs
❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

1½" Column Legs
❶ Model
② Static or mobile:
S = Static
M = Mobile
③ Finish price group:
STD = Group 1
④ Finish designator

Tapered Legs
❶ Model
② Finish designator
462 = Cinder
501 = Platinum metallic
514 = Carbon metallic

K = Kwik Office model available.

Worksurface Support

Pricing

Universal, continued

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 368





D	*W*	*H*	*Model*	*Description*	*Price*
Decorative Support Legs					
3"	14"	27⅞"	**IB1427D**	For use as additional support option. Decorative support includes glide and carpet gripper. Decorative insert may be specified separately	$470
Decorative Support Inserts					
⅛"	9"	22⅝"	**IB1427DIP**	Painted insert (for a contrasting paint color).	$81
Modesty Panels					
1"	43½"	11½"	**IF4412MB**	For use with 60"W worksurface.	$167
	49½"		**IF5012MB**	For use with 66"W worksurface.	176
	55½"		**IF5612MB**	For use with 72"W worksurface.	184

IMPORTANT: All supports must be specified separately.
➤See page 368 for proper bracket/support application.

Units created using decorative support leg cannot be used freestanding. They must be secured to adjacent worksurface for necessary stability

Gusset bracket used to attach metal modesty panel to worksurface must be specified separately.
➤See page 467.

For contrasting paint color on decorative support leg, specify insert separately.

Standard Includes

Support Leg
- Support leg
- Glide
- Carpet gripper

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Worksurface Support

Pricing

Universal, continued

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 368





D	W	H	Model	Description	Paint (P)	Chrome (C)
X-Bases						
26"	26"	27"	**TBS2627X**	Available in paint finishes or chrome. For use with 30" and 36" round and square worksurfaces.	$550	$740
34"	34"	27"	**TBS3427X**	Available in paint finishes or chrome. For use with 42" and 48" round and 42" square worksurfaces.	577	837
T-Base						
	26"	27"	**TBS2627T**	Available in paint finishes or chrome. For use with rectangular and racetrack worksurfaces. Set of 2.	$816	$1041

IMPORTANT: All brackets and supports must be specified separately.
➤See page 368 for proper bracket/support application.

One X-base is required for use with round or square tops. Two T-bases are required for use with rectangular or racetrack tops.

Painted models are available on Kwik Office.

Standard Includes

- Base
- Glides; adjustable to ½"

How to Specify

❶ Model
❷ Material:
P = Paint
C = Chrome
③ Finish price group (omit for chrome model):
STD = Group 1
STDM = Group M (+10%)
④ Finish designator

= Kwik Office model available.

Worksurface Support

Pricing

Universal, continued

GSA SIN 711-1

Features ➤See page 356
Product Information 357
Application Guidelines 368

Diameter	*H*	*Model*	*Description*	*Paint (P)*	*Wood (W)*
Cylinder Base					
12"	27¾"	**AB22**	For use with P-top, U-top, D-shape and wedge spanner worksurfaces.	$655	$655
16"	27¾"	**AB32G**	For use with 48" or less round and racetrack table tops. Includes anti-tip weight.	1002	1002





ASB52 AB52 and AB52E

W	*D*	*H*	*Model*	*Description*	*Paint (P)*	*Wood (W)*
Half-Cylinder Base						
22"	16"	27¾"	**ASB52**	For use as additional support option.	$1060	$1060
22"	11"	27¾"	**AB52**	For use as additional support option.	948	948
22"	11"	27¾"	**AB52E**	For use with table tops. Includes anti-tip weight.	981	981

IMPORTANT: All supports must be specified separately.
➤See page 368 for proper bracket/support application.

Standard Includes

- Base

How to Specify

1. Model
2. Material:
   P = Paint
   W = Wood
3. Surface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
4. Finish designator

Mobile Tables

Statement of Line

Features ➤See page 472
Pricing 473
Finishes & Materials 575

Tear-Drop Mobile Tables
Available in fixed-height, adjustable-height, and top-only models.
➤See page 473 to specify.



Rectangular Mobile Tables
Available in fixed-height, adjustable-height, and top-only models.
➤See page 473 to specify.



Mobile Legs
Mobile legs are available in fixed-height and adjustable-height models.
➤See page 474 to specify.

Features

Overview

Statement of Line ➤See page 471
Pricing 473
Finishes & Materials 575

Mobile tables are available in six different top shapes and with a wood or 3D laminate surface. All models are available in a top-only model to allow attachment of an alternate base in the field or to replace an existing table top.

Tear-drop and rectangular mobile tables are standard with fixed-height column legs (29⅛") or adjustable-height column legs (26⅝"–30½").

Fixed-height and adjustable-height mobile column legs can be specified separately and used with other table tops, including those listed in the worksurfaces section in accordance with the guidelines listed.



Wood table tops feature a wood bullnose rim and are 1 3⁄16" thick.

Locking casters are standard on all mobile column legs.

Rim Profiles:

Wood Bullnose (N) | Sloped Edge (S)

Wood bullnose is available on wood tops only. Sloped rim is available on 3D laminate tops only.
Note: Due to different material composites, wood finishes may vary slightly between the top and the bullnose rim.

Cord Management:

A variety of accessories may be added in the field to help manage cords and cables, including

Tear-Drop and Rectangular

Pricing

GSA SIN 711-1

Statement of Line ➤See page 471
Features 472
Finishes & Materials 575



Note: Arrow on surface indicates grain direction.

D	*W*	*H*	*Model*	*Description*	*3D Lam. (T)*	*Wood (W)*
Tear Drop						
37⅜"	37⅜"	29⅛"	**SK1937TPSTA**	Fixed-height legs	$999	$1385
		26⅝"–31⅝"	**SK1937TPADJ**	Adjustable-height legs	1348	1677
		1 3/16"	**SK1937TP**	Top only	582	786
Rectangular						
20 5/16"	46¼"	29⅛"	**SK2046TRSTA**	Fixed-height legs	$885	$1214
		26⅝"–31⅝"	**SK2046TRADJ**	Adjustable-height legs	1233	1801
		1 3/16"	**SK2046TR**	Top only	468	607
24⅞"	47⅞"	29⅛"	**SK2548TRSTA**	Fixed-height legs	974	1342
		26⅝"–31⅝"	**SK2548TRADJ**	Adjustable-height legs	1322	1859
		1 3/16"	**SK2548TR**	Top only	554	742
30"	60"	29⅛"	**SK3060TRSTA**	Fixed-height legs	1180	1478
		26⅝"–31⅝"	**SK3060TRADJ**	Adjustable-height legs	1529	1985
		1 3/16"	**SK3060TR**	Top only	762	877

Rim Profiles:

Sloped (S)

Bullnose (N)

Dimensions for Space Planning:



Due to different material composites, wood finishes may vary slightly between the top and the bullnose rim.

Cable Management Accessories
➤See the Perks Price List.

Standard Includes

- Table top
- Locking casters on models with legs

How to Specify

❶ Model
❷ Material:
T = 3D laminate
W = Wood
❸ Rim profile:
S = Sloped (3D laminate only)
N = Bullnose (wood only)
④ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Surface finish designator
⑥ Leg finish designator (omit for top only model):
462 = Cinder
501 = Platinum Metallic (+10%)

Mobile Column Legs and Adjustable Base

Pricing

GSA SIN 711-1

Statement of Line ➤See page 471
Features 472
Finishes & Materials 575



D	W	H	Model	Description	Price
Mobile Column Legs					
Fixed Height					
7½"	7½"	27 15⁄16"	**SKLSTA**	2⅛" diameter. Locking caster. One; four required to support surface. Cinder and Platinum only. For use with 1 3⁄16" thick worksurfaces no deeper than 30" and no wider than 60".	$113
Adjustable Height					
7½"	7½"	25 7⁄16"–30½"	**SKLADJ**	2⅛" diameter. Locking caster. One; four required to support surface. Cinder and Platinum only. For use with 1 3⁄16" thick worksurfaces no deeper than 30" and no wider than 60".	$205

Standard Includes

- Leg or base

How to Specify

❶ Model
② Finish designator
462 = Cinder
501 = Platinum metallic (+10%)

Undersurface Storage

Statement of Line

Square Profile, Radius Profile, and Flat Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Square Profile Box/Box/File and File/File Pedestals
Available in wood or laminate.
➤See page 481 for product info.
➤See page 505 to specify.

Square Profile Lateral File Pedestals
Available in wood or laminate.
➤See page 481 for product info.
➤See page 507 to specify.



Square Profile Hinged-Door Pedestals
Available in wood or laminate.
➤See page 481 for product info.
➤See pages 506–507 to specify.

Square Profile Open Bookcases
Available in wood or laminate.
➤See page 481 for product info.
➤See page 508 to specify.

Square Profile Mobile Box/File Pedestals
Available in wood or laminate.
➤See page 481 for product info.
➤See page 509 to specify.



Radius Profile Box/Box/File and File/File Pedestals
Available in wood or laminate.
➤See page 483 for product info.
➤See page 510 to specify.

Radius Profile Lateral File Pedestals
Available in wood or laminate.
➤See page 483 for product info.
➤See page 511 to specify.

Radius Profile Hinged Door Pedestals
Available in wood or laminate.
➤See page 483 for product info.
➤See page 511 to specify.

Flat Profile Suspended Box/File Pedestals
Available in metal.
➤See page 485 for product info.
➤See page 512 to specify.



Flat Profile Box/Box/File and File/File Pedestals
Available in metal or metal with wood front.
➤See page 485 for product info.
➤See pages 512–513 to specify.



Flat Profile Undersurface Lateral Files and File Centers
Available in metal or metal with wood front.
➤See page 485 for product info.
➤See page 514–515 to specify.



Flat Profile File Centers
Available in metal or metal with wood front.
➤See page 485 for product info.
➤See page 514–515 to specify.



Flat Profile Bookcases
Available in metal.
➤See page 485 for product info.
➤See page 514 to specify.



Flat Profile Mobile Pedestals
Available in cushion-top box/file, box/box/file, and file/file models.
➤See page 485 for product info.
➤See page 516 for metal.
➤See page 517 for metal with wood front.

Low Storage

Flat Profile

Statement of Line

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502



Box/File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 487 for product info.
➤See page 518 to specify.



Box/Lateral File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 487 for product info.
➤See page 518 to specify.



Open/Open Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 487 for product info.
➤See page 519 to specify.



Open/Lateral File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 487 for product info.
➤See page 520 to specify.



Hinged Door/Box/File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 487 for product info.
➤See page 521 to specify.



Open/Box/Lateral File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 487 for product info.
➤See page 522 to specify.



18"D Laminate Tops for Low Storage
➤See page 487 for product info.
➤See page 523 to specify.



Seat Cushions for Low Storage
➤See page 487 for product info.
➤See page 524 to specify.

Overhead Storage

Statement of Line

Square Profile, Radius Profile, and Curved Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Square Profile Flipper Door Overheads
Available in wood or laminate and in 19"H and 16"H models.
➤See page 490 for product info.
➤See page 525 to specify.



Square Profile Hinged Door Overheads
Available in wood or laminate and in 19"H and 16"H models.
➤See page 490 for product info.
➤See page 525 to specify.



Square Profile Glass-Front Overheads
Available in wood or laminate.
➤See page 490 for product info.
➤See page 525 to specify.



Square Profile Overhead Shelves
Available in wood or laminate.
➤See page 490 for product info.
➤See page 526 to specify.

Square Profile Highback Organizers with Flipper Doors
Available in wood or laminate.
➤See page 490 for product info.
➤See page 527 to specify.

Square Profile Highback Organizers with Hinged Doors
Available in wood or laminate.
➤See page 490 for product info.
➤See page 527 to specify.



Radius Profile Flipper Door Overheads
Available in wood or laminate and in 19"H and 16"H models.
➤See page 491 for product info.
➤See page 528 to specify.



Radius Profile Hinged Door Overheads
Available in wood or laminate and in 19"H and 16"H models.
➤See page 491 for product info.
➤See page 528 to specify.

Radius Profile Highback Organizers with Flipper Doors
Available in wood or laminate.
➤See page 491 for product info.
➤See page 529 to specify.



Radius Profile Highback Organizers with Hinged Doors
Available in wood or laminate.
➤See page 491 for product info.
➤See page 529 to specify.



Curved Profile Perforated Overheads
Laminate chassis with metal door.
➤See page 492 for product info.
➤See page 530 to specify.



Curved Profile Non-Perforated Overheads
Laminate chassis with metal door.
➤See page 492 for product info.
➤See page 530 to specify.

Overhead Storage

Statement of Line

Flat Profile, Bevel Profile, and Lunar Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502



Flat Profile Sliding-Door Cabinets
Metal chassis with metal, laminate or wood door.
➤See page 493 for product info.
➤See page 531 to specify.



Flat Profile Flipper-Door Cabinets
Metal chassis with wood door.
➤See page 494 for product info.
➤See page 533 to specify.



Flat Profile Open Cabinets
Metal chassis. Available with one- and two-sided access for center-mount applications. Available for set-on-surface and suspended models for surface-mount applications.
➤See page 494 for product info.
➤See page 534 for center-mount models.
➤See page 535 for surface-mount or suspended models.



Flat Profile Cubby Storage
Metal chassis.
➤See page 494 for product info.
➤See page 536 to specify.



Bevel Profile Receding-Door Overheads
Metal chassis and door.
➤See page 495 for product info.
➤See page 537 to specify.



Bevel Profile Overhead Shelves
Metal chassis. Available half-height and full-height models.
➤See page 495 for product info.
➤See page 538 to specify.



Bevel Profile Highback Organizer
Metal chassis and doors.
➤See page 495 for product info.
➤See page 539 to specify.



Lunar Profile Flipper-Door Overheads
Metal chassis and door.
➤See page 496 for product info.
➤See page 540 to specify.

Vertical Storage

Statement of Line

Square Profile and Flat Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502



Square Profile Bookcases
Available in wood or laminate.
➤See page 497 for product info.
➤See page 548 to specify.

Square Profile Short Storage Cabinets
Available in wood or laminate.
➤See page 497 for product info.
➤See page 549 to specify.



Square Profile Lateral Files
Available in wood or laminate and in 2-, 3-, and 4-drawer models.
➤See page 497 for product info.
➤See page 550 to specify.



Square Profile Lateral Files with Hinged Doors and Two Drawers
Available in wood or laminate.
➤See page 497 for product info.
➤See page 551 to specify.



Square Profile Lateral Files with Hinged Doors and Four Drawers
Available in wood or laminate.
➤See page 497 for product info.
➤See page 551 to specify.

Square Profile Storage Cabinets
Available in wood or laminate.
➤See page 497 for product info.
➤See page 552 to specify.



Square Profile Wardrobe Cabinets
Available in wood or laminate.
➤See page 497 for product info.
➤See page 553 to specify.



Flat Profile Bookcases
Metal.
➤See page 498 for product info.
➤See pages 554 to specify.



Flat Profile Storage Towers (12S)
Available in metal or metal with wood front.
➤See page 498 for product info.
➤See pages 555–559.

Tower Spacers (12S)
➤See page 498 for product info.
➤See page 560 to specify.



Flat Profile Wardrobes (14S)
Available in metal or metal with laminate front.
➤See page 499 for product info.
➤See page 561.



Flat Profile Personal Storage Lockers (14S)
Available in metal or metal with laminate front.
➤See page 499 for product info.
➤See page 562.



Flat Profile Storage Towers (14S)
Available in metal or metal with laminate front.
➤See page 499 for product info.
➤See pages 563–566.

Tower Spacers (14S)
➤See page 499 for product info.
➤See page 567 to specify.

Features

Overview

Locking Info ➤See page 501
Lock Core Requirements 502

Overhead storage is available in wood, laminate, metal, metal/laminate, metal/wood, and laminate/metal combinations.
Note: Not all profiles are available in all materials.

Overhead storage can be can be mounted on panels, Traxx, building walls, mounted between storage units in freestanding applications.
➤See chart on page 489 for possible applications by storage profile.



1³⁄₁₆" and 1⁹⁄₁₆" worksurfaces may be used with all undersurface storage. Mobile storage units are recommended when specifying curvilinear worksurfaces.

Undersurface storage is available in wood, laminate, metal, and metal/laminate combination.
Note: Not all profiles are available in all materials.

All undersurface storage may be used with any Kimball Office panel system.

Specifying Checklist:

- ❑ Pull options
- ❑ Pedestal reveal strips and modesty filler strips when side of square profile pedestal is exposed
- ❑ Tops for square profile freestanding lateral files
- ❑ Back panels for any storage units that have unfinished backs that will be exposed
- ❑ Pedestal spacers for radius profile pedestals with vertical pulls or hinged door units when placed side by side
- ❑ Change key
- ❑ Lock cores if key specific option is selected
- ❑ Additional file bars if required
- ❑ Appropriate support brackets for panel system or Traxx application
- ❑ Traxx when wall mounting overheads
- ❑ Vertical cord managers
- ❑ Ganging kit when mounting overheads side-by-side.

Undersurface Storage Profiles:



Square Radius Flat

Overhead Storage Profiles:



Square* Radius* Flat



Curved Bevel Lunar

*19"H models shown.

Vertical Storage Profiles:



Square Flat

Undersurface Storage

Product Information

Square Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details

Square profile undersurface storage is available in wood or laminate.

Arc, bar, dome, span, and wire pulls are available on wood or laminate square profile storage.

Pedestals are 18"W with finished sides. They can be used at the ends of storage arrangements for a finished look without using support panels.

1½" glides provide 1¼" of adjustment.

Filing hardware for front-to-back and side-to-side filing is included for pedestals and lateral files. Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file holders to utilize strength of the drawer sides. Drawer interiors are black.
➤See page 482 for filing capacities.

Backs and tops of undersurface units are unfinished and must be concealed in application. Tops are not enclosed. Worksurfaces attach directly to horizontal frame.

Backs can be finished with a full width modesty panel for freestanding applications. For breakfront applications, specify two 18"W modesty panels for backs of pedestals and an additional modesty panel equal to the width of the kneespace between pedestals.

Mobile pedestals are finished on the top and all sides.

Locks are standard. They are black and located on front of cabinet.
➤See page 501 for keying.

Finishes & Materials

Square Profile Storage and Filler Panels
- Wood
- Laminate

Arc Pulls
- Cinder
- Platinum Metallic
- Satin Nickel
- Satin Bronze Metallic
- Dark Chocolate
- Carbon Metallic

Bar Pulls
- Matte Black
- Carbon Metallic

Dome and Span Pulls
- Matte Black
- Platinum Metallic
- Polished Argent
- Satin Nickel Metallic
- Carbon Metallic

Wire Pulls
- Matte Black
- Silver Stipple
- Carbon Metallic

Connections

Pedestals are 23"D or 29"D. They are sized 1" less than worksurface depths to accommodate cable access when placed against a wall, or for the addition of a modesty panel.

Planning Factors

Undersurface pedestals and lateral files provide support for worksurfaces. They are not intended to be used as freestanding units. 29"H worksurfaces can be supported by file/file, box/box/file, lateral file, and hinged door pedestals.

Related Products



Filler panels are available in wood or laminate. They can be scribed in the field to finish out cabinetry for a custom fit.



Pedestal reveal strips should be specified when the side of a pedestal is exposed. It conceals the small space between the top of the pedestal and the underside of the worksurface.



Modesty filler strip should be specified if a modesty panel is not used or if the storage component is not panel wrapped. Modesty filler strip maintains space for cabling behind pedestal while filling in the difference in storage and worksurface depth.

Drawer Pull Options:



Arc Bar Dome



Span Wire

Drawer Pull Designators:

A = Bar, matte black
J = Bar, carbon metallic
G = Wire, matte black
H = Wire, silver stipple
K = Wire, carbon metallic
ARC462 = Arc, cinder
ARC485 = Arc, dark chocolate
ARC501 = Arc, platinum
ARC503 = Arc, satin nickel
ARC505 = Arc, satin bronze
ARC514 = Arc, carbon metallic
65CM = Dome, carbon metallic
65MB = Dome, matte black
65PL = Dome, platinum
65PA = Dome, polished argent
65SN = Dome, satin nickel
66CM = Span, carbon metallic
66MB = Span, matte black
66PL = Span, platinum
66PA = Span, polished argent
66SN = Span, satin nickel

Undersurface Storage

Square Profile Filing Capacities

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

	Interior Drawer Dimensions			
Description	*Inside Depth*	*Inside Width*	*Height*	*Filing Arrangements*
23"D pedestal	17"	14 13/32"	9 9/32"	 17" letter; 16 9/16" letter; 12 7/32" legal + 1 5/8" letter; 12 7/32" EDP + 1" letter; 12 7/32" A4 + 3 5/8" letter
29"D pedestal	25 3/4"	14 13/32"	9 9/32"	28 13/16" letter; 24 1/32" letter or A4; 26 13/32" letter or A4; 14 13/32" legal, EDP, or A4
23"D x 30"W lateral file	15 1/32"	26 11/32"	9 9/32"	30 1/16" letter; 26" letter, legal, EDP, or A4; 15 1/32" legal, EDP, or A4
23"D x 36"W lateral file	15 1/32"	32 11/32"	9 9/32"	 30 1/16" letter; 32" letter, legal, EDP, or A4; 30 1/16" legal, EDP, or A4

Paper Reference:

- Legal size paper is 8 1/2" x 14".
- Letter size paper is 8 1/2" x 11".
- EDP size paper is 8 1/2" x 14 7/8.

Filing Hardware:

Heavier lines in the illustrations at left indicate file bars. File bars to accommodate front-to-back and side-to-side filing as shown are shipped standard with file/file pedestals and lateral files.

Undersurface Storage

Product Information

Radius Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details

Radius profile undersurface storage is available in wood or laminate.

Waterfall or horizontal pulls are available on wood or laminate radius profile storage.

Vertical pulls are available on wood radius profile pedestals only. Vertical pulls run along the side edges of drawer fronts.

1½" glides provide 1¼" of adjustment.

Filing hardware for front-to-back and side-to-side filing is included for pedestals and lateral files. Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file holders to utilize strength of the drawer sides. Drawer interiors are black.
➤See page 484 for filing capacities.

Backs and tops of undersurface units are unfinished and must be concealed in application. Tops are not enclosed. Worksurfaces attach directly to horizontal frame.

Locks are standard on undersurface storage. They are black and located on front of cabinet.
➤See page 501 for keying options.

Finishes & Materials

Radius Profile Storage
- Wood
- Laminate

Waterfall and Horizontal Pulls (on radius profile)
- Black

Pedestal Spacers
- Wood
- Laminate

Connections



Pedestals are 15¾"W and are designed to be positioned within a desk shell or surrounded by panels.

Full width modesty panel and support panels must be specified for freestanding applications.

Planning Factors

Undersurface pedestals and lateral files provide support for worksurfaces. They are not intended to be used as freestanding units. 29"H worksurfaces can be supported by file/file, box/box/file, lateral file, and hinged door pedestals.



16"D or 22"D pedestals are sized 2" less than worksurface depths to accommodate cable access when placed against a wall or panel.

30"D pedestals do not allow for cable access clearance or a modesty panel if used with 30"D worksurface.

Related Products



Filler panels are available in wood or laminate. They can be scribed in the field to finish out cabinetry for a custom fit.

Pedestal spacer is required between side-by-side pedestals with vertical pulls to provide access to the pull. It can also be used for clearance when two hinged door cabinets with waterfall pulls are placed next to each other or a wall.

Drawer Pulls:



Waterfall | Horizontal | Vertical (wood only)

Undersurface Storage

Product Information

Radius Profile Filing Capacities

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Description	Interior Drawer Dimensions: Inside Depth	Inside Width	Inside Height	Filing Arrangements
16"D pedestal	12 3/16"	12 3/16"	9 9/32"	12 3/16" letter; 12 3/16" letter
22"D pedestal	17"	12 3/16"	9 9/32"	17" letter; 16 9/16" letter; 12 3/16" legal or EDP + 1 5/8" letter; 12 3/16" A4 + 3 5/8" letter
30"D pedestal	25 3/4"	12 3/16"	9 9/32"	25 3/4" letter; 24 3/8" letter; 12 3/16" legal or EDP + 10 3/8" letter; 12 3/16" A4 + 12 3/8" letter
16"D x 30"W lateral file	12 3/16"	26 11/32"	9 9/32"	24 3/8" letter;  26 11/32" letter; 12 3/16" legal, EDP, or A4
16"D x 36"W lateral file	12 3/16"	32 11/32"	9 9/32"	30 3/8" letter;  32 11/32" letter; 24 3/8" legal, EDP, or A4
22"D x 30"W lateral file	15 1/32"	26 11/32"	9 9/32"	 30 1/16" letter;  26" letter, legal, EDP, or A4; 15 1/32" legal, EDP, or A4
22"D x 36"W lateral file	15 1/32"	32 11/32"	9 9/32"	30 1/16" letter; 32" letter, legal, EDP, or A4;  30 1/16" legal, EDP or A4

Paper Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14 7/8.

Filing Hardware:

Heavier lines in the illustrations at left indicate file bars. File bars to accommodate front-to-back and side-to-side filing as shown are shipped standard with file/file pedestals and lateral files.

Undersurface Storage

Product Information

Flat Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Flat profile undersurface storage features a drawer-front-over-case design. Flat profile storage is available in all metal or with metal chassis and wood fronts.

Pedestals are 15"W. Suspended box/file pedestals are mounted beneath the worksurface. File/file and box/box/file pedestals support worksurfaces at 29"H.

Glides provide 1" of adjustment.

File drawers accommodate front-to-back filing by suspending hanging files from the drawer sides. For side-to-side filing, additional file bars are required.
➤See the Perks Price List.

Box and file drawer suspensions allow full extension.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.

Lateral files includes two side-to-side file bar per drawer for letter filing. Front-to-back file bars are specified separately.
➤See the Perks Price List.

Tops are not enclosed. Worksurfaces attach directly to the horizontal frame.

Backs and sides are finished.

Mobile pedestals are finished on all sides and are available with painted or cushion top. Cushion top pedestal seated capacity is 225 lbs.



File center consists of box, file, and lateral file drawers. Box drawers can be specified in either the left or right drawer locations. One lock secures all drawers.

Locks are standard on undersurface storage. They are black and located on front of cabinet. For silver lock core and key, specify lock option "key specific" and order locks separately.
➤See page 501 for keying options.

Bookcases feature an enclosed back and include one adjustable shelf. Shelf adjusts in ½" increments. Glides on bookcases provide 1" of adjustment.

Finishes & Materials

Flat Profile Storage
- Metal: all paints
- Wood fronts: all wood finishes

Arc Pulls
- Cinder
- Platinum Metallic
- Satin Nickel
- Satin Bronze Metallic
- Dark Chocolate
- Carbon Metallic

Extended Pulls
- Painted to match chassis

Dome and Span Pulls
- Matte Black
- Platinum Metallic
- Polished Argent
- Satin Nickel Metallic
- Carbon Metallic

Connections

Undersurface pedestals and lateral files provide support for worksurfaces. They are not intended to be used as freestanding units. 29"H worksurfaces can be supported by file/file, box/box/file, lateral file, and file center pedestals.

Suspended pedestals must be attached to worksurfaces that meet all application guidelines; suspended pedestals are non-supporting.



Suspended pedestal, model 12S1915PUBFM, is intended for use with Xsede 22"D wire gap surfaces with tech trays. This model features spacers to allow the ped to fit around an undersurface support rail which is required if the unsupported span is over 48" Must be placed next to Xsede support legs (U-legs without stanchions, U-legs with stanchions, T-legs, or H-legs).

Related Product

Metal modesty panel, when specified, attaches to the sides of pedestals. Metal modesty panels are recommended for use with flat profile pedestals.
➤See page 466.

If using wood modesty and support panels with flat profile metal pedestals with wood fronts to create freestanding desk applications, specify the worksurface to be deeper than the pedestals. Specify 24"D pedestal for use with 30"D worksurface; 30"D pedestal with a 36"D worksurface; or 18"D lateral file with a 24"D worksurface.

Non-deface kit, specified separately, is available to allow attachment of modesty panel without defacing the side of the pedestal.
➤See page 466.

Drawer Pull Options:


Extended (metal only)


Arc


Dome


Span

Drawer Pull Designators:

E = Extended K (not available on wood-front models)
ARC462 = Arc, cinder K
ARC485 = Arc, dark chocolate
ARC501 = Arc, platinum
ARC503 = Arc, satin nickel
ARC505 = Arc, satin bronze metallic
ARC514 = Arc, carbon metallic
65CM = Dome, carbon metallic
65MB = Dome, matte black
65PL = Dome, platinum
65PA = Dome, polished argent
65SN = Dome, satin nickel
66CM = Span, carbon metallic
66MB = Span, matte black
66PL = Span, platinum
66PA = Span, polished argent
66SN = Span, satin nickel

IMPORTANT: Upcharge of +$16 applies for Arc, Dome, and Span pulls specified on all-metal models; no upcharge on wood-front models.

K = Kwik Office model available with this option.
➤See the Kwik Office Price List.

Undersurface Storage

Flat Profile Filing Capacities

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

	Interior Drawer Dimensions			
Description	*Depth*	*Width*	*Height*	*Filing Arrangements*
18"D pedestal	15 15/16"	12 3/16"	10 3/16"	15 15/16" letter 14 3/16" letter 12 3/16" A4 + 1" letter
24"D pedestal	19 3/16"	12 3/16"	10 3/16"	19 3/16" letter 18 3/16" letter 12 3/16" legal + 3 3/16" letter 12 3/16" EDP + 2 1/4" letter 12 3/16" A4 + 5" letter
30"D pedestal	25 3/16"	12 3/16"	10 3/16"	25 3/16" letter 24 3/8" letter 12 3/16" legal + 9 3/16" letter  12 3/16" EDP + 8 1/4"" letter 12 3/16" A4 + 11" letter
18"D x 30"W lateral	14 7/8"	26 13/16"	9 3/8"	29 3/4" letter 26 7/8" letter 26 7/8" legal  25 5/8" legal or A4
18"D x 36"W lateral file	14 7/8"	32 13/16"	9 3/8"	29 3/4" letter 32 7/8" letter 29 3/4" legal  32 7/8" legal or A4
18"D x 42"W lateral file	14 7/8"	38 13/16"	9 3/8"	44 5/8" letter  38 7/8" letter  36 3/8" legal  38 7/8" legal or A4
File center –File drawer –lateral file drawer	15 15/16" 14 7/8"	12 3/16" 26 13/16"	10 3/16" 9 3/8"	15 15/16" letter in file drawer  26 7/8" letter in lateral drawer 26 7/8" legal in lateral drawer  25 5/8" legal or A4 in lateral drawer

Paper Reference:
- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14 7/8.

Filing Hardware:
Heavier lines in the illustrations at left indicate file bars.

File drawers include file bars for front-to-back filing as standard. Side-to-side file bars can be specified separately.
➤See the Perks Price List.

Lateral file drawers include file bars for side-to-side filing as standard. Front-to-back file bars can be specified separately.
➤See the Perks Price List.

Low Storage

Product Information

Flat Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Flat profile undersurface storage features a drawer-front-over-case design, with fronts flush to the bottom of the case. Units are is available in all metal or with metal chassis and laminate front.

Pedestals are available in 15", 30", 36", or 42" widths. Units are available with an open top or metal tops. Models with open top require 18”D or 24"D tops (worksurfaces), specified separately.
➤See the Xsede Price List for 24”D tops.



Glides Casters 4" legs

Floor glides are standard and provide 3⁄8" of adjustment. Casters and 4" legs are available as an option; upcharge applies. Legs provide 7⁄8" of adjustment.
Note: Illustration of glides enlarged to show detail as compared to the relative size of the casters and legs.

File drawers accommodate front-to-back filing by suspending hanging files from the drawer sides. For side-to-side filing, additional file bars are required.
➤See the Perks Price List.

Box and file drawer suspensions allow full extension.

Lateral files includes two side-to-side file bar per drawer for letter filing. Front-to-back file bars are specified separately.
➤See the Perks Price List.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.

Backs and sides are finished.



Cushion tops are available separately for low storage pedestals. Cushion tops with anti-skid back can be added to metal-top models or open-top models with a laminate top. Seated capacity is 225 lbs.

Locks are optional; they are available in black or silver finish options.
➤See page 501 for keying options.

A variety of pull options are available.
➤See page 488.

Finishes & Materials

Flat Profile Storage
- Metal: all paints
- Laminate fronts: TFL

Connections



Units may be ganged together facing the same direction or reversed to one another. A single top may be added to open-top or metal top models and, may span multiple units. Tops are specified separately.

Related Product

18"D tops are available.
➤See page 523.

24"D tops are available as part of the Xsede worksurfaces offering and may be used with Footprint low storage units.
➤See the Xsede Price List

Cushion tops are available.
➤See page 524.



Metal Top with Glides



Metal Top with Casters



Metal Top with 4" Legs

Low Storage

Options

Pull Options

KEY:
● = Available on TFL Front
■ = Available Metal Front

		Dimensions				Available Finishes															
		Pull Width	Pull Height	Pull Projection	Boring Pattern	**405** Designer White	**462** Cinder	**485** Dark Chocolate	**486** Clear Anodized	**487** Brushed Nickel*	**490** Polished Chrome*	**501** Platinum Metallic	**503** Satin Nickel	**505** Satin Bronze	**514** Carbon Metallic	**CM** Carbon Metallic	**MB** Matte Black	**PL** Platinum	**PA** Polished Argent	**SF** Silver Frost	**SN** Satin Nickel
																					*plated finish
93	Aero	5½"	¾"	¾"	128 mm		●			●	●	●			●						
ARC	Arc	9 1/16"	5/16"	1¾"	192 mm		●■	●■				●■	●■	●■	●■						
95	Deco	4⅞"	⅝"	1"	76 mm					●	●										
65	Dome	6¼"	13/16"	1¼"	128 mm											●■	●■	●■	●■		●■
E	Extended	full	1⅜"	n/a	n/a																
61	Helix	7⅝"	½"	1¼"	160 mm		●	●					●			●				●	
97	Linear	10⅛"	¼"	⅝"	n/a				●	●	●										
63	Link	6⅝"	1⅛"	1"	160 mm		●	●					●			●				●	
91	Niche	5⅜"	⅞"	⅞"	96 mm		●	●					●			●					
66	Span	5 11/16"	⅝"	1¼"	128 mm											●■	●■	●■	●■		●■
89	Studio	7⅞"	⅜"	1⅛"	192 mm		●	●					●			●					
90	Trinity	9¼"	⅜"	⅞"	160 mm		●	●					●			●					
64	Wisp	9⅞"	⅝"	1⅛"	190 mm		●	●					●			●				●	


93 Aero

ARC Arc (+$16/unit)**


95 Deco

65 Dome (+$16/unit)**


E Extended

61 Helix


97 Linear


63 Link


91 Niche


66 Span (+$16/unit)**


89 Studio


90 Trinity (+$26/unit)


64 Wisp

**upcharge applies to all-metal units only; no upcharge on laminate-front models.
*Note: Linear pull wraps the drawer face and attaches on the backside of the drawer.
Extended pulls, available on metal-front models only, are painted to match the chassis.*

Overhead Storage

Matrix

Application by Storage Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

	Square					Radius			Curved			Flat					Bevel				Lunar		Priority	
	Flipper Door	Hinged Doors	Glass Doors	Shelf		Flipper Door	Hinged Doors		Perforated	Non-Perforated		Sliding Door	Flipper Door	Cubby	Open Cabinet		Receding Door	Full-Height Shelf	Half-Height Shelf		Flipper Door		Sliding Door	Hinged Door
Cetra panel-mount (on panel face)	•	•	•	•		•	•		•	•		•	•				•	•			•			
Xsite Traxx-mount (on panel face)	•	•	•	•		•	•		•	•		•	•	•			•	•			•		•	•
Xsite center-mount (on top of panel)												•											•	•
IWEQ panel-mount (on panel face)												•	•				•	•	•					
Traxx wall-mount	•	•	•	•		•	•		•	•		•	•	•							•		•	•
Wall-Mount (on wall standards)									•	•		•	•				•	•			•			
Freestanding Applications (mounted between vertical storage)	•	•	•	•		•	•		•	•														
Priority center-mount (on stanchions)												•			•								•	•
Xsede accessory rail-mount												•			•								•	•

Overhead Storage

Product Information

Square Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Square profile overheads are available in wood, laminate, wood chassis with a glass front, or laminate chassis with a glass front, and in hinged or flipper door models.

Overhead cabinets and highback organizers ship pre-assembled.



19"H 16"H

16"H overheads feature a smaller profile and accommodate standard-size binders.

Flipper doors include easy-down mechanism. 7" clearance above the cabinet is required.



42"W and 48"W hinged door overheads have three doors with a single door on the right. A support panel divides the overhead into two separate sections as indicated above.



60"W and 72"W hinged door overheads have four doors.

60"W and 72"W flipper door overheads have two doors.

Backs of overheads are unfinished and may be visible when used on panels that are 61"H or less. Backs are partial height in flipper and hinged door overheads.

Highback organizers have an unfinished back. Task light and tackboard must be specified separately. Cord exit is centered directly above tackboard through the back panel. Panel fabric is turned 90° and applied railroad style on 72"W tackboards.

Locks are optional on square profile overhead storage. Locks are located on the front of the cabinet. All locks are black.
➤See page 501 for keying options.

Finishes & Materials

Square Profile Overheads
- Wood
- Laminate
- Glass front

Square Profile Highback Organizers
- Wood
- Laminate

Square Profile Filler Panels
- Wood
- Laminate

Waterfall pulls
- Black

Connections

Xsite, Cetra, and Traxx can support square profile overheads.



Wall mounted cabinets are hung from a single upper Traxx channel. Traxx spacer (5⁄8" full length shim), specified separately, is required when wall mounting overheads without using Traxx tiles. Traxx full end trim should be specified when the end of wall mounted overhead is exposed.
➤See page 347 for Traxx spacer.
➤See page 345 for end trim.



In freestanding applications, a single overhead unit can be supported by two angle brackets attached to short storage cabinets, vertical storage cabinets, or a combination of both.

Related Products

Overhead mounting brackets must be specified separately.
➤See pages 541–545.

Ganging kit is required when hanging overheads side-by-side. When mounted on Cetra panels, the inside left and right overhead brackets are replaced by the ganging bracket.
➤See page 547.



Filler panels are available to build out cabinetry for a custom fit. Filler panels are scribed in the field.

Door Pulls:



Integrated Waterfall

Integrated and waterfall door pulls are available. Integrated pulls run the full length of the door along the bottom edge.

Glass Patterns:



Linear Vertical Frosted

Overhead Storage

Product Information

Radius Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Radius profile overheads are available in wood or laminate, and in hinged door or flipper door models.

Overhead cabinets and highback organizers ship pre-assembled.



19"H 16"H

16"H overheads feature a smaller profile and accommodate standard-size binders.

Flipper doors include easy-down mechanism. 7" clearance above the cabinet is required.



42"W and 48"W hinged door overheads have three doors with a single door on the right. A support panel divides the overhead into two separate sections as indicated above.



60"W and 72"W hinged door overheads have four doors.

60"W and 72"W flipper door overheads have two doors.

Backs of overheads are unfinished and may be visible when used on panels that are 61"H or less. Backs are partial height in flipper and hinged door overheads.

Waterfall and integrated door pulls are available. Integrated pulls run the full length of the door along the bottom edge.



Highback organizers have an unfinished back. Task light and tackboard must be specified separately. Cord exit is centered directly above tackboard through the back panel. Panel fabric is turned 90° (railroad style) on 72"W tackboards.

Locks are optional on radius profile overhead storage. Locks are located on the front of the cabinet. All locks are black.
➤See page 501 for keying options.

Finishes & Materials

Radius Profile Overhead Storage
- Wood
- Laminate

Connections

Xsite, Cetra, and Traxx can support radius profile overheads.



Wall mounted cabinets are hung from a single upper Traxx channel. Traxx spacer (5⁄8" full length shim), specified separately, is required when wall mounting overheads without using Traxx tiles. Traxx full end trim should be specified when the end of wall-mounted overhead is exposed.
➤See page 347 for Traxx spacer.
➤See page 345 for end trim.



In freestanding applications, a single overhead unit can be supported by two angle brackets attached to short storage cabinets, vertical storage cabinets, or a combination of both.

Related Products

Overhead mounting brackets must be specified separately.
➤See pages 541–545.

Ganging kit is required when hanging overheads side-by-side. When mounted on Cetra panels, the inside left and right overhead brackets are replaced by the ganging bracket.
➤See page 547.



Filler panels are available to build out cabinetry for a custom fit. Filler panels are scribed in the field.

Door Pulls:



Integrated Waterfall

Integrated and waterfall door pulls are available. Integrated pulls run the full length of the door along the bottom edge.

Overhead Storage

Product Information

Curved Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Curved profile overheads are available with laminate chassis and painted metal fronts. Metal fronts are available with smooth or perforated metal. Curved profile overheads feature an easy-down mechanism and ship pre-assembled.

24"W–48"W units have a single door with black lock.

60"W–72"W units have two individually locking doors with black locks.

Locks are standard on curved profile overhead storage. Locks are located on the front of the cabinet. All locks are black.
➤See page 501 for keying options.

Finishes & Materials

Curved Profile Overhead Storage
- Laminate chassis: select solid laminates
- Metal front: paint

Connections

Xsite, Cetra, and Traxx can support curved profile overheads.

Related Products

Overhead mounting brackets must be specified separately.
➤See pages 541–544.

Ganging brackets are required when mounting overheads side by side on Xsite or Traxx.

Overhead Storage

Product Information

Flat Profile Sliding-Door Overheads

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details

Sliding-door overheads feature a metal chassis with metal, laminate or wood front. Units are available with one-sided or two-sided access. Units ship fully assembled.

Locks are optional on sliding-door models; they are located on the bottom of the cabinet. Consider lock access when placing the overhead above other storage units or worksurfaces.



One-sided sliding-door models have one sliding door. A center panel divides the space; one compartment will be open at all times. Door can lock in either position. One-sided models are available for:

- Center mounting on Xsite panels, Xsede accessory rail, or Priority stanchions
- Center-mounting on Xsede accessory rail
- Wall mounting using wall standards
- Traxx mounting
- Panel-mount (face-mount) on Cetra, Xsite, and Interworks EQ

Note: Panel-mount model features a removable, full back for access and clean aesthetics.



Two-sided sliding-door models for use in center-mount applications only on Xsite panels, Xsede accessory rail, or Priority stanchions; they feature one-sliding door on each side. Center panel divides the space and each compartment features a fully finished back panel. Both sides can be locked independently on locking models; they must feature the same keying option.

Finishes & Materials

Flat Profile Overhead Storage

- Metal chassis/metal door
- Metal chassis/laminate door
- Metal chassis/wood door

Connections

One-sided sliding-door overheads can be panel-mounted. Mounting and leveling brackets are included as standard. Overall depth of the overhead (front of the cabinet to the panel face) varies depending on the panel and it's applicable attachment brackets:

- 15 1/16"D on Cetra
- 14 15/16"D on Xsite
- 15"D on Interworks EQ

One-sided sliding-door overheads can be wall-mounted using Traxx or wall standards. Leveling bracket is standard on the back of the cabinet; Traxx spacers are not required.



Sliding-door overheads can be center-mounted on Xsite panels. Mounting brackets are included as standard. Consider coordinating the bracket color to Traxx color.
➤See page 133 for application guidelines.



Sliding-door overheads can be center-mounted on Xsede accessory rails. Stanchion mounting brackets (set of 2) must be specified separately; one set is required per overhead.



Sliding-door overheads can be center-mounted on Priority stanchion U-legs and 90° or 120° corner support frames. Two overheads can be ganged together; however, attachment brackets must hit a stanchion on both sides and the overheads must be ganged together in the middle. When an overhead is used next to a Priority shelf as shown above, there must be a stanchion between the shelf and the cabinet.

Cubbies cannot be mounted below a center-mounted overhead due to interference in the shared Traxx.

Planning Factors

Brackets for panel-mount sliding-door models are standard and painted to match the chassis. The following options are available:

Designator	*Brackets Included*
For Xsite or Wall Traxx	
X	2 Xsite Traxx brackets
XG	2 Xsite Traxx brackets and 1 ganging bracket
For Interworks EQ or Wall Standards	
I	1 left and 1 right
IG	1 left, 1 right, and 1 ganging bracket
For Cetra	
C	1 left and 1 right
CG	1 left, 1 right, and 1 ganging bracket

Brackets for center-mount sliding-door models are standard. The following options are available:

Designator	*Brackets Included*
For Xsite Curved Profile Top Cap	
XC2C	2
For Xsite Flat Profile Top Cap	
XC2F	2
For Xsede	
XAR	2
For Priority	
PC1	1 end
PC2	2 end
PC3	1 end and 1 ganging

Note: If placing two overheads next to one another in a Priority center-mount or panel-mount application, specify one of the cabinets with an option that includes ganging bracket.

Related Products



Mounting stanchion brackets, set of 2, must be specified separately for use with Xsede accessory rail. Each overhead requires two stanchion brackets.

Overhead Storage

Product Information

Flat Profile Flipper-Door Overheads, Open Cabinets, and Cubbies

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Flipper-door overheads have a metal chassis and wood doors with integrated pulls. Metal chassis is available in all paint finishes. Wood fronts are available in all standard wood finishes. Doors feature steel ball bearing, easy-down slides. Units ship fully assembled.

Locks are standard on flipper-door models; they are located on the front of the cabinet. Locks are black.

24"W–48"W flipper-door units have one door with lock. 54"W–72"W units have two individually locking doors.



One-sided open cabinets feature a finished back and center panel that divides space. They are available in center-mount models for use with Xsite panels; Xsede accessory rail, or Priority stanchions. Set-on-surface models and suspended models can be used at the end of worksurface.



Two-sided open cabinets are for center mounting only on Xsite panels; Xsede accessory rail, or Priority stanchions. A center panel divides the space; each compartment features a finished back panel.



Cubbies have a metal chassis and are available in all paint finishes. Cubbies are standard with a Traxx bracket. Units ship fully assembled.

Finishes & Materials

Flat Profile Overhead Storage

- Metal chassis/metal door
- Metal chassis/laminate door
- Metal chassis/wood door

Connections



Flipper-door overheads and cubbies can be panel-mounted (on the face of the panel) on Cetra, Xsite, and Interworks EQ or hung on Traxx.



Set-on-surface open cabinets are intended for mounting on top of the worksurface at the end of a run. 51", 57", and 63"W units can span back-to-back worksurfaces in Xsede accessory rail applications.



Suspended open cabinets mount below the end of a run in Xsede crossrail and accessory rail applications. Worksurface supports will need to be inset approximately 15" which impacts kneespace clearance.



24" and 30"W units can be used on 24" and 30"W surfaces in a return application.



24" and 30"W set-on-surface cabinets can be used at the end of a surface and specified to align with 51", 57", or 63"W suspended storage below in an Xsede crossrail or accessory rail application.

Cubbies cannot be mounted below a center-mounted overhead due to interference.

Planning Factors

Overhead mounting brackets must be specified separately for flipper-door models based on the application.
Exception: No additional bracketry is required when hanging flat profile flipper-door overheads on Interworks EQ panels.
➤See pages 541–544.

Ganging kit is required when mounting overheads side-by-side in panel-mount or Traxx-mount applications.

Overhead Storage

Product Information

Bevel Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Bevel profile overheads are metal and are available in all paint finishes.



Receding door overheads are available in paint or with fabric covered doors. Door finish and chassis finish on painted units must be the same. Ships pre-assembled.

Doors operate on ball bearing slides that are fitted into the unit.

24"W–48"W units have one door with black lock.

54"W–72"W units have two individually locking doors.



Half height shelf has a single compartment and an open back with a 1" binder stop. Ships ready-to-assemble. Half height shelves are for use on Interworks EQ panels only.



Full height shelf has a single compartment and full height back. Ships ready-to-assemble.



Highback organizers include two vertical end panels, back panel, overhead unit, and attachment hardware. Recesses at corners of back panel allow for wire management. Ships ready-to-assemble.

Highback organizer must be same nominal width as freestanding unit on which it will be attached.

Seating fabric is turned 90° and applied railroad style to 60"W and 72"W highback tackboards.

Panel fabric is turned 90° and applied railroad style to 72"W highback tackboards.
➤See page 588 for illustration of railroad application.

Tackboards and task lights must be specified separately for highback organizers.

Locks are standard. They are located on the front of the cabinet Locks are black.
➤See page 501 for keying options.

Finishes & Materials

Bevel Profile Overhead Storage
- Metal: paint
- Fabric door with metal chassis: panel or seating fabrics

Connections



Bevel profile overheads can be supported by Xsite, Cetra, Interworks EQ, and Traxx.



Wall standards can be used to mount bevel profile overheads to building walls. A maximum of two components may be attached to a set of wall standards, not to exceed 150 lbs. Blocking and bearing on floor is recommended.

Related Products

Overhead mounting brackets must be specified separately if mounting on Xsite, Cetra, or Traxx.
Note: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.
➤See pages 541–544.

Ganging kit is required when hanging overheads side-by-side.

Overhead Storage

Product Information

Lunar Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Lunar profile overheads are available with painted metal chassis and door. Flipper doors feature ball bearing slides. Lunar profile overhead units are shipped ready-to-assemble.



30"–48"W units have one door with black lock.

60" and 72"W units have two individually locking doors.

Locks are standard. They are located on the bottom of the cabinet. Locks are black.
➤See page 501 for keying options.

Finishes & Materials

Lunar Profile Overhead Storage
- Metal chassis/front: select paints

Connections



Lunar profile overheads can be supported by Xsite, Cetra, Interworks EQ, and Traxx.



Wall standards can be used to mount bevel profile overheads to building walls. A maximum of two components may be attached to a set of wall standards, not to exceed 150 lbs. Blocking and bearing on floor is recommended.

Related Products

Overhead mounting brackets must be specified separately if mounting on Xsite, Cetra, or Traxx.
➤See pages 541–544.

Ganging kit is required when hanging overheads side-by-side.

Vertical Storage

Product Information

Square Profile

Features ➤See page 480
Locking Information 501
Lock Core Requirements 502

Details



Square profile vertical storage units are available in wood or laminate.

Drawer fronts are available with arc, bar, dome, span, and wire pulls.

Short storage cabinets are available in wood or laminate. Door may be hinged on the left or right. Short storage finish panel should be specified if back of short storage unit will be exposed.

Overall height of short storage cabinets is affected by worksurface thickness. When aligning short storage cabinets with other vertical or overhead storage units specify the 39"H models for use with 1 9/16" worksurfaces and 40"H models for use with 1 3/16" worksurfaces.

Lateral files feature a drawer interlock that prevents tipping.

Top and back of lateral files are unfinished. Specify a worksurface to cover an individual lateral file or to span multiple lateral files. Tops are not enclosed. Worksurfaces attach directly to the horizontal frame.

Two drawer lateral files with hinged doors include one adjustable shelf in hinged door storage area. Lateral file finish panel should be specified if back of unit will be exposed. Lateral file filler strip should be specified if side of unit will be exposed.

Filler panels are available in wood or laminate. They can be scribed in the field to finish out cabinetry for a custom fit.

All vertical storage units ship preassembled.

Vertical storage units are finished on the top and sides. Interiors are finished to match the exterior. 18"W units can be specified with finished or unfinished backs. Backs are unfinished on 30" and 36"W units. Specify a finish panel separately if back will be exposed.

Wardrobes and storage cabinets are available with finished or unfinished backs. Finished back, if specified, matches the chassis.

6"W and 18"W wardrobes include hang bar. 18"W wardrobe also includes an adjustable shelf.

6"W wardrobe is not freestanding and must be attached to adjacent storage or wall.

Touch latch is standard on all doors.

Filing hardware for front-to-back and side-to-side filing is included. Drawer bottoms are not intended to support heavy loads. Drawer interiors are black.
➤See page 482 for filing capacities.



Bookcase shelves are spaced 12" apart. 42"H bookcase features three shelves; one is adjustable. 56"H bookcase features four shelves; two are adjustable. 68"H bookcase features five shelves; three are adjustable.

File drawers are designed to accommodate hanging files suspended from the drawer sides.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.

Wardrobe doors may be specified on the left or right of the unit.

Coat rod is galvanized metal.

Wardrobe shelf is Cinder with ½" adjustability.

Locks are optional on doors and standard on pedestals. They are black and located on the front of the cabinet.
➤See page 501.

Finishes & Materials

Square Profile Vertical Storage and Filler Panels
- Wood
- Laminate

Arc Pulls
- Cinder
- Platinum Metallic
- Satin Nickel
- Satin Bronze Metallic
- Dark Chocolate
- Carbon Metallic

Bar Pulls
- Matte Black
- Carbon Metallic

Dome and Span Pulls
- Matte Black
- Platinum Metallic
- Polished Argent
- Satin Nickel Metallic
- Carbon Metallic

Wire Pulls
- Matte Black
- Silver Stipple
- Carbon Metallic

Drawer Pull Options:



Arc Bar Dome



Span Wire

Drawer Pull Designators:

A = Bar, matte black
J = Bar, carbon metallic
G = Wire, matte black
H = Wire, silver stipple
K = Wire, carbon metallic
ARC462 = Arc, cinder
ARC485 = Arc, dark chocolate
ARC501 = Arc, platinum
ARC503 = Arc, satin nickel
ARC505 = Arc, satin bronze
ARC514 = Arc, carbon metallic
65CM = Dome, carbon metallic
65MB = Dome, matte black
65PL = Dome, platinum
65PA = Dome, polished argent
65SN = Dome, satin nickel
66CM = Span, carbon metallic
66MB = Span, matte black
66PL = Span, platinum
66PA = Span, polished argent
66SN = Span, satin nickel

Vertical Storage

Product Information

Flat Profile (12S)

Features	➤See page 480
Pull Options	500
Locking Information	501
Lock Core Requirements	502

Details



Flat profile vertical storage units are available in all metal or with a metal chassis and wood fronts.



Bookcases include enclosed back and factory installed shelves.

Shelves adjust in ½" increments.



Storage towers include file/file cabinet, wardrobe/storage section, and/or open shelves. Sections have individual locks and can be keyed alike by selecting the key specific option.
➤See page 501 for keying options.



Storage tower spacers are metal. They fill the space between back-to-back storage towers used at the end of an Xsede workstation with 24"D and/or 30"D worksurfaces.

File drawers are designed to accommodate hanging files suspended from the drawer sides.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.

Wardrobe doors may be specified on the left or right of the unit.

Coat rod is galvanized metal.

Wardrobe shelf is Cinder with ½" adjustability.

Finishes & Materials

Flat Profile Vertical Storage
- Metal: paint
- Wood fronts: all wood finishes

Planning Factors

12S 42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

12S 49 1/16"H models will align with 42"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

Shelves for storage towers are specified seprately.

Related Products

Pull Options
➤See page 500.

Locking Information
➤See page 501.

Vertical Storage

Product Information

Flat Profile (14S)

Features	➤See page 480
Pull Options	500
Locking Information	501
Lock Core Requirements	502

Details



Flat profile vertical storage units are available in all metal or with metal chassis and laminate (TFL) fronts.



Storage towers include box/box/file or file/file and with hinged-door storage or open shelves.



Wardrobe and personal storage lockers are available.

Wardrobe doors may be specified hinged right or left.

Wardrobe hooks are included and installed on the left side of 18"D units.

Coat rod and adjustable metal shelves are available separately. Coat rod is galvanized metal and used in 24"D wardrobes.

Non-locking is standard on all 14S units. Key random and keys pecific locking options are available with a black or silver lock core and key. Upcharge applies.



Storage tower spacers are metal. They fill the space between back to back 24"D and/or 30"D storage towers used at the end of an Xsede workstation.

File drawers are designed to accommodate hanging files suspended from the drawer sides.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.



Glides Casters 4" legs

Floor glides are standard and provide ⅜" of adjustment. Casters and 4" legs are available as an option; upcharge applies. Legs provide ⅞" of adjustment.
Note: Illustration of glides enlarged to show detail as compared to the relative size of the casters and legs.

Finishes & Materials

Flat Profile Vertical Storage
- Metal: paint
- Laminate fronts: TFL

Planning Factors

14S 42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

14S 49 1/16"H models will align with 42"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

Shelves for storage towers are specified seprately.

Related Products

Pull Options
➤See page 500.

Locking Information
➤See page 501.

Vertical Storage

Options

Flat Profile (12S and 14S) Pull Options

KEY:
● = Available on TFL Front
■ = Available Metal Front

		Dimensions				Available Finishes														
		Pull Width	Pull Height	Pull Projection	Boring Pattern	**405** Designer White	**462** Cinder	**485** Dark Chocolate	**486** Clear Anodized	**487** Brushed Nickel*	**490** Polished Chrome*	**501** Platinum Metallic	**503** Satin Nickel	**505** Satin Bronze	**514** Carbon Metallic	**CM** Carbon Metallic	**MB** Matte Black	**PL** Platinum	**PA** Polished Argent	**SF** Silver Frost	**SN** Satin Nickel
93	Aero	5½"	¾"	¾"	128 mm		●		●	●	●			●						
ARC	Arc	9 1/16"	5/16"	1¾"	192 mm		●■	●■			●■	●■	●■	●■						
95	Deco	4⅞"	⅝"	1"	76 mm				●	●										
65	Dome	6¼"	13/16"	1¼"	128 mm										●■	●■	●■	●■		●■
E	Extended	full	1⅜"	n/a	n/a															
61	Helix	7⅝"	½"	1¼"	160 mm	●	●				●			●					●	
97	Linear	10⅛"	¼"	⅝"	n/a			●	●	●										
63	Link	6⅝"	1⅛"	1"	160 mm	●	●				●			●					●	
91	Niche	5⅜"	⅞"	⅞"	96 mm	●	●				●			●						
66	Span	5 11/16"	⅝"	1¼"	128 mm										●■	●■	●■	●■		●■
89	Studio	7⅞"	⅜"	1⅛"	192 mm	●	●				●			●						
90	Trinity	9¼"	⅜"	⅞"	160 mm	●	●				●			●						
64	Wisp	9⅞"	⅝"	1⅛"	190 mm	●	●				●			●					●	

*plated finish


93 Aero

ARC Arc (+$16/unit)**


95 Deco

65 Dome (+$16/unit)**


E Extended

61 Helix


97 Linear


63 Link


91 Niche


66 Span (+$16/unit)**


89 Studio


90 Trinity (+$26/unit)


64 Wisp

**upcharge applies to all-metal units only; no upcharge on laminate-front models.
*Note: Linear pull wraps the drawer face and attaches on the backside of the drawer.
Extended pulls, available on metal-front models only, are painted to match the chassis.*

Locking Information

Features ➤See page 480
Lock Core Requirements 502

Locking storage units can be specified as:
- Key random
- Key specific

Lock cores are shipped separately for field installation.

Black lock cores and hinged keys are identical to the ones available on the following Casegoods products:
- Definition
- Priority
- Transcend

Silver lock cores and hinged keys are identical to the ones available on the following products:
- Definition
- Fluent
- Hum
- Priority

Key Random Option:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KSCD001 to KSCD300.

Randomly numbered lock core(s) will ship standard along with your order for field installation.

Exception: Randomly numbered lock cores on Kwik Office models are shipped installed.



With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific Option:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KSCD001 to KSCD300.



To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Change key model KCCB1CK allows removal of lock cores within KSCD001 to KSCD300 key range.

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Master key model KC2GMK will unlock any lock within KSCD001 to KSCD300 key range.

Model/Key Range *Price*

Black Lock Cores 99KG60

KSCD001 to KSCD300	$22
For Kwik Office Models	
QKSCD001 to QKSCD025	$22

Silver (Matte Nickel) Lock Cores

KHCA001 to KHCA100	$22

Change Key

KCCB1CK	$6
For Kwik Office Models	
QKCCB1CK	$6

Master Key

KC2GMK	$12

How to Specify

❶ Specify exact key number for lock cores as the model number or model number for change or master key

Lock Core Requirements

Features ➤See page 480
Locking Information 501

Undersurface Storage:

Radius Profile

Model	Lock Cores Required
ABBF1627	1
ABBF2227	1
ABBF3027	1
AFF1627	1
AFF2227	1
AFF3027	1
AFL3016	1
AFL3022	1
AFL3616	1
AFL3622	1
AHD3227	2

Square Profile

Model	Lock Cores Required
FSBFM2418	1
FSBL2338	1
FSBR2338	1
FSB2318	1
FSB2918	1
FSD233027	1
FSD233627	1
FSF2318	1
FSF2918	1
FSL233027	1
FSL233627	1
FST2318	1

Flat Profile

Model	Lock Cores Required
12S1830FCBBL	1
12S1830FCBBR	1
12S1830LFU2	1
12S1836LFU2	1
12S1842LFU2	1
12S2415PMBBF	1
12S2415PMBFCT	1
12S2415PMFF	1
12S2415PUBBF	1
12S2415PUBF	1
12S2415PUFF	1
12S3015PUBBF	1
12S3015PUBF	1
12S3015PUFF	1

Low Storage:

Flat Profile

Model	Lock Cores Required
14S1815PBFM	1
14S1815PBFMLL	1
14S1815POBFM	1
14S1815POBFMLL	1
14S1830PBFM	1
14S1830PBFMLL	1
14S1830PHBFLM	2
14S1830PHBFLMLL	2
14S1830PHBFRM	2
14S1830PHBFRMLL	2
14S1830POBFM	1
14S1830POBFMLL	1
14S1830POFM	1
14S1830POFMLL	1
14S1830POHBFLM	2
14S1830POHBFLMLL	2
14S1830POHBFRM	2
14S1830POHBFRMLL	2
14S1830POOFM	1
14S1830POOFMLL	1
14S1836PBFM	1
14S1836PBFMLL	1
14S1836PHBFLM	2
14S1836PHBFLMLL	2
14S1836PHBFRM	2
14S1836PHBFRMLL	2
14S1836POBFM	1
14S1836POBFMLL	1
14S1836POFM	1
14S1836POFMLL	1
14S1836POHBFLM	2
14S1836POHBFLMLL	2
14S1836POHBFRM	2
14S1836POHBFRMLL	2
14S1836POOFM	1
14S1836POOFMLL	1
14S1842PBFM	1
14S1842PBFMLL	1
14S1842PHBFLM	2
14S1842PHBFLMLL	2
14S1842PHBFRM	2
14S1842PHBFRMLL	2
14S1842POBFM	1
14S1842POBFMLL	1
14S1842POBLFLM	1
14S1842POBLFLMLL	1
14S1842POBLFRM	1
14S1842POBLFRMLL	1
14S1842POFM	1
14S1842POFMLL	1
14S1842POHBFLM	2
14S1842POHBFLMLL	2
14S1842POHBFRM	2
14S1842POHBFRMLL	2
14S1842POOBLFLM	1
14S1842POOBLFLMLL	1
14S1842POOBLFRM	1
14S1842POOBLFRMLL	1
14S1842POOFM	1
14S1842POOFMLL	1
14S2415PBFM	1
14S2415PBFMLL	1
14S2415POBFM	1
14S2415POBFMLL	1
14S2430PBFM	1
14S2430PBFMLL	1
14S2430PHBFLM	2
14S2430PHBFLMLL	2
14S2430PHBFRM	2
14S2430PHBFRMLL	2
14S2430POBFM	1
14S2430POBFMLL	1
14S2430POFM	1
14S2430POFMLL	1
14S2430POHBFLM	2
14S2430POHBFLMLL	2
14S2430POHBFRM	2
14S2430POHBFRMLL	2
14S2430POOFM	1
14S2430POOFMLL	1
14S2436PBFM	1
14S2436PBFMLL	1
14S2436PHBFLM	2
14S2436PHBFLMLL	2
14S2436PHBFRM	2
14S2436PHBFRMLL	2
14S2436POBFM	1
14S2436POBFMLL	1
14S2436POFM	1
14S2436POFMLL	1
14S2436POHBFLM	2
14S2436POHBFLMLL	2
14S2436POHBFRM	2
14S2436POHBFRMLL	2
14S2436POOFM	1
14S2436POOFMLL	1
14S2442PBFM	1
14S2442PBFMLL	1
14S2442PHBFLM	2
14S2442PHBFLMLL	2
14S2442PHBFRM	2
14S2442PHBFRMLL	2
14S2442POBFM	1
14S2442POBFMLL	1
14S2442POBLFLM	1
14S2442POBLFLMLL	1
14S2442POBLFRM	1
14S2442POBLFRMLL	1
14S2442POFM	1
14S2442POFMLL	1
14S2442POHBFLM	2
14S2442POHBFLMLL	2
14S2442POHBFRM	2
14S2442POHBFRMLL	2
14S2442POOBLFLM	1
14S2442POOBLFLMLL	1
14S2442POOBLFRM	1
14S2442POOBLFRMLL	1
14S2442POOFM	1
14S2442POOFMLL	1

Overhead Storage:

Square and Radius Profiles

Model	Lock Cores Required
B2416F	1
B2416H	1
B2419F	1
B2419H	1
B3016F	1
B3016H	1
B3019F	1
B3019H	1
B3616F	1
B3616H	1
B3619F	1
B3619H	1
B4216F	1
B4216H	2
B4219F	1
B4219H	2
B4816F	1
B4816H	2
B4819F	1
B4819H	2
B6016F	2
B6016H	2
B6019F	2
B6019H	2
B7216F	2
B7216H	2
B7219F	2
B7219H	2
H4839F	1
H4839H	2
H6039F	2
H6039H	2
H7239F	2
H7239H	2

Lock Core Requirements

continued

Features ➤See page 480
Locking Information 501

Model	Lock Cores Required
Curved Profile	
S3015F	1
S3615F	1
S4215F	1
S4815F	1
S6015F	2
S7215F	2
Flat Profile	
12S2416SOFMW	1
12S3016SOFMW	1
12S3616SOFMW	1
12S4216SOFMW	1
12S4816SOFMW	1
12S6016SOFMW	2
12S7216SOFMW	2
12S2414SOS1	1
12S2414SOS	1
12S3014SOS1	1
12S3014SOS	1
12S3614SOS1	1
12S3614SOS	1
12S3614SOS2L	2
12S3614SOS2R	2
12S4214SOS1	1
12S4214SOS	1
12S4214SOS2L	2
12S4214SOS2R	2
12S4814SOS1	1
12S4814SOS	1
12S4814SOS2L	2
12S4814SOS2R	2
12S5414SOS1	1
12S5414SOS	1
12S5414SOS2L	2
12S5414SOS2R	2
12S6014SOS1	1
12S6014SOS	1
12S6014SOS2L	2
12S6014SOS2R	2
12S6614SOS1	1

Model	Lock Cores Required
12S6614SOS	1
12S6614SOS2L	2
12S6614SOS2R	2
12S7214SOS1	1
12S7214SOS	1
12S7214SOS2L	2
12S7214SOS2R	2
Bevel Profile	
IF4836H	1
IF6036H	2
IF7236H	2
IS142416R	1
IS143016R	1
IS143616R	1
IS144216R	1
IS144816R	1
IS145416R	2
IS146016R	2
IS147216R	2
Lunar Profile	
24S142414SOF	1
24S143014SOF	1
24S143614SOF	1
24S144214SOF	1
24S144814SOF	1
24S146014SOF	2
24S147214SOF	2

Model	Lock Cores Required
Vertical Storage:	
Square Profile	
FFBL2468**KRB	2
FFBL2468**KSB	2
FFBL2468**XKRB	1
FFBL2468**XKSB	1
FFBR2468**KRB	2
FFBR2468**KSB	2
FFBR2468**XKRB	1
FFBR2468**XKSB	1
FFFL2468**KRB	2
FFFL2468**KSB	2
FFFL2468**XKRB	1
FFFL2468**XKSB	1
FFFR2468**KRB	2
FFFR2468**KSB	2
FFFR2468**XKRB	1
FFFR2468**XKSB	1
FFSR2468	1
FFSL2468	1
FFWL0668	1
FFWR0668	1
FFWL2468	1
FFWR2468	1
FWBL2468**KRB	2
FWBL2468**KSB	2
FWBL2468**XKRB	1
FWBL2468**XKSB	1
FWBR2468**KRB	2
FWBR2468**KSB	2
FWBR2468**XKRB	1
FWBR2468**XKSB	1
FWFL2468**KRB	2
FWFL2468**KSB	2
FWFL2468**XKRB	1
FWFL2468**XKSB	1
FWFR2468**KRB	2
FWFR2468**KSB	2
FWFR2468**XKRB	1
FWFR2468**XKSB	1
FWL233027	1

Model	Lock Cores Required
FWL233040	1
FWL233053	1
FWL233627	1
FWL233640	1
FWL233653	1
FWL2H3068**KRB	2
FWL2H3068**KSB	2
FWL2H3068**XKRB	1
FWL2H3068**XKSB	1
FWL2H3668**KRB	2
FWL2H3668**KSB	2
FWL2H3668**XKRB	1
FWL2H3668**XKSB	1
FWL4H3068**KRB	2
FWL4H3068**KSB	2
FWL4H3068**XKRB	1
FWL4H3068**XKSB	1
FWL4H3668**KRB	2
FWL4H3668**KSB	2
FWL4H3668**XKRB	1
FWL4H3668**XKSB	1
FWSL2468	1
FWSR2468	1
FWWL0668	1
FWWR0668	1
FWWL2468	1
FWWR2468	1
H1839HL	1
H1839HR	1
H1840HL	1
H1840HR	1

Model	Lock Cores Required
Flat Profile	
12S1542VHL1M	2
12S1542VHL1MW	2
12S1542VHL2MW	2
12S1542VHR1M	2
12S1542VHR1MW	2
12S1542VHR2MW	2
12S1550VHL1M	2
12S1550VHL1MW	2
12S1550VHL2	2
12S1550VHR1M	2
12S1550VHR1MW	2
12S1550VHR2	2
12S1554VHL1M	2
12S1554VHL1MW	2
12S1554VHL2	2
12S1554VHR1M	2
12S1554VHR1MW	2
12S1554VHR2	2
12S1566VHL1M	2
12S1566VHL1MW	2
12S1566VHL2	2
12S1566VHR1M	2
12S1566VHR1MW	2
12S1566VHR2	2
12S2442VBWHL1M	2
12S2442VBWHR1M	2
12S2450VBWHL1M	2
12S2450VBWHL2	2
12S2450VBWHR1M	2
12S2450VBWHR2	2
12S2450VHHL2	3
12S2450VHHR2	3
12S2454VBWHL1M	2
12S2454VBWHL2	2
12S2454VBWHR1M	2
12S2454VBWHR2	2
12S2454VHHL2	3
12S2454VHHR2	3
12S2466VBWHL1M	2
12S2466VBWHL2	2

Lock Core Requirements

continued

Features ➤See page 480
Locking Information 501

Model	Lock Cores Required
12S2466VBWHR1M	2
12S2466VBWHR2	2
12S2466VHHL2	3
12S2466VHHR2	3
14S121842VHLWM	1
14S121842VHLWMLL	1
14S121842VHRWM	1
14S121842VHRWMLL	1
14S121842VPLLM	2
14S121842VPLLMLL	2
14S121842VPLRM	2
14S121842VPLRMLL	2
14S121850VHLWM	1
14S121850VHLWMLL	1
14S121850VHRWM	1
14S121850VHRWMLL	1
14S121850VPLLM	3
14S121850VPLLMLL	3
14S121850VPLRM	3
14S121850VPLRMLL	3
14S121854VHLWM	1
14S121854VHLWMLL	1
14S121854VHRWM	1
14S121854VHRWMLL	1
14S121854VPLLM	3
14S121854VPLLMLL	3
14S121854VPLRM	3
14S121854VPLRMLL	3
14S121866VHRWM	1
14S121866VHRWMLL	1
14S121866VPLLM	4
14S121866VPLLMLL	4
14S121866VPLRM	4
14S121866VPLRMLL	4
14S122442VHLWM	1
14S122442VHLWMLL	1
14S122442VHRWM	1
14S122442VHRWMLL	1
14S122442VPLLM	2
14S122442VPLLMLL	2
14S122442VPLRM	2
14S122442VPLRMLL	2
14S122450VHLWM	1
14S122450VHLWMLL	1
14S122450VHRWM	1
14S122450VHRWMLL	1
14S122450VPLLM	3
14S122450VPLLMLL	3
14S122450VPLRM	3
14S122450VPLRMLL	3
14S122454VHLWM	1
14S122454VHLWMLL	1
14S122454VHRWM	1
14S122454VHRWMLL	1
14S122454VPLLM	3
14S122454VPLLMLL	3
14S122454VPLRM	3
14S122454VPLRMLL	3
14S122466VHLWM	1
14S122466VHLWMLL	1
14S122466VHRWM	1
14S122466VHRWMLL	1
14S122466VPLLM	4
14S122466VPLLMLL	4
14S122466VPLRM	4
14S122466VPLRMLL	4
14S12866VHLWM	1
14S12866VHLWMLL	1
14S151842VHL1M	2
14S151842VHL1MLL	2
14S151842VHL2M	2
14S151842VHL2MLL	2
14S151842VHR1M	2
14S151842VHR1MLL	2
14S151842VHR2M	2
14S151842VHR2MLL	2
14S151842VOL1M	1
14S151842VOL1MLL	1
14S151842VOL2M	1
14S151842VOL2MLL	1
14S151842VOR1M	1
14S151842VOR1MLL	1
14S151842VOR2M	1
14S151842VOR2MLL	1
14S151850VHL1M	2
14S151850VHL1MLL	2
14S151850VHL2M	2
14S151850VHL2MLL	2
14S151850VHR1M	2
14S151850VHR1MLL	2
14S151850VHR2M	2
14S151850VHR2MLL	2
14S151850VOL1M	1
14S151850VOL1MLL	1
14S151850VOL2M	1
14S151850VOL2MLL	1
14S151850VOR1M	1
14S151850VOR1MLL	1
14S151850VOR2M	1
14S151850VOR2MLL	1
14S151854VHL1M	2
14S151854VHL1MLL	2
14S151854VHL2M	2
14S151854VHL2MLL	2
14S151854VHR1M	2
14S151854VHR1MLL	2
14S151854VHR2M	2
14S151854VHR2MLL	2
14S151854VOL1M	1
14S151854VOL1MLL	1
14S151854VOL2M	1
14S151854VOL2MLL	1
14S151854VOR1M	1
14S151854VOR1MLL	1
14S151854VOR2M	1
14S151854VOR2MLL	1
14S151866VHL1M	2
14S151866VHL1MLL	2
14S151866VHL2M	2
14S151866VHL2MLL	2
14S151866VHR1M	2
14S151866VHR1MLL	2
14S151866VHR2M	2
14S151866VHR2MLL	2
14S151866VOL1M	1
14S151866VOL1MLL	1
14S151866VOL2M	1
14S151866VOL2MLL	1
14S151866VOR1M	1
14S151866VOR1MLL	1
14S151866VOR2M	1
14S151866VOR2MLL	1
14S152442VHL1M	2
14S152442VHL1MLL	2
14S152442VHL2M	2
14S152442VHL2MLL	2
14S152442VHR1M	2
14S152442VHR1MLL	2
14S152442VHR2M	2
14S152442VHR2MLL	2
14S152442VOL1M	1
14S152442VOL1MLL	1
14S152442VOL2M	1
14S152442VOL2MLL	1
14S152442VOR1M	1
14S152442VOR1MLL	1
14S152442VOR2M	1
14S152442VOR2MLL	1
14S152450VHL1M	2
14S152450VHL1MLL	2
14S152450VHL2M	2
14S152450VHL2MLL	2
14S152450VHR1M	2
14S152450VHR1MLL	2
14S152450VHR2M	2
14S152450VHR2MLL	2
14S152450VOL1M	1
14S152450VOL1MLL	1
14S152450VOL2M	1
14S152450VOL2MLL	1
14S152450VOR1M	1
14S152450VOR1MLL	1
14S152450VOR2M	1
14S152450VOR2MLL	1
14S152454VHL1M	2
14S152454VHL1MLL	2
14S152454VHL2M	2
14S152454VHL2MLL	2
14S152454VHR1M	2
14S152454VHR1MLL	2
14S152454VHR2M	2
14S152454VHR2MLL	2
14S152454VOL1M	1
14S152454VOL1MLL	1
14S152454VOL2M	1
14S152454VOL2MLL	1
14S152454VOR1M	1
14S152454VOR1MLL	1
14S152454VOR2M	1
14S152454VOR2MLL	1
14S152466VHL1M	2
14S152466VHL1MLL	2
14S152466VHL2M	2
14S152466VHL2MLL	2
14S152466VHR1M	2
14S152466VHR1MLL	2
14S152466VHR2M	2
14S152466VHR2MLL	2
14S152466VOL1M	1
14S152466VOL1MLL	1
14S152466VOL2M	1
14S152466VOL2MLL	1
14S152466VOR1M	1
14S152466VOR1MLL	1
14S152466VOR2M	1
14S152466VOR2MLL	1

Square Profile Undersurface Storage

Pricing

18"W Pedestals

GSA SIN 711-1
FSC-C010590 available

D	*W*	*H*	*Model*	*Wood*	*Laminate*
Box/Box/File					
22¾"	17 15/16"	27¾"	**FSB2318**	$1706	$1330
28¾"			**FSB2918**	1843	1528
File/File					
22¾"	17 15/16"	27¾"	**FSF2318**	$1706	$1330
28¾"			**FSF2918**	1843	1528

Features ➤See page 480
Product Information 481
Filing Capacities 482
Locking Information 501

Standard Includes

- Chassis and drawer fronts: wood or laminate
- Lock: black
- Front-to-back and side-to-side filing hardware
- Unfinished back and top

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option:
➤See page 481 for designators.
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
⑤ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Filler Panels And Pedestal Reveal Strips
➤See page 506.

Filler Strips
➤See page 551

Square Profile Undersurface Storage

Pricing

18"W Pedestals, continued

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 481
Filing Capacities 482
Locking Information 501



D	W	H	Model	Wood	Laminate
Box/Hinged Door					
Door Hinged on Right					
22¾"	17 15⁄16"	38 3⁄16"	**FSBR2338**	$1807	$1545
Door Hinged on Left					
22¾"	17 15⁄16"	38 3⁄16"	**FSBL2338**	$1807	$1545

Related Products:



D	W	H	Model	Wood	Laminate
Filler Panels					
	24"	24 3⁄16"	**FSFP2424**	$470	$399
	6"	27 3⁄16"	**FSFP0627**	128	118
	12"		**FSFP1227**	263	242
	18"		**FSFP1827**	377	340
	24"		**FSFP2427**	481	434



D	W	H	Model	Price
Pedestal Reveal Strips (set of 2; black)				
21 15⁄16"		3⁄16"	**FSR23**	$19
27 15⁄16"			**FSR29**	19

Standard Includes

- Chassis and drawer/door fronts: wood or laminate
- Lock: black
- Unfinished back and top

How to Specify

Pedestal or Filler Panel

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option (omit for filler panel):
➤See page 481 for designators.
④ Lock option (omit for filler panel):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
⑤ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Pedestal Reveal Strips

❶ Model

Square Profile Undersurface Storage

Pricing

30" & 36"W Pedestals

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 481
Filing Capacities 482
Locking Information 501

D	W	H	Model	Wood	Laminate
Lateral File					
22¾"	29⅞"	27¾"	**FSL233027**	$2345	$2089
	35⅞"		**FSL233627**	2530	2249
Hinged Door					
22¾"	29⅞"	27¾"	**FSD233027**	$1836	$1561
	35⅞"		**FSD233627**	2217	1894

Standard Includes

- Chassis and drawer/door fronts: wood or laminate
- Lock: black
- Front-to-back and side-to-side filing hardware in lateral file
- One adjustable shelf in hinged door pedestal (shelf is black in wood models; laminate matches exterior on laminate models)
- Unfinished back and top

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option:
➤See page 481 for designators.
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
⑤ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Filler Panels And Pedestal Reveal Strips
➤See page 506.

Filler Strips
➤See page 551

Square Profile Undersurface Storage

Pricing

30" & 36"W Pedestals, continued

GSA SIN 711-1
FSC-C010590 available

D	W	H	Model	Wood	Laminate
Open Bookcase					
21 15/16"	29 7/8"	27 3/4"	**FSO233027**	$1506	$1324
	35 7/8"		**FSO233627**	1862	1635

Filler Panels And Pedestal Reveal Strips
➤See page 506.

Filler Strips
➤See page 551

Features ➤See page 480
Product Information 481
Filing Capacities 482
Locking Information 501

Standard Includes

- Chassis and shelf: wood or laminate
- Unfinished back and top

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Square Profile Undersurface Storage

Pricing

Mobile Pedestals

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 481
Filing Capacities 482
Locking Information 501



D	*W*	*H*	*Model*	*Wood*	*Laminate*
Mobile Box/File					
23⅛"	17¹⁵⁄₁₆"	22⁵⁄₁₆"	**FSBFM2418**	$1643	$1327

Standard Includes

- Chassis and drawer fronts: wood or laminate
- Lock: black
- Front-to-back and side-to-side filing hardware
- Finished sides
- Molded plastic top: black
- Four non-locking casters

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option:
➤See page 481 for designators.
④ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
⑤ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Radius Profile Undersurface Storage

Pricing

16"W Pedestals

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 483
Filing Capacities 484
Locking Information 501







D	W	H	Model	Wood	Laminate
Box/Box/File					
15⅞"	15¾"	27¾"	**ABBF1627**	$1291	$927
21⅞"			**ABBF2227**	1437	1052
29³⁄₁₆"			**ABBF3027**	1624	1235
File/File					
15⅞"	15¾"	27¾"	**AFF1627**	$1202	$865
21⅞"			**AFF2227**	1371	984
29³⁄₁₆"			**AFF3027**	1556	1165

Related Products:

D	W	H	Model	Wood	Laminate
Pedestal Spacers					
1⁹⁄₁₆"	1"	24"	**APS0124**	$27	$27
		27"	**APS0127**	29	29

D	W	H	Model	Price
Pedestal Reveal Strips (set of 2; black)				
21⅞"	1"	³⁄₁₆"	**FSR23**	$19
27⅞"			**FSR29**	19

Specify pedestal spacer when positioning units with waterfall or vertical pulls side-by-side to allow appropriate clearance for access.

Pedestal reveal strips require field modification for use with radius profile pedestals.

Standard Includes

- Chassis: wood or laminate
- Drawer fronts: wood or laminate (solid or pattern)
- Lock: black
- Front-to-back and side-to-side filing hardware
- Unfinished back and top

How to Specify

Pedestal or Pedestal Spacer

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option (omit for spacers):
1 = Vertical (all-wood unit only)
2 = Horizontal
4 = Waterfall
④ Lock option (omit for spacers):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%); available on pedestal spacer only
⑥ Finish designator
⑦ Finish designator for laminate chassis (include for laminate models only)

Pedestal Reveal Strips

❶ Model

Radius Profile Undersurface Storage

Pricing

30", 32" & 36"W Pedestals

GSA SIN 711-1

D	W	H	Model	Wood	Laminate
Lateral File					
15⅞"	29⅞"	27¾"	**AFL3016**	$2022	$1760
	35⅞"		**AFL3616**	2217	1974
21⅞"	29⅞"	27¾"	**AFL3022**	2267	2056
	35⅞"		**AFL3622**	2447	2218
Hinged Door					
15⅞"	32½"	27¾"	**AHD3227**	$1658	$1137

Specify pedestal spacer when positioning hinged door units with waterfall or vertical pulls side-by-side to allow appropriate clearance for access.

Pedestal Spacers And Pedestal Reveal Strips
➤See page 510.

Pedestal Filler Strips
➤See page 551.

Features ➤See page 480
Product Information 483
Filing Capacities 484
Locking Information 501

Standard Includes

- Chassis: wood or laminate
- Drawer fronts: wood or laminate (solid or pattern)
- Lock: black (one is lateral file; two in hinged-door unit
- Front-to-back and side-to-side filing hardware
- Unfinished back and top
- One adjustable shelf in hinged door unit.

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option:
1 = Vertical (all-wood unit only)
2 = Horizontal
4 = Waterfall
④ Lock option (omit for spacers):
KRB = Key random
KSB = Key specific (-$22 per lock); specify lock core(s) separately.
⑤ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Finish designator
⑦ Finish designator for laminate chassis (include for laminate models only)

Flat Profile Undersurface Storage

Pricing

15"W Pedestals—Metal

GSA SIN 711-1

Features ➤See page 480
Product Information 485
Filing Capacities 486
Locking Information 501



D	W	H	Model	Price
Suspended Box/File				
18¾"	15"	19¼"	**12S1915PUBFM**	$438
22¾"			**12S2415PUBFM**	438
28¾"			**12S3015PUBFM**	474
Box/Box/File				
18¾"	15"	27¼"	**12S1915PUBBFM**	$580
22¾"			**12S2415PUBBFM**	589
28¾"			**12S3015PUBBFM**	628
File/File				
18¾"	15"	27¼"	**12S1915PUFFM**	$530
22¾"			**12S2415PUFFM**	539
28¾"			**12S3015PUFFM**	576

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock: black
- Open top

How to Specify

❶ Model
② Pull option:
➤See page 485 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Not for use as standalone units.

File drawers utilize drawer sides for front-to-back filing.

Pedestal Filler Strips
➤See page 513.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Pencil Trays
➤See the Perks Price List.

Flat Profile Undersurface Storage

Pricing

15"W Pedestals—Metal with Wood Front

GSA SIN 711-1





D	W	H	Model	Price
Box/Box/File				
22⅞"	15"	27¼"	**12S2415PUBBFMW**	$1106
28⅞"			**12S3015PUBBFMW**	1168
File/File				
22⅞"	15"	27¼"	**12S2415PUFFMW**	$1106
28⅞"			**12S3015PUFFMW**	1168

Related Products:

D	W	H	Model	Description	Price
Pedestal Filler Strips					
1¼"	1"	27⅛"	**IAPFSL**	Left-handed (shown) for Interworks EQ applications.	$66
			IAPFSR	Right-handed for Interworks EQ applications.	66
1⅝"	1"	27⅛"	**IAPFST**	Non-handed for Traxx applications	61



If creating freestanding desks with wood modesty and support panels, specify the worksurface to be deeper than the pedestals.
➤See page 485.

File Bars for Side-to-Side Filing
➤See the Perks Price List.
Note: Drawer sides are utilized for front-to-back filing.

Features ➤See page 480
Product Information 485
Filing Capacities 486
Locking Information 501

Standard Includes

- Chassis: metal
- Drawer fronts: wood
- Pulls
- Four spacers
- Lock: black
- Open top

How to Specify

Pedestal

❶ Model
② Pull option:
➤See page 485 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22);
specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

Pedestal Filler Strip

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator

Flat Profile Undersurface Storage

Pricing

30", 36", and 42"W Pedestals—Metal

GSA SIN 711-1

Features ➤See page 480
Product Information 485
Filing Capacities 486
Locking Information 501







D	W	H	Model	Price
Lateral Files				
18¾"	30"	27¼"	**12S1830LFU2M** K	$777
	36"		**12S1836LFU2M** K	854
	42"		**12S1842LFU2M** K	974
File Centers				
Box/Box on Left, File Drawer on Right (shown)				
18¾"	30"	27¼"	**12S1830FCBBLM** K	$1562
Box/Box on Right, File Drawer on Left				
18¾"	30"	27¼"	**12S1830FCBBRM** K	$1562
Bookcases				
15⁹⁄₁₆"	29¹⁵⁄₁₆"	27¼"	**12S1630BCUM**	$599
	35¹⁵⁄₁₆"		**12S1636BCUM**	627
	41¹⁵⁄₁₆"		**12S1642BCUM**	728

Standard Includes

- Chassis: metal
- Drawer fronts on lateral file and file center: metal
- Four spacers
- Lock on lateral file and file center: black (locks all drawers)
- Open top on lateral file and file center; closed top on bookcase
- One adjustable shelf on bookcase

How to Specify

❶ Model
② Pull option (omit for bookcase):
➤See page 485 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option (omit for bookcase):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Undersurface lateral files and file centers have open tops and are not to be used as stand-alone units.

File center file drawers utilize drawer sides for front-to-back filing.

Pedestal Filler Strips
➤See page 513.

File Bars for Side-to-Side Filing
➤See the Perks Price List

K = Kwik Office model available.

Flat Profile Undersurface Storage

Pricing

30", 36", and 42"W Pedestals—Metal with Wood Front

GSA SIN 711-1





D	W	H	Model	Price
Lateral File				
18⅞"	30"	27¼"	**12S1830LFU2MW**	$1524
	36"		**12S1836LFU2MW**	1644
	42"		**12S1842LFU2MW**	1760
File Center				
Box/Box on Left, File Drawer on Right (shown)				
18⅞"	30"	27¼"	**12S1830FCBBLMW**	$2599
Box/Box on Right, File Drawer on Left				
18⅞"	30"	27¼"	**12S1830FCBBRMW**	$2599

If creating freestanding desks with wood modesty and support panels, specify the worksurface to be deeper than the pedestals.
➤See page 485.

Pedestal Filler Strips
➤See page 513.

File Bars for Side-to-Side Filing
➤See the Perks Price List.
Note: Drawer sides are utilized for front-to-back filing.

Features ➤See page 480
Product Information 485
Filing Capacities 486
Locking Information 501

Standard Includes

- Chassis: metal
- Drawer fronts: wood
- Pulls
- Four spacers
- Lock: black (locks all drawers)
- Open top

How to Specify

❶ Model
② Pull option:
➤See page 485 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22);
specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

Flat Profile Undersurface Storage

Pricing

Mobile Pedestals—Metal

GSA SIN 711-1

Features ➤See page 480
Product Information 485
Filing Capacities 486
Locking Information 501



D	W	H	Model	Price	Fabric Price Grade 1	2	3	4	5	6	7
Mobile Cushion-Top Box/File											
22¾"	14 15/16"	22 5/8"	**12S2415PMBFCTM**	—	$780	$795	$805	$814	$828	$842	$857
Mobile Box/Box/File											
18¾"	15"	27"	**12S1915PMBBFM**	$734	—	—	—	—	—	—	—
22¾"			**12S2415PMBBFM** K	750	—	—	—	—	—	—	—
Mobile File/File											
18¾"	15"	27"	**12S1915PMFFM**	$682	—	—	—	—	—	—	—
22¾"			**12S2415PMFFM** K	704	—	—	—	—	—	—	—

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Cushion on cushion top model: all seating fabrics, except leather
- Lock: black
- Four non-locking casters
- One counterweight

How to Specify

❶ Model
② Pull option:
➤See page 485 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Fabric grade (include for cushion top only)
⑦ Fabric number (include for cushion top only)

File Bars for Side-to-Side Filing
➤See the Perks Price List.

K = Kwik Office model available.

Flat Profile Undersurface Storage

Pricing

Mobile Pedestals—Metal with Wood Fronts

GSA SIN 711-1

Features ➤See page 480
Product Information 485
Filing Capacities 486
Locking Information 501

D	W	H	Model	Price	Fabric Price Grade 1	2	3	4	5	6	7
Mobile Cushion-Top Box/File											
22⅞"	14 15/16"	22⅝"	**12S2415PMBFCTMW**	—	$1507	$1537	$1556	$1575	$1602	$1631	$1660
Mobile Box/Box/File											
22⅞"	15"	27"	**12S2415PMBBFMW**	$1435	—	—	—	—	—	—	—
Mobile File/File											
22⅞"	15"	27"	**12S2415PMFFMW**	$1355	—	—	—	—	—	—	—

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Standard Includes

- Chassis: metal
- Drawer fronts: wood
- Pulls
- Cushion on cushion top model: all seating fabrics, except leather
- Lock: black
- Four non-locking casters
- One counterweight

How to Specify

❶ Model
② Pull option:
➤See page 485 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator
⑧ Fabric grade (include for cushion top only)
⑨ Fabric number (include for cushion top only)

Flat Profile Low Storage

Pricing

Box/File and Box/Lateral File Pedestals

GSA SIN 711-1





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Box/File Pedestal							
Open Top							
17¾"	15"	19¼"	22 31/32"	22 21/32"	**14S1815POBFM**	$572	$747
23¾"					**14S2415POBFM**	615	790
Metal Top							
18"	15"	20 7/16"	24 5/32"	23 27/32"	**14S1815PBFM**	$700	$875
24"					**14S2415PBFM**	743	918
Box/Lateral File Pedestal							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 31/32"	**14S1830POBFM**	$820	$995
	36"				**14S1836POBFM**	940	1115
	42"				**14S1842POBFM**	1060	1235
23¾"	30"	19¼"	22 31/32"	22 31/32"	**14S2430POBFM**	1010	1185
	36"				**14S2436POBFM**	1183	1358
	42"				**14S2442POBFM**	1331	1506
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830PBFM**	$948	$1123
	36"				**14S1836PBFM**	1139	1314
	42"				**14S1842PBFM**	1259	1434
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430PBFM**	1138	1313
	36"				**14S2436PBFM**	1311	1486
	42"				**14S2442PBFM**	1459	1634

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

File drawers use drawer sides for front-to-back filing.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Laminate Tops
➤See page 523.

Seat cushions
➤See page 524.

Features ➤See page 480
Product Information 487
Filing Capacities 486
Locking Information 501

Standard Includes

- Chassis: metal
- Drawer fronts: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 488 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)
4C462 = 4" casters, cinder (+$85)
4C501 = 4" casters, platinum metallic (+$85)

Flat Profile Low Storage

Pricing

Open/Open Pedestals

GSA SIN 711-1

Features ➤See page 480
Product Information 487
Filing Capacities 486
Locking Information 501





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Price*
Open/Open Pedestal						
Open Top						
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POOOM**	$590
	36"				**14S1836POOOM**	716
	42"				**14S1842POOOM**	844
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POOOM**	790
	36"				**14S2436POOOM**	960
	42"				**14S2442POOOM**	1118
Metal Top						
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830POOM**	$718
	36"				**14S1836POOM**	844
	42"				**14S1842POOM**	972
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430POOM**	918
	36"				**14S2436POOM**	1088
	42"				**14S2442POOM**	1246

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

Standard Includes

- Chassis: metal
- Counterweight (installed)
- Floor glides

How to Specify

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator
④ Support option:
G = Floor glides
4LA = 4" leg, anodized (+$70)
4LP = 4" leg, painted (+$70)
4C462 = 4" caster, cinder (+$85)
4C501 = 4" caster, platinum metallic (+$85)

Laminate Tops
➤See page 523.

Seat cushions
➤See page 524.

Flat Profile Low Storage

Pricing

Open/Lateral File Pedestal

GSA SIN 711-1





D*	W	H with Glides	H with 4" Legs	H with 4" Casters	Model	Metal Front	TFL Front
Open/Lateral File Pedestal							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POOFM**	$775	$950
	36"				**14S1836POOFM**	895	1070
	42"				**14S1842POOFM**	1020	1195
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POOFM**	978	1153
	36"				**14S2436POOFM**	1157	1332
	42"				**14S2442POOFM**	1395	1570
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830POFM**	$974	$1149
	36"				**14S1836POFM**	1094	1269
	42"				**14S1842POFM**	1230	1405
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430POFM**	1106	1281
	36"				**14S2436POFM**	1285	1460
	42"				**14S2442POFM**	1523	1696

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

Features ➤See page 480
Product Information 487
Filing Capacities 486
Locking Information 501

Standard Includes

- Chassis: metal
- Drawer front: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 488 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)
4C462 = 4" casters, cinder (+$85)
4C501 = 4" casters, platinum metallic (+$85)

Laminate Tops
➤See page 523.

Seat cushions
➤See page 524.

Flat Profile Low Storage

Pricing

Hinged Door/Box/File Pedestals

GSA SIN 711-1





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Hinged Door Left, Box/File Right							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POHBFLM**	$1157	$1332
	36"				**14S1836POHBFLM**	1287	1462
	42"				**14S1842POHBFLM**	1416	1462
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POHBFLM**	1357	1532
	36"				**14S2436POHBFLM**	1487	1662
	42"				**14S2442POHBFLM**	1616	1791
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830PHBFLM**	$1285	$1460
	36"				**14S1836PHBFLM**	1415	1590
	42"				**14S1842PHBFLM**	1544	1719
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430PHBFLM**	1485	1660
	36"				**14S2436PHBFLM**	1615	1790
	42"				**14S2442PHBFLM**	1744	1915
Box/File Left, Hinged Door Right							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POHBFRM**	$1157	$1332
	36"				**14S1836POHBFRM**	1287	1462
	42"				**14S1842POHBFRM**	1416	1591
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POHBFRM**	1357	1532
	36"				**14S2436POHBFRM**	1487	1662
	42"				**14S2442POHBFRM**	1616	1662
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830PHBFRM**	$1285	$1460
	36"				**14S1836PHBFRM**	1415	1590
	42"				**14S1842PHBFRM**	1544	1719
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430PHBFRM**	1485	1660
	36"				**14S2436PHBFRM**	1615	1790
	42"				**14S2442PHBFRM**	1744	1915

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

File drawers use drawer sides for front-to-back filing.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Laminate Tops
➤See page 523.

Seat cushions
➤See page 524.

Features ➤See page 480
Product Information 487
Filing Capacities 486
Locking Information 501

Standard Includes

- Chassis: metal
- Drawer front: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

1. Model
2. Front material (omit for metal front):
   LL = TFL front
3. Pull option:
   ➤See page 488 for designators.
4. Lock option:
   X = Non-locking
   KRB = Key random, black (+$142)
   KRS = Key random, silver (+$142)
   KSB = Key specific, black (+$100)
   KSS = Key specific, silver (+$100)
   Note: Specify two lock cores separately for key specific.
5. Metal finish price group:
   STD = Group 1
   STDM = Group M (+10%)
6. Metal finish designator
7. Laminate finish price group (omit for metal-front models):
   STD = Group 1
8. Laminate finish designator (omit for metal-front models)
9. Support option:
   G = Floor glides
   4LA = 4" legs, anodized (+$70)
   4LP = 4" legs, painted (+$70)
   4C462 = 4" casters, cinder (+$85)
   4C501 = 4" casters, platinum metallic (+$85)

Flat Profile Low Storage

Pricing

Open/Box/Lateral File Pedestals

GSA SIN 711-1

Features ➤See page 480
Product Information 487
Filing Capacities 486
Locking Information 501





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Open Left, Box/Lateral File Right							
Open Top							
17¾"	42"	19¼"	22 31/32"	22 21/32"	**14S1842POOBLFLM**	$1357	$1528
23¾"					**14S2442POOBLFLM**	1557	1757
Metal Top							
18"	42"	20 7/16"	24 5/32"	23 27/32"	**14S1842POBLFLM**	$1485	$1660
24"					**14S2442POBLFLM**	1685	1885
Box/Lateral File Left, Open Right							
Open Top							
17¾"	42"	19¼"	22 31/32"	22 21/32"	**14S1842POOBLFRM**	$1357	$1528
23¾"					**14S2442POOBLFRM**	1557	1757
Metal Top							
18"	42"	20 7/16"	24 5/32"	23 27/32"	**14S1842POBLFRM**	$1485	$1660
24"					**14S2442POBLFRM**	1685	1885

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

Standard Includes

- Chassis: metal
- Drawer front: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

Low Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 488 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)
4C462 = 4" casters, cinder (+$85)
4C501 = 4" casters, platinum metallic (+$85)

Laminate Tops
➤See page 523.

Seat cushions
➤See page 524.

Flat Profile Low Storage

Pricing

18"D Tops

GSA SIN 711-1



D	W	H	Model	Price
Thermally Fused Laminate (TFL)				
18"	30”	1⅛"	**SS1830WSSLL**	$192
	36”		**SS1836WSSLL**	200
	42”		**SS1842WSSLL**	226
	48”		**SS1848WSSLL**	247
	54”		**SS1854WSSLL**	274
	60”		**SS1860WSSLL**	300
	66”		**SS1866WSSLL**	347
	72”		**SS1872WSSLL**	360
	78”		**SS1878WSSLL**	387
	84”		**SS1884WSSLL**	417

D	W	H	Model	Price
High-Pressure Laminate (HPL)				
18"	30”	1³⁄₁₆"	**SS1830WSSL**	$255
	36”		**SS1836WSSL**	266
	42”		**SS1842WSSL**	301
	48”		**SS1848WSSL**	329
	54”		**SS1854WSSL**	365
	60”		**SS1860WSSL**	400
	66”		**SS1866WSSL**	463
	72”		**SS1872WSSL**	480
	78”		**SS1878WSSL**	516
	84”		**SS1884WSSL**	556

24"D tops are available within the Xsede line.
➤See the Xsede Price List.

Features ➤See page 480
Product Information 487

Standard Includes

- Top: TFL or HPL with softened PVC (P) rim on all sides

How to Specify

❶ Model
② Rim profile:
P = Softened PVC
③ Laminate price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Laminate finish designator
⑤ Rim finish designator

Flat Profile Low Storage

Pricing

Seat Cushions

GSA SIN 711-1

Features ➤See page 480
Product Information 487



				Fabric Price Grade						
D	*W*	*H*	*Model*	*1*	*2*	*3*	*4*	*5*	*6*	*7*
Seat Cushions										
18"	15"	2½"	**14S1815FC**	$145	$165	$178	$191	—	$229	$249
	30"		**14S1830FC**	241	268	284	302	—	351	377
	36"		**14S1836FC**	257	288	307	327	—	384	413
	42"		**14S1842FC**	272	307	328	351	—	415	448
24"	15"	2½"	**14S2415FC**	193	219	235	252	—	301	326
	30"		**14S2430FC**	322	351	369	388	—	442	470
	36"		**14S2436FC**	342	374	394	415	—	474	505
	42"		**14S2442FC**	363	398	419	442	—	507	541
36"	15"	2½"	**14S3615FC**	285	323	346	371	—	441	477
	30"		**14S3630FC**	483	532	563	595	—	687	735
	36"		**14S3636FC**	513	562	593	625	—	717	765
	42"		**14S3642FC**	542	591	622	654	—	746	794

Standard Includes

- Seat cushion: seating fabric
- Anti-skid back

How to Specify

❶ Model
② Fabric grade
③ Fabric number



Seat cushions are for use on low metal storage with metal top or on an open-top unit with a laminate top installed.

Square Profile Overhead Storage

Pricing

Overhead Cabinets

GSA SIN 711-1

Flipper Door



Hinged Door



Glass Front

D	*W*	*H*	*Model*	*Wood*	*Laminate*	*Wood*	*Laminate*	*Wood*	*Laminate*
19"H									
16⅛"	23 15⁄16"	18 11⁄16"	**B2419**	$892	$647	$918	$712	$1819	$1433
	29 15⁄16"		**B3019**	1020	732	1059	796	2104	1613
	35 15⁄16"		**B3619**	1205	773	1294	814	2568	1801
	41 15⁄16"		**B4219**	1352	963	1453	979	2884	2054
	47 15⁄16"		**B4819**	1499	1094	1650	1155	3272	2353
	59 15⁄16"		**B6019**	1976	1362	2052	1491	4066	3063
	71 15⁄16"		**B7219**	2276	1528	2447	1613	4865	3454
16"H									
14⅛"	23 15⁄16"	16½"	**B2416**	$867	$628	893	691	—	—
	29 15⁄16"		**B3016**	991	709	1030	772	—	—
	35 15⁄16"		**B3616**	1172	746	1259	789	—	—
	41 15⁄16"		**B4216**	1315	934	1415	953	—	—
	47 15⁄16"		**B4816**	1461	1066	1612	1124	—	—
	59 15⁄16"		**B6016**	1923	1316	1999	1446	—	—
	71 15⁄16"		**B7216**	2215	1479	2383	1563	—	—

IMPORTANT: Brackets must be specified separately.
➤See pages 541–545.

Ganging brackets are required when mounting side by side.
➤See page 547.

Not applicable for use on Interworks EQ panels.

60"W and 72"W flipper-door units have two doors and two locks; smaller units have a one door and lock.

60"W and 72"W hinged-door units have four doors and two locks; 42"W and 48"W units have three doors with single door on right and two locks; smaller units have two doors and one lock.

Standard Includes

Flipper & Hinged Door Overheads
- Chassis and door(s): wood or laminate

Glass-Front Overheads
- Chassis: wood or laminate
- Glass doors with metal frame: non-locking

How to Specify

Flipper Door or Hinged Door
❶ Model
❷ Door price group:
F = Flipper **H** = Hinged
❸ Material:
W = Wood **L** = Laminate
❹ Profile:
S = Square
⑤ Pull option:
L = Waterfall **N** = Integrated
⑥ Lock option:
KRB = Key random (+$58 per lock)
KSB = Key specific (+$36 per lock); specify lock cores separately.
X = Non-locking
⑦ Finish price group (omit for lam.):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Finish designator

Glass Front
❶ Model
❷ Door price group:
HG = Hinged door with glass
❸ Material:
W = Wood **L** = Laminate
④ Glass door option:
8 = Linear vertical **9** = Frosted
⑤ Frame finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Glass door frame finish designator
⑦ Finish price group (omit for lam.):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Finish designator

Square Profile Overhead Storage

Pricing

Open Shelves

GSA SIN 711-1
FSC-C010590 available



D	W	H	Model	Wood	Laminate
Shelves					
15 3/16"	23 15/16"	18 11/16"	**B2419O**	$401	$349
	29 15/16"		**B3019O**	502	414
	35 15/16"		**B3619O**	607	424
	41 15/16"		**B4219O**	658	471
	47 15/16"		**B4819O**	700	517
	59 15/16"		**B6019O**	918	730
	71 15/16"		**B7219O**	1102	851

Related Products:





D	W	H	Model	Wood	Laminate
Filler Panels					
16 1/8"	6"	18 11/16"	**N0619X**	$156	$104
	12"		**N1219X**	309	212
	18"		**N1819X**	434	298
	24"		**N2419X**	558	385

IMPORTANT: Brackets must be specified separately.
➤See pages 541–545.

Ganging brackets are required when mounting side by side.
➤See page 547.

Filler panel has a square profile. It must be lined up with the chassis.

Not applicable for use on Interworks EQ panels.

Features ➤See page 480
Application Matrix 489
Product Information 490

Standard Includes

- Chassis: wood or laminate
- Single open compartment

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
❸ Profile (include for filler panel only):
S = Square
④ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Square Profile Overhead Storage

Highback Organizers

GSA SIN 711-1

D	W	H	Model	Flipper Doors Wood	Flipper Doors Laminate	Hinged Doors Wood	Hinged Doors Laminate
Highback Organizers							
16⅛"	47 15/16"	38⅛"	**H4839**	$2770	$2229	$2917	$2288
	59 15/16"		**H6039**	3325	2591	3394	2721
	71 15/16"		**H7239**	3532	2751	3697	2833

Related Products:

D	W	H	Model	Wood	Laminate
Finish Panel					
¾"	47 15/16"	38⅛"	**N4839Y**	$500	$456
	59 15/16"		**N6039Y**	572	552
	71 15/16"		**N7239Y**	638	611

D	W	H	Model	Panel Fabric Price Grade A or COM	B	C	D	E
Highback Tackboard								
⅞"	46¼"	20½"	**FHT4820**	$251	$273	$288	$310	$345
	58¼"		**FHT6020**	274	296	311	333	368
	70¼"		**FHT7220**	368	426	466	526	618

IMPORTANT: Tackboards are required and must be specified separately.

Specify finish panel if backs will be exposed

Fabric is applied railroad style on 72"W tackboards.

Woodgrain laminates are applied horizontally on 72"W finish panel.

60"W and 72"W flipper-door units have two doors and two locks; smaller units have a one door and lock.

60"W and 72"W hinged-door units have four doors and two locks; 42"W and 48"W units have three doors with single door on right and two locks; smaller units have two doors and one lock.

Lighting
➤See page 569.

Standard Includes

Flipper Door
- Chassis and door(s): wood or laminate
- Unfinished back

Hinged Door
- Chassis and door(s): wood or laminate
- Unfinished back

How to Specify

Highback Organizer
1. Model
2. Door price group:
   F = Flipper **H** = Hinged
3. Material:
   W = Wood **L** = Laminate
4. Profile:
   S = Square
5. Pull option:
   L = Waterfall **N** = Integrated
6. Lock option:
   KRB = Key random (+$58 per lock)
   KSB = Key specific (+$36 per lock); specify lock cores separately.
   X = Non-locking
7. Finish price group (omit for laminate)
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Finish designator

Finish Panel
1. Model
2. Material:
   W = Wood **L** = Laminate
3. Finish price group (omit for laminate)
   STD = Group 1
   STD2 = Group 2 (+20%)s
4. Finish designator

Highback Tackboard
1. Model
2. Fabric grade
3. Fabric number

Radius Profile Overhead Storage

Pricing

Overhead Cabinets

GSA SIN 711-1

Features	➤See page 480
Application Matrix	489
Product Information	491
Locking Information	501



D	*W*	*H*	*Model*	***Flipper Door*** *Wood*	*Laminate*	***Hinged Door*** *Wood*	*Laminate*
19"H							
16⅛"	23 15⁄16"	18 11⁄16"	**B2419**	$892	$647	$918	$712
	29 15⁄16"		**B3019**	1020	732	1059	796
	35 15⁄16"		**B3619**	1205	773	1294	814
	41 15⁄16"		**B4219**	1352	963	1453	979
	47 15⁄16"		**B4819**	1499	1094	1650	1155
	59 15⁄16"		**B6019**	1976	1362	2052	1491
	71 15⁄16"		**B7219**	2276	1528	2447	1613
16"H							
14⅛"	23 15⁄16"	16½"	**B2416**	$867	$628	$893	$691
	29 15⁄16"		**B3016**	991	709	1030	772
	35 15⁄16"		**B3616**	1172	746	1259	789
	41 15⁄16"		**B4216**	1315	934	1415	953
	47 15⁄16"		**B4816**	1461	1066	1612	1124
	59 15⁄16"		**B6016**	1923	1316	1999	1446
	71 15⁄16"		**B7216**	2215	1479	2383	1563

60"W and 72"W flipper-door units have two doors and two locks; 48"W units have a one door and lock (locks are black)

60"W and 72"W hinged-door units have four doors and two locks; 48"W units have three doors with single door on right and two locks (locks are black)

Brackets
➤See pages 541–545.

Lighting
➤See page 569.

Standard Includes

Flipper Door
- Chassis: wood or laminate
- Doors: wood (will match chassis) or laminate
- Unfinished back

Hinged Door
- Chassis and door(s): wood or laminate
- Unfinished back

How to Specify

❶ Model
❷ Door price group:
F = Flipper
H = Hinged
❸ Material:
W = Wood
L = Laminate
❹ Profile:
R = Radius
⑤ Pull option:
L = Waterfall
N = Integrated
⑥ Lock option:
KRB = Key random (+$58 per lock)
KSB = Key specific (+$36 per lock); specify lock cores separately.
X = Non-locking
⑦ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Finish designator
⑨ Finish designator for laminate chassis (include for laminate models only)

Radius Profile Overhead Storage

Highback Organizers

GSA SIN 711-1



D	W	H	Model	Flipper Door Wood	Flipper Door Laminate	Hinged Door Wood	Hinged Door Laminate
Highback Organizers							
16⅛"	47 15/16"	38⅛"	**H4839**	$2770	$2125	$2917	$2180
	59 15/16"		**H6039**	3325	2467	3394	2591
	71 15/16"		**H7239**	3532	2619	3697	2698

Related Products:

D	W	H	Model	Wood	Laminate
Finish Panels					
16⅛"	47 15/16"	38⅛"	**N4839Y**	$500	$456
	59 15/16"		**N6039Y**	572	552
	71 15/16"		**N7239Y**	638	611

D	W	H	Model	Panel Fabric Price Grade A or COM	B	C	D	E
Highback Tackboards								
⅞"	46¼"	20½"	**FHT4820**	$251	$273	$288	$310	$345
	58¼"		**FHT6020**	274	296	311	333	368
	70¼"		**FHT7220**	368	426	466	526	618

IMPORTANT: Tackboards are required and must be specified separately.

Not applicable for use on Interworks EQ panels.

Specify finish panel if backs will be exposed.

Fabric is applied railroad style on 72"W tackboards.

60"W and 72"W flipper-door units have two doors and two locks; 48"W units have a one door and lock (locks are black)

60"W and 72"W hinged-door units have four doors and two locks; 48"W units have three doors with single door on right and two locks (locks are black)

Standard Includes

Flipper Door
- Chassis: wood or laminate
- Doors: wood (will match chassis) or laminate
- Unfinished back

Hinged Door
- Chassis and door(s): wood or laminate
- Unfinished back

How to Specify

Highback Organizer:
1. Model
2. Door price group:
   F = Flipper **H** = Hinged
3. Material:
   W = Wood **L** = Laminate
4. Profile:
   R = Radius
5. Pull option:
   L = Waterfall **N** = Integrated
6. Lock option:
   KRB = Key random (+$58 per lock)
   KSB = Key specific (+$36 per lock); specify lock cores separately.
   X = Non-locking
7. Finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
8. Finish designator
9. Finish designator for laminate chassis (include for laminate models only; specify even if same as doors)

Finish Panel
1. Model
2. Material:
   W = Wood
   L = Laminate
3. Finish price group (omit for lam):
   STD = Group 1
4. Finish designator

Highback Tackboard
1. Model
2. Fabric grade
3. Fabric number

Curved Profile Overhead Storage

Pricing

Overhead Cabinets

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489
Product Information 492
Locking Information 501





D	*W*	*H*	*Model*	*Price*
Perforated Front				
16¾"	29 15⁄16"	15⅜"	**S3015FMLP**	$1254
	35 15⁄16"		**S3615FMLP**	1348
	41 15⁄16"		**S4215FMLP**	1554
	47 15⁄16"		**S4815FMLP**	1621
	59 15⁄16"		**S6015FMLP**	2508
	71 15⁄16"		**S7215FMLP**	2696
Non-Perforated				
16¾"	29 15⁄16"	15⅜"	**S3015FMLN**	$1159
	35 15⁄16"		**S3615FMLN**	1251
	41 15⁄16"		**S4215FMLN**	1449
	47 15⁄16"		**S4815FMLN**	1521
	59 15⁄16"		**S6015FMLN**	2317
	71 15⁄16"		**S7215FMLN**	2502

IMPORTANT: Brackets must be specified separately.
➤See pages 541–545.

Ganging brackets are required when mounting overheads side by side.
➤See page 547.

Not applicable for use on Interworks EQ panels.

30"W overhead can be used on crescent and hexagon mobile tables.

Lighting
➤See page 569.

Standard Includes

- Chassis: select solid laminates
- Flipper door(s): metal; all paints 60" and 72"W models have two individually locking doors
- Lock(s): black

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
③ Door finish price group:
STD = Group 1
STDM = Group M (+10%)
④ Door finish designator
⑤ Chassis finish designator

Flat Profile Overhead Storage

Pricing

Sliding-Door Cabinets, Center-Mount

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489
Product Information 493
Locking Information 501





D	W	H	Model	Door Material: Metal	Laminate	Wood
One-Sided Access						
14⅝"	24"	14⅜"	**12S2414SOS1**	$1011	$1291	$1466
	30"		**12S3014SOS1**	1041	1331	1511
	36"		**12S3614SOS1**	1074	1371	1558
	42"		**12S4214SOS1**	1111	1409	1601
	48"		**12S4814SOS1**	1140	1439	1650
	54"		**12S5414SOS1**	1307	1609	1814
	60"		**12S6014SOS1**	1347	1658	1870
	66"		**12S6614SOS1**	1376	1683	1910
	72"		**12S7214SOS1**	1419	1736	1968
Two-Sided Access						
Compartment on Right (shown)						
14⅝"	36"	14⅜"	**12S3614SOS2R**	$1252	$1876	$2253
	42"		**12S4214SOS2R**	1299	1919	2308
	48"		**12S4814SOS2R**	1327	1953	2372
	54"		**12S5414SOS2R**	1474	2087	2504
	60"		**12S6014SOS2R**	1521	2151	2581
	66"		**12S6614SOS2R**	1551	2174	2627
	72"		**12S7214SOS2R**	1598	2242	2708
Compartment on Left						
14⅝"	36"	14⅜"	**12S3614SOS2L**	$1252	$1876	$2253
	42"		**12S4214SOS2L**	1299	1919	2308
	48"		**12S4814SOS2L**	1327	1953	2372
	54"		**12S5414SOS2L**	1474	2087	2504
	60"		**12S6014SOS2L**	1521	2151	2581
	66"		**12S6614SOS2L**	1551	2174	2627
	72"		**12S7214SOS2L**	1598	2242	2708

Standard Includes

- Chassis with center divider: metal
- Sliding door(s): metal, laminate, or wood
- Attachment brackets

How to Specify

❶ Model
❷ Chassis/door material:
M = Metal chassis/metal door
ML = Metal chassis/laminate door
MW = Metal chassis/wood door
③ Center-mount bracket option:
X = No brackets; specify stanchion brackets separately to attach to Xsede accessory rail
XC2F = For Xsite flat profile
PC1 = End bracket for Priority
PC2 = Two end brackets for Priority
PC3 = End and ganging brackets for Priority
④ Lock option:
KRB = Key random (+$58 on one- sided models; +$116 on two-sided)
KSB = Key specific (+$36 on one-sided models; +$72 on two-sided); specify lock core separately.
X = No lock(s)
⑤ Door finish price group (omit for laminate door models):
STD = Group 1 wood or metal
STD2 = Group 2 wood (+20%)
STDM = Group M metal
⑥ Door finish designator
⑦ Chassis finish price group:
STD = Group 1
STDM = Group M (+10%)
⑧ Chassis finish designator
⑨ Bracket finish price group:
STD = Group 1
STDM = Group M
⑩ Bracket finish designator

Stanchion brackets for Xsede accessory rail
➤See page 546.

Lighting
➤See page 569.

Cable Manager
➤See page 240

Flat Profile Overhead Storage

Pricing

Sliding-Door Cabinets, Panel-Mount

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489
Product Information 493
Locking Information 501



D	W	H	Model	Door Material: Metal	Laminate	Wood
One-Sided Access						
14⅞"	23¾"	14⅜"	**12S2414SOS**	$674	$814	$984
	29¾"		**12S3014SOS**	696	834	1021
	35¾"		**12S3614SOS**	720	862	1057
	41¾"		**12S4214SOS**	743	892	1236
	47¾"		**12S4814SOS**	764	917	1296
	53¾"		**12S5414SOS**	835	963	1335
	59¾"		**12S6014SOS**	919	1063	1374
	65¾"		**12S6614SOS**	985	1130	1472
	71¾"		**12S7214SOS**	1040	1199	1567

Standard Includes

- Chassis with center divider: metal
- Sliding door: metal, laminate, or wood
- Attachment brackets: paint

How to Specify

❶ Model
❷ Chassis/door material:
M = Metal chassis/metal door
ML = Metal chassis/laminate door
MW = Metal chassis/wood door
③ Panel-mount bracket option:
X = 2 brackets for Xsite Traxx or wall Traxx
XG = 2 brackets and 1 ganging bracket for Xsite Traxx or wall Traxx
I = 1 left and 1 right bracket for Interworks EQ or wall standard
IG = 1 left, 1 right, and 1 ganging bracket for Interworks EQ
C = 1 left and 1 right bracket for Cetra
CG = 1 left, 1 right, and 1 ganging bracket for Cetra
④ Lock option:
KRB = Key random (+$58)
KSB = Key specific (+$36); specify lock core separately.
X = No lock(s)
⑤ Door finish price group (omit for laminate door models):
STD = Group 1 wood or metal
STD2 = Group 2 wood (+20%)
STDM = Group M metal
⑥ Door finish designator
⑦ Chassis/attachment bracket finish price group:
STD = Group 1
STDM = Group M (+10%)
⑧ Chassis/attachment bracket finish designator

Lighting
➤See page 569.

Cable Manager
➤See pages 108, 240 and 326.

Flat Profile Overhead Storage

Pricing

Flipper-Door Cabinets

GSA SIN 711-1



D	W	H	Model	Price
Metal Chassis with Wood Door(s)				
15"	23¾"	16⅝"	**12S2416SOFMW**	$804
	29¾"		**12S3016SOFMW**	919
	35¾"		**12S3616SOFMW**	1087
	41¾"		**12S4216SOFMW**	1218
	47¾"		**12S4816SOFMW**	1353
	59¾"		**12S6016SOFMW**	1781
	71¾"		**12S7216SOFMW**	2051

IMPORTANT: Brackets must be specified separately.
➤See pages 541–545.
Exception: No additional bracketry is required when hanging flat profile overheads on Interworks EQ panels.

Ganging brackets should be specified when hanging overheads side by side.
➤See page 547.

Lighting
➤See page 569.

Features ➤See page 480
Application Matrix 489
Product Information 494
Locking Information 501

Standard Includes

- Chassis: metal
- Door(s): wood; 24"W–48"W units have one flipper door and 60"W–72"W units have two individually locking flipper doors.
- Lock(s): black
- Cutouts for cable routing

How to Specify

❶ Model
② Pull option:
N = Integrated
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Chassis finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Finish designator
⑥ Door finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Finish designator

Flat Profile Overhead Storage

Pricing

Open Cabinets, Center-Mount

GSA SIN 711-1







D	W	H	Model	Price
One-Sided Access				
13⅞"	24"	14⅜"	**14S2414SO1**	$629
	30"		**14S3014SO1**	658
	36"		**14S3614SO1**	690
	42"		**14S4214SO1**	726
	48"		**14S4814SO1**	754
	54"		**14S5414SO1**	916
	60"		**14S6014SO1**	955
	66"		**14S6614SO1**	985
	72"		**14S7214SO1**	1024
Two-Sided Access				
Compartment on Right				
13¹⁄₁₆"	36"	14⅜"	**14S3614SO2R**	$863
	42"		**14S4214SO2R**	908
	48"		**14S4814SO2R**	935
	54"		**14S5414SO2R**	1078
	60"		**14S6014SO2R**	1123
	66"		**14S6614SO2R**	1152
	72"		**14S7214SO2R**	1198
Compartment on Left				
13¹⁄₁₆"	36"	14⅜"	**14S3614SO2L**	$863
	42"		**14S4214SO2L**	908
	48"		**14S4814SO2L**	935
	54"		**14S5414SO2L**	1078
	60"		**14S6014SO2L**	1123
	66"		**14S6614SO2L**	1152
	72"		**14S7214SO2L**	1198

Stanchion brackets for Xsede accessory rail
➤See page 546.

Lighting
➤See page 569.

Cable Manager
➤See page 240

Features ➤See page 480
Application Matrix 489
Product Information 493
Locking Information 501

Standard Includes

- Chassis with center divider: metal
- Attachment brackets

How to Specify

❶ Model
② Center-mount bracket option:
X = No brackets; specify stanchion brackets separately to attach to Xsede accessory rail
XC2C = For Xsite curved profile
XC2F = For Xsite flat profile
PC1 = End bracket for Priority
PC2 = Two end brackets for Priority
PC3 = End and ganging brackets for Priority
③ Finish price group:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator
⑤ Bracket finish price group:
STD = Group 1
STDM = Group M
⑥ Bracket finish designator

Flat Profile Overhead Storage

Pricing

Open Cabinets, Surface-Mount and Suspended

GSA SIN 711-1

Features ➤See page 000
Product Information
Application Guidelines
Pricing





D	*W*	*H*	*Model*	*Price*
Set-on-Surface End				
14 11/16"	24"	14 3/8"	**14S2414OSM**	$453
	30"		**14S3014OSM**	574
	50 3/4"		**14S5114OSM**	609
	56 3/4"(32" section on left)		**14S5714OSML**	690
	56 3/4" (32" section on right)		**14S5714OSMR**	690
	62 3/4"		**14S6314OSM**	754
Suspended Below Surface				
14 11/16"	24"	14 3/8"	**14S2414USOM**	$493
	30"		**14S3014USOM**	614
	50 3/4"		**14S5114USOM**	649
	56 3/4"(32" section on left)		**14S5714USOML**	730
	56 3/4"(32" section on right)		**14S5714USOMR**	730
	62 3/4"		**14S6314USOM**	794

Note: Divider is not centered on 56 3/4" models. Select model based on the location of the larger (32"W) section.

Standard Includes

- Chassis with center divider: metal

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Flat Profile Overhead Storage

Pricing

Cubby Storage

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489
Product Information 494



D	W	H	Interior Storage H	Model	Price
Metal Cubby Storage					
12"	47¾"	6 15⁄16"	4 15⁄16"	**12S4807SMCXP**	$576
	59¾"			**12S6007SMCXP**	804
	71¾"			**12S7207SMCXP**	914

Standard Includes

- Chassis: metal
- Xsite/Traxx panel mounting bracket
- Xsite support blocks
- Center divider

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

IMPORTANT: For use on Xsite Traxx or wall Traxx only. Not applicable for use on Interworks EQ or Cetra panels.

Ganging bracket is required when mounting cubbies side by side.

Cubbies cannot be mounted below center-mount overheads.

Ganging Brackets
➤See page 547.

Bevel Profile Overhead Storage

Pricing

Overhead Cabinets

GSA SIN 711-1

Features	➤See page 480
Application Matrix	489
Product Information	495
Locking Information	501



D	W	H	Model	Paint	Panel Fabric Price Grade A or COM	B	C	D	E
Painted or Panel Fabric Doors									
14⅞"	23¾"	16⅝"	**IS142416R** K	$527	$676	$676	$690	$690	$742
	29¾"		**IS143016R** K	538	686	686	700	700	752
	35¾"		**IS143616R** K	572	717	717	731	731	783
	41¾"		**IS144216R** K	587	750	750	764	764	816
	47¾"		**IS144816R** K	606	793	793	806	806	859
	53¾"		**IS145416R** K	762	884	884	910	910	1016
	59¾"		**IS146016R** K	846	963	963	989	989	1095
	71¾"		**IS147216R** K	962	1075	1075	1101	1101	1207

D	W	H	Model	Seating Fabric Price Grade 1 or COM	2	3	4	5	6	7
Seating Fabric Doors										
14⅞"	23¾"	16⅝"	**IS142416R**	$699	$706	$725	$744	$771	$800	$ 829
	29¾"		**IS143016R**	709	716	735	754	781	810	839
	35¾"		**IS143616R**	740	747	766	785	812	841	870
	41¾"		**IS144216R**	773	780	799	818	845	874	903
	47¾"		**IS144816R**	816	823	842	861	888	917	946
	53¾"		**IS145416R**	930	914	933	952	979	1008	1037
	59¾"		**IS146016R**	1009	993	1012	1031	1058	1087	1116
	71¾"		**IS147216R**	1121	1105	1124	1143	1170	1199	1228

IMPORTANT: Brackets must be specified separately.
➤See pages 541–545.
Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets should be specified when hanging overheads side by side.
➤See page 547.

Lighting
➤See page 569.

Standard Includes

- Chassis: metal
- Receding door(s): metal or fabric covered; 24"W–48"W units have one receding door and 54"W–72"W units have two individually locking doors.
- Lock(s): black
- Cutouts for cable routing

How to Specify

❶ Model
❷ Material:
P = Paint K
NP = Fabric door/paint chassis
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Railroaded fabric option (include for fabric model only):
Y = Yes
N = No
⑤ Fabric grade (omit for painted unit)
⑥ Fabric number (omit for painted unit)
⑦ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑧ Finish designator

K = Kwik Office model available.

Bevel Profile Overhead Storage

Pricing

Overhead Shelves

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489
Product Information 495





D	*W*	*H*	*Model*	*Price*
Half Height				
14⅞"	23¾"	8⅞"	**IS142409OS** K	$192
	29¾"		**IS143009OS** K	203
	35¾"		**IS143609OS** K	219
	41¾"		**IS144209OS** K	224
	47¾"		**IS144809OS** K	231
	53¾"		**IS145409OS** K	242
	59¾"		**IS146009OS** K	251
	71¾"		**IS147209OS** K	266
Full Height				
14⅞"	23¾"	16⅝"	**IS142416OS** K	$380
	29¾"		**IS143016OS** K	388
	35¾"		**IS143616OS** K	398
	41¾"		**IS144216OS** K	408
	47¾"		**IS144816OS** K	415
	53¾"		**IS145416OS** K	430
	59¾"		**IS146016OS** K	449
	71¾"		**IS147216OS** K	469

IMPORTANT: Brackets must be specified separately.
➤See pages 541–545.
Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets must be specified when hanging overheads side by side.
➤See page 547.

Half-height shelves are for use with Interworks EQ panels only.

Lighting
➤See page 569.

Standard Includes

- Chassis: metal
- Cutouts for cable routing

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

K = Kwik Office model available.

Bevel Profile Overhead Storage

Pricing

Highback Organizers

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489
Product Information 495
Locking Information 501



D	W	H	Model	Paint	Panel Fabric Price Grade A or COM	B	C	D	E
Highback Organizer with Painted or Panel Fabric Doors									
15"	47¾"	37⅛"	**IF4836H**	$1169	$1329	$1329	$1343	$1343	$1395
	59¾"		**IF6036H**	1428	1585	1585	1611	1611	1717
	71¾"		**IF7236H**	1691	1851	1851	1877	1877	1983
Highback Tackboard with Panel Fabric									
½"	44¼"	19¾"	**IF4821T**	—	$274	$274	$292	$292	$363
	56¼"		**IF6021T**	—	303	303	346	346	524
	68¼"		**IF7221T**	—	393	393	443	443	647

D	W	H	Model	Seating Fabric Price Grade 1 or COM	2	3	4	5	6	7
Highback Organizer with Seating Fabric Doors										
15"	47¾"	37⅛"	**IF4836H**	$1352	$1359	$1378	$1397	$1424	$1453	$1482
	59¾"		**IF6036H**	1631	1615	1634	1653	1680	1709	1738
	71¾"		**IF7236H**	1897	1881	1900	1919	1946	1975	2004
Highback Tackboard with Seating Fabric										
½"	44¼"	19¾"	**IF4821T**	$303	$304	$323	$342	$369	—	—
	56¼"		**IF6021T**	377	333	333	371	398	—	—
	68¼"		**IF7221T**	480	423	423	461	488	—	—

Highback must be the same width as freestanding rectangular unit.

Panel fabric is applied railroad style to 72"W highback tackboards; seating fabric is applied railroad style to 60"W and 72"W highback tackboards.

Standard Includes

- Chassis: metal
- Receding door(s): metal or fabric covered; 48"W units have one door and 60"W–72"W units have two individually locking doors.
- Lock(s): black
- Back panel
- Cutouts for cable routing

How to Specify

❶ Model
❷ Material:
P = Paint
NP = Fabric door/paint chassis
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Railroaded fabric option (include for fabric model only):
Y = Yes
N = No
⑤ Fabric grade (omit for painted unit)
⑥ Fabric number (omit for painted unit)
⑦ Finish price group:
STD = Group 1
STDM = Group M (+10%)
⑧ Finish designator

Highback Tackboard
❶ Model
② Railroad fabric option:
Y = Yes
N = No
*Note: **Y** must be specified for 72"W tackboards in panel or seating fabric and 60"W tackboards in seating fabric.*
③ Fabric grade
④ Fabric number

Lunar Profile Overhead Storage

Pricing

Overhead Cabinets

GSA SIN 711-1



D	W	H	Model	Price
Flipper Door				
14 15/16"	23 3/4"	14 3/8"	**24S142414SOFM**	$414
	29 3/4"		**24S143014SOFM**	437
	35 3/4"		**24S143614SOFM**	470
	41 3/4"		**24S144214SOFM**	487
	47 3/4"		**24S144814SOFM**	515
	59 3/4"		**24S146014SOFM**	665
	71 3/4"		**24S147214SOFM**	851

IMPORTANT: Brackets must be specified separately.
➤See pages 541–545.

Ganging brackets are required when mounting overheads side by side.
➤See page 547.

Lighting
➤See page 569.

Features ➤See page 480
Application Matrix 489
Product Information 496
Locking Information 501

Standard Includes

- Chassis and doors: metal; select paints
- Flipper door(s): 48"W units have one door and 60"W–72"W units have two individually locking doors.
- Lock(s): black

How to Specify

❶ Model
② Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
③ Finish price group:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator

Overhead Mounting Brackets

Pricing

For Use with Xsite

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489









Model	*Description*	*Price*
Square, Radius, and Curved Profile Overhead Bracket		
FBOTS	Single bracket; Cinder Specify two brackets per 24"–48" W overhead; specify four brackets per 60"–72" W overhead.	$17
Flat Profile Flipper-Door and Bevel Profile Overhead Bracket Kit		
IS24XOHBKIT	Used with 24"W overheads; specify one kit per overhead.	$61
IS30XOHBKIT	Used with 30"W overheads; specify one kit per overhead.	66
IS36XOHBKIT	Used with 36"W overheads; specify one kit per overhead.	67
IS42XOHBKIT	Used with 42"W overheads; specify one kit per overhead.	68
IS48XOHBKIT	Used with 48"W overheads; specify one kit per overhead.	70
IS54XOHBKIT	Used with 54"W overheads; specify one kit per overhead.	71
IS60XOHBKIT	Used with 60"W overheads; specify one kit per overhead.	73
IS72XOHBKIT	Used with 72"W overheads; specify one kit per overhead.	78
Lunar Profile Overhead Bracket		
24STXOHB	Set of two; specify one set per 24"–48"W overhead.	$34
24STXOHB3	Set of three; specify one set per 60"–72"W overhead.	55

D	*W*	*H*	*Model*	*Description*	*Price*
Transaction Counter/Center-Mount Bracket for Priority Overheads or Shelves on Xsite					
4 7/16"	5	1 1/16"	**36WBTC**	Specify two brackets for each center-mounted, Priority overhead or shelf; specify two brackets for 24"–60"W transaction counters or four brackets for 66"–72"W counters.	$28

How to Specify

Square, Radius, or Curved Profile Overhead Bracket
❶ Model

Flat and Bevel Profile Overhead Bracket Kit or Lunar Profile Overhead Bracket
❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Transaction Counter/Center-Mount Bracket
❶ Model

Overhead Mounting Brackets

Pricing

For Use with Cetra Panels

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489







IMPORTANT: Brackets must be specified separately. Specify additional bracket when using 72"W square, radius, or curved profile overheads on Cetra panels.

Ganging Brackets
➤See page 547.

IMPORTANT: Black transaction shelf brackets are included as standard with transaction counters. Only order transaction shelf bracket models at left if you want them in a different paint color.

D	*W*	*H*	*Model*	*Description*	*Price*
Square, Radius, and Curved Profile Overhead Brackets					
1 1/16"	2 5/16"	4 5/8"	**ASBL**	Left bracket; black. (shown)	$13
			ASBR	Right bracket; black	13
Flat Profile Flipper-Door and Bevel Profile Overhead Bracket					
2"	3/4"	16"	**ISBRKC** K	Set of 2; one right and one left. One set required per overhead	$30
Lunar Profile Overhead Bracket					
1 1/4"	1"	13 1/2	**24SCIWOHB**	Set of 2; one set required per overhead	$29
Transaction Shelf Brackets (optional)					
Right Hand					
			ABFSR2	For use with wood or laminate transaction shelf. Specify one right and one left for each shelf. For shelves larger than 60"W, specify an additional left- or right-hand bracket for center support.	$25
Left Hand (shown)					
			ABFSL2	For use with wood or laminate transaction shelf. Specify one right and one left for each shelf. For shelves larger than 60"W, specify an additional left- or right-hand bracket for center support.	$25

How to Specify

Square, Radius, and Curved Profile Overhead Brackets
❶ Model

Other Brackets on this Page
❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

K = Kwik Office model available.

Overhead Mounting Brackets

Pricing

For Use with Interworks EQ Panels and Wall Standards

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489

D	*W*	*H*	*Model*	*Description*	*Price*
Lunar Profile Overhead Bracket					
1¼"	1"	13½	**24SCIWOHB**	Set of 2; one set required per overhead	$29

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

IMPORTANT: Brackets must be specified separately.

Additional brackets are not required when mounting bevel profile overheads on Interworks EQ panels.

Square, radius, and curved profile overheads are not available for use on Interworks EQ panels.

Ganging Brackets
➤See page 547.

Overhead Mounting Brackets

Pricing

For Use with Traxx Applications

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489







Model	Description	Price
Square, Radius, and Curved Profile Overhead Brackets		
FBOTS	Single bracket; Cinder Specify two brackets for use with 24"W to 48"W overheads; specify four brackets for use with 60"W to 72"W overheads.	$17
Flat Profile Flipper-Door and Bevel Profile Overhead Brackets		
ISBRKT K	Set of two; one set required per overhead.	$35
Lunar Profile Overhead Bracket		
24STXOHB	Set of two; specify one set per 24"–48"W overhead.	$34
24STXOHB3	Set of three; specify one set per 60"–72"W overhead.	55

How to Specify

Square, Radius, or Curved, Profile Overhead Brackets
❶ Model

Flat and Bevel Overhead Brackets or Lunar Profile Overhead Brackets
❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

IMPORTANT: Brackets must be specified separately.

Specify the appropriate bracket or bracket kit based on the profile of the overhead storage unit.

Ganging Brackets
➤See page 547.

K = Kwik Office model available.

Overhead Mounting Brackets

Pricing

For Wall Mount and Freestanding Applications

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489





TTBS72



ISBRKTSO
24STXOHSO





IMPORTANT: Specify wall standards for wall-mounting bevel profile overheads or sliding-door overheads only. Maximum of two components per each set of wall standards, not to exceed 150 pounds. Blocking and bearing on floor is recommended.

D	W	H	Model	Description	Price
Traxx					
			TTXT721	One 72"L section of Traxx; Cinder finish. Specify when wall-mounting overheads.	$150
Traxx Spacers					
For use with Radius, Square, and Curved Profile Overhead Storage Units					
5/8"	71 13/16"	1"	**TTBS72**	One 72"L section; black.	$27
For use with Bevel Profile and Flat Profile Flipper-Door Overhead Storage Units					
1/2"	3 3/8"	14 1/8"	**ISBRKTSO** K	Set of 2; one set required per overhead.	$70
For use with Lunar Profile Overhead Storage Units					
1/2"	3 3/8"	12"	**24STXOHSO**	Set of 2; one set required per overhead.	$72
Freestanding Kit					
			FBOFS	Specify when spanning overheads between two vertical storage units; Cinder finish.	$57
Wall Standards					
3/4"	3/4"	57 7/8"	**WT62**	Corresponds to Interworks EQ 62"H panel. Set of two.	$133
		61 7/8"	**WT66**	Corresponds to Interworks EQ 66"H panel. Set of two.	149
		75 7/8"	**WT80**	Corresponds to Xsite, Cetra, or Interworks EQ 80"H panel. Set of two.	212

How to Specify

Traxx, Traxx Spacers for use with Radius, Square, or Curved Profile Overheads, and Freestanding Kit

❶ Model

Wall Standards and Traxx Spacers for use with Bevel, Flat, or Lunar Profile Overheads

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

K = Kwik Office model available.

Overhead Stanchion Brackets

For Flat Profile Overhead Storage and Xsede Accessory Rail

GSA Contract Pending



D	*W*	*H*	*Model*	*Price*
Overhead Stanchion Brackets (Set of 2)				
9⅞"	1⅜"	6 13⁄16"	**14SXAR**	$198

IMPORTANT: Two stanchion brackets must be specified separately for each overhead storage cabinet to be center-mounted on Xsede accessory rail. 5⅞" visible when installed.

Flat profile overhead storage cabinets compatible with Xsede accessory rail:
➤See pages 531 and 534.

Not applicable to square, radius, bevel, lunar, or curved overheads.

Standard Includes

- Set of two stanchion brackets: paint

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Overhead Ganging Brackets

Pricing

GSA SIN 711-1

Features ➤See page 480
Application Matrix 489







Model	*Description*	*Price*
Square, Radius, and Curved Profile Overhead Ganging Bracket		
ASBG	For use when mounting overheads side by side on Cetra.	$42
FSTG	For use when mounting overheads side by side on Xsite or Traxx.	$35
Flat Profile Flipper-Door and Bevel Profile Overhead Ganging Brackets		
IBSC K	Set of 4; for use when mounting overheads side by side on Xsite, Cetra, Interworks EQ, or Traxx. Designed to accommodate the Cetra and Interworks EQ panel reveal. Shims (not furnished) may be required for Traxx or Xsite applications.	$28
Flat Profile Cubby Storage Ganging Brackets		
12SGB	For use when mounting cubbies side by side on Xsite.	$17
Lunar Profile Overhead Ganging Bracket		
24SGB	For use when mounting overheads side by side on Xsite or Traxx.	$33

IMPORTANT: Ganging brackets are required when mounting square, radius, curved, and bevel overheads side by side and for lunar overheads when mounting on Xsite or Traxx. .

When using ganging brackets for side-by-side square, radius or curved profile overheads mounted on Cetra panels, the inside left and right brackets are replaced by the ganging bracket.

How to Specify

Ganging Brackets for Square, Radius, Flat, or Bevel Profile Overhead Storage

❶ Model

Ganging Bracket for Lunar Profile Overhead Storage or Flat Profile Cubby Storage

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

K = Kwik Office model available.

Square Profile Vertical Storage

Pricing

Bookcases

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 497







A = adjustable shelf

D	*W*	*H*	*Model*	*Wood*	*Laminate*
Three Shelves					
13"	30"	42"	**ABC3042**	$1358	$1081
	36"		**ABC3642**	1665	1388
Four Shelves					
13"	30"	54 29/32"	**ABC3056**	$1645	$1306
	36"		**ABC3656**	1951	1613
Five Shelves					
13"	30"	67½"	**ABC3068**	$1919	$1531
	36"		**ABC3668**	2227	1840

Standard Includes

- Bookcase: wood or laminate
- ¾" thick shelves
- Unfinished back

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

FSC = FSC-certified wood option available.
➤See page 15.

Square Profile Vertical Storage

Pricing

Short Storage Cabinets

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 497
Filing Capacities 482
Locking Information 501

D	W	H	Model	Description	Wood	Laminate
Short Storage Cabinet						
Door Hinged on Right						
15 13/16"	17 15/16"	38 1/8"	**H1839HR**	For use with 1 9/16" worksurfaces	$1867	$1553
		38 1/2"	**H1840HR**	For use with 1 3/16" worksurfaces	1867	1553
Door Hinged on Left						
15 13/16"	17 15/16"	38 1/8"	**H1839HL**	For use with 1 9/16" worksurfaces	$1867	$1553
		38 1/2"	**H1840HL**	For use with 1 3/16" worksurfaces	1867	1553

Related Products:



Short Storage Finish Panel						
For Use with H1839 Model Short Storage Cabinets						
3/4"	18"	38 1/8"	**N1839Y**		$468	$427

Specify short storage finish panel when the back of the unit is exposed; field-installation only.

When using 1 3/16" thick worksurfaces, you must use H1840 models if aligning short storage units with overheads or freestanding vertical storage units.

Standard Includes

- Chassis: wood or laminate
- Unfinished back

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
❸ Profile (omit for finish panel):
S = Square
④ Lock option (omit for finish panel):
KRB = Key random (+$58 per lock)
KSB = Key specific (+$36 per lock); specify lock cores separately.
X = No lock
⑤ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Square Profile Vertical Storage

Pricing

Lateral Files

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 497
Filing Capacities 482
Locking Information 501

D	W	H	Model	Wood	Laminate
Two Drawers					
22¾"	29⅞"	27¾"	**FWL233027**	$2307	$1967
	35⅞"		**FWL233627**	2612	2276
Three Drawers					
22¾"	29⅞"	40¾"	**FWL233040**	$3175	$2762
	35⅞"		**FWL233640**	3485	3067
Four Drawers					
22¾"	29⅞"	53¾"	**FWL233053**	$3660	$2974
	35⅞"		**FWL233653**	3966	3277

Related Products:

D	W	H	Model	Wood	Laminate
Finish Panel					
1"	29⅞"	27 3/16"	**FFP3027**	$297	$248
		40 3/16"	**FFP3040**	385	339
		53 3/16"	**FFP3053**	500	483
		67 3/16"	**FFP3068**	695	665
1"	35⅞"	27 3/16"	**FFP3627**	327	295
		40 3/16"	**FFP3640**	417	385
		53 3/16"	**FFP3653**	517	513
		67 3/16"	**FFP3668**	710	695

For finished top, specify single rim worksurface.

Specify a lateral file finish panel when the back of unit is exposed; field installation only.

Standard Includes

- Chassis and drawer fronts: wood or laminate
- Unfinished top and back.
- Locks; black

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option (omit for finish panel):
➤See page 497 for designators.
④ Lock option (omit for finish panel):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
⑤ Finish price group (omit for laminate)
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Square Profile Vertical Storage

Pricing

Lateral Files with Hinged Door Storage

GSA SIN 711-1
FSC-C010590 available

Features	➤See page 480
Product Information	497
Filing Capacities	482
Locking Information	501





D	*W*	*H*	*Model*	*Wood*	*Laminate*
Two Drawers and Hinged Doors					
22¾"	29⅞"	67½"	**FWL2H3068**	$4888	$3189
	35⅞"		**FWL2H3668**	5089	3575
Four Drawers and Hinged Doors					
22¾"	29⅞"	67½"	**FWL4H3068**	$4679	$3495
	35⅞"		**FWL4H3668**	4859	3878

Related Products:

D	*W*	*H*	*Model*	*Wood*	*Laminate*
Filler Strip					
1"	1⁹⁄₁₆"	27³⁄₁₆"	**FFFS0127**	$38	$29
		40³⁄₁₆"	**FFFS0140**	56	38
		53³⁄₁₆"	**FFFS0153**	73	52
		67³⁄₁₆"	**FFFS0168**	92	66

Specify lateral file filler strip when side of unit is exposed or to fill the space when finish panel is not used; field installation only.

Specify lateral file finish panel when the back of the unit is exposed; field installation only.
➤See page 550.

Standard Includes

- Chassis: wood or laminate
- Lock: black (standard on drawers; optional on hinged doors)
- Two adjustable shelves in the two-drawer model.

How to Specify

❶ Model
❷ Material:
W = Wood **L** = Laminate
③ Pull option (omit for finish panel):
➤See page 497 for designators.
④ Lock option:
KRB = Key random both doors and drawers (+$59)
KSB = Key specific both doors and drawers (+$15); specify two lock cores separately
XKRB = Non-locking door, key random locking drawers
XKSB = Non-locking door, key specific locking drawers (-$22); specify lock core separately
⑤ Finish price group (omit for lam):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Square Profile Vertical Storage

Pricing

Storage Cabinets

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 497
Filing Capacities 482
Locking Information 501





D	W	H	Model	Description	Wood	Laminate
Box/Box/File Below						
Door Hinged on Right						
23⅞"	17¹⁵⁄₁₆"	67½"	**FFBR2468**	Finished back	$4650	$4116
			FWBR2468	Unfinished back	4143	3727
Door Hinged on Left						
23⅞"	17¹⁵⁄₁₆"	67½"	**FFBL2468**	Finished back	$4650	$4116
			FWBL2468	Unfinished back	4143	3727
File/File Below						
Door Hinged on Right						
23⅞"	17¹⁵⁄₁₆"	67½"	**FFFR2468**	Finished back	$4650	$4116
			FWFR2468	Unfinished back	4143	3727
Door Hinged on Left						
23⅞"	17¹⁵⁄₁₆"	67½"	**FFFL2468**	Finished back	$4650	$4116
			FWFL2468	Unfinished back	4143	3727
Five Shelves						
Door Hinged on Right						
23⅞"	17¹⁵⁄₁₆"	67½"	**FFSR2468**	Finished back	$4103	$3691
			FWSR2468	Unfinished back	3603	3245
Door Hinged on Left						
23⅞"	17¹⁵⁄₁₆"	67½"	**FFSL2468**	Finished back	$4103	$3691
			FWSL2468	Unfinished back	3603	3245

Specify filler panel to fill in space between last storage cabinet and wall or panel.
➤See page 553.

Standard Includes

- Chassis: wood or laminate
- Shelves:
  - —Two adjustable (bottom shelf fixed) in box/box/file and file/file model
  - —Three adjustable (third and bottom shelf fixed) in five-shelf model
- Lock: black (standard on drawers; optional on hinged doors)

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Pull option (omit for finish panel):
➤See page 497 for designators.
④ Lock option:
KRB = Key random (+$59 for units with drawers; +$58 for all-shelf unit)
KSB = Key specific (+$36 for five-shelf; +$15 for BBF or FF); specify two lock cores separately
XKRB = Non-locking door, key random locking drawers (applies to cabinets with drawers only)
XKSB = Non-locking door, key specific locking drawers (-$22, applies to cabinets with drawers only)
X = Non-locking door (applies to cabinet with shelves only)
⑤ Finish price group (omit for lam):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Finish designator

Square Profile Vertical Storage

Pricing

Wardrobes

GSA SIN 711-1
FSC-C010590 available

Features ➤See page 480
Product Information 497
Locking Information 501





D	W	H	Model	Description	Wood	Laminate
18"W Wardrobe						
Door Hinged on Right						
23⅞"	17 15⁄16"	67½"	**FFWR2468**	Finished back	$3933	$3541
			FWWR2468	Unfinished back	3436	3090
Door Hinged on Left						
23⅞"	17 15⁄16"	67½"	**FFWL2468**	Finished back	$3933	$3541
			FWWL2468	Unfinished back	3436	3090
6"W Wardrobes						
Door Hinged on Right						
23⅞"	6¼"	67½"	**FFWR0668**	Finished back	$2755	$2476
			FWWR0668	Unfinished back	2403	2162
Door Hinged on Left						
23⅞"	6¼"	67½"	**FFWL0668**	Finished back	$2755	$2476
			FWWL0668	Unfinished back	2403	2162

Related Products:

D	W	H	Model	Description	Wood	Laminate
Filler Panels						
23⅞"	6"	66 15⁄16"	**FSFP0668**		$131	120
	12"		**FSFP1268**		269	249
	18"		**FSFP1868**		384	352
	24"		**FSFP2468**		490	449

Specify storage cabinet filler panel to fill in space between last storage cabinet and wall or panel.

6"W wardrobe is not freestanding and must be attached to adjacent storage or wall.

Standard Includes

Wardrobe
- Chassis and front: wood or laminate
- Hanging bar
- Adjustable shelf in 18"W model

Filler Panel
- Face and top: wood or select laminates

How to Specify

❶ Model
❷ Material:
W = Wood
L = Laminate
③ Lock option (omit for filler panel):
KRB = Key random (+$59); specify lock core separately
KSB = Key specific (+$36); specify lock core separately
X = No lock
④ Finish price group (omit for laminate):
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Finish designator

Flat Profile Vertical Storage (12S)

Pricing

Bookcases

GSA SIN 711-1

Features ➤See page 480
Product Information 498



D	*W*	*H*	*Model*	*Description*	*Price*
Two Shelves					
15 9/16"	35 15/16"	29 15/16"	**12S3630BCO**	Includes one adjustable shelf	$629
Three Shelves					
15 9/16"	35 15/16"	41 15/16" (shown)	**12S3642BCO**	Includes two adjustable shelves	$813
15 9/16"	35 15/16"	49 1/16"	**12S3650BCO**		894
Four Shelves					
15 9/16"	35 15/16"	53 15/16"	**12S3654BCO**	Includes three adjustable shelves	$965
Five Shelves					
15 9/16"	35 15/16"	65 15/16"	**12S3666BCO**	Includes four adjustable shelves	$1135

Standard Includes

- Chassis and shelves: metal; all paints
- Enclosed back

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

49 1/16"H models will align with 3.5-high Xsite frames and are compatible with 50"H Cetra panels.

Flat Profile Vertical Storage (12S)

Pricing

15"W Storage Towers—Metal

GSA SIN 711-1

Features ➤See page 480
Product Information 498
Filing Capacities 486
Locking Information 501





D	W	H	Model	Price
Door Hinged on Right				
File/File Below (shown)				
23⅞"	14 15/16"	42 1/16"	**12S1542VHR2M**	$1262
		49 1/16"	**12S1550VHR2M**	1302
		53 15/16"	**12S1554VHR2M**	1369
		65 15/16"	**12S1566VHR2M**	1436
Box/Box/File Below				
23⅞"	14 15/16"	42 1/16"	**12S1542VHR1M**	$1324
		49 1/16"	**12S1550VHR1M**	1364
		53 15/16"	**12S1554VHR1M**	1431
		65 15/16"	**12S1566VHR1M**	1498
Door Hinged on Left				
File/File Below (shown)				
23⅞"	14 15/16"	42 1/16"	**12S1542VHL2M**	$1262
		49 1/16"	**12S1550VHL2M**	1302
		53 15/16"	**12S1554VHL2M**	1369
		65 15/16"	**12S1566VHL2M**	1436
Box/Box/File Below				
23⅞"	14 15/16"	42 1/16"	**12S1542VHL1M**	$1324
		49 1/16"	**12S1550VHL1M**	1364
		53 15/16"	**12S1554VHL1M**	1431
		65 15/16"	**12S1566VHL1M**	1498

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 560.

Standard Includes

- Chassis: metal; all paints
- Door and drawer fronts: metal
- Two locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 500 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$44); specify 2 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Flat Profile Vertical Storage (12S)

Pricing

15"W Storage Towers—Metal with Wood Front

GSA SIN 711-1

Features	➤See page 480
Product Information	498
Filing Capacities	486
Locking Information	501

D	*W*	*H*	*Model*	*Price*
Door Hinged on Right				
Box/Box/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHR1MW**	$2534
		49 1/16"	**12S1550VHR1MW**	2574
		53 15/16"	**12S1554VHR1MW**	2707
		65 15/16"	**12S1566VHR1MW**	2734
File/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHR2MW**	$2472
		49 1/16"	**12S1550VHR2MW**	2512
		53 15/16"	**12S1554VHR2MW**	2645
		65 15/16"	**12S1566VHR2MW**	2775
Door Hinged on Left				
Box/Box/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHL1MW**	$2534
		49 1/16"	**12S1550VHL1MW**	2574
		53 15/16"	**12S1554VHL1MW**	2707
		65 15/16"	**12S1566VHL1MW**	2734
File/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHL2MW**	$2472
		49 1/16"	**12S1550VHL2MW**	2512
		53 15/16"	**12S1554VHL2MW**	2645
		65 15/16"	**12S1566VHL2MW**	2775

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 560.

Standard Includes

- Chassis: metal
- Door/drawer fronts: wood
- Pulls
- Two locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 500 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$44); specify 2 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

Flat Profile Vertical Storage (12S)

Pricing

24"W Side-Access Storage Towers—Metal

GSA SIN 711-1

Features ➤See page 480
Product Information 498
Filing Capacities 486
Locking Information 501



D	W	H	Model	Price
Wardrobe, Side-Access Open Shelves, and Box/Box/File				
Wardrobe Right (shown)				
23⅞"	24"	42 1/16"	**12S2442VBWHR1M**	$1971
		49 1/16"	**12S2450VBWHR1M**	2029
		53 15/16"	**12S2454VBWHR1M**	2134
		65 15/16"	**12S2466VBWHR1M**	2296
Wardrobe Left				
23⅞"	24"	42 1/16"	**12S2442VBWHL1M**	$1971
		49 1/16"	**12S2450VBWHL1M**	2029
		53 15/16"	**12S2454VBWHL1M**	2134
		65 15/16"	**12S2466VBWHL1M**	2296
Wardrobe, Side-Access Open Shelves, and File/File				
Wardrobe Right (shown)				
23⅞"	24"	42 1/16"	**12S2442VBWHR2M**	$1909
		49 1/16"	**12S2450VBWHR2M**	1967
		53 15/16"	**12S2454VBWHR2M**	2072
		65 15/16"	**12S2466VBWHR2M**	2234
Wardrobe Left				
23⅞"	24"	42 1/16"	**12S2442VBWHL2M**	$1909
		49 1/16"	**12S2450VBWHL2M**	1967
		53 15/16"	**12S2454VBWHL2M**	2072
		65 15/16"	**12S2466VBWHL2M**	2234

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Side-access storage towers with wood front are not available.

Tower Spacers
➤See page 560.

Standard Includes

- Chassis: metal
- Door and drawer fronts: metal
- Coat hook in 42"H unit; coat rod in 50"H–66"H units: galvanized finish
- Two locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 500 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$44); specify 2 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Flat Profile Vertical Storage (12S)

Pricing

24"W Front-Access Storage Towers—Metal

GSA SIN 711-1

Features ➤See page 480
Product Information 498
Filing Capacities 486
Locking Information 501



D	*W*	*H*	*Model*	*Price*
Wardrobe, Hinged Door, and File/File				
Wardrobe Right (shown)				
23⅞"	24"	42 1/16"	**12S2442VHHR2M**	$1682
		49 1/16"	**12S2450VHHR2M**	1735
		53 15/16"	**12S2454VHHR2M**	1872
		65 15/16"	**12S2466VHHR2M**	2078
Wardrobe Left				
23⅞"	24"	42 1/16"	**12S2442VHHL2M**	$1682
		49 1/16"	**12S2450VHHL2M**	1735
		53 15/16"	**12S2454VHHL2M**	1872
		65 15/16"	**12S2466VHHL2M**	2078

Standard Includes

- Chassis: metal
- Door and drawer fronts: metal
- Coat hook in 42"H unit; coat rod in 50"H–66"H units: galvanized finish
- Three locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 500 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$66); specify 3 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 560.

Flat Profile Vertical Storage (12S)

Pricing

24"W Front-Access Storage Towers—Metal with Wood Front

GSA SIN 711-1

Features ➤See page 480
Product Information 498
Filing Capacities 486
Locking Information 501



D	*W*	*H*	*Model*	*Price*
Wardrobe, Hinged Door, and File/File				
Wardrobe Right (shown)				
24"	24"	49 1/16"	**12S2450VHHR2MW**	$3434
		53 15/16"	**12S2454VHHR2MW**	3615
		65 15/16"	**12S2466VHHR2MW**	3899
Wardrobe Left				
24"	24"	49 1/16"	**12S2450VHHL2MW**	$3434
		53 15/16"	**12S2454VHHL2MW**	3615
		65 15/16"	**12S2466VHHL2MW**	3899

Standard Includes

- Chassis: metal
- Door and drawer fronts: wood
- Coat hook in 42"H unit; coat rod in 50"H–66"H units: galvanized finish
- Three locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 500 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$66); specify 3 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 560.

Flat Profile Vertical Storage (12S)

Pricing

Tower Spacers for Use with 15"W or 24"W Vertical Storage

GSA SIN 711-1

Features ➤See page 480
Product Information 498

D	*W*	*H*	*Model*	*Price*
For Use When Tower Depth Equals Worksurface Depth				
2¾"	15"	42 1/16"	**12S154203VSSP**	$638
		49 1/16"	**12S155003VSSP**	669
2¾"	24"	42 1/16"	**12S244203VSSP**	638
		49 1/16"	**12S245003VSSP**	669
For Use When One Tower is 6" Less Deep than the Worksurface Depth				
8¾"	15"	42 1/16"	**12S154209VSSP**	$697
		49 1/16"	**12S155009VSSP**	731
8¾"	24"	42 1/16"	**12S244209VSSP**	697
		49 1/16"	**12S245009VSSP**	731
For Use When Both Towers are 6" Less Deep than Worksurface Depth				
14⅝"	15"	42 1/16"	**12S154215VSSP**	$754
		49 1/16"	**12S155015VSSP**	785
14⅝"	24"	42 1/16"	**12S244215VSSP**	754
		49 1/16"	**12S245015VSSP**	785

Standard Includes

- Tower spacer: metal

How to Specify

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator



IMPORTANT: These models are for use with 12S vertical storage only. Height of tower spacer must match the height and width of the two vertical storage models being placed back to back.

Flat Profile Vertical Storage (14S)

Pricing

12"W Wardrobes

GSA SIN 711-1



Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

IMPORTANT: Shelves are specified separately for field installation. Shelves are adjustable in ½" increments.

Tower Spacers
➤See page 567.

*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Door Hinged on Right							
18"	12"	38 11/32"	42 1/16"	42 1/16"	**14S121842VHRWM**	$918	$1093
		45 11/32"	49 1/16"	49 1/16"	**14S121850VHRWM**	964	1139
		50 7/32"	53 15/16"	53 15/16"	**14S121854VHRWM**	1008	1183
		62 7/32"	65 15/16"	65 15/16"	**14S121866VHRWM**	1044	1219
24"	12"	38 11/32"	42 1/16"	42 1/16"	**14S122442VHRWM**	974	1149
		45 11/32"	49 1/16"	49 1/16"	**14S122450VHRWM**	1020	1195
		50 7/32"	53 15/16"	53 15/16"	**14S122454VHRWM**	1064	1239
		62 7/32"	65 15/16"	65 15/16"	**14S122466VHRWM**	1100	1275
Door Hinged on Left							
18"	12"	38 11/32"	42 1/16"	42 1/16"	**14S121842VHLWM**	$918	$1093
		45 11/32"	49 1/16"	49 1/16"	**14S121850VHLWM**	964	1139
		50 7/32"	53 15/16"	53 15/16"	**14S121854VHLWM**	1013	1183
		62 7/32"	65 15/16"	65 15/16"	**14S121866VHLWM**	1044	1219
24"	12"	38 11/32"	42 1/16"	42 1/16"	**14S122442VHLWM**	974	1149
		45 11/32"	49 1/16"	49 1/16"	**14S122450VHLWM**	1020	1195
		50 7/32"	53 15/16"	53 15/16"	**14S122454VHLWM**	1074	1239
		62 7/32"	65 15/16"	65 15/16"	**14S122466VHLWM**	1100	1275

* Depth dimension listed represents Unit with TFL front; metal-front models are 1/16" less deep.

Related Products:

D	*W*	*Model*	*Price*
Adjustable Shelves			
17¾"	12"	**14S1812SH**	$75
23¾"		**14S2412SH**	78
Coat Rod (for use with 24"D wardrobes)			
	12"	**14S12CR**	$63

Features	➤See page 480
Product Information	499
Filing Capacities	486
Locking Information	501

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Coat hook on 18"D units
- Floor glides

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 500 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Shelves

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator

Flat Profile Vertical Storage (14S)

Pricing

12"W Personal Storage Lockers

GSA SIN 711-1





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Number of Doors/ Optional Locks*	*Model*	*Metal Front*	*TFL Front*
Door(s) Hinged on Right								
18"	12"	38 11/32"	42 1/16"	42 1/16"	2	**14S121842VPLRM**	$1282	$1511
		45 11/32"	49 1/16"	49 1/16"	3	**14S121850VPLRM**	1342	1571
		50 7/32"	53 15/16"	53 15/16"	3	**14S121854VPLRM**	1400	1629
		62 7/32"	65 15/16"	65 15/16"	4	**14S121866VPLRM**	1447	1676
24"	12"	38 11/32"	42 1/16"	42 1/16"	2	**14S122442VPLRM**	1355	1584
		45 11/32"	49 1/16"	49 1/16"	3	**14S122450VPLRM**	1415	1644
		50 7/32"	53 15/16"	53 15/16"	3	**14S122454VPLRM**	1473	1702
		62 7/32"	65 15/16"	65 15/16"	4	**14S122466VPLRM**	1520	1749
Door(s) Hinged on Left								
18"	12"	38 11/32"	42 1/16"	42 1/16"	2	**14S121842VPLLM**	$1282	$1511
		45 11/32"	49 1/16"	49 1/16"	3	**14S121850VPLLM**	1342	1571
		50 7/32"	53 15/16"	53 15/16"	3	**14S121854VPLLM**	1400	1629
		62 7/32"	65 15/16"	65 15/16"	4	**14S121866VPLLM**	1447	1676
24"	12"	38 11/32"	42 1/16"	42 1/16"	2	**14S122442VPLLM**	1355	1584
		45 11/32"	49 1/16"	49 1/16"	3	**14S122450VPLLM**	1415	1644
		50 7/32"	53 15/16"	53 15/16"	3	**14S122454VPLLM**	1473	1702
		62 7/32"	65 15/16"	65 15/16"	4	**14S122466VPLLM**	1520	1749

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

Tower Spacers
➤See page 567.

Features	➤See page 480
Product Information	499
Filing Capacities	486
Locking Information	501

Standard Includes

- Chassis: metal
- Doors: metal or TFL
- Floor glides

How to Specify

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 500 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71 per lock)
KRS = Key random, silver (+$71 per lock)
KSB = Key specific, black (+$50 per lock)
KSS = Key specific, silver (+$50 per lock)
Note: Specify lock core(s) separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

Pricing

15"W Front-Access Storage Towers

GSA SIN 711-1

Features	➤See page 480
Product Information	499
Filing Capacities	486
Locking Information	501





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Number of Doors/ Optional Locks*	*Model*	*Metal Front*	*TFL Front*
Door Hinged on Right								
Box/Box/File Below								
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S151842VHR1M**	$1220	$1395
		45 11/32"	49 1/16"	49 1/16"	2	**14S151850VHR1M**	1259	1434
		50 7/32"	53 15/16"	53 15/16"	2	**14S151854VHR1M**	1324	1499
		62 7/32"	65 15/16"	65 15/16"	2	**14S151866VHR1M**	1389	1564
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S152442VHR1M**	1282	1457
		45 11/32"	49 1/16"	49 1/16"	2	**14S152450VHR1M**	1321	1496
		50 7/32"	53 15/16"	53 15/16"	2	**14S152454VHR1M**	1386	1561
		62 7/32"	65 15/16"	65 15/16"	2	**14S152466VHR1M**	1451	1626
File/File Below								
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S151842VHR2M**	$1166	$1341
		45 11/32"	49 1/16"	49 1/16"	2	**14S151850VHR2M**	1203	1378
		50 7/32"	53 15/16"	53 15/16"	2	**14S151854VHR2M**	1265	1440
		62 7/32"	65 15/16"	65 15/16"	2	**14S151866VHR2M**	1326	1501
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S152442VHR2M**	1222	1397
		45 11/32"	49 1/16"	49 1/16"	2	**14S152450VHR2M**	1261	1436
		50 7/32"	53 15/16"	53 15/16"	2	**14S152454VHR2M**	1326	1501
		62 7/32"	65 15/16"	65 15/16"	2	**14S152466VHR2M**	1391	1566

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See next page for models with door hinged on left.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

Tower Spacers
➤See page 567.

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- Coat hook in 18"D units
- One adjustable shelf in 50" and 54"H models; two adjustables shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 500 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$142)
KRS = Key random, silver (+$142)
KSB = Key specific, black (+$100)
KSS = Key specific, silver (+$100)
Note: Specify two lock cores separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

Pricing

15"W Front-Access Storage Towers, continued

GSA SIN 711-1





Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

Tower Spacers
➤See page 567.

*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Number of Doors/ Optional Locks*	*Model*	*Metal Front*	*TFL Front*
Door Hinged on Left								
Box/Box/File Below								
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S151842VHL1M**	$1220	$1395
		45 11/32"	49 1/16"	49 1/16"	2	**14S151850VHL1M**	1259	1434
		50 7/32"	53 15/16"	53 15/16"	2	**14S151854VHL1M**	1324	1499
		62 7/32"	65 15/16"	65 15/16"	2	**14S151866VHL1M**	1389	1564
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S152442VHL1M**	1282	1457
		45 11/32"	49 1/16"	49 1/16"	2	**14S152450VHL1M**	1321	1496
		50 7/32"	53 15/16"	53 15/16"	2	**14S152454VHL1M**	1386	1561
		62 7/32"	65 15/16"	65 15/16"	2	**14S152466VHL1M**	1451	1626
File/File Below								
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S151842VHL2M**	$1166	$1341
		45 11/32"	49 1/16"	49 1/16"	2	**14S151850VHL2M**	1203	1378
		50 7/32"	53 15/16"	53 15/16"	2	**14S151854VHL2M**	1265	1440
		62 7/32"	65 15/16"	65 15/16"	2	**14S151866VHL2M**	1326	1378
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	2	**14S152442VHL2M**	1222	1397
		45 11/32"	49 1/16"	49 1/16"	2	**14S152450VHL2M**	1261	1436
		50 7/32"	53 15/16"	53 15/16"	2	**14S152454VHL2M**	1326	1501
		62 7/32"	65 15/16"	65 15/16"	2	**14S152466VHL2M**	1391	1566

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See previous page for models with door hinged on right.

Features ➤See page 480
Product Information 499
Filing Capacities 486
Locking Information 501

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- Coat hook in 18"D units
- One adjustable shelf in 50" and 54"H models; two adjustables shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 500 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$142)
KRS = Key random, silver (+$142)
KSB = Key specific, black (+$100)
KSS = Key specific, silver (+$100)
Note: Specify two lock cores separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

Pricing

15"W Side-Access Storage Towers

GSA SIN 711-1

Features	➤See page 480
Product Information	499
Filing Capacities	486
Locking Information	501





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Side-Access Open Shelves on Right							
Box/Box/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S151842VOR1M**	$1366	$1541
		45 11/32"	49 1/16"	49 1/16"	**14S151850VOR1M**	1410	1585
		50 7/32"	53 15/16"	53 15/16"	**14S151854VOR1M**	1459	1634
		62 7/32"	65 15/16"	65 15/16"	**14S151866VOR1M**	1492	1667
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S152442VOR1M**	1428	1603
		45 11/32"	49 1/16"	49 1/16"	**14S152450VOR1M**	1472	1647
		50 7/32"	53 15/16"	53 15/16"	**14S152454VOR1M**	1521	1696
		62 7/32"	65 15/16"	65 15/16"	**14S152466VOR1M**	1554	1729
File/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S151842VOR2M**	$1310	$1485
		45 11/32"	49 1/16"	49 1/16"	**14S151850VOR2M**	1354	1539
		50 7/32"	53 15/16"	53 15/16"	**14S151854VOR2M**	1403	1578
		62 7/32"	65 15/16"	65 15/16"	**14S151866VOR2M**	1436	1611
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S152442VOR2M**	1372	1547
		45 11/32"	49 1/16"	49 1/16"	**14S152450VOR2M**	1400	1575
		50 7/32"	53 15/16"	53 15/16"	**14S152454VOR2M**	1449	1624
		62 7/32"	65 15/16"	65 15/16"	**14S152466VOR2M**	1498	1673

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See next page for models with shelves on left.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

Tower Spacers
➤See page 567.

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- One adjustable shelf in 50" and 54"H models; two adjustables shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 500 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

Pricing

15"W Side-Access Storage Towers, continued

GSA SIN 711-1

Features ➤See page 480
Product Information 499
Filing Capacities 486
Locking Information 501





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Side-Access Open Shelves on Left							
Box/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S151842VOL1M**	$1366	$1541
		45 11/32"	49 1/16"	49 1/16"	**14S151850VOL1M**	1410	1585
		50 7/32"	53 15/16"	53 15/16"	**14S151854VOL1M**	1459	1634
		62 7/32"	65 15/16"	65 15/16"	**14S151866VOL1M**	1492	1667
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S152442VOL1M**	1428	1603
		45 11/32"	49 1/16"	49 1/16"	**14S152450VOL1M**	1472	1647
		50 7/32"	53 15/16"	53 15/16"	**14S152454VOL1M**	1521	1696
		62 7/32"	65 15/16"	65 15/16"	**14S152466VOL1M**	1554	1729
File/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S151842VOL2M**	$1310	$1485
		45 11/32"	49 1/16"	49 1/16"	**14S151850VOL2M**	1354	1539
		50 7/32"	53 15/16"	53 15/16"	**14S151854VOL2M**	1403	1578
		62 7/32"	65 15/16"	65 15/16"	**14S151866VOL2M**	1436	1611
24"	14 15/16"	38 11/32"	42 1/16"	42 1/16"	**14S152442VOL2M**	1372	1547
		45 11/32"	49 1/16"	49 1/16"	**14S152450VOL2M**	1400	1575
		50 7/32"	53 15/16"	53 15/16"	**14S152454VOL2M**	1449	1634
		62 7/32"	65 15/16"	65 15/16"	**14S152466VOL2M**	1498	1673

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See previous page for models with shelves on right.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.

Tower Spacers
➤See page 567.

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- One adjustable shelf in 50" and 54"H models; two adjustables shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 500 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

Pricing

Tower Spacers for Use with 12"W or 15"W Vertical Storage

GSA SIN 711-1

Features ➤See page 480
Product Information 499

D*	W	Installed-Height with Glides	Legs	Casters	Model	Metal Front	TFL Front
For Use When Tower Depth Equals Worksurface Depth							
2¾"	12"	38 11/32"	42 1/16"	42 1/16"	**14S123803VSSP**		$618
		45 11/32"	49 1/16"	49 1/16"	**14S124603VSSP**		648
2¾"	15"	38 11/32"	42 1/16"	42 1/16"	**14S153803VSSP**		618
		45 11/32"	49 1/16"	49 1/16"	**14S154603VSSP**		648
For Use When One Tower is 6" Less Deep than the Worksurface Depth							
8¾"	12"	38 11/32"	42 1/16"	42 1/16"	**14S123809VSSP**		$675
		45 11/32"	49 1/16"	49 1/16"	**14S124609VSSP**		708
8¾"	15"	38 11/32"	42 1/16"	42 1/16"	**14S153809VSSP**		675
		45 11/32"	49 1/16"	49 1/16"	**14S154609VSSP**		708
For Use When Both Towers are 6" Less Deep than Worksurface Depth							
14 5/8"	12"	38 11/32"	42 1/16"	42 1/16"	**14S123815VSSP**		$730
		45 11/32"	49 1/16"	49 1/16"	**14S124615VSSP**		760
14 5/8"	15"	38 11/32"	42 1/16"	42 1/16"	**14S153815VSSP**		730
		45 11/32"	49 1/16"	49 1/16"	**14S154615VSSP**		760

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede and 3-high Xsite frames, and are compatible with 42"H Cetra panels.

49 1/16"H models will align with 50"H Xsede and 3.5-high Xsite frames, and are compatible with 50"H Cetra panels.



IMPORTANT: These models are for use with 14S vertical storage only. Height of tower spacer must match the height and width of the two vertical storage models being placed back to back.

Standard Includes

- Tower spacer: metal

How to Specify

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator
④ Support option (include for 14 5/8"D models only):
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Notes

LIGHTING

for Systems

Table of Contents



Task Lights

Task Lights for Use in Chicago

Daisy-Chain Task Lights



LED Lights



Daisy-Chain LED Lights

	➤See page
Task Lights	570
Product Information	570
Pricing & Specifying	571
LED Lights	572
Product Information	572
Pricing & Specifying	573

Task Lights

Statement of Line ➤See page 569
Pricing 571

Details



Task lights mount under overhead storage units (excluding center-mount and cubby storage). They feature a 9' cord with 90° plug and southwest oriented prongs. Electronic ballast minimizes flicker and is less susceptible to voltage variations. The T5 cool white, single tube lamp is energy efficient and has a color rendering index of 85 and a color temperature of 3500k.



Task lights for use in Chicago have a fused plug.

Starter

Middle



End

Daisy-chain task lights are specified based on their location within the chain. The starter model has a 9' power cord with 90° southwest-oriented, fused plug that plugs into a standard power outlet and a 6" female ganging connector. The middle model has two jumper cords: one 70" cord with a male plug and one 6" female cord. The end model has a 70" jumper cord with male plug. The maximum distance between two T5 fixtures is 20".

All lighting components are U.L. approved.

Connections

Wood screws and spring bars are standard with task lights to attach the fixture to wood or metal overhead storage units.



Quick release brackets are available, if required by local codes.

Mounting requirements, cord lengths, and cord access restrictions vary according to local standards. Consult local codes prior to specifying.

Power & Data

Task lights can be master controlled from a switch at the entrance panel by reserving one of the available circuits in the panel wiring system for lighting only.

Daisy chaining task light units together allows multiple fixtures to access a single power outlet.

A maximum of five task light fixtures can be linked to a single power source.

Related Products

Vertical cable managers are available separately to conceal task light cords.
➤See page 108 for use with Cetra.
➤See page 240 for use with Xsite.
➤See page 332 for use with Interworks EQ.

Task Lights

Pricing

GSA SIN 711-1

Statement of Line ➤See page 569
Product Information 570





D	*W*	*H*	*Model*	*Description*	*Price*
Task Lights					
4⅜"	13"	1⁵⁄₁₆"	**KSU14TL** K	For use with 24"W units.	$222
	23¼"		**KSU25TL** K	For use with 30"–36"W units.	231
	35"		**KSU37TL** K	For use with 42"–48"W units.	249
	46⅞"		**KSU49TL** K	For use with 54"–72"W units.	263
For Use in Chicago					
4⅜"	13"	1⁵⁄₁₆"	**KSU14TLC**	For use with 24"W units.	$326
	23¼"		**KSU25TLC**	For use with 30"–36"W units.	335
	35"		**KSU37TLC**	For use with 42"–48"W units.	352
	46⅞"		**KSU49TLC**	For use with 54"–72"W units.	363
Daisy-Chain Task Lights					
4⅜"	23¼"	1⁵⁄₁₆"	**KSU25TLG**	For use with 30"–36"W units.	$299
	35"		**KSU37TLG**	For use with 42"–48"W units.	312
	46⅞"		**KSU49TLG**	For use with 54"–72"W units.	331

Related Products:

Quick Release Task Light Brackets			
	KSUTLBR K	Set of two. For use with laminate or wood storage. Required by some local codes.	$32

Daisy-chain task lights are limited to 5 units per single power source. Specify position: starter, middle, or end.

All lighting components are U.L. approved. Consult local codes for application restrictions.

For use on highback organizers and overhead storage.

Specify quick release brackets separately as required by local codes.

Standard Includes

- Fixture: black
- T5 cool white single tube lamp:
  14 watt on 23"W light;
  21 watt on 35"W light;
  28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch; center
- 90° cord plug with southwest orientation prong configuration; Chicago unit features a fused plug
- 9' cord attached in center of fixture

How to Specify

Task Light

❶ Model

Daisy-Chain Task Light

❶ Model
❷ Position in chain:
S = Starter
M = Middle
E = End

K = Kwik Office model available.

LED Lights

Details



LED lights are a low-profile, linear solution for overhead cabinets, center-mount overheads, highback organizers, cubby storage, and shelves. LED lights provide a 3300K color temperature and consume less power; rated at 50,000 life hours. They utilize the latest technology for high light output with nearly no heat production. LEDs do not produce UV emissions.

Number of LED lights varies by fixture width:
16"W models include 56 LEDs
24"W models include 104 LEDs
30"W models include 132 LEDs
62"W models include 264 LEDs

All units feature a silver aluminum finish and a toggle switch. 62"W models have two toggle switches.



16", 24", and 30"W LED light fixtures include a 6' cord with an 3¼"W x 1½"D x 1½"H plug featuring a built-in UL1310 class II power supply. Standard models plug directly into power receptacle; they cannot be daisy chained.



62"W LED light fixture includes a two-piece 12' cord with an in-line 4⅛"W x 1¼"D x 1¾"H UL1310 class II power supply. 62"W standard models cannot be daisy chained.



Daisy chain application requires a starter unit and is limited to 2 add-on units (3 fixtures total) per power source. A combination of fixture widths can be combined to obtain the desired length.



Daisy chain starter unit includes the fixture, a two-piece 12' cord with an in-line 4⅛"W x 1¼"D x 1¾"H UL1310 class II power supply, two 6' interconnect cords (black), and two jumper pins.

Black power cords are removable and can be plugged into either end of the fixture.



Daisy chain add-on units do not include a power supply or cords and must be used in conjunction with a starter unit.

Meets California Title 24.

Assembled in the USA.

Connections

Magnetic mounting concealed inside the fixture allows attachment to the underside of metal overhead storage cabinets.



Woods screws are included for attaching fixtures to wood overhead storage.

Mounting requirements, cord lengths, and cord access restrictions vary according to local standards. Consult local codes prior to specifying.

LED Lights

Pricing

GSA SIN 711-1

Statement of Line ➤See page 569
Product Information 572



62"W model

D	*W*	*H*	*Model*	*Description*	*Price*
LED Lights					
1"	15½"	1"	**KSU16TLKL**	For use with 30"W or smaller units. 56 LED lights.	$368
	23¾"		**KSU25TLKL**	For use with 30"W units. 104 LED lights.	420
	30½"		**KSU33TLKL**	For use with 36"–66"W units. 132 LED lights.	530
	62"		**KSU63TLKL**	For use with 72"–90"W units. 264 LED lights.	815
Daisy Chain LED Lights					
Starter Units					
1"	15½"	1"	**KSU16TLKLGS**	For use with 30"W or smaller units. 56 LED lights.	$432
	23¾"		**KSU25TLKLGS**	For use with 30"W units. 104 LED lights.	493
	30½"		**KSU33TLKLGS**	For use with 36"–66"W units. 132 LED lights.	620
Add-On Units					
1"	15½"	1"	**KSU16TLKLGA**	For use with 30"W or smaller units. 56 LED lights.	$303
	23¾"		**KSU25TLKLGA**	For use with 30"W units. 104 LED lights.	345
	30½"		**KSU33TLKLGA**	For use with 36"–66"W units. 132 LED lights.	435

Daisy chain add-on units do not include cords or power supplies and must be used in conjunction with a starter unit.

Standard Includes

- Fixture: silver aluminum finish
- One toggle switch on 16", 24", and 30"W models; two toggle switches on 62"W model.
- Black power cord and power supply:
  - —6' cord and plug with built-in power supply on 16", 24", and 30"W standard models
  - —Two-piece 12' cord with in-line power supply on 62"W standard model and all daisy chain starter units
- Two 6' interconnect cords and two jumper pins on daisy chain starter units
- Concealed magnet and wood screws
- Self-adhesive wire manager

How to Specify

❶ Model

Notes

Samples:

Samples of wood finishes, paints, and laminates are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur in color and texture.

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	576
Wood Finishes	577
Special Wood Finishes	578
Characteristics & Care	579
Paint, PVC, and Polymer	580
Customer-Specified Paint	582
Laminate	583
Woodgrain, Solid, CSL	583
Pattern	584
CSL	585
3D Laminate	586
Fabrics	587
ACT Performance Icons	587
Fabric Application Matrix	588
Panel Fabrics	589
Seating Fabrics	592
COM	596
COM Yardage Req.	597

Program Overview

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminates	583
Fabrics	587

Kimball Office offers a diverse collection of surface materials. Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Generations Collection:

The Generations Collection is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support long-standing customers and to help transition you to the current offering. ➤Visit kimballoffice.com to see the Generations Collection.

IMPORTANT: Materials in this collection should not be used to set standard color palettes for new installations.

Materials in this offering can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 610 for complete warranty information.

Wood Finishes

	Cherry					Maple			Oak			Walnut						Sapele			Zebrawood		
	MC Amber	CC Cordoba	MH Mocha	SC Sedona		IM Brighton	TM Huntington		CO Canyon	YO Monterey		ES Espresso	MW Midtown	TW Tribeca	NW Tuscan	UW Urban		CS Coco	SS Sienna		CZ Clear		
Price Group	1	1	1	1		1	1		1	1		1	1	1	1	1		2	2		2		
Cetra Wood Panels & Tiles	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Top Caps, Glass Frames	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Connectors, Trim	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Doors	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Xsite Wood Tiles	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Top Caps, Connectors	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Trim, Doors	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Glass & Pass-thru Tile Frames	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Storage Tile Frames	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Footprint																							
1 3/16" Worksurfaces & Rims	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
1 9/16" Worksurfaces & Rims	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Transaction Counters for Cetra	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Table Tops	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Wood Support	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Modesty Panels	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Mobile Tables	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Square Profile Storage	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Radius Profile Storage	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•				
Flat Profile Wood Fronts	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Bookcases	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Filler Panels & Filler Strips	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		
Finish Back Panels	•	•	•	•		•	•		•	•		•	•	•	•	•		•	•		•		

Key:

• = Available color

Price Groups:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact ***By Design*** to review veneer options and discuss special quotes.

➤See page 579 for program overview.
➤See page 579 for wood finish characteristics, care and maintenance.

Special Wood Finishes

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminates	583
Fabrics	587

Previously developed and custom finishes are available for special requirements. Kimball Office has an extensive library of previously developed special finishes which may be an acceptable match for your application. If not, a custom finish can be developed to meet specific needs.

Samples of previously developed special finishes are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. The matrix at right shows the types of woods used for each series.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

	Cherry	*Maple*	*Walnut*	*Sapele*
Price Group	*1*	*1*	*1*	*2*
Cetra	•	•	•	•
Xsite	•	•	•	•
Footprint	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood.

Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. Custom finishes will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used. Models receiving a special finish will also be assessed an upcharge.

A **10%** upcharge per line item (model number) for special wood finishes applies. Upcharge is calculated on the base price, before other option upcharges are added.

.

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD or STD2):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator provided to you by Customer Service.

Sample:
① ②
SS2424WSSW3 F ZWAL1
③
WA00554KOG 480

Kimball® Office

Wood Finish Characteristics

Including Care and Maintenance Tips

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminates	583
Fabrics	587

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Cetra, Xsite, and Footprint wood surfaces feature a semi-open pore finish with 50 sheen.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Brighton maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

All walnut veneers are flat cut and applied book and center matched.

Maple and cherry veneers are slip matched. However, there may be a slight difference in the color of adjacent leaves and perpendicular arrangements.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

The beauty of wood is that it is a natural product that will have differences in grain characteristics, color, and other features among wood species. For the majority of our customers, the characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

Specification of particular cuts, characteristics, or wood species can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office systems products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, PVC, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Paint, PVC, & Polymer

Key:
- ● = Available color
- Ⓚ = Available on Kwik Office models

	Solid Colors																							Metallic					
	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	499 Satin	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby		514 Carbon Metallic	507 Patina Metallic	501 Platinum Metallic	505 Satin Bronze Metallic	544 Silver Pearl	504 Taupe Metallic
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		M	M	M	M	M	M
Cetra																													
Panel & Door Faces	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●							
Painted Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●							
Floor-to-Ceiling Top Channel	●			●	●	●					●		●			●				●									
All other painted surfaces	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Privacy Panel Frames					●																					●			
Xsite																													
Sliding Privacy Door Frames	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Hinged Door Faces	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●							
Painted Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●							
All other painted surfaces	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Interworks EQ																													
Panel Frames & Wireway Covers	●Ⓚ			●Ⓚ	●Ⓚ	●Ⓚ	●	●			●Ⓚ		●Ⓚ			●Ⓚ		●		●Ⓚ						●				
Top Caps	●Ⓚ			●Ⓚ	●Ⓚ	●Ⓚ	●	●			●Ⓚ		●Ⓚ			●Ⓚ		●		●Ⓚ						●				
Panel Hinges	●Ⓚ			●Ⓚ	●Ⓚ	●Ⓚ	●	●			●Ⓚ		●Ⓚ			●Ⓚ		●		●Ⓚ										
Metal Tiles	●			●	●	●	●	●			●		●			●		●		●						●				
Glass Tile Frames	●			●	●	●	●	●			●		●			●		●		●						●				
All other painted surfaces	●			●	●	●	●	●			●		●			●		●		●						●				
Traxx	●Ⓚ	●	●	●Ⓚ	●Ⓚ	●Ⓚ	●	●	●	●	●Ⓚ	●	●Ⓚ	●	●	●Ⓚ	●Ⓚ	●	●	●Ⓚ	●	●		●	●	●	●		●
End Trim & Trim Channels	●Ⓚ	●	●	●Ⓚ	●Ⓚ	●Ⓚ	●	●	●	●	●Ⓚ	●	●Ⓚ	●	●	●Ⓚ		●	●	●Ⓚ	●	●		●	●	●	●	●	●
Worksurface Brackets					●																								
Brackets for Bevel Overheads	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●	●	●
Brackets for Lunar Overheads	●				●	●		●			●		●			●				●						●				
Brackets for all other Overheads					●																								
Spacers, Trim Caps, Slat Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●	●	●

Metallic:

10% upcharge applies for price group M metallic finishes.

IMPORTANT: Due to the reflective qualities of metallic paints, variations in color may occur.

** Paint color on brackets for panel-mount flat profile sliding-door overheads will match the color specified for the chassis.*

Paint, PVC, & Polymer

continued

	Solid Colors																							Metallic					
	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	499 Satin	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby		514 Carbon Metallic	507 Patina Metallic	501 Platinum Metallic	505 Satin Bronze Metallic	544 Silver Pearl	504 Taupe Metallic
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		M	M	M	M	M	M
Footprint																													
Softened PVC Rim*	●Ⓚ			●Ⓚ	●Ⓚ	●Ⓚ	●	●			●Ⓚ	●	●Ⓚ			●Ⓚ		●		●Ⓚ		●								
Wire Mgr. on Wood or Laminate	●Ⓚ			●Ⓚ	●Ⓚ	●Ⓚ	●	●			●Ⓚ	●	●Ⓚ			●Ⓚ		●		●Ⓚ										
Wire Mgr. on 3D Laminate	●				●	●	●	●			●	●				●				●										
Wire Mgr. Filler Cap	●			●	●	●	●	●			●	●	●			●		●		●										
Support for Xsite & Interworks EQ	●Ⓚ	●	●	●Ⓚ	●Ⓚ	●Ⓚ	●	●	●	●	●Ⓚ	●	●Ⓚ	●	●	●Ⓚ		●	●	●Ⓚ	●	●		●	●	●	●		●
Brackets for Cetra, Traxx, EQ					●Ⓚ																								
Transaction Shelf Brackets	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Trans. Counter Brackets for EQ	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Worksurface Brackets for Xsite	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Bevel OH Brackets for Xsite	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Center-Mount OH Brackets	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Lunar OH Brackets for Xsite	●				●	●		●			●		●			●				●						●			
Metal Supports, Bases, Panels	●Ⓚ	●	●	●Ⓚ	●Ⓚ	●Ⓚ	●	●	●	●	●Ⓚ	●	●Ⓚ	●	●	●Ⓚ		●	●	●Ⓚ	●	●		●	●	●	●		●
Gusset Brkts & 4" Column Legs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Tapered Legs					●																			●		●			
Decorative Legs, X- and T-Bases	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Cylinders & 1½" Column Legs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●							
Mobile painted models/parts					●																					●			
Square Profile Glass Frames	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Curved Profile Overhead Fronts	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●		●
Flat Profile Storage	●Ⓚ	●	●	●Ⓚ	●Ⓚ	●Ⓚ	●	●	●	●	●Ⓚ	●	●Ⓚ	●	●	●Ⓚ		●	●	●Ⓚ	●	●		●	●	●	●	●	●
Bevel Profile Storage	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●	●	●
Lunar Profile Storage	●				●	●		●			●		●			●										●			
Metal Bookcases	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●		●	●	●	●	●	●

Key:
- ● = Available color
- Ⓚ = Available on Kwik Office models

Molded PVC Rim:

*In addition to the solid PVC colors listed at left, molded PVC rims on HPL and TFL worksurfaces are available in the following woodgrain color/patterns:

MC	Amber Cherry
CC	Cordoba Cherry
MH	Mocha Cherry
SC	Sedona Cherry
IM	Brighton Maple
TM	Huntington Maple
CO	Canyon Oak
YO	Monterey Oak
MW	Midtown Walnut
TW	Tribeca Walnut
NW	Tuscan Walnut
UW	Urban Walnut
CZ	Clear Zebrawood

Customer-Specified Paint

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminates	583
Fabrics	587

Customer-Specified Paint (CSP) is available on systems products that require specification of a paint color, with the exception of Interworks EQ panels and Lunar profile storage.

Customer-specified metallic paint is not available on Xsite end trim and connector top caps.

Pricing:

A **one-time fee of $300** (net) will be billed for the development of each new custom (customer specified) paint. This fee covers all Kimball Office product lines on which the paint may be used. Models receiving a custom paint will also be assessed an upcharge.

A **10% upcharge per line item** (model) for customer specified non-metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

A **20% upcharge per line item** (model) for customer specified metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

The process:

① Send desired paint sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products to which the custom paint is to be applied. **Include dealer name, contact, and project reference.**

② Custom paints will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a paint color.

How to Specify:

① **Model:**
Build the complete model specification (excluding finish type and finish designator) by following the "How to Specify" on the appropriate pricing page for the product that is to receive the custom paint.

② **Finish type:**
For the “Finish type” step, insert a special paint code (in place of STD):
ZPNT1 = Special non-metallic paint
ZPNTM1 = Special metallic paint

③ **Finish designator:**
For the “Finish designator” step, insert the designator provided to you by Customer Service.

Sample (base model underlined):

① ②
12S2415PUFFM E KRB ZPNT1
③
MT02067KOG

Laminate

Woodgrain, Solid, and CSL

CSL GSA Non-Contract

Key:
- • = Available color
- Ⓚ = Available on Kwik Office models

	Woodgrain														Solid														CSL
	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood		480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby		
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1		
Interworks EQ Door															•	•	•	•	•		•		•		•			•
Xsite Tiles	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•		•
Footprint TFL Worksurfaces	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		
Footprint HPL Worksurfaces	•	•Ⓚ	•	•	•	•	•	•	•Ⓚ	•	•	•	•		•Ⓚ	•Ⓚ	•Ⓚ	•Ⓚ	•Ⓚ	•	•Ⓚ	•	•Ⓚ	•	•Ⓚ	•		•
Transaction Counters & Soffits	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•		•
Table Tops & Mobile Table Tops	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•		•
Support Panels for use with Cetra	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		•
Frstdng. Supports and Mod. Panels	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		
Decorative Leg Inserts	•	•	•	•	•	•	•			•		•	•															•
Square Profile Storage	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		
Radius Profile Storage Front															•	•	•	•	•	•	•	•	•	•	•	•		•
Radius Profile Storage Chassis															•	•	•	•	•		•		•		•			
Curved Profile Storage Chassis															•	•	•	•	•		•		•		•			
Flat Profile Sliding-Door Front	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		
Flat Profile Storage with TFL Front	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		
Laminate Bookcases	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		
Filler Panels and Finish Back Panels	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		
Filler Strips	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•		

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece. Xsite tiles up to 57"W are available in woodgrain laminate.

➤See page 585 for customer-specified laminate.
➤See page 584 for pattern laminates.

Laminate

Pattern

Key:
- ● = Available color
- Ⓚ = Available on Kwik Office models

	Pattern																	
	874 Bronze Legacy	842 Canyon Zephyr	823 Carbon Evolv	841 Desert Zephyr	862 Grey Glace	844 Loden Zephyr	843 Misted Zephyr	846 Morro Zephyr	812 Mushroom Tigris	860 Neutral Santos	808 Nickel Evolv	807 Silicon Evolv	873 Tawny Legacy	805 Titanium Evolv	809 Tungsten Evolv	802 White Nebula	814 White Tigris
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Interworks EQ Door																		
Xsite Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Footprint TFL Worksurfaces																		
Footprint HPL Worksurfaces	●	●	●	●	●	●	●	●	●	●	●	Ⓚ	●	●	Ⓚ	●	●	●
Transaction Counters & Soffits	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Table Tops & Mobile Table Tops	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Support Panels for use with Cetra																		
Frstdng. Supports & Mod. Panels																		
Decorative Leg Inserts	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Square Profile Storage																		
Radius Profile Storage Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Radius Profile Storage Chassis																		
Curved Profile Storage Chassis																		
Flat Profile Sliding-Door Front																		
Flat Profile Storage with TFL Front																		
Laminate Bookcases																		
Filler Panels & Finish Back Panels																		
Filler Strips																		

➤See page 585 for customer-specified laminate.
➤See page 583 for woodgrain and solid laminates.

Customer-Specified Laminate

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Customer-specified laminate (CSL) is available on select laminate products. CSL is not available for TFL surfaces.

➤Contact your Customer Service Team to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616, extension 6001.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

UL approved suppliers for Xsite tiles are:
- Wilsonart
- Nevamar
- Lamitech
- Formica
- Pionite

Pricing:

A **20% upcharge** applies to approved CSL orders for supplier standard laminates.

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② **Finish type:** For the "Finish type" step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ **Finish designator:** For the "Finish designator" step, insert the laminate designator (color number) of the laminate to be applied to the product.

Sample (base model underlined):

①		②
SS2424WSSL3	P	ZWST1
③		
WST_4814-60	462	462

3D Laminate

Key:
● = Available color

Pricing:
Upcharge per model applies to price group 2 3D laminates.
➤See applicable pricing pages.

	Woodgrain					Solid						Pattern	
	MH Mocha Cherry					480 Antique White	440 Cloud	405 Designer White	450 Fog	420 Sandstone		484 Cashmere Fiber	466 Concrete Fiber
Price Group	2					1	1		1	1		1	1
Sloped Rim Worksurfaces	●					●	●	●	●	●		●	●
Sloped Rim Table Tops	●					●	●	●	●	●		●	●

Fabric Overview

ACT Performance Icons

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Application Matrix	588

All Kimball Office fabrics meet, and in most cases exceed, the minimum requirements set up by ACT. For the purpose of uniformity in the industry, Kimball Office will be utilizing the ACT icons on swatchcards and related materials.

The Association for Contract Textiles (ACT) has developed voluntary performance guidelines to make fabric specification easier. The five symbols give architects, designers, and end-users a vast amount of performance information in a succinct visual way. Look for these symbols on ACT member company sampling to assure that the fabrics you specify perform up to contract standards and pass all applicable testing.

These categories describe a material's performance features as measured by specified methods under standard laboratory conditions. All tests referenced here are intended to represent the most current version of a test method. Note: Individual ACT member product information may represent a different version of a test method depending on the date the product was introduced to the market.

IMPORTANT: These tests represent minimum requirements which are subject to change without notice and may not reflect requirements or laws in all locations.

Flammability:

The measurement of a fabric's performance when it is exposed to specific sources of ignition. Note: ACT guidelines specify different flammability tests dictated by the intended end use for the fabric.

Upholstery
California Technical Bulletin #117
Section E—Class 1 (Pass)

Wrapped Panels and Upholstered Walls
ASTM E 84 (Unadhered Mounting Method)—Class A or Class 1

Wet & Dry Crocking:

Transfer of dye from the surface of a dyed or printed fabric onto another surface by rubbing.

Upholstery
AATCC 8—
Dry Crocking, Grade 4 minimum
Wet Crocking, Grade 3 minimum

Wrapped Panels and Upholstered Walls
AATCC 8—
Dry Crocking, Grade 3 minimum
Wet Crocking, Grade 3 minimum

Colorfastness to Light:

A material's degree of resistance to the fading effect of light.

Upholstery
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Wrapped Panels and Upholstered Walls
AATCC 16—Option 1 or 3
Grade 4 minimum at 40 hours

Physical Properties:

Pilling is the formation of fuzzy balls of fiber on the surface of a fabric that remain attached to the fabric. Breaking strength is the measurement of stress exerted to pull a fabric apart under tension. Seam slippage is the movement of yarns in a fabric that occurs when it is pulled apart at a seam.

Upholstery
Brush pill—ASTM D3511, Class 3 minimum or Martindale Tester ASTM D4970, Class 3 minimum

Breaking strength ASTM D5034 (Grab Test)—50 lbs. minimum in warp and weft

Seam slippage ASTM D4034—
25 lbs. minimum in warp and weft

Wrapped Panels and Upholstered Walls
Breaking strength ASTM D5034 (Grab Test)—35 lbs. minimum in warp and weft

Abrasion Resistance:

The surface wear of a fabric caused by rubbing and contact with another fabric.

General Contract Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—15,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—20,000 cycles Martindale method

Heavy Duty Upholstery
ASTM D4157 (ACT approved #10 Cotton Duck)—30,000 double rubs Wyzenbeek method

ASTM D4966 (12 KPa pressure)—40,000 cycles Martindale method

End use examples of heavy-duty installations where upholstery fabrics rated at 30,000 double rubs should be appropriate are single shift corporate, hotel rooms/suites, conference rooms and dining area usage.

ACT acknowledges that there are extreme wear situations that may require higher levels of abrasion resistance. End use examples that may require higher than 30,000 double rubs include: 24 hour transportation terminals, 24 hour telemarketing, 24 hour healthcare emergency rooms, 24 hour casino gambling areas, and such public gathering places as theatres, stadiums, lecture halls and fast food restaurants.

It is strongly suggested that double rubs exceeding 100,000 are not meaningful in providing additional value in use. Higher abrasion resistance does not necessarily indicate a significant extension of the service life of the fabric.

The Wyzenbeek and Martindale tests are the two methods commonly used to predict wearability. Actual performance is determined by many factors such as fiber content, weaves, finishes, furniture design, maintenance, cleaning, and usage. Durability of an upholstery fabric is a complex interaction (combination) of a number of performance tests that, in addition to abrasion, includes seam slippage, pilling, tensile strength, and usage.

There is no correlation between the Wyzenbeek and Martindale tests so it is not possible to estimate the number of cycles that would be achieved on one test if the results from the other test were known.

Fabric Application

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Standard Application:



Cetra
Interworks EQ

Directional fabrics are “cut up the roll” for standard application unless specified differently.

Railroad Application:



Xsite Tiles
Xsede Tiles
Priority Tiles

All fabrics will be applied in railroad (horizontal) fashion to Xsite tiles and larger-size tackboards. When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear on Xsite tiles.
➤See pricing pages for product application.

Railroad application of Kimball Office panel fabrics and COM requires a custom quote for all systems products that do not have railroading listed as an option in the price list.
➤Please contact ***By Design.***

Panel Fabrics

Colorways

COM & Cut Yardage GSA Non-Contract

Key:
KI = Available on Kwik Office models
Terratex = Terratex Green-e = Green-e
➤See page 591 for description.

Note: Interworks EQ is only available in price grades A and B fabrics.

Price Grade A

COM (Customer's Own Material)

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter KI
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm KI
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral KI
16106	Nickel KI
16107	Bronze
16109	Tanzanite
16110	Platinum KI
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark KI
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling KI
10247	Sand
10248	Stone
10249	Fawn

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10602	Citrine
10603	Cloud
10604	Dune
10605	Key Lime
10606	Lapis
10607	Linen
10608	Moonstone
10609	Mulberry
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	*List Price per yard*
A	$35
B	46
C	53
D	71
E*	108

* For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

How to Specify

1. Model:
   KOPNLCUTYDG = panel fabric
2. Fabric grade
3. Fabric number

Panel Fabrics

Colorways, continued

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350	Atlantic
10351	Driftwood
10352	Honeycomb
10353	Indigo
10354	Khaki
10355	Kiwi
10356	Lead
10357	Mandarin
10358	Palm
10359	Rattan
10360	Sequoia
10361	Slate
10362	Spa
10363	Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320	Clam
10321	Eucalyptus
10322	Goldust
10323	Graphite
10324	Pear
10325	Seal
10326	Heron
10327	Tan
10328	Taupestone
10329	Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202	Wrought Iron
2216	Paraffin
2222	Twine
2229	Thunder
2239	Spun Gold
2240	Wasabi
2244	Titanium
2250	Truffle
2266	Copper
2275	Melba

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo samples can be ordered directly from Momentum at themomgroup.com

25401	Aloe
25402	Azure
25403	Calla
25404	Coastal
25405	Delft
25406	Dove
25407	Dragon
24608	Eureka
25409	Fern
25410	Harbour
25411	Lily
25412	Lime
25413	Midnight
25414	Nectar
25415	Patina
25416	Putty
25417	Roast
25418	Roma
25419	Rubine
25420	Sketch
25421	Tanzanite
25422	Taupe
25423	Toasty

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450	Bark
10451	Ecru
10452	Fog
10453	Midnight
10454	Mink
10455	Olive
10456	Orchid
10457	Pearl
10458	Solar

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302	Egyptian
25303	Cashmere
25304	Chiffon
25305	Shantung
25306	Twill
25307	Dupioni
25308	Angora
25309	Tweed
25310	Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380	Champagne
10381	Cobblestone
10382	Desert
10383	Mist
10384	Taupestone
10385	Timberwolf

Key:
= Available on Kwik Office models
= Terratex = Green-e

➤See page 591 for description.

Cleaning Fabrics:

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code D
- Dry clean only.

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from panel to panel.

Warranty Info:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

➤See page 610 for complete warranty information.

Panel Fabrics

Colorways, continued

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10655	Moss
10656	Sand

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply.
➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align — Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	*Carnegie Number*
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line — KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect — KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e
100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.
➤www.green-e.org

Upholstery Fabrics

Colorways

COM & Cut Yardage
GSA Non-Contract

Key:
A = Heavy duty upholstery
a = General contract upholstery
terratex = Terratex
Green-e = Green-e

Applies to:
- Cushion-top pedestals
- Bevel profile overhead fronts
- Bevel profile highback organizer fronts
- Bevel profile highback tackboards
- Interworks EQ panel-mounted tackboards

➤See the Seating Price List for Alliance program fabrics; most are available on the items listed above with only a few restrictions.

Price Grade 1

Blink

Price Grade: 1
Content: 87.6% post-industrial recycled polyester; 12.4% post-consumer recycled polyester
Width: 54"W
Repeat: 0.35"H; 0.23"V
Abrasion: A 100,000 Double Rubs
Cleaning: WS

11800	Sandollar
11801	Driftwood
11802	Sea Mist
11803	Caribbean Breeze
11804	Tropical Waters
11805	Seaweed
11806	Indigo
11808	Sangria
11809	Dahlia
11810	Sunrise
11811	Java
11812	Black Magic

Disperse

Price Grade: 1
Content: 100% polyester, (62% recycled)
Finish: Stain repellant
Backing: Latex
Width: 54"W
Repeat: None
Abrasion: A 100,000 double rubs
Cleaning: WS

11750	Wasabi
11751	Meadow
11752	Oceanside
11753	Aquamarine
11754	Latte
11755	Scarlet
11756	Cocoa
11757	Midnight Blue
11758	Smoke
11759	Ash
11760	Cabernet
11761	Noir

Lifesaver

Price Grade: 1
Content: 92% pre-consumer recycled polyester, 8% post-consumer recycled polyester (terratex)
Finish: Scotchguard®
Width: 54"W
Repeat: .625"H x .625"V
Abrasion: A 40,000 double rubs
Cleaning: WS

10940	Carbon
10941	Cocoa
10942	Fir
10944	French Navy
10945	Hot Sun
10946	Lapis
10947	Poppy
10948	Port
10949	Ruby
10950	Safari
10951	Sunglow

Seasons

Price Grade: 1
Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester (terratex)
Width: 54"W
Repeat: 4"H x 1.7"V
Abrasion: A 50,000 double rubs
Cleaning: WS

10980	Almond
10981	Espresso
10982	Fern
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate

Soundbyte

Price Grade: 1
Content: 100% recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: 7"H x 35"V
Abrasion: A 30,000 double rubs
Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

Cut Yardage:

Kimball Office upholstery is available in whole yards for fabric or faux leather and in half or whole hides for leather. List prices include freight.

Price Grade	*List Price per yard*
1	$35
2	53
3	70
4	91
5	119
6	159
7	202

Leather Grade	*List Price per Half Hide (25–28 sq ft)*	*List Price per Full Hide (50–57 sq ft)*
L7	$533	$1093
L8	632	1302

How to Specify

① Model number:
KOUPHCUTYDG = fabric or faux leather
KOLTHRFHIDE = leather (full hide)
KOLTHRHHIDE = leather (half hide)
② Upholstery grade
③ Upholstery number

Upholstery Fabrics

Colorways, continued

Key:
A = Heavy duty upholstery
a = General contract upholstery

Price Grade 2

Dolce (polyurethane)

Price Grade: **2**
Content: 100% polyurethane
Finish: Superior Abrasion/ Silverguard
Backing: 100% rayon
Width: 54"W
Repeat: None
Abrasion: A 400,000 double rubs
Cleaning: WS; cleanable with diluted bleach solution
Restrictions: Not available on tackboards or fabric-covered overheads

11900	Black
11901	Mocha
11902	Meteor
11903	Artesian
11904	Indigo
11905	Peacock
11906	Grass
11907	Citron
11908	Fuschia
11909	Poppy
11910	Tangelo
11911	Burgundy
11912	Chocolate
11913	Lion
11914	Latte
11915	Ivory
11916	White
11917	Camel
11918	Mushroom

Flicker

Price Grade: **2**
Content: 78% post-industrial recycled polyester, 22% post-consumer recycled polyester
Width: 54"W
Repeat: .84"H x 2.5"V
Abrasion: A 51,000 double rubs
Cleaning: WS

11130	Parchment
11133	Ruby
11134	Sangria
11137	Heron
11138	Ironwork
11139	Lapis
11140	Midnight Blue
11141	Pine
11143	Riviera

Mingle

Price Grade: **2**
Content: 100% Eco-Intelligent® polyester
Width: 54"W
Repeat: .08"H x .12"V
Abrasion: A 100,000 double rubs
Cleaning: WS

11000	Basket
11001	Capri
11003	Cobalt
11005	Ink
11006	Laguna
11007	Limeade
11008	Mandarin
11009	Pony
11010	Scarlet
11011	Seagull
11012	Willow

Spectrum

Price Grade: **2**
Content: 100% pre-consumer recycled polyester
Finish: Blockaide™
Backing: SBR latex
Width: 54"W
Repeat: None
Abrasion: A 100,000+ double rubs
Cleaning: WS

20001	Mimosa
20003	Lime
20020	Black
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20072	Breeze
20079	Tangerine
20081	Charcoal
20095	Red

Twilight

Price Grade: **2**
Content: 100% pre-consumer recycled polyester; Green-e certified
Finish: Blockaide™
Width: 54"W
Repeat: None
Abrasion: A 50,000 double rubs
Cleaning: WS

23101	Ocean
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23119	Tangerine
23120	Nude

Terratex is a registered trademark of True Textiles, Inc. Each Terratex fabric must meet these four criteria:

- Made of 100% post-consumer and/or post-industrial fiber, or compostable materials
- Made using processes that reduce waste, emissions, energy, water usage, and toxic by-products
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.

Green-e
100% of the electricity used to make these products is matched by Green-e certified renewable energy certificates.
➤www.green-e.org

Upholstery Fabrics

Colorways, continued

Key:
A = Heavy duty upholstery
a = General contract upholstery
= Terratex = Green-e

Price Grade 3

COL (Customer's Own Leather)

No fabrics available in price grade 3 at this time.

Price Grade 4

Silvertex

Price Grade:	**4**
Content:	60% vinyl, 30% polyester Hi-Loft2™ textile, 10% urethane
Finish:	SILVERGUARD®/ PERMABLOK3®
Backing:	Polyester Hi-Loft2™
Width:	54"W
Repeat:	None
Abrasion:	A 100,000+ double rubs
Cleaning:	WS/B

41301	Basil
41302	Ice
41303	Mandarin
41304	Raspberry
41305	Sunkist
41306	Mocha
41307	Carbon
41308	Jet
41309	Storm
41310	Sapphire
41311	Champagne
41312	Celery
41313	Meteor
41314	Cream
41315	Chestnut
41316	Luggage
41317	Taupe
41318	Borscht
41319	Lagoon
41320	Turquoise
41321	Marine Blue
41322	Umber
41323	Blackberry
41324	Sage
41325	Bottle

Price Grade 5

No fabrics available in price grade 5 at this time.

Price Grade 6

Essence/Ultraleather™

Price Grade:	**6**
Content:	100% polyurethane
Backing:	100% reinforced rayon
Width:	54"W
Repeat:	None
Abrasion:	A 400,000 double rubs
Cleaning:	WS/B

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

Cleaning Fabrics:

Cleaning Code B
- Cleanable with diluted bleach solution

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

➤See swatch card for additional cleaning information.

Cleaning Code W
- Use water-based cleaning agents or foam.

Fire Retardant Fabrics
- Solvent-based fabric cleaning or dry cleaning are recommended.
- Cleaning with water or water-based cleaners could result in salt ringing.
- Test proposed cleaning procedure on a small portion of fabric before cleaning entire piece.

Upholstery Fabrics

Colorways, continued

Key:
A = Heavy duty upholstery
a = General contract upholstery
= Terratex = Green-e

Price Grade 7

No fabrics available in price grade 7 at this time.

Price Grade L7

Davenport

Price Grade: **L7**
Content: Top grain leather
Abrasion: A 1,000+ cycles (Tabor Test)

70101	Chamois
70102	Camel
70103	Earthy
70105	Bark
70106	Fennel
70107	Glass Block
70108	Celadon
70109	Austin
70110	Olive
70111	Brown
70112	Atlantis
70113	Yonder
70114	Tomato
70115	Black
70116	Plum
70117	Smoke
70118	Dusk

Price Grade L8

Heritage

Price Grade: **L8**
Content: Top grain leather; two-toned savagé
Abrasion: A 1,000+ cycles (Tabor Test)

81002	Carnelian
81005	Carob
81028	Sorrel
81041	Rosewood
81060	Avocado
81075	Titan
81076	Navy

Showcase

Price Grade: **L8**
Content: Full grain leather; chrome-free
Abrasion: A 1,000+ cycles (Tabor Test)

80101	Sky
80102	Butler
80103	Cream
80104	Bonton
80105	Greige
80106	Power
80107	Garnet
80108	Chestnut
80109	Bittersweet
80110	Jet

Cleaning Leather:

Regular Cleaning

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air dry.

Note: Never use furniture polishes, oils, solvents, varnishes, abrasive cleaners, ammonia, wax, or saddle soaps on leather.

Characteristics:

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Customer's Own Material (COM)

Overview

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on product for non-preapproved fabrics is required. ➤Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:
- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

U.L. Listing/Flammability:

COM must be U.L. listed for use on Xsede, Cetra, Xsite, and Interworks EQ panels before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Yardage/Measurements

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics for Tiles, Panels, Overheads, Highback Organizers, and Tackboards. Directional and non-directional yardage requirements have also been calculated based on 54"W seating fabric for Overheads, Highback Organizers, and Tackboards.

If your fabric is less than 66"W, some size restrictions may apply.

COM yardage listed in the Resource section of the price list reflects the amount of fabric required to upholster one panel. Additional yardage may be required if patterns require matching.

Shipment of COM

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

Where to ship COM:

Applies to:
- Xsede Tiles
- Cetra panels
- Tackboards compatible with Cetra
- Cable managers compatible with Cetra or Xsite
- Tiles compatible with Cetra
- Tiles compatible with Xsite
- Seat cushions for flat profile storage (14S)

Kimball Office, Jasper
COM Department—Kimball Office
Dock 5
1037 East 15th Street
Jasper, IN 47549

Applies to:
- Interworks EQ panels
- Interworks EQ or Conferencing Solutions
- Tackboards compatible with Interworks EQ
- Cable managers compatible with Interworks EQ
- Flat profile cushion-top pedestals (12S)
- Bevel profile overheads
- Bevel profile highback organizers
- Bevel profile highback tackboards

Kimball Office, Post Falls
COM Department—Kimball Office
1881 West Seltice Way
Post Falls, ID 83854

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤Contact your Customer Service Team to obtain information on preapproved COMs.

Repeat Fabrics:

It is Kimball Office standard process to match repeat fabrics on fabric covered Overhead and Highback Organizer doors.

Repeat fabrics will be matched in what Kimball Office deems the best possible application of the pattern.

Additional COM yardage is required for repeat fabrics.

Repeat	*Additional Yardage required per Overhead Door*
0–6"	None
6"–12"	0.166 yards
12"–18"	0.500 yards
18"–24"	0.666 yards
24" or more	1.000 yard

Note: If the customer requires that the repeat fabric be applied in a random fashion, Kimball Office requires written notification in advance of order processing to that effect. ➤Contact your Customer Service Team to obtain necessary waiver.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:
- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

Customer's Own Material (COM)

Yardage Requirements

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Kimball Office has analyzed each model to most accurately reflect the yardage requirements.

The yardage requirement for each model is listed for 66"W directional, 66"W non-directional, and 54"W directional, where applicable.

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Cetra

Acoustical Panels

Model	66"W Directional	54"W Directional	66"W Non-Dir.
AP1830A	0.9	0.9	0.9
AP2430A	0.9	1.8	0.9
AP3030A	0.9	1.8	0.9
AP3630A	1.8	1.8	1.8
AP4230A	1.8	1.8	1.8
AP4830A	1.8	1.8	1.8
AP6030A	1.8	N.A.	1.8
AP1837A	1.1	1.1	1.1
AP2437A	1.1	2.1	1.1
AP3037A	1.1	2.1	1.1
AP3637A	2.1	2.1	2.1
AP4237A	2.1	2.1	2.1
AP4837A	2.1	2.1	2.1
AP6037A	2.1	N.A.	2.1
AP1842A	1.2	1.2	1.2
AP2442A	1.2	2.4	1.2
AP3042A	1.2	2.4	1.2
AP3642A	2.4	2.4	2.4
AP4242A	2.4	2.4	2.4
AP4842A	2.4	2.4	2.4
AP6042A	2.4	N.A.	2.4
AP1850A	1.4	1.4	1.4
AP2450A	1.4	2.8	1.4
AP3050A	1.4	2.8	1.4
AP3650A	2.8	2.8	2.3
AP4250A	2.8	2.8	2.6
AP4850A	2.8	2.8	2.8
AP6050A	2.8	N.A.	2.8
AP1856A	1.6	1.6	1.3
AP2456A	1.6	3.2	1.6
AP3056A	1.6	3.2	1.6
AP3656A	3.2	3.2	2.3
AP4256A	3.2	3.2	2.6
AP4856A	3.2	3.2	2.9
AP6056A	3.2	N.A.	3.2
AP1861A	1.7	1.7	1.3
AP2461A	1.7	3.4	1.6
AP3061A	1.7	3.4	1.7
AP3661A	3.4	3.4	2.3
AP4261A	3.4	3.4	2.6
AP4861A	3.4	3.4	2.9
AP6061A	3.4	N.A.	3.4
AP1868A	1.9	1.9	1.3
AP2468A	1.9	3.8	1.6
AP3068A	1.9	3.8	1.9
AP3668A	3.8	3.8	2.3
AP4268A	3.8	3.8	2.6
AP4868A	3.8	3.8	2.9
AP6068A	3.8	N.A.	3.6
AP1880A	2.3	2.3	2.3
AP2480A	2.3	4.5	2.3
AP3080A	2.3	4.5	2.3
AP3680A	4.5	4.5	4.5
AP4280A	4.5	4.5	4.5
AP4880A	4.5	4.5	4.5
AP6080A	4.5	N.A.	4.5

Mid-Wireway Panels

Model	66"W Directional	54"W Directional	66"W Non-Dir.
AP1842M	1.2	1.2	1.2
AP2442M	1.2	2.4	1.2
AP3042M	1.2	2.4	1.2
AP3642M	2.4	2.4	2.4
AP4242M	2.4	2.4	2.4
AP4842M	2.4	2.4	2.4
AP6042M	2.4	N.A.	2.4
AP1850M	1.4	1.4	1.3
AP2450M	1.4	2.8	1.4
AP3050M	1.4	2.8	1.4
AP3650M	2.8	2.8	2.3
AP4250M	2.8	2.8	2.6
AP4850M	2.8	2.8	2.8
AP6050M	2.8	N.A.	2.8
AP1856M	1.6	1.6	1.3
AP2456M	1.6	3.2	1.6
AP3056M	1.6	3.2	1.6
AP3656M	3.2	3.2	2.3
AP4256M	3.2	3.2	2.6
AP4856M	3.2	3.2	2.9
AP6056M	3.2	N.A.	3.2
AP1861M	1.7	1.7	1.3
AP2461M	1.7	3.4	1.6
AP3061M	1.7	3.4	1.7
AP3661M	3.4	3.4	2.3
AP4261M	3.4	3.4	2.6
AP4861M	3.4	3.4	2.9
AP6061M	3.4	N.A.	3.4
AP1868M	1.9	1.9	1.3
AP2468M	1.9	3.8	1.6
AP3068M	1.9	3.8	1.9
AP3668M	3.8	3.8	2.3
AP4268M	3.8	3.8	2.6
AP4868M	3.8	3.8	2.9
AP6068M	3.8	N.A.	3.6
AP1880M	2.3	2.3	2.3
AP2480M	2.3	4.5	2.3
AP3080M	2.3	4.5	2.3
AP3680M	4.5	4.5	4.5
AP4280M	4.5	4.5	4.5
AP4880M	4.5	4.5	4.5
AP6080M	4.5	N.A.	4.5

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Combination Panels			
AP1830	0.9	0.9	0.6
AP2430	0.9	0.9	0.8
AP3030	0.9	0.9	0.9
AP3630	0.9	0.9	0.9
AP4230	0.9	0.9	0.9
AP4830	0.9	0.9	0.9
AP1837	1.0	1.0	0.6
AP2437	1.0	1.0	0.8
AP3037	1.0	1.0	0.9
AP3637	1.0	1.0	1.0
AP4237	1.0	1.0	1.0
AP4837	1.1	1.0	1.1
AP1842	1.2	1.2	0.6
AP2442	1.2	1.2	0.8
AP3042	1.2	1.2	0.9
AP3642	1.2	1.2	1.1
AP4242	1.2	1.2	1.2
AP4842	1.2	1.2	1.2
AP1850	1.5	1.5	0.6
AP2450	1.5	1.5	0.8
AP3050	1.5	1.5	0.9
AP3650	1.5	1.5	1.2
AP4250	1.5	1.5	1.3
AP4850	1.5	1.5	1.4
AP1856	1.6	1.6	0.6
AP2456	1.6	1.6	0.8
AP3056	1.6	1.6	0.9
AP3656	1.6	1.6	1.2
AP4256	1.6	1.6	1.4
AP4856	1.6	1.6	1.5
AP1861	1.7	1.7	0.6
AP2461	1.7	1.7	0.8
AP3061	1.7	1.7	0.9
AP3661	1.7	1.7	1.1
AP4261	1.7	1.7	1.3
AP4861	1.7	1.7	1.5
AP1868	1.9	1.9	0.6
AP2468	1.9	1.9	0.8
AP3068	1.9	1.9	1
AP3668	1.9	1.9	1.1
AP4268	1.9	1.9	1.3
AP4868	1.9	1.9	1.5
AP1880	2.3	2.3	2.3
AP2480	2.3	2.3	2.3
AP3080	2.3	2.3	2.3
AP3680	2.3	2.3	2.3
AP4280	2.3	2.3	2.3
AP4880	2.3	2.3	2.3
Full Glass Panels			
AP2461G	0.7	0.7	0.7
AP3061G	0.8	0.8	0.7
AP3661G	0.9	0.9	0.8
AP2468G	0.7	0.7	0.7
AP3068G	0.8	0.8	0.7
AP3668G	0.9	0.9	0.8
AP2480G	0.8	0.8	0.8
AP3080G	0.9	0.9	0.8
AP3680G	1.0	1.0	0.9
Partial Glass Panels			
AP3061H	0.9	2.0	0.9
AP3661H	2.0	2.0	2.0
AP4261H	2.0	2.0	2.0
AP3068H	0.9	2.0	0.9
AP3668H	2.0	2.0	2.0
AP4268H	2.0	2.0	2.0

Note: When using COM on partial glass panels that have a fabric frame, add 1.20 yards of fabric to the yardage figures above.

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Ceiling Power Entry Panels			
AP3068V	1.9	3.8	1.9
AP3668V	3.8	3.8	2.3
AP3080V	2.2	4.4	2.2
AP3680V	4.4	4.4	4.4
AP4268V	3.8	3.8	2.6
AP4868V	3.8	3.8	2.9
AP4280V	4.5	4.5	4.5
AP4880V	4.5	4.5	4.5
Panel Insert Tiles			
AI1807N	0.4	0.4	0.4
AI2407N	0.4	0.4	0.4
AI3007N	0.4	0.4	0.4
AI3607N	0.4	0.4	0.4
AI4207N	0.4	0.4	0.4
AI4807N	0.4	0.4	0.4
AI1812N	0.5	0.5	0.5
AI2412N	0.5	0.5	0.5
AI3012N	0.5	0.5	0.5
AI3612N	0.5	0.5	0.5
AI4212N	0.5	0.5	0.5
AI4812N	0.5	0.5	0.5
AI1819N	0.7	0.7	0.7
AI2419N	0.7	0.7	0.7
AI3019N	0.7	0.7	0.7
AI3619N	0.7	0.7	0.7
AI4219N	0.7	0.7	0.7
AI4819N	0.7	0.7	0.7
AI1824N	0.9	0.9	0.9
AI2424N	0.9	0.9	0.9
AI3024N	0.9	0.9	0.9
AI3624N	0.9	0.9	0.9
AI4224N	0.9	0.9	0.9
AI4824N	0.9	0.9	0.9
Directional Connectors			
ACL30N	0.8	0.8	0.3
ACL37N	1.1	1.1	0.3
ACL42N	1.2	1.2	0.3
ACL50N	1.4	1.4	0.3
ACL56N	1.6	1.6	0.3
ACL61N	1.7	1.7	0.3
ACL68N	1.9	1.9	0.3
ACL80N	2.3	2.3	2.3
ACM30N	0.8	0.8	0.3
ACM37N	1.1	1.1	0.3
ACM42N	1.2	1.2	0.3
ACM50N	1.4	1.4	0.3
ACM56N	1.6	1.6	0.3
ACM61N	1.7	1.7	0.3
ACM68N	1.9	1.9	0.3

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Model	66"W Directional	54"W Directional	66"W Non-Dir.
ACM80N	2.3	2.3	2.3
ACR30N	0.8	0.8	0.3
ACR37N	1.1	1.1	0.3
ACR42N	1.2	1.2	0.3
ACR50N	1.4	1.4	0.3
ACR56N	1.6	1.6	0.3
ACR61N	1.7	1.7	0.3
ACR68N	1.9	1.9	0.3
ACR80N	2.3	2.3	2.3
ACS30N	0.8	0.8	0.3
ACS37N	1.1	1.1	0.3
ACS42N	1.2	1.2	0.3
ACS50N	1.4	1.4	0.3
ACS56N	1.6	1.6	0.3
ACS61N	1.7	1.7	0.3
ACS68N	1.9	1.9	0.3
ACS80N	2.3	2.3	2.3
ACT30N	0.8	0.8	0.3
ACT37N	1.1	1.1	0.3
ACT42N	1.2	1.2	0.3
ACT50N	1.4	1.4	0.3
ACT56N	1.6	1.6	0.3
ACT61N	1.7	1.7	0.3
ACT68N	1.9	1.9	0.3
ACT80N	2.3	2.3	2.3
ACV30N	0.8	0.8	0.3
ACV37N	1.1	1.1	0.3
ACV42N	1.2	1.2	0.3
ACV50N	1.4	1.4	0.3
ACV56N	1.6	1.6	0.3
ACV61N	1.7	1.7	0.3
ACV68N	1.9	1.9	0.3
ACV80N	2.3	2.3	2.3
ACW30N	0.8	0.8	0.3
ACW37N	1.1	1.1	0.3
ACW42N	1.2	1.2	0.3
ACW50N	1.4	1.4	0.3
ACW56N	1.6	1.6	0.3
ACW61N	1.7	1.7	0.3
ACW68N	1.9	1.9	0.3
ACW80N	2.3	2.3	2.3
ACY30N	0.8	0.8	0.3
ACY37N	1.1	1.1	0.3
ACY42N	1.2	1.2	0.3
ACY50N	1.4	1.4	0.3
ACY56N	1.6	1.6	0.3
ACY61N	1.7	1.7	0.3
ACY68N	1.9	1.9	0.3
ACY80N	2.3	2.3	2.3
Stackable Acoustical Panels			
AP1807AS	0.3	0.3	0.3
AP2407AS	0.3	0.7	0.3
AP3007AS	0.7	0.7	0.7
AP3607AS	0.7	0.7	0.7
AP4207AS	0.7	0.7	0.7
AP4807AS	0.7	0.7	0.7
AP6007AS	0.7	0.7	0.7
AP1812AS	0.5	0.5	0.5
AP2412AS	0.5	0.9	0.5
AP3012AS	0.9	0.9	0.9
AP3612AS	0.9	0.9	0.9
AP4212AS	0.9	0.9	0.9
AP4812AS	0.9	0.9	0.9
AP6012AS	0.9	0.9	0.9
AP1819AS	0.7	0.7	0.7
AP2419AS	0.7	1.3	0.7
AP3019AS	1.3	1.3	1.0
AP3619AS	1.3	1.3	1.2
AP4219AS	1.3	1.3	1.3
AP4819AS	1.3	1.3	1.3
AP6019AS	1.3	1.3	1.8
Stackable Combination Panels			
AP1807CS	0.3	0.3	0.3
AP2407CS	0.3	0.3	0.3
AP3007CS	0.3	0.3	0.3
AP3607CS	0.3	0.3	0.3
AP4207CS	0.3	0.3	0.3
AP4807CS	0.3	0.3	0.3
AP1812CS	0.5	0.5	0.5
AP2412CS	0.5	0.5	0.5
AP3012CS	0.5	0.5	0.5
AP3612CS	0.5	0.5	0.5
AP4212CS	0.5	0.5	0.5
AP4812CS	0.5	0.5	0.5
AP1819CS	0.7	0.7	0.7
AP2419CS	0.7	0.7	0.7
AP3019CS	0.7	0.7	0.7
AP3619CS	0.7	0.7	0.7
AP4219CS	0.7	0.7	0.7
AP4819CS	0.7	0.7	0.7
Stackable Glass Panels			
AP1812G	0.7	0.7	0.7
AP2412G	0.7	0.7	0.7
AP3012G	0.7	0.7	0.7
AP3612G	0.9	0.9	0.9
AP4212G	0.9	0.9	0.9
AP4812G	0.9	0.9	0.9
AP1819G	0.8	0.8	0.8
AP2419G	0.8	0.8	0.8
AP3019G	0.8	0.8	0.8
AP3619G	1.1	1.1	1.1
AP4219G	1.1	1.1	1.1
AP4819G	1.1	1.1	1.1
Stackable Ceiling Power Entry Panels			
AP3007VS	0.7	0.7	0.7
AP3607VS	0.7	0.7	0.7
AP4207VS	0.7	0.7	0.7
AP4807VS	0.7	0.7	0.7
AP3012VS	0.9	0.9	0.9
AP3612VS	0.9	0.9	0.9
AP4212VS	0.9	0.9	0.9
AP4812VS	0.9	0.9	0.9
AP3019VS	1.3	1.3	1.0
AP3619VS	1.3	1.3	1.2
AP4219VS	1.3	1.3	1.3
AP4819VS	1.3	1.3	1.3

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Stackable Directional Connectors			
ACL07N	0.2	0.2	0.2
ACL12N	0.4	0.4	0.3
ACL14N	0.4	0.4	0.3
ACL19N	0.6	0.6	0.3
ACL24N	0.7	0.7	0.3
ACL26N	0.8	0.8	0.3
ACL31N	0.9	0.9	0.3
ACL38N	1.1	1.1	0.3
ACR07N	0.2	0.2	0.2
ACR12N	0.4	0.4	0.3
ACR14N	0.4	0.4	0.3
ACR19N	0.6	0.6	0.3
ACR24N	0.7	0.7	0.3
ACR26N	0.8	0.8	0.3
ACR31N	0.9	0.9	0.3
ACR38N	1.1	1.1	0.3
ACT07N	0.2	0.2	0.2
ACT12N	0.4	0.4	0.3
ACT14N	0.4	0.4	0.3
ACT19N	0.6	0.6	0.3
ACT24N	0.7	0.7	0.3
ACT26N	0.8	0.8	0.3
ACT31N	0.9	0.9	0.3
ACT38N	1.1	1.1	0.3
ACM07N	0.2	0.2	0.2
ACM12N	0.4	0.4	0.2
ACM14N	0.4	0.4	0.2
ACM19N	0.6	0.6	0.2
ACM24N	0.7	0.7	0.2
ACM26N	0.8	0.8	0.2
ACM31N	0.9	0.9	0.2
ACM38N	1.1	1.1	0.2
ACM07C	0.2	0.2	0.2
ACM12C	0.4	0.4	0.2
ACM14C	0.4	0.4	0.2
ACM19C	0.6	0.6	0.2
ACM24C	0.7	0.7	0.2
ACM26C	0.8	0.8	0.2
ACM31C	0.9	0.9	0.2
ACM38C	1.1	1.1	0.2
ACW07N	0.2	0.2	0.2
ACW12N	0.4	0.4	0.4
ACW14N	0.4	0.4	0.4
ACW19N	0.6	0.6	0.4
ACW24N	0.7	0.7	0.4
ACW26N	0.8	0.8	0.4
ACW31N	0.9	0.9	0.4
ACW38N	1.1	1.1	0.4
ACW07C	0.2	0.2	0.2
ACW12C	0.4	0.4	0.4
ACW14C	0.4	0.4	0.4
ACW19C	0.6	0.6	0.4
ACW24C	0.7	0.7	0.4
ACW26C	0.8	0.8	0.4
ACW31C	0.9	0.9	0.4
ACW38C	1.1	1.1	0.4
ACS07N	0.2	0.2	0.2
ACS12N	0.4	0.4	0.3
ACS14N	0.4	0.4	0.3
ACS19N	0.6	0.6	0.3
ACS24N	0.7	0.7	0.3
ACS26N	0.8	0.8	0.3
ACS31N	0.9	0.9	0.3
ACS38N	1.1	1.1	0.3
ACS07C	0.2	0.2	0.2
ACS12C	0.4	0.4	0.3
ACS14C	0.4	0.4	0.3
ACS19C	0.6	0.6	0.3
ACS24C	0.7	0.7	0.3
ACS26C	0.8	0.8	0.3
ACS31C	0.9	0.9	0.3
ACS38C	1.1	1.1	0.3
ACV07N	0.2	0.2	0.2
ACV12N	0.4	0.4	0.3
ACV14N	0.4	0.4	0.3
ACV19N	0.6	0.6	0.3
ACV24N	0.7	0.7	0.3
ACV26N	0.8	0.8	0.3
ACV31N	0.9	0.9	0.3
ACV38N	1.1	1.1	0.3
ACV07C	0.2	0.2	0.2
ACV12C	0.4	0.4	0.3
ACV14C	0.4	0.4	0.3
ACV19C	0.6	0.6	0.3
ACV24C	0.7	0.7	0.3
ACV26C	0.8	0.8	0.3
ACV31C	0.9	0.9	0.3
ACV38C	1.1	1.1	0.3

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Xsite Tiles			
.5H Tackable Acoustic			
36P18H06ITASC	0.6	0.6	0.6
36P24H06ITASC	0.8	0.8	0.8
36P30H06ITASC	1.0	1.0	1.0
36P33H06ITASC	1.1	1.1	1.1
36P36H06ITASC	1.2	1.2	1.2
36P39H06ITASC	1.2	1.2	1.2
36P42H06ITASC	1.3	1.3	1.3
36P48H06ITASC	1.5	1.5	1.5
36P54H06ITASC	1.7	1.7	1.7
36P60H06ITASC	1.8	1.8	1.8
36P66H06ITASC	2.0	2.0	2.0
36P72H06ITASC	2.2	2.2	2.2
36P78H06ITASC	2.3	2.3	2.3
36P84H06ITASC	2.5	2.5	2.5
36P90H06ITASC	2.7	2.7	2.7
36P96H06ITASC	2.8	2.8	2.8
1H Tackable Acoustic			
36P181ITASC	0.6	0.6	0.6
36P241ITASC	0.8	0.8	0.8
36P301ITASC	1.0	1.0	1.0
36P331ITASC	1.1	1.1	1.1
36P361ITASC	1.2	1.2	1.2
36P391ITASC	1.2	1.2	1.2
36P421ITASC	1.3	1.3	1.3
36P451ITASC	1.4	1.4	1.4
36P481ITASC	1.5	1.5	1.5
36P541ITASC	1.7	1.7	1.7
36P601ITASC	1.8	1.8	1.8
36P661ITASC	2.0	2.0	2.0
36P721ITASC	2.2	2.2	2.2
36P781ITASC	2.3	2.3	2.3
36P841ITASC	2.5	2.5	2.5
36P901ITASC	2.7	2.7	2.7
36P961ITASC	2.8	2.8	2.8
1.5H Tackable Acoustical			
36P18H18ITASC	0.6	0.6	0.6
36P24H18ITASC	0.8	0.8	0.8
36P30H18ITASC	1.0	1.0	1.0
36P33H18ITASC	1.1	1.1	1.1
36P36H18ITASC	1.2	1.2	1.2
36P39H18ITASC	1.2	1.2	1.2
36P42H18ITASC	1.3	1.3	1.3
36P48H18ITASC	1.5	1.5	1.5
36P54H18ITASC	1.7	1.7	1.7
36P60H18ITASC	1.8	1.8	1.8
36P66H18ITASC	2.0	2.0	2.0
36P72H18ITASC	2.2	2.2	2.2
36P78H18ITASC	2.3	2.3	2.3
36P84H18ITASC	2.5	2.5	2.5
36P90H18ITASC	2.7	2.7	2.7
36P96H18ITASC	2.8	2.8	2.8
2H Tackable Acoustical			
36P182ITASC	0.6	0.6	0.6
36P242ITASC	0.8	0.8	0.8
36P302ITASC	1.0	1.0	1.0
36P362ITASC	1.2	1.2	1.2
36P422ITASC	1.3	1.3	1.3
36P482ITASC	1.5	1.5	1.5
36P542ITASC	1.7	1.7	1.7
36P602ITASC	1.8	1.8	1.8
36P662ITASC	2.0	2.0	2.0
36P722ITASC	2.2	2.2	2.2
36P782ITASC	2.3	2.3	2.3
36P842ITASC	2.5	2.5	2.5
36P902ITASC	2.7	2.7	2.7
36P962ITASC	2.8	2.8	2.8
3H Tackable Acoustical			
36P183ITASC	0.6	0.6	0.6
36P243ITASC	0.8	0.8	0.8
36P303ITASC	1.0	1.0	1.0
36P363ITASC	1.2	1.2	1.2
36P423ITASC	1.3	1.3	1.3
36P483ITASC	1.5	1.5	1.5
36P543ITASC	1.7	1.7	1.7
36P603ITASC	1.8	1.8	1.8
36P663ITASC	2.0	2.0	2.0
36P723ITASC	2.2	2.2	2.2
36P783ITASC	2.3	2.3	2.3
36P843ITASC	2.5	2.5	2.5
36P903ITASC	2.7	2.7	2.7
36P963ITASC	2.8	2.8	2.8
3.5H Tackable Acoustical			
36P18H44ITASC	0.6	0.6	0.6
36P24H44ITASC	0.8	0.8	0.8
36P30H44ITASC	1.0	1.0	1.0
36P36H44ITASC	1.2	1.2	1.2
36P42H44ITASC	1.3	1.3	1.3
36P48H44ITASC	1.5	1.5	1.5
4H Tackable Acoustical			
36P184ITASC	0.6	0.6	0.6
36P244ITASC	0.8	0.8	0.8
36P304ITASC	1.0	1.0	1.0
36P364ITASC	1.2	1.2	1.2
36P424ITASC	1.3	1.3	1.3
36P484ITASC	1.5	1.5	1.5
5H Tackable Acoustical			
36P185ITASC	0.6	0.6	0.6
36P245ITASC	0.8	N/A	0.8
36P305ITASC	1.0	N/A	1.0
36P365ITASC	1.2	N/A	1.2
36P425ITASC	1.3	N/A	1.3
36P485ITASC	1.5	N/A	1.5
1H Technology Tile with Tackable Header			
36P241ITBA	0.8	0.8	0.8
36P301ITBA	1.0	1.0	1.0
36P361ITBA	1.2	1.2	1.2
36P421ITBA	1.3	1.3	1.3
36P481ITBA	1.5	1.5	1.5
Vertical Cable Manager			
36A1VCMN2	0.2	0.2	0.2
36A3HVCMN	0.2	0.2	0.2
36A3VCMN2	0.2	0.2	0.2
36A4HVCMN	0.2	0.2	0.2
36A50HVCMN	0.2	0.2	0.2
36A5VCMN2	0.2	0.2	0.2

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Interworks EQ

Standard Panels

Model	66"W Directional	54"W Directional	66"W Non-Dir.
11P1834A	2.2	2.2	2.2
11P1842A	2.5	2.5	2.5
11P1848A	3.0	3.0	3.0
11P1854A	3.2	3.2	3.2
11P1862A	3.7	3.7	3.7
11P1866A	3.9	3.9	3.9
11P1880A	4.7	4.7	4.7
11P2434A	2.2	2.2	2.2
11P2442A	2.5	2.5	2.5
11P2448A	1.5	1.5	1.5
11P2454A	3.2	3.2	3.2
11P2462A	3.7	3.7	3.7
11P2466A	3.9	3.9	3.9
11P2480A	4.7	4.7	4.7
11P3034A	2.2	2.2	2.2
11P3042A	2.5	2.5	2.5
11P3048A	3.0	3.0	3.0
11P3054A	3.2	3.2	3.2
11P3062A	3.7	3.7	3.7
11P3066A	3.9	3.9	3.9
11P3080A	4.7	4.7	4.7
11P3634A	2.2	2.2	2.2
11P3642A	2.5	2.5	2.5
11P3648A	3.0	3.0	3.0
11P3654A	3.2	3.2	3.2
11P3662A	3.7	3.7	3.7
11P3666A	3.9	3.9	3.9
11P3680A	4.7	4.7	4.7
11P4234A	2.2	2.2	2.2
11P4242A	2.5	2.5	2.5
11P4248A	3.0	3.0	3.0
11P4254A	3.2	3.2	3.2
11P4262A	3.7	3.7	3.7
11P4266A	3.9	3.9	3.9
11P4280A	4.7	4.7	4.7
11P4834A	2.2	2.2	2.2
11P4842A	2.5	2.5	2.5
11P4848A	3.0	3.0	3.0
11P4854A	3.2	3.2	3.2
11P4862A	3.7	3.7	3.7
11P4866A	3.9	3.9	3.9
11P4880A	4.7	4.7	4.7
11P6034A	2.0	2.0	2.0
11P6042A	2.5	2.5	2.5
11P6048A	3.0	3.0	3.0
11P6054A	3.2	3.2	3.2
11P6062A	3.7	3.7	3.7
11P6066A	3.9	3.9	3.9

Sectional Panels

Model	66"W Directional	54"W Directional	66"W Non-Dir.
11P1834SFF	2.0	2.0	2.0
11P1842SFFF	2.7	2.7	2.7
11P1842SFMF	2.2	2.2	2.2
11P1848SFFF	3.0	3.0	3.0
11P1848SFMF	2.5	2.5	2.5
11P1848SGFF	2.0	2.0	2.0
11P1848SGMF	1.5	1.5	1.5
11P1854SFFF	3.3	3.3	3.3
11P1854SFMF	2.8	2.8	2.8
11P1854SGFF	2.0	2.0	2.0
11P1854SGMF	1.5	1.5	1.5
11P1862SFFFF	3.0	3.0	3.0
11P1862SFFMF	1.0	1.0	1.0
11P1862SGFFF	3.0	3.0	3.0
11P1862SGFMF	2.5	2.5	2.5
11P1862SGGFF	2.0	2.0	2.0
11P1862SGGMF	1.5	1.5	1.5
11P1866SFFFF	4.2	4.2	4.2
11P1866SFFMF	3.7	3.7	3.7
11P1866SGFFF	3.0	3.0	3.0
11P1866SGFMF	2.5	2.5	2.5
11P1866SGGFF	0.5	0.5	0.5
11P1866SGGMF	1.5	1.5	1.5
11P1880SFFFFF	4.2	4.2	4.2
11P1880SFFFMF	3.7	3.7	3.7
11P1880SGFFFF	4.2	4.2	4.2
11P1880SGFFMF	3.7	3.7	3.7
11P1880SGGFFF	3.0	3.0	3.0
11P1880SGGFMF	2.5	2.5	2.5
11P1880SGGGFF	1.5	1.5	1.5
11P1880SGGGMF	1.5	1.5	1.5
11P2434SFF	2.0	2.0	2.0
11P2442SFFF	2.7	2.7	2.7
11P2442SFMF	2.2	2.2	2.2
11P2442SFWF	2.2	2.2	2.2
11P2448SFFF	3.0	3.0	3.0
11P2448SFMF	2.5	2.5	2.5
11P2448SFWF	2.5	2.5	2.5
11P2448SGFF	2.0	2.0	2.0
11P2448SGMF	1.5	1.5	1.5
11P2448SGWF	1.5	1.5	1.5
11P2454SFFF	3.3	3.3	3.3
11P2454SFMF	2.8	2.8	2.8
11P2454SFWF	2.8	2.8	2.8
11P2454SGFF	2.0	2.0	2.0
11P2454SGMF	1.5	1.5	1.5
11P2454SGWF	1.5	1.5	1.5
11P2462SFFFF	3.0	3.0	3.0
11P2462SFFMF	2.5	2.5	2.5
11P2462SFFMF	3.4	3.4	3.4
11P2462SFFWF	2.5	2.5	2.5
11P2462SGFFF	3.0	3.0	3.0
11P2462SGFMF	2.5	2.5	2.5
11P2462SGFWF	2.5	2.5	2.5
11P2462SGGFF	2.0	2.0	2.0
11P2462SGGMF	1.5	1.5	1.5
11P2462SGGWF	1.5	1.5	1.5
11P2466SFFFF	4.2	4.2	4.2
11P2466SFFMF	3.7	3.7	3.7
11P2466SFFWF	3.7	3.7	3.7
11P2466SGFFF	3.0	3.0	3.0
11P2466SGFMF	3.0	3.0	3.0
11P2466SGFMF	2.5	2.5	2.5
11P2466SGFWF	2.5	2.5	2.5
11P2466SGGFF	2.0	2.0	2.0
11P2466SGGMF	1.5	1.5	1.5
11P2466SGGWF	1.5	1.5	1.5
11P2480SFFFFF	4.2	4.2	4.2
11P2480SFFFMF	3.7	3.7	3.7
11P2480SFFFWF	3.7	3.7	3.7

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Model	66"W Directional	54"W Directional	66"W Non-Dir.
11P2480SGFFFF	4.2	4.2	4.2
11P2480SGFFMF	3.7	3.7	3.7
11P2480SGFFWF	3.7	3.7	3.7
11P2480SGGFFF	3.0	3.0	3.0
11P2480SGGFMF	2.5	2.5	2.5
11P2480SGGFWF	2.5	2.5	2.5
11P2480SGGGFF	2.0	2.0	2.0
11P2480SGGGMF	1.5	1.5	1.5
11P2480SGGGWF	1.5	1.5	1.5
11P3034SFF	2.0	2.0	2.0
11P3042SFFF	2.7	2.7	2.7
11P3042SFMF	2.2	2.2	2.2
11P3042SFWF	2.2	2.2	2.2
11P3048SFFF	3.0	3.0	3.0
11P3048SFMF	2.5	2.5	2.5
11P3048SFWF	2.5	2.5	2.5
11P3048SGFF	2.0	2.0	2.0
11P3048SGMF	1.5	1.5	1.5
11P3048SGWF	1.5	1.5	1.5
11P3054SFFF	3.3	3.3	3.3
11P3054SFMF	2.8	2.8	2.8
11P3054SFWF	2.8	2.8	2.8
11P3054SGFF	2.0	2.0	2.0
11P3054SGMF	1.5	1.5	1.5
11P3054SGWF	1.5	1.5	1.5
11P3062SFFFF	3.9	3.9	3.9
11P3062SFFFF	3.0	3.0	3.0
11P3062SFFMF	2.5	2.5	2.5
11P3062SFFWF	2.5	2.5	2.5
11P3062SGFFF	3.0	3.0	3.0
11P3062SGFMF	2.5	2.5	2.5
11P3062SGFWF	2.5	2.5	2.5
11P3062SGGFF	2.0	2.0	2.0
11P3062SGGMF	1.5	1.5	1.5
11P3062SGGWF	1.5	1.5	1.5
11P3066SFFFF	4.2	4.2	4.2
11P3066SFFMF	3.7	3.7	3.7
11P3066SFFMF	2.5	2.5	2.5
11P3066SFFWF	3.7	3.7	3.7
11P3066SGFFF	3.0	3.0	3.0
11P3066SGFMF	2.5	2.5	2.5
11P3066SGFWF	2.5	2.5	2.5
11P3066SGGFF	2.0	2.0	2.0
11P3066SGGMF	1.5	1.5	1.5
11P3066SGGWF	1.5	1.5	1.5
11P3080SFFFFF	4.2	4.2	4.2
11P3080SFFFMF	3.7	3.7	3.7
11P3080SFFFWF	3.7	3.7	3.7
11P3080SGFFFF	4.2	4.2	4.2
11P3080SGFFMF	3.7	3.7	3.7
11P3080SGFFWF	3.7	3.7	3.7
11P3080SGGFFF	3.0	3.0	3.0
11P3080SGGFMF	2.5	2.5	2.5
11P3080SGGFWF	2.5	2.5	2.5
11P3080SGGGFF	2.0	2.0	2.0
11P3080SGGGMF	1.5	1.5	1.5
11P3080SGGGWF	1.5	1.5	1.5
11P3634SFF	2.0	2.0	2.0
11P3642SFFF	2.7	2.7	2.7
11P3642SFMF	2.2	2.2	2.2
11P3642SFWF	2.2	2.2	2.2
11P3648SFFF	3.0	3.0	3.0
11P3648SFMF	2.5	2.5	2.5
11P3648SFWF	2.5	2.5	2.5
11P3648SGFF	2.0	2.0	2.0
11P3648SGMF	1.5	1.5	1.5
11P3648SGWF	1.5	1.5	1.5
11P3654SFFF	3.3	3.3	3.3
11P3654SFMF	2.8	2.8	2.8
11P3654SFWF	2.8	2.8	2.8
11P3654SGFF	2.0	2.0	2.0
11P3654SGMF	1.5	1.5	1.5
11P3654SGWF	1.5	1.5	1.5
11P3662SFFFF	3.9	3.9	3.9
11P3662SFFMF	3.4	3.4	3.4
11P3662SFFWF	3.4	3.4	3.4
11P3662SGFFF	3.0	3.0	3.0
11P3662SGFMF	2.5	2.5	2.5
11P3662SGFWF	2.5	2.5	2.5
11P3662SGGFF	2.0	2.0	2.0
11P3662SGGMF	1.5	1.5	1.5
11P3662SGGWF	1.5	1.5	1.5
11P3666SFFFF	4.2	4.2	4.2
11P3666SFFMF	3.7	3.7	3.7
11P3666SFFWF	3.7	3.7	3.7
11P3666SGFFF	3.0	3.0	3.0
11P3666SGFMF	2.5	2.5	2.5
11P3666SGFWF	2.5	2.5	2.5
11P3666SGGFF	2.0	2.0	2.0
11P3666SGGMF	1.5	1.5	1.5
11P3666SGGWF	1.5	1.5	1.5
11P3680SFFFFF	5.1	5.1	5.1
11P3680SFFFFF	4.2	4.2	4.2
11P3680SFFFMF	4.6	4.6	4.6
11P3680SFFFWF	4.6	4.6	4.6
11P3680SGFFFF	4.2	4.2	4.2
11P3680SGFFMF	3.7	3.7	3.7
11P3680SGFFWF	3.7	3.7	3.7
11P3680SGGFFF	3.0	3.0	3.0
11P3680SGGFMF	2.5	2.5	2.5
11P3680SGGFWF	2.5	2.5	2.5
11P3680SGGGFF	2.0	2.0	2.0
11P3680SGGGMF	1.5	1.5	1.5
11P3680SGGGWF	1.5	1.5	1.5
11P4234SFF	2.0	2.0	2.0
11P4242SFFF	2.7	2.7	2.7
11P4242SFMF	2.2	2.2	2.2
11P4242SFWF	2.2	2.2	2.2
11P4248SFFF	3.0	3.0	3.0
11P4248SFMF	2.5	2.5	2.5
11P4248SFWF	2.5	2.5	2.5
11P4248SGFF	2.0	2.0	2.0
11P4248SGMF	1.5	1.5	1.5
11P4248SGWF	1.5	1.5	1.5
11P4254SFFF	3.3	3.3	3.3
11P4254SFMF	2.8	2.8	2.8
11P4254SFWF	2.8	2.8	2.8
11P4254SGFF	2.0	2.0	2.0
11P4254SGMF	1.5	1.5	1.5
11P4254SGWF	1.5	1.5	1.5
11P4262SFFFF	3.9	3.9	3.9
11P4262SFFMF	3.4	3.4	3.4
11P4262SFFWF	3.4	3.4	3.4

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Model	66"W Directional	54"W Directional	66"W Non-Dir.
11P4262SGFFF	3.0	3.0	3.0
11P4262SGFMF	2.5	2.5	2.5
11P4262SGFWF	2.5	2.5	2.5
11P4262SGGFF	2.0	2.0	2.0
11P4262SGGMF	1.5	1.5	1.5
11P4262SGGWF	1.5	1.5	1.5
11P4266SFFFF	4.2	4.2	4.2
11P4266SFFMF	3.7	3.7	3.7
11P4266SFFMF	4.2	4.2	4.2
11P4266SFFWF	3.7	3.7	3.7
11P4266SGFFF	3.0	3.0	3.0
11P4266SGFMF	2.5	2.5	2.5
11P4266SGFWF	2.5	2.5	2.5
11P4266SGGFF	2.0	2.0	2.0
11P4266SGGMF	1.5	1.5	1.5
11P4266SGGWF	1.5	1.5	1.5
11P4280SFFFFF	5.1	5.1	5.1
11P4280SFFFMF	4.6	4.6	4.6
11P4280SFFFWF	3.7	3.7	3.7
11P4280SGFFFF	4.2	4.2	4.2
11P4280SGFFMF	3.7	3.7	3.7
11P4280SGFFWF	3.7	3.7	3.7
11P4280SGGFFF	3.0	3.0	3.0
11P4280SGGFMF	2.5	2.5	2.5
11P4280SGGFWF	2.5	2.5	2.5
11P4280SGGGFF	2.0	2.0	2.0
11P4280SGGGMF	1.5	1.5	1.5
11P4280SGGGWF	1.5	1.5	1.5
11P4834SFF	2.0	2.0	2.0
11P4842SFFF	2.7	2.7	2.7
11P4842SFMF	2.2	2.2	2.2
11P4842SFWF	2.2	2.2	2.2
11P4848SFFF	3.0	3.0	3.0
11P4848SFMF	2.5	2.5	2.5
11P4848SFMF	3.0	3.0	3.0
11P4848SFWF	3.0	3.0	3.0
11P4848SGFF	2.0	2.0	2.0
11P4848SGMF	1.5	1.5	1.5
11P4848SGWF	1.5	1.5	1.5
11P4854SFFF	3.3	3.3	3.3
11P4854SFMF	2.8	2.8	2.8
11P4854SFWF	2.8	2.8	2.8
11P4854SGFF	2.0	2.0	2.0
11P4854SGMF	1.5	1.5	1.5
11P4854SGWF	1.5	1.5	1.5
11P4862SFFFF	3.9	3.9	3.9
11P4862SFFMF	3.4	3.4	3.4
11P4862SFFWF	3.4	3.4	3.4
11P4862SGFFF	3.0	3.0	3.0
11P4862SGFMF	2.5	2.5	2.5
11P4862SGFWF	2.5	2.5	2.5
11P4862SGGFF	2.0	2.0	2.0
11P4862SGGMF	1.5	1.5	1.5
11P4862SGGWF	1.5	1.5	1.5
11P4866SFFFF	4.2	4.2	4.2
11P4866SFFMF	3.7	3.7	3.7
11P4866SFFWF	3.7	3.7	3.7
11P4866SGFFF	3.0	3.0	3.0
11P4866SGFMF	2.5	2.5	2.5
11P4866SGFWF	2.5	2.5	2.5
11P4866SGGFF	2.0	2.0	2.0
11P4866SGGFF	2.5	2.5	2.5
11P4866SGGMF	1.5	1.5	1.5
11P4866SGGWF	1.5	1.5	1.5
11P4880SFFFFF	5.1	5.1	5.1
11P4880SFFFMF	4.6	4.6	4.6
11P4880SFFFWF	4.6	4.6	4.6
11P4880SGFFFF	4.2	4.2	4.2
11P4880SGFFMF	3.7	3.7	3.7
11P4880SGFFWF	3.7	3.7	3.7
11P4880SGGFFF	3.0	3.0	3.0
11P4880SGGFMF	2.5	2.5	2.5
11P4880SGGFWF	2.5	2.5	2.5
11P4880SGGGFF	2.0	2.0	2.0
11P4880SGGGMF	1.5	1.5	1.5
11P4880SGGGWF	1.5	1.5	1.5
Stackable Panels			
11P1812SF	0.9	0.9	0.9
11P1814SF	1.0	1.0	1.0
11P1818SF	1.2	1.2	1.2
11P2412SF	0.9	0.9	0.9
11P2414SF	1.0	1.0	1.0
11P2418SF	1.2	1.2	1.2
11P3012SF	0.9	0.9	0.9
11P3014SF	1.0	1.0	1.0
11P3018SF	1.2	1.2	1.2
11P3612SF	0.9	0.9	0.9
11P3614SF	1.0	1.0	1.0
11P3618SF	1.2	1.2	1.2
11P4212SF	0.9	0.9	0.9
11P4214SF	1.0	1.0	1.0
11P4218SF	1.2	1.2	1.2
11P4812SF	0.9	0.9	0.9
11P4814SF	1.0	1.0	1.0
11P4818SF	1.2	1.2	1.2
11P6012SF	0.9	0.9	0.9
11P6014SF	1.0	1.0	1.0
11P6018SF	1.2	1.2	1.2
Finish Channels			
10P34CNT	1.0	1.0	0.2
10P42CNT	1.3	1.3	0.2
10P48CNT	1.4	1.4	0.2
10P54CNT	1.6	1.6	0.2
10P62CNT	1.8	1.8	0.2
10P66CNT	1.9	1.9	0.2
10P80CNT	2.3	2.3	2.3
10P34CNL	1.0	1.0	0.2
10P42CNL	1.3	1.3	0.2
10P48CNL	1.4	1.4	0.2
10P54CNL	1.6	1.6	0.2
10P62CNL	1.8	1.8	0.2
10P66CNL	1.9	1.9	0.2
10P80CNL	2.3	2.3	2.3
10P34CNV	1.0	1.0	0.2
10P42CNV	1.3	1.3	0.2
10P48CNV	1.4	1.4	0.2
10P54CNV	1.6	1.6	0.2
10P62CNV	1.8	1.8	0.2
10P66CNV	1.9	1.9	0.2
10P80CNV	2.3	2.3	2.3
10P4CNHL	0.2	0.2	0.2

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Model	66"W Directional	54"W Directional	66"W Non-Dir.
10P6CNHL	0.3	0.3	0.2
10P8CNHL	0.3	0.3	0.2
10P12CNHL	0.4	0.4	0.2
10P14CNHL	0.5	0.5	0.2
10P18CNHL	0.6	0.6	0.2
10P20CNHL	0.6	0.6	0.2
10P24CNHL	0.8	0.8	0.2
10P26CNHL	0.8	0.8	0.2
10P28CNHL	0.9	0.9	0.2
10P32CNHL	1.0	1.0	0.2
10P38CNHL	1.1	1.1	0.2
10P46CNHL	1.4	1.4	0.2
10P4CNHLL	0.2	0.2	0.2
10P6CNHLL	0.3	0.3	0.2
10P8CNHLL	0.3	0.3	0.2
10P12CNHLL	0.4	0.4	0.2
10P14CNHLL	0.5	0.5	0.2
10P18CNHLL	0.6	0.6	0.2
10P20CNHLL	0.6	0.6	0.2
10P24CNHLL	0.8	0.8	0.2
10P26CNHLL	0.8	0.8	0.2
10P28CNHLL	0.9	0.9	0.2
10P32CNHLL	1.0	1.0	0.4
10P38CNHLL	1.1	1.1	0.4
10P46CNHLL	1.4	1.4	0.4
11P4CNHTP	0.2	0.2	0.2
11P6CNHTP	0.2	0.2	0.2
11P8CNHTP	0.2	0.2	0.2
11P12CNHTP	0.2	0.2	0.2
11P14CNHTP	0.2	0.2	0.2
11P18CNHTP	0.2	0.2	0.2
11P20CNHTP	0.2	0.2	0.2
11P24CNHTP	0.2	0.2	0.2
11P26CNHTP	0.2	0.2	0.2
11P28CNHTP	0.2	0.2	0.2
11P32CNHTP	0.2	0.2	0.2
11P38CNHTP	0.2	0.2	0.2
11P46CNHTP	0.2	0.2	0.2

Traxx and Tiles

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Tiles Compatible with Cetra			
FIT1237A	1.2	1.2	0.7
FIT1837A	1.2	1.2	0.9
FIT2437A	1.2	1.2	1.0
FIT3037A	1.2	1.2	1.2
FIT3637A	1.2	1.2	1.2
FIT4237A	1.2	1.2	1.2
FIT4837A	1.2	1.2	1.2
FIT5437A	1.2	N.A.	1.2
FIT6037A	2.4	N.A.	1.6
FIT2437SS16N	0.8	0.8	0.8
FIT2437SS16P	0.8	0.8	0.8
FIT2437SS24N	0.6	0.6	0.6
FIT2437SS24P	0.6	0.6	0.6
FIT3037SS16N	0.8	0.8	0.8
FIT3037SS16P	0.8	0.8	0.8
FIT3037SS24N	0.6	0.6	0.6
FIT3037SS24P	0.6	0.6	0.6
FIT3637SS16N	0.8	0.8	0.8
FIT3637SS16P	0.8	0.8	0.8
FIT3637SS24N	0.6	0.6	0.6
FIT3637SS24P	0.6	0.6	0.6
FIT4237SS16N	0.8	0.8	0.8
FIT4237SS16P	0.8	0.8	0.8
FIT4237SS24N	0.6	0.6	0.6
FIT4237SS24P	0.6	0.6	0.6
FIT4837SS16N	0.8	0.8	0.8
FIT4837SS16P	0.8	0.8	0.8
FIT4837SS24N	0.6	0.6	0.6
FIT4837SS24P	0.6	0.6	0.6

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Tiles Compatible with Interworks EQ			
HIT1236A	1.2	1.2	0.7
HIT1836A	1.2	1.2	0.9
HIT2436A	1.2	1.2	1.0
HIT3036A	1.2	1.2	1.2
HIT3636A	1.2	1.2	1.2
HIT4236A	1.2	1.2	1.2
HIT4836A	1.2	1.2	1.2
HIT5436A	1.2	N.A.	1.2
HIT6036A	2.4	N.A.	1.6
HIT2436SS16	0.8	0.8	0.8
HIT3036SS16	0.8	0.8	0.8
HIT3636SS16	0.8	0.8	0.8
HIT4236SS16	0.8	0.8	0.8
HIT4836SS16	0.8	0.8	0.8
HIT2436SS24	0.6	0.6	0.6
HIT3036SS24	0.6	0.6	0.6
HIT3636SS24	0.6	0.6	0.6
HIT4236SS24	0.6	0.6	0.6
HIT4836SS24	0.6	0.6	0.6
Tiles Compatible with Conferencing Solutions			
FIT1249A	1.6	1.6	0.7
FIT1849A	1.6	1.6	0.9
FIT2449A	1.6	1.6	1.0
FIT3049A	1.6	1.6	1.2
FIT3649A	1.6	1.6	1.2
FIT4249A	1.6	1.6	1.2
FIT4849A	1.6	1.6	1.2
FIT5449A	1.6	N.A.	1.2
FIT6049A	3.2	N.A.	1.6

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Wood Finishes	➤See page 577
Paints, PVC, & Polymer	580
Laminate	583
Fabrics	587

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Footprint Storage			
Flat Profile Mobile Pedestal with Cushion Top*			
12S2415PMBFCTM	1.0	1.0	1.0

**The requirement for a single pedestal is one yard. However, two cushion-tops can be cut from a single yard. For example, 51 tops would require 26 yards. Always round up to the next full yard when ordering multiple pedestals.*

Bevel Profile Overheads with Fabric Door			
IS142416R	0.6	0.6	0.6
IS143016R	0.6	0.6	0.6
IS143616R	0.6	0.6	0.6
IS144216R	0.6	0.6	0.6
IS144816R	0.6	0.6	0.6
IS145416R	1.2	1.2	1.2
IS146016R	1.2	1.2	1.2
IS147216R	1.2	1.2	1.2
Bevel Profile Highback Organizers			
IF4836H	0.6	0.6	0.6
IF6036H	1.2	1.2	1.2
IF7236H	1.2	1.2	1.2

Model	COM Non-	1–4"	5–11"	12–18"	COL Sq.
Flat Profile Low Storage Cushions					
14S1815FC	0.7	0.8	1.1	1.7	14.0
14S1830FC	0.9	1.3	1.7	2.7	18.0
14S1836FC	1.1	1.3	1.7	2.7	22.0
14S1842FC	1.1	1.3	1.7	2.7	22.0
14S2415FC	0.9	0.9	1.4	2.2	18.0
14S2430FC	1.2	1.6	2.3	2.7	24.0
14S2436FC	1.2	1.6	2.3	2.7	24.0
14S2442FC	1.2	1.6	2.3	2.7	24.0
14S3615FC	1.3	1.6	1.7	2.7	26.0
14S3630FC	1.7	2.1	2.3	3.7	34.0
14S3636FC	1.7	2.1	2.3	3.7	34.0
14S3642FC	1.7	2.1	2.3	3.7	34.0

Model	66"W Directional	54"W Directional	66"W Non-Dir.
Accessories			
Tackboards for Square and Radius Profile Highbacks			
FHT4820	0.9	0.9	0.9
FHT6020	0.9	N.A.	0.9
FHT7220	2.4	N.A.	2.4
Tackboards for Bevel Profile Highback			
IF4821T	0.8	0.8	0.8
IF6021T	2.0	2.0*	2.0
IF7221T	2.3*	2.3*	2.3*

* Fabric is applied "railroaded."

Cetra Panel-Mounted Tackboards			
ATB3013	1.0	1.0	1.0
ATB3613	1.0	1.0	1.0
ATB4213	1.0	1.0	1.0
ATB4813	1.0	1.0	1.0
ATB3030	1.0	1.0	1.0
ATB3630	1.0	1.0	1.0
ATB4236	1.0	1.0	1.0
ATB4836	1.0	1.0	1.0
Interworks EQ Panel-Mounted Tackboards			
10A1530TB	0.6	0.6	0.6
10A1536TB	0.6	0.6	0.6
10A1542TB	0.6	0.6	0.6
10A1548TB	0.6	0.6	0.6
10A1560TB	0.6	2.0*	0.6
10A1930TB	0.7	0.7	0.7
10A1936TB	0.7	0.7	0.7
10A1942TB	0.7	0.7	0.7
10A1948TB	0.7	0.7	0.7
10A1960TB	0.7	2.0*	0.7

* Fabric is applied "railroaded."

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 596 for COM policy and additional information.

RESOURCES

	➤See page
Terms and Conditions	608
Asset Tag Locations	608
Product Warranty	610
Operating Load Capacities	611
Model Number Index	612

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

Operating Load Capacities

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Model Number Index 612

Component	Operating Load Capacity (Functional Loads)	Examples
Worksurface	200 lb.s over 12" diameter area, concentrated loading; 1.5 lb. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs. total weight (t.w.)
Transaction counter	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Round and rectangular tables	1.5 lb. per inch of perimeter, distributive loading	36" dia. = 170 lbs. t.w. 36"D x 60"W = 288 lbs. t.w.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	24"D x 18"W x 12"H wood = 88 lbs. t.w. 24"D x 15"W x 12"H metal = 73 lbs. t.w.
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	22"D x 30"W = 134 lbs. t.w
Center-mount cabinet	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 12"H metal = 163.5 lbs. t.w
Flipper door cabinet	Top shelf—NO load	
	Bottom shelf—.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading*	36"W x 16"H metal = 117 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Open shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"H metal = 59 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Lateral file drawers	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	30"W x 18"D x 12"H metal = 110 lbs. t.w. 30"W x 24"D x 12"H wood = 147 lbs. t.w.
Bookcase and wardrobe shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"D metal = 59 lbs. t.w. 36"W x 12"D wood = 88 lbs. t.w.

Cubic inches should be calculated using this formula:
Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface)

The table at left lists the operating load capacities of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.6 2010 Panel System Test, X5.5 2008 Desk/Tables Products Test, and X5.9 2012 Storage Unit Test. The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Model Number Index

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
10A1530TB	310
10A1536TB	310
10A1542TB	310
10A1548TB	310
10A1560TB	310
10A1930TB	310
10A1936TB	310
10A1942TB	310
10A1948TB	310
10A1960TB	310
10ATMC	329
10AVCM16	332
10AVCM16B	332
10AVCM20	332
10AVCM20B	332
10P04EDCI	331
10P06EDCI	331
10P08EDCI	331
10P12CNHL	313
10P12CNHLL	314
10P12EDCI	331
10P12HTC	319
10P14CNHL	313
10P14CNHLL	314
10P14EDCI	331
10P14HTC	319
10P18CNHL	313
10P18CNHLL	314
10P18EDCI	331
10P18EPTA	324
10P18EPTB	324
10P18HTC	319
10P20CNHL	313
10P20CNHLL	314
10P20EDCI	331
10P20HTC	319
10P24CNHL	313
10P24CNHLL	314
10P24ED	323
10P24EDCI	331
10P24HTC	319
10P26CNHL	313
10P26CNHLL	314
10P26EDCI	331
10P26HTC	319
10P28CNHL	313
10P28CNHLL	314
10P28EDCI	331
10P28HTC	319
10P30ED	323
10P30EHPA	327
10P32CNHL	313
10P32CNHLL	314
10P32EDCI	331
10P32HTC	319
10P34CNL	311
10P34CNS	321
10P34CNT	311
10P34CNV	311
10P34CNWMP	322
10P34EC	318
10P3668PPF	306
10P3668PPFM	306
10P3668PPT	306
10P3680DLL	307
10P3680DLR	307
10P36ED	323
10P36EHPA	327
10P38CNHL	313
10P38CNHLL	314
10P38EDCI	331
10P38HTC	319
10P4268PPF	306
10P4268PPFM	306
10P4268PPT	306
10P4280DLL	307
10P4280DLR	307
10P42CNL	311
10P42CNS	321
10P42CNT	311
10P42CNV	311
10P42CNWMP	322
10P42EC	318
10P42ED	323
10P42EDCL	330
10P42EDCT	330
10P46CNHL	313
10P46CNHLL	314
10P46EDCI	331
10P46HTC	319
10P48CNL	311
10P48CNS	321
10P48CNT	311
10P48CNV	311
10P48CNWMP	322
10P48EC	318
10P48ED	323
10P48EDCL	330
10P48EDCT	330
10P4CNHL	313
10P4CNHLL	314
10P4HTC	319
10P54CNL	311
10P54CNS	321
10P54CNT	311
10P54CNV	311
10P54CNWMP	322
10P54EC	318
10P54EDCL	330
10P54EDCT	330
10P62CNL	311
10P62CNS	321
10P62CNT	311
10P62CNV	311
10P62CNWMP	322
10P62EC	318
10P62EDCL	330
10P62EDCT	330
10P66CNETP	321
10P66CNL	311
10P66CNS	321
10P66CNT	311
10P66CNV	311
10P66CNWMP	322
10P66EC	318
10P66EDCL	330
10P66EDCT	330
10P6CNHL	313
10P6CNHLL	314
10P6HTC	319
10P80CNL	311
10P80CNS	321
10P80CNT	311
10P80CNV	311
10P80CNWMP	322
10P80EC	318
10P80EDCL	330
10P80EDCT	330
10P8CNHL	313
10P8CNHLL	314
10P8HTC	319
10PCNEC	317
10PCNIFC	316
10PCNIL	316
10PCNLTC1	315
10PCNLTC2	315
10PCNSREC	317
10PCNTTC1	315
10PCNTTC2	315
10PCNTTC3	315
10PCNTTC4	315
10PCNTTC5	315
10PCNTTC6	315
10PCNXTC1	315
10PCNYTC1	315
10PCPDPEP	328
10PCPDPLP	328
10PCPDPSP	328
10PECP1	329
10PECPE1	325
10PEFPE1E	325
10PEFPE1L	325
10PEFPE1S	325
10PEHCC	326
10PEHEC	326
10PEHJB	326
10PEHRCP	329
10PEHSC	326
10PEHSFP	326
10PEJA	324
10PEJA48	324
10PEJA68	324
10PEJAS	324
10PEJB	324
10PEJB48	324
10PEJB68	324
10PEJBS	324
10PEJC	324
10PEJCS	324
10PER1	325
10PER2	325
10PER4	325
10PER5	325
10PESPE1P	325
10PLBRKT	308
10PRT2R	326
10PSBPNCL	308
10PSBPNCS	308
10PSBPNCT	308
10PSBPNCV	308
10PSBPNCX	308
10PSBPNCY	308
10PSBSPCR	309
11P12CNHT	312
11P12HLT	320
11P14CNHT	312
11P14HLT	320
11P1812S	304
11P1814S	304
11P1818S	305
11P1834A	269
11P1834SFF	274
11P1842A	269
11P1842SFFF	275
11P1842SFMF	277
11P1848A	270
11P1848SFFF	275
11P1848SFMF	277
11P1848SGFF	280
11P1848SGMF	281

Model	➤See page
11P1854A	270
11P1854SFFF	276
11P1854SFMF	278
11P1854SGFF	280
11P1854SGMF	281
11P1862A	271
11P1862SFFFF	283
11P1862SFFMF	284
11P1862SGFFF	286
11P1862SGFMF	287
11P1862SGGFF	289
11P1862SGGMF	290
11P1866A	271
11P1866SFFFF	283
11P1866SFFMF	284
11P1866SGFFF	286
11P1866SGFMF	287
11P1866SGGFF	289
11P1866SGGMF	290
11P1880A	272
11P1880SFFFFF	292
11P1880SFFFMF	293
11P1880SGFFFF	295
11P1880SGFFMF	296
11P1880SGGFFF	298
11P1880SGGGMF	299
11P1880SGGGFF	301
11P1880SGGGMF	302
11P18CNHT	312
11P18HLT	320
11P20CNHT	312
11P20HLT	320
11P2412S	304
11P2414S	304
11P2418S	305
11P2434A	269
11P2434SFF	274
11P2442A	269
11P2442SFFF	275
11P2442SFMF	277
11P2442SFWF	279
11P2448A	270

Model	➤See page
11P2448SFFF	275
11P2448SFMF	277
11P2448SFWF	279
11P2448SGFF	280
11P2448SGMF	281
11P2448SGWF	282
11P2454A	270
11P2454SFFF	276
11P2454SFMF	278
11P2454SFWF	279
11P2454SGFF	280
11P2454SGMF	281
11P2454SGWF	282
11P2462A	271
11P2462G	273
11P2462SFFFF	283
11P2462SFFMF	284
11P2462SFFWF	285
11P2462SGFFF	286
11P2462SGFMF	287
11P2462SGFWF	288
11P2462SGGFF	289
11P2462SGGMF	290
11P2462SGGWF	291
11P2466A	271
11P2466G	273
11P2466SFFFF	283
11P2466SFFMF	284
11P2466SFFWF	285
11P2466SGFFF	286
11P2466SGFMF	287
11P2466SGFWF	288
11P2466SGGFF	289
11P2466SGGMF	290
11P2466SGGWF	291
11P2480A	272
11P2480G	273
11P2480SFFFFF	292
11P2480SFFFMF	293
11P2480SFFFWF	294
11P2480SGFFFF	295
11P2480SGFFMF	296

Model	➤See page
11P2480SGFFWF	297
11P2480SGGFFF	298
11P2480SGGFMF	299
11P2480SGGFWF	300
11P2480SGGGFF	301
11P2480SGGGMF	302
11P2480SGGGWF	303
11P24CNHT	312
11P24HLT	320
11P26CNHT	312
11P26HLT	320
11P28CNHT	312
11P28HLT	320
11P3012S	304
11P3014S	304
11P3018S	305
11P3034A	269
11P3034SFF	274
11P3042A	269
11P3042SFFF	275
11P3042SFMF	277
11P3042SFWF	279
11P3048A	270
11P3048SFFF	275
11P3048SFMF	277
11P3048SFWF	279
11P3048SGFF	280
11P3048SGMF	281
11P3048SGWF	282
11P3054A	270
11P3054SFFF	276
11P3054SFMF	278
11P3054SFWF	279
11P3054SGFF	280
11P3054SGMF	281
11P3054SGWF	282
11P3062A	271
11P3062G	273
11P3062SFFFF	283
11P3062SFFMF	284
11P3062SFFWF	285
11P3062SGFFF	286

Model	➤See page
11P3062SGFMF	287
11P3062SGFWF	288
11P3062SGGFF	289
11P3062SGGMF	290
11P3062SGGWF	291
11P3066A	271
11P3066G	273
11P3066SFFFF	283
11P3066SFFMF	284
11P3066SFFWF	285
11P3066SGFFF	286
11P3066SGFMF	287
11P3066SGFWF	288
11P3066SGGFF	289
11P3066SGGMF	290
11P3066SGGWF	291
11P3080A	272
11P3080G	273
11P3080SFFFFF	292
11P3080SFFFMF	293
11P3080SFFFWF	294
11P3080SGFFFF	295
11P3080SGFFMF	296
11P3080SGFFWF	297
11P3080SGGFFF	298
11P3080SGGGMF	299
11P3080SGGGWF	300
11P3080SGGGFF	301
11P3080SGGGMF	302
11P3080SGGGWF	303
11P32CNHT	312
11P32HLT	320
11P3612S	304
11P3614S	304
11P3618S	305
11P3634A	269
11P3634SFF	274
11P3642A	269
11P3642SFFF	275
11P3642SFMF	277
11P3642SFWF	279
11P3648A	270

Model	➤See page
11P3648SFFF	275
11P3648SFMF	277
11P3648SFWF	279
11P3648SGFF	280
11P3648SGMF	281
11P3648SGWF	282
11P3654A	270
11P3654SFFF	276
11P3654SFMF	278
11P3654SFWF	279
11P3654SGFF	280
11P3654SGMF	281
11P3654SGWF	282
11P3662A	271
11P3662G	273
11P3662SFFFF	283
11P3662SFFMF	284
11P3662SFFWF	285
11P3662SGFFF	286
11P3662SGFMF	287
11P3662SGFWF	288
11P3662SGGFF	289
11P3662SGGMF	290
11P3662SGGWF	291
11P3666A	271
11P3666G	273
11P3666SFFFF	283
11P3666SFFMF	284
11P3666SFFWF	285
11P3666SGFFF	286
11P3666SGFMF	287
11P3666SGFWF	288
11P3666SGGFF	289
11P3666SGGMF	290
11P3666SGGWF	291
11P3680A	272
11P3680G	273
11P3680SFFFFF	292
11P3680SFFFMF	293
11P3680SFFFWF	294
11P3680SGFFFF	295
11P3680SGFFMF	296

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
11P3680SGFFWF	297
11P3680SGGFFF	298
11P3680SGGFMF	299
11P3680SGGFWF	300
11P3680SGGGFF	301
11P3680SGGGMF	302
11P3680SGGGWF	303
11P38CNHT	312
11P38HLT	320
11P4212S	304
11P4214S	304
11P4218S	305
11P4234A	269
11P4234SFF	274
11P4242A	269
11P4242SFFF	275
11P4242SFMF	277
11P4242SFWF	279
11P4248A	270
11P4248SFFF	275
11P4248SFMF	277
11P4248SFWF	279
11P4248SGFF	280
11P4248SGMF	281
11P4248SGWF	282
11P4254A	270
11P4254SFFF	276
11P4254SFMF	278
11P4254SFWF	279
11P4254SGFF	280
11P4254SGMF	281
11P4254SGWF	282
11P4262A	271
11P4262SFFFF	283
11P4262SFFMF	284
11P4262SFFWF	285
11P4262SGFFF	286
11P4262SGFMF	287
11P4262SGFWF	288
11P4262SGGFF	289
11P4262SGGMF	290
11P4262SGGWF	291
11P4266A	271
11P4266SFFFF	283
11P4266SFFMF	284
11P4266SFFWF	285
11P4266SGFFF	286
11P4266SGFMF	287
11P4266SGFWF	288
11P4266SGGFF	289
11P4266SGGMF	290
11P4266SGGWF	291
11P4280A	272
11P4280SFFFFF	292
11P4280SFFFMF	293
11P4280SFFFWF	294
11P4280SGFFFF	295
11P4280SGFFMF	296
11P4280SGFFWF	297
11P4280SGGFFF	298
11P4280SGGFMF	299
11P4280SGGFWF	300
11P4280SGGGFF	301
11P4280SGGGMF	302
11P4280SGGGWF	303
11P46CNHT	312
11P46HLT	320
11P4812S	304
11P4814S	304
11P4818S	305
11P4834A	269
11P4834SFF	274
11P4842A	269
11P4842SFFF	275
11P4842SFMF	277
11P4842SFWF	279
11P4848A	270
11P4848SFFF	275
11P4848SFMF	277
11P4848SFWF	279
11P4848SGFF	280
11P4848SGMF	281
11P4848SGWF	282
11P4854A	270
11P4854SFFF	276
11P4854SFMF	278
11P4854SFWF	279
11P4854SGFF	280
11P4854SGMF	281
11P4854SGWF	282
11P4862A	271
11P4862SFFFF	283
11P4862SFFMF	284
11P4862SFFWF	285
11P4862SGFFF	286
11P4862SGFMF	287
11P4862SGFWF	288
11P4862SGGFF	289
11P4862SGGMF	290
11P4862SGGWF	291
11P4866A	271
11P4866SFFFF	283
11P4866SFFMF	284
11P4866SFFWF	285
11P4866SGFFF	286
11P4866SGFMF	287
11P4866SGFWF	288
11P4866SGGFF	289
11P4866SGGMF	290
11P4866SGGWF	291
11P4880A	272
11P4880SFFFFF	292
11P4880SFFFMF	293
11P4880SFFFWF	294
11P4880SGFFFF	295
11P4880SGFFMF	296
11P4880SGFFWF	297
11P4880SGGFFF	298
11P4880SGGFMF	299
11P4880SGGFWF	300
11P4880SGGGFF	301
11P4880SGGGMF	302
11P4880SGGGWF	303
11P4CNHT	312
11P4HLT	320
11P6012S	304
11P6014S	304
11P6018S	305
11P6034A	269
11P6042A	269
11P6048A	270
11P6054A	270
11P6062A	271
11P6066A	271
11P6CNHT	312
11P6HLT	320
11P8CNHT	312
11P8HLT	320
12S154203VSSP	560
12S154209VSSP	560
12S154215VSSP	560
12S1542VHL1M	555
12S1542VHL1MW	556
12S1542VHL2M	555
12S1542VHL2MW	556
12S1542VHR1M	555
12S1542VHR1MW	556
12S1542VHR2M	555
12S1542VHR2MW	556
12S155003VSSP	560
12S155009VSSP	560
12S155015VSSP	560
12S1550VHL1M	555
12S1550VHL1MW	556
12S1550VHL2M	555
12S1550VHL2MW	556
12S1550VHR1M	555
12S1550VHR1MW	556
12S1550VHR2M	555
12S1550VHR2MW	556
12S1554VHL1M	555
12S1554VHL1MW	556
12S1554VHL2M	555
12S1554VHL2MW	556
12S1554VHR1M	555
12S1554VHR1MW	556
12S1554VHR2M	555
12S1554VHR2MW	556
12S1566VHL1M	555
12S1566VHL1MW	556
12S1566VHL2M	555
12S1566VHL2MW	556
12S1566VHR1M	555
12S1566VHR1MW	556
12S1566VHR2M	555
12S1566VHR2MW	556
12S1630BCUM	514
12S1636BCUM	514
12S1642BCUM	514
12S1830FCBBLM	514
12S1830FCBBLMW	515
12S1830FCBBRM	514
12S1830FCBBRMW	515
12S1830LFU2M	514
12S1830LFU2MW	515
12S1836LFU2M	514
12S1836LFU2MW	515
12S1842LFU2M	514
12S1842LFU2MW	515
12S1915PMBBFM	516
12S1915PMFFM	516
12S1915PUBBFM	512
12S1915PUBFM	512
12S1915PUFFM	512
12S2414SOS	532
12S2414SOS1	531
12S2415PMBBFM	516
12S2415PMBBFMW	517
12S2415PMBFCTM	516
12S2415PMBFCTMW	517
12S2415PMFFM	516
12S2415PMFFMW	517
12S2415PUBBFM	512
12S2415PUBBFMW	513
12S2415PUBFM	512
12S2415PUFFM	512
12S2415PUFFMW	513
12S2416SOFMW	533
12S244203VSSP	560
12S244209VSSP	560

Model	➤See page
12S244215VSSP	560
12S2442VBWHL1M	557
12S2442VBWHL2M	557
12S2442VBWHR1M	557
12S2442VBWHR2M	557
12S2442VHHL2M	558
12S2442VHHR2M	558
12S245003VSSP	560
12S245009VSSP	560
12S245015VSSP	560
12S2450VBWHL1M	557
12S2450VBWHL2M	557
12S2450VBWHR1M	557
12S2450VBWHR2M	557
12S2450VHHL2M	558
12S2450VHHL2MW	559
12S2450VHHR2M	558
12S2450VHHR2MW	559
12S2454VBWHL1M	557
12S2454VBWHL2M	557
12S2454VBWHR1M	557
12S2454VBWHR2M	557
12S2454VHHL2MW	559
12S2454VHHR2M	558
12S2454VHHR2MW	559
12S2466VBWHL1M	557
12S2466VBWHL2M	557
12S2466VBWHR1M	557
12S2466VBWHR2M	557
12S2466VHHL2M	558
12S2466VHHL2MW	559
12S2466VHHR2M	558
12S2466VHHR2MW	559
12S3014SOS	532
12S3014SOS1	531
12S3015PUBBFM	512
12S3015PUBBFMW	513
12S3015PUBFM	512
12S3015PUFFM	512
12S3015PUFFMW	513
12S3016SOFMW	533
12S3614SOS	532

Model	➤See page
12S3614SOS1	531
12S3614SOS2L	531
12S3614SOS2R	531
12S3616SOFMW	533
12S3630BCO	554
12S3642BCO	554
12S3650BCO	554
12S3654BCO	554
12S3666BCO	554
12S4214SOS	532
12S4214SOS1	531
12S4214SOS2L	531
12S4214SOS2R	531
12S4216SOFMW	533
12S4807SMCXP	536
12S4814SOS	532
12S4814SOS1	531
12S4814SOS2L	531
12S4814SOS2R	531
12S4816SOFMW	533
12S5414SOS	532
12S5414SOS1	531
12S5414SOS2L	531
12S5414SOS2R	531
12S6007SMCXP	536
12S6014SOS	532
12S6014SOS1	531
12S6014SOS2L	531
12S6014SOS2R	531
12S6016SOFMW	533
12S6614SOS	532
12S6614SOS1	531
12S6614SOS2L	531
12S6614SOS2R	531
12S7207SMCXP	536
12S7214SOS	532
12S7214SOS1	531
12S7214SOS2L	531
12S7214SOS2R	531
12S7216SOFMW	533
12SGB	547
14S121842VHLWM	561

Model	➤See page
14S121842VHRWM	561
14S121842VPLLM	562
14S121842VPLRM	562
14S121850VHLWM	561
14S121850VHRWM	561
14S121850VPLLM	562
14S121850VPLRM	562
14S121854VHLWM	561
14S121854VHRWM	561
14S121854VPLLM	562
14S121854VPLRM	562
14S121866VHLWM	561
14S121866VHRWM	561
14S121866VPLLM	562
14S121866VPLRM	562
14S122442VHLWM	561
14S122442VHRWM	561
14S122442VPLLM	562
14S122442VPLRM	562
14S122450VHLWM	561
14S122450VHRWM	561
14S122450VPLLM	562
14S122450VPLRM	562
14S122454VHLWM	561
14S122454VHRWM	561
14S122454VPLLM	562
14S122454VPLRM	562
14S122466VHLWM	561
14S122466VHRWM	561
14S122466VPLLM	562
14S122466VPLRM	562
14S123803VSSP	567
14S123809VSSP	567
14S123815VSSP	567
14S124603VSSP	567
14S124609VSSP	567
14S124615VSSP	567
14S12CR	561
14S151842VHL1M	564
14S151842VHL2M	564
14S151842VHR1M	563
14S151842VHR2M	563

Model	➤See page
14S151842VOL1M	566
14S151842VOL2M	566
14S151842VOR1M	565
14S151842VOR2M	565
14S151850VHL1M	564
14S151850VHL2M	564
14S151850VHR1M	563
14S151850VHR2M	563
14S151850VOL1M	566
14S151850VOL2M	566
14S151850VOR1M	565
14S151850VOR2M	565
14S151854VHL1M	564
14S151854VHL2M	564
14S151854VHR1M	563
14S151854VHR2M	563
14S151854VOL1M	566
14S151854VOL2M	566
14S151854VOR1M	565
14S151854VOR2M	565
14S151866VHL1M	564
14S151866VHL2M	564
14S151866VHR1M	563
14S151866VHR2M	563
14S151866VOL2M	566
14S151866VOR1M	565
14S151866VOR2M	565
14S152442VHL1M	564
14S152442VHL2M	564
14S152442VHR1M	563
14S152442VHR2M	563
14S152442VOL1M	566
14S152442VOL2M	566
14S152442VOR1M	565
14S152442VOR2M	565
14S152450VHL1M	564
14S152450VHL2M	564
14S152450VHR1M	563
14S152450VHR2M	563
14S152450VOL1M	566
14S152450VOL2M	566
14S152450VOR1M	565

Model	➤See page
14S152450VOR2M	565
14S152454VHL1M	564
14S152454VHL2M	564
14S152454VHR1M	563
14S152454VHR2M	563
14S152454VOL1M	566
14S152454VOL2M	566
14S152454VOR1M	565
14S152454VOR2M	565
14S152466VHL1M	564
14S152466VHL2M	564
14S152466VHR1M	563
14S152466VHR2M	563
14S152466VOL1M	566
14S152466VOL2M	566
14S152466VOR1M	565
14S152466VOR2M	565
14S153803VSSP	567
14S153809VSSP	567
14S153815VSSP	567
14S154603VSSP	567
14S154609VSSP	567
14S154615VSSP	567
14S1812SH	561
14S1815FC	524
14S1815PBFM	518
14S1815POBFM	518
14S1830FC	524
14S1830PBFM	518
14S1830PHBFLM	521
14S1830PHBFRM	521
14S1830POBFM	518
14S1830POFM	520
14S1830POHBFLM	521
14S1830POHBFRM	521
14S1830POOFM	520
14S1830POOM	519
14S1830POOOM	519
14S1836FC	524
14S1836PBFM	518
14S1836PHBFLM	521
14S1836PHBFRM	521

Model Number Index

continued

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
14S1836POBFM	518
14S1836POFM	520
14S1836POHBFLM	521
14S1836POHBFRM	521
14S1836POOFM	520
14S1836POOM	519
14S1836POOOM	519
14S1842FC	524
14S1842PBFM	518
14S1842PHBFLM	521
14S1842PHBFRM	521
14S1842POBFM	518
14S1842POBLFLM	522
14S1842POBLFRM	522
14S1842POFM	520
14S1842POHBFLM	521
14S1842POHBFRM	521
14S1842POOBLFLM	522
14S1842POOBLFRM	522
14S1842POOFM	520
14S1842POOM	519
14S1842POOOM	519
14S2412SH	561
14S2414OSM	535
14S2414SO1	534
14S2414USOM	535
14S2415FC	524
14S2415PBFM	518
14S2415POBFM	518
14S2430FC	524
14S2430PBFM	518
14S2430PHBFLM	521
14S2430PHBFRM	521
14S2430POBFM	518
14S2430POFM	520
14S2430POHBFLM	521
14S2430POHBFRM	521
14S2430POOFM	520
14S2430POOM	519
14S2430POOOM	519
14S2436FC	524
14S2436PBFM	518

Model	➤See page
14S2436PHBFLM	521
14S2436PHBFRM	521
14S2436POBFM	518
14S2436POFM	520
14S2436POHBFLM	521
14S2436POHBFRM	521
14S2436POOFM	520
14S2436POOM	519
14S2436POOOM	519
14S2442FC	524
14S2442PBFM	518
14S2442PHBFLM	521
14S2442PHBFRM	521
14S2442POBFM	518
14S2442POBLFLM	522
14S2442POBLFRM	522
14S2442POFM	520
14S2442POHBFLM	521
14S2442POHBFRM	521
14S2442POOBLFLM	522
14S2442POOBLFRM	522
14S2442POOFM	520
14S2442POOM	519
14S2442POOOM	519
14S3014OSM	535
14S3014SO1	534
14S3014USOM	535
14S3614SO1	534
14S3614SO2L	534
14S3614SO2R	534
14S3615FC	524
14S3630FC	524
14S3636FC	524
14S3642FC	524
14S4214SO1	534
14S4214SO2L	534
14S4214SO2R	534
14S4814SO1	534
14S4814SO2L	534
14S4814SO2R	534
14S5114OSM	535
14S5114USOM	535

Model	➤See page
14S5414SO1	534
14S5414SO2L	534
14S5414SO2R	534
14S5714OSML	535
14S5714OSMR	535
14S5714USOML	535
14S5714USOMR	535
14S6014SO1	534
14S6014SO2L	534
14S6014SO2R	534
14S6314OSM	535
14S6314USOM	535
14S6614SO1	534
14S6614SO2L	534
14S6614SO2R	534
14S7214SO1	534
14S7214SO2L	534
14S7214SO2R	534
14SXAR	546
24S142414SOFM	540
24S143014SOFM	540
24S143614SOFM	540
24S144214SOFM	540
24S144814SOFM	540
24S146014SOFM	540
24S147214SOFM	540
24SCIWOHB	542, 543
24SGB	547
24STXOHB	347, 541, 544
24STXOHB3	347, 541, 544
24STXOHSO	347, 545
36A1VCMN2	240
36A241FDK	221
36A301FDK	221
36A361FDK	221
36A3HVCMN	240
36A3VCMN2	240
36A4HVCMN	240
36A50HVCMN	240
36A5VCMN2	240
36ADCM	240
36AFTW	221

Model	➤See page
36P031EKS	179
36P032EK	174
36P032EKS	179
36P033EK	174
36P034EK	174
36P035EK	174
36P03H50EK	174
36P108PMT	196
36P120PMT	196
36P12FCS	186
36P13FCS	186
36P144PMT	196
36P14FCS	186
36P15FCS	186
36P16FCS	186
36P17FCS	186
36P181FOMS	180
36P181FS	178
36P181IT	205
36P181ITASC	198
36P181ITASCF	198
36P181ITF	220
36P181ITGAP	209
36P181ITGAW	209
36P181ITGBP	209
36P181ITGBW	209
36P181ITM	214
36P181ITR	220
36P181ITS	218
36P182F	167
36P182FNF	171
36P182FNOB	169
36P182FOM	175
36P182FOMF	177
36P182FOMOB	176
36P182FOMS	180
36P182FS	178
36P182IT	207
36P182ITASC	200
36P182ITASCF	200
36P182ITGAP	211
36P182ITGAW	211

Model	➤See page
36P182ITGBP	211
36P182ITGBW	211
36P182ITM	215
36P182ITS	219
36P183F	167
36P183FNF	171
36P183FNOB	169
36P183FOM	175
36P183FOMF	177
36P183FOMOB	176
36P183IT	208
36P183ITASC	201
36P183ITASCF	201
36P183ITGAP	212
36P183ITGAW	212
36P183ITGBP	212
36P183ITGBW	212
36P183ITS	219
36P184F	168
36P184FNF	172
36P184FNOB	170
36P184FOM	175
36P184FOMF	177
36P184FOMOB	176
36P184ITASC	203
36P184ITASCF	203
36P185F	168
36P185FNF	172
36P185FNOB	170
36P185FOM	175
36P185FOMF	177
36P185FOMOB	176
36P185ITASC	203
36P18EPT	234
36P18H06IT	204
36P18H06ITASC	197
36P18H06ITM	214
36P18H06ITS	218
36P18H18IT	206
36P18H18ITASC	199
36P18H18ITGAP	210
36P18H18ITGAW	210

Model Number Index

continued

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
36P18H18ITGBP	210
36P18H18ITGBW	210
36P18H18ITM	215
36P18H18ITS	218
36P18H44ITASC	202
36P18H44ITASCF	202
36P18H50F	167
36P18H50FNF	171
36P18H50FNOB	169
36P18H50FOM	175
36P18H50FOMF	177
36P18H50FOMOB	176
36P18MFS	173
36P18PMT	196
36P18TC	192
36P1H50FCS	186
36P1HSC	190
36P1HTC	191
36P22FCL	185
36P22FCV	187
36P23FCL	185
36P23FCV	187
36P241FG32	193
36P241FG72	194
36P241FGH3	193
36P241FGH7	194
36P241FOMS	180
36P241FS	178
36P241IT	205
36P241ITASC	198
36P241ITASCF	198
36P241ITBA	222
36P241ITBANC	223
36P241ITBK	222
36P241ITBKNC	223
36P241ITBS	222
36P241ITBSNC	223
36P241ITF	220
36P241ITGAP	209
36P241ITGAW	209
36P241ITGBP	209
36P241ITGBW	209
36P241ITM	214
36P241ITR	220
36P241ITS	218
36P242F	167
36P242FNF	171
36P242FNOB	169
36P242FOM	175
36P242FOMF	177
36P242FOMOB	176
36P242FOMS	180
36P242FS	178
36P242IT	207
36P242ITASC	200
36P242ITASCF	200
36P242ITGAP	211
36P242ITGAW	211
36P242ITGBP	211
36P242ITGBW	211
36P242ITM	215
36P242ITS	219
36P243F	167
36P243FNF	171
36P243FNOB	169
36P243FOM	175
36P243FOMF	177
36P243FOMOB	176
36P243IT	208
36P243ITASC	201
36P243ITASCF	201
36P243ITGAP	212
36P243ITGAW	212
36P243ITGBP	212
36P243ITGBW	212
36P243ITS	219
36P244F	168
36P244FNF	172
36P244FNOB	170
36P244FOM	175
36P244FOMF	177
36P244FOMOB	176
36P244ITASC	203
36P244ITASCF	203
36P245F	168
36P245FNF	172
36P245FNOB	170
36P245FOM	175
36P245FOMF	177
36P245FOMOB	176
36P245ITASC	203
36P24CPDPK	238
36P24ED	227
36P24EDB	232
36P24EDH	226
36P24EPT	234
36P24EPT84B	228
36P24FCL	185
36P24FCV	187
36P24H06IT	204
36P24H06ITASC	197
36P24H06ITM	214
36P24H06ITS	218
36P24H18IT	206
36P24H18ITASC	199
36P24H18ITGAP	210
36P24H18ITGAW	210
36P24H18ITGBP	210
36P24H18ITGBW	210
36P24H18ITM	215
36P24H18ITS	218
36P24H44ITASC	202
36P24H44ITASCF	202
36P24H50F	167
36P24H50FNF	171
36P24H50FNOB	169
36P24H50FOM	175
36P24H50FOMF	177
36P24H50FOMOB	176
36P24MFS	173
36P24PMT	196
36P24TC	192
36P24TCFGBP	195
36P24TCFGRP	195
36P24TCFHGP	195
36P25FCL	185
36P25FCV	187
36P26FCL	185
36P26FCV	187
36P27FCL	185
36P27FCV	187
36P2ETC	189
36P2FCW	188
36P2H50FCL	185
36P2H50FCV	187
36P2HSC	190
36P2HTC	191
36P301FG32	193
36P301FG72	194
36P301FGH3	193
36P301FGH7	194
36P301FOMS	180
36P301FS	178
36P301IT	205
36P301ITASC	198
36P301ITASCF	198
36P301ITBA	222
36P301ITBANC	223
36P301ITBK	222
36P301ITBKNC	223
36P301ITBS	222
36P301ITBSNC	223
36P301ITE	230
36P301ITF	220
36P301ITGAP	209
36P301ITGAW	209
36P301ITGBP	209
36P301ITGBW	209
36P301ITK	216
36P301ITM	214
36P301ITR	220
36P301ITS	218
36P302F	167
36P302FNF	171
36P302FNOB	169
36P302FOM	175
36P302FOMF	177
36P302FOMOB	176
36P302FOMS	180
36P302FS	178
36P302IT	207
36P302ITASC	200
36P302ITASCF	200
36P302ITGAP	211
36P302ITGAW	211
36P302ITGBP	211
36P302ITGBW	211
36P302ITK	217
36P302ITM	215
36P302ITS	219
36P302ITT	213
36P303F	167
36P303FNF	171
36P303FNOB	169
36P303FOM	175
36P303FOMF	177
36P303FOMOB	176
36P303IT	208
36P303ITASC	201
36P303ITASCF	201
36P303ITGAP	212
36P303ITGAW	212
36P303ITGBP	212
36P303ITGBW	212
36P303ITK	217
36P303ITS	219
36P303ITT	213
36P304F	168
36P304FNF	172
36P304FNOB	170
36P304FOM	175
36P304FOMF	177
36P304FOMOB	176
36P304ITASC	203
36P304ITASCF	203
36P305F	168
36P305FNF	172
36P305FNOB	170
36P305FOM	175
36P305FOMF	177

Model	➤See page
36P305FOMOB	176
36P305ITASC	203
36P30CPDPK	238
36P30EDB	232
36P30EHS	227
36P30EHSH	226
36P30EHSV	224
36P30EHSVH	225
36P30EPT	234
36P30EPT84B	228
36P30H06IT	204
36P30H06ITASC	197
36P30H06ITK	216
36P30H06ITM	214
36P30H06ITS	218
36P30H18IT	206
36P30H18ITASC	199
36P30H18ITGAP	210
36P30H18ITGAW	210
36P30H18ITGBP	210
36P30H18ITGBW	210
36P30H18ITK	216
36P30H18ITM	215
36P30H18ITS	218
36P30H44ITASC	202
36P30H44ITASCF	202
36P30H50F	167
36P30H50FNF	171
36P30H50FNOB	169
36P30H50FOM	175
36P30H50FOMF	177
36P30H50FOMOB	176
36P30MFS	173
36P30PMT	196
36P30TC	192
36P30TCFGBP	195
36P30TCFGRP	195
36P30TCFHGP	195
36P32FCT	185
36P32FCY	187
36P331IT	205
36P331ITASC	198
36P331ITGAP	209
36P331ITGAW	209
36P331ITGBP	209
36P331ITGBW	209
36P33FCT	185
36P33FCY	187
36P33H06IT	204
36P33H18IT	206
36P34FCT	185
36P34FCY	187
36P35FCT	185
36P35FCY	187
36P361FG32	193
36P361FG72	194
36P361FGH3	193
36P361FGH7	194
36P361FS	178
36P361IT	205
36P361ITASC	198
36P361ITASCF	198
36P361ITBA	222
36P361ITBANC	223
36P361ITBK	222
36P361ITBKNC	223
36P361ITBS	222
36P361ITBSNC	223
36P361ITE	230
36P361ITF	220
36P361ITGAP	209
36P361ITGAW	209
36P361ITGBP	209
36P361ITGBW	209
36P361ITK	216
36P361ITM	214
36P361ITR	220
36P361ITS	218
36P362F	167
36P362FNF	171
36P362FNOB	169
36P362FS	178
36P362IT	207
36P362ITASC	200
36P362ITASCF	200
36P362ITGAP	211
36P362ITGAW	211
36P362ITGBP	211
36P362ITGBW	211
36P362ITK	217
36P362ITM	215
36P362ITS	219
36P362ITT	213
36P363F	167
36P363FNF	171
36P363FNOB	169
36P363IT	208
36P363ITASC	201
36P363ITASCF	201
36P363ITGAP	212
36P363ITGAW	212
36P363ITGBP	212
36P363ITGBW	212
36P363ITK	217
36P363ITS	219
36P363ITT	213
36P364F	168
36P364FNF	172
36P364FNOB	170
36P364ITASC	203
36P364ITASCF	203
36P364PDL	181
36P364PDLL	182
36P364PDR	181
36P364PDRL	182
36P365F	168
36P365FNF	172
36P365FNOB	170
36P365ITASC	203
36P365PDL	181
36P365PDLL	182
36P365PDR	181
36P365PDRL	182
36P3668PPF	184
36P3668PPFM	184
36P3668PPT	184
36P366PDL	181
36P366PDLL	182
36P366PDR	181
36P366PDRL	182
36P367FADP	183
36P367FADW	183
36P367PDL	181
36P367PDLL	182
36P367PDRL	182
36P36CPDPK	238
36P36EDB	232
36P36EHD	227
36P36EHDH	226
36P36EHDV	224
36P36EHDVH	225
36P36EHS	227
36P36EHSH	226
36P36EHSV	224
36P36EHSVH	225
36P36EPT	234
36P36EPT84B	228
36P36FCT	185
36P36FCY	187
36P36H06IT	204
36P36H06ITASC	197
36P36H06ITK	216
36P36H06ITM	214
36P36H06ITS	218
36P36H18IT	206
36P36H18ITASC	199
36P36H18ITGAP	210
36P36H18ITGAW	210
36P36H18ITGBP	210
36P36H18ITGBW	210
36P36H18ITK	216
36P36H18ITM	215
36P36H18ITS	218
36P36H44ITASC	202
36P36H44ITASCF	202
36P36H50F	167
36P36H50FNF	171
36P36H50FNOB	169
36P36H50PDL	181
36P36H50PDLL	182
36P36H50PDR	181
36P36H50PDRL	182
36P36MFS	173
36P36PMT	196
36P36TC	192
36P36TCFGBP	195
36P36TCFGRP	195
36P36TCFHGP	195
36P37FCT	185
36P37FCY	187
36P391IT	205
36P391ITASC	198
36P391ITGAP	209
36P391ITGAW	209
36P391ITGBP	209
36P391ITGBW	209
36P39H06IT	204
36P39H18IT	206
36P3ETC	189
36P3FCW	188
36P3H50FCT	185
36P3H50FCY	187
36P3HSC	190
36P3HTC	191
36P421FG32	193
36P421FG72	194
36P421FGH3	193
36P421FGH7	194
36P421FS	178
36P421IT	205
36P421ITASC	198
36P421ITASCF	198
36P421ITBA	222
36P421ITBANC	223
36P421ITBK	222
36P421ITBKNC	223
36P421ITBS	222
36P421ITBSNC	223
36P421ITGAP	209
36P421ITGAW	209

Model	➤See page
36P421ITGBP	209
36P421ITGBW	209
36P421ITK	216
36P421ITM	214
36P421ITS	218
36P422F	167
36P422FNF	171
36P422FNOB	169
36P422FS	178
36P422IT	207
36P422ITASC	200
36P422ITASCF	200
36P422ITGAP	211
36P422ITGAW	211
36P422ITGBP	211
36P422ITGBW	211
36P422ITK	217
36P422ITM	215
36P422ITS	219
36P422ITT	213
36P423F	167
36P423FNF	171
36P423FNOB	169
36P423IT	208
36P423ITASC	201
36P423ITASCF	201
36P423ITK	217
36P423ITS	219
36P424F	168
36P424FNF	172
36P424FNOB	170
36P424ITASC	203
36P424ITASCF	203
36P424PDL	181
36P424PDLL	182
36P424PDR	181
36P424PDRL	182
36P425F	168
36P425FNF	172
36P425FNOB	170
36P425ITASC	203
36P425PDL	181
36P425PDLL	182
36P425PDR	181
36P425PDRL	182
36P4268PPF	184
36P4268PPFM	184
36P4268PPT	184
36P426PDL	181
36P426PDLL	182
36P426PDR	181
36P426PDRL	182
36P427FADP	183
36P427FADW	183
36P427PDL	181
36P427PDLL	182
36P427PDR	181
36P427PDRL	182
36P42CPDPK	238
36P42EDB	232
36P42EHD	227
36P42EHDH	226
36P42EHDV	224
36P42EHDVH	225
36P42EHS	227
36P42EHSH	226
36P42EHSV	224
36P42EHSVH	225
36P42EPT	234
36P42EPT84B	228
36P42FCX	186
36P42H06IT	204
36P42H06ITASC	197
36P42H06ITK	216
36P42H06ITM	214
36P42H06ITS	218
36P42H18IT	206
36P42H18ITASC	199
36P42H18ITGAP	210
36P42H18ITGAW	210
36P42H18ITGBP	210
36P42H18ITGBW	210
36P42H18ITK	216
36P42H18ITM	215
36P42H18ITS	218
36P42H44ITASC	202
36P42H44ITASCF	202
36P42H50F	167
36P42H50FNF	171
36P42H50FNOB	169
36P42H50PDL	181
36P42H50PDLL	182
36P42H50PDR	181
36P42H50PDRL	182
36P42MFS	173
36P42PMT	196
36P42TC	192
36P42TCFGBP	195
36P42TCFGRP	195
36P42TCFHGP	195
36P43FCX	186
36P44FCX	186
36P45FCX	186
36P46FCX	186
36P47FCX	186
36P481FG32	193
36P481FG72	194
36P481FGH3	193
36P481FGH7	194
36P481FS	178
36P481IT	205
36P481ITASC	198
36P481ITASCF	198
36P481ITBA	222
36P481ITBANC	223
36P481ITBK	222
36P481ITBKNC	223
36P481ITBS	222
36P481ITBSNC	223
36P481ITGAP	209
36P481ITGAW	209
36P481ITGBP	209
36P481ITGBW	209
36P481ITK	216
36P481ITM	214
36P482F	167
36P482FNF	171
36P482FNOB	169
36P482FS	178
36P482IT	207
36P482ITASC	200
36P482ITASCF	200
36P482ITGAP	211
36P482ITGAW	211
36P482ITGBP	211
36P482ITGBW	211
36P482ITK	217
36P482ITM	215
36P482ITS	219
36P482ITT	213
36P483F	167
36P483FNF	171
36P483FNOB	169
36P483IT	208
36P483ITASC	201
36P483ITASCF	201
36P483ITK	217
36P483ITS	219
36P484F	168
36P484FNF	172
36P484FNOB	170
36P484ITASC	203
36P484ITASCF	203
36P485F	168
36P485FNF	172
36P485FNOB	170
36P485ITASC	203
36P48CPDPK	238
36P48EDB	232
36P48EHD	227
36P48EHDH	226
36P48EHDV	224
36P48EHDVH	225
36P48EHS	227
36P48EHSH	226
36P48EHSV	224
36P48EHSVH	225
36P48EPT	234
36P48EPT84B	228
36P48H06IT	204
36P48H06ITASC	197
36P48H06ITK	216
36P48H06ITM	214
36P48H06ITS	218
36P48H18IT	206
36P48H18ITASC	199
36P48H18ITGAP	210
36P48H18ITGAW	210
36P48H18ITGBP	210
36P48H18ITGBW	210
36P48H18ITK	216
36P48H18ITM	215
36P48H18ITS	218
36P48H44ITASC	202
36P48H44ITASCF	202
36P48H50F	167
36P48H50FNF	171
36P48H50FNOB	169
36P48MFS	173
36P48PMT	196
36P48TC	192
36P48TCFGBP	195
36P48TCFGRP	195
36P48TCFHGP	195
36P4ETC	189
36P4FCW	188
36P4H50FCX	186
36P4HSC	190
36P4HTC	191
36P53EPT	234
36P541FG32	193
36P541FG72	194
36P541FGH3	193
36P541FGH7	194
36P541IT	205
36P541ITASC	198
36P541ITASCF	198
36P541ITM	214
36P542IT	207
36P542ITASC	200

Model	➤See page
36P542ITASCF	200
36P542ITK	217
36P542ITM	215
36P543IT	208
36P543ITASC	201
36P543ITASCF	201
36P543ITK	217
36P54H06IT	204
36P54H06ITASC	197
36P54H06ITM	214
36P54H18IT	206
36P54H18ITASC	199
36P54H18ITK	216
36P54H18ITM	215
36P54PMT	196
36P54TC	192
36P54TCFGRP	195
36P54TCFHGP	195
36P58EPT	234
36P5ETC	189
36P5FCW	188
36P5HSC	190
36P5HTC	191
36P601FG32	193
36P601FG72	194
36P601FGH3	193
36P601FGH7	194
36P601IT	205
36P601ITASC	198
36P601ITASCF	198
36P601ITM	214
36P602IT	207
36P602ITASC	200
36P602ITASCF	200
36P602ITK	217
36P602ITM	215
36P603IT	208
36P603ITASC	201
36P603ITASCF	201
36P603ITK	217
36P60H06IT	204
36P60H06ITASC	197
36P60H06ITM	214
36P60H18IT	206
36P60H18ITASC	199
36P60H18ITK	216
36P60H18ITM	215
36P60PMT	196
36P60TC	192
36P60TCFGBP	195
36P60TCFGRP	195
36P60TCFHGP	195
36P661FG32	193
36P661FG72	194
36P661FGH3	193
36P661FGH7	194
36P661IT	205
36P661ITASC	198
36P661ITASCF	198
36P662IT	207
36P662ITASC	200
36P662ITASCF	200
36P663IT	208
36P663ITASC	201
36P663ITASCF	201
36P66H06IT	204
36P66H06ITASC	197
36P66H18IT	206
36P66H18ITASC	199
36P66PMT	196
36P66TC	192
36P66TCFGRP	195
36P66TCFHGP	195
36P6ETC	189
36P6FCW	188
36P721FG32	193
36P721FG72	194
36P721FGH3	193
36P721FGH7	194
36P721IT	205
36P721ITASC	198
36P721ITASCF	198
36P721ITM	214
36P722IT	207
36P722ITASC	200
36P722ITASCF	200
36P722ITM	215
36P723IT	208
36P723ITASC	201
36P723ITASCF	201
36P72H06IT	204
36P72H06ITASC	197
36P72H06ITM	214
36P72H18IT	206
36P72H18ITASC	199
36P72H18ITM	215
36P72PMT	196
36P72TC	192
36P72TCFGRP	195
36P72TCFHGP	195
36P781FG32	193
36P781FG72	194
36P781FGH3	193
36P781FGH7	194
36P781IT	205
36P781ITASC	198
36P781ITASCF	198
36P782IT	207
36P782ITASC	200
36P782ITASCF	200
36P783IT	208
36P783ITASC	201
36P783ITASCF	201
36P78H06IT	204
36P78H06ITASC	197
36P78H18IT	206
36P78H18ITASC	199
36P78PMT	196
36P78TC	192
36P78TCFGRP	195
36P78TCFHGP	195
36P7ETC	189
36P7FCW	188
36P841FG32	193
36P841FG72	194
36P841FGH3	193
36P841FGH7	194
36P841IT	205
36P841ITASC	198
36P841ITASCF	198
36P842IT	207
36P842ITASC	200
36P842ITASCF	200
36P843IT	208
36P843ITASC	201
36P843ITASCF	201
36P84H06IT	204
36P84H06ITASC	197
36P84H18IT	206
36P84H18ITASC	199
36P84PMT	196
36P84TC	192
36P84TCFGRP	195
36P84TCFHGP	195
36P901FG32	193
36P901FG72	194
36P901FGH3	193
36P901FGH7	194
36P901IT	205
36P901ITASC	198
36P901ITASCF	198
36P902IT	207
36P902ITASC	200
36P902ITASCF	200
36P903IT	208
36P903ITASC	201
36P903ITASCF	201
36P90H06IT	204
36P90H06ITASC	197
36P90H18IT	206
36P90H18ITASC	199
36P90PMT	196
36P90TC	192
36P90TCFGRP	195
36P90TCFHGP	195
36P961FG32	193
36P961FG72	194
36P961FGH3	193
36P961FGH7	194
36P961IT	205
36P961ITASC	198
36P961ITASCF	198
36P962IT	207
36P962ITASC	200
36P962ITASCF	200
36P963IT	208
36P963ITASC	201
36P963ITASCF	201
36P96H06IT	204
36P96H06ITASC	197
36P96H18IT	206
36P96H18ITASC	199
36P96PMT	196
36P96TC	192
36P96TCFGRP	195
36P96TCFHGP	195
36PCPMS	459
36PEBT84J72	228
36PEBT84J94	228
36PEBTJ3	231
36PEBTJ5	231
36PEDBB	231
36PEDM	231
36PEHBB	239
36PEHBB2	228
36PEHBC	239
36PEHBCP	239
36PEJB1	233
36PEJB2	233
36PEJB5	233
36PEJB8	233
36PEJB9	233
36PEJM	231
36PEPEB	237
36PEPEBNYC	237
36PEPEBNYC84B	228
36PEPEC	237
36PEPEC84B	228
36PER110D	235
36PER110D20	236

Model	➤See page
36PER110S	235
36PER110S20	236
36PER184SB15	229
36PER184SB20	229
36PER210D	235
36PER210D20	236
36PER210S	235
36PER210S20	236
36PER284SB15	229
36PER284SB20	229
36PER310D	235
36PER310S	235
36PER310S20	236
36PER384SB15	229
36PER384SB20	229
36PER3D10S	235
36PER3D10S20	236
36PER3D84SB15	229
36PER3D84SB20	229
36PER410D	235
36PER410D20	236
36PER4D10S	235
36PER4D10S20	236
36PER4D84SB15	229
36PER4D84SB20	229
36PER5D10S	235
36PER5D10S20	236
36PER6D10S	235
36PER6D10S20	236
36PETTDP02	229
36PETTRCP10	229
36PH06HSC	190
36PH06HTC	191
36PH07HSC	190
36PH07HTC	191
36PH18HSC	190
36PH18HTC	191
36PH19HSC	190
36PH19HTC	191
36PH50ETC	189
36PH50FCW	188
36PPDH	181
36PTCOMSP	188
36W0227SS	458
36W1027MS	458
36W1927BCA	459
36W1940BCA	459
36W2427ES	458
36W2527BCA	459
36W2540BCA	459
36W3027ES	458
36WBSA	458
36WBSA7	458
36WBTC	459, 541
AAC144FCTC	66
AACTCS	66
AB22	470
AB32G	470
AB52	470
AB52E	470
ABBF1627	510
ABBF2227	510
ABBF3027	510
ABC3042	548
ABC3056	548
ABC3068	548
ABC3642	548
ABC3656	548
ABC3668	548
ABD	69
ABDU	69
ABEPS	467
ABFSL2	542
ABFSR2	542
ABL	69
ABS	69
ABWC14L	457
ABWC14R	457
ABWL	456
ABWR	456
AC2802SFB	467
AC2804SFB	467
AC2804STL	467
ACC104	77
ACC106	77
ACC111	77
ACC118	77
ACC30	70
ACC37	70
ACC42	70
ACC44	77
ACC50	70
ACC51	77
ACC54	77
ACC56	70
ACC61	70
ACC63	77
ACC66	77
ACC68	70
ACC70	77
ACC73	77
ACC75	77
ACC80	70
ACC82	77
ACC85	77
ACC87	77
ACC92	77
ACC94	77
ACC99	77
ACL07	78
ACL12	78
ACL14	78
ACL19	78
ACL24	78
ACL26	78
ACL30	71
ACL31	78
ACL37	71
ACL38	78
ACL42	71
ACL42M	75
ACL50	71
ACL50M	75
ACL56	71
ACL56M	75
ACL61	71
ACL61M	75
ACL68	71
ACL68M	75
ACL80	71
ACL80M	75
ACM07	80
ACM12	80
ACM14	80
ACM19	80
ACM24	80
ACM26	80
ACM30	73
ACM31	80
ACM37	73
ACM38	80
ACM42	73
ACM50	73
ACM56	73
ACM61	73
ACM68	73
ACM80	73
ACR07	78
ACR12	78
ACR14	78
ACR19	78
ACR24	78
ACR26	78
ACR30	71
ACR31	78
ACR37	71
ACR38	78
ACR42	71
ACR42M	75
ACR50	71
ACR50M	75
ACR56	71
ACR56M	75
ACR61	71
ACR61M	75
ACR68	71
ACR68M	75
ACR80	71
ACR80M	75
ACS07	79
ACS12	79
ACS14	79
ACS19	79
ACS24	79
ACS26	79
ACS30	72
ACS31	79
ACS37	72
ACS38	79
ACS42	72
ACS42M	76
ACS50	72
ACS50M	76
ACS56	72
ACS56M	76
ACS61	72
ACS61M	76
ACS68	72
ACS68M	76
ACS80	72
ACS80M	76
ACT07	78
ACT12	78
ACT14	78
ACT19	78
ACT24	78
ACT26	78
ACT30	71
ACT31	78
ACT37	71
ACT38	78
ACT42	71
ACT42M	75
ACT50	71
ACT50M	75
ACT56	71
ACT56M	75
ACT61	71
ACT61M	75
ACT68	71

Model Number Index

continued

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
ACT68M	75
ACT80	71
ACT80M	75
ACW07	80
ACW12	80
ACW14	80
ACW19	80
ACW24	80
ACW26	80
ACW30	73
ACW31	80
ACW37	73
ACW38	80
ACW42	73
ACW50	73
ACW56	73
ACW61	73
ACW68	73
ACW80	73
ACX07S	79
ACX12S	79
ACX14S	79
ACX19S	79
ACX24S	79
ACX26S	79
ACX30	70
ACX31S	79
ACX37	70
ACX38S	79
ACX42	70
ACX42M	76
ACX50	70
ACX50M	76
ACX56	70
ACX56M	76
ACX61	70
ACX61M	76
ACX68	70
ACX68M	76
ACX80	70
ACX80M	76
ACY30	74

Model	➤See page
ACY37	74
ACY42	74
ACY50	74
ACY56	74
ACY61	74
ACY68	74
ACY80	74
AE1224	457
AE1227	457
AE1238	457
AE1824	457
AE1827	457
AE1838	457
AE2424	457
AE2427	457
AE2438	457
AE3024	457
AE3027	457
AE3038	457
AEC1	102, 104
AEC2	106
AED18	101, 103
AED24	101, 103
AED30	101, 103
AED36	101, 103
AED42	101, 103
AED48	101, 103
AED60	101, 103
AEF1L	104
AEF1R	104
AEF1U	102
AEF2	105
AEF3	105
AEF5	105
AEF6	105
AEF7	105
AEHB1L	106
AEHB1R	106
AEHB2A	106
AEHB2R	106
AEHCB	106
AEHCP	106

Model	➤See page
AEHJ1	106
AEHJ2	106
AEHJ3	106
AEHJ4	106
AEJ1	101, 103
AEJ2	101, 103
AEJ3	101, 103
AEJ5	101, 103
AEJ7	101, 103
AER1	102, 103
AER2	102, 103
AER3	102, 103
AER4	102, 103
AER5	102, 103
AER6	103
AET2	101, 103
AF1830S	57
AF1837S	57
AF1842S	57
AF1850S	58
AF1856S	58
AF1861S	58
AF1868S	59
AF1880S	59
AF2430S	57
AF2437S	57
AF2442S	57
AF2450S	58
AF2456S	58
AF2461S	58
AF2468S	59
AF2480S	59
AF3030S	57
AF3037S	57
AF3042S	57
AF3050S	58
AF3056S	58
AF3061S	58
AF3068S	59
AF3080S	59
AF3630S	57
AF3637S	57

Model	➤See page
AF3642S	57
AF3650S	58
AF3656S	58
AF3661S	58
AF3668S	59
AF3680S	59
AF4230S	57
AF4237S	57
AF4242S	57
AF4250S	58
AF4256S	58
AF4261S	58
AF4268S	59
AF4280S	59
AF4830S	57
AF4837S	57
AF4842S	57
AF4850S	58
AF4856S	58
AF4861S	58
AF4868S	59
AF4880S	59
AFF1627	510
AFF2227	510
AFF3027	510
AFL3016	511
AFL3022	511
AFL3616	511
AFL3622	511
AH0518C	81
AH0518P	81
AH0518PS	85
AH0524C	81
AH0524P	81
AH0524PS	85
AH0530C	81
AH0530P	81
AH0530PS	85
AH0536C	81
AH0536P	81
AH0536PS	85
AH0542C	81

Model	➤See page
AH0542P	81
AH0542PS	85
AH0548C	81
AH0548P	81
AH0548PS	85
AH0560C	81
AH0560P	81
AH0560PS	85
AH0618C	81
AH0618P	81
AH0624C	81
AH0624P	81
AH0630C	81
AH0630P	81
AH0636C	81
AH0636P	81
AH0642C	81
AH0642P	81
AH0648C	81
AH0648P	81
AH0660C	81
AH0660P	81
AH0718PS	85
AH0724PS	85
AH0730PS	85
AH0736PS	85
AH0742PS	85
AH0748PS	85
AH0760PS	85
AH0918PS	85
AH0924PS	85
AH0930PS	85
AH0936PS	85
AH0942PS	85
AH0948PS	85
AH0960PS	85
AH1018PS	86
AH1024PS	86
AH1030PS	86
AH1036PS	86
AH1042PS	86
AH1048PS	86

Model Number Index

continued

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
AH1060PS	86
AH1218C	81
AH1218P	81
AH1218PS	86
AH1224C	81
AH1224P	81
AH1224PS	86
AH1230C	81
AH1230P	81
AH1230PS	86
AH1236C	81
AH1236P	81
AH1236PS	86
AH1242C	81
AH1242P	81
AH1242PS	86
AH1248C	81
AH1248P	81
AH1248PS	86
AH1260C	81
AH1260P	81
AH1260PS	86
AH1418C	82
AH1418P	82
AH1418PS	86
AH1424C	82
AH1424P	82
AH1424PS	86
AH1430C	82
AH1430P	82
AH1430PS	86
AH1436C	82
AH1436P	82
AH1436PS	86
AH1442C	82
AH1442P	82
AH1442PS	86
AH1448C	82
AH1448P	82
AH1448PS	86
AH1460C	82
AH1460P	82

Model	➤See page
AH1460PS	86
AH1518PS	87
AH1524PS	87
AH1530PS	87
AH1536PS	87
AH1542PS	87
AH1548PS	87
AH1560PS	87
AH1618PS	87
AH1624PS	87
AH1630PS	87
AH1636PS	87
AH1642PS	87
AH1648PS	87
AH1660PS	87
AH1718PS	87
AH1724PS	87
AH1730PS	87
AH1736PS	87
AH1742PS	87
AH1748PS	87
AH1760PS	87
AH1918C	82
AH1918P	82
AH1918PS	88
AH1924C	82
AH1924P	82
AH1924PS	88
AH1930C	82
AH1930P	82
AH1930PS	88
AH1936C	82
AH1936P	82
AH1936PS	88
AH1942C	82
AH1942P	82
AH1942PS	88
AH1948C	82
AH1948P	82
AH1948PS	88
AH1960C	82
AH1960P	82

Model	➤See page
AH1960PS	88
AH2118PS	88
AH2124PS	88
AH2130PS	88
AH2136PS	88
AH2142PS	88
AH2148PS	88
AH2160PS	88
AH2218PS	88
AH2224PS	88
AH2230PS	88
AH2236PS	88
AH2242PS	88
AH2248PS	88
AH2260PS	88
AH2418C	82
AH2418P	82
AH2418PS	89
AH2424C	82
AH2424P	82
AH2424PS	89
AH2430C	82
AH2430P	82
AH2430PS	89
AH2436C	82
AH2436P	82
AH2436PS	89
AH2442C	82
AH2442P	82
AH2442PS	89
AH2448C	82
AH2448P	82
AH2448PS	89
AH2460C	82
AH2460P	82
AH2460PS	89
AH2618C	83
AH2618P	83
AH2618PS	89
AH2624C	83
AH2624P	83
AH2624PS	89

Model	➤See page
AH2630C	83
AH2630P	83
AH2630PS	89
AH2636C	83
AH2636P	83
AH2636PS	89
AH2642C	83
AH2642P	83
AH2642PS	89
AH2648C	83
AH2648P	83
AH2648PS	89
AH2660C	83
AH2660P	83
AH2660PS	89
AH2818PS	89
AH2824PS	89
AH2830PS	89
AH2836PS	89
AH2842PS	89
AH2848PS	89
AH2860PS	89
AH2918PS	90
AH2924PS	90
AH2930PS	90
AH2936PS	90
AH2942PS	90
AH2948PS	90
AH2960PS	90
AH3018C	83
AH3018P	83
AH3024C	83
AH3024P	83
AH3030C	83
AH3030P	83
AH3036C	83
AH3036P	83
AH3042C	83
AH3042P	83
AH3048C	83
AH3048P	83
AH3060C	83

Model	➤See page
AH3060P	83
AH3118PS	90
AH3124PS	90
AH3130PS	90
AH3136PS	90
AH3142PS	90
AH3148PS	90
AH3160PS	90
AH3318PS	90
AH3324PS	90
AH3330PS	90
AH3336PS	90
AH3342PS	90
AH3348PS	90
AH3360PS	90
AH3418PS	91
AH3424PS	91
AH3430PS	91
AH3436PS	91
AH3442PS	91
AH3448PS	91
AH3460PS	91
AH3618PS	91
AH3624PS	91
AH3630PS	91
AH3636PS	91
AH3642PS	91
AH3648PS	91
AH3660PS	91
AH3818C	83
AH3818P	83
AH3818PS	91
AH3824C	83
AH3824P	83
AH3824PS	91
AH3830C	83
AH3830P	83
AH3830PS	91
AH3836C	83
AH3836P	83
AH3836PS	91
AH3842C	83

Model Number Index

continued

Terms & Conditions	➤See page 608
Asset Tag Locations	608
Product Warranty	610
Operating Load Capacities	611

Model	➤See page
AH3842P	83
AH3842PS	91
AH3848C	83
AH3848P	83
AH3848PS	91
AH3860C	83
AH3860P	83
AH3860PS	91
AH4018PS	92
AH4024PS	92
AH4030PS	92
AH4036PS	92
AH4042PS	92
AH4048PS	92
AH4060PS	92
AH4118PS	92
AH4124PS	92
AH4130PS	92
AH4136PS	92
AH4142PS	92
AH4148PS	92
AH4160PS	92
AH4318C	84
AH4318P	84
AH4318PS	92
AH4324C	84
AH4324P	84
AH4324PS	92
AH4330C	84
AH4330P	84
AH4330PS	92
AH4336C	84
AH4336P	84
AH4336PS	92
AH4342C	84
AH4342P	84
AH4342PS	92
AH4348C	84
AH4348P	84
AH4348PS	92
AH4360C	84
AH4360P	84
AH4360PS	92
AH4518PS	93
AH4524PS	93
AH4530PS	93
AH4536PS	93
AH4542PS	93
AH4548PS	93
AH4560PS	93
AH4818PS	93
AH4824PS	93
AH4830PS	93
AH4836PS	93
AH4842PS	93
AH4848PS	93
AH4860PS	93
AH5018C	84
AH5018P	84
AH5018PS	93
AH5024C	84
AH5024P	84
AH5024PS	93
AH5030C	84
AH5030P	84
AH5030PS	93
AH5036C	84
AH5036P	84
AH5036PS	93
AH5042C	84
AH5042P	84
AH5042PS	93
AH5048C	84
AH5048P	84
AH5048PS	93
AH5060C	84
AH5060P	84
AH5060PS	93
AH5218PS	94
AH5224PS	94
AH5230PS	94
AH5236PS	94
AH5242PS	94
AH5248PS	94
AH5260PS	94
AH5318PS	94
AH5324PS	94
AH5330PS	94
AH5336PS	94
AH5342PS	94
AH5348PS	94
AH5360PS	94
AH5518PS	94
AH5524PS	94
AH5530PS	94
AH5536PS	94
AH5542PS	94
AH5548PS	94
AH5560PS	94
AH5718PS	95
AH5724PS	95
AH5730PS	95
AH5736PS	95
AH5742PS	95
AH5748PS	95
AH5760PS	95
AH6018PS	95
AH6024PS	95
AH6030PS	95
AH6036PS	95
AH6042PS	95
AH6048PS	95
AH6060PS	95
AH6218PS	95
AH6224PS	95
AH6230PS	95
AH6236PS	95
AH6242PS	95
AH6248PS	95
AH6260PS	95
AH6418PS	96
AH6424PS	96
AH6430PS	96
AH6436PS	96
AH6442PS	96
AH6448PS	96
AH6460PS	96
AH6718PS	96
AH6724PS	96
AH6730PS	96
AH6736PS	96
AH6742PS	96
AH6748PS	96
AH6760PS	96
AH6918PS	96
AH6924PS	96
AH6930PS	96
AH6936PS	96
AH6942PS	96
AH6948PS	96
AH6960PS	96
AH7418PS	97
AH7424PS	97
AH7430PS	97
AH7436PS	97
AH7442PS	97
AH7448PS	97
AH7460PS	97
AH7618PS	97
AH7624PS	97
AH7630PS	97
AH7636PS	97
AH7642PS	97
AH7648PS	97
AH7660PS	97
AH8118PS	97
AH8124PS	97
AH8130PS	97
AH8136PS	97
AH8142PS	97
AH8148PS	97
AH8160PS	97
AH8818PS	98
AH8824PS	98
AH8830PS	98
AH8836PS	98
AH8842PS	98
AH8848PS	98
AH8860PS	98
AHD3227	511
AI1807	61
AI1807N	60
AI1812	61
AI1812N	60
AI1819	61
AI1819N	60
AI1824	61
AI1824N	60
AI2407	61
AI2407N	60
AI2412	61
AI2412N	60
AI2419	61
AI2419N	60
AI2424	61
AI2424N	60
AI3007	61
AI3007N	60
AI3012	61
AI3012N	60
AI3019	61
AI3019N	60
AI3024	61
AI3024N	60
AI3607	61
AI3607N	60
AI3612	61
AI3612N	60
AI3619	61
AI3619N	60
AI3624	61
AI3624N	60
AI4207	61
AI4207N	60
AI4212	61
AI4212N	60
AI4219	61
AI4219N	60
AI4224	61
AI4224N	60

Model Number Index

continued

Terms & Conditions	➤See page 608
Asset Tag Locations	608
Product Warranty	610
Operating Load Capacities	611

Model	➤See page
AI4807	61
AI4807N	60
AI4812	61
AI4812N	60
AI4819	61
AI4819N	60
AI4824	61
AI4824N	60
AMB3030	109
AMB3630	109
AMB4230	109
AMB4830	109
AMB6036	109
AP1807	62
AP1812	62
AP1812G	63
AP1819	62
AP1819G	63
AP1830	49
AP1830A	45
AP1837	49
AP1837A	45
AP1842	49
AP1842A	46
AP1842M	52
AP1850	50
AP1850A	46
AP1850M	52
AP1856	50
AP1856A	47
AP1856M	52
AP1861	50
AP1861A	47
AP1861M	53
AP1868	51
AP1868A	48
AP1868M	53
AP1880	51
AP1880A	48
AP1880M	53
AP2407	62
AP2412	62
AP2412FG3	65
AP2412FGH3	65
AP2412G	63
AP2419	62
AP2419G	63
AP2430	49
AP2430A	45
AP2437	49
AP2437A	45
AP2442	49
AP2442A	46
AP2442M	52
AP2450	50
AP2450A	46
AP2450M	52
AP2456	50
AP2456A	47
AP2456M	52
AP2461	50
AP2461A	47
AP2461G	55
AP2461M	53
AP2468	51
AP2468A	48
AP2468G	55
AP2468M	53
AP2480	51
AP2480A	48
AP2480G	55
AP2480M	53
AP3007	62
AP3007VS	64
AP3012	62
AP3012FG3	65
AP3012FGH3	65
AP3012G	63
AP3012VS	64
AP3019	62
AP3019G	63
AP3019VS	64
AP3030	49
AP3030A	45
AP3037	49
AP3037A	45
AP3042	49
AP3042A	46
AP3042M	52
AP3050	50
AP3050A	46
AP3050M	52
AP3056	50
AP3056A	47
AP3056M	52
AP3061	50
AP3061A	47
AP3061G	55
AP3061H	56
AP3061M	53
AP3068	51
AP3068A	48
AP3068G	55
AP3068H	56
AP3068M	53
AP3068V	54
AP3080	51
AP3080A	48
AP3080G	55
AP3080M	53
AP3080V	54
AP3607	62
AP3607VS	64
AP3612	62
AP3612FG3	65
AP3612FGH3	65
AP3612G	63
AP3612VS	64
AP3619	62
AP3619G	63
AP3619VS	64
AP3630	49
AP3630A	45
AP3637	49
AP3637A	45
AP3642	49
AP3642A	46
AP3642M	52
AP3650	50
AP3650A	46
AP3650M	52
AP3656	50
AP3656A	47
AP3656M	52
AP3661	50
AP3661A	47
AP3661G	55
AP3661H	56
AP3661M	53
AP3668	51
AP3668A	48
AP3668G	55
AP3668H	56
AP3668M	53
AP3668PPF	67
AP3668PPFM	67
AP3668PPT	68
AP3668V	54
AP3680	51
AP3680A	48
AP3680D	69
AP3680G	55
AP3680M	53
AP3680V	54
AP4207	62
AP4207VS	64
AP4212	62
AP4212FG3	65
AP4212FGH3	65
AP4212G	63
AP4212VS	64
AP4219	62
AP4219G	63
AP4219VS	64
AP4230	49
AP4230A	45
AP4237	49
AP4237A	45
AP4242	49
AP4242A	46
AP4242M	52
AP4250	50
AP4250A	46
AP4250M	52
AP4256	50
AP4256A	47
AP4256M	52
AP4261	50
AP4261A	47
AP4261H	56
AP4261M	53
AP4268	51
AP4268A	48
AP4268H	56
AP4268M	53
AP4268PPF	67
AP4268PPFM	67
AP4268PPT	68
AP4268V	54
AP4280	51
AP4280A	48
AP4280D	69
AP4280M	53
AP4280V	54
AP4807	62
AP4807VS	64
AP4812	62
AP4812FG3	65
AP4812FGH3	65
AP4812G	63
AP4812VS	64
AP4819	62
AP4819G	63
AP4819VS	64
AP4830	49
AP4830A	45
AP4837	49
AP4837A	45
AP4842	49
AP4842A	46

Model	➤See page
AP4842M	52
AP4850	50
AP4850A	46
AP4850M	52
AP4856	50
AP4856A	47
AP4856M	52
AP4861	50
AP4861A	47
AP4861M	53
AP4868	51
AP4868A	48
AP4868M	53
AP4868V	54
AP4880	51
AP4880A	48
AP4880M	53
AP4880V	54
AP6007	62
AP6012	62
AP6012G	63
AP6019	62
AP6019G	63
AP6030A	45
AP6037A	45
AP6042A	46
AP6042M	52
AP6050A	46
AP6050M	52
AP6056A	47
AP6056M	52
AP6061A	47
AP6061M	53
AP6068A	48
AP6068M	53
AP6080A	48
AP6080M	53
APS0124	510
APS0127	510
ARPJ30A	107
ARPJ36A	107
ARPJ42A	107
ARPJ48A	107
ARPJ60A	107
ASB52	470
ASBG	547
ASBL	542
ASBR	542
ATB3013	109
ATB3030	109
ATB3613	109
ATB3630	109
ATB4213	109
ATB4230	109
ATB4813	109
ATB4830	109
ATET	98
ATL	99
ATLE	100
ATR	99
ATRE	100
ATS	99
ATSE	100
ATT	99
ATTE	100
ATTL	100
ATTS	100
ATX	99
ATXE	100
ATXL	100
ATXS	100
ATXT	100
AVCM165	108
AVCM165B	108
AVCM185	108
AVCM185B	108
AZB16A	456
AZB22A	456
AZB28A	456
B2416	525, 528
B2419	525, 528
B2419O	526
B3016	525, 528
B3019	525, 528
B3019O	526
B3616	525, 528
B3619	525, 528
B3619O	526
B4216	525, 528
B4219	525, 528
B4219O	526
B4816	525, 528
B4819	525, 528
B4819O	526
B6016	525, 528
B6019	525, 528
B6019O	526
B7216	525, 528
B7219	525, 528
B7219O	526
FBG	467
FBL484824	463
FBL484827	463
FBL486024	463
FBL486027	463
FBL604824	463
FBL604827	463
FBOFS	545
FBOTS	347, 541, 544
FBT3024	463
FBT3027	463
FBT3624	463
FBT3627	463
FBT4824	463
FBT4827	463
FEP1224	463
FEP1227	463
FEP2324	463
FEP2327	463
FEP2924	463
FEP2927	463
FEP3524	463
FEP3527	463
FFBL2468	552
FFBR2468	552
FFFL2468	552
FFFR2468	552
FFFS0127	551
FFFS0140	551
FFFS0153	551
FFFS0168	551
FFP3027	550
FFP3040	550
FFP3053	550
FFP3068	550
FFP3627	550
FFP3640	550
FFP3653	550
FFP3668	550
FFSL2468	552
FFSR2468	552
FFWL0668	553
FFWL2468	553
FFWR0668	553
FFWR2468	553
FHT4820	527, 529
FHT6020	527, 529
FHT7220	527, 529
FIT1237A	340
FIT1249A	340
FIT1837A	340
FIT1849A	340
FIT2437A	340
FIT2437M	341
FIT2437PMM	341
FIT2437SS16	343
FIT2437SS24	343
FIT2437SS37P	343
FIT2449A	340
FIT2449M	341
FIT2449PMM	341
FIT3037A	340
FIT3037M	341
FIT3037PMM	341
FIT3037SS16	343
FIT3037SS24	343
FIT3037SS37P	343
FIT3049A	340
FIT3049M	341
FIT3049PMM	341
FIT3637A	340
FIT3637M	341
FIT3637PMM	341
FIT3637SS16	343
FIT3637SS24	343
FIT3637SS37P	343
FIT3649A	340
FIT3649M	341
FIT3649PMM	341
FIT4237A	340
FIT4237M	341
FIT4237PMM	341
FIT4237SS16	343
FIT4237SS24	343
FIT4237SS37P	343
FIT4249A	340
FIT4249M	341
FIT4249PMM	341
FIT4837A	340
FIT4837M	341
FIT4837PMM	341
FIT4837SS16	343
FIT4837SS24	343
FIT4837SS37P	343
FIT4849M	341
FIT4849PMM	341
FIT5437A	340
FIT5437M	341
FIT5437PMM	341
FIT5449A	340
FIT5449M	341
FIT5449PMM	341
FIT6037A	340
FIT6037M	341
FIT6037PMM	341
FIT6049A	340
FIT6049M	341
FIT6049PMM	341
FMFS0124	464
FMFS0127	464

Model Number Index

continued

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
FMP10227	464
FMP10827	464
FMP11427	464
FMP12027	464
FMP1824	464
FMP1827	464
FMP3024	464
FMP3027	464
FMP3624	464
FMP3627	464
FMP4224	464
FMP4227	464
FMP4824	464
FMP4827	464
FMP5424	464
FMP5427	464
FMP6024	464
FMP6027	464
FMP6627	464
FMP7227	464
FMP7827	464
FMP8427	464
FMP9027	464
FMP9627	464
FSB2318	505
FSB2918	505
FSBFM2418	509
FSBL2338	506
FSBR2338	506
FSD233027	507
FSD233627	507
FSF2318	505
FSF2918	505
FSFP0627	506
FSFP0668	553
FSFP1227	506
FSFP1268	553
FSFP1827	506
FSFP1868	553
FSFP2424	506
FSFP2427	506
FSFP2468	553

Model	➤See page
FSL233027	507
FSL233627	507
FSO233027	508
FSO233627	508
FSR23	506, 510
FSR29	506, 510
FSTG	547
FWBL2468	552
FWBR2468	552
FWFL2468	552
FWFR2468	552
FWL233027	550
FWL233040	550
FWL233053	550
FWL233627	550
FWL233640	550
FWL233653	550
FWL2H3068	551
FWL2H3668	551
FWL4H3068	551
FWL4H3668	551
FWSL2468	552
FWSR2468	552
FWWL0668	553
FWWL2468	553
FWWR0668	553
FWWR2468	553
H1839HL	549
H1839HR	549
H1840HL	549
H1840HR	549
H4839	527, 529
H6039	527, 529
H7239	527, 529
HIT1236A	340
HIT1836A	340
HIT2436A	340
HIT2436M	341
HIT2436SS16	342
HIT2436SS24	342
HIT2436SS36P	342
HIT3036A	340

Model	➤See page
HIT3036M	341
HIT3036SS16	342
HIT3036SS24	342
HIT3036SS36P	342
HIT3636A	340
HIT3636M	341
HIT3636SS16	342
HIT3636SS24	342
HIT3636SS36P	342
HIT4236A	340
HIT4236M	341
HIT4236SS16	342
HIT4236SS24	342
HIT4236SS36P	342
HIT4836A	340
HIT4836M	341
HIT4836SS16	342
HIT4836SS24	342
HIT4836SS36P	342
HIT5436A	340
HIT5436M	341
HIT6036A	340
HIT6036M	341
IAPFSL	513
IAPFSR	513
IAPFST	513
IAWMF	435
IB0224D	460
IB0230D	460
IB0427AC	467
IB1427D	468
IB1427DIP	468
IB1827H	461
IB2427F	461
IB24CL	461
IB24CR	461
IB3027F	461
IBF1	456, 459, 460
IBRWSEL	460
IBRWSER	460
IBSC	547
IBTCBL1	460

Model	➤See page
IBTCBR1	460
IBTWS	347, 462
IF0727CP	465
IF0827RS	465
IF1227RS	465
IF1227WSP	465
IF1827H	465
IF2023M	466
IF2423M	466
IF2427F	465
IF2623M	466
IF3023M	466
IF3027F	465
IF3223M	466
IF3423M	466
IF3623M	466
IF3627F	465
IF3823M	466
IF4023M	466
IF4223M	466
IF4412MB	468
IF4423M	466
IF4623M	466
IF4821T	539
IF4823M	466
IF4836H	539
IF5012MB	468
IF5023M	466
IF5223M	466
IF5423M	466
IF5612MB	468
IF5623M	466
IF5823M	466
IF6021T	539
IF6023M	466
IF6036H	539
IF6423M	466
IF6623M	466
IF6823M	466
IF7023M	466
IF7221T	539
IF7236H	539

Model	➤See page
IF7423M	466
IF8023M	466
IF8223M	466
IF8823M	466
IF9423M	466
IS142409OS	538
IS142416OS	538
IS142416R	537
IS143009OS	538
IS143016OS	538
IS143016R	537
IS143609OS	538
IS143616OS	538
IS143616R	537
IS144209OS	538
IS144216OS	538
IS144216R	537
IS144809OS	538
IS144816OS	538
IS144816R	537
IS145409OS	538
IS145416OS	538
IS145416R	537
IS146009OS	538
IS146016OS	538
IS146016R	537
IS147209OS	538
IS147216OS	538
IS147216R	537
IS24XOHBKIT	541
IS30XOHBKIT	541
IS36XOHBKIT	541
IS42XOHBKIT	541
IS48XOHBKIT	541
IS54XOHBKIT	541
IS60XOHBKIT	541
IS72XOHBKIT	541
ISBRKC	542
ISBRKT	347, 544
ISBRKTSO	347, 545
KC2GMK	501
KCCB1CK	501

Model Number Index

continued

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
KHCA001	501
KSCD001	501
KSU14TL	571
KSU14TLC	571
KSU16TLKL	573
KSU16TLKLGA	573
KSU16TLKLGS	573
KSU25TL	571
KSU25TLC	571
KSU25TLG	571
KSU25TLKL	573
KSU25TLKLGA	573
KSU25TLKLGS	573
KSU33TLKL	573
KSU33TLKLGA	573
KSU33TLKLGS	573
KSU37TL	571
KSU37TLC	571
KSU37TLG	571
KSU49TL	571
KSU49TLC	571
KSU49TLG	571
KSU63TLKL	573
KSUTLBR	571
N0619X	526
N1219X	526
N1819X	526
N1839Y	549
N2419X	526
N4839Y	527, 529
N6039Y	527, 529
N7239Y	527, 529
S3015FMLN	530
S3015FMLP	530
S3615FMLN	530
S3615FMLP	530
S4215FMLN	530
S4215FMLP	530
S4815FMLN	530
S4815FMLP	530
S6015FMLN	530
S6015FMLP	530

Model	➤See page
S7215FMLN	530
S7215FMLP	530
SK1937TP	473
SK1937TPADJ	473
SK1937TPSTA	473
SK2046TR	473
SK2046TRADJ	473
SK2046TRSTA	473
SK2548TR	473
SK2548TRADJ	473
SK2548TRSTA	473
SK3060TR	473
SK3060TRADJ	473
SK3060TRSTA	473
SKLADJ	474
SKLSTA	474
SS1524WSTC	453
SS1530WSTC	453
SS1536WSTC	453
SS1542WSTC	453
SS1548WSTC	453
SS1554WSTC	453
SS1560WSTC	453
SS1572WSTC	453
SS1830WSSL	523
SS1830WSSLL	523
SS1836WSSL	523
SS1836WSSLL	523
SS1842WSSL	523
SS1842WSSLL	523
SS1848WSSL	523
SS1848WSSLL	523
SS1854WSSL	523
SS1854WSSLL	523
SS1860WSSL	523
SS1860WSSLL	523
SS1866WSSL	523
SS1866WSSLL	523
SS1872WSSL	523
SS1872WSSLL	523
SS1878WSSL	523
SS1878WSSLL	523

Model	➤See page
SS1884WSSL	523
SS1884WSSLL	523
SS24102WSS	370, 371
SS24108WSS	370, 371
SS24114WSS	370, 371
SS24120WSS	370, 371
SS2424WSD	433
SS2424WSQR	434
SS2424WSQRN	434
SS2424WSS	370, 371
SS2430WSS	370, 371
SS24363624WSCC	386, 390, 391
SS24363624WSCS	384, 385
SS24363624WSCY	397
SS24366624WSSE	398, 402, 406
SS24367224WSSE	398, 402, 406
SS24367824WSSE	398, 402, 406
SS24368424WSSE	398, 402, 406
SS24369024WSSE	398, 402, 406
SS24369624WSSE	398, 402, 406
SS2436WSS	370, 371, 372
SS244230WST	382, 383
SS24424224WSCC	386, 390, 391
SS24424224WSCS	384, 385
SS24424224WSCSS	384, 385
SS24424224WSCY	397
SS24424824WSCC	386, 391
SS24426024WSCC	386, 391
SS24426024WSTC	393, 394
SS24426030WSTC	393, 394
SS24426624WSSE	398, 402, 406
SS24426630WSSE	400, 404, 408
SS24427224WSSE	398, 402, 406
SS24427224WSWE	424, 426
SS24427230WSAE	422
SS24427230WSSE	400, 404, 408
SS24427824WSSE	398, 402, 406
SS24427824WSWE	424, 426
SS24427830WSAE	422
SS24427830WSSE	400, 404, 408
SS24428424WSSE	398, 402, 406
SS24428430WSAE	422

Model	➤See page
SS24428430WSSE	400, 404, 408
SS24429024WSSE	398, 402, 406
SS24429030WSSE	400, 404, 408
SS24429624WSSE	398, 402, 406
SS24429630WSSE	400, 404, 408
SS2442WSS	370, 371, 372
SS2442WSW	378, 379
SS244830WST	382, 383
SS24484224WSCC	386, 391
SS24484230WSCC	388, 392
SS24484824WSCC	386, 390, 391
SS24484824WSCS	384, 385
SS24484824WSCSS	384, 385
SS24484824WSCY	397
SS24484830WSCC	388, 390, 392
SS24486024WSCC	386, 390, 391
SS24486024WSTC	393, 394
SS24486030WSCC	388, 390, 392
SS24486030WSTC	393, 394
SS244860WSUE	428, 429
SS24486624WSSE	398, 402, 406
SS24486630WSSE	400, 404, 408
SS244866WSUE	428, 429
SS24487224WSSE	398, 402, 406
SS24487224WSWE	424, 426
SS24487230WSAE	422
SS24487230WSSE	400, 404, 408
SS244872WSUE	428, 429
SS24487824WSSE	398, 402, 406
SS24487824WSWE	424, 426
SS24487830WSAE	422
SS24487830WSSE	400, 404, 408
SS244878WSPE	427
SS24488424WSSE	398, 402, 406
SS24488430WSAE	422
SS24488430WSSE	400, 404, 408
SS244884WSUE	428, 429
SS24489024WSSE	398, 402, 406
SS24489030WSSE	400, 404, 408
SS24489624WSSE	398, 402, 406
SS24489630WSSE	400, 404, 408
SS2448WSS	370, 371, 372

Model	➤See page
SS2448WSW	378, 379
SS245430WST	382, 383
SS2454WSS	370, 371, 372
SS2454WSW	378, 379
SS246030WST	382, 383
SS24604224WSCC	386, 391
SS24604224WSTC	395, 396
SS24604230WSCC	388, 392
SS24604230WSTC	395, 396
SS24604824WSCC	386, 390, 391
SS24604824WSTC	395, 396
SS24604830WSCC	388, 390, 392
SS24604830WSTC	395, 396
SS24606024WSCC	386, 391
SS24606024WSCY	397
SS24606030WSCC	388, 392
SS2460WSS	370, 371, 372
SS2460WSW	378, 379
SS246630WST	382, 383
SS24663624WSSE	410, 414, 418
SS24663630WSSE	412, 416, 420
SS24664224WSSE	410, 414, 418
SS24664230WSSE	412, 416, 420
SS24664824WSSE	410, 414, 418
SS24664830WSSE	412, 416, 420
SS2466WSS	370, 371, 372
SS2466WSW	378, 379
SS247230WST	382, 383
SS24723624WSSE	410, 414, 418
SS24723630WSSE	412, 416, 420
SS24724224WSSE	410, 414, 418
SS24724224WSWE	425, 426
SS24724230WSSE	412, 416, 420
SS24724824WSSE	410, 414, 418
SS24724824WSWE	425, 426
SS24724830WSSE	412, 416, 420
SS2472WSS	370, 371, 372
SS2472WSW	378, 379
SS24783624WSSE	410, 414, 418
SS24783630WSSE	412, 416, 420
SS24784224WSSE	410, 414, 418
SS24784224WSWE	425, 426

Model	➤See page
SS24784230WSSE	412, 416, 420
SS24784824WSSE	410, 414, 418
SS24784824WSWE	425, 426
SS24784830WSSE	412, 416, 420
SS2478WSS	370, 371, 372
SS24843624WSSE	410, 414, 418
SS24843630WSSE	412, 416, 420
SS24844224WSSE	410, 414, 418
SS24844230WSSE	412, 416, 420
SS24844824WSSE	410, 414, 418
SS24844830WSSE	412, 416, 420
SS2484WSS	370, 371, 372
SS24903624WSSE	410, 414, 418
SS24903630WSSE	412, 416, 420
SS24904224WSSE	410, 414, 418
SS24904230WSSE	412, 416, 420
SS24904824WSSE	410, 414, 418
SS24904830WSSE	412, 416, 420
SS2490WSS	370, 371, 372
SS24963624WSSE	410, 414, 418
SS24963630WSSE	412, 416, 420
SS24964224WSSE	410, 414, 418
SS24964230WSSE	412, 416, 420
SS24964824WSSE	410, 414, 418
SS24964830WSSE	412, 416, 420
SS2496WSS	370, 371, 372
SS30102WSS	373, 374, 375
SS30108WSS	373, 374, 375
SS30114WSS	373, 374, 375
SS30120WSS	373, 374, 375
SS3024WSS	373, 374
SS3030TTSQ	454
SS3030WSD	433
SS3030WSQR	434
SS3030WSQRN	434
SS3030WSS	373, 374
SS30366624WSSE	401, 405, 409
SS30367224WSSE	401, 405, 409
SS30367824WSSE	401, 405, 409
SS30368424WSSE	401, 405, 409
SS30369024WSSE	401, 405, 409
SS30369624WSSE	401, 405, 409
SS3036WSS	373, 374, 375
SS304224WST	382, 383
SS30424230WSCC	387, 391
SS30424230WSCS	384, 385
SS30424230WSCY	397
SS30424824WSCC	389, 392
SS30426024WSCC	389, 392
SS30426024WSTC	393, 394
SS30426030WSTC	393, 394
SS30426624WSSE	401, 405, 409
SS30426630WSSE	399, 403, 407
SS30427224WSSE	401, 405, 409
SS30427230WSSE	399, 403, 407
SS30427824WSSE	401, 405, 409
SS30427830WSAE	422
SS30427830WSSE	399, 403, 407
SS30427830WSWE	424, 426
SS30428424WSSE	401, 405, 409
SS30428430WSAE	422
SS30428430WSSE	399, 403, 407
SS30429024WSSE	401, 405, 409
SS30429030WSSE	399, 403, 407
SS30429624WSSE	401, 405, 409
SS30429630WSSE	399, 403, 407
SS3042WSS	373, 374, 375
SS3042WSW	378, 379
SS304824WST	382, 383
SS30484824WSCC	389, 390, 392
SS30484830WSCC	387, 390, 391
SS30484830WSCS	384, 385
SS30484830WSCY	397
SS30486024WSCC	389, 390, 392
SS30486024WSTC	393, 394
SS30486030WSCC	387, 390, 391
SS30486030WSTC	393, 394
SS30486624WSSE	401, 405, 409
SS30486630WSSE	399, 403, 407
SS30487224WSSE	401, 405, 409
SS30487230WSSE	399, 403, 407
SS304872WSUE	428, 429
SS30487824WSSE	401, 405, 409
SS30487830WSAE	422
SS30487830WSSE	399, 403, 407
SS30487830WSWE	424, 426
SS30488424WSSE	401, 405, 409
SS30488430WSAE	422
SS30488430WSSE	399, 403, 407
SS304884WSUE	428, 429
SS30489024WSSE	401, 405, 409
SS30489030WSSE	399, 403, 407
SS30489624WSSE	401, 405, 409
SS30489630WSSE	399, 403, 407
SS3048WSS	373, 374, 375
SS3048WSW	378, 379
SS305424WST	382, 383
SS3054WSS	373, 374, 375
SS3054WSW	378, 379
SS306024WST	382, 383
SS30604224WSTC	395, 396
SS30604230WSTC	395, 396
SS30604824WSCC	389, 390, 392
SS30604824WSTC	395, 396
SS30604830WSCC	387, 390, 391
SS30604830WSTC	395, 396
SS30606024WSCC	389, 392
SS30606030WSCC	387, 391
SS30606030WSCY	397
SS3060TTRT	454
SS3060WSS	373, 374, 375
SS3060WSU	431, 432
SS3060WSUC	431, 432
SS3060WSW	378, 379
SS306624WST	382, 383
SS30664224WSSE	413, 417, 421
SS30664230WSSE	411, 415, 419
SS30664824WSSE	413, 417, 421
SS30664830WSSE	411, 415, 419
SS3066WSS	373, 374, 375
SS3066WSU	431, 432
SS3066WSUC	431, 432
SS3066WSW	378, 379
SS307224WST	382, 383
SS30724224WSAE	423
SS30724224WSSE	413, 417, 421
SS30724230WSSE	411, 415, 419
SS30724824WSAE	423
SS30724824WSSE	413, 417, 421
SS30724830WSSE	411, 415, 419
SS3072TTRT	454
SS3072WSP	430
SS3072WSS	373, 374, 375
SS3072WSU	431, 432
SS3072WSUC	431, 432
SS3072WSW	378, 379
SS30784224WSAE	423
SS30784224WSSE	413, 417, 421
SS30784230WSAE	423
SS30784230WSSE	411, 415, 419
SS30784230WSWE	425, 426
SS30784824WSAE	423
SS30784824WSSE	413, 417, 421
SS30784830WSAE	423
SS30784830WSSE	411, 415, 419
SS30784830WSWE	425, 426
SS3078WSS	373, 374, 375
SS30844224WSAE	423
SS30844224WSSE	413, 417, 421
SS30844230WSAE	423
SS30844230WSSE	411, 415, 419
SS30844824WSAE	423
SS30844824WSSE	413, 417, 421
SS30844830WSAE	423
SS30844830WSSE	411, 415, 419
SS3084WSS	373, 374, 375
SS30904224WSSE	413, 417, 421
SS30904230WSSE	411, 415, 419
SS30904824WSSE	413, 417, 421
SS30904830WSSE	411, 415, 419
SS3090WSS	373, 374, 375
SS30964224WSSE	413, 417, 421
SS30964230WSSE	411, 415, 419
SS30964824WSSE	413, 417, 421
SS30964830WSSE	411, 415, 419
SS3096WSS	373, 374, 375
SS30TTRN	454
SS36102WSS	376
SS36108WSS	376
SS36114WSS	376
SS36120WSS	376
SS3636TTSQ	454
SS3660TTRC	454
SS3660TTRT	454
SS3660WSS	376
SS3660WSU	431, 432
SS3660WSUC	431, 432
SS3666WSS	376
SS3666WSU	431, 432
SS3666WSUC	431, 432
SS3672TTRC	454
SS3672TTRT	454
SS3672WSA	377
SS3672WSS	376
SS3672WSU	431, 432
SS3672WSUC	431, 432
SS3678WSA	377
SS3678WSS	376
SS3684TTRC	454
SS3684WSA	377
SS3684WSP	430
SS3684WSS	376
SS3690WSA	377
SS3690WSS	376
SS3696WSA	377
SS3696WSS	376
SS36TTRN	454
SS4224WSW	380, 381
SS4230WSW	380, 381
SS4242TTSQ	454
SS42TTRN	454
SS47TTRN	454
SS4824WSW	380, 381
SS4830WSW	380, 381
SS48TTRN	454
SS5424WSW	380, 381
SS5430WSW	380, 381
SS6024WSW	380, 381
SS6030WSW	380, 381
SS604824WSUE	428, 429

Model Number Index

continued

Terms & Conditions ➤See page 608
Asset Tag Locations 608
Product Warranty 610
Operating Load Capacities 611

Model	➤See page
SS6624WSW	380, 381
SS6630WSW	380, 381
SS664824WSUE	428, 429
SS7224WSW	380, 381
SS7230WSP	430
SS7230WSW	380, 381
SS724824WSUE	428, 429
SS724830WSUE	428, 429
SS784824WSPE	427
SS8436WSP	430
SS844824WSUE	428, 429
SS844830WSUE	428, 429
ST0111TLS	452
ST102TLSS	452
ST108TLSS	452
ST120TLSS	452
ST12102WSTC	451
ST12108WSTC	451
ST12120WSTC	451
ST1260WSTC	451
ST1272WSTC	451
ST1284WSTC	451
ST1290WSTC	451
ST1296WSTC	451
ST1824WSS	436
ST1830WSS	436
ST1836WSS	436
ST1842WSS	436
ST1848WSS	436
ST1860WSS	436
ST1866WSS	436
ST1872WSS	436
ST24102WSS	436, 437
ST24108WSS	436, 437
ST24114WSS	436, 437
ST24120WSS	436, 437
ST2424WSS	436, 437
ST2430WSS	436, 437
ST24363624WSCS	446, 447
ST2436WSS	436, 437
ST24424224WSCS	446, 447
ST24424224WSCSS	448

Model	➤See page
ST2442WSS	436, 437
ST24484824WSCC	449, 450
ST24484824WSCS	446, 447
ST24484824WSCSS	448
ST24484830WSCC	449, 450
ST24486024WSCC	449, 450
ST24486030WSCC	449, 450
ST244872WSUE	443
ST244878WSPE	442
ST2448WSS	436, 437
ST2454WSS	436, 437
ST24604824WSCC	449, 450
ST24604830WSCC	449, 450
ST2460WSS	436, 437
ST2466WSS	436, 437
ST2472WSS	436, 437
ST2478WSS	436, 437
ST2484WSS	436, 437
ST2490WSS	436, 437
ST2496WSS	436, 437
ST30102WSS	438, 439, 440
ST30108WSS	438, 439, 440
ST30114WSS	438, 439, 440
ST30120WSS	438, 439, 440
ST3024WSS	438, 439
ST3030WSS	438, 439
ST3036WSS	438, 439
ST30424230WSCS	446, 447
ST3042WSS	438, 439
ST30484824WSCC	449, 450
ST30484830WSCC	449, 450
ST30484830WSCS	446, 447
ST30484830WSCSS	448
ST30486024WSCC	449, 450
ST30486030WSCC	449, 450
ST3048WSS	438, 439
ST3054WSS	438, 439
ST30604824WSCC	449, 450
ST30604830WSCC	449, 450
ST3060WSS	438, 439, 440
ST3060WSU	445
ST3066WSS	438, 439, 440

Model	➤See page
ST3066WSU	445
ST3072WSP	444
ST3072WSS	438, 439, 440
ST3072WSU	445
ST3078WSS	438, 439, 440
ST3084WSS	438, 439, 440
ST3090WSS	438, 439, 440
ST3096WSS	438, 439, 440
ST36102WSS	440
ST36108WSS	440
ST36114WSS	440
ST36120WSS	440
ST3660WSS	440
ST3666WSS	440
ST3672TTRC	455
ST3672WSA	441
ST3672WSS	440
ST3672WSU	445
ST3678WSA	441
ST3678WSS	440
ST3684WSA	441
ST3684WSP	444
ST3684WSS	440
ST3690WSA	441
ST3690WSS	440
ST3696WSA	441
ST3696WSS	440
ST36TTRN	455
ST42TTRN	455
ST48TTRN	455
ST60TLSS	452
ST7230WSP	444
ST724824WSUE	443
ST72TLSS	452
ST784824WSPE	442
ST8436WSP	444
ST84TLSS	452
ST90TLSS	452
ST96TLSS	452
TBS2627T	469
TBS2627X	469
TBS3427X	469

Model	➤See page
TPT3248EFCH	344
TPT3632MMFALUM	344
TPT3647MFF	344
TPT3647MMFALUM	344
TPT4853SMBALUM	344
TTBS72	347, 545
TTC72P	345
TTC72W	345
TTCFC	339
TTCS	339
TTET02	345
TTET39	345
TTET40	345
TTET52	345
TTSP04	339
TTTC36N	346
TTTC36P	346
TTTC37N	346
TTTC37P	346
TTTC49N	346
TTTC49P	346
TTVCM19B	346
TTVCM19N	346
TTVCM20B	346
TTVCM20N	346
TTWMT144	339
TTWMT72	339
TTXT721	545
WT62	545
WT66	545
WT80	545

FOOTPRINT® Worksurfaces & Support - Worksurface Support - For Use in Wall-Mount Applications

Model Number	Model Description	Price
FBWSWM	FOOTPRINT,WORKSURFACE BRACKET,WALL MOUNT	8

FOOTPRINT® Storage Flat Profile Undersurface Storage Mobile Pedestals—Metal

		Fabric Price Grade						
Model Number	Model Description	1	2	3	4	5	6	7
12S2415PMBFCTM1	FOOTPRINT,24DX15WX25H,STOR,PED,BF,MBL,CUSH TOP,FLAT PF,PAINT	805	821	831	840	854	869	884

Options:

Pull option:	Note: Upcharge of +$17 applies for Arc, Dome, and Span pulls.
Lock option:	KRB = Key random KSB = Key specific (-$23); specify lock core separately.
Metal finish price group:	STD = Group 1 STDM = Group M (+10%)

XSITE® Frameless Glass

Model Number	Model Description	Price
36P24TCFGIP	XSITE,24W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	165
36P30TCFGIP	XSITE,30W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	193
36P36TCFGIP	XSITE,36W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	221
36P42TCFGIP	XSITE,42W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	249
36P48TCFGIP	XSITE,48W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	276
36P54TCFGIP	XSITE,54W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	304
36P60TCFGIP	XSITE,60W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	304
36P66TCFGIP	XSITE,66W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	331
36P72TCFGIP	XSITE,72W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	359
36P78TCFGIP	XSITE,78W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	387
36P84TCFGIP	XSITE,84W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	415
36P90TCFGIP	XSITE,90W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	442
36P96TCFGIP	XSITE,96W,TOP CAP,FRAMELESS GLASS,INSERT,PAINT	470

Options:

Surface finish price group	STD = Group 1 STD2 = Group 2 (+20%)

XSITE® Connectors

Model Number	Model Description	Price
36PTCOMSP	XSITE,TOP CAP,OFF-MODULE SPLICE	7
36PTLB	XSITE,PANEL MOUNT TRAXX,LOCK BRACKET	6

Options:

finish price group	Paint color or 501 = Platinum Metallic (+10%)

XSITE® 13 3⁄8"H Frameless Glass

Model Number	Model Description	Price
36P242FG32	XSITE,24W X 13 3/8H,FRAMELESS GLASS,CLEAR	311
36P302FG32	XSITE,30W X 13 3/8H,FRAMELESS GLASS,CLEAR	333
36P362FG32	XSITE,36W X 13 3/8H,FRAMELESS GLASS,CLEAR	357
36P422FG32	XSITE,42W X 13 3/8H,FRAMELESS GLASS,CLEAR	407
36P482FG32	XSITE,48W X 13 3/8H,FRAMELESS GLASS,CLEAR	426
36P542FG32	XSITE,54W X 13 3/8H,FRAMELESS GLASS,CLEAR	515
36P602FG32	XSITE,60W X 13 3/8H,FRAMELESS GLASS,CLEAR	547
36P662FG32	XSITE,66W X 13 3/8H,FRAMELESS GLASS,CLEAR	600
36P722FG32	XSITE,72W X 13 3/8H,FRAMELESS GLASS,CLEAR	651
36P782FG32	XSITE,78W X 13 3/8H,FRAMELESS GLASS,CLEAR	703
36P842FG32	XSITE,84W X 13 3/8H,FRAMELESS GLASS,CLEAR	778
36P902FG32	XSITE,90W X 13 3/8H,FRAMELESS GLASS,CLEAR	830
36P962FG32	XSITE,96W X 13 3/8H,FRAMELESS GLASS,CLEAR	881
36P242FGH3	XSITE,24W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	311
36P302FGH3	XSITE,30W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	333
36P362FGH3	XSITE,36W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	357
36P422FGH3	XSITE,42W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	407
36P482FGH3	XSITE,48W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	426
36P542FGH3	XSITE,54W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	515
36P602FGH3	XSITE,60W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	547
36P662FGH3	XSITE,66W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	600
36P722FGH3	XSITE,72W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	651
36P782FGH3	XSITE,78W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	703
36P842FGH3	XSITE,84W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	778
36P902FGH3	XSITE,90W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	830
36P962FGH3	XSITE,96W X 13 3/8H,FRAMELESS GLASS,HI-LO,CLEAR	881
36P242FG72	XSITE,24W X 13 3/8H,FRAMELESS GLASS,ETCHED	418
36P302FG72	XSITE,30W X 13 3/8H,FRAMELESS GLASS,ETCHED	487
36P362FG72	XSITE,36W X 13 3/8H,FRAMELESS GLASS,ETCHED	556
36P422FG72	XSITE,42W X 13 3/8H,FRAMELESS GLASS,ETCHED	676
36P482FG72	XSITE,48W X 13 3/8H,FRAMELESS GLASS,ETCHED	745
36P542FG72	XSITE,54W X 13 3/8H,FRAMELESS GLASS,ETCHED	782
36P602FG72	XSITE,60W X 13 3/8H,FRAMELESS GLASS,ETCHED	916
36P662FG72	XSITE,66W X 13 3/8H,FRAMELESS GLASS,ETCHED	1030
36P722FG72	XSITE,72W X 13 3/8H,FRAMELESS GLASS,ETCHED	1099
36P782FG72	XSITE,78W X 13 3/8H,FRAMELESS GLASS,ETCHED	1173

XSITE® 13 3⁄8"H Frameless Glass

Model Number	Model Description	Price
36P842FG72	XSITE,84W X 13 3/8H,FRAMELESS GLASS,ETCHED	1242
36P902FG72	XSITE,90W X 13 3/8H,FRAMELESS GLASS,ETCHED	1318
36P962FG72	XSITE,96W X 13 3/8H,FRAMELESS GLASS,ETCHED	1387
36P242FGH7	XSITE,24W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	418
36P302FGH7	XSITE,30W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	487
36P362FGH7	XSITE,36W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	556
36P422FGH7	XSITE,42W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	676
36P482FGH7	XSITE,48W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	745
36P542FGH7	XSITE,54W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	782
36P602FGH7	XSITE,60W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	916
36P662FGH7	XSITE,66W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	1030
36P722FGH7	XSITE,72W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	1099
36P782FGH7	XSITE,78W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	1173
36P842FGH7	XSITE,84W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	1242
36P902FGH7	XSITE,90W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	1318
36P962FGH7	XSITE,96W X 13 3/8H,FRAMELESS GLASS,HI-LO,ETCHED	1387

XSITE® Metal Tiles

Model Number	Model Description	Price
36P301ITMP	XSITE,30W,1 HIGH,INSERT TILE,MARKER BOARD, METAL	113
36P361ITMP	XSITE,36W,1 HIGH,INSERT TILE,MARKER BOARD, METAL	136
36P421ITMP	XSITE,42W,1 HIGH,INSERT TILE,MARKER BOARD, METAL	160
36P481ITMP	XSITE,48W,1 HIGH,INSERT TILE,MARKER BOARD, METAL	182
36P30H18ITMP	XSITE,18H,TILE,MARKER BOARD, METAL	194
36P36H18ITMP	XSITE,18H,TILE,MARKER BOARD, METAL	233
36P42H18ITMP	XSITE,18H,TILE,MARKER BOARD, METAL	270
36P48H18ITMP	XSITE,18H,TILE,MARKER BOARD, METAL	313
36P54H18ITMP	XSITE,18H,TILE,MARKER BOARD, METAL	349
36P60H18ITMP	XSITE,18H,TILE,MARKER BOARD, METAL	389
36P302ITMP	XSITE,30W,2 HIGH,INSERT TILE,MARKER BOARD, METAL	229
36P362ITMP	XSITE,36W,2 HIGH,INSERT TILE,MARKER BOARD, METAL	272
36P422ITMP	XSITE,42W,2 HIGH,INSERT TILE,MARKER BOARD, METAL	316
36P482ITMP	XSITE,48W,2 HIGH,INSERT TILE,MARKER BOARD, METAL	352
36P542ITMP	XSITE,54W,2 HIGH,INSERT TILE,MARKER BOARD, METAL	411
36P602ITMP	XSITE,60W,2 HIGH,INSERT TILE,MARKER BOARD, METAL	456
36P303ITMP	XSITE,30W,3 HIGH,INSERT TILE,MARKER BOARD, METAL	341
36P363ITMP	XSITE,36W,3 HIGH,INSERT TILE,MARKER BOARD, METAL	404

Options:

finish price	STD = Group 1
group	STDM = Group M (+10%)

XSITE® Technology Tile Electrical Components

Model Number	Model Description	Price
36PER184SB15C	XSITE,RECEPTACLE,CIRCUIT 1,8 WIRE,15 AMP CONTROLLED	31
36PER284SB15C	XSITE,RECEPTACLE,CIRCUIT 2,8 WIRE,15 AMP CONTROLLED	31
36PER384SB15C	XSITE,RECEPTACLE,CIRCUIT 3,8 WIRE,15 AMP CONTROLLED	31
36PER3D84SB15C	XSITE,RECEPTACLE,CIRCUIT 3D,8 WIRE,15 AMP CONTROLLED	31
36PER4D84SB15C	XSITE,RECEPTACLE,CIRCUIT 4D,8 WIRE,15 AMP CONTROLLED	31
36PER184SB20C	XSITE,RECEPTALE,CIRCUIT 1,8 WIRE, 20 AMP CONTROLLED	36
36PER284SB20C	XSITE,RECEPTALE,CIRCUIT 2,8 WIRE, 20 AMP CONTROLLED	36
36PER384SB20C	XSITE,RECEPTALE,CIRCUIT 3,8 WIRE, 20 AMP CONTROLLED	36
36PER3D84SB20C	XSITE,RECEPTALE,CIRCUIT 3D,8 WIRE, 20 AMP CONTROLLED	36
36PER4D84SB20C	XSITE,RECEPTALE,CIRCUIT 4D,8 WIRE, 20 AMP CONTROLLED	36
36PER110SC	XSITE,RCPT,CKT1C,10WIRE,SHARED NTRL,CINDER	31
36PER110SC439	XSITE,RCPT,CKT1C,10WIRE,SHARED NTRL,NEBULOUS WHITE	31
36PER210SC	XSITE,RCPT,CKT2C,10WIRE,SHARED NTRL,CINDER	31
36PER210SC439	XSITE,RCPT,CKT2C,10WIRE,SHARED NTRL,NEBULOUS WHITE	31
36PER310SC	XSITE,RCPT,CKT3C,10WIRE,SHARED NTRL,CINDER	31
36PER310SC439	XSITE,RCPT,CKT3C,10WIRE,SHARED NTRL,NEBULOUS WHITE	31
36PER3D10SC	XSITE,RCPT,CKT3C,DESIGNATED,10WIRE,CINDER	31
36PER3D10SC439	XSITE,RCPT,CKT 3C,DESIGNATED,10WIRE,NEBULOUS WHITE	31
36PER3D10SC498	XSITE,RCPT,CKT 3C,DESIGNATED,10WIRE,ORANGE	31
36PER4D10SC	XSITE,RCPT,CKT4C,DESIGNATED,10WIRE,CINDER	31
36PER4D10SC439	XSITE,RCPT,CKT 4C,DESIGNATED,10WIRE,NEBULOUS WHITE	31
36PER4D10SC498	XSITE,RCPT,CKT 4C,DESIGNATED,10WIRE,ORANGE	31
36PER5D10SC	XSITE,RCPT,CKT5C,DESIGNATED,10WIRE,CINDER	31
36PER5D10SC439	XSITE,RCPT,CKT 5C,DESIGNATED,10WIRE,NEBULOUS WHITE	31
36PER5D10SC498	XSITE,RCPT,CKT 5C,DESIGNATED,10WIRE,ORANGE	31
36PER6D10SC	XSITE,RCPT,CKT6C,DESIGNATED,10WIRE,CINDER	31
36PER6D10SC439	XSITE,RCPT,CKT 6C,DESIGNATED,10WIRE,NEBULOUS WHITE	31
36PER6D10SC498	XSITE,RCPT,CKT 6C,DESIGNATED,10WIRE,ORANGE	31
36PER110DC	XSITE,RCPT,CKT1C,10WIRE,INDEPENDENT,CINDER	31
36PER110DC439	XSITE,RCPT,CKT1C,10WIRE,IND,NEBULOUS WHITE	31
36PER110DC498	XSITE,RCPT,CKT1C,10WIRE,IND,ORANGE	31
36PER210DC	XSITE,RCPT,CKT2C,10WIRE,INDEPENDENT,CINDER	31
36PER210DC439	XSITE,RCPT,CKT2C,10WIRE,IND,NEBULOUS WHITE	31
36PER210DC498	XSITE,RCPT,CKT1C,10WIRE,IND,ORANGE	31
36PER310DC	XSITE,RCPT,CKT3C,10WIRE,INDEPENDENT,CINDER	31
36PER310DC439	XSITE,RCPT,CKT3C,10WIRE,IND,NEBULOUS WHITE	31

XSITE® Technology Tile Electrical Components

Model Number	Model Description	Price
36PER310DC498	XSITE,RCPT,CKT1C,10WIRE,IND,ORANGE	31
36PER410DC	XSITE,RCPT,CKT4C,10WIRE,INDEPENDENT,CINDER	31
36PER410DC439	XSITE,RCPT,CKT4C,10WIRE,IND,NEBULOUS WHITE	31
36PER410DC498	XSITE,RCPT,CKT1C,10WIRE,IND,ORANGE	31
36PER110S20C	XSITE,RCPT,CKT 1C,10 WIRE,SHARED,20A,CINDER	36
36PER110S20C439	XSITE,RCPT,CKT 1C,10 WIRE,SHARED,20A,NEBULOUS WHITE	36
36PER210S20C	XSITE,RCPT,CKT 2C,10 WIRE,SHARED,20A,CINDER	36
36PER210S20C439	XSITE,RCPT,CKT 2C,10 WIRE,SHARED,20A,NEBULOUS WHT	36
36PER310S20C	XSITE,RCPT,CKT 3C,10 WIRE,SHARED,20A,CINDER	36
36PER310S20C439	XSITE,RCPT,CKT 3C,10 WIRE,SHARED,20A,NEBULOUS WHT	36
36PER3D10S20C	XSITE,RCPT,CKT 3DC,10 WIRE,SHARED,20A,CINDER	36
36PER3D10S20C439	XSITE,RCPT,CKT 3DC,10 WIRE,SHARED,20A,NEBULOUS WHT	36
36PER3D10S20C498	XSITE,RCPT,CKT 3DC,10 WIRE,SHARED,20A,ORANGE	36
36PER4D10S20C	XSITE,RCPT,CKT 4DC,10 WIRE,SHARED,20A,CINDER	36
36PER4D10S20C439	XSITE,RCPT,CKT 4DC,10 WIRE,SHARED,20A,NEBULOUS WHT	36
36PER4D10S20C498	XSITE,RCPT,CKT 4DC,10 WIRE,SHARED,20A,ORANGE	36
36PER5D10S20C	XSITE,RCPT,CKT 5DC,10 WIRE,SHARED,20A,CINDER	36
36PER5D10S20C439	XSITE,RCPT,CKT 5DC,10 WIRE,SHARED,20A,NEBULOUS WHT	36
36PER5D10S20C498	XSITE,RCPT,CKT 5DC,10 WIRE,SHARED,20A,ORANGE	36
36PER6D10S20C	XSITE,RCPT,CKT 6DC,10 WIRE,SHARED,20A,CINDER	36
36PER6D10S20C439	XSITE,RCPT,CKT 6DC,10 WIRE,SHARED,20A,NEBULOUS WHT	36
36PER6D10S20C498	XSITE,RCPT,CKT 6DC,10 WIRE,SHARED,20A,ORANGE	36
36PER110D20C	XSITE,RCPT,CKT 1C,10 WIRE,IND,20A,CINDER	36
36PER110D20C439	XSITE,RCPT,CKT 1C,10 WIRE,IND,20A,NEBULOUS WHITE	36
36PER110D20C498	XSITE,RCPT,CKT 1C,10 WIRE,IND,20A,ORANGE	36
36PER210D20C	XSITE,RCPT,CKT 2C,10 WIRE,IND,20A,CINDER	36
36PER210D20C439	XSITE,RCPT,CKT 2C,10 WIRE,IND,20A,NEBULOUS WHITE	36
36PER210D20C498	XSITE,RCPT,CKT 2C,10 WIRE,IND,20A,ORANGE	36
36PER410D20C	XSITE,RCPT,CKT 4C,10 WIRE,IND,20A,CINDER	36
36PER410D20C439	XSITE,RCPT,CKT 4C,10 WIRE,IND,20A,NEBULOUS WHITE	36
36PER410D20C498	XSITE,RCPT,CKT 4C,10 WIRE,IND,20A,ORANGE	36
36PERUP1S	XSITE,USB RCPT,CKT 1,SHARED NEUTRAL,CINDER	151
36PERUP1S439	XSITE,USB RCPT,CKT 1,SHARED NEUTRAL,NEBULOUS WHITE	151
36PERUP2S	XSITE,USB RCPT,CKT 2,SHARED NEUTRAL,CINDER	151
36PERUP2S439	XSITE,USB RCPT,CKT 2,SHARED NEUTRAL,NEBULOUS WHITE	151
36PERUP3S	XSITE,USB RCPT,CKT 3,SHARED NEUTRAL,CINDER	151

XSITE® Technology Tile Electrical Components

Model Number	Model Description	Price
36PERUP3S439	XSITE,USB RCPT,CKT 3,SHARED NEUTRAL,NEBULOUS WHITE	151
36PERUP4S	XSITE,USB RCPT,CKT 4,SHARED NEUTRAL,CINDER	151
36PERUP4S439	XSITE,USB RCPT,CKT 4,SHARED NEUTRAL,NEBULOUS WHITE	151
36PERUP5S	XSITE,USB RCPT,CKT 5,SHARED NEUTRAL,CINDER	151
36PERUP5S439	XSITE,USB RCPT,CKT 5,SHARED NEUTRAL,NEBULOUS WHITE	151
36PERUP6S	XSITE,USB RCPT,CKT 6,SHARED NEUTRAL,CINDER	151
36PERUP6S439	XSITE,USB RCPT,CKT 6,SHARED NEUTRAL,NEBULOUS WHITE	151

XSITE® Cable Management

Model Number	Model Description	Price
36ADCM	XSITE,DATA CABLE MANAGER	8

Kimball® Office

TABLES Price List

This price list is effective December 15, 2014 and supercedes all previously printed or electronically released versions.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Kwik Office Program	4
Sustainability	5
Conferencing Solutions	7
Contemporary/Transitional	7
Collaborative	31
Power/Data	35
Traditional	41
Innsbruck™	49
Aspire®	53
Training/Teaming Solutions	57
Scenario™	57
Configuration	83
Occasional	89
Complementary Furniture	103
Locking Information	106
Finishes and Materials	111
Resources	121
Terms and Conditions	122
Asset Tag Locations	122
Product Warranty	124
BIFMA and U.L. Information	125
Model Number Index	126

How to Use this Price List

Kwik Office Program ➤See page 4
How to Specify Our Products 3
Sustainability 5

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

KJ icon indicates models that are available for quick shipment.
➤See the Kwik Office Price List.

(FSC) icon indicates models available with the FSC option (3% upcharge) at standard leadtime to meet FSC certification.



Use the Resources in the back of the price list. This repository of useful information includes Terms and Conditions, Warranty, Operating Load Capacities. You'll also find a model number index with references to the appropriate pricing page.

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Standard product modifications are available on select products.
➤See the Product Modifications Price List at www.kimballoffice.com

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

How to Specify Our Products

Kwik Office Program ➤See page 4
How to Use this Price List 2
Sustainability 5

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



CONTEMPORARY/ TRANSITIONAL
Tables

Round Table Tops Pricing

GSA SIN 711-11
FSC-C010580

Diameter	H	Number of Top Pieces	Model		Wood Surface Type 1 Rim	Wood Surface Type 2 Rim	Wood Surface Type 3 Rim	Laminate with Wood Rim Type 2 Rim	Laminate with Wood Rim Type 3 Rim	Laminate Type 1 Rim	Laminate Type 4 Rim
Round Table Tops											
36"	1¼in*	1	**CCS36RD**	FSC	$785	$1484	$1578	$1484	$1578	$725	$725
42"		1	**CCS42RD**	K FSC	952	1734	1894	1734	1894	855	855
48"		1	**CCS48RD**	K FSC	1194	2315	2428	2315	2428	999	999
54"		1	**CCS54RD**	FSC	2097	2896	3227	2896	3227	1485	1485
60"		1	**CCS60RD**	FSC	2505	3435	3753	3435	3753	1615	1615

Features ➤See page 9
Grommet Options 12
Base Requirements 13

Standard Includes
• Table top

How to Specify
❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = J-rim
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
➤See page 9.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 9.
⑥ Grommet option:
➤See page 12 for grommet options (+$79 per grommet)
X = Without grommet
⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑧ Surface finish designator
⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (include for laminate top with wood or plastic (V) rim only)

Page 16 Contemporary/Transitional FSC = FSC-certified wood option available. ➤See page 5 for more info. K = Kwik Office model available.

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for a **contemporary/transitional table top.**
➤See page 18 for the corresponding pricing table and How to Specify steps.



Pricing Table Abbreviations:

D = Depth
W = Width
H = Height
T = Thickness
AO = Approach Overhang
ED = End Depth
KW = Kneespace Width
KH = Kneespace Height
WC = Worksurface Clearance

Kwik Office Program

Sustainability ➤See page 5
How to Use this Price List 2
How to Specify Our Products 3

Kwik Office casegoods are available to ship within five business days upon receipt of a credit-approved order.

Specific models and options from the following lines are available:
- Contemporary/Transitional Tables
- Traditional Tables

Model Numbers:

Models and finishes that are available on Kwik Office have been marked with a K icon in this price list.

Kwik Office model numbers are different from standard model numbers. Base model numbers for Kwik Office products include all options and finish designators.

The K icon on standard lead-time pricing pages indicates availability; it does not provide the correct model numbers and option designators for specifying. You must use the complete model numbers listed i the Kwik Office Price List.

Include only Kwik Office models on your order. Any orders containing non-Kwik Office products will be treated as such and entered at standard lead times. Indicate clearly at the top of your order “Kwik Office.”

Changes and Cancellations:

No changes or cancellations will be accepted after order entry for Kwik Office products.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Contact Customer Service for availability.

Sustainability

Enhancing the Home We All Share

Kwik Office Program ➤See page 4
How to Use this Price List 2
How to Specify Our Products 3

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠
Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Notes

CONTEMPORARY/TRANSITIONAL

Statement of Line

Tables Tops and Power/Data Centers

Features	➤See page 9
Technology Management	10
Base Requirements	13

Round Tops
➤See page 16 to specify.



Square Tops
➤See page 17 to specify.



Rectangular Tops
➤See page 18 to specify.



Arc Rectangle Tops
➤See page 19 to specify.

Racetrack Tops
➤See page 20 to specify.



Boat-Shaped Tops
➤See page 21 to specify.

10" Power/Data Center
➤See page 10 for technology management information.
➤See page 22 to specify.



40" Power/Data Center
➤See page 10 for technology management information.
➤See page 22 to specify.

Shapes, Sizes & Seating Capacities:

Shape	*Dimensions*	*Seating Capacity*
Round	36" diameter	4
	42" diameter	4
	48" diameter	5
	54" diameter	6
	60" diameter	6
Square	36" x 36"	4
	42" x 42"	4
	48" x 48"	4
Rectangular, Racetrack, Boat-Shaped, & Arc Rectangle		
	36" x 72" *	6
	48" x 96"	8
	48" x 120"	10
	48" x 144"	12
	48" x 168"	14
	48" x 192"	16
	48" x 216" *	18
	48" x 240" *	20
	60" x 144"	12
	60" x 168"	14
	60" x 192"	16
	60" x 216"	18
	60" x 240"	20

* Boat-shaped tops not available 36" x 72", 48" x 216", or 48" x 240"

CONTEMPORARY/TRANSITIONAL

Statement of Line

Table Bases

Features ➤See page 9
Technology Management 10
Base Requirements 13



Wood Cylinder Bases
Also available in laminate.
➤See page 23 to specify.



Wood Square Bases
➤See page 24 to specify.



Wood Hinged Door Bases
Available in cylinder and square models.
➤See page 25 to specify.



Wood Ellipse Bases
➤See page 26 to specify.



Wood Rectangular Bases
➤See page 26 to specify.

Wood Panel Bases
➤See page 27 to specify.

Metal Column Legs
Available in standard, tapered, and mobile tapered models.
➤See page 28 to specify

Metal X-Bases
Available in wood base caps, static, and mobile models.
➤See page 28 to specify.

Metal Double T-Leg Bases
➤See page 28 to specify.



Metal Disc Bases
➤See page 29 to specify.

Features

Overview

Statement of Line ➤See page 7
Technology Management 10
Base Requirements 13

Table tops are available in wood, laminate, and laminate with a wood rim. They are 3-ply balanced construction and are 1 9/16" thick.



A wide variety of bases in wood or metal are available. All bases must be specified separately.
➤See pages 13–15 for base applicability and requirements.

Details

Exterior surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Wood tops feature a semi-open pore finish and may be specified with a satin (50) or gloss (70) sheen.

All rims are wood, except PVC (V). Flat (J) rim is a self edge and is available in wood or laminate.

Rim thickness is 5/16" on A, B, C, D, E, F, G, H, and M rims; rim thickness is 1" on CH, S and RS rims.



Tops up to 96"W are one piece. 120"–192"W models are two-piece tops. 216"–240"W models are three-piece tops.

Rim Profiles:

Type 1—*Applies to all wood or all laminate tops only.*

J Flat

Type 2—*Applies to wood and laminate with wood rim tops only.*

A Radius **B** Bevel **C** Double Radius

D Bullnose **E** Transitional **F** Softened

G Beaded **H** Crescent **M** Reed

Type 3—*Applies to wood and laminate with wood rim tops only.*

CH Chamfer **RS** Rv. Knife **S** Knife

Type 4—*Applies to laminate tops.*

V PVC

Note: Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products.

Technology Management

Product Information

Power and Data

Features	➤See page 9
Power/Data Cut-Outs	11
Grommet Options	12
Base Requirements	13

Details

Two power/data center models are available for use with:

- Rectangular table tops
- Racetrack table tops
- Boat-shaped table tops
- Arc rectangle table tops



10" power/data center features two power receptacles, three blank data ports, and one 10' power cord on each side, for a total of four power receptacles, six data ports, and two power cords per unit. Voice/adapter kit is included to accept couplers and jacks when required. Top opens and closes with a touch-pivot action. Clear anodized aluminum.



40" power data center features two power/data centers separated by a decorative resin center with a white frost appearance. Includes a total of eight power receptacles, eight blank data ports, and four 10' power cords. Voice/adapter kit is included to accept couplers and jacks when required. Top opens and closes with a touch-pivot action. Clear anodized aluminum.

Power/data cutout option must be specified for the table top; field scribing of the surface to accept power/data centers is not recommended.
➤See page 11.

Grommets may be specified for factory installation on all table tops in predetermined locations.
Grommets are matte black plastic.
➤See page 12.

Grommet lid raises up for cord access; push down to close.



Round power/communication grommet is available for field installation into a standard grommet opening to provide power, voice, or data directly to the table top. It includes two power outlets, one RJ11 voice jack, and one RJ45
data jack.
➤See the Perks Price List.

Undersurface wire managers are available to route cables underneath tables.

Related Products

Looking for power/data tables and retractable power/data
centers?
➤See page 35.

Technology Management

Options

Power/Data Cut-Out Options

Features ➤See page 9
Technology Management 10
Base Requirements 13

Top Size	*Cut-Out Location Designators*	*Location of Cut-Outs*
36" x 72" 48" x 96"	**C2E** = One C2 cut-out, end location **C2A** = Two C2 cut-outs, both end locations **C3C** = One C3 cut-out, center location **X** = No cut-outs	
48" x 120" 48" x 144" 48" x 168" 48" x 192"	**C2C** = One C2 cut-out, center location **C2E** = One C2 cut-out, end location **C2LR** = Two C2 cut-outs, left and right end locations **C2CE** = Two C2 cut-outs, center and end locations **C2A** = Three C2 cut-outs, center and both end locations **C3C** = One C3 cut-out, center location **C2LRC3C** = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location **X** = No cut-outs	
48" x 216" 48" x 240"	**C2C2** = Two C2 cut-outs, both inside/center locations **C2E2** = Two C2 cut-outs, both outside/end locations **C2A** = Four C2 cut-outs, all inside/center and outside/end locations **C3C** = One C3 cut-out, center location **C2LRC3C** = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location **X** = No cut-outs	
60" x 144" 60" x 168" 60" x 192"	**C2C** = One C2 cut-out, center location **C2E** = One C2 cut-out, end location **C2LR** = Two C2 cut-outs, left and right end locations **C2CE** = Two C2 cut-outs, center and end locations **C2A** = Three C2 cut-outs, center and both end locations **C3C** = One C3 cut-out, center location **C2LRC3C** = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location **X** = No cut-outs	
60" x 216" 60" x 240"	**C2C2** = Two C2 cut-outs, both inside/center locations **C2E2** = Two C2 cut-outs, both outside/end locations **C2A** = Four C2 cut-outs, all inside/center and outside/end locations **C3C** = One C3 cut-out, center location **C2LRC3C** = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location X = No cut-outs	

Factory-installed C2 cut-outs are sized to fit 10" power/data centers (model KCU0810ELPDC and KCU0810ELPDCH), specified separately.



Factory-installed C3 cut-outs are sized to fit 40" power/data centers (model KCU0840ELPDC), specified separately.

How to Specify

Insert the location designator for step ⑥ in the table top's model number sequence.

Note: G10 grommets cannot be specified along with C2 or C3 power/data cutouts.

Technology Management

Grommet Options

Top Size	*Cut-Out Location Designators*	*Location of Cut-Outs*
Round	**G10C** = One G10 grommet, center location **X** = No grommets	
Square	**G10C** = One G10 grommet, center location **X** = No grommets	
36" x 72" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192"	**G10C** = One G10 grommet, center location **G10E** = One G10 grommet, end location **G10LR** = Two G10 grommets, left and right end locations **G10CE** = Two G10 grommets, center and end locations **G10A** = Three G10 grommets, center and end locations **X** = No grommets	 
48" x 216" 48" x 240"	**G10C2** = Two G10 grommets, both inside center locations **G10E2** = Two G10 grommets, both outside end locations **G10A** = Four G10 grommets, all center and end locations **X** = No cut-outs	
60" x 144" 60" x 168" 60" x 192"	**G10C** = One G10 grommet, center location **G10E** = One G10 grommet, end location **G10LR** = Two G10 grommets, left and right end locations **G10CE** = Two G10 grommets, center and end locations **G10A** = Three G10 grommets, center and end locations **X** = No grommets	
60" x 216" 60" x 240"	**G10C2** = Two G10 grommets, both inside center locations **G10E2** = Two G10 grommets, both outside end locations **G10A** = Four G10 grommets, all center and end locations **X** = No cut-outs	

Features ➤See page 9
Technology Management 10
Base Requirements 13

Factory-installed G10 grommets may be specified on all table tops in pre-determined locations. Grommets are matte black plastic.



Round power/communication grommet is available for field installation into a standard grommet opening to provide power, voice, or data directly to the table top. It includes two power outlets, one RJ11 voice jack, and one RJ45 data jack.

➤See the Perks Price List.

How to Specify

Insert the location designator for step ⑥ in the table top's model number sequence.

Note: G10 grommets cannot be specified along with C2 or C3 power/data cutouts.

Base Requirements

Application Guidelines

For Table Tops without Cut-Outs or Grommets

			Cylinder										Square						Ellipse	Rect		Pnl	Metal				
			CBS1624CYW	CBS2716CY*	CBS2716CYW	CBS2716CYHW	CBS2724CYW	CBS2724CYHW	CBS1627SSW	CBS1627SQW	CBS1627SQHW	CBS2427SQW	CBS2427SQHW	CBS2527ELW	CBS3027ELW	CBS2327RTW	CBS2827RTW	CBS2427PNW	CBM2802C	CBM2804C	CBM2803CT (static)	CBM2803CT (mobile)	CBS3327XW	CBM3428X (static)	CBM3428X (mobile)	CBM3428TT	CBM2428D
		H	16"	27½"	27½"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"
Top Shape		W	24"	16"	16"	16"	24"	24"	16"	16"	16"	24"	24"	26½"	31¾"	22⅝"	27¾"	23¾"	2"	4"	3"	3"	32½"	34"	34"	34"	24"
Round	36" dia.		1	1					1	1									4	4	4	4	1	1	1		
	42" dia.		1	1					1	1									4	4	4	4	1	1	1		1
	48" dia.		1	1					1	1									4	4	4	4	1	1			
	54" dia.		1				1					1							4	4	4	4					
	60" dia.		1				1					1							4	4	4	4					
Square	36" x 36"			1					1	1									4	4	4	4	1	1	1		
	42" x 42"								1	1									4	4	4	4	1	1			1
	48" x 48"								1	1									4	4	4	4	1				
Rectangular	36" x 72"	*		2					2	2								2		4	4					2	
	48" x 96"			2					2	2				2		2		2		4	4					2	
	48" x 120"			3					3	3				3		3		3		6	6					3	
Arc Rectangle	48" x 144"			3					3	3				3		3		3		6	6					3	
	48" x 168"			3					3	3				3		3		4		8	8					4	
	48" x 192"			3					3	3				3		3		4		8	8					4	
Racetrack	48" x 216"	*		4					4	4				4		4											
	48" x 240"	*		4					4	4				4		4											
	60" x 144"						3					3			3		3											
Boat-Shaped	60" x 168"						3					3			3		3											
	60" x 192"						3					3			3		3											
	60" x 216"						4					4			4		4											
	60" x 240"						4					4			4		4											

** Boat-shaped table top is not available 36" x 72", 48" x 216, or 48" x 240".*

Key:

\# = Number of bases required
grey = Base is not available for use with top shape.

Base Locations:

Applies to cylinder, square, ellipse, rectangular, and panel bases (as applicable) on rectangular, arc rectangle, racetrack, and boat-shaped tops.



Base Requirements

Application Guidelines

For Table Tops with Cut-Outs

			C2 Cut-Outs Only												C2 and/or C3	
			Cylinder						Square						Ellipse	Rect
			CBS1624CYW	CBS2716CY*	CBS2716CYW	CBS2716CYHW	CBS2724CYW	CBS2724CYHW	CBS1627SSW	CBS1627SQW	CBS1627SQHW	CBS2427SQW	CBS2427SQHW	CBS2527ELW	CBS3027ELW	CBS2327RTW	CBS2827RTW
		H	16"	27½"	27½"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"
Top Shape		W	24"	16"	16"	16"	24"	24"	16"	16"	16"	24"	24"	26½"	31¾"	22⅝"	27¾"
Rectangular	36" x 72" *					2					2						
	48" x 96"										2			2		2	
	48" x 120"					3					3			3		3	
Arc Rectangle	48" x 144"					3					3			3		3	
	48" x 168"					3					3			3		3	
	48" x 192"					3					3			3		3	
Racetrack	48" x 216" *					4					4			4		4	
	48" x 240" *					4					4			4		4	
	60" x 144"							3					3		3		3
Boat-Shaped	60" x 168"							3					3		3		3
	60" x 192"							3					3		3		3
	60" x 216"							4					4		4		4
	60" x 240"							4					4		4		4

IMPORTANT: Cylinder and square bases are for use with C2 cut-outs only. Specify Ellipse or rectangular bases for tops with C3 cut-outs or combination C2 and C3 cut-outs

** Boat-shaped table top is not available 36" x 72", 48" x 216", or 48" x 240".*

Key:

\# = Number of bases required
grey = Base is not available for use with top shape.

Base Locations:

Appius to cylinder, square, ellipse, rectangular, and panel bases (as applicable) on rectangular, arc rectangle, racetrack, and boat-shaped tops.



Base Requirements

Application Guidelines

For Table Tops with Grommets

			Cylinder						Square						Ellipse			Rect		Pnl	Metal					
			CBS1624CYW	CBS2716CY*	CBS2716CYW	CBS2716CYHW	CBS2724CYW	CBS2724CYHW	CBS1627SSW	CBS1627SQW	CBS1627SQHW	CBS2427SQW	CBS2427SQHW	CBS2527ELW	CBS3027ELW	CBS2327RTW	CBS2827RTW	CBS2427PNW	CBM2802C	CBM2804C	CBM2803CT (static)	CBM2803CT (mobile)	CBS3327XW	CBM3428X (static)	CBM3428X (mobile)	CBM3428T	CBM2428D
		H	16"	27½"	27½"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"
Top Shape		W	24"	16"	16"	16"	24"	24"	16"	16"	16"	24"	24"	26½"	31¾"	22⅝"	27¾"	23 1⁄16"	2"	4"	3"	3"	32½"	34"	34"	34"	24"
Round	36" dia.				1														4	4	4	4					
	42" dia.				1														4	4	4	4					
	48" dia.						1					1							4	4	4	4					
	54" dia.						1					1							4	4	4	4					
	60" dia.						1					1							4	4	4	4					
Square	36" x 36"				1														4	4	4	4					
	42" x 42"											1							4	4	4	4					
	48" x 48"											1							4	4	4	4					
Rectangular	36" x 72" *				2	2					2									4	4						
	48" x 96"				2						2			2		2				4	4						
	48" x 120"				3	3					3			3		3				6	6						
Arc Rectangle	48" x 144"				3	3					3			3		3				6	6						
	48" x 168"				3	3					3			3		3				8	8						
	48" x 192"				3	3					3			3		3				8	8						
Racetrack	48" x 216" *				4	4					4			4		4											
	48" x 240" *				4	4					4			4		4											
	60" x 144"						3					3			3		3											
Boat-Shaped	60" x 168"						3					3			3		3											
	60" x 192"						3					3			3		3											
	60" x 216"						4					4			4		4											
	60" x 240"						4					4			4		4											

** Boat-shaped table top is not available 36" x 72", 48" x 216", or 48" x 240".*

Key:

\# = Number of bases required
grey = Base is not available for use with top shape.

Base Locations:

Appius to cylinder, square, ellipse, rectangular, and panel bases (as applicable) on rectangular, arc rectangle, racetrack, and boat-shaped tops.



Round Table Tops

Pricing

GSA SIN 711-11

Features ➤See page 9
Grommet Options 12
Base Requirements 13



Diameter	H	Number of Top Pieces	Model	Wood Surface Type 1 Rim	Wood Surface Type 2 Rim	Wood Surface Type 3 Rim	Laminate with Wood Rim Type 2 Rim	Laminate with Wood Rim Type 3 Rim	Laminate Type 1 Rim	Laminate Type 4 Rim
Round Table Tops										
36"	1 9/16"	1	**CCS36RD**	$811	$1532	$1629	$1532	$1629	$749	$749
42"		1	**CCS42RD** K	983	1790	1956	1790	1956	883	883
48"		1	**CCS48RD** K	1233	2390	2507	2390	2507	1031	1031
54"		1	**CCS54RD**	2165	2990	3332	2990	3332	1533	1533
60"		1	**CCS60RD**	2586	3547	3875	3547	3875	1667	1667

Standard Includes

- Table top

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = J rim
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
➤See page 9.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 9.
⑥ Grommet option:
➤See page 12 for grommet options (+$82 per grommet)
X = Without grommet
⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Surface finish designator
⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

K = Kwik Office model available.

Square Table Tops

Pricing

GSA SIN 711-11

Features ➤See page 9
Grommet Options 12
Base Requirements 13



D	W	H	Number of Top Pieces	Model	Wood Surface Type 1 Rim	Wood Surface Type 2 Rim	Wood Surface Type 3 Rim	Laminate with Wood Rim Type 2 Rim	Laminate with Wood Rim Type 3 Rim	Laminate Type 1 Rim	Laminate Type 4 Rim
Square Table Tops											
36"	36"	1 9/16"	1	**CCS3636SQ**	$811	$1261	$1333	$1261	$1333	$749	$749
42"	42"		1	**CCS4242SQ**	984	1384	1442	1384	1442	885	885
48"	48"		1	**CCS4848SQ**	1233	1772	1992	1772	1992	1031	1031

Standard Includes

- Table top

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = J rim
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
➤See page 9.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 9.
⑥ Grommet option:
➤See page 12 for grommet options (+$82 per grommet)
X = Without grommet
⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Surface finish designator
⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Rectangular Table Tops

Pricing

GSA SIN 711-11



D	W	H	Number of Top Pieces	Model	Wood Surface Type 1 Rim	Wood Surface Type 2 Rim	Wood Surface Type 3 Rim	Laminate with Wood Rim Type 2 Rim	Laminate with Wood Rim Type 3 Rim	Laminate Type 1 Rim	Laminate Type 4 Rim
Rectangular Table Tops											
36"	72"	1 9/16"	1	**CCS3672RT**	$1530	$2482	$2605	$2482	$2605	$1362	$1362
48"	96"		1	**CCS4896RT**	2204	3443	3621	3443	3621	1943	1943
	120"		2	**CCS48120RT**	3095	4589	4817	4589	4817	2705	2705
	144"		2	**CCS48144RT**	3680	5508	5788	5508	5788	3215	3215
	168"		2	**CCS48168RT**	4791	6188	6507	6188	6507	4213	4213
	192"		2	**CCS48192RT**	5402	6674	7013	6674	7013	4756	4756
	216"		3	**CCS48216RT**	6078	7508	7890	7508	7890	5349	5349
	240"		3	**CCS48240RT**	6837	8447	8878	8447	8878	6018	6018
60"	144"		2	**CCS60144RT**	4830	7232	7596	7232	7585	4222	4222
	168"		2	**CCS60168RT**	6288	8122	8539	8122	8539	5530	5530
	192"		2	**CCS60192RT**	7090	8760	9204	8760	9204	6241	6241
	216"		3	**CCS60216RT**	7977	9855	10355	9855	10355	7022	7022
	240"		3	**CCS60240RT**	8973	11087	11651	11087	11651	7899	7899

Features	➤See page 9
Power/Data Cut-Outs	11
Grommet Options	12
Base Requirements	13

Standard Includes

- Table top

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = J rim
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
➤See page 9.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 9.
⑥ Cut-out or grommet option:
➤See page 11 for cut-out options (+$52 per cut-out)
➤See page 12 for grommet options (+$82 per grommet)
X = Without cutouts or grommets
⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Surface finish designator
⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Arc Rectangle Table Tops

Pricing

GSA SIN 711-11



D	W	H	Number of Top Pieces	Model	Wood Surface Type 1 Rim	Wood Surface Type 2 Rim	Wood Surface Type 3 Rim	Laminate with Wood Rim Type 2 Rim	Laminate with Wood Rim Type 3 Rim	Laminate Type 1 Rim	Laminate Type 4 Rim
Arc Rectangle Table Tops											
36"	72"	1 9/16"	1	**CCS3672AR**	$1530	$2980	$3137	$2980	$3137	$1362	$1362
48"	96"		1	**CCS4896AR**	2204	4034	4238	4034	4238	1943	1943
	120"		2	**CCS48120AR**	3095	4874	5119	4874	5119	2705	2705
	144"		2	**CCS48144AR**	3680	5922	6230	5922	6230	3216	3216
	168"		2	**CCS48168AR**	4791	6776	7101	6776	7101	4213	4213
	192"		2	**CCS48192AR**	5402	7445	7823	7445	7823	4756	4756
	216"		3	**CCS48216AR**	6078	8376	8801	8376	8801	5349	5349
	240"		3	**CCS48240AR**	6837	9424	9900	9424	9900	6018	6018
60"*	144"		2	**CCS60144AR**	4830	7775	8176	7775	8176	4222	4222
	168"		2	**CCS60168AR**	6288	8893	9317	8893	9317	5530	5530
	192"		2	**CCS60192AR**	7090	9773	10267	9773	10267	6241	6241
	216"		3	**CCS60216AR**	7977	10994	11552	10994	11552	7022	7022
	240"		3	**CCS60240AR**	8973	12368	12996	12368	12996	7899	7899

*60"D wood tops with J rim are actually 58 5/8"D.

Features ➤See page 9
Power/Data Cut-Outs 11
Grommet Options 12
Base Requirements 13

Standard Includes

- Table top

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = J rim*
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
➤See page 9.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 9.
⑥ Cut-out or grommet option:
➤See page 11 for cut-out options (+$52 per cut-out)
➤See page 12 for grommet options (+$82 per grommet)
X = Without cutouts or grommets
⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Surface finish designator
⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Racetrack Table Tops

Pricing

GSA SIN 711-11

D	W	H	Number of Top Pieces	Model	Wood Surface Type 1 Rim	Wood Surface Type 2 Rim	Wood Surface Type 3 Rim	Laminate with Wood Rim Type 2 Rim	Laminate with Wood Rim Type 3 Rim	Laminate Type 1 Rim	Laminate Type 4 Rim
Racetrack Table Tops											
36 "	72"	1 9/16"	1	**CCS3672RC**	$1530	$2980	$3137	$2980	$3137	$1362	$1362
48"	96"		1	**CCS4896RC** K	2204	4034	4238	4034	4238	1943	1943
	120"		2	**CCS48120RC**	3095	4874	5119	4874	5119	2705	2705
	144"		2	**CCS48144RC**	3680	5922	6230	5922	6230	3216	3216
	168"		2	**CCS48168RC**	4791	6776	7101	6776	7101	4213	4213
	192"		2	**CCS48192RC**	5402	7445	7823	7445	7823	4756	4756
	216"		3	**CCS48216RC**	6078	8376	8801	8376	8801	5349	5349
	240"		3	**CCS48240RC**	6837	9424	9900	9424	9900	6018	6018
60"*	144"		2	**CCS60144RC**	4830	7775	8176	7775	8176	4222	4222
	168"		2	**CCS60168RC**	6288	8893	9317	8893	9317	5530	5530
	192"		2	**CCS60192RC**	7090	9773	10267	9773	10267	6241	6241
	216"		3	**CCS60216RC**	7977	10994	11552	10994	11552	7022	7022
	240"		3	**CCS60240RC**	8973	12368	12996	12368	12996	7899	7899

*60"D wood tops with J rim are actually 58 5/8"D.

Features ➤See page 9
Power/Data Cut-Outs 11
Grommet Options 12
Base Requirements 13

Standard Includes

- Table top

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = J rim*
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
➤See page 9.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 9.
⑥ Cut-out or grommet option:
➤See page 11 for cut-out options (+$52 per cut-out)
➤See page 12 for grommet options (+$82 per grommet)
X = Without cutouts or grommets
⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Surface finish designator
⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

K = Kwik Office model available.

Boat-Shaped Table Tops

Pricing

GSA SIN 711-11



D	W	H	Number of Top Pieces	Model	Wood Surface Type 1 Rim	Wood Surface Type 2 Rim	Wood Surface Type 3 Rim	Laminate with Wood Rim Type 2 Rim	Laminate with Wood Rim Type 3 Rim	Laminate Type 1 Rim	Laminate Type 4 Rim
Boat-Shaped Table Tops											
48 "	96"	1 9/16"	1	**CCS4896BT**	$2204	$4034	$4238	$4034	$4238	$1943	$1943
	120"		2	**CCS48120BT**	3095	4874	5119	4874	5119	2705	2705
	144"		2	**CCS48144BT**	3680	5922	6230	5922	6230	3216	3216
	168"		2	**CCS48168BT**	4791	6776	7101	6776	7101	4213	4213
	192"		2	**CCS48192BT**	5402	7445	7823	7445	7823	4756	4756
60"*	144"		2	**CCS60144BT**	4830	7775	8176	7775	8176	4222	4222
	168"		2	**CCS60168BT**	6288	8893	9317	8893	9317	5530	5530
	192"		2	**CCS60192BT**	7090	9773	10267	9773	10267	6241	6241
	216"		3	**CCS60216BT**	7977	10994	11552	10994	11552	7022	7022
	240"		3	**CCS60240BT**	8973	12368	12996	12368	12996	7899	7899

Note: End depth is 36" on 48"D tops and 48" on 60"D tops.

*60"D wood tops with J rim are actually 58 5/8"D.

Features ➤See page 9
Power/Data Cut-Outs 11
Grommet Options 12
Base Requirements 13

Standard Includes

- Table top

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = J rim*
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
➤See page 9.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 9.
⑥ Cut-out or grommet option:
➤See page 11 for cut-out options (+$52 per cut-out)
➤See page 12 for grommet options (+$82 per grommet)
X = Without cutouts or grommets
⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Surface finish designator
⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑩ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Rectangular Power/Data Centers

Pricing

GSA SIN 711-11

Features ➤See page 9
Power/Data Cut-Outs 11
Grommet Options 12
Base Requirements 13

D	*W*	*H*	*Model*	*Description*	*Price*
10" Rectangular Power/Data Center					
8"	10"	2½"	**KCU0810ELPDC**	For use with C2 cut-out option	$919
For Hardwire Application					
8"	10"	2½"	**KCU0810ELPDCH**	For use with C2 cut-out option	$967



40" Rectangular Power/Data Center					
8"	40"	2½"	**KCU0840ELPDC**	For use with C3 cut-out option	$2328

For field-installation only in tops with factory-installed cutouts.
➤See page 11.

U.L. listed. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Standard Includes

10" Rectangular Power/Data Center

- Four power receptacles (2 per side)
- Six blank data ports (3 per side)
- Voice/adapter kit to accept couplers and jacks
- One touch pivot open/close
- Two 10' power cords
- Clear anodized aluminum

40" Rectangular Power/Data Center

- Eight power receptacles (4 per side [2 left and 2 right])
- Eight blank data ports; 4 left and 4 right (2 on each side)
- Resin center section: white frost
- Voice/adapter kit to accept couplers and jacks
- One touch pivot open/close
- Four 10' power cords
- Clear anodized aluminum

How to Specify

❶ Model

Cylinder Bases

Pricing

Wood or Laminate

GSA SIN 711-11

Features ➤See page 9
Base Requirements 13







Diameter	*H*	*Model*	*Price*
16"H Cylinder Base			
Wood			
24"	16"	**CBS1624CYW**	$1074
27½"H Cylinder Base			
Wood			
16"	27½"	**CBS2716CYW** K	$1035
24"		**CBS2724CYW**	1499
Laminate			
16"	27½"	**CBS2716CYL**	$796
24"		**CBS2724CYL**	1171
27½"H Cylinder Base with Cable Management			
Wood			
16"	27½"	**CBS2716CYWW**	$1293
Laminate			
16"	27½"	**CBS2716CYWL**	$962

Cylinder base with cable management is recommended for use with power/communication grommet.

Cylinder bases do not have adjustable glides.

Standard Includes

- Base: wood or laminate

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

K = Kwik Office model available.

Square Bases

Pricing

Wood

GSA SIN 711-11





D	*W*	*H*	*Model*	*Price*
Soft-Square				
16"	16"	27¾"	**CBS1627SSW**	$1035
Square				
16"	16"	27¾"	**CBS1627SQW**	$1035
24"	24"	27¾"	**CBS2427SQW**	1409

Soft-square and square bases have adjustable glides.

Corner posts on soft-square model are solid wood with a quarter-round shape.

Features ➤See page 9
Base Requirements 13

Standard Includes

- Base: wood

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Hinged-Door Bases

Pricing

Wood

GSA SIN 711-11

Features ➤See page 9
Base Requirements 13





Diameter	*H*	*Model*	*Price*
Cylinder Base with Hinged Access Door			
16"	27¾"	**CBS2716CYHW**	$1444
24"	27¾"	**CBS2724CYHW**	1499

D	*W*	*H*	*Model*	*Price*
Square Base with Hinged Access Door				
16"	16"	27¾"	**CBS1627SQHW**	$1444
24"	24"	27¾"	**CBS2427SQHW**	1567

Standard Includes

- Base: wood
- Adjustable glides
- Cut-outs for horizontal cable management along top edge
- 8" x 8" hinged access door

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Hinged door allows access to power/data cables.

Hollow construction provides direct access to floor power.

Ellipse and Rectangular Bases

Pricing

Wood

GSA SIN 711-11

Features ➤See page 9
Base Requirements 13





D	*W*	*H*	*Model*	*Price*
Ellipse Bases				
9 7/16"	26 1/2"	27 3/4"	**CBS2527ELW**	$1711
	31 3/4"	27 3/4"	**CBS3027ELW**	1799
Rectangular Bases				
7 3/4"	22 5/8"	27 3/4"	**CBS2327RTW**	$1711
	27 3/4"		**CBS2827RTW**	1799

Outer panels are removable (no tools required) to allow access to power/data cables and floor power.

Standard Includes

- Base: wood
- Adjustable glides
- Cut-outs for horizontal cable management along top edge
- Metal trim: Cinder or Silver Satin finish

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator
④ Metal trim color:
462 = Cinder
511 = Silver Satin

Panel Bases

Pricing

Wood

GSA SIN 711-11



D	W	H	Model	Price
Panel Base				
2"	23 11/16"	27 3/4"	**CBS2427PNW**	$600

Features ➤See page 9
Base Requirements 13

Standard Includes

- Base: wood
- Adjustable glides

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Column Legs, X-Bases, and T-Leg Bases

Pricing

Metal

GSA SIN 711-11

Features ➤See page 9
Base Requirements 13



D	*W*	*H*	*Column Diameter*	*Model*	*Price*	*462 Cinder or 501 Platinum Metallic (F1)*	*490 Chrome or 495 Brushed Steel (F2)*
Column Legs							
		27¾"	2"	**CBM2802C**		$180	$244
			4"	**CBM2804C**		305	391
Static or Mobile Tapered Column Leg.							
		27¾"	3" (tapers to 2" at bottom)	**CBM2803CT**		$337	$430
X-Base with Wood Base Caps							
32½"	32½"	27½"		**CBS3327XW**	$419	—	—
Static or Mobile X-Base							
34"	34"	27¾"	2"	**CBM3428X**	—	$618	$738
Double T-Leg Base							
	34"	27¾"	2"	**CBM3428TT**	—	$466	$523

Standard Includes

- Leg or base: metal
- Black metal column with solid maple wood base caps over a metal understructure and adjustable glides on X-Base with wood base caps
- Locking dual-wheel caster(s) on mobile tapered column legs and mobile X-base

How to Specify

Column Legs, Static X-Base, Mobile X-Base, and Double T-Leg Base

❶ Model
❷ Finish price group
F1 = Cinder, Platinum Metallic, or Carbon Metallic
F2 = Chrome or Brushed Steel
③ Static or mobile (include for CBM3428X model only):
S = Static
M = Mobile
④ Finish designator:
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic
490 = Chrome
495 = Brushed Steel

X-Base with Wood Base Caps

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

Disc Base

Pricing

Metal

GSA SIN 711-11



D	*W*	*H*	*Column Diameter*	*Model*	*462 Cinder or 501 Platinum Metallic (F1)*	*490 Chrome or 495 Brushed Steel (F2)*
Disc Base						
24"	24"	27¾"	4"	**CBM2428D**	$891	$1061

Features ➤See page 9
Base Requirements 13

Standard Includes

- Disk base: metal

How to Specify

❶ Model
❷ Finish price group:
F1 = Cinder, Platinum Metallic, or Carbon Metallic
F2 = Chrome or Brushed Steel
③ Finish designator:
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic
490 = Chrome
495 = Brushed Steel

Notes

COLLABORATIVE

Statement of Line

Tables

Features ➤See page 32
Technology Management 33



Seating-Height (29”H) Tables
➤See page 34 to specify.



Standing-Height (41”H) Tables
➤See page 34 to specify.

10" Power/Data Center
➤See page 34 to specify.

Features

Statement of Line ➤See page 31
Technology Management 33

Seating-height tables are 29"H and available 78" or 96"W (nominal).

Table worksurfaces and end panels are 1 3/16" thick. Worksurface is 3-ply, balanced construction in wood or laminate.



Optional power/data center cut-outs are available factory installed. Upcharge applies.

Standing-height tables are 41"H and available 78" or 96"W (nominal).



Center modesty panels are ¾" thick. They extend from the underside of the worksurface to the floor for strength and stability. It is notched at the top to accommodate a power/data center.

Details

Exterior surfaces are available in the following veneers:

- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies
- Zebrawood premium composite veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Wood worksurfaces feature a semi-open pore finish with a satin (50) sheen.

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.

Two short modesty panels (4"H on 29"H table and 10"H for 41"H table) are included to create a trough to hide the power/data center.

Materials:

W Wood worksurface, rim, end panels, and modesty panel

LW High-pressure laminate (HPL) worksurface, wood rim, wood end panels, and wood modesty panel

L High-pressure laminate (HPL) worksurface, plastic rim, low-pressure laminate (LPL), end panels, and low-pressure laminate (LPL) modesty panel

Rim Profiles:



P Softened PVC rim



F Softened wood rim

Rim profile is ⅛" thick and appears on all edges of the worksurface. Wood and laminate with wood rim models are available with a softened wood rim. Laminate models are available with a softened PVC rim.

Technology Management

Options

Power/Data Cut-Out Options

Statement of Line ➤See page 31
Features 32

Top Size	*Cut-Out Location Designators*
48" x 78" 48" x 96"	**C2C** = One C2 cut-out, center location **C2LR** = Two C2 cut-outs, both left and right end locations **X** = No cut-outs

Location of Cut-Outs





Factory-installed C2 cut-outs are sized to fit 10" power/data centers (model KCU0810ELPDC and KCU0810ELPDCH).

10" power/data center, specified separately, features two power receptacles, three blank data ports, and one 10' power cord on each side, for a total of four power receptacles, six data ports, and two power cords per unit. Voice/adapter kit is included to accept couplers and jacks when required. Top opens and closes with a touch-pivot action. Clear anodized aluminum.

How to Specify

Insert the location designator for step ④ in the table top's model number sequence.

Rectangular Tables

Pricing

GSA SIN 711-11

Statement of Line ➤See page 31
Features 32
Technology Management 33





D	W	H	Model	Wood	Laminate with Wood Rim	Laminate
Seating-Height Table						
48 1/16"	77 15/16"	28 13/16"	**70K487829TA**	$3562	$3562	$1518
	95 7/8"		**70K489629TA**	4377	4377	1816
Standing-Height Table						
48 1/16"	77 15/16"	41 1/16"	**70K487841TA**	$3898	$3898	$1685
	95 7/8"		**70K489641TA**	4742	4742	2048

Related Products:

D	W	H	Model	Description	Price
10" Rectangular Power/Data Center					
8"	10"	2½"	**KCU0810ELPDC**	For use with C2 cut-out option	$919
For Hardwire Application					
8"	10"	2½"	**KCU0810ELPDCH**	For use with C2 cut-out option	$967

Power/data center is for field-installation only in tops with factory-installed cutouts.
➤See page 11.

U.L. listed. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Standard Includes

Table
- Table
- Adjustable leveling glides
- Ships ready to assemble

10" Power/Data Center
- Four power receptacles (2 per side)
- Six blank data ports (6 per side)
- Voice/adapter kit to accept couplers and jacks
- One touch pivot open/close
- Two 10' power cords
- Clear anodized aluminum

How to Specify

Table
1. Model
2. Worksurface material:
   L = Laminate with PVC rim
   LW = Laminate with wood rim
   W = Wood with wood rim
3. Rim profile:
   P = Softened PVC (L models only)
   F = Softened wood (LW or W models only)
4. Cut-out option:
   ➤See page 33 for cut-out options (+$52 per cut-out)
   X = Without cutouts
5. Worksurface finish price group:
   STD = Group 1
   STD2 = Group 2 (+20%)
6. Worksurface finish designator
7. Rim finish price group (include for LW models only):
   STD = 1 **STD2** = 2 (+20%)
8. Rim finish designator (include for LW models only)

10" Power/Data Center
1. Model

POWER/DATA

Statement of Line

Tables



Rectangular Power/Data Tops
➤See page 37 to specify.



Racetrack Power/Data Tops
➤See page 38 to specify.

Retractable Square Power/Data Centers
➤See page 39 to specify.

Hinged-Door Cylinder Bases
➤See page 40 to specify.

Features	➤See page 36
Rectangular Tops	37
Racetrack Tops	38
Power/Data Center	39

Shapes, Sizes & Seating Capacities:

Shape	*Dimensions*	*Seating Capacity*
Rectangular		
	48" x 96"	8
	48" x 120"	10
	48" x 144"	12
	48" x 168"	14
	48" x 192"	16
Racetrack		
	48" x 96"	8
	48" x 120"	10
	48" x 144"	12
	48" x 168"	14
	48" x 192"	16

Features

Overview

Statement of Line ➤See page 35
Rectangular Tops 37
Racetrack Tops 38
Power/Data Center 39

Power/data table tops are available in wood, laminate, and laminate with a wood rim. They are 3-ply balanced construction and are 1 9/16" thick.

Power/data centers, specified separately, are available for field installation in power/data table tops. Cut-outs are standard on power/data table tops

On wood veneer tops, top for the retractable power/data center is cut from the same piece of wood as the table top to ensure a matching grain.

Specially designed bases facilitate easy access to cables and floor monuments, and provide cut-outs for horizontal cord management.
➤See page 40.





While in use, the retractable power center can be lowered to fit flush with the table top to conceal excess cabling. Black brushes on all four sides allow cords to pass through easily, while helping to keep foreign objects out.



Retractable power/data center is designed to be concealed within the table top; a simple touch raises the spring-activated unit exposing power communication and data connections on all four sides. Includes:
- Four duplex receptacles
- Four RJ11 (voice)
- Four RJ45 (data) couplers
- One 15 amp/125 volt circuit breaker for overload protection
- One six foot power cord

All components and wiring of the power/data center are UL listed or recognized.

Details

Exterior surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Wood tops feature a semi-open pore finish and may be specified with a satin (50) or gloss (70) sheen.

Rim thickness is 5/16" on A, B, C, D, E, F, G, H, and M rims; rim thickness is 1" on CH, S and RS rims.

All rims are wood, except PVC (V). Flat (J) rim is a self edge and is available in wood or laminate.

72"W and 96"W tops are one piece.

120"W, 144"W, 168"W, and 192"W tops are two-piece tops.

Rim Profiles:

Type 1—*Applies to all wood or all laminate tops only.*

J Flat

Type 2—*Applies to wood and laminate with wood rim tops only.*

A Radius Rad. **B** Bevel **C** Dbl.

D Bullnose **E** Transitional **F** Softened

G Beaded **H** Crescent **M** Reed

Type 3—*Applies to wood and laminate with wood rim tops only.*

RS Rv. Knife **S** Knife

Type 4—*Applies to laminate tops.*

V PVC

Note: Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products.

Rectangular Table Tops

Pricing

For Use with Power/Data Center

GSA SIN 711-11



D	W	H	Model	Wood	Laminate with Wood Rim	Laminate
Type 1 Rim Profile						
48"	96"	1 9/16"	**CCS4896RTV**	$2750	—	$2483
	120"	1 9/16"	**CCS48120RTV**	3639	—	3246
	144"	1 9/16"	**CCS48144RTV**	4222	—	3759
	168"	1 9/16"	**CCS48168RTV**	5333	—	4758
	192"	1 9/16"	**CCS48192RTV**	5946	—	5300
Type 2 Rim Profiles						
48"	96"	1 9/16"	**CCS4896RTV**	$3983	$3983	—
	120"	1 9/16"	**CCS48120RTV**	5134	5134	—
	144"	1 9/16"	**CCS48144RTV**	6053	6053	—
	168"	1 9/16"	**CCS48168RTV**	6727	6727	—
	192"	1 9/16"	**CCS48192RTV**	7215	7215	—
Type 3 Rim Profiles						
48"	96"	1 9/16"	**CCS4896RTV**	$4166	$4166	—
	120"	1 9/16"	**CCS48120RTV**	5360	5360	—
	144"	1 9/16"	**CCS48144RTV**	6331	6331	—
	168"	1 9/16"	**CCS48168RTV**	7049	7049	—
	192"	1 9/16"	**CCS48192RTV**	7555	7555	—
Type 4 Rim Profile						
48"	96"	1 9/16"	**CCS4896RTV**	—	—	$2483
	120"	1 9/16"	**CCS48120RTV**	—	—	3246
	144"	1 9/16"	**CCS48144RTV**	—	—	3759
	168"	1 9/16"	**CCS48168RTV**	—	—	4758
	192"	1 9/16"	**CCS48192RTV**	—	—	5300

IMPORTANT: Power/data table tops include two cut-outs to accept retractable power/data center, specified separately. Two centers are required.
➤See page 39.

Requires two cylinder bases with hinged access door for one-piece tops; three bases are required for two-piece tops.
➤See page 40.

Undersurface wire managers are available to route cables underneath tables.
➤See the Perks Price List.

Features ➤See page 36
Power/Data Center 39
Hinged-Door Base 40

Standard Includes

- Table top with two power/data cut-outs

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = Flat (J)
2 = A, B, C, D, E, F, G, H, or M
3 = Knife (S) or reverse knife (RS)
4 = Plastic (V) rim—laminate top only
➤See page 36.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 36.
⑥ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Surface finish designator
⑧ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Racetrack Table Tops

Pricing

For Use with Power/Data Center

GSA SIN 711-11



D	W	H	Model	Wood	Laminate with Wood Rim	Laminate
Type 1 Rim Profile						
48"	96"	1 9/16"	**CCS4896RCV**	$2750	—	$2483
	120"	1 9/16"	**CCS48120RCV**	3639	—	3246
	144"	1 9/16"	**CCS48144RCV**	4222	—	3759
	168"	1 9/16"	**CCS48168RCV**	5333	—	4758
	192"	1 9/16"	**CCS48192RCV**	5946	—	5300
Type 2 Profiles						
48"	96"	1 9/16"	**CCS4896RCV**	$4575	$4575	—
	120"	1 9/16"	**CCS48120RCV**	5418	5418	—
	144"	1 9/16"	**CCS48144RCV**	6467	6467	—
	168"	1 9/16"	**CCS48168RCV**	7318	7318	—
	192"	1 9/16"	**CCS48192RCV**	7989	7989	—
Type 3 Rim Profiles						
48"	96"	1 9/16"	**CCS4896RCV**	$4780	$4780	—
	120"	1 9/16"	**CCS48120RCV**	$5664	5664	—
	144"	1 9/16"	**CCS48144RCV**	$6772	6772	—
	168"	1 9/16"	**CCS48168RCV**	$7641	7641	—
	192"	1 9/16"	**CCS48192RCV**	$8366	8366	—
Type 4 Rim Profile						
47"	95"	1 9/16"	**CCS4896RCV**	—	—	$2483
	120"	1 9/16"	**CCS48120RCV**	—	—	3246
	144"	1 9/16"	**CCS48144RCV**	—	—	3759
	168"	1 9/16"	**CCS48168RCV**	—	—	4758
	192"	1 9/16"	**CCS48192RCV**	—	—	5300

IMPORTANT: Power/data table tops include two cut-outs to accept retractable power/data center, specified separately. Two centers are required.
➤See page 39.

Requires two cylinder bases with hinged access door for one-piece tops; three bases are required for two-piece tops.
➤See page 40.

Undersurface wire managers are available to route cables underneath tables.
➤See page 39 to specify

Features ➤See page 36
Power/Data Center 39
Hinged-Door Base 40

Standard Includes

- Table top with two power/data cut-outs

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = Flat (J)
2 = A, B, C, D, E, F, G, H, or M
3 = Knife (S) or reverse knife (RS)
4 = Plastic (V) rim—laminate top only
➤See page 36.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 36.
⑥ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Surface finish designator
⑧ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Retractable Power/Data Center

Pricing

GSA SIN 711-11

Features ➤See page 36
Rectangular Tops 37
Racetrack Tops 38
Hinged-Door Base 40



D	*W*	*H*	*Model*	*Price*
Retractable Power/Data Center				
13"	13"	4½"	**KAC1313ELRINT**	$2629
For Hardwire Application				
13"	13"	4½"	**KAC1313ELRINTH**	$2629

Standard Includes

- Four duplex receptacles
- Four RJ11 (voice)
- Four RJ45 (data) couplers
- One 15 amp/125 volt circuit breaker for overload protection
- One six foot power cord

How to Specify

❶ Model

Related Products:

D	*W*	*H*	*Model*	*Description*	*Price*
Undersurface Cable Manager					
3"	48"	1½"	**KAC48WMH**	For use under a retractable power/data table top to help manage cords horizontally; set of two 48"L sections. Black	$116

Requires two cylinder bases with hinged access door for one-piece tops; three bases are required for two-piece tops.

All components and wiring of the power/data center are U.L. listed or recognized. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Wood Cylinder Bases

Pricing

For Use with Power/Data Center

GSA SIN 711-11



Diameter	*H*	*Model*	*Price*
27½"H Wood Cylinder Base with Hinged Access Door			
24"	27½"	**CBS2724CYHW**	$1499

Available in wood finishes only.

Two bases are required for one-piece rectangular or racetrack table tops; three bases are required for two-piece rectangular or racetrack table tops.

Hinged door allows access to power/data cables.

Hollow construction provides direct access to floor power.

Features	➤See page 36
Rectangular Tops	37
Racetrack Tops	38
Power/Data Center	39

Standard Includes

- Base: wood
- Adjustable glides
- Cut-outs for horizontal cable management along top edge
- 8" x 8" hinged access door

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Finish designator

TRADITIONAL

Statement of Line

Tables

Features ➤See page 42
Base Requirements 43

Round Tops
Available in standard veneer or pie-cut walnut veneer.
➤See page 44 to specify.

Rectangular Tops
➤See page 45 to specify.

Boat-Shaped Tops
➤See page 46 to specify.

Elliptical Tops
Available in walnut veneer only.
➤See page 47 to specify.



Panel Bases
➤See page 48 to specify.



Queen Anne Pedestal Base
➤See page 48 to specify.

Seating Capacities:

Table size	*Number of Chairs*
42" diameter	4
48" diameter	5
8'	8
10'	10
12'	12
14'	14
16'	16
18'	18
20'	20
22'	22
8' Elliptical	7

Features

Overview

Statement of Line ➤See page 41
Base Requirements 43

Tops feature walnut or cherry veneers.
Note: Cherry veneer is available on select models.

A variety of bases are available. All bases must be specified separately.



Details



Round, rectangular, boat, and elliptical table shapes are available.

Round table top with pie-cut pattern walnut veneer is available.

Grain runs vertical on apron rails on boat-shaped and rectangular tops

Wood tops have a semi-open pore finish with a lustrous sheen (70).



Panel bases may be used with boat-shaped and rectangular tops.



Queen Anne bases may be used with any traditional top, except round tops with ash burl center (AT1).

The number of bases required varies depending on the size and shape of the top.
➤See page 43.

Base Requirements

Top Shape		Wood Panel Bases with or without molding	Wood Queen Anne Bases
Round Standard Veneer or Pie-Cut Walnut Veneer	42" dia.		1
	48" dia.		1
Elliptical	48" x 96"		2
Rectangular	42" x 96"	2	2
	48" x 120"	3	3
	48" x 144"	3	3
Boat-Shaped	42" x 96"	2	2
	48" x 120"	3	3
	48" x 144"	3	3
	48" x 168"	3	3
	48" x 192"	3	3
	48" x 216"	4	4
	48" x 240"	4	4
	48" x 264"	4	4

Key:

\# = Number of bases required
grey = Base is not available for use with top shape.

The chart at left lists the number of bases that must be used with each top size for proper stability.

Traditional table bases are designed specifically for use with traditional table tops and are not recommended for use with any other Kimball Office tables.



96"W tops are one piece.



120"W, 144"W, 168"W, and 192"W tops are two-piece tops.



216"W, 240"W, and 264"W tops are three-piece tops.

Round Table Tops

Pricing

GSA SIN 711-11

Features ➤See page 42
Base Requirements 43
Wood Bases 48

Diameter	*H*	*Arm Chair Clearance*	*Number of Bases Required*	*Model*	*Price*
Round Table Tops					
Standard Veneer					
42"	1 1/16"	28"	1	**TT2-42W** K	$2452
48"	1 1/16"	28"	1	**TT2-48W**	2978
With Pie-Cut Veneer Pattern					
42"	1 1/16"	28"	1	**TT1-42W**	$2669
48"	1 1/16"	28"	1	**TT1-48W**	3252

Standard Includes

- Table top

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Queen Anne base must be specified separately for round standard veneer or pie-cut veneer models.

42"W tables accommodate 4 chairs;
48"W tables accommodates 5 chairs.

K = Kwik Office model available.

Rectangular Table Tops

Pricing

GSA SIN 711-11

Features ➤See page 42
Base Requirements 43
Wood Bases 48

D	*W*	*H*	*Arm Chair Clearance*	*Number of Bases Required*	*Model*	*Price*
Rectangular Table Tops						
42"	96" (8')	3¼"	26⅞"	2	**TT3-4296W**	$3359
48"	120" (10')	3¼"	26⅞"	3	**TT3-48120W**	4538
48"	144" (12')	3¼"	26⅞"	3	**TT3-48144W**	5609

Standard Includes

- Table top

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Queen Anne or panel bases must be specified separately.

8' top is one piece; 10' and 12' tops are two pieces.

Boat-Shaped Table Tops

Pricing

GSA SIN 711-11

Features ➤See page 42
Base Requirements 43
Wood Bases 48

D	W	H	Arm Chair Clearance	Number of Bases Required	Model	Price
Boat-Shaped Table Tops						
42"	96" (8')	3¾"	26⅞"	2	**TT1-4296W**	$4291
48"	120" (10')	3¾"	26⅞"	3	**TT1-48120W**	6011
48"	144" (12')	3¾"	26⅞"	3	**TT1-48144W**	7380
48"	168" (14')	3¾"	26⅞"	3	**TT1-48168W**	8662
48"	192" (16')	3¾"	26⅞"	3	**TT1-48192W**	9513
48"	216" (18')	3¾"	26⅞"	4	**TT1-48216W**	12462
48"	240" (20')	3¾"	26⅞"	4	**TT1-48240W**	13339
48"	264" (22')	3¾"	26⅞"	4	**TT1-48264W**	14265

Standard Includes

- Table top

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Queen Anne or panel bases must be specified separately.

8' top is one piece; 10', 12', 14', and 16' tops are two pieces; 18', 20', and 22' tops are three pieces.

End depth for 42"D boat-shaped top is 34"; end depth for 48"D top is 38½".

Elliptical Table Tops

Pricing

GSA SIN 711-11

D	*W*	*H*	*Arm Chair Clearance*	*Number of Bases Required*	*Model*	*Price*
Elliptical Table Tops						
48"	96"	1 1/16"	28	2	**TT1-4896WE**	$4228

Queen Anne bases must be specified separately.
➤See page 48.

Features ➤See page 42
Base Requirements 43
Wood Bases 48

Standard Includes

- Table top

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Wood Bases

Pricing

GSA SIN 711-11

Features ➤See page 42
Base Requirements 43





H	*Base Width*	*Model*	*Price*
Panel Bases			
Without Molding			
28¼"	25"	**TB1-2530W**	$561
With Molding			
28¼"	25"	**TB1-2530WM**	$781
Queen Anne Bases			
28¼"	35¼"	**TB1-4W**	$2009
28¼"	32½"	**TB3-4W** K	$1353

Traditional panel bases are designed specifically for use with traditional table tops and are not recommended for use with any other Kimball Office tables.

Traditional Queen Anne table bases are designed specifically for use with traditional table tops (TT1, TT2, and TT3) and are not recommended for use with any other Kimball Office tables.

Standard Includes

- Base

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

K = Kwik Office model available.

Tables

Round Tables
➤See page 51 to specify.

4-Leg Round Tables
➤See page 51 to specify

Racetrack Tops
➤See page 51 to specify.

Pedestal Bases
➤See page 52 to specify.

Features ➤See page 50

Seating Capacities:

Table size	*Number of Chairs*
Conference Table Tops	
48" diameter round	5
8' racetrack	8
10' racetrack	10
12' racetrack	12
4-Leg Round Conference Table	
48" diameter	4

Features

Tops feature a figured cherry veneer and plain apron rail without decorative molding overlay.

Innsbruck base features white ash burl veneer on the lower platform.



Details

Round and racetrack table shapes are available.

Wood tops feature a full-fill finish with a lustrous sheen (70).

Innsbruck base is specified separately for round or racetrack table tops.

Round table tops require one base.

Racetrack tables require two bases.

4-leg round conference table is also available. 4-leg base is standard with top.

Table Tops

Pricing

GSA SIN 711-11
FSC-C010590 available

Features ➤See page 50
Bases 52

Diameter	*H*	*Number of Bases Required*	*Model*	*Price*
Round Table Top				
48"	3¾"	1	**IN48RD**	$4004
Round 4-Leg Table				
48"	30¼"	Included	**IN484RD**	$4833
Racetrack Table Tops				
48" 96"	3¾"	2	**IN4896RC**	$6892
120"		2	**IN48120RC**	9439
144"		2	**IN48144RC**	11020

Base must be specified separately for table top models.

Standard Includes

Round Conference Table Top
- Pie-cut figured cherry veneer top
- Plain apron without decorative molding overlay

4-Leg Round Conference Table
- Pie-cut figured cherry veneer top
- Plain apron without decorative molding overlay
- 4-leg base
- Ships ready-to-assemble

Racetrack Table Top
- Eight section figured cherry veneer top with reverse diamond match pattern (96"W tops are one piece; 120" and 144"W tops are two pieces).
- Plain apron without decorative molding overlay

How to Specify

❶ Model
② Finish price group:
STD = Group 1
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

Wood Table Bases

Pricing

GSA SIN 711-11

Features ➤See page 50
Tables 51

Lower Platform D	W	H	*Upper Platform Diameter*	*Model*	*Price*
Pedestal Base					
29"	29"	29 13/16"	41 3/4"	**IN2930C**	$2008

For use under Innsbruck round and racetrack tops.

Standard Includes

- Unfinished upper platform (mounting pad)
- Lower platform: white ash burl veneer

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

ASPIRE®

Statement of Line

Tables

Features ➤See page 54
Pricing 55



Boat-Shaped Folding Tables
➤See page 55 to specify.



Rectangular Folding Tables
➤See page 55 to specify.

Seating Capacities:

Table size	*Number of Chairs*
40 x 94	8
40 x 110	10
48 x 94	8
48 x 110	10

Features

Overview

Statement of Line ➤See page 53
Pricing 55

Tops feature 3-ply balanced construction and are 1 1/16" thick.

Base legs are polished aluminum.



4" dual wheel locking casters are standard on folding tables. Casters are black.

Details

Exterior surfaces are available in the following veneers:

- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies
- Zebrawood premium composite veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Table top support understructure is black metal.

Folding table tops are fully finished on top and underneath side.

Folding tables ship fully assembled. *Note: Folding tables lock into position when unfolded.*

Power/data center is available to bring power directly to the table. It mounts under the table top and includes one grounded electrical outlet, one RJ11 telephone jack, one RJ45 data jack, and a 10 foot power cord. Power/data center has a 13 amp rating and is U.L. listed.

Rim Profiles:

Knife Rim

Softened Rim

Folding and Storing:



Folding tables store upright when folded and are 68"H. Casters remain functional when table is folded for easy movement and storage.

Folding Tables

Pricing

GSA SIN 711-11
FSC-C010590 available

Statement of Line ➤See page 53
Features 54



D	W	H	Arm Chair Clearance	Knee End Clearance	End Depth	Model	Price
Boat-Shaped							
47¼"	94½"	28⅜"	27¼"	8⅝"	35½"	**AS4894BTFMW**	$9165
47¼"	110"	28⅜"	27¼"	16½"	35½"	**AS48110BTFMW**	9499



Rectangular							
39⅜"	94½"	28⅜"	27¼"	8⅝"		**AS4094RTFMW**	$9165
39⅜"	110"	28⅜"	27¼"	16½"		**AS40110RTFMW**	9499

Standard Includes

- Two-piece table top
- Two sets of folding legs
- 4 locking casters

How to Specify

❶ Model
② Rim option:
F = Softened
S = Knife
③ Top finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Top finish designator
⑤ Base finish:
497 = Polished Aluminum

Power/Data Center
➤See the Perks Price List.

Notes

SCENARIO™

Statement of Line

Tables

Features	➤See page 58
1/2" Tops Product Info	59
1 3/16" Tops Product Info	60
Power Guidelines	63

Rectangular Tops

➤See page 66 to specify ½"-thick models.

➤See page 69 to specify 1 3/16"-thick models.



120° Corner Tops

➤See page 69 to specify 1 3/16"-thick models.

Round Tops

➤See page 67 to specify ½"-thick models.

➤See page 71 to specify 1 3/16"-thick models.



Square Tops

➤See page 67 to specify ½"-thick models.

➤See page 71 to specify 1 3/16"-thick models.



Trainer Cart/Podium Tops

➤See page 67 to specify ½"-thick models.



Mobile Nesting Bases

Available with or without power/cable management.

➤See page 73 to specify.



Non-Nesting Bases

Available with or without power/cable management.

➤See page 74 for static models.

➤See page 75 for mobile models.



X-Bases

Available in static and mobile models.

➤See page 76 to specify.



Power Components

➤See page 77 for single-circuit models.

➤See page 78 for multi-circuit models.



Modesty Panels

➤See page 80 to specify.

Accessories

Markerboard/flip chart holder, vertical cable managers, and ganging mechanisms are available.

➤See page 81 to specify.

Features

Statement of Line ➤See page 57
1/2" Tops Product Info 59
1 3/16" Tops Product Info 60
Power Guidelines 63

Tops are available in 1/2"- and 1 3/16"-thick models.
- 1/2"-thick tops (shown) feature a phenolic core and a high-pressure laminate (HPL) surface.
- 1 3/16" models feature 3-ply, balanced construction. They are available in wood veneer or high-pressure laminate (HPL).

Crossbar provides support for the table top and a similar aesthetic for nesting and non-nesting bases.



Nesting, non-nesting, and X-bases are constructed of 1 1/4"-diameter tubular steel and are available in 462 Cinder, 405 Designer White, 501 Platinum Metallic, or 514 Carbon Metallic finishes. Bases are specified separately from tops.

Mobile bases feature 3" locking casters. Non-nesting bases and X-bases are available with or without casters.

Power/cable management channel, on specific nesting and non-nesting base models, attaches to the cross bar to accept power components and cable routing.

Power/data center recesses flush with the worksurface top. It includes a duplex receptacle and two knockouts for data/communication ports.

Vertical cable managers snap onto leg of nesting, fixed, or X-bases.



Duplex receptacles allow power to be accessed below the worksurface.

Telephone and data faceplates can also snap into the power/cable management channel, and are available directly from Panduit or AMP/Tyco.

Planning Steps:

① Determine the configuration and select tabletop shapes and sizes.
② Select cord escape(s) and grommets (as applicable), or power/data center cutout locations.
➤See pages 68 and 72.
③ Select the base style and functionality: nesting, non-nesting, or X; mobile or static; with or without power/cable management channel.
④ Determine if and where modesty panels are needed.
⑤ Determine if and where ganging mechanisms are required for your installation.
⑥ Determine the type of electrical circuitry required: single-circuit or multi-circuit. Select components to power your installation.

½" Tops

Features ➤See page 58
Power Guidelines 63
Cut-Out Locations 68

Details



High-pressure laminate (HPL) surface is durable and available in a variety of standard colors. Underside is 462 Cinder laminate.



Black phenolic core creates an exposed rounded edge and provides excellent durability and wear resistance.

Tops shapes include:
- Rectangular
- Round
- Square
- Trainer cart/podium

Connections



Rectangular tops mount to nesting or non-nesting base in the field. Tops are pre-bored to accept hardware to attach base.
➤See page 61.



Round, square and trainer cart/podium tops mount to an X-base in the field.
➤See page 62.



Ganging mechanisms, specified separately, are available to link rectangular tables end to end. Width of the base must match the width of the worksurface. Ganging is required when jumper cables are used to connect power from table to table.



Modesty panels are available for rectangular tables. They are frosted, opaque polycarbonate and swing to allow nesting when used with a flipping/nesting base. Specify modesty panels to correspond with the width of the base. Modesty panels attach to base without tools.

Related Products

Scenario rectangular power/ data center, specified separately, may be field installed in a power/data center cutout. Cutout MUST be specified as a factory-installed option on the top.



Open Closed

Lid of Scenario power/data center lifts up and slides down to store out of site within the unit. The power/data center is 5⅞"W x 2¾"D and is black plastic. It features a 3-prong plug for a wall outlet or to plug into the outlets of a multi-circuit installation.

Undersurface-mounted products (e.g., keyboard arms, drawers etc.) cannot be accommodated due to the table understructure and thickness of the top.

Scenario accessories, such as vertical cable managers and marker-board/flip chart are also available.

Cut-Out Options:

Applies to rectangular and trainer card/podium tops only; up-charge applies.



Factory-installed cord escapes feature black, radiused, phenolic edges. No grommet insert is required.



Factory-installed rectangular power/data center (PDC) cutout is required for the field-installation of a rectangular power/data center.

IMPORTANT: Cord escapes and power/data center cutouts CANNOT be field installed due to the density of the phenolic core material.
➤See page 68 for cutout locations and pricing.

1 3⁄16" Tops

Features ➤See page 58
Power Guidelines 63
Cut-Out Locations 72

Details



1 3⁄16"-thick tops are available in wood veneer or laminate.



Rim profile is 1⁄8" thick and appears on all edges of the top. Wood models feature a softened wood rim; laminate models feature a softened PVC rim. Wood rim finish will always match the finish selected for the top. PVC rims may be specified in a contrasting to the surface if desired.

Tops shapes include:
- Rectangular
- 120° corner
- Round
- Square

Connections



Rectangular and 120° corner tops mount to nesting or non-nesting base in the field.
➤See page 61.



Round and square tops mount to an X-base in the field.
➤See page 62.



Ganging mechanisms, specified separately, are available to link rectangular tables end to end. Width of the base must match the width of the worksurface. Ganging is required when jumper cables are used to connect power from table to table.

120° corner tops, although available for nesting applications, cannot be ganged and therefore power cannot be jumped to adjacent tables.



Modesty panels are available for rectangular tables. They are frosted, opaque polycarbonate and swing to allow nesting when used with a flipping/nesting base. Specify modesty panels to correspond with the width of the base. Modesty panels attach to base without tools.

Related Products



Open Closed

Perks® rectangular above-mount power/data center (model 99KPD-CAM), specified separately, is required for field installation in a G20 cutout.
➤See the Perks Price List.



Open Closed

Scenario rectangular power/ data centers, specified separately, may be field installed in a PDC cut-out. Lid of power/data center lifts up and slides down to store out of site within the unit. The power/data center is 5 7⁄8"W x 2 3⁄4"D and is black plastic. Depending on the model selected, it will feature a 3-prong plug for a duplex receptacle or a single-circuit double-out interface.

Undersurface-mounted products (e.g., keyboard arms, drawers etc.) cannot be accommodated due to the table understructure.

Scenario accessories, such as vertical cable managers and marker-board/flip chart are also available.

Grommets for field installation are also available. Round and square tops cannot accommodate a center grommet location due to the X-base attachment point.
➤See the Perks Price List.

Priority resin privacy screens are compatible with 1 3⁄16"-thick tops in non-nesting applications.
➤See the Priority Price List.

Grommet/Cut-Out Options:

Applies to rectangular and 120° corner tops only; upcharge applies.



G1 plastic grommet is a two-piece unit with locking cap and black brush access. Powdercoat finish: matte black



G19 metal grommet is a two-piece unit with black brush access. Powdercoat finish in three colors:



G20 cut-out is designed to accept Perks above-mount power/data center, specified separately.

PDC cut-out is designed to accept a Scenario rectangular power/data center, specified separately.
➤See page 72 for grommet cutout locations and pricing.

Nesting and Non-Nesting Bases

Features ➤See page 58
1/2" Tops Product Info 59
1 3/16" Tops Product Info 60
Power Guidelines 63

Details

Scenario bases are constructed of 1¼"-diameter tubular steel and are available in 462 Cinder, 405 Designer White, 501 Platinum Metallic, or 514 Carbon Metallic finishes. Bases are specified separately from tops.



Nesting base allows the rectangular or 120° corner top to flip up for nesting. Nesting bases feature casters and are available with or without an power/cable management channel. Four tables can be nested in 45"D area.

Non-nesting base for rectangular or 120° corner top is available with or without casters, and with or without an power/cable management channel.
Note: The appearance of nesting and non-nesting bases is the same, but table top will not flip up.

Two depths are available:
- 17¾"D for use with 18"D tops
- 24"D for use with 24" and 30"D rectangular tops and 120° corner tops.

Three widths are available:
48", 60", and 72"W.
➤See base application chart at right.



Built-in lock port is standard on nesting and non-nesting bases. It accepts laptop/equipment lock, specified separately.
➤See the Perks Price List for laptop/equipment lock.

Connections

Legs on nesting and non-nesting bases ship assembled, but must be attached to the crossbar in the field. Bases cannot be used with table tops from other series.



Bases with an power/cable management channel accept single-circuit or multi-circuit power components.
➤See page 63 for power application guidelines for single-circuit.
➤See page 64 for power application guidelines for multi-circuit.



Ganging mechanisms, specified separately, are available to link rectangular tables end to end.
IMPORTANT: Ganging mechanisms are required at all junctions where jumper cables are used to pass power to an adjacent table. Width of the base must match the width of the worksurface in order to be ganged and to jump power.

Ganged tables may be moved or nested in a straight line while ganged. Power components remain intact. Mechanism does not affect the ability of nesting tables to flip up or down. Tools are not required to separate or gang once the mechanism is installed. There is no limit to the number of non-electrified tables that can be ganged.

120° corner tops, while available for nesting applications, cannot be ganged and therefore power cannot be jumped to adjacent tables.

Technology Management

Vertical cable managers snap onto leg of nesting, fixed, or X bases.

Telephone and data faceplates can also snap into the power/cable management channel, and are available directly from Panduit or AMP/Tyco.

Base Application Chart:

	Nesting and Non-Nesting Bases		
	48"W	*60"W*	*72"W*
Rectangular Tops			
48"W	●		
60"W	○	●	
72"W		○	●
120° Corner Tops			
48" (E)	○		

● = Applicable; gangable
○ = Applicable; will not gang

X-Bases

Features ➤See page 58
1/2" Tops Product Info 59
1 3/16" Tops Product Info 60
Power Guidelines 63

Details

Scenario X-bases are constructed of 1¼"-diameter tubular steel and are available in 462 Cinder, 405 Designer White, 501 Platinum Metallic, or 514 Carbon Metallic finishes. Bases are specified separately from tops.

Round, square, and trainer cart/podium tops require an X-base. X-bases do not allow the top to flip.



Height-adjustable model features casters. Release paddle to adjust height on adjustable-height model is factory-installed on the X-base.



Fixed-height model is available with or without casters.

Connections

For ½"-thick top applications, X-base must be attached to the factory pre-bored holes in the top.

Ganging tables together is not possible with X-base supported tables.

Table tops from other series cannot be used with X-bases.

Power components are not compatible with X-bases.

Technology Management

Vertical cable manager snaps onto the center column on X-bases to route cords and cables.

Single-Circuit Power

Features ➤See page 58
1/2" Tops Product Info 59
1 3/16" Tops Product Info 60

Single-circuit components access power from a standard wall or floor electrical outlet. This flexible, non-sequential, daisy-chaining system allows power to be distributed to a maximum of six tables with a maximum of eight duplex receptacles per power in-feed.

The following components comprise the single-circuit system:

- Power in-feed
- Duplex receptacles with an attached 12" modular feed
- Table-to-table jumper cables
- Receptacle-to-receptacle jumper cables
- Power/data center

For ease in installation, the connectors will only plug in one way.

Power in-feed is a 10' cord with a "smart box" that monitors the number of tables connected. The system will automatically shut off if more than six tables (or more than 8 receptacles) are plugged into the power in-feed. One end of the cord features a three-prong plug that plugs into any 110 volt, 15 amp wall or floor outlet.
Note: This system should not be plugged into a GFCI outlet receptacle. The single-circuit system contains an overload breaker, and the sensing circuit in the "smart box" can affect the sensitivity of a GFCI power feed, causing the GFCI duplex receptacle to trip.

Duplex receptacles snap into the electrical/cable management channel on the base. Receptacles feature a 12" modular feed with a double-out interface. Power is brought to the receptacle by a power in-feed or jumper cable, and power is passed to adjacent components by a jumper cable forming a daisychain.

Table-to-table jumper cables are 74" and feature a squeeze-latch connector on each end. They are used to pass power from one table to an adjacent table.

IMPORTANT: Ganging mechanism, specified separately, is required when passing power from table to table. 120° corner tops cannot be ganged and therefore power cannot be jumped to adjacent tables.

Receptacle-to-receptacle jumper cables are 12" and feature a squeeze-latch connector on each end. They pass power from one receptacle or power/data center to another receptacle on a single table.

Power/data center (model KCUELPDC1) features an 24" modular feed with a double-out interface, similar to receptacles. Model



Circuitry Options:

Nesting and non-nesting bases with an power/cable management channel accept single-circuit or multi-circuit power components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.
➤See page 64 for multi-circuit power application guidelines.

Approval/Compliance:

All Scenario single-circuit components and fully assembled tables are U.L. 962 Recognized and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. The customer is responsible for the proper application of products to the local codes under which installation must be made.
Note: Any field modification of the electrical components voids the U.L. listing.

c UL US LISTED

Multi-Circuit Power

Features ➤See page 58
1/2" Tops Product Info 59
1 3/16" Tops Product Info 60

Multi-circuit components combine to form an 8-wire, 4-circuit, hardwired system that must be installed by a licensed electrician. The number of rectangular tables that can be connected will be determined by the building's supply limitations.

The 8-wire, multi-circuit configuration provides up to four circuits. Ideally a 4-wire, WYE, 208 volt service provides the best utilization.
➤See wiring schematic below.

Scenario electrical components are not compatible with Cetra, Xsite or Interworks electrical components.



Circuits 1, 2, and 3 share a neutral and common ground and can be used for general electrical needs.

Circuit 4 consists of three separate increased-size conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

The following components comprise the multi-circuit system:
- Hardwire power in-feeds (two options)
- Power distribution assemblies
- Duplex receptacles
- Table-to-table jumper cable
- Power/data center

For ease in installation, the connectors will only plug in one way.

There are two ways to bring power to the system:
- 15' hardwire power in-feed; or
- Modular wall starter and modular 15' power in-feed.

Hardwire power in-feed features a 15' liquid tight conduit with a pigtail on one end that must be wired by a licensed electrician to a wall or floor-mounted junction box. The other end features a single squeeze-latch connector to attach to a power distribution assembly.



Modular hardwire power in-feed features a 15' modular conduit, with a squeeze-latch connector on each end. One end must connect to modular wall starter, specified separately, the other end connects to a power distribution assembly. Modular wall starter must be wired to building power by licensed electrician.
Note: This modular power in-feed option allows you to unplug the cable from the wall and store away when not in use.

Multi-circuit hardwire power in-feed or modular starter must be installed by a licensed electrician.

Power distribution assembly is field-installed into the electrical/cable management channel and supplies power for receptacles in the table. One power distribution assembly is required for each table. They are available in three lengths to correspond to the length of the table base:
- 24"W power distribution assembly fits a 48"W base.
- 36"W power distribution assembly fits a 60"W base.
- 48"W power distribution assembly fits a 72"W base.



Duplex receptacles snap into the power distribution assembly. Each power distribution assembly can accommodate one or two duplex receptacles, up to a maximum of 13 duplex receptacles per circuit.

➤Guidelines continued on next page.

Circuitry Options:

Nesting and non-nesting bases with an electrical/ cable management channel accept single-circuit or multi-circuit electrical components. Components are specific to either single or multi-circuit; they cannot be used interchangeably.
➤See page 63 for single-circuit power application guidelines.

Approval/Compliance:

All Scenario multi-circuit components are U.L. 1286 Listed and comply with the National Electrical Code (NEC). Consult a qualified electrical contractor or engineer for proper installation of electrical equipment. The customer is responsible for the proper application of products to the local codes under which installation must be made.
Note: Any field modification of the electrical components voids the U.L. listing.

IMPORTANT: Due to U.L. 1286 code restrictions for assembled tables, multi-circuit components can only be used with static (non-mobile) bases.

c UL US LISTED

Multi-Circuit Power

continued

Features ➤See page 58
1/2" Tops Product Info 59
1 3/16" Tops Product Info 60

Receptacles models are numbered 1, 2, 3, or 4, to correspond to the circuit to which they will provide access.



Table-to-table jumper cables are 28" and feature a single connector at both ends that connect the power distribution assemblies of two adjacent tables. Jumper is encased in a galvanized metal conduit. IMPORTANT: Ganging mechanism, specified separately, is required when passing power from table to table. 120° corner tops cannot be ganged and therefore power cannot be jumped to adjacent tables.

Scenario power/data center (model 77KELPDC2) features an 8' cord that plugs into one of the duplex receptacles below the worksurface. It can also be used as a stand-alone unit.

Perks above-mount power/data center (model 99KPDCAM) may also be used in 1 3/16"-thick top applications.



Wiring Schematic:

120/208V WYE 3 Phase 4 Wire
4 Circuit, 20 AMP, Isolated Ground



½" Rectangular Tops

Pricing

GSA SIN 711-11

D	W	H	Model	Price
18"D				
18"	47⅞"	½"	**77K1848RT**	$466
18"	59⅞"	½"	**77K1860RT**	563
18"	71⅞"	½"	**77K1872RT**	655
24"D				
24"	47⅞"	½"	**77K2448RT**	$502
24"	59⅞"	½"	**77K2460RT**	608
24"	71⅞"	½"	**77K2472RT**	699
30"D				
30"	47⅞"	½"	**77K3048RT**	$613
30"	59⅞"	½"	**77K3060RT**	731
30"	71⅞"	½"	**77K3072RT**	833

Nesting or non-nesting base must be specified separately.
➤See pages 73–74.

Cord escapes are not available if power/data center cut-out is specified.

Scenario rectangular power/data center (model 77KELPDC2 or KCUELPDC1) must be specified separately for power/data cut-out (PDC) option.
➤See page 77 for single-circuit.
➤See page 78 for multi-circuit.

Modesty Panels
➤See page 80.

Features ➤See page 58
½" Tops Product Info 59
Cut-Out Locations 68

Standard Includes

- Laminate top with phenolic core
- Laminate underside: 462 Cinder
- Pre-bored to accept base

How to Specify

❶ Model
❷ Top material:
L = Laminate
③ Cutout option:
CEC = Cord escape, center (+$26)
CEL = Cord escape, left (+$26)
CER = Cord escape, right (+$26)
CELR = Cord escape, left and right (+$52)
PDC = Power/data center cutout (+$26)
X = No cutout
④ Surface finish price group:
STD = Price group 1
⑤ Surface finish designator

½" Round, Square, and Cart/Podium Tops

Pricing

GSA SIN 711-11

Features ➤See page 58
½" Tops Product Info 59
Cut-Out Locations 68



D	W	H	Model	Price
Round Tops				
35⅞" dia.		½"	**77K36RD**	$527
41⅞" dia.		½"	**77K42RD**	883
Square Tops				
35⅞"	35⅞"	½"	**77K3636SQ**	$527
41⅞"	41⅞"	½"	**77K4242SQ**	883
Trainer Cart/Podium Top				
20⅞"	23¾"	½"	**77K2124PDC**	$521

X-base must be specified separately. Nesting leg and fixed leg bases are not applicable for round, square, or trainer cart/podium tops.
X-bases
➤See page 76.

Cord escape and power/data center cut-out options are not available on round or square tops.

Cord escape on trainer cart/podium is not available if power/data center cut-out is specified.

Scenario rectangular power/data center (model 77KELPDC2 or KCUELPDC1) must be specified separately for power/data cut-out (PDC) option.
➤See page 77 for single-circuit.
➤See page 78 for multi-circuit.

Standard Includes

- Laminate top with phenolic core
- Laminate underside: 462 Cinder
- Pre-bored to accept base

How to Specify

❶ Model
❷ Top material:
L = Laminate
③ Cutout option (omit for round and square tops):
CEC = Cord escape, center (+$26)
PDC = Power/data center cutout (+$26)
X = No cutout
④ Surface finish price group:
STD = Price group 1
⑤ Surface finish designator

Factory-Installed Cut-Out Options

For ½" Tops

GSA SIN 711-11

Features ➤See page 58
½" Tops Product Info 59

Worksurface Size/Shape	*Grommet/Cutout Location Designator*	*Upcharge*	*Location Diagram*
Rectangular tops	***Cord Escape Cut-Out(s):***		
	CEC = One cord escape; center	+$26	
	CEL = One cord escape; left	+$26	
	CER = One cord escape; right	+$26	
	CELR = Two cord escapes, left and right	+$52	
	Power/Data Center Cut-Out:		
	PDC = Power/data cut-out, center	+$26	
Trainer cart/podium tops	***Cord Escape Cut-Out:***		
	CEC = One cord escape; center	+$26	
	Power/Data Center Cut-Out:		
	PDC = Power/data cut-out, center	+$26	







All dimensions are from the worksurface edge to the center of the cut-out.

Cord escapes are 2⅝" in diameter.

Cord escapes are not available if specifying a power/data cut-out.

Scenario rectangular power/data center (model 77KELPDC2 or KCUELPDC1) must be specified separately for power/data cut-out.

How to Specify

① Insert the location designator into the top's model number sequence as indicated on the corresponding pricing page.

1 3/16" Rectangular Tops

Pricing

GSA SIN 711-11
FSC-C010590 available



D	W	H	Model	Laminate	Wood
18"D					
18"	47 7/8"	1 3/16"	**77K1848RT30**	$255	$419
18"	59 7/8"	1 3/16"	**77K1860RT30**	311	480
18"	71 7/8"	1 3/16"	**77K1872RT30**	374	545
24"D					
24"	47 7/8"	1 3/16"	**77K2448RT30**	$267	$430
24"	59 7/8"	1 3/16"	**77K2460RT30**	323	491
24"	71 7/8"	1 3/16"	**77K2472RT30**	386	555
30"D					
30"	47 7/8"	1 3/16"	**77K3048RT30**	$316	$475
30"	59 7/8"	1 3/16"	**77K3060RT30**	380	552
30"	71 7/8"	1 3/16"	**77K3072RT30**	452	629

Nesting or non-nesting base must be specified separately.
➤See pages 73–74.

Grommets are not available if G20 or PDC cut-out is specified. Scenario or Perks power/data center must be specified separately for G20 or PDC cut-out options. Scenario power/data centers
➤See pages 77–78.

Perks Above-Mount Power/Data Center (Model 99KPDCAM)
➤See the Perks Price List.

Modesty Panels
➤See page 80.

Accessories
➤See page 81.

Features ➤See page 58
1 3/16" Tops Product Info 60
Cut-Out Locations 72

Standard Includes

- Top: laminate or wood
- Rim profile: softened

How to Specify

❶ Model
❷ Top material:
L = Laminate
W = Wood
③ Rim profile:
P = Softened PVC (L models)
F = Softened wood (W models)
④ Grommet/cutout option:
➤See page 72 for designators.
X = No grommet or cutout
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ PVC rim designator (omit for W models)

1 3/16" 120° Corner Tops

Pricing

GSA SIN 711-11
FSC-C010590 available

Features ➤See page 58
1 3/16" Tops Product Info 60
Cut-Out Locations 72



A	B	C	D	E	H	Model	Laminate	Wood
120° Corner Top								
41 9/16"	41 9/16"	24"	24"	48"	1 3/16"	**77K2442CT30**	$646	$973

Nesting or non-nesting base must be specified separately.
➤See pages 73–74.

Grommets are not available if G20 or PDC cut-out is specified. Scenario or Perks power/data center must be specified separately for G20 or PDC cut-out options. Scenario power/data centers
➤See pages 77–78.

Perks Above-Mount Power/Data Center (Model 99KPDCAM)
➤See the Perks Price List.

Modesty Panels
➤See page 80.

Accessories
➤See page 81.

Standard Includes

- Top: laminate or wood
- Rim profile: softened

How to Specify

❶ Model
❷ Top material:
L = Laminate
W = Wood
③ Rim profile:
P = Softened PVC (L models)
F = Softened wood (W models)
④ Grommet/cutout option:
➤See page 72 for designators.
X = No grommet or cutout
⑤ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑥ Surface finish designator
⑦ PVC rim designator (omit for W models)

1 3/16" Round and Square Tops

Pricing

GSA SIN 711-11
FSC-C010590 available

Features ➤See page 58
1 3/16" Tops Product Info 60
Cut-Out Locations 72



D	W	H	Model	Laminate	Wood
Round Tops					
35 7/8" dia.		1 3/16"	**77K36RD30**	$433	$925
41 7/8" dia.		1 3/16"	**77K42RD30**	492	1040
Square Tops					
35 7/8"	35 7/8"	1 3/16"	**77K3636SQ30**	$433	$925
41 7/8"	41 7/8"	1 3/16"	**77K4242SQ30**	492	1040

Standard Includes

- Top: laminate or wood
- Rim profile: softened

How to Specify

❶ Model
❷ Top material:
L = Laminate
W = Wood
③ Rim profile:
P = Softened PVC (L models)
F = Softened wood (W models)
④ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑤ Surface finish designator
⑥ PVC rim designator (omit for W models)

X-base must be specified separately.
➤See page 76.

Factory-Installed Grommet/Cut-Out Options

Pricing

For 1 3/16" Tops

GSA SIN 711-11

Features ➤See page 58
1 3/16" Tops Product Info 60

Worksurface Size/Shape	*Grommet/Cutout Location Designator*	*Upcharge*	*Location Diagram*
Rectangular and 120° corner tops	***G1 Matte Black Plastic Grommets:***		7 7/8" on 48"W tops 13 5/8" on 60"W tops 15 3/4" on 72"W tops Approach Left Center Right 3 1/2" on 18"D tops 4 5/8" on 24"D tops 7 5/8" on 30"D tops
	G1CMB = One grommet; center	+$57	
	G1LMB = One grommet; left	+$57	
	G1RMB = One grommet; right	+$57	
	G1LRMB = Two grommets, left and right	+$114	
	G1AMB = Three grommets, left, right, and center	+$171	
	G19 Designer White Metal Grommets:		18 1/8" 19 1/16" 8 1/2"
	G19C405 = One grommet; center	+$57	
	G19L405 = One grommet; left	+$57	
	G19R405 = One grommet; right	+$57	
	G19LR405 = Two grommets, left and right	+$114	
	G19A405 = Three grommets, left, right, and center	+$171	
	G19 Platinum Metallic Metal Grommets:		
	G19C501 = One grommet; center	+$57	
	G19L501 = One grommet; left	+$57	
	G19R501 = One grommet; right	+$57	
	G19LR501 = Two grommets, left and right	+$114	
	G19A501 = Three grommets, left, right, and center	+$171	
	G19 Carbon Metallic Metal Grommets:		
	G19C514 = One grommet; center	+$57	
	G19L514 = One grommet; left	+$57	
	G19R514 = One grommet; right	+$57	
	G19LR514 = Two grommets, left and right	+$114	
	G19A514 = Three grommets, left, right, and center	+$171	
	G20 Cut-Out:		3 1/2" on 18"D tops 5" on 24"D tops 8" on 30"D tops
	G20C_cutout = One G20 cut-out; center	+$52	
	PDC Cut-Out:		17 7/8"
	PDC = One power/data cut-out; center	+$26	

All dimensions are from the work-surface edge to the center of the cut-out.

Grommets are not available if power/data center cut-out is specified.

Perks above-mount power/data center (model 99KPDCAM) must be specified separately if G20 cut-out is specified. Scenario power/data center is required if PDC cut-out is specified. Boring through the worksurface is unfinished.

Grommet and cut-out options are not available for round and square 1 3/16" tops.

How to Specify

① Insert the location designator into the top's model number sequence as indicated on the corresponding pricing page.

Nesting Bases

Pricing

GSA SIN 711-11

Features ➤See page 58
Product Information 61





D	W	H	Model	Price
For Use with 18"D Rectangular Tops				
With Electrical/Cable Management Channel				
17¾"	47⅜"	27⅞"	**77K184828NTLEC**	$1379
17¾"	59⅜"	27⅞"	**77K186028NTLEC**	1490
17¾"	71⅜"	27⅞"	**77K187228NTLEC**	1594
Without Electrical/Cable Management Channel				
17¾"	47⅜"	27⅞"	**77K184828NTL**	$1158
17¾"	59⅜"	27⅞"	**77K186028NTL**	1226
17¾"	71⅜"	27⅞"	**77K187228NTL**	1294
For Use with 24" and 30"D Rectangular Tops				
With Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828NTLEC**	$1453
24"	59⅜"	27⅞"	**77K6028NTLEC**	1568
24"	71⅜"	27⅞"	**77K7228NTLEC**	1680
Without Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828NTL**	$1220
24"	59⅜"	27⅞"	**77K6028NTL**	1288
24"	71⅜"	27⅞"	**77K7228NTL**	1354
For Use with 120° Corner Tops				
With Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828NTLEC**	$1453
Without Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828NTL**	$1220

Standard Includes

- Cross bar
- Electrical/cable management channel on applicable models
- Release handle to allow top to flip into nesting position
- 4 locking casters
- Built-in lock port to accept laptop/equipment lock

How to Specify

❶ Model
② Finish:
462 = Cinder
405 = Designer White
501 = Platinum Metallic
514 = Carbon Metallic

Assembly in the field is required to attach legs to crossbar.

Single-Circuit Electrical Components
➤See page 77.

Ganging Mechanisms
➤See page 81.

Non-Nesting Bases

Pricing

Static

GSA SIN 711-11

Features ➤See page 58
Product Information 61





D	W	H	Model	Price
For Use with 18"D Rectangular Tops				
With Electrical/Cable Management Channel				
17¾"	47⅜"	27⅞"	**77K184828FXLECS**	$1073
17¾"	59⅜"	27⅞"	**77K186028FXLECS**	1166
17¾"	71⅜"	27⅞"	**77K187228FXLECS**	1250
Without Electrical/Cable Management Channel				
17¾"	47⅜"	27⅞"	**77K184828FXLS**	$855
17¾"	59⅜"	27⅞"	**77K186028FXLS**	906
17¾"	71⅜"	27⅞"	**77K187228FXLS**	952
For Use with 24" and 30"D Rectangular Tops				
With Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLECS**	$1130
24"	59⅜"	27⅞"	**77K6028FXLECS**	1226
24"	71⅜"	27⅞"	**77K7228FXLECS**	1319
Without Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLS**	$894
24"	59⅜"	27⅞"	**77K6028FXLS**	945
24"	71⅜"	27⅞"	**77K7228FXLS**	993
For Use with 120° Corner Tops				
With Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLECS**	$1130
Without Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLS**	$894

Standard Includes

- Cross bar
- Electrical/cable management channel on applicable models
- Built-in lock port to accept laptop/equipment lock

How to Specify

❶ Model
② Finish:
462 = Cinder
405 = Designer White
501 = Platinum Metallic
514 = Carbon Metallic

Assembly in the field is required to attach legs to crossbar.

Single-circuit electrical components
➤See page 77.

Ganging mechanisms
➤See page 81.

Non-Nesting Bases

Pricing

Mobile

GSA SIN 711-11

Features ➤See page 58
Product Information 61



D	W	H	Model	Price
For Use with 18"D Rectangular Tops				
With Electrical/Cable Management Channel				
17¾"	47⅜"	27⅞"	**77K184828FXLECM**	$1037
17¾"	59⅜"	27⅞"	**77K186028FXLECM**	1166
17¾"	71⅜"	27⅞"	**77K187228FXLECM**	1250
Without Electrical/Cable Management Channel				
17¾"	47⅜"	27⅞"	**77K184828FXLM**	$855
17¾"	59⅜"	27⅞"	**77K186028FXLM**	906
17¾"	71⅜"	27⅞"	**77K187228FXLM**	952
For Use with 24" and 30"D Rectangular Tops				
With Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLECM**	$1130
24"	59⅜"	27⅞"	**77K6028FXLECM**	1226
24"	71⅜"	27⅞"	**77K7228FXLECM**	1319
Without Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLM**	$894
24"	59⅜"	27⅞"	**77K6028FXLM**	945
24"	71⅜"	27⅞"	**77K7228FXLM**	993
For Use with 120° Corner Tops				
With Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLECM**	$1130
Without Electrical/Cable Management Channel				
24"	47⅜"	27⅞"	**77K4828FXLM**	$894

Assembly in the field is required to attach legs to crossbar.

Single-Circuit Electrical Components
➤See page 77.

Multi-Circuit Electrical Components
➤See page 78.

Ganging Mechanisms
➤See page 81.

Standard Includes

- Cross bar
- Electrical/cable management channel on applicable models
- 4 locking casters
- Built-in lock port to accept laptop/equipment lock

How to Specify

❶ Model
② Finish:
462 = Cinder
405 = Designer White
501 = Platinum Metallic
514 = Carbon Metallic

X-Bases

Pricing

GSA SIN 711-11

Features ➤See page 58
Product Information 62







D	*W*	*H*	*Model*	*Price*
Adjustable Height				
Mobile				
30"	30"	25½"–41⅞"	**77K2742XA**	$1594
Fixed Height				
Static				
30"	30"	27⅞"	**77K2728XS**	$919
Mobile				
30"	30"	27⅞"	**77K2728XM**	$919

Standard Includes

- Release paddle to adjust height on adjustable-height model
- 4 locking casters on mobile models
- 4 leveling glides on static models

How to Specify

❶ Model
② Finish:
462 = Cinder
405 = Designer White
501 = Platinum Metallic
514 = Carbon Metallic

X-bases are for use with round, square, and trainer cart/podium tops only.

Ships assembled. Release lever on adjustable-height X-base must be attached to the table top in the field.

Single-Circuit Power Components

Pricing

GSA SIN 711-11

Features ➤See page 58
Application Guidelines 63









Model	*Description*	*Price*
Power In-Feed		
KCUELPIF1	10' black power cord with standard three-prong plug on one end and single squeeze-latch connector on the other end. Smart box monitor.	$233
Duplex Receptacle		
KCUELRDS	Two three-prong outlets. 12" modular feed with double-out interface.	$66
Table-to-Table Jumper Cable		
KCUELJ1	74" black cable with a squeeze-latch connector on each end.	$94
Receptacle-to-Receptacle Jumper Cable		
KCUELJ4	12" black cable with a squeeze-latch connector on each end.	$73
Power/Data Center		
KCUELPDC1	Fits into power/data center cutout. Includes one duplex receptacle, two voice/data port openings (compatible with Panduit and AMP/Tyco brand voice and data jacks—supplied by customer), 24" modular feed with double-out interface. Black textured finish. 6¼"W x 3¼"D. Self-storing lid. UL listed.	$150
77KELPDC2	Fits into power/data center cutout and as a stand-alone unit. Includes one duplex receptacle, two voice/data port openings (compatible with Panduit and AMP/Tyco brand voice and data jacks—supplied by customer), 8' cord and three-prong plug with northwest orientation. Black textured finish. 6¼"W x 3¼"D. Self-storing lid.	$172

How to Specify

❶ Model

Multi-Circuit Power Components

Pricing

GSA SIN 711-11

Features ➤See page 58
Application Guidelines 64





IMPORTANT: Due to U.L. code restrictions, 8-wire, multi-circuit electrical components can only be used with static (non-mobile) bases. Multi-circuit hardwire power in-feed or modular starter must be installed by a licensed electrician.

Model	*Description*	*Price*
Hardwire Power In-Feed		
77KELPIF2	15' liquid tight conduit with a pigtail on one end and a single squeeze-latch connector on the other end.	$271
Modular Power In-Feed		
Starter		
77KELPA	Black metal wall plate. Accepts modular power in-feed. 5⅛" x 5⅛".	$117
Power In-Feed		
77KELJ2	15' liquid tight conduit with a squeeze-latch connector on each end. Must be used with modular starter.	$307
Duplex Receptacle		
77KELRD1	For Circuit 1. Black plastic.	$26
77KELRD2	For Circuit 2. Black plastic.	26
77KELRD3	For Circuit 3. Black plastic.	26
77KELRD4	For Circuit 4–dedicated. Black plastic.	26
Power Distribution Assemblies		
77K24ELPH	24"W. For use with 48"W table base. Single-sided distribution.	$117
77K36ELPH	36"W. For use with 60"W table base. Single-sided distribution.	134
77K48ELPH	48"W. For use with 72"W table base. Single-sided distribution.	154
Table-to-Table Jumper Cable		
77KELJ3	28" long. Galvanized metal conduit.	$128
Power/Data Center		
77KELPDC2	Fits into power/data center cutout and as a stand-alone unit. Includes one duplex receptacle, two voice/data port openings (compatible with Panduit and AMP/Tyco brand voice and data jacks—supplied by customer), 8' cord with three-prong plug with northwest orientation. Black textured finish. 6¼"W x 3¼"D. Self-storing lid.	$172

How to Specify

❶ Model

Hardwire Power Components

Pricing

GSA SIN 711-11

Features ➤See page 58
Application Guidelines 64



Model	*Description*	*Price*
Hardwire Box		
77KELHB	Fits into electrical cable management channel. Complies with the National Electrical Code (NEC).	$215

Standard Includes

- Hardwire box: black
- 3 power outlets

How to Specify

❶ Model

One box required per table.

Modesty Panels

Pricing

GSA SIN 711-11

Features ➤See page 58



D	W	H	Model	Description	Price
Modesty Panel					
1/8"	38 7/8"	11 3/4"	**77K4812MP**	For use with 48"W base	$257
1/8"	50 7/8"	11 3/4"	**77K6012MP**	For use with 60"W base	307
1/8"	62 7/8"	11 3/4"	**77K7212MP**	For use with 72"W base	356

Standard Includes

- Modesty panel: frosted opaque polycarbonate

How to Specify

❶ Model
② Finish:
462 = Cinder
405 = Designer White
501 = Platinum Metallic
514 = Carbon Metallic

Modesty panels are for use with 1/2"- and 1 3/16"-thick rectangular tops.

Table tops cannot be flipped/nested while resin screens are attached.

Priority resin privacy screens for 1 3/16"-thick tops for non-nesting applications.
➤See the Priority Price List.

Accessories

Pricing

GSA SIN 711-11
† GSA Non-Contract

Features ➤See page 58





D	W	H	Model	Description	Price
Ganging Mechanisms					
	2½"	1⅝"	**77KGM**	Consists of two components; one for each end of the table.	$42
Vertical Cable Managers					
For Use with Nesting or Non-Nesting Bases					
3"	3¼"	12"	**77K12VCM**	Attaches to center column of the base. No tools are required to install.	$128
For Use with X-Bases					
2⅞"	2½"	11⁷⁄₁₆"	**77K12VCMX**	Attaches to center column of the base. No tools are required to install.	$128
Markerboard/Flip Chart Holder †					
23⅝"	32⅝"	71¼"	**77K3372MBFCH**	High-gloss, white laminate markerboard with Cinder edge. 4 locking casters. Adjustable brackets to hang flip chart.	$1655

How to Specify

Ganging Mechanisms
❶ Model
② Finish:
462 = Cinder
501 = Platinum Metallic

Vertical Cable Manager or Markerboard/Flip Chart Holder
❶ Model
② Finish:
462 = Cinder
405 = Designer White
501 = Platinum Metallic
514 = Carbon Metallic

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Laptop/equipment lock system
➤See the Perks Price List

Notes

CONFIGURATION

Statement of Line

Table Tops and Bases

Features ➤See page 84
Base Requirements 85



Rectangular Tops
➤See page 86 to specify.



Tapered Column Legs
Available in static and mobile models.
➤See page 87 to specify.



Column Legs
Available in static and mobile models.
➤See page 87 to specify.



T-Legs
Available in static and mobile models.
➤See page 87 to specify.



Folding T-Legs
➤See page 87 to specify.

Features

Statement of Line ➤See page 83
Base Requirements 85

Table tops are available in wood, laminate, and laminate with a wood rim. They are 3-ply balanced construction and are 1 3/16" thick.

Support is specified separately. Select from several column and T-leg models.
➤See page 85 for base requirements.



Details

All exposed wood surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Rim profile appears on all sides of table top for the following rim profiles:
- Radius (A)
- Bevel (B)
- Double Radius (C)
- Bullnose (D)
- Transitional (E)
- Softened (F)
- Beaded (G)
- Crescent (H)
- Flat (J)
- Reed (M)
- PVC (V)

Knife (S) and reverse knife (RS) rim profiles on rectangular tops appear on the front and back edges; end edges have a flat profile for a flush fit when positioning tables end to end.

Rim thickness is 5/16" on A, B, C, D, E, F, G, H, and M rims; rim thickness is 1" on S and RS rims.

All rims are wood, except PVC (V). Flat (J) rim is a self edge and is available in wood or laminate.

Rim Profiles:

Rims for Wood Tops and Laminate Tops with Wood Rim



Rims for Laminate Tops

Note: Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products.

Base Requirements

Top Shape		Static Tapered Column Leg	Mobile Tapered Column Leg	Static Column Leg	Mobile Column Leg	Static T-Leg	Mobile T-Leg	Folding T-Leg
Rectangular	48"W	4	4	4	4			
	60"W	4	4	4	4			
	66"W	4	4	4	4	2	2	2
	72"W	4	4	4	4	2	2	2

Key:

\# = Number of bases required
grey = Base is not available for use with top shape.

This chart lists the number of bases that must be used with each top size for proper stability.

Configuration table bases are designed specifically for use with Configuration Tables and are not recommended for use with any other Kimball Office tables.

Rectangular Tops

Pricing

GSA SIN 711-11

Features ➤See page 84
Base Requirements 85
Bases 87



D	*W*	*H*	*Model*	*Wood*	*Laminate with Wood Rim*	*Laminate*
Flat (J) Rim Profile (Self-Edge)						
24"	48"	1 3/16"	**CCST2448RT**	$765	—	$615
	60"		**CCST2460RT**	806	—	719
	66"		**CCST2466RT**	866	—	781
	72"		**CCST2472RT**	932	—	797
30"	60"	1 3/16"	**CCST3060RT**	907	—	833
	66"		**CCST3066RT**	944	—	862
	72"		**CCST3072RT**	993	—	907
A, B, C, D, E, F, G, H, M, and X Rim Profiles						
24"	48"	1 3/16"	**CCST2448RT**	$796	$796	—
	60"		**CCST2460RT**	866	866	—
	66"		**CCST2466RT**	901	901	—
	72"		**CCST2472RT**	971	971	—
30"	60"	1 3/16"	**CCST3060RT**	953	953	—
	66"		**CCST3066RT**	994	994	—
	72"		**CCST3072RT**	1038	1038	—
Knife (S) and Reverse Knife (RS) Rim Profiles						
24"	48"	1 3/16"	**CCST2448RT**	$941	$941	—
	60"		**CCST2460RT**	987	987	—
	66"		**CCST2466RT**	1045	1045	—
	72"		**CCST2472RT**	1094	1094	—
30"	60"	1 3/16"	**CCST3060RT**	1078	1078	—
	66"		**CCST3066RT**	1136	1136	—
	72"		**CCST3072RT**	1187	1187	—
PVC (V) Rim Profile						
24"	48"	1 3/16"	**CCST2448RT**	—	—	$615
	60"		**CCST2460RT**	—	—	719
	66"		**CCST2466RT**	—	—	781
	72"		**CCST2472RT**	—	—	797
30"	60"	1 3/16"	**CCST3060RT**	—	—	833
	66"		**CCST3066RT**	—	—	862
	72"		**CCST3072RT**	—	—	907

Table tops have specific base requirements.

Standard Includes

- Table top

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
❸ Rim type:
1 = Flat (J)
2 = A, B, C, D, E, F, G, H, or M
3 = Knife (S) or reverse knife (RS)
4 = Plastic (V) rim—laminate top only
➤See page 84.
④ Finish option (include for wood top only):
N = Satin
R = Gloss
⑤ Rim profile:
➤See page 84 for designators.
⑥ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Surface finish designator
⑧ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
⑨ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Bases

Pricing

GSA SIN 711-11

Features ➤See page 84
Base Requirements 85
Tops 86









D	*W*	*H*	*Column Diameter*	*Model*	*Price*
Tapered Column Legs (static or mobile)					
Paint Finish					
		27¾"	3" (tapers to 2")	**CBM2803CTF1**	$337
Non-Paint Finish					
		27¾"	3" (tapers to 2")	**CBM2803CTF2**	$430
Column Leg (static or mobile)					
	1½"	27¾"	1½"	**AB2802BC**	$220
Non-Folding T-Leg (static or mobile)					
	22"	27¾"	2"	**AB2228T**	$324
Folding T-Leg (static)					
Paint Finish					
	22"	27¾"	2"	**CBM2228TF1**	$426
Non-Paint Finish					
	22"	27¾"	2"	**CBM2228TF2**	$471

Table tops have specific base requirements.

Folding T-leg locks into place when folded. For use on 24 x 66, 24 x 72, 30 x 66, and 30 x 72 rectangular tops only.

Standard Includes

Tapered Column Leg or Column Leg

- Leg
- Locking dual-wheel caster on mobile model; floor glide on static model
- Attachment hardware

Non-Folding or Folding T-Leg

- Leg
- Two locking dual-wheel caster on mobile model; two floor glides on static model
- Attachment hardware

How to Specify

Tapered Column Leg, Column Leg, or Non-Folding T-Leg

❶ Model
② Static or mobile (omit for folding T-leg):
S = Static
M = Mobile
③ Finish price group (omit for tapered column legs):
STD = Group 1
④ Finish designator

Folding T-Leg

❶ Model
② Finish designator

Notes

OCCASIONAL

Statement of Line

Tables

➤See the Casegoods and Seating price lists for the full line of matching casegoods and lounge seating lines.

Contemporary/Transitional:

Arpeggio®
Available with radius or beveled rim.
➤See page 90 to specify.

Beo™ Freestanding
➤See page 91 to specify.



Contemporary Cube (CT10) and Cylinder (CT11)
➤See page 92 to specify.

Definition®
➤See page 93 to specify.



Delano™ Freestanding
➤See page 94 to specify.

Fluent®
Available in wood veneer top and glass-top models.
➤See page 95 to specify.



Pose® Freestanding
➤See page 96 to specify.

Priority™
➤See page 97.

Transcend®
➤See page 98 to specify.



Villa™ Freestanding
➤See page 99 to specify.

Traditional:

Innsbruck™
➤See page 100 to specify.

Platform and 4-Leg
➤See page 101 to specify.

Pedestal
➤See page 102 to specify.

Queen Anne (TT8)
➤See page 102 to specify.

Console (TT8)
➤See page 102 to specify.

Arpeggio®

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89



D	W	H	Model	 Radius Rim (A)	 Beveled Rim (B)
End Tables					
Cherry					
20"	20"	20"	**ARP-2020**	$1090	$1090
Birdseye Maple					
20"	20"	20"	**ARP-2020**	$1167	$1167
Corner Tables					
Cherry					
28"	28"	20"	**ARP-2828**	$1228	$1228
Birdseye Maple					
28"	28"	20"	**ARP-2828**	$1408	$1408
Magazine Tables					
Cherry					
24"	42"	15"	**ARP-2442**	$1464	$1464
Birdseye Maple					
24"	42"	15"	**ARP-2442**	$1686	$1686

Standard Includes

- Top: semi-open pore finish with a satin sheen (50)
- Legs and apron rails: solid maple
- Ships ready-to-assemble.

How to Specify

❶ Model
❷ Rim profile:
A = Radius
B = Beveled
❸ Veneer top:
C = Cherry
H = Birdseye Maple
④ Finish price group:
STD = Group 1
⑤ Finish designator

Beo™ Freestanding

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89



D	*W*	*H*	*Model*	*Price*
Magazine Table				
19 11⁄16"	39 7⁄8"	18 3⁄16"	**K58TMG204018W**	$1059
End Table				
24 9⁄16"	21 1⁄32"	20 1⁄8"	**K58TEN252120W**	$919

Standard Includes

- Table

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

Contemporary

Pricing

Statement of Line ➤See page 89

GSA SIN 711-11
FSC-C010590 available

D	*W*	*H*	*Model*	*Price*
Cube Table				
22"	22"	20"	**CT10-2220W**	$1069
Cylinder Table				
22"	22"	20"	**CT11-2220W**	$1235

Standard Includes

- Table: semi-open pore finish with a satin sheen (50).

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood; available cube table only (+3%)
③ Finish designator

Definition®

Pricing

Statement of Line ➤See page 89

GSA SIN 711-11



D	*W*	*H*	*Model*	*Price*
End Table				
18"	24"	20½"	**CTK1824EN**	$916
Corner Table				
24"	24"	20½"	**CTK2424CN**	$970
Magazine Table				
24"	42"	15½"	**CTK2442MG**	$1188

Standard Includes

- Table top: semi-open pore finish with a satin sheen (50).
- Ships ready to assemble

How to Specify

❶ Model
❷ Material options:
W = Wood
LW = Laminate with wood rim
③ Rim profile:
B = Bevel
C = Dbl.Radius
F = Softened
G = Beaded
H = Crescent
M = Reed
④ Worksurface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Worksurface finish designator
⑥ Rim finish price group (omit for wood worksurface):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for wood worksurface)

Delano™

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89





D	*W*	*H*	*Model*	*Price*
Magazine Tables				
24"	36"	16"	**K90DH**	$1779
24"	48"	16"	**K90EJ**	2165
End Tables				
24"	24"	16"	**K90BD**	$1333
30"	30"	16"	**K90CE**	1607

Standard Includes

- Wood surfaces: cherry, maple, or walnut, sapele, or zebrawood composite veneer
- Quarter-cut sketch veneer table tops
- Legs: brushed aluminum
- Decorative washer: brushed aluminum

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Wood finish designator
④ Fastener finish:
462 = Cinder

Fluent®

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89





D	*W*	*H*	*Model*	*Price*
Wood Veneer Top				
Square End Tables				
22"	22"	22"	**80K2222ENW**	$1357
28"	28"	22"	**80K2828ENW**	1640
Square Magazine Tables				
34"	34"	17"	**80K3434MGW**	$1874
44"	44"	17"	**80K4444MGW**	2429
Console Tables				
18"	54"	28½"	**80K1854CSW**	$2064
Glass Top				
Square End Tables				
22"	22"	22"	**80K2222ENG**	$2234
28"	28"	22"	**80K2828ENG**	2869
Square Magazine Tables				
34"	34"	17"	**80K3434MGG**	$3240
44"	44"	17"	**80K4444MGG**	4710
Console Tables				
18"	54"	28½"	**80K1854CSG**	$3059

Standard Includes

- Table top: wood veneer or low-iron, back painted white glass with matte finish & polished rim
- Metal support understructure on glass models: 405 Designer White
- Four legs: clear, satin anodized aluminum with polished cast aluminum corners
- Ships ready to assemble

How to Specify

Wood Veneer Top

❶ Model
② Sheen type:
STD = Standard sheen
③ Rim profile:
AR = Arris
④ Finish group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Finish designator
⑥ Leg finish designator:
511 = Silver Satin

Glass Top

❶ Model
② Glass color designator:
201 = Arctic
③ Leg finish designator:
511 = Silver Satin

Pose® Freestanding

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89











D	*W*	*H*	*Model*	*Description*	*Price*
End Table					
24"	24"	16"	**K35T242416W**		$1291
Corner Table					
30"	30"	16"	**K35T303016W**		$1527
Magazine Table					
24"	48"	16"	**K35T244816W**	Each compartment is 11½"D x 22⅞"W x 5"H.	$1998
24"	60"	16"	**K35T246016W**	Each compartment is 11½"D x 28⅞"W x 5"H.	2353

Related Products:

	Model	*Description*	*Price*
Ganging Devices (Pkg of 1 pair)			
	K35GB	One package (1 pair) of ganging devices. Will connect 2 tables.	$30

Pose tables may be ganged. Ganging device must be specified separately.

Standard Includes

- Wood surfaces: cherry, maple, or walnut, or sapele
- Quarter-cut sketch veneer table tops
- Legs: solid maple or sapele
- Mitered corner construction
- ¾" non-skid adjustable glides
- Widthwise and lengthwise center dividers on magazine table, which create four undersurface storage compartments (two on each side of the table)

How to Specify

Table

❶ Model
② Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Wood finish designator

Ganging Devices

❶ Model

Priority™

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89

D	W	H	Model	Price
End Table				
Softened (F) or Reed Rim (M)				
24"	24"	20½"	**53K2424CN**	$875
Knife Rim (S)				
26"	26"	20½"	**53K2626CN**	$989

Standard Includes

- Table
- Ships ready to assemble

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
③ Rim profile:
F = Softened
M = Reed
S = Knife
④ Top finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Top finish designator
⑥ Rim finish price group (omit for wood top):
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Rim finish designator (omit for wood top)

Top and rim finish on wood top models is the same.

Transcend®

Pricing

GSA SIN 711-11
FSC-C010590 available

Statement of Line ➤See page 89

D	*W*	*H*	*Model*	*Price*
End Table				
24"	24"	20⅛"	**15K2424CNW**	$919

Standard Includes

- Table
- Ships ready to assemble

How to Specify

❶ Model
② Rim profile:
GR = Groove
RD = Ridge
③ Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
④ Finish designator

Villa™ Freestanding Corner

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89





D	*W*	*H*	*Model*	*Price*
Wood Top Table				
29"	29"	18¾"	**K60T292918W**	$1661
Laminate Top Table				
29"	29"	18¾"	**K60T292918L**	$1607

Standard Includes

- Table top: wood or laminate
- Legs: Platinum Metallic steel powdercoat

How to Specify

❶ Model
② Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
③ Wood finish designator

Laminate finish (omit for wood top model)—
④ Laminate finish price group (omit for wood top model):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Laminate finish designator (omit for wood top model)

Innsbruck™

Pricing

GSA SIN 711-11

Statement of Line ➤See page 89

D	*W*	*H*	*Model*	*Price*
End Table				
18"	26"	20"	**IN1826EN**	$1733
Corner Table				
26"	26"	20"	**IN2626CN**	$1781
Magazine Table				
22"	42"	16"	**IN2242MG**	$2008
Console Table				
18"	46½"	30¼"	**IN1846CS**	$3102

Standard Includes

- Ships ready-to-assemble
- Plain apron rail
- Tops on end, corner, and magazine tables: figured cherry with a diamond match pattern; top on console table: figured cherry

How to Specify

❶ Model
② Finish price group:
STD = Group 1
③ Finish designator

(FSC) = FSC-certified wood option available.
➤See page 5.

Traditional

Pricing

Tables with Platform or 4-Leg Base

GSA SIN 711-11
FSC-C010590 available

Statement of Line ➤See page 89





D	*W*	*H*	*Model*	*Price*
Tables with Platform Base				
End Table				
18"	28"	21¼"	**TT2-1828WB**	$1021
Corner Table				
26"	26"	21¼"	**TT2-2626WB**	$1104
Magazine Table				
22"	44"	18"	**TT2-2244WB**	$1303
Tables with 4-Leg Base				
End Table				
18"	28"	19"	**TT2-1828W**	$825
Corner Table				
26"	26"	19"	**TT2-2626W**	$856
Magazine Table				
22"	44"	16"	**TT2-2244W**	$1040

Standard Includes

- Apron rails: vertical grain
- Platform base models ship fully assembled; 4-leg base models ship ready to assemble

How to Specify

❶ Model
② Finish price group:
STD = Group 1
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator

(FSC) = FSC-certified wood option available.
➤See page 5.

Traditional

Pricing

Pedestal Tables and Queen Anne Tables

GSA SIN 711-11
FSC-C010590 available

Statement of Line ➤See page 89

D	*W*	*H*	*Model*	*Price*
Pedestal Tables				
17" Diameter				
17"	17"	23⅛"	**TT8-17W**	$899
25" Diameter				
25"	25"	25¼"	**TT8-25W**	$1115
Queen Anne Tables				
End Table				
18"	24"	22¼"	**TT8-1824W**	$1587
Corner Table				
24"	24"	22¼"	**TT8-2424W**	$1677
Magazine Table				
22"	44"	18"	**TT8-2244W**	$1798
Console Table with Walnut Inlay Border				
16¼"	44"	29"	**TT8-1542W**	$1916

Center drawer on console table has interior dimensions of 10½"D x 26½"W x 1⅞"H.

Standard Includes

- Table tops: plain-sliced walnut veneer
- Queen Anne and console tables ship ready to assemble

How to Specify

❶ Model
② Finish price group:
STD = Group 1
FSCW = FSC-certified group 1 wood; not available on 25" diameter pedestal table (+3%)
③ Finish designator

COMPLEMENTARY

Statement of Line

Furniture

Features ➤See page 104
Pull Options 105



Buffet Credenzas
➤See page 107 to specify.

Utility/AV Cart
➤See page 108 to specify.

Serving Cart
➤See page 108 to specify.

Hospitality Cart
➤See page 108 to specify.

Telephone Stand
➤See page 108 to specify.



Visual Board with Sliding Doors
➤See page 109 to specify.



Floor Lectern
➤See page 110 to specify.

Features

Statement of Line ➤See page 103
Pull Options 105

Tops on credenzas, carts and telephone stand are available in wood or laminate with wood rim.





Metal corner posts are standard on vertical storage, credenzas, carts, telephone stand, and floor lectern. Available in three paint colors:
- 462 Cinder
- 501 Platinum Metallic
- 503 Satin Nickel

Locking is standard on utility/AV cart, hospitality cart, and telephone stand. Locks are available keyed randomly or keyed specific. Specify lock cores separately for key specific option.
➤See page 104 for lock information.

Details

Buffet credenza's lower left compartment features a pull-out door with black trash container.

Utility/AV cart is a multi-functional unit that serves as a serving cart, projector stand, or mobile TV cart. Lower section is locking. Includes cut-out in back panel for cable management and a side handle. Interior dimensions of open shelf are 34½"W x 22"D x 5½"H.

Serving cart features a hinged drop-leaf surface on all four sides, one fixed shelf, and a side handle.

Hospitality cart includes side handle and two box drawers with a black silverware organizer Lower left compartment features a pull-out door with black, 24 quart trash disposal container. Lower right section is locking. Power strip, located on left side of cart, includes three power outlets and a 10' cord. Black grommet for routing cord is located in the back panel.

Telephone stand features a hinged drop-leaf surface on both sides that extends 7". There is one adjustable shelf behind locking hinged door.

Floor lectern includes an adjustable shelf behind a non-locking hinged door. Presentation surface includes a cut-out for cable management.

Carts, telephone stand, and floor lectern are mobile and include four locking, dual-wheel casters.

All exposed wood surfaces are available in the following veneers:
- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.
➤See page 113 for finish selections.

Wood tops on credenzas, carts, and stands feature a semi-open pore finish with a satin (50) or gloss (70) sheen.

Woodgrain laminate top with wood rim is also available in select finishes on all models, except serving cart.
➤See page 117.

Drawer suspensions feature black, precision steel ball bearings to ensure long lasting, quiet, and smooth operation. Box drawers are ¾ extension and have a 75 lb. load rating.

Rim Profiles:

Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products. All rims are wood.



Knife (S) and reverse knife (RS) rim profiles on vertical storage units, buffet credenzas, utility/AV cart, and hospitality cart appear on the front edge only; sides and back are flat. All other rim profiles appear on all four sides of the top.

Pull Options

Features ➤See page 104
Locking Information 106

Definition® Series Pulls:


92 Cove
(+$26/unit)


93 Aero


96 Luna


95 Deco


97 Linear

Finishes:
Plated—
487 Brushed Nickel
490 Polished Chrome

Paint—
462 Cinder
501 Platinum Metallic
514 Carbon Metallic

Boring Patterns:

Cove	n/a
Aero	128 mm
Luna	n/a

Pull Size:

	Width	*Height*	*Projection*
Cove	5½"	1⅛"	1/16"
Aero	5½"	⅜"	¾"
Luna	1⅞"	⅜"	⅜"

Note: Cove and Luna pulls are recessed into the drawer front.

Finishes:
Plated—
487 Brushed Nickel
490 Polished Chrome

Anodized—
486 Clear Anodized (available on Linear pull only)

Boring Patterns:

Deco	76 mm
Linear	n/a

Pull Size:

	Width	*Height*	*Projection*
Deco	4⅞"	⅝"	1"
Linear	10⅛"	¼"	⅝"

Note: Linear pull wraps the drawer face and attaches on the backside of the drawer.

Priority™ Series Pulls:


89 Studio


91 Niche


90 Trinity
(+$26/unit)

61 Helix


63 Link


64 Wisp

Finishes:
Paint—
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic

Boring Patterns:

Studio	192 mm
Niche	96 mm
Trinity	160 mm

Pull Size:

	Width	*Height*	*Projection*
Studio	7⅞"	⅜"	1⅛"
Niche	5⅜"	⅞"	⅞"
Trinity	9¼"	⅜"	⅞"

Finishes:
Paint—
405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic

SF Silver Frost Metallic

Boring Patterns:

Helix	160 mm
Link	160 mm
Wisp	190 mm

Pull Size:

	Width	*Height*	*Projection*
Helix	7⅝"	½"	1¼"
Link	6⅝"	1⅛"	1"
Wisp	9⅞"	⅝"	1⅛"

How to Specify

Specify pull option and finish together in one step.
If pull finish designator is a number, insert an underscore between the pull designator and the finish designator. For finish designators that are letters, put the pull and finish together without a space or underscore.

Examples:
93_487 = Aero pull, brushed nickel
61SF = Helix pull, silver frost metallic

Locking Information

GSA SIN 711-8

Features ➤See page 104
Pull Options 105

Locking units can be specified as:
- Key random with a black lock core and hinged key (KRB); or
- Key specific (KS)

Key Random Option:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB300.

Randomly numbered lock core(s) will ship standard along with your order for field installation.
Exception: Randomly numbered lock cores on Kwik Office models are shipped installed.





With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific Option:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KCCB001 to KCCB300.





To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Black lock cores and hinged keys are identical to the ones used with other casegoods and systems products.

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Change key model KCCB1CK allows removal of lock cores for key numbers ranging from KCCB001 to KCCB300.

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Master key model KC2GMK will unlock any lock with key numbers ranging from KCCB001 to KCCB300.

Model/Key Range	*Price*
Black Lock Cores	
KCCB001 to KCCB300	$22
Change Key	
KCCB1CK	$6
Master Key	
KC2GMK	$12

How to Specify

❶ Specify exact key number for lock cores as the model number or model number for change or master key

Buffet Credenzas

Pricing

GSA SIN 711-9
FSC-C010590 available

Features ➤See page 104
Pull Options 105
Locking Information 106





D	*W*	*H*	*Model*	*Price*
Three Box Drawers with One Pull-Out and Two Hinged-Door Compartments				
24½"	54½"	35½"	**CR2454CB**	$4410
Four Box Drawers with One Pull-Out and Three Hinged-Door Compartments				
24½"	73"	35½"	**CR2472CB**	$5338

Knife (S) and reverse knife (RS) rim profiles appear on the front edge only; sides and back are flat. All other rim profiles appear on all four sides of top.

Standard Includes

- Non-locking doors and drawers
- Pull-out trash container (24 quart capacity) in lower left compartment
- Silverware organizer for use in any box drawer
- One adjustable shelf in each hinged-door compartment.

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim
③ Finish option (omit for laminate):
N = Satin
R = Gloss
④ Rim profile:
➤See page 104 for designators.
⑤ Pull number and designator:
➤See page 105 for designators.
⑥ Finish price group:
STD = 1
STD2 = 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑦ Finish designator
⑧ Rim finish price group (omit for wood top):
STD = 1
STD2 = 2 (+20%)
⑨ Rim finish designator (omit for wood top)
⑩ Metal corner post finish designator
462 = Cinder
501 = Platinum Metallic
503 = Satin Nickel

Carts and Telephone Stands

Pricing

GSA SIN 711-9
FSC-C010590 available

Features ➤See page 104
Pull Options 105
Locking Information 106

D	*W*	*H*	*Number of Locks*	*Number of Shelves*	*Model*	*Price*
Utility/AV Cart						
24¼"	36⅞"	35"	2	2 adjustable (1 per compartment)	**CR2436MUC**	$3039
Serving Cart						
28" 19¼"	46¾" 38"	31¼" 36" (with leaves folded up)	0	1 fixed	**CR1938MSC**	$2382
Hospitality Cart						
24¼"	36⅞"	35"	1	1 adjustable	**CR2436MHC**	$3405
Telephone Stand						
18⅜"	18⅜"	27¾"	1	1 adjustable	**CR1717PMTH**	$1523

Knife (S) and reverse knife (RS) rim profiles appear on the front edge only on utility/AV and hospitality carts; sides and back are flat. All other rim profiles appear on all four sides of top.

Serving cart and telephone stand are standard with a flat edge profile.

Standard Includes

- Four locking, dual-wheel casters
- Side handle on carts
- Lock(s), if applicable
- Shelves

How to Specify

❶ Model
❷ Material:
W = Wood
LW = Laminate with wood rim (not available on serving cart)
③ Finish option: (omit for laminate):
N = Satin
R = Gloss
④ Rim profile (omit for serving cart and telephone stand):
➤See page 104 for designators.
⑤ Pull number and finish designator (omit for serving cart):
➤See page 105 for designators.
⑥ Lock option (omit for serving cart):
KRB = Key random
KSB = Key specific (-$22 per lock); specify lock core(s) separately
⑦ Finish price group:
STD = 1 **STD2** = 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
⑧ Finish designator
⑨ Rim finish price group (omit for wood top):
STD = 1 **STD2** = 2 (+20%)
⑩ Rim finish designator (omit for wood top)
⑪ Metal corner post, side handle (if applicable), and caster finish designator:
462 = Cinder
501 = Platinum metallic
503 = Satin Nickel metallic

Visual Boards

Pricing

GSA SIN 711-9
FSC-C010590 available

Features ➤See page 104
Pull Options 105
Locking Information 106



D	*W*	*H*	*Model*	*Price*
Visual Board with Sliding Wood Doors				
2⅜"	50"	50"	**CR5050VBW**	$3035
	98" (when doors are fully open)			

Standard Includes

- White HPL writing surface
- Door handles; metal
- Marker tray; metal

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator
④ Metal finish designator:
462 = Cinder
501 = Platinum metallic
503 = Satin Nickel metallic

For use in wall mount applications and with dry-erase markers only.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Lecterns

Pricing

GSA SIN 711-9
FSC-C010590 available

Features ➤See page 104
Pull Options 105
Locking Information 106

D	*W*	*H*	*Model*	*Price*
Floor Lectern				
26¼"	24½"	48"	**CR2448LCW**	$3260

Standard Includes

- Adjustable shelf behind hinged door in lower compartment
- Presentation surface with cut-out for cable management
- Four locking dual-wheel casters
- Wood top and chassis with metal corner posts
- Non-locking lower compartment

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
FSCW = FSC-certified group 1 wood (+3%)
③ Finish designator
④ Metal support/corner posts finish designator:
462 = Cinder
501 = Platinum metallic
503 = Satin Nickel metallic

FINISHES & MATERIALS

Samples:

Samples of wood finishes, paints, and laminates are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur in color and texture.

Swatch cards and memo samples of Kimball Office fabrics are available upon request. There may be slight differences between samples and actual yardage as a result of variations in dye lots.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	112
Wood Finishes	113
Special Wood Finishes	114
Characteristics & Care	116
Laminates	117
Woodgrain, Solid, & CSL	117
Pattern	118
Customer-Specified (CSL)	119
Paint & PVC	120

Wood Finishes ➤See page 113
Woodgrain & Solid Lam. 117
Pattern 118
Paint & Plastic 120

Kimball Office offers a diverse collection of surface materials. Please see descriptions below to ensure that you are choosing the materials that best support your requirements.

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Generations Collection:

The Generations Collection is comprised of tried and true materials that have been in the Kimball Office offering for many years. This collection is designed to support long-standing customers and to help transition you to the current offering.
➤Visit kimballoffice.com to see the Generations Collection.

IMPORTANT: Materials in this collection should not be used to set standard color palettes for new installations.

Materials in this offering can be ordered using the standard process, however, extended lead times and minimum order quantities may apply. For best results, pre-planning orders with your Customer Service Representative is recommended.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Warranty:

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).
➤See page 124 for complete warranty information.

Wood Finishes

Matrix

Key:
- ● = Standard finish
- ■ = Woodgrain laminate top also available
- □ = Woodgrain laminate top available on Type 1 and Type 4 rim profiles
- Kwik = Available on Kwik Office models

	Cherry					Maple			Oak			Walnut						Sapele					Zebrawood		
	MC Amber*	CC Cordoba*	MH Mocha*	SC Sedona*		IM Brighton*	TM Huntington*		CO Canyon	YO Monterey		ES Espresso*	MW Midtown*	TW Tribeca*	NW Tuscan	UW Urban*		CX Coco†	SX Sienna†	CS Coco	SS Sienna		CZ Clear		
Price Group	1	1	1	1		1	1		1	1		1	1	1	1	1		1	1	2	2		2			
Arpeggio																									
–Birdseye Maple						●	●																		
–Cherry	●	●	●	●								●	●	●		●		●	●						
Aspire	●	●	●	●		●	●					●	●	●		●				●	●		●		
Beo (Beech)	●	●	●	●			●		●			●	●	●	●	●		●	●						
Collaborative	●	●	●	●		●	●		●	●		●	●	●	●	●				●	●		●		
Configuration (CCST)	●	●	●	●		●	●					●	●	●		●				●	●		□		
Contemporary/Transitional																									
–CCS & CBS	●	● Kwik	●	●		●	●					●	● Kwik	●		●				●	●		□		
–CT10 & CT11	●	●	●	●		●	●					●	●	●		●				●	●		●		
Definition	●	●	●	●		●	●					●	●	●		●				●	●				
Delano	●	●	●	●		●	●					●	●	●		●				●	●		●		
Fluent	●	●	●	●		●	●					●	●	●		●				●	●		●		
Innsbruck	●		●																						
Pose	●	●	●	●		●	●		●	●		●	●	●	●	●				●	●				
Priority	●	●	●	●		●	●		●	●		●	●	●	●	●				●	●				
Scenario	●	●	●	●		●	●		●	●		●	●	●	●	●				●	●		●		
Traditional																									
–Boat-Shaped TT1	●	●	●	●								●	●	●		●									
–TT1 & TT8												●	●	●		●									
–TT2, TT3, TB, AT1 & AB1	● Kwik	●	●	●								●	●	● Kwik		●									
Transcend	●	●	●	●		●	●					●	●	●		●				●	●				
Villa	●	●	●	●		●	●		●	●		●	●	●	●	●				●	●		●		
Complem. Furniture	●	●	●	●		●	●					●	●	●		●				●	●				

Price Groups:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact ***By Design*** to review veneer options and discuss special quotes.

➤See page 112 for program overview.
➤See page 116 for wood finish characteristics, care and maintenance.

† CX Coco and SX Sienna finishes on Arpeggio cherry and Beo beech tables are available to coordinate with finishes of the same name on sapele wood (price grade 2). They do not incur an upcharge (price grade 1).

* Available on models specified with the FSC-certified wood option.

Special Wood Finishes

Matrix

Standard Finishes on Alternate Wood Species

Standard finish colors on alternate wood species are available. Samples are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	*Maple*	*Walnut*	*Sapele*
Price Group	*1*	*1*	*1*	*2*
Arpeggio	•	•		
Collaborative	•	•	•	•
Contemporary	•	•	•	•
Priority	•	•	•	•
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
Pose	•	•	•	•
Scenario	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•

• = standard wood species
Note: Special finishes are not available on Zebrawood.

If one of our standard finishes is not appropriate, Kimball Office also has a library of previously developed special finishes which may be an acceptable match for your application. A custom finish can also be developed to meet specific needs.
➤See next page for previously developed and custom finishes.

Upcharges:

A **10% upcharge** per line item (model) for special wood finishes applies. Upcharge is calculated on the base price, before other option upcharges are added.

Example:
48" round table top (model CCS48RDW1) in special finish and factory-installed grommet—

Base price	$1233.00
	x .10
Special finish	$ 123.30
Base price	+1233.00
Grommet option	+ 82.00
List price	$1438.30

Special Finish Designators:

	Wood Species		
Color	*Cherry*	*Maple*	*Walnut*
Amber	Standard/MC	MA00174KOG	WA02905KOG
Espresso	×	×	Standard/ES
Mocha	Standard/MH	×	WA02920KOG

Note: We have not yet developed special finish designators for standard finishes on alternate wood species for all wood finishes.

Key:
× = Not feasible on wood species

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator from the table at left.

Sample:
① ②
CCS48RDW1 ZCHY1
③
CH00073KOG

Special Wood Finishes

Matrix

Previously Developed and Custom Finishes

Wood Finishes ➤See page 113
Woodgrain & Solid Lam. 117
Pattern 118
Paint & Plastic 120

Previously developed and custom finishes are available for special requirements. Kimball Office has an extensive library of previously developed special finishes which may be an acceptable match for your application. If not, a custom finish can be developed to meet specific needs.

Samples of previously developed special finishes are available from Customer Service upon request.

Applicability of special finish colors depends on the wood species to which they are applied. The matrix at right shows the types of woods used for each series.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

	Cherry	*Maple*	*Walnut*	*Sapele*
Price Group	*1*	*1*	*1*	*2*
Arpeggio	•	•		
Collaborative	•	•	•	•
Contemporary	•	•	•	•
Priority	•	•	•	•
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
Pose	•	•	•	•
Scenario	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood.

Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. Custom finishes will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used. Models receiving a special finish will also be assessed an upcharge.

A **10%** upcharge per line item (model number) for special wood finish is calculated on the Grade 1 upholstery price, then added to the price for the selected fabric grade, to arrive at the list price.

Example:
48" round table top (model CCS48RDW1) in special finish and factory-installed grommet—

Base price	$1233.00
	x .10
Special finish	$ 123.30
Base price	+1233.00
Grommet option	+ 82.00
List price	$1438.30

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator provided to you by Customer Service.

Sample:
① ②
CCS48RDW1 ZCHY1
③
CH00073KOG

Wood Finish Characteristics

Including Care and Maintenance Tips

Wood Finishes	➤See page 113
Woodgrain & Solid Lam.	117
Pattern	118
Paint & Plastic	120

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.
➤See the individual chapters for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Brighton maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Laminates

Matrix

Woodgrain, Solid, and CSL

CSL GSA Non-Contract

Key:
● = Standard finish

	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood	480 Antique White	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby	CSL
	Woodgrain													Solid												CSL
Collaborative (L models)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	
Collaborative (LW models)	●	●	●	●	●	●			●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Complementary Furniture	●	●	●	●	●	●			●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Contemporary Tables & Bases†	●	●	●	●	●	●			●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Configuration Tables	●	●	●	●	●	●			●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Definition Tables	●	●	●	●	●	●			●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Priority Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Scenario Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Villa Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

† *Woodgrain, solid, and pattern laminates are available on base models CBS2716 and CBS2724 only.*

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Laminates

Matrix

Pattern

Key:
● = Standard finish

	874 Bronze Legacy	842 Canyon Zephyr	823 Carbon Evolv	841 Desert Zephyr	862 Grey Glace	844 Loden Zephyr	843 Misted Zephyr	846 Morro Zephyr	812 Mushroom Tigris	860 Neutral Santos	808 Nickel Evolv	807 Silicon Evolv	873 Tawny Legacy	805 Titanium Evolv	809 Tungsten Evolv	802 White Nebula	814 White Tigris
	Pattern																
Collaborative (LW models only)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Complementary Furniture	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Contemporary Tables & Bases†	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Configuration Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Definition Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Priority Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Scenario Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Villa Tables																	

† *Woodgrain, solid, and pattern laminates are available on base models CBS2716 and CBS2724 only.*

Customer Specified Laminate

GSA Non-Contract

Wood Finishes	➤See page 113
Woodgrain & Solid Lam.	117
Pattern	118
Paint & Plastic	120

Customer specified high-pressure laminate (CSL) is available on:
- Definition
- Fluent
- Priority
- Scenario table tops
- Collaborative (LW model tops only)
- Complementary Furniture
- Configuration table tops
- Contemporary table tops
- Villa table tops

➤Contact Customer Service to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

CSL on products not listed above must be custom quoted.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Pricing:

A **20% upcharge per line item** (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

Example:
48" round table top (model CCS48RDL1) with CSL and factory-installed grommet—

Base price	$1031.00
	x .20
Special finish	$ 206.20
Base price	+1031.00
Grommet option	+ 82.00
List price	$1319.20

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② **Finish type:** For the "Finish type" step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ **Finish designator:** For the "Finish designator" step, insert the laminate designator (color number) of the laminate to be applied to the product.

Sample (base model underlined):

① ② ③
DF3672DDFLW1 F 10MB KR
G7L ZWST1 WST_4814-60

Paint and PVC

Matrix

For Tables

Key:
● = Standard finish
$ = Option; upcharge applies

	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby	514 Carbon Metallic	501 Platinum Metallic	503 Satin Nickel Metallic	510 Silver Frost Metallic	544 Silver Pearl	511 Silver Satin Metallic	490 Chrome	495 Brushed Steel	Brushed	Sandblasted	White
	Solid Paint																					**Metallic Paint**							**Non-Paint**					
Contemporary metal bases					●																	●	●						●	●			
Configuration tapered legs					●																	●	●						●	●			
Configuration column legs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●												
Configuration T-legs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●												
Configuration folding T-legs					●																	●	●						●	●			
Fluent legs																											●					
Scenario bases					●			●														●	●			●						
Villa table legs																							●									
Silver																															$	$	●

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

	480 Antique White	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	450 Fog	488 Frosty White	461 Graphite	420 Sandstone	425 Shadow	460 Storm	419 Wallaby	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood
	Solid Color PVC													**Woodgrain PVC**												
Collaborative PVC rim (P)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Contemporary PVC rim (V)			●							●		●		●	●	●	●	●	●			●	●		●	●
Configuration PVC rim (V)			●							●		●		●	●	●	●	●	●			●	●		●	●
Scenario 1 3/16-thick rim (P)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

RESOURCES

Table of Contents

	➤See page
Terms and Conditions	122
Asset Tag Locations	122
Product Warranty	124
BIFMA and U.L. Information	125
Model Number Index	126

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

BIFMA and U.L. Information

Terms & Conditions ➤See page	122
Asset Tag Locations	122
Product Warranty	124
Model Number Index	126

The table at right lists the operating load capacities (functional load) of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 (2008 Desk and Table Products Tests) and X5.9 (2004 Storage Units Tests). The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Component	**Operating Load Capacity**	**Examples** (total weight [t.w.])
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desk/table 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space *Note: File drawers are to support hanging files only; they are not intended for bottom loading.*	24"D x 18"W x 12"H = 88 lbs.
Transaction counter,	.017 lb. per cubic inch above surface secondary surface <16"D, (not to exceed 12"H), distributive loading or and shelf	12"D x 60"W = 147 lbs. t.w.
Adjustable keyboard	66 lbs. over 12" diameter area, concentrated loading <36"W 66 lbs., distributive loading	
Writing shelf	25 lbs., distributive loading	
Extendible elements	.017 lb. per cubic inch of drawer interior filing space, (drawer, shelves, etc.) distributive loading	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Storage or bookcase	200 lbs. concentrated loading top <38"H distributive loading	.26 lb. per square inch of surface area, 24"D x 36"W = 225 lbs.
Storage or bookcase	.26 lb. per square inch of surface area, distributive loading top 38"H–72"H	24"D x 36"W = 225 lbs.
Storage or bookcase	.09 lb. per square inch of surface area, distributive loading top >72"H	24"D x 36"W = 78 lbs.
Storage or bookcase	.017 lb. per cubic inch above surface, distributive loading bottom	24"D x 36"W x 18"H = 264 lbs. (not more than 18" in height)

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

U.L. Information:

Only Underwriters' Laboratory (U.L.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

Model Number Index

Terms & Conditions	➤See page 122
Asset Tag Locations	122
Product Warranty	124
Operating Load Capacities	125

Model	➤See page
15K2424CNW	98
53K2424CN	97
53K2626CN	97
70K487829TA	34
70K487841TA	34
70K489629TA	34
70K489641TA	34
77K12VCM	81
77K12VCMX	81
77K184828FXLECM	75
77K184828FXLM	75
77K184828FXLS	74
77K184828NTL	73
77K184828NTLEC	73
77K1848RT	66
77K1848RT30	69
77K186028FXLECM	75
77K186028FXLM	75
77K186028FXLS	74
77K186028NTL	73
77K186028NTLEC	73
77K1860RT	66
77K1860RT30	69
77K187228FXLECM	75
77K187228FXLS	74
77K187228NTL	73
77K187228NTLEC	73
77K1872RT	66
77K1872RT30	69
77K2124PDCL	67
77K2442CT30	70
77K2448RT30	69
77K2448RTL	66
77K2460RT30	69
77K2460RTL	66
77K2472RT30	69
77K2472RTL	66
77K24ELPH	78
77K2728XM	76
77K2728XS	76
77K2742XA	76
77K3048RT30	69
77K3048RTL	66
77K3060RT30	69
77K3060RTL	66
77K3072RT30	69
77K3072RTL	66
77K3372MBFCH	81
77K3636SQ30	71
77K3636SQL	67
77K36ELPH	78
77K36RD30	71
77K36RDL	67
77K4242SQ30	71
77K4242SQL	67
77K42RD30	71
77K42RDL	67
77K4812MP	80
77K4828FXLECM	75
77K4828FXLECS	74
77K4828FXLM	75
77K4828FXLS	74
77K4828NTL	73
77K4828NTLEC	73
77K48ELPH	78
77K6012MP	80
77K6028FXLECM	75
77K6028FXLECS	74
77K6028FXLM	75
77K6028FXLS	74
77K6028NTL	73
77K6028NTLEC	73
77K7212MP	80
77K7228FXLECM	75
77K7228FXLECS	74
77K7228FXLM	75
77K7228FXLS	74
77K7228NTL	73
77K7228NTLEC	73
77KELHB	79
77KELJ2	78
77KELJ3	78
77KELPA	78
77KELPDC2	77, 78
77KELPIF2	78
77KELRD1	78
77KELRD2	78
77KELRD3	78
77KELRD4	78
77KGM	81
AB2228T	87
AB2802BC	87
ARP-2020	90
ARP-2442	90
ARP-2828	90
AS40110RTFMW	55
AS4094RTFMW	55
AS48110BTFMW	55
AS4894BTFMW	55
CBM2228TF1	87
CBM2228TF2	87
CBM2428D	29
CBM2802C	28
CBM2803CT	28
CBM2803CTF1	87
CBM2803CTF2	87
CBM2804C	28
CBM3428TT	28
CBM3428X	28
CBS1624CYW	23
CBS1627SQHW	25
CBS1627SQW	24
CBS1627SSW	24
CBS2327RTW	26
CBS2427PNW	27
CBS2427SQHW	25
CBS2427SQW	24
CBS2527ELW	26
CBS2716CYHW	25
CBS2716CYL	23
CBS2716CYW	23
CBS2716CYWL	23
CBS2716CYWW	23
CBS2724CYHW	25
CBS2724CYL	23
CBS2724CYW	23
CBS2827RTW	26
CBS3027ELW	26
CBS3327XW	28
CCS3636SQ	17
CCS3672AR	19
CCS3672RC	20
CCS3672RT	18
CCS36RD	16
CCS4242SQ	17
CCS42RD	16
CCS48120AR	19
CCS48120BT	21
CCS48120RC	20
CCS48120RCV	38
CCS48120RT	18
CCS48120RTV	37
CCS48144AR	19
CCS48144BT	21
CCS48144RC	20
CCS48144RCV	38
CCS48144RT	18
CCS48144RTV	37
CCS48168AR	19
CCS48168BT	21
CCS48168RC	20
CCS48168RCV	38
CCS48168RT	18
CCS48168RTV	37
CCS48192AR	19
CCS48192BT	21
CCS48192RC	20
CCS48192RCV	38
CCS48192RT	18
CCS48192RTV	37
CCS48216AR	19
CCS48216RC	20
CCS48216RT	18
CCS48240AR	19
CCS48240RC	20
CCS48240RT	18
CCS4848SQ	17
CCS4896AR	19
CCS4896BT	21
CCS4896RC	20
CCS4896RCV	38
CCS4896RT	18
CCS4896RTV	37
CCS48RD	16
CCS54RD	16
CCS60144AR	19
CCS60144BT	21
CCS60144RC	20
CCS60144RT	18
CCS60168AR	19
CCS60168BT	21
CCS60168RC	20
CCS60168RT	18
CCS60192AR	19
CCS60192BT	21
CCS60192RC	20
CCS60192RT	18
CCS60216AR	19
CCS60216BT	21
CCS60216RC	20
CCS60216RT	18
CCS60240AR	19
CCS60240BT	21
CCS60240RC	20
CCS60240RT	18
CCS60RD	16
CCST2448RT	86
CCST2460RT	86
CCST2466RT	86
CCST2472RT	86
CCST3060RT	86
CCST3066RT	86
CCST3072RT	86
CR1717PMTH	108
CR1938MSC	108

Model Number Index

continued

Terms & Conditions ➤See page 122
Asset Tag Locations 122
Product Warranty 124
Operating Load Capacities 125

Model	➤See page
CR2436MHC	108
CR2436MUC	108
CR2448LCW	110
CR2454CB	107
CR2472CB	107
CR5050VBW	109
CT10-2220W	92
CT11-2220W	92
CTK1824EN	93
CTK2424CN	93
CTK2442MG	93
IN1826EN	100
IN1846CS	100
IN2242MG	100
IN2626CN	100
IN2930C	52
IN48120RC	51
IN48144RC	51
IN484RD	51
IN4896RC	51
IN48RD	51
K35GB	96
K35T242416W	96
K35T244816W	96
K35T246016W	96
K35T303016W	96
K58TEN252120W	91
K58TMG204018W	91
K60T292918L	99
K60T292918W	99
K90BD	94
K90CE	94
K90DH	94
K90EJ	94
KAC1313ELRINT	39
KAC1313ELRINTH	39
KAC48WMH	39
KCU0810ELPDC	22, 34
KCU0810ELPDCH	22, 34
KCU0840ELPDC	22
KCUELJ1	77
KCUELJ4	77
KCUELPDC1	77
KCUELPIF1	77
KCUELRDS	77
TB1-2530W	48
TB1-2530WM	48
TB1-4W	48
TB3-4W	48
TT1-4296W	46
TT1-42W	44
TT1-48120W	46
TT1-48144W	46
TT1-48168W	46
TT1-48192W	46
TT1-48216W	46
TT1-48240W	46
TT1-48264W	46
TT1-4896WE	47
TT1-48W	44
TT2-1828W	101
TT2-1828WB	101
TT2-2244W	101
TT2-2244WB	101
TT2-2626W	101
TT2-2626WB	101
TT2-42W	44
TT2-48W	44
TT3-4296W	45
TT3-48120W	45
TT3-48144W	45
TT8-1542W	102
TT8-17W	102
TT8-1824W	102
TT8-2244W	102
TT8-2424W	102
TT8-25W	102

Kimball® Office

TEEM™ and STOW™ Price List

This price list is effective February 20, 2015 and supercedes all previously printed or electronically released versions.

	➤See page
General Information	
How to Specify Our Products	2
Sustainability	3
Teem™	
Statement of Line	5
Pricing	6
Stow™	
Statement of Line	15
Pricing	18
Finishes and Materials	43
Program Overview	44
Wood Finishes	45
Special Wood Finishes	46
Characteristics & Care	47
Laminate	48
CSL	49
PVC and Paint	50
Felt	52
Panel Fabrics	54
Seating Fabrics	57
Resources	61
Terms and Conditions	62
Asset Tag Locations	62
Product Warranty	64
BIFMA and U.L. Information	65
Model Number Index	66

Teem	➤See page 5
Stow	15
FInishes & Materials	43
Resources	61

Complete specifications are built by following a set of steps. These “How to Specify” steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some model numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶ or ❷) make up the base model number.
- Steps numbered using an outlined circle with a black number inside (e.g., ③, ④, or ⑤) are required to complete the specification.

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.



TEEM
Media Wall & Tables

Media Tops (13/16"H)

Pricing

GSA Contract Pending

D	W	Model	TFL (LL) PVC P Rim	HPL (L) PVC P Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
Rectangular									
42"	60"	**71K4260MWSRT**	$494	$622	$653	$1175	$1175	$1316	$1316
42"	72"	**71K4272MWSRT**	598	753	791	1423	1423	1593	1593
42"	84"	**71K4284MWSRT**	724	912	958	1724	1724	1931	1931
U-Shaped									
42"	60"	**71K4260MWSU**	$619	$653	$686	$1210	$1210	$1355	$1355
42"	72"	**71K4272MWSU**	628	791	831	1466	1466	1641	1641
42"	84"	**71K4284MWSU**	760	958	1006	1776	1776	1989	1989
Taper									
42"	60"	**71K4260MWSTP**	$529	$667	$699	$1234	$1234	$1382	$1382
42"	72"	**71K4272MWSTP**	640	806	846	1495	1495	1673	1673
42"	84"	**71K4284MWSTP**	775	976	1025	1810	1810	2028	2028
Hexagon									
42"	60"	**71K4260MWSHX**	$886	$684	$718	$1258	$1258	$1408	$1408
42"	72"	**71K4272MWSHX**	658	886	930	1523	1523	1705	1705
42"	84"	**71K4284MWSHX**	796	1003	1054	1845	1845	2066	2066

IMPORTANT: Must be used with Teem media wall and base.

* Height (thickness) for TFL tops is 1¼".

Page 8

Teem

General Information ➤See page 2
Product Information 7
Finishes & Materials 43
Resources 63

Standard Includes

- Top: TFL, HPL, or Wood
- Rim profile on three sides (no profile on the back edge that abuts the media wall)
- Media wall attachment hardware

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Read wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Cut-out option:
X = No cut-out
C4C = C4 cut-out (+$52)
C8C = C8 cut-out (+$52)
C9C = C9 cut-out (+$52)
⑤ Surface finish price group (omit for LL):
STD = Group 1
ST02 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
ST02 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Refer to the “standard includes” list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the “How to Specify” steps.

Sample Specification:

The example below shows a complete model number for a **Teem™ rectangular media top in TFL with a softened PVC rim.**

➤See page 8 for the corresponding pricing table and How to Specify steps.



Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Teem	➤See page 5
Stow	15
FInishes & Materials	43
Resources	61

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

pura

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Notes

Teem	➤See page 5
Stow	15
FInishes & Materials	43
Resources	61

Kimball® Office

TEEM™ Media Wall and Tables

Statement of Line

General Information	➤See page 2
Stow	15
FInishes & Materials	43
Resources	61



Media Wall

➤See page 6 to specify.

	58"W
67"H	●



Rectangular Media Tops

➤See page 8 to specify.

	60"W	72"W	84"W
42"D	●	●	●



U-Shaped Media Tops

➤See page 8 to specify.

	60"W	72"W	84"W
42"D	●	●	●



Taper Media Tops

➤See page 8 to specify.

	60"W	72"W	84"W
42"D	●	●	●



Hexagon Media Tops

➤See page 8 to specify.

	60"W	72"W	84"W
42"D	●	●	●



Blade T-Leg Bases

➤See page 9 to specify.

	28"H	35"H	41"H
12"W	●	●	●
15"W	●	●	●



Blade Y-Leg Bases

➤See page 10 to specify.

	28"H	35"H	41"H
12"W	●	●	●
15"W	●	●	●



Disc Bases

➤See page 11 to specify.

	28"H	35"H	41"H
22" dia.	●	●	●
27" dia.	●	●	●



Rectractable Power Components

➤See page 12 to specify.



Drop-In Power Components

➤See page 13 to specify.

Media Wall

Pricing

GSA Contract Pending



D	W	H	Model	TFL	Wood
Media Wall					
12"	58"	67"	**71K5867MW**	$2200	$3600

IMPORTANT: Must be used with Teem media top and base.

TV and TV mounts are not included. Media wall is not compatible with extendable tv mounts.

General Information ➤See page 2
Statement of Line 5
FInishes & Materials 43
Resources 61

Standard Includes

- Wall: TFL or Wood
- Touch latch access in side panels
- Wire management access in center of the front panel

How to Specify

❶ Model
❷ Material:
LL = TFL
W = Wood
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL color designator

Media Tops

General Information	➤See page 2
Statement of Line	5
FInishes & Materials	43
Resources	61

Rim Profiles



P Softened PVC rim
- Applies to TFL or HPL surfaces
- 3mm PVC edge
- Rim profile on three sides
- No rim profile on the back edge that abuts the media wall



J Self-edge rim
- Applies to HPL surfaces
- Rim profile on three sides
- No rim profile on the back edge that abuts the media wall



F Softened wood rim
- Applies to HPL with wood rim or wood surfaces
- 3mm shaped wood on on three sides
- No rim profile on the back edge that abuts the media wall



M Reed wood rim
- Applies to HPL with wood rim or wood surfaces
- 3mm shaped wood on on three sides
- No rim profile on the back edge that abuts the media wall



S Knife wood rim
- Applies to HPL with wood rim or wood surfaces
- Knife rim on on three sides
- No rim profile on the back edge that abuts the media wall

Cord Management

Teem provides several flexible options for routing and concealing cords and cables. These include:
- Factory-installed C8 and C9 grommets
- Factory-installed C4 cut-outs for power/data/USB centers

Factory-installed cutouts are available as an option on media tops.
➤See below.



C4 cut-outs (8 1/32"W x 4 1/32"D) are for use with:
- MHO retractable power/data center with 3 prong plug (KCEB2PDPS)
- MHO retractable power/data/USB center with 3 prong plug (KCEB2PDUPS)

Power centers must be ordered separately for field installation.



C8 and C9 cut-outs are for use with:
- Vault turnbox power/data center (KCE4124PD); specify C8 cut-out (10 1/2"W x 4 1/16"D).
- Vault turnbox power/data/USB center (KCE4164PD); specify C9 cut-out (14 5/8"W x 4 1/16"D).

Power centers must be ordered separately for field installation.

Grommets for field installation are also available.
➤See the Perks Price List.



Note: Dimensions listed are from the center of grommet to edge of top.

Media Tops (1 3/16"H)

Pricing

GSA Contract Pending

General Information ➤See page 2
Product Information 7
FInishes & Materials 43
Resources 61









D	W	Model	TFL (LL)* PVC P Rim	HPL (L) PVC P Rim	HPL (2L) Self J Rim	HPL (LW) Wood F/M Rim	Wood (W) Wood F/M Rim	HPL (1LW) Wood S Rim	Wood (1W) Wood S Rim
Rectangular									
42"	60"	**71K4260MWSRT**	$494	$622	$653	$1175	$1175	$1316	$1316
42"	72"	**71K4272MWSRT**	598	753	791	1423	1423	1593	1593
42"	84"	**71K4284MWSRT**	724	912	958	1724	1724	1931	1931
U-Shaped									
42"	60"	**71K4260MWSU**	$519	$653	$686	$1210	$1210	$1355	$1355
42"	72"	**71K4272MWSU**	628	791	831	1466	1466	1641	1641
42"	84"	**71K4284MWSU**	760	958	1006	1776	1776	1989	1989
Taper									
42"	60"	**71K4260MWSTP**	$529	$667	$699	$1234	$1234	$1382	$1382
42"	72"	**71K4272MWSTP**	640	806	846	1495	1495	1673	1673
42"	84"	**71K4284MWSTP**	775	976	1025	1810	1810	2028	2028
Hexagon									
42"	60"	**71K4260MWSHX**	$886	$684	$718	$1258	$1258	$1408	$1408
42"	72"	**71K4272MWSHX**	658	886	930	1523	1523	1705	1705
42"	84"	**71K4284MWSHX**	796	1003	1054	1845	1845	2066	2066

IMPORTANT: Must be used with Teem media wall and base.

* Height (thickness) for TFL tops is 1⅛".

Standard Includes

- Top: TFL, HPL, or Wood
- Rim profile on three sides (no profile on the back edge that attaches to the media wall)
- Media wall attachment hardware

How to Specify

❶ Model
❷ Material:
LL = TFL with P rim
L = HPL with P rim
2L = HPL with J rim
LW = HPL with wood F or M rim
W = Wood with wood F or M rim
1LW = HPL with wood S rim
1W = Wood with wood S rim
③ Rim profile:
P = Softened PVC rim (LL or L)
J = HPL self rim (2L)
F = Softened wood rim (LW or W)
M = Reed wood rim (LW or W)
S = Knife wood rim (1LW or 1W)
④ Cut-out option:
X = No cut-out
C4C = C4 cut-out (+$52)
C8C = C8 cut-out (+$52)
C9C = C9 cut-out (+$52)
⑤ Surface finish price group (omit for LL):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Surface finish designator
⑦ Rim finish price group (include for LW and 1LW models only):
STD = Group 1
STD2 = Group 2 (+20%)
⑧ Rim finish designator (include for LL, L, LW and 1LW models only)

Blade Bases

Pricing

T-Leg

GSA Contract Pending



D	W	H	Individual Foot Depth	Model	Price
For Use with Hexagon and Taper Media Tops					
26"	2⅜"	28"	12"	**71K2628MLGBLT**	$348
26"	2⅜"	35"	12"	**71K2635MLGBLT**	428
26"	2⅜"	41"	12"	**71K2641MLGBLT**	471
For Use with Rectangular and U-Shaped Media Tops					
32"	2⅜"	28"	15"	**71K3228MLGBLT**	$375
32"	2⅜"	35"	15"	**71K3235MLGBLT**	462
32"	2⅜"	41"	15"	**71K3241MLGBLT**	508

IMPORTANT: For use with Teem media wall and media top only.

General Information ➤See page 2
Statement of Line 5
FInishes & Materials 43
Resources 61

Standard Includes

- Adjustable glides
- Attachment hardware

How to Specify

❶ Model
② Leg paint color designator
③ Foot paint color or non-paint finish designator

Blade Bases

Pricing

Y-Leg

GSA Contract Pending



D	H	Individual Foot Depth	Model	Price
For Use with Hexagon and Taper Media Tops				
21⅝"	28"	12"	**71K2228MLGBLY**	$348
21⅝"	35"	12"	**71K2235MLGBLY**	428
21⅝"	41"	12"	**71K2241MLGBLY**	471
For Use with Rectangular and U-Shaped Media Tops				
26⅞"	28"	15"	**71K2728MLGBLY**	$375
26⅞"	35"	15"	**71K2735MLGBLY**	462
26⅞"	41"	15"	**71K2741MLGBLY**	508

IMPORTANT: For use with Teem media wall and media top only.

General Information ➤See page 2
Statement of Line 5
FInishes & Materials 43
Resources 61

Standard Includes

- Adjustable glides
- Attachment hardware

How to Specify

❶ Model
② Leg paint color designator
③ Foot paint color or non-paint finish designator

Disc Bases

Pricing

GSA Contract Pending

General Information ➤See page 2
Statement of Line 5
FInishes & Materials 43
Resources 61







D	*W*	*H*	*Model*	*Price*
Worksurface Height				
22"	22"	28"	**74K2228D**	$490
27"	27"	28"	**74K2728D**	625
Counter Height				
22"	22"	35"	**74K2235D**	$594
27"	27"	35"	**74K2735D**	689
Café Height				
22"	22"	41"	**74K2241D**	$618
27"	27"	41"	**74K2741D**	699

Standard Includes

- Attachment hardware

How to Specify

❶ Model
② Column paint color designator

Power Components

Pricing

Retractable Corded Units

GSA Contract Pending

General Information ➤See page 2
Statement of Line 5
FInishes & Materials 43
Resources 61





D	*W*	*Model*	*Price*
Mho® Rectractable Power/Data Center with Three-Prong Plug			
4⅜"	8⅜"	**KCEB2PDPS**	$345
Mho® Rectractable Power/Data/USB with Three-Prong Plug			
4⅜"	8⅜"	**KCEB2PDUPS**	$445

IMPORTANT: Specify C4 factory-installed cut-out in top.

Standard Includes

Power/Data Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- Two blank data ports that can accommodate one of eight provided adapter plates
- Anodized aluminum body: clear finish
- Pop-up lid that sits flush with surface when closed
- Fits C4 cut-out

Power/Data/USB Center

- 10' cord with 15-amp straight, three-prong plug
- Two 15-amp receptacles
- One blank data port that can accommodate one of eight provided adapter plates
- One port with two USB charging outlets
- Anodized aluminum body: clear finish
- Pop-up lid that sits flush with surface when closed
- Fits C4 cut-out

How to Specify

❶ Model

Power Components

Pricing

Drop-In Corded Units

GSA Contract Pending

General Information ➤See page 2
Statement of Line 5
FInishes & Materials 43
Resources 61



D	*W*	*H*	*Model*	*Price*
Vault Turnbox Power/Data Center				
11¾"	4⅜"	4⅜"	**KCE4124PD**	$1125



Vault Turnbox Power/Data/USB Center				
15⅞"	4⅜"	4⅜"	**KCE4164PD**	$1250

IMPORTANT: Specify C8 or C9 factory-installed cut-out in top

Standard Includes

Power/Data Center

- 12' cord with 15-amp, three-prong plug
- Two 15-amp receptacles
- One data port
- One touch open and close mechanism
- Safety photo-electronic eye prevents rotation when unit is in use
- Anodized aluminum finish
- Fits C8 cut-out

Power/Data/USB Center

- 12' cord with 15-amp, three-prong plug
- Three 15-amp receptacles
- Three data ports
- One VGA connection
- One touch open and close mechanism
- Safety photo-electronic eye prevents rotation when unit is in use
- Anodized aluminum finish
- Fits C9 cut-out

How to Specify

❶ Model

Notes

General Information	➤See page 2
Statement of Line	5
FInishes & Materials	43
Resources	61

General Information	➤See page 2
Teem	5
FInishes & Materials	43
Resources	61







TFL or Wood Wallpanels

➤See pages 18–20 to specify.

● = Blank wallpanels
■ = Full-width wood or glass shelves
▲ = Half-width wood or glass shelves

	36"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
48"H	●■	●■	●■	●■	●■	●■	●■▲	●■▲



Fabric Wallpanels

➤See page 21 to specify.

	36"W	48"W
48"H	●	●



Markerboard Wallpanels

➤See page 21 to specify.

	36"W	48"W
48"H	●	●



Glass Wallpanels

● = Magnetic glass
■ = Non-magnetic glass

➤See page 22 to specify.

	36"W	48"W
48"H	●■	●■

General Information	➤See page 2
Teem	5
FInishes & Materials	43
Resources	61





Wall Cubbies

Available in:

- Open (wood or TFL chassis)
- TFL sliding door (TFL chassis)
- Wood sliding door (wood chassis)
- Painted wood sliding door (wood or TFL chassis)
- Glass sliding door (wood or TFL chassis)

➤See pages 23–27 to specify.

	30"W	36"W	42"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
10"H	●	●	●	●	●	●	●	●	●	●





Floor Cabinets

Available in:

- Open (wood or TFL chassis)
- TFL sliding door (TFL chassis)
- Wood sliding door (wood chassis)
- Painted wood sliding door (wood or TFL chassis)
- Glass sliding door (wood or TFL chassis)

➤See pages 28–32 to specify.

	30"W	36"W	42"W	48"W
10"H	●	●	●	●
14"H	●	●	●	●
20"H	●	●	●	●



Platform Bases

➤See page 33 to specify.

	30"W	36"W	42"W	48"W	60"W	72"W	78"W	84"W	90"W	96"W
4"H	●	●	●	●	●	●	●	●	●	●

Legs

➤See page 34 to specify.

	30"W
4"H	●



Felt Pads

➤See page 35 to specify.

	30"W	36"W	42"W	48"W	60"W	72"W	78"W
⅛"H	●	●	●	●	●	●	●

General Information	➤See page 2
Teem	5
FInishes & Materials	43
Resources	61



Buffet/Media Cabinets

Available with:

- Doors
- Doors and drawers

➤See page 36 to specify.

	48"W	72"W	90"W
29"H	●	●	●
36"H	●	●	●



Serving Carts

Available with:

- Doors
- Doors and drawers

➤See page 39 to specify.

	36"W
41"H	●



Lectern

➤See page 40 to specify.

	27"W
47"h	●

Wallpanels

Pricing

TFL or Wood

GSA Contract Pending



T	W	H	Model	TFL	Wood
Without Shelves					
1 3/16"	36"	48"	**72K3648WP**	$428	$514
1 3/16"	48"	48"	**72K4848WP**	474	646
1 3/16"	60"	48"	**72K6048WP**	542	816
1 3/16"	72"	48"	**72K7248WP**	618	930
1 3/16"	78"	48"	**72K7848WP**	680	1023
1 3/16"	84"	48"	**72K8448WP**	748	1125
1 3/16"	90"	48"	**72K9048WP**	822	1238
1 3/16"	96"	48"	**72K9648WP**	938	1410

For wall-mount applications only.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Wallpanel: TFL or wood
- Wall-mount attachment hardware

How to Specify

❶ Model
❷ Material:
LL = TFL
W = Wood
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL color designator

Wallpanels

Pricing

TFL or Wood with Wood Shelves

GSA Contract Pending

General Information	➤See page 2
Statement of Line	15
FInishes & Materials	43
Resources	61







T	*W*	*H*	*Model*	*TFL*	*Wood*
Full-Width Wood Shelves					
1 3/16"	36"	48"	**72K3648WPWDSH**	$1355	$1710
1 3/16"	48"	48"	**72K4848WPWDSH**	1457	1800
1 3/16"	60"	48"	**72K6048WPWDSH**	1534	1894
1 3/16"	72"	48"	**72K7248WPWDSH**	1614	1994
1 3/16"	78"	48"	**72K7848WPWDSH**	1736	2099
1 3/16"	84"	48"	**72K8448WPWDSH**	1866	2200
1 3/16"	90"	48"	**72K9048WPWDSH**	1997	2280
1 3/16"	96"	48"	**72K9648WPWDSH**	2032	2400
Blank Left and Wood Shelves Right					
1 3/16"	90"	48"	**72K9048WPWDSHR**	$1469	$1683
1 3/16"	96"	48"	**72K9648WPWDSHR**	1619	1856
Wood Shelves Left and Blank Left					
1 3/16"	90"	48"	**72K9048WPWDSHL**	$1469	$1683
1 3/16"	96"	48"	**72K9648WPWDSHL**	1619	1856

For wall-mount applications only.

Shelves are wood; TFL shelves are not available.

Standard Includes

- Wallpanel: TFL or wood
- ¼"-thick, 6¼"D shelves: wood
- Attachment hardware

How to Specify

TFL Wallpanel

❶ Model
❷ Material:
LL = TFL
③ TFL color designator
④ Wood finish price group for shelves:
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish designator for shelves

Wood Wallpanel

❶ Model
❷ Material:
W = Wood
③ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish designator

Wallpanels

Pricing

TFL or Wood with Glass Shelves

GSA Contract Pending

General Information	➤See page 2
Statement of Line	15
FInishes & Materials	43
Resources	61







T	*W*	*H*	*Model*	*TFL*	*Wood*
Full-Width Glass Shelves					
1 3/16"	36"	48"	**72K3648WPGLSH**	$1314	$1658
1 3/16"	48"	48"	**72K4848WPGLSH**	1413	1746
1 3/16"	60"	48"	**72K6048WPGLSH**	1487	1837
1 3/16"	73"	48"	**72K7248WPGLSH**	1566	1934
1 3/16"	78"	48"	**72K7848WPGLSH**	1684	2036
1 3/16"	84"	48"	**72K8448WPGLSH**	1810	2134
1 3/16"	90"	48"	**72K9048WPGLSH**	1937	2112
1 3/16"	96"	48"	**72K9648WPGLSH**	1971	2328
Blank Left and Glass Shelves Right					
1 3/16"	90"	48"	**72K9048WPGLSHR**	$1322	$1514
1 3/16"	96"	48"	**72K9648WPGLSHR**	1457	1670
Glass Shelves Left and Blank Left					
1 3/16"	90"	48"	**72K9048WPGLSHL**	$1322	$1514
1 3/16"	96"	48"	**72K9648WPGLSHL**	1457	1670

For wall-mount applications only.

Standard Includes

- Wallpanel: TFL or wood
- 1/4"-thick, 6 1/4"D shelves: clear glass
- Attachment hardware

How to Specify

❶ Model
❷ Material:
LL = TFL
W = Wood
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL color designator
⑤ Glass designator:
3 = Clear

Wallpanels

Pricing

Fabric or Markerboard

GSA Contract Pending



T	W	H	COM Yardage 66"W non-dir.	Model	COM	Panel Fabric Grade A-E	Seating Fabric Grade 1–3	Grade 4–6
Fabric								
1 3/16"	36"	48"	1.2	**72K3648WPTBN**	$394	$430	$439	$496
1 3/16"	48"	48"	1.2	**72K4848WPTBN**	423	469	480	552



T	W	H	Model	Price
Markerboard				
1 3/16"	36"	48"	**72K3648WPMBL**	$1060
1 3/16"	48"	48"	**72K4848WPMBL**	1160

For wall-mount applications only.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Wallpanel: fabric or markerboard
- Finished back, sides, and top on fabric model
- Attachment hardware

How to Specify

Fabric Wallpanel

❶ Model
② Fabric grade
③ Fabric number

Markerboard Wallpanel

❶ Model
② Markerboard finish:
409M = Icey White

Wallpanels

Pricing

Glass

GSA Contract Pending





T	W	H	Model	Price
Non-Magnetic				
½"	36"	48"	**72K3648WPGL**	$1348
½"	48"	48"	**72K4848WPGL**	1615

D	W	H	Model	Price
Magnetic				
½"	36"	48"	**72K3648WPMAGGL**	$1724
½"	48"	48"	**72K4848WPMAGGL**	2334

Related Products:

	Model	Price
Set of 5 Magnets		
	72KMAG5	$109

For wall-mount applications only.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Wallpanel: back-painted white glass
- Attachment hardware

How to Specify

Glass Wallpanel

❶ Model

Magnets

❶ Model
② Color:
BLK = Black
WHT = White

Wall Cubbies

Pricing

Open

GSA Contract Pending



D	W	H	Number of Sections	Model	TFL	Wood
14"	30"	10"	2	**72K3010WCBO**	$410	$618
14"	36"	10"	2	**72K3610WCBO**	462	692
14"	42"	10"	3	**72K4210WCBO**	536	784
14"	48"	10"	3	**72K4810WCBO**	572	912
14"	60"	10"	4	**72K6010WCBO**	609	1154
14"	72"	10"	4	**72K7210WCBO**	636	1294
14"	78"	10"	4	**72K7810WCBO**	664	1488
14"	84"	10"	4	**72K8410WCBO**	764	1711
14"	90"	10"	4	**72K9010WCBO**	794	1514
14"	96"	10"	4	**72K9610WCBO**	953	1816

For wall-mount applications only.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Chassis: TFL or wood
- Finished interior, back, sides, bottom and top
- Wall-mount attachment hardware

How to Specify

❶ Model
❷ Material:
LL = TFL
W = Wood
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL color designator

Wall Cubbies

Pricing

With Sliding TFL Door(s)

GSA Contract Pending

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61



D	*W*	*H*	*Number of Doors*	*Numer of Compartments*	*Model*	*Price*
14"	30"	10"	1	2	**72K3010WCBLLD**	$561
14"	36"	10"	1	2	**72K3610WCBLLD**	578
14"	42"	10"	2	3	**72K4210WCBLLD**	668
14"	48"	10"	2	3	**72K4810WCBLLD**	728
14"	60"	10"	2	4	**72K6010WCBLLD**	776
14"	72"	10"	2	4	**72K7210WCBLLD**	840
14"	78"	10"	2	4	**72K7810WCBLLD**	924
14"	84"	10"	2	4	**72K8410WCBLLD**	1016
14"	90"	10"	2	4	**72K9010WCBLLD**	1050
14"	96"	10"	2	4	**72K9610WCBLLD**	1197

Standard Includes

- Chassis: TFL
- Sliding door: TFL
- Finished interior, back, sides, bottom and top
- Wall-mount attachment hardware

How to Specify

1. Model
2. Chassis material:
   LL = TFL
3. TFL color designator

For wall-mount applications only.

TFL door will match the TFL specified for the chassis. Contrasting TFL is not available.

Wall Cubbies

Pricing

With Sliding Wood Door(s)

GSA Contract Pending



D	W	H	Number of Doors	Numer of Compartments	Model	Price
14"	30"	10"	1	2	**72K3010WCBWD**	$1106
14"	36"	10"	1	2	**72K3610WCBWD**	1140
14"	42"	10"	2	3	**72K4210WCBWD**	1260
14"	48"	10"	2	3	**72K4810WCBWD**	1361
14"	60"	10"	2	4	**72K6010WCBWD**	1512
14"	72"	10"	2	4	**72K7210WCBWD**	1590
14"	78"	10"	2	4	**72K7810WCBWD**	1749
14"	84"	10"	2	4	**72K8410WCBWD**	1853
14"	90"	10"	2	4	**72K9010WCBWD**	1865
14"	96"	10"	2	4	**72K9610WCBWD**	2127

For wall-mount applications only.

Finish on wood-finished door model will match the wood finish specified for the chassis. Contrasting finish is not available..

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Chassis: wood
- Sliding door: wood with wood finish
- Finished interior, back, sides, bottom and top
- Wall-mount attachment hardware

How to Specify

❶ Model
❷ Chassis material:
W = Wood
③ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish designator

Wall Cubbies

Pricing

With Sliding Painted Door(s)

GSA Contract Pending



D	*W*	*H*	*Number of Doors*	*Numer of Compartments*	*Model*	*Chassis Material TFL*	*Wood*
14"	30"	10"	1	2	**72K3010WCBPD**	$561	$1106
14"	36"	10"	1	2	**72K3610WCBPD**	578	1140
14"	42"	10"	2	3	**72K4210WCBPD**	668	1260
14"	48"	10"	2	3	**72K4810WCBPD**	728	1361
14"	60"	10"	2	4	**72K6010WCBPD**	776	1512
14"	72"	10"	2	4	**72K7210WCBPD**	840	1590
14"	78"	10"	2	4	**72K7810WCBPD**	924	1749
14"	84"	10"	2	4	**72K8410WCBPD**	1016	1853
14"	90"	10"	2	4	**72K9010WCBPD**	1050	1865
14"	96"	10"	2	4	**72K9610WCBPD**	1197	2127

For wall-mount applications only.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Chassis: TFL or wood
- Sliding door: painted wood
- Finished interior, back, sides, bottom and top
- Wall-mount attachment hardware

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Door paint finish designator
④ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish or TFL color designator

Wall Cubbies

Pricing

With Sliding Glass Door(s)

GSA Contract Pending







D	*W*	*H*	*Number of Doors*	*Numer of Compartments*	*Model*	*Chassis Material TFL*	*Wood*
14"	30"	10"	1	2	**72K3010WCBGD**	$1198	$1433
14"	36"	10"	1	2	**72K3610WCBGD**	1234	1476
14"	42"	10"	2	3	**72K4210WCBGD**	1370	1638
14"	48"	10"	2	3	**72K4810WCBGD**	1493	1769
14"	60"	10"	2	4	**72K6010WCBGD**	1597	1963
14"	72"	10"	2	4	**72K7210WCBGD**	1725	2061
14"	78"	10"	2	4	**72K7810WCBGD**	1898	2267
14"	84"	10"	2	4	**72K8410WCBGD**	1954	2555
14"	90"	10"	2	4	**72K9010WCBGD**	2014	2632
14"	96"	10"	2	4	**72K9610WCBGD**	2102	2819

For wall-mount applications only.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Chassis: TFL or wood
- Sliding door: glass
- Finished interior, back, sides, bottom and top
- Wall-mount attachment hardware

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Glass pattern:
202G = Ice gloss
④ Door frame finish:
511 = Silver satin
⑤ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
⑥ Wood finish or TFL color designator

Floor Cabinets

Pricing

Open

GSA Contract Pending



D	W	H	Number of Sections	Model	TFL	Wood
10"H						
14"	30"	10"	1	**72K3010FCBOF**	$410	$618
14"	36"	10"	2	**72K3610FCBOF**	462	686
14"	42"	10"	2	**72K4210FCBOF**	536	784
14"	48"	10"	2	**72K4810FCBOF**	572	912



14"H						
14"	30"	14"	1	**72K3014SCOF**	$621	$801
14"	36"	14"	2	**72K3614SCOF**	671	872
14"	42"	14"	2	**72K4214SCOF**	745	946
14"	48"	14"	2	**72K4814SCOF**	1045	1204



20"H						
14"	30"	20"	1	**72K3020SCOF**	$654	$816
14"	36"	20"	2	**72K3620SCOF**	722	888
14"	42"	20"	2	**72K4220SCOF**	801	930
14"	48"	20"	2	**72K4820SCOF**	1124	1224

IMPORTANT: For floor applications only. Must be used with Stow platform base or legs.

Felt Pads
➤See page 35.

Platform Bases
➤See page 33.

Legs
➤See page 34.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Chassis: TFL or wood
- Finished interior, back, sides, and top
- One ¾"-thick adjustable shelf in each section of 14"H and 20"H models

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL color designator

Floor Cabinets

Pricing

With Sliding TFL Door

GSA Contract Pending

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61



D	W	H	Number of Doors	Numer of Compartments	Model	Price
10"H						
14"	30"	10"	1	2	**72K3010FCBLLDF**	$436
14"	36"	10"	1	2	**72K3610FCBLLDF**	510
14"	42"	10"	1	2	**72K4210FCBLLDF**	571
14"	48"	10"	1	2	**72K4810FCBLLDF**	616



14"H						
14"	30"	14"	1	2	**72K3014SCLLDF**	$618
14"	36"	14"	1	2	**72K3614SCLLDF**	724
14"	42"	14"	1	2	**72K4214SCLLDF**	810
14"	48"	14"	1	2	**72K4814SCLLDF**	872



20"H						
14"	30"	20"	1	2	**72K3020SCLLDF**	$624
14"	36"	20"	1	2	**72K3620SCLLDF**	730
14"	48"	20"	1	2	**72K4220SCLLDF**	818
14"	48"	20"	1	2	**72K4820SCLLDF**	891

IMPORTANT: For floor applications only. Must be used with Stow platform base or legs.

TFL door will match the TFL specified for the chassis. Contrasting TFL is not available.

Felt Pads
➤See page 35.

Platform Bases
➤See page 33.

Legs
➤See page 34.

Standard Includes

- Chassis: TFL
- Sliding door: TFL
- Finished interior, back, sides, and top
- One ¾"-thick adjustable shelf in each section of 14"H and 20"H models

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
③ TFL color designator

Floor Cabinets

Pricing

With Sliding Wood Door

GSA Contract Pending

General Information	➤See page 2
Statement of Line	15
FInishes & Materials	43
Resources	61







D	W	H	Number of Doors	Numer of Compartments	Model	Price
10"H						
14"	30"	10"	1	2	**72K3010FCBWDF**	$758
14"	36"	10"	1	2	**72K3610FCBWDF**	1008
14"	42"	10"	1	2	**72K4210FCBWDF**	1119
14"	48"	10"	1	2	**72K4810FCBWDF**	1220
14"H						
14"	30"	14"	1	2	**72K3014SCWDF**	$950
14"	36"	14"	1	2	**72K3614SCWDF**	1268
14"	42"	14"	1	2	**72K4214SCWDF**	1408
14"	48"	14"	1	2	**72K4814SCWDF**	1540
20"H						
14"	30"	20"	1	2	**72K3020SCWDF**	$1306
14"	36"	20"	1	2	**72K3620SCWDF**	1736
14"	42"	20"	1	2	**72K4220SCWDF**	1927
14"	48"	20"	1	2	**72K4820SCWDF**	2100

IMPORTANT: For floor applications only. Must be used with Stow platform base or legs.

Finish on wood door model will match the wood finish specified for the chassis. Contrasting finishes are not available.

Felt Pads
➤See page 35.

Platform Bases
➤See page 33.

Legs
➤See page 34.

Standard Includes

- Chassis: wood
- Sliding door: wood with wood finish
- Finished interior, back, sides, and top
- One ¾"-thick adjustable shelf in each section of 14"H and 20"H models

How to Specify

❶ Model
❷ Chassis material:
W = Wood
③ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish designator

Floor Cabinets

Pricing

With Sliding Painted Door

GSA Contract Pending

General Information	➤See page 2
Statement of Line	15
FInishes & Materials	43
Resources	61



D	W	H	Number of Doors	Numer of Compartments	Model	Chassis Material TFL	Chassis Material Wood
10"H							
14"	30"	10"	1	2	**72K3010FCBPDF**	$523	$758
14"	36"	10"	1	2	**72K3610FCBPDF**	612	1008
14"	42"	10"	1	2	**72K4210FCBPDF**	685	1119
14"	48"	10"	1	2	**72K4810FCBPDF**	739	1220



14"H							
14"	30"	14"	1	2	**72K3014SCPDF**	$742	$950
14"	36"	14"	1	2	**72K3614SCPDF**	869	1268
14"	42"	14"	1	2	**72K4214SCPDF**	972	1408
14"	48"	14"	1	2	**72K4814SCPDF**	1046	1540



20"H							
14"	30"	20"	1	2	**72K3020SCPDF**	$749	$1306
14"	36"	20"	1	2	**72K3620SCPDF**	876	1736
14"	42"	20"	1	2	**72K4220SCPDF**	982	1927
14"	48"	20"	1	2	**72K4820SCPDF**	1069	2100

IMPORTANT: For floor applications only. Must be used with Stow platform base or legs.

Felt Pads
➤See page 35.

Platform Bases
➤See page 33.

Legs
➤See page 34.

Standard Includes

- Chassis: TFL or wood
- Sliding door: painted wood
- Finished interior, back, sides, and top
- One ¾"-thick adjustable shelf in each section of 14"H and 20"H models

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Door paint finish designator
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL color designator

Floor Cabinets

Pricing

With Sliding Glass Door

GSA Contract Pending







D	W	H	Number of Doors	Numer of Compartments	Model	Chassis Material TFL	Wood
10"H							
14"	30"	10"	1	2	**72K3010FCBGDF**	$1156	$1535
14"	36"	10"	1	2	**72K3610FCBGDF**	1306	1704
14"	42"	10"	1	2	**72K4210FCBGDF**	1515	1942
14"	48"	10"	1	2	**72K4810FCBGDF**	1758	2214
14"H							
14"	30"	14"	1	2	**72K3014SCGDF**	$1245	$1874
14"	36"	14"	1	2	**72K3614SCGDF**	1456	2492
14"	42"	14"	1	2	**72K4214SCGDF**	1631	2742
14"	48"	14"	1	2	**72K4814SCGDF**	1778	3015
20"H							
14"	30"	20"	1	2	**72K3020SCGDF**	$1179	$1918
14"	36"	20"	1	2	**72K3620SCGDF**	1379	2493
14"	42"	20"	1	2	**72K4220SCGDF**	1545	2743
14"	48"	20"	1	2	**72K4820SCGDF**	1684	3017

IMPORTANT: For floor applications only. Must be used with Stow platform base or legs.

Felt Pads
➤See page 35.

Platform Bases
➤See page 33.

Legs
➤See page 34.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Chassis: TFL or wood
- Sliding door: glass
- Finished interior, back, sides, and top
- One ¾"-thick adjustable shelf in each section of 14"H and 20"H models

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Glass pattern/door frame finish:
202G = Ice gloss
④ Door frame finish:
511 = Silver satin
④ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish or TFL color designator

Platform Bases

Pricing

For Use with Floor Cabinets

GSA Contract Pending



D	W	H	Model	TFL	Wood
Platform Bases					
18"	30"	4"	**72K304PLFMF**	$316	$474
18"	36"	4"	**72K364PLFMF**	332	498
18"	42"	4"	**72K424PLFMF**	350	525
18"	48"	4"	**72K484PLFMF**	369	553
18"	60"	4"	**72K604PLFMF**	388	582
18"	72"	4"	**72K724PLFMF**	408	611
18"	78"	4"	**72K784PLFMF**	445	668
18"	84"	4"	**72K844PLFMF**	485	728
18"	90"	4"	**72K904PLFMF**	538	774
18"	96"	4"	**72K964PLFMF**	586	844

Floor cabinets can be combined in a variety of configurations and supported on a single platform base; overall width must match the width of the base.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Finished interior, back, sides, and top
- Adjustable glides

How to Specify

❶ Model
❷ Base material:
LL = TFL
W = Wood
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL color designator

Legs

Pricing

For Use with Floor Cabinets

GSA Contract Pending

D	W	H	Model	Price
Set of 4 for use with 30" and 36"W Floor Cabinets				
1¼"	1¼"	4"	**72K114SLG4A**	$224
Set of 5 for use with 42" and 48"W Floor Cabinets				
1¼"	1¼"	4"	**72K114SLG5A**	$280

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Legs: anodized aluminum

How to Specify

❶ Model

For use with Stow floor cabinets only.

Felt Pads

Pricing

For Use with Floor Cabinets

GSA Contract Pending



D	W	H	Model	Price
Felt Pads				
14"	30"	1⁄8"	**72K1430PDF**	$172
14"	36"	1⁄8"	**72K1436PDF**	210
14"	42"	1⁄8"	**72K1442PDF**	246
14"	48"	1⁄8"	**72K1448PDF**	278
14"	60"	1⁄8"	**72K1460PDF**	339
14"	72"	1⁄8"	**72K1472PDF**	374
14"	78"	1⁄8"	**72K1478PDF**	409

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Pad: felt

How to Specify

❶ Model
② Felt color designator

For use with Stow storage.

Buffet/Media Cabinets

Pricing

GSA Contract Pending

General Information	➤See page 2
Statement of Line	15
FInishes & Materials	43
Resources	61









D	W	H	Number of Doors	Number of Optional Locks	Model	TFL	Wood
29"H Cabinets							
with Doors							
24"	48"	29"	3	2	**72K214829CBDR**	$1340	$2413
24"	72"	29"	4	2	**72K217229CBDR**	1558	2804
24"	90"	29"	4	2	**72K219029CBDR**	1777	3198
with Doors and Drawers							
24"	48"	29"	3	2	**72K214829CBDRDWR**	$1676	$3026
24"	72"	29"	4	2	**72K217229CBDRDWR**	1948	3518
24"	90"	29"	4	2	**72K219029CBDRDWR**	2221	4010
36"H Cabinets							
with Doors							
24"	48"	36"	3	2	**72K214836CBDR**	$1577	$2839
24"	72"	36"	4	2	**72K217236CBDR**	1833	3299
24"	90"	36"	4	3	**72K219036CBDR**	2090	3762
with Doors and Drawers							
24"	48"	36"	3	2	**72K214836CBDRDWR**	$1971	$3560
24"	72"	36"	4	2	**72K217236CBDRDWR**	2292	4139
24"	90"	36"	4	2	**72K219036CBDRDWR**	2613	4718

Locking doors are available as an option; locking drawers are not available.

Standard Includes

- Adjustable shelf behind hinged doors
- Non-locking doors and/or drawers
- Flat rim profile on all sides of the top

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Door lock option:
X = Non-locking
KRB = Key random, black core (+$58 per lock)
KRC = Key random, chrome core (+$58 per lock)
KRS = Key random, silver core (+$58 per lock)
KS = Key specific (+$36 per lock); specify lock cores separately
➤See page 41.
④ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish or TFL designator
⑥ Grommet option:
X = No grommet
➤See page 37 for option designators.
⑦ Ventilation option:
Y = Yes (+$100)
N = No
➤See page 38 for vent location(s).

Buffet/Media Cabinets

Options

Factory-Installed Grommets

GSA Contract Pending

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

	Left		*Right*		*Left & Right*		*Center*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G1 Plastic Grommets								
48"W Buffet/Media Cabinet	—		—		—		**G1C**	+$57
72"W Buffet/Media Cabinet	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	—	
90"W Buffet/Media Cabinet	**G1L**	+$57	**G1R**	+$57	**G1LR**	+$114	—	
G19 Metal Grommets								
48"W Buffet/Media Cabinet	—		—		—		**G19C**	+$57
72"W Buffet/Media Cabinet	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—	
90"W Buffet/Media Cabinet	**G19L**	+$57	**G19R**	+$57	**G19LR**	+$114	—	

48"W Cabinets



72"W Cabinets



90"W Cabinets



Note: Dimensions listed are from the center of grommet to edge of top.

Available Finishes

G1 Plastic Grommets:
SL Silver
MB Matte Black

G19 Metal Grommets:
405 Designer White
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

How to Specify

① Insert the location *and* finish designator (for grommets) in step ⑦ of the model number sequence as indicated on the corresponding pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators.
For example:
G1LMB = G1 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix at left with a designator and price are available.

Buffet/Media Cabinets

Options

Factory-Installed Ventilation Grommets

GSA Contract Pending

General Information	➤See page 2
Statement of Line	15
FInishes & Materials	43
Resources	61

48"W Cabinets with Doors





48"W Cabinets with Doors and Drawers





Note: A single vent is located in the double-door section of 48"W models with drawers.

72"W Cabinets with Doors or with Doors and Drawers





90"W Cabinets with Doors or with Doors and Drawers





Available Finishes

MB Matte Black

How to Specify

① Insert "Y" in step ⑦ in the model number sequence as indicated on the corresponding pricing page.

IMPORTANT: Only the locations indicated at left are available.

Serving Carts

Pricing

GSA Contract Pending

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61





D	W	H	Model	TFL	Wood
Two Doors					
21"	36"	41"	**72K2136MSCDR**	$1910	$2607
Two Doors and Two Drawers					
21"	36"	41"	**72K2136MSCDRDWR**	$2121	$2897

Locking doors are available as an option; locking drawers are not available.

Standard Includes

- Adjustable shelf behind hinged doors
- Non-locking doors and/or drawers
- Flat rim profile on all sides of the top
- Four locking dual-wheel casters

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Door lock option:
X = Non-locking
KRB = Key random, black core (+$58)
KRC = Key random, chrome core (+$58)
KRS = Key random, silver core (+$58)
KS = Key specific (+$36); specify lock core separately
➤See page 41.
④ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
⑤ Wood finish or TFL designator
⑥ Rim finish designator (include for LL models only)

Lectern

Pricing

GSA Contract Pending

D	W	H	Model	TFL	Wood
Open					
26¾"	27"	47"	**72K2747LCO**	$2823	$3677

Center grommet option provides two grommets; one in the top and in the bottom of the unit.

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Standard Includes

- Pencil catch
- Flat rim profile on all sides of the top
- Four locking dual-wheel casters

How to Specify

❶ Model
❷ Chassis material:
LL = TFL
W = Wood
③ Wood finish price group (omit for TFL):
STD = Group 1
STD2 = Group 2 (+20%)
④ Wood finish or TFL designator
⑤ Rim finish designator (include for LL models only)
⑥ Center grommet option:
X = No grommet
G1CSL = Silver plastic grommet (+$57)
G1CMB = Matte Black plastic grommet (+$57)
G19C405 = Designer White metal grommet (+$57)
G19C501 = Platinum Metallic metal grommet (+$57)
G19C514 = Carbon Metallic metal grommet (+$57)
G19C544 = Silver Pearl metal grommet (+$57)

Locking Information

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

Locking buffet/media cabinets and serving carts can be specified as:
- Non-locking (standard)
- Key random
- Key specific

Lock cores are shipped separately for field installation.

Black lock cores and hinged keys are identical to the ones available on the following Casegoods products:
- Definition
- Priority
- Transcend

Silver lock cores and hinged keys are identical to the ones available on the following products:
- Definition
- Fluent
- Hum
- Priority

Key Random Option:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KSCD001 to KSCD300.

Randomly numbered lock core(s) will ship standard along with your order for field installation.

Exception: Randomly numbered lock cores on Kwik Office models are shipped installed.



With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific Option:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KSCD001 to KSCD300.



To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Change key model KCCB1CK allows removal of lock cores within KSCD001 to KSCD300 key range.

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Master key model KC2GMK will unlock any lock within KSCD001 to KSCD300 key range.

Model/Key Range	*Price*
Black Lock Cores	
KSCD001 to KSCD300	$22
Silver (Matte Nickel) Lock Cores	
KHCA001 to KHCA100	$22
Change Key	
KCCB1CK	$6
Master Key	
KC2GMK	$12

How to Specify

❶ Specify exact key number for lock cores as the model number or model number for change or master key

Notes

General Information ➤See page 2
Statement of Line 15
FInishes & Materials 43
Resources 61

FINISHES & MATERIALS

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, insuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	44
Wood Finishes	45
Special Wood Finishes	46
Characteristics & Care	47
Laminate	48
CSL	49
Paint and Non-Paint	50
PVC	51
Wool Felt	52
Fabric Application	53
Panel Fabrics	54
Seating Fabrics	57

Program Overview

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Wood Finishes

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Wood Veneer

Applies to:
- Teem
- Stow

Cherry *Plain-sliced, Slip-matched*	***Maple*** *Plain-sliced, Slip-matched*	***Oak*** *Quarter-cut, Slip-matched*	***Walnut*** *Plain-sliced, Book-matched*	***Sapele*** *Quarter-cut, Slip-matched*	***Zebrawood*** *Quarter-cut, Slip-matched*
Price Group 1	**Price Group 1**	**Price Group 1**	**Price Group 1**	**Price Group 2**	**Price Group 2**
MC Amber	IM Brighton	CO Canyon	ES Espresso	CS Coco	CZ Clear
CC Cordoba	TM Huntington	YO Monterey	MW Midtown	SS Sienna	
MH Mocha			TW Tribeca		
SC Sedona			NW Tuscan*		
			UW Urban		
			*Quarter-cut, slip-matched		

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact ***By Design*** to review veneer options and discuss special quotes.

➤See page 44 for program overview.
➤See page 47 for wood finish characteristics, care and maintenance.

Price Groups:

STD = Group 1 (list price)
STD2 = Group 2 (20% upcharge)

Special Wood Finishes

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Kimball Office offers the following options for special wood finishes:
- Standard finish color on alternate wood species
- Previously developed special finish
- Custom finish

Standard finish colors available on an alternate wood species include:
- Amber on Maple
- Amber on Walnut
- Mocha on Walnut

These finishes can be specified without going through the finish approval process described at right.

Previously developed special finishes can be selected from an extensive library developed by Kimball Office. Samples of previously developed special finishes are available from Customer Service upon request.

Custom finishes can be developed to meet specific needs, if an acceptable match is not available in our library.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Applicability:

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	*Maple*	*Walnut*	*Sapele*
Price Group	*1*	*1*	*1*	*2*
Arpeggio	•	•		
Collaborative	•	•	•	•
Contemporary	•	•	•	•
Dock	•	•	•	•
Priority	•	•	•	•
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
Pose	•	•	•	•
Scenario	•	•	•	•
Stow	•	•	•	•
Teem	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut.

Upcharges:

A one-time fee of **$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used.

A **10%** upcharge per line item (model number) will be applied for a standard finish on an alternative wood species, a previously developed special finish, or a custom finish. This upcharge is calculated on the base price, before other option upcharges are added.

For upholstered products, the upcharge is calculated on the Grade 1 upholstery price then added to the price for the selected fabric grade, to arrive at the list price.

Custom Finish Approval Process:

① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the $300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.

② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. If not, a custom finish will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.

③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Note: The one-time fee of $300 will not be charged unless a custom match finish is required.

How to Specify

① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.

② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the case-goods line (see matrix at left).

③ **Finish designator:**
For the "Finish designator" step, insert the designator below or the one provided to you by Customer Service:
MA00174KOG = Amber on Maple
WA02905KOG = Amber on Walnut
WA02905KOG = Mocha on Walnut

Wood Finish Characteristics

Including Care and Maintenance Tips

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.
➤See the individual chapters for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

The beauty of wood is that, as a natural product, it will have differences in grain characteristics, color, and other features among wood species. The characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

Maple veneers are slip matched. Brighton Maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Walnut veneers are flat cut and applied book and center matched, except for Tuscan Walnut which is quarter cut.

Cherry veneers are slip matched. Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Oak veneer is quarter cut.

Specification of particular cuts, characteristics, or wood species can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office systems products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

The wood species on seating may vary from the wood species on the casegood or system. Different wood species offer unique texture and grain which provide more variation in finish color; however seating finishes are compatible with casegoods and systems finishes.

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Laminate

TFL and HPL

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Thermally Fused Laminate (TFL)

Applies to:
- Teem with TFL option
- Stow with TFL option

Woodgrain		*Solid*		*Pattern*
MC	Amber Cherry	480	Antique White	Not applicable
CC	Cordoba Cherry	403	Chamois	
MH	Mocha Cherry	462	Cinder	
SC	Sedona Cherry	440	Cloud	
IM	Brighton Maple	405	Designer White	
TM	Huntington Maple	450	Fog	
CO	Canyon Oak	488	Frosty White	
YO	Monterey Oak	461	Graphite	
MW	Midtown Walnut	420	Sandstone	
TW	Tribeca Walnut	425	Shadow	
NW	Tuscan Walnut	460	Storm	
UW	Urban Walnut	419	Wallaby	
CZ	Clear Zebrawood			

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

High-Pressure Laminate (HPL)

Applies to:
- Teem media tops

Price Group 1 (STD)		**Price Group 1 (STD)**		**Price Group 1 (STD)**	
MC	Amber Cherry	480	Antique White	874	Bronze Legacy
CC	Cordoba Cherry	403	Chamois	842	Canyon Zephyr
MH	Mocha Cherry	462	Cinder	823	Carbon Evolv
SC	Sedona Cherry	440	Cloud	841	Desert Zephyr
IM	Brighton Maple	405	Designer White	862	Grey Glace
TM	Huntington Maple	450	Fog	844	Loden Zephyr
CO	Canyon Oak	488	Frosty White	843	Misted Sephyr
YO	Monterey Oak	461	Graphite	846	Morro Zephyr
MW	Midtown Walnut	416	Putty	812	Mushroom Tigris
TW	Tribeca Walnut	420	Sandstone	860	Neutral Santos
NW	Tuscan Walnut	425	Shadow	808	Nickel Evolv
UW	Urban Walnut	460	Storm	807	Silicon Evolv
CZ	Clear Zebrawood	419	Wallaby	873	Tawny Legacy
				805	Titanium Evolv
				809	Tungsten Evolv
				802	White Nebula
				814	White Tigris

Customer specified HPL is also available.
➤See page 49.

Customer Specified Laminate

GSA Non-Contract

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Customer specified high-pressure laminate (CSL) is available select products.
➤Contact Customer Service to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Pricing:

A **20% upcharge per line item** (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② **Finish type:** For the “Finish type” step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ **Finish designator:** For the “Finish designator” step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint and Non-Paint Finishes

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Paint & Non-Paint

	Solid Paint		Metallic Paint		Non-Paint	
Applies to: • Teem blade bases • Teem disc bases	480 462 405 488 461 425	Antique White Cinder Designer White Frosty White Graphite Shadow	501 514 544	Platinum Metallic Carbon Metallic (+10%) Silver Pearl (+10%)	497	Polished Aluminum*

* Available on blade base foot only

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

IMPORTANT: If same or contrasting metallic finish is specified for both the leg and foot of Teem blade base, the upcharge is applied only once per model.

Applies to: • Stow wall cubby and floor cabinet doors	480	Antique White
	427	Barley
	437	Cement
	403	Chamois
	462	Cinder
	440	Cloud
	485	Dark Chocolate
	405	Designer White
	453	Environmental Grey
	459	Featherstone
	450	Fog
	488	Frosty White
	461	Graphite
	445	Moon Beam
	416	Putty
	420	Sandstone
	425	Shadow
	465	Smoke
	460	Storm
	429	Tantalum
	419	Wallaby

PVC

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

PVC

Applies to:
- PVC softened rims (P rims)

Woodgrain		*Solid*	
MC	Amber Cherry	480	Antique White
CC	Cordoba Cherry	403	Chamois
MH	Mocha Cherry	462	Cinder
SC	Sedona Cherry	440	Cloud
IM	Brighton Maple	405	Designer White
TM	Huntington Maple	485	Dark Chocolate
CO	Canyon Oak	450	Fog
YO	Monterey Oak	488	Frosty White
MW	Midtown Walnut	461	Graphite
TW	Tribeca Walnut	420	Sandstone
NW	Tuscan Walnut	425	Shadow
UW	Urban Walnut	460	Storm
CZ	Clear Zebrawood	419	Wallaby

Wool Felt

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Wool Felt

Applies to:
- Felt pads

Content: 100% premium wool
Thickness: 3mm (approx. 1/8")
Cleaning: S

19116	Almond Buff
19111	Apricot Orange
19456	Granite
19103	Chive
19106	Cloud Blue
19108	Dachshund
19107	Dark Blue
19102	Drizzle
19109	Fossil
19113	Golden Rod
19104	Sage Green
19115	Seal Brown
19110	Silver Mink
19105	Spinach Green
19112	Tango Red

Note: Wool felt is not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance

Cleaning Code S:

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cut Yardage Program:

All Kimball Office textiles are available on a cut yardage basis. Textiles are available in whole yards only. Roll length is 72"W. List price includes freight.

	List Price per yard
Wool felt	$324

How to Specify

① Model:
KOFELTCUTYDG = wool felt
② Felt color

Fabric Application

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Standard Application:



Directional fabrics are “cut up the roll” for standard application unless specified differently.

Railroad Application:



All fabrics will be applied in railroad (horizontal) fashion to:

- Xsite tiles
- Xsede tiles
- Priority tiles
- Stow wallpanels
- Tackboards greater than 48"W when using a seating fabric or greater than 60"W when using a panel fabric

When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear on when railroaded.

Railroad application of Kimball Office panel fabrics and COM for all products that are not listed above or do not have railroading listed as an option in the price list requires a custom quote.
➤Please contact ***By Design.***

Panel Fabrics

COM & Cut Yardage GSA Non-Contract

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Price Grade A

COM (Customer's Own Material)

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10602	Citrine
10603	Cloud
10604	Dune
10605	Key Lime
10606	Lapis
10607	Linen
10608	Moonstone
10609	Mulberry
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	*List Price per yard*
A	$35
B	46
C	53
D	71
E*	108

***** For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

How to Specify

❶ Model:
KOPNLCUTYDG = panel fabric
② Fabric grade
③ Fabric number

Panel Fabrics

continued

General Information ➤See page 2
Teem 5
Stow 15
FInishes & Materials 43

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350 Atlantic
10351 Driftwood
10352 Honeycomb
10353 Indigo
10354 Khaki
10355 Kiwi
10356 Lead
10357 Mandarin
10358 Palm
10359 Rattan
10360 Sequoia
10361 Slate
10362 Spa
10363 Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320 Clam
10321 Eucalyptus
10322 Goldust
10323 Graphite
10324 Pear
10325 Seal
10326 Heron
10327 Tan
10328 Taupestone
10329 Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202 Wrought Iron
2216 Paraffin
2222 Twine
2229 Thunder
2239 Spun Gold
2240 Wasabi
2244 Titanium
2250 Truffle
2266 Copper
2275 Melba

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo samples can be ordered directly from Momentum at themomgroup.com

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
24608 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450 Bark
10451 Ecru
10452 Fog
10453 Midnight
10454 Mink
10455 Olive
10456 Orchid
10457 Pearl
10458 Solar

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302 Egyptian
25303 Cashmere
25304 Chiffon
25305 Shantung
25306 Twill
25307 Dupioni
25308 Angora
25309 Tweed
25310 Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380 Champagne
10381 Cobblestone
10382 Desert
10383 Mist
10384 Taupestone
10385 Timberwolf

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650 Bisque
10651 Greystone
10652 Iron
10653 Maize
10654 Mink
10655 Moss
10656 Sand

Panel Fabrics

continued

General Information ➤See page 2
Teem 5
Stow 15
FInishes & Materials 43

Woodland

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 11.4"V
Cleaning: WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Preplanning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply. ➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align — Carnegie

Price Grade: **E**
Content: 79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern: Directional
Repeat: 17.00"H x 11.00"V
Cleaning: WS

Kimball Office Number	*Carnegie Number*
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line — KnollTextiles

Price Grade: **E**
Content: 73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern: Directional
Repeat: 08.25"H x 05.25"V
Cleaning: WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect — KnollTextiles

Price Grade: **E**
Content: 100% recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Cleaning Codes:

Cleaning Code D
- Dry clean only.

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from panel to panel.

Seating Fabrics

COM & Cut Yardage
GSA Non-Contract

Key:
A = Heavy duty upholstery
a = General contract upholstery

Price Grade 1

Blink

Price Grade: 1
Content: 87.6% post-industrial recycled polyester; 12.4% post-consumer recycled polyester
Width: 54"W
Repeat: 0.35"H; 0.23"V
Abrasion: A 100,000 Double Rubs
Cleaning: WS

11800	Sandollar
11801	Driftwood
11802	Sea Mist
11803	Caribbean Breeze
11804	Tropical Waters
11805	Seaweed
11806	Indigo
11808	Sangria
11809	Dahlia
11810	Sunrise
11811	Java
11812	Black Magic

Disperse

Price Grade: 1
Content: 100% polyester, (62% recycled)
Finish: Stain repellant
Backing: Latex
Width: 54"W
Repeat: None
Abrasion: A 100,000 double rubs
Cleaning: WS

11750	Wasabi
11751	Meadow
11752	Oceanside
11753	Aquamarine
11754	Latte
11755	Scarlet
11756	Cocoa
11757	Midnight Blue
11758	Smoke
11759	Ash
11760	Cabernet
11761	Noir

Lifesaver

Price Grade: 1
Content: 92% pre-consumer recycled polyester, 8% post-consumer recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: .625"H x .625"V
Abrasion: A 40,000 double rubs
Cleaning: WS

10940	Carbon
10941	Cocoa
10942	Fir
10944	French Navy
10945	Hot Sun
10946	Lapis
10947	Poppy
10948	Port
10949	Ruby
10950	Safari
10951	Sunglow

Seasons

Price Grade: 1
Content: 50% pre-consumer recycled polyester, 50% post-consumer recycled polyester
Width: 54"W
Repeat: 4"H x 1.7"V
Abrasion: A 50,000 double rubs
Cleaning: WS

10980	Almond
10981	Espresso
10982	Fern
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate

Soundbyte

Price Grade: 1
Content: 100% recycled polyester
Finish: Scotchguard®
Width: 54"W
Repeat: 7"H x 35"V
Abrasion: A 30,000 double rubs
Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

Cut Yardage:

Kimball Office upholstery is available in whole yards for fabric or faux leather and in half or whole hides for leather. List prices include freight.

Price Grade	*List Price per yard*
1	$35
2	53
3	70
4	91
5	119
6	159
7	202

Leather Grade	*List Price per Half Hide (25–28 sq ft)*	*List Price per Full Hide (50–57 sq ft)*
L7	$533	$1093
L8	632	1302

How to Specify

① Model number:
KOUPHCUTYDG = fabric or faux leather
KOLTHRFHIDE = leather (full hide)
KOLTHRHHIDE = leather (half hide)
② Upholstery grade
③ Upholstery number

Seating Fabrics

continued

Key:
A = Heavy duty upholstery
a = General contract upholstery

Price Grade 2

Dolce (polyurethane)

Price Grade:	**2**
Content:	100% polyurethane
Finish:	Superior Abrasion/ Silver-guard
Backing:	100% rayon
Width:	54"W
Repeat:	None
Abrasion:	A 400,000 double rubs
Cleaning:	WS; cleanable with diluted bleach solution
Restrictions:	Not available on tack-boards or fabric-covered overheads

11900	Black
11901	Mocha
11902	Meteor
11903	Artesian
11904	Indigo
11905	Peacock
11906	Grass
11907	Citron
11908	Fuschia
11909	Poppy
11910	Tangelo
11911	Burgundy
11912	Chocolate
11913	Lion
11914	Latte
11915	Ivory
11916	White
11917	Camel
11918	Mushroom

Flicker

Price Grade:	**2**
Content:	78% post-industrial recycled polyester, 22% post-consumer recycled polyester
Width:	54"W
Repeat:	.84"H x 2.5"V
Abrasion:	A 51,000 double rubs
Cleaning:	WS

11130	Parchment
11133	Ruby
11134	Sangria
11137	Heron
11138	Ironwork
11139	Lapis
11140	Midnight Blue
11141	Pine
11143	Riviera

Mingle

Price Grade:	**2**
Content:	100% Eco-Intelligent® polyester
Width:	54"W
Repeat:	.08"H x .12"V
Abrasion:	A 100,000 double rubs
Cleaning:	WS

11000	Basket
11001	Capri
11003	Cobalt
11005	Ink
11006	Laguna
11007	Limeade
11008	Mandarin
11009	Pony
11010	Scarlet
11011	Seagull
11012	Willow

Spectrum

Price Grade:	**2**
Content:	100% pre-consumer recycled polyester
Finish:	Blockaide™
Backing:	SBR latex
Width:	54"W
Repeat:	None
Abrasion:	A 100,000+ double rubs
Cleaning:	WS

20001	Mimosa
20003	Lime
20020	Black
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20072	Breeze
20079	Tangerine
20081	Charcoal
20095	Red

Twilight

Price Grade:	**2**
Content:	100% pre-consumer recycled polyester; Green-e certified
Finish:	Blockaide™
Width:	54"W
Repeat:	None
Abrasion:	A 50,000 double rubs
Cleaning:	WS

23101	Ocean
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23119	Tangerine
23120	Nude

Seating Fabrics

continued

Key:
A = Heavy duty upholstery
a = General contract upholstery

Price Grade 3

No fabrics available in price grade 3 at this time.

Price Grade 4

Silvertex

Price Grade:	**4**
Content:	60% vinyl, 30% polyester Hi-Loft2™ textile, 10% urethane
Finish:	SILVERGUARD®/ PER-MABLOK3®
Backing:	Polyester Hi-Loft2™
Width:	54"W
Repeat:	None
Abrasion:	A 100,000+ double rubs
Cleaning:	WS/B

41301	Basil
41302	Ice
41303	Mandarin
41304	Raspberry
41305	Sunkist
41306	Mocha
41307	Carbon
41308	Jet
41309	Storm
41310	Sapphire
41311	Champagne
41312	Celery
41313	Meteor
41314	Cream
41315	Chestnut
41316	Luggage
41317	Taupe
41318	Borscht
41319	Lagoon
41320	Turquoise
41321	Marine Blue
41322	Umber
41323	Blackberry
41324	Sage
41325	Bottle

Price Grade 5

No fabrics available in price grade 5 at this time.

Price Grade 6

Essence/Ultraleather™

Price Grade:	**6**
Content:	100% polyurethane
Backing:	100% reinforced rayon
Width:	54"W
Repeat:	None
Abrasion:	A 400,000 double rubs
Cleaning:	WS/B

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

Cleaning Codes:

Cleaning Code B
- Cleanable with diluted bleach solution

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

➤See swatch card for additional cleaning information.

Fire Retardant Fabrics
- Solvent-based fabric cleaning or dry cleaning are recommended.
- Cleaning with water or water-based cleaners could result in salt ringing.
- Test proposed cleaning procedure on a small portion of fabric before cleaning entire piece.

Customer's Own Material (COM)

GSA Non-Contract

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on product for non-preapproved fabrics is required.
➤Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:
- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

Shipment of COM

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

Where to ship COM:

Kimball Office
COM Department
Dock 11
1620 Cherry Street
Jasper, IN 47549

IMPORTANT: Tag all materials with the Kimball Office dealer name and the purchase order number.

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤Contact your Customer Service Team to obtain information on preapproved COMs.

Repeat Fabrics:

It is Kimball Office standard process to match repeat fabrics on fabric covered Overhead and Highback Organizer doors.

Repeat fabrics will be matched in what Kimball Office deems the best possible application of the pattern.

Additional COM yardage is required for repeat fabrics.

Repeat	*Additional Yardage required per Overhead Door*
0–6"	None
6"–12"	0.166 yards
12"–18"	0.500 yards
18"–24"	0.666 yards
24" or more	1.000 yard

Note: If the customer requires that the repeat fabric be applied in a random fashion, Kimball Office requires written notification in advance of order processing to that effect.
➤Contact your Customer Service Team to obtain necessary waiver.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:
- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

RESOURCES

	➤See page
Terms and Conditions	62
Asset Tag Locations	62
Product Warranty	64
BIFMA and U.L. Information	65
Model Number Index	66

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

BIFMA and U.L. Information

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

The table at right lists the operating load capacities (functional load) of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.5 (2008 Desk and Table Products Tests) and X5.9 (2004 Storage Units Tests). The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Component	**Operating Load Capacity**	**Examples** (total weight [t.w.])
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desk/table 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space *Note: File drawers are to support hanging files only; they are not intended for bottom loading.*	24"D x 18"W x 12"H = 88 lbs.
Transaction counter,	.017 lb. per cubic inch above surface secondary surface <16"D, (not to exceed 12"H), distributive loading or and shelf	12"D x 60"W = 147 lbs. t.w.
Adjustable keyboard	66 lbs. over 12" diameter area, concentrated loading <36"W 66 lbs., distributive loading	
Writing shelf	25 lbs., distributive loading	
Extendible elements	.017 lb. per cubic inch of drawer interior filing space, (drawer, shelves, etc.) distributive loading	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Storage or bookcase	200 lbs. concentrated loading top <38"H area, distributive loading	.26 lb. per square inch of surface 24"D x 36"W = 225 lbs.
Storage or bookcase	.26 lb. per square inch of surface area, distributive loading top 38"H–72"H	24"D x 36"W = 225 lbs.
Storage or bookcase	.09 lb. per square inch of surface area, distributive loading top >72"H	24"D x 36"W = 78 lbs.
Storage or bookcase	.017 lb. per cubic inch above surface, distributive loading bottom	24"D x 36"W x 18"H = 264 lbs. (not more than 18" in height)

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

U.L. Information:

Only Underwriters' Laboratory (U.L.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

Model Number Index

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Model	➤See page
71K2228MLGBLY	10
71K2235MLGBLY	10
71K2241MLGBLY	10
71K2628MLGBLT	9
71K2635MLGBLT	9
71K2641MLGBLT	9
71K2728MLGBLY	10
71K2735MLGBLY	10
71K2741MLGBLY	10
71K3228MLGBLT	9
71K3235MLGBLT	9
71K3241MLGBLT	9
71K4260MWSHX	8
71K4260MWSRT	8
71K4260MWSTP	8
71K4260MWSU	8
71K4272MWSHX	8
71K4272MWSRT	8
71K4272MWSTP	8
71K4272MWSU	8
71K4284MWSHX	8
71K4284MWSRT	8
71K4284MWSTP	8
71K4284MWSU	8
71K5867MW	6
72K114SLG4A	34
72K114SLG5A	34
72K1430PDF	35
72K1436PDF	35
72K1442PDF	35
72K1448PDF	35
72K1460PDF	35
72K1472PDF	35
72K1478PDF	35
72K2136MSCDR	39
72K2136MSCDRDWR	39
72K214829CBDR	36
72K214829CBDRDWR	36
72K214836CBDR	36
72K214836CBDRDWR	36
72K217229CBDR	36
72K217229CBDRDWR	36
72K217236CBDR	36
72K217236CBDRDWR	36
72K219029CBDR	36
72K219029CBDRDWR	36
72K219036CBDR	36
72K219036CBDRDWR	36
72K2747LCO	40
72K3010FCBGDF	32
72K3010FCBLLDF	29
72K3010FCBOF	28
72K3010FCBPDF	31
72K3010FCBWDF	30
72K3010WCBGD	27
72K3010WCBLLD	24
72K3010WCBO	23
72K3010WCBPD	26
72K3010WCBWD	25
72K3014SCGDF	32
72K3014SCLLDF	29
72K3014SCOF	28
72K3014SCPDF	31
72K3014SCWDF	30
72K3020SCGDF	32
72K3020SCLLDF	29
72K3020SCOF	28
72K3020SCPDF	31
72K3020SCWDF	30
72K304PLFMF	33
72K3610FCBGDF	32
72K3610FCBLLDF	29
72K3610FCBOF	28
72K3610FCBPDF	31
72K3610FCBWDF	30
72K3610WCBGD	27
72K3610WCBLLD	24
72K3610WCBO	23
72K3610WCBPD	26
72K3610WCBWD	25
72K3614SCGDF	32
72K3614SCLLDF	29
72K3614SCOF	28
72K3614SCPDF	31
72K3614SCWDF	30
72K3620SCGDF	32
72K3620SCLLDF	29
72K3620SCOF	28
72K3620SCPDF	31
72K3620SCWDF	30
72K3648WP	18
72K3648WPGL	22
72K3648WPGLSH	20
72K3648WPMAGGL	22
72K3648WPMBL	21
72K3648WPTBN	21
72K3648WPWDSH	19
72K364PLFMF	33
72K4210FCBGDF	32
72K4210FCBLLDF	29
72K4210FCBOF	28
72K4210FCBPDF	31
72K4210FCBWDF	30
72K4210WCBGD	27
72K4210WCBLLD	24
72K4210WCBO	23
72K4210WCBPD	26
72K4210WCBWD	25
72K4214SCGDF	32
72K4214SCLLDF	29
72K4214SCOF	28
72K4214SCPDF	31
72K4214SCWDF	30
72K4220SCGDF	32
72K4220SCLLDF	29
72K4220SCOF	28
72K4220SCPDF	31
72K4220SCWDF	30
72K424PLFMF	33
72K4810FCBGDF	32
72K4810FCBLLDF	29
72K4810FCBOF	28
72K4810FCBPDF	31
72K4810FCBWDF	30
72K4810WCBGD	27
72K4810WCBLLD	24
72K4810WCBO	23
72K4810WCBPD	26
72K4810WCBWD	25
72K4814SCGDF	32
72K4814SCLLDF	29
72K4814SCOF	28
72K4814SCPDF	31
72K4814SCWDF	30
72K4820SCGDF	32
72K4820SCLLDF	29
72K4820SCOF	28
72K4820SCPDF	31
72K4820SCWDF	30
72K4848WP	18
72K4848WPGL	22
72K4848WPGLSH	20
72K4848WPMAGGL	22
72K4848WPMBL	21
72K4848WPTBN	21
72K4848WPWDSH	19
72K484PLFMF	33
72K6010WCBGD	27
72K6010WCBLLD	24
72K6010WCBO	23
72K6010WCBPD	26
72K6010WCBWD	25
72K6048WP	18
72K6048WPGLSH	20
72K6048WPWDSH	19
72K604PLFMF	33
72K7210WCBGD	27
72K7210WCBLLD	24
72K7210WCBO	23
72K7210WCBPD	26
72K7210WCBWD	25
72K7248WP	18
72K7248WPGLSH	20
72K7248WPWDSH	19
72K724PLFMF	33
72K7810WCBGD	27
72K7810WCBLLD	24
72K7810WCBO	23
72K7810WCBPD	26
72K7810WCBWD	25
72K7848WP	18
72K7848WPGLSH	20
72K7848WPWDSH	19
72K784PLFMF	33
72K8410WCBGD	27
72K8410WCBLLD	24
72K8410WCBO	23
72K8410WCBPD	26
72K8410WCBWD	25
72K8448WP	18
72K8448WPGLSH	20
72K8448WPWDSH	19
72K844PLFMF	33
72K9010WCBGD	27
72K9010WCBLLD	24
72K9010WCBO	23
72K9010WCBPD	26
72K9010WCBWD	25
72K9048WP	18
72K9048WPGLSH	20
72K9048WPGLSHL	20
72K9048WPGLSHR	20
72K9048WPWDSH	19
72K9048WPWDSHL	19
72K9048WPWDSHR	19
72K904PLFMF	33
72K9610WCBGD	27
72K9610WCBLLD	24
72K9610WCBO	23
72K9610WCBPD	26
72K9610WCBWD	25
72K9648WP	18
72K9648WPGLSH	20
72K9648WPGLSHL	20
72K9648WPGLSHR	20

Model Number Index

continued

Model	➤See page
72K9648WPWDSH	19
72K9648WPWDSHL	19
72K9648WPWDSHR	19
72K964PLFMF	33
72KMAG5	22
74K2228D	11
74K2235D	11
74K2241D	11
74K2728D	11
74K2735D	11
74K2741D	11
KC2GMK	41
KCCB1CK	41
KCE4124PD	13
KCE4164PD	13
KCEB2PDPS	12
KCEB2PDUPS	12
KHCA001	41
KSCD001	41

General Information	➤See page 2
Teem	5
Stow	15
FInishes & Materials	43

Kimball® Office

XSEDE™ Price List

This price list is effective March 16, 2015 and supercedes all previously printed or electronically released versions. Pricing effective June 9, 2014.

Xsede provides a balance of focus and collaboration in the open plan.

Xsede was designed to bring diversity to the open plan; combining the openness of a bench with the visual privacy of a panel system. Configure Xsede to support the way you work, whether functioning independently or with a team. Xsede is ANSI/BIFMA level certified and may contribute to LEED credits.

	➤See page
General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Sustainability	4
Product Positioning	5
Statement of Line	7
Typical Configurations	21
Planning Guide	31
Visual Definitions	32
Accessory Rail Applications	34
Crossrail Applications	38
Screens	59
Power & Data	60
Worksurfaces & Brackets	74
Keyboard Kits	82
Footprint® Metal Storage	83
Priority™ Storage and Height-Adjustable Tables	91
Pricing	93
Structure	96
Tiles	120
Trim	117
Power & Data	148
Worksurfaces & Brackets	154
Keyboard Kits	162
Footprint® Metal Storage	163
Finishes & Materials	195
Resources	209
Terms and Conditions	210
Asset Tag Locations	210
Product Warranty	212
BIFMA & U.L. Information	213
Model Number Index	214

How to Use this Price List

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.

We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.



Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.



Product information pages provide detailed information about the product, connections that can be made with other models, and planning factors, and applications guidelines.



Look in the Finishes and Materials section to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overview pages offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.



Use the Resources in the back of the price list. This repository of useful information includes:

- Terms and Conditions
- Asset Tag Locations
- Product Warranty
- BIFMA & U.L. Information
- Model Number Index

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

How to Specify Our Products

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Complete specifications are built by following a set of steps. These "How to Specify" steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ❶, ❷, or ❸) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.



XSEDE™ Open Plan

Tech Tile Covers — Pricing

GSA Contract Pending

Features ➤See page 17 · Typical Configurations 20 · Product Information 40 · Tile Selection Guide 41

Available Cut-Out Options: None, 2, 3, 4, 5, 6

D	W	H	Model	None	2	3	4	5	6	Price
For Use with Fabric, Markerboard, or Slat Upper Tech Tile										
½"	24"	5⅛"	45F2404TTC	•	•					$53
	30"		45F3004TTC	•		•				55
	36"		45F3604TTC	•		•				57
	42"		45F4204TTC	•		•				67
	48"		45F4804TTC	•		•		•		69
	54"		45F5404TTC	•		•		•		86
	60"		45F6004TTC	•			•		•	91
	66"		45F6604TTC	•			•		•	97
	72"		45F7204TTC	•			•		•	106
	78"		45F7804TTC	•			•		•	110
	84"		45F8404TTC	•			•		•	116

Related Products:

Data Plate

½"	3⅛"	3⅝"	45FEDPP	$36

Cover Plates (set of 10)

7/16"	3⅛"	3⅝"	45FECPP	$99

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles. Widths of tiles and covers must match.

Page 109 · Pricing

Standard Includes

Tech Tile Cover
• Cover: paint

Data Plate
• One plate with two openings
• Voice/data adaptor kit with two of each style: black with Cinder plate or white with Designer White plate (PVC-free plastic)

Cover Plate (no cut-outs)
• Set of 10 plates: paint

How to Specify

Tech Tile Cover
❶ Model
❷ Cut-out option:
X = No cut-outs (none)
2 = 2 cut-outs
3 = 3 cut-outs
4 = 4 cut-outs
5 = 5 cut-outs
6 = 6 cut-outs
➤See pricing table at left (availability by model.
❸ Material:
P = Paint
④ Finish group:
STD = Group 1
STDM = Group M (+10%)
⑦ Finish designator

Data Plates or Cover Plates
❶ Model
⑦ Finish type:
STD = Group 1
STDM = Group M (+10%)
⑦ Finish designator
⑨ Adaptor kit color (omit for cover plate):
462 = Cinder
405 = Designer White

Refer to the "standard includes" list to see what ships standard as part of the base model.

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the "How to Specify" steps.

Sample Specification:

The example below shows a complete model number for an **Xsede Tech Tile Cover.**
➤See page 143 for the corresponding pricing table and How to Specify steps.



Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Electronic Catalog and Specification Software:

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™.
As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.

Sustainability

Enhancing the Home We All Share

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to take initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example. It's not enough to simply sustain. We strive to enhance our world.

Throughout our more than 40 years of documented environmental actions, we've made perpetual progress as a responsible steward of resources and an agent of sustainable change in our industry.

In the end, we're just beginning. Yes, the efforts we've made have the clear intention of minimizing our impacts on the planet in order to preserve a healthy world for future generations. Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.

➤Find more specific details regarding the environmental aspects of our product offerings at: **www.kimballoffice.com**

ANSI/BIFMA level™
100% of the products manufactured by Kimball Office are level® certified. We offer the most sustainable portfolio in the industry, which includes systems, casegoods, tables, and seating. Our product testing team evaluates all Kimball Office products, ensuring they meet and exceed ANSI/BIFMA Standards. Our team members regularly participate on BIFMA and USGBC committees to contribute to industry-wide standards.

ecoScorecard℠

Through this free online tool, you have quick, simple, 24/7 access to the environmental attributes of our products. By partnering with ecoScorecard, we are enabling speed and accuracy in the calculation of environmental credits, like LEED®, as well as saving you time and ultimately, money.
➤See how easy it is at kimballoffice.ecoscorecard.com.

ecoScorecard contains credit and other information for the following environmental rating systems:
- LEED for New Construction
- LEED for Commercial Interiors
- LEED for Existing Buildings
- CHPS
- LABS21
- Green Guide for Healthcare

LEED® Certification
Kimball Office offers furniture solutions which may contribute toward achieving U.S. Green Building Council certification status in your facilities. The LEED® Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:
- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:
- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:
- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

SCScertified™ INDOOR AIR QUALITY
Indoor Advantage | Furniture

Indoor Air Quality
One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. For certification of our product lines, Kimball Office uses the Indoor Advantage program from Scientific Certification Systems (SCS). Several of our Indoor Advantage Gold products also meet the more stringent CAL 01350 requirements.

Design for the Environment (DfE) is our approach to product development to ensure the inherent sustainability of our new offerings. By considering a full continuum of environmental factors—including durable engineering, recycled and recyclable materials, indoor air quality, packaging, and beyond, we have greatly improved the life cycle performance of our furniture.
➤For environmental data, visit our website at www.kimballoffice.com.

Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broader range of products to meet or exceed indoor air quality standards and help our customers achieve LEED credits.

FSC www.fsc.org FSC® C010590
The mark of responsible forestry

FSC-Certified Wood
Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood at a 3% upcharge. Applicable models show FSCW as a finish price group designator option. Standard lead times apply to FSC orders.

ANEW

Asset Network for Education Worldwide, Inc. (ANEW) is an easy, effective way to responsibly disposition surplus furniture, fixtures and equipment (FF&E). Through our partnership with this third-party foundation, you can repurpose FF&E to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Product Positioning

Xsede by Kimball Office

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

The modern workspace is calling for a diverse environment that allows people to work multiple ways. By combining the openness of a bench with the visual privacy of a panel system, Xsede balances focus and collaboration by providing the freedom to develop the space you need.

Consciously using the most necessary materials in the most efficient ways, Xsede is refined to provide a valued economic solution. A minimalistic approach and common kit of parts keep Xsede simple and intuitive.

Effortlessly create and construct your ideal workspace—from heads down focus to lively collaboration…and everything in between.

Benching "Accessory Rail Applications" Created with Accessory Rails





Open Plan "Crossrail Applications" Created with Crossrails and Tiles





Notes

STATEMENT OF LINE

	➤See page
Accessory Rail Applications	
Structure	8
Crossrail Applications	
Structure	9
Trim and Tiles	12
Power & Data	14
Worksurfaces & Brackets	15
Related Products	
Footprint® Metal Storage	17
Perks® Products	19

Accessory Rail Applications

Structure

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Accessory Rails
➤See page 36 for product info.
➤See page 94 to specify.

	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W
3"D	●	●	●	●	●	●	●	●	●



Dual-Sided U-Legs
➤See page 37 for product info.
➤See page 95 to specify.

	51"D	63"D
28"H	●	●



Mid-Support/Return U-Legs
➤See page 37 for product info.
➤See page 95 to specify.

	24"D	30"D	36"D
28"H	●	●	●

Undersurface Support Legs
➤See page 76 for product info.
➤See page 95 to specify.

	2"D
28"H	●

Leg Glide Covers
➤See page 37 for product info.
➤See page 95 to specify.

	2"D
3"H	●

Crossrail Applications

Statement of Line

Structure

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Crossrails

● = Available in upper, worksurface/lower, extended, and single-sided models.

➤See page 42 for product info.
➤See pages 96–99 to specify.

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W
3"D	●	●	●	●	●	●	●	●	●	●	●

Vertical Supports

● = For use with upper or extended upper tiles

■ = For use with open-base tiles

➤See page 42 for product info.
➤See pages 97–99 to specify.

	14"H	21"H	38"H	45"H
42"H	●		■	
50"H		●		■



End Crossrails

Available in models for use with upper, extended upper, and open-base tiles.

➤See page 45 for product info.
➤See pages 100–101 to specify.

	51"W	57"W	63"W
42"H applications	●	●	●
50"H applications	●	●	●



U-Legs with Stanchions

➤See page 46 for product info.
➤See page 102 to specify.

	51"D	57"D	63"D
42"H	●	●	●
50"H	●	●	●



U-Leg Mid-Support with Stanchions

➤See page 47 for product info.
➤See page 103 to specify.

	24"D
42"H	●
50"H	●



Mid-Support/Return U-Legs

➤See page 47 for product info.
➤See page 103 to specify.

	24"D	30"D
28"H	●	●

Crossrail Applications

Structure, continued

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



H-Legs
Available with or without power slot.
➤See page 48 for product info.
➤See page 104 to specify.

	26"D	32"D
42"H	●	●
50"H	●	●

Support Legs
Available with or without power slot.
➤See page 49 for product info.
➤See page 105 to specify.

	3"D
42"H	●
50"H	●

T-Legs
Available with or without power slot.
➤See page 49 for product info.
➤See page 106 to specify.

	20"D
42"H	●
50"H	●



Dual-Sided End Panels
Available in full-height and worksurface-height models.
➤See page 50 for product info.
➤See pages 107–110 to specify.

	51"D	57"D	63"D
42"H	●	●	●
50"H	●	●	●



Single-Sided End Panels
Available in full-height and worksurface-height models.
➤See page 50 for product info.
➤See pages 107–110 to specify.

	27"D	33"D
42"H	●	●
50"H	●	●

Connectors
Available in L, T, X, and Y models; some available with or without power slot.
➤See page 51 for product info.
➤See pages 113–116 to specify.

42"H	●
50"H	●

Leg Glide Covers
➤See page 46 for product info.
➤See page 103 to specify.

	2"D
3"H	●

Crossrail Applications

Trim

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.

Top Caps

● = Standard top caps
■ = For use with frameless resin or glass
➤See page 52 for product info.
➤See pages 117–118 to specify.

	18"W	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
1"H	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■	●■

End Trim

● = For use with upper tile applications
○ = For use with upper tile hi-lo applications
■ = For use with extended upper tile applications
▲ = For use with open-base tile applications
➤See page 52 for product info.
➤See page 119 to specify.

	15"H	19"H	22"H	26"H	39"H	45"H
42"H applications	●	■			▲	
50"H applications			●	■		▲
Hi-Lo applications			○			

Crossrail Applications

Tiles

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.






Tiles
● = Fabric Tile
■ = Markerboard
▲ = Slat
➤See page 53 for product info.
➤See pages 120–139 to specify.

	Tile Type	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W	End-of-Run Applications 51"W*	57"W*	63"W*
For Use in 42"H Applications																	
10"H	Upper Tech Tile	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲			
14"H	Upper	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■	●■	●■
17"H	Extended Upper	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
20"H	Undersurface	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
23"H	Undersurface	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
37"H	Open-Base	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
For Use in 50"H Applications																	
17"H	Upper Tech Tile	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲			
21"H	Upper	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■▲	●■	●■	●■
25"H	Extended Upper	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
20"H	Undersurface	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
23"H	Undersurface	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
46"H	Open-Base	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Screens

Statement of Line

Frameless Resin or Glass and Privacy Screens

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Frameless Resin and Glass

● = Resin
■ = Glass
➤See page 59 for product info.
➤See pages 140–141 to specify.

	18"W	24"W	30"W	36"W	42"W	48"W	51"W*	54"W	57"W*	60"W	63"W*	66"W	72"W	78"W	84"W	90"W	96"W
7"H	●■	●■	●■	●■	●■	●■	●■*	●■	●■*	●■	●■*	●■	●■	●■	●■	●■	●■
14"H	●■	●■	●■	●■	●■	●■	●■*	●■	●■*	●■	●■*	●■	●■	●■	●■	●■	●■

** For use in conjunction with overheads and accessory rails. Top caps for frameless inserts do not exist in these sizes.*



Privacy Screens

➤See page 59 for product info.
➤See page 142 to specify.

	24"W	30"W	36"W	42"W	48"W	54"W	60"W
36"H	●	●	●	●	●	●	●

Power & Data

Statement of Line

Overview	➤See page 60
8-Wire Circuit Config	72
Wiring Diagrams	73
Cable Management	70



Tech Tile Covers
Available with or without cut-outs.
➤See page 62 for product info.
➤See page 143 to specify.

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W
5"H	●	●	●	●	●	●	●	●	●	●	●



Tech Trays
Available with or without cut-outs.
➤See page 63 for product info.
➤See pages 144–145 to specify.

	24"W	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W
4"H	●	●	●	●	●	●	●	●	●	●	●



Electrical Receptacles, USB Receptacles and USB Passive Cables
➤See page 69 for product info.
➤See page 151 to specify.

Power Entries
➤See page 65 for product info.
➤See page 152 to specify.



Energy Management System
➤See page 65 for product info.
➤See page 152 to specify.



Data Plates and Cover Plates
➤See page 69 for product info.
➤See page 143 to specify tech tile covers.
➤See page 147 to specify tech tray.

Brackets and End Caps
➤See page 63 for product info.
➤See page 146 to specify.

Power/Data In-Feed Channel
➤See page 65 for product info.
➤See page 152 to specify.

	2"W
28"H	●



Power Kits
➤See page 66 for product info.
➤See pages 148–149 to specify.



Electrtical Jumpers
➤See page 67 for product info.
➤See page 150 to specify.



Ceiling Power/Data Pole
➤See page 65 for product info.
➤See page 152 to specify.

	2"W
66'H	●

Worksurfaces

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Rectangular

● = Wire-gap models
■ = Full-depth models
➤See page 74 for product info.
➤See pages 154–155 to specify.

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W	78"W	84"W
22"D	●	●	●	●	●	●	●	●	●	●
24"D	■	■	■	■	■	■	■	■	■	■
28"D	●	●	●	●	●	●	●	●	●	●
30"D	■	■	■	■	■	■	■	■	■	■



90° Curved Corner

● = Wire-gap models
■ = Full-depth models
➤See page 74 for product info.
➤See page 156 to specify.

	46"W	48"W
22"D	●	
24"D		■
28"D	●	
30"D		■



120° Curved Corner

● = Wire-gap models
■ = Full-depth models
➤See page 74 for product info.
➤See page 156 to specify.

	46"W (73" diag)	48"W (83" diag)
22"D	●	
24"D		■
28"D	●	
30"D		■



U-Shaped

➤See page 74 for product info.
➤See page 157 to specify.

	48"W	54"W	60"W	63"W	66"W	72"W
30"D	●	●	●	●	●	●



Boomerang

➤See page 74 for product info.
➤See page 158 to specify.

	30"W (59" diag)	36"W (71" diag)
24"D	●	●



Taper

➤See page 74 for product info.
➤See page 158 to specify.

	60"W	66"W	72"W
24"/30"D	●	●	●
30"/24"D	●	●	●



Touchdown

● = Curved
■ = Straight
➤See page 74 for product info.
➤See page 158 to specify.

	51"W	57"W	63"W
24"D	●■	●■	●■
30"D	●	●	●

Worksurfaces

Statement of Line

continued

IMPORTANT: All dimensions shown below are nominal and have been rounded to the nearest inch. Refer the appropriate pricing pages for actual dimensions.



Undersurface Support Rails

➤See page 75 for product info.
➤See page 161 to specify.

	48"W	61"W
3"D	●	●

Worksurface Supports and Brackets

➤See page 75 for product info.
➤See page 161 to specify.



Touchdown Worksurface Mounting Kit

➤See page 75 for product info.
➤See page 161 to specify.

Undersurface Support Legs

➤See page 76 for product info.
➤See page 161 to specify.

	2"D
28"H	●



Adjustable Keyboards Kits

➤See page 82 for product info.
➤See page 162 to specify.

Related Footprint® Metal Storage

Statement of Line

Footprint metal storage has been added to this price list for your convenience.
➤See the **Systems Price List** for additional information.

Undersurface Storage

Flat Profile Suspended Box/File Pedestals
Available in metal.
➤See page 84 for product info.
➤See page 164 to specify.



Flat Profile Box/Box/File and File/File Pedestals
Available in metal or metal with wood front.
➤See page 84 for product info.
➤See pages 164–165 to specify.



Flat Profile Undersurface Lateral Files and File Centers
Available in metal or metal with wood front.
➤See page 84 for product info.
➤See page 166–167 to specify.



Flat Profile Bookcases
Available in metal.
➤See page 84 for product info.
➤See page 166 to specify.



Flat Profile Mobile Pedestals
Available in cushion-top box/file, box/box/file, and file/file models.
➤See page 84 for product info.
➤See page 168 for metal.
➤See page 169 for metal with wood front.

Low Storage



Box/File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 85 for product info.
➤See page 170 to specify.



Box/Lateral File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 85 for product info.
➤See page 170 to specify.



Open/Open Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 85 for product info.
➤See page 171 to specify.



Open/Lateral File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 85 for product info.
➤See page 172 to specify.



Hinged Door/Box/File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 85 for product info.
➤See page 173 to specify.



Open/Box/Lateral File Pedestals
Available with metal-front or TFL front, and in open or metal-top models.
➤See page 85 for product info.
➤See page 174 to specify.



18"D Laminate Tops for Low Storage
➤See page 85 for product info.
➤See page 175 to specify.



Seat Cushions for Low Storage
➤See page 85 for product info.
➤See page 176 to specify.

Related Footprint® Metal Storage

Statement of Line

Footprint metal storage has been added to this price list for your convenience.
➤See the **Systems Price List** for additional information.

Overhead Storage



Flat Profile Sliding-Door Center-Mount Cabinets
Metal chassis with metal, laminate or wood door.
➤See page 87 for product info.
➤See page 177 to specify.



Flat Profile Open Center-Mount Cabinets
➤See page 87 for product info.
➤See page 178 to specify.



Flat Profile Open Surface-Mount and Suspended Cabinets
➤See page 88 for product info.
➤See page 179 to specify.

Vertical Storage



Flat Profile Storage Towers (12S)
Available in metal or metal with wood front.
➤See page 89 for product info.
➤See pages 182–186.



Flat Profile Wardrobes (14S)
Available in metal or metal with laminate front.
➤See page 89 for product info.
➤See page 188.



Flat Profile Personal Storage Lockers (14S)
Available in metal or metal with laminate front.
➤See page 89 for product info.
➤See page 189.



Flat Profile Storage Towers (14S)
Available in metal or metal with laminate front.
➤See page 89 for product info.
➤See pages 190–193.

Tower Spacers
➤See page 89 for product info.
➤See page 189 to specify 12S models.
➤See page 194 to specify 14S models.

Related Perks® Accessories

Related Perks accessories have been listed here for reference.
➤See the **Perks Price List** for additional information.



Metal Work Tools
➤See the Perks Price List to specify.



Plastic Work Tools
➤See the Perks Price List to specify.



Organizational Tools
➤See the Perks Price List to specify.



Computer Support
➤See the Perks Price List to specify.

Grommets for Field Installation
➤See the Perks Price List to specify.



Vertical Cable Managers
➤See the Perks Price List to specify.



Horizontal Cable Managers
➤See the Perks Price List to specify.

Power/Data/Voice Accessories
➤See the Perks Price List to specify.

Notes

TYPICAL CONFIGURATIONS



	➤See page
Accessory Rail Applications	
Six-Person Bench	22
Bench with Touchdown Space	23
Four-Person Open Plan with Footprint® Metal Overheads and Monitor Arms	24
Crossrail Applications	
Four-Person Open Plan	25
50"H Open Plan with Storage and Touchdown Space	26
120° Open Plan with with Round Tables	27
Two-Person Wedge Open Plan with Footprint® Metal Vertical Storage	28
Four-Person Open Plan with Open-Base Tiles	29
Two-Person Station with End Panels and Villa™ Lounge Seating	30

Typical Configurations

Accessory Rail Application

Six-Person Bench

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



Qty	*Model*	*Description*	*Price (each)*
2	45F3027SLUP	XSEDE, LEG, MID-SUPPORT/RETURN U, PAINT	$231
2	45F6327SLUP	XSEDE, LEG, U, PAINT	294
3	45F0360ARP	XSEDE, ACCESSORY RAIL, PAINT	184
3	45F6014FG	XSEDE, FRAMELESS GLASS	360
6	45FTBCP	XSEDE, TECHNOLOGY TRAY SURFACE BRACKET, PAINT	112
6	45F6004TTUXP	XSEDE, TECH TRAY, NO CUTOUT, PAINT	94
8	45FTTSE	XSEDE, TECHNOLOGY TRAY, EXTENDED, PAINT	112
2	45FTTERP	XSEDE, TECHNOLOGY TRAY, END, RIGHT, PAINT (optional)	49
2	45FTTELP	XSEDE, TECHNOLOGY TRAY, END, LEFT, PAINT (optional)	49
4	45WIBF1	XSEDE, WORKSURFACE, FLAT BRACKET	10
6	45W2860WSSLL	XSEDE, SURFACE, RECTANGULAR, LAMINATE (TFL)	364
6	45W48WSSR	XSEDE, SURFACE SUPPORT RAIL	58
		TOTAL	**$7582**

Note: Electrical components are NOT included in this typical configuration.

Typical Configurations

Accessory Rail Application

Bench with Touchdown Space

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
1	45F3027SLUP	XSEDE, LEG, MID-SUPPORT/RETURN U, PAINT	$231
2	45F6327SLUP	XSEDE, LEG, U, PAINT	294
2	45F0360ARP	XSEDE, ACCESSORY RAIL, PAINT	184
2	45F6007FG	XSEDE, FRAMELESS GLASS	306
2	45FTTELP	XSEDE, TECHNOLOGY TRAY, END, LEFT, PAINT (optional)	49
2	45FTTERP	XSEDE, TECHNOLOGY TRAY, END, RIGHT, PAINT (optional)	49
4	45FTTSE	XSEDE, TECHNOLOGY TRAY, EXTENDED, PAINT	112
4	45F6004TTU4P	XSEDE, TECH TRAY, 4 CUTOUTS, BASIC BELOW-SURFACE POWER, PAINT	94
2	45FECPDBP	XSEDE, COVER PLATE, DUAL-SIDED, TECH TRAY	45
2	45FEDPDBP	XSEDE, DATA PLATE, DUAL-SIDED, TECH TRAY	47
6	45FTBCP	XSEDE, TECH TRAY SURFACE BRACKET, PAINT	112
2	45F60EPKDAB	XSEDE, POWER KIT, DUAL-SIDED, TECH TILE, TECH TRAY WITH ACCESSORY RAIL, BASIC	253
1	45F14EJCP	XSEDE, POWER KIT-TO-POWER KIT JUMPER	106
4	45FER1815	XSEDE, RECEPTACLE, CIRCUIT 1, 8 WIRE, 15 AMP	31
4	45FER4D815	XSEDE, RECEPTACLE, CIRCUIT 4D, 8 WIRE, 15 AMP	31
1	45F0227EPILP	XSEDE, POWER INFEED/DATA CHANNEL, PAINT	186
1	45FEPEFC8	XSEDE, POWER ENTRY, FLOOR/CEILING, 8 WIRE	249
2	45WWSMKTDP	XSEDE, SURFACE MOUNTING KIT, TOUCHDOWN, PAINT	145
2	45W2462WSTDLLL	XSEDE, SURFACE, TOUCHDOWN, LAMINATE (TFL)	458
4	45W48WSSR	XSEDE, SURFACE SUPPORT RAIL	58
4	45W2860WSSLL	XSEDE, SURFACE, RECTANGULAR, LAMINATE (TFL)	364
2	45WIBF1	XSEDE, WORKSURFACE, FLAT BRACKET	10
2	45FWBUJ	XSEDE, SURF BRACKET, UNDERSURFACE J HOOK	19
4	14S1815PBFM	FOOTPRINT, 18X15 STOR, MOBILE PED, LOCKING	771
4	99KSMAM2ARMS	PERKS, ACCESSORY, SINGLE ARM W/CROSSRAIL, SILVER	391
		TOTAL	**$12570**

Note: Electrical components are included in this typical configuration.

Typical Configurations

Accessory Rail Application

Four-Person Open Plan with Footprint® Metal Overheads and Monitor Arms

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
1	45F3027SLUP	XSEDE, LEG, MID-SUPPORT/RETURN U, PAINT	$231
2	45F0384ARP	XSEDE, ACCESSORY RAIL, PAINT	241
2	45F6327SLUP	XSEDE, LEG, U, PAINT	294
4	45F2427SLUP	XSEDE, LEG, U, PAINT	229
4	45F0227USP	XSEDE, UNDERSURFACE SUPPORT LEG, PAINT	174
1	45F14EJCP	XSEDE, POWER KIT-TO-POWER KIT JUMPER	106
4	45FER2815	XSEDE, RECEPTACLE, CIRCUIT 2, 8 WIRE, 15 AMP	31
4	45FER4D815	XSEDE, RECEPTACLE, CIRCUIT 4D, 8 WIRE, 15 AMP	31
8	45FERUP	XSEDE, RECEPTACLE, USB, POWERED, CIRCUIT 1	154
1	45FEPEFC8	XSEDE, POWER ENTRY, FLOOR/CEILING, 8 WIRE	249
1	45F0227EPILP	XSEDE, POWER/DATA INFEED CHANNEL, PAINT	186
2	45F84EPKDAE	XSEDE, POWER KIT, DUAL-SIDED, TECH TILE, TECH TRAY WITH ACCESSORY RAIL, EXPANDED	574
4	45F8404TTU6P	XSEDE, TECH TRAY, 6 CUTOUTS, EXPANDED BELOW WORKSURFACE POWER, PAINT	126
6	45FTBCP	XSEDE, TECH TRAY SURFACE BRACKET, PAINT, DUAL	112
2	45FTTERP	XSEDE, TECHNOLOGY TRAY, END, RIGHT, PAINT	49
2	45FTTELP	XSEDE, TECHNOLOGY TRAY, END, LEFT, PAINT	49
4	45FTTSE	XSEDE, TECH TRAY CONNECTOR, EXTENDED, PAINT	112
2	45FEDPDBP	DATA PLATE, DUAL-SIDED, TECH TRAY	47
2	45FECPDBP	COVER PLATE, DUAL-SIDED, TECH TRAY	45
2	45FWBUJ	XSEDE, SURF BRACKET, UNDERSURFACE J HOOK	19
10	45WIBF1	XSEDE, WORKSURFACE, FLAT BRACKET	10
4	45W2884WSSLL	XSEDE, SURFACE, RECTANGULAR, LAM (TFL)	506
4	45W2442WSSLL	XSEDE, SURFACE, RECTANGULAR, LAM (TFL)	245
4	12S2415PUBFM	FOOTPRINT, 24DX15WX20H, STOR, PED, BF, SUSPENDED, FLAT PF, PAINT, LOCKING	438
3	12S3614SOS2RM	36" CENTERMOUNT 2S METAL DOOR RIGHT, NON-LOCKING	1450
4	99KSMAM2ARMS	PERKS, ACCESSORY, SINGLE ARM W/CROSSRAIL, SILVER	391
		TOTAL	**$18894**

Note: Electrical components are included in this typical configuration.

Typical Configurations

Crossrail Application

Four-Person Open Plan

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
2	45F84CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	$82
2	45F30CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	71
2	45F63CRSEEE42P	XSEDE, CROSSRAIL SET, END, EXTENDED EXT, PAINT	353
4	45F48CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	73
2	45F30CRLP	XSEDE, CROSSRAIL, WORKSURFACE/LOWER, PAINT	71
2	45F84CRLP	XSEDE, CROSSRAIL, WORKSURFACE/LOWER, PAINT	82
2	45F15VSSP	XSEDE, VERTICAL SUPPORT RAILS, SET OF 2, PAINT	92
4	45F48CRLEP	XSEDE, CROSSRAIL, EXTENDED, PAINT	79
6	45F0242SLUTP	XSEDE, SUPPORT, LEG, UPPER TILE, PAINT	153
4	45F2414SLHUT42P	XSEDE, LEG, H, UPPER TILE, 42 APPLICATION, PAINT	322
1	45F0642CXUTIP	XSEDE, CONNECTOR, X, UPPER TILE, POWER SLOT, PAINT	443
4	45F0227USP	XSEDE, UNDERSURFACE SUPPORT LEG, PAINT	174
4	45F4814UTF	XSEDE, UPPER TILE, FABRIC	114
4	45F3014UTF	XSEDE, UPPER TILE, FABRIC	77
2	45F6317EETEF	XSEDE, EXTENDED EXTERIOR TILE, END RUN, FABRIC	162
4	45F4817EETF	XSEDE, EXTENDED EXTERIOR TILE, FABRIC	132
4	45F8410TTF	XSEDE, TECHNOLOGY TILE, FABRIC	140
4	45F3014UTM	XSEDE, UPPER TILE, MARKER	165
2	45F84TCP	XSEDE, TOP CAP, PAINT	68
2	45F30TCP	XSEDE, TOP CAP, PAINT	29
4	45F78TCP	XSEDE, TOP CAP, PAINT	62
2	45F14ETP	XSEDE, END TRIM, PAINT	49
2	45F17ETRP	XSEDE, END TRIM, RIGHT, PAINT	59
2	45F17ETLP	XSEDE, END TRIM, LEFT, PAINT	59
4	45F8404TTC4P	XSEDE, TECH TILE COVER, 4 CUTOUTS, PAINT	116
4	45FEDPP	XSEDE, DATA PLATE, PAINT	36
1	45FECPP	XSEDE, COVER PLATE (PACK OF 10), PAINT	99
2	45F84EPKDAB	XSEDE, POWER KIT, DUAL-SIDED, TECH TILE, TECH TRAY WITH ACCESSORY RAIL	355
1	45F16EJPCP	XSEDE, JUMPER, POWER KIT TO CONNECTOR TO POWER KIT	106
4	45FER1815	XSEDE, RECEPTACLE, CIRCUIT 1, 8 WIRE, 15 AMP	31
4	45FER4D815	XSEDE, RECEPTACLE, CIRCUIT 4D, 8 WIRE, 15 AMP	31
1	45FEPEFC8	XSEDE, POWER ENTRY, FLOOR/CEILING, 8 WIRE	249
6	45FTBCP	XSEDE, TECH TRAY SURFACE BRACKET, PAINT	112
4	45F8404TTUXP	XSEDE, TECH TRAY, NO CUTOUT, PAINT	126
4	45FTTSE	XSEDE, TECHNOLOGY TRAY, EXTENDED, PAINT	112
2	45FTTELP	XSEDE, TECHNOLOGY TRAY, END, LEFT, PAINT (optional)	112
2	45FTTERP	XSEDE, TECHNOLOGY TRAY, END, RIGHT, PAINT (optional)	49
12	45F08WBP	XSEDE, WORKSURFACE BRACKET, PAINT	48
8	45WIBF1	XSEDE, WORKSURFACE, FLAT BRACKET	10
4	45W2884WSSLL	XSEDE, SURFACE, RECTANGULAR, LAMINATE (TFL)	506
4	45W2448WSSLL	XSEDE, SURFACE, RECTANGULAR, LAMINATE (TFL)	272
2	CCS42RDL1	CONF SOL, 42DIA, TOP, ROUND, LAMINATE, RIM GROUP 1	883
2	CBM2428DF1	CONF SOL, 24DX24WX28H, DISC BASE, FINISH GROUP ONE	891
4	14S1815PBFM	FOOTPRINT, 18X15 STOR, MOBILE PED, LOCKING	771
		TOTAL	**$23433**

Note: Electrical components are included in this typical configuration.

Typical Configurations

Crossrail Application

50"H Open Plan with Storage and Touchdown Space

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
4	45F72CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	$80
4	45F72CRLP	XSEDE, CROSSRAIL, WORKSURFACE/LOWER, PAINT	80
4	45F15VSSP	XSEDE, VERTICAL SUPPORT RAILS, SET OF 2, PAINT	92
2	45F6327SLUS42P	XSEDE, LEG, U, STANCHION, PAINT	382
2	45F5127SLUS42P	XSEDE, LEG, U, STANCHION, PAINT	365
1	45F0642CXUTIP	XSEDE, CONNECTOR, X, UPPER TILE, IN-FEED, PAINT	443
8	45F7214UTF	XSEDE, UPPER TILE, FABRIC	155
4	45F72TCFIP	XSEDE, TOP CAP FOR FRAMELESS RESIN OR GLASS, PAINT	109
4	45F14ETP	XSEDE, END TRIM, PAINT	49
4	45F7204TTU4P	XSEDE, TECH TRAY, 4 CUTOUTS, BASIC BELOW WORKSURFACE POWER, PAINT	114
2	45FTTSP	XSEDE, TECHNOLOGY TRAY, SPANNER, PAINT	26
6	45FTBCP	XSEDE, TECH TRAY SURFACE BRACKET PAINT	112
2	45FTTERP	XSEDE, TECHNOLOGY TRAY, END, RIGHT, PAINT (optional)	49
2	45FTTELP	XSEDE, TECHNOLOGY TRAY, END, LEFT, PAINT (optional)	49
2	45FEDPDBP	DATA PLATE, DUAL-SIDED, TECH TRAY	47
2	45FECPDBP	COVER PLATE, DUAL-SIDED, TECH TRAY	45
2	45F72EPKDBB	XSEDE, POWER KIT, DUAL-SIDED, TECH TRAY WITH CROSSRAILS, BASIC	273
1	45F17EJPCP	XSEDE, JUMPER, POWER KIT TO CONNECTOR TO POWER KIT	106
4	45FER1815	XSEDE, RECEPTACLE, CIRCUIT 1, 8 WIRE, 15 AMP	31
4	45FER4D815	XSEDE, RECEPTACLE, CIRCUIT 4D, 8 WIRE, 15 AMP	31
1	45FEPEFC8	XSEDE, POWER ENTRY, FLOOR/CEILING, 8 WIRE	249
2	45FWBUJ	XSEDE, SURF BRACKET, UNDERSURFACE, J HOOK	19
4	45W2872WSSLL	XSEDE, SURFACE, RECTANGULAR, LAMINATE (TFL)	434
4	45W2442WSSLL	XSEDE, SURFACE, RECTANGULAR, LAMINATE (TFL)	245
2	45W2450WSTDLLL	XSEDE, SURFACE, TOUCHDOWN, LAMINATE (TFL)	422
4	45W72WSSR	XSEDE WORKSURFACE SUPPORT RAIL	143
8	45WIBF1	XSEDE, WORKSURFACE, FLAT BRACKET	10
2	45F08WBP	XSEDE, WORKSURFACE BRACKET, PAINT	48
2	45WWSMKTDP	XSEDE, SURF MOUNTING KIT, TOUCHDOWN, PAINT	145
2	12S2442VHHR2M	FOOTPRINT, STOR/WARDROBE, RIGHT, FF, METAL, LOCKING	1682
2	12S2442VHHL2M	FOOTPRINT, STOR/WARDROBE, LEFT, FF, METAL, LOCKING	1682
2	12S244215VSSP	STORAGE 42" FILLER	754
		TOTAL	**$20398**

Note: Electrical components are included in this typical configuration.

Typical Configurations

Crossrail Application

120° Open Plan with Round Tables

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
12	45F42CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	$73
12	45F42CRLP	XSEDE, CROSSRAIL, WORKSURFACE/LOWER, PAINT	73
9	45F5127SLUS42P	XSEDE, LEG, U, STANCHION, PAINT	365
1	45F0542CYUTIP	XSEDE, CONNECTOR, Y, UPPER TILE, IN-FEED, PAINT	493
3	45F0542CYUTP	XSEDE, CONNECTOR, Y, UPPER TILE, PAINT	473
12	45F4214UTF	XSEDE, UPPER TILE, FABRIC	102
12	45F4214UTS	XSEDE, UPPER TILE, SLAT	380
6	45F42TCP	XSEDE, TOP CAP, PAINT	36
3	45F84TCP	XSEDE, TOP CAP, PAINT	68
6	45F14ETP	XSEDE, END TRIM, PAINT	49
24	45F4204TTU3P	TECH TRAY WITH CUT OUTS, BASIC BELOW SURF PWR, PAINT	78
12	45FTTSE	XSEDE, TECHNOLOGY TRAY, EXTENDED, PAINT	112
6	45FTTERP	XSEDE, TECHNOLOGY TRAY, END, RIGHT, PAINT (optional)	49
6	45FTTELP	XSEDE, TECHNOLOGY TRAY, END, LEFT, PAINT (optional)	49
12	45FEDPDBP	UNDERSURFACE DATA PLATE COVER DUAL	47
12	45F42EPKDBB	XSEDE, POWER KIT, DUAL-SIDED, TECH TRAY WITH CROSSRAIL, BASIC	231
3	45F14EJCP	XSEDE, POWER KIT-TO-POWER KIT JUMPER	106
8	45F15EJPCP	XSEDE, JUMPER, PANEL-CONNECTOR-PANEL	1061
12	45FER1815	XSEDE, RECEPTACLE, CIRCUIT 1, 8 WIRE, 15 AMP	31
12	45FER2815	XSEDE, RECEPTACLE, CIRCUIT 2, 8 WIRE, 15 AMP	31
12	45FER3815	XSEDE, RECEPTACLE, CIRCUIT 3, 8 WIRE, 15 AMP	31
12	45FER4D815	XSEDE, RECEPTACLE, CIRCUIT 4D, 8 WIRE, 15 AMP	31
1	45FEPEFC8	XSEDE, POWER ENTRY, FLOOR/CEILING, 8 WIRE	249
12	45FTTYP	XSEDE, TECH TRAY CONNECTOR 120, PAINT	57
24	45FTBCP	XSEDE, TECH TRAY SURFACE BRACKET, PAINT	112
12	45W2240WSYCCLL	XSEDE, SURF, 120 CORNER, CURVED, LAMINATE (TFL)	844
6	45FWBUJ	XSEDE, SURF BRACKET, UNDERSURFACE, J HOOK	19
3	CCS42RDL1	CONF SOL, 42DIA, TOP, ROUND, LAMINATE, RIM GROUP 1	883
3	CBM2428DF1	CONF SOL, 24DX24WX28H, DISC BASE, FINISH GROUP ONE	891
12	14S1815PBFM	FOOTPRINT, 18X15 STOR, MOBILE PED, LOCKING	771
		TOTAL	**$51678**

Note: Electrical components are included in this typical configuration.

Typical Configurations

Crossrail Application

Two-Person Wedge Open Plan with Metal Vertical Storage

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
2	45F72CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	$80
1	45F48CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	73
4	45F15VSSP	XSEDE, VERTICAL SUPPORT RAILS, SET OF 2, PAINT	92
2	45F72CRLEP	XSEDE, CROSSRAIL, EXTENDED, PAINT	86
1	45F48CRLEP	XSEDE, CROSSRAIL, EXTENDED, PAINT	79
1	45F3014SLHUT42P	XSEDE, LEG, H, UPPER TILE, 42 APPLICATION, POWER, PAINT	338
1	45F3014SLHUT42PIP	XSEDE, LEG, H, UPPER TILE, 42 APPLICATION, POWER, PAINT	358
2	45F0242SLUTP	XSEDE, SUPPORT, LEG, UPPER TILE, PAINT	153
2	45F0227USP	XSEDE, UNDERSURFACE SUPPORT LEG, PAINT	174
2	45F7217EETF	XSEDE, EXTENDED EXTERIOR TILE, FABRIC	174
1	45F4817EETF	XSEDE, EXTENDED EXTERIOR TILE, FABRIC	132
2	45F7210TTS	XSEDE, TECH TILE, SLAT	473
1	45F4810TTF	XSEDE, TECHNOLOGY TILE, FABRIC	87
2	45F72TCP	XSEDE, TOP CAP, PAINT	61
1	45F48TCP	XSEDE, TOP CAP, PAINT	37
1	45F17ETRP	XSEDE, END TRIM, RIGHT, PAINT	59
1	45F17ETLP	XSEDE, END TRIM, LEFT, PAINT	59
2	45F7204TTC6P	XSEDE, TECH TILE COVER, 6 CUTOUTS, PAINT	106
1	45F4804TTCXP	XSEDE, TECH TILE COVER, NO CUTOUT, PAINT	69
4	45FEDPP	XSEDE, DATA PLATE, PAINT	36
2	45F72EPKSAE	XSEDE, POWER KIT, SINGLE-SIDED, TECH TILE, TECH TRAY WITH ACCESSORY RAIL, EXPANDED	560
1	45F48EJP8	XSEDE, JUMPER KIT, PASS THRU, 8 WIRE	205
2	45F14EJCP	XSEDE, POWER KIT-TO-POWER KIT JUMPER	106
4	45FER1815	XSEDE, RECEPTACLE, CIRCUIT 1, 8 WIRE, 15 AMP	31
4	45FER4D815	XSEDE, RECEPTACLE, CIRCUIT 4D, 8 WIRE, 15 AMP	31
1	45FEPEFC8	XSEDE, POWER ENTRY, FLOOR/CEILING, 8 WIRE	249
1	45W3072WSTPLLL	XSEDE, SURFACE, TAPER, LEFT, LAMINATE (TFL)	591
1	45W2472WSTPLLL	XSEDE, SURFACE, TAPER, RIGHT, LAMINATE (TFL)	591
2	45W72WSSR	XSEDE WORKSURFACE SUPPORT RAIL	143
6	45F08WBP	XSEDE, WORKSURFACE BRACKET, PAINT	48
1	12S2442VHHL2M	FOOTPRINT, STOR/WARDROBE, LEFT, FF, METAL, LOCKING	1682
1	12S2442VHHR2M	FOOTPRINT, STOR/WARDROBE, RIGHT, FF, METAL, LOCKING	1682
		TOTAL	**$11412**

Note: Electrical components are included in this typical configuration.

Typical Configurations

Crossrail Rail Application

Four-Person Open Plan with Open-Base Tiles

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
6	45F2150STOBP	XSEDE, SUPPORT, T-LEG, OPEN BASE, 50H, PAINT	$260
8	45F0227USP	XSEDE, UNDERSURFACE SUPPORT LEG, PAINT	174
8	45F72CRLP	XSEDE, CROSSRAIL, WORKSURFACE/LOWER, 72W, PAINT	80
4	45F72CRUP	XSEDE, CROSSRAIL, UPPER, 72W, PAINT	80
2	45F63CRSEOB50P	XSEDE, CROSSRAIL SET, END, OPEN BASE, 63W, PAINT	410
4	45F22VSSP	XSEDE, VERTICAL SUPPORT RAILS, SET OF 2, PAINT	98
1	45F0650CXOBP	XSEDE, CONNECTOR, X, OPEN BASE, 50H, PAINT	534
4	45F30TCP	XSEDE, TOP CAP, 30W, PAINT	29
4	45F72TCP	XSEDE, TOP CAP, 72W, PAINT	61
6	45F41ETP	XSEDE, END TRIM, 41H, PAINT	104
2	45F6346OBTEF	XSEDE, OPEN BASE TILE, END OF RUN, FABRIC, 42H X 63W	298
4	45F3023OBTUF	XSEDE, OPEN BASE TILE, UNDERSURFACE, FABRIC, 23H X 30W	132
8	45F7223OBTUF	XSEDE, OPEN BASE TILE, UNDERSURFACE, FABRIC, 23H X 72W	238
32	45FWTBP	XSEDE, UNDERSURFACE TILE MOUNT BRACKET, PAINT	11
4	45F3021UTF	XSEDE, UPPER TILE, FABRIC, 21H X 30W	110
8	45F7221UTF	XSEDE, UPPER TILE, FABRIC, 21H X 72W	204
4	45F7204TTUXP	XSEDE, TECH TRAY, NO CUTOUT, 72W, PAINT	114
6	45FTBCP	XSEDE, TECH TRAY SURFACE BRACKET, DUAL SIDED, PAINT	112
4	45FTTELP	XSEDE, TECHNOLOGY TRAY, END, LEFT, PAINT (optional)	49
4	45FTTERP	XSEDE, TECHNOLOGY TRAY, END, RIGHT, PAINT (optional)	49
14	45F08WBP	XSEDE, WORKSURFACE BRACKET, PAINT	48
4	45WIBF1	XSEDE, WORKSURFACE, FLAT BRACKET	10
4	45W2442WSSLL	XSEDE, SURFACE, RECTANGULAR, 42W, LAMINATE (TFL)	245
4	45W2872WSSLL	XSEDE, SURFACE, RECTANGULAR, 72W, LAMINATE (TFL)	434
		TOTAL	**$17042**

Note: Electrical components are not included in this typical configuration.

Typical Configurations

Crossrail Application

Two-Person Station with End Panels and Villa™ Lounge Seating

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Qty	*Model*	*Description*	*Price (each)*
1	45F72CRLP	XSEDE, CROSSRAIL, WORKSURFACE/LOWER, PAINT	80
1	45F72CRUP	XSEDE, CROSSRAIL, UPPER, PAINT	80
1	45F15VSSP	XSEDE, VERTICAL SUPPORT RAILS, SET OF 2, PAINT	92
2	45F6342EPUL	XSEDE, END PANEL, UPPER, LAMINATE	943
2	45F7210TTF	XSEDE, TECHNOLOGY TILE, FABRIC	127
1	45F72TCP	XSEDE, TOP CAP, PAINT	61
2	45F7204TTUXP	XSEDE, TECH TRAY, NO CUTOUT, PAINT	114
3	45FTBCP	XSEDE, TECH TRAY SURFACE BRACKET, PAINT	112
2	45F7204TTC6P	XSEDE, TECH TILE COVER, 6 CUTOUTS, PAINT	106
2	45FEDPP	DATA PLATE COVER	36
1	45FECPP	XSEDE, COVER PLATE (PACK OF 10), PAINT	99
1	45F72EPKDAE	XSEDE, POWER KIT, DUAL-SIDED, TECH TILE, TECH TRAY WITH ACCESSORY RAIL, EXTENDED	448
2	45FER1815	XSEDE, RECEPTACLE, CIRCUIT 1, 8 WIRE, 15 AMP	31
2	45FER2815	XSEDE, RECEPTACLE, CIRCUIT 2, 8 WIRE, 15 AMP	31
2	45FERUP	XSEDE, RECEPTACLE, USB, POWERED, CIRCUIT 1	154
2	45FER4D815	XSEDE, RECEPTACLE, CIRCUIT 4D, 8 WIRE, 15 AMP	31
1	45F0227EPILP	XSEDE, POWER/DATA INFEED CHANNEL, PAINT	186
1	45FEPEFC8	XSEDE, POWER ENTRY, FLOOR/CEILING, 8 WIRE	249
2	45W2872WSSLL	XSEDE, SURFACE, RECTANGULAR, LAMINATE (TFL)	434
2	45W72WSSR	XSEDE WORKSURFACE SUPPORT RAIL	143
2	K602	VILLA, LOUNGE, TWO SEAT, W/OUT ARM, GRADE 1	2218
2	77K42RD30L	SCENARIO, 42DIA, TOP, ROUND, LAMINATE	492
2	77K2728XM	SCENARIO, 27WX28H, X BASE, FIXED HEIGHT, MOBILE	919
		TOTAL	**$13189**

Note: Electrical components are included in this typical configuration.

PLANNING GUIDE

	➤See page
Overview	
Visual Definitions	32
Accessory Rail Applications	
Overview	34
Dimensions	35
Accessory Rails	36
U-Legs	37
Crossrail Applications	
Overview	38
Dimensions	40
Structure Guidelines	41
Crossrails	36
Vertical Support Rails	42
End Crossrail Sets	45
U-Legs with Stanchions	46
U-Leg Mid-Supports	47
H-Legs	48
Support Legs & T-Legs	49
End Panels	50
Connectors	51
Top Caps & End Trim	52
Tiles	53
Screens	59
Power & Data	60
Worksurfaces	74
Brackets & Support Rails	75
Support Legs	76
Required Brackets & Additional Support	77
Cord Management	81
Accessories	82
Related Products	
Footprint® Metal Storage	83
Priority™ Storage and Height-Adjustable Tables	91

Visual Definitions

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

With Xsede, you can create accessory rail or crossrail structure applications. They are not intended to be joined together, but are complementary to each other.

Accessory Rail Applications





- 7”H frameless glass/resin
- 14"H frameless glass/resin



- 7”H frameless glass/resin
- Footprint metal center-mount overhead cabinet

Crossrail Applications



- Upper tiles (both sides)



- Tech tile (one or both sides)



- Extended upper tile (outside)
- Upper tile (inside)
- Tech tray required (not shown)



- Open-base tiles (both sides)



- 50"H tiles
- 7”H frameless glass/resin
- 14"H frameless glass/resin



- 42"H tiles
- 7”H frameless glass/resin
- 14"H frameless glass/resin

Visual Definitions

continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Although not intended to be joined together, accessory rail and crossrail applications were designed to align in height.

Accessory Rail Application



- 14"H frameless glass/resin
- Perks dual-monitor arm, clamp-mount for Xsede, fully extended

- Footprint metal center-mount sliding-door overhead cabinet

Crossrail Application



- 50"H upper tile

- 7"H frameless glass/resin
- 42"H upper tile

Accessory Rail Applications

Overview

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Frameless glass or resin can mount to accessory rail to provide space division without hindering visual access.

Accessory rail brings function to benching. Accessory rail is mounted between two surfaces and can be used to attach frameless glass/resin, monitor arms, or center-mount overheads.

Dual-sided U-legs support the end of the worksurfaces.



Footprint metal center-mount overheads and Priority center-mount overheads and shelves can be mounted to accessory rail with stanchion brackets, specified separately.

Mid-support/return U-legs can be used as mid-support for longer runs and to support returns extending from the main run.



Power can be mounted directly underneath the accessory rail, and can be accessed using a tech tray with wire gap worksurfaces.

Accessory Rail Applications

Dimensions

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93





Accessory Rails

For Accessory Rail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Accessory rail is a component that provides much flexibility to a work station. It can be used to attach monitor arms, frameless glass or resin, center-mount overheads or shelves. Accessory rail is 1 3/16"D by 2 11/16"W and is available in 9 widths from 36"–84" in 6" increments. Accessory rails are finished off with a complementary color cap on each end.

Accessory rails are intended for dual-sided table applications.

Finishes & Materials

- Accessory rail: anodized aluminum with a satin finish

Connections



Accessory rail attaches to U-legs with four button-head cap screws on each end.



Worksurfaces attach to the accessory rail with a worksurface bracket or a dual-sided tech tray bracket.



▮ = Accessory rail connection with support

Accessory rails can be used in main/return applications. Two accessory rails can be joined to create a longer width; support is required at each connection. Power kits must be the same length as the accessory rail.

Power & Data



When wire-gap worksurfaces are used with an accessory rail, tech trays can be used under the worksurface for power, data, and cable management.

Tech trays hang from an accessory rail or crossrail and can conceal power/data and manage cables.



When full-depth worksurfaces are used, worksurface power/data grommets or power/data centers are recommended.

Planning Factors

50½" and 62½"D U-legs must have an accessory rail located between the two worksurfaces.

Accessory rails can only be used in straight-run configurations as they cannot turn corners.

24" and 30"D mid-support/return U-legs can be used for mid-support.
➤See page 37.

Related Products



Single monitor arms can attach to accessory rail with accessory rail-mount.
➤See the Perks Price List.



Footprint set-on-surface open cabinets are intended for mounting on top of the worksurface at the end of a run. 57" and 63"W units can span back-to-back worksurfaces on U-legs.
➤See the Footprint section of this price list.



Footprint suspended open cabinets mount below the end of a worksurface. Worksurface supports will need to be inset to allow clearance for the cabinet.
➤See the Footprint section of this price list.



Footprint center-mount metal overheads or Priority center-mount overheads and shelves can be mounted to accessory rail using stanchion brackets, specified separately.

Worksurface bracket
➤See page 75.

Tech tray bracket
➤See page 63.

Frameless glass or resin
➤See page 59.

U-Legs

For Accessory Rail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

U-Legs are for use in accessory rail applications and as mid- or return support.

Continuous-worksurface applications require the use of U-legs.

U-legs are 27¾"H and intended for undersurface table applications. They may be used for benching, tables, and returns. Posts are 1³⁄₁₆"D x 2⅜"W.



50⅝" U-legs are for use with two back-to-back 24"D worksurfaces separated by an accessory rail.

62⅝" U-legs are for use with two back-to-back 30"D worksurfaces separated by an accessory rail.



24" and 30"D mid-support/return U-legs are for use in table applications to support the end of a return surface (shown above) or shared between two worksurfaces (shown below). It can also be used as return support with other Kimball Office products.



Mid-support/return U-legs can be used for center support in back-to-back accessory rail applications (shared between two worksurfaces):

- 24"D models can be used with 51"D U-legs.
- 30"D models can be used with 57" and 63"D U-legs.

The depth of the mid-support must be at least half the depth of the two surfaces.

➤See page 41 for application guidelines.



Floor glides are standard on all legs. Glides on U-legs provide 2¾" height adjustment.

Finishes & Materials

- 14-gauge steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections



U-legs for use with accessory rail ship with attachment hardware. All U-legs ship with screws to secure worksurfaces.

Planning Factors

Structures created with U-legs can span from 24" to 84".

Worksurface planning information

➤See page 74.

Back-to-back, dual-sided worksurfaces supported by U-legs require an accessory rail between the two worksurfaces.

Legs may be inset up to half the depth of the surface to create a different visual. Legs must be inset to mount suspended cabinets below the surface.

Related Products

Accessory rails

➤See page 36.

Power & Data

➤See page 60.



4"H glide cover provides a cosmetic leg sleeve that can be added to U-legs to hide extended leveling glides. Glide cover is made of aluminum and can be painted same color as the leg. Install glide covers on U-legs prior to U-leg installation.

Crossrail Applications

Overview

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

T-legs, used in conjuction with crossrails and tiles, can create a freestanding structure to divide space, add privacy, and distribute power/data.

Crossrails connect to the legs to create the structure and hold tiles and top caps for a finished look.

Vertical support rails tie crossrails together and provide structural rigidity.

Mid-support U-leg with stanchions are used to connect smaller runs.

Tech tile covers allow power and data to be installed above the worksurface for quick access.

U-leg with stanchion is one of five different types of legs that are the foundation of the Xsede crossrail structure.



Tiles provide visual separation and are offered in upper, extended upper, open-base, and tech tiles.

Frameless resin or glass is installed into applicable top caps.

Fabric-covered privacy screens attach to the underside of worksurfaces to provide additional privacy. They can attach to any table.

Mid-support/return U-legs support the end of the worksurfaces in return applications.

c UL US LISTED

Class A—Tackable acoustical tiles.
Note: COM must comply with U.L. Standard 1286
Class B—Laminate tiles
Class C—Metal slat tiles

Crossrail Applications

Overview, continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

X-Connector provides the ability for the crossrail structure to change direction.

Full-height end panel provides a clean aesthetic without visible connectors. Worksurface-height end panels are also available.

Vertical support rails tie upper and lower crossrails together providing structure rigidity.

Power can be mounted directly underneath the crossrail, and can be accessed below the worksurface in the tech tray.

Power/data in-feed channel allows power and data to be routed from the floor to worksurface height.

Tech trays fit in front of power and data components and provide below-worksurface access through cut-outs in the tray.

Power in-feed models include 8-wire ceiling and floor entry, single-circuit in-feed to plug into a building outlet, New York power entry, and Chicago hardwire components.



Ceiling power/data pole allows power and data to be routed from the ceiling to the station.

End crossrail set can be used to finish a configuration with a wing wall arrangement without a visible T-post.

Support legs combined with end crossrails finish off the end of a structure run.

Power kits and jumpers are available to distribute power above or below the worksurface.

Tech tile and covers provide access to power/data at worksurface height.

H-legs, when used with crossrails, allow for a single-sided application.

Crossrail Applications

Dimensions

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93





42"H crossrail structure with:
- Wire gap worksurfaces
- 10"H upper tech tile and 4" tech tile cover
- 14"H frameless glass/resin

Note: Above configuration with 7"H frameless glass/resin would have an overall height of 49¼".

If using tech tray, the tech tray bracket would be 23⁹⁄₁₆" off the floor.

50"H crossrail structure with:
- Wire gap worksurfaces
- 17"H upper tech tile and 4" tech tile cover
- 7"H frameless glass/resin

Note: Above configuration with 14"H frameless glass/resin would have an overall height of 63½".

Crossrail Applications

Structure Guidelines

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

U-Leg or U-Leg with Stanchion:



Crossrail structures can span up to 84" from U-leg to U-leg, and can continue to any length of run when all U-legs are full depth.

U-legs can span 84" to mid-support and then 84" to the next U-leg and continue to any length, *so long as alternating U-legs are full depth.*

IMPORTANT: Unsupported worksurface spans over 48"W require additional center support.
➤See page 77 for appropriate bracketry.

End Panels:



Crossrail structures can span up to 84" from end panel to end panel. Runs can continue indefinitely between two end panels with the use of U-legs with stanchions in between, *so long as alternating U-legs are full depth.*

T-Legs:



Crossrail structures can run indefinitely when a T-leg is placed every 84".

H-Legs:



Crossrail structures can run indefinitely when an H-leg is placed every 84". H-legs are for use in single-sided applications.

Tiles are required for both sides of the structure.

Upper tile applications can be used adjacent to extended tile applications.

Open-base tile applications cannot connect to upper or extended tile applications.

Two flat brackets are required when joining main surfaces at support connections.



EXAMPLE:
Continuous run utilizing U-legs with stanchions

Crossrails

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Crossrails are the members that define the structure run and tie legs or connectors together to complete a freestanding 42" or 50"H structure. The same crossrails are used with U-legs, H-legs, U-legs with stanchion, T-legs, end panels, and connectors.

Crossrails hold tiles and top caps for a finished look. Available in 15 widths, crossrails range from 24"–84"W in 6-inch increments.

Four crossrail types are available to support a variety of tile applications:
- Upper crossrail
- Worksurface/lower crossrail
- Extended crossrail
- Single-sided crossrail

➤See page 43.



Upper crossrail holds tiles on both sides at the top of the structure at either 42" or 50"H. They work in tandem with any of the lower crossrail models.



Worksurface/lower crossrail provides a groove for the bottom of tiles to sit in on both sides. They may be used at worksurface height to hold upper tiles or attached to legs at 4" above the floor (lower position) for use with open-base tiles.
Note: Upper and worksurface/lower crossrails are identical. The only difference is the orientation when used.



Extended crossrail is for use at worksurface height. It holds an extended upper tile on one side and an upper tile on the other. The extended upper tile will sit 3½" below the worksurface height of the structure (backface or exterior) to conceal an undersurface tech tray. Works in tandem with upper crossrail.



Single-sided crossrail is used when a continuous aesthetic is required on one side, such as an aisle way, with a worksurface on the other side. The single-sided crossrail is positioned at worksurface height to hold the bottom of the upper tile on the worksurface side; the other side is flat to allow full-height open base tiles an unrestricted path from the upper crossrail at 42" or 50"H to the worksurface/lower crossrail at 4" off the floor.

Finishes & Materials

- Crossrails: steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections

Crossrails attach to legs with attachment hardware supplied with the legs.



Single-leg application



Shared-leg application

IMPORTANT: All bolts must be installed in all locations. Bolts outbound of the legs help to provide the structural integrity.

Planning Factors



▮ = Crossrail connection with support

Crossrails can be joined to make a longer run when legs or connectors are used for support at the crossrail intersection. Crossrails connect to legs and or connectors, not to other crossrails.

Crossrails may be specified to match the worksurface depth or width but can also span across multiple worksurfaces. Legs or connectors are required where crossrails meet.

Worksurface planning information

➤See page 74.

Power & Data





Power and data can be routed above the surface behind tech tiles or below the surface with or without tech trays.

➤See page 53 for tech tiles.
➤See page 63 for tech trays.
➤See page 60 for power & data overview.

Power kits must be the same length as tech tray with cutouts and crossrail.



Undersurface tech tray attaches to crossrail at worksurface height and hangs below the worksurface for routing of power and data.

Crossrails

Location Reference

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

T-Leg application shown; however, crossrail locations are the same for all leg types.













Vertical Support Rails

For Crossrail Applications

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Details



Vertical support rails tie upper and lower crossrails together and provide structural rigidity to prevent the frame from flexing and tiles from bowing. They are required for structures over 48"W. Cut-outs at top and bottom allow cable routing. Vertical support rails come in sets of two and in four heights.

For use with upper and extended upper tiles:

- 15"H for 42"H structures; runs from the crossrail at worksurface height to the upper crossrail
- 22"H for 50"H structures; runs from the crossrail at worksurface height to the upper crossrail

For use with open-base tiles:

- 38"H for 42"H structures; runs from the crossrail 4" off the floor to the upper crossrail
- 46"H for 50"H structures; runs from the crossrail 4" off the floor to the upper crossrail

Finishes & Materials

- Vertical support rails: steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections

Vertical support rails attach to the upper and lower crossrails with supplied bolts at pre-determined locations.

IMPORTANT: All bolts must be installed in all locations. Bolts outbound of the legs help to provide the structural integrity.

Vertical support rails are required for structures over 48"W. They must be bolted to both the upper and lower crossrails.

End Crossrail Sets

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



End crossrails sets can be used to finish a configuration with a wing-wall arrangement without exposed T-connectors.

End crossrail sets are available for 42" and 50"H applications and in three widths:
- 50⅝" (for two 24"D worksurfaces back to back)
- 56½" (for 24"D and 30"D worksurfaces back to back)
- 62⅝" (for two 30"D worksurfaces back to back)

Sets are specified based on the tile application; models available include:
- Upper end crossrail set
- Extended end crossrail set
- Open-base end crossrail set



Upper end crossrail set includes:
- Upper crossrail
- Worksurface/lower crossrail
- Vertical support rail
- Transition top cap
- Attachment hardware



Extended end crossrail set includes:
- Upper crossrail
- Extended lower crossrail
- Vertical support rail
- Transition top cap
- Attachment hardware



Open-base end crossrail set includes:
- Upper crossrail
- Single-sided crossrail
- Worksurface/lower crossrail for 4" off the floor
- Vertical support rail
- Transition top cap
- Attachment hardware

Finishes & Materials

- Crossrails: steel with powdercoat finish
- Vertical support rails: steel with powdercoat finish
- Top cap: extruded aluminum with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections



End crossrail sets attach to support legs, specified separately, on each end using the connector bolts and nuts supplied with the legs.

Power & Data





Power and data can be run above or below crossrail end sets. IMPORTANT Power run above the crossrail cannot be connected to power run below the crossrail; separate power entries would be required.

Planning Factors

End crossrail set can be used in place of a T-connector, U-leg with stanchion, H-leg at the end of run.

IMPORTANT: Support legs and tiles must be ordered separately.

IMPORTANT: End crossrail set must match the tile type to which it connects (e.g., upper crossrail set to upper tiles).

Related Products

Support legs
➤See page 49.

Tiles
➤See page 53.

U-Legs with Stanchions

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Legs are the foundation of the Xsede structure and are available in six different types for use with crossrail applications:

- U-legs with stanchion
- Mid-support U-legs with stanchion
- Mid-support/return U-legs
- H-legs
- Support legs
- T-legs

➤See page 48 for H-legs.
➤See page 49 for support legs and T-legs.

Continuous-worksurface applications with crossrails require the use of U-legs with stanchions (dual-sided) or H-legs (single-sided).



U-legs with stanchions feature a vertical member that, with upper and lower crossrails and a choice of tiles, provide fixed-height space division and a support for worksurfaces. Upper tiles, tech tiles and tech tile covers mount to each side of the stanchion. Posts and stanchions are 1 3/16"D x 2 3/8"W.

➤See page 55 for tile selection guide.

U-legs with stanchions are available in the two heights—42" and 50"—and in three depths:

- 50 5/8" (for two 24"D worksurfaces back to back)
- 56 1/2" (for 24"D and 30"D worksurfaces back to back)
- 62 5/8" (for two 30"D worksurfaces back to back)



Mid-support U-leg with stanchion ties two smaller structure runs together that, when combined, can span 168".



Floor glides are standard on all legs. Glides provide 2 3/4" height adjustment.

Finishes & Materials

- 14-gauge steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections



Bolts, standard with legs, are used to connect legs to upper and lower crossrails providing consistent alignment, strength, and rigidity to the run.



U-legs with stanchions are connected to each other with an upper crossrail at the top of the stanchion and with a worksurface/lower crossrail at worksurface height. These legs can be used at the end of a run or shared between two worksurfaces.

Planning Factors

Structures created using U-legs with stanchions can span from 24" to 84". The run can continue further if a full-depth U-leg with stanchion is used every 168" and a mid-support U-leg with stanchion is used every 84".



When ordering a 56 1/2"D U-leg with stanchion for a 24" worksurface and a 30" worksurface, specify one left-hand model and one right-hand model.



Mid-support/return U-leg without a stanchion can be used as mid-support between U-legs with stanchions and to support returns extending from the main run.

➤See page 47.

Worksurface planning

➤See page 74.

Related Products



4"H glide cover provides a cosmetic leg sleeve that can be added to all legs (except for the T-legs) to hide extended leveling glides. If used with legs that have a power slot, glide cover will cover most of the power slot opening. Glide cover is made of aluminum and can be painted same color as the leg.

Crossrails

➤See page 42.

Mid-Support U-Legs

For Crossrail Applications

With and Without Stanchions

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Mid-support U-leg with stanchion are similar in construction to U-legs with stanchion and can be used to tie two smaller structure runs together that, when combined, can span 168".



Mid-support/return U-leg without a stanchion can be used as center support for back-to-back crossrail applications (shared between two worksurfaces) and to support returns extending from the main run.

- 24"D models can be used with 51"D U-legs with stanchions.
- 30" or 36"D models can be used with 57" and 63"D U-legs with stanchions.

Mid-support/return U-legs can be used in return applications with other Kimball Office products.

➤See page 41 for structure run guidelines.



Floor glides are standard on all legs. Glides provide 2¾" height adjustment.

Finishes & Materials

- 14-gauge steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections



Bolts, standard with legs, are used to connect legs to upper and lower crossrails providing consistent alignment, strength, and rigidity to the run.

U-legs with stanchions and mid-support U-legs are connected to each other with an upper crossrail at the top of the stanchion and with a worksurface/lower crossrail at worksurface height. Mid-supports can be used at the end of a run or shared between two worksurfaces.

Planning Factors

Structures created using U-legs with stanchions can span from 24" to 84". The run can continue further if a full-depth U-leg with stanchion is used every 168" and a mid-support U-leg with stanchion or mid-support/return U-leg is used every 84".

Depth of mid-supports must be half the depth of the surface or dual-sided structure. Mid-support/return U-leg without a stanchion may be inset up to half the depth of the surface.

Worksurface planning

➤See page 74.

Related Products



4"H glide cover provides a cosmetic leg sleeve that can be added to U-legs to hide extended leveling glides. Glide cover is made of aluminum and can be painted same color as the leg.

Crossrails

➤See page 42.

H-Legs

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Legs are the foundation of the Xsede structure and are available in six different types for use with crossrail applications:

- U-legs with stanchion
- Mid-support U-legs with stanchion
- Mid-support/return U-legs
- H-legs
- Support legs
- T-legs

➤See page 46 for U-legs with stanchions.
➤See page 49 for support legs and T-legs.

Continuous-worksurface applications with crossrails require the use of U-legs with stanchions (dual-sided) or H-legs (single-sided).



H-legs are for use with single-sided crossrail applications and are perfect along an aisle or at the end of a run. They are available for 24" and 30"D worksurfaces and 42" or 50"H tile applications.



Upper Tile | Extended Upper Tile



Tech Tile | Open-Base

H-legs may be used with upper tiles, tech tiles and cover, extended upper tiles, or open-base tiles.

➤See page 55 for tile selection guide.



Floor glides are standard on all legs. Glides provide 2¾" height adjustment.

Finishes & Materials

- 14-gauge steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections



Bolts, standard with legs, are used to connect legs to upper and lower crossrails providing consistent alignment, strength, and rigidity to the run.

Tile-mount bracket is required for undersurface open-base applications with H-legs. Additionally, a notch will need to be made in the field to facilitate fitting the tile to the H-leg.



H-legs are connected to each other with an upper crossrail at the top of the stanchion and with an extended crossrail or single-sided crossrail at worksurface height.

Planning Factors

Structures created using H-legs can span from 24" to 84". A support leg (not a mid-support) is needed at least every 84".

➤See page 41 for structure guidelines.

H-legs are non-handed.

Worksurface planning

➤See page 74.

Power and Data



Power slots are available on H-legs for use with upper and extended upper tiles for routing cables within the leg. Power slot is located on the left side of the back leg.

8-wire floor/ceiling power entry can be routed in one leg. Data cables should be routed in a separate leg.

Power slots in leg do not accommodate a circuit 1 power entry.

Related Products



4"H glide cover provides a cosmetic leg sleeve that can be added to all legs (except for the T-legs) to hide extended leveling glides. If used with legs that have a power slot, glide cover will cover most of the power slot opening. Glide cover is made of aluminum and can be painted same color as the leg.

Crossrails

➤See page 42.

Support Legs and T-Legs

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Legs are the foundation of the Xsede structure and are available in six different types for use with crossrail applications:

- U-legs with stanchion
- Mid-support U-legs with stanchion
- Mid-support/return U-legs
- H-legs
- Support legs
- T-legs

➤See page 46 for U-legs with stanchions.
➤See page 48 for H-legs.



Support legs are available in 42" and 50" heights. They are for use:

- With end crossrail set (shown above)
- In conjunction with T-connectors supporting wing walls up to 30"W
- As center spine support when used with appropriate additional support

Support legs cannot be used as an individual leg to terminate the end of a run over 30"W.



T-legs are available in 42" and 50" heights. They are designed to free span an infinite width, providing space division.



Floor glides are standard on all legs. Glides on H-legs and support legs provide 2¾" height adjustment (shown); glides on T-legs provide ¾" height adjustment.

Support legs and T-legs are available in models for use with upper or extended upper tiles and open-base tiles. Models for use with upper and extended upper tiles can be specified with power slot for routing cables within the leg.

Finishes & Materials

H-legs and support legs

- 14-gauge steel with powdercoat finish

T-legs

- Post: 14-gauge steel with powdercoat finish
- Base: 8-gauge steel with powdercoat finish
- Cap: 12-gauge steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections



Bolts, standard with legs, are used to connect legs with upper and lower crossrails, providing consistent alignment, strength, and rigidity to the run.

Tile-mount bracket is required for undersurface open-base applications with support legs or T-legs when a worksurface is being installed.

Open-base tile-mount bracket should be used where no surface will be installed, but separate tiles will be installed above and below the worksurface/lower rail on the exterior side. Bracket should be the same length as the crossrail.

Power & Data



Models with power slots allow power or data to be routed from the floor to above the worksurface within the leg. Physical separation of power and data is achieved by bringing power through one leg and data through another.

➤See page 53 for tech tiles.
➤See page 63 for tech trays.
➤See page 60 for power & data overview.

8-wire floor/ceiling power entry can be routed in one leg. Data cables should be routed in a separate leg.

Power slots in leg do not accommodate a circuit 1 power entry.

Open-base models do not feature a power slot option. Use a power/data in-feed channel to bring power and data to the structure.

Planning Factors

Structures created with H-legs or support legs can span from 24" to 84". The run can continue further if a shared support leg (not a mid-support) is provided at least every 84"

Runs with mobile tables require T-legs. There is no limit to run length.

Worksurface planning

➤See page 74.

Related Products



4"H glide cover provides a cosmetic leg sleeve that can be added to all legs (except for the T-legs) to hide extended leveling glides. If used with legs that have a power slot, glide cover will cover most of the power slot opening. Glide cover is made of aluminum and can be painted same color as the leg.

Crossrails

➤See page 42.

Undersurface Support Legs

➤See page 76.

End Panels

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Laminate end panels provide an option for an uninterrupted, clean aesthetic in end-of-run applications without visible connectors in configurations created with U-legs with stanchions or H-legs.

End panel depths are designed to match the depths of U-legs with stanchions (50½", 56½", and 62½"D) or H-legs (25¾" or 31¾"). They take the place of a U-leg with stanchion or an H-leg at the end of a run.

Glides are standard on all end panels and provide 1" height adjustment.



Upper-tile applications



Open-base-tile applications

Full-height end panels for use in dual-sided applications are available in 42" or 50"H for upper applications or open-base tile applications, providing the appropriate bracketry for attachment of crossrails and worksurfaces.



Upper-tile applications



Open-base-tile applications

Full-height end panels for use in single-sided applications are available in 42" or 50"H for upper tile applications or open-base tile applications, providing the appropriate bracketry for attachment of crossrails and worksurfaces.



Upper-tile applications



Open-base-tile applications

Worksurface-height end panels for use in dual-sided applications provide 42" or 50"H stanchion for the connection of upper crossrail, worksurface/lower crossrail, and worksurfaces.

PVC ⅛" (3mm) edge banding finishes all edges; available in colors to match or complement laminate colors.

Finishes & Materials

- End panels: particle board with high-pressure laminate (HPL) on both sides with PVC ⅛" (3mm) edge banding
  Note: Different laminate colors may be specified for the inside or aisle side.
- ➤See page 197 for laminate color choices.
- ➤See page 201 for PVC color choices.

Connections



Brackets on the back side of end panels connect to crossrails and worksurfaces.



Top cap on the perpendicular structure aligns with the top of the end panel for a clean aesthetic.

Power & Data

End panels conceal power and data within adjacent structures. Power and data are not applicable to end panels.

Planning Factors

IMPORTANT: End panels are for use in end-of-run applications only; they are not for use in accessory rail applications.

Grain direction on laminate end panels runs horizontally.

Left and right hand models are available to correspond to 24"D and 30"D dual-sided worksurface combinations.

Two single-sided end panels are not intended to create a dual-sided application.

Crossrails
➤See page 42.

Connectors

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Connectors provide the ability for the structure to turn a corner for a change of direction. Connectors are available in two heights—42" and 50"—and four directional styles:

- L (2-way 90°)
- T (3-way 90°)
- X (4-way 90°)
- Y (3-way 120°/120°/120°)

Each connector model includes**:**

- Two-piece leg assembly consisting of a lower leg that is 1 3/16" x 2 3/8" tubular steel and an extruded aluminum upper column
- Fabric on upper column on L- and T-connectors
- Transition top cap
- Attachment hardware consisting of connector bolts and nuts



For Upper Tiles | For Extended Upper Tiles | For Open-Base Tiles

L-connectors are available in models for use with upper, extended upper, and open-base tiles. Models for use with upper or extended upper tiles can be specified with power slots for routing cables within the leg to above worksurface height. L-connectors are specified as left or right handed.



For Upper Tiles | For Extended Upper Tiles | For Open-Base Tiles

T-connectors are available in models for use with upper, extended upper, and open-base tiles. Models for use with upper or extended models can be specified with a power slot for routing cables within the leg to above worksurface height.



For Upper Tiles | For Open-Base Tiles

X-connectors are available for use with upper and open-base tiles; upper-tile models are available with or without a power slot.

Note: X- and Y-connectors do not have extended model options because they are not on the outside of the structure.



For Upper Tiles | For Open-Base Tiles

Y-connectors are available for use with upper and open-base tiles; models are available with or without a power slot.



Floor glides are standard on all connectors. Glides on connectors provide 2¾" height adjustment.

Finishes & Materials

- Lower leg: 14-gauge steel with painted finish
- Upper column: extruded aluminum
- Top cap: aluminum with same painted finish and lower leg

➤See page 199 for standard and metallic finish options.

Connections

Bolts, standard with each model, are used to connect legs with upper and lower crossrails for consistent alignment, strength, and rigidity to the run.

Power & Data



Cut-outs allow electrical and data cabling to be routed through the top of the connector and into the space behind tiles. These cut-outs allow pass through at 42"H or 50"H for a continuous flow.

Electrical jumpers, when making a turn in above-surface applications, must be installed through a connector prior to assembling the connector.



Models with power slots allow power or data to be routed from the floor to above the worksurface within the leg. Physical separation of power and data is achieved by bringing power through one leg and data through another.

8-wire floor/ceiling power entry can be routed in one leg. Data cables should be routed in a separate leg.

Power slots in leg do not accommodate a circuit 1 power entry.

Planning Factors

Connectors can be used in conjunction with U-legs with stanchions, H-legs, support legs, and T-legs.

Connectors cannot be used for hi-lo applications.

Specify appropriate connectors based on the application:

- L (2-way)
- T (3-way)
- X (4-way)



- Y (3-way); shown above

Related Products



4"H glide cover provides a cosmetic leg sleeve that can be added to hide extended leveling glides. If used with legs that have a power slot, glide cover will cover most of the power slot opening. Glide cover is made of aluminum and can be painted same color as the leg.

Trim

For Crossrail Applications

Top Caps and End Trim

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Top caps complete the top of the structure and conceal crossrails. They are made of extruded aluminum with a powdercoat finish. Top caps are available in flat profile or frameless glass or resin models, which come in widths 18"–96"; both are 2¾"D and sit down over the crossrail ½".

End trim conceals the legs at the end of the runs and is bolted to the stanchion for a finished look. End trim is constructed of 12-gauge sheet metal and is available in all paint colors. Attachment bolts are standard. End trim is available for 42"H and 50"H applications.



14" and 22"H end trims are for use with upper tiles of the same heights.



19" and 26"H end trims for use with extended upper tiles feature a 3" metal concealer on the interior side, making them either left- or right-handed. 19"H model works with 17" extended upper tile (exterior) and 14" upper tile (interior) on 42"H structure; 26"H model works with 25"H extended upper tile (exterior) and 21" upper tile (interior) on a 50"H structure.



Hi-lo end trim is available to complete the in-line transition from 50" to 42". Hi-lo end trims are bolted onto the adjacent structure.



37" and 41"H end trims are for use with open-base tiles of the same height or on 42" and 50"H structures.



End trim covers the exposed edges of the crossrails, tile edge, and top cap.

Finishes & Materials

- Top cap: extruded aluminum with powdercoat finish
- End trim: 12-gauge sheet metal

➤See page 199 for standard and metallic finish options.

Connections

Flat profile top caps fit securely onto crossrails using a pressure-fit attachment method.

Top caps for frameless glass or resin are held in place with nylon retainer clips and through-bolts that ship with the frameless glass or resin.

Planning Factors

Top caps are designed to span the width of the structure up to 84" for a seamless aesthetic. 90" and 96"W top caps can be used in continuous spans within a run. For example, a 90"W top cap can be used to cover three 30" spans and a 96"W top cap can be used to cover two 48" spans.





6" top cap with cut-out for ceiling power/data pole attachment ships with the power/data pole. Subtract 6" from the adjacent top cap. For example, use the 18"W top cap for 24"W structure and ceiling power/data pole.

Related Products

Crossrails

➤See page 42.

Tiles

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Xsede tiles provide visual separation and define the boundaries of the work-space. Tiles are available in sizes up to 96"W and in three material options to meet different user work needs:

- Tackable Fabric
- Markerboard
- Slat

➤See pricing pages for available sizes by size and application.

Tile height options include:

- Upper tiles
- Extended upper tiles
- Open-base tiles
- Tech tiles

➤See pages 55–58 for selection guide.



Upper tiles are 17"H for use on 42"H crossrail structures or 21"H for use on 50"H crossrail structures. Upper tiles install flush with the bottom of the surface and extend above the worksurfaces.



Extended upper tiles are used on the outside (as shown above) of 42" and 50"H single-sided structures and extend below the worksurfaces 3½" to conceal tech tray. They can be used with extended end crossrail sets to conceal tech trays on the spine run for a clean visual.



Open-base tiles sit at 4" off the floor and are available for 42"H and 50"H applications, as well as undersurface applications with or without a tech tray.



Open-base tiles can be used to create privacy at workstations.



End-of-run models are available for upper, extended upper, and open-base tile height applications.



Tech tiles, available in fabric, marker, and slat models, are for use above the worksurface as an upper tile on 42" and 50"H crossrail structures. They are 4" shorter than standard upper tiles to accommodate a tech tile cover below.
IMPORTANT: Tech tile covers must be specified separately.



Tech tile covers are 4"H attach directly to legs and are painted steel. They are available in widths from 24"–84" and may be specified with cut-outs to provide options that match the users needs or without cut-outs (blank). Covers have 2 to 6 cutouts depending on the width of the cover to accommodate duplex receptacles and/or data ports. There are basic and expanded options to match the configurations outlined in the power and data section of this price list.
➤See page 62 for additional information.

Finishes & Materials

- Fabric tiles: panel fabrics (railroaded)

➤See page 203 fabric colorways.

- Markerboard tiles: Icey White or Off White laminate with edge banding all 4 sides
- Slat tiles: aluminum
- Tech tile covers: Painted steel

➤See page 199 for standard and metallic finish options.

Connections



Tiles fit into the grooves of upper and worksurface/lower crossrails. Upper tile application shown above.

Power & Data

Power and data can be routed horizontally and vertically behind the tiles in the structure's interior.
➤See page 60.

Power and data kits are available, specified separately, for use with tech tile covers.
➤See page 66.

➤Continued on next page.

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Planning Factors

IMPORTANT: Specify tiles for both sides of the crossrail structure.

90"W and 96"W tiles can be used in a continuous span of multiple legs and crossrails that equal these widths (e.g., a 90"W tile can cover three 30"W spans).

Tech tiles must match the tech tile cover width; however, they can be comprised of multiple tiles (e.g., Two 48"W tiles can be used with a 96"W tech tile cover.

Tech tile covers must match the crossrail width.

Tech tile cover can be used in single-sided application or may be placed back to back for shared power/data for optimum component utilization.

Tech tile covers without cut-outs must be specified where pass-thru jumpers are used. Covers without cut-outs may also be used with nothing routed behind it for a consistent appearance.

Undersurface tiles in open-base applications without a tech tray require an undersurface tile-mount bracket; specified separately. Bracket mounts directly to the worksurface bracket as shown below.



When undersurface tile is installed using a tile-mount bracket, a 5⁄8" gap is created allowing cables to pass over the tile to the opposite side.

IMPORTANT: Power cannot be mounted underneath the crossrail in open-base tile applications without a tech tray due to interference with undersurface tiles. Specify above-surface power.



Undersurface tiles in open-base applications with a tech tray fit into the groove of the tech tray surface bracket.



Undersurface tiles used in this application are 3" shorter in height than tiles used in applications without a tech tray.





Single-side open-base applications consist of an upper tile and undersurface tile on the interior, and a full-height open-base tile (top illustration) or an upper tile and an undersurface tile (bottom illustration) on the exterior.

Open-base tile-mount bracket is required where no surface will be installed, but separate tiles will be installed above and below the worksurface/lower rail on the exterior side. Bracket should be the same length as the crossrail.



Specify fabric end-of-run tiles, plus two additional upper tiles for the interior side, along with end crossrail sets to create a wingwall arrangement. End-of-run tile will be 3" wider than the combined width of the interior tiles to account for the width of the perpendicular structure (e.g., 51"W end-of-run tile pairs with two 24"W tiles for the interior side).
➤See page 58.

Related Products

Hole cover plates, specified separately (10 per package), are recommended to cover unused cut-outs in tech tile cover.

Data plates with adapter kit are required for access to data at worksurface height.
➤See page 69.

Perks work tools are compatible with Xsede slat tiles.
➤See the Perks Price List.

Crossrails
➤See page 42.

Tiles

For Crossrail Applications

Selection Guide

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

IMPORTANT: Specify the tile height based on the structure height.

Tile Widths	*Tile Height*	*Structure Height*
Upper Tiles		
24"–96"	14"	42"
	21"	50"
Tech Tiles		
24"–96"	10"	42"
	17"	50"
Tech Tile Covers		
24"–84"	4"	42" or 50"

Tiles are required for both sides of the structure.

Support must be specified separately.

U-Leg with Stanchion Applications:





Tiles

For Crossrail Applications

Selection Guide, continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

IMPORTANT: Specify the tile height based on the structure height. Support must be specified separately.

Tile Widths	*Tile Height*	*Structure Height*
Upper Tiles		
24"–96"	14"	42"
	21"	50"
Extended Upper Tiles		
24"–96"	17"	42"
	25"	50"
Tech Tiles		
24"–96"	10"	42"
	17"	50"
Tech Tile Covers		
24"–84"	4"	42" or 50"
Open-Base Tiles		
Outside, Full-Height		
24"–96"	37"	42"
	46"	50"
Undersurface with Tech Tray		
24"–96"	19"	42" or 50"
Undersurface without Tech Tray		
24"–96"	23"	42" or 50"

Tiles are required for both sides of the structure.

Support must be specified separately.

H-Leg Applications:



* *Open-base applications without a tech tray require the use of tile-mount bracket for the open-base undersurface tile, specified separately.*

If using an H-leg for support with an open-base undersurface tile, a notch will need to be field scribed to facilitate the undersurface tile fitting to the H-leg.

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

IMPORTANT: Specify the tile height based on the structure height. Support must be specified separately.

Tile Widths	*Tile Height*	*Structure Height*
Upper Tiles		
24"–96"	14"	42"
	21"	50"
Extended Upper Tiles		
24"–96"	17"	42"
	25"	50"
Tech Tiles		
24"–96"	10"	42"
	17"	50"
Tech Tile Covers		
24"–84"	4"	42" or 50"
Open-Base Tiles		
Outside, Full-Height		
24"–96"	37"	42"
	46"	50"
Undersurface with Tech Tray		
24"–96"	19"	42" or 50"
Undersurface without Tech Tray		
24"–96"	23"	42" or 50"

Tiles are required for both sides of the structure.

Support must be specified separately.

T-Leg Applications:















** Open-base applications without a tech tray require the use of an undersurface tile-mount bracket for the open-base undersurface tile; specified separately.*

*** Open-base applications where two different tiles are used on the non-worksurface side require the use of open-base tile-mount bracket for the exterior open-base undersurface tile; specified separately.*

Tiles

For Crossrail Applications

Selection Guide, continued

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

IMPORTANT: Specify the tile height based on the structure height. Support must be specified separately.

Tile Widths	*Tile Height*	*Structure Height*
End-of Run Upper Tiles		
51", 57", 63"	14"	42"
	21"	50"
End-of Run Extended Upper Tiles		
51", 57", 63"	17"	42"
	25"	50"
Open-Base Tiles		
Outside, Full-Height		
51", 57", 63"	37"	42"
	46"	50"
Interior, Undersurface with Tech Tray		
24" or 30"	20"	42" or 50"
Interior, Undersurface without Tech Tray		
24" or 30"	23"	42" or 50"
Upper Tiles for Interior		
24" or 30"	14"	42"
	21"	50"

Tiles are required for both sides of the structure.

End crossrail sets and support legs must be specified separately.

End-of-Run Applications (Exterior):





End-of-Run Applications (Interior):







Screens

For Accessory Rail and Crossrail Applications

Frameless Resin or Glass and Privacy Screens

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Frameless resin or glass provide space division without impacting or compromising the open feel and the access to daylight views. Quarter-inch-thick resin or glass panes are available in 7" and 14" heights; glass is tempered for safety.



Privacy screens provide upper and lower privacy specifically where it is required.



Privacy screens 36"H and extend 12 11/16" above the worksurface and 22⅛" below the worksurface. These fabric screens are available in widths from 24"–60". Screens are tackable and have a painted metal frame surround.

Finishes & Materials

- Resin: mist
- Glass: clear, tempered float glass with a high-polish aris edge
- Screens: painted frame surround with panel fabric on both sides (railroaded)

➤See page 203 fabric colorways.

Connections



Frameless glass and resin are held in place in the top cap or accessory rail with nylon retainer clips (shown above), included as standard.



Privacy screens attach to the underside of the worksurface with two “L” brackets that ship standard with the screens.

Planning Factors



Frameless resin and glass is designed to span the width of the structure up to 84" for a seamless appearance. 90" and 96"W frameless resin or glass will span multiple structures in a run, as shown above. For example, a 96"W model can be used to span two 48"W crossrails or accessory rails.



Frameless glass and resin can mount into top cap for this application to add additional layer of visual separation. Frameless glass and resin do not come together, but sit flush with each other at the connector.



7"H frameless resin or glass, when mounted on top of a 42" high structure, will line-up with a 50"H structure.



14"H frameless resin or glass, when mounted in an accessory tool rail, will line-up with the 42"H crossrail structure.

Frameless glass cannot be scribed in the field, nor is it loadbearing. Components or accessories cannot hang on frameless glass.

Power & Data Overview

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Xsede offers several ways to power Xsede structures, utilizing the same componentry in both accessory rail and crossrail applications.

Many options are available for power and data so that specific needs can be addressed and reconfigured as the requirements evolve.

Xsede offers two power entry options:

- 8-wire floor/ceiling, 4-circuit (3+1 or 2+2) to accommodate 15- or 20-amp duplex receptacles
- Circuit-1 only, which must plug into a 20-amp building receptacle, to accommodate 15 or 20-amp receptacles

Xsede is approved to accept Chicago and New York electrical.

The building's power capability should be determined before power is configured and components are specified.

In accessory rail applications, power kits are mounted to the underneath side of the accessory rail and are recommended for use with a tech tray.
➤See next page for crossrail applications.

Power Mounted to Accessory Rail Prior to Adding Tech Trays



Power kits are available in basic and expanded models to accommodate the user's receptacle needs.

Note: If using power kits without a tech tray, the power kits and components will be visible under the accessory rail.

Power/data infeed channel is used to bring power to the system. It can also accommodate data with physical separation from power. Channel is non-supporting.

Tech trays provide a trough for cable, cover power kits, and provide access to power/data through tray cut-outs when used with wire gap work-surfaces. Tech trays must match the width of accessory rail or crossrail.

Cat5, Cat6A, fiber optics, and powered USB have been designed into the Xsede capability.

Power and data is available below the surface in accessory rail applications. Duplex receptacles are rated at 15 or 20 amps.



Jumpers connect one power kit to another.

Power Mounted to Accessory Rail with Tech Trays

Power & Data Overview

continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

In crossrail applications, power kits can be mounted above or below the worksurface:



- Mounted on top of the crossrail at worksurface height behind a tech tile cover.



- Mounted directly underneath the crossrail behind a tech tray



- Mounted directly underneath the crossrail without a tech tray; power kits will be visible.

Tech trays are recommended for power mounted below the crossrail. Tech trays cover power kits and provide access to power/data through tray cut-outs when used with wire gap worksurfaces.

Power/data in-feed channel accommodates power and data with physical separation. It is non-supporting.

Cat5, Cat6A, fiber optics, and powered USB have been designed into the Xsede capability.



Power Mounted Below Crossrail

Power Mounted Above Crossrail

Power kits are available for either above the surface or below the worksurface (shown). Select from basic and expanded power kits to accommodate the number of receptacle needed.

Power entry and data cabling can be brought to the crossrail structure using a ceiling pole. The pole includes a movable divider to provide separation between power and data.

Jumpers connect one power kit to another and can be routed through a connector.

IMPORTANT: Power cannot be jumped from below the surface to above, or vice versa. A separate power source is required for each. Power cannot be installed both below the crossrail and in a tech tile above due to mounting bracket interference.

Tech Tile Covers

For Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details





Tech tile covers provide easy access to power and data at worksurface height; specified separately from tech tiles.

Available in widths from 24"–84", tech tile cover cutouts can be specified to coordinate with expanded power kits that provide four duplex receptacles or basic power kits that provide two duplex receptacles.

Tech tile covers are 4"H painted steel, and attach directly to legs.

Covers for use with basic power kits have 2 to 4 cutouts depending on the width of the cover to accommodate:

- Two duplex receptacles, one on each end; and
- One or two data/blank openings; each opening can accommodate two data ports.

➤See chart at right.

Covers for use with expanded power kits have 5 to 6 cutouts depending on the width of the cover to accommodate:

- Four duplex receptacles, two on each end; and
- One or two data/blank openings; each opening can accommodate two data ports.

➤See chart below, right.

Cut-out locations are the same as tech trays.

Planning Factors



Receptacles and data are easily accessible above the worksurface.

Tech tile cover can be used in single-sided application or may be placed back to back for shared power/data for optimum component utilization.

Tech tile covers without cut-outs must be specified where pass-thru jumpers are used. Covers without cut-outs may also be used with nothing routed behind it for a consistent appearance.

Tech tile covers must match the width of the crossrail for attachment to vertical structure.

When using dual-sided power kits, the tech tile covers must be the same on both sides of the structure.

Data can be placed in a receptacle opening if no power kit is installed.

Related Products

Hole cover plates, specified separately (10 per package), are recommended to cover unused cut-outs in tech tile cover.

Data plates with adapter kit are required for access to data at worksurface height.

For Use with Basic Power Kits

Dual-Sided



KEY:

■ = Opening for 1 Duplex Power Receptacle

▭ = Opening for 2 Data Ports or Blank

For Use with Expanded Power Kits

Single- or Dual-Sided



Tech Trays

For Accessory Rail or Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Tech trays provide access to power and data attached to accessory rail or crossrails and a trough for cords and cables under the worksurface. Trays are specified to match the width of the crossrails or accessory rails to which they attach up to 84"W.

Tech trays are suspended from accessory rail or crossrails, and are supported by tech tray brackets, specified separately.



Tech trays are available with or without cut-outs. Trays can be used for single- or dual-sided applications. Tech trays with cut-outs for basic or expanded options must match power kit configurations.

➤See page 66 for power kits.



Tech tray for use with basic power kits have 2 to 4 cutouts depending on the width of the cover to accommodate:

- Two duplex receptacles, one on each end; and
- One or two data/blank openings; each opening can accommodate two data ports.

➤See chart below.

Tech trays for use with expanded power kits have 5 to 6 cutouts depending on the width of the cover to accommodate:

- Four duplex receptacles, two on each end; and
- One or two data/blank openings; each opening can accommodate two data ports.

➤See chart below, right.

Cut-out locations are the same as tech tile covers.



Finishes & Materials

- Tray: 20-gauge painted steel

➤See page 199 for standard and metallic finish options.

- Data plates: powder-coated steel
- Cover plates: steel

For Use with Basic Power Kits

Dual-Sided



KEY:

▬ = Opening for 1 Duplex Power Receptacle

▭ = Opening for 2 Data Ports or Blank

For Use with Expanded Power Kits

Single- or Dual-Sided



Tech Trays

For Accessory Rail or Crossrail Applications

continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Connections



120°



Spanner



Extended (set of 2)



90°

Connector brackets are recommended for use to hold and transition one tray to another and around corners. Specify separately according to the application: 120°, spanner, extended, or 90°. Spanner bracket connects two side-by-side trays; extended bracket (set of 2) connects two trays with a leg between.



Tray end caps and extended end caps provide a finished look. End caps are right or left handed. Extended end caps are only used when multiple accessory rails are used with a shared leg in the center. End caps are optional.



Single-sided



Dual-sided

Tech tray surface bracket attaches to crossrails or accessory rails and supports the back edge of worksurfaces. Use two tech tray brackets for surfaces up to 60"; use three tech tray brackets for surfaces over 60".



When using wire-gap worksurfaces, tech trays can be used under the worksurface for power and data access. Data ports and USB receptacles in the tech tray allow easy accesss to communications.



Power and data kits are used with the tech tray.
➤See page 66.

Connector brackets are recommended when jumping power from one tray to another.

Planning Factors

Data can be placed in a receptacle opening if no power kit is installed.

Tech trays can be added to both sides of the crossrail or accessory rail in a dual-sided application to provide maximum capacity for power and data cabling.

Specify wire gap worksurfaces or worksurface grommets in full-depth worksurfaces for access to the tech tray below.





Related Products



Data plates and cover plates for undersurface applications are available. Plates sit behind the tech tray and are affixed to the underside of the crossrail.



Data plates, which include an adapter kit, are available in single-sided and dual-sided models.





Cover plates are available in single-sided and dual-sided models to conceal unused openings.

Specify a single-sided cover plate for every undersurface hardwire box utilized.



Power/data in-feed channel (non-supporting) for bringing in power or data from the floor.

Power Entries

and Related Products

For Accessory Rail or Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

8-wire floor/ceiling power entry is 12' long. Connection is made by snapping into the end of a power kit. Can be used with:
- Legs with power slot
- Ceiling power/data pole
- Power/data in-feed channel

Circuit-1-only power entry is 10' long and can be a quick solution for a maximum of 12 receptacles.

IMPORTANT: Circuit-1-only power entry must be used with a power/data in-feed channel. Includes a 20-amp plug, which must plug into a 20-amp building outlet.



New York power entry allows hard-wiring to comply with local codes.

Hardwire box allows hardwiring of power to comply with local codes. Choose the hardwire box that fits the application, either above or below surface. Hardwire boxes allow one receptacle per box.



Ceiling power/data pole, for use in crossrail applications, is 66"H and features a snap-on cover that can be oriented in four different directions relative to the crossrail structure. Power pole features a moveable divider inside that can create physical separation between power and data. Ships standard with a 6" top cap.



Power/data in-feed channel can be placed anywhere under the accessory rail or the crossrail to bring below-surface power and data to the workspace. For above-surface power in crossrail applications, the in-feed channel should align with crossrail cut-outs.

IMPORTANT: The power/data infeed channel does not provide structure or support, but does provide physical separation of power and data, and is specific to Xsede applications.



Electrical management system can be added to meet the compliant criteria of ASHRAE 90.1-2010 and California Title 24. The system consists of:
- Monitor control device (MCD)
- Sensor that signals the MCD to shut off the power when no activity is present.

MCD must be installed by a licensed electrician between the building power and the power entry. MCD mounts to underside of the worksurface. This system can also be used with Xsite, Cetra, and Interworks 8-wire applications.
➤See assembly instructions.

Finishes & Materials

- Electrical components: metal conduit and PVC-free plastic

Planning Factors

Both 8-wire and circuit-1-only systems utilize the same electrical components, except for the power entries.



When using a ceiling power/data pole, the top cap must be 6" shorter than the structure. For example, use the 18"W top cap for 24" structure and power pole.



Topcap for use with ceiling power entry ships with the power pole.



Interior of ceiling power/data pole dimensions are 2⅜" x 2⅜". A moveable divider allows separation of data and power.

Related Products

Flexchain cable manager or expandable cable manager can be used to route power or data to accessory rail or crossrail.
➤See the Perks Price List.

Power Kits

For Accessory Rail or Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Power kits are used with tech tile covers above the worksurface and with tech trays below the worksurface. Power kits utilize an 8-wire, 4-circuit electrical system or circuit-1-only (single circuit) power entry.

Three types of power kits are available:

Dual-sided—
- Basic
- Expanded

Single-sided—
- Expanded

Dual-sided basic power kit provides two dual-sided power blocks, one on each end of the harness. Each power block accepts two duplex receptacles, *one on each side,* for a total of four per kit. They are available in widths 24" to 84" in 6" increments.

Dual-sided expanded power kit provides four dual-sided power blocks, two on each end of the harness. Each power block accepts two duplex receptacles, *one on each side,* for a total of eight per kit. They are available in widths 48" to 84" in 6" increments.

Single-sided expanded power kit provides four single-sided power blocks, two on each end of the harness. Each power block accepts one duplex receptacle for a total of four per kit. They are available in widths 48" to 84" in 6" increments.

IMPORTANT: Receptacles are specified separately.



Dual-Sided Basic Power Kit
Accepts 4 duplex receptacles
(2 per side)



Dual-Sided Expanded Power Kit
Accepts 8 duplex receptacles
(4 per side)



Single-Side Expanded Power Kit
Accepts 4 duplex receptacles

Power kits are specified by application and include the appropriate components, which include:
- Power blocks
- Mounting brackets and hardware
- Harnesses

Note: 30" kits consist of a 7" male-to-male connector instead of a harness.



Mounting brackets hold power blocks and are standard with the kit. Also included is attachment hardware to install the mounting brackets to pre-drilled holes in the crossrail or to the accessory rail. (Above-surface crossrail application shown above.)

Finishes & Materials

- Electrical components: metal conduit and PVC-free plastic
- Mounting brackets and hardwire Boxes: formed steel

Connections

8 wire electrical can tie to the building in-feed either at the base or at the ceiling entry.

Circuit-1-only power entry is applicable for a maximum of 12 circuit-1 15 or 20-amp duplex receptacles and can be plugged into an existing building outlet. Building outlet must be 20-amp to accept this power entry plug. Power entry is not for use with legs with power slots.

Planning Factors

Specify the power kit to match the width of the accessory rail or crossrail. *Note: Power kits for below surface with accessory rail or above surface with tech tiles are the same. Power kits for below surface on crossrail are different due the attachment brackets.*

Same arrangement of duplex receptacles and data should be used on both sides.

Accessory rail applications offer power access below the worksurface only.

Crossrail applications offer power access either above or below the worksurface.

Jumpers must be specified for power-kit-to-power-kit, power-kit-to-connector-to-power-kit, and tech-tile-to-tech-tile connections.

Power cannot be jumped from below-surface-mounted power kit to an above-surface-mounted power kit.

Related Products

Tech trays
➤See page 63.

Tech tiles and covers
➤See page 53.

Crossrails for mounting of the power kits feature pre-drilled holes for ease of securing mounting brackets.
➤See page 42.

Accessory rails
➤See page 36.

Receptacles
➤See page 69.

Jumper Kits

For Accessory Rail or Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Jumpers connect power kits through vertical supports and structure.



Power-kit-to-power-kit and power-kit-to-connector-to-power-kit jumpers connect one power kit to another.



Power-kit-to-connector-to-power-kit jumpers route power from one power kit through a connector to the next power kit.
➤See page 68 for jumper selection guide.



Power-kit-to-to-power-kit jumpers route power from one power kit to the next power kit in accessory rail applications. They are 14"W.



Pass-thru jumpers kits are used to continue the flow of electricity between power kits within a workstation. Pass-thru jumper kits replace power kits where receptacles are not needed. Kits must equal the length of the accessory rail or crossrail.

Finishes & Materials

- Electrical components: metal conduit and PVC-free plastic

Connections



Undersurface J-hook brackets are used to hold the conduit of the power kit or the pass-thru jumper kit and are installed in alternate directions to hold power or data in place.

- Can be used to route communications cabling below accessory rails or crossrails.
- Two brackets are recommended for power kits 48"–84"W.
- Two brackets are recommended for pass-thru jumper kits 24"–42"W.
- Four brackets are recommended for pass-thru jumper kits 48"–84"W.
- Two brackets are recommended for New York City power entry.
- Accommodates sixteen (16) ¼"-diameter data cables in a single run when secured with cable ties.

Planning Factors

Jumpers must be specified for power-kit-to-power-kit and tech-cover-to-tech-cover connections, as well as for going through a connector.

When jumping from a power kit through a connector to another power kit, the model selection is dependent upon the type of power kit power is being jumped from—single-sided or dual-sided; basic or expanded, the type of connector the jumper is going through (X, L, Y, or T)—and the type of power kit to which it is connecting.

Jumpers must be routed through connectors when making a turn in above-surface applications before the connector is assembled and attached to the crossrails.

Power cannot be jumped (routed) from below surface to above or vice versa. A separate power source is required for each.

Power-kit-to-power-kit jumper, specified separately, is required to connect pass-thru jumper to an adjacent power kit.

Jumper Kits

For Accessory Rail or Crossrail Applications

Jumper Selection Guide

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Crossrail Application

	For Tech Tile (Above-Surface) Applications (Through Connector) Use this Jumper Model	***For Tech Tray (Below-Surface) Applications*** (Around a Connector) Use this Jumper Model
90° Turn		
	**45F16EJPCP**	**45F15EJPCP**
120° Turn		
	**45F15EJPCP**	**45F15EJPCP**
Through		
	**45F17EJPCP**	**45F17EJPCP**

Accessory Rail Application

	For Tech Tray (Below-Surface) Applications Jumper Model
In-Line	
	45F14EJPCP

Receptacles

and Data Components

For Accessory Rail or Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Duplex receptacles are rated at 15 or 20 amps. 20-amp models are required for some large equipment applications and have a keyed-slot on the Hot side of the receptacle. Duplex receptacles are available in black or white and the designated/dedicated models have a **Δ** imprinted on them for use as a visual aid.

Universal serial bus (USB) powered receptacles are 2-amp, circuit-1-only. They can be used anywhere a circuit-1-only receptacle is used. Each receptacle provides two powered USB ports to provide charging/power capabilities for peripheral devices.



USB passive cable is 72" long. One end plugs into a powered USB port on a receptacle or computer and the other is used to connect to another device, such as a printer. USB passive cable will provide charging capabilities for cell phones, digital cameras, or other devices when plugged into a USB power source.



Tech tray cover plates, specified separately, are recommended to cover unused power blocks or where a cut-out is not being used for data in the tech tray in below-surface applications.



Tech tray data plates, specified separately, have two openings and come with a voice/data adapter kit to accommodate couplers/jacks from multiple suppliers. Two of each style of adapter are standard in the kit. They are for use in tech tray in below-surface applications.

Tech tile cover plates, specified separately, are recommended to cover unused power blocks or where a cut-out is not being used for data in the tech tile cover in above-surface crossrail applications.

Tech tile data plates, specified separately, have two openings and come with a voice/data adapter kit to accommodate couplers/jacks from multiple suppliers. Two of each style of adapter are standard in the kit. They are for use in tech tile cover in above-surface applications.

Connections



Data plates and cover plates sit behind the tech tray and are affixed to the underside of the crossrail.



Chicago electrical requirements can be accommodated with the use of a hardwire box and cover plate. Above- and below-surface hardwire boxes are available.

Finishes & Materials

- Electrical components: metal conduit and PVC-free plastic (excluding USB)
- Cover plates: all standard paint colors
- Data plates: white or black adapters
- Tech trays: powder-coated metal

Related Products

Tech trays, available with or without cut-outs, provide quick access to power supplies and manage cables. ➤See page 63.

Tech tile covers are available with or without cut-outs. ➤See page 53.

Data Plate Adapter Reference:



Manufacturer	*Adapter**
Systimax/CommScope	AA
Uniprise/CommScope	AA
L-Com Keystone Modular	BB
Tyco SL and 100 Connect Series Modular	BB
Siemen Keystone Style	BB
Allen Tel Versa Tap Series	BB
Leviton Quick Port® Series	BB
Nordx Keystone Style	BB
Tyco SL Coupler Series	CC
Krone 6000 Series/ADC	CC
Hubbell Xcelerator™ Keystone Series	CC
Blank (no coupler/jack)	DD
Ortronics TracJack Series	EE
Panduit Mini-Com Series	FF
Microphone Jack/3-pin XLR, solder type only	GG
Video Monitor Jack/DB-15, panel-mount solder style	HH

*Adapter identifier is located on the backside of the plate.

Cable Management

for Power and Data

For Accessory Rail or Crossrail Applications

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Cables may enter the crossrail structure through a:
- Power/data in-feed channel (non-supporting)
- H-leg, T-leg, or support leg with power slot,
- Ceiling power/data pole.

Cables may be routed to below the accessory rail using a power/data in-feed channel only.

Ceiling Entry:



In crossrail applications, power entry may be brought to the system through a ceiling power/data pole. Pole features an adjustable divider to separate power and data cabling. Cables are routed behind the tiles and can be accessed in a tech tile above the surface or can drop down below the crossrails to be accessed in the tech tray.

Accessory rail applications do not accommodate power entry from above the surface.

Floor Entry:



In accessory rail and crossrail applications, power may enter through a power/data in-feed channel and routed to the bottom of an accessory rail or crossrail.



In crossrail applications, cables may enter through optional power slots available in applicable T-leg, H-leg, or support leg models. Power or data are routed up to below-surface power kits or to the area behind tech tiles and tech tile covers for above-surface access. Power slot is located on the left side of the leg.

Power and data should be routed in separate legs. Power slots in legs do not accommodate a circuit-1-only power entry.

Horizonal Routing:



Cables may be routed through the crossrail structure behind tiles above the surface. Vertical support rails help route cables behind tiles.



Cables may be routed behind the tech tray in accessory rail or crossrail applications.



Undersurface J-hook brackets attach to the crossrail or accessory rail to allow cables to run horizontally below the surface.

Cable Capacities:

	40% Fill
Power/Data In-Feed Leg	12
Power/Data Pole –with Power –without Power	 28 32
Power Slots in Legs	16
Between back of tray and leg	13
Between back-to-back tech trays	18

Bend Radius:

	Minimum
Through Connectors	1"
Through Power slots	1"
Power/Data Pole	1"
Through Crossrail	1"
Power/Data In-Feed Leg	1"

Worksurface-Mounted Components

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Worksurface-mounted components offer another option for power and data to customize a workspace for an individual or to meet the needs of a group. Options of trim finish color and wiring configurations make these components a well-rounded choice for changing layout requirements. All components ship with data adapter kits.



Power/data bar mounts flush to the back edge of the worksurface in the 2" wire gap with provided brackets. Power/data bar comes standard with two powered USB, four outlets, and three openings for data. Wiring options include single-circuit, hardwire, and 8-wire electrical. 8-wire model connects directly to power kit.

Power/data center sits flush with the worksurface inside a G27 factory cutout. Power/data grommet features three spill-proof outlets, one powered USB outlet, and two data openings. Wiring options include single-circuit, hardwire, and 8-wire electrical.



Power/data center is recessed in the worksurface in a G28 factory cutout. The lid sits flush with the worksurface top. Inside features three outlets, one powered USB, and two data openings. Wiring options include single-circuit, hardwire, and 8-wire electrical.

Finishes & Materials

- Power/data bar trim: anodized aluminum or anodized black
- Power/data grommet trim: black or white
- Power/data center trim: anodized aluminum or anodized black

Planning Factors

When using circuit-1-only power entry, you must utilize circuit-1-only components. The in-feed plug is 20-amp and must plug into a 20-amp outlet; however, 15-amp receptacles and jumpers can be utilized.

Related Products

Additional power/data options

➤See the Perks Price List.

8-Wire Circuit Electrical Configurations

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



8-wire power entry allows power to enter from the floor, ceiling, wall, or column. Power can be distributed either above or below worksurfaces. If power is required above and below, two separate power entries are required. 8-wire systems accommodate up to 13 duplex receptacles per circuit and include four 12-gauge hot wires, one 12-gauge neutral wire, one 10-gauge shared neutral wire, and two 12 gauge ground wires.
➤See wiring configurations at right and wiring diagrams on the next page.

Xsede's electrical system is rated for 20-amp service. To support the usage, 15-amp convenience receptacles can be placed anywhere along the leg of the electrical connection. In the event that an appliance, such as a larger printer/copier/plotter needs to have a 20-amp receptacle, it is recommended to use a dedicated circuit with a 20-amp receptacle. Using 15-amp convenience receptacles will aid in ensuring that no one leg of the system can pull too much current, which could potentially cause the system to trip out and lose power across the entire system.

IMPORTANT: Planning actual power supplies and branch circuits must be performed by qualified electricians or electrical engineers familiar with the National Electrical Code and the appropriate local codes. The information provided here is intended to assist specifiers.

IMPORTANT: Xsede electrical components are UL listed under the Xsede name and are not inter-changeable with other Kimball Office series.

3 and 1 (8-wire):



Circuits 1, 2, and 3 share a neutral and common ground, providing circuits for general electrical needs. Customarily, one or more of the circuits are reserved for lighting or other everyday uses, which allows control by central or master switching.

Circuit 4 consists of three separate conductors (hot, neutral, and ground) and meets the BIFMA/ANSI definition for a dedicated circuit.

Cir.	*15-amp Model*	*20-amp Model*
1	45FER1815	45FER1820
2	45FER2815	45FER2820
3	45FER3815	45FER3820
4	45FER4D815	45FER4D820

2 and 2 (8-wire):



Circuits 1 and 2 provide a pair of designated circuits for general electrical needs.

Circuits 3 and 4 provide a pair of designated circuits for computer applications.

Cir.	*15-amp Model*	*20-amp Model*
1*	45FER1815	45FER1820
2	45FER2815	45FER2820
3	45FER3D815	45FER3D820
4	45FER4D815	45FER4D820

* 45FERUP (powered USB receptacle) can be used in place of circuit 1 tray receptacles

8-Wire Wiring Diagrams

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

2 and 2 Configuration 8-Wire:

120/240V 1 Phase Shared Neutral
Receptacles: 1, 2, 3Δ, 4Δ



3 and 1 Configuration 8-Wire:

120/240V 1 Phase Shared Neutral
Receptacles: 1, 2, 3, 4Δ



Worksurfaces

For Accessory Rail and Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

Xsede worksurfaces are 1 3/16" thick high-pressure laminate (HPL) or 1 1/8" thick thermally-fused laminate (TFL); both laminate options feature a PVC 1/8" (3mm) rim on all four sides. For easy planning the rectangular surfaces come in widths of 30" to 84" in 6" increments.

IMPORTANT: Footprint worksurfaces are slightly undersized and are not intended for use with Xsede.

Six shapes are available**:**
- Rectangular
- Curved corner
- Boomerang
- U-shaped
- Taper
- Touchdown



Rectangular worksurfaces are available in full-depth (24" and 30"D) and wire-gap depth (22" and 28"D) models. The gap is used for:
- Dropping cables behind the worksurface
- Access to the below-surface tech trays
- Mounting of the power/data bar that sits flush with the worksurface

➤See page 71.



90° and 120° curved corner worksurface are available in full-depth and wire gap models. Full-depth models are available 24"D, 30"D or combination of 24"/30" returns or 30"/24" returns; wire-gap models offer 22"D, 28"D or combination 22"/28" or 28"/22" returns.

U-shaped worksurfaces are 30"D and in 48"–72" widths in 6" increments.



Boomerang worksurfaces are available as 24"D or 30"D return. Full-depth only.



Taper worksurfaces are 30"D on one side and 24"D on the other. They are available 60", 66", and 72"W and in left- and right-handed models; full-depth only.



Touchdown worksurfaces are available in 24" and 30"D and 30", 56", and 62"W, in trapezoid or rectangular shapes. Touchdown worksurfaces are for placement at the end of a dual-sided run for quick meeting or shared surface. The 56"W HPL touchdown surfaces feature the same laminate on the top and bottom, so they can be flipped based on the application so that the end trim notch doesn't make the surface handed.

Finishes & Materials

- Worksurface: solid core with HPL or TFL

➤See page 197 for laminate colors.

- Rim: 1/8" (3mm) PVC rim in matching/complementary solid colors

➤See page 201 for color choices.

Connections

Worksurfaces attach to each other with flat steel brackets and to lower crossrails with worksurface mounting brackets.

➤See page 75.

Touchdown worksurfaces attach to the end of a dual-sided run with a touchdown worksurface mounting kit, specified separately.

When U legs, U-legs with stanchions, H legs, support legs, and undersurface storage are used, the worksurface is screwed to the leg or storage.

Undersurface support can be accomplished with a number of options:
- Undersurface support rails

➤See page 75.

- Legs and end panels

➤See pages 37, 46–50.

- Undersurface support legs

➤See page 76.

- Footprint undersurface storage

➤See page 83.

- Priority storage

➤See page 91 for planning information; see the Priority Price List to specify and for additional information.

Power & Data

Power and data can be dropped into the undersurface tech tray or accessed with the power data centers.

Planning Factors

Worksurfaces should match the width of the structure. Combined width must match the structure. If combined widths are used, mid-supports and flat brackets are required.

Related Products

Worksurface brackets

➤See page 75.

Factory-installed grommets

➤See pages 81 and 159.

Accessories to add functionality and personalization to worksurfaces:
- Accessory rail that is used between two worksurfaces supported by U-legs in a dual-sided application.

➤See page 36.

- Xsede keyboard kits

➤See page 82.

- Accessory rail-mount monitor arm kits

➤See page 82

- Clamp-mount monitor arm kits for use with the wire gap surfaces

➤See page 82 or the Perks Price List.

Power/data centers

➤See page 81.

➤See the Perks Price list for other accessories.

Worksurface Support

For Accessory Rail and Crossrail Applications

Brackets and Undersurface Support Rails

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details

IMPORTANT: Brackets are specified separately for attaching worksurfaces to the structure and to each other.

Flat brackets are used to connect two adjacent worksurfaces together at a worksurface joint. One flat bracket is required when joining two main worksurfaces; two flat brackets are required in a return application.



Worksurface brackets are used to connect worksurfaces to the crossrail structure or accessory rail where there is no tech tray. Bracket can be used with H-legs (single-sided application/ worksurface on one side), U-legs with stanchions (dual-sided applications/ worksurfaces on both sides), or with U-legs with an accessory rail.

Undersurface tile-mount bracket holds open-base undersurface tiles in place when there is no tech tray below the surface. Two brackets are required for tiles up to 60"W; three brackets are required for 66"–96"W tiles.



Mounting kit for touchdown surfaces includes:

- Two mounting brackets for adjacent surfaces
- Support leg
- Undersurface support rail



Undersurface support rails are ¾"H and can be used underneath the worksurface to provide support for up to 72" of unsupported span.

For unsupported span of 54"–60"W, use undersurface support rail model 45W48WSSR.

For unsupported span of 66"–72"W, use undersurface support rail model 45W72WSSR, which features a tension adjustment.

Over 72" of unsupported span requires the use of a support leg.

U-legs can also be used for additional support.

Undersurface support rails can be used on other Kimball Office surfaces as well.



IMPORTANT: Additional support is required where the unsupported span is greater than 48"W. If using an undersurface support rail for additional support, it should be centered in the open span 6" off the user edge of the worksurface. U-legs can also be used for support.
➤See page 47.

Finishes & Materials

- Flat brackets: 13-gauge galvanized steel
- Undersurface support rails: 16-gauge sheet metal with a Cinder powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections

Attachment screws ship with all bracket and undersurface support rail models.

Planning Factors

Use two worksurface brackets on the end of each worksurface when attached to end crossrail sets.

Use one worksurface bracket per surface, plus one shared between surfaces, when ends are supported by connectors and crossrails.

Use one tile-mount bracket per worksurface bracket specified to hold open-base undersurface tiles where there is no tech tray.
➤See page 77 for worksurface bracket and support guidelines.

If specifying undersurface support rail, keep in mind any interference from undersurface-mounted items such as center drawers.



For this configuration, use three worksurface brackets (two on the wing panel and one on the approach panel) to connect crossrails and surfaces.

Related Products

Trim
➤See page 52.

Tiles
➤See page 53.

Footprint undersurface storage
➤See page 83.

Priority undersurface storage
➤See page 91.

Keyboard kits for use with undersurface support rails
➤See page 82.



Single-sided



Dual-sided

Tech tray surface bracket attaches to crossrails or accessory rails and supports the back edge of worksurfaces. Use two tech tray brackets for surfaces up to 60"; use three tech tray brackets for surfaces over 60".

Worksurface Support

For Accessory Rail and Crossrail Applications

Undersurface Support Legs

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Undersurface support legs are 27½" tall and are used to support the center of worksurfaces in unsupported spans over 60"W. Plate on top of leg can be repositioned in the field based on installation needs.



Floor glides are standard on all legs. Glides on support legs provide 2¾" height adjustment.

Finishes & Materials

- 14-gauge steel with powdercoat finish

➤See page 199 for standard and metallic finish options.

Connections

Undersurface support leg is screwed to the underneath side of a worksurface providing additional support.



Planning Factors

Undersurface support legs are recommended for U-tops when used as a return. If storage is required, it is recommended that mobile storage be used.

Boomerang worksurfaces are used as returns. The end can be supported with a U-leg or two undersurface support legs.

Touchdown worksurfaces attach to the end of a dual-sided station with the touchdown worksurface mounting kit, specified separately. Touchdown mounting kit includes a support leg, support rail, and two attachment brackets.

Related Products



4"H glide cover provides a cosmetic leg sleeve that can be added to all legs to hide extended leveling glides. Glide cover is made of aluminum and can be painted same color as the leg.

Worksurface Support

For Accessory Rail Applications

Required Brackets and Additional Support

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Accessory Rail Application
Dual-Sided with Tech Tray



Accessory Rail Application
Dual-Sided without Tech Tray

- Undersurface support leg can be used in substitution for each undersurface support rail.
- Undersurface support rail can be used instead of an undersurface support leg up to 72" of unsupported worksurface span.
- Mid-support must be half the dimension of the surface depth.
- Pedestal can support end of return.
- One flat bracket is required when joining main worksurfaces; two flat brackets are required in a return application.

Key:

= Worksurface Bracket

= Flat Bracket

= Mid-Support/ Return U-Leg

= Pedestal (BBF or FF)

= Undersurface Support Leg

= Undersurface Support Rail

= Tech Tray

= Tech Tray Worksurface Bracket

= U-Leg

Worksurface Support

For Crossrail Applications

Required Brackets and Additional Support, continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Crossrail Application
Single-Sided with Tech Tray



Crossrail Application
Single-Sided without Tech Tray

- Undersurface support leg can be used in substitution for each undersurface support rail.
- Undersurface support rail can be used instead of an undersurface support leg up to 72" of unsupported worksurface span.
- Mid-support must be half the dimension of the surface depth.
- Pedestal can support end of return.
- One flat bracket is required when joining main worksurfaces; two flat brackets are required in a return application.

Key:

= Worksurface Bracket

= End Panel

= Flat Bracket

= H-Leg

= Mid-Support/ Return U-Leg

= Mid-Support U-Leg with Stanchion

= Pedestal (BBF or FF)

= Undersurface Support Leg

= Undersurface Support Rail

= Tech Tray

= Tech Tray Worksurface Bracket

= U-Leg with Stanchion



Crossrail Application
Dual-Sided with Tech Tray



Crossrail Application
Dual-Sided without Tech Tray

➤See next page for additional dual-sided crossrail application.

Worksurface Support

For Crossrail Applications

Required Brackets and Additional Support, continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Crossrail Application
Dual-Sided without Tech Tray Returns



Crossrail Application
Dual-Sided without Tech Tray Returns

- Undersurface support leg can be used in substitution for each undersurface support rail.
- Undersurface support rail can be used instead of an undersurface support leg up to 72" of unsupported worksurface span.
- Mid-support must be half the dimension of the surface depth.
- Pedestal can support end of return.
- One flat bracket is required when joining main worksurfaces; two flat brackets are required in a return application.

➤See previous page for tech tray application.

Key:

- = Worksurface Bracket
- = End Panel
- = Flat Bracket
- = Mid-Support/ Return U-Leg
- = Mid-Support U-Leg with Stanchion
- = Pedestal (BBF or FF)
- = Undersurface Support Leg
- = Undersurface Support Rail
- = Tech Tray
- = Tech Tray Worksurface Bracket
- = U-Leg with Stanchion

Worksurface Support

For Crossrail Applications

Required Brackets and Additional Support, continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



Crossrail Application
120° Y-Connector with Tech Trays
U-Legs with Stanchion or End Panels (shown)



Crossrail Application
120° Y-Connector with Tech Trays
End Crossrail Sets and Touchdown Worksurface

Note: Six support legs are not shown above, but are required. Support legs would be positioned at the end of run at the outer worksurface bracket locations.



Crossrail Application
120° Y-Connector with Tech Trays
T-Connectors and Support Legs

Note: Three T-connectors and six support legs are not shown above, but are required. Support legs would be positioned at the end of run at the worksurface bracket locations.



Crossrail Application
120° Y-Connector without Tech Trays
U-Legs with Stanchion or End Panels (shown)



Crossrail Application
120° Y-Connector without Tech Trays
End Crossrail Sets and Touchdown Worksurface

Note: Six support legs are not shown above, but are required. Support legs would be positioned at the end of run at the outer worksurface bracket locations.



Crossrail Application
120° Y-Connector without Tech Trays
T-Connectors and Support Legs

Note: Three T-connectors and six support legs are not shown above, but are required. Support legs would be positioned at the end of run at the outer worksurface bracket locations.

Key:



Cord Management

For Accessory Rail and Crossrail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Xsede provides several flexible options for routing and concealing cords and cables. These include:
- Factory-installed worksurface grommet options (G1 and G19)
- Factory-installed G27 and G28 cut-out for power/data centers
- Undersurface tech trays with or without cutouts for power and data
- Wire-gap worksurfaces

Factory-installed grommets and cutouts are available as an option on all full-depth worksurfaces (except touchdown) in pre-determined locations:
- Left
- Right
- Left and right
- Left, right, and center

Exception: Touchdown surfaces feature an optional centered grommet only.



G1 plastic grommet is a two-piece unit with snap-in lid. Lid cutout slides open to route cables or can be closed when not in use. Matte black.



G19 metal grommet is a two-piece unit with black brush access. Top locks in place. Powdercoat finish in the following colors:
405 Designer White
501 Platinum Metallic
514 Carbon Metallic
490 Polished Chrome
487 Brushed Nickel
544 Silver Pearl

Grommets for field installation are also available (models 99KG7MB, 99KG7PL, 99KG19PL, 99KG19DW, 99K19CM, 99KB19490, and 99KG19487).
IMPORTANT: Note the location of support legs to ensure they do not interfere with grommet locations.
➤See the Perks Price List.

G27 cut-outs are designed to accept surface-mount power/data grommets (models 45A0307PDG8, 45A0307PDGS, and 45A0307PDGH), specified separately, for applications where connections are required at the worksurface.
➤See page 160.



G28 cut-outs are designed to accept surface-mount power/data centers (models (45APDC8, 45APDCS, and 45APDCH), specified separately, for applications where connections are required at the worksurface.
➤See page 160.



Perks undersurface cable managers (set of 6) are available to manage cords and cables under the worksurface. Cables pressure fit between individual loops, which can be removed to expand individual capacity. Cable managers can be placed up to 18" apart.
➤See the Perks Price List.

Expandable cable manager provides cable management from under the worksurface to the floor.
➤See the Perks Price List.



Perks flexchain cable manager connects to surface to route cables and power-in feeds to the floor. Flexchain U-bracket, specified separately, mounts to a standard wall outlet to manage cords from the outlet to under the surface.
➤See the Perks Price List.



Power/data in-feed channel manages power-in-feeds and cables from the floor to under the worksurface and includes a divider for separation of power and data. Power/data in-feed channel does not provide support.
➤See page 65.



Ceiling power/data pole manages power and cables from the ceiling to the upper crossrail and includes a divider for separation of power and data.
➤See page 65.

Accessories

For Accessory Rail and Crossrail Applications

Keyboard Kits and Perks® Monitor Arms

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Keyboard kits are available specific to Xsede. Includes:

- Adjustable (manual or intuitive) black arm
- Black foam, gel wrist rest
- Mouse tray (can be mounted on either side)
- Blocks for use when attaching the keyboard tray to worksurfaces with support rails to provide clearance



Single



Dual
(with crossbar)

Perks monitor arms, featuring 4D adjustment, can be used with Xsede. ➤See the Perks Price List for additional information and to specify.

Accessory Rail



Slat



Clamp



Grommet

Single-monitor arms are available in slat-mount, clamp-mount, grommet/bolt-through, and Xsede accessory rail models.



Clamp



Grommet

Dual-monitor arms are available in clamp-mount and grommet/bolt-through models.

Connections

For grommet/bolt-through mount models, note the location of support and tech trays to ensure there is no interference.



Accessory rail-mount monitor arms can be used on both sides of the rail as shown above. If using a monitor arm on the same side of the rail, the arms should be placed at least 42" apart. This type of mount does not interfere with tech tray installation.



Slat tiles can accommodate two single monitor arms in dual-sided applications as shown above. If two single monitor arms are required on the same side of the tile, space the arms at least 24" apart.



Clamp-mount single-monitor arms can be used with Xsede wire gap worksurface where no tech tray is installed or along returns or other areas where legs, accessory rails, or crossrails don't prevent its use. Specify non-Xsede-specific clamp-mount model 99KSMAM2CMS.

Clamp-mount dual-monitor arms can be used with Xsede wire gap worksurface with or without a tech tray. Specify Xsede-specific clamp-mount model 99KSMACBM8LCMS.

Grommet/bolt-through single- or dual-mount monitor arms (models 99KSMACBM8GMS or 99KSMAM2GMS) can be field installed on Xsede surfaces without interfering with the tech tray.

Storage for Xsede

For Accessory Rail and Crossrail Applications

Overview

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

This section includes information on flat profile metal storage that is compatible with Xsede, including:

- Undersurface storage
- Low storage
- Set-on-surface cabinets
- Suspended storage
- Overheads
- Vertical storage

➤See the Systems Price List for additional information including locking, filing capabilities, and finish selections.







Undersurface Storage

For Accessory Rail and Crossrail Applications

Flat Profile

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

Details

Flat profile undersurface storage features a drawer-front-over-case design. Flat profile storage is available in all metal or with metal chassis and wood fronts, as noted.



Box/box/file and file/file pedestals are 15"W. Box and file drawer suspensions allow full extension. File drawers accommodate front-to-back filing by suspending hanging files from the drawer sides. For side-to-side filing, additional file bars are required.
➤See the Perks Price List.



Lateral files includes two side-to-side file bar per drawer for letter filing. Front-to-back file bars are specified separately.
➤See the Perks Price List.



File center consists of box, file, and lateral file drawers. Box drawers can be specified in either the left or right drawer locations. One lock secures all drawers.

Mobile pedestals are finished on all sides and are available with painted or cushion top. Cushion-top pedestal seated capacity is 225 lbs.



Bookcases feature an enclosed back and include one adjustable shelf. Shelf adjusts in ½" increments.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.

Tops are not enclosed. Worksurfaces attach directly to the horizontal frame.

Backs and sides are finished.

Locks are standard on undersurface storage. They are black and located on front of cabinet. For silver lock cores, select key specific option and specify lock cores separately.
➤See the Systems Price List for keying options.

Glides provide 1" of adjustment.

Finishes & Materials

Flat Profile Storage
- Metal: all paints
- Wood fronts: all wood finishes

➤See the Systems Price List.

Connections

Footprint undersurface storage, excluding mobile pedestals, provides support for 29"H worksurfaces. They are not intended for use as freestanding units.



Footprint undersurface storage can replace an Xsede U-leg without stanchion as support in a return application only. Footprint undersurface storage is dimensionally different in depth than Xsede worksurfaces; gaps will occur when used together.
IMPORTANT: Footprint undersurface storage cannot replace Xsede support legs where an accessory rail or crossrail is used in a main structure.

Mobile pedestals, suspended pedestals, or low storage units are recommended for use with accessory rail and crossrail applications where storage is required under the main structure.



Suspended box/file pedestals mount to the underside of the worksurface. Suspended peds are non-supporting and must attach to worksurfaces that meet all application guidelines.

Suspended pedestal, model 12S1915PUBFM, is intended for use with Xsede 22"D wire gap surfaces with tech trays. This model features spacers to allow the ped to fit around an undersurface support rail which is required if the unsupported span is over 48".



Suspended pedestals must be placed next to Xsede support legs (U-legs without stanchions, U-legs with stanchions, T-legs, or H-legs).

Drawer Pull Options:



Extended (metal only) Arc Dome



Span

Drawer Pull Designators:

E = Extended (not available on wood-front models)
ARC462 = Arc, cinder
ARC485 = Arc, dark chocolate
ARC501 = Arc, platinum
ARC503 = Arc, satin nickel
ARC505 = Arc, satin bronze metallic
ARC514 = Arc, carbon metallic
65CM = Dome, carbon metallic
65MB = Dome, matte black
65PL = Dome, platinum
65PA = Dome, polished argent
65SN = Dome, satin nickel
66CM = Span, carbon metallic
66MB = Span, matte black
66PL = Span, platinum
66PA = Span, polished argent
66SN = Span, satin nickel

IMPORTANT: Upcharge of +$16 applies for Arc, Dome, and Span pulls specified on all-metal models; no upcharge on wood-front models.

Low Storage

For Accessory Rail and Crossrail Applications

Flat Profile

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

Details



Flat profile undersurface storage features a drawer-front-over-case design, with fronts flush to the bottom of the case. Units are is available in all metal or with metal chassis and laminate front.

Pedestals are available in 15", 30", 36", or 42" widths. Units are available with an open top or metal tops. Models with open top require 18"D or 24"D tops (worksurfaces), specified separately.



Glides Casters 4" legs

Floor glides are standard and provide 3/8" of adjustment. Casters and 4" legs are available as an option; upcharge applies. Legs provide 7/8" of adjustment.
Note: Illustration of glides enlarged to show detail as compared to the relative size of the casters and legs.

File drawers accommodate front-to-back filing by suspending hanging files from the drawer sides. For side-to-side filing, additional file bars are required.
➤See the Perks Price List.

Box and file drawer suspensions allow full extension.

Lateral files includes two side-to-side file bar per drawer for letter filing. Front-to-back file bars are specified separately.
➤See the Perks Price List.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.

Backs and sides are finished.



Cushion tops are available separately for low storage pedestals. Cushion tops with anti-skid back can be added to metal-top models or open-top models with a laminate top. Seated capacity is 225 lbs.

Locks are optional; they are available in black or silver finish options.
➤See the Systems Price List for keying options.

A variety of pull options are available.
➤See page 86.

Finishes & Materials

Flat Profile Storage
- Metal: all paints
- Laminate fronts: TFL

Connections



Units may be ganged together facing the same direction or reversed to one another. A single top may be added to open-top or metal top models and, may span multiple units. Tops are specified separately.

Planning Factors



Footprint low storage can be used along with Footprint set-on-surface cabinets and Priority center-mount shelves to create unique Xsede configurations.

If using Xsede T-legs in an application with low storage with 4" legs, confirm that there will no interference.

Xsede tech tray brackets are 23 9/16" off the floor. Keep this dimension in mind when planning low storage to span underneath the tech tray.

Related Product

Footprint 18"D tops are available.
➤See page 175.

Xsede 24"D tops are available as part of the Xsede worksurfaces offering and may be used with Footprint low storage units.
➤See page 154.

Cushion tops are available.
➤See page 176.



Metal Top with Glides



Metal Top with Casters



Metal Top with 4" Legs

Low Storage

For Accessory Rail and Crossrail Applications

Pull Options

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

KEY:
- ● = Available on TFL Front
- ■ = Available Metal Front

*plated finish

		Dimensions				Available Finishes															
		Pull Width	Pull Height	Pull Projection	Boring Pattern	**405** Designer White	**462** Cinder	**485** Dark Chocolate	**486** Clear Anodized	**487** Brushed Nickel*	**490** Polished Chrome*	**501** Platinum Metallic	**503** Satin Nickel	**505** Satin Bronze	**514** Carbon Metallic	**CM** Carbon Metallic	**MB** Matte Black	**PL** Platinum	**PA** Polished Argent	**SF** Silver Frost	**SN** Satin Nickel
93	Aero	5½"	¾"	¾"	128 mm		●			●	●	●			●						
ARC	Arc	9¹⁄₁₆"	⁵⁄₁₆"	1¾"	192 mm		●■	●■				●■	●■	●■	●■						
95	Deco	4⅞"	⅝"	1"	76 mm					●	●										
65	Dome	6¼"	¹³⁄₁₆"	1¼"	128 mm											●■	●■	●■	●■		●■
E	Extended	full	1⅜"	n/a	n/a																
61	Helix	7⅝"	½"	1¼"	160 mm		●	●					●			●				●	
97	Linear	10⅛"	¼"	⅝"	n/a				●	●	●										
63	Link	6⅝"	1⅛"	1"	160 mm		●	●					●			●				●	
91	Niche	5⅜"	⅞"	⅞"	96 mm		●	●					●			●					
66	Span	5¹¹⁄₁₆"	⅝"	1¼"	128 mm											●■	●■	●■	●■		●■
89	Studio	7⅞"	⅜"	1⅛"	192 mm		●	●					●			●					
90	Trinity	9¼"	⅜"	⅞"	160 mm		●	●					●			●					
64	Wisp	9⅞"	⅝"	1⅛"	190 mm		●	●					●			●				●	



93 Aero

ARC Arc (+$16/unit)**



95 Deco

65 Dome (+$16/unit)**



E Extended

61 Helix



97 Linear



63 Link



91 Niche



66 Span (+$16/unit)**



89 Studio



90 Trinity (+$26/unit)

64 Wisp

**upcharge applies to all-metal units only; no upcharge on laminate-front models.
*Note: Linear pull wraps the drawer face and attaches on the backside of the drawer.
Extended pulls, available on metal-front models only, are painted to match the chassis.*

Overhead Storage

For Accessory Rail Applications

Center-Mount Sliding-Door Cabinets and Open Cabinets

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

Details

Sliding-door overheads feature a metal chassis with metal, laminate or wood front. Units are available with one-sided or two-sided access. Units ship fully assembled.



One-sided sliding-door models have one sliding door. A center panel divides the space; one compartment will be open at all times. Door can lock in either position.



Two-sided sliding-door models for use in center-mount applications only; they feature one-sliding door on each side. Center panel divides the space and each compartment features a fully finished back panel. Both sides can be locked independently on locking models; they must feature the same keying option.

Locks are optional on sliding-door models; they are located on the bottom of the cabinet. Consider lock access when placing the overhead above other storage units or worksurfaces.



One-sided open cabinets feature a finished back and center panel that divides space. They are available in center-mount models for use with Xsede accessory rail. Set-on-surface models and suspended models can be used at the end of worksurface.



Two-sided open cabinets are for center mounting only on Xsede accessory rail. A center panel divides the space; each compartment features a finished back panel.

Finishes & Materials

Flat Profile Overhead Storage

- Metal chassis/metal door
- Metal chassis/laminate door
- Metal chassis/wood door

Connections



Sliding-door overheads can be center-mounted on Xsede accessory rails. Stanchion mounting brackets are specified separately.

IMPORTANT: Sliding-door overheads cannot be mounted on top of Xsede crossrail applications.

Planning Factors



Mounting stanchion brackets, set of 2, must be specified separately. Each overhead requires two stanchion brackets.



Utilize smaller-width overheads with accessory rail-mounted monitor arms.



Overhead Storage

For Accessory Rail and Crossrail Applications

Set-on-Surface and Suspended Cabinets

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

Details



One-sided open cabinets feature a finished back and center panel that divides space. Set-on-surface models and suspended models can be used at the end of worksurface.

Finishes & Materials

Flat Profile Open Cabinet

- Metal chassis/metal divider

Connections



Set-on-surface open cabinets are intended for mounting on top of the worksurface at the end of a run. 51", 57", and 63"W units can span back-to-back worksurfaces in accessory rail applications.



Suspended open cabinets mount below the end of a run in crossrail and accessory rail applications. Worksurface supports will need to be inset approximately 15" which impacts kneespace clearance.



24" and 30"W units can be used on 24" and 30"W surfaces in a return application.



24" and 30"W set-on-surface cabinets can be used at the end of a surface and specified to align with 51", 57", or 63"W suspended storage below in a crossrail application.

Planning Factors

Consider the depth of the suspended storage cabinets if using tech trays in the same run.

Vertical Storage

For Accessory Rail and Crossrail Applications

Flat Profile 12S and 14S Models

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

Details



Flat profile 12S vertical storage units are available in all metal or with a metal chassis and wood fronts.

Flat profile 14S vertical storage units are available in all metal or with metal chassis and laminate (TFL) fronts.

File drawers are designed to accommodate hanging files suspended from the drawer sides.

Non-locking is standard on all 14S units. Locking options are available; upcharge applies.

Drawer bottoms are not intended to be used as the main support for storing items. It is recommended that all items be stored in hanging file folders to utilize strength of the drawer sides.



Bookcases include enclosed back and factory installed shelves. Shelves adjust in ½" increments.



12S storage towers include file/file cabinet, wardrobe/storage section, and/or open shelves. Sections have individual locks and can be keyed alike by selecting the key specific option.
➤See the Systems Price List for keying options.



14S storage towers include box/box/file or file/file and with hinged-door storage or open shelves.



Glides Casters 4" legs

Floor glides are standard on 12S and 14S models and provide ⅜" of adjustment.

Casters and 4" legs are available as an option on 14S models; upcharge applies. Legs provide ⅞" of adjustment.
Note: Illustration of glides enlarged to show detail as compared to the relative size of the casters and legs.

A variety of pull options are available.
➤See page 90.



14S wardrobe and personal storage lockers are available.

Wardrobe doors may be specified on the left or right of the unit.

Wardrobe hooks are included and installed on the left side of 14S 18"D units.

Coat rod and adjustable metal shelves are available separately for 14S models. Coat rod is galvanized metal and used in 24"D wardrobes.

Wardrobe shelf is cinder with ½" adjustability.



12S and 14S storage tower spacers are metal. They fill the space between back to back 24"D and/or 30"D storage towers used at the end of an Xsede workstation.

Finishes & Materials

Flat Profile Vertical Storage
- Metal: paint
- Wood fronts: all wood finishes

Planning Factors

12S 42 1/16"H models will align with 42"H Xsede structures.

12S 49 1/16"H models will align with 50"H Xsede structures.

14S 42 1/16"H models with casters or 4" legs will align with 42"H Xsede structures.

14S 49 1/16"H models with casters or 4" legs will align with 50"H Xsede structures.

Vertical Storage

For Accessory Rail and Crossrail Applications

12S and 14S Pull Options

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

KEY:
● = Available on TFL Front
■ = Available Metal Front

		Dimensions				Available Finishes															
		Pull Width	Pull Height	Pull Projection	Boring Pattern	**405** Designer White	**462** Cinder	**485** Dark Chocolate	**486** Clear Anodized	**487** Brushed Nickel*	**490** Polished Chrome*	**501** Platinum Metallic	**503** Satin Nickel	**505** Satin Bronze	**514** Carbon Metallic	**CM** Carbon Metallic	**MB** Matte Black	**PL** Platinum	**PA** Polished Argent	**SF** Silver Frost	**SN** Satin Nickel
93	Aero	5½"	¾"	¾"	128 mm		●			●	●	●			●						
ARC	Arc	9¹⁄₁₆"	⁵⁄₁₆"	1¾"	192 mm		●■	●■				●■	●■	●■	●■						
95	Deco	4⅞"	⅝"	1"	76 mm					●	●										
65	Dome	6¼"	¹³⁄₁₆"	1¼"	128 mm											●■	●■	●■	●■		●■
E	Extended	full	1⅜"	n/a	n/a																
61	Helix	7⅝"	½"	1¼"	160 mm		●	●					●			●				●	
97	Linear	10⅛"	¼"	⅝"	n/a				●	●	●										
63	Link	6⅝"	1⅛"	1"	160 mm		●	●					●			●				●	
91	Niche	5⅜"	⅞"	⅞"	96 mm		●	●					●			●					
66	Span	5¹¹⁄₁₆"	⅝"	1¼"	128 mm											●■	●■	●■	●■		●■
89	Studio	7⅞"	⅜"	1⅛"	192 mm		●	●					●			●					
90	Trinity	9¼"	⅜"	⅞"	160 mm		●	●					●			●					
64	Wisp	9⅞"	⅝"	1⅛"	190 mm		●	●					●			●				●	

*plated finish



93 Aero
ARC Arc (+$16/unit)**
95 Deco
65 Dome (+$16/unit)**
E Extended
61 Helix
97 Linear
63 Link
91 Niche
66 Span (+$16/unit)**
89 Studio
90 Trinity (+$26/unit)
64 Wisp

**upcharge applies to all-metal units only; no upcharge on laminate-front models.
Note: Linear pull wraps the drawer face and attaches on the backside of the drawer.
Extended pulls, available on metal-front models only, are painted to match the chassis.

Storage and Adjustable-Height Tables for Xsede

Overview

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

This section includes information on Priority center-mount storage and height-adjustable tables that are compatible with Xsede.



Priority center-mount shelf, which is banded on all sides, can be attached to Xsede accessory rail using stanchion mounting brackets.

Priority center-mount overheads can also be attached to Xsede accessory rail using stanchion mounting brackets.



Priority height-adjustable tables can be used in conjuction with Xsede crossrail applications.

Wire gap worksurfaces are recommended to allow clearance between the tiles and the table, if the worksurface is wrapped on two sides as shown. If table is wrapped on three sides, specify Footprint worksurfaces sized 2" less in depth and 1" less in width (e.g., instead of a 24" x 72" surface, specify a 22"D x 71"W).

Worksurface-mounted power/data is recommended. Power & data in a tech tile cover could interfere with the raising of the table.

Overhead Storage

For Accessory Rail Applications

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Details



Priority center-mount overhead cabinets and shelves can be used in conjunction with stanchion brackets to mount onto the Xsede accessory rail.

Center-mount overhead cabinets are available in 30"–72"W (in 6" increments) with hinged doors or sliding door. Units are finished on all sides; flat bottom.

Hinged wood four-door models feature one set of grain pattern matching doors; laminate models feature two sets of two-doors that match in grain pattern.

Sliding-door units feature one door and center divider panel. These units accept five ¾"-thick interior shelves spaced 1¼" apart. Shelves intended for use on the open side of the sliding door unit, specified separately.

Writable glass models features thin aluminum frame finished in silver satin metallic.

Center-mount shelves are available in 30"–96"W (in 6" increments). Units have a finished top and bottom and feature a softened rim on all four sides of the shelf.

Connections



Center-mount storage can be mounted to Xsede accessory rail using an Xsede stanchion kit (set of 2). Overhead can be any width.

Multiple units can be ganged and then connected at the stanchion intersection. For example, two 36"W center-mount overheads can be ganged in opposite directions above a 72"W surface, and then connected to the stanchions as an assembled unit.

Stanchion kit (two brackets) is required for all overhead cabinets and shelves, even if ganged together. Stanchion brackets are inset 3" from the end of the overhead for proper support.

On laminate units 60"W and greater, the grain on the back panel runs horizontal.

Related Products

Interior shelves may be specified separately.



Shelf divider Shelf divider provides further organization to shared materials stored on center-mount shelves. Shelf divider, made of powder-coated metal, slides onto the center-mount shelf and attaches to the underside of shelf.

Expo or Expo2 dry-erase markers are recommended for use on writable glass doors.





PRICING

	➤See page
Structure	96
Trim & Tiles	117
Power & Data	148
Worksurfaces & Brackets	154
Accessories	162
Footprint® Metal Storage	163

Accessory Rails

For Accessory Rail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



D	W	H	Model	Price
For Use with U-Legs				
2 11/16"	36"	1 3/16"	**45F0336ARP**	$140
	42"		**45F0342ARP**	158
	48"		**45F0348ARP**	160
	54"		**45F0354ARP**	172
	60"		**45F0360ARP**	184
	66"		**45F0366ARP**	196
	72"		**45F0372ARP**	210
	78"		**45F0378ARP**	225
	84"		**45F0384ARP**	241

Standard Includes

- Accessory rail: anodized aluminum with satin finish
- End caps

How to Specify

❶ Model
② Finish:
511 = Silver Satin

Accessory rail is for use in the center of an accessory rail application; not for use in return applications.

U-Legs
➤See page 95.

U-Legs

For Accessory Rail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93







D	*W*	*H*	*Model*	*Price*
Dual-Sided U-Legs				
50 15/32"	2 3/8"	27 11/16"	**45F5127SLUP**	$267
62 5/16"			**45F6327SLUP**	294
Mid-Support/Return U-Legs				
23 3/4"	2 3/8"	27 11/16"	**45F2427SLUP**	$229
29 3/4"			**45F3027SLUP**	231
35 3/4"			**45F3627SLUP**	241

Related Products:

Undersurface Support Leg				
1 3/16"	2 3/8"	27 11/16"	**45F0227USP**	$174
Leg Glide Covers				
1 5/16"	2 1/2"	3 3/8"	**45F0204LGCP**	$24

Mid-support/return U-leg can be used as a mid-support for both accessory rail and crossrail applications. 24"D models are for use with 51"D structures; 30"D models are for use with 57" and 63"D structures.

Accessory Rails
➤See page 94.

Standard Includes

U-leg
- U-leg: paint
- Attachment hardware

Undersurface Support Leg
- Support leg: paint

Leg Glide Cover
- Cover: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Crossrails

For Crossrail Applications

Upper

GSA SIN 711-1





D	W	H	Model	Price
For Use at the Top of the Structure				
2⅝"	24"	17⁄16"	**45F24CRUP**	$70
	30"		**45F30CRUP**	71
	36"		**45F36CRUP**	72
	42"		**45F42CRUP**	73
	48"		**45F48CRUP**	73
	54"		**45F54CRUP**	75
	60" (shown)		**45F60CRUP**	77
	66"		**45F66CRUP**	78
	72"		**45F72CRUP**	80
	78"		**45F78CRUP**	81
	84"		**45F84CRUP**	82

Related Products:

Vertical Support Rails (set of 2)				
For Use with Upper Tiles or Extended Tiles on 42"H Structure				
1³⁄16"	1"	14⁵⁄16"	**45F15VSSP**	$92
For Use with Upper Tiles or Extended Tiles on 50"H Structure				
1³⁄16"	1"	21⅛"	**45F22VSSP**	$98
For Use with 37"H Open-Base Tile on 42"H Structure				
1³⁄16"	1"	38⅛"	**45F38VSOBSP**	$108
For Use with 45"H Open-Base Tile on 50"H Structure				
1³⁄16"	1"	44⅞"	**45F46VSOBSP**	$128

Choose worksurface and/or lower crossrail based on the application.

Worksurface/Lower Crossrails
➤See page 97.

Extended Crossrails
➤See page 98.

Single-Sided Crossrails
➤See page 99.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Crossrail: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Crossrails

For Crossrail Applications

Worksurface/Lower

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93







D	W	H	Model	Price
For Use at Worksurface Height or at the Lower Position for Open-Base Applications				
2⅝"	24"	17⁄16"	**45F24CRLP**	$70
	30"		**45F30CRLP**	71
	36"		**45F36CRLP**	72
	42"		**45F42CRLP**	73
	48"		**45F48CRLP**	73
	54"		**45F54CRLP**	75
	60"		**45F60CRLP**	77
	66"		**45F66CRLP**	78
	72"		**45F72CRLP**	80
	78"		**45F78CRLP**	81
	84"		**45F84CRLP**	82

Related Products:

Vertical Support Rails (set of 2)				
For Use with Upper Tiles or Extended Upper Tiles on 42"H Structure				
1³⁄16"	1"	14⁵⁄16"	**45F15VSSP**	$92
For Use with Upper Tiles or Extended Upper Tiles on 50"H Structure				
1³⁄16"	1"	21⅛"	**45F22VSSP**	$98

Vertical support rails are required between upper and worksurface/ lower crossrails over 48"W.

Standard Includes

- Crossrail: paint
- Vertical support rails: paint
- Attachment hardware

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Crossrails

For Crossrail Applications

Extended

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93





D	*W*	*H*	*Model*	*Price*
For Use at Worksurface Height with Extended Upper Tiles				
2⅝"	24"	5¾"	**45F24CRLEP**	$76
	30"		**45F30CRLEP**	77
	36"		**45F36CRLEP**	77
	42"		**45F42CRLEP**	78
	48"		**45F48CRLEP**	79
	54"		**45F54CRLEP**	81
	60"		**45F60CRLEP**	83
	66"		**45F66CRLEP**	85
	72"		**45F72CRLEP**	86
	78"		**45F78CRLEP**	87
	84"		**45F84CRLEP**	88

Related Products:

Vertical Support Rails (set of 2)				
For Use with Upper Tiles or Extended Upper Tiles on 42"H Structure				
1³⁄₁₆"	1"	14⁵⁄₁₆"	**45F15VSSP**	$92
For Use with Upper Tiles or Extended Upper Tiles on 50"H Structure				
1³⁄₁₆"	1"	21⅛"	**45F22VSSP**	$98

Vertical support rails are required between upper and worksurface/ lower crossrails over 48"W.

Standard Includes

- Crossrail: paint
- Vertical support rails: paint
- Attachment hardware

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Crossrails

For Crossrail Applications

Single-Sided

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93









D	*W*	*H*	*Model*	*Price*
For Use at Worksurface Height in Open-Base Applications				
1 15/16"	24"	17/16"	**45F24CRLOBSP**	$70
	30"		**45F30CRLOBSP**	71
	36"		**45F36CRLOBSP**	72
	42"		**45F42CRLOBSP**	73
	48"		**45F48CRLOBSP**	73
	54"		**45F54CRLOBSP**	75
	60"		**45F60CRLOBSP**	77
	66"		**45F66CRLOBSP**	78
	72"		**45F72CRLOBSP**	80
	78"		**45F78CRLOBSP**	81
	84"		**45F84CRLOBSP**	82

Related Products:

Vertical Support Rails (set of 2)				
For Use with 37"H Open-Base Tile on 42"H Structure				
1 3/16"	1"	38 1/16"	**45F38VSOBSP**	$108
For Use with 45"H Open-Base Tile on 50"H Structure				
1 3/16"	1"	44 7/8"	**45F46VSOBSP**	$128

IMPORTANT: Configurations with a full-height open-base tile on one side and an upper tile and an undersurface open-base tile on the other will require three crossrails. Specify upper crossrail, a single-sided crossrail for placement at worksurface height, plus a worksurface/lower crossrail for placement at 4" off the floor.

Vertical support rails are required between upper and single-sided crossrails over 48"W.

Standard Includes

- Crossrail: paint
- Vertical support rails: paint
- Attachment hardware

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Crossrails

For Crossrail Applications

End Crossrail Sets for 42"H Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93







D	*W*	*H*	*Model*	*Price*
For Use with Upper Tiles				
2 5/8"	50 11/16"	14 7/8"	**45F51CRSEUT42P**	$329
	56 11/16"		**45F57CRSEUT42P**	333
	62 11/16"		**45F63CRSEUT42P**	336
For Use with Extended Upper Tiles (Exterior)				
2 5/8"	50 11/16"	14 7/8"	**45F51CRSEEE42P**	$347
	56 11/16"		**45F57CRSEEE42P**	350
	62 11/16"		**45F63CRSEEE42P**	353
For Use with Open-Base Tiles				
1 15/16"	50 11/16"	14 7/8"	**45F51CRSEOB42P**	$385
	56 11/16"		**45F57CRSEOB42P**	389
	62 11/16"		**45F63CRSEOB42P**	392

Standard Includes

- Upper crossrail: paint
- Worksurface/lower crossrail or extended crossrail: paint
- Single-sided crossrail on models for use with open base tiles: paint
- Vertical support rail: paint
- Transition top cap: paint

How to Specify

❶ Model
② Top cap finish group:
STD = Group 1
STDM = Group M (+10%)
③ Top cap finish designator
④ End crossrail set finish group:
STD = Group 1
STDM = Group M (+10%)
⑤ End crossrail set finish designator

Note: Top cap finish option effective December 15, 2014.

Crossrails

For Crossrail Applications

End Crossrail Sets for 50"H Applications

GSA SIN 711-1



D	W	H	Model	Price
For Use with Upper Tiles				
2 5/8"	50 11/16"	21 7/16"	**45F51CRSEUT50P**	$338
	56 11/16"		**45F57CRSEUT50P**	341
	62 11/16"		**45F63CRSEUT50P**	345
For Use with Extended Upper Tiles (Exterior)				
2 5/8"	50 11/16"	21 7/16"	**45F51CRSEEE50P**	$365
	56 11/16"		**45F57CRSEEE50P**	368
	62 11/16"		**45F63CRSEEE50P**	371
For Use with Open-Base Tiles				
1 15/16"	50 11/16"	21 7/16"	**45F51CRSEOB50P**	$403
	56 11/16"		**45F57CRSEOB50P**	406
	62 11/16"		**45F63CRSEOB50P**	410

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Upper crossrail: paint
- Worksurface/lower crossrail or extended crossrail: paint
- Single-sided crossrail on models for use with open base tiles: paint
- Vertical support rail: paint
- Transition top cap: paint

How to Specify

❶ Model
② Top cap finish group:
STD = Group 1
STDM = Group M (+10%)
③ Top cap finish designator
④ End crossrail set finish group:
STD = Group 1
STDM = Group M (+10%)
⑤ End crossrail set finish designator

Note: Top cap finish option effective December 15, 2014.

U-Legs with Stanchion

For Crossrail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



Leg Glide Covers
➤See page 103.

D	*W*	*H*	*Model*	*Price*
For Use with Two 24"D Worksurfaces				
50 15/32"	2 3/8"	42 7/16"	**45F5127SLUS42P**	$365
		49 1/4"	**45F5127SLUS50P**	370
For Use with 24"D/30"D Worksurfaces (Left-Handed)				
56 15/32"	2 3/8"	42 7/16"	**45F5727SLUS42LP**	$365
		49 1/4"	**45F5727SLUS50LP**	383
For Use with 30"D/24"D Worksurfaces (Right-Handed)				
56 15/32"	2 3/8"	42 7/16"	**45F5727SLUS42RP**	$365
		49 1/4"	**45F5727SLUS50RP**	383
For Use with Two 30"D Worksurfaces				
62 15/32"	2 3/8"	42 7/16"	**45F6327SLUS42P**	$382
		49 1/4"	**45F6327SLUS50P**	401

IMPORTANT: Height dimensions shown above reflect the overall height of the stanchion. Actual leg height is 27" for desk-height worksurface support.

Standard Includes

U-leg with Stanchion
- U-leg with stanchion: paint
- Attachment hardware

Leg Glide Cover
- Cover: paint

Note: Models for use with 24"D/30"D worksurfaces are handed due to a bracket that is visible on one side of unit (inside). For models that will be used at the end of a run of worksurfaces, be sure to specify the correct model so that the bracket will be hidden beneath the worksurface.

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

U-Leg Mid-Supports

For Crossrail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93







IMPORTANT: Height dimensions shown above reflect the overall height of the stanchion. Actual leg height is 27" for desk-height worksurface support.

Mid-support/return U-leg can be used as a mid-support for both accessory rail and crossrail applications. 24"D models are for use with 51"D structures; 30"D models are for use with 57" and 63"D structures.

D	*W*	*H*	*Model*	*Price*
Mid-Support with Stanchion; for Use in the Middle of Run				
24"	2 3/8"	42 7/16"	**45F2427SLUMS42P**	$282
		49 1/4"	**45F2427SLUMS50P**	296
Mid-Support/Return U-Legs				
23 3/4"	2 3/8"	27 11/16"	**45F2427SLUP**	$229
29 3/4"			**45F3027SLUP**	231
35 3/4"			**45F3627SLUP**	241

Related Products:

Undersurface Support Leg				
1 3/16"	2 3/8"	27 11/16"	**45F0227USP**	$174
Leg Glide Covers				
1 5/16"	2 1/2"	3 3/8"	**45F0204LGCP**	$24

Standard Includes

U-leg Mid-Support with Stanchion
- Mid-support with stanchion: paint
- Attachment hardware

Mid-Support/Return U-Leg
- Mid-support: paint
- Attachment hardware

Undersurface Support Leg
- Support leg: paint

Leg Glide Cover
- Cover: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

H-Legs

For Crossrail Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93





D	*W*	*H*	*Model*	*Price*
For Use with Upper and/or Extended Upper Tiles				
Without Power Slot				
25 13/16"	2 3/8"	42 7/16"	**45F2414SLHUT42P**	$322
		49 1/4"	**45F2421SLHUT50P**	338
31 13/16"	2 3/8"	42 7/16"	**45F3014SLHUT42P**	338
		49 1/4"	**45F3021SLHUT50P**	355
With Power Slot				
25 13/16"	2 3/8"	42 7/16"	**45F2414SLHUT42PIP**	$342
		49 1/4"	**45F2421SLHUT50PIP**	358
31 3/16"	2 3/8"	42 7/16"	**45F3014SLHUT42PIP**	358
		49 1/4"	**45F3021SLHUT50PIP**	375
For Use with Open-Base Tiles				
25 13/16"	2 3/8"	42 7/16"	**45F2414SLHOB42P**	$322
		49 1/4"	**45F2421SLHOB50P**	338
31 13/16"	2 3/8"	42 7/16"	**45F3014SLHOB42P**	338
		49 1/4"	**45F3021SLHOB50P**	355

Related Products:

Leg Glide Covers				
1 5/16"	2 1/2"	3 3/8"	**45F0204LGCP**	$24

IMPORTANT: Height dimensions shown above reflect the overall height of the stanchion. Actual leg height is 27" for desk-height worksurface support.

To route power or data to the worksurface, select a power-slot model.

Standard Includes

H-Leg
- H-leg: paint
- Attachment hardware

Leg Glide Cover
- Cover: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Support Legs

For Crossrail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



Power slot location

D	*W*	*H*	*Model*	*Price*
For Use with Upper or Extended Upper Tiles				
Without Power Slot				
1 3/16"	2 3/8"	42 9/16"	**45F0242SLUTP**	$153
		49 1/4"	**45F0250SLUTP**	161
With Power Slot				
1 3/16"	2 3/8"	42 9/16"	**45F0242SLUTPSP**	$173
		49 1/4"	**45F0250SLUTPSP**	181
For Use with Open-Base Tiles				
1 3/16"	2 3/8"	42 9/16"	**45F0242SLOBP**	$153
		49 1/4"	**45F0250SLOBP**	161

Related Products:

Leg Glide Covers				
1 5/16"	2 1/2"	3 3/8"	**45F0204LGCP**	$24

To route power or data to the worksurface, select a power-slot model.

Standard Includes

Support Leg
- Support leg: paint
- Attachment hardware

Leg Glide Cover
- Cover: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

T-Legs

For Crossrail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93





Power slot location



D	W	H	Model	Price
For Use with Upper or Extended Upper Tiles				
Without Power Slot				
20⅛"	3⅛"	42⁹⁄₁₆"	**45F2142STUTP**	$248
		49¼"	**45F2150STUTP**	260
With Power Slot				
20⅛"	3⅛"	42⁹⁄₁₆"	**45F2142STUTPSP**	$268
		49¼"	**45F2150STUTPSP**	280
For Use with Open-Base Tiles				
20⅛"	3⅛"	42⁹⁄₁₆"	**45F2142STOBP**	$248
		49¼"	**45F2150STOBP**	260

To route power or data to the worksurface, select a power-slot model.

Standard Includes

- T-leg: paint
- Attachment hardware

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Full-Height End Panels

For Crossrail Applications

For Dual-Sided Upper-Tile Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93





D	*W*	*H*	*Model*	*Price*
For Use with Two 24"D Worksurfaces (shown)				
50 11/16"	1 3/16"	42 7/16"	**45F5142EPUL**	$767
		49 1/4"	**45F5150EPUL**	910
For Use with 24"D/30"D Worksurfaces				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPULL**	$855
		49 1/4"	**45F5750EPULL**	1015
For Use with 30"D/24"D Worksurfaces (shown)				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPURL**	$855
		49 1/4"	**45F5750EPURL**	1015
For Use with Two 30"D Worksurfaces				
62 11/16"	1 3/16"	42 7/16"	**45F6342EPUL**	$943
		49 1/4"	**45F6350EPUL**	1120

Standard Includes

- End panel: laminate with 1/8" (3mm) PVC rim
- Attachment hardware and brackets
- Adjustable glides

How to Specify

❶ Model
② Outside laminate price group: **STD** = Group 1
③ Outside laminate designator
④ Inside laminate price group: **STD** = Group 1
⑤ Inside laminate designator
⑥ Rim color designator

IMPORTANT: Width of end panel must match the depth of the worksurface application.

Grain on woodgrain laminate runs widthwise (horizontal) on the end panel.

Full-Height End Panels

For Crossrail Applications

For Dual-Sided Open-Base Applications

GSA SIN 711-1



D	W	H	Model	Price
For Use with Two 24"D Worksurfaces (shown)				
50 11/16"	1 3/16"	42 7/16"	**45F5142EPOBL**	$777
		49 1/4"	**45F5150EPOBL**	920
For Use with 24"D/30"D Worksurfaces (shown)				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPOBLL**	$865
		49 1/4"	**45F5750EPOBLL**	1025
For Use with 30"D/24"D Worksurfaces				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPOBRL**	$865
		49 1/4"	**45F5750EPOBRL**	1025
For Use with Two 30"D Worksurfaces				
62 11/16"	1 3/16"	42 7/16"	**45F6342EPOBL**	$953
		49 1/4"	**45F6350EPOBL**	1130

IMPORTANT: Width of end panel must match the depth of the worksurface application.

Grain on woodgrain laminate runs widthwise (horizontal) on the end panel.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- End panel: laminate with 1/8" (3mm) PVC rim
- Attachment hardware and brackets
- Adjustable glides

How to Specify

❶ Model
② Outside laminate price group: **STD** = Group 1
③ Outside laminate designator
④ Inside laminate price group: **STD** = Group 1
⑤ Inside laminate designator
⑥ Rim color designator

Full-Height End Panels

For Crossrail Applications

For Single-Sided Upper-Tile Applications

GSA SIN 711-1



Left

D	W	H	Model	Price
For Use with 24"D Worksurfaces				
Left (shown)				
26 11/16"	1 3/16"	42 7/16"	**45F2742EPUSLL**	$413
		49 1/4"	**45F2750EPUSLL**	489
Right				
26 11/16"	1 3/16"	42 7/16"	**45F2742EPUSRL**	$413
		49 1/4"	**45F2750EPUSRL**	489
For Use with 30"D Worksurfaces				
Left				
32 11/16"	1 3/16"	42 7/16"	**45F3342EPUSLL**	$501
		49 1/4"	**45F3350EPUSLL**	594
Right				
32 11/16"	1 3/16"	42 7/16"	**45F3342EPUSRL**	$501
		49 1/4"	**45F3350EPUSRL**	594

IMPORTANT: Width of end panel must match the depth of the worksurface application.

Grain on woodgrain laminate runs widthwise (horizontal) on the end panel.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- End panel: laminate with 1/8" (3mm) PVC rim
- Attachment hardware and brackets
- Adjustable glides

How to Specify

❶ Model
② Outside laminate price group: **STD** = Group 1
③ Outside laminate designator
④ Inside laminate price group: **STD** = Group 1
⑤ Inside laminate designator
⑥ Rim color designator

Full-Height End Panels

For Crossrail Applications

For Single-Sided Open-Base-Tile Applications

GSA SIN 711-1



Left

D	*W*	*H*	*Model*	*Price*
For Use with 24"D Worksurfaces				
Left (shown)				
26 11/16"	1 3/16"	42 7/16"	**45F2742EPOBSLL**	$423
		49 1/4"	**45F2750EPOBSLL**	499
Right				
26 11/16"	1 3/16"	42 7/16"	**45F2742EPOBSRL**	$423
		49 1/4"	**45F2750EPOBSRL**	499
For Use with 30"D Worksurfaces				
Left				
32 11/16"	1 3/16"	42 7/16"	**45F3342EPOBSLL**	$511
		49 1/4"	**45F3350EPOBSLL**	604
Right				
32 11/16"	1 3/16"	42 7/16"	**45F3342EPOBSRL**	$511
		49 1/4"	**45F3350EPOBSRL**	604

IMPORTANT: Width of end panel must match the depth of the worksurface application.

Grain on woodgrain laminate runs widthwise (horizontal) on the end panel.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- End panel: laminate with 1/8" (3mm) PVC rim
- Attachment hardware and brackets
- Adjustable glides

How to Specify

❶ Model
② Outside laminate price group: **STD** = Group 1
③ Outside laminate designator
④ Inside laminate price group: **STD** = Group 1
⑤ Inside laminate designator
⑥ Rim color designator

Worksurface-Height End Panels

For Crossrail Applications

For Dual-Sided Upper-Tile Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



D	*W*	*H*	*Model*	*Price*
For Use with Two 24"D Worksurfaces (shown)				
50 11/16"	1 3/16"	42 7/16"	**45F5142EPASL**	$772
		49 1/4"	**45F5150EPASL**	915
For Use with 24"D/30"D Worksurfaces (shown)				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPASLL**	$860
		49 1/4"	**45F5750EPASLL**	1020
For Use with 30"D/24"D Worksurfaces				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPASRL**	$860
		49 1/4"	**45F5750EPASRL**	1020
For Use with Two 30"D Worksurfaces				
62 11/16"	1 3/16"	42 7/16"	**45F6342EPASL**	$948
		49 1/4"	**45F6350EPASL**	1125

Standard Includes

- End panel: laminate with 1/8" (3mm) PVC rim
- Attachment hardware and brackets
- Adjustable glides

How to Specify

❶ Model
② Outside laminate price group: **STD** = Group 1
③ Outside laminate designator
④ Inside laminate price group: **STD** = Group 1
⑤ Inside laminate designator
⑥ Rim color designator

IMPORTANT: Width of end panel must match the depth of the worksurface application.

Grain on woodgrain laminate runs widthwise (horizontal) on the end panel.

Worksurface-Height End Panels

For Crossrail Applications

For Dual-Sided Open-Base Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93





D	*W*	*H*	*Model*	*Price*
For Use with Two 24"D Worksurfaces (shown)				
50 11/16"	1 3/16"	42 7/16"	**45F5142EPOBTL**	$777
		49 1/4"	**45F5150EPOBTL**	920
For Use with 24"D/30"D Worksurfaces				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPOBTLL**	$865
		49 1/4"	**45F5750EPOBTLL**	1025
For Use with 30"D/24"D Worksurfaces (shown)				
56 11/16"	1 3/16"	42 7/16"	**45F5742EPOBTRL**	$865
		49 1/4"	**45F5750EPOBTRL**	1025
For Use with Two 30"D Worksurfaces				
62 11/16"	1 3/16"	42 7/16"	**45F6342EPOBTL**	$953
		49 1/4"	**45F6350EPOBTL**	1130

Standard Includes

- End panel: laminate with 1/8" (3mm) PVC rim
- Attachment hardware and brackets
- Adjustable glides

How to Specify

❶ Model
② Outside laminate price group: **STD** = Group 1
③ Outside laminate designator
④ Inside laminate price group: **STD** = Group 1
⑤ Inside laminate designator
⑥ Rim color designator

IMPORTANT: Width of end panel must match the depth of the worksurface application.

Grain on woodgrain laminate runs widthwise (horizontal) on the end panel.

L-Connectors (2-Way 90°)

For Crossrail Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



To route power or data to the work-surface, select a power-slot model.

D	W	H	Model	Price
For Use with Upper Tiles				
Without Power Slot				
4 29/32"	4 13/32"	42 7/16"	**45F0442CLUT**	$408
		49 1/4"	**45F0450CLUT**	429
With Power Slot				
4 29/32"	4 13/32"	42 7/16"	**45F0442CLUTI**	$428
		49 1/4"	**45F0450CLUTI**	449
For Use with Extended Upper Tiles				
Without Power Slot				
4 29/32"	4 13/32"	42 7/16"	**45F0442CLUTE**	$408
		49 1/4"	**45F0450CLUTE**	429
With Power Slot				
4 29/32"	4 13/32"	42 7/16"	**45F0442CLUTEI**	$428
		49 1/4"	**45F0450CLUTEI**	449
For Use with Open-Base Tiles				
4 29/32"	4 13/32"	42 7/16"	**45F0442CLOB**	$498
		49 1/4"	**45F0450CLOB**	519

Related Products:

Leg Glide Covers				
1 5/16"	2 1/2"	3 3/8"	**45F0204LGCP**	$24

Standard Includes

Connector
- Post: paint
- Transition top cap: paint
- Exterior: fabric (railroaded)
- Attachment hardware

Leg Glide Cover
- Cover: paint

How to Specify

L-Connectors
❶ Model
❷ Orientation (handedness):





LP = Left **RP** = Right
Note: The difference is in the orientation of the post.

③ Top cap finish group:
STD = Group 1
STDM = Group M (+10%)
④ Top cap finish designator
⑤ Fabric grade
⑥ Fabric number
⑦ Connector finish group:
STD = Group 1
STDM = Group M (+10%)
⑧ Connector finish designator

Leg Glide Covers
❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Note: Top cap finish option effective December 15, 2014.

T-Connectors (3-Way 90°)

For Crossrail Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

D	W	H	Model	Price
For Use with Upper Tiles				
Without Power Slot				
4 29/32"	6"	42 7/16"	**45F0642CTUTP**	$408
		49 1/4"	**45F0650CTUTP**	429
With Power Slot				
4 29/32"	6"	42 7/16"	**45F0642CTUTIP**	$428
		49 1/4"	**45F0650CTUTIP**	449
For Use with Extended Upper Tiles				
Without Power Slot				
4 29/32"	6"	42 7/16"	**45F0642CTUTEP**	$408
		49 1/4"	**45F0650CTUTEP**	429
With Power Slot				
4 29/32"	6"	42 7/16"	**45F0642CTUTEIP**	$428
		49 1/4"	**45F0650CTUTEIP**	449
For Use with Open-Base Tiles				
4 29/32"	6"	42 7/16"	**45F0642CTOBP**	$498
		49 1/4"	**45F0650CTOBP**	519

Related Products:

Leg Glide Covers				
1 5/16"	2 1/2"	3 3/8"	**45F0204LGCP**	$24



To route power or data to the work-surface, select a power-slot model.

Standard Includes

Connector
- Post: paint
- Transition top cap: paint
- Exterior: fabric (railroaded)
- Attachment hardware

Leg Glide Cover
- Cover: paint

How to Specify

T-Connectors
❶ Model
② Top cap finish group:
STD = Group 1
STDM = Group M (+10%)
③ Top cap finish designator
④ Fabric grade
⑤ Fabric number
⑥ Connector finish group:
STD = Group 1
STDM = Group M (+10%)
⑦ Connector finish designator

Leg Glide Covers
❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Note: Top cap finish option effective December 15, 2014.

X-Connectors (4-way 90°)

For Crossrail Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

D	W	H	Model	Price
For Use with Upper Tiles				
Without Power Slot				
6"	6"	42 7/16"	**45F0642CXUTP**	$423
		49 1/4"	**45F0650CXUTP**	444
With Power Slot				
6"	6"	42 7/16"	**45F0642CXUTIP**	$443
		49 1/4"	**45F0650CXUTIP**	464
For Use with Open-Base Tiles				
6"	6"	42 7/16"	**45F0642CXOBP**	$513
		49 1/4"	**45F0650CXOBP**	534

Related Products:

Leg Glide Covers				
1 5/16"	2 1/2"	3 3/8"	**45F0204LGCP**	$24



To route power or data to the worksurface, select a power-slot model.

Standard Includes

Connector
- Post: paint
- Transition top cap: paint
- Attachment hardware

Leg Glide Cover
- Cover: paint

How to Specify

❶ Model
② Top cap finish group:
STD = Group 1
STDM = Group M (+10%)
③ Top cap finish designator
④ Connector finish group:
STD = Group 1
STDM = Group M (+10%)
⑤ Connector finish designator

Leg Glide Covers
❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Note: Top cap finish option effective December 15, 2014.

Y-Connectors (3-way 120°)

For Crossrail Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

D	*W*	*H*	*Model*	*Price*
For Use with Upper Tiles				
Without Power Slot				
4 13⁄32"	4 15⁄32"	42 7⁄16"	**45F0542CYUTP**	$473
		49 1⁄4"	**45F0550CYUTP**	494
With Power Slot				
4 13⁄32"	4 15⁄32"	42 7⁄16"	**45F0542CYUTIP**	$493
		49 1⁄4"	**45F0550CYUTIP**	514
For Use with Open-Base Tiles				
4 13⁄32"	4 15⁄32"	42 7⁄16"	**45F0542CYOBP**	$563
		49 1⁄4"	**45F0550CYOBP**	584

Related Products:

Leg Glide Covers				
1 5⁄16"	2 1⁄2"	3 3⁄8"	**45F0204LGCP**	$24



To route power or data to the worksurface, select a power-slot model.

Standard Includes

Connector
- Post: paint
- Transition top cap: paint
- Attachment hardware

Leg Glide Cover
- Cover: paint

How to Specify

❶ Model
② Top cap finish group:
STD = Group 1
STDM = Group M (+10%)
③ Top cap finish designator
④ Connector finish group:
STD = Group 1
STDM = Group M (+10%)
⑤ Connector finish designator

Leg Glide Covers
❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Note: Top cap finish option effective December 15, 2014.

Trim

For Crossrail Applications

Top Caps

GSA SIN 711-1



D	*W*	*H*	*Model*	*Price*
Top Caps				
2 11/16"	18"	9/16"	**45F18TCP**	$25
	24"		**45F24TCP**	25
	30"		**45F30TCP**	29
	36"		**45F36TCP**	32
	42"		**45F42TCP**	36
	48"		**45F48TCP**	37
	54"		**45F54TCP**	45
	60"		**45F60TCP**	47
	66"		**45F66TCP**	53
	72"		**45F72TCP**	61
	78"		**45F78TCP**	62
	84"		**45F84TCP**	68
	90"		**45F90TCP**	68
	96"		**45F96TCP**	75

➤See next page for models for use with frameless resin or glass.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Top cap: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Trim

For Crossrail Applications

Top Caps for Use with Frameless Resin or Glass

GSA SIN 711-1

D	W	H	Model	Price
Top Caps for Use with Frameless Resin or Glass				
2 11/16"	18"	1¼"	**45F18TCFIP**	$50
	24"		**45F24TCFIP**	50
	30"		**45F30TCFIP**	51
	36"		**45F36TCFIP**	56
	42"		**45F42TCFIP**	64
	48"		**45F48TCFIP**	66
	54"		**45F54TCFIP**	80
	60"		**45F60TCFIP**	83
	66"		**45F66TCFIP**	94
	72"		**45F72TCFIP**	109
	78"		**45F78TCFIP**	110
	84"		**45F84TCFIP**	122
	90"		**45F90TCFIP**	122
	96"		**45F96TCFIP**	133

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Top cap: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Frameless Glass or Resin Inserts
➤See pages 140–141.

Trim

For Crossrail Applications

End Trim

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



backside







W	*H*	*Model*	*Price*
For Use with Upper Tiles			
42"H Application			
2 11/16"	14 11/16"	**45F14ETP**	$49
50"H Application			
2 11/16"	21 1/2"	**45F22ETP**	$62
For Use with Extended Upper Tiles			
42"H Application (Right; shown)			
2 11/16"	19"	**45F17ETRP**	$59
42"H Application (Left)			
2 11/16"	19"	**45F17ETLP**	$59
50"H Application (Right)			
2 11/16"	25 13/16"	**45F26ETRP**	$67
50"H Application (Left)			
2 11/16"	25 13/16"	**45F26ETLP**	$67
For Use with Open-Base Tiles			
42"H Application			
2 11/16"	38 1/2"	**45F37ETP**	$94
50"H Application			
2 11/16"	45 1/4"	**45F41ETP**	$104
For Use in Hi-Lo Application (from 50"H to 42"H)			
2 11/16"	21 1/2"	**45F08ETP**	$61

Standard Includes

- End trim: paint
- Attachment hardware

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Fabric Tiles for 42"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1





D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
14"H Tiles								
½"	24"	14 1/16"	**45F2414UTF**	$62	$78	$90	$107	$133
	30"		**45F3014UTF**	77	98	113	135	168
	36"		**45F3614UTF**	90	115	134	160	201
	42"		**45F4214UTF**	102	130	150	179	223
	48" (shown)		**45F4814UTF**	114	146	170	204	255
	54"		**45F5414UTF**	126	163	190	228	288
	60"		**45F6014UTF**	134	173	202	243	306
	66"		**45F6614UTF**	144	188	220	266	336
	72"		**45F7214UTF**	155	203	239	289	367
	78"		**45F7814UTF**	165	216	253	306	387
	84"		**45F8414UTF**	172	227	268	326	414
	90"		**45F9014UTF**	184	244	288	350	447
	96"		**45F9614UTF**	194	256	302	367	467
End-of-Run Applications								
½"	50 11/16"	14 1/16"	**45F5114UTEF**	$121	$156	$181	$217	$273
	56 11/16"		**45F5714UTEF**	130	167	194	232	292
	62 11/16"		**45F6314UTEF**	139	180	211	254	321

Tech Tiles
➤See pages 134–139.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Fabric Tiles for 42"H Applications

For Crossrail Applications

Extended Upper

GSA SIN 711-1





D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
17"H Tiles								
½"	24"	18⅜"	**45F2417EETF**	$77	$93	$105	$122	$148
	30"		**45F3017EETF**	92	113	128	150	183
	36"		**45F3617EETF**	107	132	151	177	218
	42"		**45F4217EETF**	122	150	170	199	243
	48" (shown)		**45F4817EETF**	132	164	188	222	273
	54"		**45F5417EETF**	148	185	212	250	310
	60"		**45F6017EETF**	158	197	226	267	330
	66"		**45F6617EETF**	166	210	242	288	358
	72"		**45F7217EETF**	174	222	258	308	386
	78"		**45F7817EETF**	185	236	273	326	407
	84"		**45F8417EETF**	193	248	289	347	435
	90"		**45F9017EETF**	209	269	313	375	472
	96"		**45F9617EETF**	221	283	329	394	494
End-of-Run Applications								
½"	50 11/16"	18⅜"	**45F5117EETEF**	$137	$172	$197	$233	$289
	56 11/16"		**45F5717EETEF**	152	189	216	254	314
	62 1/16"		**45F6317EETEF**	162	203	234	277	344

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Fabric Tiles for 42"H Applications

For Crossrail Applications

Full-Height, Open-Base (Exterior)

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
37"H Tiles								
½"	24"	37 13/16"	**45F2437OBTF**	$141	$157	$169	$186	$212
	30"		**45F3037OBTF**	163	184	199	221	254
	36"		**45F3637OBTF**	185	210	229	255	296
	42"		**45F4237OBTF**	206	234	254	283	327
	48" (shown)		**45F4837OBTF**	220	252	276	310	361
	54"		**45F5437OBTF**	239	276	303	341	401
	60"		**45F6037OBTF**	255	294	323	364	427
	66"		**45F6637OBTF**	269	313	345	391	461
	72"		**45F7237OBTF**	285	333	369	419	497
	78"		**45F7837OBTF**	299	350	387	440	521
	84"		**45F8437OBTF**	311	366	407	465	553
	90"		**45F9037OBTF**	325	385	429	491	588
	96"		**45F9637OBTF**	339	401	447	512	612
End-of-Run Applications								
½"	50 11/16"	37 13/16"	**45F5137OBTEF**	$230	$265	$290	$326	$382
	56 11/16"		**45F5737OBTEF**	247	284	311	349	409
	62 1/16"		**45F6337OBTEF**	262	303	334	377	444

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

❶ Model
② Fabric grade
③ Fabric number

For use as an exterior tile.

Fabric Tiles for 42"H Applications

For Crossrail Applications

Undersurface Open-Base with Tech Tray (Interior)

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
20"H Tiles								
½"	24"	19 5/16"	**45F2420OBTUTF**	$87	$103	$115	$132	$158
	30"		**45F3020OBTUTF**	107	128	143	165	198
	36"		**45F3620OBTUTF**	122	147	166	192	233
	42"		**45F4220OBTUTF**	134	162	182	211	255
	48" (shown)		**45F4820OBTUTF**	150	182	206	240	291
	54"		**45F5420OBTUTF**	164	201	228	266	326
	60"		**45F6020OBTUTF**	172	211	240	281	344
	66"		**45F6620OBTUTF**	182	226	258	304	374
	72"		**45F7220OBTUTF**	192	240	276	326	404
	78"		**45F7820OBTUTF**	205	256	293	346	427
	84"		**45F8420OBTUTF**	217	272	313	371	459
	90"		**45F9020OBTUTF**	233	293	337	399	496
	96"		**45F9620OBTUTF**	245	307	353	418	518

For use as an interior tile.

Models on this page are for use under the worksurface and will face the interior of the workspace.

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

Tiles

❶ Model
② Fabric grade
③ Fabric number

Bracket

❶ Model

Fabric Tiles for 42"H Applications

For Crossrail Applications

Undersurface Open-Base without Tech Tray (Interior)

GSA SIN 711-1
† GSA Contract Pending

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
23"H Tiles								
½"	24"	23 1/16"	**45F2423OBTUF**	$112	$128	$140	$157	$183
	30"		**45F3023OBTUF**	132	153	168	190	223
	36"		**45F3623OBTUF**	152	177	196	222	263
	42"		**45F4223OBTUF**	166	194	214	243	287
	48" (shown)		**45F4823OBTUF**	180	212	236	270	321
	54"		**45F5423OBTUF**	192	229	256	294	354
	60"		**45F6023OBTUF**	212	251	280	321	384
	66"		**45F6623OBTUF**	224	268	300	346	416
	72"		**45F7223OBTUF**	238	286	322	372	450
	78"		**45F7823OBTUF**	247	298	335	388	469
	84"		**45F8423OBTUF**	260	315	356	414	502
	90"		**45F9023OBTUF**	275	335	379	441	538
	96"		**45F9623OBTUF**	291	353	399	464	564

Related Product:

Undersurface Tile-Mount Bracket				
1 3/16"	3 9/16"	½"	**45FWTBP**	$11



Open-Base Tile-Mount Brackets†				
1 3/16"	24"	½"	**45F24WTBP**	$92
	30"		**45F30WTBP**	97
	36"		**45F36WTBP**	102
	42"		**45F42WTBP**	108
	48"		**45F48WTBP**	113
	54"		**45F54WTBP**	117
	60"		**45F60WTBP**	122
	66"		**45F66WTBP**	128
	72"		**45F72WTBP**	134
	78"		**45F78WTBP**	140
	84"		**45F84WTBP**	146

For use as an interior tile.

Models on this page are for use under the worksurface and will face the interior of the workspace.

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

Tiles
❶ Model
② Fabric grade
③ Fabric number

Bracket
❶ Model

Fabric Tiles for 50"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1





D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
21"H Tiles								
½"	24"	20⅞"	**45F2421UTF**	$90	$106	$118	$135	$161
	30"		**45F3021UTF**	110	131	146	168	201
	36"		**45F3621UTF**	126	151	170	196	237
	42"		**45F4221UTF**	139	167	187	216	260
	48" (shown)		**45F4821UTF**	155	187	211	245	296
	54"		**45F5421UTF**	166	203	230	268	328
	60"		**45F6021UTF**	177	216	245	286	349
	66"		**45F6621UTF**	190	234	266	312	382
	72"		**45F7221UTF**	204	252	288	338	416
	78"		**45F7821UTF**	217	268	305	358	439
	84"		**45F8421UTF**	225	280	321	379	467
	90"		**45F9021UTF**	237	297	341	403	500
	96"		**45F9621UTF**	247	309	355	420	520
End-of-Run Applications								
½"	50 11/16"	20⅞"	**45F5121UTEF**	$160	$195	$220	$256	$312
	56 11/16"		**45F5721UTEF**	172	209	236	274	334
	62 11/16"		**45F6321UTEF**	183	224	255	298	365

.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Fabric Tiles for 50"H Applications

For Crossrail Applications

Extended Upper

GSA SIN 711-1





D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
25"H Tiles								
½"	24"	25⅛"	**45F2425EETF**	$107	$123	$135	$152	$178
	30"		**45F3025EETF**	122	143	158	180	213
	36"		**45F3625EETF**	142	167	186	212	253
	42"		**45F4225EETF**	162	190	210	239	283
	48" (shown)		**45F4825EETF**	172	204	228	262	313
	54"		**45F5425EETF**	188	225	252	290	350
	60"		**45F6025EETF**	200	239	268	309	372
	66"		**45F6625EETF**	212	256	288	334	404
	72"		**45F7225EETF**	224	272	308	358	436
	78"		**45F7825EETF**	239	290	327	380	461
	84"		**45F8425EETF**	251	306	347	405	493
	90"		**45F9025EETF**	267	327	371	433	530
	96"		**45F9625EETF**	281	343	389	454	554
End-of-Run Applications								
½"	50 11/16"	25⅛"	**45F5125EETEF**	$182	$217	$242	$278	$334
	56 11/16"		**45F5725EETEF**	194	231	258	296	356
	62 11/16"		**45F6325EETEF**	206	247	278	321	388

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Fabric Tiles for 50"H Applications

For Crossrail Applications

Full-Height, Open-Base (Exterior)

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
46"H Tiles								
½"	24"	44⅝"	**45F2446OBTF**	$163	$179	$191	$208	$234
	30"		**45F3046OBTF**	190	211	226	248	281
	36"		**45F3646OBTF**	213	238	257	283	324
	42"		**45F4246OBTF**	232	260	280	309	353
	48" (shown)		**45F4846OBTF**	251	283	307	341	392
	54"		**45F5446OBTF**	273	310	337	375	435
	60"		**45F6046OBTF**	291	330	359	400	463
	66"		**45F6646OBTF**	305	349	381	427	497
	72"		**45F7246OBTF**	323	371	407	457	535
	78"		**45F7846OBTF**	340	391	428	481	562
	84"		**45F8446OBTF**	354	409	450	508	596
	90"		**45F9046OBTF**	374	434	478	540	637
	96"		**45F9646OBTF**	390	452	498	563	663
End-of-Run Applications								
½"	50 11/16"	44⅝"	**45F5146OBTEF**	$264	$299	$324	$360	$416
	56 11/16"		**45F5746OBTEF**	282	319	346	384	444
	62 11/16"		**45F6346OBTEF**	298	339	370	413	480

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

❶ Model
② Fabric grade
③ Fabric number

For use as an exterior tile.

Fabric Tiles for 50"H Applications

For Crossrail Applications

Undersurface Open-Base with Tech Tray (Interior)

GSA SIN 711-1



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
20"H Tiles								
½"	24"	19 5/16"	**45F2420OBTUTF**	$87	$103	$115	$132	$158
	30"		**45F3020OBTUTF**	107	128	143	165	198
	36"		**45F3620OBTUTF**	122	147	166	192	233
	42"		**45F4220OBTUTF**	134	162	182	211	255
	48" (shown)		**45F4820OBTUTF**	150	182	206	240	291
	54"		**45F5420OBTUTF**	164	201	228	266	326
	60"		**45F6020OBTUTF**	172	211	240	281	344
	66"		**45F6620OBTUTF**	182	226	258	304	374
	72"		**45F7220OBTUTF**	192	240	276	326	404
	78"		**45F7820OBTUTF**	205	256	293	346	427
	84"		**45F8420OBTUTF**	217	272	313	371	459
	90"		**45F9020OBTUTF**	233	293	337	399	496
	96"		**45F9620OBTUTF**	245	307	353	418	518

For use as an interior tile.

Models on this page are for use under the worksurface and will face the interior of the workspace.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

Tiles

❶ Model
② Fabric grade
③ Fabric number

Bracket

❶ Model

Fabric Tiles for 50"H Applications

For Crossrail Applications

Undersurface Open-Base without Tech Tray (Interior)

GSA SIN 711-1
† GSA Contract Pending

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
23"H Tiles								
½"	24"	23 1/16"	**45F2423OBTUF**	$112	$128	$140	$157	$183
	30"		**45F3023OBTUF**	132	153	168	190	223
	36"		**45F3623OBTUF**	152	177	196	222	263
	42"		**45F4223OBTUF**	166	194	214	243	287
	48" (shown)		**45F4823OBTUF**	180	212	236	270	321
	54"		**45F5423OBTUF**	192	229	256	294	354
	60"		**45F6023OBTUF**	212	251	280	321	384
	66"		**45F6623OBTUF**	224	268	300	346	416
	72"		**45F7223OBTUF**	238	286	322	372	450
	78"		**45F7823OBTUF**	247	298	335	388	469
	84"		**45F8423OBTUF**	260	315	356	414	502
	90"		**45F9023OBTUF**	275	335	379	441	538
	96"		**45F9623OBTUF**	291	353	399	464	564

Related Products:

Undersurface Tile-Mount Bracket				
1 3/16"	3 9/16"	½"	**45FWTBP**	$11



Open-Base Tile-Mount Brackets†				
1 3/16"	24"	½"	**45F24WTBP**	$92
	30"		**45F30WTBP**	97
	36"		**45F36WTBP**	102
	42"		**45F42WTBP**	108
	48"		**45F48WTBP**	113
	54"		**45F54WTBP**	117
	60"		**45F60WTBP**	122
	66"		**45F66WTBP**	128
	72"		**45F72WTBP**	134
	78"		**45F78WTBP**	140
	84"		**45F84WTBP**	146

For use as an interior tile.

Models on this page are for use under the worksurface and will face the interior of the workspace.

Standard Includes

- Tile: fabric (applied railroaded)

How to Specify

Tiles
❶ Model
② Fabric grade
③ Fabric number

Bracket
❶ Model

Markerboard Tiles for 42"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93





D	*W*	*H*	*Model*	*Price*
14"H Tiles				
½"	24"	14 1/16"	**45F2414UTM**	$155
	30"		**45F3014UTM**	165
	36"		**45F3614UTM**	185
	42"		**45F4214UTM**	202
	48" (shown)		**45F4814UTM**	218
	54"		**45F5414UTM**	241
	60"		**45F6014UTM**	260
	66"		**45F6614UTM**	282
	72"		**45F7214UTM**	295
	78"		**45F7814UTM**	307
	84"		**45F8414UTM**	318
	90"		**45F9014UTM**	328
	96"		**45F9614UTM**	337
End-of-Run Applications				
½"	50 11/16"	14 1/16"	**45F5114UTEM**	$230
	56 11/16"		**45F5714UTEM**	251
	62 11/16"		**45F6314UTEM**	267

Standard Includes

- Tile: markerboard surface

How to Specify

❶ Model
② Finish designator:
409M = Icey White
483M = Off White

Markerboard Tiles for 50"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93





D	*W*	*H*	*Model*	*Price*
21"H Tiles				
½"	24"	20⅞"	**45F2421UTM**	$193
	30"		**45F3021UTM**	223
	36"		**45F3621UTM**	250
	42"		**45F4221UTM**	272
	48" (shown)		**45F4821UTM**	289
	54"		**45F5421UTM**	320
	60"		**45F6021UTM**	338
	66"		**45F6621UTM**	344
	72"		**45F7221UTM**	349
	78"		**45F7821UTM**	366
	84"		**45F8421UTM**	382
	90"		**45F9021UTM**	395
	96"		**45F9621UTM**	408
End-of-Run Applications				
½"	50 11⁄16"	20⅞"	**45F5121UTEM**	$307
	56 11⁄16"		**45F5721UTEM**	331
	62 11⁄16"		**45F6321UTEM**	342

Standard Includes

- Tile: markerboard surface

How to Specify

❶ Model
② Finish designator:
409M = Icey White
483M = Off White

Slat Tiles for 42"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Price
14"H Tiles				
½"	23 15⁄16"	14 1⁄16"	**45F2414UTS**	$264
	29 15⁄16"		**45F3014UTS**	308
	35 15⁄16"		**45F3614UTS**	347
	41 15⁄16"		**45F4214UTS**	380
	47 15⁄16" (shown)		**45F4814UTS**	407
	53 15⁄16"		**45F5414UTS**	457
	59 15⁄16"		**45F6014UTS**	501
	65 15⁄16"		**45F6614UTS**	534
	71 15⁄16"		**45F7214UTS**	567
	77 15⁄16"		**45F7814UTS**	611
	83 15⁄16"		**45F8414UTS**	649
	89 15⁄16"		**45F9014UTS**	688
	95 15⁄16"		**45F9614UTS**	726

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Aluminum tile: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Slat Tiles for 50"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Price
21"H Tiles				
½"	23 15/16"	20 7/8"	**45F2421UTS**	$380
	29 15/16"		**45F3021UTS**	435
	35 15/16"		**45F3621UTS**	484
	41 15/16"		**45F4221UTS**	528
	47 15/16" (shown)		**45F4821UTS**	567
	53 15/16"		**45F5421UTS**	627
	59 15/16"		**45F6021UTS**	682
	65 15/16"		**45F6621UTS**	726
	71 15/16"		**45F7221UTS**	770
	77 15/16"		**45F7821UTS**	830
	83 15/16"		**45F8421UTS**	886
	89 15/16"		**45F9021UTS**	935
	95 15/16"		**45F9621UTS**	979

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Aluminum tile: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Fabric Tech Tiles for 42"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
10"H Tiles								
½"	24"	10 5/16"	**45F2410TTF**	$47	$63	$75	$92	$118
	30"		**45F3010TTF**	57	78	93	115	148
	36"		**45F3610TTF**	67	92	111	137	178
	42"		**45F4210TTF**	77	105	125	154	198
	48" (shown)		**45F4810TTF**	87	119	143	177	228
	54"		**45F5410TTF**	97	134	161	199	259
	60"		**45F6010TTF**	107	146	175	216	279
	66"		**45F6610TTF**	117	161	193	239	309
	72"		**45F7210TTF**	127	175	211	261	339
	78"		**45F7810TTF**	135	186	223	276	357
	84"		**45F8410TTF**	140	195	236	294	382
	90"		**45F9010TTF**	149	209	253	315	412
	96"		**45F9610TTF**	154	216	262	327	427

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles.

Tech tiles must match the tech tile cover width, but can be comprised of multiple tiles.
➤See page 143.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: fabric (applied railroaded)

Note: Tech tile covers are not included; they must be specified separately.

How to Specify

1. Model
2. Fabric grade
3. Fabric number

Fabric Tech Tiles for 50"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
17"H Tiles								
½"	24"	17⅛"	**45F2417TTF**	$72	$88	$100	$117	$143
	30"		**45F3017TTF**	92	113	128	150	183
	36"		**45F3617TTF**	107	132	151	177	218
	42"		**45F4217TTF**	122	150	170	199	243
	48" (shown)		**45F4817TTF**	132	164	188	222	273
	54"		**45F5417TTF**	146	183	210	248	308
	60"		**45F6017TTF**	158	197	226	267	330
	66"		**45F6617TTF**	167	211	243	289	359
	72"		**45F7217TTF**	175	223	259	309	387
	78"		**45F7817TTF**	186	237	274	327	408
	84"		**45F8417TTF**	194	249	290	348	436
	90"		**45F9017TTF**	204	264	308	370	467
	96"		**45F9617TTF**	210	272	318	383	483

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles.

Tech tiles must match the tech tile cover width, but can be comprised of multiple tiles.
➤See page 143.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: fabric (applied railroaded)

Note: Tech tile covers are not included; they must be specified separately.

How to Specify

1. Model
2. Fabric grade
3. Fabric number

Markerboard Tech Tiles for 42"H Applications For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Price
10"H Tiles				
½"	24"	10 5/16"	**45F2410TTM**	$116
	30"		**45F3010TTM**	133
	36"		**45F3610TTM**	149
	42"		**45F4210TTM**	162
	48" (shown)		**45F4810TTM**	173
	54"		**45F5410TTM**	189
	60"		**45F6010TTM**	201
	66"		**45F6610TTM**	209
	72"		**45F7210TTM**	216
	78"		**45F7810TTM**	224
	84"		**45F8410TTM**	232
	90"		**45F9010TTM**	239
	96"		**45F9610TTM**	244

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles.

Tech tiles must match the tech tile cover width, but can be comprised of multiple tiles.
➤See page 143.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: markerboard surface

Note: Tech tile covers are not included; they must be specified separately.

How to Specify

❶ Model
② Finish designator:
409M = Icey White
483M = Off White

Markerboard Tech Tiles for 50"H Applications For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Price
17"H Tiles				
½"	24"	17⅛"	**45F2417TTM**	$165
	30"		**45F3017TTM**	190
	36"		**45F3617TTM**	212
	42"		**45F4217TTM**	231
	48" (shown)		**45F4817TTM**	246
	54"		**45F5417TTM**	274
	60"		**45F6017TTM**	297
	66"		**45F6617TTM**	316
	72"		**45F7217TTM**	333
	78"		**45F7817TTM**	348
	84"		**45F8417TTM**	359
	90"		**45F9017TTM**	367
	96"		**45F9617TTM**	377

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles.

Tech tiles must match the tech tile cover width, but can be comprised of multiple tiles.
➤See page 143.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tile: markerboard surface

Note: Tech tile covers are not included; they must be specified separately.

How to Specify

❶ Model
② Finish designator:
409M = Icey White
483M = Off White

Slat Tech Tiles for 42"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Price
10"H Tiles				
½"	23 15⁄16"	10¼"	**45F2410TTS**	$215
	29 15⁄16"		**45F3010TTS**	235
	35 15⁄16"		**45F3610TTS**	297
	41 15⁄16"		**45F4210TTS**	330
	47 15⁄16" (shown)		**45F4810TTS**	358
	53 15⁄16"		**45F5410TTS**	396
	59 15⁄16"		**45F6010TTS**	429
	65 15⁄16"		**45F6610TTS**	451
	71 15⁄16"		**45F7210TTS**	473
	77 15⁄16"		**45F7810TTS**	512
	83 15⁄16"		**45F8410TTS**	545
	89 15⁄16"		**45F9010TTS**	578
	95 15⁄16"		**45F9610TTS**	608

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles.

Tech tiles must match the tech tile cover width, but can be comprised of multiple tiles.
➤See page 143.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Aluminum tile: paint

Note: Tech tile covers are not included; they must be specified separately.

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Slat Tech Tiles for 50"H Applications

For Crossrail Applications

Upper

GSA SIN 711-1



D	W	H	Model	Price
17"H Tiles				
½"	23 15⁄16"	17 1⁄16"	**45F2417TTS**	$319
	29 15⁄16"		**45F3017TTS**	369
	35 15⁄16"		**45F3617TTS**	413
	41 15⁄16"		**45F4217TTS**	451
	47 15⁄16" (shown)		**45F4817TTS**	479
	53 15⁄16"		**45F5417TTS**	517
	59 15⁄16"		**45F6017TTS**	550
	65 15⁄16"		**45F6617TTS**	583
	71 15⁄16"		**45F7217TTS**	616
	77 15⁄16"		**45F7817TTS**	644
	83 15⁄16"		**45F8417TTS**	666
	89 15⁄16"		**45F9017TTS**	679
	95 15⁄16"		**45F9617TTS**	701

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles.

Tech tiles must match the tech tile cover width, but can be comprised of multiple tiles.
➤See page 143.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Aluminum tile: paint

Note: Tech tile covers are not included; they must be specified separately.

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Frameless Resin

For Accessory Rail or Crossrail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



D	W	H	Model	Price
7"H Resin				
¼"	17⅞"	6¾"	**45F1807FR**	$156
	23⅞"		**45F2407FR**	170
	29⅞"		**45F3007FR**	183
	35⅞"		**45F3607FR**	196
	41⅞"		**45F4207FR**	221
	47⅞"		**45F4807FR**	242
	50⅞"		**45F5107FR**	259
	53⅞"		**45F5407FR**	272
	56⅞"		**45F5707FR**	288
	59⅞"		**45F6007FR**	306
	62⅞"		**45F6307FR**	327
	65⅞"		**45F6607FR**	344
	68⅞"		**45F6907FR**	364
	71⅞"		**45F7207FR**	370
	77⅞"		**45F7807FR**	414
	83⅞"		**45F8407FR**	434
	89⅞"		**45F9007FR**	486
	95⅞"		**45F9607FR**	497

D	W	H	Model	Price
14"H Resin				
¼"	17⅞"	14¼"	**45F1814FR**	$184
	23⅞"		**45F2414FR**	200
	29⅞"		**45F3014FR**	216
	35⅞"		**45F3614FR**	233
	41⅞"		**45F4214FR**	263
	47⅞" (shown)		**45F4814FR**	285
	50⅞"		**45F5114FR**	305
	53⅞"		**45F5414FR**	320
	56⅞"		**45F5714FR**	339
	59⅞"		**45F6014FR**	360
	62⅞"		**45F6314FR**	385
	65⅞"		**45F6614FR**	404
	68⅞"		**45F6914FR**	429
	71⅞"		**45F7214FR**	435
	77⅞"		**45F7814FR**	487
	83⅞"		**45F8414FR**	510
	89⅞"		**45F9014FR**	571
	95⅞"		**45F9614FR**	585

Standard Includes

- Frameless resin
- Retainer clips: charcoal plastic

How to Specify

❶ Model
② Resin color:
23 = Mist

Top Cap for Use with Frameless Resin or Glass
➤See page 118.

Accessory Rails
➤See page 94.

Frameless Glass

For Accessory Rail or Crossrail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93



D	W	H	Model	Price
7"H Glass				
¼"	17⅞"	6¾"	**45F1807FG**	$156
	23⅞"		**45F2407FG**	170
	29⅞"		**45F3007FG**	183
	35⅞"		**45F3607FG**	196
	41⅞"		**45F4207FG**	221
	47⅞"		**45F4807FG**	242
	50⅞"		**45F5107FG**	259
	53⅞"		**45F5407FG**	272
	56⅞"		**45F5707FG**	288
	59⅞"		**45F6007FG**	306
	62⅞"		**45F6307FG**	327
	65⅞"		**45F6607FG**	344
	68⅞"		**45F6907FG**	364
	71⅞"		**45F7207FG**	370
	77⅞"		**45F7807FG**	414
	83⅞"		**45F8407FG**	434
	89⅞"		**45F9007FG**	486
	95⅞"		**45F9607FG**	497

D	W	H	Model	Price
14"H Glass				
¼"	17⅞"	14¼"	**45F1814FG**	$184
	23⅞"		**45F2414FG**	200
	29⅞"		**45F3014FG**	216
	35⅞"		**45F3614FG**	233
	41⅞"		**45F4214FG**	263
	47⅞" (shown)		**45F4814FG**	285
	50⅞"		**45F5114FG**	305
	53⅞"		**45F5414FG**	320
	56⅞"		**45F5714FG**	339
	59⅞"		**45F6014FG**	360
	62⅞"		**45F6314FG**	385
	65⅞"		**45F6614FG**	404
	68⅞"		**45F6914FG**	429
	71⅞"		**45F7214FG**	435
	77⅞"		**45F7814FG**	487
	83⅞"		**45F8414FG**	510
	89⅞"		**45F9014FG**	571
	95⅞"		**45F9614FG**	585

Standard Includes

- Tempered frameless glass
- Retainer clips: charcoal plastic

How to Specify

❶ Model
② Glass pattern:
3 = Clear

Top Cap for Use with Frameless Resin or Glass
➤See page 118.

Accessory Rails
➤See page 94.

Privacy Screens

For Table and Return Applications

Fabric

GSA SIN 711-1



D	W	H	Model	Fabric Price Grade A or COM	B	C	D	E
Privacy Screens								
1 3/16"	24"	36"	**45F2436PSF**	$371	$403	$427	$461	$513
	30"		**45F3036PSF**	463	505	535	579	645
	36"		**45F3636PSF**	556	606	644	696	778
	42" (shown)		**45F4236PSF**	648	704	744	802	890
	48"		**45F4836PSF**	741	805	853	921	1023
	54"		**45F5436PSF**	834	908	962	1038	1158
	60"		**45F6036PSF**	926	1004	1062	1144	1270

Inside of privacy screen has inserts to accept mounting bracket.

When specifying two different fabric grades, refer to electronic specification tools for pricing.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Screen: fabric (applied railroaded)
- Metal surround: paint
- Attachment hardware

How to Specify

❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator
④ Outside fabric grade
⑤ Outside fabric number
⑥ Inside fabric grade
⑦ Inside fabric number

Tech Tile Covers

For Crossrail Applications

With or Without Cut-Outs

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



D	W	H	Model	Available Cut-Out Options: None	2	3	4	5	6	Price
For Use with Fabric, Markerboard, or Slat Upper Tech Tile										
½"	24"	5⅛"	**45F2404TTC**	•	•					$53
	30"		**45F3004TTC**	•		•				55
	36"		**45F3604TTC**	•		•				57
	42"		**45F4204TTC**	•		•				67
	48"		**45F4804TTC**	•		•		•		69
	54"		**45F5404TTC**	•		•		•		86
	60" (shown)		**45F6004TTC**	•			•		•	91
	66"		**45F6604TTC**	•			•		•	97
	72"		**45F7204TTC**	•			•		•	106
	78"		**45F7804TTC**	•			•		•	110
	84"		**45F8404TTC**	•			•		•	116

Related Products:

Data Plate				
½"	3⅛"	3¾"	**45FEDPP**	$36

Cover Plates (set of 10)				
7⁄16"	3⅛"	3¾"	**45FECPP**	$99

IMPORTANT: Tech tile covers must be specified separately for use with tech tiles. Widths of tiles and covers must match.

Cut-Out Locations
➤See page 63.

Standard Includes

Tech Tile Cover
- Cover: paint

Data Plate
- One plate with two openings
- Voice/data adapter kit with two of each style: black with Cinder plate or white with Designer White plate (PVC-free plastic)

Cover Plate (no cut-outs)
- Set of 10 plates: paint

How to Specify

Tech Tile Cover
❶ Model
❷ Cut-out option:
X = No cut-outs (none)
2 = 2 cut-outs
3 = 3 cut-outs
4 = 4 cut-outs
5 = 5 cut-outs
6 = 6 cut-outs
➤See pricing table at left availability by model.
❸ Material:
P = Paint
④ Finish group:
STD = Group 1
STDM = Group M (+10%)
⑤ Finish designator

Data Plates or Cover Plates
❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator
④ Adapter kit color (omit for cover plate):
B = Black
W = White

Tech Trays

For Accessory Rail or Crossrail Applications

With Cut-Outs

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93





D	W	H	For Use with Crossrail W	Model	Number of Cut-Outs 2	3	4	5	6	Price
For Use with Basic Below-Surface Power Kits										
4¼"	15 27/64"	4"	24"	**45F2404TTU2P**	•					$66
	21 27/64"		30"	**45F3004TTU3P**		•				68
	27 27/64"		36"	**45F3604TTU3P**		•				72
	33 27/64"		42"	**45F4204TTU3P**		•				78
	39 27/64"		48"	**45F4804TTU3P**		•				82
	45 27/64"		54"	**45F5404TTU3P**		•				87
	51 27/64"		60" (shown)	**45F6004TTU4P**			•			94
	57 27/64"		66"	**45F6604TTU4P**			•			108
	63 27/64"		72"	**45F7204TTU4P**			•			114
	69 27/64"		78"	**45F7804TTU4P**			•			120
	75 27/64"		84"	**45F8404TTU4P**			•			126
For Use with Expanded Below-Surface Power Kits										
4¼"	39 27/64"	4"	48"	**45F4804TTU5P**				•		$82
	45 27/64"		54"	**45F5404TTU5P**				•		87
	51 27/64"		60" (shown)	**45F6004TTU6P**					•	94
	57 27/64"		66"	**45F6604TTU6P**					•	108
	63 27/64"		72"	**45F7204TTU6P**					•	114
	69 27/64"		78"	**45F7804TTU6P**					•	120
	75 27/64"		84"	**45F8404TTU6P**					•	126

Standard Includes

- Tray: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Below-Surface Power Kits
➤See pages 148–149.

Tech Tray Brackets
➤See page 146.

Tech Trays

For Accessory Rail or Crossrail Applications

Without Cut-Outs

GSA SIN 711-1



D	*W*	*H*	*For Use with Crossrail W*	*Model*	*Price*
For Managing Cables Only					
4¼"	15 27/64"	4"	24"	**45F2404TTUXP**	$66
	21 27/64"		30"	**45F3004TTUXP**	68
	27 27/64"		36"	**45F3604TTUXP**	72
	33 27/64"		42"	**45F4204TTUXP**	78
	39 27/64"		48"	**45F4804TTUXP**	82
	45 27/64"		54"	**45F5404TTUXP**	87
	51 27/64"		60" (shown)	**45F6004TTUXP**	94
	57 27/64"		66"	**45F6604TTUXP**	108
	63 27/64"		72"	**45F7204TTUXP**	114
	69 27/64"		78"	**45F7804TTUXP**	120
	75 27/64"		84"	**45F8404TTUXP**	126

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tray: paint

How to Specify

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Tech Tray Brackets
➤See page 146.

Tech Trays

For Accessory Rail or Crossrail Applications

Brackets and End Caps

GSA SIN 711-1
† GSA Contract Pending









Application	*Model*	*Price*
Tech Tray Connectors		
Y 120°	**45FTTYP**	$57
Spanner	**45FTTSP**	26
Extended (set of 2)	**45FTTSE**	112
4" Extended	**45F4TTSE** †	140
L 90°	**45FTTLP**	49
End Caps		
Left	**45FTTELP**	$49
Right	**45FTTERP**	49
Extended Left	**45FTTEELP**	86
Extended Right	**45FTTEERP**	86
4" Extended Left	**45F4TTEELP** †	120
4" Extended Right	**45F4TTEERP** †	120
Tech Tray Surface Brackets		
Single-sided (one tech tray)	**45FTTWSBP**	$57
Dual-sided (two tech trays)	**45FTBCP**	112
Undersurface Hook Bracket		
J-shaped	**45FWBUJ**	$19

Tech Trays with Cut-Outs
➤See page 144.

Tech Trays without Cut-Outs
➤See page 145.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Tech tray connectors, surface brackets and end caps: paint; undersurface hook bracket
- Attachment hardware (cinder paint) with undersurface hook bracket

How to Specify

Tech Tray Connectors, End Caps, or Tech Tray Surface Brackets

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Undersurface Hook Bracket

❶ Model

Tech Trays

For Accessory Rail or Crossrail Applications

Data Plates and Cover Plates

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93


Single-Sided


Dual-Sided

D	*W*	*H*	*Model*	*Price*
Undersurface Data Plates				
Single-Sided				
1 13/16"	3 1/8"	4 3/8"	**45FEDPSBP**	$56
Dual-Sided				
2 9/16"	2 7/8"	3 7/16"	**45FEDPDBP**	47


Single-Sided


Dual-Sided

Undersurface Cover Plates				
Single-Sided				
1 13/16"	3 1/8"	4 3/8"	**45FECPSBP**	$52
Dual-Sided				
2 9/16"	2 7/8"	3 7/16"	**45FECPDBP**	45

Single-sided data plates and cover plates are for use with crossrails only. Dual-sided data plates and cover plates can be used with crossrails or accessory rails.

Specify a single-sided cover plate for each below-surface hardwire box.

Tech Trays with Cut-Outs
➤See page 144.

Tech Trays without Cut-Outs
➤See page 145.

Standard Includes

- Plate: paint
- Data adapter kit with data plate: white or black plastic



How to Specify

Data Plate

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator
④ Data adapter kit color:
B = Black
W = White

Cover Plate

❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Power Kits

For Accessory Rail or Crossrail Applications

For Use with Tech Tile Cover (Above Surface) or For Use with Tech Tray Attached to Accessory Rail (Below Surface)

GSA SIN 711-1





For Use with Structure W	*Model*	*Price*
Expanded for Dual-Sided Applications (shown)		
48"	**45F48EPKDAE**	$381
54"	**45F54EPKDAE**	405
60"	**45F60EPKDAE**	415
66"	**45F66EPKDAE**	440
72"	**45F72EPKDAE**	448
78"	**45F78EPKDAE**	486
84"	**45F84EPKDAE**	574
Basic for Dual-Sided Applications (shown)		
24"	**45F24EPKDAB**	$166
30"	**45F30EPKDAB**	207
36"	**45F36EPKDAB**	224
42"	**45F42EPKDAB**	231
48"	**45F48EPKDAB**	234
54"	**45F54EPKDAB**	250
60"	**45F60EPKDAB**	253
66"	**45F66EPKDAB**	271
72"	**45F72EPKDAB**	273
78"	**45F78EPKDAB**	300
84"	**45F84EPKDAB**	355

For Use with Structure W	*Model*	*Price*
Expanded for Single-Sided Applications		
48"	**45F48EPKSAE**	$476
54"	**45F54EPKSAE**	502
60"	**45F60EPKSAE**	518
66"	**45F66EPKSAE**	550
72"	**45F72EPKSAE**	560
78"	**45F78EPKSAE**	608
84"	**45F84EPKSAE**	718

IMPORTANT: The power kits on this page are identical to those on the following page, with the exception of the mounting brackets included as standard. Specify power kits on this page for use with tech tile cover (above surface) or tech tray attached to an accessory rail (below surface).

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Power blocks
- Jumper
- Mounting brackets and hardware specific to tech tile cover (above surface) or tech tray attached to accessory rail (below surface) applications

How to Specify

❶ Model

Power Kits

For Accessory Rail or Crossrail Applications

For Use with Tech Tray Attached to Crossrails (Below Surface)

GSA SIN 711-1





For Use with Structure W	*Model*	*Price*
Expanded for Dual-Sided Applications (shown)		
48"	**45F48EPKDBE**	$381
54"	**45F54EPKDBE**	405
60"	**45F60EPKDBE**	415
66"	**45F66EPKDBE**	440
72"	**45F72EPKDBE**	448
78"	**45F78EPKDBE**	486
84"	**45F84EPKDBE**	574
Basic for Dual-Sided Applications (shown)		
24"	**45F24EPKDBB**	$166
30"	**45F30EPKDBB**	207
36"	**45F36EPKDBB**	224
42"	**45F42EPKDBB**	231
48"	**45F48EPKDBB**	234
54"	**45F54EPKDBB**	250
60"	**45F60EPKDBB**	253
66"	**45F66EPKDBB**	271
72"	**45F72EPKDBB**	273
78"	**45F78EPKDBB**	300
84"	**45F84EPKDBB**	355

For Use with Structure W	*Model*	*Price*
Expanded for Single-Sided Applications		
48"	**45F48EPKSBE**	$476
54"	**45F54EPKSBE**	502
60"	**45F60EPKSBE**	518
66"	**45F66EPKSBE**	550
72"	**45F72EPKSBE**	560
78"	**45F78EPKSBE**	608
84"	**45F84EPKSBE**	718

IMPORTANT: The power kits on this page are identical to those on the previous page, with the exception of the mounting brackets included as standard. Specify power kits on this page for use with tech tray attached to a crossrail (below surface).

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Power blocks
- Jumper
- Mounting brackets and hardware specific to tech tray attached to crossrail (below surface) applications

How to Specify

❶ Model

Power Components

For Accessory Rail or Crossrail Applications

Electrical Jumpers

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



W	*Model*	*Price*
Power-Kit-to-Power-Kit Jumpers		
14"	**45F14EJPCP**	$106



Power-Kit-to-Connector-to-Power-Kit Jumpers		
15"	**45F15EJPCP**	$106
16"	**45F16EJPCP**	106
17"	**45F17EJPCP**	106



For Use with Structure

W	*Model*	*Price*
Pass-Thru Jumper Kits within Tech Trays or Tech Tile Covers		
24"	**45F24EJP8**	$174
30"	**45F30EJP8**	174
36"	**45F36EJP8**	188
42"	**45F42EJP8**	200
48"	**45F48EJP8**	205
54"	**45F54EJP8**	231
60"	**45F60EJP8**	245
66"	**45F66EJP8**	269
72"	**45F72EJP8**	279
78"	**45F78EJP8**	289
84"	**45F84EJP8**	296

Standard Includes

- Jumper

How to Specify

❶ Model

Jumper Selection Guide
➤See page 68.

Power & Data Components

For Accessory Rail or Crossrail Applications

Electrical and USB Receptacles

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



For Use with	*Model*	*Price*
15-Amp Receptacles		
Circuit 1	**45FER1815**	$31
Circuit 2	**45FER2815**	31
Circuit 3	**45FER3815**	31
For Dedicated Circuits		
Circuit 3	**45FER3D815**	$31
Circuit 4	**45FER4D815**	31
20-Amp Receptacles		
Circuit 1	**45FER1820**	$34
Circuit 2	**45FER2820**	34
Circuit 3	**45FER3820**	34
For Dedicated Circuits		
Circuit 3	**45FER3D820**	$34
Circuit 4	**45FER4D820**	34
USB Receptacle (powered)		
Circuit 1	**45FERUP**	$154
USB Passive Cable		
	45AEPAUSB	$99

USB receptacles can be used in place of circuit 1 receptacle.

Standard Includes

Duplex Receptacle

- One duplex receptacle: injection-molded, PVC-free plastic in Cinder or Designer White

Note: Cinder receptacles feature white lettering and dedicated circuit markings as applicable.
Designer White receptacles feature black lettering for dedicated circuit markings as applicable.

USB Receptacle

- One plate with two openings

USB Passive Cable

- Connects two devices: blue only

How to Specify

Duplex Receptacles

❶ Model
② Finish designator:
462 = Cinder
405 = Designer White

USB Receptacles

❶ Model
② Finish designator:
462 = Cinder
405 = Designer White

Passive USB Cable

❶ Model

Power & Data Components

For Accessory Rail or Crossrail Applications

Power Entries, Poles, and Hardwire

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93







D	*W*	*H*	*Model*	*Price*
Power Entry for Floor or Ceiling				
12' length			**45FEPEFC8**	$249
Circuit-1-Only Power Entry for Use with Power In-Feed/Data Channel Only				
10' length			**45FEPE1**	$389
Energy Management System				
Monitor Control Device (MCD)				
2 11/16"	18 1/4"	1 7/8"	**45FEASHF8**	$2180
Sensor				
2 13/16"	2 13/16"	1 3/8"	**45FEASHS**	$760
Power Entry for Use in New York City				
			45FEPENYC	$344
Power In-Feed/Data Channel (Non-Supporting)				
2 3/8"	2 3/8"	27 11/16"	**45F0227EPILP**	$186
Ceiling Power/Data Pole				
2 3/8"	2 3/8"	66"	**45F0278ECPDPP**	$404
Hardwire Box for Use in Chicago				
Above-Surface Crossrail Application or Below-Surface Accessory Rail Application				
			45FEHBSA	$113
Below-Surface Crossrail Application				
			45FEHBSB	$113

Standard Includes

Power Entries
- Power entry assembly

Power In-Feed Leg
- Non-supporting leg: paint

Ceiling Power Pole
- Pole: paint
- 6" top cap: paint
- Hardwire box
- Hardwire bracket

How to Specify

Power/Data Infeed Leg or Ceiling Power Pole
❶ Model
② Finish type:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Power Entries or Hardwire Box
❶ Model

Power & Data Components

For Accessory Rail or Crossrail Applications

Worksurface Mount

GSA SIN 711-1





For Use with	*Model*	*Number of Power Outlets*	*USB*	*Data Openings*	*Anodized Aluminum (AA)*	*Anodized Black (AB)*
Power/Data Centers with Cover						
8-wire system	**45APDC8**	3	1	2	$1125	$1238
Single-circuit only	**45APDCS**	3	1	2	950	1045
Hardwire	**45APDCH**	3	1	2	1050	1949



Power/Data Bars						
8-wire system	**45APDB8**	4	2	3	$2019	$2221
Single-circuit only	**45APDBS**	4	2	3	1623	1785
Hardwire	**45APDBH**	4	2	3	1949	2144

For Use with	*Model*	*Number of Power Outlets*	*USB*	*Data Openings*	*Price*
Power/Data Centers					
8-wire system	**45A0307PDG8**	3	1	2	$915
Single-circuit only	**45A0307PDGS**	3	1	2	749
Hardwire	**45A0307PDGH**	3	1	2	839

Power/data bar is designed to be flush-mounted to the back edge of a wire gap worksurface.

Power/data centers with cover fit G28 factory cut-outs. Power/data centers fit G27 factory cut-outs.

➤See page 160.

Standard Includes

Power/Data Center with Cover
- Housing: anodized aluminum or anodized black
- Outlets and openings (see at left)
- Data adapter kit: black
- 10' cord

Power/Data Bar
- Housing: anodized aluminum or anodized black
- Outlets and openings (see at left)
- Data adapter kit: black
- 6' cord

Power/Data Center
- Housing: white or black
- Outlets and openings (see at left)
- Data adapter kit: white or black
- 10' cord

How to Specify

Power/Data Center with Cover or Power/Data Bars:

❶ Model
❷ Finish:
AA = Anodized Aluminum
AB = Anodized Black
❸ 8-wire power configuration (omit for circuit-1-only and hardwire models):
1 = 2 circuit 1; 1 or 2 circuit 4*
2 = 2 circuit 2; 1 or 2 circuit 4*
3 = 2 circuit 3; 1 or 2 circuit 4*
*Power/data center have 1 circuit 4; bars have 2 circuit 4.

Power/Data Center:

❶ Model
❷ Finish:
W = White with white adapter kit
B = Black with black adapter kit
❸ 8-wire configuration (omit for single-circuit and hardwire models):
1 = 2 circuit 1; 1 circuit 4
2 = 2 circuit 2; 1 circuit 4
3 = 2 circuit 3; 1 circuit 4

Rectangular Worksurfaces

For Accessory Rail or Crossrail Applications

24"D

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



D	W	H	Model	Price
Thermally Fused Laminate (TFL)				
Wire Gap				
22"	30"	1⅛"	**45W2230WSSLL**	$190
	36"		**45W2236WSSLL**	205
	42"		**45W2242WSSLL**	232
	48" (shown)		**45W2248WSSLL**	258
	54"		**45W2254WSSLL**	287
	60"		**45W2260WSSLL**	312
	66"		**45W2266WSSLL**	362
	72"		**45W2272WSSLL**	368
	78"		**45W2278WSSLL**	402
	84"		**45W2284WSSLL**	432
Full Depth				
24"	30"	1⅛"	**45W2430WSSLL**	$200
	36"		**45W2436WSSLL**	216
	42"		**45W2442WSSLL**	245
	48"		**45W2448WSSLL**	272
	54"		**45W2454WSSLL**	302
	60"		**45W2460WSSLL**	328
	66"		**45W2466WSSLL**	380
	72"		**45W2472WSSLL**	389
	78"		**45W2478WSSLL**	423
	84"		**45W2484WSSLL**	455

D	W	H	Model	Price
High-Pressure Laminate (HPL)				
Wire Gap				
22"	30"	1³⁄₁₆"	**45W2230WSSL**	$254
	36"		**45W2236WSSL**	274
	42"		**45W2242WSSL**	311
	48"		**45W2248WSSL**	345
	54"		**45W2254WSSL**	383
	60"		**45W2260WSSL**	417
	66"		**45W2266WSSL**	483
	72"		**45W2272WSSL**	499
	78"		**45W2278WSSL**	538
	84"		**45W2284WSSL**	578
Full Depth				
24"	30"	1³⁄₁₆"	**45W2430WSSL**	$267
	36"		**45W2436WSSL**	288
	42"		**45W2442WSSL**	327
	48"		**45W2448WSSL**	363
	54"		**45W2454WSSL**	403
	60"		**45W2460WSSL**	439
	66"		**45W2466WSSL**	508
	72"		**45W2472WSSL**	525
	78"		**45W2478WSSL**	566
	84"		**45W2484WSSL**	608

Standard Includes

- Worksurface

How to Specify

❶ Model
② Rim profile:
P = Softened PVC
③ Grommet/cut-out option:
➤See pages 159–160 for designators.
X = No grommet or cut-out
④ HPL price group (omit for TFL):
STD = Group 1
⑤ Laminate finish designator
⑥ Rim finish designator

Rectangular Worksurfaces

For Accessory Rail or Crossrail Applications

30"D

GSA SIN 711-1



Thermally Fused Laminate (TFL)

D	W	H	Model	Price
Wire Gap				
28"	30"	1⅛"	**45W2830WSSLL**	$205
	36"		**45W2836WSSLL**	236
	42" (shown)		**45W2842WSSLL**	268
	48"		**45W2848WSSLL**	306
	54"		**45W2854WSSLL**	338
	60"		**45W2860WSSLL**	364
	66"		**45W2866WSSLL**	424
	72"		**45W2872WSSLL**	434
	78"		**45W2878WSSLL**	473
	84"		**45W2884WSSLL**	506
Full Depth				
30"	30"	1⅛"	**45W3030WSSLL**	$216
	36"		**45W3036WSSLL**	248
	42"		**45W3042WSSLL**	282
	48"		**45W3048WSSLL**	322
	54"		**45W3054WSSLL**	356
	60"		**45W3060WSSLL**	383
	66"		**45W3066WSSLL**	446
	72"		**45W3072WSSLL**	460
	78"		**45W3078WSSLL**	498
	84"		**45W3084WSSLL**	533

High-Pressure Laminate (HPL)

D	W	H	Model	Price
Wire Gap				
28"	30"	1³⁄₁₆"	**45W2830WSSL**	$274
	36"		**45W2836WSSL**	315
	42"		**45W2842WSSL**	359
	48"		**45W2848WSSL**	409
	54"		**45W2854WSSL**	452
	60"		**45W2860WSSL**	492
	66"		**45W2866WSSL**	567
	72"		**45W2872WSSL**	584
	78"		**45W2878WSSL**	633
	84"		**45W2884WSSL**	677
Full Depth				
30"	30"	1³⁄₁₆"	**45W3030WSSL**	$288
	36"		**45W3036WSSL**	332
	42"		**45W3042WSSL**	378
	48"		**45W3048WSSL**	430
	54"		**45W3054WSSL**	476
	60"		**45W3060WSSL**	518
	66"		**45W3066WSSL**	597
	72"		**45W3072WSSL**	615
	78"		**45W3078WSSL**	666
	84"		**45W3084WSSL**	713

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Standard Includes

- Worksurface

How to Specify

❶ Model
② Rim profile:
P = Softened PVC
③ Grommet/cut-out option:
➤See pages 159–160 for designators.
X = No grommet or cut-out
④ HPL price group (omit for TFL):
STD = Group 1
⑤ Laminate finish designator
⑥ Rim finish designator

30"D U-Shaped Worksurfaces
➤See page 157.

Curved Corner Worksurfaces

For Accessory Rail or Crossrail Applications

90° and 120°

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



A	B	C	D	H	Model	Price
Thermally Fused Laminate (TFL)						
90° Wire Gap						
46"	46"	22"	22"	1⅛"	**45W2246WSLCCLL**	$633
46"	46"	28"	28"		**45W2846WSLCCLL**	662
90° Full Depth						
48"	48"	24"	24"	1⅛"	**45W2448WSLCCLL**	$668
48"	48"	30"	30"		**45W3048WSLCCLL**	698

A	B	C	D	H	Model	Price
High-Pressure Laminate (HPL)						
90° Wire Gap						
46"	46"	22"	22"	1³⁄₁₆"	**45W2246WSLCCL**	$846
46"	46"	28"	28"		**45W2846WSLCCL**	886
90° Full Depth						
48"	48""	24"	24"	1³⁄₁₆"	**45W2448WSLCCL**	$890
48"	48"	30"	30"		**45W3048WSLCCL**	932



A	B	C	D	H	Model	Price
90° with 22"/28" Return Combos Wire Gap						
46"	46"	22"	28"	1⅛"	**45W22464628WSLCCLL**	$695
46"	46"	28"	22"		**45W28464622WSLCCLL**	695
90° with 24"/30" Return Combos Full Depth						
48"	48"	24"	30"	1⅛"	**45W24484830WSLCCLL**	$732
48"	48"	30"	24"		**45W30484824WSLCCLL**	732

A	B	C	D	H	Model	Price
90° with 22"/28" Return Combos Wire Gap						
46"	46"	22"	28"	1³⁄₁₆"	**45W22464628WSLCCL**	$930
46"	46"	28"	22"		**45W28464622WSLCCL**	930
90° with 24"/30" Return Combos Full Depth						
48"	48"	24"	30"	1³⁄₁₆"	**45W24484830WSLCCL**	$979
48"	48"	30"	24"		**45W30484824WSLCCL**	979



A	B	C	D	H	Model	Price
120° Wire Gap						
40"	40"	22"	22"	1⅛"	**45W2240WSYCCLL**	$844
46"	46"	28"	28"		**45W2846WSYCCLL**	961
120° Full Depth						
42"	42"	24"	24"	1⅛"	**45W2442WSYCCLL**	$888
48"	48"	30"	30"		**45W3048WSYCCLL**	1011

A	B	C	D	H	Model	Price
120° Wire Gap						
40"	40"	22"	22"	1³⁄₁₆"	**45W2240WSYCCL**	$1128
46"	46"	28"	28"		**45W2846WSYCCL**	1284
120° Full Depth						
42"	42"	24"	24"	1³⁄₁₆"	**45W2442WSYCCL**	$1187
48"	48"	30"	30"		**45W3048WSYCCL**	1352

Standard Includes

- Worksurface

How to Specify

❶ Model
② Rim profile:
P = Softened PVC
③ Grommet/cut-out option:
➤See pages 159–160 for designators.
X = No grommet or cut-out
④ HPL price group (omit for TFL):
STD = Group 1
⑤ Laminate finish designator
⑥ Rim finish designator

U-Shaped Worksurfaces

For Accessory Rail or Crossrail Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



D	W	H	Model	Price
Thermally Fused Laminate (TFL)				
30"	48"	1⅛"	**45W3048WSSELL**	$362
	54"		**45W3054WSSELL**	399
	60"		**45W3060WSSELL**	434
	66"		**45W3066WSSELL**	502
	72"		**45W3072WSSELL**	515

D	W	H	Model	Price
High-Pressure Laminate (HPL)				
30"	48"	1³⁄₁₆"	**45W3048WSSEL**	$483
	54"		**45W3054WSSEL**	533
	60"		**45W3060WSSEL**	580
	66"		**45W3066WSSEL**	670
	72"		**45W3072WSSEL**	688

Standard Includes

- Worksurface

How to Specify

❶ Model
② Rim profile:
P = Softened PVC
③ Grommet/cut-out option:
➤See pages 159–160 for designators.
X = No grommet or cut-out
④ HPL price group (omit for TFL):
STD = Group 1
⑤ Laminate finish designator
⑥ Rim finish designator

30"D Rectangular Worksurfaces
➤See page 155.

Boomerang, Taper, & Touchdown Worksurfaces

For Accessory Rail or Crossrail Applications

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93



A	B	C	D	H	Model	Price
Thermally Fused Laminate (TFL)						
Boomerang						
30"	30"	24"	59 3/32"	1 1/8"	**45W2430WSBLL**	$517
36"	36"	24"	70 29/32"		**45W2436WSBLL**	591

A	B	C	D	H	Model	Price
High-Pressure Laminate (HPL)						
Boomerang						
30"	30"	24"	59 3/32"	1 3/16"	**45W2430WSBL**	$690
36"	36"	24"	70 29/32"		**45W2436WSBL**	790



A	B	C	H	Model	Price
Taper					
60"	24"	30"	1 1/8"	**45W2460WSTPLLL**	$517
66"				**45W2466WSTPLLL**	554
72"				**45W2472WSTPLLL**	591
60"	30"	24"	1 1/8"	**45W3060WSTPLLL**	517
66"				**45W3066WSTPLLL**	554
72"				**45W3072WSTPLLL**	591

A	B	C	H	Model	Price
Taper					
60"	24"	30"	1 3/16"	**45W2460WSTPLL**	$690
66"				**45W2466WSTPLL**	740
72"				**45W2472WSTPLL**	790
60"	30"	24"	1 3/16"	**45W3060WSTPLL**	690
66"				**45W3066WSTPLL**	740
72"				**45W3072WSTPLL**	790





D	W	H	Model	Price
Curved Touchdown				
24"	50 11/16"	1 1/8"	**45W2450WSTDLLL**	$422
	56 11/16"		**45W2456WSTDLLL**	440
	62 11/16"		**45W2462WSTDLLL**	458
30"	50 11/16"		**45W3050WSTDLLL**	522
	56 11/16"		**45W3056WSTDLLL**	539
	62 11/16"		**45W3062WSTDLLL**	557
Straight Touchdown				
24"	50 11/16"	1 1/8"	**45W2450WSSTDLLL**	$422
	56 11/16"		**45W2456WSSTDLLL**	440
	62 11/16"		**45W2462WSSTDLLL**	458

D	W	H	Model	Price
Curved Touchdown				
24"	50 11/16"	1 3/16"	**45W2450WSTDLL**	$564
	56 11/16"		**45W2456WSTDLL**	588
	62 11/16"		**45W2462WSTDLL**	612
30"	50 11/16"		**45W3050WSTDLL**	697
	56 11/16"		**45W3056WSTDLL**	721
	62 11/16"		**45W3062WSTDLL**	745
Straight Touchdown				
24"	50 11/16"	1 3/16"	**45W2450WSSTDLL**	$564
	56 11/16"		**45W2456WSSTDLL**	588
	62 11/16"		**45W2462WSSTDLL**	612

Touchdown surface mounting kit is required for touchdown surfaces.
➤See page 161.

Standard Includes

- Worksurface

How to Specify

❶ Model
② Rim profile:
P = Softened PVC
③ Grommet/cut-out option:
➤See pages 159–160 for designators.
X = No grommet or cut-out
④ HPL price group (omit for TFL):
STD = Group 1
⑤ Laminate finish designator
⑥ Rim finish designator

Factory-Installed Grommets

G1 and G19 Grommets

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

	Left		*Right*		*Left & Right*		*Center*		*Left, Right, & Ctr.*	
	Designator	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*	*Designator*	*Upcharge*
G1 Plastic Grommets										
Rectangular, full-depth worksurface	**G1L**	+$79	**G1R**	+$79	**G1LR**	+$158	**G1C**	+$79	**G1A**	+$237
90° curved corner, full-depth	**G1L**	+$79	**G1R**	+$79	**G1LR**	+$158	**G1C**	+$79	**G1A**	+$237
120° curved corner, full-depth	**G1L**	+$79	**G1R**	+$79	**G1LR**	+$158	**G1C**	+$79	**G1A**	+$237
U-shaped worksurface	**G1L**	+$79	**G1R**	+$79	**G1LR**	+$158	**G1C**	+$79	**G1A**	+$237
Boomerang worksurface	**G1L**	+$79	**G1R**	+$79	**G1LR**	+$158	**G1C**	+$79	**G1A**	+$237
Taper worksurface	**G1L**	+$79	**G1R**	+$79	**G1LR**	+$158	**G1C**	+$79	**G1A**	+$237
Curved and straight touchdown	—		—		—		**G1C**	+$79	—	
G19 Metal Grommets										
Rectangular, full-depth worksurface	**G19L**	+$79	**G19R**	+$79	**G19LR**	+$158	**G19C**	+$79	**G19A**	+$237
90° curved corner, full-depth	**G19L**	+$79	**G19R**	+$79	**G19LR**	+$158	**G19C**	+$79	**G19A**	+$237
120° curved corner, full-depth	**G19L**	+$79	**G19R**	+$79	**G19LR**	+$158	**G19C**	+$79	**G19A**	+$237
U-shaped worksurface	**G19L**	+$79	**G19R**	+$79	**G19LR**	+$158	**G19C**	+$79	**G19A**	+$237
Boomerang worksurface	**G19L**	+$79	**G19R**	+$79	**G19LR**	+$158	**G19C**	+$79	**G19A**	+$237
Taper worksurface	**G19L**	+$79	**G19R**	+$79	**G19LR**	+$158	**G19C**	+$79	**G19A**	+$237
Curved and straight touchdown	—		—		—		**G19C**	+$79	—	



Rectangular



Curved Corner



U-Shaped



Boomerang



Taper



Touchdown

Available Finishes

G1 Grommets:
MB Matte Black

G19 Grommets:
405 Designer White
487 Brushed Nickel
490 Polished Chrome
501 Platinum Metallic
514 Carbon Metallic
544 Silver Pearl

➤See page 81 for complete description of G1 and G19 grommets.

How to Specify

① Insert the location *and* finish designator into model number sequence as indicated on the pricing page.

Note: Specify grommet location and finish together in one step without a space between the location and the finish designators. For example:
G1LMB = G1 grommet, left, matte black
G19R501 = G19 grommet, right, platinum metallic

IMPORTANT: Only the grommet locations shown in the matrix at left with a designator and price are available as standard.

Factory-Installed Cut-Outs

G27 and G28

GSA SIN 711-1

	Left Designator	Upcharge	*Right* Designator	Upcharge	*Left & Right* Designator	Upcharge	*Center* Designator	Upcharge
G27 Cut-Outs								
Rectangular, full-depth worksurface	**G27L_CUTOUT**	+$71	**G27R_CUTOUT**	+$71	**G27LR_CUTOUT**	+$142	**G27C_CUTOUT**	+$71
Rectangular, wire gap worksurface	—		—		—		**G27C_CUTOUT**	+$71
90° & 120° curved corner, full-depth	**G27L_CUTOUT**	+$71	**G27R_CUTOUT**	+$71	**G27LR_CUTOUT**	+$142	**G27C_CUTOUT**	+$71
90° & 120° curved corner, wire gap	—		—		—		**G27C_CUTOUT**	+$71
U-shaped worksurface	—		—		—		**G27C_CUTOUT**	+$71
Boomerang worksurface	**G27L_CUTOUT**	+$71	**G27R_CUTOUT**	+$71	**G27LR_CUTOUT**	+$142	—	
Taper worksurface	—		—		—		**G27C_CUTOUT**	+$71
Curved and straight touchdown	—		—		—		**G27C_CUTOUT**	+$71
G28 Cut-Outs								
Rectangular, full-depth worksurface	**G28L_CUTOUT***	+$71	**G28R_CUTOUT***	+$71	**G28LR_CUTOUT***	+$142	**G28C_CUTOUT**	+$71
90° curved corner, full-depth	**G28L_CUTOUT**	+$71	**G28R_CUTOUT**	+$71	**G28LR_CUTOUT**	+$142	**G28C_CUTOUT**	+$71
120° curved corner, full-depth	**G28L_CUTOUT**	+$71	**G28R_CUTOUT**	+$71	**G28LR_CUTOUT**	+$142	**G28C_CUTOUT**	+$71
U-shaped worksurface	—		—		—		**G28C_CUTOUT**	+$71
Boomerang worksurface	**G28L_CUTOUT**	+$71	**G28R_CUTOUT**	+$71	**G28LR_CUTOUT**	+$142	—	
Taper worksurface	—		—		—		**G28C_CUTOUT**	+$71
Curved and straight touchdown	—		—		—		**G28C_CUTOUT**	+$71

* Available on 72" wide or wider rectangular surfaces.



Rectangular **Curved Corner** **U-Shaped** **Boomerang** **Taper** **Touchdown**

= G27 Cut-Out = G28 Cut-Out

Note: All dimensions for cut-outs are measured from the back edge of the cut-out to the worksurface edge.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Related Products

G27 cut-out is designed to accept power/data grommets (models 45A0307PDG8, 45A0307PDGS, and 45A0307PDGH).

➤See page 81 for product info.
➤See page 153 to specify.

G28 cut-out is designed to accept power/data centers (models 45APDC8, 45APDCS, and 45APDCH).

➤See page 81 for product info.
➤See page 153 to specify.

How to Specify

① Insert the location designator into model number sequence as indicated on the pricing page.

IMPORTANT: Only the cut-out locations shown in the matrix at left with a designator are available as standard.

Worksurface Supports & Brackets

For Accessory Rail or Crossrail Applications

GSA SIN 711-1
† GSA Contract Pending

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93





If keyboard kits are required when using worksurface support rails, specify Xsede keyboard kits.
➤See page 162.





D	*W*	*H*	*Model*	*Price*
Undersurface Support Leg				
1 3/16"	2 3/8"	27 11/16"	**45F0227USP**	$174
Undersurface Support Rails				
For Use with 54"–60"W Unsupported Span				
2 3/4"	48"	3/4"	**45W48WSSR**	$58
With Center Tension Adjustment for Use with 66"–72"W Unsupported Span				
2 3/4"	60 13/16"	3/4"	**45W72WSSR** †	$143
Worksurface Brackets				
Worksurface Bracket				
2 1/4"	8 1/4"		**45F08WBP**	$48
Flat Bracket				
2"	5 1/2"		**45WIBF1**	$10
Undersurface Tile-Mount Bracket				
1 3/16"	3 9/16"	1/2"	**45FWTBP**	$11
Touchdown Worksurface Mounting Kit				
2 1/4"	31 5/16"		**45WWSMKTDP**	$145

Standard Includes

Undersurface Support Leg
- Support leg: paint

Worksurface Support Rail
- Support rail: Cinder
- Attachment hardware

Worksurface Bracket
- Bracket: paint
- Attachment hardware

Flat Bracket
- Bracket: galvanized steel
- Attachment hardware

Worksurface Tile Mount Bracket
- Bracket: paint

Touchdown Mounting Kit
- Support leg: paint
- Attachment brackets
- Support rail

How to Specify

Worksurface Support Rail or Flat Bracket
❶ Model

Undersurface Support Leg, Worksurface Bracket, Undersurface Tile Mount Bracket, or Touchdown Mounting Kit
❶ Model
② Finish group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Adjustable Keyboard Kits

For Accessory Rail or Crossrail Applications

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93





Note: Mounting block is not shown on the illustrations above.

D	*W*	*H*	*Model*	*Tray Tilt Adjustment*	**Vertical Adjustment*** *Above Surface*	*Below Surface*	*Rotation*	*Price*
Manual Adjustment								
17"	28½"	6"	**45A1706KK2**	*-15° to +15°*	*1¼"*	*5⅞"*	*360°*	$741
Intuitive Adjustment								
7"	28½"	6"	**45A1706KK1**	*-15° to +10°*	*1"*	*6⅛"*	*360°*	$878

Planning Factors

22"D adjustable keyboard kits can be used in corner-mount applications.

Width of keyboard kits includes mouse tray. Mouse tray is non-handed and can be mounted on the left or right.

Manual and intuitive adjustable keyboard kits slide in and out under the surface.

Keyboard kits will not be flush with the worksurface edge (when in the stored, recessed position). It extends past the front edge approximately 2" in the recessed position. Rotate under surface to store completely.

Adjustable keyboard kit models comply with ANSI/HFES Method 2.

Standard Includes

- Keyboard arm: black
- Foam gel wrist rest: black
- High-density polyethylene tray and ABS mouse tray: black
- Mounting block

How to Specify

❶ Model

PRICING

For Use with Xsede

The following Footprint metal storage products have been added to this price list for your convenience.
➤See the Footprint section of the **Systems Price List** for additional information, including locking and filing capacities.





	➤See page
Undersurface Storage	164
Low Storage	170
Overhead Storage	177
Vertical Storage	182

Flat Profile Undersurface Storage

15"W Pedestals—Metal

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163



D	*W*	*H*	*Model*	*Price*
Suspended Box/File				
18¾"	15"	19¼"	**12S1915PUBFM**	$438
22¾"			**12S2415PUBFM**	438
28¾"			**12S3015PUBFM**	474
Box/Box/File				
18¾"	15"	27¼"	**12S1915PUBBFM**	$580
22¾"			**12S2415PUBBFM**	589
28¾"			**12S3015PUBBFM**	628
File/File				
18¾"	15"	27¼"	**12S1915PUFFM**	$530
22¾"			**12S2415PUFFM**	539
28¾"			**12S3015PUFFM**	576

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock: black
- Open top

How to Specify

❶ Model
② Pull option:
➤See page 84 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Not for use as standalone units.

File drawers utilize drawer sides for front-to-back filing.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Pencil Trays
➤See the Perks Price List.

Flat Profile Undersurface Storage

15"W Pedestals—Metal with Wood Front

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163



D	*W*	*H*	*Model*	*Price*
Box/Box/File				
22⅞"	15"	27¼"	**12S2415PUBBFMW**	$1106
28⅞"			**12S3015PUBBFMW**	1168
File/File				
22⅞"	15"	27¼"	**12S2415PUFFMW**	$1106
28⅞"			**12S3015PUFFMW**	1168

File Bars for Side-to-Side Filing
➤See the Perks Price List.
Note: Drawer sides are utilized for front-to-back filing.

Standard Includes

- Chassis: metal
- Drawer fronts: wood
- Pulls
- Four spacers
- Lock: black
- Open top

How to Specify

Pedestal

❶ Model
② Pull option:
➤See page 84 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22);
specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

Pedestal Filler Strip

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator

Flat Profile Undersurface Storage

30", 36", and 42"W Pedestals—Metal

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163







D	W	H	Model	Price
Lateral Files				
18¾"	30"	27¼"	**12S1830LFU2M** K	$777
	36"		**12S1836LFU2M** K	854
	42"		**12S1842LFU2M** K	974
File Centers				
Box/Box on Left, File Drawer on Right (shown)				
18¾"	30"	27¼"	**12S1830FCBBLM** K	$1562
Box/Box on Right, File Drawer on Left				
18¾"	30"	27¼"	**12S1830FCBBRM** K	$1562
Bookcases				
15 9⁄16"	29 15⁄16"	27¼"	**12S1630BCUM**	$599
	35 15⁄16"		**12S1636BCUM**	627
	41 15⁄16"		**12S1642BCUM**	728

Standard Includes

- Chassis: metal
- Drawer fronts on lateral file and file center: metal
- Four spacers
- Lock on lateral file and file center: black (locks all drawers)
- Open top on lateral file and file center; closed top on bookcase
- One adjustable shelf on bookcase

How to Specify

❶ Model
② Pull option (omit for bookcase):
➤See page 84 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option (omit for bookcase):
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Undersurface lateral files and file centers have open tops and are not to be used as stand-alone units.

File center file drawers utilize drawer sides for front-to-back filing.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

K = Kwik Office model available.

Flat Profile Undersurface Storage

30", 36", and 42"W Pedestals—Metal with Wood Front

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163



D	*W*	*H*	*Model*	*Price*
Lateral File				
18⅞"	30"	27¼"	**12S1830LFU2MW**	$1524
	36"		**12S1836LFU2MW**	1644
	42"		**12S1842LFU2MW**	1760



File Center				
Box/Box on Left, File Drawer on Right (shown)				
18⅞"	30"	27¼"	**12S1830FCBBLMW**	$2599
Box/Box on Right, File Drawer on Left				
18⅞"	30"	27¼"	**12S1830FCBBRMW**	$2599

Lateral files and file centers have open tops and are not for use as stand-alone units.

File Bars for Side-to-Side Filing
➤See the Perks Price List.
Note: Drawer sides are utilized for front-to-back filing.

Standard Includes

- Chassis: metal
- Drawer fronts: wood
- Pulls
- Four spacers
- Lock: black (locks all drawers)
- Open top

How to Specify

❶ Model
② Pull option:
➤See page 84 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22);
specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

Flat Profile Undersurface Storage

Mobile Pedestals—Metal

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163







D	W	H	Model	Price	Fabric Price Grade 1	2	3	4	5	6	7
Mobile Cushion-Top Box/File											
22¾"	14 15/16"	22 5/8"	**12S2415PMBFCTM**	—	$780	$795	$805	$814	$828	$842	$857
Mobile Box/Box/File											
18¾"	15"	27"	**12S1915PMBBFM**	$734	—	—	—	—	—	—	—
22¾"			**12S2415PMBBFM** Kwik	750	—	—	—	—	—	—	—
Mobile File/File											
18¾"	15"	27"	**12S1915PMFFM**	$682	—	—	—	—	—	—	—
22¾"			**12S2415PMFFM** Kwik	704	—	—	—	—	—	—	—

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Cushion on cushion top model: all seating fabrics, except leather
- Lock: black
- Four non-locking casters
- One counterweight

How to Specify

❶ Model
② Pull option:
➤See page 84 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Fabric grade (include for cushion top only)
⑦ Fabric number (include for cushion top only)

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Kwik = Kwik Office model available.

Flat Profile Undersurface Storage

Mobile Pedestals—Metal with Wood Fronts

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

D	W	H	Model	Price	Fabric Price Grade 1	2	3	4	5	6	7
Mobile Cushion-Top Box/File											
22⅞"	14 15/16"	22⅝"	**12S2415PMBFCTMW**	—	$1507	$1537	$1556	$1575	$1602	$1631	$1660
Mobile Box/Box/File											
22⅞"	15"	27"	**12S2415PMBBFMW**	$1435	—	—	—	—	—	—	—
Mobile File/File											
22⅞"	15"	27"	**12S2415PMFFMW**	$1355	—	—	—	—	—	—	—

Standard Includes

- Chassis: metal
- Drawer fronts: wood
- Pulls
- Cushion on cushion top model: all seating fabrics, except leather
- Lock: black
- Four non-locking casters
- One counterweight

How to Specify

❶ Model
② Pull option:
➤See page 84 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$22); specify lock core separately.
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator
⑧ Fabric grade (include for cushion top only)
⑨ Fabric number (include for cushion top only)

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Flat Profile Low Storage

Box/File and Box/Lateral File Pedestals

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163



*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Box/File Pedestal							
Open Top							
17¾"	15"	19¼"	22 31/32"	22 21/32"	**14S1815POBFM**	$572	$747
23¾"					**14S2415POBFM**	615	790
Metal Top							
18"	15"	20 7/16"	24 5/32"	23 27/32"	**14S1815PBFM**	$700	$875
24"					**14S2415PBFM**	743	918
Box/Lateral File Pedestal							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 31/32"	**14S1830POBFM**	$820	$995
	36"				**14S1836POBFM**	940	1115
	42"				**14S1842POBFM**	1060	1235
23¾"	30"	19¼"	22 31/32"	22 31/32"	**14S2430POBFM**	1010	1185
	36"				**14S2436POBFM**	1183	1358
	42"				**14S2442POBFM**	1331	1506
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830PBFM**	$948	$1123
	36"				**14S1836PBFM**	1139	1314
	42"				**14S1842PBFM**	1259	1434
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430PBFM**	1138	1313
	36"				**14S2436PBFM**	1311	1486
	42"				**14S2442PBFM**	1459	1634

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

File drawers use drawer sides for front-to-back filing.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Laminate Tops
➤See page 175.

Seat cushions
➤See page 176.

Standard Includes

- Chassis: metal
- Drawer fronts: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 86 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)
4C462 = 4" casters, cinder (+$85)
4C501 = 4" casters, platinum metallic (+$85)

Flat Profile Low Storage

Open/Open Pedestals

GSA SIN 711-1





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Price*
Open/Open Pedestal						
Open Top						
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POOOM**	$590
	36"				**14S1836POOOM**	716
	42"				**14S1842POOOM**	844
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POOOM**	790
	36"				**14S2436POOOM**	960
	42"				**14S2442POOOM**	1118
Metal Top						
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830POOM**	$718
	36"				**14S1836POOM**	844
	42"				**14S1842POOM**	972
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430POOM**	918
	36"				**14S2436POOM**	1088
	42"				**14S2442POOM**	1246

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Chassis: metal
- Counterweight (installed)
- Floor glides

How to Specify

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator
④ Support option:
G = Floor glides
4LA = 4" leg, anodized (+$70)
4LP = 4" leg, painted (+$70)
4C462 = 4" caster, cinder (+$85)
4C501 = 4" caster, platinum metallic (+$85)

Laminate Tops
➤See page 175.

Seat cushions
➤See page 176.

Flat Profile Low Storage

Open/Lateral File Pedestal

GSA SIN 711-1





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Open/Lateral File Pedestal							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POOFM**	$775	$950
	36"				**14S1836POOFM**	895	1070
	42"				**14S1842POOFM**	1020	1195
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POOFM**	978	1153
	36"				**14S2436POOFM**	1157	1332
	42"				**14S2442POOFM**	1395	1570
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830POFM**	$974	$1149
	36"				**14S1836POFM**	1094	1269
	42"				**14S1842POFM**	1230	1405
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430POFM**	1106	1281
	36"				**14S2436POFM**	1285	1460
	42"				**14S2442POFM**	1523	1696

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Chassis: metal
- Drawer front: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 86 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)
4C462 = 4" casters, cinder (+$85)
4C501 = 4" casters, platinum metallic (+$85)

Laminate Tops
➤See page 175.

Seat cushions
➤See page 176.

Flat Profile Low Storage

Hinged Door/Box/File Pedestals

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Hinged Door Left, Box/File Right							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POHBFLM**	$1157	$1332
	36"				**14S1836POHBFLM**	1287	1462
	42"				**14S1842POHBFLM**	1416	1462
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POHBFLM**	1357	1532
	36"				**14S2436POHBFLM**	1487	1662
	42"				**14S2442POHBFLM**	1616	1791
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830PHBFLM**	$1285	$1460
	36"				**14S1836PHBFLM**	1415	1590
	42"				**14S1842PHBFLM**	1544	1719
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430PHBFLM**	1485	1660
	36"				**14S2436PHBFLM**	1615	1790
	42"				**14S2442PHBFLM**	1744	1915
Box/File Left, Hinged Door Right							
Open Top							
17¾"	30"	19¼"	22 31/32"	22 21/32"	**14S1830POHBFRM**	$1157	$1332
	36"				**14S1836POHBFRM**	1287	1462
	42"				**14S1842POHBFRM**	1416	1591
23¾"	30"	19¼"	22 31/32"	22 21/32"	**14S2430POHBFRM**	1357	1532
	36"				**14S2436POHBFRM**	1487	1662
	42"				**14S2442POHBFRM**	1616	1662
Metal Top							
18"	30"	20 7/16"	24 5/32"	23 27/32"	**14S1830PHBFRM**	$1285	$1460
	36"				**14S1836PHBFRM**	1415	1590
	42"				**14S1842PHBFRM**	1544	1719
24"	30"	20 7/16"	24 5/32"	23 27/32"	**14S2430PHBFRM**	1485	1660
	36"				**14S2436PHBFRM**	1615	1790
	42"				**14S2442PHBFRM**	1744	1915

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

File drawers use drawer sides for front-to-back filing.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Laminate Tops
➤See page 175.

Seat cushions
➤See page 176.

Standard Includes

- Chassis: metal
- Drawer front: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 86 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$142)
KRS = Key random, silver (+$142)
KSB = Key specific, black (+$100)
KSS = Key specific, silver (+$100)
Note: Specify two lock cores separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)
4C462 = 4" casters, cinder (+$85)
4C501 = 4" casters, platinum metallic (+$85)

Flat Profile Low Storage

Open/Box/Lateral File Pedestals

GSA SIN 711-1





*D**	*W*	*H with Glides*	*H with 4" Legs*	*H with 4" Casters*	*Model*	*Metal Front*	*TFL Front*
Open Left, Box/Lateral File Right							
Open Top							
17¾"	42"	19¼"	22 31/32"	22 21/32"	**14S1842POOBLFLM**	$1357	$1528
23¾"					**14S2442POOBLFLM**	1557	1757
Metal Top							
18"	42"	20 7/16"	24 5/32"	23 27/32"	**14S1842POBLFLM**	$1485	$1660
24"					**14S2442POBLFLM**	1685	1885
Box/Lateral File Left, Open Right							
Open Top							
17¾"	42"	19¼"	22 31/32"	22 21/32"	**14S1842POOBLFRM**	$1357	$1528
23¾"					**14S2442POOBLFRM**	1557	1757
Metal Top							
18"	42"	20 7/16"	24 5/32"	23 27/32"	**14S1842POBLFRM**	$1485	$1660
24"					**14S2442POBLFRM**	1685	1885

* Depth dimension listed represents pedestal with TFL front; metal-front models are 1/16" less deep.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Chassis: metal
- Drawer front: metal or TFL
- Counterweight (installed)
- Floor glides

How to Specify

Low Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 86 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)
4C462 = 4" casters, cinder (+$85)
4C501 = 4" casters, platinum metallic (+$85)

Laminate Tops
➤See page 175.

Seat cushions
➤See page 176.

Flat Profile Low Storage

18"D Tops

GSA SIN 711-1



D	W	H	Model	Price
Thermally Fused Laminate (TFL)				
18"	30”	1⅛"	**SS1830WSSLL**	$192
	36”		**SS1836WSSLL**	200
	42”		**SS1842WSSLL**	226
	48”		**SS1848WSSLL**	247
	54”		**SS1854WSSLL**	274
	60”		**SS1860WSSLL**	300
	66”		**SS1866WSSLL**	347
	72”		**SS1872WSSLL**	360
	78”		**SS1878WSSLL**	387
	84”		**SS1884WSSLL**	417

D	W	H	Model	Price
High-Pressure Laminate (HPL)				
18"	30”	1 3⁄16"	**SS1830WSSL**	$255
	36”		**SS1836WSSL**	266
	42”		**SS1842WSSL**	301
	48”		**SS1848WSSL**	329
	54”		**SS1854WSSL**	365
	60”		**SS1860WSSL**	400
	66”		**SS1866WSSL**	463
	72”		**SS1872WSSL**	480
	78”		**SS1878WSSL**	516
	84”		**SS1884WSSL**	556

24"D tops are available within the Xsede line.
➤See the Xsede Price List.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Top: TFL or HPL with softened PVC (P) rim on all sides

How to Specify

❶ Model
② Rim profile:
P = Softened PVC
③ Laminate price group:
STD = Group 1
STD2 = Group 2 (+20%)
④ Laminate finish designator
⑤ Rim finish designator

Flat Profile Low Storage

Seat Cushions

GSA SIN 711-1



D	W	H	Model	Fabric Price Grade 1	2	3	4	5	6	7
Seat Cushions										
18"	15"	2½"	**14S1815FC**	$145	$165	$178	$191	—	$229	$249
	30"		**14S1830FC**	241	268	284	302	—	351	377
	36"		**14S1836FC**	257	288	307	327	—	384	413
	42"		**14S1842FC**	272	307	328	351	—	415	448
24"	15"	2½"	**14S2415FC**	193	219	235	252	—	301	326
	30"		**14S2430FC**	322	351	369	388	—	442	470
	36"		**14S2436FC**	342	374	394	415	—	474	505
	42"		**14S2442FC**	363	398	419	442	—	507	541
36"	15"	2½"	**14S3615FC**	285	323	346	371	—	441	477
	30"		**14S3630FC**	483	532	563	595	—	687	735
	36"		**14S3636FC**	513	562	593	625	—	717	765
	42"		**14S3642FC**	542	591	622	654	—	746	794



Seat cushions are for use on low metal storage with metal top or on an open-top unit with a laminate top installed.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Seat cushion: seating fabric
- Anti-skid back

How to Specify

❶ Model
② Fabric grade
③ Fabric number

Flat Profile Overhead Storage

For Accessory Rail Applications

Sliding-Door Cabinets, Center-Mount

GSA SIN 711-1





D	W	H	Model	Door Material: Metal	Laminate	Wood
One-Sided Access						
14⅝"	24"	14⅜"	**12S2414SOS1**	$1011	$1291	$1466
	30"		**12S3014SOS1**	1041	1331	1511
	36"		**12S3614SOS1**	1074	1371	1558
	42"		**12S4214SOS1**	1111	1409	1601
	48"		**12S4814SOS1**	1140	1439	1650
	54"		**12S5414SOS1**	1307	1609	1814
	60"		**12S6014SOS1**	1347	1658	1870
	66"		**12S6614SOS1**	1376	1683	1910
	72"		**12S7214SOS1**	1419	1736	1968
Two-Sided Access						
Compartment on Right (shown)						
14⅝"	36"	14⅜"	**12S3614SOS2R**	$1252	$1876	$2253
	42"		**12S4214SOS2R**	1299	1919	2308
	48"		**12S4814SOS2R**	1327	1953	2372
	54"		**12S5414SOS2R**	1474	2087	2504
	60"		**12S6014SOS2R**	1521	2151	2581
	66"		**12S6614SOS2R**	1551	2174	2627
	72"		**12S7214SOS2R**	1598	2242	2708
Compartment on Left						
14⅝"	36"	14⅜"	**12S3614SOS2L**	$1252	$1876	$2253
	42"		**12S4214SOS2L**	1299	1919	2308
	48"		**12S4814SOS2L**	1327	1953	2372
	54"		**12S5414SOS2L**	1474	2087	2504
	60"		**12S6014SOS2L**	1521	2151	2581
	66"		**12S6614SOS2L**	1551	2174	2627
	72"		**12S7214SOS2L**	1598	2242	2708

Overhead Stanchion Bracket for use with Xsede Accessory Rail
➤See page 180.

Lighting and Cable Managers
➤See the Systems Price List

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Chassis with center divider: metal
- Sliding door(s): metal, laminate, or wood
- Attachment brackets

How to Specify

❶ Model
❷ Chassis/door material:
M = Metal chassis/metal door
ML = Metal chassis/laminate door
MW = Metal chassis/wood door
③ Center-mount bracket option:
X = No brackets; specify stanchion brackets separately to attach to Xsede accessory rail
XC2C = For Xsite curved profile
XC2F = For Xsite flat profile
PC1 = End bracket for Priority
PC2 = Two end brackets for Priority
PC3 = End and ganging brackets for Priority
④ Lock option:
KRB = Key random (+$58 on one- sided models; +$116 on two-sided)
KSB = Key specific (+$36 on one-sided models; +$72 on two-sided); specify lock core separately.
X = No lock(s)
⑤ Door finish price group (omit for laminate door models):
STD = Group 1 wood or metal
STD2 = Group 2 wood (+20%)
STDM = Group M metal
⑥ Door finish designator
⑦ Chassis finish price group:
STD = Group 1
STDM = Group M (+10%)
⑧ Chassis finish designator
⑨ Bracket finish price group:
STD = Grp 1 **STDM** = Grp M
⑩ Bracket finish designator

Flat Profile Overhead Storage

For Accessory Rail Applications

Open Cabinets, Center-Mount

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163







D	*W*	*H*	*Model*	*Price*
One-Sided Access				
13⅞"	24"	14⅜"	**14S2414SO1**	$629
	30"		**14S3014SO1**	658
	36"		**14S3614SO1**	690
	42"		**14S4214SO1**	726
	48"		**14S4814SO1**	754
	54"		**14S5414SO1**	916
	60"		**14S6014SO1**	955
	66"		**14S6614SO1**	985
	72"		**14S7214SO1**	1024
Two-Sided Access				
Compartment on Right				
13¹⁄₁₆"	36"	14⅜"	**14S3614SO2R**	$863
	42"		**14S4214SO2R**	908
	48"		**14S4814SO2R**	935
	54"		**14S5414SO2R**	1078
	60"		**14S6014SO2R**	1123
	66"		**14S6614SO2R**	1152
	72"		**14S7214SO2R**	1198
Compartment on Left				
13¹⁄₁₆"	36"	14⅜"	**14S3614SO2L**	$863
	42"		**14S4214SO2L**	908
	48"		**14S4814SO2L**	935
	54"		**14S5414SO2L**	1078
	60"		**14S6014SO2L**	1123
	66"		**14S6614SO2L**	1152
	72"		**14S7214SO2L**	1198

Standard Includes

- Chassis with center divider: metal
- Attachment brackets

How to Specify

❶ Model
② Center-mount bracket option:
X = No brackets; specify stanchion brackets separately to attach to Xsede accessory rail
XC2C = For Xsite curved profile
XC2F = For Xsite flat profile
PC1 = End bracket for Priority
PC2 = Two end brackets for Priority
PC3 = End and ganging brackets for Priority
③ Finish price group:
STD = Group 1
STDM = Group M (+10%)
④ Finish designator
⑤ Bracket finish price group:
STD = Group 1
STDM = Group M
⑥ Bracket finish designator

Overhead Stanchion Bracket for use with Xsede Accessory Rail
➤See page 180.

Lighting and Cable Managers
➤See the Systems Price List

Flat Profile Overhead Storage

For Accessory Rail Applications

Open Cabinets, Surface-Mount and Suspended

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163





D	*W*	*H*	*Model*	*Price*
Set-on-Surface End				
14 11/16"	24"	14 3/8"	**14S2414OSM**	$453
	30"		**14S3014OSM**	574
	50 3/4"		**14S5114OSM**	609
	56 3/4"(32" section on left)		**14S5714OSML**	690
	56 3/4" (32" section on right)		**14S5714OSMR**	690
	62 3/4"		**14S6314OSM**	754
Suspended Below Surface				
14 11/16"	24"	14 3/8"	**14S2414USOM**	$493
	30"		**14S3014USOM**	614
	50 3/4"		**14S5114USOM**	649
	56 3/4"(32" section on left)		**14S5714USOML**	730
	56 3/4"(32" section on right)		**14S5714USOMR**	730
	62 3/4"		**14S6314USOM**	794

Note: Divider is not centered on 56 3/4" models. Select model based on the location of the larger (32"W) section.

Standard Includes

- Chassis with center divider: metal

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Overhead Stanchion Brackets

For Accessory Rail Applications

For Flat Profile Overhead Storage

GSA Contract Pending



D	*W*	*H*	*Model*	*Price*
Overhead Stanchion Brackets (Set of 2)				
9 7/8"	1 3/8"	6 13/16"	**14SXAR**	$198

IMPORTANT: Two stanchion brackets must be specified separately for each overhead storage cabinet. 5 7/8" visible when installed.

Overhead Storage for use with Xsede
➤See pages 177–178.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Set of two stanchion brackets: paint

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Flat Profile Vertical Storage (12S)

Bookcases

GSA SIN 711-1



D	W	H	Model	Description	Price
Two Shelves					
15 9/16"	35 15/16"	29 15/16"	**12S3630BCO**	Includes one adjustable shelf	$629
Three Shelves					
15 9/16"	35 15/16"	41 15/16" (shown)	**12S3642BCO**	Includes two adjustable shelves	$813
15 9/16"	35 15/16"	49 1/16"	**12S3650BCO**		894
Four Shelves					
15 9/16"	35 15/16"	53 15/16"	**12S3654BCO**	Includes three adjustable shelves	$965
Five Shelves					
15 9/16"	35 15/16"	65 15/16"	**12S3666BCO**	Includes four adjustable shelves	$1135

49 1/16"H models will align with 50"H Xsede structures.

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

Standard Includes

- Chassis and shelves: metal; all paints
- Enclosed back

How to Specify

❶ Model
② Finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Finish designator

Flat Profile Vertical Storage (12S)

15"W Storage Towers—Metal

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163





D	*W*	*H*	*Model*	*Price*
Door Hinged on Right				
File/File Below (shown)				
23⅞"	14 15/16"	42 1/16"	**12S1542VHR2M**	$1262
		49 1/16"	**12S1550VHR2M**	1302
		53 15/16"	**12S1554VHR2M**	1369
		65 15/16"	**12S1566VHR2M**	1436
Box/Box/File Below				
23⅞"	14 15/16"	42 1/16"	**12S1542VHR1M**	$1324
		49 1/16"	**12S1550VHR1M**	1364
		53 15/16"	**12S1554VHR1M**	1431
		65 15/16"	**12S1566VHR1M**	1498
Door Hinged on Left				
File/File Below (shown)				
23⅞"	14 15/16"	42 1/16"	**12S1542VHL2M**	$1262
		49 1/16"	**12S1550VHL2M**	1302
		53 15/16"	**12S1554VHL2M**	1369
		65 15/16"	**12S1566VHL2M**	1436
Box/Box/File Below				
23⅞"	14 15/16"	42 1/16"	**12S1542VHL1M**	$1324
		49 1/16"	**12S1550VHL1M**	1364
		53 15/16"	**12S1554VHL1M**	1431
		65 15/16"	**12S1566VHL1M**	1498

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 187.

Standard Includes

- Chassis: metal; all paints
- Door and drawer fronts: metal
- Two locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 90 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$44); specify 2 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Flat Profile Vertical Storage (12S)

15"W Storage Towers—Metal with Wood Front

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163

D	*W*	*H*	*Model*	*Price*
Door Hinged on Right				
Box/Box/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHR1MW**	$2534
		49 1/16"	**12S1550VHR1MW**	2574
		53 15/16"	**12S1554VHR1MW**	2707
		65 15/16"	**12S1566VHR1MW**	2734
File/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHR2MW**	$2472
		49 1/16"	**12S1550VHR2MW**	2512
		53 15/16"	**12S1554VHR2MW**	2645
		65 15/16"	**12S1566VHR2MW**	2775
Door Hinged on Left				
Box/Box/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHL1MW**	$2534
		49 1/16"	**12S1550VHL1MW**	2574
		53 15/16"	**12S1554VHL1MW**	2707
		65 15/16"	**12S1566VHL1MW**	2734
File/File Below				
24"	14 15/16"	42 1/16"	**12S1542VHL2MW**	$2472
		49 1/16"	**12S1550VHL2MW**	2512
		53 15/16"	**12S1554VHL2MW**	2645
		65 15/16"	**12S1566VHL2MW**	2775

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 187.

Standard Includes

- Chassis: metal
- Door/drawer fronts: wood
- Pulls
- Two locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 90 for designators.
③ Lock option:
KRB = Key random
KSB = Key specific (-$44); specify 2 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

Flat Profile Vertical Storage (12S)

24"W Side-Access Storage Towers—Metal

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163



D	*W*	*H*	*Model*	*Price*
Wardrobe, Side-Access Open Shelves, and Box/Box/File				
Wardrobe Right (shown)				
23⅞"	24"	42 1/16"	**12S2442VBWHR1M**	$1971
		49 1/16"	**12S2450VBWHR1M**	2029
		53 15/16"	**12S2454VBWHR1M**	2134
		65 15/16"	**12S2466VBWHR1M**	2296
Wardrobe Left				
23⅞"	24"	42 1/16"	**12S2442VBWHL1M**	$1971
		49 1/16"	**12S2450VBWHL1M**	2029
		53 15/16"	**12S2454VBWHL1M**	2134
		65 15/16"	**12S2466VBWHL1M**	2296
Wardrobe, Side-Access Open Shelves, and File/File				
Wardrobe Right (shown)				
23⅞"	24"	42 1/16"	**12S2442VBWHR2M**	$1909
		49 1/16"	**12S2450VBWHR2M**	1967
		53 15/16"	**12S2454VBWHR2M**	2072
		65 15/16"	**12S2466VBWHR2M**	2234
Wardrobe Left				
23⅞"	24"	42 1/16"	**12S2442VBWHL2M**	$1909
		49 1/16"	**12S2450VBWHL2M**	1967
		53 15/16"	**12S2454VBWHL2M**	2072
		65 15/16"	**12S2466VBWHL2M**	2234

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Side-access storage towers with wood front are not available.

Tower Spacers
➤See page 187.

Standard Includes

- Chassis: metal
- Door and drawer fronts: metal
- Coat hook in 42"H unit; coat rod in 50"H–66"H units: galvanized finish
- Two locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 90 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$44); specify 2 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Flat Profile Vertical Storage (12S)

24"W Front-Access Storage Towers—Metal

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163



D	W	H	Model	Price
Wardrobe, Hinged Door, and File/File				
Wardrobe Right (shown)				
23⅞"	24"	42 1/16"	**12S2442VHHR2M**	$1682
		49 1/16"	**12S2450VHHR2M**	1735
		53 15/16"	**12S2454VHHR2M**	1872
		65 15/16"	**12S2466VHHR2M**	2078
Wardrobe Left				
23⅞"	24"	42 1/16"	**12S2442VHHL2M**	$1682
		49 1/16"	**12S2450VHHL2M**	1735
		53 15/16"	**12S2454VHHL2M**	1872
		65 15/16"	**12S2466VHHL2M**	2078

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 187.

Standard Includes

- Chassis: metal
- Door and drawer fronts: metal
- Coat hook in 42"H unit; coat rod in 50"H–66"H units: galvanized finish
- Three locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 90 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$66); specify 3 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator

Flat Profile Vertical Storage (12S)

24"W Front-Access Storage Towers—Metal with Wood Front

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163



D	*W*	*H*	*Model*	*Price*
Wardrobe, Hinged Door, and File/File				
Wardrobe Right (shown)				
24"	24"	49 1/16"	**12S2450VHHR2MW**	$3434
		53 15/16"	**12S2454VHHR2MW**	3615
		65 15/16"	**12S2466VHHR2MW**	3899
Wardrobe Left				
24"	24"	49 1/16"	**12S2450VHHL2MW**	$3434
		53 15/16"	**12S2454VHHL2MW**	3615
		65 15/16"	**12S2466VHHL2MW**	3899

Standard Includes

- Chassis: metal
- Door and drawer fronts: wood
- Coat hook in 42"H unit; coat rod in 50"H–66"H units: galvanized finish
- Three locks: black
- One adjustable shelf in 50"H and 54"H models; two adjustable shelves in 66"H model

How to Specify

❶ Model
② Pull option:
➤See page 90 for designators.
Note: Upcharge of +$16 applies for Arc, Dome, and Span pulls.
③ Lock option:
KRB = Key random
KSB = Key specific (-$66); specify 3 lock cores separately
④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑤ Metal finish designator
⑥ Wood finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
⑦ Wood finish designator

49 1/16"H models will align with 50"H Xsede structures.

File Bars for Side-to-Side Filing
➤See the Perks Price List.

Tower Spacers
➤See page 187.

Flat Profile Vertical Storage (12S)

Tower Spacers for Use with 15"W or 24"W Vertical Storage

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

D	*W*	*H*	*Model*	*Price*
For Use When Tower Depth Equals Worksurface Depth				
2¾"	15"	42 1/16"	**12S154203VSSP**	$638
		49 1/16"	**12S155003VSSP**	669
2¾"	24"	42 1/16"	**12S244203VSSP**	638
		49 1/16"	**12S245003VSSP**	669
For Use When One Tower is 6" Less Deep than the Worksurface Depth				
8¾"	15"	42 1/16"	**12S154209VSSP**	$697
		49 1/16"	**12S155009VSSP**	731
8¾"	24"	42 1/16"	**12S244209VSSP**	697
		49 1/16"	**12S245009VSSP**	731
For Use When Both Towers are 6" Less Deep than Worksurface Depth				
14⅝"	15"	42 1/16"	**12S154215VSSP**	$754
		49 1/16"	**12S155015VSSP**	785
14⅝"	24"	42 1/16"	**12S244215VSSP**	754
		49 1/16"	**12S245015VSSP**	785

Standard Includes

- Tower spacer: metal

How to Specify

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator



IMPORTANT: These models are for use with 12S vertical storage only. Height of tower spacer must match the height and width of the two vertical storage models being placed back to back.

Flat Profile Vertical Storage (14S)

12"W Wardrobes

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163



Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

IMPORTANT: Shelves are specified separately for field installation. Shelves are adjustable in ½" increments.

Tower Spacers
➤See page 194.

*D**	*W*	*H with Glides*	*H with 4" Legs*	*Model*	*Metal Front*	*TFL Front*
Door Hinged on Right						
18"	12"	38 11/32"	42 1/16"	**14S121842VHRWM**	$918	$1093
		45 11/32"	49 1/16"	**14S121850VHRWM**	964	1139
		50 7/32"	53 15/16"	**14S121854VHRWM**	1008	1183
		62 7/32"	65 15/16"	**14S121866VHRWM**	1044	1219
24"	12"	38 11/32"	42 1/16"	**14S122442VHRWM**	974	1149
		45 11/32"	49 1/16"	**14S122450VHRWM**	1020	1195
		50 7/32"	53 15/16"	**14S122454VHRWM**	1064	1239
		62 7/32"	65 15/16"	**14S122466VHRWM**	1100	1275
Door Hinged on Left						
18"	12"	38 11/32"	42 1/16"	**14S121842VHLWM**	$918	$1093
		45 11/32"	49 1/16"	**14S121850VHLWM**	964	1139
		50 7/32"	53 15/16"	**14S121854VHLWM**	1013	1183
		62 7/32"	65 15/16"	**14S121866VHLWM**	1044	1219
24"	12"	38 11/32"	42 1/16"	**14S122442VHLWM**	974	1149
		45 11/32"	49 1/16"	**14S122450VHLWM**	1020	1195
		50 7/32"	53 15/16"	**14S122454VHLWM**	1074	1239
		62 7/32"	65 15/16"	**14S122466VHLWM**	1100	1275

* Depth dimension listed represents Unit with TFL front; metal-front models are 1/16" less deep.

Related Products:

D	*W*	*Model*	*Price*
Adjustable Shelves			
17 3/4"	12"	**14S1812SH**	$75
23 3/4"		**14S2412SH**	78
Coat Rod (for use with 24"D wardrobes)			
	12"	**14S12CR**	$63

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Coat hook on 18"D units
- Floor glides

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 90 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Shelves

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator

Flat Profile Vertical Storage (14S)

12"W Personal Storage Lockers

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163





*D**	*W*	*H with Glides*	*H with 4" Legs*	*Number of Doors/ Optional Locks*	*Model*	*Metal Front*	*TFL Front*
Door(s) Hinged on Right							
18"	12"	38 11/32"	42 1/16"	2	**14S121842VPLRM**	$1282	$1511
		45 11/32"	49 1/16"	3	**14S121850VPLRM**	1342	1571
		50 7/32"	53 15/16"	3	**14S121854VPLRM**	1400	1629
		62 7/32"	65 15/16"	4	**14S121866VPLRM**	1447	1676
24"	12"	38 11/32"	42 1/16"	2	**14S122442VPLRM**	1355	1584
		45 11/32"	49 1/16"	3	**14S122450VPLRM**	1415	1644
		50 7/32"	53 15/16"	3	**14S122454VPLRM**	1473	1702
		62 7/32"	65 15/16"	4	**14S122466VPLRM**	1520	1749
Door(s) Hinged on Left							
18"	12"	38 11/32"	42 1/16"	2	**14S121842VPLLM**	$1282	$1511
		45 11/32"	49 1/16"	3	**14S121850VPLLM**	1342	1571
		50 7/32"	53 15/16"	3	**14S121854VPLLM**	1400	1629
		62 7/32"	65 15/16"	4	**14S121866VPLLM**	1447	1676
24"	12"	38 11/32"	42 1/16"	2	**14S122442VPLLM**	1355	1584
		45 11/32"	49 1/16"	3	**14S122450VPLLM**	1415	1644
		50 7/32"	53 15/16"	3	**14S122454VPLLM**	1473	1702
		62 7/32"	65 15/16"	4	**14S122466VPLLM**	1520	1749

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

Tower Spacers
➤See page 194.

Standard Includes

- Chassis: metal
- Doors: metal or TFL
- Floor glides

How to Specify

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 90 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71 per lock)
KRS = Key random, silver (+$71 per lock)
KSB = Key specific, black (+$50 per lock)
KSS = Key specific, silver (+$50 per lock)
Note: Specify lock core(s) separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑦ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑧ Laminate finish designator (omit for metal-front models)
⑨ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

15"W Front-Access Storage Towers

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163





*D**	*W*	*H with Glides*	*H with 4" Legs*	*Number of Doors/ Optional Locks*	*Model*	*Metal Front*	*TFL Front*
Door Hinged on Right							
Box/Box/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	2	**14S151842VHR1M**	$1220	$1395
		45 11/32"	49 1/16"	2	**14S151850VHR1M**	1259	1434
		50 7/32"	53 15/16"	2	**14S151854VHR1M**	1324	1499
		62 7/32"	65 15/16"	2	**14S151866VHR1M**	1389	1564
24"	14 15/16"	38 11/32"	42 1/16"	2	**14S152442VHR1M**	1282	1457
		45 11/32"	49 1/16"	2	**14S152450VHR1M**	1321	1496
		50 7/32"	53 15/16"	2	**14S152454VHR1M**	1386	1561
		62 7/32"	65 15/16"	2	**14S152466VHR1M**	1451	1626
File/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	2	**14S151842VHR2M**	$1166	$1341
		45 11/32"	49 1/16"	2	**14S151850VHR2M**	1203	1378
		50 7/32"	53 15/16"	2	**14S151854VHR2M**	1265	1440
		62 7/32"	65 15/16"	2	**14S151866VHR2M**	1326	1501
24"	14 15/16"	38 11/32"	42 1/16"	2	**14S152442VHR2M**	1222	1397
		45 11/32"	49 1/16"	2	**14S152450VHR2M**	1261	1436
		50 7/32"	53 15/16"	2	**14S152454VHR2M**	1326	1501
		62 7/32"	65 15/16"	2	**14S152466VHR2M**	1391	1566

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See next page for models with door hinged on left.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

Tower Spacers
➤See page 194.

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- Coat hook in 18"D units
- One adjustable shelf in 50" and 54"H models; two adjustable shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 90 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$142)
KRS = Key random, silver (+$142)
KSB = Key specific, black (+$100)
KSS = Key specific, silver (+$100)
Note: Specify two lock cores separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

15"W Front-Access Storage Towers, continued

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163





*D**	*W*	*H with Glides*	*H with 4" Legs*	*Number of Doors/ Optional Locks*	*Model*	*Metal Front*	*TFL Front*
Door Hinged on Left							
Box/Box/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	2	**14S151842VHL1M**	$1220	$1395
		45 11/32"	49 1/16"	2	**14S151850VHL1M**	1259	1434
		50 7/32"	53 15/16"	2	**14S151854VHL1M**	1324	1499
		62 7/32"	65 15/16"	2	**14S151866VHL1M**	1389	1564
24"	14 15/16"	38 11/32"	42 1/16"	2	**14S152442VHL1M**	1282	1457
		45 11/32"	49 1/16"	2	**14S152450VHL1M**	1321	1496
		50 7/32"	53 15/16"	2	**14S152454VHL1M**	1386	1561
		62 7/32"	65 15/16"	2	**14S152466VHL1M**	1451	1626
File/File Below							
18"	14 15/16"	38 11/32"	42 1/16"	2	**14S151842VHL2M**	$1166	$1341
		45 11/32"	49 1/16"	2	**14S151850VHL2M**	1203	1378
		50 7/32"	53 15/16"	2	**14S151854VHL2M**	1265	1440
		62 7/32"	65 15/16"	2	**14S151866VHL2M**	1326	1378
24"	14 15/16"	38 11/32"	42 1/16"	2	**14S152442VHL2M**	1222	1397
		45 11/32"	49 1/16"	2	**14S152450VHL2M**	1261	1436
		50 7/32"	53 15/16"	2	**14S152454VHL2M**	1326	1501
		62 7/32"	65 15/16"	2	**14S152466VHL2M**	1391	1566

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See previous page for models with door hinged on right.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

Tower Spacers
➤See page 194.

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- Coat hook in 18"D units
- One adjustable shelf in 50" and 54"H models; two adjustable shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 90 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$142)
KRS = Key random, silver (+$142)
KSB = Key specific, black (+$100)
KSS = Key specific, silver (+$100)
Note: Specify two lock cores separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

15"W Side-Access Storage Towers

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163





*D**	*W*	*H with Glides*	*H with 4" Legs*	*Model*	*Metal Front*	*TFL Front*
Side-Access Open Shelves on Right						
Box/Box/File Below						
18"	14 15/16"	38 11/32"	42 1/16"	**14S151842VOR1M**	$1366	$1541
		45 11/32"	49 1/16"	**14S151850VOR1M**	1410	1585
		50 7/32"	53 15/16"	**14S151854VOR1M**	1459	1634
		62 7/32"	65 15/16"	**14S151866VOR1M**	1492	1667
24"	14 15/16"	38 11/32"	42 1/16"	**14S152442VOR1M**	1428	1603
		45 11/32"	49 1/16"	**14S152450VOR1M**	1472	1647
		50 7/32"	53 15/16"	**14S152454VOR1M**	1521	1696
		62 7/32"	65 15/16"	**14S152466VOR1M**	1554	1729
File/File Below						
18"	14 15/16"	38 11/32"	42 1/16"	**14S151842VOR2M**	$1310	$1485
		45 11/32"	49 1/16"	**14S151850VOR2M**	1354	1539
		50 7/32"	53 15/16"	**14S151854VOR2M**	1403	1578
		62 7/32"	65 15/16"	**14S151866VOR2M**	1436	1611
24"	14 15/16"	38 11/32"	42 1/16"	**14S152442VOR2M**	1372	1547
		45 11/32"	49 1/16"	**14S152450VOR2M**	1400	1575
		50 7/32"	53 15/16"	**14S152454VOR2M**	1449	1624
		62 7/32"	65 15/16"	**14S152466VOR2M**	1498	1673

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See next page for models with shelves on left.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

Tower Spacers
➤See page 194.

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- One adjustable shelf in 50" and 54"H models; two adjustable shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 90 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

15"W Side-Access Storage Towers, continued

GSA SIN 711-1

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Footprint Storage Pricing	163





*D**	*W*	*H with Glides*	*H with 4" Legs*	*Model*	*Metal Front*	*TFL Front*
Side-Access Open Shelves on Left						
Box/File Below						
18"	14 15/16"	38 11/32"	42 1/16"	**14S151842VOL1M**	$1366	$1541
		45 11/32"	49 1/16"	**14S151850VOL1M**	1410	1585
		50 7/32"	53 15/16"	**14S151854VOL1M**	1459	1634
		62 7/32"	65 15/16"	**14S151866VOL1M**	1492	1667
24"	14 15/16"	38 11/32"	42 1/16"	**14S152442VOL1M**	1428	1603
		45 11/32"	49 1/16"	**14S152450VOL1M**	1472	1647
		50 7/32"	53 15/16"	**14S152454VOL1M**	1521	1696
		62 7/32"	65 15/16"	**14S152466VOL1M**	1554	1729
File/File Below						
18"	14 15/16"	38 11/32"	42 1/16"	**14S151842VOL2M**	$1310	$1485
		45 11/32"	49 1/16"	**14S151850VOL2M**	1354	1539
		50 7/32"	53 15/16"	**14S151854VOL2M**	1403	1578
		62 7/32"	65 15/16"	**14S151866VOL2M**	1436	1611
24"	14 15/16"	38 11/32"	42 1/16"	**14S152442VOL2M**	1372	1547
		45 11/32"	49 1/16"	**14S152450VOL2M**	1400	1575
		50 7/32"	53 15/16"	**14S152454VOL2M**	1449	1634
		62 7/32"	65 15/16"	**14S152466VOL2M**	1498	1673

* Depth dimension listed represents storage unit with TFL front; metal-front models are 1/16" less deep.

➤See previous page for models with shelves on right.

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.

Tower Spacers
➤See page 194.

Standard Includes

- Chassis: metal
- Door: metal or TFL
- Floor glides
- One adjustable shelf in 50" and 54"H models; two adjustable shelves in 66"H model.

How to Specify

Vertical Storage

❶ Model
❷ Front material (omit for metal front):
LL = TFL front
③ Pull option:
➤See page 90 for designators.
④ Lock option:
X = Non-locking
KRB = Key random, black (+$71)
KRS = Key random, silver (+$71)
KSB = Key specific, black (+$50)
KSS = Key specific, silver (+$50)
Note: Specify lock core separately for key specific.
⑤ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
⑥ Metal finish designator
⑥ Laminate finish price group (omit for metal-front models):
STD = Group 1
⑦ Laminate finish designator (omit for metal-front models)
⑧ Support option:
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

Flat Profile Vertical Storage (14S)

Tower Spacers for Use with 12"W or 15"W Vertical Storage

GSA SIN 711-1

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Footprint Storage Pricing 163

D*	W	Installed-Height with Glides	Installed-Height with Legs	Model	Metal Front	TFL Front
For Use When Tower Depth Equals Worksurface Depth						
2¾"	12"	38 11/32"	42 1/16"	**14S123803VSSP**		$618
		45 11/32"	49 1/16"	**14S124603VSSP**		648
2¾"	15"	38 11/32"	42 1/16"	**14S153803VSSP**		618
		45 11/32"	49 1/16"	**14S154603VSSP**		648
For Use When One Tower is 6" Less Deep than the Worksurface Depth						
8¾"	12"	38 11/32"	42 1/16"	**14S123809VSSP**		$675
		45 11/32"	49 1/16"	**14S124609VSSP**		708
8¾"	15"	38 11/32"	42 1/16"	**14S153809VSSP**		675
		45 11/32"	49 1/16"	**14S154609VSSP**		708
For Use When Both Towers are 6" Less Deep than Worksurface Depth						
14 5/8"	12"	38 11/32"	42 1/16"	**14S123815VSSP**		$730
		45 11/32"	49 1/16"	**14S124615VSSP**		760
14 5/8"	15"	38 11/32"	42 1/16"	**14S153815VSSP**		730
		45 11/32"	49 1/16"	**14S154615VSSP**		760

Optional legs are shown on the illustrations above. Units are standard with glides.

42 1/16"H models will align with 42"H Xsede structures.

49 1/16"H models will align with 50"H Xsede structures.



IMPORTANT: These models are for use with 14S vertical storage only. Height of tower spacer must match the height and width of the two vertical storage models being placed back to back.

Standard Includes

- Tower spacer: metal

How to Specify

❶ Model
② Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
③ Metal finish designator
④ Support option (include for 14 5/8"D models only):
G = Floor glides
4LA = 4" legs, anodized (+$70)
4LP = 4" legs, painted (+$70)

FINISHES & MATERIALS

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



	➤See page
Program Overview	196
Laminate	197
CSL	198
Paint	199
CSP	200
PVC	201
Fabrics	202
Fabric Application	202
Panel Fabrics	203
COM	206
COM Yardage Req.	207

Program Overview

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Laminate

CSL GSA Non-Contract

Key:
● = Available color

	Woodgrain														Solid															CSL
	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood		480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby		Customer-Specified
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1		
TFL Worksurfaces	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●		●	●	●	●		
HPL Worksurfaces	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●		●
HPL End Panels	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●		●

	Pattern																	
	874 Bronze Legacy	842 Canyon Zephyr	823 Carbon Evolv	841 Desert Zephyr	862 Grey Glace	844 Loden Zephyr	843 Misted Zephyr	846 Morro Zephyr	812 Mushroom Tigris	860 Neutral Santos	808 Nickel Evolv	807 Silicon Evolv	873 Tawny Legacy	805 Titanium Evolv	809 Tungsten Evolv	802 White Nebula	814 White Tigris
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TFL Worksurfaces																		
HPL Worksurfaces	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
HPL End Panels	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Woodgrain:

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

CSL:

➤See page 198 for customer-specified laminate.

Customer-Specified Laminate

GSA Non-Contract

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Customer-specified laminate (CSL) is available on select products.
➤See page 197.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.
➤Contact ***By Design*** at 800.482.1616, extension 6001.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of worksurfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Upcharges:

A **20%** upcharge per line item (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

How to Specify

① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.

② **Finish type:** For the “Finish type” step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart

③ **Finish designator:** For the “Finish designator” step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint

CSP GSA Non-Contract

Key:
● = Available color

	Solid Colors																					Metallic							CSP
	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	453 Environmental Grey	459 Featherstone	450 Fog	488 Frosty White	461 Graphite	445 Moon Beam	416 Putty	420 Sandstone	425 Shadow	465 Smoke	460 Storm	429 Tantalum	419 Wallaby	514 Carbon Metallic	507 Patina Metallic	501 Platinum Metallic	505 Satin Bronze Metallic	544 Silver Pearl	504 Taupe Metallic		Customer-Specified
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M	M	M	M	M	M		
Ceiling Power Pole	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Connectors	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Crossrails	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
End Trim	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Legs	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Power/Data In-Feed Leg	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Privacy Screen Trim	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Slat Tiles	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Tech Tile Covers	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Tech Trays and Brackets	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Top Caps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Touchdown Mounting Kit	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●

Metallic:

10% upcharge applies for price group M metallic finishes.

IMPORTANT: Due to the reflective qualities of metallic paints, variations in color may occur.

CSP:

➤See page 200 for customer-specified paint.

Customer-Specified Paint

GSA Non-Contract

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Customer-specified paint (CSP) is available on select products.
➤See page 199.

Pricing:

A **one-time fee of $300** (net) will be billed for the development of each new custom (customer-specified) paint. This fee covers all Kimball Office product lines on which the paint may be used. Models receiving a custom paint will also be assessed an upcharge.

A **10% upcharge per line item** (model) for customer-specified non-metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

A **20% upcharge per line item** (model) for customer-specified metallic paint applies. Upcharge is calculated on the base price, before other option upcharges are added.

The process:

① Send desired paint sample (no smaller than 3" x 5") to Customer Service along with a complete list of the products to which the custom paint is to be applied. **Include dealer name, contact, and project reference.**
② Custom paints will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a paint color.

How to Specify:

① **Model:**
Build the complete model specification (excluding finish type and finish designator) by following the "How to Specify" on the appropriate pricing page for the product that is to receive the custom paint.
② **Finish type:**
For the “Finish type” step, insert a special paint code (in place of STD):
ZPNT1 = Special non-metallic paint
ZPNTM1 = Special metallic paint
③ **Finish designator:**
For the “Finish designator” step, insert the designator provided to you by Customer Service.

PVC

Key:
● = Available color

	Woodgrain														Solid													
	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood		480 Antique White	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	450 Fog	488 Frosty White	461 Graphite	420 Sandstone	425 Shadow	460 Storm	419 Wallaby
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
TFL Worksurface Rims	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
HPL Worksurface Rims	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
End Panel Rims	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●

Fabric

Fabric Application

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Standard Application:



Directional fabrics are “cut up the roll” for standard application unless specified differently.

Railroad Application:



All fabrics will be applied in railroad (horizontal) fashion to:

- Xsite tiles
- Xsede tiles
- Priority tiles
- Stow wallpanels
- Tackboards greater than 48"W when using a seating fabric or greater than 60"W when using a panel fabric

When viewing swatch cards or memo samples, turn 90° to get an accurate indication of how the fabric will appear on when railroaded.

Railroad application of Kimball Office panel fabrics and COM for all products that are not listed above or do not have railroading listed as an option in the price list requires a custom quote.
➤Please contact ***By Design.***

Panel Fabrics

COM & Cut Yardage GSA Non-Contract

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Price Grade A

COM (Customer's Own Material)

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10300	Blue Moon
10301	Champagne
10302	Mercury
10303	Pewter
10304	Raven
10305	Silvatica
10306	Spa
10307	Storm
10308	Tumbleweed

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16101	Ice
16102	Midas
16104	Taupestone
16105	Mineral
16106	Nickel
16107	Bronze
16109	Tanzanite
16110	Platinum
16111	Quartz
16112	Hematite

Mykel

Price Grade: **A**
Content: 68.76% post-industrial recycled polyester, 31.24% Post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 0"H x 21.025"V
Cleaning: WS

10260	Abalone
10261	Buff
10262	Celadon
10263	Chartreuse
10264	Orchid
10265	Pecan
10266	Sand Dollar
10267	Sandstone
10268	Sterling
10269	Storm
10270	Titanium

Sprite

Price Grade: **A**
Content: 95% post-industrial recycled polyester, 5% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.26"H x 0.83"V
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10221	Harvest
10222	Khaki
10223	Kiwi
10224	Sky

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10240	Almond
10241	Bark
10242	Chino
10243	Driftwood
10244	Sage
10245	Steel Blue
10246	Sterling
10247	Sand
10248	Stone
10249	Fawn

Price Grade B

Basket

Price Grade: **B**
Content: 76% post-consumer recycled polyester, 24% pre-consumer recycled polyester
Pattern: Directional
Repeat: None
Cleaning: WS
Restrictions: Not available on fabric-covered overheads

10600	Apricot
10601	Buff
10603	Cloud
10604	Dune
10606	Lapis
10607	Linen
10608	Moonstone
10610	Quartz
10611	Red
10612	Sage
10613	Shale
10614	Silvatica
10615	Steel
10616	Stucco

Cut Yardage Program:

All Kimball Office panel fabrics are available on a cut yardage basis. Fabric is available in whole yards only. List prices include freight.

Fabric Price Grade	*List Price per yard*
A	$35
B	46
C	53
D	71
E*	108

***** For cut yardage of Grade E Alliance fabrics, contact our partner directly:

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

How to Specify

❶ Model:
KOPNLCUTYDG = panel fabric
② Fabric grade
③ Fabric number

Panel Fabrics

continued

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Frenzied

Price Grade: **B**
Content: 73.31% post-industrial recycled polyester, 26.69% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: .130"H x 0"V
Cleaning: WS

10350	Atlantic
10351	Driftwood
10352	Honeycomb
10353	Indigo
10354	Khaki
10355	Kiwi
10356	Lead
10357	Mandarin
10358	Palm
10359	Rattan
10360	Sequoia
10361	Slate
10362	Spa
10363	Sterling

Fuse

Price Grade: **B**
Content: 89% pre-consumer recycled polyester, 11% post-consumer recycled polyester
Pattern: Directional
Repeat: 14.12"H x 8.57"V
Cleaning: WS

10320	Clam
10321	Eucalyptus
10322	Goldust
10323	Graphite
10325	Seal
10326	Heron
10327	Tan
10328	Taupestone
10329	Toast

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2202	Wrought Iron
2216	Paraffin
2222	Twine
2229	Thunder
2239	Spun Gold
2240	Wasabi
2244	Titanium
2250	Truffle
2266	Copper
2275	Melba

Pact

Price Grade: **B**
Content: 65% post-industrial recycled polyester, 35% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.125"H x 0.125"V
Cleaning: WS
Note: Lead times based on supplier availability. Memo samples can be ordered directly from Momentum at themomgroup.com

25401	Aloe
25402	Azure
25403	Calla
25404	Coastal
25405	Delft
25406	Dove
25407	Dragon
24608	Eureka
25409	Fern
25410	Harbour
25411	Lily
25412	Lime
25413	Midnight
25414	Nectar
25415	Patina
25416	Putty
25417	Roast
25418	Roma
25419	Rubine
25420	Sketch
25421	Tanzanite
25422	Taupe
25423	Toasty

Rivulet

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.7"H x 20.2"V
Cleaning: WS

10450	Bark
10451	Ecru
10452	Fog
10453	Midnight
10454	Mink
10455	Olive
10456	Orchid
10457	Pearl
10458	Solar

Savile

Price Grade: **B**
Content: 63% post-industrial recycled polyester, 16% post-consumer recycled polyester, 21% polyester
Pattern: Directional
Repeat: 15"H x 0.909"V
Cleaning: S

25302	Egyptian
25303	Cashmere
25304	Chiffon
25305	Shantung
25306	Twill
25307	Dupioni
25308	Angora
25309	Tweed
25310	Worsted

Serengeti

Price Grade: **B**
Content: 100% post-consumer recycled polyester
Pattern: Directional
Repeat: 16.3"H x 18"V
Cleaning: WS

10380	Champagne
10381	Cobblestone
10383	Mist

Thicket

Price Grade: **B**
Content: 74% post-consumer recycled polyester, 26% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.9"H x 12.5"V
Cleaning: WS

10650	Bisque
10651	Greystone
10652	Iron
10653	Maize
10654	Mink
10656	Sand

Panel Fabrics

continued

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

Woodland

Price Grade:	**B**
Content:	100% post-consumer recycled polyester
Pattern:	Directional
Repeat:	16.3"H x 11.4"V
Cleaning:	WS

10700	Bark
10701	Granite
10702	Platinum
10703	Shale
10704	Stone

Price Grade C

No fabrics available in price grade C at this time.

Price Grade D

No fabrics available in price grade D at this time.

Price Grade E

Alliance Fabrics:

Kimball Office has formed partnerships with top textile companies in the industry to provide a broad range of design-oriented fabrics. These fabrics can be specified using our standard ordering process, eliminating the need for additional expense and efforts required for COMs.

IMPORTANT: Orders cannot be cancelled for alliance program fabrics.

Lead times for alliance fabrics are based on supplier availability. Pre-planning orders can help facilitate arrival of products as needed. Each supplier reserves the right to discontinue patterns or colors. Kimball Office will not be held responsible for supplying discontinued patterns/colors or when minimum order quantities apply.
➤Contact Customer Service for availability before finalizing orders.

The information provided in this section is the most current information available at the time this price list was printed.

Application of Alliance Program upholstery will be as depicted on the swatch card unless otherwise instructed on the order.

For memo samples of Alliance fabrics, contact our alliance partners directly.

Carnegie
800.727.6770
www.carnegiefabrics.com

KnollTextiles
866.565.5858
www.knolltextiles.com

Align — Carnegie

Price Grade:	**E**
Content:	79% post-industrial recycled polyester, 21% post-consumer recycled polyester
Pattern:	Directional
Repeat:	17.00"H x 11.00"V
Cleaning:	WS

Kimball Office Number	*Carnegie Number*
5258_40	40
5258_42	42
5258_43	43
5258_44	44

Circle Line — KnollTextiles

Price Grade:	**E**
Content:	73% post-industrial recycled polyester, 27% post-consumer recycled polyester
Pattern:	Directional
Repeat:	08.25"H x 05.25"V
Cleaning:	WS

W1146_1	Mist
W1146_2	Tea
W1146_3	Glow
W1146_4	Wheat
W1146_5	Slate
W1146_6	Fennel
W1146_7	Bourbon
W1146_8	Orbit

Reflect — KnollTextiles

Price Grade:	**E**
Content:	100% recycled polyester
Pattern:	Directional
Repeat:	None
Cleaning:	WS

W884_3A	Sterling
W884_4A	Steel
W884_5A	Ecru
W884_6A	Brass
W884_7A	Solar
W884_8A	Peridot
W884_9A	Ember
W884_10A	Target
W884_13A	Sharkskin
W884_14A	Lagoon

Cleaning Codes:

Cleaning Code D
- Dry clean only.

Cleaning Code S
- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W
- Use water-based cleaning agents or foam.

Cleaning Code WS
- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Directional Fabrics:

Fabric alignment for directional fabrics may vary slightly from panel to panel or tile to tile.

Customer's Own Material (COM)

GSA Non-Contract

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

COM Policy:

While Kimball Office inspects fabrics for mill imperfections, some are difficult to recognize. Kimball Office is solely responsible for upholstery workmanship and cannot assume responsibility or liability for the durability, tailoring, appearance, or other qualities such as color inaccuracies, dye lot variations, and other such flaws or defects of customer furnished coverings.

Customers are responsible for ordering COM fabrics and expediting delivery of the material to Kimball Office.

IMPORTANT: Kimball Office reserves the right to decline a fabric that may not be suitable for application to product.

COM Application Testing:

Application testing on product for non-preapproved fabrics is required. ➤Contact your Customer Service Team for the appropriate forms to initiate application testing.

The application test will render your fabric either:
- Approved
- Not recommended
- Restricted

A "not recommended" result is usually due to questionable construction of the material or pattern that is difficult to align. You will be required to sign a waiver to use any "not recommended" COM.

U.L. Listing/Flammability:

COM must be U.L. listed for use on Xsede, Cetra, Xsite, and Interworks EQ panels before Kimball Office accepts and enters an order which will have COM fabrics. All COM testing and processing costs are the responsibility of the customer. A minimum of 2 yards of production run yardage is required for U.L. testing and flammability testing. Approval of a COM fabric may result in extended lead times. For cost estimates, yardage requirements and project lead times, consult your Customer Service Team.

Yardage/Measurements

Directional and non-directional yardage requirements have been calculated based on 66"W panel fabrics for Tiles, Panels, Overheads, Highback Organizers, and Tackboards. Directional and non-directional yardage requirements have also been calculated based on 54"W seating fabric for Overheads, Highback Organizers, and Tackboards.

If your fabric is less than 66"W, some size restrictions may apply.

COM yardage listed in the Resource section of the price list reflects the amount of fabric required to upholster one panel. Additional yardage may be required if patterns require matching.

Shipment of COM

After the fabric has passed the approval process described, Kimball Office will enter the product order and send an acknowledgement of the tentative ship date. A notification will be sent giving the date the COM must be received. If it is not received by the specified date, your ship date will be reassigned.

Where to ship COM:

Applies to:
- Xsede Tiles
- Cetra panels
- Tackboards compatible with Cetra
- Cable managers compatible with Cetra or Xsite
- Tiles compatible with Cetra
- Tiles compatible with Xsite

Kimball Office, Jasper
COM Department—Kimball Office
Dock 5
1037 East 15th Street
Jasper, IN 47549

Applies to:
- Interworks EQ panels
- Interworks EQ or Conferencing Solutions
- Tackboards compatible with Interworks EQ
- Cable managers compatible with Interworks EQ
- Flat profile cushion-top pedestals
- Bevel profile overheads
- Bevel profile highback organizers
- Bevel profile highback tackboards

Kimball Office, Post Falls
COM Department—Kimball Office
1881 West Seltice Way
Post Falls, ID 83854

Production of Order:

When COM production yardage is received, COM is cut for the order and inspected for flaws. If flaws are found, you will be notified of the additional fabric required.

A return tag (e.g. COD shipment, UPS call tag) is required from the specifier within 45 days of the acknowledged ship date or all excess COM yardage will be discarded.

Preapproved COM:

➤Contact your Customer Service Team to obtain information on preapproved COMs.

Checklist:

When ordering COM for Kimball Office products, please make sure you have done the following:
- Supplied vendor name, fabric name, color name and number.
- Supplied arrival date of COM to Kimball Office.
- Received application testing approval before sending purchase order (or signed waiver if not approved for application).
- Received U.L. listing before sending purchase order.

Customer's Own Material (COM)

Yardage Requirements

GSA Non-Contract

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Kimball Office has analyzed each model to most accurately reflect the yardage requirements.

The yardage requirement for each model is listed for 66"W directional, 66"W non-directional, and 54"W directional, where applicable.

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 206 for COM policy and additional information.

Xsede Tiles

Model	66"W Directional	54"W Directional	66"W Non-Dir.
45F3017EETF	0.9	0.9	0.9
45F5714UTF	1.6	1.6	1.6
45F2410TTF	0.7	0.7	0.7
45F2414UTF	0.7	0.7	0.7
45F2417EETF	0.7	0.7	0.7
45F2417TTF	0.7	0.7	0.7
45F2420OBTUTF	0.7	0.7	0.7
45F2421UTF	0.7	0.7	0.7
45F2425EETF	0.7	0.7	0.7
45F2427OBTUF	0.7	0.7	0.7
45F2436PSF	1.4	1.4	1.4
45F2437OBTF	0.7	0.7	0.7
45F2446OBTF	0.7	0.7	0.7
45F3010TTF	0.9	0.9	0.9
45F3014UTF	0.9	0.9	0.9
45F3017TTF	0.9	0.9	0.9
45F3020OBTUTF	0.9	0.9	0.9
45F3021UTF	0.9	0.9	0.9
45F3025EETF	0.9	0.9	0.9
45F3027OBTUF	0.9	0.9	0.9
45F3036PSF	1.8	1.8	1.8
45F3037OBTF	0.9	0.9	0.9
45F3046OBTF	0.9	0.9	0.9
45F3610TTF	1.1	1.1	1.1
45F3614UTF	1.1	1.1	1.1
45F3617EETF	1.1	1.1	1.1
45F3617TTF	1.1	1.1	1.1
45F3620OBTUTF	1.1	1.1	1.1
45F3621UTF	1.1	1.1	1.1
45F3625EETF	1.1	1.1	1.1
45F3627OBTUF	1.1	1.1	1.1
45F3636PSF	2.2	2.2	2.2
45F3637OBTF	1.1	1.1	1.1
45F3646OBTF	1.1	1.1	1.1
45F4210TTF	1.2	1.2	1.2
45F4214UTF	1.2	1.2	1.2
45F4217EETF	1.2	1.2	1.2
45F4217TTF	1.2	1.2	1.2
45F4220OBTUTF	1.2	1.2	1.2
45F4221UTF	1.2	1.2	1.2
45F4225EETF	1.2	1.2	1.2
45F4227OBTUF	1.2	1.2	1.2
45F4236PSF	2.4	2.4	2.4
45F4237OBTF	1.2	1.2	1.2
45F4246OBTF	1.2	1.2	1.2
45F4810TTF	1.4	1.4	1.4
45F4814UTF	1.4	1.4	1.4
45F4817EETF	1.4	1.4	1.4
45F4817TTF	1.4	1.4	1.4
45F4820OBTUTF	1.4	1.4	1.4
45F4821UTF	1.4	1.4	1.4
45F4825EETF	1.4	1.4	1.4
45F4827OBTUF	1.4	1.4	1.4
45F4836PSF	2.8	2.8	2.8
45F4837OBTF	1.4	1.4	1.4
45F4846OBTF	1.4	1.4	1.4
45F5110TTF	1.5	1.5	1.5
45F5114UTEF	1.5	1.5	1.5
45F5114UTF	1.5	1.5	1.5
45F5117EETEF	1.5	1.5	1.5
45F5117EETF	1.5	1.5	1.5
45F5117TTF	1.5	1.5	1.5
45F5120OBTEUTF	1.5	1.5	1.5
45F5120OBTUTF	1.5	1.5	1.5
45F5121UTEF	1.5	1.5	1.5
45F5121UTF	1.5	1.5	1.5
45F5125EETEF	1.5	1.5	1.5
45F5125EETF	1.5	1.5	1.5
45F5127OBTEUF	1.5	1.5	1.5
45F5127OBTUF	1.5	1.5	1.5
45F5137OBTEF	1.5	1.5	1.5
45F5137OBTF	1.5	1.5	1.5
45F5146OBTEF	1.5	1.5	1.5
45F5146OBTF	1.5	1.5	1.5
45F5410TTF	1.6	1.6	1.6
45F5414UTF	1.6	1.6	1.6
45F5417EETF	1.6	1.6	1.6
45F5417TTF	1.6	1.6	1.6
45F5420OBTUTF	1.6	1.6	1.6
45F5421UTF	1.6	1.6	1.6
45F5425EETF	1.6	1.6	1.6
45F5427OBTUF	1.6	1.6	1.6
45F5436PSF	3.2	3.2	3.2
45F5437OBTF	1.6	1.6	1.6
45F5446OBTF	1.6	1.6	1.6
45F5710TTF	1.6	1.6	1.6
45F5714UTEF	1.6	1.6	1.6
45F5717EETEF	1.6	1.6	1.6
45F5717EETF	1.6	1.6	1.6
45F5717TTF	1.6	1.6	1.6
45F5720OBTEUTF	1.6	1.6	1.6
45F5720OBTUTF	1.6	1.6	1.6
45F5721UTEF	1.6	1.6	1.6
45F5721UTF	1.6	1.6	1.6
45F5725EETEF	1.6	1.6	1.6
45F5725EETF	1.6	1.6	1.6
45F5727OBTEUF	1.6	1.6	1.6
45F5727OBTUF	1.6	1.6	1.6
45F5737OBTEF	1.6	1.6	1.6
45F5737OBTF	1.6	1.6	1.6
45F5746OBTEF	1.6	1.6	1.6
45F5746OBTF	1.6	1.6	1.6
45F6010TTF	1.7	1.7	1.7
45F6014UTF	1.7	1.7	1.7
45F6017EETF	1.7	1.7	1.7
45F6017TTF	1.7	1.7	1.7

Customer's Own Material (COM)

Yardage Requirements, continued

GSA Non-Contract

Model	66"W Directional	54"W Directional	66"W Non-Dir.
45F6020OBTUTF	1.7	1.7	1.7
45F6021UTF	1.7	1.7	1.7
45F6025EETF	1.7	1.7	1.7
45F6027OBTUF	1.7	1.7	1.7
45F6036PSF	3.4	3.4	3.4
45F6037OBTF	1.7	1.7	1.7
45F6046OBTF	1.7	1.7	1.7
45F6310TTF	1.8	1.8	1.8
45F6314UTEF	1.8	1.8	1.8
45F6314UTF	1.8	1.8	1.8
45F6317EETEF	1.8	1.8	1.8
45F6317EETF	1.8	1.8	1.8
45F6317TTF	1.8	1.8	1.8
45F6320OBTEUTF	1.8	1.8	1.8
45F6320OBTUTF	1.8	1.8	1.8
45F6321UTEF	1.8	1.8	1.8
45F6321UTF	1.8	1.8	1.8
45F6325EETEF	1.8	1.8	1.8
45F6325EETF	1.8	1.8	1.8
45F6327OBTEUF	1.8	1.8	1.8
45F6327OBTUF	1.8	1.8	1.8
45F6337OBTEF	1.8	1.8	1.8
45F6337OBTF	1.8	1.8	1.8
45F6346OBTEF	1.8	1.8	1.8
45F6346OBTF	1.8	1.8	1.8
45F6610TTF	1.9	1.9	1.9
45F6614UTF	1.9	1.9	1.9
45F6617EETF	1.9	1.9	1.9
45F6617TTF	1.9	1.9	1.9
45F6620OBTUTF	1.9	1.9	1.9
45F6621UTF	1.9	1.9	1.9
45F6625EETF	1.9	1.9	1.9
45F6627OBTUF	1.9	1.9	1.9
45F6637OBTF	1.9	1.9	1.9
45F6646OBTF	1.9	1.9	1.9
45F6910TTF	2.0	2.0	2.0
45F6914UTF	2.0	2.0	2.0
45F6917EETF	2.0	2.0	2.0
45F6917TTF	2.0	2.0	2.0
45F6920OBTUTF	2.0	2.0	2.0
45F6921UTF	2.0	2.0	2.0
45F6925EETF	2.0	2.0	2.0
45F6927OBTUF	2.0	2.0	2.0
45F6937OBTF	2.0	2.0	2.0
45F6946OBTF	2.0	2.0	2.0
45F7210TTF	2.1	2.1	2.1
45F7214UTF	2.1	2.1	2.1
45F7217EETF	2.1	2.1	2.1
45F7217TTF	2.1	2.1	2.1
45F7220OBTUTF	2.1	2.1	2.1
45F7221UTF	2.1	2.1	2.1
45F7225EETF	2.1	2.1	2.1
45F7227OBTUF	2.1	2.1	2.1
45F7237OBTF	2.1	2.1	2.1
45F7246OBTF	2.1	2.1	2.1
45F7810TTF	2.2	2.2	2.2
45F7814UTF	2.2	2.2	2.2
45F7817EETF	2.2	2.2	2.2
45F7817TTF	2.2	2.2	2.2
45F7820OBTUTF	2.2	2.2	2.2
45F7821UTF	2.2	2.2	2.2
45F7825EETF	2.2	2.2	2.2
45F7827OBTUF	2.2	2.2	2.2
45F7837OBTF	2.2	2.2	2.2
45F7846OBTF	2.2	2.2	2.2
45F8410TTF	2.4	2.4	2.4
45F8414UTF	2.4	2.4	2.4
45F8417EETF	2.4	2.4	2.4
45F8417TTF	2.4	2.4	2.4
45F8420OBTUTF	2.4	2.4	2.4
45F8421UTF	2.4	2.4	2.4
45F8425EETF	2.4	2.4	2.4
45F8427OBTUF	2.4	2.4	2.4
45F8437OBTF	2.4	2.4	2.4
45F8446OBTF	2.4	2.4	2.4
45F9010TTF	2.6	2.6	2.6
45F9014UTF	2.6	2.6	2.6
45F9017EETF	2.6	2.6	2.6
45F9017TTF	2.6	2.6	2.6
45F9020OBTUTF	2.6	2.6	2.6
45F9021UTF	2.6	2.6	2.6
45F9025EETF	2.6	2.6	2.6
45F9027OBTUF	2.6	2.6	2.6
45F9037OBTF	2.6	2.6	2.6
45F9046OBTF	2.6	2.6	2.6
45F9610TTF	2.7	2.7	2.7
45F9614UTF	2.7	2.7	2.7
45F9617EETF	2.7	2.7	2.7
45F9617TTF	2.7	2.7	2.7
45F9620OBTUTF	2.7	2.7	2.7
45F9621UTF	2.7	2.7	2.7
45F9625EETF	2.7	2.7	2.7
45F9627OBTUF	2.7	2.7	2.7
45F9637OBTF	2.7	2.7	2.7
45F9646OBTF	2.7	2.7	2.7

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

How to Use this Table

① Locate the model number
② Select yardage from the appropriate column for non-directional or repeat. For fabrics with nap, use the 1"–4" repeat column.

If you specify different panel fabrics for opposite sides of a panel, additional yardage may be required. ➤Contact Customer Care.

If COM fabric is to be "railroaded," contact Customer Care for yardage requirements.

➤See page 206 for COM policy and additional information.

RESOURCES

Contact Information:

Kimball Office
1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales
Customer Service
800.647.2010

	➤See page
Terms and Conditions	210
Asset Tag Locations	210
Product Warranty	212
BIFMA & U.L. Information	213
Model Number Index	214

BIFMA and U.L. Information

Statement of Line ➤See page 7
Typical Configurations 21
Planning Guide 31
Xsede Pricing 93

The table at right lists the operating load capacities (functional load) of various Kimball Office components. All components meet or exceed the ANSI/BIFMA Functional and Proof Loading requirements X5.6 2010 Panel System Test, X5.5 2008 Desk/Tables Products Test, and X5.9 2012 Storage Unit Test. The Operating Load Capacities listed represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

BIFMA

MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

Component	**Operating Load Capacity**	**Examples** (total weight [t.w.])
Worksurface	200 lbs. over 12" diameter area, concentrated loading 1.5 lb. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs. t.w.
Transaction counter	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Round and rectangular tables	1.5 lb. per inch of perimeter, distributive loading	36" dia. = 170 lbs. t.w. 36"D x 60"W = 288 lbs. t.w.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	24"D x 18"W x 12"H wood = 88 lbs. t.w. 24"D x 15"W x 12"H metal = 73 lbs. t.w.
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	22"D x 30"W = 134 lbs. t.w
Center-mount cabinet	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 12"H metal = 163.5 lbs. t.w
Flipper door cabinet	Top shelf—NO load	
	Bottom shelf—.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading*	36"W x 16"H metal = 117 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Open shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"H metal = 59 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Lateral file drawers	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	30"W x 18"D x 12"H metal = 110 lbs. t.w. 30"W x 24"D x 12"H wood = 147 lbs. t.w.
Bookcase and wardrobe shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"D metal = 59 lbs. t.w. 36"W x 12"D wood = 88 lbs. t.w.

Cubic inches should be calculated using this formula:
Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface)

U.L. Information:

Only Underwriters' Laboratory (U.L.) listed electrical components are used in electrical devices and are so labeled. Xsede complies and is listed to U.L. 1286.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.

c UL US LISTED

Model Number Index

Statement of Line	➤See page 7
Typical Configurations	21
Planning Guide	31
Xsede Pricing	93

Model	➤See page
12S154203VSSP	187
12S154209VSSP	187
12S154215VSSP	187
12S1542VHL1M	182
12S1542VHL1MW	183
12S1542VHL2M	182
12S1542VHL2MW	183
12S1542VHR1M	182
12S1542VHR1MW	183
12S1542VHR2M	182
12S1542VHR2MW	183
12S155003VSSP	187
12S155009VSSP	187
12S155015VSSP	187
12S1550VHL1M	182
12S1550VHL1MW	183
12S1550VHL2M	182
12S1550VHL2MW	183
12S1550VHR1M	182
12S1550VHR1MW	183
12S1550VHR2M	182
12S1550VHR2MW	183
12S1554VHL1M	182
12S1554VHL1MW	183
12S1554VHL2M	182
12S1554VHL2MW	183
12S1554VHR1M	182
12S1554VHR1MW	183
12S1554VHR2M	182
12S1554VHR2MW	183
12S1566VHL1M	182
12S1566VHL1MW	183
12S1566VHL2M	182
12S1566VHL2MW	183
12S1566VHR1M	182
12S1566VHR1MW	183
12S1566VHR2M	182
12S1566VHR2MW	183
12S1630BCUM	166
12S1636BCUM	166
12S1642BCUM	166
12S1830FCBBLM	166
12S1830FCBBLMW	167
12S1830FCBBRM	166
12S1830FCBBRMW	167
12S1830LFU2M	166
12S1830LFU2MW	167
12S1836LFU2M	166
12S1836LFU2MW	167
12S1842LFU2M	166
12S1842LFU2MW	167
12S1915PMBBFM	168
12S1915PMFFM	168
12S1915PUBBFM	164
12S1915PUBFM	164
12S1915PUFFM	164
12S2414SOS1	177
12S2415PMBBFM	168
12S2415PMBBFMW	169
12S2415PMBFCTM	168
12S2415PMBFCTMW	169
12S2415PMFFM	168
12S2415PMFFMW	169
12S2415PUBBFM	164
12S2415PUBBFMW	165
12S2415PUBFM	164
12S2415PUFFM	164
12S2415PUFFMW	165
12S244203VSSP	187
12S244209VSSP	187
12S244215VSSP	187
12S2442VBWHL1M	184
12S2442VBWHL2M	184
12S2442VBWHR1M	184
12S2442VBWHR2M	184
12S2442VHHL2M	185
12S2442VHHR2M	185
12S245003VSSP	187
12S245009VSSP	187
12S245015VSSP	187
12S2450VBWHL1M	184
12S2450VBWHL2M	184
12S2450VBWHR1M	184
12S2450VBWHR2M	184
12S2450VHHL2M	185
12S2450VHHL2MW	186
12S2450VHHR2M	185
12S2450VHHR2MW	186
12S2454VBWHL1M	184
12S2454VBWHL2M	184
12S2454VBWHR1M	184
12S2454VBWHR2M	184
12S2454VHHL2MW	186
12S2454VHHR2M	185
12S2454VHHR2MW	186
12S2466VBWHL1M	184
12S2466VBWHL2M	184
12S2466VBWHR1M	184
12S2466VBWHR2M	184
12S2466VHHL2M	185
12S2466VHHL2MW	186
12S2466VHHR2M	185
12S2466VHHR2MW	186
12S3014SOS1	177
12S3015PUBBFM	164
12S3015PUBBFMW	165
12S3015PUBFM	164
12S3015PUFFM	164
12S3015PUFFMW	165
12S3614SOS1	177
12S3614SOS2L	177
12S3614SOS2R	177
12S3630BCO	181
12S3642BCO	181
12S3650BCO	181
12S3654BCO	181
12S3666BCO	181
12S4214SOS1	177
12S4214SOS2L	177
12S4214SOS2R	177
12S4814SOS1	177
12S4814SOS2L	177
12S4814SOS2R	177
12S5414SOS1	177
12S5414SOS2L	177
12S5414SOS2R	177
12S6014SOS1	177
12S6014SOS2L	177
12S6014SOS2R	177
12S6614SOS1	177
12S6614SOS2L	177
12S6614SOS2R	177
12S7214SOS1	177
12S7214SOS2L	177
12S7214SOS2R	177
14S121842VHLWM	188
14S121842VHRWM	188
14S121842VPLLM	189
14S121842VPLRM	189
14S121850VHLWM	188
14S121850VHRWM	188
14S121850VPLLM	189
14S121850VPLRM	189
14S121854VHLWM	188
14S121854VHRWM	188
14S121854VPLLM	189
14S121854VPLRM	189
14S121866VHLWM	188
14S121866VHRWM	188
14S121866VPLLM	189
14S121866VPLRM	189
14S122442VHLWM	188
14S122442VHRWM	188
14S122442VPLLM	189
14S122442VPLRM	189
14S122450VHLWM	188
14S122450VHRWM	188
14S122450VPLLM	189
14S122450VPLRM	189
14S122454VHLWM	188
14S122454VHRWM	188
14S122454VPLLM	189
14S122454VPLRM	189
14S122466VHLWM	188
14S122466VHRWM	188
14S122466VPLLM	189
14S122466VPLRM	189
14S123803VSSP	194
14S123809VSSP	194
14S123815VSSP	194
14S124603VSSP	194
14S124609VSSP	194
14S124615VSSP	194
14S12CR	188
14S151842VHL1M	191
14S151842VHL2M	191
14S151842VHR1M	190
14S151842VHR2M	190
14S151842VOL1M	193
14S151842VOL2M	193
14S151842VOR1M	192
14S151842VOR2M	192
14S151850VHL1M	191
14S151850VHL2M	191
14S151850VHR1M	190
14S151850VHR2M	190
14S151850VOL1M	193
14S151850VOL2M	193
14S151850VOR1M	192
14S151850VOR2M	192
14S151854VHL1M	191
14S151854VHL2M	191
14S151854VHR1M	190
14S151854VHR2M	190
14S151854VOL1M	193
14S151854VOL2M	193
14S151854VOR1M	192
14S151854VOR2M	192
14S151866VHL1M	191
14S151866VHL2M	191
14S151866VHR1M	190
14S151866VHR2M	190
14S151866VOL1M	193
14S151866VOL2M	193
14S151866VOR1M	192
14S151866VOR2M	192
14S152442VHL1M	191
14S152442VHL2M	191
14S152442VHR1M	190
14S152442VHR2M	190

Model Number Index

continued

Model	➤See page
14S152442VOL1M	193
14S152442VOL2M	193
14S152442VOR1M	192
14S152442VOR2M	192
14S152450VHL1M	191
14S152450VHL2M	191
14S152450VHR1M	190
14S152450VHR2M	190
14S152450VOL1M	193
14S152450VOL2M	193
14S152450VOR1M	192
14S152450VOR2M	192
14S152454VHL1M	191
14S152454VHL2M	191
14S152454VHR1M	190
14S152454VHR2M	190
14S152454VOL1M	193
14S152454VOL2M	193
14S152454VOR1M	192
14S152454VOR2M	192
14S152466VHL1M	191
14S152466VHL2M	191
14S152466VHR1M	190
14S152466VHR2M	190
14S152466VOL1M	193
14S152466VOL2M	193
14S152466VOR1M	192
14S152466VOR2M	192
14S153803VSSP	194
14S153809VSSP	194
14S153815VSSP	194
14S154603VSSP	194
14S154609VSSP	194
14S154615VSSP	194
14S1812SH	188
14S1815FC	176
14S1815PBFM	170
14S1815POBFM	170
14S1830FC	176
14S1830PBFM	170
14S1830PHBFLM	173
14S1830PHBFRM	173
14S1830POBFM	170
14S1830POFM	172
14S1830POHBFLM	173
14S1830POHBFRM	173
14S1830POOFM	172
14S1830POOM	171
14S1830POOOM	171
14S1836FC	176
14S1836PBFM	170
14S1836PHBFLM	173
14S1836PHBFRM	173
14S1836POBFM	170
14S1836POFM	172
14S1836POHBFLM	173
14S1836POHBFRM	173
14S1836POOFM	172
14S1836POOM	171
14S1836POOOM	171
14S1842FC	176
14S1842PBFM	170
14S1842PHBFLM	173
14S1842PHBFRM	173
14S1842POBFM	170
14S1842POBLFLM	174
14S1842POBLFRM	174
14S1842POFM	172
14S1842POHBFLM	173
14S1842POHBFRM	173
14S1842POOBLFLM	174
14S1842POOBLFRM	174
14S1842POOFM	172
14S1842POOM	171
14S1842POOOM	171
14S2412SH	188
14S2414OSM	179
14S2414SO1	178
14S2414USOM	179
14S2415FC	176
14S2415PBFM	170
14S2415POBFM	170
14S2430FC	176
14S2430PBFM	170
14S2430PHBFLM	173
14S2430PHBFRM	173
14S2430POBFM	170
14S2430POFM	172
14S2430POHBFLM	173
14S2430POHBFRM	173
14S2430POOFM	172
14S2430POOM	171
14S2430POOOM	171
14S2436FC	176
14S2436PBFM	170
14S2436PHBFLM	173
14S2436PHBFRM	173
14S2436POBFM	170
14S2436POFM	172
14S2436POHBFLM	173
14S2436POHBFRM	173
14S2436POOFM	172
14S2436POOM	171
14S2436POOOM	171
14S2442FC	176
14S2442PBFM	170
14S2442PHBFLM	173
14S2442PHBFRM	173
14S2442POBFM	170
14S2442POBLFLM	174
14S2442POBLFRM	174
14S2442POFM	172
14S2442POHBFLM	173
14S2442POHBFRM	173
14S2442POOBLFLM	174
14S2442POOBLFRM	174
14S2442POOFM	172
14S2442POOM	171
14S2442POOOM	171
14S3014OSM	179
14S3014SO1	178
14S3014USOM	179
14S3614SO1	178
14S3614SO2L	178
14S3614SO2R	178
14S3615FC	176
14S3630FC	176
14S3636FC	176
14S3642FC	176
14S4214SO1	178
14S4214SO2L	178
14S4214SO2R	178
14S4814SO1	178
14S4814SO2L	178
14S4814SO2R	178
14S5114OSM	179
14S5114USOM	179
14S5414SO1	178
14S5414SO2L	178
14S5414SO2R	178
14S5714OSML	179
14S5714OSMR	179
14S5714USOML	179
14S5714USOMR	179
14S6014SO1	178
14S6014SO2L	178
14S6014SO2R	178
14S6314OSM	179
14S6314USOM	179
14S6614SO1	178
14S6614SO2L	178
14S6614SO2R	178
14S7214SO1	178
14S7214SO2L	178
14S7214SO2R	178
14SXAR	180
45A0307PDG8	153
45A0307PDGH	153
45A0307PDGS	153
45A1706KK1	162
45A1706KK2	162
45AEPAUSB	151
45APDB8	153
45APDBH	153
45APDBS	153
45APDC8	153
45APDCH	153
45APDCS	153
45F0204LGCP	95, 103-105, 113-116
45F0227EPILP	152
45F0227USP	95, 103, 161
45F0242SLOBP	105
45F0242SLUTP	105
45F0242SLUTPSP	105
45F0250SLOBP	105
45F0250SLUTP	105
45F0250SLUTPSP	105
45F0278ECPDPP	152
45F0336ARP	94
45F0342ARP	94
45F0348ARP	94
45F0354ARP	94
45F0360ARP	94
45F0366ARP	94
45F0372ARP	94
45F0378ARP	94
45F0384ARP	94
45F0442CLOB	113
45F0442CLUT	113
45F0442CLUTE	113
45F0442CLUTEI	113
45F0442CLUTI	113
45F0450CLOB	113
45F0450CLUT	113
45F0450CLUTE	113
45F0450CLUTEI	113
45F0450CLUTI	113
45F0542CYOBP	116
45F0542CYUTIP	116
45F0542CYUTP	116
45F0550CYOBP	116
45F0550CYUTIP	116
45F0550CYUTP	116
45F0642CTOBP	114
45F0642CTUTEIP	114
45F0642CTUTEP	114
45F0642CTUTIP	114
45F0642CTUTP	114
45F0642CXOBP	115
45F0642CXUTIP	115

Model Number Index

continued

Model	➤See page
45F0642CXUTP	115
45F0650CTOBP	114
45F0650CTUTEIP	114
45F0650CTUTEP	114
45F0650CTUTIP	114
45F0650CTUTP	114
45F0650CXOBP	115
45F0650CXUTIP	115
45F0650CXUTP	115
45F08ETP	119
45F08WBP	161
45F14EJPCP	150
45F14ETP	119
45F15EJPCP	150
45F15VSSP	96, 97, 98
45F16EJPCP	150
45F17EJPCP	150
45F17ETLP	119
45F17ETRP	119
45F1807FG	141
45F1807FR	140
45F1814FG	141
45F1814FR	140
45F18TCFIP	118
45F18TCP	117
45F2142STOBP	106
45F2142STUTP	106
45F2142STUTPSP	106
45F2150STOBP	106
45F2150STUTP	106
45F2150STUTPSP	106
45F22ETP	119
45F22VSSP	96, 97, 98
45F2404TTC	143
45F2404TTU2P	144
45F2404TTUXP	145
45F2407FG	141
45F2407FR	140
45F2410TTF	134
45F2410TTM	136
45F2410TTS	138
45F2414FG	141
45F2414FR	140
45F2414SLHOB42P	104
45F2414SLHUT42P	104
45F2414SLHUT42PIP	104
45F2414UTF	120
45F2414UTM	130
45F2414UTS	132
45F2417EETF	121
45F2417TTF	135
45F2417TTM	137
45F2417TTS	139
45F2420OBTUTF	123, 128
45F2421SLHOB50P	104
45F2421SLHUT50P	104
45F2421SLHUT50PIP	104
45F2421UTF	125
45F2421UTM	131
45F2421UTS	133
45F2423OBTUF	124, 129
45F2425EETF	126
45F2427SLUMS42P	103
45F2427SLUMS50P	103
45F2427SLUP	95, 103
45F2436PSF	142
45F2437OBTF	122
45F2446OBTF	127
45F24CRLEP	98
45F24CRLOBSP	99
45F24CRLP	97
45F24CRUP	96
45F24EJP8	150
45F24TCFIP	118
45F24TCP	117
45F24WTBP	124, 129
45F26ETLP	119
45F26ETRP	119
45F2742EPOBSLL	110
45F2742EPOBSRL	110
45F2742EPUSLL	109
45F2742EPUSRL	109
45F2750EPOBSLL	110
45F2750EPOBSRL	110
45F2750EPUSLL	109
45F2750EPUSRL	109
45F3004TTC	143
45F3004TTU3P	144
45F3004TTUXP	145
45F3007FG	141
45F3007FR	140
45F3010TTF	134
45F3010TTM	136
45F3010TTS	138
45F3014FG	141
45F3014FR	140
45F3014SLHOB42P	104
45F3014SLHUT42P	104
45F3014SLHUT42PIP	104
45F3014UTF	120
45F3014UTM	130
45F3014UTS	132
45F3017EETF	121
45F3017TTF	135
45F3017TTM	137
45F3017TTS	139
45F3020OBTUTF	123, 128
45F3021SLHOB50P	104
45F3021SLHUT50P	104
45F3021SLHUT50PIP	104
45F3021UTF	125
45F3021UTM	131
45F3021UTS	133
45F3023OBTUF	124, 129
45F3025EETF	126
45F3027SLUP	95, 103
45F3036PSF	142
45F3037OBTF	122
45F3046OBTF	127
45F30CRLEP	98
45F30CRLOBSP	99
45F30CRLP	97
45F30CRUP	96
45F30EJP8	150
45F30TCFIP	118
45F30TCP	117
45F30WTBP	124, 129
45F3342EPOBSLL	110
45F3342EPOBSRL	110
45F3342EPUSLL	109
45F3342EPUSRL	109
45F3350EPOBSLL	110
45F3350EPOBSRL	110
45F3350EPUSLL	109
45F3350EPUSRL	109
45F3604TTC	143
45F3604TTU3P	144
45F3604TTUXP	145
45F3607FG	141
45F3607FR	140
45F3610TTF	134
45F3610TTM	136
45F3610TTS	138
45F3614FG	141
45F3614FR	140
45F3614UTF	120
45F3614UTM	130
45F3614UTS	132
45F3617EETF	121
45F3617TTF	135
45F3617TTM	137
45F3617TTS	139
45F3620OBTUTF	123, 128
45F3621UTF	125
45F3621UTM	131
45F3621UTS	133
45F3623OBTUF	124, 129
45F3625EETF	126
45F3627SLUP	95, 103
45F3636PSF	142
45F3637OBTF	122
45F3646OBTF	127
45F36CRLEP	98
45F36CRLOBSP	99
45F36CRLP	97
45F36CRUP	96
45F36EJP8	150
45F36TCFIP	118
45F36TCP	117
45F36WTBP	124, 129
45F37ETP	119
45F38VSOBSP	96, 99
45F41ETP	119
45F4204TTC	143
45F4204TTU3P	144
45F4204TTUXP	145
45F4207FG	141
45F4207FR	140
45F4210TTF	134
45F4210TTM	136
45F4210TTS	138
45F4214FG	141
45F4214FR	140
45F4214UTF	120
45F4214UTM	130
45F4214UTS	132
45F4217EETF	121
45F4217TTF	135
45F4217TTM	137
45F4217TTS	139
45F4220OBTUTF	123, 128
45F4221UTF	125
45F4221UTM	131
45F4221UTS	133
45F4223OBTUF	124, 129
45F4225EETF	126
45F4236PSF	142
45F4237OBTF	122
45F4246OBTF	127
45F42CRLEP	98
45F42CRLOBSP	99
45F42CRLP	97
45F42CRUP	96
45F42EJP8	150
45F42TCFIP	118
45F42TCP	117
45F42WTBP	124, 129
45F46VSOBSP	96, 99
45F4804TTC	143
45F4804TTU3P	144

Model Number Index

continued

Model	➤See page
45F4804TTU5P	144
45F4804TTUXP	145
45F4807FG	141
45F4807FR	140
45F4810TTF	134
45F4810TTM	136
45F4810TTS	138
45F4814FG	141
45F4814FR	140
45F4814UTF	120
45F4814UTM	130
45F4814UTS	132
45F4817EETF	121
45F4817TTF	135
45F4817TTM	137
45F4817TTS	139
45F4820OBTUTF	123, 128
45F4821UTF	125
45F4821UTM	131
45F4821UTS	133
45F4823OBTUF	124, 129
45F4825EETF	126
45F4836PSF	142
45F4837OBTF	122
45F4846OBTF	127
45F48CRLEP	98
45F48CRLOBSP	99
45F48CRLP	97
45F48CRUP	96
45F48EJP8	150
45F48EPKDAE	148
45F48EPKDBE	149
45F48EPKSAE	148
45F48EPKSBE	149
45F48TCFIP	118
45F48TCP	117
45F48WTBP	124, 129
45F4TTEELP	146
45F4TTEERP	146
45F4TTSE	146
45F5107FG	141
45F5107FR	140
45F5114FG	141
45F5114FR	140
45F5114UTEF	120
45F5114UTEM	130
45F5117EETEF	121
45F5121UTEF	125
45F5121UTEM	131
45F5125EETEF	126
45F5127SLUP	95
45F5127SLUS42P	102
45F5127SLUS50P	102
45F5137OBTEF	122
45F5142EPASL	111
45F5142EPOBL	108
45F5142EPOBTL	112
45F5142EPUL	107
45F5146OBTEF	127
45F5150EPASL	111
45F5150EPOBL	108
45F5150EPOBTL	112
45F5150EPUL	107
45F51CRSEEE42P	100
45F51CRSEEE50P	101
45F51CRSEOB42P	100
45F51CRSEOB50P	101
45F51CRSEUT42P	100
45F51CRSEUT50P	101
45F5404TTC	143
45F5404TTU3P	144
45F5404TTU5P	144
45F5404TTUXP	145
45F5407FG	141
45F5407FR	140
45F5410TTF	134
45F5410TTM	136
45F5410TTS	138
45F5414FG	141
45F5414FR	140
45F5414UTF	120
45F5414UTM	130
45F5414UTS	132
45F5417EETF	121
45F5417TTF	135
45F5417TTM	137
45F5417TTS	139
45F5420OBTUTF	123, 128
45F5421UTF	125
45F5421UTM	131
45F5421UTS	133
45F5423OBTUF	124, 129
45F5425EETF	126
45F5436PSF	142
45F5437OBTF	122
45F5446OBTF	127
45F54CRLEP	98
45F54CRLOBSP	99
45F54CRLP	97
45F54CRUP	96
45F54EJP8	150
45F54EPKDAE	148
45F54EPKDBE	149
45F54EPKSAE	148
45F54EPKSBE	149
45F54TCFIP	118
45F54TCP	117
45F54WTBP	124, 129
45F5707FG	141
45F5707FR	140
45F5714FG	141
45F5714FR	140
45F5714UTEF	120
45F5714UTEM	130
45F5717EETEF	121
45F5721UTEF	125
45F5721UTEM	131
45F5725EETEF	126
45F5727SLUS42LP	102
45F5727SLUS42RP	102
45F5727SLUS50LP	102
45F5727SLUS50RP	102
45F5737OBTEF	122
45F5742EPASLL	111
45F5742EPASRL	111
45F5742EPOBLL	108
45F5742EPOBRL	108
45F5742EPOBTLL	112
45F5742EPOBTRL	112
45F5742EPULL	107
45F5742EPURL	107
45F5746OBTEF	127
45F5750EPASLL	111
45F5750EPASRL	111
45F5750EPOBLL	108
45F5750EPOBRL	108
45F5750EPOBTLL	112
45F5750EPOBTRL	112
45F5750EPULL	107
45F5750EPURL	107
45F57CRSEEE42P	100
45F57CRSEEE50P	101
45F57CRSEOB42P	100
45F57CRSEOB50P	101
45F57CRSEUT42P	100
45F57CRSEUT50P	101
45F6004TTC	143
45F6004TTU4P	144
45F6004TTU6P	144
45F6004TTUXP	145
45F6007FG	141
45F6007FR	140
45F6010TTF	134
45F6010TTM	136
45F6010TTS	138
45F6014FG	141
45F6014FR	140
45F6014UTF	120
45F6014UTM	130
45F6014UTS	132
45F6017EETF	121
45F6017TTF	135
45F6017TTM	137
45F6017TTS	139
45F6020OBTUTF	123, 128
45F6021UTF	125
45F6021UTM	131
45F6021UTS	133
45F6023OBTUF	124, 129
45F6025EETF	126
45F6036PSF	142
45F6037OBTF	122
45F6046OBTF	127
45F60CRLEP	98
45F60CRLOBSP	99
45F60CRLP	97
45F60CRUP	96
45F60EJP8	150
45F60EPKDAE	148
45F60EPKDBE	149
45F60EPKSAE	148
45F60EPKSBE	149
45F60TCFIP	118
45F60TCP	117
45F60WTBP	124, 129
45F6307FG	141
45F6307FR	140
45F6314FG	141
45F6314FR	140
45F6314UTEF	120
45F6314UTEM	130
45F6317EETEF	121
45F6321UTEF	125
45F6321UTEM	131
45F6325EETEF	126
45F6327SLUP	95
45F6327SLUS42P	102
45F6327SLUS50P	102
45F6337OBTEF	122
45F6342EPASL	111
45F6342EPOBL	108
45F6342EPOBTL	112
45F6342EPUL	107
45F6346OBTEF	127
45F6350EPASL	111
45F6350EPOBL	108
45F6350EPOBTL	112
45F6350EPUL	107
45F63CRSEEE42P	100
45F63CRSEEE50P	101

Model Number Index

continued

Model	➤See page
45F63CRSEOB42P	100
45F63CRSEOB50P	101
45F63CRSEUT42P	100
45F63CRSEUT50P	101
45F6604TTC	143
45F6604TTU4P	144
45F6604TTU6P	144
45F6604TTUXP	145
45F6607FG	141
45F6607FR	140
45F6610TTF	134
45F6610TTM	136
45F6610TTS	138
45F6614FG	141
45F6614FR	140
45F6614UTF	120
45F6614UTM	130
45F6614UTS	132
45F6617EETF	121
45F6617TTF	135
45F6617TTM	137
45F6617TTS	139
45F6620OBTUTF	123, 128
45F6621UTF	125
45F6621UTM	131
45F6621UTS	133
45F6623OBTUF	124, 129
45F6625EETF	126
45F6637OBTF	122
45F6646OBTF	127
45F66CRLEP	98
45F66CRLOBSP	99
45F66CRLP	97
45F66CRUP	96
45F66EJP8	150
45F66EPKDAE	148
45F66EPKDBE	149
45F66EPKSAE	148
45F66EPKSBE	149
45F66TCFIP	118
45F66TCP	117
45F66WTBP	124, 129
45F6907FG	141
45F6907FR	140
45F6914FG	141
45F6914FR	140
45F7204TTC	143
45F7204TTU4P	144
45F7204TTU6P	144
45F7204TTUXP	145
45F7207FG	141
45F7207FR	140
45F7210TTF	134
45F7210TTM	136
45F7210TTS	138
45F7214FG	141
45F7214FR	140
45F7214UTF	120
45F7214UTM	130
45F7214UTS	132
45F7217EETF	121
45F7217TTF	135
45F7217TTM	137
45F7217TTS	139
45F7220OBTUTF	123, 128
45F7221UTF	125
45F7221UTM	131
45F7221UTS	133
45F7223OBTUF	124, 129
45F7225EETF	126
45F7237OBTF	122
45F7246OBTF	127
45F72CRLEP	98
45F72CRLOBSP	99
45F72CRLP	97
45F72CRUP	96
45F72EJP8	150
45F72EPKDAE	148
45F72EPKDBE	149
45F72EPKSAE	148
45F72EPKSBE	149
45F72TCFIP	118
45F72TCP	117
45F72WTBP	124, 129
45F7804TTC	143
45F7804TTU4P	144
45F7804TTU6P	144
45F7804TTUXP	145
45F7807FG	141
45F7807FR	140
45F7810TTF	134
45F7810TTM	136
45F7810TTS	138
45F7814FG	141
45F7814FR	140
45F7814UTF	120
45F7814UTM	130
45F7814UTS	132
45F7817EETF	121
45F7817TTF	135
45F7817TTM	137
45F7817TTS	139
45F7820OBTUTF	123, 128
45F7821UTF	125
45F7821UTM	131
45F7821UTS	133
45F7823OBTUF	124, 129
45F7825EETF	126
45F7837OBTF	122
45F7846OBTF	127
45F78CRLEP	98
45F78CRLOBSP	99
45F78CRLP	97
45F78CRUP	96
45F78EJP8	150
45F78EPKDAE	148
45F78EPKDBE	149
45F78EPKSAE	148
45F78EPKSBE	149
45F78TCFIP	118
45F78TCP	117
45F78WTBP	124, 129
45F8404TTC	143
45F8404TTU4P	144
45F8404TTU6P	144
45F8404TTUXP	145
45F8407FG	141
45F8407FR	140
45F8410TTF	134
45F8410TTM	136
45F8410TTS	138
45F8414FG	141
45F8414FR	140
45F8414UTF	120
45F8414UTM	130
45F8414UTS	132
45F8417EETF	121
45F8417TTF	135
45F8417TTM	137
45F8417TTS	139
45F8420OBTUTF	123, 128
45F8421UTF	125
45F8421UTM	131
45F8421UTS	133
45F8423OBTUF	124, 129
45F8425EETF	126
45F8437OBTF	122
45F8446OBTF	127
45F84CRLEP	98
45F84CRLOBSP	99
45F84CRLP	97
45F84CRUP	96
45F84EJP8	150
45F84EPKDAE	148
45F84EPKDBE	149
45F84EPKSAE	148
45F84EPKSBE	149
45F84TCFIP	118
45F84TCP	117
45F84WTBP	124, 129
45F9007FG	141
45F9007FR	140
45F9010TTF	134
45F9010TTM	136
45F9010TTS	138
45F9014FG	141
45F9014FR	140
45F9014UTF	120
45F9014UTM	130
45F9014UTS	132
45F9017EETF	121
45F9017TTF	135
45F9017TTM	137
45F9017TTS	139
45F9020OBTUTF	123, 128
45F9021UTF	125
45F9021UTM	131
45F9021UTS	133
45F9023OBTUF	124, 129
45F9025EETF	126
45F9037OBTF	122
45F9046OBTF	127
45F90TCFIP	118
45F90TCP	117
45F9607FG	141
45F9607FR	140
45F9610TTF	134
45F9610TTM	136
45F9610TTS	138
45F9614FG	141
45F9614FR	140
45F9614UTF	120
45F9614UTM	130
45F9614UTS	132
45F9617EETF	121
45F9617TTF	135
45F9617TTM	137
45F9617TTS	139
45F9620OBTUTF	123, 128
45F9621UTF	125
45F9621UTM	131
45F9621UTS	133
45F9623OBTUF	124, 129
45F9625EETF	126
45F9637OBTF	122
45F9646OBTF	127
45F96TCFIP	118
45F96TCP	117
45FEASHF8	152
45FEASHS	152

Model Number Index

continued

Model	➤See page
45FECPDBP	147
45FECPP	143
45FECPSBP	147
45FEDPDBP	147
45FEDPP	143
45FEDPSBP	147
45FEHBSA	152
45FEHBSB	152
45FEPE1	152
45FEPEFC8	152
45FEPENYC	152
45FER1815	151
45FER1820	151
45FER2815	151
45FER2820	151
45FER3815	151
45FER3820	151
45FER3D815	151
45FER3D820	151
45FER4D815	151
45FER4D820	151
45FERUP	151
45FTBCP	146
45FTTEELP	146
45FTTEERP	146
45FTTELP	146
45FTTERP	146
45FTTLP	146
45FTTSE	146
45FTTSP	146
45FTTWSBP	146
45FTTYP	146
45FWBUJ	146
45FWTBP	124, 129, 161
45W2230WSSL	154
45W2230WSSLL	154
45W2236WSSL	154
45W2236WSSLL	154
45W2240WSYCCL	156
45W2240WSYCCLL	156
45W2242WSSL	154
45W2242WSSLL	154
45W22464628WSLCCL	156
45W22464628WSLCCLL	156
45W2246WSLCCL	156
45W2246WSLCCLL	156
45W2248WSSL	154
45W2248WSSLL	154
45W2254WSSL	154
45W2254WSSLL	154
45W2260WSSL	154
45W2260WSSLL	154
45W2266WSSL	154
45W2266WSSLL	154
45W2272WSSL	154
45W2272WSSLL	154
45W2278WSSL	154
45W2278WSSLL	154
45W2284WSSL	154
45W2284WSSLL	154
45W2430WSBL	158
45W2430WSBLL	158
45W2430WSSL	154
45W2430WSSLL	154
45W2436WSBL	158
45W2436WSBLL	158
45W2436WSSL	154
45W2436WSSLL	154
45W2442WSSL	154
45W2442WSSLL	154
45W2442WSYCCL	156
45W2442WSYCCLL	156
45W24484830WSLCCL	156
45W24484830WSLCCLL	156
45W2448WSLCCL	156
45W2448WSLCCLL	156
45W2448WSSL	154
45W2448WSSLL	154
45W2450WSSTDLL	158
45W2450WSSTDLLL	158
45W2450WSTDLL	158
45W2450WSTDLLL	158
45W2454WSSL	154
45W2454WSSLL	154
45W2456WSSTDLL	158
45W2456WSSTDLLL	158
45W2456WSTDLL	158
45W2456WSTDLLL	158
45W2460WSSL	154
45W2460WSSLL	154
45W2460WSTPLL	158
45W2460WSTPLLL	158
45W2462WSSTDLL	158
45W2462WSSTDLLL	158
45W2462WSTDLL	158
45W2462WSTDLLL	158
45W2466WSSL	154
45W2466WSSLL	154
45W2466WSTPLL	158
45W2466WSTPLLL	158
45W2472WSSL	154
45W2472WSSLL	154
45W2472WSTPLL	158
45W2472WSTPLLL	158
45W2478WSSL	154
45W2478WSSLL	154
45W2484WSSL	154
45W2484WSSLL	154
45W2830WSSL	155
45W2830WSSLL	155
45W2836WSSL	155
45W2836WSSLL	155
45W2842WSSL	155
45W2842WSSLL	155
45W28464622WSLCCL	156
45W28464622WSLCCLL	156
45W2846WSLCCL	156
45W2846WSLCCLL	156
45W2846WSYCCL	156
45W2846WSYCCLL	156
45W2848WSSL	155
45W2848WSSLL	155
45W2854WSSL	155
45W2854WSSLL	155
45W2860WSSL	155
45W2860WSSLL	155
45W2866WSSL	155
45W2866WSSLL	155
45W2872WSSL	155
45W2872WSSLL	155
45W2878WSSL	155
45W2878WSSLL	155
45W2884WSSL	155
45W2884WSSLL	155
45W3030WSSL	155
45W3030WSSLL	155
45W3036WSSL	155
45W3036WSSLL	155
45W3042WSSL	155
45W3042WSSLL	155
45W30484824WSLCCL	156
45W30484824WSLCCLL	156
45W3048WSLCCL	156
45W3048WSLCCLL	156
45W3048WSSEL	157
45W3048WSSELL	157
45W3048WSSL	155
45W3048WSSLL	155
45W3048WSYCCL	156
45W3048WSYCCLL	156
45W3050WSTDLL	158
45W3050WSTDLLL	158
45W3054WSSEL	157
45W3054WSSELL	157
45W3054WSSL	155
45W3054WSSLL	155
45W3056WSTDLL	158
45W3056WSTDLLL	158
45W3060WSSEL	157
45W3060WSSELL	157
45W3060WSSL	155
45W3060WSSLL	155
45W3060WSTPLL	158
45W3060WSTPLLL	158
45W3062WSTDLL	158
45W3062WSTDLLL	158
45W3066WSSEL	157
45W3066WSSELL	157
45W3066WSSL	155
45W3066WSSLL	155
45W3066WSTPLL	158
45W3066WSTPLLL	158
45W3072WSSEL	157
45W3072WSSELL	157
45W3072WSSL	155
45W3072WSSLL	155
45W3072WSTPLL	158
45W3072WSTPLLL	158
45W3078WSSL	155
45W3078WSSLL	155
45W3084WSSL	155
45W3084WSSLL	155
45W48WSSR	161
45W72WSSR	161
45WIBF1	161
45WWSMKTDP	161
SS1830WSSL	175
SS1830WSSLL	175
SS1836WSSL	175
SS1836WSSLL	175
SS1842WSSL	175
SS1842WSSLL	175
SS1848WSSL	175
SS1848WSSLL	175
SS1854WSSL	175
SS1854WSSLL	175
SS1860WSSL	175
SS1860WSSLL	175
SS1866WSSL	175
SS1866WSSLL	175
SS1872WSSL	175
SS1872WSSLL	175
SS1878WSSL	175
SS1878WSSLL	175
SS1884WSSL	175
SS1884WSSLL	175