

STATE OF OHIO  
DEPARTMENT OF ADMINISTRATIVE SERVICES  
GENERAL SERVICES DIVISION  
OFFICE OF PROCUREMENT SERVICES  
4200 SURFACE ROAD, COLUMBUS, OH 43228-1395

OPTIONAL USE CONTRACT FOR: REMOVAL AND DISPOSAL OF BIOSOLIDS

CONTRACT No.: OT902614

EFFECTIVE DATES: 08/08/13 to 07/31/17

The Department of Administrative Services has accepted bids submitted in response to Invitation to Bid No. OT902614 that opened on 07/08/13, Invitation to Bid No. OT905415 that opened on 12/01/14 and Invitation to Bid No. OT903617 that opened on 09/23/16. \* The evaluation of the bid response(s) has been completed. The bidder(s) listed herein have been determined to be the lowest responsive and responsible bidder(s) and have been awarded a contract for the items(s) listed. The respective bid response, including the [Terms and Conditions for Bidding, Standard Contract Terms and Conditions, and Supplemental Contract Terms and Conditions](#), special contract terms & conditions, any bid addenda, specifications, pricing schedules and any attachments incorporated by reference and accepted by DAS become a part of this Requirements Contract.

This Requirements Contract is effective beginning and ending on the dates noted above unless, prior to the expiration date, the Contract is renewed, terminated or cancelled in accordance with the Contract Terms and Conditions.

This Requirements Contract is available to Ohio Department of Rehabilitation and Correction, as applicable.

Agencies are eligible to make purchases of the listed supplies and/or services in any amount and at any time as determined by the agency. The State makes no representation or guarantee that agencies will purchase the volume of supplies and/or services as advertised in the Invitation to Bid.

SPECIAL NOTE: State agencies may make purchases under this Requirements Contract up to \$2500.00 using the state of Ohio payment card. Any purchase that exceeds \$2500.00 will be made using the official state of Ohio purchase order (ADM-0523). Any non-state agency, institution of higher education or Cooperative Purchasing member will use forms applicable to their respective agency.

This Requirements Contract and any Amendments thereto are available from the DAS Web site at the following address:

<http://www.ohio.gov/procure>

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16. Additionally, the Contract Analyst information was removed.

Signed: \_\_\_\_\_  
Robert Blair, Director Date

TABLE OF CONTENTS

<u>CLAUSES</u>	<u>PAGE NO.</u>
Amendments To Contract Terms And Conditions	3
Incurring Costs	3
Initial And Future Sites	3
Site Visit	3
Evaluation	3
Contract Award	3
Special Charges	3
Delivery	3
Fixed-Price With Economic Adjustment	3
Mandatory/Required Submissions	4
Fixed-Price With Landfill Cost Adjustment	4
Usage Reports	4
Public Liability	4
Subcontracting	4
<u>SPECIFICATIONS AND REQUIREMENTS</u>	
Scope	5
Institutional Responsibilities	5
Contractor General Responsibilities	6
Contractor Specific Responsibilities	6
Bidder Qualifications And Submittals	7
<u>CONTRACT ITEMS</u>	
Bid Price Page	10
Contractor Index	11
Summary of Amendments	13

Note: Several pages updated to include the add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

### SPECIAL CONTRACT TERMS AND CONDITIONS

AMENDMENTS TO CONTRACT TERMS AND CONDITIONS: The following Amendments to the Contract Terms and Conditions do hereby become a part hereof. In the event that an amendment conflicts with the Contract Terms and Conditions, the Amendment will prevail.

INCURRING COSTS: The State is not liable for any costs incurred by the Bidder prior to issuance of a Contract.

INITIAL AND FUTURE SITES: The two initial Ohio Department of Rehabilitation and Correction (DRC) sites to be awarded under this Contract include: Pickaway Correctional Institution (PCI) Wastewater Treatment Plant (WWTP) at the Orient Correctional Complex, Orient, Ohio (Pickaway County) and Chillicothe Correctional Institution (CCI) Wastewater Treatment Plant (WWTP) at the Chillicothe Correctional complex in Chillicothe, Ohio (Ross County). Additional sites may be added by an add on bid to this Contract after award as long as they fit either the PCI or CCI biosolid preparation models presented in the Scope of Work.

SITE VISIT: Prior to submitting their Bid Response, the Bidder should visit the sites they are bidding in order to survey the facilities and to become familiar with the requirements of the Bid. The Bidder must contact each facility to schedule an appointment. Once a Contract is awarded, failure of the Bidder to have requested a site visit to become familiar with the facility and requirements of the Bid will be insufficient reason to support any request to be released from the Contract. To schedule an appointment, please contact the appropriate agency contact person listed below:

PCI - Mr. Randy Brissette @ (614) 877-4362., then dial 0, and ask for extension 3233  
CCI - Mr. Charlie Burton @ (740) 773-1671 or (740) 253-7033  
SCCL – Mr. Joe Riley @ (740) 753-1917 extension 2117

EVALUATION: Bids will be evaluated in accordance with Article I-17 of the "Instructions to Bidders". In addition, the State will calculate the lot total cost by multiplying the estimated annual usage:  
for PCI and CCI \* in wet tons by its corresponding bid price per wet ton  
for SCCL in gallons by its corresponding bid price per gallon.

CONTRACT AWARD: The Contract will be awarded to the lowest responsive and responsible Bidder by low lot total for each facility. A Contractor will receive the award for each facility.

SPECIAL CHARGES: There shall be no assessment, surcharge, small order charge, broken case charge, minimum order charge, single item charge nor any other unspecified additional charge allowed by the State that is not specifically mentioned in this Bid or in any Contract awarded pursuant to this Bid. The Contractor must provide merchandise/service in unit quantity(s) as indicated in the Bid/Bid Response/Contract.

DELIVERY: Unless otherwise required, treatment and disposal services shall be rendered not more than sixty (60) calendar days after receipt of order. Services must be rendered during a ten (10) consecutive day period, weather permitting, during daylight hours. PCI and CCI anticipates that biosolids will need to be removed approximately every six (6) months.

FIXED-PRICE WITH ECONOMIC ADJUSTMENT: The Contract prices(s) will remain firm for the first twelve (12) months duration of the Contract. Thereafter, the Contractor may submit a request to increase their price(s) no more than once every six (6) months to be effective thirty (30) calendar days after acceptance by DAS. No price adjustment will be permitted prior to the effective date of the increase received by the Contractor from his suppliers, or on purchase orders that are already being processed, or on purchase orders that have been filled and are awaiting shipment. If the Contractor receives orders requiring quarterly delivery, the increase will apply to all deliveries made after the effective date of the price increase.

The price increase must be supported by a general price increase in the cost of the finished supplies, due to increases in the cost of raw materials, labor, freight, Workers' Compensation and/or Unemployment Insurance, etc. Detailed documentation, to include a comparison list of the Contract items and proposed price increases, must be submitted to support the requested increase. Supportive documentation should include, but is not limited to: copies of the old and the current price lists or similar documents which indicate the original base cost of the product to the Contractor and the corresponding increase, and/or copies of correspondence sent by the Contractor's supplier on the supplier's letterhead, which contain the above price information and explains the source of the increase in such areas as raw materials, freight, fuel or labor, etc.

Should there be a decrease in the cost of the finished product due to a general decline in the market or some other factor, the Contractor is responsible to notify DAS immediately. The price decrease adjustment will be incorporated into the Contract and will be effective on all purchase orders issued after the effective date of the decrease. If the price decrease is a temporary decrease, such should be noted on the invoice. In the event that the temporary decrease is revoked, the Contract pricing will be returned to the pricing in effect prior to the temporary decrease. For quarterly deliveries, any decrease will be applied to deliveries made after the effective date of the decrease. Failure to comply with this provision will be considered as a default and will be subject to Provision I.C. "Termination/Suspension" and Provision II. of the "Contract Remedies:" of the "Standard Contract Terms and Conditions".

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

SPECIAL CONTRACT TERMS AND CONDITIONS (continued)

MANDATORY/REQUIRED SUBMISSIONS: As specified, mandatory submissions must be submitted with the Bid Response. Required documentation/materials should be submitted with the Bid. If not submitted with the Bid, the Bidder must provide the said documentation/materials within five (5) business days, after notification, to the Office of Procurement Services. Failure to provide mandatory submissions with the Bid Response or failure to provide the required documentation/materials, as applicable, within the stated time period will result in the Bidder being deemed as not responsive and the Bid Response will be immediately disqualified with no further consideration given for potential awarding of the Contract.

FIXED-PRICE WITH LANDFILL COST ADJUSTMENT: During the life of an awarded Contract, changes may occur in State or local rates assessed to landfills that may affect the landfill dumping rates charged to the Contractor. In such cases, the Contractor, upon thirty (30) days prior written notice, may petition DAS to increase the Contract price(s) by the exact amount of the increase in landfill dumping rates. The Contractor must submit documentary evidence to fully support the claim to DAS prior to making any price adjustment to their Contract price(s). If DAS approves the increase, the increase will become effective for the remaining life of the awarded Contract. Approval of said increase is subject to the sole discretion of the DAS. No petitions for increase will be considered for landfill dumping fee increases assessed prior to the effective date of the Contract.

USAGE REPORTS: Every twelve (12) months the Contractor must submit a report (written or on disk) indicating sales generated by this Contract. The report shall list usage by customer, by line item, showing the quantities/dollars generated by this Contract. The report shall be forwarded to the Office of Procurement Services, 4200 Surface Road, Columbus, OH 43228-1395, Attn: Contract OT902814 Analyst.

PUBLIC LIABILITY: Each Bidder must carry public liability insurance with limits of not less two million (\$ 2,000,000.00) dollars for any one person and two million (\$ 2,000,000.00) dollars for any one occurrence for death or personal injury and two million (\$ 2,000,000.00) dollars for any one occurrence for property damage. Each Bidder must carry general liability insurance with limits of not less than two million (\$ 2,000,000.00) dollars for any one occurrence and aggregate annually. Each Bidder must carry comprehensive umbrella liability insurance with limits of not less than two million (\$ 2,000,000.00) dollars for any one occurrence and aggregate annually. Each Bidder must carry environmental impairment liability insurance with limits of not less than five million (\$ 5,000,000.00) dollars for any one occurrence and aggregate annually. Certificates of insurance showing the types of coverages should be submitted with the Bid. Failure to submit the certificate of insurance with the Bid may deem your Bid not-responsive. In addition to the certificates of insurance, providing the Bidder does not currently carry the amount of coverages specified above, a letter from the insurance company stating that the Bidder's coverages will be increased to the specified amounts upon award of the ensuing Contract, should also be submitted with the Bid. Failure to submit the letter and certificates, as applicable, with the Bid may deem your Bid not-responsive.

SUBCONTRACTING: The awarded Contractor(s) will be solely responsible for the Contract. Subcontracting by the Contractor will not be permitted unless approved by the State. On a per project basis, the Contractor must clearly identify which requirements are subcontracted and identify the subcontracting company, corporation, etc. and responsible business contacts therein. No Contractor will engage a subcontractor for work on State property without the prior written approval of the Site Facility Manager.

SPECIFICATIONS AND REQUIREMENTS

I. SCOPE:

The Ohio Department of Administrative Services, Office of Procurement Services, on behalf of the Ohio Department of Rehabilitation and Correction (DRC), is seeking bids from qualified Contractors to load, remove, haul, and dispose of the biosolids generated by the Pickaway Correctional Institution (PCI) Wastewater Treatment Plant (WWTP) Orient, Ohio (Pickaway County), Chillicothe Correctional Institution (CCI) Wastewater Treatment Plant (WWTP) at the Chillicothe Correctional complex in Chillicothe, Ohio (Ross County) and Southeastern Correctional Complex, Lancaster (SCCL), OH. located at 5900 B.I.S. Rd., Lancaster, OH, 43130 (Fairfield County). \*

A. PROJECT LOCATION

1. The PCI WWTP is located southwest of PCI, adjacent to Big Darby Creek. The access road and treatment plant are accessible from State Route 762 and are not inside the security fence surrounding the main institution.
2. The CCI WWTP is located southeast of CCI, adjacent to the Scioto River. The access road and treatment plant are accessible from State Route 104 and are not inside the security fence surrounding the main institution.
3. The SCCL WWTP is located at 5900 B.I.S. Rd., Lancaster, OH. The treatment Plant is accessible from Christmas Rock Rd. and is not inside the security fence surrounding SCCL.

B. EXISTING SITE CONDITIONS

1. The existing site plan of the PCI WWTP, including the dewatered biosolids storage building and the other plant components, will be reviewed as part of a site visit. The PCI WWTP is located immediately east of the existing PCI Water Treatment Plant (WTP), and both plants use the same gravel entrance drive. Because of the proximity to the WTP operations, and the existing well field serving the plant, the Contractor shall take all precautions necessary to prevent the spillage of any untreated or treated sludge, stabilization chemicals or any lubricants and fuels during operations. The PCI WWTP Superintendent or authorized representative shall have the authority to order the Contractor to cease operations, if fugitive dust becomes a problem, or if a sludge, chemical, fuel, or lubricant accidental spill occurs, requiring immediate attention to eliminate the problem.
2. The existing site plan of the CCI WWTP, including the dewatered biosolids storage building and the other plant components, will be reviewed as part of a site visit. The Contractor shall take all precautions necessary to prevent the spillage of any untreated or treated sludge, chemicals or any lubricants and fuels during operations. The CCI WWTP Manager, or the authorized representative, shall have the authority to order the Contractor to cease operations, if an accidental sludge, chemical, fuel, or lubricant spill occurs, requiring immediate attention to eliminate the problem. \*
3. The existing site plan of the SCCL WWTP has 1 Digester 22' in diameter and 22' deep with a capacity of 57,371 gallons. The digester tank site and location can be viewed as part of a site visit. Biosolids will be removed via 4" line then either land applied on SCCL's permitted acreage via Injection or processed as a liquid. Filling of biosolids transport vehicle(s) will be on a concrete pad with a drain located at the end of the sludge spill containment area. The Contractor shall take all precautions necessary to prevent the spillage of any untreated or treated sludge, chemicals or any lubricants and fuels during operations. The SCCL WWTP Manager, or an authorized representative, shall have the authority to order the Contractor to cease operations, if an accidental sludge, chemical, fuel, or lubricant spill occurs, requiring immediate attention to eliminate the problem. \*
4. In the event of a spill of any type, it is the responsibility of the Contractor to report the incident to affected site contact, the local Health Department, the State Health Department, and the Ohio Environmental Protection Agency (OEPA). The Contractor will assume total responsibility for all costs associated with the cleanup and labor required for any spillage incident.
5. The Contractor must provide hauling operations that do not create a dust problem, or during wet conditions, do not create an unsightly or dangerous condition of mud on the roads, particularly any asphalt portion of the access roads.
  - a. The Contractor will be responsible to clean accumulations of mud from the asphalt roadway upon request from WWTP personnel.
  - b. All cleaning of the roadway and/or cleaning of contractor equipment must be done in compliance with OEPA Groundwater Regulations.

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

## SPECIFICATIONS AND REQUIREMENTS (continued)

### C. EXISTING SLUDGE STORAGE FACILITIES

1. PCI currently has one (1) metal building with a reinforced concrete floor and 4 foot high reinforced concrete walls used for sludge storage. The building and location can be viewed as part of a site visit. Listed below is the description and size of the dewatered biosolids storage building.
  - a. Construction completed September 2007.
  - b. 100 ft. length by 54 ft. width with 18 ft high walls.
  - c. Building has two (2) 14 ft. by 14 ft. overhead doors.
2. CCI currently has one sludge storage building with a reinforced concrete floor and 6 foot high reinforced concrete walls. The building and location can be viewed as part of a site visit. Building characteristics: \*
  - a. Construction completed December 2015.
  - b. The building is 100 feet long, 65 feet wide and 18 feet high.
  - c. The building has two 14 foot by 18 foot openings for loading equipment access.
3. SCCL currently has one (1) digester tank. The digester tank site and location can be viewed as part of a site visit. Listed below is the description and size of the digester tank.
  - a. 22 feet high and 22 feet in diameter with a capacity of 57,371 gallons.
  - b. Biosolids will be removed via a 4 inch line.

### D. SLUDGE VOLUME PRODUCTION

1. From existing PCI plant records for sludge disposal for years 2008 thru 2012, the total average output was approximately 120 dry tons per year. The percent (%) solids for the years 2010 thru 2012 averaged approximately 15 %.
2. The estimate for CCI sludge disposal is 90 dry tons annually with an average percentage of solids of 15%. \*
3. From existing SCCL plant records for sludge disposal for fiscal year 2013, the total average annual output was approximately 292,000 gallons with an average percentage of solids of 1.54%.

## II. INSTITUTIONAL RESPONSIBILITIES

- A. PCI, CCI and SCCL will provide a Notice of Necessary Information statement, upon request, to validate the non-toxic nature of the biosolid waste.
- B. PCI, CCI and SCCL will provide water service in close proximity to the pickup site.
- C. PCI, CCI and SCCL will provide sludge characteristics monitoring as required by NPDES permit for; Ammonia, TKN, Phosphorus, NO<sub>2</sub>, NO<sub>3</sub>, PH, Arsenic, Cadmium, Copper, Lead, Nickel, Zinc, Selenium, Mercury, Molybdenum, % Total Solids, % Volatile Solids, Fecal Coliform, and Dioxin. Sludge characteristics monitoring requirements varies with disposal methods.

## III. CONTRACTOR GENERAL RESPONSIBILITIES

- A. It shall be the responsibility of the Contractor to provide any and all labor, equipment, materials, and other resources necessary to perform all work as required, except as otherwise indicated in these specifications. Prior to beginning operations, the Contractor shall comply with all rules and be responsible for obtaining all applicable permits for biosolid land application as described in [Ohio's Sewage Sludge Rules \(OAC § 3745.40\)](#).

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

SPECIFICATIONS AND REQUIREMENTS (continued)

- B. Under Contract operations, the Contractor will decide whether to subsurface inject, belt press and land apply, or landfill biosolids. The biosolids will be subsurface injected or land applied on property obtained by the Contractor and authorized by the Ohio EPA. The Contractor will be required to either temporarily store the biosolids off-site or landfill the biosolids, if weather conditions prevent land application longer than the existing seven (7) month maximum storage time of the plant.
- C. The Contractor shall keep and maintain records which will enable the DRC, as well as the Contractor, to ascertain and determine clearly and accurately the total volume of all biosolids removed from the wastewater treatment plant, application rates and volumes applied per site. The method of record keeping shall be proposed by the Contractor and subject to DRC approval. Records shall conform to those required under Federal, State, and local regulations relating to biosolids.
- D. It shall be the responsibility of the Contractor to obtain sludge characteristics required beyond those provided by PCI, CCI or SCCL. The Contractor will maintain records of and provide PCI, CCI and SCCL with copies of those records for any sludge characteristic monitored by Contractor.

IV. CONTRACTOR SPECIFIC RESPONSIBILITIES

A. SCHEDULE FOR TREATMENT AND DISPOSAL

- 1. The Contractor shall be prepared to remove, treat, load, and dispose of biosolids from the PCI or CCI Wastewater Treatment Plants a minimum of two (2) times per year, with a minimum of 5 and a maximum of 7 months between removal periods. The Contractor shall be prepared to remove, treat, load, and dispose of biosolids from the SCCL Wastewater Treatment Plant on an as-needed basis.
- 2. Removal periods shall occur on ten (10) consecutive days, weather permitting.

- B. The Contractor shall be licensed in Pickaway, Ross, Fairfield and other counties as required to handle, remove, haul, store, and dispose of biosolids from wastewater treatment plant operations in complete conformance with all local, county, State and Federal regulations concerning the loading, hauling, storage, injecting, surface applying and disposal of the biosolids meeting [40CFR503 Federal Regulations for Class B sludge](#) and [OAC § 3745.40](#).

C. MEASUREMENT AND PAYMENT FOR PCI and CCI \*

- 1. Where possible the Contractor will use weight tickets to maintain an accurate measurement of wet tons removed from the PCI and CCI \* Wastewater Treatment Plants storage facilities; i.e., disposal by placement in landfill. When a method of disposal such as land application is to be used and the weight ticket system is not applicable the volume of sludge to be removed will be calculated from the PCI process records. (The volume of liquid biosolids dewatered in gallons) times (x) (the percent (%) solids of biosolids prior to dewatering, expressed as a decimal) times (x) (8.34 pounds per gallon) equals (=) pounds of dry biosolids. (Pounds of dry biosolids) divided (/) by (the percent (%) solids of dewatered biosolids expressed as a decimal) divided (/) by (2000 pounds per ton) equals (=) wet tons of dewatered biosolids requiring disposal. When volume to be disposed of is by calculation method, the volume will be agreed upon by Contractor and PCI authorized representative prior to contractor starting work.

When applicable, wet tons shall be calculated according to the following formula:

Step One: (Gallons liquid biosolids) x (% solids expressed as a decimal of biosolids to be dewatered) x (8.34 pounds per gallon) = pounds of dry solids.

Step Two: (Pounds of dry solids) / (% solids as a decimal of dewatered biosolids) / (2000 pounds per ton) = wet tons biosolids.

- 2. The Contractor will be paid on the unit price bid per wet ton of biosolids removed, treated, hauled, and disposed of off site, as listed in the proposal. The Bid Response price shall be based on a quantity of biosolids to be disposed of, estimated at 600 wet tons per year based on dewatered 20% solids concentration. The % solids concentration will vary; however, solids concentrations from 15% to 25% are anticipated.

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

SPECIFICATIONS AND REQUIREMENTS (continued)

D. MEASUREMENT AND PAYMENT FOR SCCL \*

1. During the removal of biosolids the Contractor shall use a flow meter calibrated to U.S. gallons, or the manufacturer's listed tank capacity in U.S. gallons of the transfer vehicle.
2. The Contractor will be paid on the unit price bid per gallon of biosolids removed, treated, hauled, and disposed of offsite, as listed in the proposal. The price bid shall be based on an estimated quantity of biosolids to be disposed of. The % solids concentration will vary; however, solids concentrations from 1.5% to 3.0% are anticipated. \*

V. BIDDER QUALIFICATIONS AND SUBMITTALS

As a Bid submittal, each Bidder should provide with their Bid:

- A. A corporate profile letter attesting to the fact that they have not less than five (5) continuous years experience in providing services on projects of similar size and scope for the loading, removal, hauling, and disposal of biosolids.
- B. The Bidder should provide a list of clients that it has served in Ohio over the last five years along with the names of contact persons and their telephone numbers. The Bidder should indicate volume handled per client, as either liquid gallons or dry tons, both per treatment/disposal service and annual volume per client. This list should also indicate the Bidder's capability and experience to both land application and landfill disposal of biosolids.
- C. Each Bidder should include copies of credentials/licenses pertinent to the work being Bid: i.e., licenses for specific job functions for projects involving transportation, storage, and disposal of biosolids. The successful Bidder will be responsible for securing and maintaining all needed permits, licenses, and approvals. Such credentials and licenses shall include, but are not limited to, the following, as applicable:
  1. Ohio Department of Agriculture, Division of Animal Industry
  2. Ohio Environmental Protection Agency, Division of Surface Water
  3. Ohio Department of Health
  4. Pickaway County Health Department
  5. Ross County Health Department
  6. Commercial Driver's License (CDL) for contractor's vehicle driver
- D. Bidders should also include a statement of understanding and compliance with current revisions of all applicable rules and regulations for the handling, transportation, storage and disposal of biosolids as ordered by the Federal, State, and local health, transportation, and environmental protection authorities. This includes, but is not limited to, rules and regulations generated by the Occupational Safety and Health Administration (OSHA), Federal and State of Ohio Environmental Protection Agency(s) (EPA), Federal and State of Ohio Department(s) of Health (DOH), Federal and State of Ohio Department(s) of Transportation (DOT), Federal and State of Ohio Department(s) of Agriculture (DOA), the Code of Federal Regulations, the Ohio Revised Code, the Ohio Administrative Code, and/or rules and regulations from any other source recognized as a regulatory authority for the treatment, pickup/collection, transport, and disposal of such biosolids.
- E. Bidders should submit with their Bids written documentation of an approved training program that complies with all applicable OSHA, EPA, DOH, DOT and DOA rules, regulations, and standards.
- F. Bidders should submit with their Bids written documentation of spill control procedures in accordance with all Federal, State, and local rules and regulations.
- G. Bidders should submit with their Bids written documentation of sufficient and proper personnel and equipment to load, pickup, transport, and dispose of all biosolids collected from the PCI WWTP and CCI WWTP facilities.

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

SPECIFICATIONS AND REQUIREMENTS (continued)

- H. As part of the bid submittal, bidders should provide:
  - 1. A sludge management site plan for approval by the Ohio Environmental Protection Agency.
  - 2. A list of available land application leases adequate for not less than six (6) months projected sludge volume.
- I. Prior to beginning operations, the successful Contractor must be approved, licensed and bonded in accordance with the rules and regulations of the Pickaway, Ross or Fairfield County Boards of Health as required \*.

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

Bid Price Page

PCI: Contractor is Synagro

OAKS ITEM ID	DESCRIPTION OF SERVICE	ESTIMATED ANNUAL USAGE	PRICE PER WET TON OF BIOSOLIDS
9894	LOADING, REMOVAL, AND DISPOSAL OF DEWATERED BIOSOLIDS GENERATED BY THE PICKAWAY CORRECTIONAL INSTITUTION WASTEWATER TREATMENT PLANT	600 WET TONS  BASED ON AN AVERAGE DEWATERED PERCENT (%) SOLIDS OF 15%	\$ 24.50

COST ELEMENTS	AS A PERCENTAGE, DEFINE EACH COST ELEMENT THAT CONTRIBUTES TO THE COSTS ABOVE
Equipment	27 %
Labor	55 %
Fuel	15 %
Permits & Licenses	3 %
Landfill Cost	0 %
Land Leases	0 %

LANDFILL NAME AND ADDRESS: N/A

CURRENT ACTUAL LANDFILL COST PER TON CHARGED TO THE CONTRACTOR: \$ N/A

CCI: Contractor is Burch Hydro \*

OAKS ITEM ID	DESCRIPTION OF SERVICE	ESTIMATED ANNUAL USAGE	PRICE PER WET TON OF BIOSOLIDS
	LOADING, REMOVAL, AND DISPOSAL OF DEWATERED BIOSOLIDS GENERATED BY THE CHILLICOTHE CORRECTIONAL INSTITUTION WASTEWATER TREATMENT PLANT	600 WET TONS  BASED ON AN AVERAGE DEWATERED PERCENT (%) SOLIDS OF 15%	\$ 29.00

COST ELEMENTS	AS A PERCENTAGE, DEFINE EACH COST ELEMENT THAT CONTRIBUTES TO THE COSTS ABOVE
Equipment	30%
Labor	30%
Fuel	40%
Permits & Licenses	0%
Landfill Cost	0%
Land Leases	0%

LANDFILL NAME AND ADDRESS: N/A

CURRENT ACTUAL LANDFILL COST PER TON CHARGED TO THE CONTRACTOR: \$ N/A

SCCL: Contractor is Porta Kleen

OAKS ITEM ID	DESCRIPTION OF SERVICE	ESTIMATED ANNUAL USAGE	PRICE PER GALLON OF BIOSOLIDS
26806	LOADING, REMOVAL AND DISPOSAL OF BIOSOLIDS GENERATED BY THE SOUTHEASTERN CORRECTIONAL COMPLEX, LANCASTER WASTEWATER TREATMENT PLANT	57,000 GALLONS (as needed)  BASED ON AN AVERAGE PERCENT (%) SOLIDS OF 1.5%	\$ 0.09

COST ELEMENTS	AS A PERCENTAGE, DEFINE EACH COST ELEMENT THAT CONTRIBUTES TO THE COSTS ABOVE
Equipment	20 %
Labor	10 %
Fuel	20 %
Permits & Licenses	10 %
Landfill Cost	40 %
Land Leases	0 %

LANDFILL NAME AND ADDRESS: Lancaster Waste Water Treatment Plant, 800 Lawrence St., Lancaster, Ohio 43130

CURRENT ACTUAL LANDFILL COST PER TON CHARGED TO THE CONTRACTOR: \$ 0.045

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

CONTRACTOR INDEX

CONTRACTOR AND TERMS:

CONTRACT NO.: OT902614-1



OAKS ID: 0000083233  
Synagro Central, LLC  
435 Williams Court  
Baltimore, MD 21220

TERMS: Net 30 Days

Maryland Regional Headquarters  
Toll Free: (800) 825-5698  
Telephone: (443) 489-9000  
Fax: (413) 489-9042

REMIT TO ADDRESS

0000083233  
Synagro Central, LLC  
c/o Bank of America  
012628 Collection Center Drive  
Chicago, Illinois 60693

PICKAWAY CORRECTIONAL INSTITUTION

CONTRACTOR'S CONTACT

Willy Rawson  
Operations Manager  
Synagro Central, LLC  
11524 State Road 43 East  
Amsterdam, OH 43903

Telephone: (740) 543-3098  
Cell: (330) 353-0290  
Fax: (740) 543-3355  
E-Mail Address: [wrawson@synagro.com](mailto:wrawson@synagro.com)

PREFERRED METHOD OF RECEIVING PURCHASE ORDERS:

Email to: [jreed@synagro.com](mailto:jreed@synagro.com)

Jamie Reed 443-489-9047

ROSS CORRECTIONAL INSTITUTION

CONTRACTOR'S CONTACT

Willy Rawson  
Operations Manager  
Synagro Central, LLC  
11524 State Road 43 East  
Amsterdam, OH 43903

Telephone: (740) 543-3098  
Cell: (330) 353-0290  
Fax: (740) 543-3355  
E-Mail Address: [wrawson@synagro.com](mailto:wrawson@synagro.com)

PREFERRED METHOD OF RECEIVING PURCHASE ORDERS:

Email to: [jreed@synagro.com](mailto:jreed@synagro.com)

Jamie Reed 443-489-9047

CONTRACTOR INDEX (continued)

CONTRACTOR AND TERMS:

CONTRACT NO.: OT902614-2



OAKS ID: 0000133675  
Porta Kleen  
1030 Mill Park Dr.  
Lancaster, OH 43130

TERMS: Net 30 Days

REMIT TO ADDRESS

Porta kleen  
PO Box 930  
Lancaster, OH 43130-0930

SOUTHEASTERN CORRECTIONAL COMPLEX LANCASTER

CONTRACTOR'S CONTACT

Chad Littrell  
Porta Kleen  
1030 Mill Park Dr.  
Lancaster, OH 43130

Telephone: (740) 689-1886  
Toll free: (800) 972-3800  
Fax: (740) 689-1778  
E-Mail Address: [clittrell@portakleen.com](mailto:clittrell@portakleen.com)

PREFERRED METHOD OF RECEIVING PURCHASE ORDERS:

Email to: [clittrell@portakleen.com](mailto:clittrell@portakleen.com)

CONTRACTOR AND TERMS:

CONTRACT NO.: OT902614-3 \*



OAKS ID: 0000045222  
Burch Hydro Inc. \*  
17860 Ankneytown Rd  
Fredericktown, OH 43019

TERMS: Net 30 Days

REMIT TO ADDRESS

Burch Hydro Inc.  
PO Box 230  
Fredericktown, OH 43019

CHILLICOTHE CORRECTIONAL INSTITUTION

CONTRACTOR'S CONTACT

Shelly Wenger  
Burch Hydro Inc.  
17860 Ankneytown Rd  
Fredericktown, OH 43019

Telephone: (740) 694-9146  
Fax: (740) 689-1778  
E-Mail Address: [swenger@burchhydro.com](mailto:swenger@burchhydro.com)

PREFERRED METHOD OF RECEIVING PURCHASE ORDERS:

Email to: [swenger@burchhydro.com](mailto:swenger@burchhydro.com)

\* Indicates the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.

SUMMARY OF AMENDMENTS

Amendment Number	Effective Date	Description
2	10/07/16	This amendment is issue to indicate the inclusion of add-on Bid OT903617 for CCI, effective with all orders placed on or after 10/07/16.
1	01/23/15	This amendment is issued to incorporate the award from Bid OT905415 for Southeastern Correctional Complex Lancaster (SCCL), effective on all orders placed on or after 01/27/15; and, to renumber/repaginate and, to add the Summary of Amendments page.