Date: 04/14/15

OHIO CONSTRUCTION EXAMINATION

OH Electrical Contractor Exam

FROM: 03/01/13 - 03/01/15

			OH Contractor Business and Law Exam(PRE 07/01/2014)			OH Electrical Contractor Exam(PRE 4/11/2013)			BOTH		
SITE NAME	TESTED		Tested	Pass	Pass%	Tested	Pass	Pass%	Tested	Pass	Pass%
DALLAS - ONE EMPIRE	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
HOUSTON EAST	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
PITTSBURGH	2	ORIGINAL	1	0	0.0	0	0	0.0	1	0	0.0
		RETAKE	1	1	100.0	0	0	0.0	0	0	0.0
LAS VEGAS (ROOM A)	2	ORIGINAL	0	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
SOUTHFIELD - SUITE 359	3	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	1	1	100.0	0	0	0.0	0	0	0.0
SOUTHFIELD - SUITE 361	2	ORIGINAL	1	0	0.0	0	0	0.0	1	0	0.0
		RETAKE	1	0	0.0	0	0	0.0	0	0	0.0

FORT COLLINS	2	ORIGINAL	0	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
MIDLAND - WESTWOOD VILLAGE SHOPPING CENTER	2	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
ATLANTA (ROOM A)	1	ORIGINAL	0	0	0.0	0	0	0.0	0	0	0.0
		RETAKE	1	1	100.0	0	0	0.0	0	0	0.0
ATLANTA (ROOM B)	2	ORIGINAL	0	0	0.0	0	0	0.0	1	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	1	1	100.0
COLUMBUS SOUTH	129	ORIGINAL	27	19	70.4	0	0	0.0	53	12	22.6
		RETAKE	11	6	54.5	1	1	100.0	48	17	35.4
CLEVELAND	137	ORIGINAL	36	17	47.2	8	1	12.5	53	14	26.4
		RETAKE	16	12	75.0	0	0	0.0	38	18	47.4
CINCINNATI	61	ORIGINAL	20	14	70.0	3	2	66.7	30	11	36.7
		RETAKE	10	3	30.0	2	0	0.0	15	9	60.0
AKRON	60	ORIGINAL	19	13	68.4	1	0	0.0	32	9	28.1
		RETAKE	5	1	20.0	1	1	100.0	13	6	46.2

TROY	29	ORIGINAL	9	4	44.4	5	3	60.0	7	3	42.9
		RETAKE	5	3	60.0	5	2	40.0	4	1	25.0
TOLEDO	79	ORIGINAL	19	9	47.4	1	1	100.0	34	9	26.5
		RETAKE	6	3	50.0	0	0	0.0	29	11	37.9
CAMBRIDGE	25	ORIGINAL	6	4	66.7	0	0	0.0	11	5	45.5
		RETAKE	0	0	0.0	0	0	0.0	7	3	42.9
NASHVILLE (1100 KERMIT DRIVE)	1	ORIGINAL	0	0	0.0	0	0	0.0	1	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
ORLANDO (ROOM A)	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
EDINA (Room A)	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
SPRINGFIELD, ILLINOIS	1	ORIGINAL	0	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
RIVERSIDE - MISSION GROVE	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0

		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
TOTALS :	543	ORIGINAL	145	87		18	7		234	73	
		RETAKE	57	31		9	4		155	66	

OHIO CONSTRUCTION EXAMINATION

OH HVAC Contractor Exam

FROM: 03/01/13 - 03/01/15

			OH Contractor Business and Law Exam(PRE 07/01/2014)			OH HVAC Contractor Exam(PRE 04/25/2013)			BOTH		
SITE NAME	TESTED		Tested	Pass	Pass%	Tested	Pass	Pass%	Tested	Pass	Pass%
ASHEVILLE	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
BIRMINGHAM	6	ORIGINAL	1	0	0.0	1	1	100.0	1	1	100.0
		RETAKE	4	1	25.0	0	0	0.0	0	0	0.0
CRANBERRY TOWNSHIP	3	ORIGINAL	0	0	0.0	1	1	100.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
HARRISBURG	5	ORIGINAL	2	1	50.0	0	0	0.0	2	1	50.0
		RETAKE	1	1	100.0	0	0	0.0	1	1	100.0
PITTSBURGH	2	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
MYRTLE BEACH	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0

JACKSON, TN	2	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
MARQUETTE	1	ORIGINAL	0	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
TULSA	3	ORIGINAL	1	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	1	1	100.0	0	0	0.0	0	0	0.0
CHARLOTTESVILLE	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
ATLANTA (ROOM B)	1	ORIGINAL	1	1	100.0	1	1	100.0	0	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
COLUMBUS SOUTH	91	ORIGINAL	29	16	55.2	1	1	100.0	41	20	48.8
		RETAKE	17	10	58.8	0	0	0.0	20	11	55.0
CLEVELAND	101	ORIGINAL	26	13	50.0	3	2	66.7	40	20	50.0
		RETAKE	21	11	52.4	0	0	0.0	27	12	44.4
CINCINNATI	81	ORIGINAL	25	18	72.0	4	3	75.0	31	11	35.5
		RETAKE	6	4	66.7	1	1	100.0	19	10	52.6

AKRON	56	ORIGINAL	13	7	53.8	2	1	50.0	28	15	53.6
		RETAKE	10	5	50.0	1	1	100.0	8	4	50.0
TROY	50	ORIGINAL	15	6	40.0	1	0	0.0	29	21	72.4
		RETAKE	10	7	70.0	0	0	0.0	9	3	33.3
TOLEDO	32	ORIGINAL	12	6	50.0	1	1	100.0	16	10	62.5
		RETAKE	7	4	57.1	0	0	0.0	3	2	66.7
CAMBRIDGE	23	ORIGINAL	9	4	44.4	2	1	50.0	9	7	77.8
		RETAKE	7	2	28.6	2	0	0.0	2	2	100.0
NASHVILLE (1100 KERMIT DRIVE)	6	ORIGINAL	1	1	100.0	0	0	0.0	2	2	100.0
		RETAKE	0	0	0.0	0	0	0.0	2	1	50.0
TAMPA (ROOM A)	1	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
JACKSONVILLE (ROOM A)	1	ORIGINAL	0	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
NORTH OREM (PROVO)	1	ORIGINAL	0	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0

SECAUCUS	3	ORIGINAL	0	0	0.0	0	0	0.0	0	0	0.0
		RETAKE	2	1	50.0	0	0	0.0	1	1	100.0
TOTALS :	472	ORIGINAL	141	79		17	12		210	119	
		RETAKE	86	47		4	2		92	47	

OHIO CONSTRUCTION EXAMINATION

OH Hydronics Contractor Exam

FROM: 03/01/13 - 03/01/15

			OH Hydronics Contractor Exam(PRE 04/25/2013)			OH Contractor Business and Law Exam(PRE 07/01/2014)			BOTH		
SITE NAME	TESTED		Tested	Pass	Pass%	Tested	Pass	Pass%	Tested	Pass	Pass%
JACKSON, TN	1	ORIGINAL	0	0	0.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
COLUMBUS SOUTH	6	ORIGINAL	1	1	100.0	0	0	0.0	4	2	50.0
		RETAKE	0	0	0.0	0	0	0.0	1	1	100.0
CLEVELAND	7	ORIGINAL	0	0	0.0	1	1	100.0	5	4	80.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
CINCINNATI	5	ORIGINAL	0	0	0.0	1	0	0.0	3	1	33.3
		RETAKE	0	0	0.0	1	1	100.0	1	1	100.0
AKRON	9	ORIGINAL	0	0	0.0	1	0	0.0	4	2	50.0
		RETAKE	0	0	0.0	2	1	50.0	3	2	66.7
TROY	6	ORIGINAL	0	0	0.0	0	0	0.0	5	3	60.0
		RETAKE	0	0	0.0	0	0	0.0	1	1	100.0

TOLEDO	7	ORIGINAL	0	0	0.0	1	1	100.0	2	1	50.0
		RETAKE	0	0	0.0	4	1	25.0	1	1	100.0
CAMBRIDGE	1	ORIGINAL	0	0	0.0	1	1	100.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
TOTALS :	42	ORIGINAL	1	1		5	3		25	15	
		RETAKE	0	0		7	3		7	6	

OHIO CONSTRUCTION EXAMINATION

OH Plumbing Contractor Exam

FROM: 03/01/13 - 03/01/15

			OH Contractor Business and Law Exam(PRE 07/01/2014)			OH Plumbing Contractor Exam(PRE 04/25/2013)			BOTH		
SITE NAME	TESTED		Tested	Pass	Pass%	Tested	Pass	Pass%	Tested	Pass	Pass%
SOUTHFIELD - SUITE 359	2	ORIGINAL	0	0	0.0	0	0	0.0	0	0	0.0
		RETAKE	1	0	0.0	0	0	0.0	0	0	0.0
SOUTHFIELD - SUITE 361	4	ORIGINAL	1	0	0.0	0	0	0.0	2	1	50.0
		RETAKE	0	0	0.0	0	0	0.0	1	0	0.0
TIFTON	2	ORIGINAL	1	1	100.0	0	0	0.0	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
COLUMBUS SOUTH	68	ORIGINAL	23	5	21.7	3	1	33.3	27	10	37.0
		RETAKE	14	7	50.0	0	0	0.0	17	11	64.7
CLEVELAND	79	ORIGINAL	25	11	44.0	6	5	83.3	26	13	50.0
		RETAKE	14	10	71.4	2	1	50.0	19	10	52.6
CINCINNATI	40	ORIGINAL	14	7	50.0	2	2	100.0	17	6	35.3
		RETAKE	7	5	71.4	1	1	100.0	10	5	50.0

AKRON	36	ORIGINAL	12	8	66.7	1	0	0.0	18	8	44.4
		RETAKE	8	7	87.5	0	0	0.0	6	3	50.0
TROY	29	ORIGINAL	8	5	62.5	0	0	0.0	10	3	30.0
		RETAKE	7	4	57.1	1	0	0.0	9	8	88.9
TOLEDO	36	ORIGINAL	10	5	50.0	2	0	0.0	14	8	57.1
		RETAKE	9	2	22.2	1	1	100.0	6	3	50.0
CAMBRIDGE	16	ORIGINAL	4	2	50.0	1	1	100.0	6	2	33.3
		RETAKE	3	3	100.0	0	0	0.0	2	2	100.0
EDINA (Room A)	1	ORIGINAL	0	0	0.0	0	0	0.0	1	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
EDINA (Room B)	1	ORIGINAL	0	0	0.0	0	0	0.0	0	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	1	0	0.0
TOTALS :	314	ORIGINAL	98	44		15	9		122	52	
		RETAKE	63	38		5	3		71	42	

OHIO CONSTRUCTION EXAMINATION

OH Refrigeration Contractor Exam

FROM: 03/01/13 - 03/01/15

			OH Contractor Business and Law Exam(PRE 07/01/2014)			OH Refrigeration Contractor Exam			BOTH		
SITE NAME	TESTED		Tested	Pass	Pass%	Tested	Pass	Pass%	Tested	Pass	Pass%
COLUMBUS SOUTH	6	ORIGINAL	1	1	100.0	6	6	100.0	0	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
CLEVELAND	2	ORIGINAL	0	0	0.0	2	2	100.0	0	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
CINCINNATI	2	ORIGINAL	0	0	0.0	2	2	100.0	0	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
AKRON	5	ORIGINAL	2	2	100.0	5	4	80.0	2	1	50.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
TROY	6	ORIGINAL	3	2	66.7	6	5	83.3	1	1	100.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
TOLEDO	6	ORIGINAL	3	3	100.0	6	5	83.3	0	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0

CAMBRIDGE	1	ORIGINAL	0	0	0.0	1	1	100.0	0	0	0.0
		RETAKE	0	0	0.0	0	0	0.0	0	0	0.0
TOTALS :	28	ORIGINAL	9	8		28	25		3	2	
		RETAKE	0	0		0	0		0	0	