

Medix 2019 STS Pricing

Type II

Silverhawk

2019 Transit Gas	\$76,704.00
2019 Transit Diesel	\$79,213.00
2019 Chevy Savanna Gas	\$68,395.00

STS Pricing Includes the Following Upgrades for all Type I and Type III Units

- LED Warning Lights
- LED Tail/Back-up/Break Lights
- LED Domes Lights
- Chrome Flanges on all Lights
- Upgraded Floors
- Stainless Steel Fender Flares
- Stat Track

Type III

Metro Express BL90 – 144” x 90” x 68” HR

2019 Ford E-350 Cutaway 6.8L V-10 Gas	\$107,165.00
2019 Chevy G-3500 Cutaway 6.0L Vortec Gas	\$107,445.00

Metro Express RP-90 ES – 146” x 90” x 68” HR

2019 Ford E-350 Cutaway 6.8L V-10 Gas	\$111,128.00
2019 Chevy G-3500 Cutaway 6.0L Vortec Gas	\$111,471.00

Metro Express RP-90 MR – 146” x 90” x 68” HR

2019 Ford E-350 Cutaway 6.8L V-10 Gas	\$111,128.00
2019 Chevy G-3500 Cutaway 6.0L Vortec Gas	\$111,471.00

Metro Express 150 – 150” x 94” x 68” HR

2019 Ford E-350 Cutaway 6.8L V-10 Gas	\$119,406.00
2019 Chevy G-3500 Cutaway 6.0L Vortec Gas	\$119,295.00

Metro Express 153 – 153” x 94” x 70” HR

2019 Ford E-350 Cutaway 6.8L V-10 Gas	\$127,246.00
2019 Chevy G-3500 Cutaway 6.0L Vortec Gas	\$126,740.00

Metro Express 166 – 166” x 94 x 72” HR

2019 Ford E-450 Cutaway 6.8L V-10 Gas	\$133,492.00
2019 Chevy G-4500 Cutaway 6.0L Vortec Gas	\$131,941.00

MSV II – 170” x 96” x 72” HR

2019 Ford E-450 Cutaway 6.8L V-10 Gas	\$140,498.00
2019 Chevy G-4500 Cutaway 6.0L Vortec Gas	\$137,617.00

Type I

Metro Express RP-90ES – 144” x 94” x 68” HR without air ride

2019 F-350 SD 4x2 6.7L V-8 Gas	\$126,225.00
2019 F-350 SD 4x4 6.7L V-8 Gas	\$126,225.00
2019 F-350 SD 4x4 6.7L V-8 Diesel	\$136,846.00
2019 F-350 SD 4x2 6.7L V-8 Diesel	\$133,131.00

Chevy Chassis

2019 C-3500 Chevy 6.0 gas	\$126,412.00
2019 C-3500 Chevy 6.6 Diesel	\$128,704.00
2019 K-3500 Chevy 6.6 Diesel 4x4	\$131,531.00
2019 K-3500 Chevy 6.0 Gas 4x4	\$129,165.00

Metro Express 153 LTD - 153" x 94" x 70" HR

Ford Chassis

2019 F-350 SD 4x2 6.7L V-8 Diesel	\$141,131.00
2019 F-350 SD 4x4 6.7L V-8 Diesel	\$144,271.00
2019 F-350 SD 4x4 6.7L V-8 Diesel w/liquid spring	\$153,271.00
2019 F-450 SD 4x2 6.7L V-8 Diesel w/liquid spring	\$153,047.00
2019 F-450 SD 4x4 6.7L V-8 Diesel w/liquid spring	\$155,732.00

Chevy Chassis

2019 C-3500HD 4x2 6.6L Diesel	\$136,728.00
2010 K-3500HD 4x4 6.6L Diesel	\$139,555.00
2019 C-3500HD 4x2 6.6L Gas	\$134,437.00
2019 K-3500HD 4x4 6.6L Gas	\$137,189.00

Dodge Chassis

2019 RAM 3500 4x2 6.7L Diesel	\$141,088.00
2019 RAM 3500 4x4 6.7L Diesel W/LS	\$150,088.00
2019 RAM 3500 4x4 6.7L Diesel W/LS	\$153,572.00

Metro Express - 157" x 96" x 70" HR w/LS Susp

Ford Chassis

2019 F-450 SD 4x2 Diesel	\$157,841.00
2019 F-450 SD 4x4 Diesel	\$160,855.00
2019 F-450 SD 4x2 Gas	\$151,835.00
2019 F-450 SD 4x4 Gas	\$154,841.00

MSV II - 170" x 96" x 72" HR w/LS Susp

Ford Chassis

2019 F-450 SD 4x2 Diesel	\$163,832.00
2019 F-450 SD 4x4 Diesel	\$166,537.00
2019 F-450 SD 4x2 Gas	\$156,110.00
2019 F-450 SD 4x4 Gas	\$158,655.00
2019 F-550 SD 4x2 Diesel	\$164,796.00
2019 F-550 SD 4x4 Diesel	\$167,509.00
2019 F-550 SD 4x2 Gas	\$157,796.00
2019 F-550 SD 4x4 Gas	\$160,509.00

Dodge

2019 RAM 4500 4x2 6.7L60HV Diesel	\$161,032.00
2019 RAM 4500 4x4 6.7L60HV Diesel	\$164,428.00
2019 RAM 5500 4x2 6.7L60HV Diesel	\$164,128.00
2019 RAM 5500 4x4 6.7L60HV Diesel	\$167,523.00

OPTIONS LIST

Effective: 02/25/2019



01-	Flooring and Interior Colors	Cost/UM
100010	Lonseal- LonCoin (Raised Circles) Specify Color:	495.00
100015	Lonseal- LonDeck (Tic-Tac-Toe) Specify Color:	495.00
100020	Lonseal- LonPlate (Diamond Plate) Specify Color:	495.00
100025	Lonseal- LonPlate (Diamond Plate) Non-Standard Color Specify Color:	660.00
100030	Dri-Dek in Exterior Compartments- Black	352.00
99-1053-A	Dri-Dek: on Exterior Compartment Shelves- Black- Add to all exterior compartment shelves NOTE: A Line units Only: a. Compt#2 – One shelf b. Compartment #3 – One shelf	324.50
99-1053-B	Dri-Dek: on Exterior Compartment Shelves- Black- Add to all exterior compartment shelves NOTE: MSV-II Models Only: a. Compt#2 – One shelf b. Compartment #3 – One shelf c. Compartment #6 – Three small shelves	412.50
100040	Cabinet Laminate: Gloss Gray	610.00

02-	Body & Chassis
-----	----------------

200011	<p>Air Horns: Buell dual horns through front bumper, momentary switch PN:MX09102 on front console, standard compressor, tank, fittings- Ford Only. Make sure to order (1) 10" and (1) 12" airhorn. Note: Extend air inlet 3" away from compressor.</p> <p>Specify Location</p> <p>Horns:</p> <p>Compressor:</p>	1760.00
200015	<p>Air Horns: Buell dual horns through front bumper, momentary switch PN:MX09102 on front console, compressor, tank, fittings- Chevy Only. Make sure to order (1) 10" and (1) 12" airhorn. Note: Extend air inlet 3" away from compressor.</p> <p>Specify Location</p> <p>Horns:</p> <p>Compressor:</p>	1760.00
99-0449	<p>Air Horns: Buell Air Horns- (1) Additional Air Reservoir</p> <p>NOTE: Air Horn system must include the HD, Quick Recovery" compressor package. The supplemental resrevoir is not compatable with the standard compressor.</p>	248.00
99-1101	<p>Air Horns: Buell Air Horns, "Quick Recovery System P/N: 16122" ILOS compressor system.</p>	705.00
99-0390	<p>Bumper Pods: Cast Aluminum rear pods w/Medix Logo-ILOS ADP Pods - MSVII ONLY</p>	290.00
99-0334-C3	<p>Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-1576</p> <p>NOTE: For Type III Chevy RP-90ES/MR and ME-153</p>	220.00
99-0334-F3	<p>Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-4786</p> <p>NOTE: For Type III Ford RP-90ES/MR and ME-153</p>	220.00
99-0334-C1	<p>Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-4865</p> <p>NOTE: For Type I Chevy ME-153</p>	220.00

99-0334-F1	<p>Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-4865</p> <p>NOTE: For Type I Ford ME-153</p>	220.00
99-0928	<p>Compartment #2: Smooth Aluminum body, Open Storage, Double doors w/gas strut hold-opens and offset in upper RH corner for (1) interior drawer and dual recessed suction configuration. Compartment Tub P/N: 33-103595. Sealed access to paddle handles in door panel. Stainless steel sill protector. NOTE: Install right hand door gas strut hold-open at bottom of offset in tub, this will be attached lower on the door panel. NOTE: Ford Chassis MSV-II 170 Type I Only</p> <p>(DELETE Adjustable aluminum shelf w/DA finish)</p>	275.00
99-0838	<p>Compartment #2: Smooth Aluminum body, Open Storage, Double doors w/gas strut hold-opens and offset in upper RH corner for (2) interior drawers configuration. Compartment Tub P/N: 33-10-2894. (1) Adjustable aluminum shelf w/DA finish. Sealed access to paddle handles in door panel. Stainless steel sill protector. NOTE: Install right hand door gas strut hold-open at bottom of offset in tub, this will be attached lower on the door panel - reference unit 15-M089 if needed for picture. NOTE: Ford Chassis MSV-II 170 Only</p>	275.00
200040	<p>Compartment #3: Backboard Compartment, 24"W on RP-90 SS Rear, WITH interior Stair Chair storage. Install (2) straps in Compartment #3 and (2) straps in the stair chair pocket inside. Smooth aluminum body w/ADP interior door panel, gas strut door hold-open and (1) LED light in ceiling.</p>	825.00
200050	<p>Compartment #3- 24" Backboard Compartment: On RP-90 SS Rear, NO interior Stair Chair storage. (2) straps in Compartment #3. Smooth Aluminum body, ADP interior door panel. Gas Strut door hold-open, (1) LED light in ceiling.</p>	825.00
99-0752	<p>Compartment #3: Inside/Outside Access to Compartment #3 to have sliding Lexan doors ILOS 1/2" hinged Acrylic</p>	165.00
99-1039	<p>Compartment #3: Optional _ height on 153 Body, Smooth Aluminum with Outside access only and (1) full width adjustable shelf. Door w/gas strut hold-open. Will have offset at top inboard wall for shallow, interior cabinets (cabinets will be approx. 6" deep inside depth). Offset at top will reduce compartment depth to approximately 12" deep and the lower edge of the offset will be at the approximate</p>	825.00

	<p>height of the interior countertop area. See special tub print: 41-103902, See shelf print: 33-103904.</p>	
99-1103	<p>Compartment #3 SS Rear: 1/2 Height, Smooth Aluminum body, No adjustable shelf. Will have OUTSIDE ACCESS only. Door w/gas strut hold-open. Sealed access to paddle handle in door panel. Stainless steel sill protector. Will have a 7" Drop Floor for Stair Chair w/seat belt strap mounted to back wall and rear wall. NOTE: drop pan to be approximately 10"W x 30"L and installed aft of the shackle cover and as close to the right rear corner as physically possible. Drop Pan to be a part of and welded in bottom of compartment tub (P/N: 33-104025) before lining compartment. NOTE: Must choose interior cabinet configuration.</p>	275.00
99-0852	<p>Compartment #3: 3/4 Height, Smooth Aluminum body. (DELETED Inside/Outside access). Door w/gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for 22"W rear A/A shelf AND Offset at top inboard wall for shallow, interior cabinets. Both offsets to be same height. See special tub print: 33-103439. (DELETE STANDARD adjustable shelf w/DA finish)</p>	275.00
99-0713-TI	<p>Compartment #3: SS Rear Type I: 3/4 Height, Smooth Aluminum body, DELETE STANDARD Inside/Outside access, (1)- adjustable shelf w/DA finish (NOTE: this shelf will be narrow width to fit between the offset walls in the tub). Door w/gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for full length rear A/A shelf. See special tub print: #33-103011</p>	165.00
99-0713-TIII	<p>Compartment #3: SS Rear Type III, 3/4 Height, Smooth Aluminum body w/Inside/Outside access, (1)- adjustable shelf w/DA finish (NOTE: this shelf will be narrow width to fit between the offset walls in the tub). Door w/gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for full length rear A/A shelf. See special tub print: #33-10-2439</p>	165.00

99-0938	Divider: 50" High in Compartment #1, Mounted to the Left side of the O/2 Tank. This Divider will have Hinge on the rear wall to Allow it to swing the front towards the cab. Install a latch on the Divider bottom. Making Room when Changing the Tank. See print: #33-103854, Latch is Austin P/N: AH 2695 SS. MSV-II Models Only	275.00
99-1104	Dividers: Backboard Compartment, lined with light gray rubberized urethane material- coating on both dividers ILOS smooth aluminum finish.	85.00
200070	Compartment #3: On 153 Body, 3/4 Height, SS Rear, with Inside/Outside Access w/ (1) adjustable shelf	825.00
200080	Compartment #3: On 153 Body, 3/4 Height, SS Rear, with NO Inside/Outside Access, No shelf	825.00
99-0075	Compartment #3: 7-inch drop pan, seat belt retainer strap across mid-point of inboard wall anchored with footman loops in back corner of each side wall.	192.50
200090	Compartment #6: Spare tire aft of curbside wheel well on RP90ES w/seat belt strap. Smooth Aluminum with rubberized urethane coating, drop floor for tire w/removable cover plate and (1) LED light in ceiling. NOTE: (no drop floor on Type I Chevy due to larger tire)	1410.00
99-2127	Compartment #7: Smooth Aluminum body, Open Storage, Single access door w/2" strpa hold-open. No shelf. Sealed access to paddle handles in door panel. Stainless steel sill protector and (1) LED light in ceiling. Installed between CS rear wheelwell and compartment #6 IATS. Compartment to be 23"W x 24.25"H x 18"D. NOTE: ME-153 Models Only.	880.00
99-2126	Compartment #7: Smooth Aluminum body, Open Storage, Single access door w/2" strpa hold-open. No shelf. Sealed access to paddle handles in door panel. Stainless steel sill protector and (1) LED light in ceiling. Installed between CS rear wheelwell and compartment #6 IATS. Compartment to be 17.5"W x 28.5"H x 18"D. NOTE: ME-166 Type III Only.	990.00
99-2125	Compartment #7: Smooth Aluminum body, Open Storage, Single access door w/2" strpa hold-open. No shelf. Sealed access to paddle handles in door panel. Stainless steel sill protector and (1) LED light in ceiling. Installed between CS rear wheelwell and compartment #6 IATS. Compartment to be 15.5"W x 28.5"H x 16.5"D. NOTE: MSV-II 170 Type III and	1,183.00

	MSV-II 157 Type I Only.	
99-0740-C	Crawl Through: Chevy Type I crawl-through configuration between cab and module ILOS pass-through.	3,025.00
99-0740-F	Crawl Through: Ford Type I crawl-through configuration between cab and module ILOS pass-through.	3,025.00
99-0389	Divider: Compartment #1, smooth aluminum vertical divider w/DA finish (PN: 33-10-2938) fixed to rear wall.	214.50
200110	Fender Flares: Black rubber, ILOS stainless steel on MSV II 170 only.	N/C
200130	Fender Flares: Roll formed stainless steel, ILOS rubber.	305.00
200150	Grab Handle: Exterior, Mounted on curbside wall aft of entry door	110.00
99-1476	Grille Guard: Buckstop "Outback", Black Semi finish, NO winch option, NO openings for lights, WITH opening pre cut to receive Whelen SA315 on bail bracket. Have mounting tabs installed inside to accept bracket. F450/550 Only.	4,125.00
99-2042	Grille Guard: Buckstop "Outback", Black Semi finish, NO winch option, NO openings for lights, WITH opening pre cut to receive Whelen SA315 outboard and dual Buell air horns on inboard side of bail bracket. Will have mounting tabs installed inside to accept SA315 mounting bracket.	4,125.00
99-1573	Grille Guard: Ranch Hand Legend GGF171BL1, NO winch or camera cut-out option. Ford F-350/450 Models Only.	1,490.00
99-0361	Grille Guard: Chrome- Big Tex #77754 Installed on C/K 3500	1,490.00
99-1175	Grille Guard: Chrome- GoRhino #3155MB Installed on G 3500	2,068.00
99-1177	Grille Guard: Chrome- GoRhino #3371MB Installed on F-350/450	2,095.00
99-1176	Grille Guard: Chrome- GoRhino with Step #3173MC Installed on C/K 3500	2,123.00

200160	IV Hanger: Cast Products PN:2008, flush mount, fold down, rubber, IATS Specify Location(s):	72.00
99-0117	IV Clip: Perko wall mount fender clip Location: Must provide mounting location	17.00
99-0139	Jumper Cable System: Cables routed through front grille with connector secured on top of bumper. Use Vanner connectors on both ends of Ship Loose cable.	220.00
99-1294	Lights: Courtesy, (2) TecNiq EON E03-W000-1 LED lights mounted on vertical surface of running board on each side of the chassis wired to OEM dome lights.	120.00
99-0283	Lights: Courtesy, (2) Whelen 2" T0CACCCR w/TGROM2 rubber grommet, mounted on the front wall of the module above the running boards on each side of the chassis	165.00
99-1121	Lights: Courtesy, (2) Whelen 3" 3SCOCD CR w/3GROMMET rubber grommet, mounted on the front wall of the module above the running boards on each side of the chassis.	200.00
99-0423	Lights: Compartment, TecNiq Flexible LEDs: 9", 27", 36" 45", 54", ILOS compartment lights. Locate: Compartment #1- (1) 45" E44-W010V-1 Locate: Compartment #2- (2) 27" E44-W06V-1 Locate: Compartment #3- (2) 45" E44-W010V-1 Locate: Compartment #4- (1) 36" E44-W08V-1 Locate: Compartment #6- (2) 54" E44-W012V-1 Locate: Compartment #7- (1) 9" E44-W02V-1 (if ordered)	340.00
99-1052	Mirrors: Velvac 2020XG for 2015 E-350/450, Kit #715905, motorized, heated deluxe head w/bottom convex, No Turn Signals or lighting on arms, Black	830.00
99-1004	Mirrors: Velvac 2020XG for E-350/450, Kit #716346, motorized, heated deluxe head w/bottom convex, with lighted arms, Black	803.00
99-1184	Mirrors: Velvac 2020XG for E-350/450, Kit #716343, motorized, heated deluxe head w/bottom convex, with	1,018.00

	lighted turn arrow in mirror, Black	
200190-E3	On-Spot Tire Chains: PN: 15-15-5001 for Ford E350 with 044421 mounting brackets. Specify Mounting Location for Air Compressor:	3988.00
200190-E4	On-Spot Tire Chains: PN: 15-15-5001 for Ford E450 with 044380-D OEM mounting brackets. Specify Mounting Location for Air Compressor:	3988.00
200190-F4	On-Spot Tire Chains: PN: 15-15-5002 for all Ford F-450 4x4 with 05-RD120 mounting brackets. Specify Mounting Location for Air Compressor:	3575.00
200180-G	On-Spot Tire Chains: PN: 15-15-5000 for GM G-Series. Specify Mounting Location for Air Compressor:	3850.00
200185-SV	Tire Chains: On-Spot Chain System PN: 046427 w/9942-CTS chain tray and mounting bracket PN:04-SP4b and compressor PN: 9803 for Sprinter Type III Chassis with VBNA-MBS-50-05CC suspension kit installed. Specify Mounting Location for Air Compressor:	3575.00
200185-S	On-Spot Tire Chains: PN: 15-15-5001 for MB Sprinter with 04-SP3A mounting brackets. Specify Mounting Location for Air Compressor:	3575.00
200200A	Power Door Locks: All Entry and Compartment Doors, wired to OEM door lock system.	968.00
200200C	Power Door Locks: Chevy Type I, All Entry and Compartment Doors, THIS WILL ONLY UNLOCK THE MODULE LOCKS, NOT CAB DOORS. (Does not include additional lock switches inside module) NOTE: See option 99-0404 in electrical for adding on lock switches at the entry doors	968.00
200200MSV	Power Door Locks: All Entry and Compartment Doors, wired to OEM door lock system. Includes (1) switch by Curbside Entry Door interior in standard 4-position switch panel and (1) at Rear Curbside Wall - MSV II ONLY	968.00
200210	Power Door Locks: (2) Entry Doors Only, wired to OEM system. (Does not include additional lock switches inside	275.00

	module)	
200215	Power Door Locks: (1) Compartment Door Only, wired to OEM system. (Does not include additional lock switches inside module)	193.00
200210A	Power Door Locks: Specify Entry Doors Only, wired to OEM system. Includes (1) switch by Curbside Entry Door interior in standard 4-position switch panel and (1) at Rear Curbside Wall - MSVII ONLY Specify Location of Switch:	303.00
200220	Power Door Locks: Keypad Entry - Essex p/n: KE-1701BH Requires selection of Power Door option. Specify Location of Keypad:	358.00
99-0701	Power Door Locks: Key Pad, programmable for power door locks, Ford ONLY PN: ES7Z-14A626-A	209.00
99-0678E	Power Door Locks: Stealth Switch, Power Door Lock System, Push Button Switch (Grille brackets: Ford 33-102402, no bracket required on F-series) LOCATION:	72.00
99-0678G	Power Door Locks: Stealth Switch, Power Door Lock System, Push Button Switch (Grille brackets: Chevy G-Series 33-102397) LOCATION:	72.00
99-0678C	Power Door Locks: Stealth Switch, Chevy Type I Only, Power Door Lock System, Push Button Switch (Grille brackets: no bracket required on Chevy Cab/Chassis) NOTE: THIS WILL ONLY UNLOCK THE MODULE LOCKS, NOT CAB DOORS LOCATION:	72.00
99-0678D	Power Door Locks: Stealth Switch, Power Door Lock System, Push Button Switch (Grille brackets: FOR DODGE CHASSIS - Bracket #34-104912 LOCATION: FRONT GRILLE AREA	72.00

99-0804	Power Door Locks: Switch, Unlock/Lock rocker switch - located in front switch panel to unlock and lock the mod doors from inside the cab - p/n: MX09145 NOTE: For Chevy Type I	83.00
99-0404	Switching: Momentary Disable for Scene/Load Lights and Power Doors Locks. Locate: (1) horizontal, 2-position Positron panel (MX01538) on Curbside Wall at head of bench and (1) stacked, 2-position Positron switch panel (MX01520) on wall at curbside rear entry door in standardized position.	204.00
99-0754	Switching: Power Door Locks Only, (2) door lock switches, MX09145: (1) located in a horizontal 2-switch Positron panel, MX01538, in standardized position on Curbside Wall above head of bench; (1) located in single-position Positron switch panel, MX01511, on wall at curbside rear entry door in standardized position.	176.00
200060	Back-Up System: Reverse Alert, w/2 sensors. Locate (1) sensor each side, right above dock bumpers. Locate Speaker hidden above driver's head tucked behind trim panel.	425.00
200260	Running Boards: Aluminum Diamond Plate, Type II GM	665.00
200277	Running Boards: "Starburst" Grip Punched, Chevy/GMC, Ford, Sprinter Type III	55.00
99-0539	Running Boards: Sprinter Chassis/Cab, Owens. PNs: OC8434X-01 w/10-1035 Brackets	528.00
200280	Shelf: Adjustable, Aluminum Diamond Plate, Exterior Compartment Specify Location:	150.00
200280a	Shelf: Adjustable, Smooth Aluminum w/DA finish, Exterior Compartment - MSVII ONLY Specify Location:	150.00
99-0250	Shelf: Adjustable, Smooth Aluminum w/lip, DA finish, Adjustable for Backboard Divider - MSVII ONLY Specify Location:	132.00

99-0250- #1	Shelf: Adjustable, Smooth Aluminum w/lip, DA finish, Adjustable for Backboard Divider - MSVII ONLY, See Print: 33-10-104043 Specify Location: compartment #1 - LEFT side of the divider	132.00
99-0839	Shelf: Additional, adjustable smooth aluminum PN 33-103012 .125" w/DA finish, exterior compartment #3 w/offset for interior monitor storage shelf. Shelf is to mount in upper section of compartment for I/O access storage. NOTE: MSV-II Models Only	138.00
99-0551	Shelf: Aluminum PN 33-101766, adjustable .125" smooth w/DA finish, w/6" outboard lip, 1" inboard lip for 3/4-Height Compartment w/IS-OS Access. NOTE: MSV-II models only	149.00
99-0609	Shelf: Aluminum PN 33-102104, fixed smooth aluminum w/lips for MSV II Compartment #1	149.00
99-0007ADP	Splash Guard: ADP, below fuel fill (Fuel Fill Only) NOTE: Not for use on Diesel Chassis	83.00
99-0007SS	Splash Guard: Stainless Steel Plate, installed below fuel fill and DEF fill NOTE: Must use Stainless Steel on Diesel Chassis	143.00
99-0090	Stair Chair Carrier: ADP- Compartment #3 Interior Door Panel w/strap	193.00
99-0886	Stair Chair: Rubberized urethane coated smooth aluminum stair chair carrier, attach to the door liner on compartment #3 interior door panel w/seat belt strap to secure stair chair. PN: 33-10-3144	193.00
99-0791	Stone Guards: ADP, 30" High corner guard and 30"-High front wall guard installed from the corner guard and extending behind OEM cab. NOTE: Type I Only, ILOS.	165.00
99-0175	Stone Guards: ADP, Shaped to cab contour, installed between the corner ADP stone guards and the lower front of the body. NOTE: Standard on MSV-II	83.00

99-1776-GA	<p>Tow Eyes: Frame-Mounted Through Rear Kick Plate, Chevy 94"W Cutaway. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-102008-C per chassis.</p> <p>NOTE: Chevy G3500/4500 ME-153 and ME-166 Models Only.</p>	423.00
99-1776-GM	<p>Tow Eyes: Frame-Mounted Through Rear Kick Plate, Chevy 96"W Type III Cutaway. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-101759-C per chassis.</p> <p>NOTE: Chevy G4500 MSV-II 170 Only.</p>	423.00
99-1776-C1	<p>Tow Eyes: Frame-Mounted Through Rear Kick Plate, Chevy 94"W Type I Cab/Chassis. PNs: K2032, BC0013, 30-102286</p> <p>NOTE: This requires a different rear kick panel PN: 33-102709</p> <p>NOTE: Chevy C/K-3500 ME-153 Model Only.</p>	423.00
99-1776-EM	<p>Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford E-450 96"W Cutaway. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-10-2334 per chassis.</p> <p>NOTE: Ford E-450 MSV-II 170 Model Only.</p>	423.00
99-1776-FA	<p>Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford F-350/450/550 94"W Type I Cab/Chassis. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-10-2709 prints per chassis.</p> <p>NOTE Ford F350/450/550 ME-153 Model Only.</p>	423.00
99-1776-FM	<p>Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford F-450 96"W Type I Cab/Chassis. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-10-3085 prints per chassis.</p> <p>NOTE Ford F450/550 MSV-II 157/170 Models Only.</p>	423.00
99-0545	<p>Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford E-350/450 94"W Type III Cutaway. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-10-4618 prints per chassis.</p> <p>NOTE Ford E350/450 ME-153/ME-166 Models Only.</p>	423.00
200300	Undercoating: Per OEM Guidelines (Van Only)	138.00
200320	<p>Window: Sliding window in entry door ILOS Fixed</p> <p>Specify Location(s):</p>	72.00

99-0864	Windows: Privacy Tint, Dark vinyl applied to streetside sliding entry door and two rear entry doors, Transit Only	275.00
99-1098	Windows: Privacy tint, dark vinyl applied to all three entry module entry door windows. NOTE: Module application only.	303.00
99-0890	Window: Type I pass-through, sliding Lexan window with extruded handle mounted to HDPE backer with track material.	275.00
03-	Brake- Turn- Back Up Lights	
99-1489	Lights: DOT Marker (14) TecNiq LED chrome trim rings IATS rubber grommets, p/n: S33-0S00-1	22.00
300050	Lights: Turn Arrows, (2) Whelen 700 Series Amber LED with chrome flange on front wall below outboard emergency flasher. PN: 70A00TAR IATS	275.00
99-0909	Lights: Turn Signal, Whelen M6TC Amber LED w/clear lens and chrome flange mounted on front wall below outboard warning lights.	300.00
300060	Lights: Turn Arrows, (2) Whelen 600 Series Amber LED PN: 60A00TCR, with chrome flange, mounted on front wall. IATS Location: Must Specify Exact Location	300.00
300100	Lights: DOT, Brake and Turn, Interior, LED, Under rear overhead cabinet, Two (2) amber wired to turn signals; One (1) red wired to brake circuit	55.00
04-	Electrical, Power Distribution, Control Center & Interior Lighting	
99-0076	12VDC: 12 gauge power & ground, IATS Specify Location(s):	50.00
400020	12 VDC Receptacle: Cigar style, IATS Specify Location(s):	40.00
400100	125 VAC: Duplex Outlet, IATS	82.00

	Specify Location(s):	
99-0707	Alarm: Door Open, audible BUZZER to alert driver when any compartment or module entry door is open and the chassis is placed in drive. Alarm is deactivated when the unit is in park/neutral.	55.00
99-1027	Alarm: Emergency parking, this audible alarm will sound only when the vehicle is in park with ignition on and when the parking brake is not set.	138.00
400007	Anti-Theft Device: Sound-Off (Ford, Chevy Only) Ignition security system, locate activation button to the right side of the steering wheel column.	165.00
400010	Antenna: Radio coax w/12VDC Power/Ground IATS Specify Location(s):	39.00
99-0747	Antenna: 25' Coax with 3/8" through-hole antenna bases prewired to roof ILOS Std. coaxial cables (2); NOTE: Radio installation tech will have to drill hole and complete mount.	110.00
99-0343	Back-Up System: Reverse Alert VRS6 w/4 Sensors mounted on rear bumper.	475.00
99-0766A	Battery: Additional, (1) OEM, 750 C.C.A. w/single roll-out tray on Type I, IATS batteries under the hood. Battery to be located below ALS in sealed storage area.	665.00
99-0766B	Battery: (2) Additional, OEM, 750 C.C.A. w/dual roll-out tray on Type I, IATS batteries under the hood. Batteries to be located below ALS in sealed storage area.	918.00
99-0142	Battery: Additional, (1) OEM, 650 C.C.A. w/Dual Roll-out Tray and Emergency Start Switch Locate: In dual battery tray in sealed compartment below ALS. The standard battery under the hood is to be isolated as "Chassis Only" battery. The (2) batteries in the roll-out tray are to be "Conversion Only". There will be a switch in front console labeled "Emerg Start" PN:MX09128. Requires 200-amp continuous duty solenoid and isolator, Power Engineering PST-SBI-3112.	475.00
99-0139	Battery: Jumper cable system terminated in lower portion of front OEM grille Locate: Cables through front grille with connector on top	220.00

	of bumper. Use Vanner connectors on both ends of Ship Loose cable.	
400150	Battery Charger: DELETE STANDARD (when adding Inverter with integral charger)	N/C
99-0764	(1) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount Camera/White, VOM73MM - 7" Rear View Mirror Color Monitor w/brightness, contrast and volume adjustment controls, CEC34 - 32ft. Cable e Locate: (1) Camera mounted off lower RH corner of center rear Amber light; Monitor mounted on cab windshield rear view mirror.	550.00
99-0765	(2) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount Camera/White, (1) VCMS155 Camera w/Manual tilt bracket, VOM73MM - 7" Rear View Mirror Color Monitor w/brightness, contrast and volume adjustment controls, (2) CEC34 - 32ft. Cables. Locate: (1) Camera mounted off lower RH corner of center rear Amber light, (1) Camera mounted on upper bulkhead wall and Monitor mounted on cab windshield rear view mirror.	660.00
99-0774-1	(1) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount, non-adjustable, Camera/White, AOM713 - 7" Rear View, pedestal mount color monitor w/brightness, contrast and volume adjustment controls, 9" pedestal mount 77-09SF, CEC34 - 32ft. Cable Locate: Camera mounted off lower RH corner of center rear Amber light; Monitor mounted on passenger side of front console.	616.00
99-0774-2	2) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount, non-adjustable, Camera/White, (1) VCMS155 Camera w/Manual tilt bracket, VOM73MM3 - 7" Rear View, pedestal mount color monitor w/brightness, contrast and volume adjustment controls, 9" pedestal mount 77-09SF, (2) CEC34 - 32ft. Cables Locate: Camera mounted off lower RH corner of center rear Amber light; Monitor mounted on cab windshield rear view mirror.	825.00

99-0452	Clock: Digital, Intellitec Emergency Timer Specify Location:	468.00
99-0443	Clock: Analog, TrinTec 6" Analog Emergency Vehicle Clock w/Medix Logo and Power Supply Platform, EMC-M Specify Location:	77.00
400250	Electric Step: Kwikkee 26 series - Curbside Entry Door Note: Rubber Mud Flap to be installed forward of the step to protect electrical connections and folding mechanism.	578.00
99-0093	Electric Step: Zico VS-24-9 retractable vehicle step mounted below curbside entry door. Includes (1) override switch mounted on wall at curbside entry door.	2,514.00
99-0738	Switching: Override, Kwikkee Single On/Off switch labeled "Step Override" PN: MX09182 on Positron Panel PN: MX01511, mounted on CS wall at head of Squad Bench	88.00
400130	Heater: Electric, 125 VAC- Wired to shoreline, installed in special Tech seat base. Note: 750 Watt installation requires a 20amp shoreline and 1500 Watt installation requires selecting a 30-amp shoreline ILOS; separate options.	374.00
99-0917	Heater: 125VAC Broan heater, mounted on aisle side of the squad bench face at the head of the bench. Note: 750 Watt installation requires a 20amp shoreline and 1500 Watt installation requires selecting a 30-amp shoreline ILOS; separate options.	215.00
400110	Hour Meter: Analog, Engine Specify Location:	94.00
400115	Hour Meter: Digital, Engine Specify Location:	55.00
99-0215	IV Warmer: Smithworks, 4L Model mounted in cabinet Location: Must provide mounting location	819.00

400160	Inverter: Vanner 20-1050CUL- 1000watt w/battery charger and built in GFI. Remote controlled w/switch in rear panel. (This option deletes the GFI in the A/A wall). ILOS NOTE: OPTION 99-1955 IS REQUIRED WHEN ANY INVERTER IS MOUNTED IN ANYBULKHEAD or INTERIOR INCLOSED CABINET. Location: Must specify location.	1320.00
99-1955	Fan: Ventillation. (1) Mechantronics Fan Axial 120x25MM 12VDC fan PN: E1225E12AB-FSR mounted on cabinet door or side wall when any inverter is mounted in an interior, enclosed cabinet.	55.00
99-0893	Inverter Cover: MSVII -Rubberized urethane coated smooth aluminum cover to be installed over inverter for protection in compartment #2. See print: #33-102999 - Make sure to test fit before installing components! Inverter should be installed turned sideways.	83.00
99-0599	Lights: (1) Cabinet, TecNiq Oval Dragon, Blue, D14-B0001-1 w/SS case, 36" wire w/switch labeled "Cabinet Lights" PN:MX09188 in rear switch panel Location: Must Specify cabinet location(s)	50.00
99-0522	Lights: Dome, Whelen LED, 18-diodes w/chrome flange MX80EHZA , switched separately with Hi/Lo functions- ILOS	66.00
99-0525	Lights: Dome, Whelen 9-diode, 80CBEHCR, (6) White, (3) Blue LEDs w/chrome flange- ILOS. Modify switching for Center lights; (6) White on Hi-side, (3) Blue on Lo-side. Switch labeled "White" at top; "Blue" at bottom.	138.00
99-0710	Lights: Dome, Aurora 4" dimmable red/white LED, installed on cab headliner, wired ignition hot.	187.00
400170	Lights: Gooseneck Map light Specify Location:	61.00
99-0277	Lights: Warning, Door Open, (Qty. 3 for all entry doors): Whelen 2" T0A00FAR 5mm LED Amber w/TGROM2 rubber grommet Locate: (1) on each lower outboard corner of open rear doors; (1) on lower outboard corner of open Curbside Entry door. All three located above the kickplates. Light to flash	341.00

	when door is open.	
99-1558	Lights: Spotlight, 300,000 CP handheld, hard wired, w/momentary On/Off switch, located in cab.	72.00
99-0813	Radio Equipment: Includes installation of (1) set of customer supplied radio cables. (NOTE: All cables must be delivered to Medix prior to production start date.) Location: Must supply configuration and termination location.	110.00
99-0816	Radio Speakers: Patient compartment w/Fader control. Located in ceiling, rear of dome lights (see print). Fader control located to the right of the standard outlets in the action area. NOTE: Use special speakers for ceiling (Jensen 5" Model # 1102094W dual cone, entry level speaker. Add aluminum backer plates to roof: (2) 9 3/4" x 1/8" x 4" and (2) 10 1/2" x 1/8" x 4". NOTE: MSV-II 170 Only	204.00
400190	Speakers: Patient Compartment Radio w/Fader control on A.A. panel; Speakers in Rear Overhead Cabinet	193.00
99-0404	Switch: Momentary Disable for Scene/Load Lights and Power Doors Locks. Locate: (1) horizontal, 2-position Positron panel (MX01538) on Curbside Wall at head of bench and (1) stacked, 2-position Positron switch panel (MX01520) on wall at curbside rear entry door in standardized position.	204.00
99-0754	Switching: Power Door Locks Only, (2) door lock switches, MX09145: (1) located in a horizontal 2-switch Positron panel, MX01538, in standardized position on Curbside Wall above head of bench; (1) located in single-position Positron switch panel, MX01511, on wall at curbside rear entry door in standardized position.	176.00
99-0804	Switching: Unlock/Lock rocker switch - located in front switch panel to unlock and lock the mod doors from inside the cab - p/n: MX09145. NOTE: Chevy Type I Models	83.00
99-0550	Switch: Momentary, 15-Minute Timer for Dome Lights. Located in Positron switch panel in standardized position on Curbside Wall. (PNs:MX09150 switch, MX09151 Timer,	97.00

	MX01507 for MSVII only; single switch panel MX01511 for the other models).	
400200	Refrigerator: NorCold NR740BB 12VDC/125VAC w/power cord 635591- Located in ALS Cabinet. Includes cabinet modification, wiring and venting	990.00
400210	Sequencer/Load Manager: Kussmaul #091-32	402.00
400220	Shoreline: 125 VAC, 30-Amp, 60 Hz, Twist-lock inlet w/hinged, weatherproof cover- ILOS	227.00
99-0621	Shoreline: 125VAC Kussmaul 15amp, Kussmaul SUPER Auto Eject P/N: 091-55-15-120 side wired w/hinged, yellow, weatherproof cover, located above Compartment #2 on Streetside. Mount on a Kussmaul Stainless Steel E-Z mounting plate P/N: 091-185-009 w/indicator light for ease of access. Mating connector to be shipped loose. ILOS	495.00
99-0617	Shoreline: 125 VAC, 20-Amp, Kussmaul SUPER Auto Eject P/N: 091-55-20-120 side wired w/hinged, yellow, weatherproof cover, Located above Compartment #2 on Streetside. Will have to be mounted on a Kussmaul Stainless Steel E-Z mounting plate P/N: 091-185-009 w/indicator light for ease of access. Mating Connector to be shipped loose. ILOS	495.00
99-0735	Shoreline: 125VAC, 20-Amp, Kussmaul SUPER Auto Eject P/N: 091-55-20-120 side wired w/hinged, yellow, weatherproof cover, located above Compartment #2 on Streetside. Will have to be mounted on a Kussmaul Stainless Steel E-Z mounting plate P/N: 091-185-009 w/indicator light for ease of access. Mating connector to be shipped loose. IATS	590.00
99-0169	Shoreline: 125VAC, 20-Amp, 60 Hz, straight blade w/hinged, weatherproof cover, IATS: LOCATION: Must Specify	165.00
99-1084	Shoreline: 125 VAC, 30-Amp, Kussmaul SUPER Auto Eject IATS. Kussmaul P/N: 091-159-30-120-081 wired w/hinged, yellow/weatherproof cover, located above Compartment #2 on streetside. Will have to be mounted on the Kussmaul stainless steel E-Z mounting plate PN: 091-159-081-120 w/indicator light for access. Kussmaul P/N: 091-159-CON-3P-120 mating female connector to be shipped loose. IATS	963.00

	NOTE: Must specify function.	
99-0014	Shoreline: Indicator Light, Red LED Location: Mounted above shoreline inlet on side of module	50.00
99-0215	IV Warmer: Smithworks, 4L Model 12VDC Location: Must be provided by customer	819.00
99-1024	Switching: (2) Momentary Switches PN:MX09150 for 3-Way switching of center Dome Lights on MSV-II, (1) located in driver's console and (1) in the standard center dome light position on rear switch panel both wired through an Intermotive control module PN: PRN405-AX.	523.00
99-0356	Temperature Control Cabinet: Dometic CD-030DC-D65A Drawer, Black. Includes cabinet modification, wiring and venting. Non-Locking Drawer - Order with compressor unit on side and stainless steel cover panel with louvers PN: 33-103788 for RP-90, 153 & 166 models; order #33-102466 for MSVII models only. Order louvered vent cover for the ALS outboard wall for venting, see print #33-104716. Specify Location:	963.00
99-0337	Temperature Control Cabinet: Medi-Kool MK-15, 1.5 cu.ft. w/back mount compressor, wiring, ALS cabinet modification and venting to support proper air flow to the cooling unit.	3,256.00
99-0453	Temperature Control Cabinet: Medi-Kool MK-Saline w/side-mounted compressor, wiring, ALS cabinet modification and venting to support proper air flow to the cooling unit.	3,256.00
99-0897	Temperature Control Cabinet: Dual Temp Horizontal, Mermaid MK DT/H - Micro Depth w/back mount compressor. Install per manufacturer's instructions regarding power supply (two individually fused power sources), fan and ventilation! (See option in cabinet section for cabinet modification charge). NOTE: Make sure cabinet build prints have the ventilation on back wall and outboard side wall of ALS cabinet.	4,076.00

99-0994	<p>Timer: Intermatic FD30MHW 30 minute spring wound rotary style timer w/"HOLD" feature.</p> <p>Location: On CS wall by entry door.</p>	83.00
99-0742	<p>USB Port: Vanner VSS-USB Flush Mount (2) port USB Receptacle.. IATS</p> <p>LOCATION: Must Specify</p>	83.00
99-0988	<p>USB Port: Kussmaul 091-219-N dual USB port mounted in switch panel. Fits into standard switch slot. IATS</p> <p>LOCATION: Must Specify</p>	83.00
05-	Warning Lights & Sirens	
500010	Fog Lights: Perlux, Amber lenses, mounted on front bumper, switch on front console.	275.00
500020	Fog Lights: Perlux, Clear lenses, mounted on front bumper, switch on front console.	275.00
99-1359	<p>Lights: Warning, Whelen M-Series LED EMERGENCY Lighting Package ILOS Whelen LED warning Package- Ford, Chevy Type I and Type III - RP90, ME153 & ME166 - Models ONLY.</p> <p>NOTE: Does not include LED Scene or Load Lights.</p> <p>All LED lights shall have CLEAR Lenses. All emergency and scene lighting shall have chrome flanges in standard locations.</p> <p>Front of Body: Add (7) M9 Whelen LEDs- Specify pattern by LED Color (Red or White): Configured R/W/R/W/R/W/R OR R/R/R/W/R/R/R (Must provide configuration). (4) M9 Red LEDs & (3) M9 White, (2) outer corners and (1) center light flash on K-Spec flasher. Inner (4) flash independently on Light Bar switch on front console.</p> <p>Sides of Body: (4) M9 Red LEDs: (2) each side in upper corners</p> <p>Rear of Body: (4) Whelen M-Series Red LEDs: (2) in upper outboard corners, (2) Mid-Body wired as Warning/Brake at</p>	2,550.00

	<p>the window level, (1) Whelen M-Series Amber LED in the center position over the rear doors.</p> <p>Brake, Turn & Back-Up Lights: M6 LEDs</p> <p>Lights, Warning, Intersection Lights: (2) M7 Red LEDs on Front Fenders wired to Pri/Sec Modes</p>	
<p>99-1358</p>	<p>Lights: Warning, Whelen M-Series LED EMERGENCY Lighting Package ILOS Whelen LED warning Package- Ford, Chevy Type I and Type III - MSV - Models ONLY.</p> <p>NOTE: Does not include LED Scene or Load Lights.</p> <p>All LED lights shall have CLEAR Lenses. All emergency and scene lighting shall have chrome flanges in standard locations.</p> <p>Front of Body: Add (7) M9 Whelen LEDs- Specify pattern by LED Color (Red or White): Configured R/W/R/W/R/W/R OR R/R/R/W/R/R/R (Must provide configuration). (4) M9 Red LEDs & (3) M9 White, (2) outer corners and (1) center light flash on K-Spec flasher. Inner (4) flash independently on Light Bar switch on front console.</p> <p>Sides of Body: (4) M9 Red LEDs: (2) each side in upper corners</p> <p>Rear of Body: (4) Whelen M-Series Red LEDs: (2) in upper outboard corners, (2) Mid-Body wired as Warning/Brake at the window level, (1) Whelen M-Series Amber LED in the center position over the rear doors.</p> <p>Brake, Turn & Back-Up Lights: M6 LEDs</p> <p>Lights, Warning, Intersection Lights: (2) M7 Red LEDs on Front Fenders; (2) M7 Red LEDs above rear Wheel Wells-</p>	<p>2,700.00</p>

	wired to Pri/Sec Modes	
	SCENE/LOAD LIGHTS	
500120	Lights: Scene/Load, Whelen 900 Series Halogen w/8-32-degree optics- IATS Specify Location:	55.00
500125	Lights: Scene/Load, Whelen 600 Series Halogen w/8-32-degree optics- IATS Specify Location:	53.00
500127	Lights: Scene/Load, Whelen 900 Series Super-LED 9SC0ENZR Gradient Opti-Scenelight™ with flange included- ILOS Halogen Specify Locations:	358.00
500127-A	Lights: Scene/Load, Whelen 900 Series Super-LED 9SC0ENZR Gradient Opti-Scenelight™ with flange included- IATS Specify Locations:	396.00
99-0700	Lights: Scene/Load, Whelen M9LZC LED Linear-LED® with flange included- ILOS Halogen Specify Locations:	396.00

99-0968	Lights: Scene/Load, Whelen M7ZC Gradient Scene light ILOS 900 Series Halogen.	248.00
99-0374	Lights: Scene/Load, Whelen 600 Series Gradient Opti-Scene LED 6SC0ENZR w/chrome flange 6EFLANGE , ILOS 900 Series Halogen	165.00
99-0282	Lights: Scene/Load, Whelen 700 Series Scene LED 70C0ENZR "surface mount" w/chrome flange 7EFLANGE - ILOS 900 Series Halogen	165.00
99-1150	Lights: Scene/Load, Whelen 700 Series Halogen 70K000ZR - IATS Locate: (1) each side, centered between front and rear Scene lights	143.00
99-0106	Lights: Scene/Load, Rear side scene lights on each side to come "ON" in Reverse	55.00
99-1737	Rear Lightbar: (5) Whelen 700 Series Super LEDs: (2) outboard-70R02FCR Red, (2) inboard-7SC0ENZR LEDs and (1) center-70A02FCR Amber on custom designed rear fairing mounted to the OEM roof above the rear doors. Wire Red LEDs primary/secondary and the Amber LED to Primary mode only. NOTE: Rear loads to illuminate when the vehicle is in reverse.	110.00
	LED - IATS	
500190	Lights: Warning, Whelen 900 Series Red Super-LED (90RR5FCR) with clear lens, IATS Specify Location:	248.00
99-0750	Lights: Warning, (2) Whelen 900 Series Super LED 90BB5FCR Blue LEDs, IATS NOTE: Must add chrome flange separately.	435.00
99-0933	Lights: Warning, Whelen 900 Series Blue Super-LED 90BB5FCR with clear lens and chrome flange. IATS Location: Must Specify	260.00

500200	Lights: Warning, (2) Whelen 600 Series Red Super-LED 60R02FCR with clear lens, IATS Specify Location:	330.00
500210	Lights: Warning, (2) Whelen 700 Series Red Super LED 70R02FCR w/ clear lens and chrome flange 7EFLANGE, IATS above rear wheel wells as rear intersection lights. Wire to Primary circuit only.	330.00
99-1380	Lights: Warning, (1) Whelen 700 Series White Super LED 70C02FCR, IATS Must specify location:	215.00
99-0869	Lights: Warning, (2) Whelen 700 Series Red/Amber Super LED 70RA6FCR with chrome flange, IATS (1) above each rear wheel well as rear intersection lights. Wire to Primary circuit only.	594.00
99-0112	Lights: Warning, (2) Whelen 700 Series Red/White Super LED 70RC6FCR with chrome flange, IATS (1) above each rear wheel well as rear intersection lights. Wire to Primary circuit only.	315.00
99-0651	Lights: Warning, (1) Whelen 500 Series Linear Red/White Super LED 50CR2ZCR split with clear lens. IATS Location: Must specify	250.00
99-0937	Lights: (1) Whelen 500 Series Linear White Super LED 50C02ZCR w/chrome flange 5LSMAC IATS Specify Location(s):	165.00
99-0671	Lights: Warning, Grille, (1) Whelen LINZ6R Red Super-LED with clear lens & chrome flange on center grille bar, IATS Specify Location:	150.00
99-0670	Lights: Warning, Grille, (1) Whelen LINZ6C Clear Super-LED & chrome flange on center grille bar, IATS Specify Location:	150.00
99-0680	Lights: Warning, Grille, (1) Whelen LINZ6D Red/Clear Super-LED with clear lens & chrome flange, IATS Specify Location:	150.00

99-0870	Lights: Warning, (1) Whelen Blue LINZ6B Super-LED with clear lens & w/flange, IATS Specify Location:	150.00
99-0876	Lights: Warning, (1) Whelen M2WRC Series Red Super LED M2WRC w/ clear lens and chrome flange M2FC, IATS above rear wheel well as rear intersection lights. Wire to Primary circuit only.	209.00
99-0715	Lights: Warning, (1) Whelen Micron Series Red Super LED MCRNSCR, w/chrome flange, IATS mounted on OEM Grille	220.00
99-0716	Lights: Warning, (1) Whelen Micron Series White Super LED MCRNSCC, w/chrome flange, IATS mounted on OEM Grille	220.00
99-0739	Lights: Warning, (2) Whelen MCRNSR Red LEDs Over Rear Doors on Transit, Black Flange, IATS	363.00
99-0642	Lights: Warning, (1) Whelen ION White LED w/Chrome Housing- IATS	253.00
99-0643	Lights: Warning, (1) Whelen IONR Red LED w/Chrome Housing- IATS	253.00
	LED- ILOS	
99-0979	Lights: Warning, (1) Whelen 900 Series Red/Amber Split Super LED 90RA5FCR, ILOS 900 Series Red Super LED 90RR5FCR. NOTE: Must specify location -	182.00
99-0811	Lights: Warning, (1) Whelen 900 Series Red/White Split Super LED 90RC5FCR, ILOS 900 Series Red Super LED 90RR5FCR. NOTE: Must specify location -	154.00
99-0868	Lights: Warning, Whelen 900 Series Red/Blue Super LED 90RB5FCR, ILO 900 Series Red Super LED (90RR5FCR)	165.00
99-0809	Lights: Warning, Whelen 900 Series Blue Super LED 90BB5FCR, ILOS 900 Series Red Super LED 90RR5FCR NOTE: Must specify locations -	28.00

99-0803	Lights: Warning, Whelen 900 Series Super LED Red/Blue 90RB5FCR, ILOS 900 Series White Super LED 90CC5FCR NOTE: Must specify locations -	127.00
99-0967	Lights: Warning, (1) Whelen M9Series Red/White Super LED M9DC w/Flange, ILOS Red M9RC in M Series Option Package	55.00
99-1090	Lights: Warning, (1) Whelen M9 Series Blue Super LED M9BC w/chrome flange, ILOS M9 Series Red Super LED M9R in M Series Option Package. NOTE: Must specify location -	55.00
99-1134	Lights: Warning, Whelen M9 Series Linear LED M9V2R combination Red Super-LED and Scene light - ILOS M9RCZ on Transit only.	1,320.00
99-0840	Lights: Warning, (5) Whelen M7 Super LEDs: [2] White/Red LED M7DC located on outboard of front light pod, [2] Red LED M7RC located outboard of center and [1] White LED M7C located in the center position, ILOS 700 Series LEDs. NOTE: Transit Only	168.00
99-1001	Lights: Warning, (5) Whelen M7 Super LEDs: [4] White/Red M7DC located outboard of center on front light pod and [1] M7C located in the center with chrome flanges ILOS 700 Series LEDs. NOTE: Transit Only	539.00
99-0964	Lights: Warning, Whelen M7DC Red/White Super LED w/Flange, ILOS Red M7RC over rear wheels in M Series Option Package	55.00
99-2016	Lights: Warning, (1) Whelen M7RC Series surface mount Red Super LED, w/chrome flange and clear lens ILOS LINZ6R. Location: Must Specify	95.00
99-0650	Lights: Warning, (1) Whelen 500 Series TIR6 Red/Clear Super LED 50RC3ZCR w/chrome flange and clear lens mounted on grille - ILOS LINZ6	110.00
500315	Lights: Warning, (2) Whelen 500 Series TIR6 White Super-LED 50C03ZCR w/chrome flange and clear lens mounted on	110.00

	grille - ILOS LINZ6	
99-0801	<p>Lights: Warning, Whelen 700 Series Blue Super LED 70B02FCR, ILOS 700 Series Red Super LED 70R02FCR on Transit.</p> <p>NOTE: Must specify location -</p>	55.00
99-0948	<p>Lights: Warning, Whelen 700 Series Red/Blue Super LED 70RB6FCR, ILOS 700 Series Red Super LED 70R02FCR in LED Package.</p> <p>NOTE: Must specify location -</p>	165.00
99-0978	<p>Lights: Warning, Whelen 700 Series Red/White Super LED 70RC6FCR, ILOS Red Super LED 70R02FCR in LED package</p>	165.00
99-0802	<p>Lights: Warning, (1) Whelen 700 Series Red/Amber Split Super LED 70RA6FCR, ILOS 700 Series Red Super LED 70R02FCR on Transit.</p> <p>NOTE: Must specify location -</p>	176.00
99-0674	<p>Lights: Warning, Grille: Whelen LINZ6D Red/Clear Super-LED with clear lens and chrome flange on center grille bar, ILOS Red LINZ6.</p> <p>Location: Must Specify</p>	95.00
99-2079	<p>Lights: Warning, (6) Whelen PSR01FCR StripLite Plus Super LEDs, red with clear lens and chrome flange IATS.</p> <p>Specify Location(s): Mount (3) each side of vehicle in lower rub rail - (1) front, (1) just in front of rear wheel and (1) rear per attached drawings.</p> <p>NOTE: Must specify flash pattern.</p>	1,085.00
99-2080	<p>Lights: Warning, (6) Whelen PSD01FCR StripLite Plus DUO Super LEDs, red/white with clear lens and chrome flange IATS. Specify Location(s): Mount (3) each side of vehicle in lower rub rail - (1) front, (1) just in front of rear wheel and (1) rear per attached drawings.</p> <p>NOTE: Must specify flash pattern (Alternative colors can be programmed separately; flashing or steady burn).</p>	1,320.00
99-0714	<p>Lights: Warning: (2) Whelen Micron Series Red Super LED MCRNSCR w/chrome flange LINZ6FC, ILOS (2) LINZ6 Red</p>	195.00

	Leeds & chrome flanges mounted on OEM Grille	
99-0405	Lights: Warning, (1) Whelen WIONSMCR Red wide angle LED w/chrome Housing, IATS	253.00
99-0406	Lights: Warning, (1) Whelen WIONSMCC White wide angle LED w/chrome flange, IATS	264.00
99-1137	Lights: Warning, (1) Whelen WIONSMCC White wide angle LED w/chrome flange, ILOS LINZ6 w/chrome flange	99.00
99-1124	Lights: Warning, (1) Whelen WIONSMCR Red wide angle LED w/chrome Housing- ILOS LINZ6 w/chrome flange	99.00
	LED- AMBER- ILOS, IATS	
500370-A	Lights: Warning, Whelen 900 Series Amber Super-LED 90AA5FCR w/chrome flange and clear lens, ILOS Red 900 Series LED Specify Location:	29.00
500375-A	Lights: Warning: Whelen 600 Series Amber Super-LED 60A02FCR w/chrome flange and clear lens- ILOS Amber 900 Series LED Specify Location:	29.00
500380	Lights: Warning, Whelen 900 Series Amber Super-LED 90AA5FCR, IATS Specify Location:	250.00
500390	Lights: Warning, Whelen 700 Series Amber Super-LED 70A02FCR, ILOS 900 Series Amber Super LED Specify Location:	29.00
500400	Lights: Warning, Whelen 700 Series Amber Super-LED 70A02FCR, IATS Specify Location:	145.00
500410	Lights: Chrome Flange on Warning or Scene Light when not ordering LED package. Specify Location:	19.00

99-0271	Lights: Chrome Flange for Whelen M6-Series Light not in package Specify Location:	17.00
99-0267	Lights: Chrome Flange for Whelen M7-Series Light not in package Specify Location:	17.00
99-0266	Lights: Chrome Flange for Whelen M9-Series Light not in package Specify Location(s):	25.00
99-0841	Lights: Warning, Whelen (1) M7BC (Blue w/ clear lens), (1) M7RC (Red w/ clear lens) and (2) M7AC mounted on upper rear door corners in Cast flanges. Locate Blue warning on Drivers side rear and Red warning on Passengers Side Rear, ILOS. NOTE: Requires 33-10-2176 adapter plate (Transit Option)	425.00
	FLASHERS	
500420	Lights: Warning, Wig-Wag, Sound-Off flasher wired to OEM headlights - (includes one switch in front panel, P/N: MX09048) (NOTE: Must select an LED lighting option to go with the flasher. Wig-Wags cannot be wired to OEM headlights.)	100.00
	SIREN/AUDIBLE ALARMS	
99-0354-FE	Siren: Whelen Low Frequency "Howler" w/HWLRB4 bracket for Ford E-Series	975.00
99-0354-FF	Siren: Whelen Low Frequency "Howler" w/HWLRB22 bracket for Ford F-Series	950.00
99-0354-C	Siren: Whelen Low Frequency "Howler" w/HWLRB18 bracket for GM C-Series	950.00
99-0354-G	Siren: Whelen Low Frequency "Howler" w/HWLRB11 bracket for GM G-Series	950.00
99-0790	Siren: Federal Signal, Low Frequency "Rumbler-3" w/RB-	900.00

	GVAN11 bracket for G3500/4500 Series mounted on OEM frame, IATS	
99-0066	Siren: Federal e-Q2B Electronic, (2) ES100 100Watt speaker w/ESB-U mounting bracket installed IATS. NOTE: Must specify location of speakers.	2750.00
99-1516	Siren: Carson SA-441M Magforce Mechanical Dual Tone Siren ILOS, wired to the standard through bumper speakers. Locate in standard front switch panel.	580.00
99-1029	Siren: Carson SA-441M Magforce Mechanical Dual Tone Siren IATS. Locate in add-on console removable panel. Make sure to order aluminum face plate for add-on console with correct hole size, mounted on right side of panel- See print 44-10-2884. NOTE: Must add additional speakers for SA-441 and specify mounting location.	825.00
99-2009	Siren: Whelen 295HFSA7 Remote Dual Siren Amplifier, with Flush Mount Control Head, Meets CA Title 13, ILOS Whelen 295SLSA1	235.00
99-1191	Siren: Whelen 295SLSA1 Siren IATS, wired to the separate speakers. Locate siren in add-on console removable panel. Make sure to order aluminum face plate for add-on console with correct hole size, mounted on right side of panel. NOTE: Must add additional speakers for additional 295SLSA1 and specify mounting location.	250.00
99-1707-F	Siren: Carson SA-441-10F Magforce Electronic Dual Tone Siren ILOS, wired to the standard through bumper speakers. Locate in standard front Type I switch panel.	305.00
99-1707-E	Siren: Carson SA-441-10F Magforce Electronic Dual Tone Siren ILOS, wired to the standard through bumper speakers. Locate in standard front Type III driver's console.	330.00
99-1029	Siren: Carson SA-441M Magforce Mechanical Dual Tone Siren IATS. Locate in add-on console removable panel. Make sure to order aluminum face plate for add-on console with correct hole size, mounted on right side of panel- See print 44-10-2884. NOTE: Must add additional speakers for SA-441 and specify mounting location.	825.00

OPTICOM/EMITTER SYSTEMS		
99-0708	Lights: Warning, GTT 794H LED Emitter (Supplier P/N: 151-794H). Must be wired to de-activate when the vehicle is in park/neutral. (Transit Only) Location: TBD	2,200.00
99-0706	Lights: Warning, GTT 794H LED Opticom Emitter (Supplier P/N: 151-794H) with on/off switch in front console. Must be wired to de-activate when the vehicle is in park/neutral. Location: TBD	2,000.00
99-0991	Lights: Warning, Priority Green Opticom Emitter (Supplier P/N: MTER) "ONLY" with on/off switch in front console. Must be wired to de-activate when the vehicle is in park/neutral. Location: TBD	550.00
99-0237	Lights: Warning, Opticom Pre-Wire "ONLY" w/switch in front console and wiring secured behind center clear light and configured to de-activate when the vehicle is in Park/Neutral.	115.00
06- Oxygen, Vacuum & Miscellaneous Items		
600010	Air Outlet: Yellow Face Latch Valve Plate w/AD-OHUA-DM Quick Disconnect Fitting inside and DA-HB4-A-DN adapter fitting on yellow hose in Compartment #1 Specify Location(s):	193.00
600035	O2 Cylinder Mount: M or H Medical Air or O2 cylinders. Adjustable, Safety Yellow bracket w/3-spring buckle straps and top collar- ILOS, Use p/n: 66-A10761 (Standard on MSV II) Specify Location(s):	165.00
99-0376	O2 Cylinder Mount: M or H Medical Air or O2 cylinders. Adjustable, Safety Yellow bracket w/3-spring buckle straps and top collar- IATS - MSV II ONLY Specify Location(s):	140.00
600040	O2 Cylinder Mount: For "M" Cylinder, black steel, for Medical Air or O2 Cylinder- IATS	305.00

	Specify Location(s):	
99-0741	O2 Cylinder Mount: Install mount for ALUMINUM "M" or "H" cylinder in Compartment #1 ILOS. Mount is adjustable w/3-spring buckle straps and top collar, powder-coated Safety Yellow color. See assembly print 66-A11379	140.00
600050	Portable O2 Bracket: Ferno Washington #521 Oxygen Bottle Holder for D-E Cylinder Specify Location(s):	385.00
99-1667	Portable O2 Bracket: (1) CPI OA1201-D-1 strapless oxygen bottle holder w/mounting plate, for (1) "D" cylinder. Specify Location(s):	285.00
99-1668	Portable O2 Bracket: CPI OA1201-E-1 strapless oxygen bottle holder w/mounting plate, for "E" cylinders. Specify Location(s):	285.00
600070	Oxygen: Electric O2 with manual bypass and switch mounted on A/A panel	220.00
600075	Flow meter-Victor, Thorpe-tube	100.00
99-0763	Medical Air: Digital contents Monitor/Gauge for Medical Air mounted on A/A wall. (AMICO part number: Z-TH9003R14).	858.00
99-0966	Oxygen: Oxy-Minder, Digital Contents Gauge w/Manual Bypass and switch on A/A panel ILOS Electric O2 and Regulator NOTE: MSV-II & Transit Models Only	635.00
99-0127	Oxygen: Oxy-Minder, Digital Contents Gauge w/Manual Bypass and switch on A/A panel ILOS NOTE: Deletes standard regulator	835.00
600080	O2 Cylinder Universal Lift: Zico QR-OTSL-US for H-Cylinder, LH Drive, LH Remote Control; Mounting Bracket and Can Cover required: 33-102085 & 33-102074. Specify Location(s):	3650.00

600090	O2 Cylinder Universal Lift: Zico QR-OTSL-US for M-Cylinder, LH Drive, LH Remote Control; Mounting Bracket and Can Cover required: 33-102085 & 33-102074. Specify Location(s):	3700.00
600100	Oxygen: OHMEDA Z-QD0101M0 outlet, IATS Specify Location(s):	140.00
99-0320	Regulator: Medical Air, Amvex GR-346, 50 psi, pre-set	110.00
99-0318	Regulator: O2, Amvex 50psi, pre-set- IATS	105.00
99-0639	Suction System: SSCOR wall mount aspirator system with gauge/regulator, SS canister holder. ILOS	405.00
99-0912	Suction System: SSCOR wall mount aspirator system with gauge/regulator, SS canister holder and GAST electric pump located in compartment #2. Includes vacuum switch with red flange, located in the 4th position on the curbside wall switch panel- IATS	750.00
99-0133	Suction: Vacuum Outlet, Ohmeda white face plate plumbed directly to the vacuum pump ILOS Rico wall mount assembly. Includes Ohmeda type quick disconnect suction adapter with 1/8" NPT male treads for connection to the suction gauge.	195.00
07-	AC / HEAT	
700001	Auxiliary Air Conditioning System, A.C.C- Hot Weather Package (Condenser, Pump, Valve)	1600.00
99-0718	HVAC: ACC- Super Tie In "Hot Weather Package" w/front wall mounted external condenser mounted on painted 3/16" aluminum shelf bracket for E-450 (Condenser, Pump, Valve, threaded bulkhead connectors) Shelf p/n: 33-102897. Locate: Condenser to be mounted on painted, smooth aluminum shelf bracket on front wall of box ILO skirt mounted condenser. ACC to do install of condenser, not mounting of bracket. NOTE: PAINT WHITE TO MATCH TRUCK!	1,800.00
08-	Cabinets, Hardware & Miscellaneous Items	

99-0540	<p>Main Wall Cabinets: Restocking Feature, Interior Cabinet, Under 40" Width- Sliding Plex door w/hinged, keyed frame w/(2) Titan 15-pound gas struts and (2) spring-loaded elbow catches.</p> <p style="text-align: right;">Location(s):</p>	275.00
99-0894	<p>Main Cabinet Wall: Extended Action Area with 2nd full depth Overhead cabinet w/(1) adjustable shelf. Extended action area to provide 20" clearance above A/A shelf for Monitor Mounting. Upper and Lower Rear Cabinets to extend from end of 2nd action area as far to the rear as physically possible.</p>	330.00
99-0939	<p>Main Cabinet Wall: Reconfigure Streetside Cabinet Wall to delete the standard (2) angled cabinets on either side of CPR Seat. 2nd Action Area to be 22" W x 19.375" H, this will cause the 2nd A/A to protrude into compt. #3 (special tub). Upper rear cabinet face to be flush with Lower Main. Includes Engineering time.</p>	550.00
99-0992	<p>Main Cabinet Wall: Reconfigure Streetside Cabinet Wall to delete the standard (2) angled cabinets on either side of CPR Seat. 2nd Action Area to be 22" W x 19.375" H, this will reduce the width of the rear inside cabinet over 1/2 height compartment #3.</p>	275.00
99-1158	<p>Main Cabinet Wall: Reconfigure Streetside Cabinet Wall to delete the standard (2) angled cabinets on either side of CPR Seat. 2nd Action Area to be 50" W x 20.875" H. 2nd A/A counter top to be Corian full width. Upper rear cabinet to be flush with lower main.</p>	1,100.00
99-1108	<p>Main Wall Cabinets: Reconfigure street side cabinet wall to eliminate the two (2) angled cabinets fore and aft of the 26.5" W CPR Seat. Make the 2nd Action Area 22"W x 21.875"H, this will narrow the storage to the rear of the 2nd Action Area and decrease the height of the upper rear cabinet. Narrow the Action Area Overhead and Action Area countertop to allow the CPR seat to shift towards the front of the module. Square off Action Area Overhead and Upper Rear Main cabinet at CPR seat. The Upper Rear Main cabinet will be flush with the plane of the Street side cabinet wall.</p>	825.00
800010	<p>ALS Cabinet: Lower locking for 747; Middle w/dual wood doors w/Lexan inserts w/(2) SouthCo latches on each door; (1) adjustable shelf.</p>	302.50

800020	ALS Cabinet: Lower and Middle All OPEN w/ 2 adjustable shelves - (add floor covering on shelves to match floor if for MSV II ALS cabinet only)	275.00
800030	ALS Cabinet: Combine Lower and Middle sections & install Dual Wood Doors w/Lexan Inserts, two non-locking Southco 2" round stainless steel latches and (1) Adjustable Shelf.	305.00
99-1111	Cabinet: Curbside work station with Corian countertop and (2) Powder Coated aluminum drawers, w/HD slides - both below the curbside work station Corian countertop. The top drawer to pull out towards side seat and have inside dimensions: 15.5"W x 3"H x 15"D with a hinged Lexan lid. The bottom drawer to pull-out towards the aisle will be below the top drawer. Both will have round Southco non-locking latches. See Assembly print: 43-A12009 Rev B. NOTE: Option for 170 Models Only. This cabinet will be attached to the curbside wall (with backer plates) and brace below. Bottom Drawer: 33-103697 w/63-04-3110/3111 slides and Top Drawer: 33-103698 w/63-04-3100 slides.	855.00
99-0956	Cabinet: Curbside work station w/Corian counter top and (2) aluminum drawers, w/HD slides - stacked below the curbside work station countertop. Drawer to have inside dimensions: 16.375"W x 3.5"H x 17"D (Drawing #: 33-10-3179). Both will have round Southco non-locking latches. Drawers will face curbside tech seat over wheel well and top drawer will have a hinged Lexan lid to be used as an optional writing surface. NOTE: Option for 170 Models Only	880.00
99-0753	Cabinet: Drawer, (1) Aluminum pull-out drawer w/HD slides - below the Action Area countertop w/inside dimensions: 10.25"W x 3"H x 17"D (PN: 33-102898). Will have round Southco non-locking latches. Requires offset in compartment #2 tub (PN: 33-10-2894):. NOTE: TIII MSV-II 170 Models Only	495.00
99-0895	Cabinet: Drawers, (2) Aluminum pull-out drawers w/HD slides - stacked below the rear Action Area w/inside dimensions: 10"W x 3.5"H x 17"D (PN: 33-10-4892). Both will have round Southco non-locking latches, ILOS tip out waste/sharps storage. NOTE: TIII MSV-II 170 Models Only	473.00

99-1155	Cabinet: Below main Action Area shelf. Will extend forward of (2) airway drawers to forward edge of exterior compartment #2. Cabinet will have double sliding Lexan doors. Cabinet recesses into exterior compartment #2 and requires custom exterior tub: 33-104009. MSV-II Type III Only.	275.00
99-0784	ALS Cabinet: Lower section- Locking storage for 747 box; Middle Section- to have Locking Drawer (M2 size) w/HD slides & non-locking round SouthCo latch, Upper Section- dual wood doors with Lexan inserts w/1-adjustable shelf. NOTE: For ME-166 Bodies only.	633.00
99-0733	ALS Cabinet: MSV-II ALS, delete slide-out drawer and make middle and lower sections equal height with (1) adjustable shelf each section, dual 1/2" Acrylic doors each section with Southco stainless steel latches. Install dual wood doors on upper cabinet. ILOS	550.00
99-0903	ALS Cabinet: MSV-II ALS, DELETE STANDARD slide-out drawer; combine middle and lower sections into one opening with (3) adjustable shelves, tall dual 1/2" Acrylic doors with Southco stainless steel LOCKING latches at top of doors only. No latches at bottom of doors per dealer. NOTE: The standard fixed shelf is changed into an adjustable shelf, there will be a total of (3) adj. shelves in this section.	330.00
99-0942	ALS Cabinet: MSV-II ALS, DELETE STANDARD slide-out drawer; combine middle and lower sections into one opening with (3) adjustable shelves, tall dual plywood doors with Southco stainless steel NON-LOCKING latches at top of doors only. No latches at bottom of doors per dealer. NOTE: The standard fixed shelf is changed into an adjustable shelf, there will be a total of (3) adj. shelves in this section.	275.00
99-0786	ALS Cabinet: "Transit Only", standard configuration 1/2" HDPE cabinet with door deleted from 747 cabinet area at bottom.	0.00
99-0953	ALS Cabinet: Close off lower section of ALS cabinet for Inside/Access only.	85.00

99-1078	<p>ALS Cabinet: MSV-II ALS, MOVE STANDARD slide-out drawer up just below the upper ALS section. Combine middle and lower sections into one opening with (3) adjustable shelves, tall dual solid doors with Southco stainless steel NON-LOCKING latches at top of doors only. No latches at bottom of doors.</p> <p>NOTE: The standard fixed shelf is changed into an adjustable shelf, there will be a total of (3) adj. shelves in this section.</p>	275.00
99-1136	<p>ALS Cabinet: MSV-II Type Design ALS cabinet. Upper cabinet with hinged polycarbonate doors, non-locking SouthCo round latches and adjustable shelf; middle NON-locking drawer and lower hinged solid doors, non-locking SouthCo round latches and adjustable shelf.</p>	495.00
800057	<p>Assist Rail: 1.25" Stainless w/Radius Ends, Over Squad Bench- IATS</p>	145.00
99-0329	<p>Assist Bar: Bennington Bar mounted floor to ceiling at head of squad bench w/upholstered, padded cushion installed on both sides. (PN: 49-10-1613)</p> <p>NOTE: For RP90/PC90/Sprinter Type III Only/Medix to fabricate pads</p>	565.00
99-0613	<p>Assist Rail: 72" Powder Coated Safety Yellow SS 1.25" w/Radius Ends, ILOS -All Models</p>	55.00
99-0615	<p>Assist Rail: 72" Powder Coated Safety Yellow SS 1.25" w/Radius Ends, IATS -All Models</p>	121.00
99-0855	<p>Assist Rail: SHORTENED, 1.25" stainless with radius ends, over squad bench IATS</p>	110.00
99-0856	<p>Assist Rail: SHORTENED, 1.25" stainless with radius ends, over squad bench ILOS</p>	28.00
99-0760	<p>Assist Rail: 1.25" x 48", Powder coated "Safety Yellow", stainless with radius ends, ILOS</p>	55.00
99-0761	<p>Assist Rail: 1.25"x 48", Powder coated "Safety Yellow", stainless with radius ends, over squad bench IATS</p>	110.00
99-0105	<p>Cabinet: Squad Bench Overhead for 153, w/(2) flip-up 1/2" Acrylic doors, 2" round SouthCo stainless steel latches and full length stainless steel piano hinge at top.</p>	588.50

99-0437	Cabinet: Above ALS, (1) Cabinet w/dual laminated aluminum, hinged doors w/non-locking latch, (1 Adjustable Shelf- MSV II Only	220.00
99-0421	Cabinet: Above ALS, (1) Cabinet w/top, piano-hinged wood door, gas-strut hold-open, non-locking latch, (1 Adjustable Shelf- MSV II Only	220.00
99-1970	Cabinets: Inside/Outside Access to Compartment #6: With single 1/2" Acrylic hinged door and Eberhard two point pinch latches - for MSV II only Locate: On LH side of Compartment #6 interior cabinet wall for access to shelves in Compartment #6	305.00
99-1144	Cabinet: Add recessed pocket below A/A countertop for SSCOR suction canister and Vacuum outlet ILO mounting canister on the A/A panel.	275.00
99-1071	Cabinets: Custom Main SS rear wall, 2nd action area to be 22.125"W x 18.875"H (requires offset in exterior compartment #3). Cabinet to have standard CPR seat, standard tip-out sharps/waste aft of the CPR seat and the recessed suction will be deleted	605.00
99-0825	Cabinets: Custom Main SS rear wall, 2nd action area to be 22.125"W x 18.875"H (requires offset in exterior compartment #3). Cabinet to have standard CPR seat, standard tip-out sharps/waste with drawer installed above the tip out cabinet which will raise the 2nd action area counter top and reduce the height of Cabinet "A".	825.00
99-0851	Defibrillator Mount: NCE H7000 LifePak 12/15 Interchangeable monitor mount installed on rear action area shelf w/aluminum backer plate PN:33-10-3043 and Corian spacer for swivel base.	770.00
99-0851-A	Defibrillator Mount: NCE H7000A LifePak 12/15 Interchangeable monitor mount installed on rear action area shelf w/aluminum backer plate PN:33-10-3043 and Corian spacer for swivel base.	855.00
99-0827	Defibrillator Mount: Zoll X9000 LifePak monitor mount installed on rear action area shelf w/aluminum backer plate PN:33-10-3043 and Corian spacer for swivel base.	880.00

99-0782	Defibrillator Mount: Ferno P-300 Defibrillator Mount Kit for Philips HeartStart MRx. Requires 0.25"x15"x15" mounting plate installed beneath the countertop. Must use a Corian spacer beneath the mounting base so monitor swivels above the countertop lip.	965.00
99-1033	Defibrillator Mount: Phillips MRx Shelf Defibrillator Mount Kit w/Swivel; NCE Part# H8000A, Requires 0.25"x15"x15" mounting plate installed beneath the countertop. Must use a Corian spacer beneath the mounting base so monitor swivels above the countertop lip. Must Specify Location:	965.00
99-0874 T1	Cabinet: Rear Overhead, MSV-II Type I, (2) 11ga steel, black powder-coated glove box doors PN:33-102030, (1) each side of center mounted clock, ILOS flip-up acrylic door & storage. Rear overhead cabinet drawing: CNC 43-10-3054	195.00
99-0874 T3	Cabinet: Rear Overhead, MSV-II Type III, (2) 11ga steel, black powder-coated glove box doors PN:33-102030, (1) each side of center mounted clock, ILOS flip-up acrylic door & storage. Rear overhead cabinet drawing: CNC 43-10-2892	195.00
99-0941	Cabinet: (2) Wood Doors with round SouthCo Latches Installed below 2nd A/A Shelf, ILO the tilt-out waste/sharps storage cabinet. MSV-II Only	165.00
800070	Cargo Net: Head of squad bench- Type II Chevy ONLY	231.00
99-0511	Cargo Net: Head of squad bench- Type I / III 153 Models ONLY. Squad Bench to accommodate mounting plate and cover secured to wall structure. (153 PNs: 86-101702, 33-101868, 33-101869) Requires squad bench assembly print different than standard.	480.00
99-0546	Cargo Net: Head of Squad Bench- Type I / III (166, RP-90, MSV II) PN: 86-101723, bolted to taping plate in the floor, wall and ceiling. PN: ZRS-NETMEX009-02-A.	315.00
800080	Cargo Net: Quick-release mounted top to bottom in ALS cabinet w/ (3) open shelves	235.00
800090	Corian Countertop- 1st / 2nd Action Area, Color: _____ w/ _____ Top and perimeter accent lips. To extend over the edge of cabinet main	1100.00
800100	CPR Seat: Backrest, Fold-Down Shelf- ILOS fixed backrest	150.00

800140	Seating: EVS Swivel Base SB-2 two position swivel base for EVS Child seat, ILOS cabinet base	195.00
99-0914	Seating: EVS Technician's Seat 1882 w/Child Restraint System, Rear facing automotive style chair with 4Pt seat belt mounted on Heater Steel Base- ILOS 4Pt seat and base.	385.00
99-1058	Seating: EVS Technician's Seat w/Child Restraint System, Rear facing automotive style chair with 4Pt seat belt mounted on Standard Steel Base- ILOS 4Pt seat.	330.00
99-1061	Seating: EVS Technician's Seat 1780 Seat Arm Rest. NOTE: Must be ordered with seat.	199.00
99-0828	Seating: EVS Technician's Seat 1860V4B child attendant flip seat w/V-4 seat belt system, ILOS on "Transit Only".	525.00
99-0393	Seating: EVS Technician's Seat EVS 1900V4B Executive Captain's Chair w/V4 Seat Belt, ILOS EVS 1780 w/V4 belt system.	781.00
99-0393-R	Seating: EVS Technician's Seat 1900RV4B Executive, Reclining Captain's Chair w/V4 Seat Belt, ILOS EVS 1780 w/V4 belt system.	781.00
99-0993	Seating: EVS Technician's Seat 2000RV40 Reclining, Executive Captain's Chair w/V4 Seat Belt and recline feature, ILOS EVS 1780 w/4 point belt.	550.00
99-1044	Seating: EVS Technician's Seat Arm Rest for 1900/2000 seats, Must be ordered with seat.	229.00
99-1718	Seating: EVS Technician's Seat 1780BPB Technician's Seat w/back pack seat belt system, ILOS EVS 1780 w/4 point belt technician seat	275.00
99-1700	Seating: EVS Technician's Seat 1900BPB Executive Captain's Chair w/back pack seat belt system, ILOS EVS 1780 w/4 point belt technician seat.	799.00
99-1699	Seating: EVS Technician's Seat 1900BPB Executive Back Pack seats with SB-8s Mini Base mounted on floor structure over curbside wheel well with HDPE frame cover and stainless steel access plate.	5,400.00
99-1694	Seat Belt System: (1) EVS Back-Pack wall mount seating system ILOS V-4 wall mount system. NOTE: this deletes (1) curbside seating position.	165.00

99-1717	Seat Belt System: CPR Seat, (1) EVS 2160WMBALR Back Pack Harness System, Includes Black Harness, formed back rest with integrated head rest, ILOS EVS V-4 on CPR seat.	869.00
99-1716	Seat Belt System: Curbside wall, (2) EVS 2160WMBALR Back Pack Harness Systems, Includes Black Harness, formed back rest with integrated head rest, ILOS EVS V-4 on curbside wall.	693.00
800170-3	Glove Box Holders: (3) w/hinged, black 11ga steel powder-coated door, in cabinet above rear entry door	195.00
800170-4	Glove Box Holders: (4) w/hinged, black 11ga steel powder-coated door, in cabinet above rear entry door	195.00
99-0798	Glove Box Holders: (3) w/hinged, black 11ga steel powder-coated door, in pad above Curbside Entry Door	195.00
99-0679	Glove Box Holder: Aluminum, powder coated 3-Hole Glove Box Holder with Positron hinged, slotted lid mounted on bulkhead between cab seats on Type III pass through wall.	215.00
800180	Grab Handles: (3) V-Style Handicapped/Brushed Stainless 1.25 w/Radius Ends- ILOS -All Models	187.00
99-0614	Grab Handles: (3) V-Style, Powder Coated Safety Yellow 1.25: SS w/Radius Ends- ILOS -All Models	187.00
99-0309	Grab Handle: 18" x 1.25" Stainless steel w/radius ends, IATS	55.00
99-0997	Grab Handle: 1.25" x 12" long Stainless Steel w/30° offset and oval mounting flanges (PN: 49-10-3755): Location: Mount on forward side of curbside entry door on the door frame between the door and the ALS cabinet using 1/4" x 20 Type F self tapping machine screws.	110.00
99-0759	Grab/Assist Handles: Powder Coated Safety Yellow, all overhead, rear main and ALS mounted 1.25: SS handles w/radius ends- ILOS - Transit Only	44.00
99-0683	Grab Handles: (3) 12", Powder Coated Safety Yellow 1.25: SS w/Radius Ends- ILOS -All Models	44.00
99-0923	Grab Handle: (1) 12" x 1.25" Powder Coated Safety Yellow IATS -	105.00
99-0745	Grab Handle: (1) 18", Powder Coated Safety Yellow, 1.25" SS w/Radius Ends PN: G304-49101356PCBY, IATS	110.00

	Location:	
99-1209	Grab Handle: (1) 36", Powder Coated Safety Yellow, 1.25"OD 304SS, Offset Grab Handle, w/Radius Ends PN: G304-49104126PCBY, IATS	138.00
	Location:	
99-1210	Grab Handle: (1) 36" 1.25"OD 304SS, Offset Grab Handle w/Radius Ends PN: G304-49104126, IATS	110.00
	Location:	
800190	Drug Box: Metal box with locking door mounted inside cabinet, see print 33-10-2124	138.00
	Must Specify Location:	
99-0946	Inventory Control: 3/4" holes drilled in opposing 3/16" Lexan doors for inventory control straps. Drill holes at mid-point on doors at opposite ends from full length extruded handles. Price per cabinet location.	17.00
	Specify Location(s):	
99-0029	Inventory Control: For sliding Lexan cabinet doors- Footman loops and hole drilled in grab handle for wire tie; Price per cabinet location.	39.00
	Specify Location(s):	
99-1784	Lock: CompX Regulator REG-S-L-3 electronic, keyless self locking with pushbutton access and SlamCAM spring loaded latch	195.00
	Specify Location(s): Must specify	
99-0368	Lock: Cabinet, KabaMas CL-20 (KMCL20SMK5SEWBE1) w/key override sensor Kit (KM321103)	583.00
99-0720	Shelf: Plywood in interior cabinet IATS where there is an existing shelf.	77.00
	Specify Location(s): (add floor covering to match floor if for MSV II ALS cabinet)	
99-0721	Shelf: Plywood in interior cabinet IATS where there is no existing shelf.	105.00
	Specify Location(s): (add floor covering to match floor if	

	for MSV II ALS cabinet)	
99-0977	Latch: Squad Bench, TriMark, Install (1) flush mount, powder coated black paddle handle in face of squad bench IATS to meet state mandated regulations. Transit Type II Only	140.00
99-0214	A-Bar: WITH Sharps/Waste Holders, 15" Wide; .250" Mounting plate. Requires squad bench assembly print different than standard.	405.00
99-0236	A-Bar: WITHOUT Sharps/Waste Holders, 15" Wide; .250" Mounting plate. Requires squad bench assembly print different than standard.	374.00
99-1122-A	A-Bar: WITH Sharps/Waste Holders, 15"W w/ .250" mounting plate, Powder coated yellow. NOTE: Type III 170	473.00
99-1122-B	A-Bar: WITH Sharps/Waste Holders, 15"W w/ .250" mounting plate, Powder coated yellow. NOTE: Type I 170	473.00
800230	SouthCo Latches, Round, Metal, Locking- ILOS each	42.00
800235	SouthCo Latches, Round, Metal, Locking- IATS each	55.00
800240	SouthCo Latches, Round, Metal, Non-Locking- ILOS each	42.00
800245	SouthCo Latches, Round, Metal, Non-Locking- IATS each	55.00
99-1070	Squad Bench: EVS 1760 seat with Four point harness with mounted on aluminum framed platform over wheelwell. Seat to swivel and lock in side and forward positions. Base to have HDPE enclosure. Cabinet on CS rear behind side seat for Reeves Sleeve and splints etc. Will be HDPE and have a solid door, hinged right with Locking, Round Southco Latch . Door opens towards aisle. Install HDPE cabinet with laptop platform in front of	3,300.00

	<p>curbside seat (when in forward facing position). Countertop surface on top will be HDPE for a flat writing surface (all one piece with cabinet)</p> <p>Sharps/Waste: Tilt out to drop in, located on aisle side of cabinet forward of curb side tech seat, with Locking Southco Rectangular Latch</p>	
99-0483	Threshold: Stainless Steel, Trim Package for 166	380.00
800250	Riser: Stainless steel on squad bench face (Standard on MSVII)	275.00
800260	Riser: stainless steel on streetside lower main (Standard on MSVII)	275.00
99-0086	Straps: (3) 1" webbed material w/plastic buckle for Type II ALS cabinet shelves.	55.00
800280	Walk-Thru DELETE: Pass-Thru window ILOS on Type III or Type II - includes horizontal sliding Lexan window mounted on the cab side with full length extruded/anodize aluminum handle to facilitate access.	83.00
09-	Cots & Miscellaneous Items	
900010	Cot Wheel Plates, Stainless Steel	125.00
	Specify Cot Model:	
99-2145	Cot Mount: Stryker Power Load Floor mount "Plate Only", ME-153, ME-166, MSV-II 157 and 170. IATS NOTE: Install large floor plate for locking arm from standard cot mounting kit and ship remainder of materials loose.	1,300.00
	NOTE: Dealer Must Specify Mounting Location	
99-0725	Cot Mount: Stryker - Power/Performance Load "floor plate only" for RP90, PC90, BL90 models only.	850.00
	Mounting Location:	

99-0726	<p>Cot Mount: Stryker Power/Performance Load Floor mount "Plate Only", ME-153, ME-166, MSV-II 157 and 170 models only.</p> <p>NOTE: Dealer Must Specify Mounting Location</p>	745.00
99-2011	<p>Cot Mount: Stryker Power/Performance Load floor mount plate assembly kit "Only" installed in standard position, Transit and Chevy Type II models only.</p>	745.00
99-0728	<p>Cot Mount: Install Customer supplied Stryker Power Load or Performance Load systems, ILOS. NOTE: Includes wiring for charging system when included with system.</p> <p>Mounting Location:</p>	400.00
99-0729	<p>Cot Mount: Ferno 175-3, Removable</p> <p>Models: RP-90ES, RP-90MR, PC-90, Sprinter II, Sprinter III and Transit</p> <p>Mounting Location:</p>	0.00
<p>NOTE: For Non-CN-8 Compliant States only. Must have letter on State letter head in file for non-compliance.</p> <p>Specify Cot Model:</p>		
99-0730	<p>Cot Mount: Ferno 175-4 Dual Position, removable</p> <p>Models 153, 166 & 170 Only.</p> <p>Mounting Locations:</p>	0.00
<p>NOTE: For Non-CN-8 Compliant States only. Must have letter on State letter head in file for non-compliance.</p>		
900057	<p>Cot Mount: FW #175-4 ILOS FW #175-3</p> <p>Mounting Locations:</p>	220.00
<p>NOTE: For Non-CN-8 Compliant States only. Must have letter on State letter head in file for non-compliance.</p>		
900060	<p>Cot Mount: Styker 6370 single position, removable cot mount ILOS FW #175-3, RP90, PC90, BL90 models only.</p> <p>Mounting Locations:</p>	220.00
<p>NOTE: For Non-CN-8 Compliant States only. Must have letter</p>		

on State letter head in file for non-compliance.

900065	Cot Mount: Stryker 6377, Dual Position, Removable	220.00
	Mounting Locations:	
NOTE: For Non-CN-8 Compliant States only. Must have letter on State letter head in file for non-compliance.		
99-0696	Cot Mount: Stryker 6371 Wall-Mount- ILOS FW 175-5 Wall-Mount for Transit and Sprinter II	110.00
NOTE: For Non-CN-8 Compliant States only. Must have letter on State letter head in file for non-compliance.		
99-0722	Cot Mount: FW 86" Stat Trac System: RP-90, PC-90, BL-90 modules ONLY.	1,800.00
	Mounting Location:	
99-0723	Cot Mount: FW 86" Stat Trac System: 153" modules ONLY.	1,600.00
	Mounting Location:	
99-1019	Cot Mount: FW 86" Stat Trac System w/integrated charging system. RP-90, PC-90, BL-90 modules ONLY.	4,025.00
	Mounting Location:	
99-1020	Cot Mount: FW 86" Stat Trac System w/integrated charging system. ME-153 modules ONLY.	3,950.00
	Mounting Location:	
99-1021	Cot Mount: FW 91" Stat Trac System w/integrated charging system. Transit ONLY, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see print: 33-10-4720. NOTE: For AL Model Only.	4,650.00
99-1154	Cot Mount: FW 91" Stat Trac System w/integrated charging system. Transit ONLY, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see print: 33-10-3605. NOTE: For SS and TWGK Model Only.	4,695.00
99-1196	Cot Mount: FW 91" Stat Trac without ICS installed in Transit models only, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see	1,900.00

	print: 33-10-4720. NOTE: For AL Model Only.	
99-2165	Cot Mount: FW 91" Stat Trac without ICS installed in Transit models only, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see print: 33-10-3605. NOTE: For SS and TWGK Models Only.	1,950.00
99-0724	Cot Mount: FW 96" Stat Trac System: ME-166"/MSV-II 157 & 170" models ONLY. Mounting Location:	1,950.00
99-0757	Cot Mount: FW 96" Stat Trac System w/Integrated Charging System. ME-166"/MSV-II 170" modules ONLY. Mounting Location:	4,400.00
99-0787	Cot Mount: FW 96" Stat Trac System w/Integrated Charging System. CUSTOMER supplied Stat Trac w/ICS System Mounting Location:	350.00
99-2173	Cot Mount: FW InLine Fastener system with Universal Floor mount (with integrated charging system). For ME-153, ME-166, MSV-II 157 and 170 models only ILOS. NOTE: Dealer Must Specify Mounting Location	7,300.00
99-2174	Cot Mount: FW ProF1 Universal Cot Fastener system with Universal Floor mount (with integrated charging system). For ME-153, ME-166, MSV-II 157 and 170 models only ILOS. NOTE: Dealer Must Specify Mounting Location	5,800.00
99-2175	Cot Mount: FW ProF1 Universal Cot Fastener system with Universal Floor mount ("NO" integrated charging system). For ME-153, ME-166, MSV-II 157 and 170 models only ILOS. NOTE: Dealer Must Specify Mounting Location	3,600.00
99-1086	Cot Mount: Stryker Power Load System, ILOS RP-90, PC-90, BL-90 Modules ONLY. Mounting Location:	26,950.00
99-1087	Cot Mount: Stryker Power Load System Transit and Chevy Type II models ONLY. ILOS Mounting Location: 14.75" from main wall to center of	27,225.00

	floor mounting plate.	
99-1088	<p style="text-align: center;">Cot Mount: Stryker Power Load System with mass casualty fastener (floor plate for rail clamp option). Modular Conversion ONLY</p> <p style="text-align: center;">Mounting Location Power Load floor Plate:</p> <p style="text-align: center;">Mounting Location rail clamp floor plate: 12 5/8" from center line of Power Load floor plate to center line of rail clamp floor plate toward the streetside main wall.</p>	27,555.00
99-0878	<p style="text-align: center;">Cot Mount: Stryker Performance Load (6392-000-001) with inductive charger and floor plate (153, 166 & 170 Only).</p> <p style="text-align: center;">Mounting Location:</p>	3,800.00
99-0879	<p style="text-align: center;">Cot Mount: Stryker Performance Load (6392-000-002) with floor plate (153, 166 & 170 Only).</p> <p style="text-align: center;">Mounting Location:</p>	4,150.00
99-0880	<p style="text-align: center;">Cot Mount: Stryker Performance Load (6392-000-001) with inductive charger and floor plate (RP-90ES, RP-90MR, PC-90 & BL-90 Only).</p> <p style="text-align: center;">Mounting Location:</p>	6,900.00
99-0881	<p style="text-align: center;">Cot Mount: Stryker Performance Load (6392-000-002) with floor plate (RP-90ES, RP-90MR, PC-90 & BL-90 Only).</p> <p style="text-align: center;">Mounting Location:</p>	4,150.00
99-0882	<p style="text-align: center;">Cot Mount: Stryker Performance Load (6392EMS001) with inductive charger and floor plate (Transit, Sprinter II & Chevy Type II Only).</p> <p style="text-align: center;">Mounting Location:</p>	7,000.00
99-0883	<p style="text-align: center;">Cot Mount: Stryker Performance Load (6392-000-002) with floor plate (Transit, Sprinter II & Chevy Type II Only).</p> <p style="text-align: center;">Mounting Location:</p>	4,000.00
900070	<p style="text-align: center;">Floor Plates: Additional for FW #175-4 Cot Mount</p> <p style="text-align: center;">Specify Cot Model:</p>	230.00

99-0491	Fire Extinguisher Bracket: Approved Safety& Security, black steel w/cam-over lever latch & mounting plate, PN: 63-04-6015, 08-0013.	100.00
99-0231	Fire Extinguisher: 10lb, ABC w/automotive bracket, IATS	125.00
99-0232	Fire Extinguisher: 10lb, ABC w/HD automotive style bracket, ILOS	375.00
900075	Cot Safety Hook: Install at rear threshold Specify Stryker or Ferno:	85.00
900080	Equipment Pole: 7/8" Stainless Steel with mounting stanchions - IATS Specify Location(s):	85.00
900100	Wheel & Post Cups: Install for FW # 107 Stair Chair	99.00
900110	Wheel & Post Cups: Install for FW # 11 Stretcher	99.00

10- Paint & Lettering		
1000010	Paint: Beltline Stripe with Hockey Stick Stripe Color: Color Code: Configuration:	1250.00
1000020	Paint: Skirt line Stripe Color: Color Code: Configuration:	900.00
1000025	Vinyl: Skirt line Stripe, 8" Reflective Color:	605.00

	Color Code:	
	Configuration:	
1000040	Vinyl: Pinstripe, 1/4" Reflective on both edges of Beltline	195.00
	Color:	
1000050	Paint: Beltline Stripe with QRS Pattern	1545.00
	Color:	
	Color Code:	
	Configuration:	
1000060	Paint: Beltline Stripe	995.00
	Color:	
	Color Code:	
	Configuration:	
1000065	Vinyl: Beltline Stripe, 10" Reflective	895.00
	Color:	
1000070	Paint: Mid-Body Down Type 3	2200.00
	Color:	
	Color Code:	
	Configuration:	
	NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	

1000072	<p style="text-align: center;">Paint: Mid-Body Down Type 1</p> <p style="text-align: right;">Color:</p> <p style="text-align: right;">Color Code:</p> <p style="text-align: right;">Configuration:</p> <p style="text-align: center;">NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.</p>	3350.00
1000080	<p style="text-align: center;">Paint: Body Only, Custom Color to Match Chassis</p> <p style="text-align: right;">Color:</p> <p style="text-align: right;">Color Code:</p> <p style="text-align: right;">Configuration:</p> <p style="text-align: center;">NOTE: Requires Paint Color and Code Prior to submitting order. Paint spray samples must be approved prior to scheduling.</p>	1150.00
1000082	<p style="text-align: center;">Paint: Type 1, Body and Chassis, Custom Color</p> <p style="text-align: right;">Color:</p> <p style="text-align: right;">Color Code:</p> <p style="text-align: right;">Configuration:</p> <p style="text-align: center;">NOTE: Requires Paint Color and Code Prior to submitting order. Paint spray samples must be approved prior to scheduling.</p>	7750.00
1000084	<p style="text-align: center;">Paint: Type 3, Body and Chassis, Custom Color</p> <p style="text-align: right;">Color:</p> <p style="text-align: right;">Color Code:</p> <p style="text-align: right;">Configuration:</p> <p style="text-align: center;">NOTE: Requires Paint Color and Code Prior to submitting order. Paint spray samples must be approved prior to</p>	5550.00

		scheduling.	
1000086	Paint: Type 1, Body and Chassis, Custom (2) Color Scheme Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	8850.00	
1000088	Paint: Type 3, Body and Chassis, Custom (2) Color Scheme Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	6650.00	
1000090	Paint: Roof of Module to be different color that rest of Body from lower edge of roof radius up and over around the entire perimeter of the roof. Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	885.00	

1000088	<p>Paint: SOL Starburst, full height from lower rub rail up to lower edge of roof radius, wrapping around the rear corner extrusions and onto the rear doors. (1) color matching beltline.</p> <p>Color:</p> <p>Color Code:</p> <p>Configuration:</p> <p>NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.</p>	6650.00
1000130	<p>Vinyl Graphics: Chevrons, 2-Color: Rear Excluding Doors, 6" Standard Grade Reflective Stripes</p> <p>Color #1:</p> <p>Color #2:</p>	935.00
1000135	<p>Vinyl: Chevrons, 2-Color: Rear Excluding Doors, 6" Diamond Grade Reflective Stripes</p> <p>Color #1:</p> <p>Color #2:</p>	1050.00
1000140	<p>Vinyl: Chevrons, 2-Color: Full Rear, 6" Standard Grade Reflective Stripes</p> <p>Color #1:</p> <p>Color #2:</p>	1325.00
99-0795	<p>Entry Doors: Lower Kick Panels, smooth aluminum w/reflective chevron installed ILOS ADP. NOTE: Must Specify Colors</p>	195.00

1000145	Vinyl Graphics: Chevrons, 2-Color: Full Rear, 6" Diamond Grade Reflective Stripes Color #1: Color #2:	1650.00
1000150	Vinyl: Chevrons, 2-Color: Rear Excluding Doors, 6" Stripe WRAP Color #1: Color #2:	775.00
1000155	Vinyl: Chevrons, 2-Color: Full Rear, 6" Stripe WRAP Color #1: Color #2:	1050.00
1000090	Star-of-Life Package, INSTALLED (32" Roof Star Not included)	250.00
1000105	Star-of-Life Package, SHIP LOOSE	150.00

Effective 02/25/19

