



Maintainer Utility Service Truck

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTech



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Option Number	All Options	SELECTED Options	Qty.	Comments
---------------	-------------	------------------	------	----------

CUSTOMER INFORMATION

Company:
Contact:
Address:
Phone:
Cell:
E-mail:

Received On:
Accepted On:
Received By:
Signed:

Exceptions:

Requirements:
Height:
Length:
Color:

Days Valid For: 90 days

WARRENTIES AND KEY STANDARD FEATURES (see separate literature for all warranty details and limitations)

Five Year: Maintainer cranes structure
Maintainer body sub-structures
Rust through on Maintainer service bodies

Three Year: Maintainer manufactured components
Maintainer manufactured replacement components
Paint coverage on Maintainer manufactured items

One Year: Labor on Maintainer workmanship
Purchased components supplied and installed by Maintainer

NOTE: Maintainer Corporation of Iowa Inc. FOLLOWS A POLICY OF CONTINUAL PRODUCT IMPROVEMENT AND REFINEMENT. AS A RESULT, CHANGES TO STANDARD EQUIPMENT, FEATURES, SPECIFICATIONS AND OPTIONAL EQUIPMENT MAY OCCUR AT ANY TIME

Note: Customer supplied chassis specifications must be approved by Maintainer Engineering department prior to acceptance of chassis. Chassis are subject to an additional modification charge.

MAIN UNIT OPTIONS - CHOOSE CHASSIS BELOW

Base Signature 1	SIG1	\$75,116	First column shows S1 if part of package
Base Signature 2	SIG2	\$87,586	First column shows S2 if part of package
Base Signature 3	SIG3	\$92,323	First column shows S3 if part of package

Chassis Options - Must Select One

1-ton	Ford F-550 4x2 Automatic Transmission 19.5k GVW	\$49,932
1-ton	Ford F-550 4x2 Automatic Transmission 19.5k GVW Ext. Cab	\$52,210
1-ton	Ford F-550 4x4 Automatic Transmission 19.5k GVW	\$52,675
1-ton	Ford F-550 4x4 Automatic Transmission 19.5k GVW Ext. Cab	\$55,546
1-ton	Dodge 5500 4x2 Automatic Transmission 19.5k GVW	\$48,485
1-ton	Dodge 5500 4x2 Automatic Transmission 19.5k GVW Crew Cab	\$51,968
1-ton	Dodge 5500 4x4 Automatic Transmission 19.5k GVW	\$51,833
1-ton	Dodge 5500 4x4 Automatic Transmission 19.5k GVW Crew Cab	\$54,211
2-ton	Kenworth T270 4x2 Automatic Transmission 26k GVW	\$72,516
2-ton	Kenworth T370 4x2 Automatic Transmission 33k GVW	\$80,320



Maintainer Utility Service Truck



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTech

		Option Number	All Options	SELECTED Options	Qty.	Comments
2-ton	Peterbilt 337 4x2 Automatic Transmission 26k GVW PX7		\$71,823			
2-ton	Peterbilt 337 4x2 Automatic Transmission 33k GVW		\$78,386			
2-ton	Ford F-750 4x2 Auto 26K GVW		\$65,153			new
2-ton	Ford F-750 4x2 Auto 33K GVW		\$67,415			new
	Custom Labor Per Hour		\$120			
	Two-Year Extended Warranty		\$6,500			

Section A - Maintainer Body

S1	MTS-1-084, 52" High X 23" Deep Compartments, 11' Long Body, 14 / 12 Ga. body, 44" x 21" wheel well opening, fuel fill(s) recessed into body side rail. Galvanneal body includes Cabinets with reinforced floors, clean out drains and adjustable shelving package (250 lb. capacity), 3/16" Aluminum doors with Three Point D-ring door latches and gas spring door holders, 49"W center deck floor is 1/8" diamond plate. Also includes wheel skirting, front body bulkhead, rear 10" tall hinge down tailgate, mud flaps, rear body grab handles, ICC recessed LED lights & reflectors, 97dB backup alarm, and Mini I.C.C. safety kit (2.5 lb ABC fire extinguisher & hazard reflectors). Body primed and undercoated, splatter-coating on compartment interiors.	AO-03136	\$15,280			For 19,500 GVW chassis
	MTS-1-060, 52" High X 23" Deep Compartments, 9' Long Body, 14 / 12 Ga. body, 44" x 21" wheel well opening, fuel fill(s) recessed into body side rail. Galvanneal body includes Cabinets with reinforced floors, clean out drains and adjustable shelving package (250 lb. capacity), 3/16" Aluminum doors with Three Point D-ring door latches and gas spring door holders, 49"W center deck floor is 1/8" diamond plate. Also includes wheel skirting, front body bulkhead, rear 10" tall hinge down tailgate, mud flaps, rear body grab handles, ICC recessed LED lights & reflectors, 97dB backup alarm, and Mini I.C.C. safety kit (2.5 lb ABC fire extinguisher & hazard reflectors). Body primed and undercoated, splatter-coating on compartment interiors.	AO-03140	\$13,350			For 19,500 GVW chassis
S2	MTS-2-084, 62" High X 23" Deep Compartments, 11' Long Body, 12-gauge body with 11-gauge deck-plate compartment tops & backs, 54" x 31" wheel well opening. Galvanneal body includes Cabinets with reinforced floors, clean out drains and adjustable shelving package (250 lb. capacity), 3/16" Aluminum doors with Three Point D-ring door latches and gas spring door holders, 49"W centerdeck floor is 1/8" diamond plate. Also includes wheel skirting, front body bulkhead, rear 10" tall hinge down tailgate, mud flaps, rear body grab handles, ICC recessed LED lights & reflectors, 97dB backup alarm, and Mini I.C.C. safety kit (2.5 lb ABC fire extinguisher & hazard reflectors). Body primed and undercoated, splatter-coating on compartment interiors.	AO-03138	\$19,000			For 84" cab to axle
S3	MTS-2-120, 62" High X 23" Deep Compartments, 14' Long Body, 12-gauge body with 11-gauge deck-plate compartment tops & backs, 54" x 31" wheel well opening. Galvanneal body includes Cabinets with reinforced floors, clean out drains and adjustable shelving package (250 lb. capacity), 3/16" Aluminum doors with Three Point D-ring door latches and gas spring door holders, 49"W center deck floor is 1/8" diamond plate. Also includes wheel skirting, front body bulkhead, rear 10" tall hinge down tailgate, mud flaps, rear body grab handles, ICC recessed LED lights & reflectors, 97dB backup alarm, and Mini I.C.C. safety kit (2.5 lb ABC fire extinguisher & hazard reflectors). Body primed and undercoated, splatter-coating on compartment interiors.	AO-03135	\$22,291			For 120" cab to axle
	Cab guard, cab width, steel tube type, no panel. Includes paint or protective spray coating to match body layout	AO-00652	\$623			
	Cab guard, center deck width, with slotted panel, 20" tall w/ 2- umbrella light holders (painted)	AO-01274	\$951			
S1, S2, S3	Tall Tower Crane reinforcement for MTS 1 or 2 ton service body (up to 75,000 ft*lb) NOTE: For individual crane equipment & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components - Contact Factory	AO-00519	\$816			
	Short Tower Crane reinforcement for MTS 1 or 2 ton service body (up to 45,100 ft*lb) NOTE: For individual crane equip. & accessory items ie. adj. boom saddle, outrigger pkgs., body leveling pkgs., hyd. pkgs. to operate a crane or other hyd. drive components-Contact Factory	AO-03571	\$1,145			
S1, S2, S3	Factory Installation of body on a chassis	AO-03145	\$1,631			To be added to what ever body is picked



Maintainer Utility Service Truck



Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTEch

Date:
STS Contract: 800591
Ohio STS: Index: STS515

		Option Number	All Options	SELECTED Options	Qty.	Comments
Section B - Compartment Equipment and Accessories						
S1,S2, S3	Pressurized Storage System (PSS), 2-blowers with filters	AO-00361	\$481			
S1,S2, S3	Feet of Master Compartment Locking System for steel body. Spring loaded with padlock guards for both side packs	AO-00400	\$64			Per foot includes both sides. 11 for S1 and S2. 14 For S3
S1	Tall Oxy / Act bottle storage w/ratchet strap, vents, "J" hks. & reinforced floor	AO-00138	\$271			
S2, S3	Oxy / Act bottle storage w/ratchet strap, vents, "J" hks. & reinforced floor	AO-00137	\$220			
	Reel, Oxy / Act dual hose reel, spring rewind with 1/4" x 50' (Grade T) hose. Includes pigtails to tank area or compartment outlet & plug / any length over 10' requires additional charge.	AO-00251	\$966			
S2, S3	Compartment larger to accommodate reels / 23" to 26" deep & 62" to 70" tall	AO-00678	\$468			Needed if lube package wanted
Section C - Hydraulic Power Package						
S1, S2, S3	Closed center LS hydraulic power package, includes air shift PTO (requires chassis air system) Includes: pump, std oil reservoir with in-tank filter, vented fill cap, sight gauge	AO-00177	\$5,814			
	RAM 4500-5500 closed center pump installation (additional labor to install & modify floor pan) Not needed for 4 x 2 with manual transmission	AO-03085	\$234			
	Open center hydraulic power package, includes air shift PTO (requires chassis air system) Includes: pump, std oil reservoir with in-tank filter, vented fill cap, sight gauge. NOTE: The Open-Center hydraulic system allows operation of only a single hydraulic component at a time. Multi-component operation requires a Closed-Center system and is not available on some chassis configurations. Contact factory for details.	AO-03126	\$5,231			
	Large open center hydraulic power package, includes air shift PTO (requires chassis air system) Includes: Vane pump, Large oil reservoir w/ in-tank filter, vent fill cap, sight gauge. NOTE: This power package is specifically for a Ford 6-speed auto transmission, providing approximately 23 gpm. NOTE: The Open-Center hydraulic system allows operation of only a single hydraulic component at a time. Multi-component operation requires a Closed-Center system and is not available on some chassis configurations. Contact factory for details.	AO-03550	\$6,783			
	Hydraulic cooling package, high efficiency bar/plate design, low-med GPM flow rating - consult factory for usage application	AO-00580	\$1,294			Required with large hydraulic package
	Miller EnPak Power Package with control panel 24.8HP Kubota diesel engine, utilizes chassis 12-volt battery & fuel (requires two auxiliary fuel ports) Includes engine block heater with 120V plug-in Crane remote integration: Not Included / Quoted separately Hydraulic Pump: Closed Center /Load Sensing (10 gpm), Includes hydraulic reservoir w/ 120V heater & auxiliary cord Air Compressor: Rotary screw 60 CFM @ 100 PSI (Air tank required, quoted separately) Generator: 6000-Watt, GFI outlets (1) 120V, (1) 240V Remote-mounted Welder: Not Included, See Maxstar welder options Inverter: EnVerter - 2400W w/ 120V GFI outlet Jumpstart / Charger: Not included / quoted separately Note: White housing; 21"W x 30"T x 47"L, 832 lbs, Specify mounting location, Center deck location may require a removable panel for protection	AO-03127	\$33,014			No PTO hydraulic system required
	Air tank - 17 gallon - (Pressure rating of 165 psi) / 16" diameter Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-00341	\$605			
	Add a fuel port & suction tube to chassis fuel tank, for engine driven equipment to use the chassis as a fuel source (Necessary when chassis fuel tanks come in without 2 additional ports for fuel suction and return) Consult factory: Generally not required for F550, Ram 5500 & Kenworth T270 / T370, but likely required for International and Peterbilt chassis	AO-03524	\$483			
	Planetary winch in lieu of worm gear on H7024 / H6520 crane	AO-00547	\$1,515			
	Removable divider panel in center deck	AO-00647	\$286			



Maintainer Utility Service Truck



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTech

	Option Number	All Options	SELECTED Options	Qty.	Comments
Heater, electric, 120 volt, fan forced, 1,000 / 1,500 watt (017868) - w/ male plug NOTE: May require an additional 120 volt plug-in wired to power source	AO-03038	\$153			
Crane remote control hook-up (tethered or wireless), for engine-driven power packages	AO-00659	\$241			
Mounting Angles	AO-02378	\$238			
Extension cord 25' for Miller Maxstar welder, 6-50-P/R 250volt rating	AO-00931	\$331			
Miller Maxstar welding lead cables w/ clamp and stinger, 15' of #2 cable	AO-01301	\$224			
Miller Maxstar 210-STR #907682 with 240V plug; (Arc gouging capable) NOTE: Includes 10ft. power cord and plug. Capable of TIG, Stick, and Air carbon Arc welding	AO-00661	\$3,249			
Miller Multimatic 200 welder (MIG, TIG, or Stick weld) #907518 NOTE: Includes 10ft. power cord and plug for 120V or 240V, does not include optional TIG kit NOTE: Not capable of Arc Gouging	AO-03507	\$2,730			
Vanair Air N Arc I300 Power Package with control panel 24.8HP Kubota diesel engine, utilizes chassis 12-volt battery & fuel (requires two auxiliary fuel ports) Includes cold weather package with 12 Volt switch in cab Crane remote integration: Not Included / Quoted separately Hydraulic Pump: Closed Center /Load Sensing (8 gpm), Includes hydraulic reservoir w/ 120V heater & auxiliary cord Air Compressor: Rotary screw 40 CFM @ 100 PSI (Includes 4-gallon air tank & remote-mounted moisture drain) Generator: 6800-Watt, GFI outlets (4) 120V, (1) 240V mounted in control panel Welder: 300 AMP high frequency, CC/DC & CV/DC (Welder leads sold separately) Inverter: Not included / quoted separately Jumpstart / Charger: 300 AMP 12V battery charger with 12V/24V boost (Jumpstart cables sold separately) Note: White housing; 21"W x 33"T x 47"L, 910 lbs, Specify mounting location, Center deck location may require a removable panel for protection	AO-03128	\$30,661			No PTO hydraulic system required
Air tank - 17 gallon - (Pressure rating of 165 psi) / 16" diameter Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-00341	\$605			
Add a fuel port & suction tube to chassis fuel tank, for engine driven equipment to use the chassis as a fuel source (Necessary when chassis fuel tanks come in without 2 additional ports for fuel suction and return) Consult factory: Generally not required for F550, Ram 5500 & Kenworth T270 / T370, but likely required for International and Peterbilt chassis	AO-03524	\$483			
Planetary winch in lieu of worm gear on H7024 / H6520 crane	AO-00547	\$1,515			
Heater, electric, 120 volt, fan forced, 1,000 / 1,500 watt (017868) - w/ male plug NOTE: May require an additional 120 volt plug-in wired to power source	AO-03038	\$153			
Jump start cables (25ft) for welder / gen. with jumpstart option	AO-01668	\$399			
Crane remote control hook-up (tethered or wireless), for engine-driven power packages	AO-00659	\$241			
Mounting Angles	AO-02378	\$238			
Cables, Welder leads, w/ clamp and stinger, 50' of 1/0, 300 amps	AO-00192	\$539			
Section D - Crane Equipment and Accessories					
H3516ST Hydraulic Crane 3,500 lb max capacity (15,000 ft*lb) with hydraulic extend boom 8'-16' #021229 Crane includes proportional wireless remote with back-up cable, holder with storage sensor, indicator light & external antenna, planetary winch, level gauge, A2B, overload system, holding valves, load block with non-live-swivel safety hook & master on/off switch.	AO-03727	\$16,480			Tall or short tower crane
H4520ST Crane 4,500 lb max capacity (20,000 ft*lb) with hydraulic extend boom 10'-20' Chassis Open Center or Closed Center hydraulic system required (not included) #019994 Crane includes proportional wireless remote with back-up cable, holder with storage sensor, indicator light & external antenna, planetary winch, level gauge, A2B, overload system, holding valves, & load block with non-live-swivel safety hook.	AO-03693	\$17,681			



Maintainer Utility Service Truck



Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTech

Date:
STS Contract: 800591
Ohio STS: Index: STS515

		Option Number	All Options	SELECTED Options	Qty.	Comments					
	H5520ST Crane 5,500 lb max capacity (30,000 ft*lb) with hydraulic extend boom 10'-20' Chassis Open Center or Closed Center hydraulic system required (not included) #019998 Crane includes proportional wireless remote with back-up cable, holder with storage sensor, indicator light & external antenna, planetary winch, level gauge, A2B, overload system, holding valves, & load block with non-live-swivel safety hook.	AO-03695	\$18,109								
	H6520TT Crane 6,500 lb max capacity (38,000 ft*lb) with hydraulic extend hex-boom 12'-20' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, gear winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook.	AO-03104	\$18,845			Tall or short tower crane					
S1	H7024TT Crane 7,000 lb max capacity (45,100 ft*lb) with hydraulic extend hex-boom 11'-24' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, gear winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook.	AO-03106	\$20,523			Tall or short tower crane					
S2, S3	H10025TT Crane 10,000 lb max capacity (75,000 ft*lb) with hydraulic extend hex-boom 13'-25' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, planetary winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook.	AO-03108	\$27,141			Tall or short tower 11' body 26,000 GVW min					
2-Ton or +	H10034TT Crane 10,000 lb max capacity (75,000 ft*lb) with hydraulic extend hex-boom 15'-34' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, planetary winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook. Note: Crane typically requires 120" C-A min Chassis w/ 33K GVWR Note: requires 90,000 ft/lb outriggers with 57" extension	AO-03110	\$33,653			Tall or short tower requires 14' body & 33,000 GVW chassis					
2-Ton or +	H10030TT Crane 10,000 lb max capacity (60,000 ft*lb) with hydraulic extend hex-boom 13'-30' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, planetary winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook. Paint note:Ship-out crane-only: Requires additional paint charge Crane installed on body: No additional paint charge unless different color than body	AO-031XX	\$28,344								
2-Ton or +	H12025TT Crane 12,000 lb max capacity (90,000 ft*lb) with hydraulic extend hex-boom 13'-25' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, planetary winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook. Note: Crane typically requires 108" C-A min. and additional front outriggers recommended for increased side-lifting capability.	AO-03111	\$33,308			Tall tower only, 14' body and 33,000 GVW required					
2-Ton or +	H14025TT Crane 14,000 lb max capacity (90,000 ft*lb) with hydraulic extend hex-boom 13'-25' Crane includes a true independent proportional wireless remote, holder with storage sensor, indicator light & external antenna, ACC, planetary winch, crane hour meter, engine start/stop, A2B, overload system, holding valves & load block with non-live-swivel safety hook. Note: Crane typically requires 120" C-A min. and additional front outriggers recommended for increased side-lifting capability.	AO-03112	\$35,433			Tall tower only, 14' body and 33,000 GVW required In some cases front outriggers may be needed					
S1, S2, S3	Install hydraulic crane on body - includes boom saddle, crane remote storage pocket and valve well	AO-03116	\$1,304								
	EH3516ST Electric / Hydraulic Crane 3,500 lb max capacity (15,000 ft*lb) with hydraulic extend boom 8-16' #020746 Crane includes proportional wireless remote with back-up cable, holder with storage sensor, indicator light & external antenna, planetary winch, level gauge, A2B, overload system, holding valves, load block with non-live-swivel safety hook & master on/off switch, and 40' of cable for wiring to chassis batteries. OPTIONAL items not included: Additional deep cycle battery and separator / isolator or low voltage shut-off switch	AO-03726	\$16,548								
	EH4520ST Electric / Hydraulic Crane 4,500 lb max capacity (20,000 ft*lb) with hydraulic extend boom 10'-20' #019995 Crane includes proportional wireless remote with back-up cable, holder with storage sensor, indicator light & external antenna, planetary winch, level gauge, A2B, overload system, holding valves, load block with non-live-swivel safety hook & master on/off switch. Items not included but are required are: Additional deep cycle battery and separator / isolator or low voltage shut-off switch	AO-03692	\$18,291								



Maintainer Utility Service Truck



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTEch

		Option Number	All Options	SELECTED Options	Qty.	Comments
	EH5520ST Electric / Hydraulic Crane 5,500 lb max capacity (30,000 ft*lb) with hydraulic extend boom 10'-20' #019999 Crane includes proportional wireless remote with back-up cable, holder with storage sensor, indicator light & external antenna, planetary winch, level gauge, A2B, overload system, holding valves, load block with non-live-swivel safety hook & master on/off switch. Items not included but are required are: Additional deep cycle battery and separator / isolator or low voltage shut-off switch	AO-03694	\$18,718			
	Separate / Isolate the auxiliary battery(s) from chassis batteries. NOTE: "Add deep cycle batteries" must be selected if this option is desired to separate auxiliary batteries from chassis batteries	AO-00676	\$229			
	(1) deep cycle battery (includes tie down, pad & cover)	AO-01343	\$556			
	Install EH crane on body - includes boom saddle, crane remote storage pocket	AO-03115	\$956			
	Annual crane inspection (initial inspection)	INSP.	\$229			New
Section E - Outriggers and Accessories						
S1	Outriggers for cranes up to 45,100 ft*lb, hydraulic up/down rear outriggers (2) with manual extend in/out on crane side (30" extend)	AO-03130	\$3,735			Hydraulic cranes only
	Hydraulic extend in/out outrigger - one side, in lieu of manual	AO-00202	\$1,080			Use only with hydraulic outriggers
	Outriggers for cranes up to 45,100 ft*lb, Manual crank up/down rear outrigger (2), and Manual extend in/out on crane side only	AO-00398	\$2,045			Can be used with Hydraulic cranes
S2, S3	Outriggers for cranes up to 75,000 ft*lb, hydraulic up/down rear outriggers (2) with hydraulic extend in/out on crane side (48" extend)	AO-00198	\$5,368			Required with H10025 short or tall tower crane
	Outriggers for cranes up to 90,000 ft*lb, hydraulic up/down rear outriggers (2) with hydraulic extend in/out on crane side (57" extend) Required with H10034, H12025, H14025 Cranes	AO-03364	\$6,200			Required with H10034, H12025, & H14025 cranes
	Outriggers for front of body, hydraulic up/down outriggers (2) with manual extend in/out on crane side (30" extend)	AO-03365	\$3,735			Might be needed with H14025 crane consult dealer
Section F - Chassis Equipment and Accessories						
S1, S2, S3	Spring or spacer leveling package added to one side of chassis suspension (1-Ton)	AO-03120	\$219			
	Add additional air leveling valve for crane body for chassis w/ air suspension.	AO-03122	\$499			
S1, S2	Add charge to standard PTO package for electric-over-hydraulic required on chassis with automatic transmission.(Ford F450-F550, F650-F750 & Ram 4500-5500)	AO-00507	\$1,344			
	Adder hydraulic kit needed with an air compressor on chassis with gas, propane, or CNG engine Soft shift control block spool (013724), coil, connector and bleed down orifice For "Propane / CNG engines (lower HP) may reduce hyd. performance, and potentially cause engine surging/stalling."	AO-01524	\$543			Need with air suspension chassis if only one (1) is ordered on chassis
S2, S3	Add charge to standard PTO for Allison automatic transmission in lieu of std manual transmission	AO-00452	\$1,208			For chassis with Allison Transmissions
S1	Bug screen on chassis hood 1-ton Ford	AO-00274	\$208			
	Electric brake controller	AO-00570	\$330			
S1, S2, S3	Electronic engine speed control - computer set - electronic engine	AO-00494	\$149			
Section G - Welder, Generator, Inverter, Power Equipment						
S1, S2, S3	Mounting angles	AO-02378	\$238			For inverter or welder each
	Inverter-Light Duty-2500 watt-#011529, Wired to chassis batteries, Mounted toward front of body. Modified Sine Wave, NOTE: Customer to verify compatibility with electronic items	AO-00757	\$995			
	Inverter-Heavy Duty-2400 watt-#009422, w/ 350 & 400 amp fuse & holders. Extra battery, separator, & battery box. Mounted toward front of body, Pure Sine Wave (Batteries) NOTE: Customer to verify compatibility with electronic items	AO-00758	\$4,061			
	Inverter DUI-3600 watt w/ 350 & 400 amp fuse & holders. Extra battery, separator, & battery box / heavy duty usage / for batteries	AO-01250	\$4,553			
	Inverter-Light Duty-5000 watt-#013838 Modified Sine Wave, Wired to chassis batteries, Mounted toward front of body. NOTE: Customer to verify compatibility with electronic items	AO-01610	\$1,231			
	Adder for mounting inverter at rear of service body (without auxiliary battery) In lieu of in cab or front of service body	AO-01997	\$514			



Maintainer Utility Service Truck



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTEch

		Option Number	All Options	SELECTED Options	Qty.	Comments
	Adder for mounting inverter at rear of service body (with auxiliary battery) In lieu of in cab or front of service body	AO-01998	\$310			
	Miller Bobcat 225 gas (Kohler) #907498. GFCI outlets NOTE: 28"H (33" to top of exhaust) x 20"W x 40.5"D / 485 lbs. NOTE: Includes installation	AO-02555	\$5,528			
	Miller Bobcat 250 gas (Kohler) #907500 GFCI outlets (018541) NOTE: 28"H (33"H to exhaust) x 20"W x 40.5"D / 501 lbs. NOTE: Includes installation	AO-02557	\$6,434			
	Cables, Welder leads, w/ clamp and stinger, 50' of 1/0, 300 amps	AO-00192	\$539			
S1	Camera, relocate existing chassis camera to rear of body Note: Requires factory installed monitor in dash.	AO-03468	\$190			
S2, S3	Camera, NagyFleet, 7" Color monitor, external mount camera with infra-red	AO-03445	\$1,298			
Section H - Air Compressor Equipment and Accessories						
S1, S2, S3	Vanair Reliant RC40 reciprocating hydraulic driven 40 CFM air compressor with cover 40 CFM @ 100 PSI / 40 CFM @ 150 PSI w/ 17 gallon air tank & integral hydraulic oil cooler Note: White housing. Includes cold weather package with 12 volt switch in cab Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-00606	\$7,470			
	Vanair RS-45 rotary screw air compressor	AO-00563	\$10,065			
	Vanair Reliant 60 CFM rotary screw hydraulic driven air compressor w/ white cover (RS85) 60 CFM @ 150 psi with 17 gallon air tank & integral hydraulic oil cooler. Includes cold weather package with 12 volt switch in cab Note: Hydraulic requirement = 14.2 gpm (May require large pump kit, not included), Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-03463	\$11,875			
	Quincy 24.8 CFM @ 100 PSI hydraulic driven recip. air compressor w/ cover w/ 17 gallon air tank / 22.1 CFM @ 150 PSI, 37 CFM displac. hydraulic oil cooler built into assembly Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-00532	\$5,036			
	Gas driven Vanair Pro 35 air compressor - 14HP Kohler, 35 CFM @175 PSI (Maximum) Includes 30 gallon air tank, Includes electric start, and installation Remote-mounted controls and mounting angles are sold separately (43Lx27Wx28H) 485 pounds Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-02685	\$5,076			For use with no hydraulic system
	Gas driven Ingersoll-Rand air compressor - 13HP Honda, 25 CFM @175 PSI (Maximum) Model 2475F13GH on 30 gallon air tank, Includes electric start, and installation Remote-mounted controls and mounting angles are sold separately (44Lx27Wx41H) 450 pounds Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-01509	\$6,446			For use with no hydraulic system. ILO #018704 for S2
	Diesel driven Quincy air compressor - 10HP Yanmar, 22 CFM @175 PSI (Maximum) Model QT7.5-10Y-30H, Includes 30 gallon air tank, electric start, and installation Remote-mounted controls and mounting angles are sold separately (46Lx26Wx41H) 545 pounds Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-02114	\$10,164			For use with no hydraulic system
2-Ton or +	Vanair Reliant 85 CFM rotary screw hydraulic driven air compressor w/ white cover (RS85) 85 CFM @ 125 psi with 17 gallon air tank with moisture drain & integral hydraulic oil cooler. Includes a high temperature shutdown switch with indicator light and cold weather package with 12 volt switch in cab Note: Hydraulic requirement = 19.9 GPM. May require a large pump kit (not available on some chassis configurations) Multi-component operation may be limited, contact factory for details	AO-03449	\$11,875			



Maintainer Utility Service Truck



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTech

		Option Number	All Options	SELECTED Options	Qty.	Comments
2-Ton or +	Vanair ADHD rotary screw hydraulic driven air compressor with cover 125-185 CFM @ 100 PSI - (specify: 125, 160 or 185 CFM - GPM will vary) optional 150 PSI available (consult factory) Note: Requires large pump kit & hydraulic oil cooler (not included), Includes cold weather package with 12 volt switch in cab Includes 17 gallon air tank with moisture drain	AO-00376	\$18,108			
2-Ton or +	Vanair V2 Multi-drive system PTO Driven - Air Comp / Hyd pump mount Note: does not include generator Rotary screw air comp. capable of 125-185 cfm @ 100psi w/ control panel, psi gauge, hour meter and oil temp Note: Control panel to be mounted in chassis cab, unless otherwise specified Note: Package excludes: Reservoir, custom chassis speed control, PTO & driveline Note: Must be quoted with "open center" hydraulic package (Use AO-02192 speed control) Note: May require additional drive-line due to chassis component interference, Chassis drop-ship to compressor manufacturer may be required, review chassis details with Maintainer Factory	AO-02356	\$18,685			Requires 17 gallon air tank
2-Ton or +	PTO driveline or adaptor - std. displacement hydraulic pump	AO-00218	\$420			
2-Ton or +	Vanair VTEC or wired speed control for PTO driven air compressors V-Tec used on chassis with automatic transmissions, auxiliary wired speed control for chassis with manual transmissions International chassis Requires engine codes 12VZA, or 12VZB and transmission codes 13WDH, or 13WUC	AO-02192	\$1,768			
2-Ton or +	185-200 CFM @ 110 PSI PTO driven, rotary screw air compressor (specify: 185 or 200 CFM - RPM will vary) - Double cooler Note: Package excludes: Air reservoir, custom chassis speed control, PTO & driveline Consult Factory for options: 125 or 150 PSI available Ground clearance - may require gearbox riser Chassis drop-ship to compressor manufacturer may be required	AO-00336	\$19,778			Requires 17 gallon air tank
	Vanair VTEC or wired speed control for PTO driven air compressors V-Tec used on chassis with automatic transmissions, auxiliary wired speed control for chassis with manual transmissions International chassis Requires engine codes 12VZA, or 12VZB and transmission codes 13WDH, or 13WUC		#VALUE!			
2-Ton or +	60-85 CFM @ 110 PSI PTO driven, rotary screw air compressor (specify: 60 or 85 CFM - RPM will vary) Note: Package excludes: Air Reservoir, custom chassis speed control, PTO and driveline Consult Factory for options: 125 or 150 PSI available Ground clearance - may require gearbox riser Chassis drop-ship to compressor manufacturer may be required Note: Control panel is mounted in chassis cab, unless otherwise specified	AO-00594	\$18,145			Requires 17 gallon air tank
2-Ton or +	Boss BA440 40 CFM reciprocating hydraulic driven (open center) air compressor w/ white cover 40 CFM @ 100 PSI (150 psi max.) with 17 gallon air tank with moisture drain & integral hydraulic oil cooler Note: Hydraulic requirement = 12 gpm	AO-02193	\$7,785			
2-Ton or +	Boss BA440 40 CFM reciprocating hydraulic driven (closed center) air compressor w/ white cover 40 CFM @ 100 PSI (150 psi max.) with 17 gallon air tank with moisture drain & integral hydraulic oil cooler Note: Hydraulic requirement = 12 gpm	AO-02194	\$8,148			
2-Ton or +	Boss Infinity 35 CFM rotary screw hydraulic driven (closed center) air compressor w/ white cover 35 CFM @ 150 PSI (175 PSI max.) with 17 gallon air tank with moisture drain & integral hydraulic oil cooler Note: Hydraulic requirement = 14 gpm	AO-02336	\$8,953			
2-Ton or +	Driveline for PTO air compressor	AO-00338	\$564			
2-Ton or +	Air shift PTO	AO-03447	\$1,029			



Maintainer Utility Service Truck



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTEch

		Option Number	All Options	SELECTED Options	Qty.	Comments
S1, S2, S3	Hose reel access out rear compartment	AO-00340	\$250			
S1, S2, S3	Air accessory package - 1/2" X 50' Filter / lubricator / regulator, spring rewind reel, hose & ball stop	AO-00170	\$1,073			
	Air accessory package - 3/8" X 30' (Hosetract Reel) Filter / lubricator / regulator, spring rewind reel, hose & ball stop	AO-00110	\$733			
2-Ton or +	Air accessory package - 3/4" X 50' Filter / lubricator / regulator, spring rewind reel, hose & ball stop	AO-00351	\$1,356			
2-Ton or +	Air accessory package - 1" X 50' Filter / lubricator / regulator, spring rewind reel, hose & ball stop	AO-00803	\$1,534			
2-Ton or +	Air tank - 17 gallon - (Pressure rating of 165 psi) / 16" diameter Includes air drain hose routed to outside of body, 3/8" air hose with ball valve (ILO cable pull) (#017392)	AO-00341	\$705			May be needed if not included in air compressor package
Section I - Lighting / Electrical Equipment and Accessories						
S1, S2, S3	Exterior 12v LED flood light (2010-Raw / 1350-Effective Lumens)	AO-02756	\$198			Each. 4 on Signature Series
S1, S2, S3	Exterior 12v LED flood light pkg. 1-perm / 1-remote (2010-Raw / 1350-Effective Lumens)	AO-02757	\$315			
	Strobe Lightheads, oval, LED, amber, recessed, 6.5"L x 2.25"H (pair)	AO-00589	\$361			
	Strobe Lightheads L.E.D, external mount, amber (2x-1 ea front corner)	AO-00618	\$366			
S1, S2, S3	Interior 12 v. LED strip light (can be used in O/A compartments)	AO-00149	\$113			Each Compartment. 7 for S1 and S2. 9 For S3
	Exterior 12v LED flood light on crane boom tip (1-Light, 2010-Raw / 1350-Effective Lumens) on pivot bracket, includes cord reel	AO-02760	\$459			
	Exterior 12v LED flood light on crane boom tip (2-Lights, 2010-Raw / 1350-Effective Lumens) on pivot bracket, includes cord reel	AO-03497	\$656			
	Traffic Advisor, Whelen model TA-837, installed	AO-00972	\$1,346			
	Light Bar, Whelen amber Lo-Profile LED mini light bar, Model MC16PA (#019873) 2-3/8" H x 16-1/2" W x 7-3/4" D	AO-02124	\$569			
Section J - Painting Equipment and Accessories						
S1, S2, S3	Feet of unit painted urethane "White" color. Not a base coat/clear coat or Metallic Note: Includes protective spray covering on compartment fronts, bottom door frames, outside area around wheel wells, outer vertical outrigger tubes, rear bumper face & step surface Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on color Note: For colors other than white additional charges will be required	AO-00354	\$225			Per foot of body. 11 for S1 and S2. 14 For S3
	Feet of unit painted urethane "Base Coat/Clear Coat - Metallic" Note: Includes protective spray covering on compartment fronts, bottom door frames, outside area around wheel wells, outer vertical outrigger tubes, rear bumper face & step surface Note: Due to variations in OEM paint products and application methods, Maintainer cannot guarantee a perfect paint match on color	AO-00467	\$433			Per foot of body for colors other than white
S1, S2, S3	Feet of Protective Spray Covering - MTS - cargo center deck, compartment tops & sides, front bulkhead, tail gate & extension, bumper and/or workbench area	AO-00454	\$163			Per foot of body. 11 for S1 and S2. 14 For S3
	Protective Spray Covering: Cab guard	AO-00731	\$631			
	Protective Spray Covering: Inside of wheel wells, single axle, ILO undercoating	AO-00862	\$614			
Section K - Roll-Out Drawer and Tray Equipment and Accessories						
S1, S2, S3	DuaLock (5) drawer aluminum std. set 18"W x 18"D x (5)-4"H, (300 lb. cap. per drawer) overall height 28.75", #013225, Installed (1) Permanent Front-to-Back divider, (4) Removable Side-to-Side Dividers	AO-01501	\$1,341			
S1, S2, S3	DuaLock (7) drawer HD aluminum set 29"W x 18"D x (1)-7", (3)-5", (3)-3"H, (300 lb. cap. per drawer) overall height 40.25", #020017, Installed (2) Permanent Side-to-Side Dividers, Removable Front-to-Back Dividers	AO-01504	\$2,106			
	DuaLock custom drawer HD aluminum set (300 lb. cap. Ea.) Permanent & Removable Dividers will be provided but configurations vary depending on drawer width and depth Note: Requires installation charge if applicable, specify drawer details.	AO-01500	\$2,688			Custom drawer set available consult dealer
	Install charge for mounting drawer set in Maintainer compartment (EACH)	AO-01495	\$93			
	Bolt Bin (LD) 18 drawers w/ drop-in dividers, 34"W x 13"H x 18"D	AO-00191	\$596			



Maintainer Utility Service Truck



Date:
STS Contract: 800591
Ohio STS: Index: STS515

Sales Proposal for:
Ohio STS Pricing Effective: January 2019
Presented by: MTech

	Option Number	All Options	SELECTED Options	Qty.	Comments
Bolt Bin (HD) 16 drawers - 8H x 2W (16"Wx32"Hx18"D) - #009228 Drawers are (4"x8"x18") w/ drop-in dividers	AO-00584	\$1,546			
Bolt Bin (HD) 16 drawers - 4H x 4W (32"Wx16"Hx18"D) - #011564. Drawers are (4"x8"x18") w/ drop-in dividers	AO-02382	\$1,580			
Bolt Bin (LD) 18 drawers w/ drop-in dividers, 17"W x 21.5"H x 12"D	AO-02430	\$611			
Bolt Bin (LD) 9 drawers w/ drop-in dividers, 17"W x 11"H x 12"D, Model 004	AO-03238	\$430			
Section L - Center Deck Equipment and Accessories					
3-section aluminum sliding cover for MTS center deck (up to 10.5 ft length) w/ bi-folding door *Not designed to walk on / On TT Cranes does not extend to rear of body (360 lb. approx. wt.) *Standard slide-top has a 2" riser and allows for 34.75" height clearance above center-deck floor	AO-00230	\$4,399			
Add-on for "Hinge-Up" sliding cover w/ gas spring lift	AO-00450	\$835			
Riser for slide-top (additional height) specify height of riser (inches)	AO-00597	\$389			
S1, S2, S3 Flush mount "D" ring tie-downs in bed floor, each	AO-00201	\$43			Each. 4 for S1 and S2. 6 For S3
Removable divider panel in center deck	AO-00647	\$304			
Cargo Cover, Tarp & Bow System / 11 ft long, 292 lbs. (approximate). Retractable roller guide system, includes rope and tie-downs	AO-03556	\$2,780			
2-Ton or + Cargo Cover, Tarp & Bow System / 14 ft long, 349 lbs. (approximate) Retractable roller guide system, includes rope and tie-downs	AO-03557	\$3,158			
2-Ton or + 4-section aluminum sliding cover for MTS center deck (11 ft and longer) w/ bi-folding door *Not designed to walk on / On TT Cranes does not extend to rear of body (510 lb. approx. wt.) *Standard slide-top has a 2" riser and allows for 34.75" height clearance above center-deck floor	AO-00331	\$5,158			Needed on 14' bodies
Section M - Lube Equipment and Accessories					
0-50 gallon steel tank, 8D design, equipped with filtered fill cap, suction screen, sight gauge, shut-off valve on tank suction line, installed / spring mounted w/ rubber pad	AO-02903	\$1,549			Quantity limited to GVW of Chassis
51-100 gallon steel tank, 8D design, equipped with filtered fill cap, suction screen, sight gauge, shut-off valve on tank suction line, installed / spring mounted w/ rubber pad	AO-02904	\$1,629			Quantity limited to GVW of Chassis
Air Kit #1 Oil 5:1 ratio, 2-3 GPM delivery (Varies with oil type) Hannay 1/2" X 50' spring rewind reel high-flow non-drip rigid dispenser	AO-01010	\$3,264			
Air Kit - Oil / Anti-freeze Evacuation Diaphragm pump 1" x 30' 0-15 GPM delivery w/ hydraulic, 10wt or 20wt @ 60 degrees F. 0-8 GPM delivery w/ 30wt, 50wt or 90 wt @ 60 degrees F. 1" x 30' spring reel (017401), 4-way control & suction screen, control valve & regulator (Not for water / solvent) 212°F Maximum operating temperature	AO-02881	\$4,359			
Air Kit, A-Freeze (non-corrosion resistant) Samson diaphragm, 0-10 GPM delivery / (control valve, regulator & oiler). Hannay 1/2" X 50' spring rewind reel (non-corrosion resistant), with rollers, high-flow non-drip rigid dispenser	AO-03653	\$2,780			
Hydra Kit #1 Oil - Commercial-Shearing pump (small displ.) 0-8 GPM delivery w/ hydraulic, 10wt or 20wt @ 60 degrees F. 0-4 GPM delivery w/ 30wt, 50wt or 90 wt @ 60 degrees F. Hannay 1/2" X 50' spring reel & high-flow non-drip rigid dispenser	AO-02885	\$3,136			
Hydra Kit, Oil - Turolla pump (small displ.) Up to 7 GPM delivery w/ hydraulic, 10wt or 20wt @ 60 degrees F. Up to 4 GPM delivery w/ 30wt, 50wt or 90 wt @ 60 degrees F. Hannay 1/2" X 50' spring reel, with rollers & high-flow non-drip rigid dispenser	AO-03652	\$2,513			
Hydra Kit Anti-freeze - (Non-Corrosion resistant kit) 8-Roller Stainless Pump (018578) 0-10 GPM delivery Hannay 1/2" X 50' spring rewind reel, with rollers Non-metered dispenser	AO-03566	\$3,606			



Maintainer Utility Service Truck



Date:
 STS Contract: 800591
 Ohio STS: Index: STS515

Sales Proposal for:
 Ohio STS Pricing Effective: January 2019
 Presented by: MTech

	Option Number	All Options	SELECTED Options	Qty.	Comments
Hydra Kit #5 Oil Evacuation - Commercial-Shearing pump (large displ.) 1" x 30' 0-10 GPM delivery w/ hydraulic, 10wt or 20wt @ 60 degrees F. 0-4 GPM delivery w/ 30wt, 50wt or 90 wt @ 60 degrees F. Hannay 1" x 30' spring reel, 4-way control & suction screen 212°F Maximum operating temperature	AO-02891	\$4,606			
Air Kit #12, 120# Grease Kit (16 gallon) Graco 50:1 pump (control valve, regulator & oiler) drum cover, follow plate & tie down. Hannay 3/8" X 50' spring rewind reel high pressure dispenser with swivel	AO-01050	\$3,578			
Section N - Rear Bumper and Accessories					
S1, S2, S3 26" steel workbench bumper with 2-side storage compartments, and two mounting pockets for an optional vise / grinder mounting plate. Includes a stainless steel rear bumper shell Note: Hitch and trailer plug to be quoted separately	AO-03152	\$3,176			
26" Steel Workbench Bumper with recessed step on one side, compartment on other, and a single mounting pocket for an optional vise / grinder mounting plate Includes: 2 grab handles and strip light for recessed step safety, transverse bar storage (6.5 ft long), (doors on both sides). Includes a stainless steel rear bumper shell Note: Hitch and trailer plug to be quoted separately	AO-03153	\$3,979			
S1, S2, S3 Transverse bar storage compartment in workbench bumper flush to floor	AO-00431	\$240			
S1, S2, S3 Class IV hitch receiver - 2" receiver - rated at 1,500 lbs. vert. 10,000 lbs. MGTW Note: customer is responsible to verify tow rating of chassis and available GVWR/GCWR remaining after loading of body and all other items.	AO-03158	\$154			
S1, S2, S3 Trailer plug-in 7-prong flat blade (RV style)	AO-00573	\$110			
Trailer plug-in (6 prong / round pin)	AO-00150	\$80			
Section O - Miscellaneous Equipment and Accessories					
S1, S2, S3 Vise / grinder removable mounting plate	AO-00200	\$176			
S2, S3 Single axle wheel well extensions (3-piece bolt-on), aluminum w/ protective spray. Note: Kit includes flares for both sides of body	AO-02201	\$381			
Totals					
Base Unit List Price			\$0		
Options List Price			\$0		
Total List Price			\$0		
* ALL PRICES ASSUME NO SALES TAX OR FET					
STS Discount Percent			5%		
STS Discount Dollars - (enter as a negative)			\$0		
Net Price After Discount			\$0		
Chassis Price			\$0		
Less: Trade-In (enter as a negative)					
Net Price After Discount and Trade-In			\$0		