

PDT_CODE	PDT_LABEL	PDT_FAM_CODE	PDT_SUP_CODE_MANUF	PDT_SUMMARY	PDT_DESCRIPTION	ITEM_CODE	ITEM_LABEL	ITEM_SUP_CODE	ITEM_VALIDITY_BEGIN_DATE	ITEM_VALIDITY_END_DATE	ITEM_PUBLIC_PRICE	ITEM_UNIT_CURRENCY	ITEM_UNIT
800890-1	i2c Video Management Software	46171622	i2c Technologies	i2c Video Management Software	i2c Video Management Software - Compatible with all Axis Cameras and Video Encoders. Enterprise class software that supports a limitless number of cameras, runs on standard file servers or virtualized servers, Microsoft Active Directory compatible. Priced per connected camera. No additional charge for Desktop Viewing Station Installations.	VM5-001	i2c Video Management Software	0000007715	1/1/2021	12/31/2023	125	USD	EA
800890-2	Labor per Hour	64131606	i2c Technologies	Install/Config per hour labor	i2c Onsite installation and/or Remote Support - Onsite or remote installation of Axis Cameras purchased through i2c, software configuration, remote support and setup. Priced per hour including travel	i2c-lab	i2c Labor	0000007715	1/1/2021	12/31/2023	110	USD	EA
800890-3	i2c View Station	46171622	i2c Technologies	i2c View Station	Video Server / Viewing Station- 8GB of Ram, Win 7 or Higher, 7TB HDD, 2x 32" LED Monitors	i2c-View	i2c View Station	0000007715	1/1/2021	12/31/2023	1975	USD	EA
800890-4	i2c POE Switch	46171622	i2c Technologies	i2c POE Switch	i2c 8 Port POE Switch	i2c-POE	i2c 8 Port POE Switch	0000007715	1/1/2021	12/31/2023	159	USD	EA
800890-5	i2c Rack Server	46171622	i2c Technologies	i2c Rack Server	2U Rack Server for Use with i2c Video Management Software - 2U Rack Server with Intel Xeon ES-2403 v2 1.8Ghz processor, 16GB of RAM, Server 2019 or higher, 15TB of useable archive storage on a 6 disk RAID 5 Array.	i2c-d2u	i2c Rack Server	0000007715	1/1/2021	12/31/2023	7250	USD	EA
800890-6	2N AC - BOX PC	46171622	Axis Communications	2N AC - BOX PC	The 2N® Access Commander Box is an ultra compact computer with pre-installed 2N® Access Commander – software designed for access control configuration and 2N devices management. It is ready to use, plug and play solution which requires only a power supply and an Ethernet cable to be connected to the computer. It is perfectly optimised for small and medium-size installations with up to 50 2N IP intercoms/Access Units and 1000 users. Free license 01372-001 for +5 devices (to be requested at the TechSupport) is included in the product price.	01672-001	2N AC - BOX PC	0000007715	1/1/2021	12/31/2023	504.7	USD	EA
800890-7	2N AU - RFID 125kHz	46171622	Axis Communications	2N AU - RFID 125kHz	2N Access Unit - RFID 125kHz. Comes without frame and/or flush box - those are from IP Verso.	01365-001	2N AU - RFID 125kHz	0000007715	1/1/2021	12/31/2023	392	USD	EA
800890-8	2N AU - RFID 13.56MHz NFC READY	46171622	Axis Communications	2N AU - RFID 13.56MHz NFC READY	2N Access Unit - RFID 13.56MHz NFC ready. Comes without frame and/or flush box - those are from IP Verso.	01366-001	2N AU - RFID 13.56MHz NFC READY	0000007715	1/1/2021	12/31/2023	392	USD	EA
800890-9	2N AU - FINGERPRINT	46171622	Axis Communications	2N AU - FINGERPRINT	2N Access Unit - Fingerprint (9137423E USB reader needed for user enrollment) Comes without frame and/or flush box - those are from IP Verso.	01367-001	2N AU - FINGERPRINT	0000007715	1/1/2021	12/31/2023	627.2	USD	EA
800890-10	2N AU - BLUETOOTH	46171622	Axis Communications	2N AU - BLUETOOTH	2N Access Unit - Bluetooth. Comes without frame and/or flush box - those are from IP Verso.	01368-001	2N AU - BLUETOOTH	0000007715	1/1/2021	12/31/2023	431.2	USD	EA
800890-11	2N AU - TOUCH KEYPAD	46171622	Axis Communications	2N AU - TOUCH KEYPAD	2N Access Unit - Touch keypad Comes without frame and/or flush box - those are from IP Verso.	01370-001	2N AU - TOUCH KEYPAD	0000007715	1/1/2021	12/31/2023	313.6	USD	EA
800890-12	2N AU - RJ45 CONNECTOR CABLE	46171622	Axis Communications	2N AU - RJ45 CONNECTOR CABLE	2N Access Unit - RJ45 connector cable	01371-001	2N AU - RJ45 CONNECTOR CABLE	0000007715	1/1/2021	12/31/2023	9.8	USD	EA
800890-13	2N AU 2.0 COMBI BLUETOOTH RFID NFC SEC	46171622	Axis Communications	2N AU 2.0 COMBI BLUETOOTH RFID NFC SEC	2N Access Unit 2.0 - Bluetooth & RFID 125kHz, 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, support of HID iClass secured. The unit is equipped with the RJ45 connector, no need to use 01371-001 2N AU - RJ45 CONNECTOR CABLE accessories anymore.	01851-001	2N AU 2.0 COMBI BLUETOOTH RFID NFC SEC	0000007715	1/1/2021	12/31/2023	794.78	USD	EA
800890-14	2N AU 2.0 COMBI KEYPAD RFID NFC SEC	46171622	Axis Communications	2N AU 2.0 COMBI KEYPAD RFID NFC SEC	2N Access Unit 2.0 - Touch keypad & RFID 125kHz, 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, support of HID iClass secured. The unit is equipped with the RJ45 connector, no need to use 01371-001 2N AU - RJ45 CONNECTOR CABLE accessories anymore.	01852-001	2N AU 2.0 COMBI KEYPAD RFID NFC SEC	0000007715	1/1/2021	12/31/2023	682.08	USD	EA
800890-15	2N AU 2.0 COMBI RFID 125kHz 13MHz NFC SEC	46171622	Axis Communications	2N AU 2.0 COMBI RFID 125kHz 13MHz NFC SEC	2N Access Unit 2.0 - RFID 125kHz, 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, support of HID iClass secured. The unit is equipped with the RJ45 connector, no need to use 01371-001 2N AU - RJ45 CONNECTOR CABLE accessories anymore.	01850-001	2N AU 2.0 COMBI RFID 125kHz 13MHz NFC SEC	0000007715	1/1/2021	12/31/2023	570.36	USD	EA
800890-16	2N IP AUDIO KIT - MIC & SPK SET	46171622	Axis Communications	2N IP AUDIO KIT - MIC & SPK SET	2N IP Audio Kit - microphone & speaker set	01478-001	2N IP AUDIO KIT - MIC & SPK SET	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
800890-17	2N IP AUDIO KIT - BUTTON	46171622	Axis Communications	2N IP AUDIO KIT - BUTTON	2N IP Audio Kit - stainless steel backlit button	01479-001	2N IP AUDIO KIT - BUTTON	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
800890-18	2N IP AUDIO KIT	46171622	Axis Communications	2N IP AUDIO KIT	2N IP Audio Kit - SIP module for embedded installation	01526-001	2N IP AUDIO KIT	0000007715	1/1/2021	12/31/2023	315.56	USD	EA
800890-19	2N IP BASE - CAM BLACK	46171622	Axis Communications	2N IP BASE - CAM BLACK	2N IP Base - camera, black frame	01357-001	2N IP BASE - CAM BLACK	0000007715	1/1/2021	12/31/2023	651.7	USD	EA
800890-20	2N IP BASE - 125kHz RFID	46171622	Axis Communications	2N IP BASE - 125kHz RFID	2N IP Base - 125kHz RFID card reader	01358-001	2N IP BASE - 125kHz RFID	0000007715	1/1/2021	12/31/2023	88.2	USD	EA
800890-21	2N IP BASE - 13.56MHz RFID	46171622	Axis Communications	2N IP BASE - 13.56MHz RFID	2N IP Base - 13.56MHz RFID card reader, reads UID	01359-001	2N IP BASE - 13.56MHz RFID	0000007715	1/1/2021	12/31/2023	132.3	USD	EA
800890-22	2N IP BASE - BACKPLATE	46171622	Axis Communications	2N IP BASE - BACKPLATE	2N IP Base - backplate for easier surface installation	01360-001	2N IP BASE - BACKPLATE	0000007715	1/1/2021	12/31/2023	58.8	USD	EA
800890-23	2N IP FORCE - 1 BTN, HD CAM, PICT.	46171622	Axis Communications	2N IP FORCE - 1 BTN, HD CAM, PICT.	2N IP Force - 1 button + HD camera + pictograms + 10W speaker, card reader ready	01334-001	2N IP FORCE - 1 BTN, HD CAM, PICT.	0000007715	1/1/2021	12/31/2023	1308.3	USD	EA
800890-24	2N IP FORCE - 1 BTN, PICT.	46171622	Axis Communications	2N IP FORCE - 1 BTN, PICT.	2N IP Force - 1 button + pictograms + 10W speaker, card reader ready	01335-001	2N IP FORCE - 1 BTN, PICT.	0000007715	1/1/2021	12/31/2023	970.2	USD	EA
800890-25	2N IP FORCE - 1 BTN	46171622	Axis Communications	2N IP FORCE - 1 BTN	2N IP Force - 1 button + 10W speaker	01336-001	2N IP FORCE - 1 BTN	0000007715	1/1/2021	12/31/2023	921.2	USD	EA
800890-26	2N IP FORCE - 1 BTN + HD CAM	46171622	Axis Communications	2N IP FORCE - 1 BTN + HD CAM	2N IP Force - 1 button + HD camera + 10W speaker	01337-001	2N IP FORCE - 1 BTN + HD CAM	0000007715	1/1/2021	12/31/2023	1274	USD	EA
800890-27	2N IP FORCE - 1 BTN + KEYPAD	46171622	Axis Communications	2N IP FORCE - 1 BTN + KEYPAD	2N IP Force - 1 button + keypad + 10W speaker	01338-001	2N IP FORCE - 1 BTN + KEYPAD	0000007715	1/1/2021	12/31/2023	1029	USD	EA
800890-28	2N IP FORCE - 1 BTN + HD CAM + KPD	46171622	Axis Communications	2N IP FORCE - 1 BTN + HD CAM + KPD	2N IP Force - 1 button + HD camera + keypad + 10W speaker	01339-001	2N IP FORCE - 1 BTN + HD CAM + KPD	0000007715	1/1/2021	12/31/2023	1283.8	USD	EA
800890-29	2N IP FORCE - 2 BTN + HD CAM	46171622	Axis Communications	2N IP FORCE - 2 BTN + HD CAM	2N IP Force - 2 buttons + HD camera + 10W speaker, card reader ready	01340-001	2N IP FORCE - 2 BTN + HD CAM	0000007715	1/1/2021	12/31/2023	1288.7	USD	EA
800890-30	2N IP FORCE - 2 BTN	46171622	Axis Communications	2N IP FORCE - 2 BTN	2N IP Force - 2 buttons + 10W speaker, card reader ready	01341-001	2N IP FORCE - 2 BTN	0000007715	1/1/2021	12/31/2023	940.8	USD	EA
800890-31	2N IP FORCE - 4 BTN	46171622	Axis Communications	2N IP FORCE - 4 BTN	2N IP Force - 4 buttons + 10W speaker	01342-001	2N IP FORCE - 4 BTN	0000007715	1/1/2021	12/31/2023	1019.2	USD	EA
800890-32	2N IP FORCE - 4 BTN + HD CAM	46171622	Axis Communications	2N IP FORCE - 4 BTN + HD CAM	2N IP Force - 4 button + HD camera + 10W speaker	01343-001	2N IP FORCE - 4 BTN + HD CAM	0000007715	1/1/2021	12/31/2023	1298.5	USD	EA
800890-33	2N IP FORCE - 125kHz RFID	46171622	Axis Communications	2N IP FORCE - 125kHz RFID	2N IP Force - 125kHz card reader. Includes Wiegand interface, 2 logical inputs, 2 output relays and tamper switch.	01344-001	2N IP FORCE - 125kHz RFID	0000007715	1/1/2021	12/31/2023	124.46	USD	EA
800890-34	2N IP FORCE - SAFETY SCREWS	46171622	Axis Communications	2N IP FORCE - SAFETY SCREWS	2N IP Force - safety screws, torx with pin	01345-001	2N IP FORCE - SAFETY SCREWS	0000007715	1/1/2021	12/31/2023	11.76	USD	EA
800890-35	2N IP FORCE - 13.56MHz SEC RFID	46171622	Axis Communications	2N IP FORCE - 13.56MHz SEC RFID	2N IP Force - 13.56MHz secured card reader, NFC ready, Reads UID + PACS ID, support of HID iClass secured. Includes Wiegand interface, 2 logical inputs, 2 output relays and tamper switch	01730-001	2N IP FORCE - 13.56MHz SEC RFID	0000007715	1/1/2021	12/31/2023	289.1	USD	EA
800890-36	2N IP FORCE TORX SCREW BLACK	46171622	Axis Communications	2N IP FORCE TORX SCREW BLACK	2N IP Force Torx 4 screws black for the front panel - 5 packages of screws	01735-001	2N IP FORCE TORX SCREW BLACK	0000007715	1/1/2021	12/31/2023	20.58	USD	EA
800890-37	2N IP FORCE FRAME	46171622	Axis Communications	2N IP FORCE FRAME	2N IP Force Frame for the main unit - 1 pc	01734-001	2N IP FORCE FRAME	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
800890-38	2N IP FORCE PANEL4 BUTTONS	46171622	Axis Communications	2N IP FORCE PANEL4 BUTTONS	2N IP Force front panel with 4 buttons - 1pc	01736-001	2N IP FORCE PANEL4 BUTTONS	0000007715	1/1/2021	12/31/2023	98	USD	EA
800890-39	2N IP FORCE PANEL 1 BUTTON	46171622	Axis Communications	2N IP FORCE PANEL 1 BUTTON	2N IP Force front panel with 1 button - 1pc	01737-001	2N IP FORCE PANEL 1 BUTTON	0000007715	1/1/2021	12/31/2023	53.9	USD	EA
800890-40	2N IP FORCE PANEL 1 BTN PICTOGRAMS	46171622	Axis Communications	2N IP FORCE PANEL 1 BTN PICTOGRAMS	2N IP Force front panel with 1 button and pictograms -	01738-001	2N IP FORCE PANEL 1 BTN PICTOGRAMS	0000007715	1/1/2021	12/31/2023	68.6	USD	EA
800890-41	2N IP FORCE PANEL 1 BTN KEYPD READY	46171622	Axis Communications	2N IP FORCE PANEL 1 BTN KEYPD READY	2N IP Force front panel with 1 button ready for keypad - 1pc	01739-001	2N IP FORCE PANEL 1 BTN KEYPD READY	0000007715	1/1/2021	12/31/2023	53.9	USD	EA

800890-42	2N IP FORCE PANEL 2 BTN CARD READER	46171622	Axis Communications	2N IP FORCE PANEL 2 BTN CARD READER	2N IP Force front panel with 2 buttons ready for card reader - 1pc	01740-001	2N IP FORCE PANEL 2 BTN CARD READER	0000007715	1/1/2021	12/31/2023	70.56	USD	EA
800890-43	2N IP FORCE/SAFETY - FLUSH BOX	46171622	Axis Communications	FORCE/SAFETY - FLUSH BOX	2N IP Force and Safety - Brick flush mounting box	01348-001	2N IP FORCE/SAFETY - FLUSH BOX	0000007715	1/1/2021	12/31/2023	93.1	USD	EA
800890-44	2N IP FORCE/SAFETY - PLASTER BOX	46171622	Axis Communications	FORCE/SAFETY - PLASTER BOX	2N IP Force and Safety - Plasterboard flush mounting box	01349-001	2N IP FORCE/SAFETY - PLASTER BOX	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-45	2N IP FORCE/SAFETY - ADD.SWITCH	46171622	Axis Communications	FORCE/SAFETY - ADD.SWITCH	2N IP Force and Safety - Additional switch + Tamper switch.	01350-001	2N IP FORCE/SAFETY - ADD.SWITCH	0000007715	1/1/2021	12/31/2023	49	USD	EA
800890-46	2N IP FORCE/SAFETY - GOOSENECK	46171622	Axis Communications	FORCE/SAFETY - GOOSENECK	2N IP Force and Safety - Gooseneck stand, height 120cm/47in	01351-001	2N IP FORCE/SAFETY - GOOSENECK	0000007715	1/1/2021	12/31/2023	247.94	USD	EA
800890-47	2N IP FORCE/SAFETY - INST. ADAPTER	46171622	Axis Communications	FORCE/SAFETY - INST. ADAPTER	2N IP Force and Safety - Installation adapter for Code Blue and Talkphone	01352-001	2N IP FORCE/SAFETY - INST. ADAPTER	0000007715	1/1/2021	12/31/2023	105.84	USD	EA
800890-48	2N IP FORCE /SAFETY - DBL GOOSENECK	46171622	Axis Communications	/SAFETY - DBL GOOSENECK	2N IP Force and Safety - Gooseneck stand double, 45" / 80"	01550-001	2N IP FORCE /SAFETY - DBL GOOSENECK	0000007715	1/1/2021	12/31/2023	485.1	USD	EA
800890-49	2N IP FORCE SAFETY SET OF BUSHINGS	46171622	Axis Communications	SAFETY SET OF BUSHINGS	2N IP Force and Safety set of bushing for ethernet cable -5 pcs	01733-001	2N IP FORCE SAFETY SET OF BUSHINGS	0000007715	1/1/2021	12/31/2023	60.76	USD	EA
800890-50	2N IP SAFETY - 1 BTN	46171622	Axis Communications	2N IP SAFETY - 1 BTN	2N IP Safety - 1 button + 10W speaker	01353-001	2N IP SAFETY - 1 BTN	0000007715	1/1/2021	12/31/2023	955.5	USD	EA
800890-51	2N IP SAFETY - 2 BTN	46171622	Axis Communications	2N IP SAFETY - 2 BTN	2N IP Safety - 2 buttons + 10W speaker	01354-001	2N IP SAFETY - 2 BTN	0000007715	1/1/2021	12/31/2023	980	USD	EA
800890-52	2N IP SAFETY - RED BTN	46171622	Axis Communications	2N IP SAFETY - RED BTN	2N IP Safety - red emergency button + 10W speaker	01355-001	2N IP SAFETY - RED BTN	0000007715	1/1/2021	12/31/2023	955.5	USD	EA
800890-53	2N IP SAFETY - FRAME	46171622	Axis Communications	2N IP SAFETY - FRAME	2N IP Safety - metal frame (orange color)	01356-001	2N IP SAFETY - FRAME	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-54	2N IP SAFETY PANEL 1 BUTTON	46171622	Axis Communications	2N IP SAFETY PANEL 1 BUTTON	2N IP SAFETY PANEL 1 BUTTON	01870-001	2N IP SAFETY PANEL 1 BUTTON	0000007715	1/1/2021	12/31/2023	37.24	USD	EA
800890-55	2N IP SAFETY PANEL INFO/SOS	46171622	Axis Communications	2N IP SAFETY PANEL INFO/SOS	2N IP SAFETY PANEL INFO/SOS	01871-001	2N IP SAFETY PANEL INFO/SOS	0000007715	1/1/2021	12/31/2023	42.14	USD	EA
800890-56	2N IP SAFETY TORX SCREWS	46171622	Axis Communications	2N IP SAFETY TORX SCREWS	2N IP SAFETY TORX SCREWS	01872-001	2N IP SAFETY TORX SCREWS	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-57	2N IP SOLO - FLUSH MOUNT	46171622	Axis Communications	2N IP SOLO - FLUSH MOUNT	2N IP Solo - flush mount	01300-001	2N IP SOLO - FLUSH MOUNT	0000007715	1/1/2021	12/31/2023	1010.38	USD	EA
800890-58	2N IP SOLO - SURFACE MOUNT	46171622	Axis Communications	2N IP SOLO - SURFACE MOUNT	2N IP Solo - surface mount	01301-001	2N IP SOLO - SURFACE MOUNT	0000007715	1/1/2021	12/31/2023	989.8	USD	EA
800890-59	2N IP SOLO - SURFACE MOUNT BLACK	46171622	Axis Communications	2N IP SOLO - SURFACE MOUNT BLACK	2N IP Solo - surface mount, black	01302-001	2N IP SOLO - SURFACE MOUNT BLACK	0000007715	1/1/2021	12/31/2023	989.8	USD	EA
800890-60	2N IP SOLO - FLUSH MOUNT BLACK	46171622	Axis Communications	2N IP SOLO - FLUSH MOUNT BLACK	2N IP Solo - flush mount, black	01303-001	2N IP SOLO - FLUSH MOUNT BLACK	0000007715	1/1/2021	12/31/2023	1010.38	USD	EA
800890-61	2N IP SOLO - FLUSH BACKBOX	46171622	Axis Communications	2N IP SOLO - FLUSH BACKBOX	2N IP Solo - backbox for flush installation	01304-001	2N IP SOLO - FLUSH BACKBOX	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-62	2N IP SOLO - BACKPLATE	46171622	Axis Communications	2N IP SOLO - BACKPLATE	2N IP Solo - backplate for easier surface installation	01305-001	2N IP SOLO - BACKPLATE	0000007715	1/1/2021	12/31/2023	49.98	USD	EA
800890-63	2N IP UNI - 1 BTN	46171622	Axis Communications	2N IP UNI - 1 BTN	2N IP Uni - 1 button	01361-001	2N IP UNI - 1 BTN	0000007715	1/1/2021	12/31/2023	396.9	USD	EA
800890-64	2N IP UNI - 2 BTN	46171622	Axis Communications	2N IP UNI - 2 BTN	2N IP Uni - 2 buttons	01362-001	2N IP UNI - 2 BTN	0000007715	1/1/2021	12/31/2023	411.6	USD	EA
800890-65	2N IP UNI - 1 BTN, PICTOGRAMS	46171622	Axis Communications	2N IP UNI - 1 BTN, PICTOGRAMS	2N IP Uni - 1 button, pictograms	01363-001	2N IP UNI - 1 BTN, PICTOGRAMS	0000007715	1/1/2021	12/31/2023	416.5	USD	EA
800890-66	2N IP UNI - SURFACE MOUNT BOX	46171622	Axis Communications	2N IP UNI - SURFACE MOUNT BOX	2N IP Uni - surface mount box	01364-001	2N IP UNI - SURFACE MOUNT BOX	0000007715	1/1/2021	12/31/2023	78.4	USD	EA
800890-67	2N IP UNI MIC GASKET	46171622	Axis Communications	2N IP UNI MIC GASKET	2N IP Uni MIC GASKET	01862-001	2N IP UNI MIC GASKET	0000007715	1/1/2021	12/31/2023	22.54	USD	EA
800890-68	2N IP UNI FRONT PANEL 1 BUTTON	46171622	Axis Communications	2N IP UNI FRONT PANEL 1 BUTTON	2N IP Uni FRONT PANEL 1 BUTTON	01864-001	2N IP UNI FRONT PANEL 1 BUTTON	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
800890-69	2N IP UNI PANEL 2 BUTTON	46171622	Axis Communications	2N IP UNI PANEL 2 BUTTON	2N IP Uni PANEL 2 BUTTON	01865-001	2N IP UNI PANEL 2 BUTTON	0000007715	1/1/2021	12/31/2023	41.16	USD	EA
800890-70	2N IP UNI PANEL 1 BUTTON	46171622	Axis Communications	2N IP UNI PANEL 1 BUTTON	2N IP Uni PANEL 1 BUTTON	01866-001	2N IP UNI PANEL 1 BUTTON	0000007715	1/1/2021	12/31/2023	40.18	USD	EA
800890-71	2N IP UNI FRONT SCREWS	46171622	Axis Communications	2N IP UNI FRONT SCREWS	2N IP Uni FRONT SCREWS	01867-001	2N IP UNI FRONT SCREWS	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-72	2N IP VARIO - SPARE SINGLE BUTTON	46171622	Axis Communications	2N IP VARIO - SPARE SINGLE BUTTON	2N IP Vario - spare single button	01329-001	2N IP VARIO - SPARE SINGLE BUTTON	0000007715	1/1/2021	12/31/2023	1.96	USD	EA
800890-73	2N IP VARIO - SPARE DOUBLE BUTTON	46171622	Axis Communications	2N IP VARIO - SPARE DOUBLE BUTTON	2N IP Vario - spare double button	01330-001	2N IP VARIO - SPARE DOUBLE BUTTON	0000007715	1/1/2021	12/31/2023	1.96	USD	EA
800890-74	2N IP VARIO - SPARE INFO COVER	46171622	Axis Communications	2N IP VARIO - SPARE INFO COVER	2N IP Vario - spare info cover	01331-001	2N IP VARIO - SPARE INFO COVER	0000007715	1/1/2021	12/31/2023	2.94	USD	EA
800890-75	2N IP VARIO - ADDITIONAL SWITCH	46171622	Axis Communications	2N IP VARIO - ADDITIONAL SWITCH	2N IP Vario - Additional switch including one NO/NC output relay	01332-001	2N IP VARIO - ADDITIONAL SWITCH	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
800890-76	2N IP VARIO - 125kHz RFID	46171622	Axis Communications	2N IP VARIO - 125kHz RFID	2N IP Vario - 125kHz RFID card reader. Includes Wiegand interface, 2 logical inputs, 2 output relays.	01333-001	2N IP VARIO - 125kHz RFID	0000007715	1/1/2021	12/31/2023	98	USD	EA
800890-77	YEALINK SIP-TSBA BUTTON EXTENDER	46171622	Axis Communications	YEALINK SIP-TSBA BUTTON EXTENDER	Button extender for Yealink T-S8A SIP phone	01741-001	YEALINK SIP-TSBA BUTTON EXTENDER	0000007715	1/1/2021	12/31/2023	196	USD	EA
800890-78	2N IP VARIO TUBE	46171622	Axis Communications	2N IP VARIO TUBE	2N IP Vario TUBE	01882-001	2N IP VARIO TUBE	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-79	2N IP VARIO TUBE SEALING	46171622	Axis Communications	2N IP VARIO TUBE SEALING	2N IP Vario TUBE SEALING	01883-001	2N IP VARIO TUBE SEALING	0000007715	1/1/2021	12/31/2023	11.76	USD	EA
800890-80	2N IP VARIO COVER 1 BUTTON	46171622	Axis Communications	2N IP VARIO COVER 1 BUTTON	2N IP Vario COVER 1 BUTTON	01884-001	2N IP VARIO COVER 1 BUTTON	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
800890-81	2N IP VARIO COVER 1 BUTTON/KEYPAD	46171622	Axis Communications	2N IP VARIO COVER 1 BUTTON/KEYPAD	2N IP Vario COVER 1 BUTTON/KEYPAD	01885-001	2N IP VARIO COVER 1 BUTTON/KEYPAD	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
800890-82	2N IP VARIO COVER 3 BUTTON/READER	46171622	Axis Communications	2N IP VARIO COVER 3 BUTTON/READER	2N IP Vario COVER 3 BUTTON/READER	01886-001	2N IP VARIO COVER 3 BUTTON/READER	0000007715	1/1/2021	12/31/2023	41.16	USD	EA
800890-83	2N IP VARIO COVER 3 BUTTON/KEYPAD	46171622	Axis Communications	2N IP VARIO COVER 3 BUTTON/KEYPAD	2N IP Vario COVER 3 BUTTON/KEYPAD	01887-001	2N IP VARIO COVER 3 BUTTON/KEYPAD	0000007715	1/1/2021	12/31/2023	41.16	USD	EA
800890-84	2N IP VARIO COVER 6 BUTTON/READER	46171622	Axis Communications	2N IP VARIO COVER 6 BUTTON/READER	2N IP Vario COVER 6 BUTTON/READER	01888-001	2N IP VARIO COVER 6 BUTTON/READER	0000007715	1/1/2021	12/31/2023	43.12	USD	EA
800890-85	2N IP VARIO COVER 6 BUTTON/KEYPAD	46171622	Axis Communications	2N IP VARIO COVER 6 BUTTON/KEYPAD	2N IP Vario COVER 6 BUTTON/KEYPAD	01889-001	2N IP VARIO COVER 6 BUTTON/KEYPAD	0000007715	1/1/2021	12/31/2023	43.12	USD	EA
800890-86	2N IP VARIO - EXTENDER 8 BTN	46171622	Axis Communications	2N IP VARIO - EXTENDER 8 BTN	2N IP Vario - extender 8 single buttons	01320-001	2N IP VARIO - EXTENDER 8 BTN	0000007715	1/1/2021	12/31/2023	156.8	USD	EA
800890-87	2N IP VARIO - EXTENDER 8 DBTN	46171622	Axis Communications	2N IP VARIO - EXTENDER 8 DBTN	2N IP Vario - extender 8 double buttons	01321-001	2N IP VARIO - EXTENDER 8 DBTN	0000007715	1/1/2021	12/31/2023	186.2	USD	EA

800890-88	2N IP VARIO - INFOANAL	46171622	Axis Communications	2N IP VARIO - INFOANAL	2N IP Vario - infopanel	01322-001	2N IP VARIO - INFOANAL	0000007715	1/1/2021	12/31/2023	127.4	USD	EA
800890-89	2N IP VARIO - 1M ROOF	46171622	Axis Communications	2N IP VARIO - 1M ROOF	2N IP Vario - 1 module roof	01323-001	2N IP VARIO - 1M ROOF	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-90	2N IP VARIO - 2M ROOF	46171622	Axis Communications	2N IP VARIO - 2M ROOF	2N IP Vario - 2 modules roof	01324-001	2N IP VARIO - 2M ROOF	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-91	2N IP VARIO - 1M FLUSH BOX	46171622	Axis Communications	2N IP VARIO - 1M FLUSH BOX	2N IP Vario - 1 module flush box	01325-001	2N IP VARIO - 1M FLUSH BOX	0000007715	1/1/2021	12/31/2023	68.6	USD	EA
800890-92	2N IP VARIO - 2M FLUSH BOX	46171622	Axis Communications	2N IP VARIO - 2M FLUSH BOX	2N IP Vario - 2 modules flush box	01326-001	2N IP VARIO - 2M FLUSH BOX	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-93	2N IP VARIO - 1M FLUSH BOX + ROOF	46171622	Axis Communications	2N IP VARIO - 1M FLUSH BOX + ROOF	2N IP Vario - 1 module flush box and roof	01327-001	2N IP VARIO - 1M FLUSH BOX + ROOF	0000007715	1/1/2021	12/31/2023	117.6	USD	EA
800890-94	2N IP VARIO - 2M FLUSH BOX + ROOF	46171622	Axis Communications	2N IP VARIO - 2M FLUSH BOX + ROOF	2N IP Vario - 2 modules flush box and roof	01328-001	2N IP VARIO - 2M FLUSH BOX + ROOF	0000007715	1/1/2021	12/31/2023	137.2	USD	EA
800890-95	2N IP VARIO - 1 BTN + CAMERA	46171622	Axis Communications	2N IP VARIO - 1 BTN + CAMERA	2N IP Vario - 1 button + camera	01313-001	2N IP VARIO - 1 BTN + CAMERA	0000007715	1/1/2021	12/31/2023	86.4	USD	EA
800890-96	2N IP VARIO - 3 BTN + CAMERA	46171622	Axis Communications	2N IP VARIO - 3 BTN + CAMERA	2N IP Vario - 3 buttons + camera	01314-001	2N IP VARIO - 3 BTN + CAMERA	0000007715	1/1/2021	12/31/2023	87.2	USD	EA
800890-97	2N IP VARIO - 3x2 BTN + CAMERA	46171622	Axis Communications	2N IP VARIO - 3x2 BTN + CAMERA	2N IP Vario - 3x2 buttons + camera	01315-001	2N IP VARIO - 3x2 BTN + CAMERA	0000007715	1/1/2021	12/31/2023	89.8	USD	EA
800890-98	2N IP VARIO - 1 BTN + KPD + CAMERA	46171622	Axis Communications	2N IP VARIO - 1 BTN + KPD + CAMERA	2N IP Vario - 1 button + keypad + camera	01316-001	2N IP VARIO - 1 BTN + KPD + CAMERA	0000007715	1/1/2021	12/31/2023	93.1	USD	EA
800890-99	2N IP VARIO - 3x2 BTN + KPD + CAM	46171622	Axis Communications	2N IP VARIO - 3x2 BTN + KPD + CAM	2N IP Vario - 3x2 buttons + keypad + camera	01318-001	2N IP VARIO - 3x2 BTN + KPD + CAM	0000007715	1/1/2021	12/31/2023	96.0	USD	EA
800890-100	2N IP VARIO - 3x2BTN+ KPD+DISP+CAM	46171622	Axis Communications	2N IP VARIO - 3x2BTN+ KPD+DISP+CAM	2N IP Vario - 3x2 buttons + keypad + display + camera	01319-001	2N IP VARIO - 3x2BTN+ KPD+DISP+CAM	0000007715	1/1/2021	12/31/2023	142.1	USD	EA
800890-101	2N IP VARIO - 3 BTN + KPD + CAMERA	46171622	Axis Communications	2N IP VARIO - 3 BTN + KPD + CAMERA	2N IP Vario - 3 buttons + keypad + camera	01317-001	2N IP VARIO - 3 BTN + KPD + CAMERA	0000007715	1/1/2021	12/31/2023	94.8	USD	EA
800890-102	2N IP VARIO - 1 BTN	46171622	Axis Communications	2N IP VARIO - 1 BTN	2N IP Vario - 1 button	01306-001	2N IP VARIO - 1 BTN	0000007715	1/1/2021	12/31/2023	543.9	USD	EA
800890-103	2N IP VARIO - 3 BTN	46171622	Axis Communications	2N IP VARIO - 3 BTN	2N IP Vario - 3 buttons	01307-001	2N IP VARIO - 3 BTN	0000007715	1/1/2021	12/31/2023	558.6	USD	EA
800890-104	2N IP VARIO - 3x2 BTN	46171622	Axis Communications	2N IP VARIO - 3x2 BTN	2N IP Vario - 3x2 buttons	01308-001	2N IP VARIO - 3x2 BTN	0000007715	1/1/2021	12/31/2023	573.3	USD	EA
800890-105	2N IP VARIO - 1 BTN + KEYPAD	46171622	Axis Communications	2N IP VARIO - 1 BTN + KEYPAD	2N IP Vario - 1 button + keypad	01309-001	2N IP VARIO - 1 BTN + KEYPAD	0000007715	1/1/2021	12/31/2023	588	USD	EA
800890-106	2N IP VARIO - 3 BTN + KEYPAD	46171622	Axis Communications	2N IP VARIO - 3 BTN + KEYPAD	2N IP Vario - 3 buttons + keypad	01310-001	2N IP VARIO - 3 BTN + KEYPAD	0000007715	1/1/2021	12/31/2023	602.7	USD	EA
800890-107	2N IP VARIO - 3x2 BTN + KEYPAD	46171622	Axis Communications	2N IP VARIO - 3x2 BTN + KEYPAD	2N IP Vario - 3x2 buttons + keypad	01311-001	2N IP VARIO - 3x2 BTN + KEYPAD	0000007715	1/1/2021	12/31/2023	617.4	USD	EA
800890-108	2N IP VARIO - 3x2 BTN + KPD + DISP	46171622	Axis Communications	2N IP VARIO - 3x2 BTN + KPD + DISP	2N IP Vario - 3x2 buttons + keypad + display	01312-001	2N IP VARIO - 3x2 BTN + KPD + DISP	0000007715	1/1/2021	12/31/2023	1141.7	USD	EA
800890-109	2N IP VERSO - INFOANAL	46171622	Axis Communications	2N IP VERSO - INFOANAL	2N IP Verso - infopanel	01252-001	2N IP VERSO - INFOANAL	0000007715	1/1/2021	12/31/2023	91.14	USD	EA
800890-110	2N IP VERSO - KEYPAD	46171622	Axis Communications	2N IP VERSO - KEYPAD	2N IP Verso - keypad	01253-001	2N IP VERSO - KEYPAD	0000007715	1/1/2021	12/31/2023	234.22	USD	EA
800890-111	2N IP VERSO - KEYPAD BLACK	46171622	Axis Communications	2N IP VERSO - KEYPAD BLACK	2N IP Verso - keypad, black	01254-001	2N IP VERSO - KEYPAD BLACK	0000007715	1/1/2021	12/31/2023	234.22	USD	EA
800890-112	2N IP VERSO - RFID 125kHz	46171622	Axis Communications	2N IP VERSO - RFID 125kHz	2N IP Verso - RFID 125kHz card reader	01255-001	2N IP VERSO - RFID 125kHz	0000007715	1/1/2021	12/31/2023	129.36	USD	EA
800890-113	2N IP VERSO - I/O	46171622	Axis Communications	2N IP VERSO - I/O	2N IP Verso - 2 inputs and 2 output relays. This module is installed beneath other modules.	01257-001	2N IP VERSO - I/O	0000007715	1/1/2021	12/31/2023	47.04	USD	EA
800890-114	2N IP VERSO - 5 BUTTONS	46171622	Axis Communications	2N IP VERSO - 5 BUTTONS	2N IP Verso - 5 buttons	01258-001	2N IP VERSO - 5 BUTTONS	0000007715	1/1/2021	12/31/2023	99.96	USD	EA
800890-115	2N IP VERSO - WIEGAND	46171622	Axis Communications	2N IP VERSO - WIEGAND	2N IP Verso - Wiegand. This module is installed beneath other modules.	01259-001	2N IP VERSO - WIEGAND	0000007715	1/1/2021	12/31/2023	88.2	USD	EA
800890-116	2N IP VERSO - TAMPER SWITCH	46171622	Axis Communications	2N IP VERSO - TAMPER SWITCH	2N IP Verso - Tamper switch. This module is installed beneath other modules.	01260-001	2N IP VERSO - TAMPER SWITCH	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-117	2N IP VERSO - BLIND PANEL	46171622	Axis Communications	2N IP VERSO - BLIND PANEL	2N IP Verso - blind panel	01261-001	2N IP VERSO - BLIND PANEL	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-118	2N IP VERSO - RFID 13MHz NFC	46171622	Axis Communications	2N IP VERSO - RFID 13MHz NFC	2N IP Verso - RFID 13MHz card reader NFC ready	01262-001	2N IP VERSO - RFID 13MHz NFC	0000007715	1/1/2021	12/31/2023	202.86	USD	EA
800890-119	2N IP VERSO - INDUCTION LOOP	46171622	Axis Communications	2N IP VERSO - INDUCTION LOOP	2N IP Verso - induction loop	01263-001	2N IP VERSO - INDUCTION LOOP	0000007715	1/1/2021	12/31/2023	220.5	USD	EA
800890-120	2N IP VERSO - RFID 13MHz NFC SEC	46171622	Axis Communications	2N IP VERSO - RFID 13MHz NFC SEC	2N IP Verso - RFID 13MHz secured card reader NFC ready	01264-001	2N IP VERSO - RFID 13MHz NFC SEC	0000007715	1/1/2021	12/31/2023	294	USD	EA
800890-121	2N IP VERSO - BLUETOOTH	46171622	Axis Communications	2N IP VERSO - BLUETOOTH	2N IP Verso - bluetooth	01266-001	2N IP VERSO - BLUETOOTH	0000007715	1/1/2021	12/31/2023	303.8	USD	EA
800890-122	2N IP VERSO - EXTENSION CABLE 1M	46171622	Axis Communications	2N IP VERSO - EXTENSION CABLE 1M	2N IP Verso - Extension cable 1m	01267-001	2N IP VERSO - EXTENSION CABLE 1M	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-123	2N IP VERSO - EXTENSION CABLE 3M	46171622	Axis Communications	2N IP VERSO - EXTENSION CABLE 3M	2N IP Verso - Extension cable 3m	01268-001	2N IP VERSO - EXTENSION CABLE 3M	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
800890-124	2N IP VERSO - BLIND BUTTON	46171622	Axis Communications	2N IP VERSO - BLIND BUTTON	2N IP Verso - blind button. Covers one button, on the main unit or 5 button module.	01270-001	2N IP VERSO - BLIND BUTTON	0000007715	1/1/2021	12/31/2023	21.56	USD	EA
800890-125	2N IP VERSO - MAIN W/O CAMERA	46171622	Axis Communications	2N IP VERSO - MAIN W/O CAMERA	2N IP Verso - Main unit without camera	01271-001	2N IP VERSO - MAIN W/O CAMERA	0000007715	1/1/2021	12/31/2023	517.44	USD	EA
800890-126	2N IP VERSO - MAIN W/O CAMERA BLACK	46171622	Axis Communications	2N IP VERSO - MAIN W/O CAMERA BLACK	2N IP Verso - Main unit without camera, black	01272-001	2N IP VERSO - MAIN W/O CAMERA BLACK	0000007715	1/1/2021	12/31/2023	517.44	USD	EA
800890-127	2N IP VERSO - MAIN W CAMERA	46171622	Axis Communications	2N IP VERSO - MAIN W CAMERA	2N IP Verso - Main unit with camera	01273-001	2N IP VERSO - MAIN W CAMERA	0000007715	1/1/2021	12/31/2023	975.1	USD	EA
800890-128	2N IP VERSO - MAIN W CAMERA BLACK	46171622	Axis Communications	2N IP VERSO - MAIN W CAMERA BLACK	2N IP Verso - Main unit with camera, black	01274-001	2N IP VERSO - MAIN W CAMERA BLACK	0000007715	1/1/2021	12/31/2023	975.1	USD	EA
800890-129	2N IP VERSO - TOUCH DISPLAY	46171622	Axis Communications	2N IP VERSO - TOUCH DISPLAY	2N IP Verso - Touch display	01275-001	2N IP VERSO - TOUCH DISPLAY	0000007715	1/1/2021	12/31/2023	754.6	USD	EA
800890-130	2N IP VERSO - TOUCH KEYPAD	46171622	Axis Communications	2N IP VERSO - TOUCH KEYPAD	2N IP Verso - Touch keypad	01277-001	2N IP VERSO - TOUCH KEYPAD	0000007715	1/1/2021	12/31/2023	164.64	USD	EA
800890-131	2N IP VERSO - FINGERPRINT	46171622	Axis Communications	2N IP VERSO - FINGERPRINT	2N IP Verso - Fingerprint	01276-001	2N IP VERSO - FINGERPRINT	0000007715	1/1/2021	12/31/2023	521.36	USD	EA
800890-132	2N IP VERSO - EXTENSION CABLE 5M	46171622	Axis Communications	2N IP VERSO - EXTENSION CABLE 5M	2N IP Verso - Extension cable 5m	01269-001	2N IP VERSO - EXTENSION CABLE 5M	0000007715	1/1/2021	12/31/2023	25.48	USD	EA
800890-133	2N IP VERSO - IND LOOP ANTENNA	46171622	Axis Communications	2N IP VERSO - IND LOOP ANTENNA	2N IP Verso - Induction loop external antenna for wider coverage area	01265-001	2N IP VERSO - IND LOOP ANTENNA	0000007715	1/1/2021	12/31/2023	86.24	USD	EA
800890-134	2N IP VERSO - BLIND BUTTON BLACK	46171622	Axis Communications	2N IP VERSO - BLIND BUTTON BLACK	2N IP Verso - blind button. Covers one button, on the main unit or 5 button module. Black	01523-001	2N IP VERSO - BLIND BUTTON BLACK	0000007715	1/1/2021	12/31/2023	21.56	USD	EA

800890-135	2N IP VERSO COMBI BLUETOOTH RFID SEC.	46171622	Axis Communications	2N IP VERSO COMBI BLUETOOTH RFID SEC.	2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC), support of HID iClass secured.	01639-001	2N IP VERSO COMBI BLUETOOTH RFID SEC.	0000007715	1/1/2021	12/31/2023	631.12	USD	EA
800890-136	2N IP VERSO COMBI KEYPAD RFID SEC.	46171622	Axis Communications	2N IP VERSO COMBI KEYPAD RFID SEC.	2N IP Verso – Touch keypad & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC), support of HID iClass secured.	01638-001	2N IP VERSO COMBI KEYPAD RFID SEC.	0000007715	1/1/2021	12/31/2023	537.04	USD	EA
800890-137	2N IP VERSO - RFID 13MHz NFC SEC	46171622	Axis Communications	2N IP VERSO - RFID 13MHz NFC SEC	2N IP Verso - RFID 13.56MHz secured card reader, reading PACS ID + UID, NFC ready, support of HID iClass secured.	01712-001	2N IP VERSO - RFID 13MHz NFC SEC	0000007715	1/1/2021	12/31/2023	294	USD	EA
800890-138	2N LTE VERSO - MAIN W CAMERA	46171622	Axis Communications	2N LTE VERSO - MAIN W CAMERA	LTE intercom - no wired data connection, connects to the network via LTE. Requires data LTE SIM card and power supply.	01792-001	2N LTE VERSO - MAIN W CAMERA	0000007715	1/1/2021	12/31/2023	1141.7	USD	EA
800890-139	2N LTE VERSO - MAIN W CAMERA BLACK	46171622	Axis Communications	2N LTE VERSO - MAIN W CAMERA BLACK	LTE intercom - no wired data connection, connects to the network via LTE. Requires data LTE SIM card and power supply.	01791-001	2N LTE VERSO - MAIN W CAMERA BLACK	0000007715	1/1/2021	12/31/2023	1141.7	USD	EA
800890-140	2N LTE VERSO EXTERNAL ANTENNA	46171622	Axis Communications	2N LTE VERSO EXTERNAL ANTENNA	Accessories for 2N LTE Verso for places with poor LTE coverage.	01943-001	2N LTE VERSO EXTERNAL ANTENNA	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-141	2N IP VERSO - 1M FLUSH FRAME	46171622	Axis Communications	2N IP VERSO - 1M FLUSH FRAME	2N IP Verso - 1 module flush frame	01278-001	2N IP VERSO - 1M FLUSH FRAME	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-142	2N IP VERSO - 1M FLUSH FRAME BLACK	46171622	Axis Communications	2N IP VERSO - 1M FLUSH FRAME BLACK	2N IP Verso - 1 module flush frame, black	01279-001	2N IP VERSO - 1M FLUSH FRAME BLACK	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-143	2N IP VERSO - 2M FLUSH FRAME	46171622	Axis Communications	2N IP VERSO - 2M FLUSH FRAME	2N IP Verso - 2 modules flush frame	01280-001	2N IP VERSO - 2M FLUSH FRAME	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-144	2N IP VERSO - 2M FLUSH FRAME BLACK	46171622	Axis Communications	2N IP VERSO - 2M FLUSH FRAME BLACK	2N IP Verso - 2 modules flush frame, black	01281-001	2N IP VERSO - 2M FLUSH FRAME BLACK	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-145	2N IP VERSO - 3M FLUSH FRAME	46171622	Axis Communications	2N IP VERSO - 3M FLUSH FRAME	2N IP Verso - 3 modules flush frame	01282-001	2N IP VERSO - 3M FLUSH FRAME	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-146	2N IP VERSO - 3M FLUSH FRAME BLACK	46171622	Axis Communications	2N IP VERSO - 3M FLUSH FRAME BLACK	2N IP Verso - 3 modules flush frame, black	01283-001	2N IP VERSO - 3M FLUSH FRAME BLACK	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-147	2N IP VERSO - 1M FLUSH BOX	46171622	Axis Communications	2N IP VERSO - 1M FLUSH BOX	2N IP Verso - 1 module flush box	01284-001	2N IP VERSO - 1M FLUSH BOX	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-148	2N IP VERSO - 2M FLUSH BOX	46171622	Axis Communications	2N IP VERSO - 2M FLUSH BOX	2N IP Verso - 2 modules flush box	01285-001	2N IP VERSO - 2M FLUSH BOX	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
800890-149	2N IP VERSO - 3M FLUSH BOX	46171622	Axis Communications	2N IP VERSO - 3M FLUSH BOX	2N IP Verso - 3 modules flush box	01286-001	2N IP VERSO - 3M FLUSH BOX	0000007715	1/1/2021	12/31/2023	31.36	USD	EA
800890-150	2N IP VERSO - 1M SURFACE FRAME	46171622	Axis Communications	2N IP VERSO - 1M SURFACE FRAME	2N IP Verso - 1 module surface frame	01287-001	2N IP VERSO - 1M SURFACE FRAME	0000007715	1/1/2021	12/31/2023	49	USD	EA
800890-151	2N IP VERSO - 1M SURFACE FRAME BL	46171622	Axis Communications	2N IP VERSO - 1M SURFACE FRAME BL	2N IP Verso - 1 module surface frame, black	01288-001	2N IP VERSO - 1M SURFACE FRAME BL	0000007715	1/1/2021	12/31/2023	49	USD	EA
800890-152	2N IP VERSO - 2M SURFACE FRAME	46171622	Axis Communications	2N IP VERSO - 2M SURFACE FRAME	2N IP Verso - 2 modules surface frame	01289-001	2N IP VERSO - 2M SURFACE FRAME	0000007715	1/1/2021	12/31/2023	58.8	USD	EA
800890-153	2N IP VERSO - 2M SURFACE FRAME BL	46171622	Axis Communications	2N IP VERSO - 2M SURFACE FRAME BL	2N IP Verso - 2 modules surface frame, black	01290-001	2N IP VERSO - 2M SURFACE FRAME BL	0000007715	1/1/2021	12/31/2023	58.8	USD	EA
800890-154	2N IP VERSO - 3M SURFACE FRAME	46171622	Axis Communications	2N IP VERSO - 3M SURFACE FRAME	2N IP Verso - 3 modules surface frame	01291-001	2N IP VERSO - 3M SURFACE FRAME	0000007715	1/1/2021	12/31/2023	78.4	USD	EA
800890-155	2N IP VERSO - 3M SURFACE FRAME BL	46171622	Axis Communications	2N IP VERSO - 3M SURFACE FRAME BL	2N IP Verso - 3 modules surface frame, black	01292-001	2N IP VERSO - 3M SURFACE FRAME BL	0000007715	1/1/2021	12/31/2023	78.4	USD	EA
800890-156	2N IP VERSO - 1M BACKPLATE	46171622	Axis Communications	2N IP VERSO - 1M BACKPLATE	2N IP Verso - 1 module backplate for surface installation	01293-001	2N IP VERSO - 1M BACKPLATE	0000007715	1/1/2021	12/31/2023	47.04	USD	EA
800890-157	2N IP VERSO - 2M BACKPLATE	46171622	Axis Communications	2N IP VERSO - 2M BACKPLATE	2N IP Verso - 2 modules backplate for surface installation	01294-001	2N IP VERSO - 2M BACKPLATE	0000007715	1/1/2021	12/31/2023	54.88	USD	EA
800890-158	2N IP VERSO - 3M BACKPLATE	46171622	Axis Communications	2N IP VERSO - 3M BACKPLATE	2N IP Verso - 3 modules backplate for surface installation	01295-001	2N IP VERSO - 3M BACKPLATE	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-159	2N IP VERSO - 2x2M BACKPLATE	46171622	Axis Communications	2N IP VERSO - 2x2M BACKPLATE	2N IP Verso - 2x2 modules backplate for surface installation	01296-001	2N IP VERSO - 2x2M BACKPLATE	0000007715	1/1/2021	12/31/2023	79.38	USD	EA
800890-160	2N IP VERSO - 3x2M BACKPLATE	46171622	Axis Communications	2N IP VERSO - 3x2M BACKPLATE	2N IP Verso - 3x2 modules backplate for surface installation	01297-001	2N IP VERSO - 3x2M BACKPLATE	0000007715	1/1/2021	12/31/2023	101.92	USD	EA
800890-161	2N IP VERSO - 2x3M BACKPLATE	46171622	Axis Communications	2N IP VERSO - 2x3M BACKPLATE	2N IP Verso - 2x3 modules backplate for surface installation	01298-001	2N IP VERSO - 2x3M BACKPLATE	0000007715	1/1/2021	12/31/2023	96.04	USD	EA
800890-162	2N IP VERSO - 3x3M BACKPLATE	46171622	Axis Communications	2N IP VERSO - 3x3M BACKPLATE	2N IP Verso - 3x3 modules backplate for surface installation	01299-001	2N IP VERSO - 3x3M BACKPLATE	0000007715	1/1/2021	12/31/2023	122.5	USD	EA
800890-163	2N IP VERSO - 1M GANG PLATE	46171622	Axis Communications	2N IP VERSO - 1M GANG PLATE	2N IP Verso - 1 module backplate for surface installation on a 2-gang backbox	01524-001	2N IP VERSO - 1M GANG PLATE	0000007715	1/1/2021	12/31/2023	47.04	USD	EA
800890-164	2N IP VERSO - 2M GANG PLATE	46171622	Axis Communications	2N IP VERSO - 2M GANG PLATE	2N IP Verso - 2 modules backplate for surface installation on a 2-gang backbox	01525-001	2N IP VERSO - 2M GANG PLATE	0000007715	1/1/2021	12/31/2023	54.88	USD	EA
800890-165	2N AC - LIC +5 DEVICES	46171622	Axis Communications	2N AC - LIC +5 DEVICES	2N Access Commander - license for adding 5 devices (block of 5 licenses)	01372-001	2N AC - LIC +5 DEVICES	0000007715	1/1/2021	12/31/2023	68.6	USD	EA
800890-166	2N IP INTERCOM AND SIP AUDIO- INFORMACAST	46171622	Axis Communications	2N IP INTERCOM AND SIP AUDIO- INFORMACAST	2N IP Intercom and SIP Audiolicense - Informacast License	01381-001	2N IP INTERCOM AND SIP AUDIO- INFORMACAST	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-167	2N AC - LIC +25 USERS	46171622	Axis Communications	2N AC - LIC +25 USERS	2N Access Commander - license for adding 25 users (block of 25 licenses)	01373-001	2N AC - LIC +25 USERS	0000007715	1/1/2021	12/31/2023	240.1	USD	EA
800890-168	2N IP INTERCOM AND SIP AUDIO - G729 LIC	46171622	Axis Communications	2N IP INTERCOM AND SIP AUDIO - G729 LIC	2N IP Intercom and SIP Audio - license for G.729 audio codec	01375-001	2N IP INTERCOM AND SIP AUDIO - G729 LIC	0000007715	1/1/2021	12/31/2023	36.26	USD	EA
800890-169	2N AC - INTEGRATION LICENSE	46171622	Axis Communications	2N AC - INTEGRATION LICENSE	2N Access Commander - LDAP license	01374-001	2N AC - INTEGRATION LICENSE	0000007715	1/1/2021	12/31/2023	226.38	USD	EA
800890-170	2N IP INTERCOM ENHANCED AUDIO LIC	46171622	Axis Communications	2N IP INTERCOM ENHANCED AUDIO LIC	2N IP Intercom License - Enhanced Audio	01376-001	2N IP INTERCOM ENHANCED AUDIO LIC	0000007715	1/1/2021	12/31/2023	61.74	USD	EA
800890-171	2N IP INTERCOM ENHANCED VIDEO LIC	46171622	Axis Communications	2N IP INTERCOM ENHANCED VIDEO LIC	2N IP Intercom Enhanced Video lic	01377-001	2N IP INTERCOM ENHANCED VIDEO LIC	0000007715	1/1/2021	12/31/2023	96.04	USD	EA
800890-172	2N IP INTERCOM ENHANCED INTEGRATION LIC	46171622	Axis Communications	2N IP INTERCOM ENHANCED INTEGRATION LIC	2N IP Intercom Enhanced Integration lic	01378-001	2N IP INTERCOM ENHANCED INTEGRATION LIC	0000007715	1/1/2021	12/31/2023	61.74	USD	EA
800890-173	2N IP INTERCOM ENHANCED SECURITY LIC	46171622	Axis Communications	2N IP INTERCOM ENHANCED SECURITY LIC	2N IP Intercom License - Enhanced Security	01379-001	2N IP INTERCOM ENHANCED SECURITY LIC	0000007715	1/1/2021	12/31/2023	96.04	USD	EA
800890-174	2N AU - NFC LICENSE	46171622	Axis Communications	2N AU - NFC LICENSE	2N Access Unit - NFC license for 916010 NFC ready type	01369-001	2N AU - NFC LICENSE	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-175	2N IP INTERCOM GOLD LICENSE	46171622	Axis Communications	2N IP INTERCOM GOLD LICENSE	2N IP Intercom License - Gold License	01380-001	2N IP INTERCOM GOLD LICENSE	0000007715	1/1/2021	12/31/2023	220.5	USD	EA
800890-176	2N IP INTERCOM - NFC LICENSE	46171622	Axis Communications	2N IP INTERCOM - NFC LICENSE	2N IP Intercom - NFC License	01382-001	2N IP INTERCOM - NFC LICENSE	0000007715	1/1/2021	12/31/2023	23.52	USD	EA

800890-177	2N IDT - UNLOCKING LICENSE	46171622	Axis Communications	2N IDT - UNLOCKING LICENSE	2N Indoor Touch - unlocking license for uploading apps	01418-001	2N IDT - UNLOCKING LICENSE	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-178	2N IDT - HTTP API LICENSE	46171622	Axis Communications	2N IDT - HTTP API LICENSE	2N Indoor Touch HTTP API license	01424-001	2N IDT - HTTP API LICENSE	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-179	MIFARE RFID SMART CARD 13.56MHz	46171622	Axis Communications	MIFARE RFID SMART CARD 13.56MHz	Mifare RFID smart card 13.56MHz	01384-001	MIFARE RFID SMART CARD 13.56MHz	0000007715	1/1/2021	12/31/2023	4.9	USD	EA
800890-180	MIFARE RFID SMART KEY FOB 13.56MHz	46171622	Axis Communications	MIFARE RFID SMART KEY FOB 13.56MHz	Mifare RFID smart key fob 13.56MHz	01385-001	MIFARE RFID SMART KEY FOB 13.56MHz	0000007715	1/1/2021	12/31/2023	4.9	USD	EA
800890-181	2N SECURITY RELAY	46171622	Axis Communications	2N SECURITY RELAY	2N Security Relay	01386-001	2N SECURITY RELAY	0000007715	1/1/2021	12/31/2023	107.8	USD	EA
800890-182	2N WIEGAND ISOLATOR	46171622	Axis Communications	2N WIEGAND ISOLATOR	2N Wiegand Isolator	01387-001	2N WIEGAND ISOLATOR	0000007715	1/1/2021	12/31/2023	147	USD	EA
800890-183	2N MAGNETIC DOOR CONTACT	46171622	Axis Communications	2N MAGNETIC DOOR CONTACT	2N Magnetic door contact	01388-001	2N MAGNETIC DOOR CONTACT	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
800890-184	WIEGAND 125 kHz RFID CARD READER	46171622	Axis Communications	WIEGAND 125 kHz RFID CARD READER	External 125 kHz EMarine RFID card reader, Wiegand	01389-001	WIEGAND 125 kHz RFID CARD READER	0000007715	1/1/2021	12/31/2023	93.1	USD	EA
800890-185	WIEGAND 13.56 MHz RFID CARD READER	46171622	Axis Communications	WIEGAND 13.56 MHz RFID CARD READER	External 13.56MHz Mifare RFID card reader, Wiegand	01390-001	WIEGAND 13.56 MHz RFID CARD READER	0000007715	1/1/2021	12/31/2023	93.1	USD	EA
800890-186	2N INDUCTION LOOP	46171622	Axis Communications	2N INDUCTION LOOP	2N External induction loop for IP Intercom	01391-001	2N INDUCTION LOOP	0000007715	1/1/2021	12/31/2023	137.2	USD	EA
800890-187	2N IND. LOOP EXT. ANTENNA	46171622	Axis Communications	2N IND. LOOP EXT. ANTENNA	2N External antenna for the induction loop	01392-001	2N IND. LOOP EXT. ANTENNA	0000007715	1/1/2021	12/31/2023	88.2	USD	EA
800890-188	2N INDUCTION LOOP - POWER SUPPLY	46171622	Axis Communications	2N INDUCTION LOOP - POWER SUPPLY	2N Power supply for the induction loop	01393-001	2N INDUCTION LOOP - POWER SUPPLY	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
800890-189	POE INJECTOR WITHOUT CABLE	46171622	Axis Communications	POE INJECTOR WITHOUT CABLE	Poe injector PSA16U-480(POE), external PoE; 1port 15.4W ACDC - without cable	01394-001	POE INJECTOR WITHOUT CABLE	0000007715	1/1/2021	12/31/2023	53.9	USD	EA
800890-190	EMARINE RFID PROX CARD 125kHz	46171622	Axis Communications	EMARINE RFID PROX CARD 125kHz	Proximity Card Emarine 125kHz	01395-001	EMARINE RFID PROX CARD 125kHz	0000007715	1/1/2021	12/31/2023	4.9	USD	EA
800890-191	EMARINE RFID PROX KEY FOB 125kHz	46171622	Axis Communications	EMARINE RFID PROX KEY FOB 125kHz	Proximity Key Fob Emarine 125kHz	01396-001	EMARINE RFID PROX KEY FOB 125kHz	0000007715	1/1/2021	12/31/2023	4.9	USD	EA
800890-192	WEB RELAY - 1 OUTPUT, 1 INPUT	46171622	Axis Communications	WEB RELAY - 1 OUTPUT, 1 INPUT	Web IP Relay - 1 output, 1 input	01397-001	WEB RELAY - 1 OUTPUT, 1 INPUT	0000007715	1/1/2021	12/31/2023	235.2	USD	EA
800890-193	WEB RELAY - 4 OUTPUTS, 0 INPUT	46171622	Axis Communications	WEB RELAY - 4 OUTPUTS, 0 INPUT	Web IP Relay - 4 outputs, 0 input	01398-001	WEB RELAY - 4 OUTPUTS, 0 INPUT	0000007715	1/1/2021	12/31/2023	303.8	USD	EA
800890-194	POE USB RFID READER 125kHz	46171622	Axis Communications	POE USB RFID READER 125kHz	External RFID Reader 125kHz EMarine (USB interface)	01399-001	POE USB RFID READER 125kHz	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-195	USB RFID READER 13MHz & 125kHz	46171622	Axis Communications	USB RFID READER 13MHz & 125kHz	External RFID Reader 13.56MHz + 125kHz (USB interface)	01400-001	USB RFID READER 13MHz & 125kHz	0000007715	1/1/2021	12/31/2023	328.3	USD	EA
800890-196	USB FINGERPRINT READER	46171622	Axis Communications	USB FINGERPRINT READER	External fingerprint reader (USB interface)	01401-001	USB FINGERPRINT READER	0000007715	1/1/2021	12/31/2023	245	USD	EA
800890-197	USB BLUETOOTH READER	46171622	Axis Communications	USB BLUETOOTH READER	External Bluetooth reader (USB interface)	01402-001	USB BLUETOOTH READER	0000007715	1/1/2021	12/31/2023	27.44	USD	EA
800890-198	POE INJECTOR WITH CABLE	46171622	Axis Communications	POE INJECTOR WITH CABLE	Poe injector PSA16U-480(POE), external PoE; 1port 15.4W ACDC - with US cable	01403-001	POE INJECTOR WITH CABLE	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-199	2N 2WIRE - SET WITH US PLUG	46171622	Axis Communications	2N 2WIRE - SET WITH US PLUG	2N 2Wire - set of 2 adaptors and power source for the US plug	01404-001	2N 2WIRE - SET WITH US PLUG	0000007715	1/1/2021	12/31/2023	333.2	USD	EA
800890-200	USB SEC RFID READER 13MHz & 125kHz	46171622	Axis Communications	USB SEC RFID READER 13MHz & 125kHz	External RFID secured reader 13.56MHz + 125kHz (USB interface)	01527-001	USB SEC RFID READER 13MHz & 125kHz	0000007715	1/1/2021	12/31/2023	421.4	USD	EA
800890-201	VERSO/SOLO SPEAKER COVER,5x	46171622	Axis Communications	VERSO/SOLO SPEAKER COVER,5x	2N IP Verso and Solo speaker cover - plastic cover of speaker on the main unit - 5pcs	01640-001	VERSO/SOLO SPEAKER COVER,5x	0000007715	1/1/2021	12/31/2023	49	USD	EA
800890-202	VERSO/SOLO CAMERA WINDOW,5x	46171622	Axis Communications	VERSO/SOLO CAMERA WINDOW,5x	2N IP Verso and Solo camera window- camera version -plastic cover on the main unit - 5pcs	01641-001	VERSO/SOLO CAMERA WINDOW,5x	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
800890-203	VERSO WINDOW NON-CAMERA,5x	46171622	Axis Communications	VERSO WINDOW NON-CAMERA,5x	2N IP Verso camera window- non-camera version -plastic cover on the main unit - 5pcs	01642-001	VERSO WINDOW NON-CAMERA,5x	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
800890-204	VERSO/SOLO REFLECTOR,2N LOGO,5x	46171622	Axis Communications	VERSO/SOLO REFLECTOR,2N LOGO,5x	2N IP Verso and Solo Reflector with 2N logo - plastic part under the camera - 5pcs	01643-001	VERSO/SOLO REFLECTOR,2N LOGO,5x	0000007715	1/1/2021	12/31/2023	53.9	USD	EA
800890-205	VERSO/SOLO BUTTON NAMETAG,10x	46171622	Axis Communications	VERSO/SOLO BUTTON NAMETAG,10x	2N IP Verso and Solo button nametag - plastic button with nametag - 10pcs	01644-001	VERSO/SOLO BUTTON NAMETAG,10x	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-206	VERSO FLUSH/SURFACE LOWER FIX,5x	46171622	Axis Communications	VERSO FLUSH/SURFACE LOWER FIX,5x	2N IP Verso Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	01645-001	VERSO FLUSH/SURFACE LOWER FIX,5x	0000007715	1/1/2021	12/31/2023	37.24	USD	EA
800890-207	SOLO FLUSH/SURFACE LOWER FIX,5x	46171622	Axis Communications	SOLO FLUSH/SURFACE LOWER FIX,5x	2N IP Solo Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	01646-001	SOLO FLUSH/SURFACE LOWER FIX,5x	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-208	VERSO/SOLO FLUSH TOP FIX,5x	46171622	Axis Communications	VERSO/SOLO FLUSH TOP FIX,5x	2N IP Verso and Solo Flush mount upper fixture - metal part to hold the frame - 5pcs	01647-001	VERSO/SOLO FLUSH TOP FIX,5x	0000007715	1/1/2021	12/31/2023	32.34	USD	EA
800890-209	VERSO/SOLO SURFACE TOP FIX,5x	46171622	Axis Communications	VERSO/SOLO SURFACE TOP FIX,5x	2N IP Verso and Solo Surface mount upper fixture - metal part to hold the frame - 5pcs	01648-001	VERSO/SOLO SURFACE TOP FIX,5x	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-210	VERSO BUS SHORT,80MM,10x	46171622	Axis Communications	VERSO BUS SHORT,80MM,10x	2N IP Verso bus short, 80mm - vbus cabel to connect the modules - 10pcs	01649-001	VERSO BUS SHORT,80MM,10x	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
800890-211	VERSO BUS SHORT,220MM,10x	46171622	Axis Communications	VERSO BUS SHORT,220MM,10x	2N IP Verso bus short, 220mm - vbus cabel to connect the modules - 10pcs	01650-001	VERSO BUS SHORT,220MM,10x	0000007715	1/1/2021	12/31/2023	49	USD	EA
800890-212	VERSO MICROPHONE SET,10x	46171622	Axis Communications	VERSO MICROPHONE SET,10x	2N IP Verso microphone set - microphone with cable to 3 module extension - 10pcs	01651-001	VERSO MICROPHONE SET,10x	0000007715	1/1/2021	12/31/2023	58.8	USD	EA
800890-213	FORCE/SAFETY SPEAKER 1W	46171622	Axis Communications	FORCE/SAFETY SPEAKER 1W	2N IP Force and Safety Speaker 1W, 16 Ohm, 77mm - 1pc	01652-001	FORCE/SAFETY SPEAKER 1W	0000007715	1/1/2021	12/31/2023	68.6	USD	EA
800890-214	FORCE/SAFETY GASKET FOR MIC,5x	46171622	Axis Communications	FORCE/SAFETY GASKET FOR MIC,5x	2N IP Force and Safety Gasket for microphone - 5pcs	01654-001	FORCE/SAFETY GASKET FOR MIC,5x	0000007715	1/1/2021	12/31/2023	9.8	USD	EA
800890-215	FORCE/SAFETY MIC WITH CABLE,5x	46171622	Axis Communications	FORCE/SAFETY MIC WITH CABLE,5x	2N IP Force and Safety microphone with cable - 10pcs	01655-001	FORCE/SAFETY MIC WITH CABLE,5x	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
800890-216	FORCE BUTTON NAMETAG,5x	46171622	Axis Communications	FORCE BUTTON NAMETAG,5x	2N IP Force and analog Force Button nametag to plastic part - 5pcs	01656-001	FORCE BUTTON NAMETAG,5x	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-217	FORCE PLASTIC BUTTON ON PCB,5x	46171622	Axis Communications	FORCE PLASTIC BUTTON ON PCB,5x	2N IP Force and analog Force Plastic clear button on the PCB board - 10pcs	01657-001	FORCE PLASTIC BUTTON ON PCB,5x	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-218	FORCE 1 BUTTON BOARD,1x	46171622	Axis Communications	FORCE 1 BUTTON BOARD,1x	2N IP Force and analog Force 1 button board - 1pc	01658-001	FORCE 1 BUTTON BOARD,1x	0000007715	1/1/2021	12/31/2023	24.5	USD	EA

800890-219	FORCE 1 BUTTON BOARD, PICTOGRAM,5x	46171622	Axis Communications	FORCE 1 BUTTON BOARD, PICTOGRAM,5x	2N IP Force and analog Force 1 button board, pictograms - 1pc	01659-001	FORCE 1 BUTTON BOARD, PICTOGRAM,5x	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-220	FORCE 2 BUTTONS BOARD,1x	46171622	Axis Communications	FORCE 2 BUTTONS BOARD,1x	2N IP Force and analog Force 2 buttons board - 1pc	01660-001	FORCE 2 BUTTONS BOARD,1x	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-221	FORCE 4 BUTTON BOARD,1x	46171622	Axis Communications	FORCE 4 BUTTON BOARD,1x	2N IP Force and analog Force 4 buttons board - 1pc	01661-001	FORCE 4 BUTTON BOARD,1x	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
800890-222	FORCE/SAFETY SPEAKER10W 4pcs	46171622	Axis Communications	FORCE/SAFETY SPEAKER10W 4pcs	2N IP Force and Safety Speaker 10W, 4 Ohm, 76mm - 4pcs	01653-001	FORCE/SAFETY SPEAKER10W 4pcs	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-223	2N IDT - PoE, BLACK	46171622	Axis Communications	2N IDT - PoE, BLACK	2N Indoor Touch PoE - Black	01416-001	2N IDT - PoE, BLACK	0000007715	1/1/2021	12/31/2023	739.9	USD	EA
800890-224	2N IDT - PoE, WHITE	46171622	Axis Communications	2N IDT - PoE, WHITE	2N Indoor Touch PoE - White	01417-001	2N IDT - PoE, WHITE	0000007715	1/1/2021	12/31/2023	739.9	USD	EA
800890-225	2N INDOOR TALK BLACK	46171622	Axis Communications	2N INDOOR TALK BLACK	2N Indoor Talk PoE - Black Elegant answering unit with HD sound. The design of the 2N* Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door from the comfort of your home. The 2N Indoor Talk Black requires the 2N Indoor Flush Box (01700-001) for installation.	01698-001	2N INDOOR TALK BLACK	0000007715	1/1/2021	12/31/2023	287.14	USD	EA
800890-226	2N INDOOR TALK WHITE	46171622	Axis Communications	2N INDOOR TALK WHITE	2N Indoor Talk PoE - White Elegant answering unit with HD sound. The design of the 2N* Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door from the comfort of your home. The 2N Indoor Talk White requires the 2N Indoor Flush Box (01700-001) for installation.	01699-001	2N INDOOR TALK WHITE	0000007715	1/1/2021	12/31/2023	287.14	USD	EA
800890-227	2N INDOOR FLUSH BOX	46171622	Axis Communications	2N INDOOR FLUSH BOX	2N Indoor answering unit flush installation box, required for the 2N Indoor Talk (01698-001 or 01699-001).	01700-001	2N INDOOR FLUSH BOX	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-228	GVX3370 IP PHONE	46171622	Axis Communications	GVX3370 IP PHONE	Grandstream GVX 3370 Multimedia IP phone with 7" touch screen, Android, Wifi, PoE	01695-001	GVX3370 IP PHONE	0000007715	1/1/2021	12/31/2023	578.2	USD	EA
800890-229	GVX3240 IP PHONE	46171622	Axis Communications	GVX3240 IP PHONE	Grandstream GVX 3240 Multimedia IP phone with 4.3" digital color LCD, Android, Wifi, PoE	01422-001	GVX3240 IP PHONE	0000007715	1/1/2021	12/31/2023	362.6	USD	EA
800890-230	2N IDT - POWER SUPPLY FLUSH	46171622	Axis Communications	2N IDT - POWER SUPPLY FLUSH	2N Indoor Touch External power supply, 12V 2A DC, flush mounted	01423-001	2N IDT - POWER SUPPLY FLUSH	0000007715	1/1/2021	12/31/2023	98	USD	EA
800890-231	2N IDT - DESK STAND BLACK	46171622	Axis Communications	2N IDT - DESK STAND BLACK	2N Indoor Touch - Desk stand black	01425-001	2N IDT - DESK STAND BLACK	0000007715	1/1/2021	12/31/2023	78.4	USD	EA
800890-232	2N IDT - DESK STAND WHITE	46171622	Axis Communications	2N IDT - DESK STAND WHITE	2N Indoor Touch - Desk stand white	01426-001	2N IDT - DESK STAND WHITE	0000007715	1/1/2021	12/31/2023	78.4	USD	EA
800890-233	YEALINK SIP TS8A	46171622	Axis Communications	YEALINK SIP TS8A	The Yealink SIP-TS8A is a simple-to-use smart media phone that provides an enriched HD audio and video calling experience for business professionals. This all-new smart media phone enables productivity-enhancing visual communication with the ease of a standard phone.	01586-001	YEALINK SIP TS8A	0000007715	1/1/2021	12/31/2023	539	USD	EA
800890-234	2N SIP MIC	46171622	Axis Communications	2N SIP MIC	2N SIP Mic allows paging to several zones with a simple push of a button. It is ideal for live or pre-recorded announcements. It has a built-in audio-management server for configuration, which means less equipment as well as flexible, easy and cost-efficient installation. The network microphone console has 12 buttons that can be configured with actions of your choice. 2N SIP Mic's 12 buttons give you a smart paging solution for up to 12 zones, and if your system grows you can easily connect the microphone console to a PBX system thanks to support for SIP. The microphone is based on open standards and connects to standard networks using PoE.	01208-001	2N SIP MIC	0000007715	1/1/2021	12/31/2023	1077.02	USD	EA
800890-235	2N SIP SPEAKER - HORN	46171622	Axis Communications	2N SIP SPEAKER - HORN	2N SIP Speaker - Horn (outdoor SIP based active hornspeaker)	01433-001	2N SIP SPEAKER - HORN	0000007715	1/1/2021	12/31/2023	507.64	USD	EA
800890-236	2N SIP AUDIO CONVERTER	46171622	Axis Communications	2N SIP AUDIO CONVERTER	2N SIP Audio Converter (SIP Audio to analogue audio converter)	01429-001	2N SIP AUDIO CONVERTER	0000007715	1/1/2021	12/31/2023	401.8	USD	EA
800890-237	2N SIP AUDIO CONVERTER SET	46171622	Axis Communications	2N SIP AUDIO CONVERTER SET	2N SIP Audio Converter set with Speaker and Mic	01430-001	2N SIP AUDIO CONVERTER SET	0000007715	1/1/2021	12/31/2023	416.5	USD	EA
800890-238	2N SIP SPEAKER - WALL MOUNTED, W	46171622	Axis Communications	2N SIP SPEAKER - WALL MOUNTED, W	2N SIP Speaker - Loudspeaker Set, wall mounted [SIP based active speaker]	01432-001	2N SIP SPEAKER - WALL MOUNTED, W	0000007715	1/1/2021	12/31/2023	450.8	USD	EA
800890-239	2N SIP SPEAKER - WALL MOUNTED, B	46171622	Axis Communications	2N SIP SPEAKER - WALL MOUNTED, B	2N SIP Speaker - Loudspeaker Set, wall mounted [SIP based active speaker]	01431-001	2N SIP SPEAKER - WALL MOUNTED, B	0000007715	1/1/2021	12/31/2023	450.8	USD	EA
800890-240	2N IP AUDIO POWER SUPPLY - US PLUG	46171622	Axis Communications	2N IP AUDIO POWER SUPPLY - US PLUG	2N IP Audio Power Supply - US plug	01435-001	2N IP AUDIO POWER SUPPLY - US PLUG	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-241	AXIS A8004 JUNCTION BOX	46171622	Axis Communications	AXIS A8004 JUNCTION BOX	AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.	5801-131	AXIS A8004 JUNCTION BOX	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-242	AXIS A9801 SECURITY RELAY	46171622	Axis Communications	AXIS A9801 SECURITY RELAY	AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of the door. If an intruder attempt to tamper with the door station to access the door lock wires, AXIS A9801 Security relay will cut the connection and ensure that the door remains securely locked.	5801-141	AXIS A9801 SECURITY RELAY	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-243	MOUNT KIT CODEBLUE/A8004	46171622	Axis Communications	MOUNT KIT CODEBLUE/A8004	Stainless steel adapter plate for mounting AXIS A8004-VE Network Video Door Station in Code Blue emergency stanchions and call boxes, combining intelligent video surveillance with emergency communication in a single device. The adapter plate is compatible with all Code Blue help points, suitable for new deployments and retrofitting existing installations.	5507-471	MOUNT KIT CODEBLUE/A8004	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-244	AXIS A9188 NETWORK I/O RELAY MODULE	46171622	Axis Communications	AXIS A9188 NETWORK I/O RELAY MODULE	AXIS A9188 Network I/O Relay Module is an intelligent module with 8 configurable I/Os and 8 form C relays and supports supervised inputs. Open API, including VAPIX, for software integration. High level of integration with AXIS A1001 Network Door Controller for elevator control for floor management etc. Supported by AXIS Video Hosting System, AXIS Camera Station and third party partner software. The module provides 12 and 24 V DC output to I/O devices and can extend the functionality of any Axis product where you need additional I/Os or relays. Powered by PoE+ or 12 and 24 V DC input.	0820-001	AXIS A9188 NETWORK I/O RELAY MODULE	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-245	AXIS ACCESS CARD 1K, WHITE 200 pcs	46171622	Axis Communications	AXIS ACCESS CARD 1K, WHITE 200 pcs	AXIS Access Card is a contactless Mifare 1K smart card that uses advanced radio frequency identification (RFID) technology to deliver secure and reliable physical access to premises. It is robust and IP68-rated, comes in a pack of 200 pcs.	5506-831	AXIS ACCESS CARD 1K, WHITE 200 pcs	0000007715	1/1/2021	12/31/2023	351.82	USD	EA
800890-246	AXIS A8105-E FLUSH MOUNT	46171622	Axis Communications	AXIS A8105-E FLUSH MOUNT	Nice and easy recessed mount of Axis A8105-E Network video door station suitable for most wall types.	5801-481	AXIS A8105-E FLUSH MOUNT	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-247	AXIS A9161 NETWORK I/O RELAY MODULE	46171622	Axis Communications	AXIS A9161 NETWORK I/O RELAY MODULE	AXIS A9161 Network I/O Relay Module has 6 configurable I/Os with supervised inputs and a relay. The module reacts on inputs, such as signals from PIR motion detectors or switches, to trigger actions. Supplying power to I/O devices, it can extend the functionality of Axis products where additional I/Os or relays are needed. Its enclosure makes installation easy and flexible.	0821-001	AXIS A9161 NETWORK I/O RELAY MODULE	0000007715	1/1/2021	12/31/2023	244.02	USD	EA

800890-248	AXIS A9188-VE NETWORK I/O RELAY MODULE	46171622	Axis Communications	AXIS A9188-VE NETWORK I/O RELAY MODULE	0831-001	AXIS A9188-VE NETWORK I/O RELAY MODULE	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
					<p>AXIS A9188-VE Network I/O Relay Module comes with AXIS T98A15-VE Surveillance Cabinet making it outdoor-ready, vandal-resistant, and UL294-approved. With its 8 configurable I/Os and relays, its open platform enables a high level of integration with AXIS A1001 Network Door Controller and other facility systems.</p> <p>-8 I/Os with supervised inputs and 8 Form C relays -UL294-approved with cabinet AXIS T98A15-VE Surveillance Cabinet -12 and 24 V DC output/input or PoE+ -Open API, support for VAPIX, ACAP -Used with AXIS Camera station or third-party software</p>							
800890-249	AXIS A8004-VE ACCESSIBILITY KIT	46171622	Axis Communications	AXIS A8004-VE ACCESSIBILITY KIT	5801-671	AXIS A8004-VE ACCESSIBILITY KIT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
					<p>AXIS A8004-VE Accessibility kit is an easy way to improve access to your building and comply with regulations on barrier-free accessibility. It's designed as a new front plate that mounts on and connects directly to any AXIS A8004-E Network Video Door Station. The product includes an inductive loop for hearing aids, illuminated pictograms for user feedback and a tactile dot for the call button, all of which help to simplify interaction for people with impaired hearing or vision.</p> <p>AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).</p> <p>AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).</p>							
800890-250	AXIS A1001 Network Door Controller	46171622	Axis Communications	AXIS A1001 Network Door Controller	0540-001	AXIS A1001 Network Door Controller	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-251	AXIS A1001 BULK 10PCS Network Door Controller	46171622	Axis Communications	AXIS A1001 BULK 10PCS Network Door Controller	0540-021	AXIS A1001 BULK 10PCS Network Door Controller	0000007715	1/1/2021	12/31/2023	5870.2	USD	EA
800890-252	AXIS A1601	46171622	Axis Communications	AXIS A1601	01507-001	AXIS A1601	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
					<p>AXIS A1601 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).</p> <p>With door controllers from Axis, you install one smart, independent device by each door to create a scalable access control system. The open platform allows you to mix and match best-of-breed software and hardware, and enables easy integration with other systems such as video surveillance, intrusion detection, and time and attendance. AXIS A1601 Network Door Controller is ideal for advanced access management in mid-sized and large, multi-site installations using third-party software (no embedded Entry Manager software). It has a powerful processor, expanded storage and memory, relays, and I/O ports. AXIS A1601 is powered by PoE+ and can also power connected equipment.</p> <p>AXIS A8004-VE Network Video Door Station is an open, IP-based door station for two-way communication, video and remote entry control. By combining exceptional audio capabilities, including a high performing solution for echo cancellation and noise suppression, with an integrated HDTV camera with WDR and excellent low-light performance, the unit offers reliable 24/7 identification and remote entry control also in the most demanding situations. Based on open IP standards and interfaces such as Onvif, PoE and SIP, AXIS A8004-VE Network Video Door Station offers great integration possibilities and is a perfect complement to any video surveillance system.</p>							
800890-253	AXIS A8004-VE	46171622	Axis Communications	AXIS A8004-VE	0673-001	AXIS A8004-VE	0000007715	1/1/2021	12/31/2023	1224.02	USD	EA
					<p>AXIS A8004-VE Network Video Door Station is an open, IP-based door station for two-way communication, video and remote entry control. By combining exceptional audio capabilities, including a high performing solution for echo cancellation and noise suppression, with an integrated HDTV camera with WDR and excellent low-light performance, the unit offers reliable 24/7 identification and remote entry control also in the most demanding situations. Based on open IP standards and interfaces such as Onvif, PoE and SIP, AXIS A8004-VE Network Video Door Station offers great integration possibilities and is a perfect complement to any video surveillance system.</p>							
800890-254	AXIS A8105-E	46171622	Axis Communications	AXIS A8105-E	0871-001	AXIS A8105-E	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
					<p>AXIS A8105-E is a small and powerful network video door station. It operates as a communication device and full-fledged security camera at the same time, providing HDTV video, audiovisual identification, two-way communication and remote entry control as an intrinsic part of video surveillance. Open standards such as ONVIF and Session Initiation Protocol (SIP) in combination with its small size, give unique opportunities for system design, integration and installation. Wide Dynamic Range (WDR) and efficient noise cancellation ensure uncompromised performance in demanding situations, such as strong backlight or surrounding noise.</p> <p>AXIS Digital Corridor Format easily adjusts the viewing area to the location.</p>							
800890-255	AXIS A8207-VE	46171622	Axis Communications	AXIS A8207-VE	01436-001	AXIS A8207-VE	0000007715	1/1/2021	12/31/2023	1371.02	USD	EA
					<p>AXIS A8207-VE Network Video Door Station combines a fully featured SMP security camera with high-quality, two-way audio communication and remote entry control. It also has an integrated RFID access control reader. By providing both surveillance, visitor management, and employee accessibility, AXIS A8207-VE increases the efficiency while keeping down the number of devices at the door. Analytics, such as motion or sound-based detection, is supported. Based on open standards and with several hardware interfaces, AXIS A8207-VE easily integrates with other systems and solutions and is prepared for future needs. Interaction is intuitive and accessible, with an inductive loop for hearing aid.</p>							
800890-256	AXIS A4011-E READER	46171622	Axis Communications	AXIS A4011-E READER	0745-001	AXIS A4011-E READER	0000007715	1/1/2021	12/31/2023	361.62	USD	EA
					<p>AXIS A4011-E Reader is a generic touch-free reader with keypad and illuminated symbols. It is a perfect match to the Network Door Controller A1001. The reader is intended for both indoor and outdoor use and it supports most smart card formats with 13.56 MHz.</p> <p>The reader is certified according to UL294</p>							
800890-257	AXIS A4010-E READER WITHOUT KEYPAD	46171622	Axis Communications	AXIS A4010-E READER WITHOUT KEYPAD	01023-001	AXIS A4010-E READER WITHOUT KEYPAD	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
					<p>AXIS A4010-E Reader is a generic touch-free reader without keypad and 2 LED feedback. It is a perfect match to the Network Door Controller A1001. The reader has a small form factor, intended for both indoor and outdoor use. It uses RS485 OSDP communication and supports most smart card formats with 13.56 MHz. This reader is a Mark II for 0946-001 with same functionality but no visible differences.</p>							
800890-258	AXIS 4IN1 SECURITY SCREWDRIVER	46171622	Axis Communications	AXIS 4IN1 SECURITY SCREWDRIVER	5507-711	AXIS 4IN1 SECURITY SCREWDRIVER	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
					<p>The AXIS 4-in-1 Security Screwdriver Kit is a great tool for installing Axis products. The kit features two double-sided insert bits type that match Axis products using tamper resistant torx and standard philips head. The kit comes with a quick-release, non-slip rubber handle, and a velcro-sealed polyester pouch with belt clip. Insert bits material in chrome vanadium (TR10+PH1) and in stainless steel (TR20+TR30).</p>							
800890-259	AXIS Q17 FRONT WINDOW KIT B	46171622	Axis Communications	AXIS Q17 FRONT WINDOW KIT B	01687-001	AXIS Q17 FRONT WINDOW KIT B	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
					<p>Accessory front window assembly in polycarbonate for AXIS Q1785/86-LE, IK10 rated. Not recommended for installation that requires more than 22x optical zoom.</p>							
800890-260	GASKET A CABLE 3.5-7MM 10PCS	46171622	Axis Communications	M20 GASKET A CABLE 3.5-7MM 10PCS	5503-741	GASKET A CABLE 3.5-7MM 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
					<p>M20 Gasket for cable diameter 3,5mm to 7mm, 10 pcs.</p>							
800890-261	ACC TOOL STEEL STRAP	46171622	Axis Communications	ACC TOOL STEEL STRAP	21776	ACC TOOL STEEL STRAP	0000007715	1/1/2021	12/31/2023	142.1	USD	EA
					<p>Tool for steel strap tensioning. For use with 21764 and AXIS T91A67</p>							
800890-262	AXIS GASKET M16 5-8 MM 10PCS	46171622	Axis Communications	AXIS GASKET M16 5-8 MM 10PCS	01785-001	AXIS GASKET M16 5-8 MM 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
					<p>IP66 gasket for M16 holes (max 17mm). By using the included CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the network cable which gives a much faster and more secure installation. Suitable for cable diameters between 5-8mm. Black color. 10 pieces (bulk pack).</p>							
800890-263	GASKET B M20 CABLE 6-13MM 10PCS	46171622	Axis Communications	GASKET B M20 CABLE 6-13MM 10PCS	5503-751	GASKET B M20 CABLE 6-13MM 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
					<p>M20 Gasket for cable diameter 6-13mm, 10 pcs.</p>							
800890-264	GASKET C M25 CABLE 8-17MM 10PCS	46171622	Axis Communications	GASKET C M25 CABLE 8-17MM 10PCS	5503-791	GASKET C M25 CABLE 8-17MM 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
					<p>M20 Gasket for cable 8-17mm, 10 pcs.</p>							
800890-265	CABLE GLAND A M20 5PCS	46171622	Axis Communications	CABLE GLAND A M20 5PCS	5503-761	CABLE GLAND A M20 5PCS	0000007715	1/1/2021	12/31/2023	8.82	USD	EA
					<p>M20 cable gland, 5 pcs.</p>							
800890-266	LENS TOOL KIT AXIS M311X 2MM 4PCS	46171622	Axis Communications	LENS TOOL KIT AXIS M311X 2MM 4PCS	5503-561	LENS TOOL KIT AXIS M311X 2MM 4PCS	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
					<p>Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X cameras with 2mm lens. Content: Lens tool and Opening tool 4 pcs of each.</p> <p>This gasket is specially made for flexible and easy installation. By using the included CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the network cable which gives a much faster and more secure installation.</p> <p>Made for M20 holes and cables from 5 to 15mm in outer diameter. 10 pcs.</p>							
800890-267	GASKET C M20 10PCS	46171622	Axis Communications	GASKET C M20 10PCS	5505-941	GASKET C M20 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
					<p>Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X (except 2mm lens version). Content: Lens tool and Opening tool 4 pcs of each.</p>							
800890-268	LENS TOOL AXIS M311X 4PCS	46171622	Axis Communications	LENS TOOL AXIS M311X 4PCS	5502-771	LENS TOOL AXIS M311X 4PCS	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
					<p>Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X (except 2mm lens version). Content: Lens tool and Opening tool 4 pcs of each.</p>							
800890-269	CABLE GASKET M20 3MM 10PCS	46171622	Axis Communications	CABLE GASKET M20 3MM 10PCS	5506-421	CABLE GASKET M20 3MM 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
					<p>M20 gasket for small cables like I/O and audio cables. 10 pcs</p>							
800890-270	LENS TOOLKIT P39XX-R 4 PCS	46171622	Axis Communications	LENS TOOLKIT P39XX-R 4 PCS	5506-441	LENS TOOLKIT P39XX-R 4 PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
					<p>Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS P39xx-R cameras with the standard lens and the 2.8 mm accessory lens. Content: Lens tool, Allen key and Opening tool. 4 pcs of each.</p>							

800890-271	CABLE GLAND A M25 SPCS	46171622	Axis Communications	CABLE GLAND A M25 SPCS	M25 Cable gland, 5 pcs.	5503-831	CABLE GLAND A M25 SPCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-272	CABLE GLAND M20xL5 R145 SPCS	46171622	Axis Communications	CABLE GLAND M20xL5 R145 SPCS	M20 cable gland for R145. Ease of installation, no need of cutting the cable.	5503-951	CABLE GLAND M20xL5 R145 SPCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-273	CABLE SEALING IP65 FOR Q8108-R	46171622	Axis Communications	CABLE SEALING IP65 FOR Q8108-R	Accessory cable sealing to meet IP65 rating for Q8108-R.	5502-711	CABLE SEALING IP65 FOR Q8108-R	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-274	POWER SUPPLY DIN CP-D 12/2.1 25W	46171622	Axis Communications	POWER SUPPLY DIN CP-D 12/2.1 25W	DIN power supply. 12V DC, 2.1 A. For use in T98A to power cameras, media converters etc.	5505-731	POWER SUPPLY DIN CP-D 12/2.1 25W	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-275	POWER SUPPLY DIN CP-D 24/4.2 100 W	46171622	Axis Communications	POWER SUPPLY DIN CP-D 24/4.2 100 W	DIN power supply. 24V DC, 4.2 A. For use in AXIS Surveillance Cabinets to power cameras, media converters etc.	01169-001	POWER SUPPLY DIN CP-D 24/4.2 100 W	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-276	POWER SUPPLY PS24 240 W	46171622	Axis Communications	POWER SUPPLY PS24 240 W	24V DC power supply with 240 W output power.	01170-001	POWER SUPPLY PS24 240 W	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
800890-277	POWER SUPPLY DIN PS24 480W	46171622	Axis Communications	POWER SUPPLY DIN PS24 480W	Power supply for AXIS Q86, Q87 & T99A product lines. 480W 24V 20A for DIN rail mounting.	01677-001	POWER SUPPLY DIN PS24 480W	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-278	AXIS POWER SUPPLY DIN PS56 240W	46171622	Axis Communications	AXIS POWER SUPPLY DIN PS56 240W	Power supply for AXIS T8504-R Industrial PoE Switch. 240W 56V 5A for DIN rail mounting.	01726-001	AXIS POWER SUPPLY DIN PS56 240W	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-279	AXIS M3004-V/05-V LENS M12 6MM	46171622	Axis Communications	AXIS M3004-V/05-V LENS M12 6MM	Optional lens, 6mm for M3004-V/M3005-V	5503-651	AXIS M3004-V/05-V LENS M12 6MM	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-280	AXIS M3006-V LENS M12 2.0MM	46171622	Axis Communications	AXIS M3006-V LENS M12 2.0MM	Optional lens for AXIS M3006-V, 2.0mm, HFOV: 105°. Including lens tool.	5503-941	AXIS M3006-V LENS M12 2.0MM	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-281	AXIS M3006-V LENS M12 2.8MM	46171622	Axis Communications	AXIS M3006-V LENS M12 2.8MM	Optional lens for AXIS M3006-V, 2.8mm. Including lens tool.	5503-981	AXIS M3006-V LENS M12 2.8MM	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-282	AXIS M3025-VE LENS M12 6MM	46171622	Axis Communications	AXIS M3025-VE LENS M12 6MM	Optional lens for AXIS M3025-VE, 6mm. Including focus ring.	5504-551	AXIS M3025-VE LENS M12 6MM	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-283	ACC LENS M12 MEGAPIXEL 16MM 10PCS	46171622	Axis Communications	ACC LENS M12 MEGAPIXEL 16MM 10PCS	Megapixel lens 16mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	5502-161	ACC LENS M12 MEGAPIXEL 16MM 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-284	ACC LENS M12 MEGAPIXEL 2.8MM 10PCS	46171622	Axis Communications	ACC LENS M12 MEGAPIXEL 2.8MM 10PCS	Megapixel lens 2.8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	5502-101	ACC LENS M12 MEGAPIXEL 2.8MM 10PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-285	ACC LENS M12 MEGAPIXEL 3.6MM 10PCS	46171622	Axis Communications	ACC LENS M12 MEGAPIXEL 3.6MM 10PCS	Megapixel lens 3.6mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	5502-151	ACC LENS M12 MEGAPIXEL 3.6MM 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-286	AXIS WEATHERSHIELD K	46171622	Axis Communications	AXIS WEATHERSHIELD K	Weathershield for AXIS P14 Series designed for use in rainy and windy environments.	5507-121	AXIS WEATHERSHIELD K	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-287	LENS M12 6MM SPCS	46171622	Axis Communications	LENS M12 6MM SPCS	Accessory M12 6mm lens for AXIS Q600-E Mkit Spcs	5801-771	LENS M12 6MM SPCS	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-288	ACC LENS M12 MEGAPIXEL 6MM 10PCS	46171622	Axis Communications	ACC LENS M12 MEGAPIXEL 6MM 10PCS	Megapixel lens 6mm lens with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	5502-111	ACC LENS M12 MEGAPIXEL 6MM 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-289	LENS M12 2.8 MM F1.2 10P	46171622	Axis Communications	LENS M12 2.8 MM F1.2 10P	Megapixel lens 2.8 mm, F1.2 with M12 thread for AXIS P39-R Series that provides 110° horizontal FOV and excellent low light performance. Coated with IR-cut filter. 10 pieces bulk pack.	01860-001	LENS M12 2.8 MM F1.2 10P	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-290	ACC LENS M12 2.8MM F2.0 10 PCS	46171622	Axis Communications	ACC LENS M12 2.8MM F2.0 10 PCS	Megapixel lens 2.8 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 115° horizontal FOV with these cameras. With IR filter. 10 pieces.	5504-951	ACC LENS M12 2.8MM F2.0 10 PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-291	ACC LENS M12 6MM F1.6 10 PCS	46171622	Axis Communications	ACC LENS M12 6MM F1.6 10 PCS	Megapixel lens 6 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 52° horizontal FOV with these cameras. With IR filter. 10 pieces.	5504-961	ACC LENS M12 6MM F1.6 10 PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-292	ACC LENS M12 8MM F1.6 10 PCS	46171622	Axis Communications	ACC LENS M12 8MM F1.6 10 PCS	Megapixel lens 8 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 40° horizontal FOV with these cameras. With IR filter. 10 pieces.	5504-971	ACC LENS M12 8MM F1.6 10 PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-293	ACC LENS M12 3.6MM F2.0 10PCS	46171622	Axis Communications	ACC LENS M12 3.6MM F2.0 10PCS	Megapixel lens 3.6 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 87° horizontal FOV with these cameras. With IR filter. 10 pieces. Can be used as a spare part for AXIS P39-R or as a wider FOV option for P3905-RE	5506-011	ACC LENS M12 3.6MM F2.0 10PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-294	AXIS LENS M12 2.1MM F2.2 10PCS	46171622	Axis Communications	AXIS LENS M12 2.1MM F2.2 10PCS	Megapixel lens 2.1mm, F2.2 with M12 thread for AXIS P39-R Series that provides 147° horizontal FOV with these cameras. With IR filter. 10 pieces. Lens tool included.	5901-371	AXIS LENS M12 2.1MM F2.2 10PCS	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-295	LENS M12 16MM SPCS	46171622	Axis Communications	LENS M12 16MM SPCS	Accessory M12 16mm lens for AXIS Q600-E MKit Spcs	5801-781	LENS M12 16MM SPCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-296	ACC LENS M12 MEGAPIXEL 6PCS	46171622	Axis Communications	ACC LENS M12 MEGAPIXEL 6PCS	2 pieces each of 2.8 mm (F2.0), 6 mm (F1.6) and 8 mm (F1.6) Megapixel lenses with M12 thread. For use with AXIS P39-R cameras. Includes lens tools.	5506-431	ACC LENS M12 MEGAPIXEL 6PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-297	ACC LENS M12 MEGAPIXEL 8MM 10PCS	46171622	Axis Communications	ACC LENS M12 MEGAPIXEL 8MM 10PCS	Megapixel lens 8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	5502-411	ACC LENS M12 MEGAPIXEL 8MM 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-298	LENS M12 MEGAPIXEL 10PCS	46171622	Axis Communications	LENS M12 MEGAPIXEL 10PCS	Mixed pack of M12 Megapixel lenses. Focal length: 2.8mm, 3.6mm, 6mm, 8mm and 16mm for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs=2 pcs of each lens.	5502-421	LENS M12 MEGAPIXEL 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-299	THEIA LENS CS VARIF 1.8-3MM DC-IRIS	46171622	Axis Communications	THEIA LENS CS VARIF 1.8-3MM DC- IRIS	Barrel distortion corrected and IR corrected wideangle lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, AXIS P1353/-E, P1354/-E, P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.	5503-161	THEIA LENS CS VARIF 1.8-3MM DC-IRIS	0000007715	1/1/2021	12/31/2023	283.22	USD	EA
800890-300	LENS CS VF 2.2-6MM F1.3 DC-I MP	46171622	Axis Communications	LENS CS VF 2.2- 6MM F1.3 DC-I MP	Varifocal 2.2-6mm DC-Iris Megapixel lens, F1.3, CS mount for AXIS M1113/4	5502-751	LENS CS VF 2.2-6MM F1.3 DC-I MP	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-301	LENS CS 2.4-6MM MANUAL IRIS	46171622	Axis Communications	LENS CS 2.4-6MM MANUAL IRIS	Manual iris lens, varifocal 2.4-6mm compatible with AXIS M1103 and M1104.	5503-181	LENS CS 2.4-6MM MANUAL IRIS	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-302	LENS FUJINON CS 2.2- 6MM DC-IRIS 8	46171622	Axis Communications	LENS FUJINON CS 2.2- 6MM DC-IRIS 8	Varifocal IR-corrected lens with DC-iris. Compatible with e.g. AXIS P1353/-E, P1354/-E, P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E.	5800-781	LENS FUJINON CS 2.2- 6MM DC-IRIS 8	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-303	Varifocal MegaPixel Lens 2.4-6mm	46171622	Axis Communications	Varifocal MegaPixel Lens 2.4-6mm	CS mount Varifocal MegaPixel Lens 2.4-6mm DC Iris for AXIS P1344 and AXIS 211M/223M. Includes CS mount ring for AXIS 223M.	5500-871	Varifocal MegaPixel Lens 2.4-6mm	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-304	LENS CS 3-10.5MM DC- IRIS	46171622	Axis Communications	LENS CS 3-10.5MM DC-IRIS	Standard lens for AXIS M1124/-E, M1125/-E.	5506-961	LENS CS 3-10.5MM DC- IRIS	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-305	LENS CS VARIF 9- 40MM DC-IRIS D/N	46171622	Axis Communications	LENS CS VARIF 9- 40MM DC-IRIS D/N	Varifocal IR-corrected lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, P1354/-E, P1355/-E, P1357/-E, Q1602/-E, Q1604/-E.	5503-171	LENS CS VARIF 9- 40MM DC-IRIS D/N	0000007715	1/1/2021	12/31/2023	253.82	USD	EA
800890-306	LENS CS VARIF 9- 40MM P-IRIS D/N	46171622	Axis Communications	LENS CS VARIF 9- 40MM P-IRIS D/N	Varifocal IR-corrected P-Iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.	5504-901	LENS CS VARIF 9- 40MM P-IRIS D/N	0000007715	1/1/2021	12/31/2023	253.82	USD	EA
800890-307	Varifocal MegaPixel Lens 5-50mm	46171622	Axis Communications	Varifocal MegaPixel Lens 5-50mm	CS mount Varifocal MegaPixel Lens 5-50mm DC Iris for AXIS P1344 and AXIS 211M.	5502-221	Varifocal MegaPixel Lens 5-50mm	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-308	LENS COMPUTAR CS 12.5-50MM DC-IRIS	46171622	Axis Communications	LENS COMPUTAR CS 12.5-50MM DC- IRIS	Varifocal IR-corrected lens with DC-iris. Compatible with e.g. AXIS P1353/-E, P1354/-E. Axis Q1602/-E, Q1604/-E.	5800-791	LENS COMPUTAR CS 12.5-50MM DC-IRIS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-309	LENS COMPUTAR CS 12.5-50MM P-IRIS	46171622	Axis Communications	LENS COMPUTAR CS 12.5-50MM P- IRIS	Varifocal IR-corrected lens with P-iris. Compatible with e.g. AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E, AXIS P1355/-E, P1357/-E.	5800-801	LENS COMPUTAR CS 12.5-50MM P-IRIS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-310	LENS COMPUTAR I-CS 2.8-8.5MM	46171622	Axis Communications	LENS COMPUTAR I- CS 2.8-8.5MM	Standard lens for AXIS Q1615 Mkit with remote zoom based on the new standard I-CS.	5901-101	LENS COMPUTAR I-CS 2.8-8.5MM	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
800890-311	LENS CS VF 15-50MM F1.5 DC-I MP	46171622	Axis Communications	LENS CS VF 15-50MM F1.5 DC-I MP	Varifocal Mega Pixel DC-Iris Lens 15-50mm, F1.5, CS mount, for AXIS M1113/14	5502-761	LENS CS VF 15-50MM F1.5 DC-I MP	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-312	LENS CS 15-50MM F1.5 DC-I MP D/N	46171622	Axis Communications	LENS CS 15-50MM F1.5 DC-I MP D/N	Varifocal MegaPixel DC-Iris Lens 15-50mm, F1.5, CS mount, Day/Night for AXIS Q1602.	5503-421	LENS CS 15-50MM F1.5 DC-I MP D/N	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-313	LENS FUJINON C CS 8- 80MM DC	46171622	Axis Communications	LENS FUJINON C CS 8- 80MM DC	Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.	5506-991	LENS FUJINON C CS 8- 80MM DC	0000007715	1/1/2021	12/31/2023	342.02	USD	EA

800890-314	RICOM 2MP LENS DC-IRIS 8-26MM F0.9	46171622	Axis Communications	RICOM 2MP LENS DC-IRIS 8-26MM F0.9	Len's RICOM 2 MP DC-IRIS CS-Mount Varifocal 8-26MM F0.9. Recommended for AXIS Q1645/-LE.	01577-001	RICOM 2MP LENS DC-IRIS 8-26MM F0.9	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-315	LEN'S CS 12-50 MM F1.4 P-IRIS 8MP	46171622	Axis Communications	LEN'S CS 12-50 MM F1.4 P-IRIS 8MP	Varifocal IR-corrected 12-50 mm P-iris lens for cameras up to 8 megapixel resolution and 1/1.8" sensor. Compatible with e.g. AXIS Q1645/-LE, AXIS Q1647/-LE, AXIS P1367/-E and P1368-E.	01690-001	LEN'S CS 12-50 MM F1.4 P-IRIS 8MP	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-316	LEN'S I-CS 9-50 MM F1.5 8MP	46171622	Axis Communications	LEN'S I-CS 9-50 MM F1.5 8MP	Varifocal IR-corrected 12-50 mm I-CS lens for cameras up to 8 megapixel resolution and 1/1.8" sensor. Motorized zoom, focus and P-iris.	01727-001	LEN'S I-CS 9-50 MM F1.5 8MP	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-317	LEN'S I-CS 3.9-10 MM F1.5 5MP	46171622	Axis Communications	LEN'S I-CS 3.9-10 MM F1.5 5MP	Compatible with e.g. Q1645/-LE, Q1647/-LE, P1367/-E and P1368-E.	01576-001	LEN'S I-CS 3.9-10 MM F1.5 5MP	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-318	AXIS LENS CLOTH 10PCS	46171622	Axis Communications	AXIS LENS CLOTH 10PCS	Spare varifocal I-CS lens for AXIS Q1645/-LE and AXIS Q1647/-LE.	5502-661	AXIS LENS CLOTH 10PCS	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-319	AXIS LENS CLOTH 50PCS	46171622	Axis Communications	AXIS LENS CLOTH 50PCS	Axis accessory lens cloth. 50 pack	5502-721	AXIS LENS CLOTH 50PCS	0000007715	1/1/2021	12/31/2023	165.62	USD	EA
800890-320	ELECTRICAL SAFETY KIT A 120VAC	46171622	Axis Communications	ELECTRICAL SAFETY KIT A 120VAC	Axis accessory lens cloth. 50 pack	5503-521	ELECTRICAL SAFETY KIT A 120VAC	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-321	SURVEILLANCE STICKER ENG 10PCS	46171622	Axis Communications	SURVEILLANCE STICKER ENG 10PCS	Electrical safety kit for AXIS T98A in countries where the mains power is 120 V DC. Included products: Surge protector class 2, Fuse/main switch, terminal blocks and an intrusion door switch.	5502-811	SURVEILLANCE STICKER ENG 10PCS	0000007715	1/1/2021	12/31/2023	7.84	USD	EA
800890-322	SURVEILLANCE STICKER ENG 50PCS	46171622	Axis Communications	SURVEILLANCE STICKER ENG 50PCS	Axis branded sticker showing a Camera. Text: Video surveillance in operation	5502-821	SURVEILLANCE STICKER ENG 50PCS	0000007715	1/1/2021	12/31/2023	49	USD	EA
800890-323	RADAR DETECTION STICKER EN 10PCS	46171622	Axis Communications	RADAR DETECTION STICKER EN 10PCS	Axis branded sticker showing a radar detection illustration. Text: Radar detection in operation	01551-001	RADAR DETECTION STICKER EN 10PCS	0000007715	1/1/2021	12/31/2023	7.84	USD	EA
800890-324	AXIS WEATHERSHIELD KIT C	46171622	Axis Communications	AXIS WEATHERSHIELD KIT C	Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs.	5504-881	AXIS WEATHERSHIELD KIT C	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-325	AXIS PT IR ILLUMINATOR KIT C	46171622	Axis Communications	AXIS PT IR ILLUMINATOR KIT C	850mm IR LED illuminator kit compatible with AXIS T99A Positioning Units for visual cameras. Kit includes one pair of IR illuminators, one metal mounting bracket, and three different diverging lenses. Note: this is the same illuminator kit as used in AXIS Q8685-LE PTZ Network Camera.	5801-901	AXIS PT IR ILLUMINATOR KIT C	0000007715	1/1/2021	12/31/2023	1763.02	USD	EA
800890-326	AXIS T99 ILLUMINATOR BRACKET KIT A	46171622	Axis Communications	AXIS T99 ILLUMINATOR BRACKET KIT A	Bracket kit for installing a pair of compatible illuminators to AXIS positioning cameras and positioning units. Designed for use with AXIS Q8685-E and AXIS T99A10. Compatible with selected T99 white-LED and IR-LED illuminators. Includes fitting brackets, illuminator connectors, screws, washers, cable glands and cable ties. Illuminators sold separately.	01181-001	AXIS T99 ILLUMINATOR BRACKET KIT A	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-327	AXIS WASHER KIT B	46171622	Axis Communications	AXIS WASHER KIT B	Washer kit for spraying cleaning fluid on the windows of AXIS positioning cameras and positioning units. The kit contains a 23 litre tank, pump for delivery up to 11m (36ft), tube, nozzle and custom-made mounting bracket for the nozzle.	5507-701	AXIS WASHER KIT B	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-328	AXIS WASHER KIT A	46171622	Axis Communications	AXIS WASHER KIT A	Washer kit for spraying cleaning fluid on the windows of AXIS Q8631-E/Q8632-E and AXIS Q8665-E/Q8665-LE. The kit contains a 23 litre tank, pump for delivery up to 11m (36ft), tube, nozzle and mounting bracket for attaching the nozzle to the PT-head.	5505-921	AXIS WASHER KIT A	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-329	AXIS BIRD CONTROL SPIKE 10P	46171622	Axis Communications	AXIS BIRD CONTROL SPIKE 10P	Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The modules can be connected lengthwise and/or widthwise to cover a larger area. 10 pcs.	5801-121	AXIS BIRD CONTROL SPIKE 10P	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-330	AXIS SAFETY WIRE 3M 5P	46171622	Axis Communications	AXIS SAFETY WIRE 3M 5P	Stainless steel safety wire 3 m (10 ft) long, with a fixed loop in one end and an adjustable loop with a plated brass wire lock on the other. Suitable for both indoor and outdoor use.	5801-971	AXIS SAFETY WIRE 3M 5P	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-331	AXIS F7301 CABLE BLACK 1M 4PCS	46171622	Axis Communications	AXIS F7301 CABLE BLACK 1M 4PCS	Black cable with RJ12 and micro USB connectors for indoor Sensor Units. Length 1 m (39 in.). 4 pcs.	01552-001	AXIS F7301 CABLE BLACK 1M 4PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-332	AXIS F7315 CABLE WHITE 15M 4PCS	46171622	Axis Communications	AXIS F7315 CABLE WHITE 15M 4PCS	AXIS F7315 comes in packs of four. 15-m (49 ft) white cable with an RJ12 contact for connection to an AXIS F1004 Sensor Unit.	5506-821	AXIS F7315 CABLE WHITE 15M 4PCS	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-333	AXIS P13 WEATHERSHIELD EXTENSION A	46171622	Axis Communications	AXIS P13 WEATHERSHIELD EXTENSION A	AXIS P13 Weathershield Extension A for AXIS P1375-E. For mounting on AXIS P13 Series camera providing additional protection against rain, snow and sunlight.	01692-001	AXIS P13 WEATHERSHIELD EXTENSION A	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-334	AXIS COMPANION WEATHERSHIELD A	46171622	Axis Communications	AXIS COMPANION WEATHERSHIELD A	Weathershield for AXIS Companion Dome mini L for protecting wall mounted cameras against rain, snow and sun. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from IR LEDs and other light source. Mounting screws included. 4 pcs.	01815-001	AXIS COMPANION WEATHERSHIELD A	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-335	M12(F)-RJ45(M) CABLE 0.5M (1.6FT)	46171622	Axis Communications	M12(F)-RJ45(M) CABLE 0.5M (1.6FT)	M12 D-Code 4-pin (Female) to RJ45 (Male) Ethernet cable, CAT5E. Length: 0.5m (1.6ft). Cable outer diameter: 6.2mm (0.25"). Color: Black. Outdoor UV and sunlight resistant. Tested operational for shock and vibration according to requirements for rolling stock and ground vehicle installations. Compatible with all Axis network video products with female RJ45 Ethernet port 802.3af and 802.3at (up to 30W).	01793-001	M12(F)-RJ45(M) CABLE 0.5M (1.6FT)	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-336	AXIS DEVICE MICROPHONE B	46171622	Axis Communications	AXIS DEVICE MICROPHONE B	AXIS Device Microphone B is an omnidirectional microphone to enable audio recording and/or audio analytics with AXIS devices that support audio but do not include a microphone. The product includes a Terminal Block to 3.5 mm Audio Extension allowing it to be installed together with our latest AXIS P32 series.	01963-001	AXIS DEVICE MICROPHONE B	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-337	AXIS T92E05 PROTECTIVE HOUSING	46171622	Axis Communications	AXIS T92E05 PROTECTIVE HOUSING	Protective camera housing for P130X, M110X, Q160X and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	0344-001	AXIS T92E05 PROTECTIVE HOUSING	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-338	AXIS T92E20 OUTDOOR HOUSING	46171622	Axis Communications	AXIS T92E20 OUTDOOR HOUSING	Outdoor PoE camera housing with window-/camera heaters and fan for P130X, M110X, Q160X and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	0433-001	AXIS T92E20 OUTDOOR HOUSING	0000007715	1/1/2021	12/31/2023	322.42	USD	EA
800890-339	AXIS T92G20 OUTDOOR HOUSING	46171622	Axis Communications	AXIS T92G20 OUTDOOR HOUSING	Outdoor PoE+ camera housing with IR illumination, window & camera heaters, and fan. Compatible with AXIS Q1645 and AXIS Q1647. Polycarbonate sunshield, aluminum wall mount and torx screwdriver included.	01085-001	AXIS T92G20 OUTDOOR HOUSING	0000007715	1/1/2021	12/31/2023	469.42	USD	EA
800890-340	AXIS T93C10 OUTDOOR HOUSING	46171622	Axis Communications	AXIS T93C10 OUTDOOR HOUSING	Outdoor camera housing for Axis cameras with EF lenses (e.g.: AXIS Q1659). Made of IK10 impact resistant thermoplastic with dual-layer UV protection. IP66, NEMA 4X rated and UL listed. Powered by 24 VDC (power supply not included). Heavy duty wall mount included.	5507-681	AXIS T93C10 OUTDOOR HOUSING	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA
800890-341	AXIS T93C EXTENSION KIT	46171622	Axis Communications	AXIS T93C EXTENSION KIT	Extension kit to allow mounting of longer lenses in AXIS T93C10 Outdoor Housing (e.g.: compatible with AXIS Q1659 55-250 mm). Includes built-in sunshield and front window. The extension kit provides an extra space of 80mm in length within the housing, giving a total length of 380mm for the camera and lens. The part of the lens within the extension kit can have maximum diameter of 75mm.	5901-471	AXIS T93C EXTENSION KIT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-342	AXIS T93F05 PROTECTIVE HOUSING	46171622	Axis Communications	AXIS T93F05 PROTECTIVE HOUSING	Fixed box protective camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	5900-261	AXIS T93F05 PROTECTIVE HOUSING	0000007715	1/1/2021	12/31/2023	155.82	USD	EA
800890-343	AXIS T93F10 OUTDOOR HOUSING 24VAC/12-24VDC	46171622	Axis Communications	AXIS T93F10 OUTDOOR HOUSING 24VAC/12-24VDC	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by 24 V AC or 12-24 V DC. Temperature range -40C to +55C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	5900-271	AXIS T93F10 OUTDOOR HOUSING 24VAC/12-24VDC	0000007715	1/1/2021	12/31/2023	234.22	USD	EA
800890-344	AXIS T93F20 OUTDOOR HOUSING POE	46171622	Axis Communications	AXIS T93F20 OUTDOOR HOUSING POE	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by PoE IEEE802.3af. Temperature range -40C to +55C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	5900-281	AXIS T93F20 OUTDOOR HOUSING POE	0000007715	1/1/2021	12/31/2023	234.22	USD	EA
800890-345	AXIS T93G05 PROTECTIVE HOUSING	46171622	Axis Communications	AXIS T93G05 PROTECTIVE HOUSING	Tailor-made light weight IP66- and IK10-rated housing for AXIS M1124/M1125. Operating temperature: -20 °C to 50 °C (-4 °F to 122 °F). Material: IK10 impact-resistant polymer. Wallmount included.	5506-491	AXIS T93G05 PROTECTIVE HOUSING	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-346	AXIS SUNSHIELD A	46171622	Axis Communications	AXIS SUNSHIELD A	Accessory sunshield and weather protection for AXIS T93F Housing Series.	5504-941	AXIS SUNSHIELD A	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-347	AXIS T96A05-V DOME HOUSING BLACK	46171622	Axis Communications	AXIS T96A05-V DOME HOUSING BLACK	Black vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	5032-061	AXIS T96A05-V DOME HOUSING BLACK	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-348	AXIS T96A05-V DOME HOUSING WHITE	46171622	Axis Communications	AXIS T96A05-V DOME HOUSING WHITE	White vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	5032-051	AXIS T96A05-V DOME HOUSING WHITE	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-349	AXIS T96B05 OUTDOOR HOUSING	46171622	Axis Communications	AXIS T96B05 OUTDOOR HOUSING	Outdoor housing for AXIS P39-R cameras. Enables P39-R cameras to be mounted outside vehicles such as buses, trams, trucks and emergency vehicles. Includes lens tool and top cover tool.	5505-911	AXIS T96B05 OUTDOOR HOUSING	0000007715	1/1/2021	12/31/2023	97.02	USD	EA

800890-350	AXIS T98A15-VE SURVEILLANCE CABINET	46171622	Axis Communications	AXIS T98A15-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.	5900-151	AXIS T98A15-VE SURVEILLANCE CABINET	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
800890-351	AXIS T98A16-VE SURVEILLANCE CABINET	46171622	Axis Communications	AXIS T98A16-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS M111X-E, P13XX-E, Q16XX-E, Q1755-E, Q191X-E, Q192X-E.	5900-161	AXIS T98A16-VE SURVEILLANCE CABINET	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
800890-352	AXIS T98A17-VE SURVEILLANCE CABINET	46171622	Axis Communications	AXIS T98A17-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS P33-VE/-LVE.	5900-171	AXIS T98A17-VE SURVEILLANCE CABINET	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
800890-353	AXIS T98A18-VE SURVEILLANCE CABINET	46171622	Axis Communications	AXIS T98A18-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS T91861 Wall bracket for use with AXIS P55, P56, Q60 and Q61-series or fixed dome pendant kits.	5900-181	AXIS T98A18-VE SURVEILLANCE CABINET	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
800890-354	AXIS T98A19-VE SURVEILLANCE CABINET	46171622	Axis Communications	AXIS T98A19-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS P5414-E/15-E.	5900-321	AXIS T98A19-VE SURVEILLANCE CABINET	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
800890-355	AXIS T98A SUNSHIELD	46171622	Axis Communications	AXIS T98A SUNSHIELD	Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	5503-551	AXIS T98A SUNSHIELD	0000007715	1/1/2021	12/31/2023	72.52	USD	EA
800890-356	AXIS CABINET LOCK A	46171622	Axis Communications	AXIS CABINET LOCK A	Door lock for AXIS T98A surveillance cabinet. Uses a generic key but it is possible to change locking cylinder to a unique key solution (not supplied from Axis).	5505-651	AXIS CABINET LOCK A	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-357	CORRIDOR FORMAT BRACKET A	46171622	Axis Communications	CORRIDOR FORMAT BRACKET A	The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside the AXIS T93F05 and AXIS T93F20 housings to enable a vertically oriented, "portrait"-shaped video stream from the camera. Includes built-in camera heater (only applicable when mounted in AXIS T93F20).	5504-931	CORRIDOR FORMAT BRACKET A	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-358	CORRIDOR FORMAT BRACKET B	46171622	Axis Communications	CORRIDOR FORMAT BRACKET B	The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside the AXIS T93F10 housing to enable a vertically oriented, "portrait"-shaped video stream from the camera. Includes built-in camera heater.	5506-381	CORRIDOR FORMAT BRACKET B	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-359	AXIS T92E CAMERA HOLDER PLATE C	46171622	Axis Communications	AXIS T92E CAMERA HOLDER PLATE C	Camera holder plate for mounting an AXIS Q1614 in a AXIS T92E05 and AXIS T92E20 housing. Or change the camera unit inside an AXIS P135X-E outdoor camera.	5505-331	AXIS T92E CAMERA HOLDER PLATE C	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-360	AXIS T92E CAMERA CHANGE KIT A	46171622	Axis Communications	AXIS T92E CAMERA CHANGE KIT A	Kit for mounting an AXIS Q1614 in a AXIS T92E05/AXIS T92E20 housing produced before 2014. Or change the camera unit inside an AXIS P134X-E outdoor camera.	5505-341	AXIS T92E CAMERA CHANGE KIT A	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-361	AXIS M3004-V/05-V BLACK COVER 10PCS	46171622	Axis Communications	AXIS M3004-V/05-V BLACK COVER 10PCS	Clip on black cover for AXIS M3004-V and AXIS M3005-V.	5503-591	AXIS M3004-V/05-V BLACK COVER 10PCS	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-362	AXIS M3004-V/05-V WHITE COVER 10PCS	46171622	Axis Communications	AXIS M3004-V/05-V WHITE COVER 10PCS	Clip on white cover for AXIS M3004-V and AXIS M3005-V.	5503-601	AXIS M3004-V/05-V WHITE COVER 10PCS	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-363	AXIS M3006-V/07-PV COVER WHITE 10PCS	46171622	Axis Communications	AXIS M3006-V/07-PV COVER WHITE 10PCS	Clip on white cover for AXIS M3006-V and AXIS M3007-PV. 10 pcs.	5503-621	AXIS M3006-V/07-PV COVER WHITE 10PCS	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-364	AXIS M3044-V/45-V/46-V VIEW PROT SP	46171622	Axis Communications	AXIS M3044-V/45-V/46-V VIEW PROT SP	Viewing protector that makes it harder to see where the camera is aiming. For use when the camera is used without dome. 5 pcs.	5507-441	AXIS M3044-V/45-V/46-V VIEW PROT SP	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-365	ACC CVER DME AXIS M301X MIX 10PCS	46171622	Axis Communications	ACC CVER DME AXIS M301X MIX 10PCS	Mixed covers with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. Includes 3 black, 3 silver, 3 gold and 1 white cover.	5502-341	ACC CVER DME AXIS M301X MIX 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-366	ACC CVER DME AXIS M301X BLCK 10PCS	46171622	Axis Communications	ACC CVER DME AXIS M301X BLCK 10PCS	Black cover with clear bubble for AXIS M3011 and AXIS M3014. 10 pack	5502-181	ACC CVER DME AXIS M301X BLCK 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-367	ACC CVER DME AXIS M301X SIL 10PCS	46171622	Axis Communications	ACC CVER DME AXIS M301X SIL 10PCS	Silver cover with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. 10 pack.	5502-191	ACC CVER DME AXIS M301X SIL 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-368	ACC CVER DME AXIS M301X GOLD 10PCS	46171622	Axis Communications	ACC CVER DME AXIS M301X GOLD 10PCS	Gold cover with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. 10 pack.	5502-201	ACC CVER DME AXIS M301X GOLD 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-369	AXIS M3024/25/26/27 COVER WHT 10PCS	46171622	Axis Communications	AXIS M3024/25/26/27 COVER WHT 10PCS	White cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.	5504-071	AXIS M3024/25/26/27 COVER WHT 10PCS	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-370	AXIS M3024/25/26/27 COVER BLK 10PCS	46171622	Axis Communications	AXIS M3024/25/26/27 COVER BLK 10PCS	Black cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.	5504-061	AXIS M3024/25/26/27 COVER BLK 10PCS	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-371	AXIS M30 SKIN COVER A BLACK 4P	46171622	Axis Communications	AXIS M30 SKIN COVER A BLACK 4P	4-pack. Outdoor-ready skin covers compatible with AXIS M3057/S8-PLVE cameras for changing the appearance of the camera, simplify re-painting and covering screws. Black color.	01463-001	AXIS M30 SKIN COVER A BLACK 4P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-372	AXIS M30 CASING A BLACK 5P	46171622	Axis Communications	AXIS M30 CASING A BLACK 5P	Black accessory casing for AXIS M3044-V/45-V/46-V. Replaces the white original casing. 5 pcs.	5507-431	AXIS M30 CASING A BLACK 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-373	AXIS M30 VANDAL CASING A 5P	46171622	Axis Communications	AXIS M30 VANDAL CASING A 5P	Vandal-resistant (IK 08-rated) white casing with clear dome for M3047/48-P. 5 pcs.	5901-131	AXIS M30 VANDAL CASING A 5P	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-374	AXIS M30 SM DETECT CASING A 5P	46171622	Axis Communications	AXIS M30 SM DETECT CASING A 5P	Highly discreet white casing with smoke-detector look for AXIS M3047/48-P. 5 pcs.	5901-151	AXIS M30 SM DETECT CASING A 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-375	AXIS M30 CASING B BLACK 5P	46171622	Axis Communications	AXIS M30 CASING B BLACK 5P	Black accessory casing for AXIS M3047/48-P. Replaces the white original casing. 5 pcs.	5901-121	AXIS M30 CASING B BLACK 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-376	AXIS M30 COVER RING A BLACK 4P	46171622	Axis Communications	AXIS M30 COVER RING A BLACK 4P	4-pack of black accessory cover ring for AXIS M3015-V/16-V. Magnetic attachment. Replaces the original white cover ring. Dome not included.	01492-001	AXIS M30 COVER RING A BLACK 4P	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-377	AXIS M42 CASING A BLACK 4P	46171622	Axis Communications	AXIS M42 CASING A BLACK 4P	Black accessory casings for AXIS M42 series. Replaces the original white casings. 4-piece bulk pack.	01245-001	AXIS M42 CASING A BLACK 4P	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-378	AXIS M42 SMOKE DOME A 4P	46171622	Axis Communications	AXIS M42 SMOKE DOME A 4P	Smoked dome with anti-scratch hard coating. Compatible with AXIS M42 series. 4x domes per pack.	01608-001	AXIS M42 SMOKE DOME A 4P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-379	AXIS M55 SMOKE DOME A	46171622	Axis Communications	AXIS M55 SMOKE DOME A	Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.	01607-001	AXIS M55 SMOKE DOME A	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-380	AXIS Q35-V SKIN COVER A BLACK 5P	46171622	Axis Communications	AXIS Q35-V SKIN COVER A BLACK 5P	Skin covers compatible with AXIS Q3505-V for changing the appearance of the camera, simplify re-painting or covering screws. Black color. 5 pcs	5505-121	AXIS Q35-V SKIN COVER A BLACK 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-381	AXIS P32 SKIN COVER C BLACK 5P	46171622	Axis Communications	AXIS P32 SKIN COVER C BLACK 5P	5-pack. Skin covers compatible with AXIS P32-V cameras for changing the appearance of the camera, simplify re-painting or covering screws. Black color.	5506-031	AXIS P32 SKIN COVER C BLACK 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-382	AXIS P56 SKIN COVER D	46171622	Axis Communications	AXIS P56 SKIN COVER D	Spare part skin covers for the AXIS P56 Series. Both the camera cover and the ring around the dome are included. 5 pcs.	5506-161	AXIS P56 SKIN COVER D	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-383	AXIS P39-R SKIN COVER WHITE 10P	46171622	Axis Communications	AXIS P39-R SKIN COVER WHITE 10P	Skin covers compatible with AXIS P39-R cameras for changing the appearance of the camera, simplify re-painting or covering screws. White color. 10 pcs.	5505-991	AXIS P39-R SKIN COVER WHITE 10P	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-384	AXIS P39-R SKIN COVER BLACK 10P	46171622	Axis Communications	AXIS P39-R SKIN COVER BLACK 10P	Skin covers compatible with AXIS P39-R cameras for changing the appearance of the camera, simplify re-painting or covering screws. Black color. 10 pcs.	5506-001	AXIS P39-R SKIN COVER BLACK 10P	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-385	AXIS F8214 DOME ACC 4PCS	46171622	Axis Communications	AXIS F8214 DOME ACC 4PCS	AXIS F8214 Dome Accessory (4 pieces). Dome accessory for use with AXIS F1004 Sensor Unit. Can be mounted on walls and ceilings. Can be used with or without bubble.	5506-501	AXIS F8214 DOME ACC 4PCS	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-386	AXIS SMOKE DOME M3004/05 5PCS	46171622	Axis Communications	AXIS SMOKE DOME M3004/05 5PCS	Smoked domes for AXIS M3004-V and M3005-V. 5pcs.	5504-031	AXIS SMOKE DOME M3004/05 5PCS	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
800890-387	AXIS M3006 SMOKE DOME 5PCS	46171622	Axis Communications	AXIS M3006 SMOKE DOME 5PCS	Original white top cover with smoked dome for AXIS M3006. 5pcs.	5504-011	AXIS M3006 SMOKE DOME 5PCS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA

800890-388	AXIS M320X DOME KIT SM BLK	46171622	Axis Communications	AXIS M320X DOME KIT SM BLK	Interchangeable black casing with smoked dome for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304.	5503-191	AXIS M320X DOME KIT SM BLK	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-389	AXIS M3025/26 SMOKED DOME SPCS	46171622	Axis Communications	AXIS M3025/26 SMOKED DOME SPCS	Smoked domes for AXIS M3025-VE, M3026-VE. 5 pcs.	5505-861	AXIS M3025/26 SMOKED DOME SPCS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-390	AXIS M3044-V/45-V/46-V SM DOME 5P	46171622	Axis Communications	AXIS M3044-V/45-V/46-V SM DOME 5P	Smoked dome for AXIS M3044-V/45-V/46-V SM DOME. 5 pcs.	5507-421	AXIS M3044-V/45-V/46-V SM DOME 5P	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-391	AXIS M3104/5/6-L BLACK CASING 5P	46171622	Axis Communications	AXIS M3104/5/6-L BLACK CASING 5P	Black accessory casing for AXIS M3104-L/05-L/06-L. Replaces the white original casing. 5 pcs.	5801-401	AXIS M3104/5/6-L BLACK CASING 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-392	AXIS M3104/5/6-LVE BLACK CASING 5P	46171622	Axis Communications	AXIS M3104/5/6-LVE BLACK CASING 5P	Black accessory casing for AXIS M3104-LV/5-LV/6-LV. Replaces the white original casing. 5 pcs.	5801-411	AXIS M3104/5/6-LVE BLACK CASING 5P	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-393	AXIS P32 CASING A BLACK SPCS	46171622	Axis Communications	AXIS P32 CASING A BLACK SPCS	Black accessory casing for AXIS P32-VE and P32-LVE outdoor cameras. Replaces the white original casing. Includes anti-loss screws, conduit side covers. 5 pcs per pack.	5901-461	AXIS P32 CASING A BLACK SPCS	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-394	AXIS P32-V SMOKED DOME A 5P	46171622	Axis Communications	AXIS P32-V SMOKED DOME A 5P	Smoked domes for AXIS P32-V Series, 5 pcs	5506-021	AXIS P32-V SMOKED DOME A 5P	0000007715	1/1/2021	12/31/2023	165.62	USD	EA
800890-395	AXIS P32-VE SMOKED DOME A 5P	46171622	Axis Communications	AXIS P32-VE SMOKED DOME A 5P	Smoked dome for AXIS P32-VE Series, 5 pcs	5506-461	AXIS P32-VE SMOKED DOME A 5P	0000007715	1/1/2021	12/31/2023	165.62	USD	EA
800890-396	AXIS P3346 DOME KIT CL BLACK	46171622	Axis Communications	AXIS P3346 DOME KIT CL BLACK	Black cover with clear dome for AXIS P3346.	5503-151	AXIS P3346 DOME KIT CL BLACK	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-397	AXIS P33 CASING A BLACK	46171622	Axis Communications	AXIS P33 CASING A BLACK	Black accessory casing for AXIS P33-V/LV indoor cameras. Replaces the white original casing. Includes anti-loss screws, conduit side covers. Domes sold separately.	01546-001	AXIS P33 CASING A BLACK	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-398	AXIS P33 SMOKED DOME A 4PCS	46171622	Axis Communications	AXIS P33 SMOKED DOME A 4PCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras. 4x domes per pack.	01547-001	AXIS P33 SMOKED DOME A 4PCS	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-399	AXIS P54 SMOKED DOME	46171622	Axis Communications	AXIS P54 SMOKED DOME	Smoked dome for AXIS P54-series.	5800-761	AXIS P54 SMOKED DOME	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-400	AXIS P5624-E/35-E SMOKED DOME	46171622	Axis Communications	AXIS P5624-E/35-E SMOKED DOME	Smoked dome for AXIS P56 Series cameras.	5506-151	AXIS P5624-E/35-E SMOKED DOME	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-401	TOP COVER AXIS M311X-R BL 10PCS	46171622	Axis Communications	TOP COVER AXIS M311X-R BL 10PCS	Black top cover including dome and screws for AXIS M311X-R. 10 pcs. Approved for use in buses and trams. Not for trains.	5700-661	TOP COVER AXIS M311X-R BL 10PCS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-402	AXIS P3364-LV DOME KIT BLACK	46171622	Axis Communications	AXIS P3364-LV DOME KIT BLACK	Dome kit for AXIS P3364-LV. The dome is pre-mounted in a black top cover casing.	5504-401	AXIS P3364-LV DOME KIT BLACK	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-403	AXIS Q35-LV SKIN COVER A BLACK 5P	46171622	Axis Communications	AXIS Q35-LV SKIN COVER A BLACK 5P	Skin covers in black, compatible with AXIS Q35-LV indoor cameras. Simple to repaint in other colours, and prevents unwanted access to the cameras' screws. Black in color. 5 pieces per pack.	01157-001	AXIS Q35-LV SKIN COVER A BLACK 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-404	AXIS Q35-LVE SKIN COVER A BLACK 2P	46171622	Axis Communications	AXIS Q35-LVE SKIN COVER A BLACK 2P	2-pack of skin covers in black, compatible with AXIS Q35-VE/LVE outdoor cameras. Simple to repaint in other colors, and prevents unwanted access to the cameras' screws. Black in color. 2 pieces per pack.	01529-001	AXIS Q35-LVE SKIN COVER A BLACK 2P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-405	AXIS Q35-VE SKIN COVER A BLACK 5P	46171622	Axis Communications	AXIS Q35-VE SKIN COVER A BLACK 5P	Skin covers in black, compatible with AXIS Q35-VE/LVE outdoor cameras. Simple to repaint in other colours, and prevents unwanted access to the cameras' screws. Black in color. 5 pieces per pack.	01158-001	AXIS Q35-VE SKIN COVER A BLACK 5P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-406	AXIS Q3505-V SMOKED DOME 5P	46171622	Axis Communications	AXIS Q3505-V SMOKED DOME 5P	Smoked dome for AXIS Q3505-V. 5 pcs	5505-601	AXIS Q3505-V SMOKED DOME 5P	0000007715	1/1/2021	12/31/2023	175.42	USD	EA
800890-407	AXIS Q35 SMOKED DOME A SPCS	46171622	Axis Communications	AXIS Q35 SMOKED DOME A SPCS	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/LVE. 5x domes per pack.	01183-001	AXIS Q35 SMOKED DOME A SPCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-408	AXIS Q3505-VE SMOKED DOME 5P	46171622	Axis Communications	AXIS Q3505-VE SMOKED DOME 5P	Smoked dome for AXIS Q3505-VE. 5pcs	5505-621	AXIS Q3505-VE SMOKED DOME 5P	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-409	AXIS Q3517-SLVE NYLON DOME 2P	46171622	Axis Communications	AXIS Q3517-SLVE NYLON DOME 2P	Accessory clear dome in a special nylon blend with anti-scratch hard coating. IK10+ vandal-resistant with superior chemical resistance. Compatible with AXIS Q3517-SLVE but not recommended to use with IR illumination. 2x domes per pack.	01585-001	AXIS Q3517-SLVE NYLON DOME 2P	0000007715	1/1/2021	12/31/2023	155.82	USD	EA
800890-410	AXIS Q36-VE SMOKED DOME	46171622	Axis Communications	AXIS Q36-VE SMOKED DOME	Smoked dome with anti-scratch hard coating. Compatible with AXIS P38 and AXIS Q36 series.	5801-501	AXIS Q36-VE SMOKED DOME	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-411	AXIS Q37 SMOKED DOME A	46171622	Axis Communications	AXIS Q37 SMOKED DOME A	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	5901-431	AXIS Q37 SMOKED DOME A	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-412	AXIS Q603X-E CLEAR DOME	46171622	Axis Communications	AXIS Q603X-E CLEAR DOME	Stand alone clear dome for the AXIS Q603X-E with slightly decreased optical quality compared to the HD dome version, but with the line higher up to enable greater tilt without distortion.	5503-001	AXIS Q603X-E CLEAR DOME	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-413	AXIS Q60-S SMOKED DOME A	46171622	Axis Communications	AXIS Q60-S SMOKED DOME A	Smoked dome in a special nylon blend with superior stress and chemical resistance. Compatible with AXIS Q604x-S and Q6055-S cameras. Single-pack.	5504-791	AXIS Q60-S SMOKED DOME A	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-414	AXIS Q6114-E/15-E CLEAR DOME	46171622	Axis Communications	AXIS Q6114-E/15-E CLEAR DOME	Standard clear dome for AXIS Q6114-E/Q6115-E.	5507-281	AXIS Q6114-E/15-E CLEAR DOME	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-415	AXIS Q6114-E/15-E CLEAR DOME 5P	46171622	Axis Communications	AXIS Q6114-E/15-E CLEAR DOME 5P	Standard clear dome for AXIS Q61 Series, 5 pcs	5506-521	AXIS Q6114-E/15-E CLEAR DOME 5P	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
800890-416	AXIS Q6128 HARD-COATED CLEAR DOME	46171622	Axis Communications	AXIS Q6128 HARD-COATED CLEAR DOME	Hard coated scratch resistant clear dome for AXIS Q6128-E	5801-791	AXIS Q6128 HARD-COATED CLEAR DOME	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-417	AXIS Q8414-LVS IR WINDOW B 5P	46171622	Axis Communications	AXIS Q8414-LVS IR WINDOW B 5P	Accessory IR window without microphone hole. 5 pcs.	5506-371	AXIS Q8414-LVS IR WINDOW B 5P	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-418	AXIS Q8414-LVS SMOKED DOME 5P	46171622	Axis Communications	AXIS Q8414-LVS SMOKED DOME 5P	Smoked dome for hiding the direction of the camera. Compatible with AXIS Q8414-LVS. 5 pcs.	5506-301	AXIS Q8414-LVS SMOKED DOME 5P	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-419	ACC DOME AXIS 212PTZ-V GLASS CLEAR	46171622	Axis Communications	ACC DOME AXIS 212PTZ-V GLASS CLEAR	Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V.	5502-091	ACC DOME AXIS 212PTZ-V GLASS CLEAR	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-420	AXIS Q3505-SVE CLEAR DOME 2P	46171622	Axis Communications	AXIS Q3505-SVE CLEAR DOME 2P	Standard clear dome for AXIS Q3505-SVE. 2pcs	5506-701	AXIS Q3505-SVE CLEAR DOME 2P	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-421	ACC DOME AXIS 216FD-V GLASS CLEAR	46171622	Axis Communications	ACC DOME AXIS 216FD-V GLASS CLEAR	Vandal-resistant casing with clear transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V.	5005-051	ACC DOME AXIS 216FD-V GLASS CLEAR	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-422	ACC TOP CLEAR ASS 216FD BLACK	46171622	Axis Communications	ACC TOP CLEAR ASS 216FD BLACK	Interchangeable black casing for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras with transparent cover.	5500-821	ACC TOP CLEAR ASS 216FD BLACK	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-423	AXIS TQ6801 HYDROPHILIC CLEAR DOME	46171622	Axis Communications	AXIS TQ6801 HYDROPHILIC CLEAR DOME	Accessory clear dome with special hydrophilic coating. Helps to prevent water droplets from covering the dome in rainy conditions. The coating also provides a self-cleaning effect that helps carry away dirt and dust by rain-wash. Compatible with selected cameras from AXIS Q61 series, e.g.: AXIS Q6124-E, AXIS Q6128-E, AXIS Q6155-E. Single pack.	01816-001	AXIS TQ6801 HYDROPHILIC CLEAR DOME	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-424	AXIS TQ6802 HYDROPHILIC CLEAR DOME	46171622	Axis Communications	AXIS TQ6802 HYDROPHILIC CLEAR DOME	Accessory clear dome with special hydrophilic coating. Helps to prevent water droplets from covering the dome in rainy conditions. The coating also provides a self-cleaning effect that helps carry away dirt and dust by rain-wash. Compatible with selected cameras from AXIS Q61 series that support IR illumination, e.g.: AXIS Q6125-LE. Single pack.	01817-001	AXIS TQ6802 HYDROPHILIC CLEAR DOME	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-425	ACC DOME AXIS 23XD+ SMOKED COVER	46171622	Axis Communications	ACC DOME AXIS 23XD+ SMOKED COVER	Smoked plastic dome for AXIS 231/232D+ dome cameras	5500-201	ACC DOME AXIS 23XD+ SMOKED COVER	0000007715	1/1/2021	12/31/2023	27.44	USD	EA
800890-426	ACC DOME UPGR KIT AXIS 233D CL/SM	46171622	Axis Communications	ACC DOME UPGR KIT AXIS 233D CL/SM	Clear and Smoked plastic dome for AXIS 233D dome cameras	5500-601	ACC DOME UPGR KIT AXIS 233D CL/SM	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-427	CLEAR BUBBLE FUSIONDOMES	46171622	Axis Communications	CLEAR BUBBLE FUSIONDOMES	Clear Bubble for AXIS Pendant Fusion Dome (Spare Part)	25741	CLEAR BUBBLE FUSIONDOMES	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-428	SMOKED BUBBLE FUSIONDOMES	46171622	Axis Communications	SMOKED BUBBLE FUSIONDOMES	Smoked Bubble for AXIS Pendant Fusion Domes (Spare Part)	25740	SMOKED BUBBLE FUSIONDOMES	0000007715	1/1/2021	12/31/2023	67.62	USD	EA

800890-429	ECPO81208 PS 24V UL	46171622	Axis Communications	ECPO81208 PS 24V UL	The power supply is UL certified and made of epoxy powder coated copper free aluminum with stainless steel cover bolts and hinges. It is pre-mounted with fuses, terminals, RI45 coupler and 115/230 V AC transformer, which provides 24 V AC for Explosion Protected Cameras. The cabinet has 3 open ¼"NPT cable entries and a fourth plugged entry and is Class 1, Div 1 & 2, Class II, Div 1 & 2, Class 3, cUL to CSA C22.2 No. 30, No. 25 and NEMA 3 & 4 certified for temperatures between -40°C and +55°C. Weight is 67.3 lb (30.5 kg).	5801-931	ECPO81208 PS 24V UL	0000007715	1/1/2021	12/31/2023	7055.02	USD	EA
800890-430	EX POLE BRACKET XF40	46171622	Axis Communications	EX POLE BRACKET XF40	The Electro-polished 316L stainless steel pole bracket is specifically designed for top mounting installations of XF40 and suitable for onshore, offshore, marine and heavy industrial applications. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 1.1kg.	5507-191	EX POLE BRACKET XF40	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-431	EX WALL MOUNT XF40	46171622	Axis Communications	EX WALL MOUNT XF40	Electro-polished 316L stainless steel wall mount for XF40, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Bracket Pole Clamp Adaptor XF40 EX for pole mounting. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 2.5 kg.	5507-201	EX WALL MOUNT XF40	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-432	EX WALL MOUNT XF60	46171622	Axis Communications	EX WALL MOUNT XF60	Electro-polished 316L stainless steel wall mount for XF60, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Ex pole mount XF40, for pole mounting. It features a swivel movement of pan ±90° and tilt 60° down.	01171-001	EX WALL MOUNT XF60	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-433	EX WALL MOUNT XP40	46171622	Axis Communications	EX WALL MOUNT XP40	Electro-polished 316L stainless steel wall mount for XP40, designed for onshore, offshore, marine and heavy industrial applications. Weight 14 kg.	5507-211	EX WALL MOUNT XP40	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-434	EX POLE MOUNT XF40	46171622	Axis Communications	EX POLE MOUNT XF40	Pole mounting explosion protected fixed network cameras is made simple using this electro-polished 316L stainless steel Ex Pole mount XF40, accompanied by the requisite Ex Wall Mount XF40. The Ex Pole Mount XF40 is specifically designed to mount Ex Wall Mount XF40 to poles of a diameter from 90mm to 120mm. Weight 4.2 kg.	5507-221	EX POLE MOUNT XF40	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-435	WALL MOUNT D201-S XPT	46171622	Axis Communications	WALL MOUNT D201-S XPT	316L Stainless steel wall mount for use with D201-S AXIS G6055 explosion-protected camera.	01521-001	WALL MOUNT D201-S XPT	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-436	POLE MOUNT D201-S XPT	46171622	Axis Communications	POLE MOUNT D201-S XPT	316L Stainless steel pole mount adapter for the D201-S AXIS G6055 explosion-protected camera. To be used together with Wall Mount D201-S.	01522-001	POLE MOUNT D201-S XPT	0000007715	1/1/2021	12/31/2023	734.02	USD	EA
800890-437	CORNER MOUNT D201-S XPT	46171622	Axis Communications	CORNER MOUNT D201-S XPT	316L Stainless steel corner mount adapter for the D201-S AXIS G6055 explosion-protected camera. To be used together with Wall Mount D201-S.	01571-001	CORNER MOUNT D201-S XPT	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-438	WALL MOUNT F101 XF	46171622	Axis Communications	WALL MOUNT F101 XF	Stainless steel (316L) wall mount for F101-A XF explosion-protected cameras. Compatible with Pole Mount D201-S XPT and Corder Mount D201-S XPT.	01721-001	WALL MOUNT F101 XF	0000007715	1/1/2021	12/31/2023	734.02	USD	EA
800890-439	AXIS 1.5" NPS/NPT MALE COUPLER	46171622	Axis Communications	AXIS 1.5" NPS/NPT MALE COUPLER	1.5" NPT Male-to-Male coupler used to connect any AXIS Pendant Kit (e.g.: AXIS T94A01D) to a legacy mount with Female NPT or NPS thread (e.g.: 3rd party wall mount). Useful in retrofitting legacy cameras in existing installations. Lock nut included. Material:Aluminum with black anodizing. Note: The National Pipe Taper (NPT) is a U.S. standard for tapered threads used on threaded pipes and fittings. The National Pipe Straight (NPS) threads are straight (parallel). Both NPT and NPS have the same thread angle, shape, and pitch (threads per inch).	01706-001	AXIS 1.5" NPS/NPT MALE COUPLER	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-440	M10 STAND EXTENSION 10CM 10PCS	46171622	Axis Communications	M10 STAND EXTENSION 10CM 10PCS	AXIS M10-series 10 cm stand extension. 10 pcs. Cable clip included.	5502-701	M10 STAND EXTENSION 10CM 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-441	ACC RACK HOLDER 2400/2401 EUR	46171622	Axis Communications	ACC RACK HOLDER 2400/2401 EUR	19" Rack mount holder for up to 8 2401/2400 Video Servers.	19273	ACC RACK HOLDER 2400/2401 EUR	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-442	AXIS T8640 WALL MOUNT BRACKET	46171622	Axis Communications	AXIS T8640 WALL MOUNT BRACKET	Wall mount bracket for AXIS T8640 Ethernet over Coax adapter base or device unit.	5026-411	AXIS T8640 WALL MOUNT BRACKET	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-443	AXIS T8640 DIN RAIL CLIP	46171622	Axis Communications	AXIS T8640 DIN RAIL CLIP	DIN rail clip for AXIS 8640 Ethernet over Coax adapter.	5026-431	AXIS T8640 DIN RAIL CLIP	0000007715	1/1/2021	12/31/2023	21.56	USD	EA
800890-444	AXIS T8642 MOUNTING KIT A	46171622	Axis Communications	AXIS T8642 MOUNTING KIT A	Kit for mounting an AXIS T8642 e.g. inside an AXIS Q8414-LVS. Kit contents: cable tie 432mm (17 in) long, BMC male to female angled adapter and network cable 135 mm (5.3 in) long.	5506-291	AXIS T8642 MOUNTING KIT A	0000007715	1/1/2021	12/31/2023	13.72	USD	EA
800890-445	AXIS T8640 RACK MOUNT BRACKET	46171622	Axis Communications	AXIS T8640 RACK MOUNT BRACKET	Rack mount bracket for AXIS T8640 Ethernet over Coax adapter (8 units in 1U).	5026-421	AXIS T8640 RACK MOUNT BRACKET	0000007715	1/1/2021	12/31/2023	60.76	USD	EA
800890-446	AXIS T90A61 BRACKET SINGLE	46171622	Axis Communications	AXIS T90A61 BRACKET SINGLE	Mounting bracket for one AXIS T90A illuminator.	5013-611	AXIS T90A61 BRACKET SINGLE	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-447	AXIS T90A62 BRACKET TWIN	46171622	Axis Communications	AXIS T90A62 BRACKET TWIN	Mounting bracket for two AXIS T90A illuminators.	5013-621	AXIS T90A62 BRACKET TWIN	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-448	AXIS T90A63 BRACKET WALL L MOUNT	46171622	Axis Communications	AXIS T90A63 BRACKET WALL L MOUNT	L shaped wall bracket which provides up/down and left/right adjustment when used with the standard brackets on AXIS T90A/T90B series illuminators.	5013-631	AXIS T90A63 BRACKET WALL L MOUNT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-449	AXIS T90A66 BRACKET POLE CLAMP	46171622	Axis Communications	AXIS T90A66 BRACKET POLE CLAMP	Pole bracket for AXIS T90A illuminators.	5013-661	AXIS T90A66 BRACKET POLE CLAMP	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-450	AXIS T91A02 DIN RAIL CLIP 77MM	46171622	Axis Communications	AXIS T91A02 DIN RAIL CLIP 77MM	DIN rail clip for AXIS Q7401, AXIS T8221 and AXIS T7701.	5017-027	AXIS T91A02 DIN RAIL CLIP 77MM	0000007715	1/1/2021	12/31/2023	11.76	USD	EA
800890-451	AXIS T91A02 DIN RAIL CLIP 86MM	46171622	Axis Communications	AXIS T91A02 DIN RAIL CLIP 86MM	DIN rail clip for AXIS M7014 and AXIS P7214	5017-028	AXIS T91A02 DIN RAIL CLIP 86MM	0000007715	1/1/2021	12/31/2023	11.76	USD	EA
800890-452	AXIS T91A03 DIN RAIL MOUNT	46171622	Axis Communications	AXIS T91A03 DIN RAIL MOUNT	DIN rail clip for AXIS Q7424-R.	5503-194	AXIS T91A03 DIN RAIL MOUNT	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-453	AXIS T91A04 CAMERA HOLDER ¾" NPS	46171622	Axis Communications	AXIS T91A04 CAMERA HOLDER ¾" NPS	Holding device for pendant mounted cameras. For use with ¾" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	5017-041	AXIS T91A04 CAMERA HOLDER ¾" NPS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-454	AXIS T91A05 CAMERA HOLDER 1.5" NPS	46171622	Axis Communications	AXIS T91A05 CAMERA HOLDER 1.5" NPS	Holding device for pendant mounted cameras. For use with 1.5" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	5017-051	AXIS T91A05 CAMERA HOLDER 1.5" NPS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-455	AXIS T91A06 PIPE ADAPTER 3/4-1.5"	46171622	Axis Communications	AXIS T91A06 PIPE ADAPTER 3/4-1.5"	Pipe adapter step up from ¾" NPT thread to 1.5" NPS thread. Compatible with all pendant kits that are made for the AXIS T91A range of brackets.	5503-091	AXIS T91A06 PIPE ADAPTER 3/4-1.5"	0000007715	1/1/2021	12/31/2023	11.76	USD	EA
800890-456	AXIS T91A10 MOUNTING KIT	46171622	Axis Communications	AXIS T91A10 MOUNTING KIT	Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.	5507-331	AXIS T91A10 MOUNTING KIT	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-457	AXIS T91A11 STAND WHITE	46171622	Axis Communications	AXIS T91A11 STAND WHITE	Plastic camera stand. Original stand for the AXIS M11-series.	5017-111	AXIS T91A11 STAND WHITE	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-458	AXIS T91A13 THREADED CEIL MOUNT 10P	46171622	Axis Communications	AXIS T91A13 THREADED CEIL MOUNT 10P	10-pack threaded ceiling mount for quick installation under ceiling tiles. Compatible with cameras with standard 1/4"-20 UNC tripod thread. Total length 80mm (3") with thread length 65mm (2.5"). Threaded rod in nylon, counter nut with friction pad. 10-piece bulk pack.	01464-001	AXIS T91A13 THREADED CEIL MOUNT 10P	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-459	AXIS T91A23 TILE GRID CEIL MNT 4P	46171622	Axis Communications	AXIS T91A23 TILE GRID CEIL MNT 4P	4-pack of ceiling mount accessory for mounting Axis cameras and stands on a variety of drop-ceiling tile grid system. Compatible with Axis Safety Wire. Color: Axis white. Bulk pack. Suitable tile grid (T-bar) dimensions: 15mm(0.6in)/24mm(0.9in)/35mm(1.4in). Suitable ceiling tiles type: square-edge, tegular edge.	01612-001	AXIS T91A23 TILE GRID CEIL MNT 4P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-460	AXIS T91A33 LIGHT TRACK MNT 4P	46171622	Axis Communications	AXIS T91A33 LIGHT TRACK MNT 4P	4-pack of lighting track mounts. Color: white. Compatible with universal 3-circuit lighting track systems and selected linear trunking systems. Compatible with a wide range of Axis cameras and camera stands.	01467-001	AXIS T91A33 LIGHT TRACK MNT 4P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-461	AXIS T91A33 LIGHT TRACK MNT BLK 4P	46171622	Axis Communications	AXIS T91A33 LIGHT TRACK MNT BLK 4P	4-pack of lighting track mounts. Color: black. Compatible with universal 3-circuit lighting track systems and selected linear trunking systems. Compatible with a wide range of Axis cameras and camera stands.	01474-001	AXIS T91A33 LIGHT TRACK MNT BLK 4P	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-462	AXIS T85 RACK MOUNT KIT A	46171622	Axis Communications	AXIS T85 RACK MOUNT KIT A	Rack mount kit for AXIS T8508 PoE+ Network Switch	01232-001	AXIS T85 RACK MOUNT KIT A	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-463	AXIS T91B21 STAND WHITE	46171622	Axis Communications	AXIS T91B21 STAND WHITE	White aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	5506-611	AXIS T91B21 STAND WHITE	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-464	AXIS T91B21 STAND BLACK	46171622	Axis Communications	AXIS T91B21 STAND BLACK	Black aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	5506-621	AXIS T91B21 STAND BLACK	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-465	AXIS T91A27 POLE MOUNT 10PCS	46171622	Axis Communications	AXIS T91A27 POLE MOUNT 10PCS	Pole mount bracket compatible with all cameras with standard tripod threading (1/4"-20 UNC)	5503-971	AXIS T91A27 POLE MOUNT 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-466	AXIS T91A47 POLE MOUNT 60-110MM	46171622	Axis Communications	AXIS T91A47 POLE MOUNT 60-110MM	AXIS T91A47 Pole Mount for indoor and outdoor installations, for poles between 60-110 mm (2.4"-4.3") in diameter. AXIS T91A47 is compatible with all outdoor fixed and thermal cameras and most fixed outdoor dome cameras such as the AXIS P33-VE.	5504-701	AXIS T91A47 POLE MOUNT 60-110MM	0000007715	1/1/2021	12/31/2023	67.62	USD	EA

800890-467	AXIS T91B47 100-410MM	46171622	Axis Communications	AXIS T91B47 100-410MM	AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.	01164-001	AXIS T91B47 100-410MM	0000007715	1/1/2021	12/31/2023	83.3	USD	EA
800890-468	AXIS T91B47 50-150MM	46171622	Axis Communications	AXIS T91B47 50-150MM	AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.	01165-001	AXIS T91B47 50-150MM	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-469	AXIS T91B57 POLE MOUNT 100-410MM	46171622	Axis Communications	AXIS T91B57 POLE MOUNT 100-410MM	Aluminum Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B57 is compatible with mounts such as AXIS T91G61, T91H61, and AXIS T98A Surveillance Cabinet series. Color: Axis white.	01470-001	AXIS T91B57 POLE MOUNT 100-410MM	0000007715	1/1/2021	12/31/2023	112.7	USD	EA
800890-470	AXIS T91B57 POLE MOUNT GREY	46171622	Axis Communications	AXIS T91B57 POLE MOUNT GREY	Aluminum Pole Mount in Urban Grey color. For indoor and outdoor installations. Suitable for poles diameters between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B57 is compatible with mounts such as AXIS T91G61, T91H61, and AXIS T98A Surveillance Cabinet series.	01446-001	AXIS T91B57 POLE MOUNT GREY	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-471	AXIS T91B67 POLE MOUNT 65-165MM	46171622	Axis Communications	AXIS T91B67 POLE MOUNT 65-165MM	Outdoor-ready, powder-coated aluminum pole mount with 1.5" NPS thread for fixed dome pendant kits. Includes insect-proof cable gasket and 1 pair of stainless steel straps (with TX30 screw) for pole diameter between 65-165mm (2.5"-6.5"). White in color.	01473-001	AXIS T91B67 POLE MOUNT 65-165MM	0000007715	1/1/2021	12/31/2023	93.1	USD	EA
800890-472	AXIS T91M47 POLE MOUNT	46171622	Axis Communications	AXIS T91M47 POLE MOUNT	Pole mount for our outdoor midspans and switch.	01149-001	AXIS T91M47 POLE MOUNT	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-473	AXIS T91D61 WALL MOUNT	46171622	Axis Communications	AXIS T91D61 WALL MOUNT	Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White	5504-821	AXIS T91D61 WALL MOUNT	0000007715	1/1/2021	12/31/2023	82.32	USD	EA
800890-474	AXIS T91E61 WALL MOUNT	46171622	Axis Communications	AXIS T91E61 WALL MOUNT	Wall mount with internal cable canal for dome cameras with 1.5" NPS thread, compatible with Axis pendant kits. IK10 and NEMA 4X rated. Powder coated aluminum for indoor and outdoor installations.	5506-481	AXIS T91E61 WALL MOUNT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-475	AXIS T91G61 WALL MOUNT	46171622	Axis Communications	AXIS T91G61 WALL MOUNT	Aluminum wall mount with IP66 compartment to safely accommodate power and connectivity accessories (e.g. PoE midspan). IK10 and NEMA 4X rated in Axis white color. Includes a pre-terminated IP66 rated RJ45 connector. Compatible with wide range of Axis cameras, incl. AXIS M55, P56, Q37, Q60, Q61 Series.	5506-951	AXIS T91G61 WALL MOUNT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-476	AXIS T91G61 WALL MOUNT GREY	46171622	Axis Communications	AXIS T91G61 WALL MOUNT GREY	Aluminum wall mount with IP66 compartment to safely accommodate power and connectivity accessories (e.g. PoE midspan). IK10 and NEMA 4X rated in Urban Grey color to match AXIS Q62 series. Includes a pre-terminated IP66 rated RJ45 connector. Compatible with wide range of Axis cameras.	01444-001	AXIS T91G61 WALL MOUNT GREY	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
800890-477	AXIS T91H61 WALL MOUNT	46171622	Axis Communications	AXIS T91H61 WALL MOUNT	AXIS T91H61 Wall Mount is designed with a built-in RJ45 cable and connections, and spacious compartment for connectivity accessories such as midspans and media converters. The wall mount is impact-resistant (IK10) and weather-resistant (IP66, NEMA 4X) for indoor and outdoor use. The 1.5" NPS thread mount ensures compatibility with all pendant kits for Axis fixed dome cameras.	5507-641	AXIS T91H61 WALL MOUNT	0000007715	1/1/2021	12/31/2023	171.5	USD	EA
800890-478	AXIS T91F61 WALL MOUNT STAINLESS STEEL	46171622	Axis Communications	AXIS T91F61 WALL MOUNT STAINLESS STEEL	Wall mount for AXIS Q350S-SVE, made of stainless steel.	5506-681	AXIS T91F61 WALL MOUNT STAINLESS STEEL	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-479	AXIS T91L61 WALL-AND-POLE MOUNT	46171622	Axis Communications	AXIS T91L61 WALL-AND-POLE MOUNT	Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connectors. Suitable for both indoor and outdoor environments. Separate stainless steel straps required for pole installation.	5801-721	AXIS T91L61 WALL-AND-POLE MOUNT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-480	AXIS T91K61 WALL MOUNT	46171622	Axis Communications	AXIS T91K61 WALL MOUNT	Marine-grade stainless steel wall mount for AXIS G605S-5 PTZ Network Camera. Compatible with stainless steel pole mount (sold separately).	5901-401	AXIS T91K61 WALL MOUNT	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-481	AXIS T94J01A WALL MOUNT	46171622	Axis Communications	AXIS T94J01A WALL MOUNT	Aluminum wall mount for Axis positioning cameras and positioning units. Robust and impact-resistant. Compatible with Axis AC13 3/4" conduit adapters, and offers multiple cable entries. Cables can be routed through the back or, by using a conduit connection, from each side or from the bottom. Suitable for indoor and outdoor use.	5901-331	AXIS T94J01A WALL MOUNT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-482	AXIS T94J01A WALL MOUNT GREY	46171622	Axis Communications	AXIS T94J01A WALL MOUNT GREY	Robust and impact-resistant aluminum wall mount for selected Axis PTZ and positioning cameras. Multiple cable entry points for 3/4" (M25) conduit pipes. Suitable for indoor and outdoor use. Color: Urban Grey. Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own axis 180 degrees, allowing mounting/maintain the camera easily and safely from the rooftop. The mount is intended for outdoor fixed and PTZ dome cameras supporting 1.5" NPS thread. A retrofit mounting bracket (optional accessory) makes it possible to reuse holes drilled for Pelco's PTZ dome parapet mount.	01445-001	AXIS T94J01A WALL MOUNT GREY	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
800890-483	AXIS T91D62 TELESCOPIC PARAPET MNT	46171622	Axis Communications	AXIS T91D62 TELESCOPIC PARAPET MNT	Indoor/outdoor telescopic ceiling mount. Expands between 1 m (39") and 2 m (79"). Features a swivel action to prevent breaking if hit by forklifts or high vehicles. Can be mounted on a sloped ceiling. Accessory extension pipes (Not included) for a maximum length of 5 m (197"). Compatible with all Axis pendant kits featuring a 1.5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	5507-271	AXIS T91D62 TELESCOPIC PARAPET MNT	0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-484	AXIS T91D62 ADAPTER MOUNTING BRACKET	46171622	Axis Communications	AXIS T91D62 ADAPTER MOUNTING BRACKET	Retrofit adapter mount bracket for re-using holes drilled from Pelco's PTZ dome parapet mount, or for increasing the attachment area towards the parapet.	5507-501	AXIS T91D62 ADAPTER MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-485	AXIS T91B62 PARAPET MOUNT	46171622	Axis Communications	AXIS T91B62 PARAPET MOUNT	Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	5504-631	AXIS T91B62 PARAPET MOUNT	0000007715	1/1/2021	12/31/2023	185.22	USD	EA
800890-486	AXIS T91B50 TELESCOPIC CEIL MNT	46171622	Axis Communications	AXIS T91B50 TELESCOPIC CEIL MNT	Indoor/outdoor telescopic ceiling mount. Expands between 1 m (39") and 2 m (79"). Features a swivel action to prevent breaking if hit by forklifts or high vehicles. Can be mounted on a sloped ceiling. Accessory extension pipes (Not included) for a maximum length of 5 m (197"). Compatible with all Axis pendant kits featuring a 1.5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	5507-451	AXIS T91B50 TELESCOPIC CEIL MNT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-487	AXIS T91B51 CEILING MOUNT	46171622	Axis Communications	AXIS T91B51 CEILING MOUNT	The indoor/outdoor ceiling mount is ideal for low ceiling installations such as parking houses, with swivel action to prevent breaking if hit. Can be mounted in a sloped ceilings/rafters to compensate angles up to 45 degrees. Available accessory extension pipes (Not included) of 30 cm (12") or 1 meter (39") to enable correct camera height for the specific environment. Compatible with all Axis pendant kits featuring a 1.5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	5507-461	AXIS T91B51 CEILING MOUNT	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-488	AXIS T91B52 EXTENSION PIPE 30 CM	46171622	Axis Communications	AXIS T91B52 EXTENSION PIPE 30 CM	Extension pipe for AXIS T91B50 and AXIS T91B51. Length 30 cm (12").	5507-491	AXIS T91B52 EXTENSION PIPE 30 CM	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-489	AXIS T91B52 EXTENSION PIPE 100 CM	46171622	Axis Communications	AXIS T91B52 EXTENSION PIPE 100 CM	Extension pipe for AXIS T91B50 and AXIS T91B51. Length 100 cm (39").	5507-481	AXIS T91B52 EXTENSION PIPE 100 CM	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-490	AXIS T91B53 TELESCOPIC CEIL MNT 2P	46171622	Axis Communications	AXIS T91B53 TELESCOPIC CEIL MNT 2P	Twin-pack (bulk). Includes 2x indoor telescopic ceiling mounts, extendable between 1m to 1.8m (3.2 to 6ft) at 10cm (4") intervals. Compatible with Axis pendant kits and camera holder with 3/4" conduit interface. Suitable for vertical and horizontal mounting.	01189-001	AXIS T91B53 TELESCOPIC CEIL MNT 2P	0000007715	1/1/2021	12/31/2023	165.62	USD	EA
800890-491	AXIS T91B63 CEILING MOUNT	46171622	Axis Communications	AXIS T91B63 CEILING MOUNT	Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	5504-641	AXIS T91B63 CEILING MOUNT	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-492	AXIS T91A64 BRACKET CORNER	46171622	Axis Communications	AXIS T91A64 BRACKET CORNER	Corner Bracket. Requires AXIS T91A61 Wall Bracket. AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras. AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	5017-641	AXIS T91A64 BRACKET CORNER	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-493	AXIS T91C67 POLE BRACKET STAINLESS STEEL	46171622	Axis Communications	AXIS T91C67 POLE BRACKET STAINLESS STEEL	Stainless steel pole mount for AXIS Q60-S	5505-001	AXIS T91C67 POLE BRACKET STAINLESS STEEL	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-494	AXIS T91F67 POLE MOUNT STAINLESS STEEL	46171622	Axis Communications	AXIS T91F67 POLE MOUNT STAINLESS STEEL	Pole mount bracket for AXIS Q35-SLVE stainless steel cameras. Compatible with AXIS T91F61 Wall mount. Made of marine-grade stainless steel. Includes 1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-installation. Straps length 1450mm (57"), suitable for pole diameter range 100-410mm (4"-16").	5506-691	AXIS T91F67 POLE MOUNT STAINLESS STEEL	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-495	AXIS T91A6 PIPE SEAL 1PCS	46171622	Axis Communications	AXIS T91A6 PIPE SEAL 1PCS	Pipe seal for AXIS T91A6, to protect from dust, water and bugs.	5503-781	AXIS T91A6 PIPE SEAL 1PCS	0000007715	1/1/2021	12/31/2023	10.78	USD	EA
800890-496	AXIS T94B02L CHANGE KIT 2P	46171622	Axis Communications	AXIS T94B02L CHANGE KIT 2P	Kit for mounting an AXIS M3044-V/45-V/46-V in AXIS T94B01L Recessed mount. 2pcs	5801-831	AXIS T94B02L CHANGE KIT 2P	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-497	AXIS T93C WALL-POLE CONDUIT BACKBOX	46171622	Axis Communications	AXIS T93C WALL-POLE CONDUIT BACKBOX	Aluminum conduit back box for wall or pole mount. Space for outdoor power supply, and electrical connection boxes. Steel straps for pole mount are sold separately. Recommended to use with POWER SUPPLY PS24 240W (not included).	5901-421	AXIS T93C WALL-POLE CONDUIT BACKBOX	0000007715	1/1/2021	12/31/2023	195.02	USD	EA

800890-498	AXIS T94A01C ATTACHMENT KIT	46171622	Axis Communications	AXIS T94A01C ATTACHMENT KIT	For attaching AXIS Q61 PTZ network camera to AXIS Q6000-E MkII PTZ network camera.	5901-301	AXIS T94A01C ATTACHMENT KIT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-499	AXIS T94A01D PENDANT KIT	46171622	Axis Communications	AXIS T94A01D PENDANT KIT	Pendant kit for the AXIS Q60-series and AXIS P55-series PTZ Network Cameras, enables mount on standard 1.5" NPT threaded brackets. White	5502-431	AXIS T94A01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-500	AXIS T94A02D PENDANT KIT	46171622	Axis Communications	AXIS T94A02D PENDANT KIT	Marine-grade stainless steel pendant kit for AXIS Q60-S with 1.5" NPT male thread.	5901-411	AXIS T94A02D PENDANT KIT	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-501	AXIS T94A01F CEILING BRACKET	46171622	Axis Communications	AXIS T94A01F CEILING BRACKET	Bracket for mounting an AXIS P56 Series camera in a hard ceiling. For indoor and outdoor installations. 3/4" conduit hole. Compatible with ACI adapters.	5506-181	AXIS T94A01F CEILING BRACKET	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-502	AXIS T94A02F CEILING BRACKET	46171622	Axis Communications	AXIS T94A02F CEILING BRACKET	Aluminum ceiling bracket for Axis PTZ cameras and AXIS Q37 Series for indoor or outdoor use. 3/4" conduit hole on the side.	5801-601	AXIS T94A02F CEILING BRACKET	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-503	AXIS T94A01L RECESSED MOUNT	46171622	Axis Communications	AXIS T94A01L RECESSED MOUNT	Outdoor recessed mount for AXIS Q60-E cameras. Can be mounted in panels, wood or pre-made holes solid concrete. The mount is very sturdy and made of aluminum and stainless steel. It supports the IK10 impact rating of the camera and has two 3/4" conduit holes for a plenum rated and rodent safe installation.	5505-721	AXIS T94A01L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-504	AXIS T94A02L RECESSED MOUNT	46171622	Axis Communications	AXIS T94A02L RECESSED MOUNT	Outdoor recessed mount for AXIS P56 cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a 3/4" hole for cable protection conduits.	5506-171	AXIS T94A02L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-505	AXIS T94A03L RECESSED MOUNT	46171622	Axis Communications	AXIS T94A03L RECESSED MOUNT	Recessed mount for AXIS P5514-E and P5515-E cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a 3/4" hole for cable protection conduits.	5506-841	AXIS T94A03L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-506	AXIS T94A04L RECESSED MOUNT	46171622	Axis Communications	AXIS T94A04L RECESSED MOUNT	Indoor and outdoor recessed mount for AXIS Q61 Series. Suitable indoor for recessed camera installations in air handling spaces as the back box is made of metal and has a 3/4" hole for cable protection conduits.	5801-611	AXIS T94A04L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-507	AXIS T94B02D PENDANT KIT 10PCS	46171622	Axis Communications	AXIS T94B02D PENDANT KIT 10PCS	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV-LVE, M30-V-WV and Companion dome cameras. 10-pack.	01159-001	AXIS T94B02D PENDANT KIT 10PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-508	AXIS T94B02D PENDANT KIT	46171622	Axis Communications	AXIS T94B02D PENDANT KIT	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV-LVE, M30-V-WV and Companion dome cameras. Single pack.	5507-361	AXIS T94B02D PENDANT KIT	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-509	AXIS T94B02D PENDANT KIT BLACK	46171622	Axis Communications	AXIS T94B02D PENDANT KIT BLACK	Pendant kit for wall mount or ceiling mount in black. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV-LVE, M30-V-WV and Companion dome cameras. Single pack.	01185-001	AXIS T94B02D PENDANT KIT BLACK	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-510	AXIS T94B05L RECESSED MOUNT	46171622	Axis Communications	AXIS T94B05L RECESSED MOUNT	Indoor recessed mount for drop ceiling installation. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M3044-V/M3045-V/M3046-V.	01150-001	AXIS T94B05L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-511	AXIS T94B03L RECESSED MOUNT	46171622	Axis Communications	AXIS T94B03L RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M2025/26 and AXIS Companion Bullet.	5801-861	AXIS T94B03L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-512	AXIS T94B02M J-BOX/GANG BOX PLATE	46171622	Axis Communications	AXIS T94B02M J-BOX/GANG BOX PLATE	Bracket for mounting a camera on a 4" square, 4" octagon, single or double-gang junction box. Compatible with AXIS M3044-V/M3045-V/M3046-V.	5801-421	AXIS T94B02M J-BOX/GANG BOX PLATE	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-513	AXIS T94B01P CONDUIT BACK BOX	46171622	Axis Communications	AXIS T94B01P CONDUIT BACK BOX	Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of ACI adapters. There is an integrated female tripod thread for use of standard camera stands or holders. Compatible with AXIS M3044-V/M3045-V/M3046-V.	5507-401	AXIS T94B01P CONDUIT BACK BOX	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-514	AXIS T94B01S MNT BRACKET BLACK 10PCS	46171622	Axis Communications	AXIS T94B01S MNT BRACKET BLACK 10PCS	Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.	5504-531	AXIS T94B01S MNT BRACKET BLACK 10PCS	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-515	AXIS T94B01S MNT BRACKET WHITE 10PCS	46171622	Axis Communications	AXIS T94B01S MNT BRACKET WHITE 10PCS	White mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.	5503-911	AXIS T94B01S MNT BRACKET WHITE 10PCS	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-516	AXIS T94C01L RECESSED MOUNT	46171622	Axis Communications	AXIS T94C01L RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS M42 Series and AXIS Companion Dome mini LE.	01242-001	AXIS T94C01L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-517	AXIS T94C01M J-BOX/GANG BOX PLATE	46171622	Axis Communications	AXIS T94C01M J-BOX/GANG BOX PLATE	Bracket for mounting camera on 4" square, 4" octagon, single or double-gang junction box. Compatible with AXIS M42 Series and AXIS Companion Dome mini LE.	01243-001	AXIS T94C01M J-BOX/GANG BOX PLATE	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-518	AXIS T94C01U UNIVERSAL MOUNT	46171622	Axis Communications	AXIS T94C01U UNIVERSAL MOUNT	Versatile 4-in-1 mount accessory for use as either a pendant kit with 3/4" (M25) conduit interface, conduit back box with 1/2" (M20) conduit side entry, pole mount, or standard camera thread. Compatible with AXIS M42 series and AXIS Companion Dome mini LE. Pole mounting straps available separately.	01244-001	AXIS T94C01U UNIVERSAL MOUNT	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-519	AXIS T94D01S MT BRACKET FL WT 10PCS	46171622	Axis Communications	AXIS T94D01S MT BRACKET FL WT 10PCS	White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.	5504-911	AXIS T94D01S MT BRACKET FL WT 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-520	AXIS T94D02S MT BRACKET CU WT 10PCS	46171622	Axis Communications	AXIS T94D02S MT BRACKET CU WT 10PCS	White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on curved surfaces. 10 pack.	5504-921	AXIS T94D02S MT BRACKET CU WT 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-521	AXIS T94F01D PENDANT KIT	46171622	Axis Communications	AXIS T94F01D PENDANT KIT	Indoor pendant kit for AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE. To enable use of AXIS T91A Brackets or 1.5" (NPT or NPS threaded) pipes. The camera network cable fits into the product and a RJ45 network cable coupler is included.	5503-881	AXIS T94F01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-522	AXIS T94F02D PENDANT KIT	46171622	Axis Communications	AXIS T94F02D PENDANT KIT	Outdoor pendant kit for M3024-LVE/M3025-VE, P14 Series, to enable use of AXIS T91A Brackets or 1.5" (NPT or NPS threaded) pipes.	5900-021	AXIS T94F02D PENDANT KIT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-523	AXIS T94F01L RECESSED MOUNT	46171622	Axis Communications	AXIS T94F01L RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3006-V/M3007-PV, AXIS M3024-LVE/M3025-VE/M3026-VE.	5503-901	AXIS T94F01L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-524	AXIS T94F02L RECESSED MOUNT	46171622	Axis Communications	AXIS T94F02L RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3007-P	5504-871	AXIS T94F02L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-525	AXIS T94F01M J-BOX/GANG BOX PLATE	46171622	Axis Communications	AXIS T94F01M J-BOX/GANG BOX PLATE	Bracket for mounting on 4" square, 4" octagon, single or double-gang junction box. RJ45 network cable coupler included. Compatible with AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE, P14 Series.	5503-921	AXIS T94F01M J-BOX/GANG BOX PLATE	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-526	AXIS T94F01P CONDUIT BACK BOX	46171622	Axis Communications	AXIS T94F01P CONDUIT BACK BOX	Backbox for AXIS M3006-V, AXIS M3007-PV, AXIS M3024-LVE/3025-VE/3026-VE/3027-PVE, P14 Series, which enables safe cabling through 1/2" (M20) conduits.	5504-041	AXIS T94F01P CONDUIT BACK BOX	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-527	AXIS T94G01P CONDUIT BACK BOX	46171622	Axis Communications	AXIS T94G01P CONDUIT BACK BOX	Back box for 3/4" (M25) conduits/cable protection pipes. Compatible with AXIS Q1765-LE and AXIS Q1931-E.	5505-181	AXIS T94G01P CONDUIT BACK BOX	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-528	AXIS T94H05L RECESS MOUNT-L	46171622	Axis Communications	AXIS T94H05L RECESS MOUNT-L	Recessed mount for AXIS P3364-L. For indoor use in drop ceilings installations.	5504-051	AXIS T94H05L RECESS MOUNT-L	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-529	AXIS T94H01P CONDUIT BACKBOX	46171622	Axis Communications	AXIS T94H01P CONDUIT BACKBOX	Vandal resistant aluminum back box accessory for AXIS P33-V series indoor cameras (except P3301/04) which enables safe cabling through 3/4" conduits.	5034-111	AXIS T94H01P CONDUIT BACKBOX	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-530	AXIS T94K01D PENDANT KIT	46171622	Axis Communications	AXIS T94K01D PENDANT KIT	Indoor pendant kit for AXIS P32-V Series- AXIS P33-V and AXIS Q3505-V, compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	5505-081	AXIS T94K01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-531	AXIS T94K02L RECESSED MOUNT	46171622	Axis Communications	AXIS T94K02L RECESSED MOUNT	Indoor recessed mount compatible with mid-size indoor dome cameras such as: AXIS P32-V-LV, AXIS P33-V and AXIS Q35-V-LV series. Suitable for indoor installations in plenum spaces.	01155-001	AXIS T94K02L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-532	AXIS T94M01D PENDANT KIT	46171622	Axis Communications	AXIS T94M01D PENDANT KIT	Outdoor pendant kit for AXIS Q3505-VE compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	5505-091	AXIS T94M01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-533	AXIS T94M02L RECESSED MOUNT	46171622	Axis Communications	AXIS T94M02L RECESSED MOUNT	Outdoor recessed mount for mid-size outdoor dome cameras such as: AXIS P32-VE-LVE, P33-VE-LVE and Q35-VE-LVE series. Suitable for outdoor installations in roof overhangs and soffits. Also suitable for indoor installations in plenum spaces.	01156-001	AXIS T94M02L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	106.82	USD	EA
800890-534	AXIS T94M02D PENDANT KIT	46171622	Axis Communications	AXIS T94M02D PENDANT KIT	AXIS T94M02D comprises a weather shield and a mounting adapter for AXIS P3707-PE Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P3707-PE to be mounted on poles, parapets and outer corners using many AXIS T91 mounting accessories.	5507-511	AXIS T94M02D PENDANT KIT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-535	AXIS T94N01D PENDANT KIT	46171622	Axis Communications	AXIS T94N01D PENDANT KIT	AXIS T94N01D Pendant Kit comprises a weather shield and a mounting adapter for AXIS P3717-PLE Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P3717-PLE to be mounted on walls, poles, parapets and outer corners using AXIS T91 mounting accessories.	01513-001	AXIS T94N01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-536	AXIS T94N01G POLE MOUNT	46171622	Axis Communications	AXIS T94N01G POLE MOUNT	Stainless steel pole mount designed for use with heavier Axis products such as positioning cameras and positioning units. IK10. Includes 3pcs stainless steel straps included for pole diameter 60-400mm (2.4-15.7in)	5901-341	AXIS T94N01G POLE MOUNT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-537	AXIS T94P01B CORNER BRACKET	46171622	Axis Communications	AXIS T94P01B CORNER BRACKET	Corner mount for AXIS P5414-I/5-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.	5504-711	AXIS T94P01B CORNER BRACKET	0000007715	1/1/2021	12/31/2023	77.42	USD	EA

800890-538	AXIS T94P01L RECESSED MOUNT	46171622	Axis Communications	AXIS T94P01L RECESSED MOUNT	Indoor and outdoor recessed mount for AXIS M55 Series. Suitable for air-handling spaces in indoor installations as the enclosure is made of metal and has a 3/4" (M25) conduit hole for protected cable-routing. UL-approved.	01172-001	AXIS T94P01L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-539	AXIS T94Q01A WALL MOUNT	46171622	Axis Communications	AXIS T94Q01A WALL MOUNT	Wall mount compatible with all Axis outdoor fixed box cameras and housings. Corrosion tested according to NEMA 4X, UL listed and IK10 rated.	5505-241	AXIS T94Q01A WALL MOUNT	0000007715	1/1/2021	12/31/2023	43.12	USD	EA
800890-540	AXIS T94Q01F CEILING AND COLUMN MNT	46171622	Axis Communications	AXIS T94Q01F CEILING AND COLUMN MNT	The powder-coated aluminum AXIS T94Q01F fixed box outdoor ready cameras and housings, can be used for both ceiling/soffit and column/parapet installations. This allows Axis' fixed camera housings to be mounted under hard surfaces such as ceilings, beams, soffits and canopies. It can also be mounted on pole or column tops, parapets and other horizontal building structures. Re-direction and maintenance of the camera is easy thanks to the swivel arm feature. The cable is routed through the pipe, and is never exposed to weather or potential vandalism. Cable conduits and Axis' conduit adapters (3/4" dimension) are used for cable protection when routed from the side.	5507-591	AXIS T94Q01F CEILING AND COLUMN MNT	0000007715	1/1/2021	12/31/2023	106.82	USD	EA
800890-541	AXIS T94R01B CORNER BRACKET	46171622	Axis Communications	AXIS T94R01B CORNER BRACKET	The powder-coated aluminum AXIS T94R01B Corner Bracket is used for attaching the wall mount of Axis' camera housing to the outer corners of a building. AXIS T94R01B Corner Bracket is compatible with AXIS T91E61 Wall Mount for fixed dome cameras. Small-size fixed dome and bullet-style cameras can also be mounted, thanks to the included and commonly used hole pattern of a single gang junction box.	5507-601	AXIS T94R01B CORNER BRACKET	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-542	AXIS T94R01P CONDUIT BACK BOX	46171622	Axis Communications	AXIS T94R01P CONDUIT BACK BOX	Back box to enable external cable entry or use of cable protection equipment. Hole for 3/4 inch conduits or M25 cable protection pipes. Compatible with AXIS T94Q01A Wall mount, all AXIS M11-E/P13-E/Q16-E/Q1755-E/Q1910-E/21-E/22-E outdoor fixed box camera wall mounts and AXIS T92E Series and AXIS T93E05 Fixed camera housings.	5505-141	AXIS T94R01P CONDUIT BACK BOX	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-543	AXIS T94S01L RECESSED MOUNT	46171622	Axis Communications	AXIS T94S01L RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS P32-VJ-LV series.	5507-671	AXIS T94S01L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	41.16	USD	EA
800890-544	AXIS T94S01L RECESSED MOUNT 1IP	46171622	Axis Communications	AXIS T94S01L RECESSED MOUNT 1IP	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS P32-VJ-LV series. 10-pack.	5901-361	AXIS T94S01L RECESSED MOUNT 1IP	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-545	AXIS T94S02L RECESSED MOUNT	46171622	Axis Communications	AXIS T94S02L RECESSED MOUNT	Indoor recessed mount for ceiling/wall installations. Compatible with AXIS M30S7/58-PLVE cameras. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces.	01462-001	AXIS T94S02L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-546	AXIS T94S01P CONDUIT BACK BOX	46171622	Axis Communications	AXIS T94S01P CONDUIT BACK BOX	Outdoor-ready, impact resistant (IK10+) back box with sealed compartment (IP66/67) for secure storage of connectivity devices. 3/4" / M25 conduit interface from both side and back. Can be mounted directly behind a wide range of Axis network cameras. Includes a network cable and extra gaskets.	01190-001	AXIS T94S01P CONDUIT BACK BOX	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-547	AXIS T94T01D PENDANT KIT	46171622	Axis Communications	AXIS T94T01D PENDANT KIT	Outdoor pendant kit for AXIS P32-VE Series, compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	5505-871	AXIS T94T01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-548	AXIS T94T02D PENDANT KIT	46171622	Axis Communications	AXIS T94T02D PENDANT KIT	Outdoor pendant kit for AXIS M30-PLVE Series. Weathershield made from impact-, UV-, and heat-resistant polymer. Compatible with wide range of Axis mounts with 1.5" NPS threaded interface.	01461-001	AXIS T94T02D PENDANT KIT	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-549	AXIS T94U01D PENDANT KIT	46171622	Axis Communications	AXIS T94U01D PENDANT KIT	Pendant kit for AXIS Q350S-5VE, without weather shield, mainly for indoor use made of stainless steel.	5506-651	AXIS T94U01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	371.42	USD	EA
800890-550	AXIS T94U02D PENDANT KIT	46171622	Axis Communications	AXIS T94U02D PENDANT KIT	Outdoor pendant kit with weather shield for AXIS Q350S-5VE, made of stainless steel.	5506-661	AXIS T94U02D PENDANT KIT	0000007715	1/1/2021	12/31/2023	410.62	USD	EA
800890-551	AXIS T94V01C DUAL CAMERA MOUNT	46171622	Axis Communications	AXIS T94V01C DUAL CAMERA MOUNT	AXIS T94V01C Dual Camera Mount allows back-to-back installation of two Axis cameras for panoramic coverage. Compatible with a wide range of Axis dome cameras, box cameras, and bullet cameras. Compatible with Axis mounting accessories with 1.5" NPS threaded interface, for mounting on walls, poles, and under ceilings. AXIS T94V01C is IK10 rated for impact resistance, which safeguards it against vandalism. Suitable for both indoor and outdoor use. Note: To ensure physical stability, do not use AXIS T94V01C for single camera installations.	01457-001	AXIS T94V01C DUAL CAMERA MOUNT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-552	AXIS T94V02D PENDANT KIT	46171622	Axis Communications	AXIS T94V02D PENDANT KIT	Outdoor pendant kit for AXIS P38-PVE and Q36-VE series. Weathershield made from impact-, UV-, and heat-resistant polymer. Compatible with wide range of Axis mounts with 1.5" NPS threaded interface.	01505-001	AXIS T94V02D PENDANT KIT	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-553	AXIS T94V01D PENDANT KIT	46171622	Axis Communications	AXIS T94V01D PENDANT KIT	Pendant kit for indoor and outdoor use for the AXIS Q36-VE Series compatible with Axis ceiling-/wall-/pole mounts with 1.5" NPS thread.	5801-431	AXIS T94V01D PENDANT KIT	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-554	AXIS T94V01L RECESSED MOUNT	46171622	Axis Communications	AXIS T94V01L RECESSED MOUNT	Recessed mount for indoor and outdoor use for the AXIS Q36-VE and AXIS P38 Series. It has a metal back box with 3/4" (M25) conduit hole (for protected cable runs) and is suitable for installation in plenum (air-handling) spaces.	5801-441	AXIS T94V01L RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	106.82	USD	EA
800890-555	AXIS T95A64 BRACKET CORNER	46171622	Axis Communications	AXIS T95A64 BRACKET CORNER	Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS Positioning Cameras. When used with AXIS Positioning Cameras, AXIS T94D01A Wall Mount is required.	5010-641	AXIS T95A64 BRACKET CORNER	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-556	AXIS T95A67 BRACKET POLE	46171622	Axis Communications	AXIS T95A67 BRACKET POLE	Pole bracket for AXIS T98A-VE Surveillance Cabinet. No straps required.	5010-671	AXIS T95A67 BRACKET POLE	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-557	ADAPTER CURV L GREY M311X 10PCS	46171622	Axis Communications	ADAPTER CURV L GREY M311X 10PCS	Optional light grey adapter for mounting AXIS M311X on curved surfaces. 10 pack	5503-061	ADAPTER CURV L GREY M311X 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-558	WALL MOUNT AXIS PS24	46171622	Axis Communications	WALL MOUNT AXIS PS24	Metal box to mount AXIS PS24 to a wall.	5000-011	WALL MOUNT AXIS PS24	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-559	AXIS PS-24 Pole bracket	46171622	Axis Communications	AXIS PS-24 Pole bracket	Outdoor pole mount bracket for PS-24 and AXIS T97A10. Requires the Wall Mount AXIS PS-24 (5000-011) and a mounting tool for straps (21776 or similar).	21764	AXIS PS-24 Pole bracket	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
800890-560	AXIS WALL BRACKET K	46171622	Axis Communications	AXIS WALL BRACKET K	Bracket for mounting an AXIS Q87-E on a wall.	5503-491	AXIS WALL BRACKET K	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-561	AXIS T91A03 DIN RAIL CLIP SPCS	46171622	Axis Communications	AXIS T91A03 DIN RAIL CLIP SPCS	It includes 2 cable ties. Compatible with AXIS T8120/T8133 midspans and AXIS T8604 / T8605 converters. Weight: 17 g (0.6 oz).	5800-511	AXIS T91A03 DIN RAIL CLIP SPCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-562	AXIS MIDSPAN DIN CLIP A	46171622	Axis Communications	AXIS MIDSPAN DIN CLIP A	5-pack. Din clip for AXIS midspan T8123, T8124 and T8125	5503-931	AXIS MIDSPAN DIN CLIP A	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-563	P1214/E MOUNT KIT INC HOUS S-P	46171622	Axis Communications	P1214/E MOUNT KIT INC HOUS S-P	Original mounting kit for AXIS P1214/E. Kit contents: sensor unit housing, flush wall mount bracket. 5 pack.	5800-431	P1214/E MOUNT KIT INC HOUS S-P	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-564	P1214/E MOUNT KIT EXC HOUS S-P	46171622	Axis Communications	P1214/E MOUNT KIT EXC HOUS S-P	Mounting kit for AXIS P1204/E. Kit contents: Flush mount wall bracket. 5 pack.	5800-461	P1214/E MOUNT KIT EXC HOUS S-P	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-565	STAND M10 SERIES 7CM	46171622	Axis Communications	STAND M10 SERIES 7CM	Plastic stand for the AXIS M10-series	5700-481	STAND M10 SERIES 7CM	0000007715	1/1/2021	12/31/2023	12.74	USD	EA
800890-566	DROP CEILING KIT CL AXIS P3343/4	46171622	Axis Communications	DROP CEILING KIT CL AXIS P3343/4	Drop ceiling mount for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 including clear transparent bubble. For indoor use	5502-361	DROP CEILING KIT CL AXIS P3343/4	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-567	AXIS P33 MOUNTING BRACKET	46171622	Axis Communications	AXIS P33 MOUNTING BRACKET	Mounting bracket for AXIS P33-VJ-LV indoor cameras. For mounting cameras on junction boxes (4" square, 4" octagon, single-gang, or double-gang), and other Axis mounting accessories. Also compatible with selected AXIS M30 and P32 cameras.	5502-401	AXIS P33 MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-568	AXIS P33XX-VE 3/4" NPS CONDUIT ADAPTER	46171622	Axis Communications	AXIS P33XX-VE 3/4" NPS CONDUIT ADAPTER	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	5503-711	AXIS P33XX-VE 3/4" NPS CONDUIT ADAPTER	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-569	AXIS P33XX-VE 3/4" NPS CONDUIT ADPT 4P	46171622	Axis Communications	AXIS P33XX-VE 3/4" NPS CONDUIT ADPT 4P	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection. Four complete units.	5503-721	AXIS P33XX-VE 3/4" NPS CONDUIT ADPT 4P	0000007715	1/1/2021	12/31/2023	141.12	USD	EA
800890-570	AXIS P33XX-VE 1/2" NPS ADAPT	46171622	Axis Communications	AXIS P33XX-VE 1/2" NPS ADAPT	Stainless steel adapter used for mounting 1/2" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	5503-131	AXIS P33XX-VE 1/2" NPS ADAPT	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-571	AXIS T94E01D PENDANT KIT 4PCS	46171622	Axis Communications	AXIS T94E01D PENDANT KIT 4PCS	Bracket for pendant mounting of AXIS Companion Eye mini L. Compatible with M25 or 3/4" pipes with NPS thread.	01494-001	AXIS T94E01D PENDANT KIT 4PCS	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-572	AXIS T94E01M J-BOX/GANG BOX PL 4PCS	46171622	Axis Communications	AXIS T94E01M J-BOX/GANG BOX PL 4PCS	Bracket for mounting AXIS Companion Eye mini L on a 4" square, 4" octagon, single or double-gang junction box.	01495-001	AXIS T94E01M J-BOX/GANG BOX PL 4PCS	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-573	PENDANT KIT AXIS P334X-VE	46171622	Axis Communications	PENDANT KIT AXIS P334X-VE	With AXIS P33-VE Series PENDANT KIT it is possible to mount the AXIS P3343-VE, AXIS P3344-VE, AXIS P3346-VE, AXIS P3363-VE and AXIS P3364-VE, AXIS P3367-VE, AXIS P3384-VE Fixed Dome Network Cameras on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	5502-321	PENDANT KIT AXIS P334X-VE	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-574	ADAPTER AXIS 209 TO M31/P39 50 PCS	46171622	Axis Communications	ADAPTER AXIS 209 TO M31/P39 50 PCS	Adapter plate for mounting an AXIS M31 using the same foot print as the AXIS 209. 50 PCS	5503-192	ADAPTER AXIS 209 TO M31/P39 50 PCS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-575	AXIS P33XX-VE CABLE COVER 4 PCS	46171622	Axis Communications	AXIS P33XX-VE CABLE COVER 4 PCS	Aluminum cable cover for AXIS P33XX-VE cameras. 4 pcs.	5503-731	AXIS P33XX-VE CABLE COVER 4 PCS	0000007715	1/1/2021	12/31/2023	57.82	USD	EA

800890-576	AXIS ACI COND ADAP 3/4" U-SHAPE 30MM 5PCS	46171622	Axis Communications	AXIS ACI COND ADAP 3/4" U-SHAPE 30MM 5PCS	Mechanical adapter that provides a U-shaped 30mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS P32-V series (requires AXIS ACI Mounting Bracket A), AXIS Q3305-V-E, AXIS T9186K mounts and AXIS AXIS T94R01P Conduit Back Box. 5 pcs	5505-191	AXIS ACI COND ADAP 3/4" U-SHAPE 30MM 5PCS	0000007715	1/1/2021	12/31/2023	23.52	USD		EA
800890-577	AXIS ACI CONDUIT BRACKET A 5P	46171622	Axis Communications	AXIS ACI CONDUIT BRACKET A 5P	Cable protection attachment bracket for AXIS P32-VE Series. Compatible with 3/4" Conduits, M25 pipes and AXIS ACI adapters. 5pcs.	5505-971	AXIS ACI CONDUIT BRACKET A 5P	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-578	AXIS ACI CONDUIT BRACKET B 5P	46171622	Axis Communications	AXIS ACI CONDUIT BRACKET B 5P	Cable protection attachment bracket for AXIS P32-V Series. Compatible with 1/2" Conduits, M20 pipes and AXIS ACI adapters. 5pcs.	5506-041	AXIS ACI CONDUIT BRACKET B 5P	0000007715	1/1/2021	12/31/2023	18.62	USD		EA
800890-579	AXIS ACI CONDUIT ADAPTER 1/2"-3/4" A 2P	46171622	Axis Communications	AXIS ACI CONDUIT ADAPTER 1/2"-3/4" A 2P	Step up ACI adapter for attaching 3/4" conduits or M25 pipes to AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 2 pcs	5505-541	AXIS ACI CONDUIT ADAPTER 1/2"-3/4" A 2P	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-580	PL ADAPTER FLAT L GREY M311X 10 PCS	46171622	Axis Communications	PL ADAPTER FLAT L GREY M311X 10 PCS	Optional light grey plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	5503-071	PL ADAPTER FLAT L GREY M311X 10 PCS	0000007715	1/1/2021	12/31/2023	28.42	USD		EA
800890-581	AXIS ACI COND ADAP 1/2" U-SHAPE 20MM 5P	46171622	Axis Communications	AXIS ACI COND ADAP 1/2" U-SHAPE 20MM 5P	Mechanical adapter that provides a U-shaped 20mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 5 pcs	5505-521	AXIS ACI COND ADAP 1/2" U-SHAPE 20MM 5P	0000007715	1/1/2021	12/31/2023	18.62	USD		EA
800890-582	AXIS ACI COND ADAP 1/2"-3/4" NPS 2P	46171622	Axis Communications	AXIS ACI COND ADAP 1/2"-3/4" NPS 2P	Threaded stainless steel step up ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 1/2" conduit interface such as AXIS Q35-V series. 2 pcs	5505-591	AXIS ACI COND ADAP 1/2"-3/4" NPS 2P	0000007715	1/1/2021	12/31/2023	67.62	USD		EA
800890-583	AXIS ACI CONDUIT ADAPTER 3/4" NPS 2P	46171622	Axis Communications	AXIS ACI CONDUIT ADAPTER 3/4" NPS 2P	Threaded stainless steel ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 3/4" conduit interface such as AXIS Q35-VE series. 2 pcs	5505-641	AXIS ACI CONDUIT ADAPTER 3/4" NPS 2P	0000007715	1/1/2021	12/31/2023	97.02	USD		EA
800890-584	AXIS F8001 SURFACE MOUNT ACC PL ADAPTER	46171622	Axis Communications	AXIS F8001 SURFACE MOUNT ACC PL ADAPTER	Bracket to mount and secure an F Series main unit on a surface. Withstands vibrations and secures all cables to/from the main unit.	5505-791	AXIS F8001 SURFACE MOUNT ACC PL ADAPTER	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-585	CURVED AXIS M311X 10PCS	46171622	Axis Communications	CURVED AXIS M311X 10PCS	Optional adapter for mounting AXIS M311X on curved surfaces. 10 pack	5502-551	CURVED AXIS M311X 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD		EA
800890-586	AXIS RACK SLIDE RAILS A	46171622	Axis Communications	AXIS RACK SLIDE RAILS A	Rack slides for AXIS Q7920 Video Encoder Chassis	5504-781	AXIS RACK SLIDE RAILS A	0000007715	1/1/2021	12/31/2023	67.62	USD		EA
800890-587	AXIS F7308 CABLE BLACK 8M 4PCS	46171622	Axis Communications	AXIS F7308 CABLE BLACK 8M 4PCS	AXIS F7308 comes in packs of four. 8-m (26 ft.) black cable with an RJ12 contact for connection to an AXIS F1004 Sensor Unit. Used as a spare part for the original cable that comes with AXIS F1004 Sensor Unit. DIN clip + angled mounting bracket. Allows an AXIS F Series main unit to be mounted on a DIN rail with the short side against the rail to minimize used space. Main unit can be mounted with cables going in any of three directions (up, down or out from the rail).	5506-921	AXIS F7308 CABLE BLACK 8M 4PCS	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-588	AXIS F8002 DIN RAIL CLIP	46171622	Axis Communications	AXIS F8002 DIN RAIL CLIP	Mounting bracket that allows AXIS F1004 Pinhole Sensor Unit and the sensor unit for AXIS P1264 to be mounted behind a thin metal/plastic/glass panel. Comes in pack of 5 pcs.	5505-801	AXIS F8002 DIN RAIL CLIP	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-589	AXIS F8401 CLEAR LENS PROTECTOR 5PCS	46171622	Axis Communications	AXIS F8401 CLEAR LENS PROTECTOR 5PCS	Lens protection for AXIS F1005-E. The lens protector is screwed onto the threaded front part of the sensor unit to protect the lens. Comes in pack of 5 units.	5505-841	AXIS F8401 CLEAR LENS PROTECTOR 5PCS	0000007715	1/1/2021	12/31/2023	77.42	USD		EA
800890-590	AXIS F8201 VARI-ANGLE MT BRACK 5PCS	46171622	Axis Communications	AXIS F8201 VARI-ANGLE MT BRACK 5PCS	Mounting bracket for AXIS F1005-E, AXIS F1015 and AXIS 1035-E. Allows the sensor unit to be fixed and angled into various directions to get the desired view. Comes in pack of 5 pcs.	5505-811	AXIS F8201 VARI-ANGLE MT BRACK 5PCS	0000007715	1/1/2021	12/31/2023	28.42	USD		EA
800890-591	AXIS F8202 STRAIGHT MT BRACKET 5PCS	46171622	Axis Communications	AXIS F8202 STRAIGHT MT BRACKET 5PCS	Mounting bracket that allows the pinhole sensor unit of AXIS F1025 to be mounted onto a flat surface with the cone being flush with opposite surface. Comes in pack of 5 pcs.	5505-821	AXIS F8202 STRAIGHT MT BRACKET 5PCS	0000007715	1/1/2021	12/31/2023	28.42	USD		EA
800890-592	AXIS F8203 FIXED MT BRACKET 5PCS	46171622	Axis Communications	AXIS F8203 FIXED MT BRACKET 5PCS	Metal bracket for stable mounting of AXIS F1005-E, F1015 and F1035-E. Variety of holes for screws for flexible mounting. Comes in pack of 5 units.	5505-831	AXIS F8203 FIXED MT BRACKET 5PCS	0000007715	1/1/2021	12/31/2023	146.02	USD		EA
800890-593	AXIS F8204 MOUNTING BAND 10 PCS	46171622	Axis Communications	AXIS F8204 MOUNTING BAND 10 PCS	Stainless steel band for flexible mounting of AXIS F Series Sensor units and AXIS P12 sensor units. Sold in 10-packs. 10 x M20 x 1.5 nuts to lock the band to the sensor unit are included. Works with all AXIS P12 Sensor Units and all AXIS F Series Sensor units except AXIS F1015.	5506-571	AXIS F8204 MOUNTING BAND 10 PCS	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-594	AXIS F8206 PINHOLE MT BRACKET 5PCS	46171622	Axis Communications	AXIS F8206 PINHOLE MT BRACKET 5PCS	Mounting bracket that allows AXIS F1004 Pinhole Sensor Unit and the sensor unit for AXIS P1264 to be mounted behind a thin metal/plastic/glass panel. Comes in pack of 5 pcs.	5507-621	AXIS F8206 PINHOLE MT BRACKET 5PCS	0000007715	1/1/2021	12/31/2023	28.42	USD		EA
800890-595	AXIS F8211 PINHOLE TRIM RING 10PCS	46171622	Axis Communications	AXIS F8211 PINHOLE TRIM RING 10PCS	Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.	5507-101	AXIS F8211 PINHOLE TRIM RING 10PCS	0000007715	1/1/2021	12/31/2023	57.82	USD		EA
800890-596	AXIS F8212 TRIM RING 10PCS	46171622	Axis Communications	AXIS F8212 TRIM RING 10PCS	Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.	5507-111	AXIS F8212 TRIM RING 10PCS	0000007715	1/1/2021	12/31/2023	97.02	USD		EA
800890-597	AXIS F8224 RECESSED MOUNT 4PCS	46171622	Axis Communications	AXIS F8224 RECESSED MOUNT 4PCS	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.	5506-511	AXIS F8224 RECESSED MOUNT 4PCS	0000007715	1/1/2021	12/31/2023	57.82	USD		EA
800890-598	AXIS F8205 BULLET ACCESSORY	46171622	Axis Communications	AXIS F8205 BULLET ACCESSORY	Bullet-style camera accessory for AXIS F1005-E. AXIS F1005-E provides 113° horizontal FOV. Comes with c-clamp and a stand.	5506-211	AXIS F8205 BULLET ACCESSORY	0000007715	1/1/2021	12/31/2023	23.52	USD		EA
800890-599	AXIS F8215 VARIOFICAL BULLET ACC	46171622	Axis Communications	AXIS F8215 VARIOFICAL BULLET ACC	Variofocal bullet-style camera accessory for AXIS F1015. AXIS F1015 provides 58-108° horizontal FOV. Comes with c-clamp and a stand.	5506-221	AXIS F8215 VARIOFICAL BULLET ACC	0000007715	1/1/2021	12/31/2023	23.52	USD		EA
800890-600	AXIS F8225 PINHOLE ACCESSORY	46171622	Axis Communications	AXIS F8225 PINHOLE ACCESSORY	Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.	5506-531	AXIS F8225 PINHOLE ACCESSORY	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-601	AXIS F8235 FISHEYE ACCESSORY	46171622	Axis Communications	AXIS F8235 FISHEYE ACCESSORY	Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.	5506-541	AXIS F8235 FISHEYE ACCESSORY	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-602	AXIS F92A01 BLACK HEIGHT S. HOUSING	46171622	Axis Communications	AXIS F92A01 BLACK HEIGHT S. HOUSING	Height strip housing for discrete mounting of a pin hole sensor unit, for capturing eye-level images e.g. of people leaving a store. It is compatible with AXIS F1025, FA1125, F1004 Pin hole, AXIS P1264 and P1265. Comes with both a metric and an imperial height strip. Black aluminium housing.	01630-001	AXIS F92A01 BLACK HEIGHT S. HOUSING	0000007715	1/1/2021	12/31/2023	97.02	USD		EA
800890-603	AXIS F92A01 SILVER HEIGHT S. HOUSING	46171622	Axis Communications	AXIS F92A01 SILVER HEIGHT S. HOUSING	Height strip housing for discrete mounting of a pin hole sensor unit, for capturing eye-level images e.g. of people leaving a store. It is compatible with AXIS F1025, FA1125, F1004 Pin hole, AXIS P1264 and P1265. Comes with both a metric and an imperial height strip. Silver aluminium housing.	01631-001	AXIS F92A01 SILVER HEIGHT S. HOUSING	0000007715	1/1/2021	12/31/2023	97.02	USD		EA
800890-604	AXIS COMPANION REC MT BRACKET	46171622	Axis Communications	AXIS COMPANION REC MT BRACKET	Mount bracket for AXIS Companion Recorder. For mounting the recorder on e.g. walls, shelves and under tables.	5801-631	AXIS COMPANION REC MT BRACKET	0000007715	1/1/2021	12/31/2023	18.62	USD		EA
800890-605	AXIS T91R61 WALL MOUNT	46171622	Axis Communications	AXIS T91R61 WALL MOUNT	Tilttable wall-mount for AXIS D2050-VE Network Radar Detector.	01516-001	AXIS T91R61 WALL MOUNT	0000007715	1/1/2021	12/31/2023	126.42	USD		EA
800890-606	AXIS TM3101 PENDANT WALL MOUNT	46171622	Axis Communications	AXIS TM3101 PENDANT WALL MOUNT	Includes arm, AXIS T94R01P CONDUIT BACK BOX and conduit 260 mm (10 inch) cable kit. Elegant mount for indoor mounting of Axis mini dome cameras in pendant style. Concealed mounting with no visible screws. Room for microphone and connectivity devices (e.g.: AXIS T6101, AXIS T8643). Compatible with wide range of cameras, incl. AXIS M20/M30/M31/M42, etc. Made from strengthened eco-friendly plastic.	01742-001	AXIS TM3101 PENDANT WALL MOUNT	0000007715	1/1/2021	12/31/2023	38.22	USD		EA
800890-607	AXIS TP3201 RECESSED MOUNT	46171622	Axis Communications	AXIS TP3201 RECESSED MOUNT	Indoor recessed mount for drop ceiling installation. Supports the optional use of an internal microphone. Metal enclosure with conduit entries, suitable for installation in air handling / plenum spaces. Compatible with: AXIS M32-LVE, AXIS P32-V-LV, AXIS P33-V and AXIS Q35-V-LV series; and AXIS Device Microphone A and B.	01757-001	AXIS TP3201 RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	77.42	USD		EA
800890-608	AXIS T99A10 24V AC/DC	46171622	Axis Communications	AXIS T99A10 24V AC/DC	High accuracy outdoor positioning unit with AXIS T93F10 camera housing. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. Recommended for AXIS P13 and Q16 network camera series. Optional wall mount and pole mount accessories available separately.	01226-001	AXIS T99A10 24V AC/DC	0000007715	1/1/2021	12/31/2023	1763.02	USD		EA
800890-609	AXIS T99A11 24V AC/DC	46171622	Axis Communications	AXIS T99A11 24V AC/DC	High accuracy outdoor positioning unit to be used with PT Mount models in AXIS Q19 and Q29 series. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Optional wall mount and pole mount accessories available separately. Powered by 24 V AC/DC.	01227-001	AXIS T99A11 24V AC/DC	0000007715	1/1/2021	12/31/2023	1763.02	USD		EA
800890-610	AXIS AUDIO MANAGER DEVICE PACK 10	46171622	Axis Communications	AXIS AUDIO MANAGER DEVICE PACK 10	Extra device licenses for AXIS Audio Manager (10 extra licenses)	01519-021	AXIS AUDIO MANAGER DEVICE PACK 10	0000007715	1/1/2021	12/31/2023	196	USD		EA

800890-611	AXIS AUDIO MANAGER DEVICE PACK 100	46171622	Axis Communications	AXIS AUDIO MANAGER DEVICE PACK 100	Extra device licenses for AXIS Audio Manager (100 extra licenses)	01519-041	AXIS AUDIO MANAGER DEVICE PACK 100	0000007715	1/1/2021	12/31/2023	980	USD	EA
800890-612	AXIS AUDIO MANAGER C7050 SERVER	46171622	Axis Communications	AXIS AUDIO MANAGER C7050 SERVER	AXIS Audio Manager provides easy, remote management of large IP audio installations. Take control of your complete audio system from one single user interface which handles, for example, system setup of audio devices, zone management, audio content management, and audio scheduling. Especially useful in retail or in schools, AXIS Audio Manager helps you broadcast music, live or scheduled announcements, emergency messages, and more, either individually in separate zones or centrally to all devices. With quick installation, intuitive operation, and online device status monitoring, AXIS Audio Manager realizes the benefits of network audio.	01519-004	AXIS AUDIO MANAGER C7050 SERVER	0000007715	1/1/2021	12/31/2023	2935.1	USD	EA
800890-613	AXIS C3003-E NETWORK HORN SPEAKER	46171622	Axis Communications	AXIS C3003-E NETWORK HORN SPEAKER	AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliability through the Auto Speaker Test.	0767-001	AXIS C3003-E NETWORK HORN SPEAKER	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-614	AXIS C1004-E NETW CAB SPEAKER BLACK	46171622	Axis Communications	AXIS C1004-E NETW CAB SPEAKER BLACK	AXIS C1004-E Network Cabinet Speaker (black) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	0923-001	AXIS C1004-E NETW CAB SPEAKER BLACK	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-615	AXIS C1004-E NETW CAB SPEAKER WHITE	46171622	Axis Communications	AXIS C1004-E NETW CAB SPEAKER WHITE	AXIS C1004-E Network Cabinet Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	0833-001	AXIS C1004-E NETW CAB SPEAKER WHITE	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-616	AXIS C2005 NETW CEILING SPEAK WHITE	46171622	Axis Communications	AXIS C2005 NETW CEILING SPEAK WHITE	AXIS C2005 Network Ceiling Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C2005 is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	0834-001	AXIS C2005 NETW CEILING SPEAK WHITE	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-617	AXIS C8033 NETWORK AUDIO BRIDGE	46171622	Axis Communications	AXIS C8033 NETWORK AUDIO BRIDGE	AXIS C8033 Network Audio Bridge is a smart solution for connecting and combining analog and digital audio systems. With this scalable and cost-efficient product, you can connect analog audio sources to Axis network speaker system, connect digital audio sources to an analog speaker system, or combine analog and digital speaker systems to act as one. Based on open standards, the audio bridge is easily integrated with other systems. It is small, easy to place, and easy to connect using Power over Ethernet.	01025-001	AXIS C8033 NETWORK AUDIO BRIDGE	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-618	AXIS C8210 NETWORK AUDIO AMP	46171622	Axis Communications	AXIS C8210 NETWORK AUDIO AMP	AXIS C8210 Network Audio Amplifier is a smart migration tool for transforming any passive speaker, independent of brand or formfactor, into a network speaker. This gives you all the benefits of network audio including less components. AXIS C8210 enables scalable and cost-effective solutions and can power up to eight speakers with a total power output of 15 W. Based on open standards, the amplifier is easily integrated with other systems. It is small, easy to place, and easy to connect using Power over Ethernet.	01558-001	AXIS C8210 NETWORK AUDIO AMP	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-619	XF40-Q1765-60C INMETRO	46171622	Axis Communications	XF40-Q1765-60C INMETRO	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to INMETRO. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	0835-031	XF40-Q1765-60C INMETRO	0000007715	1/1/2021	12/31/2023	7447.02	USD	EA
800890-620	XF40-Q1765 CSA	46171622	Axis Communications	XF40-Q1765 CSA	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	0835-041	XF40-Q1765 CSA	0000007715	1/1/2021	12/31/2023	6859.02	USD	EA
800890-621	XF40-Q1765-60C CSA	46171622	Axis Communications	XF40-Q1765-60C CSA	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	0835-051	XF40-Q1765-60C CSA	0000007715	1/1/2021	12/31/2023	7447.02	USD	EA
800890-622	XF40-Q1765-50C UL	46171622	Axis Communications	XF40-Q1765-50C UL	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-15. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	01111-001	XF40-Q1765-50C UL	0000007715	1/1/2021	12/31/2023	7741.02	USD	EA
800890-623	XF60-Q1765-50C 110V UL	46171622	Axis Communications	XF60-Q1765-50C 110V UL	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	01124-001	XF60-Q1765-50C 110V UL	0000007715	1/1/2021	12/31/2023	8231.02	USD	EA
800890-624	XP40-Q1765-50C UL	46171622	Axis Communications	XP40-Q1765-50C UL	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	01113-001	XP40-Q1765-50C UL	0000007715	1/1/2021	12/31/2023	20285.02	USD	EA
800890-625	XP40-Q1765-50C 110V UL	46171622	Axis Communications	XP40-Q1765-50C 110V UL	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67 rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110VAC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	01126-001	XP40-Q1765-50C 110V UL	0000007715	1/1/2021	12/31/2023	20579.02	USD	EA
800890-626	XP40-Q1765 CSA	46171622	Axis Communications	XP40-Q1765 CSA	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	0836-041	XP40-Q1765 CSA	0000007715	1/1/2021	12/31/2023	17149.02	USD	EA

800890-627	XP40-Q1765 -60C CSA	46171622	Axis Communications	XP40-Q1765 -60C CSA	01133-051	XP40-Q1765 -60C CSA	0000007715	1/1/2021	12/31/2023	18129.02	USD	EA
<p>Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports ONVIF, Axis 0836-051 Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-628	XF60-Q2901 UL 8.3FPS 19MM -50C 110V	46171622	Axis Communications	XF60-Q2901 UL 8.3FPS 19MM -50C 110V	01135-001	XF60-Q2901 UL 8.3FPS 19MM -50C 110V	0000007715	1/1/2021	12/31/2023	21363.02	USD	EA
<p>Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x253 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. It supports ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-629	XF40-Q2901 UL 8.3FPS 19MM -50C	46171622	Axis Communications	XF40-Q2901 UL 8.3FPS 19MM -50C	01133-001	XF40-Q2901 UL 8.3FPS 19MM -50C	0000007715	1/1/2021	12/31/2023	20579.02	USD	EA
<p>Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x253 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-630	XF40-Q2901 CSA 8.3FPS 19MM -40C	46171622	Axis Communications	XF40-Q2901 CSA 8.3FPS 19MM -40C	01092-001	XF40-Q2901 CSA 8.3FPS 19MM -40C	0000007715	1/1/2021	12/31/2023	18619.02	USD	EA
<p>Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to CSA. Certification part code 1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three M20 cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-631	XF40-Q2901 CSA 8.3FPS 19MM -60C	46171622	Axis Communications	XF40-Q2901 CSA 8.3FPS 19MM -60C	01128-001	XF40-Q2901 CSA 8.3FPS 19MM -60C	0000007715	1/1/2021	12/31/2023	19207.02	USD	EA
<p>Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three M20 cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-632	XP40-Q1942 UL 8.3FPS 19MM -50C	46171622	Axis Communications	XP40-Q1942 UL 8.3FPS 19MM -50C	01142-001	XP40-Q1942 UL 8.3FPS 19MM -50C	0000007715	1/1/2021	12/31/2023	28909.02	USD	EA
<p>Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to UL. Certification part code UL1410-10-TI-50/UL2420-01. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-633	XP40-Q1942 UL 8.3FPS 19MM -50C 110V	46171622	Axis Communications	XP40-Q1942 UL 8.3FPS 19MM -50C 110V	01144-001	XP40-Q1942 UL 8.3FPS 19MM -50C 110V	0000007715	1/1/2021	12/31/2023	29399.02	USD	EA
<p>Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-634	XP40-Q1942 CSA 8.3FPS 19MM -40C	46171622	Axis Communications	XP40-Q1942 CSA 8.3FPS 19MM -40C	01101-001	XP40-Q1942 CSA 8.3FPS 19MM -40C	0000007715	1/1/2021	12/31/2023	24499.02	USD	EA
<p>Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-635	XP40-Q1942 CSA 8.3FPS 19MM -60C	46171622	Axis Communications	XP40-Q1942 CSA 8.3FPS 19MM -60C	01137-001	XP40-Q1942 CSA 8.3FPS 19MM -60C	0000007715	1/1/2021	12/31/2023	25479.02	USD	EA
<p>Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG, simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>												
800890-636	D201-S XPT Q6055	46171622	Axis Communications	D201-S XPT Q6055	01480-001	D201-S XPT Q6055	0000007715	1/1/2021	12/31/2023	14699.02	USD	EA
<p>Explosion-protected, PoE powered, 1080p PTZ dome network camera with 32x zoom, FM listed for hazardous locations Class I Division 1, Groups B, C, D, Tg, Class 1 Zone 1 IIB + H2 Tg, -20°C <= Ta <= +55°C (FM17US0156). Stainless Steel 316L housing. Auto day/night functionality, Zipstream, wide dynamic range, electronic image stabilization, highlight compensation. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p@30 fps, 720@60 fps. High PoE midspan with fiber slot is included (for installation in safe area or Ex d enclosure), AXIS Surveillance SD Card 64GB. Optional accessories: Wall and pole mount. Built to order, 6 weeks lead time.</p>												
800890-637	F101-A XF P1367	46171622	Axis Communications	F101-A XF P1367	01703-001	F101-A XF P1367	0000007715	1/1/2021	12/31/2023	3919.02	USD	EA
<p>Explosion-protected, PoE powered, 5 MP fixed network camera, FM listed for hazardous locations Class I/II/III Division 1, Groups B, C, D, E, F, G, Class 1 Zone 1 IIB + H2 Tg, Class II Zone 2I, AEx d IIC Tg Db, -20°C <= Ta <= +60°C. Powder coated aluminum housing (RAL 3012), I-CS mount lens, 2.8 - 8mm, F1.2, Lightfinder, Zipstream, WDR - forensic capture. AXIS Surveillance SD Card 64GB, sunshield included. Built to order, 6 weeks lead time.</p>												
800890-638	AXIS M1045-LW	46171622	Axis Communications	AXIS M1045-LW	0812-004	AXIS M1045-LW	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
<p>Small, wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. AXIS Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.</p>												

800890-639	AXIS M1065-L	46171622	Axis Communications	AXIS M1065-L	Small, full-featured indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Powered over Ethernet (PoE) or by accessory power supply. Includes wall, corner bracket and table top bracket for easy mounting. Power supply not included.	0811-001	AXIS M1065-L	0000007715	1/1/2021	12/31/2023	273.42	USD	EA
800890-640	AXIS M1065-LW	46171622	Axis Communications	AXIS M1065-LW	Small, full-featured wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.	0810-004	AXIS M1065-LW	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-641	AXIS M1124	46171622	Axis Communications	AXIS M1124	HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Includes stand. Power supply not included.	0747-001	AXIS M1124	0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-642	AXIS M1124 BULK 10PCS	46171622	Axis Communications	AXIS M1124 BULK 10PCS	AXIS M1124 in 10-pack. Cannot be sold separately as single packs.	0747-021	AXIS M1124 BULK 10PCS	0000007715	1/1/2021	12/31/2023	3380.02	USD	EA
800890-643	AXIS M1124 BAREBONE	46171622	Axis Communications	AXIS M1124 BAREBONE	AXIS M1124 Barebone. No lens.	0747-031	AXIS M1124 BAREBONE	0000007715	1/1/2021	12/31/2023	322.42	USD	EA
800890-644	AXIS M1124-E	46171622	Axis Communications	AXIS M1124-E	Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Operation in -20°C to +50°C. Powered by IEEE 802.3af midspan. Includes a wall bracket, Torx T20 screw driver and IP66-rated cable glands. Midspan not included.	0748-001	AXIS M1124-E	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-645	AXIS M1125	46171622	Axis Communications	AXIS M1125	HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Includes stand. Power supply not included.	0749-001	AXIS M1125	0000007715	1/1/2021	12/31/2023	410.62	USD	EA
800890-646	AXIS M1125 BULK 10PCS	46171622	Axis Communications	AXIS M1125 BULK 10PCS	AXIS M1125 in 10-pack. Cannot be sold separately as single packs.	0749-021	AXIS M1125 BULK 10PCS	0000007715	1/1/2021	12/31/2023	4066.02	USD	EA
800890-647	AXIS M1125 BAREBONE	46171622	Axis Communications	AXIS M1125 BAREBONE	AXIS M1125 Barebone. No lens.	0749-031	AXIS M1125 BAREBONE	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-648	AXIS M1125-E	46171622	Axis Communications	AXIS M1125-E	Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Operation in -20°C to +50°C. Powered by IEEE 802.3af midspan. Includes a wall bracket, Torx T20 screw driver and IP66-rated cable glands. Midspan not included.	0750-001	AXIS M1125-E	0000007715	1/1/2021	12/31/2023	508.62	USD	EA
800890-649	AXIS M1145	46171622	Axis Communications	AXIS M1145	HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	0590-001	AXIS M1145	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-650	AXIS M1145 BULK 10PCS	46171622	Axis Communications	AXIS M1145 BULK 10PCS	AXIS M1145 in 10-pack/bulk. Cannot be sold separately as single packs.	0590-021	AXIS M1145 BULK 10PCS	0000007715	1/1/2021	12/31/2023	4850.02	USD	EA
800890-651	AXIS M1145-L	46171622	Axis Communications	AXIS M1145-L	HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. Optimized IR, a power-efficient LED technology that provides an adaptable angle of IR illumination up to 15 meters (50 feet) MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	0591-001	AXIS M1145-L	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-652	AXIS M1145-L BULK 10PCS	46171622	Axis Communications	AXIS M1145-L BULK 10PCS	AXIS M1145-L in 10-pack/bulk. Cannot be sold separately as single packs.	0591-021	AXIS M1145-L BULK 10PCS	0000007715	1/1/2021	12/31/2023	4850.02	USD	EA
800890-653	AXIS M2025-LE	46171622	Axis Communications	AXIS M2025-LE	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	0911-001	AXIS M2025-LE	0000007715	1/1/2021	12/31/2023	322.42	USD	EA
800890-654	AXIS M2025-LE BLACK	46171622	Axis Communications	AXIS M2025-LE BLACK	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	0988-001	AXIS M2025-LE BLACK	0000007715	1/1/2021	12/31/2023	322.42	USD	EA
800890-655	AXIS M2025-LE BULK 10PCS	46171622	Axis Communications	AXIS M2025-LE BULK 10PCS	AXIS M2025-LE in 10-pack/bulk. Cannot be sold separately as single packs.	0911-021	AXIS M2025-LE BULK 10PCS	0000007715	1/1/2021	12/31/2023	3184.02	USD	EA
800890-656	AXIS M2026-LE MK II	46171622	Axis Communications	AXIS M2026-LE MK II	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264/H.265 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	01049-001	AXIS M2026-LE MK II	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-657	AXIS M2026-LE MK II BLACK	46171622	Axis Communications	AXIS M2026-LE MK II BLACK	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264/H.265 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	01050-001	AXIS M2026-LE MK II BLACK	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-658	AXIS M2026-LE MK II BULK 10PCS	46171622	Axis Communications	AXIS M2026-LE MK II BULK 10PCS	AXIS M2026-LE MK II in 10-pack/bulk. Cannot be sold separately as single packs.	01049-021	AXIS M2026-LE MK II BULK 10PCS	0000007715	1/1/2021	12/31/2023	3870.02	USD	EA
800890-659	AXIS M2026-LE MK II BLACK BULK 10PCS	46171622	Axis Communications	AXIS M2026-LE MK II BLACK BULK 10PCS	AXIS M2026-LE MK II Black in 10-pack/bulk. Cannot be sold separately as single packs.	01050-021	AXIS M2026-LE MK II BLACK BULK 10PCS	0000007715	1/1/2021	12/31/2023	3870.02	USD	EA

800890-660	AXIS P1214	46171622	Axis Communications	AXIS P1214	Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	0532-001	AXIS P1214	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-661	AXIS P1214 BULK 10 PCS	46171622	Axis Communications	AXIS P1214 BULK 10 PCS	AXIS P1214 in pack of 10 units	0532-021	AXIS P1214 BULK 10 PCS	0000007715	1/1/2021	12/31/2023	4850.02	USD	EA
800890-662	AXIS P1214-E	46171622	Axis Communications	AXIS P1214-E	Miniature HDTV camera for discreet outdoor surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	0533-001	AXIS P1214-E	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-663	AXIS P1214-E BULK 10 PCS	46171622	Axis Communications	AXIS P1214-E BULK 10 PCS	AXIS P1214-E in pack of 10 units	0533-021	AXIS P1214-E BULK 10 PCS	0000007715	1/1/2021	12/31/2023	4850.02	USD	EA
800890-664	AXIS P1224-E	46171622	Axis Communications	AXIS P1224-E	Miniature HDTV camera for discreet indoor/outdoor surveillance with 145° horizontal field of view. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	0654-001	AXIS P1224-E	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-665	AXIS P1244	46171622	Axis Communications	AXIS P1244	AXIS P1244 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Sensor Unit. The camera provides HDTV 720p resolution and 102° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Comes with a kit for flush mount installation in ceiling/wall.	0896-001	AXIS P1244	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-666	AXIS P1245	46171622	Axis Communications	AXIS P1245	AXIS P1245 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS FA1105 Sensor Unit. The camera provides HDTV 1080p resolution, 111° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector and a detachable cable (8 m/26 ft.) for easy installation and maintenance. Comes with a kit for flush mount installation in ceiling/wall.	0926-001	AXIS P1245	0000007715	1/1/2021	12/31/2023	332.22	USD	EA
800890-667	AXIS P1254	46171622	Axis Communications	AXIS P1254	AXIS P1254 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Bullet Sensor Unit that enables easy mounting on walls or ceilings and with the ability to tilt and rotate the camera provides HDTV 720p resolution and 102° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance.	0924-001	AXIS P1254	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-668	AXIS P1264	46171622	Axis Communications	AXIS P1264	AXIS P1264 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Pinhole Sensor Unit that is designed for extremely discreet indoor installations. The camera provides HDTV 720p resolution and 57° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Bracket included for mounting behind thin metal, plastic or glass panel.	0925-001	AXIS P1264	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-669	AXIS P1265	46171622	Axis Communications	AXIS P1265	AXIS P1265 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and an AXIS FA1125 Pinhole Sensor Unit that is designed for extremely discreet indoor installations. The camera provides HDTV 1080p resolution, 91° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Bracket included for mounting behind a thin metal, plastic or glass panel.	0927-001	AXIS P1265	0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-670	AXIS P1275	46171622	Axis Communications	AXIS P1275	AXIS P1275 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and an AXIS FA4115 Dome Sensor Unit with a varifocal lens that enables easy mounting on walls or ceilings. It can be manually directed with pan, tilt and rotate movements. The camera provides HDTV 1080p resolution, 53-99° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector and a detachable cable (8 m/26 ft.) for easy installation and maintenance.	0928-001	AXIS P1275	0000007715	1/1/2021	12/31/2023	371.42	USD	EA
800890-671	AXIS P1280-E 4MM 8.3 FPS	46171622	Axis Communications	AXIS P1280-E 4MM 8.3 FPS	AXIS P1280-E Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an outdoor ready thermal sensor unit with a 12 m/39.4ft cable. The camera provides 208x156 resolution, a 4 mm lens with 35.4° horizontal FOV. It supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, edge storage using microSD card and built-in analytics with support for AXIS Camera Application Platform, which enables the usage of a broad range of third-party applications. The flexible form factor allows it to be placed in locations with limited space and a wide range of mounting accessories enables wall, ceiling and recessed installations. The main unit is powered with PoE. The sensor unit has 12 m/39.4 ft cable.	0940-001	AXIS P1280-E 4MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-672	AXIS P1290-E 4 MM 8.3 FPS	46171622	Axis Communications	AXIS P1290-E 4 MM 8.3 FPS	The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. AXIS P1290-E Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an outdoor ready thermal sensor unit with a 12 m/39.4ft cable and dome casing. The camera provides 208x156 resolution, a 4 mm lens with 35.4° horizontal FOV. It supports multiple streams in H.264 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, edge storage using microSD card and built-in analytics with support for AXIS Camera Application Platform, which enables the usage of a broad range of third-party applications. The main unit is powered with PoE. The sensor unit has 12 m/39.4 ft cable.	01168-001	AXIS P1290-E 4 MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	832.02	USD	EA
800890-673	AXIS P1364	46171622	Axis Communications	AXIS P1364	The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8.5 mm P-Iris lens and remote back focus (camera also supports DC-Iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 60 fps. WDR - Forensic Capture, Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.	0689-001	AXIS P1364	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
800890-674	AXIS P1364 BULK 10PCS	46171622	Axis Communications	AXIS P1364 BULK 10PCS	AXIS P1364 in 10-pack. Cannot be sold separately as single packs. No power supplies.	0689-021	AXIS P1364 BULK 10PCS	0000007715	1/1/2021	12/31/2023	6271.02	USD	EA
800890-675	AXIS P1364-E	46171622	Axis Communications	AXIS P1364-E	Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 720p, day/night, fixed network camera with CS-mount varifocal 2.8-8.5 mm P-Iris lens and remote back focus (camera also supports DC-Iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 60 fps. WDR - Forensic Capture Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, intrusion switch, Torx T20 screw driver and IP66/67-rated cable glands. Midspan not included.	0739-001	AXIS P1364-E	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-676	AXIS P1364 BAREBONE	46171622	Axis Communications	AXIS P1364 BAREBONE	AXIS P1364 Barebone. No lens. No power supply.	0689-041	AXIS P1364 BAREBONE	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-677	AXIS P1364 BAREB BULK 10PCS	46171622	Axis Communications	AXIS P1364 BAREB BULK 10PCS	AXIS P1364 Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	0689-051	AXIS P1364 BAREB BULK 10PCS	0000007715	1/1/2021	12/31/2023	5379.22	USD	EA

800890-678	AXIS P1365 Mk II	46171622	Axis Communications	AXIS P1365 Mk II	HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 60 fps. WDR - Forensic Capture, Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.	0897-001	AXIS P1365 Mk II	0000007715	1/1/2021	12/31/2023	734.02	USD	EA
800890-679	AXIS P1365-E Mk II	46171622	Axis Communications	AXIS P1365-E Mk II	Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 1080p, day/night, fixed network camera with CS-mount varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 60 fps. WDR - Forensic Capture, Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan not included.	0898-001	AXIS P1365-E Mk II	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-680	AXIS P1365 Mk II BULK 10PCS	46171622	Axis Communications	AXIS P1365 Mk II BULK 10PCS	AXIS P1365 Mk II in 10-pack. Cannot be sold separately as single packs. No power supplies.	0897-021	AXIS P1365 Mk II BULK 10PCS	0000007715	1/1/2021	12/31/2023	7251.02	USD	EA
800890-681	AXIS P1365 Mk II BAREB	46171622	Axis Communications	AXIS P1365 Mk II BAREB	AXIS P1365 Mk II Barebone. No lens. No power supply.	0897-041	AXIS P1365 Mk II BAREB	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
800890-682	AXIS P1365 Mk II BAREB BULK 10PCS	46171622	Axis Communications	AXIS P1365 Mk II BAREB BULK 10PCS	AXIS P1365 Mk II Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	0897-051	AXIS P1365 Mk II BAREB BULK 10PCS	0000007715	1/1/2021	12/31/2023	6359.22	USD	EA
800890-683	AXIS P1375	46171622	Axis Communications	AXIS P1375	HDTV 1080p resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 2.8-10 mm F1.2 P-iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and security lock slot. Barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 12-28VDC input. Includes black stand for wall and ceiling mount with hole for easy cable management. Midspan or power supply not included.	01532-001	AXIS P1375	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
800890-684	AXIS P1375 BAREBONE	46171622	Axis Communications	AXIS P1375 BAREBONE	AXIS P1375 Barebone in single pack. No lens. No power supply.	01532-031	AXIS P1375 BAREBONE	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-685	AXIS P1375-E	46171622	Axis Communications	AXIS P1375-E	Outdoor, NEMA 4X, IP66/67 and IK10-rated, light weight HDTV 1080p resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 2.8-10 mm F1.2 P-iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and open casing intrusion switch. Barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Support for optional Axis Fixed Box IR illuminator Kit A and Axis P13 WeatherShield Extension A. Serial port for RS422/485 communication. Operation in -40°C to +60°C. Power over Ethernet or 12-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan or power supply not included.	01533-001	AXIS P1375-E	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-686	AXIS P1375-E BAREBONE	46171622	Axis Communications	AXIS P1375-E BAREBONE	AXIS P1375-E Barebone. No lens. Midspan not included.	01533-031	AXIS P1375-E BAREBONE	0000007715	1/1/2021	12/31/2023	832.02	USD	EA
800890-687	AXIS P1367	46171622	Axis Communications	AXIS P1367	SMP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder technology for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max SMP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 8-28 V DC input. Includes black metal stand with hole for easy cable management. Midspan not included.	0762-001	AXIS P1367	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-688	AXIS P1367 BAREBONE	46171622	Axis Communications	AXIS P1367 BAREBONE	AXIS P1367 Barebone. No lens. No power supply.	0762-031	AXIS P1367 BAREBONE	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
800890-689	AXIS P1367-E	46171622	Axis Communications	AXIS P1367-E	Outdoor, SMP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max SMP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS422/485 communication. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°C and intermittently up to +60°C. Powered by IEEE 802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan not included.	0763-001	AXIS P1367-E	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-690	AXIS P1367-E BAREBONE	46171622	Axis Communications	AXIS P1367-E BAREBONE	AXIS P1367-E Barebone. No lens. Midspan not included.	0763-031	AXIS P1367-E BAREBONE	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-691	AXIS P1368-E	46171622	Axis Communications	AXIS P1368-E	Outdoor, 4K Ultra HD (8MP) camera, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 i-CS lens with P-iris, remote zoom and focus for installation (camera also supports P-iris and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS422/485 communication. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°C. Powered by IEEE 802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan not included.	01109-001	AXIS P1368-E	0000007715	1/1/2021	12/31/2023	1077.02	USD	EA
800890-692	AXIS P1368-E BAREBONE	46171622	Axis Communications	AXIS P1368-E BAREBONE	AXIS P1368-E Barebone. No lens. Midspan not included.	01109-031	AXIS P1368-E BAREBONE	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-693	AXIS P1405-LE Mk II	46171622	Axis Communications	AXIS P1405-LE Mk II	Compact and outdoor-ready HDTV camera for day and night surveillance. IP66-rated, varifocal 2.8-10 mm P-iris lens. Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p/2MP resolution at 25/30 fps. Video motion detection, active tampering alarm, corridor format, Zipstream technology and WDR - Forensic Capture. microSD/SDHC memory card slot for edge storage. Built-in IR illumination covering up to 10 meters (33 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -10 °C to 50 °C (14 °F to 122 °F).	0961-001	AXIS P1405-LE Mk II	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-694	AXIS P1425-LE Mk II	46171622	Axis Communications	AXIS P1425-LE Mk II	Compact and outdoor-ready HDTV camera for day and night surveillance. IP66-rated, varifocal 3.0-10.5 mm P-iris lens. Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p/2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR - Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 20 meters (66 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 140 °F).	0960-001	AXIS P1425-LE Mk II	0000007715	1/1/2021	12/31/2023	636.02	USD	EA

800890-695	AXIS P1435-LE	46171622	Axis Communications	AXIS P1435-LE	0777-001	AXIS P1435-LE	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
<p>Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens. Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p/2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 30 meters (100 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).</p>												
800890-696	AXIS P1435-LE 22MM	46171622	Axis Communications	AXIS P1435-LE 22MM	0890-001	AXIS P1435-LE 22MM	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
<p>Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 10-22 mm P-iris lens. Remote 2 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p/2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 50 meters (164 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).</p>												
800890-697	AXIS P1445-LE	46171622	Axis Communications	AXIS P1445-LE	01506-001	AXIS P1445-LE	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
<p>Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p/2MP resolution at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>												
800890-698	AXIS P1447-LE	46171622	Axis Communications	AXIS P1447-LE	01054-001	AXIS P1447-LE	0000007715	1/1/2021	12/31/2023	734.02	USD	EA
<p>Compact outdoor, 5MP resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SMP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 30 meters (98 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>												
800890-699	AXIS P1448-LE	46171622	Axis Communications	AXIS P1448-LE	01055-001	AXIS P1448-LE	0000007715	1/1/2021	12/31/2023	930.02	USD	EA
<p>Compact outdoor, 4K Ultra HD (8MP) resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.8 mm F1.5 P-iris lens with remote 3.5x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 25 meters (82 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>												
800890-700	AXIS Q1615 Mk II	46171622	Axis Communications	AXIS Q1615 Mk II	0883-001	AXIS Q1615 Mk II	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
<p>HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Power supply not included.</p>												
800890-701	AXIS Q1615 Mk II BAREBONE	46171622	Axis Communications	AXIS Q1615 Mk II BAREBONE	0883-041	AXIS Q1615 Mk II BAREBONE	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
<p>Outdoor, NEMA 4X, IP66 and IK10-rated, HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Arctic Temperature Control, operation in -30°C to 60°C (-22 °F to 140 °F) when powered by IEEE 802.3af midspan or -40°C to 60°C (-40 °F to 140 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.</p>												
800890-702	AXIS Q1615-E Mk II	46171622	Axis Communications	AXIS Q1615-E Mk II	0884-001	AXIS Q1615-E Mk II	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA
<p>1/2" image sensor, HDTV, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.</p>												
800890-703	AXIS Q1645	46171622	Axis Communications	AXIS Q1645	01222-001	AXIS Q1645	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
<p>1/2" image sensor, outdoor, NEMA 4X, IP66 and IK10-rated HDTV, day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without.</p>												
800890-704	AXIS Q1645 BARE BONE	46171622	Axis Communications	AXIS Q1645 BARE BONE	01222-041	AXIS Q1645 BARE BONE	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
<p>Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3af Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.</p>												
800890-705	AXIS Q1645-LE	46171622	Axis Communications	AXIS Q1645-LE	01223-001	AXIS Q1645-LE	0000007715	1/1/2021	12/31/2023	1469.02	USD	EA
<p>1/2" sensor, 5 MP, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.</p>												
800890-706	AXIS Q1647	46171622	Axis Communications	AXIS Q1647	01051-001	AXIS Q1647	0000007715	1/1/2021	12/31/2023	1371.02	USD	EA
<p>1/2" sensor, 5 MP, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.</p>												
800890-707	AXIS Q1647 BARE BONE	46171622	Axis Communications	AXIS Q1647 BARE BONE	01051-041	AXIS Q1647 BARE BONE	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
<p>AXIS Q1647 Barebone in single pack. No lens. No power supply.</p>												

800890-708	AXIS Q1647-LE	46171622	Axis Communications	AXIS Q1647-LE	01052-001	AXIS Q1647-LE	0000007715	1/1/2021	12/31/2023	1665.02	USD	EA
<p>1/2" sensor, outdoor, NEMA 4X, IP66 and IK10-rated, 5 MP, Day/night fixed camera providing OptimizediR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm I-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-Iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zigstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm and shock detection. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40°F to 140°F). Includes a removable sunshield and wall bracket. Midspan not included.</p> <p>Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com</p> <p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p>												
800890-709	AXIS Q1659 BAREBONE	46171622	Axis Communications	AXIS Q1659 BAREBONE	01568-031	AXIS Q1659 BAREBONE	0000007715	1/1/2021	12/31/2023	4801.02	USD	EA
<p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zigstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zigstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing <p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p>												
800890-710	AXIS Q1659 10-22MM F/3.5-4.5	46171622	Axis Communications	AXIS Q1659 10-22MM F/3.5-4.5	0967-001	AXIS Q1659 10-22MM F/3.5-4.5	0000007715	1/1/2021	12/31/2023	5781.02	USD	EA
<p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zigstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zigstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing <p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p>												
800890-711	AXIS Q1659 24MM F/2.8	46171622	Axis Communications	AXIS Q1659 24MM F/2.8	0962-001	AXIS Q1659 24MM F/2.8	0000007715	1/1/2021	12/31/2023	4899.02	USD	EA
<p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zigstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zigstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing <p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p>												
800890-712	AXIS Q1659 35MM F/2	46171622	Axis Communications	AXIS Q1659 35MM F/2	0963-001	AXIS Q1659 35MM F/2	0000007715	1/1/2021	12/31/2023	5781.02	USD	EA
<p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zigstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zigstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing <p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p>												
800890-713	AXIS Q1659 50MM F/1.4	46171622	Axis Communications	AXIS Q1659 50MM F/1.4	0964-001	AXIS Q1659 50MM F/1.4	0000007715	1/1/2021	12/31/2023	5291.02	USD	EA
<p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zigstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zigstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 												

				Professional photography meets video surveillance									
				AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.									
				It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.									
800890-714	AXIS Q1659 85MM F/1.2	46171622	Axis Communications	AXIS Q1659 85MM F/1.2	0965-001	AXIS Q1659 85MM F/1.2	0000007715	1/1/2021	12/31/2023	7986.02	USD	EA	
				AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.									
				> 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing									
				Professional photography meets video surveillance									
				AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.									
				It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.									
800890-715	AXIS Q1659 100MM F/2.8	46171622	Axis Communications	AXIS Q1659 100MM F/2.8	0966-001	AXIS Q1659 100MM F/2.8	0000007715	1/1/2021	12/31/2023	6369.02	USD	EA	
				AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.									
				> 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing									
				Professional photography meets video surveillance									
				AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.									
				It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.									
800890-716	AXIS Q1659 70-200MM F/2.8	46171622	Axis Communications	AXIS Q1659 70-200MM F/2.8	0968-001	AXIS Q1659 70-200MM F/2.8	0000007715	1/1/2021	12/31/2023	8231.02	USD	EA	
				AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.									
				> 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing									
				Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. Two way audio and I/O with multi-connector cable (not included). MicroSD/MicroSDHC memory card slot for optional local video storage. Operation in -40°C to +50°C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield, integrated wall/ceiling mount. Power supply or midspan not included.									
800890-717	AXIS Q1765-LE	46171622	Axis Communications	AXIS Q1765-LE	0509-001	AXIS Q1765-LE	0000007715	1/1/2021	12/31/2023	1371.02	USD	EA	
				Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm.									
800890-718	AXIS Q1765-LE PTMOUNT	46171622	Axis Communications	AXIS Q1765-LE PTMOUNT	0644-001	AXIS Q1765-LE PTMOUNT	0000007715	1/1/2021	12/31/2023	1371.02	USD	EA	
				Serial port supporting RS422/485 communication for connection to a pan-tilt motor. MicroSD/MicroSDHC memory card slot for optional local video storage. Operation in -40°C to +50°C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply, midspan or pan-tilt motor not included.									
800890-719	AXIS Q1775	46171622	Axis Communications	AXIS Q1775	0751-001	AXIS Q1775	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA	
				1080p HDTV camera with 10x zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max. HDTV 1080p resolution at 50/60 fps. WDR-Dynamic Capture (130dB@ 30 fps and 90dB@ 60 fps). Video motion detection, Gatekeeper functionality and active tampering alarm. Two way audio in 48KHz, I/O and serial port for RS485/RS422 communication. SDHC/SDXC memory card slot for optional local video storage. Arctic Temperature Control, operation in -30°C to 50°C (-22°F to 122°F) when powered by IEEE 802.3af midspan or -40 °C to 50 °C (-40 °F to 122 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.									
800890-720	AXIS Q1775-E	46171622	Axis Communications	AXIS Q1775-E	0752-001	AXIS Q1775-E	0000007715	1/1/2021	12/31/2023	1567.02	USD	EA	
				Outdoor, IP66- and NEMA 4X-rated, 1080p HDTV camera with 10x zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max. HDTV 1080p resolution at 50/60 fps. WDR-Dynamic Capture (130dB@ 30 fps and 90dB@ 60 fps). Video motion detection, Gatekeeper functionality and active tampering alarm. Two way audio in 48KHz, I/O and serial port for RS485/RS422 communication. SDHC/SDXC memory card slot for optional local video storage. Arctic Temperature Control, operation in -30°C to 50°C (-22°F to 122°F) when powered by IEEE 802.3af midspan or -40 °C to 50 °C (-40 °F to 122 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.									
				Robust outdoor, 2 MP/HDTV, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs.									
800890-721	AXIS Q1785-LE	46171622	Axis Communications	AXIS Q1785-LE	01161-001	AXIS Q1785-LE	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA	
				Varifocal 4.3-137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology.									
				Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.									

800890-722	AXIS Q1786-LE	46171622	Axis Communications	AXIS Q1786-LE	01162-001	AXIS Q1786-LE	0000007715	1/1/2021	12/31/2023	1371.02	USD	EA
<p>Robust outdoor, 4 MP/Quad HD1440p, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1440p /AMP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. Optimised, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.</p>												
800890-723	AXIS Q1941-E 7MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E 7MM 30 FPS	0786-001	AXIS Q1941-E 7MM 30 FPS	0000007715	1/1/2021	12/31/2023	2743.02	USD	EA
<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-724	AXIS Q1941-E 13MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E 13MM 30 FPS	0787-001	AXIS Q1941-E 13MM 30 FPS	0000007715	1/1/2021	12/31/2023	2743.02	USD	EA
<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-725	AXIS Q1941-E 19MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E 19MM 30 FPS	0877-001	AXIS Q1941-E 19MM 30 FPS	0000007715	1/1/2021	12/31/2023	2743.02	USD	EA
<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-726	AXIS Q1941-E 35MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E 35MM 30 FPS	0788-001	AXIS Q1941-E 35MM 30 FPS	0000007715	1/1/2021	12/31/2023	3723.02	USD	EA
<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-727	AXIS Q1941-E 60MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E 60MM 30 FPS	0789-001	AXIS Q1941-E 60MM 30 FPS	0000007715	1/1/2021	12/31/2023	5193.02	USD	EA
<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-728	AXIS Q1941-E PT MOUNT 7MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E PT MOUNT 7MM 30 FPS	0973-001	AXIS Q1941-E PT MOUNT 7MM 30 FPS	0000007715	1/1/2021	12/31/2023	2743.02	USD	EA
<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-729	AXIS Q1941-E PT MOUNT 13MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E PT MOUNT 13MM 30 FPS	0974-001	AXIS Q1941-E PT MOUNT 13MM 30 FPS	0000007715	1/1/2021	12/31/2023	2743.02	USD	EA
<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-730	AXIS Q1941-E PT MOUNT 19MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E PT MOUNT 19MM 30 FPS	0979-001	AXIS Q1941-E PT MOUNT 19MM 30 FPS	0000007715	1/1/2021	12/31/2023	2743.02	USD	EA
<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												
800890-731	AXIS Q1941-E PT MOUNT 35MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E PT MOUNT 35MM 30 FPS	0975-001	AXIS Q1941-E PT MOUNT 35MM 30 FPS	0000007715	1/1/2021	12/31/2023	3723.02	USD	EA
<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>												

800890-732	AXIS Q1941-E PT MOUNT 60MM 30 FPS	46171622	Axis Communications	AXIS Q1941-E PT MOUNT 60MM 30 FPS	0977-001	AXIS Q1941-E PT MOUNT 60MM 30 FPS	0000007715	1/1/2021	12/31/2023	5193.02	USD	EA
					<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-733	AXIS Q1942-E 10MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E 10MM 30 FPS	0916-001	AXIS Q1942-E 10MM 30 FPS	0000007715	1/1/2021	12/31/2023	4899.02	USD	EA
					<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-734	AXIS Q1942-E 19MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E 19MM 30 FPS	0918-001	AXIS Q1942-E 19MM 30 FPS	0000007715	1/1/2021	12/31/2023	4899.02	USD	EA
					<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 19 mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-735	AXIS Q1942-E 35MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E 35MM 30 FPS	0920-001	AXIS Q1942-E 35MM 30 FPS	0000007715	1/1/2021	12/31/2023	5879.02	USD	EA
					<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-736	AXIS Q1942-E 60MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E 60MM 30 FPS	0922-001	AXIS Q1942-E 60MM 30 FPS	0000007715	1/1/2021	12/31/2023	7349.02	USD	EA
					<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-737	AXIS Q1942-E PT MOUNT 10MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E PT MOUNT 10MM 30 FPS	0981-001	AXIS Q1942-E PT MOUNT 10MM 30 FPS	0000007715	1/1/2021	12/31/2023	4899.02	USD	EA
					<p>Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-738	AXIS Q1942-E PT MOUNT 19MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E PT MOUNT 19MM 30 FPS	0983-001	AXIS Q1942-E PT MOUNT 19MM 30 FPS	0000007715	1/1/2021	12/31/2023	4899.02	USD	EA
					<p>Q1942-E PT mount 19mm Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-739	AXIS Q1942-E PT MOUNT 35MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E PT MOUNT 35MM 30 FPS	0985-001	AXIS Q1942-E PT MOUNT 35MM 30 FPS	0000007715	1/1/2021	12/31/2023	5879.02	USD	EA
					<p>Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-740	AXIS Q1942-E PT MOUNT 60MM 30 FPS	46171622	Axis Communications	AXIS Q1942-E PT MOUNT 60MM 30 FPS	0987-001	AXIS Q1942-E PT MOUNT 60MM 30 FPS	0000007715	1/1/2021	12/31/2023	7349.02	USD	EA
					<p>Outdoor Thermal Network Camera for positioning unit, 640x480 resolution, 30 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>							
800890-741	AXIS Q2901-E 9MM 8.3 FPS	46171622	Axis Communications	AXIS Q2901-E 9MM 8.3 FPS	0645-001	AXIS Q2901-E 9MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	5095.02	USD	EA
					<p>AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations.</p>							
800890-742	AXIS Q2901-E PTMOUNT 9MM 8.3 FPS	46171622	Axis Communications	AXIS Q2901-E PTMOUNT 9MM 8.3 FPS	0646-001	AXIS Q2901-E PTMOUNT 9MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	5095.02	USD	EA
					<p>AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations.</p>							

800890-743	AXIS Q2901-E 19MM 8.3 FPS	46171622	Axis Communications	AXIS Q2901-E 19MM 8.3 FPS	0647-001	AXIS Q2901-E 19MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	5095.02	USD	EA
				AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, iV0, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations.								
800890-744	AXIS Q2901-E PTMOUNT 19MM 8.3 FPS	46171622	Axis Communications	AXIS Q2901-E PTMOUNT 19MM 8.3 FPS	0648-001	AXIS Q2901-E PTMOUNT 19MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	5095.02	USD	EA
				AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations.								
800890-745	AXIS F34 MAIN UNIT	46171622	Axis Communications	AXIS F34 MAIN UNIT	0778-001	AXIS F34 MAIN UNIT	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
				AXIS F34 Main Unit. 4-channel main unit to be used with any of AXIS F Series Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Supports edge storage through NAS or SD cards (optional). Two SD card slots. Power over Ethernet or 8-28 V DC input. Power supply not included.								
800890-746	AXIS F41 MAIN UNIT	46171622	Axis Communications	AXIS F41 MAIN UNIT	0658-001	AXIS F41 MAIN UNIT	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
				AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV 1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD card (optional). PoE and 8-28 V DC support.								
800890-747	AXIS F44 DUAL AUDIO INPUT	46171622	Axis Communications	AXIS F44 DUAL AUDIO INPUT	0936-001	AXIS F44 DUAL AUDIO INPUT	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
				AXIS F44 Dual Audio Input Main Unit. 4-channel main unit to be used with any of AXIS F Series Sensor Units. Supports 1080p in 15/12.5 fps or 720p in Full frame rate. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD cards (optional). Two SD card slots. PoE and 8-28 V DC support. Comes with a stereo-to-mono adapter cable that allows two audio inputs. This article replaces AXIS F44 Main Unit (0555-001) and the US version of AXIS F44 Dual Audio Input (0936-004).								
800890-748	AXIS F1004 SENSOR UNIT	46171622	Axis Communications	AXIS F1004 SENSOR UNIT	0765-001	AXIS F1004 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
				AXIS F1004 Sensor Unit with a fixed lens. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. A flush ceiling/wall mount kit is included.								
800890-749	AXIS F1004 BULLET SENSOR UNIT	46171622	Axis Communications	AXIS F1004 BULLET SENSOR UNIT	0935-001	AXIS F1004 BULLET SENSOR UNIT	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
				AXIS F1004 Bullet Sensor Unit with a fixed lens. Bullet-style mechanics enabling easy mounting on walls or ceilings and with the ability to tilt and rotate. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit.								
800890-750	AXIS F1004 PINHOLE SENSOR UNIT	46171622	Axis Communications	AXIS F1004 PINHOLE SENSOR UNIT	01003-001	AXIS F1004 PINHOLE SENSOR UNIT	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
				AXIS F1004 Pinhole Sensor Unit. Pinhole lens for extremely discreet surveillance. Provides HDTV 720p and 57° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. Comes with a mounting bracket for the sensor unit.								
800890-751	AXIS F34 SURVEILLANCE SYSTEM	46171622	Axis Communications	AXIS F34 SURVEILLANCE SYSTEM	0779-004	AXIS F34 SURVEILLANCE SYSTEM	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
				AXIS F34 Surveillance System. Includes one AXIS F34 Main Unit, 4 x AXIS F1004 Sensor Units, 4 x AXIS F8214 Dome Accessory, 4 x AXIS F8224 Recessed Mount, 4 x AXIS F7315 Cable White 15 m (49 ft) for connecting sensor units to the main unit and 2 x AXIS Surveillance microSDXC card 64 GB. Comes with a power supply.								
800890-752	AXIS F1005-E SENSOR UNIT 3M	46171622	Axis Communications	AXIS F1005-E SENSOR UNIT 3M	0675-001	AXIS F1005-E SENSOR UNIT 3M	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
				AXIS F1005-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.								
800890-753	AXIS F1005-E SENSOR UNIT 12M	46171622	Axis Communications	AXIS F1005-E SENSOR UNIT 12M	0676-001	AXIS F1005-E SENSOR UNIT 12M	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
				AXIS F1005-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.								
800890-754	AXIS F1015 SENSOR UNIT 3M	46171622	Axis Communications	AXIS F1015 SENSOR UNIT 3M	0677-001	AXIS F1015 SENSOR UNIT 3M	0000007715	1/1/2021	12/31/2023	273.42	USD	EA
				AXIS F1015 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.								
800890-755	AXIS F1015 SENSOR UNIT 12M	46171622	Axis Communications	AXIS F1015 SENSOR UNIT 12M	0678-001	AXIS F1015 SENSOR UNIT 12M	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
				AXIS F1015 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.								
800890-756	AXIS F1025 SENSOR UNIT 3M	46171622	Axis Communications	AXIS F1025 SENSOR UNIT 3M	0735-001	AXIS F1025 SENSOR UNIT 3M	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
				AXIS F1025 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.								
800890-757	AXIS F1025 SENSOR UNIT 12M	46171622	Axis Communications	AXIS F1025 SENSOR UNIT 12M	0734-001	AXIS F1025 SENSOR UNIT 12M	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
				AXIS F1025 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.								
800890-758	AXIS F1035-E SENSOR UNIT 3M	46171622	Axis Communications	AXIS F1035-E SENSOR UNIT 3M	0737-001	AXIS F1035-E SENSOR UNIT 3M	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
				AXIS F1035-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.								
800890-759	AXIS F1035-E SENSOR UNIT 12M	46171622	Axis Communications	AXIS F1035-E SENSOR UNIT 12M	0736-001	AXIS F1035-E SENSOR UNIT 12M	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
				AXIS F1035-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.								
800890-760	AXIS F4005-E DOME SENSOR UNIT	46171622	Axis Communications	AXIS F4005-E DOME SENSOR UNIT	0775-001	AXIS F4005-E DOME SENSOR UNIT	0000007715	1/1/2021	12/31/2023	283.22	USD	EA
				AXIS F4005-E Dome Sensor Unit with a 12-meter (39-foot) cable to an AXIS F Series Main Unit. Comes with a clear dome cover and damask at the back that makes it IK09 and IP66 rated. Fixed lens that provides 110° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.								
800890-761	AXIS F4005 DOME SENSOR UNIT	46171622	Axis Communications	AXIS F4005 DOME SENSOR UNIT	0798-001	AXIS F4005 DOME SENSOR UNIT	0000007715	1/1/2021	12/31/2023	273.42	USD	EA
				AXIS F4005 Dome Sensor Unit with a 12-meter (39-foot) cable to an AXIS F Series Main Unit. Recessed dome without a clear dome cover. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.								
800890-762	AXIS FA1080-E 4MM 8.3 FPS	46171622	Axis Communications	AXIS FA1080-E 4MM 8.3 FPS	01728-001	AXIS FA1080-E 4MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
				AXIS FA1080-E 4MM 8.3 FPS is a modular thermal sensor unit to be used together with AXIS FA54 Main Unit. The thermal sensor unit provides 208x156 resolution and includes a 4 mm lens with 35.4° horizontal FOV. The flexible form factor allows it to be placed in locations with limited space and can be used with a wide range of mounting accessories to enable wall, ceiling and recessed installations. The sensor unit is outdoor-ready and has 12 m/39.4 ft cable.								
800890-763	AXIS FA1105 SENSOR UNIT	46171622	Axis Communications	AXIS FA1105 SENSOR UNIT	0913-001	AXIS FA1105 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
				This product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations.								
800890-764	AXIS FA1125 SENSOR UNIT	46171622	Axis Communications	AXIS FA1125 SENSOR UNIT	0914-001	AXIS FA1125 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
				AXIS FA1105 is a discreet indoor sensor unit with 111° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a small hole visible for the lens. AXIS FA1105 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.								
800890-765	AXIS FA3105-L EYEBALL SENSOR UNIT	46171622	Axis Communications	AXIS FA3105-L EYEBALL SENSOR UNIT	01026-001	AXIS FA3105-L EYEBALL SENSOR UNIT	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
				AXIS FA1125 is an extremely discreet indoor, pin hole lens. Sensor Unit with a 91° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a pinhole visible for the lens. AXIS FA1125 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.								
				AXIS FA3105-L is a compact eyeball sensor unit with built in IR illumination (15 m / 49 ft range of reach) for use with AXIS FA Main Unit. It has 103° horizontal field of view and 1080p HDTV resolution with Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to the main unit.								

800890-766	AXIS FA4090-E 4MM 8.3 FPS	46171622	Axis Communications	AXIS FA4090-E 4MM 8.3 FPS	01729-001	AXIS FA4090-E 4MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
				AXIS FA4090-E 4MM 8.3 FPS is a modular thermal sensor unit to be used together with AXIS FA54 Main Unit. The thermal sensor unit provides 208x156 resolution and includes a 4 mm lens with 35.4° horizontal FOV. The dome housing makes it easy to install and direct the sensor unit to cover your area of interest. The sensor unit is outdoor-ready and has 12 m/39.4 ft cable.								
				This product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations.								
800890-767	AXIS FA4115 SENSOR UNIT	46171622	Axis Communications	AXIS FA4115 SENSOR UNIT	01001-001	AXIS FA4115 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	175.42	USD	EA
				AXIS FA4115 is a compact varifocal dome sensor unit with 53° to 99° horizontal field of view for use with an AXIS FA Main Unit. AXIS FA4115 provides a 1080p resolution a Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8-m (26 ft.) cable for connection to a main unit.								
800890-768	AXIS FA54 MAIN UNIT	46171622	Axis Communications	AXIS FA54 MAIN UNIT	0878-004	AXIS FA54 MAIN UNIT	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
				AXIS FA54 is a modular camera Main Unit and can stream full frame rate HDTV 1080p videos from four sensor units simultaneously using one IP address. It has an HDMI port for connection to a surveillance or public view monitor, Forensic WDR (wide dynamic range) that is optimized for low light and motion, Axis Zipstream, two microphone inputs and one audio out, I/O port and two micro SD card slots for local storage.								
800890-769	AXIS COMPANION CUBE L	46171622	Axis Communications	AXIS COMPANION CUBE L	0891-001	AXIS COMPANION CUBE L	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
				Day/night, full HD cube camera for indoor use. Built-in IR illumination, PIR sensor, microphone, speaker and WDR. Fixed lens. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.								
800890-770	AXIS COMPANION BULLET LE	46171622	Axis Communications	AXIS COMPANION BULLET LE	0959-001	AXIS COMPANION BULLET LE	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
				Day/night, outdoor-ready, full HD bullet-style camera. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and corridor format. Power over Ethernet. Midspan not included. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). For use only with AXIS Companion video management software and mobile apps.								
800890-771	AXIS COMPANION CUBE LW	46171622	Axis Communications	AXIS COMPANION CUBE LW	0892-004	AXIS COMPANION CUBE LW	0000007715	1/1/2021	12/31/2023	273.42	USD	EA
				AXIS Companion Cube LW is a wireless day/night, full HD cube camera for indoor use. Features high quality video in HDTV 1080p / 2 MP resolution and WDR. Built-in microphone for audio recording, and PIR motion sensor for detecting movement in darkness. IR illumination and day and night functionality. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™. Axis' Zipstream technology ensures maximized recording time. Self-contained recording solution with included 64 GB high endurance microSD card optimized for surveillance. Power supply included. For use only with AXIS Companion video management software and mobile apps.								
				Professional photography meets video surveillance								
				AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.								
800890-772	AXIS Q1659 55-250MM F/4-5.6	46171622	Axis Communications	AXIS Q1659 55-250MM F/4-5.6	01118-001	AXIS Q1659 55-250MM F/4-5.6	0000007715	1/1/2021	12/31/2023	5095.02	USD	EA
				It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.								
				AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.								
				> 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing								
800890-773	AXIS COMPANION BULLET MINI LE	46171622	Axis Communications	AXIS COMPANION BULLET MINI LE	01115-001	AXIS COMPANION BULLET MINI LE	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
				Day/night, outdoor-ready, full HD bullet-style camera. Built-in IR illumination and WDR technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video motion detection and corridor format. Power over Ethernet. Operating conditions -20 °C to 50 °C (-4 °F to 122 °F). For use only with AXIS Companion video management software and mobile apps. AXIS Companion Recorder is required and sold separately.								
800890-774	AXIS M3015	46171622	Axis Communications	AXIS M3015	01151-001	AXIS M3015	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
				Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.								
800890-775	AXIS M3016	46171622	Axis Communications	AXIS M3016	01152-001	AXIS M3016	0000007715	1/1/2021	12/31/2023	361.62	USD	EA
				Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 3 MP at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.								
800890-776	AXIS M3044-V	46171622	Axis Communications	AXIS M3044-V	0802-001	AXIS M3044-V	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
				Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.								
800890-777	AXIS M3044-WV	46171622	Axis Communications	AXIS M3044-WV	0803-004	AXIS M3044-WV	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
				Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Power supply included.								
800890-778	AXIS M3045-V	46171622	Axis Communications	AXIS M3045-V	0804-001	AXIS M3045-V	0000007715	1/1/2021	12/31/2023	263.62	USD	EA
				Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.								
800890-779	AXIS M3045-WV	46171622	Axis Communications	AXIS M3045-WV	0805-004	AXIS M3045-WV	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
				Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Power supply included.								
800890-780	AXIS M3046-V 1.8MM	46171622	Axis Communications	AXIS M3046-V 1.8MM	01116-001	AXIS M3046-V 1.8MM	0000007715	1/1/2021	12/31/2023	361.62	USD	EA
				Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed 1.8mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 3 MP at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.								
800890-781	AXIS M3046-V 2.4mm	46171622	Axis Communications	AXIS M3046-V 2.4mm	0806-001	AXIS M3046-V 2.4mm	0000007715	1/1/2021	12/31/2023	361.62	USD	EA
				Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 4 MP at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.								
800890-782	AXIS M3047-P	46171622	Axis Communications	AXIS M3047-P	0808-001	AXIS M3047-P	0000007715	1/1/2021	12/31/2023	459.62	USD	EA
				Ultra-compact, indoor fixed mini dome with 6 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 30 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-Friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.								

800890-783	AXIS M3048-P	46171622	Axis Communications	AXIS M3048-P	01004-001	AXIS M3048-P	0000007715	1/1/2021	12/31/2023	655.62	USD	EA
Ultra-compact, indoor fixed mini dome with 12 MP sensor, fixed lens and and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview in up to 30 fps and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 15 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.												
800890-784	AXIS M3024-LVE	46171622	Axis Communications	AXIS M3024-LVE	0535-001	AXIS M3024-LVE	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens and built-in IR illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.												
800890-785	AXIS M3025-VE	46171622	Axis Communications	AXIS M3025-VE	0536-001	AXIS M3025-VE	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.												
800890-786	AXIS M3026-VE	46171622	Axis Communications	AXIS M3026-VE	0547-001	AXIS M3026-VE	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed, 106° lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps or 3 MP resolution at 20 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.												
800890-787	AXIS M3027-PVE	46171622	Axis Communications	AXIS M3027-PVE	0556-001	AXIS M3027-PVE	0000007715	1/1/2021	12/31/2023	734.02	USD	EA
Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to SMP resolution at 12 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included.												
800890-788	AXIS M3037-PVE	46171622	Axis Communications	AXIS M3037-PVE	0548-001	AXIS M3037-PVE	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/270°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to SMP resolution at 12 fps. Two-way, echo-free audio communication with built-in microphone and speaker. SIP support for IP phone system integration. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included.												
800890-789	AXIS M3057-PLVE	46171622	Axis Communications	AXIS M3057-PLVE	01177-001	AXIS M3057-PLVE	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
360°/180° fixed dome with 6 MP sensor and support for Forensic WDR, Lightfinder and OptimizedIR illumination. Vandal-resistant casing in flat design, for outdoor or indoor installation. Provides complete 360° overview in up to 30 fps with WDR and 60 fps with WDR disabled. Dewarped panorama, quad, corner, corridor and up to four digital PTZ views. Client-side dewarping also supported. Multiple, individually configurable H.264 and Motion JPEG streams, Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Includes mounting bracket for wall or junction boxes. Midspan not included.												
800890-790	AXIS M3058-PLVE	46171622	Axis Communications	AXIS M3058-PLVE	01178-001	AXIS M3058-PLVE	0000007715	1/1/2021	12/31/2023	832.02	USD	EA
360°/180° fixed dome with 12 MP sensor and support for Forensic WDR, Lightfinder and OptimizedIR illumination. Vandal-resistant casing in flat design, for outdoor or indoor installation. Provides complete 360° overview in up to 20 fps with WDR and 30 fps with WDR disabled. Dewarped panorama, quad, corner, corridor and up to four digital PTZ views. Client-side dewarping also supported. Multiple, individually configurable H.264 and Motion JPEG streams, Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Includes mounting bracket for wall or junction boxes. Midspan not included.												
800890-791	AXIS M3104-L	46171622	Axis Communications	AXIS M3104-L	0865-001	AXIS M3104-L	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.												
800890-792	AXIS M3104-LVE	46171622	Axis Communications	AXIS M3104-LVE	0866-001	AXIS M3104-LVE	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.												
800890-793	AXIS M3105-L	46171622	Axis Communications	AXIS M3105-L	0867-001	AXIS M3105-L	0000007715	1/1/2021	12/31/2023	312.62	USD	EA
Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.												
800890-794	AXIS M3105-LVE	46171622	Axis Communications	AXIS M3105-LVE	0868-001	AXIS M3105-LVE	0000007715	1/1/2021	12/31/2023	361.62	USD	EA
Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.												
800890-795	AXIS M3106-L MK II	46171622	Axis Communications	AXIS M3106-L MK II	01036-001	AXIS M3106-L MK II	0000007715	1/1/2021	12/31/2023	410.62	USD	EA
Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4 MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.												
800890-796	AXIS M3106-LVE MK II	46171622	Axis Communications	AXIS M3106-LVE MK II	01037-001	AXIS M3106-LVE MK II	0000007715	1/1/2021	12/31/2023	459.62	USD	EA
Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4 MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.												
800890-797	AXIS M4206-V	46171622	Axis Communications	AXIS M4206-V	01240-001	AXIS M4206-V	0000007715	1/1/2021	12/31/2023	410.62	USD	EA
Ultra-compact, varifocal, D/N mini dome with dust- and vandal-resistant casing for easy indoor mounting on wall or ceiling. 3-6 mm lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 3MP for wide 4:3 view, 1080p for 16:9, max 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Power over Ethernet. Midspan not included.												
800890-798	AXIS M4206-LV	46171622	Axis Communications	AXIS M4206-LV	01241-001	AXIS M4206-LV	0000007715	1/1/2021	12/31/2023	459.62	USD	EA
Ultra-compact, varifocal, D/N mini dome with built-in IR illumination and dust- and vandal-resistant casing for easy indoor mounting on wall or ceiling. 3-6 mm lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 3MP for wide 4:3 view, 1080p for 16:9, max 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Power over Ethernet. Midspan not included.												
800890-799	AXIS P3224-V MKII	46171622	Axis Communications	AXIS P3224-V MKII	0950-001	AXIS P3224-V MKII	0000007715	1/1/2021	12/31/2023	410.62	USD	EA
Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												

800890-800	AXIS P3224-LV MKII	46171622	Axis Communications	AXIS P3224-LV MKII	0990-001	AXIS P3224-LV MKII	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-801	AXIS P3225-V MKII	46171622	Axis Communications	AXIS P3225-V MKII	0952-001	AXIS P3225-V MKII	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-802	AXIS P3225-VE MKII	46171622	Axis Communications	AXIS P3225-VE MKII	0953-001	AXIS P3225-VE MKII	0000007715	1/1/2021	12/31/2023	606.62	USD	EA
Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. IK10 vandal-resistant outdoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-803	AXIS P3225-LV MKII	46171622	Axis Communications	AXIS P3225-LV MKII	0954-001	AXIS P3225-LV MKII	0000007715	1/1/2021	12/31/2023	567.42	USD	EA
Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-804	AXIS P3225-LVE MKII	46171622	Axis Communications	AXIS P3225-LVE MKII	0955-001	AXIS P3225-LVE MKII	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and weather shield against sun, rain or snow.												
800890-805	AXIS P3227-LV	46171622	Axis Communications	AXIS P3227-LV	0885-001	AXIS P3227-LV	0000007715	1/1/2021	12/31/2023	763.42	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-806	AXIS P3227-LVE	46171622	Axis Communications	AXIS P3227-LVE	0886-001	AXIS P3227-LVE	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.												
800890-807	AXIS P3228-LV	46171622	Axis Communications	AXIS P3228-LV	0887-001	AXIS P3228-LV	0000007715	1/1/2021	12/31/2023	959.42	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-808	AXIS P3228-LVE	46171622	Axis Communications	AXIS P3228-LVE	0888-001	AXIS P3228-LVE	0000007715	1/1/2021	12/31/2023	1077.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.												
800890-809	AXIS P3235-LV	46171622	Axis Communications	AXIS P3235-LV	01443-001	AXIS P3235-LV	0000007715	1/1/2021	12/31/2023	616.42	USD	EA
Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-810	AXIS P3235-LVE	46171622	Axis Communications	AXIS P3235-LVE	01199-001	AXIS P3235-LVE	0000007715	1/1/2021	12/31/2023	734.02	USD	EA
Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-811	AXIS P3367-V	46171622	Axis Communications	AXIS P3367-V	0406-001	AXIS P3367-V	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
SMP, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SMP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.												
800890-812	AXIS P3367-VE	46171622	Axis Communications	AXIS P3367-VE	0407-001	AXIS P3367-VE	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
SMP, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SMP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.												
800890-813	AXIS P3374-V	46171622	Axis Communications	AXIS P3374-V	01056-001	AXIS P3374-V	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included.												
800890-814	AXIS P3374-LV	46171622	Axis Communications	AXIS P3374-LV	01058-001	AXIS P3374-LV	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.												

800890-815	AXIS P3375-V	46171622	Axis Communications	AXIS P3375-V	01060-001	AXIS P3375-V	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
<p>Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.</p> <p>Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.</p>												
800890-816	AXIS P3375-LV	46171622	Axis Communications	AXIS P3375-LV	01062-001	AXIS P3375-LV	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
<p>Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet, midspan not included.</p>												
800890-817	AXIS P3375-VE	46171622	Axis Communications	AXIS P3375-VE	01061-001	AXIS P3375-VE	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
<p>Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Operation in -40 °C to 55 °C (-40 °F to 131 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.</p>												
800890-818	AXIS P3375-LVE	46171622	Axis Communications	AXIS P3375-LVE	01063-001	AXIS P3375-LVE	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
<p>Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised input / digital output for alarm / event handling. Memory card slot for optional local video storage. Operation in -40 °C to 55 °C (-40 °F to 131 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.</p>												
800890-819	AXIS P3707-PE	46171622	Axis Communications	AXIS P3707-PE	0815-001	AXIS P3707-PE	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
<p>Flexible multisensor fixed camera with four 1080p sensors. The lenses can be adjusted to provide a 108° to 54° horizontal field of view for either a wide, panoramic view, or detailed, zoomed-in views. The lenses can be rotated to support vertically oriented scenes in Axis' Corridor Format. Supports individually configurable video streams from each camera head, as well as quad view streaming, enabling 4x 1080p resolution videos at 12.5/15 fps or 4x 720p resolution videos at full frame rate. Axis' Zipstream technology is supported to lower bandwidth and storage requirements. PoE Class 2.</p>												
800890-820	AXIS P3717-PLE	46171622	Axis Communications	AXIS P3717-PLE	01504-001	AXIS P3717-PLE	0000007715	1/1/2021	12/31/2023	1322.02	USD	EA
<p>AXIS P3717-PLE Network Camera is a compact 8-megapixel camera with four varifocal lenses enabling overview and detailed surveillance. With one IP address and one network cable, the four-camera-in-one unit provides a flexible, cost-effective solution for multidirectional surveillance. 360° IR illumination, Forensic WDR and Lightfinder technology provides excellent video quality in any light conditions. Each camera head can be individually positioned (pan, tilt, roll and twist) along a circular track. Remote zoom and focus makes it easy to install and the clear cover, with no sharp edges, ensures undistorted views in all directions. The camera comes with an integrated weather shield.</p>												
800890-821	AXIS P3807-PVE	46171622	Axis Communications	AXIS P3807-PVE	01048-001	AXIS P3807-PVE	0000007715	1/1/2021	12/31/2023	1322.02	USD	EA
<p>AXIS P3807-PVE Network Camera is a fixed dome camera with multiple sensors, providing an easy, reliable and cost-efficient one-camera installation – reducing installation time, cabling and VMS license costs. Thanks to its excellent image sensors, along with Forensic WDR and Lightfinder technology, it provides great video quality in any light conditions. Its four sensors give a seamless 180° panoramic overview, at up to 30 fps in 8 MP resolution. The camera is easy to install as recessed, flush, pendant, back-to-back, and comes with adjustable set camera positions.</p> <ul style="list-style-type: none"> •Seamlessly stitched images •180° horizontal and 90° vertical coverage •8 MP resolution at full frame rate <p>•Axis Lightfinder and Forensic WDR</p>												
800890-822	AXIS P3904-R Mk II	46171622	Axis Communications	AXIS P3904-R Mk II	01078-001	AXIS P3904-R Mk II	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
<p>•Axis Zipstream for reduced bandwidth and storage needs</p>												
800890-823	AXIS P3904-R Mk II BULK 10PCS	46171622	Axis Communications	AXIS P3904-R Mk II BULK 10PCS	01078-021	AXIS P3904-R Mk II BULK 10PCS	0000007715	1/1/2021	12/31/2023	4179.7	USD	EA
800890-824	AXIS P3904-R Mk II BULK 50 PCS	46171622	Axis Communications	AXIS P3904-R Mk II BULK 50 PCS	01078-031	AXIS P3904-R Mk II BULK 50 PCS	0000007715	1/1/2021	12/31/2023	20873.02	USD	EA
800890-825	AXIS P3904-R Mk II M12	46171622	Axis Communications	AXIS P3904-R Mk II M12	01071-001	AXIS P3904-R Mk II M12	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-826	AXIS P3904-R Mk II M12 BULK 10PCS	46171622	Axis Communications	AXIS P3904-R Mk II M12 BULK 10PCS	01071-021	AXIS P3904-R Mk II M12 BULK 10PCS	0000007715	1/1/2021	12/31/2023	4179.7	USD	EA
800890-827	AXIS P3904-R Mk II M12 BULK 50PCS	46171622	Axis Communications	AXIS P3904-R Mk II M12 BULK 50PCS	01071-031	AXIS P3904-R Mk II M12 BULK 50PCS	0000007715	1/1/2021	12/31/2023	20873.02	USD	EA
800890-828	AXIS P3905-R Mk II	46171622	Axis Communications	AXIS P3905-R Mk II	01072-001	AXIS P3905-R Mk II	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-829	AXIS P3905-R Mk II BULK 10PCS	46171622	Axis Communications	AXIS P3905-R Mk II BULK 10PCS	01072-021	AXIS P3905-R Mk II BULK 10PCS	0000007715	1/1/2021	12/31/2023	5110.7	USD	EA
800890-830	AXIS P3905-R Mk II BULK 50 PCS	46171622	Axis Communications	AXIS P3905-R Mk II BULK 50 PCS	01072-031	AXIS P3905-R Mk II BULK 50 PCS	0000007715	1/1/2021	12/31/2023	25479.02	USD	EA
800890-831	AXIS P3905-R Mk II M12	46171622	Axis Communications	AXIS P3905-R Mk II M12	01073-001	AXIS P3905-R Mk II M12	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-832	AXIS P3905-R Mk II M12 BULK 10 PCS	46171622	Axis Communications	AXIS P3905-R Mk II M12 BULK 10 PCS	01073-021	AXIS P3905-R Mk II M12 BULK 10 PCS	0000007715	1/1/2021	12/31/2023	5110.7	USD	EA
800890-833	AXIS P3905-R Mk II M12 BULK 50 PCS	46171622	Axis Communications	AXIS P3905-R Mk II M12 BULK 50 PCS	01073-031	AXIS P3905-R Mk II M12 BULK 50 PCS	0000007715	1/1/2021	12/31/2023	25479.02	USD	EA
800890-834	AXIS P3905-R Mk II BAREBONE 10P	46171622	Axis Communications	AXIS P3905-R Mk II BAREBONE 10P	01072-041	AXIS P3905-R Mk II BAREBONE 10P	0000007715	1/1/2021	12/31/2023	4924.5	USD	EA
<p>Note: Avoid installing lenses in dusty environments. To reduce the risk of dust falling into the sensor, hold the camera with the lens opening facing down.</p>												
800890-835	AXIS P3915-R Mk II	46171622	Axis Communications	AXIS P3915-R Mk II	01074-001	AXIS P3915-R Mk II	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-836	AXIS P3915-R Mk II BULK 10 PCS	46171622	Axis Communications	AXIS P3915-R Mk II BULK 10 PCS	01074-021	AXIS P3915-R Mk II BULK 10 PCS	0000007715	1/1/2021	12/31/2023	5576.2	USD	EA
800890-837	AXIS P3915-R Mk II BULK 50 PCS	46171622	Axis Communications	AXIS P3915-R Mk II BULK 50 PCS	01074-031	AXIS P3915-R Mk II BULK 50 PCS	0000007715	1/1/2021	12/31/2023	27831.02	USD	EA
800890-838	AXIS P3915-R Mk II M12	46171622	Axis Communications	AXIS P3915-R Mk II M12	01075-001	AXIS P3915-R Mk II M12	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-839	AXIS P3915-R Mk II M12 BULK 10 PCS	46171622	Axis Communications	AXIS P3915-R Mk II M12 BULK 10 PCS	01075-021	AXIS P3915-R Mk II M12 BULK 10 PCS	0000007715	1/1/2021	12/31/2023	5576.2	USD	EA
800890-840	AXIS P3915-R Mk II M12 BULK 50 PCS	46171622	Axis Communications	AXIS P3915-R Mk II M12 BULK 50 PCS	01075-031	AXIS P3915-R Mk II M12 BULK 50 PCS	0000007715	1/1/2021	12/31/2023	27831.02	USD	EA
<p>Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 720p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.</p>												
800890-841	AXIS P3904-R	46171622	Axis Communications	AXIS P3904-R	0640-001	AXIS P3904-R	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-842	AXIS P3904-R BULK 10 PCS	46171622	Axis Communications	AXIS P3904-R BULK 10 PCS	0640-021	AXIS P3904-R BULK 10 PCS	0000007715	1/1/2021	12/31/2023	4179.7	USD	EA

800890-843	AXIS P3904-R BULK 50 PCS	46171622	Axis Communications	AXIS P3904-R BULK 50 PCS	AXIS P3904-R (RJ45) in 50-pack/bulk. No midspans or mounting adapters included.	0640-031	AXIS P3904-R BULK 50 PCS	0000007715	1/1/2021	12/31/2023	20873.02	USD	EA
800890-844	AXIS P3904-R M12	46171622	Axis Communications	AXIS P3904-R M12	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 120p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	0638-001	AXIS P3904-R M12	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-845	AXIS P3904-R M12 BULK 10 PCS	46171622	Axis Communications	AXIS P3904-R M12 BULK 10 PCS	AXIS P3904-R (M12) in 10-pack/bulk. No midspans or mounting adapters included.	0638-021	AXIS P3904-R M12 BULK 10 PCS	0000007715	1/1/2021	12/31/2023	4179.7	USD	EA
800890-846	AXIS P3904-R M12 BULK 50 PCS	46171622	Axis Communications	AXIS P3904-R M12 BULK 50 PCS	AXIS P3904-R (M12) in 50-pack/bulk. No midspans or mounting adapters included.	0638-031	AXIS P3904-R M12 BULK 50 PCS	0000007715	1/1/2021	12/31/2023	20873.02	USD	EA
800890-847	AXIS P3905-R	46171622	Axis Communications	AXIS P3905-R	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	0641-001	AXIS P3905-R	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-848	AXIS P3905-R BULK 10 PCS	46171622	Axis Communications	AXIS P3905-R BULK 10 PCS	AXIS P3905-R (RJ-45) in 10-pack/bulk. No midspans or mounting adapters included.	0641-021	AXIS P3905-R BULK 10 PCS	0000007715	1/1/2021	12/31/2023	5110.7	USD	EA
800890-849	AXIS P3905-R BULK 50 PCS	46171622	Axis Communications	AXIS P3905-R BULK 50 PCS	AXIS P3905-R (RJ-45) in 50-pack/bulk. No midspans or mounting adapters included.	0641-031	AXIS P3905-R BULK 50 PCS	0000007715	1/1/2021	12/31/2023	25479.02	USD	EA
800890-850	AXIS P3905-R MK II M12 BAREBONE 10P	46171622	Axis Communications	AXIS P3905-R MK II M12 BAREBONE 10P	AXIS P3905-R (M12) with no lens in bulk 10-pack. 1080p fixed dome onboard camera with female M12 D-coded connector. Lenses sold separately. Note: Avoid installing lenses in dusty environments. To reduce the risk of dust falling into the sensor, hold the camera with the lens opening facing down.	01073-041	AXIS P3905-R MK II M12 BAREBONE 10P	0000007715	1/1/2021	12/31/2023	4924.5	USD	EA
800890-851	AXIS P3915-R M12	46171622	Axis Communications	AXIS P3915-R M12	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. Audio-in and I/O. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	0642-001	AXIS P3915-R M12	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-852	AXIS P3915-R M12 BULK 10 PCS	46171622	Axis Communications	AXIS P3915-R M12 BULK 10 PCS	AXIS P3915-R (M12) in 10-pack/bulk. No midspans or mounting adapters included.	0642-021	AXIS P3915-R M12 BULK 10 PCS	0000007715	1/1/2021	12/31/2023	5576.2	USD	EA
800890-853	AXIS P3915-R M12 BULK 50 PCS	46171622	Axis Communications	AXIS P3915-R M12 BULK 50 PCS	AXIS P3915-R (M12) in 50-pack/bulk. No midspans or mounting adapters included.	0642-031	AXIS P3915-R M12 BULK 50 PCS	0000007715	1/1/2021	12/31/2023	27831.02	USD	EA
800890-854	AXIS P3905-RE M12	46171622	Axis Communications	AXIS P3905-RE M12	Fixed dome mobile surveillance camera for outdoors use on buses, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool.	0663-001	AXIS P3905-RE M12	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-855	AXIS P3905-RE M12 BULK 10PCS	46171622	Axis Communications	AXIS P3905-RE M12 BULK 10PCS	Fixed dome mobile surveillance camera for outdoors use on buses, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. 10 PCS	0663-021	AXIS P3905-RE M12 BULK 10PCS	0000007715	1/1/2021	12/31/2023	5193.02	USD	EA
800890-856	AXIS P9106-V BRUSHED STEEL	46171622	Axis Communications	AXIS P9106-V BRUSHED STEEL	3MP compact and vandal-resistant (IK10) corner-mounted camera with 1.8mm lens for wide field of view without blind spots. Elegant brushed steel design with no visible screws. Dust- and waterproof (IP66) casing. WDR, Zipstream, SD card slot and support for portcast technology. Video motion detection and active tampering alarm. PoE Class 1. Color: Brushed stainless steel.	01553-001	AXIS P9106-V BRUSHED STEEL	0000007715	1/1/2021	12/31/2023	636.02	USD	EA
800890-857	AXIS P9106-V WHITE	46171622	Axis Communications	AXIS P9106-V WHITE	3MP compact and vandal-resistant (IK10) corner-mounted camera with 1.8mm lens for wide field of view without blind spots. Lighter-resistant design with dust- and waterproof (IP66) casing. WDR, Zipstream, SD card slot and support for portcast technology. Video motion detection and active tampering alarm. PoE Class 1. White in color.	01620-001	AXIS P9106-V WHITE	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-858	AXIS Q3505-V 9MM MKII	46171622	Axis Communications	AXIS Q3505-V 9MM MKII	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	0872-001	AXIS Q3505-V 9MM MKII	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-859	AXIS Q3505-V 22MM MKII	46171622	Axis Communications	AXIS Q3505-V 22MM MKII	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	0873-001	AXIS Q3505-V 22MM MKII	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-860	AXIS Q3505-VE 9MM MKII	46171622	Axis Communications	AXIS Q3505-VE 9MM MKII	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	0874-001	AXIS Q3505-VE 9MM MKII	0000007715	1/1/2021	12/31/2023	1028.02	USD	EA
800890-861	AXIS Q3505-SVE 9MM MKII	46171622	Axis Communications	AXIS Q3505-SVE 9MM MKII	Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for WDR – Forensic Capture and Lightfinder. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in extended temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	0773-001	AXIS Q3505-SVE 9MM MKII	0000007715	1/1/2021	12/31/2023	1322.02	USD	EA
800890-862	AXIS Q3505-VE 22MM MKII	46171622	Axis Communications	AXIS Q3505-VE 22MM MKII	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	0875-001	AXIS Q3505-VE 22MM MKII	0000007715	1/1/2021	12/31/2023	1126.02	USD	EA
800890-863	AXIS Q3505-SVE 22MM MKII	46171622	Axis Communications	AXIS Q3505-SVE 22MM MKII	Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for WDR – Forensic Capture and Lightfinder. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in extended temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	0774-001	AXIS Q3505-SVE 22MM MKII	0000007715	1/1/2021	12/31/2023	1420.02	USD	EA

800890-864	AXIS Q3515-LV 9MM	46171622	Axis Communications	AXIS Q3515-LV 9MM	01039-001	AXIS Q3515-LV 9MM	0000007715	1/1/2021	12/31/2023	832.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes.												
800890-865	AXIS Q3515-LV 22MM	46171622	Axis Communications	AXIS Q3515-LV 22MM	01044-001	AXIS Q3515-LV 22MM	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes.												
800890-866	AXIS Q3515-LVE 9MM	46171622	Axis Communications	AXIS Q3515-LVE 9MM	01041-001	AXIS Q3515-LVE 9MM	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder, and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.												
800890-867	AXIS Q3515-LVE 22MM	46171622	Axis Communications	AXIS Q3515-LVE 22MM	01046-001	AXIS Q3515-LVE 22MM	0000007715	1/1/2021	12/31/2023	1028.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 1080p at 30 fps with WDR and Lightfinder, and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.												
800890-868	AXIS Q3517-LV	46171622	Axis Communications	AXIS Q3517-LV	01021-001	AXIS Q3517-LV	0000007715	1/1/2021	12/31/2023	1077.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes.												
800890-869	AXIS Q3517-LVE	46171622	Axis Communications	AXIS Q3517-LVE	01022-001	AXIS Q3517-LVE	0000007715	1/1/2021	12/31/2023	1224.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.												
800890-870	AXIS Q3517-SLVE	46171622	Axis Communications	AXIS Q3517-SLVE	01237-001	AXIS Q3517-SLVE	0000007715	1/1/2021	12/31/2023	1322.02	USD	EA
Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for Forensic WDR, Lightfinder and OptimizedIR illumination. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall/ceiling or junction boxes.												
800890-871	AXIS Q3527-LVE	46171622	Axis Communications	AXIS Q3527-LVE	01565-001	AXIS Q3527-LVE	0000007715	1/1/2021	12/31/2023	1322.02	USD	EA
Fixed dome with enhanced security features: signed firmware and secure boot ensure firmware authenticity, and a Trusted Platform Module (TPM) secures certificates and cryptographic keys. Forensic WDR, Lightfinder and OptimizedIR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR, and 4 MP at up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for local storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.												
800890-872	AXIS Q3518-LVE	46171622	Axis Communications	AXIS Q3518-LVE	01493-001	AXIS Q3518-LVE	0000007715	1/1/2021	12/31/2023	1322.02	USD	EA
Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. Up to 4K/8MP at 30 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. Supervised inputs / digital outputs for alarm / event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet or 8-28V DC power with redundancy. Midspan and power supply not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.												
800890-873	AXIS Q3615-VE	46171622	Axis Communications	AXIS Q3615-VE	0743-001	AXIS Q3615-VE	0000007715	1/1/2021	12/31/2023	1322.02	USD	EA
Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.1-9 mm P-Iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; HDTV 1080p at up to 60 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Memory card slot for optional local video storage. Operation in wide temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and substantial weather shield against sun, rain or snow.												

800890-874	AXIS Q3617-VE	46171622	Axis Communications	AXIS Q3617-VE	0744-001	AXIS Q3617-VE	0000007715	1/1/2021	12/31/2023	1518.02	USD	EA
					Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.3-9 mm Firis lens. Multiple, individually configurable H.264 and Motion JPEG streams; up to 4MP @ 30 fps with WDR, 6 MP @ 20 fps without WDR. Zipstream for reduced bandwidth and storage needs. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Memory card slot for optional local video storage. Operation in wide temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and substantial weather shield against sun, rain or snow.							
800890-875	AXIS Q3708-PVE	46171622	Axis Communications	AXIS Q3708-PVE	0801-001	AXIS Q3708-PVE	0000007715	1/1/2021	12/31/2023	1959.02	USD	EA
					180° multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. 3 x QHD resolution, up to 15MP total in 4:3 format. WDR Forensic Capture, Zipstream and one single IP address. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.							
800890-876	AXIS Q3709-PVE	46171622	Axis Communications	AXIS Q3709-PVE	0664-001	AXIS Q3709-PVE	0000007715	1/1/2021	12/31/2023	2351.02	USD	EA
					Multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. Multiple, individually configurable H.264 and Motion JPEG streams; high-quality 4K video in 30 fps from each of 3 sensors and up to 33 MP resolution in total, together providing a 180° view. Video motion detection and active tampering alarm. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.							
800890-877	AXIS Q8414-LVS METAL	46171622	Axis Communications	AXIS Q8414-LVS METAL	0709-001	AXIS Q8414-LVS METAL	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA
					AXIS Q8414-LVS Network Camera Metal is a brushed stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with Firis, varifocal 2.5–6 mm, 105°-49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.							
800890-878	AXIS Q8414-LVS WHITE	46171622	Axis Communications	AXIS Q8414-LVS WHITE	0710-001	AXIS Q8414-LVS WHITE	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA
					AXIS Q8414-LVS Network Camera White is a powder coated stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with Firis, varifocal 2.5–6 mm, 105°-49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.							
800890-879	AXIS COMPANION DOME MINI LE	46171622	Axis Communications	AXIS COMPANION DOME MINI LE	01665-001	AXIS COMPANION DOME MINI LE	0000007715	1/1/2021	12/31/2023	155.82	USD	EA
					Day/night full HD mini dome camera for indoor and outdoor use. Built-in IR illumination and WDR technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video motion detection and corridor format. Power over Ethernet. Operating conditions: -20 °C to 50 °C (-4 °F to 122 °F). For use only with AXIS Companion video management software and mobile apps. AXIS Companion Recorder is required and sold separately.							
800890-880	AXIS COMPANION DOME V	46171622	Axis Communications	AXIS COMPANION DOME V	0894-001	AXIS COMPANION DOME V	0000007715	1/1/2021	12/31/2023	165.62	USD	EA
					Indoor full HD mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens, max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.							
800890-881	AXIS COMPANION DOME WV	46171622	Axis Communications	AXIS COMPANION DOME WV	0895-004	AXIS COMPANION DOME WV	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
					AXIS Companion Dome WV is a wireless full HD mini dome for indoor use. It features high quality video in HDTV 1080p / 2 MP resolution and WDR. Dust- and vandal-resistant casing for easy mounting on wall or ceiling. HDMI output (micro). Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™. Axis' Zipstream technology ensures maximized recording time. Self-contained recording solution with included 64 GB high endurance microSD card optimized for surveillance. Power supply included. For use only with AXIS Companion video management software and mobile apps.							
800890-882	AXIS COMPANION EYE MINI L	46171622	Axis Communications	AXIS COMPANION EYE MINI L	01064-001	AXIS COMPANION EYE MINI L	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
					Day/night, full HD mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video motion detection and corridor format. Power over Ethernet. For use only with AXIS Companion video management software and mobile apps. AXIS Companion Recorder is required and sold separately.							
800890-883	AXIS COMPANION EYE L	46171622	Axis Communications	AXIS COMPANION EYE L	0881-001	AXIS COMPANION EYE L	0000007715	1/1/2021	12/31/2023	224.42	USD	EA
					Day/night, full HD mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.							
800890-884	AXIS COMPANION EYE LVE	46171622	Axis Communications	AXIS COMPANION EYE LVE	0880-001	AXIS COMPANION EYE LVE	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
					Day/night, full HD mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.							
800890-885	AXIS COMPANION 360	46171622	Axis Communications	AXIS COMPANION 360	01024-001	AXIS COMPANION 360	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
					Indoor ultra-compact, 360° panoramic mini dome with 6 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Client dewarping and digital pan, tilt and zoom. Axis Zipstream technology for reduced bandwidth and storage needs. HDMI output (micro). Memory card slot for optional local video storage. Video motion detection. Power over Ethernet. Midspan not included. For use only with AXIS Companion video management software and mobile apps.							
800890-886	AXIS Q8641-E 35MM 30 FPS 24V	46171622	Axis Communications	AXIS Q8641-E 35MM 30 FPS 24V	01119-001	AXIS Q8641-E 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	5683.02	USD	EA
					High accuracy outdoor PT positioning thermal camera. 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.							
800890-887	AXIS Q8642-E 60MM 30 FPS 24V	46171622	Axis Communications	AXIS Q8642-E 60MM 30 FPS 24V	01121-001	AXIS Q8642-E 60MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	9309.02	USD	EA
					High accuracy outdoor PT positioning thermal camera. 640x480 resolution, 30 fps and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.							
800890-888	AXIS Q8685-E 24V AC/DC	46171622	Axis Communications	AXIS Q8685-E 24V AC/DC	0862-001	AXIS Q8685-E 24V AC/DC	0000007715	1/1/2021	12/31/2023	3527.02	USD	EA
					High accuracy outdoor PTZ positioning camera. HDTV 1080p video, 30x optical zoom, focus recall, extreme light sensitivity and Axis Zipstream. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)							
800890-889	AXIS Q8685-LE 24V AC/DC	46171622	Axis Communications	AXIS Q8685-LE 24V AC/DC	0864-001	AXIS Q8685-LE 24V AC/DC	0000007715	1/1/2021	12/31/2023	5095.02	USD	EA
					High accuracy outdoor PTZ positioning camera with IR illuminators. HDTV 1080p video, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)							

800890-890	AXIS Q8741-E 35MM 30 FPS 24V	46171622	Axis Communications	AXIS Q8741-E 35MM 30 FPS 24V	0824-001	AXIS Q8741-E 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	9799.02	USD	EA
800890-891	AXIS Q8741-LE 35MM 30 FPS 24V	46171622	Axis Communications	AXIS Q8741-LE 35MM 30 FPS 24V	01013-001	AXIS Q8741-LE 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	11367.02	USD	EA
800890-892	AXIS Q8742-E ZOOM 30 FPS 24V	46171622	Axis Communications	AXIS Q8742-E ZOOM 30 FPS 24V	0830-001	AXIS Q8742-E ZOOM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	21559.02	USD	EA
800890-893	AXIS Q8742-E 35MM 30 FPS 24V	46171622	Axis Communications	AXIS Q8742-E 35MM 30 FPS 24V	0828-001	AXIS Q8742-E 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	12739.02	USD	EA
800890-894	AXIS Q8742-LE 35MM 30 FPS 24V	46171622	Axis Communications	AXIS Q8742-LE 35MM 30 FPS 24V	01017-001	AXIS Q8742-LE 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	14307.02	USD	EA
800890-895	AXIS Q8742-LE ZOOM 30 FPS 24V	46171622	Axis Communications	AXIS Q8742-LE ZOOM 30 FPS 24V	01019-001	AXIS Q8742-LE ZOOM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	23127.02	USD	EA
800890-896	AXIS M5013	46171622	Axis Communications	AXIS M5013	0398-001	AXIS M5013	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-897	AXIS M5013-V	46171622	Axis Communications	AXIS M5013-V	0552-001	AXIS M5013-V	0000007715	1/1/2021	12/31/2023	538.02	USD	EA
800890-898	AXIS M5014	46171622	Axis Communications	AXIS M5014	0399-001	AXIS M5014	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-899	AXIS M5014-V	46171622	Axis Communications	AXIS M5014-V	0553-001	AXIS M5014-V	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-900	AXIS M5054	46171622	Axis Communications	AXIS M5054	01079-001	AXIS M5054	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-901	AXIS Q6125-LE 60HZ	46171622	Axis Communications	AXIS Q6125-LE 60HZ	01234-004	AXIS Q6125-LE 60HZ	0000007715	1/1/2021	12/31/2023	2939.02	USD	EA
800890-902	AXIS M5065 US	46171622	Axis Communications	AXIS M5065 US	01107-004	AXIS M5065 US	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-903	AXIS M5525-E 60HZ	46171622	Axis Communications	AXIS M5525-E 60HZ	01146-001	AXIS M5525-E 60HZ	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-904	AXIS P5414-E 60HZ	46171622	Axis Communications	AXIS P5414-E 60HZ	0588-001	AXIS P5414-E 60HZ	0000007715	1/1/2021	12/31/2023	1567.02	USD	EA
800890-905	AXIS P5415-E 60HZ	46171622	Axis Communications	AXIS P5415-E 60HZ	0589-001	AXIS P5415-E 60HZ	0000007715	1/1/2021	12/31/2023	1959.02	USD	EA
800890-906	AXIS Q8665-E 120V AC	46171622	Axis Communications	AXIS Q8665-E 120V AC	0717-001	AXIS Q8665-E 120V AC	0000007715	1/1/2021	12/31/2023	4899.02	USD	EA

800890-907	AXIS Q8665-LE 24V AC	46171622	Axis Communications	AXIS Q8665-LE 24V AC High precision PT-head design PTZ camera with integrated wiper and IR illuminators enabling a viewing range in darkness up to 150m. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02"/s to 40"/s, tilt speed: 0.02"/s to 30"/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 24V AC.	0718-001	AXIS Q8665-LE 24V AC	0000007715	1/1/2021	12/31/2023	5095.02	USD	EA
800890-908	AXIS Q8665-LE 120V AC	46171622	Axis Communications	AXIS Q8665-LE 120V AC High precision PT-head design PTZ camera with integrated wiper and IR illuminators enabling a viewing range in darkness up to 150m. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02"/s to 40"/s, tilt speed: 0.02"/s to 30"/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). External power supply with power input 120V AC and integrated light sensor for IR illuminator control included. Compact PTZ camera, 360° pan with auto-flip. HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 720P (1280x720) resolution at 60 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling, smoked and clear transparent cover. IP51 protection, SD-card slot, 4 I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included).	0720-001	AXIS Q8665-LE 120V AC	0000007715	1/1/2021	12/31/2023	6369.02	USD	EA
800890-909	AXIS P5514 60HZ	46171622	Axis Communications	AXIS P5514 60HZ Compact PTZ camera, 360° pan with auto-flip. HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 720P (1280x720) resolution at 60 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling, smoked and clear transparent cover. IP51 protection, SD-card slot, 4 I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included).	0769-001	AXIS P5514 60HZ	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-910	AXIS P5514-E 60HZ	46171622	Axis Communications	AXIS P5514-E 60HZ Compact outdoor PTZ camera, 360° pan with auto-flip. HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 720P (1280x720) resolution at 60 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE. SD-card slot, IP66, Advanced Gatekeeper. Midspan and mounting brackets are not included.	0771-001	AXIS P5514-E 60HZ	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-911	AXIS P5515 60HZ	46171622	Axis Communications	AXIS P5515 60HZ Compact PTZ camera, 360° pan with auto-flip. HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling, smoked and clear transparent cover. IP51 protection, SD-card slot, 4 I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included).	0770-001	AXIS P5515 60HZ	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-912	AXIS P5515-E 60HZ	46171622	Axis Communications	AXIS P5515-E 60HZ Compact outdoor PTZ camera, 360° pan with auto-flip. HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE. SD-card slot, IP66, Advanced Gatekeeper. Midspan and mounting brackets are not included.	0772-001	AXIS P5515-E 60HZ	0000007715	1/1/2021	12/31/2023	1371.02	USD	EA
800890-913	AXIS P5624-E MK II 60HZ	46171622	Axis Communications	AXIS P5624-E MK II 60HZ PTZ camera with continuous 360° pan for both indoor and outdoor with 23x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264, Motion JPEG and Axis Zipstream and Focus recall, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. Mounting brackets and Midspan are not included.	0932-001	AXIS P5624-E MK II 60HZ	0000007715	1/1/2021	12/31/2023	1567.02	USD	EA
800890-914	AXIS P5635-E MK II 60HZ	46171622	Axis Communications	AXIS P5635-E MK II 60HZ PTZ camera with continuous 360° pan for both indoor and outdoor with 30x optical zoom Autofocus and Focus Recall. HDTV 1080p @ 30fps (1920x1080) in H.264, Motion JPEG and Axis Zipstream. Two-way audio, 4x/I/O 24V and PoE, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot. Mounting brackets, Midspan/Power supply and connector or cable for audio, I/O and 24V are not included.	0929-001	AXIS P5635-E MK II 60HZ	0000007715	1/1/2021	12/31/2023	1959.02	USD	EA
800890-915	AXIS Q6000-E 60HZ MK II	46171622	Axis Communications	AXIS Q6000-E 60HZ MK II Outdoor-ready 360° situational awareness camera, comprising 4x2MP sensors @ 30fps in H.264 Zipstream and Motion JPEG. Tiltable sensors with interchangeable lenses. Designed to be integrated with any AXIS Q60-E series camera for large area coverage and simultaneous zoom-in view, using the one-click PTZ control feature. Full size SD-card slot. No extra equipment required, as it uses the same brackets, power supply and network cable as the connected AXIS Q60-E.	01006-001	AXIS Q6000-E 60HZ MK II	0000007715	1/1/2021	12/31/2023	1567.02	USD	EA
800890-916	AXIS Q6052 60HZ	46171622	Axis Communications	AXIS Q6052 60HZ IP52, PTZ dome camera with 36x optical zoom. Lightfinder, Focus recall, Zipstream, WDR, EIS. Auto day/night functionality; min. illumination down to 0.15 lux in color and 0.008 in black/white. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan, D1 resolution @ 60 fps in H.264 and Motion JPEG. Shock detection, autotracking, Active Gatekeeper, four recording. Full size SD slot. Two way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings.	0900-004	AXIS Q6052 60HZ	0000007715	1/1/2021	12/31/2023	2057.02	USD	EA
800890-917	AXIS Q6052-E 60HZ	46171622	Axis Communications	AXIS Q6052-E 60HZ Outdoor-ready, IP66, IK10 and NEMA 4X classification, PTZ dome camera with 36x optical zoom. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Lightfinder, Focus recall, Zipstream, WDR, EIS. Auto day/night functionality; min. illumination down to 0.15 lux in color and 0.008 in black/white and 220P tilt with E-flip. Progressive scan, D1 resolution @ 60 fps in H.264 and Motion JPEG. Shock detection, Autotracking, Active Gatekeeper, four recording. Full size SD slot. Power through High PoE only. Includes clear transparent dome cover and High PoE midspan with fiber slot. No mounting bracket included (several different accessories available).	0902-004	AXIS Q6052-E 60HZ	0000007715	1/1/2021	12/31/2023	2547.02	USD	EA
800890-918	AXIS Q6054 Mk III 60HZ	46171622	Axis Communications	AXIS Q6054 Mk III 60HZ HDTV 720p compliant, high-speed PTZ dome camera with 30x optical zoom for indoor use. HDTV 720p @ 30 fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP52. Continuous 360° rotation and 220P tilt with E-flip. Lightfinder, Focus recall, Zipstream, WDR, EIS. Automatic Defogging, shock detection. Full-size SD slot. Two-way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings.	01482-004	AXIS Q6054 Mk III 60HZ	0000007715	1/1/2021	12/31/2023	2057.02	USD	EA
800890-919	AXIS Q6054-E Mk III 60HZ	46171622	Axis Communications	AXIS Q6054-E Mk III 60HZ HDTV 720p compliant, outdoor-ready, high-speed PTZ dome camera with 30x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220P tilt with E-flip. Lightfinder, Focus recall, Zipstream, WDR, EIS, automatic defogging, shock detection, Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Active Gatekeeper, four recording and autotracking. Includes High PoE midspan with fiber slot and clear dome cover. Mounting brackets are not included (several different accessories available).	01484-004	AXIS Q6054-E Mk III 60HZ	0000007715	1/1/2021	12/31/2023	2547.02	USD	EA
800890-920	AXIS Q6055 60HZ	46171622	Axis Communications	AXIS Q6055 60HZ HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use. HDTV 1080p (1920x1080)@30 fps, 720P@60fps. Continuous 360° rotation and 220P tilt with E-flip. Day & Night, IP52, Zipstream, Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included). Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection	0908-004	AXIS Q6055 60HZ	0000007715	1/1/2021	12/31/2023	2498.02	USD	EA
800890-921	AXIS Q6055-E 60HZ	46171622	Axis Communications	AXIS Q6055-E 60HZ Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom and Zipstream. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220P tilt with E-flip. HDTV 1080p (1920x1080)@30 fps, 720P@60fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Power through High PoE only. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).	0910-004	AXIS Q6055-E 60HZ	0000007715	1/1/2021	12/31/2023	3037.02	USD	EA
800890-922	AXIS Q6055-C 60HZ	46171622	Axis Communications	AXIS Q6055-C 60HZ Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220P tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps. 720P@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. High/light compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Power supply and brackets are not included. (several different accessories available).	0943-001	AXIS Q6055-C 60HZ	0000007715	1/1/2021	12/31/2023	4017.02	USD	EA
800890-923	AXIS Q6055-S 60HZ	46171622	Axis Communications	AXIS Q6055-S 60HZ Stainless steel, (SS-316L) pressurized (Spis) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220P tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720P@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. High/light compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Brackets and power adapter are not included (several different accessories available).	0945-001	AXIS Q6055-S 60HZ	0000007715	1/1/2021	12/31/2023	4409.02	USD	EA
800890-924	AXIS Q6114-E 60HZ	46171622	Axis Communications	AXIS Q6114-E 60HZ Lightfinder HDTV PTZ for outdoor as well as indoor use. HDTV 720p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions, without distortion. 130db WDR, EIS, automatic defog. Advanced gate keeper. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot included.	0650-004	AXIS Q6114-E 60HZ	0000007715	1/1/2021	12/31/2023	2645.02	USD	EA

800890-925	AXIS Q6124-E 60HZ	46171622	Axis Communications	AXIS Q6124-E 60HZ	Lightfinder HDTV PTZ for outdoor as well as indoor use. HDTV 720p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions, without distortion. 130db WDR, EIS, automatic defog, Advanced gate keeper. With its Compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot included.	01070-004	AXIS Q6124-E 60HZ	0000007715	1/1/2021	12/31/2023	2645.02	USD	EA
800890-926	AXIS Q6115-E 60HZ	46171622	Axis Communications	AXIS Q6115-E 60HZ	Compact, top performance 4K Compact with SMPTE 2036 3840x2160 resolution in 30fps, (BMP). With 12x optical zoom for outdoor as well as indoor use. Day/Night, Automatic defog, DNR 2D/3D and EIS, IP66, Active gatekeeper, tour recording and autotracking. Perfect image quality in all directions, without distortion, repaintable surface. Mounting brackets are not included (several different accessories available). Midspan with fiber slot included.	0652-004	AXIS Q6115-E 60HZ	0000007715	1/1/2021	12/31/2023	2939.02	USD	EA
800890-927	AXIS Q6128-E 60HZ	46171622	Axis Communications	AXIS Q6128-E 60HZ	Compact top performance HDTV PTZ for outdoor and indoor use with unique Laser Focus giving perfect focus. HDTV 1080p resolution in 30fps, perfect image quality in all directions without distortion due to Axis' Sharpdome technology with hard coating. Repaintable surface, will easily blend into the surroundings. 30x zoom 120dbWDR, EIS, automatic defog, Advanced gate keeper and Lightfinder. Midspan with fiber included PTZ for the toughest conditions. Mil. specified, build in IR illumination 300M (984ft), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521.	0799-004	AXIS Q6128-E 60HZ	0000007715	1/1/2021	12/31/2023	3135.02	USD	EA
800890-928	AXIS Q6155-E 60HZ	46171622	Axis Communications	AXIS Q6155-E 60HZ	Compact top performance HDTV PTZ for outdoor and indoor use with unique Laser Focus giving perfect focus. HDTV 1080p resolution in 30fps, perfect image quality in all directions without distortion due to Axis' Sharpdome technology with hard coating. Repaintable surface, will easily blend into the surroundings. 30x zoom 120dbWDR, EIS, automatic defog, Advanced gate keeper and Lightfinder. Midspan with fiber included PTZ for the toughest conditions. Mil. specified, build in IR illumination 300M (984ft), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521.	0934-004	AXIS Q6155-E 60HZ	0000007715	1/1/2021	12/31/2023	2939.02	USD	EA
800890-929	AXIS Q6215-LE 60HZ	46171622	Axis Communications	AXIS Q6215-LE 60HZ	Camera part: 1/2" sensor with HDTV 1080p, 30x optical zoom, 60fps, H264 with Zipstream and Motion JPEG, WDR. Perfect image quality in all directions without distortion, window wiper. Advanced gate keeper analytics. 90W Midspan included. Color; Urban grey. Product version for Canadian market. PTZ for the toughest conditions. Mil. specified, build in IR illumination 300M (984ft), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521.	01442-004	AXIS Q6215-LE 60HZ	0000007715	1/1/2021	12/31/2023	3429.02	USD	EA
800890-930	AXIS Q6215-LE 60HZ	46171622	Axis Communications	AXIS Q6215-LE 60HZ	Camera part: 1/2" sensor with HDTV 1080p, 30x optical zoom, 60fps, H264 with Zipstream and Motion JPEG, WDR. Perfect image quality in all directions without distortion, window wiper. Advanced gate keeper analytics. 90W Midspan included. Color; Urban grey. Generic PTZ camera with 30x zoom, autofocus and HDTV 720p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS, HDMI, 3G-SDI, XLR-3 for studio connectivity, CD-audio quality in stereo. Compliance with SMPTE 296M Power supply and wall mount bracket are included.	01442-018	AXIS Q6215-LE 60HZ	0000007715	1/1/2021	12/31/2023	3429.02	USD	EA
800890-931	AXIS V5914 60HZ	46171622	Axis Communications	AXIS V5914 60HZ	Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS, HDMI, 3G-SDI, XLR-3 for studio connectivity, CD-audio quality in stereo. Compliance with SMPTE 274M Power supply and wall mount bracket are included.	0632-004	AXIS V5914 60HZ	0000007715	1/1/2021	12/31/2023	1959.02	USD	EA
800890-932	AXIS V5915 60HZ	46171622	Axis Communications	AXIS V5915 60HZ	Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS, HDMI, 3G-SDI, XLR-3 for studio connectivity, CD-audio quality in stereo. Compliance with SMPTE 274M Power supply and wall mount bracket are included.	0634-004	AXIS V5915 60HZ	0000007715	1/1/2021	12/31/2023	2547.02	USD	EA
800890-933	CANON SUNSHADE COVER SC640-VB	46171622	Axis Communications	CANON SUNSHADE COVER SC640-VB	Sunshade cover for VB-H651VE/M641VE outdoor Domes. Includes securing bolts for easy installation.	0723C001	CANON SUNSHADE COVER SC640-VB	0000007715	1/1/2021	12/31/2023	82.32	USD	EA
800890-934	CANON SMOKED DOME UNIT DU10-S-VB	46171622	Axis Communications	CANON SMOKED DOME UNIT DU10-S-VB	Smoked dome cover for VB-R1XVE & VB-R1x PTZ Domes	0721C001	CANON SMOKED DOME UNIT DU10-S-VB	0000007715	1/1/2021	12/31/2023	79.38	USD	EA
800890-935	CANON SMOKED DOME UNIT DU640-S-VB	46171622	Axis Communications	CANON SMOKED DOME UNIT DU640-S-VB	Smoked dome cover for VB-H651VE/V & VB-M64xVE/V domes	0722C001	CANON SMOKED DOME UNIT DU640-S-VB	0000007715	1/1/2021	12/31/2023	43.12	USD	EA
800890-936	CANON PENDANT MOUNTING KIT PC30-VB	46171622	Axis Communications	CANON PENDANT MOUNTING KIT PC30-VB	Indoor pendant mounting cap for VB-S30D/S31D/S80xD mini-domes. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Silver.	99198001	CANON PENDANT MOUNTING KIT PC30-VB	0000007715	1/1/2021	12/31/2023	76.44	USD	EA
800890-937	CANON WALL MOUNTING KIT WM10-VB	46171622	Axis Communications	CANON WALL MOUNTING KIT WM10-VB	Wall mount bracket for VB-R1XVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box, right angle extender and PA10-15-VE bayonet camera fitting - 215mm stand-off.	0720C001	CANON WALL MOUNTING KIT WM10-VB	0000007715	1/1/2021	12/31/2023	446.88	USD	EA
800890-938	CANON PLEN REC MOUNTKIT SR640-P-VB	46171622	Axis Communications	CANON PLEN REC MOUNTKIT SR640-P-VB	Indoor recessed ceiling mount kit for VB-H651V/M64xv domes. Comprising of in-ceiling cage and cover - Titanium White	0717C001	CANON PLEN REC MOUNTKIT SR640-P-VB	0000007715	1/1/2021	12/31/2023	343	USD	EA
800890-939	CANON HEATER UNIT HU641-VB	46171622	Axis Communications	CANON HEATER UNIT HU641-VB	Optional heater element for VB-H651VE/M641VE outdoor Domes. Requires 24V AC power.	0724C001	CANON HEATER UNIT HU641-VB	0000007715	1/1/2021	12/31/2023	125.44	USD	EA
800890-940	CANON PLE. REC MOUNT KIT SR30-P-VB	46171622	Axis Communications	CANON PLE. REC MOUNT KIT SR30-P-VB	Indoor plenum recessed ceiling mount kit for VB-S30D/S31D/S80xD mini-domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	1065C001	CANON PLE. REC MOUNT KIT SR30-P-VB	0000007715	1/1/2021	12/31/2023	118.58	USD	EA
800890-941	CANON CEILIN MOUNT COV S 5S40-S-VB	46171622	Axis Communications	CANON CEILIN MOUNT COV S 5S40-S-VB	Indoor surface mount ceiling cover (Silver) for VB-H43/M42 PTZ's Comprising of a metal mounting plate and "skirt" cover - Silver	49628001	CANON CEILIN MOUNT COV S 5S40-S-VB	0000007715	1/1/2021	12/31/2023	60.76	USD	EA
800890-942	CANON CEILING MOUNTING KIT CM10-VB	46171622	Axis Communications	CANON CEILING MOUNTING KIT CM10-VB	Ceiling mount Back Box for VB-R1XVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box and PA10-15-VE bayonet camera fitting - 342mm drop.	0711C001	CANON CEILING MOUNTING KIT CM10-VB	0000007715	1/1/2021	12/31/2023	359.66	USD	EA
800890-943	CANON RECESSED MOUNT KIT SR600-VB	46171622	Axis Communications	CANON RECESSED MOUNT KIT SR600-VB	Indoor recessed ceiling mount kit for VB-H630VE/D & VB-M620VE/D domes.	50918001	CANON RECESSED MOUNT KIT SR600-VB	0000007715	1/1/2021	12/31/2023	79.38	USD	EA
800890-944	CANON 1.5 IN PIPE ADPT PA10-15-VB	46171622	Axis Communications	CANON 1.5 IN PIPE ADPT PA10-15-VB	1.5inch Pipe Adaptor for VB-R1XVE outdoor PTZ Domes with standard NPSM screw thread and bayonet camera fitting - 100mm long.	0718C001	CANON 1.5 IN PIPE ADPT PA10-15-VB	0000007715	1/1/2021	12/31/2023	84.28	USD	EA
800890-945	CANON PLEN REC MOUNT KIT SR11-P-VB	46171622	Axis Communications	CANON PLEN REC MOUNT KIT SR11-P-VB	Indoor plenum recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	0716C001	CANON PLEN REC MOUNT KIT SR11-P-VB	0000007715	1/1/2021	12/31/2023	527.24	USD	EA
800890-946	CANON REC MOUNT KIT SR640-S-VB	46171622	Axis Communications	CANON REC MOUNT KIT SR640-S-VB	Indoor recessed ceiling mount kit for VB-H651V/M64xv domes. Comprising of in-ceiling cage and cover - Titanium White	0715C001	CANON REC MOUNT KIT SR640-S-VB	0000007715	1/1/2021	12/31/2023	270.48	USD	EA
800890-947	CANON CONDUIT BOX CB740-VB	46171622	Axis Communications	CANON CONDUIT BOX CB740-VB	Conduit box for VB-H76x/H751LE/M74x outdoor bullets.	0712C001	CANON CONDUIT BOX CB740-VB	0000007715	1/1/2021	12/31/2023	115.64	USD	EA
800890-948	CANON PENDANT MOUNTING KIT PC640-VB	46171622	Axis Communications	CANON PENDANT MOUNTING KIT PC640-VB	Indoor pendant mounting cap for VB-R13/11 indoor PTZ Domes, VB-H5X/M64x domes, and VB-H76x/H751LE/M74x bullets. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Titanium White.	0719C001	CANON PENDANT MOUNTING KIT PC640-VB	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-949	CANON CONDUIT ADAPTER CA640-VB	46171622	Axis Communications	CANON CONDUIT ADAPTER CA640-VB	Conduit adaptor for VB-M64xVE outdoor Domes.	0713C001	CANON CONDUIT ADAPTER CA640-VB	0000007715	1/1/2021	12/31/2023	100.94	USD	EA
800890-950	CANON REC MOUNT KIT SR11-S-VB	46171622	Axis Communications	CANON REC MOUNT KIT SR11-S-VB	Indoor recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of mounting template, in-ceiling cage and cover - Titanium White	0714C001	CANON REC MOUNT KIT SR11-S-VB	0000007715	1/1/2021	12/31/2023	321.44	USD	EA
800890-951	CANON JUNCT BOX MOUNT KIT PS600-VB	46171622	Axis Communications	CANON JUNCT BOX MOUNT KIT PS600-VB	Indoor junction box mounting plate for VB-H630VE/D & VB-M620VE/D domes.	50048001	CANON JUNCT BOX MOUNT KIT PS600-VB	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-952	CANON CEILIN MOUNT COV B 5S40-B-VB	46171622	Axis Communications	CANON CEILIN MOUNT COV B 5S40-B-VB	Indoor surface mount ceiling cover (Black) for VB-H43B/M42B PTZ's. Comprising of a metal mounting plate and "skirt" cover - Black	49628002	CANON CEILIN MOUNT COV B 5S40-B-VB	0000007715	1/1/2021	12/31/2023	60.76	USD	EA
800890-953	CANON HEATER UNIT HU600-VB	46171622	Axis Communications	CANON HEATER UNIT HU600-VB	Optional heater element for VB-H630VE/M620VE outdoor Domes. Requires 24V AC power.	50928001	CANON HEATER UNIT HU600-VB	0000007715	1/1/2021	12/31/2023	140.14	USD	EA
800890-954	CANON INDOOR DOME HOUSING DR41-C-VB	46171622	Axis Communications	CANON INDOOR DOME HOUSING DR41-C-VB	Indoor recessed ceiling mount kit for VB-H43(B) & VB-M42(B) PTZ's. Comprising of in-ceiling cage and Clear Dome - Silver	68168001	CANON INDOOR DOME HOUSING DR41-C-VB	0000007715	1/1/2021	12/31/2023	185.22	USD	EA
800890-955	CANON INDOOR DOME HOUSING DR41-S-VB	46171622	Axis Communications	CANON INDOOR DOME HOUSING DR41-S-VB	Indoor recessed ceiling mount kit for VB-H43(B) & VB-M42(B) PTZ's. Comprising of in-ceiling cage and Smoked Dome - Silver	68168002	CANON INDOOR DOME HOUSING DR41-S-VB	0000007715	1/1/2021	12/31/2023	185.22	USD	EA

800890-956	CANON PENDANT MOUNTING KIT PC600-46171622	Axis Communications	CANON PENDANT MOUNTING KIT PC600-VB	Indoor pendant mounting cap for VB-H43(/B), VB-M42(/B) PTZ's, VB-H630VE/D & VB-M620VE/D domes.	99188001	CANON PENDANT MOUNTING KIT PC600-0000007715	1/1/2021	12/31/2023	108.78	USD	EA
800890-957	VB CANON SURFACE MOUNT SPACER SS30-46171622	Axis Communications	CANON SURFACE MOUNT SPACER SS30-VB	Indoor surface mount wall/ceiling spacer for VB-S30D/S31D/S80xD mini-domes.	99208001	CANON SURFACE MOUNT SPACER SS30-0000007715	1/1/2021	12/31/2023	45.08	USD	EA
800890-958	CANON MOUNT KIT JUNCT BOX PS30-VB-46171622	Axis Communications	CANON MOUNT KIT JUNCT BOX PS30-VB	Indoor junction box mounting plate for VB-S30D/S31D/S80xD mini-domes.	99218001	CANON MOUNT KIT JUNCT BOX PS30-VB-0000007715	1/1/2021	12/31/2023	45.08	USD	EA
800890-959	CANON A-BK3S(OW)-46171622	Axis Communications	CANON A-BK3S(OW)	Pole Mount Adapter and 59" length Non-Tool Stainless Clamp (Minimum Pole Diameter 4")	1381V106	CANON A-BK3S(OW)-0000007715	1/1/2021	12/31/2023	119.56	USD	EA
800890-960	CANON A-SWDSVCHB-46171622	Axis Communications	CANON A-SWDSVCHB	A-SWDSVC with Heater & Blower	1381V120	CANON A-SWDSVCHB-0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-961	CANON A-SWDSWB3-46171622	Axis Communications	CANON A-SWDSWB3	Wall bracket for VB-H43, VB-H41, VB-M42, VB-M40, VB-S30D, VB-S31D, VB-S800D, VB-S805D	2787V308	CANON A-SWDSWB3-0000007715	1/1/2021	12/31/2023	101.92	USD	EA
800890-962	CANON A-ODW7C12S(OW)-46171622	Axis Communications	CANON A-ODW7C12S(OW)	A-ODW7C12(OW) with sunshield	1923V398	CANON A-ODW7C12S(OW)-0000007715	1/1/2021	12/31/2023	605.64	USD	EA
800890-963	CANON A-ODW7T12(OW)-46171622	Axis Communications	CANON A-ODW7T12(OW)	Wall mount 7" tinted vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C500, VB-C500D, VB-C500R w/VB-EX50, and VC-C50R	1923V397	CANON A-ODW7T12(OW)-0000007715	1/1/2021	12/31/2023	458.64	USD	EA
800890-964	CANON A-CA15G-46171622	Axis Communications	CANON A-CA15G	Ceiling mount adapter	1381V127	CANON A-CA15G-0000007715	1/1/2021	12/31/2023	35.28	USD	EA
800890-965	CANON A-SY15-46171622	Axis Communications	CANON A-SY15	Sunshield	1381V128	CANON A-SY15-0000007715	1/1/2021	12/31/2023	42.14	USD	EA
800890-966	CANON A-SWDSZWB-46171622	Axis Communications	CANON A-SWDSZWB	Wall bracket for A-SWDSV & A-SWDSZ	1968V994	CANON A-SWDSZWB-0000007715	1/1/2021	12/31/2023	200.9	USD	EA
800890-967	CANON A-CH3-46171622	Axis Communications	CANON A-CH3	Corner Mount Adapter	1381V107	CANON A-CH3-0000007715	1/1/2021	12/31/2023	101.92	USD	EA
800890-968	CANON A-VC50BRK-46171622	Axis Communications	CANON A-VC50BRK	Adapter bracket for VC-C50R	1381V108	CANON A-VC50BRK-0000007715	1/1/2021	12/31/2023	30.38	USD	EA
800890-969	CANON A-ODW5C12S(OW)-46171622	Axis Communications	CANON A-ODW5C12S(OW)	A-ODW5C12(OW) with sunshield	3067V203	CANON A-ODW5C12S(OW)-0000007715	1/1/2021	12/31/2023	500.78	USD	EA
800890-970	CANON A-SWDSZC-46171622	Axis Communications	CANON A-SWDSZC	Tough Dome Lite. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C500R, and VC-C50R. (Capsule made of 0.118" thickness Polycarbonate)	2064V111	CANON A-SWDSZC-0000007715	1/1/2021	12/31/2023	200.9	USD	EA
800890-971	CANON A-BK4-46171622	Axis Communications	CANON A-BK4	Pole Mount Adapter and Stainless U-Bolt for 1 1/2" NPT Dia (Pole Diameter 1.5" - 2.0")	3063V605	CANON A-BK4-0000007715	1/1/2021	12/31/2023	99.96	USD	EA
800890-972	CANON A-ODW5C12(OW)-46171622	Axis Communications	CANON A-ODW5C12(OW)	Wall mount 6" clear dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C500R, and VC-C50R	3067V202	CANON A-ODW5C12(OW)-0000007715	1/1/2021	12/31/2023	397.88	USD	EA
800890-973	CANON A-SWDSZWB-2-46171622	Axis Communications	CANON A-SWDSZWB-2	Attachment Plate for A-SWDSZWB (Required if installing VB-M641, VB-M640, VB-H630, VB-H610, VB-M620, and VB-M600)	2038V642	CANON A-SWDSZWB-2-0000007715	1/1/2021	12/31/2023	54.88	USD	EA
800890-974	CANON A-ODW5T(OW)-46171622	Axis Communications	CANON A-ODW5T(OW)	Wall mount 6" tinted dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C500R, and VC-C50R	3067V201	CANON A-ODW5T(OW)-0000007715	1/1/2021	12/31/2023	397.88	USD	EA
800890-975	CANON A-ODW5T5(OW)-46171622	Axis Communications	CANON A-ODW5T5(OW)	A-ODW5T(OW) with sunshield	3067V212	CANON A-ODW5T5(OW)-0000007715	1/1/2021	12/31/2023	500.78	USD	EA
800890-976	CANON A-ODW5T12S(OW)-46171622	Axis Communications	CANON A-ODW5T12S(OW)	A-ODW5T12(OW) with sunshield	3067V205	CANON A-ODW5T12S(OW)-0000007715	1/1/2021	12/31/2023	500.78	USD	EA
800890-977	CANON A-H24-46171622	Axis Communications	CANON A-H24	Additional Heater for A-ODW	2038V640	CANON A-H24-0000007715	1/1/2021	12/31/2023	31.36	USD	EA
800890-978	CANON A-OH15FBHSET-S(OW)-46171622	Axis Communications	CANON A-OH15FBHSET-S(OW)	Outdoor camera housing with heater & blower and Wall bracket in Stainless for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50R	2038V641	CANON A-OH15FBHSET-S(OW)-0000007715	1/1/2021	12/31/2023	281.26	USD	EA
800890-979	CANON A-RCP5C-46171622	Axis Communications	CANON A-RCP5C	Replacement capsule, 5" Clear (for A-ODW5 / A-ID5 / A-SWDS)	2030V463	CANON A-RCP5C-0000007715	1/1/2021	12/31/2023	95.06	USD	EA
800890-980	CANON A-ODW5C(OW)-46171622	Axis Communications	CANON A-ODW5C(OW)	Wall mount 6" clear dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C500R, and VC-C50R	3067V199	CANON A-ODW5C(OW)-0000007715	1/1/2021	12/31/2023	397.88	USD	EA
800890-981	CANON A-RCP7C-46171622	Axis Communications	CANON A-RCP7C	Replacement capsule, 7" Clear (for A-ODW7 / A-ID7)	2030V464	CANON A-RCP7C-0000007715	1/1/2021	12/31/2023	99.96	USD	EA
800890-982	CANON A-CM100NPT-46171622	Axis Communications	CANON A-CM100NPT	Ceiling mount bracket for 1 1/2" NPT. Steel construction with powder coat finish	1381V101	CANON A-CM100NPT-0000007715	1/1/2021	12/31/2023	98.98	USD	EA
800890-983	CANON A-SWDSZT-46171622	Axis Communications	CANON A-SWDSZT	Tough Dome Lite. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C500R, and VC-C50R. (Capsule made of 0.118" thickness Polycarbonate)	2064V112	CANON A-SWDSZT-0000007715	1/1/2021	12/31/2023	200.9	USD	EA
800890-984	CANON A-RCPSVT-46171622	Axis Communications	CANON A-RCPSVT	Replacement capsule, 5" Tinted (for A-SWDSV / A-SWDSZ)	2384V845	CANON A-RCPSVT-0000007715	1/1/2021	12/31/2023	95.06	USD	EA
800890-985	CANON A-BK3(OW)-46171622	Axis Communications	CANON A-BK3(OW)	Pole Mount Adapter and 59" length Non-Tool Aluminum Clamp (Minimum Pole Diameter 4")	2120V066	CANON A-BK3(OW)-0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-986	CANON A-SWDSBH2-46171622	Axis Communications	CANON A-SWDSBH2	Blower & Heater for A-SWDS, A-SWDSZ, A-SWDSV	2120V067	CANON A-SWDSBH2-0000007715	1/1/2021	12/31/2023	88.2	USD	EA
800890-987	CANON A-RCPSVC-46171622	Axis Communications	CANON A-RCPSVC	Replacement capsule, 5" Clear (for A-SWDSV / A-SWDSZ)	2384V844	CANON A-RCPSVC-0000007715	1/1/2021	12/31/2023	95.06	USD	EA
800890-988	CANON A-ODW5C5(OW)-46171622	Axis Communications	CANON A-ODW5C5(OW)	A-ODW5C(OW) with sunshield	3067V200	CANON A-ODW5C5(OW)-0000007715	1/1/2021	12/31/2023	500.78	USD	EA
800890-989	CANON A-CP100NPT-46171622	Axis Communications	CANON A-CP100NPT	Coupling for dome housing for 1 1/2" NPT. Steel construction with powder coat finish	1381V102	CANON A-CP100NPT-0000007715	1/1/2021	12/31/2023	62.72	USD	EA
800890-990	CANON A-RCP5T-46171622	Axis Communications	CANON A-RCP5T	Replacement capsule, 5" Tinted (for A-ODW5 / A-ID5 / A-SWDS)	1381V103	CANON A-RCP5T-0000007715	1/1/2021	12/31/2023	93.1	USD	EA
800890-991	CANON A-ID7TF-46171622	Axis Communications	CANON A-ID7TF	Indoor tinted recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FS, VB-C50R w/VB-EX50, and VC-C50R	1381V112	CANON A-ID7TF-0000007715	1/1/2021	12/31/2023	177.38	USD	EA
800890-992	CANON A-ID7CF-46171622	Axis Communications	CANON A-ID7CF	Indoor clear recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FS, VB-C50R w/VB-EX50, and VC-C50R	1381V111	CANON A-ID7CF-0000007715	1/1/2021	12/31/2023	177.38	USD	EA
800890-993	CANON A-ODW7C12(OW)-46171622	Axis Communications	CANON A-ODW7C12(OW)	Wall mount 7" clear vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500, VB-C50R w/VB-EX50, and VC-C50R	1923V396	CANON A-ODW7C12(OW)-0000007715	1/1/2021	12/31/2023	458.64	USD	EA
800890-994	CANON A-OH15F-46171622	Axis Communications	CANON A-OH15F	Outdoor camera housing with Wall bracket for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FS	1588V039	CANON A-OH15F-0000007715	1/1/2021	12/31/2023	161.7	USD	EA
800890-995	CANON A-SWDSVT-46171622	Axis Communications	CANON A-SWDSVT	Tough Dome. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50R, and VC-C50R. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	1381V119	CANON A-SWDSVT-0000007715	1/1/2021	12/31/2023	250.88	USD	EA
800890-996	CANON A-SWDSVTHB-46171622	Axis Communications	CANON A-SWDSVTHB	A-SWDSVT with Heater & Blower	1381V121	CANON A-SWDSVTHB-0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-997	CANON A-ODW7T12S(OW)-46171622	Axis Communications	CANON A-ODW7T12S(OW)	A-ODW7T12(OW) with sunshield	1923V399	CANON A-ODW7T12S(OW)-0000007715	1/1/2021	12/31/2023	605.64	USD	EA
800890-998	CANON A-RCPTT-46171622	Axis Communications	CANON A-RCPTT	Replacement capsule, 7" Tinted (for A-ODW7 / A-ID7)	1381V104	CANON A-RCPTT-0000007715	1/1/2021	12/31/2023	99.96	USD	EA
800890-999	CANON A-VSM4TL-46171622	Axis Communications	CANON A-VSM4TL	Vandal Resistant M4 Screws & Tool Set, consists of 7 vandal resistant M4 screws and 1 tool	1381V125	CANON A-VSM4TL-0000007715	1/1/2021	12/31/2023	21.56	USD	EA
800890-1000	CANON A-OH15FBHSET(OW)-46171622	Axis Communications	CANON A-OH15FBHSET(OW)	Outdoor camera housing with heater & blower and Wall bracket in Steel for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FS	1381V126	CANON A-OH15FBHSET(OW)-0000007715	1/1/2021	12/31/2023	233.24	USD	EA
800890-1001	CANON A-ODW7C(OW)-46171622	Axis Communications	CANON A-ODW7C(OW)	Wall mount 7" clear vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50R w/VB-EX50, and VC-C50R	1381V097	CANON A-ODW7C(OW)-0000007715	1/1/2021	12/31/2023	458.64	USD	EA
800890-1002	CANON A-PS2412SWDS-46171622	Axis Communications	CANON A-PS2412SWDS	24VAC-12VDC Converter (for A-SWDS)	1381V122	CANON A-PS2412SWDS-0000007715	1/1/2021	12/31/2023	103.88	USD	EA
800890-1003	CANON A-SWDS5CA-46171622	Axis Communications	CANON A-SWDS5CA	Ceiling adapter for A-SWDS (Pipe is not provided)	1381V124	CANON A-SWDS5CA-0000007715	1/1/2021	12/31/2023	99.96	USD	EA
800890-1004	CANON A-PS2412-46171622	Axis Communications	CANON A-PS2412	24VAC-12VDC Converter (for A-ODW / A-ID / A-OH15)	1381V105	CANON A-PS2412-0000007715	1/1/2021	12/31/2023	103.88	USD	EA
800890-1005	CANON A-ODW7C5(OW)-46171622	Axis Communications	CANON A-ODW7C5(OW)	A-ODW7C(OW) with sunshield	1381V099	CANON A-ODW7C5(OW)-0000007715	1/1/2021	12/31/2023	605.64	USD	EA
800890-1006	CANON A-ODW7T(OW)-46171622	Axis Communications	CANON A-ODW7T(OW)	Wall mount 7" tinted vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50R w/VB-EX50, and VC-C50R	1586V919	CANON A-ODW7T(OW)-0000007715	1/1/2021	12/31/2023	458.64	USD	EA
800890-1007	CANON A-ODW7T5(OW)-46171622	Axis Communications	CANON A-ODW7T5(OW)	A-ODW7T(OW) with sunshield	1586V921	CANON A-ODW7T5(OW)-0000007715	1/1/2021	12/31/2023	605.64	USD	EA
800890-1008	CANON A-CM100-46171622	Axis Communications	CANON A-CM100	Narrow ceiling mount bracket. Steel construction with powder coat finish	1381V100	CANON A-CM100-0000007715	1/1/2021	12/31/2023	112.7	USD	EA
800890-1009	CANON A-ODW5T12(OW)-46171622	Axis Communications	CANON A-ODW5T12(OW)	Wall mount 5" tinted dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50R, and VC-C50R	3067V204	CANON A-ODW5T12(OW)-0000007715	1/1/2021	12/31/2023	392.98	USD	EA
800890-1010	CANON A-SWDS5C-46171622	Axis Communications	CANON A-SWDS5C	Surface mount dome 6" clear for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50R, and VC-C50R	3067V206	CANON A-SWDS5C-0000007715	1/1/2021	12/31/2023	126.42	USD	EA

800890-1011	CANON A-SWDST	46171622	Axis Communications	CANON A-SWDST	Surface mount dome 6" tinted for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	3067V207	CANON A-SWDST	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-1012	CANON A-SWD5CHB	46171622	Axis Communications	CANON A-SWD5CHB	A-SWD5C w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	3067V208	CANON A-SWD5CHB	0000007715	1/1/2021	12/31/2023	220.5	USD	EA
800890-1013	CANON A-SWD5THB	46171622	Axis Communications	CANON A-SWD5THB	A-SWD5T w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	3067V209	CANON A-SWD5THB	0000007715	1/1/2021	12/31/2023	220.5	USD	EA
800890-1014	CANON A-ID5T5	46171622	Axis Communications	CANON A-ID5T5	Indoor tinted recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	3067V210	CANON A-ID5T5	0000007715	1/1/2021	12/31/2023	134.26	USD	EA
800890-1015	CANON A-ID5C5	46171622	Axis Communications	CANON A-ID5C5	Indoor clear recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	3067V211	CANON A-ID5C5	0000007715	1/1/2021	12/31/2023	134.26	USD	EA
800890-1016	CANON A-SWD5VC	46171622	Axis Communications	CANON A-SWD5VC	Tough Dome. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	1381V118	CANON A-SWD5VC	0000007715	1/1/2021	12/31/2023	250.88	USD	EA
800890-1017	CANON ITS-5-RK RECESSED KIT	46171622	Axis Communications	CANON ITS-5-RK RECESSED KIT	Recessed Mounting Kit for VB-S300, VB-S31D, VB-S800D, VB-S805D	2943V528	CANON ITS-5-RK RECESSED KIT	0000007715	1/1/2021	12/31/2023	106.82	USD	EA
800890-1018	CANON A-SWD5ZWB600	46171622	Axis Communications	CANON A-SWD5ZWB600	Outdoor wall mount adaptor bracket for VB-H/M outdoor Domes. 330mm standoff to centre	0037X089	CANON A-SWD5ZWB600	0000007715	1/1/2021	12/31/2023	243.04	USD	EA
800890-1019	CANON PA-V18 US	46171622	Axis Communications	CANON PA-V18 US	EAC certified encapsulated AC Adapter (12V DC Power supply) with US plug	8362B001	CANON PA-V18 US	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1020	CANON HEATER UNIT HUS52-VB	46171622	Axis Communications	CANON HEATER UNIT HUS52-VB	Optional heater element for VB-H652LVE outdoor Dome. Requires AC24V power	1498C001	CANON HEATER UNIT HUS52-VB	0000007715	1/1/2021	12/31/2023	147	USD	EA
800890-1021	CANON SMOKED DOME UNIT DU652-S-VB	46171622	Axis Communications	CANON SMOKED DOME UNIT DU652-S-VB	Smoked Dome Unit for VB-H652LVE outdoor dome	1497C001	CANON SMOKED DOME UNIT DU652-S-VB	0000007715	1/1/2021	12/31/2023	63.7	USD	EA
800890-1022	CANON PENDANT CAP PC30VE-VB	46171622	Axis Communications	CANON PENDANT CAP PC30VE-VB	Indoor Pendant mounting Cap for VB-S30VE/S800VE mini-domes	1736C001	CANON PENDANT CAP PC30VE-VB	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1023	CANON CONDUIT BOX CB30VE-VB	46171622	Axis Communications	CANON CONDUIT BOX CB30VE-VB	Conduit Box for VB-S30VE/S800VE mini-domes	1735C001	CANON CONDUIT BOX CB30VE-VB	0000007715	1/1/2021	12/31/2023	86.24	USD	EA
800890-1024	CANON WEATHER SHIELD WS700-VB	46171622	Axis Communications	CANON WEATHER SHIELD WS700-VB	Weather Shield for VB-M741LE/M740E, VB-H751LE/H761LVE/H760VE	2206C001	CANON WEATHER SHIELD WS700-VB	0000007715	1/1/2021	12/31/2023	27.44	USD	EA
800890-1025	CANON A-SWD5WB2	46171622	Axis Communications	CANON A-SWD5WB2	Indoor universal wall mount bracket suitable for VB-R13/R11 indoor PTZ Domes, and VB-H/M domes. 172mm standoff to centre	3072V366	CANON A-SWD5WB2	0000007715	1/1/2021	12/31/2023	109.76	USD	EA
800890-1026	CANON A-SWD5CA2	46171622	Axis Communications	CANON A-SWD5CA2	Ceiling adapter for A-SWD5 (Pipe is not provided)	3497V728	CANON A-SWD5CA2	0000007715	1/1/2021	12/31/2023	168.56	USD	EA
800890-1027	CANON NETWORK CAMERA VB-M741LE	46171622	Axis Communications	CANON NETWORK CAMERA VB-M741LE	Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	0312C001	CANON NETWORK CAMERA VB-M741LE	0000007715	1/1/2021	12/31/2023	1175.2748	USD	EA
800890-1028	CANON NETWORK CAMERA VB-M740E	46171622	Axis Communications	CANON NETWORK CAMERA VB-M740E	Outdoor fixed box network camera. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IP66, NEMA250-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE (Power supply not included) and SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	0313C001	CANON NETWORK CAMERA VB-M740E	0000007715	1/1/2021	12/31/2023	818.3	USD	EA
800890-1029	CANON NETWORK CAMERA VB-M720F	46171622	Axis Communications	CANON NETWORK CAMERA VB-M720F	Indoor fixed box network camera with remote zoom configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE+, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	9909B001	CANON NETWORK CAMERA VB-M720F	0000007715	1/1/2021	12/31/2023	587.0984	USD	EA
800890-1030	CANON NETWORK CAMERA VB-S910F	46171622	Axis Communications	CANON NETWORK CAMERA VB-S910F	Indoor compact fixed box network camera. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White.	1389C001	CANON NETWORK CAMERA VB-S910F	0000007715	1/1/2021	12/31/2023	430.22	USD	EA
800890-1031	CANON NETWORK CAMERA VB-H761LVE	46171622	Axis Communications	CANON NETWORK CAMERA VB-H761LVE	Outdoor vandal resistant fixed box network camera with IR LED illumination up to 60m. 20x optical zoom, auto focus, day/night switching. Enhanced Digital Zoom capabilities and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK09-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	1062C001	CANON NETWORK CAMERA VB-H761LVE	0000007715	1/1/2021	12/31/2023	1421.98	USD	EA
800890-1032	CANON NETWORK CAMERA VB-H760VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-H760VE	Outdoor vandal resistant fixed box network camera. 20x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK09-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE (Power supply not included) and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	1063C001	CANON NETWORK CAMERA VB-H760VE	0000007715	1/1/2021	12/31/2023	1281.84	USD	EA
800890-1033	CANON NETWORK CAMERA VB-H751LE	46171622	Axis Communications	CANON NETWORK CAMERA VB-H751LE	Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	1386C001	CANON NETWORK CAMERA VB-H751LE	0000007715	1/1/2021	12/31/2023	1292.62	USD	EA
800890-1034	CANON NETWORK CAMERA VB-S905F MkII	46171622	Axis Communications	CANON NETWORK CAMERA VB-S905F MkII	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9), digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE+ (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	2556C001	CANON NETWORK CAMERA VB-S905F MkII	0000007715	1/1/2021	12/31/2023	342.4904	USD	EA
800890-1035	CANON NETWORK CAMERA VB-H730F MkII	46171622	Axis Communications	CANON NETWORK CAMERA VB-H730F MkII	Indoor fixed box network camera with remote Zoom configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports, and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	2551C001	CANON NETWORK CAMERA VB-H730F MkII	0000007715	1/1/2021	12/31/2023	636.167	USD	EA
800890-1036	CANON NETWORK CAMERA VB-S900F MkII	46171622	Axis Communications	CANON NETWORK CAMERA VB-S900F MkII	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	2553C001	CANON NETWORK CAMERA VB-S900F MkII	0000007715	1/1/2021	12/31/2023	420.7238	USD	EA

800890-1037	CANON NETWORK CAMERA VB-M641VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-M641VE	0308C001	CANON NETWORK CAMERA VB-M641VE	0000007715	1/1/2021	12/31/2023	1047.7278	USD	EA
800890-1038	CANON NETWORK CAMERA VB-M641V	46171622	Axis Communications	CANON NETWORK CAMERA VB-M641V	0309C001	CANON NETWORK CAMERA VB-M641V	0000007715	1/1/2021	12/31/2023	744.3002	USD	EA
800890-1039	CANON NETWORK CAMERA VB-M640VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-M640VE	0310C001	CANON NETWORK CAMERA VB-M640VE	0000007715	1/1/2021	12/31/2023	753.669	USD	EA
800890-1040	CANON NETWORK CAMERA VB-M640V	46171622	Axis Communications	CANON NETWORK CAMERA VB-M640V	0311C001	CANON NETWORK CAMERA VB-M640V	0000007715	1/1/2021	12/31/2023	607.0708	USD	EA
800890-1041	CANON NETWORK CAMERA VB-M620VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-M620VE	99078001	CANON NETWORK CAMERA VB-M620VE	0000007715	1/1/2021	12/31/2023	704.2182	USD	EA
800890-1042	CANON NETWORK CAMERA VB-H651V	46171622	Axis Communications	CANON NETWORK CAMERA VB-H651V	1385C001	CANON NETWORK CAMERA VB-H651V	0000007715	1/1/2021	12/31/2023	871.073	USD	EA
800890-1043	CANON NETWORK CAMERA VB-H630VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-H630VE	99038001	CANON NETWORK CAMERA VB-H630VE	0000007715	1/1/2021	12/31/2023	861.6356	USD	EA
800890-1044	CANON NETWORK CAMERA VB-H630D	46171622	Axis Communications	CANON NETWORK CAMERA VB-H630D	99048001	CANON NETWORK CAMERA VB-H630D	0000007715	1/1/2021	12/31/2023	704.6396	USD	EA
800890-1045	CANON NETWORK CAMERA VB-M620D	46171622	Axis Communications	CANON NETWORK CAMERA VB-M620D	99088001	CANON NETWORK CAMERA VB-M620D	0000007715	1/1/2021	12/31/2023	567.6552	USD	EA
800890-1046	CANON NETWORK CAMERA VB-H651VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-H651VE	1384C001	CANON NETWORK CAMERA VB-H651VE	0000007715	1/1/2021	12/31/2023	1206.38	USD	EA
800890-1047	CANON NETWORK CAMERA VB-S800VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-S800VE	1388C001	CANON NETWORK CAMERA VB-S800VE	0000007715	1/1/2021	12/31/2023	494.9	USD	EA
800890-1048	CANON NETWORK CAMERA VB-S805D MkII	46171622	Axis Communications	CANON NETWORK CAMERA VB-S805D MkII	2554C001	CANON NETWORK CAMERA VB-S805D MkII	0000007715	1/1/2021	12/31/2023	342.0788	USD	EA
800890-1049	CANON NETWORK CAMERA VB-S30D MkII	46171622	Axis Communications	CANON NETWORK CAMERA VB-S30D MkII	2545C001	CANON NETWORK CAMERA VB-S30D MkII	0000007715	1/1/2021	12/31/2023	586.8044	USD	EA
800890-1050	CANON NETWORK CAMERA VB-S31D MkII	46171622	Axis Communications	CANON NETWORK CAMERA VB-S31D MkII	2546C001	CANON NETWORK CAMERA VB-S31D MkII	0000007715	1/1/2021	12/31/2023	557.7474	USD	EA
800890-1051	CANON NETWORK CAMERA VB-S800D MkII	46171622	Axis Communications	CANON NETWORK CAMERA VB-S800D MkII	2552C001	CANON NETWORK CAMERA VB-S800D MkII	0000007715	1/1/2021	12/31/2023	390.775	USD	EA
800890-1052	CANON NETWORK CAMERA VB-R13VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-R13VE	1381C001	CANON NETWORK CAMERA VB-R13VE	0000007715	1/1/2021	12/31/2023	3605.0378	USD	EA

800890-1053	CANON NETWORK CAMERA VB-R13	46171622	Axis Communications	CANON NETWORK CAMERA VB-R13	1383C001	CANON NETWORK CAMERA VB-R13	0000007715	1/1/2021	12/31/2023	2860.3848	USD	EA
				Indoor PTZ Dome network camera with 360° endless rotation, auto-tilt, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.								
800890-1054	CANON NETWORK CAMERA VB-R12VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-R12VE	1382C001	CANON NETWORK CAMERA VB-R12VE	0000007715	1/1/2021	12/31/2023	3331.412	USD	EA
				Outdoor vandal resistant PTZ Dome network camera with 360° endless rotation, auto-tilt, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.								
800890-1055	CANON NETWORK CAMERA VB-R11VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-R11VE	0305C001	CANON NETWORK CAMERA VB-R11VE	0000007715	1/1/2021	12/31/2023	2798.635	USD	EA
				Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-tilt, and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 9 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. 12cm pigtail cable connection. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.								
800890-1056	CANON NETWORK CAMERA VB-R11	46171622	Axis Communications	CANON NETWORK CAMERA VB-R11	0306C001	CANON NETWORK CAMERA VB-R11	0000007715	1/1/2021	12/31/2023	2635.6512	USD	EA
				Indoor PTZ Dome network camera with 360° endless rotation, auto-tilt, and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.								
800890-1057	CANON NETWORK CAMERA VB-R10VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-R10VE	0307C001	CANON NETWORK CAMERA VB-R10VE	0000007715	1/1/2021	12/31/2023	2968.518	USD	EA
				Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-tilt, and auto-tracking capabilities. 30x optical zoom, auto focus and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.								
800890-1058	CANON NETWORK CAMERA VB-M50B	46171622	Axis Communications	CANON NETWORK CAMERA VB-M50B	1064C001	CANON NETWORK CAMERA VB-M50B	0000007715	1/1/2021	12/31/2023	3331.363	USD	EA
				Indoor PTZ network camera with 348° rotation and large aperture lens ideal for low light applications. 5x optical zoom, auto focus, day/night switching and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Only available in Black.								
800890-1059	CANON NETWORK CAMERA VB-M42B	46171622	Axis Communications	CANON NETWORK CAMERA VB-M42B	9906B002	CANON NETWORK CAMERA VB-M42B	0000007715	1/1/2021	12/31/2023	1478.82	USD	EA
				BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).								
800890-1060	CANON NETWORK CAMERA VB-H652LVE	46171622	Axis Communications	CANON NETWORK CAMERA VB-H652LVE	1061C001	CANON NETWORK CAMERA VB-H652LVE	0000007715	1/1/2021	12/31/2023	1410.5728	USD	EA
				Outdoor vandal resistant fixed dome network camera with IR LED illumination up to 20m, and NTSC video out for manual PT configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with optional heater fitted. Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting. Optional heater unit HU652-VB sold separately.								
800890-1061	CANON NETWORK CAMERA VB-H43B	46171622	Axis Communications	CANON NETWORK CAMERA VB-H43B	9902B002	CANON NETWORK CAMERA VB-H43B	0000007715	1/1/2021	12/31/2023	2302.363	USD	EA
				BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).								
800890-1062	CANON NETWORK CAMERA VB-H43S	46171622	Axis Communications	CANON NETWORK CAMERA VB-H43S	9902B001	CANON NETWORK CAMERA VB-H43S	0000007715	1/1/2021	12/31/2023	2302.363	USD	EA
				SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.								
800890-1063	CANON NETWORK CAMERA VB-S30VE	46171622	Axis Communications	CANON NETWORK CAMERA VB-S30VE	1387C001	CANON NETWORK CAMERA VB-S30VE	0000007715	1/1/2021	12/31/2023	721.28	USD	EA
				Outdoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. IP66, IK10-rated and operating temperature in -25° C to +50° C (-14° F to +122° F). Powered by PoE (Power supply not included). Audio output port and in-built microphone. Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. 1m pigtail cable connection. Available in Titanium White.								
800890-1064	CANON NETWORK CAMERA VB-M44B	46171622	Axis Communications	CANON NETWORK CAMERA VB-M44B	2542C002	CANON NETWORK CAMERA VB-M44B	0000007715	1/1/2021	12/31/2023	1478.82	USD	EA
				BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).								
800890-1065	CANON NETWORK CAMERA VB-M44S	46171622	Axis Communications	CANON NETWORK CAMERA VB-M44S	2542C001	CANON NETWORK CAMERA VB-M44S	0000007715	1/1/2021	12/31/2023	1478.82	USD	EA
				SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.								
800890-1066	CANON NETWORK CAMERA VB-H45B	46171622	Axis Communications	CANON NETWORK CAMERA VB-H45B	2541C002	CANON NETWORK CAMERA VB-H45B	0000007715	1/1/2021	12/31/2023	2302.363	USD	EA
				BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (/B).								
800890-1067	CANON NETWORK CAMERA VB-H45S	46171622	Axis Communications	CANON NETWORK CAMERA VB-H45S	2541C001	CANON NETWORK CAMERA VB-H45S	0000007715	1/1/2021	12/31/2023	2302.363	USD	EA
				SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.								
800890-1068	AXIS P7701	46171622	Axis Communications	AXIS P7701	0319-004	AXIS P7701	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
				1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.								
800890-1069	AXIS P7701 VIDEO DEC BB BULK 20PCS	46171622	Axis Communications	AXIS P7701 VIDEO DEC BB BULK 20PCS	0319-051	AXIS P7701 VIDEO DEC BB BULK 20PCS	0000007715	1/1/2021	12/31/2023	9780.4	USD	EA
				AXIS P7701 BARE BOARD IN 20-pack. Cannot be sold separately as single packs. No power supplies.								

800890-1070	AXIS P7701 VIDEO DECODER BARE BONE	46171622	Axis Communications	AXIS P7701 VIDEO DECODER BARE BONE Bare bone 1 channel video decoder (PCB without any mechanics). Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. No power supply. Network Video Decoder for easy display of video from IP cameras on big screens. With the 1080p HDMI output, Ethernet input and compact size, it is very easy to setup and use. It can display the video both as sequence or multinode and with the integrated VAPIX support, it automatically finds AXIS cameras on the network for plug-and-play configuration.	0319-041	AXIS P7701 VIDEO DECODER BARE BONE	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-1071	AXIS T8705 VIDEO DECODER	46171622	Axis Communications	AXIS T8705 VIDEO DECODER Single channel video encoder with H.264 (High, Main and Base profile) and Motion JPEG support. Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS. AVHS and ACAP support. No midspan included.	01186-004	AXIS T8705 VIDEO DECODER	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-1072	AXIS M7011 Video Encoder	46171622	Axis Communications	AXIS M7011 Video Encoder Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	0764-001	AXIS M7011 Video Encoder	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1073	AXIS M7014 Video Encoder	46171622	Axis Communications	AXIS M7014 Video Encoder Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	0415-004	AXIS M7014 Video Encoder	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-1074	AXIS M7014 VIDEO ENCODER BULK 10PCS	46171622	Axis Communications	AXIS M7014 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	0415-021	AXIS M7014 VIDEO ENCODER BULK 10PCS	0000007715	1/1/2021	12/31/2023	2841.02	USD	EA
800890-1075	AXIS M7016 VIDEO ENCODER	46171622	Axis Communications	AXIS M7016 VIDEO ENCODER Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	0541-004	AXIS M7016 VIDEO ENCODER	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-1076	AXIS P7214 Video Encoder	46171622	Axis Communications	AXIS P7214 Video Encoder Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	0417-004	AXIS P7214 Video Encoder	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1077	AXIS P7214 VIDEO ENCODER BULK 10PCS	46171622	Axis Communications	AXIS P7214 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	0417-021	AXIS P7214 VIDEO ENCODER BULK 10PCS	0000007715	1/1/2021	12/31/2023	3791.62	USD	EA
800890-1078	AXIS P7214 VIDEO ENC BARE BONE	46171622	Axis Communications	AXIS P7214 VIDEO ENC BARE BONE Four-channel bare bone video encoder (PCB without mechanics). Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. No power supply included.	0417-031	AXIS P7214 VIDEO ENC BARE BONE	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1079	AXIS P7224 Video Encoder Blade	46171622	Axis Communications	AXIS P7224 Video Encoder Blade Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	0418-001	AXIS P7224 Video Encoder Blade	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1080	AXIS P7216 VIDEO ENCODER	46171622	Axis Communications	AXIS P7216 VIDEO ENCODER Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	0542-004	AXIS P7216 VIDEO ENCODER	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA
800890-1081	AXIS P7224 VID ENC BLADE BULK 10PCS	46171622	Axis Communications	AXIS P7224 in 10-pack. Cannot be sold separately as single packs.	0418-021	AXIS P7224 VID ENC BLADE BULK 10PCS	0000007715	1/1/2021	12/31/2023	3791.62	USD	EA
800890-1082	AXIS Q7401 VIDEO ENCODER	46171622	Axis Communications	AXIS Q7401 VIDEO ENCODER 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. Includes power supply.	0288-004	AXIS Q7401 VIDEO ENCODER	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1083	AXIS Q7401 VIDEO ENCODER BARE BONE	46171622	Axis Communications	AXIS Q7401 VIDEO ENCODER BARE BONE Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. No power supply.	0288-041	AXIS Q7401 VIDEO ENCODER BARE BONE	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1084	AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS	46171622	Axis Communications	AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power supplies.	0288-051	AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS	0000007715	1/1/2021	12/31/2023	7820.4	USD	EA
800890-1085	AXIS Q7401 VIDEO ENCODER BULK 10PCS	46171622	Axis Communications	AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs	0288-021	AXIS Q7401 VIDEO ENCODER BULK 10PCS	0000007715	1/1/2021	12/31/2023	3910.2	USD	EA
800890-1086	AXIS Q7411 VIDEO ENCODER	46171622	Axis Communications	AXIS Q7411 VIDEO ENCODER Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support. 8-28 Vd and Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.	0518-004	AXIS Q7411 VIDEO ENCODER	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1087	AXIS Q7411 VIDEO ENCODER BULK 10PCS	46171622	Axis Communications	AXIS Q7411 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	0518-021	AXIS Q7411 VIDEO ENCODER BULK 10PCS	0000007715	1/1/2021	12/31/2023	3791.62	USD	EA
800890-1088	AXIS Q7414 VIDEO ENCODER BLADE	46171622	Axis Communications	AXIS Q7414 VIDEO ENCODER BLADE Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	0354-001	AXIS Q7414 VIDEO ENCODER BLADE	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-1089	AXIS Q7414 VIDEO ENCODER BULK 10PCS	46171622	Axis Communications	AXIS Q7414 in 10-pack. Cannot be sold separately as single packs.	0354-021	AXIS Q7414 VIDEO ENCODER BULK 10PCS	0000007715	1/1/2021	12/31/2023	9301.18	USD	EA
800890-1090	AXIS Q7424-R MKII VIDEO ENCODER	46171622	Axis Communications	AXIS Q7424-R MKII VIDEO ENCODER Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MKII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps.	0742-001	AXIS Q7424-R MKII VIDEO ENCODER	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-1091	AXIS Q7424-R MKII VID ENC BULK 10P	46171622	Axis Communications	AXIS Q7424-R MKII VID ENC BULK 10P Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MKII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps. 10 PCS.	0742-021	AXIS Q7424-R MKII VID ENC BULK 10P	0000007715	1/1/2021	12/31/2023	8370.18	USD	EA
800890-1092	AXIS Q7436 VIDEO ENCODER BLADE	46171622	Axis Communications	AXIS Q7436 VIDEO ENCODER BLADE 6 channel video encoder blade. Multiple, individually configurable H.264 (Base, Main and High profile) and Motion JPEG streams; max. D1 resolution at 60/50 fps per channel. Video motion detection. Active tampering alarm. Coax PTZ Control (Coaxtron). Compatible with the following video encoder chassis: AXIS Q7920, AXIS Q7900 and AXIS 291 1U	0584-001	AXIS Q7436 VIDEO ENCODER BLADE	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-1093	AXIS Q7436 VIDEO ENCODER BLADE BULK 10 PCS	46171622	Axis Communications	AXIS Q7436 in 10-pack. Cannot be sold separately as single packs.	0584-021	AXIS Q7436 VIDEO ENCODER BLADE BULK 10 PCS	0000007715	1/1/2021	12/31/2023	11171.02	USD	EA
800890-1094	AXIS Q7436/Q7920 KIT	46171622	Axis Communications	AXIS Q7436/Q7920 KIT 14 x AXIS Q7436 Video Encoder Blade mounted in an AXIS Q7920 Video Encoder Chassis. Country specific power cable.	0656-004	AXIS Q7436/Q7920 KIT	0000007715	1/1/2021	12/31/2023	18227.02	USD	EA
800890-1095	AXIS 291 1U VIDEO SERV RACK	46171622	Axis Communications	AXIS 291 1U VIDEO SERV RACK 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	0267-004	AXIS 291 1U VIDEO SERV RACK	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1096	AXIS 291 1U VIDEO SERVER RACK < GENERIC >	46171622	Axis Communications	AXIS 291 1U VIDEO SERVER RACK < GENERIC > 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable.	0267-001	AXIS 291 1U VIDEO SERVER RACK < GENERIC >	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1097	AXIS Q7920 VIDEO ENCODER CHASSIS	46171622	Axis Communications	AXIS Q7920 VIDEO ENCODER CHASSIS 5 U rack-mount video encoder chassis, providing an expandable solution for migrating large-scale analog installations to network video. Holds up to 14 hot-swappable video encoder blades supporting up to 84 analog cameras.	0575-004	AXIS Q7920 VIDEO ENCODER CHASSIS	0000007715	1/1/2021	12/31/2023	2547.02	USD	EA

800890-1098	AXIS S1016 MkII	46171622	Axis Communications	AXIS S1016 MkII	AXIS Camera Station S1016 Recorder workstation tested and validated with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes licenses for 16 channels, three year hardware warranty and on-site hardware replacement service. International keyboard and mouse included. Compact Desktop Terminal with micro form factor to be used with AXIS S1032 or AXIS S1048 recording servers. The terminal is preloaded with AXIS Camera Station software and all other necessary software e.g. Windows 10IoT. Includes three year hardware warranty and on-site hardware replacement service, international keyboard and mouse.	0202-820	AXIS S1016 MkII	0000007715	1/1/2021	12/31/2023	3429.02	USD	EA
800890-1099	AXIS S9101	46171622	Axis Communications	AXIS S9101	AXIS Companion Recorder. Surveillance graded hard disk, 2 TB. Switch with 8 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes 0832-004 with power supply. For use only with AXIS Companion video management software and mobile apps.	01173-004	AXIS S9101	0000007715	1/1/2021	12/31/2023	1371.02	USD	EA
800890-1100	AXIS COMPANION REC 8CH 2TB	46171622	Axis Communications	AXIS COMPANION REC 8CH 2TB	AXIS Companion Recorder. Surveillance graded hard disk, 4 TB. Switch with 8 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes 0893-004 with power supply. For use only with AXIS Companion video management software and mobile apps.	0832-004	AXIS COMPANION REC 8CH 2TB	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-1101	AXIS COMPANION REC 8CH 4TB	46171622	Axis Communications	AXIS COMPANION REC 8CH 4TB	AXIS Companion Recorder. Surveillance graded hard disk, 4 TB. Switch with 8 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes 0893-004 with power supply. For use only with AXIS Companion video management software and mobile apps.	0893-004	AXIS COMPANION REC 8CH 4TB	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-1102	AXIS COMPANION REC 4CH 1TB	46171622	Axis Communications	AXIS COMPANION REC 4CH 1TB	AXIS Companion Recorder. Surveillance graded hard disk, 1 TB. Switch with 4 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes 01035-004 with power supply. For use only with AXIS Companion video management software and mobile apps.	01035-004	AXIS COMPANION REC 4CH 1TB	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1103	AXIS S2208	46171622	Axis Communications	AXIS S2208	AXIS Camera Station S2208 Appliance is an eight channel compact desktop Client/Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 4 TB storage, Core licenses for 8 devices and three year hardware warranty. Supports up to 4k ultra HD.	01580-004	AXIS S2208	0000007715	1/1/2021	12/31/2023	2253.02	USD	EA
800890-1104	AXIS S2008	46171622	Axis Communications	AXIS S2008	AXIS Camera Station S2008 Appliance is an eight channel compact desktop Client/ Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 4 TB storage, Universal licenses for 8 channels and three year hardware warranty.Supports up to 4k ultra HD.	0937-004	AXIS S2008	0000007715	1/1/2021	12/31/2023	2547.02	USD	EA
800890-1105	AXIS S2016	46171622	Axis Communications	AXIS S2016	AXIS Camera Station S2016 Appliance is a sixteen channel Client/ Server for rack-mount including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 8 TB storage, Universal licenses for 16 channels and three year hardware warranty.Supports up to 4k ultra HD.	0938-004	AXIS S2016	0000007715	1/1/2021	12/31/2023	4115.02	USD	EA
800890-1106	AXIS S2024	46171622	Axis Communications	AXIS S2024	AXIS Camera Station S2024 Appliance is a twenty-four channel Client/ Server for rack-mount including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 12 TB storage, Universal licenses for 24 channels and three year hardware warranty.Supports up to 4k ultra HD.	0939-004	AXIS S2024	0000007715	1/1/2021	12/31/2023	4899.02	USD	EA
800890-1107	AXIS S1116 MT	46171622	Axis Communications	AXIS S1116 MT	AXIS Camera Station S1116 Recorder is an out-of-the-box ready workstation tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 16 channels plus all necessary system software. Includes 3-year hardware warranty, on-site hardware replacement service, and international keyboard and mouse.	01617-001	AXIS S1116 MT	0000007715	1/1/2021	12/31/2023	3233.02	USD	EA
800890-1108	AXIS S1116 RACKED	46171622	Axis Communications	AXIS S1116 RACKED	AXIS Camera Station S1116 Recorder is an out-of-the-box ready rack-server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 16 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	01618-001	AXIS S1116 RACKED	0000007715	1/1/2021	12/31/2023	3723.02	USD	EA
800890-1109	AXIS S1032 MkII	46171622	Axis Communications	AXIS S1032 MkII	AXIS Camera Station S1032 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes licenses for 32 channels, three year hardware warranty and on-site hardware replacement service.	0202-830	AXIS S1032 MkII	0000007715	1/1/2021	12/31/2023	6761.02	USD	EA
800890-1110	AXIS S1132	46171622	Axis Communications	AXIS S1132	AXIS Camera Station S1132 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 32 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	01613-001	AXIS S1132	0000007715	1/1/2021	12/31/2023	7349.02	USD	EA
800890-1111	AXIS S1148 24TB	46171622	Axis Communications	AXIS S1148 24TB	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	01614-001	AXIS S1148 24TB	0000007715	1/1/2021	12/31/2023	9407.02	USD	EA
800890-1112	AXIS S1148 64TB	46171622	Axis Communications	AXIS S1148 64TB	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	01615-001	AXIS S1148 64TB	0000007715	1/1/2021	12/31/2023	13719.02	USD	EA
800890-1113	AXIS S1148 140TB	46171622	Axis Communications	AXIS S1148 140TB	AXIS Camera Station S1148 Recorder is an out-of-the-box ready rack server tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 48 channels plus all necessary system software. Includes 3-year hardware warranty and on-site hardware replacement service.	01616-001	AXIS S1148 140TB	0000007715	1/1/2021	12/31/2023	20579.02	USD	EA
800890-1114	AXIS S9201 MKII	46171622	Axis Communications	AXIS S9201 MKII	AXIS Camera Station S9201 Mk II Desktop Terminal is an all-in-one desktop terminal with a 22-inch monitor for system overview, to be used with Axis recorders. The terminal is preloaded with AXIS Camera Station software and all other necessary software. Includes 3-year hardware warranty, on-site hardware replacement service and international keyboard and mouse.	01691-001	AXIS S9201 MKII	0000007715	1/1/2021	12/31/2023	1861.02	USD	EA
800890-1115	AXIS S9002 MK II	46171622	Axis Communications	AXIS S9002 MK II	AXIS Camera Station S9002 Mk II Desktop Terminal is a high-performance desktop terminal to be used with Axis recorders. Optimized for surveillance purposes with four monitors and supports up to three 4K video streams. The terminal is preloaded with AXIS Camera Station software and all other necessary software. Includes 3-year hardware warranty, on-site hardware replacement service and international keyboard and mouse.	01619-001	AXIS S9002 MK II	0000007715	1/1/2021	12/31/2023	2449.02	USD	EA
800890-1116	AXIS S2212	46171622	Axis Communications	AXIS S2212	AXIS Camera Station S2212 Appliance is an twelve channel compact desktop Client/Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 6 TB storage, Core licenses for 12 devices and three year hardware warranty. Supports up to 4k ultra HD.	01581-004	AXIS S2212	0000007715	1/1/2021	12/31/2023	2939.02	USD	EA
800890-1117	AXIS S2216	46171622	Axis Communications	AXIS S2216	AXIS Camera Station S2216 Appliance is an sixteen channel compact desktop Client/Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 8 TB storage, Core licenses for 16 devices and three year hardware warranty. Supports up to 4k ultra HD.	01582-004	AXIS S2216	0000007715	1/1/2021	12/31/2023	3723.02	USD	EA
800890-1118	AXIS S2224	46171622	Axis Communications	AXIS S2224	AXIS Camera Station S2224 Appliance is a twenty four channel compact desktop Client/Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 12 TB storage, Core licenses for 24 devices and three year hardware warranty. Supports up to 4k ultra HD.	01583-004	AXIS S2224	0000007715	1/1/2021	12/31/2023	4409.02	USD	EA

800890-1119	EXT. WARRANTY AXIS A1001	46171622	Axis Communications	EXT. WARRANTY AXIS A1001	0540-600	EXT. WARRANTY AXIS A1001	0000007715	1/1/2021	12/31/2023	35.28	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1120	EXT. WARRANTY AXIS A4010-E READER NO KEYPAD UL	46171622	Axis Communications	EXT. WARRANTY AXIS A4010-E READER NO KEYPAD UL	01023-600	EXT. WARRANTY AXIS A4010-E READER NO KEYPAD UL	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1121	EXT. WARRANTY AXIS A4011-E READER	46171622	Axis Communications	EXT. WARRANTY AXIS A4011-E READER	0745-600	EXT. WARRANTY AXIS A4011-E READER	0000007715	1/1/2021	12/31/2023	21.56	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1122	EXT. WARRANTY AXIS A8004-VE	46171622	Axis Communications	EXT. WARRANTY AXIS A8004-VE	0673-600	EXT. WARRANTY AXIS A8004-VE	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1123	EXT. WARRANTY AXIS A8105-E	46171622	Axis Communications	EXT. WARRANTY AXIS A8105-E	0871-600	EXT. WARRANTY AXIS A8105-E	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1124	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK BL	46171622	Axis Communications	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK BL	0923-600	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK BL	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1125	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK WH	46171622	Axis Communications	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK WH	0833-600	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK WH	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1126	EXT. WARRANTY AXIS C2005 NETW CEILING SPEAK WH	46171622	Axis Communications	EXT. WARRANTY AXIS C2005 NETW CEILING SPEAK WH	0834-600	EXT. WARRANTY AXIS C2005 NETW CEILING SPEAK WH	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1127	EXT. WARRANTY AXIS C3003-E	46171622	Axis Communications	EXT. WARRANTY AXIS C3003-E	0767-600	EXT. WARRANTY AXIS C3003-E	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1128	EXT. WARRANTY AXIS C8033 NETWORK AUDIO BRIDGE	46171622	Axis Communications	EXT. WARRANTY AXIS C8033 NETWORK AUDIO BRIDGE	01025-600	EXT. WARRANTY AXIS C8033 NETWORK AUDIO BRIDGE	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1129	EXT WAR AXIS C8210 NETWORK AUDIO AMP	46171622	Axis Communications	EXT WAR AXIS C8210 NETWORK AUDIO AMP	01558-600	EXT WAR AXIS C8210 NETWORK AUDIO AMP	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1130	EXT WAR AXIS D2050-VE	46171622	Axis Communications	EXT WAR AXIS D2050-VE	01033-600	EXT WAR AXIS D2050-VE	0000007715	1/1/2021	12/31/2023	76.44	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1131	EXT. WARRANTY AXIS F1004 BULLET	46171622	Axis Communications	EXT. WARRANTY AXIS F1004 BULLET	0935-600	EXT. WARRANTY AXIS F1004 BULLET	0000007715	1/1/2021	12/31/2023	6.86	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1132	EXT. WARRANTY AXIS F1004 PINHOLE	46171622	Axis Communications	EXT. WARRANTY AXIS F1004 PINHOLE	01003-600	EXT. WARRANTY AXIS F1004 PINHOLE	0000007715	1/1/2021	12/31/2023	6.86	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1133	EXT. WARRANTY AXIS F1004 SENSOR UNIT 8M	46171622	Axis Communications	EXT. WARRANTY AXIS F1004 SENSOR UNIT 8M	0765-600	EXT. WARRANTY AXIS F1004 SENSOR UNIT 8M	0000007715	1/1/2021	12/31/2023	5.88	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1134	EXT. WARRANTY AXIS F1005-E SENSOR UNIT 3M	46171622	Axis Communications	EXT. WARRANTY AXIS F1005-E SENSOR UNIT 3M	0675-600	EXT. WARRANTY AXIS F1005-E SENSOR UNIT 3M	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								

800890-1151	EXT. WARRANTY AXIS FA1125 SENSOR UNIT	46171622	Axis Communications	EXT. WARRANTY AXIS FA1125 SENSOR UNIT	0914-600	EXT. WARRANTY AXIS FA1125 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	8.82	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1152	EXT WAR AXIS FA3105-LEB SENSOR	46171622	Axis Communications	EXT WAR AXIS FA3105-LEB SENSOR	01026-600	EXT WAR AXIS FA3105-LEB SENSOR	0000007715	1/1/2021	12/31/2023	8.82	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1153	EXT WAR AXIS FA4090-E 4MM 8.3 FPS	46171622	Axis Communications	EXT WAR AXIS FA4090-E 4MM 8.3 FPS	01729-600	EXT WAR AXIS FA4090-E 4MM 8.3 FPS	0000007715	1/1/2021	12/31/2023	41.16	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1154	EXT. WARRANTY AXIS FA4115 SENSOR UNIT	46171622	Axis Communications	EXT. WARRANTY AXIS FA4115 SENSOR UNIT	01001-600	EXT. WARRANTY AXIS FA4115 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	49.98	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1155	EXT. WARRANTY AXIS FA54 MAIN UNIT	46171622	Axis Communications	EXT. WARRANTY AXIS FA54 MAIN UNIT	0878-600	EXT. WARRANTY AXIS FA54 MAIN UNIT	0000007715	1/1/2021	12/31/2023	26.46	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1156	EXT. WARRANTY AXIS M1045-LW	46171622	Axis Communications	EXT. WARRANTY AXIS M1045-LW	0812-600	EXT. WARRANTY AXIS M1045-LW	0000007715	1/1/2021	12/31/2023	13.72	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1157	EXT. WARRANTY AXIS M1065-L	46171622	Axis Communications	EXT. WARRANTY AXIS M1065-L	0811-600	EXT. WARRANTY AXIS M1065-L	0000007715	1/1/2021	12/31/2023	16.66	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1158	EXT. WARRANTY AXIS M1065-LW	46171622	Axis Communications	EXT. WARRANTY AXIS M1065-LW	0810-600	EXT. WARRANTY AXIS M1065-LW	0000007715	1/1/2021	12/31/2023	17.64	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								

800890-1167	EXT. WARRANTY AXIS M2025-LE BLACK	46171622	Axis Communications	EXT. WARRANTY AXIS M2025-LE BLACK	0988-600	EXT. WARRANTY AXIS M2025-LE BLACK	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1168	EXT. WARRANTY AXIS M2026-LE	46171622	Axis Communications	EXT. WARRANTY AXIS M2026-LE	0912-600	EXT. WARRANTY AXIS M2026-LE	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1169	EXT. WARRANTY AXIS M2026-LE MK II	46171622	Axis Communications	EXT. WARRANTY AXIS M2026-LE MK II	01049-600	EXT. WARRANTY AXIS M2026-LE MK II	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1170	EXT. WARRANTY AXIS M2026-LE MK II BLAC	46171622	Axis Communications	EXT. WARRANTY AXIS M2026-LE MK II BLAC	01050-600	EXT. WARRANTY AXIS M2026-LE MK II BLAC	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1171	EXT WAR AXIS M3015	46171622	Axis Communications	EXT WAR AXIS M3015	01151-600	EXT WAR AXIS M3015	0000007715	1/1/2021	12/31/2023	16.66	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1172	EXT WAR AXIS M3016	46171622	Axis Communications	EXT WAR AXIS M3016	01152-600	EXT WAR AXIS M3016	0000007715	1/1/2021	12/31/2023	22.54	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1173	EXT. WARRANTY AXIS M3106-L MK II	46171622	Axis Communications	EXT. WARRANTY AXIS M3106-L MK II	01036-600	EXT. WARRANTY AXIS M3106-L MK II	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1174	EXT. WARRANTY AXIS M3106-LVE MK II	46171622	Axis Communications	EXT. WARRANTY AXIS M3106-LVE MK II	01037-600	EXT. WARRANTY AXIS M3106-LVE MK II	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1183	EXT. WARRANTY AXIS M3045-WV	46171622	Axis Communications	EXT. WARRANTY AXIS M3045-WV	0805-600	EXT. WARRANTY AXIS M3045-WV	0000007715	1/1/2021	12/31/2023	17.64	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1184	EXT. WARRANTY AXIS M3046-V	46171622	Axis Communications	EXT. WARRANTY AXIS M3046-V	0806-600	EXT. WARRANTY AXIS M3046-V	0000007715	1/1/2021	12/31/2023	21.56	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1185	EXT. WARRANTY AXIS M3046-V 1.8MM	46171622	Axis Communications	EXT. WARRANTY AXIS M3046-V 1.8MM	01116-600	EXT. WARRANTY AXIS M3046-V 1.8MM	0000007715	1/1/2021	12/31/2023	22.54	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1186	EXT. WARRANTY AXIS M3047-P	46171622	Axis Communications	EXT. WARRANTY AXIS M3047-P	0808-600	EXT. WARRANTY AXIS M3047-P	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1187	EXT. WARRANTY AXIS M3048-P	46171622	Axis Communications	EXT. WARRANTY AXIS M3048-P	01004-600	EXT. WARRANTY AXIS M3048-P	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1188	EXT WAR AXIS M3057-PLVE	46171622	Axis Communications	EXT WAR AXIS M3057-PLVE	01177-600	EXT WAR AXIS M3057-PLVE	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1189	EXT WAR AXIS M3058-PLVE	46171622	Axis Communications	EXT WAR AXIS M3058-PLVE	01178-600	EXT WAR AXIS M3058-PLVE	0000007715	1/1/2021	12/31/2023	49.98	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1190	EXT. WARRANTY AXIS M3104-L	46171622	Axis Communications	EXT. WARRANTY AXIS M3104-L	0865-600	EXT. WARRANTY AXIS M3104-L	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												

800890-1191	EXT. WARRANTY AXIS M3104-LVE	46171622	Axis Communications	EXT. WARRANTY AXIS M3104-LVE	0866-600	EXT. WARRANTY AXIS M3104-LVE	0000007715	1/1/2021	12/31/2023	17.64	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1192	EXT. WARRANTY AXIS M3105-L	46171622	Axis Communications	EXT. WARRANTY AXIS M3105-L	0867-600	EXT. WARRANTY AXIS M3105-L	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1193	EXT. WARRANTY AXIS M3105-LVE	46171622	Axis Communications	EXT. WARRANTY AXIS M3105-LVE	0868-600	EXT. WARRANTY AXIS M3105-LVE	0000007715	1/1/2021	12/31/2023	21.56	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1194	EXT WAR AXIS M4206-V	46171622	Axis Communications	EXT WAR AXIS M4206-V	01240-600	EXT WAR AXIS M4206-V	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1195	EXT WAR AXIS M4206-LV	46171622	Axis Communications	EXT WAR AXIS M4206-LV	01241-600	EXT WAR AXIS M4206-LV	0000007715	1/1/2021	12/31/2023	27.44	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1196	EXT. WARRANTY AXIS M5054	46171622	Axis Communications	EXT. WARRANTY AXIS M5054	01079-600	EXT. WARRANTY AXIS M5054	0000007715	1/1/2021	12/31/2023	39.2	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1197	EXT. WARRANTY AXIS M5065	46171622	Axis Communications	EXT. WARRANTY AXIS M5065	01107-600	EXT. WARRANTY AXIS M5065	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1198	EXT. WARRANTY AXIS M5525-E 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS M5525-E 60HZ	01146-600	EXT. WARRANTY AXIS M5525-E 60HZ	0000007715	1/1/2021	12/31/2023	78.4	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												

800890-1223	EXT. WARRANTY AXIS P1435-E	46171622	Axis Communications	EXT. WARRANTY AXIS P1435-E	0776-600	EXT. WARRANTY AXIS P1435-E	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1224	EXT. WARRANTY AXIS P1435-LE	46171622	Axis Communications	EXT. WARRANTY AXIS P1435-LE	0777-600	EXT. WARRANTY AXIS P1435-LE	0000007715	1/1/2021	12/31/2023	35.28	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1225	EXT. WARRANTY AXIS P1435-LE 22MM	46171622	Axis Communications	EXT. WARRANTY AXIS P1435-LE 22MM	0890-600	EXT. WARRANTY AXIS P1435-LE 22MM	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1226	EXT WAR AXIS P1445-LE	46171622	Axis Communications	EXT WAR AXIS P1445-LE	01506-600	EXT WAR AXIS P1445-LE	0000007715	1/1/2021	12/31/2023	41.16	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1227	EXT. WARRANTY AXIS P1447-LE	46171622	Axis Communications	EXT. WARRANTY AXIS P1447-LE	01054-600	EXT. WARRANTY AXIS P1447-LE	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1228	EXT. WARRANTY AXIS P1448-LE	46171622	Axis Communications	EXT. WARRANTY AXIS P1448-LE	01055-600	EXT. WARRANTY AXIS P1448-LE	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1229	EXT. WARRANTY AXIS P3214-V	46171622	Axis Communications	EXT. WARRANTY AXIS P3214-V	0612-600	EXT. WARRANTY AXIS P3214-V	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1230	EXT. WARRANTY AXIS P3214-VE	46171622	Axis Communications	EXT. WARRANTY AXIS P3214-VE	0613-600	EXT. WARRANTY AXIS P3214-VE	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												

800890-1271	EXT WAR AXIS P3915-R Mk II M12	46171622	Axis Communications	EXT WAR AXIS P3915-R Mk II M12	01075-600	EXT WAR AXIS P3915-R Mk II M12	0000007715	1/1/2021	12/31/2023	35.28	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								
800890-1272	EXT. WARRANTY AXIS P5414-E 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS P5414-E 60HZ	0588-600	EXT. WARRANTY AXIS P5414-E 60HZ	0000007715	1/1/2021	12/31/2023	125.44	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								
800890-1273	EXT. WARRANTY AXIS P5415-E 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS P5415-E 60HZ	0589-600	EXT. WARRANTY AXIS P5415-E 60HZ	0000007715	1/1/2021	12/31/2023	156.8	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								
800890-1274	EXT. WARRANTY AXIS P5624-E 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS P5624-E 60HZ	0671-600	EXT. WARRANTY AXIS P5624-E 60HZ	0000007715	1/1/2021	12/31/2023	125.44	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								
800890-1275	EXT. WARRANTY AXIS P5624-E MK II 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS P5624-E MK II 60HZ	0932-600	EXT. WARRANTY AXIS P5624-E MK II 60HZ	0000007715	1/1/2021	12/31/2023	125.44	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								
800890-1276	EXT. WARRANTY AXIS P5635-E MK II 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS P5635-E MK II 60HZ	0929-600	EXT. WARRANTY AXIS P5635-E MK II 60HZ	0000007715	1/1/2021	12/31/2023	156.8	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								
800890-1277	EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK	46171622	Axis Communications	EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK	0267-600	EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								
800890-1278	EXT. WARRANTY AXIS P7216 VIDEO ENCODER	46171622	Axis Communications	EXT. WARRANTY AXIS P7216 VIDEO ENCODER	0542-600	EXT. WARRANTY AXIS P7216 VIDEO ENCODER	0000007715	1/1/2021	12/31/2023	76.44	USD	EA
				2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.								

800890-1279	EXT. WARRANTY AXIS P7224 VIDEO ENC BLADE	46171622	Axis Communications	EXT. WARRANTY AXIS P7224 VIDEO ENC BLADE	0418-600	EXT. WARRANTY AXIS P7224 VIDEO ENC BLADE	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1280	EXT. WARRANTY AXIS P7214 VIDEO ENCODER	46171622	Axis Communications	EXT. WARRANTY AXIS P7214 VIDEO ENCODER	0417-600	EXT. WARRANTY AXIS P7214 VIDEO ENCODER	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1281	EXT. WARRANTY AXIS P7701	46171622	Axis Communications	EXT. WARRANTY AXIS P7701	0319-600	EXT. WARRANTY AXIS P7701	0000007715	1/1/2021	12/31/2023	29.4	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1282	EXT. WARRANTY AXIS P8221	46171622	Axis Communications	EXT. WARRANTY AXIS P8221	0321-600	EXT. WARRANTY AXIS P8221	0000007715	1/1/2021	12/31/2023	20.58	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1283	EXT. WARRANTY AXIS P8524 SILVER IMPERIAL	46171622	Axis Communications	EXT. WARRANTY AXIS P8524 SILVER IMPERIAL	0653-600	EXT. WARRANTY AXIS P8524 SILVER IMPERIAL	0000007715	1/1/2021	12/31/2023	35.28	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1284	EXT. WARRANTY AXIS P8535 BLACK IMPERIAL	46171622	Axis Communications	EXT. WARRANTY AXIS P8535 BLACK IMPERIAL	0712-600	EXT. WARRANTY AXIS P8535 BLACK IMPERIAL	0000007715	1/1/2021	12/31/2023	47.04	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1285	EXT. WARRANTY AXIS P8535 BLACK METRIC	46171622	Axis Communications	EXT. WARRANTY AXIS P8535 BLACK METRIC	0714-600	EXT. WARRANTY AXIS P8535 BLACK METRIC	0000007715	1/1/2021	12/31/2023	47.04	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1286	EXT. WARRANTY AXIS P8535 SILVER IMPERIAL	46171622	Axis Communications	EXT. WARRANTY AXIS P8535 SILVER IMPERIAL	0711-600	EXT. WARRANTY AXIS P8535 SILVER IMPERIAL	0000007715	1/1/2021	12/31/2023	47.04	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1295	EXT WAR AXIS Q1645-LE	46171622	Axis Communications	EXT WAR AXIS Q1645-LE	01223-600	EXT WAR AXIS Q1645-LE	0000007715	1/1/2021	12/31/2023	88.2	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1296	EXT WAR AXIS Q1647	46171622	Axis Communications	EXT WAR AXIS Q1647	01051-600	EXT WAR AXIS Q1647	0000007715	1/1/2021	12/31/2023	82.32	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1297	EXT WAR AXIS Q1647-LE	46171622	Axis Communications	EXT WAR AXIS Q1647-LE	01052-600	EXT WAR AXIS Q1647-LE	0000007715	1/1/2021	12/31/2023	99.96	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1298	EXT WAR AXIS Q1659 BAREBONE	46171622	Axis Communications	EXT WAR AXIS Q1659 BAREBONE	01568-600	EXT WAR AXIS Q1659 BAREBONE	0000007715	1/1/2021	12/31/2023	288.12	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1299	EXT. WARRANTY AXIS Q1659 10-22MM F	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 10-22MM F	0967-600	EXT. WARRANTY AXIS Q1659 10-22MM F	0000007715	1/1/2021	12/31/2023	346.92	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1300	EXT. WARRANTY AXIS Q1659 24MM F/2.8	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 24MM F/2.8	0962-600	EXT. WARRANTY AXIS Q1659 24MM F/2.8	0000007715	1/1/2021	12/31/2023	294	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1301	EXT. WARRANTY AXIS Q1659 35MM F/2	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 35MM F/2	0963-600	EXT. WARRANTY AXIS Q1659 35MM F/2	0000007715	1/1/2021	12/31/2023	346.92	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1302	EXT. WARRANTY AXIS Q1659 50MM F/1.4	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 50MM F/1.4	0964-600	EXT. WARRANTY AXIS Q1659 50MM F/1.4	0000007715	1/1/2021	12/31/2023	317.52	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1303	EXT. WARRANTY AXIS Q1659 55-250MM F/4- 5.6	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 55- 250MM F/4-5.6	01118-600	EXT. WARRANTY AXIS Q1659 55-250MM F/4- 5.6	0000007715	1/1/2021	12/31/2023	508.62	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1304	EXT. WARRANTY AXIS Q1659 70-200MM F/2.8	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 70- 200MM F/2.8	0968-600	EXT. WARRANTY AXIS Q1659 70-200MM F/2.8	0000007715	1/1/2021	12/31/2023	493.92	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1305	EXT. WARRANTY AXIS Q1659 85MM F/1.2	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 85MM F/1.2	0965-600	EXT. WARRANTY AXIS Q1659 85MM F/1.2	0000007715	1/1/2021	12/31/2023	479.22	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1306	EXT. WARRANTY AXIS Q1659 100MM F/2.8	46171622	Axis Communications	EXT. WARRANTY AXIS Q1659 100MM F/2.8	0966-600	EXT. WARRANTY AXIS Q1659 100MM F/2.8	0000007715	1/1/2021	12/31/2023	382.2	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1307	EXT. WARRANTY AXIS Q1765-LE	46171622	Axis Communications	EXT. WARRANTY AXIS Q1765-LE	0509-600	EXT. WARRANTY AXIS Q1765-LE	0000007715	1/1/2021	12/31/2023	82.32	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1308	EXT. WARRANTY AXIS Q1765-LE PTMOUNT	46171622	Axis Communications	EXT. WARRANTY AXIS Q1765-LE PTMOUNT	0644-600	EXT. WARRANTY AXIS Q1765-LE PTMOUNT	0000007715	1/1/2021	12/31/2023	82.32	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1309	EXT. WARRANTY AXIS Q1775	46171622	Axis Communications	EXT. WARRANTY AXIS Q1775	0751-600	EXT. WARRANTY AXIS Q1775	0000007715	1/1/2021	12/31/2023	76.44	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1310	EXT. WARRANTY AXIS Q1775-E	46171622	Axis Communications	EXT. WARRANTY AXIS Q1775-E	0752-600	EXT. WARRANTY AXIS Q1775-E	0000007715	1/1/2021	12/31/2023	94.08	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1343	EXT. WARRANTY AXIS Q3617-VE	46171622	Axis Communications	EXT. WARRANTY AXIS Q3617-VE	0744-600	EXT. WARRANTY AXIS Q3617-VE	0000007715	1/1/2021	12/31/2023	91.14	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1344	EXT. WARRANTY AXIS Q3708-PVE	46171622	Axis Communications	EXT. WARRANTY AXIS Q3708-PVE	0801-600	EXT. WARRANTY AXIS Q3708-PVE	0000007715	1/1/2021	12/31/2023	117.6	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1345	EXT. WARRANTY AXIS Q3709-PVE	46171622	Axis Communications	EXT. WARRANTY AXIS Q3709-PVE	0664-600	EXT. WARRANTY AXIS Q3709-PVE	0000007715	1/1/2021	12/31/2023	141.12	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1346	EXT. WARRANTY AXIS Q6000-E 60HZ Mk II	46171622	Axis Communications	EXT. WARRANTY AXIS Q6000-E 60HZ Mk II	01006-600	EXT. WARRANTY AXIS Q6000-E 60HZ Mk II	0000007715	1/1/2021	12/31/2023	125.44	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1347	EXT. WARRANTY AXIS Q6052 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS Q6052 60HZ	0900-600	EXT. WARRANTY AXIS Q6052 60HZ	0000007715	1/1/2021	12/31/2023	164.64	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1348	EXT. WARRANTY AXIS Q6052-E 60HZ	46171622	Axis Communications	EXT. WARRANTY AXIS Q6052-E 60HZ	0902-600	EXT. WARRANTY AXIS Q6052-E 60HZ	0000007715	1/1/2021	12/31/2023	203.84	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1349	EXT WAR AXIS Q6054 Mk III 60HZ	46171622	Axis Communications	EXT WAR AXIS Q6054 Mk III 60HZ	01482-600	EXT WAR AXIS Q6054 Mk III 60HZ	0000007715	1/1/2021	12/31/2023	164.64	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1350	EXT WAR AXIS Q6054-E Mk III 60HZ	46171622	Axis Communications	EXT WAR AXIS Q6054-E Mk III 60HZ	01484-600	EXT WAR AXIS Q6054-E Mk III 60HZ	0000007715	1/1/2021	12/31/2023	203.84	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												

800890-1367	EXT. WARRANTY AXIS Q7436/Q7920 KIT	46171622	Axis Communications	EXT. WARRANTY AXIS Q7436/Q7920 KIT	0656-600	EXT. WARRANTY AXIS Q7436/Q7920 KIT	0000007715	1/1/2021	12/31/2023	1093.68	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1368	EXT. WARRANTY AXIS Q7920	46171622	Axis Communications	EXT. WARRANTY AXIS Q7920	0575-600	EXT. WARRANTY AXIS Q7920	0000007715	1/1/2021	12/31/2023	152.88	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1369	EXT. WARRANTY AXIS Q8414-LVS WHITE	46171622	Axis Communications	EXT. WARRANTY AXIS Q8414-LVS WHITE	0710-600	EXT. WARRANTY AXIS Q8414-LVS WHITE	0000007715	1/1/2021	12/31/2023	76.44	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1370	EXT. WARRANTY AXIS Q8414-LVS METAL	46171622	Axis Communications	EXT. WARRANTY AXIS Q8414-LVS METAL	0709-600	EXT. WARRANTY AXIS Q8414-LVS METAL	0000007715	1/1/2021	12/31/2023	76.44	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1371	EXT. WARR AXIS Q8641-E 35MM 30 FPS 24V	46171622	Axis Communications	EXT. WARR AXIS Q8641-E 35MM 30 FPS 24V	01119-600	EXT. WARR AXIS Q8641-E 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	459.62	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1372	EXT. WARR AXIS Q8642-E 60MM 30 FPS 24V	46171622	Axis Communications	EXT. WARR AXIS Q8642-E 60MM 30 FPS 24V	01121-600	EXT. WARR AXIS Q8642-E 60MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	743.82	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1373	EXT. WARRANTY AXIS Q8665-E 120V AC	46171622	Axis Communications	EXT. WARRANTY AXIS Q8665-E 120V AC	0717-600	EXT. WARRANTY AXIS Q8665-E 120V AC	0000007715	1/1/2021	12/31/2023	392	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												
800890-1374	EXT. WARRANTY AXIS Q8665-E 24V AC	46171622	Axis Communications	EXT. WARRANTY AXIS Q8665-E 24V AC	0715-600	EXT. WARRANTY AXIS Q8665-E 24V AC	0000007715	1/1/2021	12/31/2023	392	USD	EA
<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>												

800890-1383	EXT. WARRANTY AXIS Q8741-LE 35MM 30 FPS 24V	46171622	Axis Communications	EXT. WARRANTY AXIS Q8741-LE 35MM 30 FPS 24V Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	01013-600	EXT. WARRANTY AXIS Q8741-LE 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	910.42	USD	EA
800890-1384	EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V	46171622	Axis Communications	EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	0828-600	EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	1019.2	USD	EA
800890-1385	EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V	46171622	Axis Communications	EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	01017-600	EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	1146.6	USD	EA
800890-1386	EXT WAR AXIS Q8742-E ZOOM 30 FPS 24V	46171622	Axis Communications	EXT WAR AXIS Q8742-E ZOOM 30 FPS 24V Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	0830-600	EXT WAR AXIS Q8742-E ZOOM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	1724.8	USD	EA
800890-1387	EXT. WARRANTY AXIS Q8742-LE ZOOM 30 FPS 24V	46171622	Axis Communications	EXT. WARRANTY AXIS Q8742-LE ZOOM 30 FPS 24V Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	01019-600	EXT. WARRANTY AXIS Q8742-LE ZOOM 30 FPS 24V	0000007715	1/1/2021	12/31/2023	1861.02	USD	EA
800890-1388	EXT WAR AXIS S9002 MK II	46171622	Axis Communications	EXT WAR AXIS S9002 MK II Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	01619-600	EXT WAR AXIS S9002 MK II	0000007715	1/1/2021	12/31/2023	367.5	USD	EA
800890-1389	EXT WAR AXIS S9101	46171622	Axis Communications	EXT WAR AXIS S9101 Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	01173-600	EXT WAR AXIS S9101	0000007715	1/1/2021	12/31/2023	205.8	USD	EA
800890-1390	EXT WAR AXIS S9201 MK II	46171622	Axis Communications	EXT WAR AXIS S9201 MK II Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.	01691-600	EXT WAR AXIS S9201 MK II	0000007715	1/1/2021	12/31/2023	279.3	USD	EA

800890-1391	EXT WAR AXIS S1016 MkII	46171622	Axis Communications	EXT WAR AXIS S1016 MkII	01673-600	EXT WAR AXIS S1016 MkII	0000007715	1/1/2021	12/31/2023	514.5	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							
800890-1392	EXT WAR AXIS S1116 RACKED	46171622	Axis Communications	EXT WAR AXIS S1116 RACKED	01618-600	EXT WAR AXIS S1116 RACKED	0000007715	1/1/2021	12/31/2023	558.6	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							
800890-1393	EXT WAR AXIS S1116 MT	46171622	Axis Communications	EXT WAR AXIS S1116 MT	01617-600	EXT WAR AXIS S1116 MT	0000007715	1/1/2021	12/31/2023	485.1	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							
800890-1394	EXT WAR AXIS S1032 MkII	46171622	Axis Communications	EXT WAR AXIS S1032 MkII	01674-600	EXT WAR AXIS S1032 MkII	0000007715	1/1/2021	12/31/2023	1014.3	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							
800890-1395	EXT WAR AXIS S1048 MkII	46171622	Axis Communications	EXT WAR AXIS S1048 MkII	01675-600	EXT WAR AXIS S1048 MkII	0000007715	1/1/2021	12/31/2023	1411.2	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							
800890-1396	EXT WAR AXIS S1132	46171622	Axis Communications	EXT WAR AXIS S1132	01613-600	EXT WAR AXIS S1132	0000007715	1/1/2021	12/31/2023	1101.52	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							
800890-1397	EXT WAR AXIS S1148 24TB	46171622	Axis Communications	EXT WAR AXIS S1148 24TB	01614-600	EXT WAR AXIS S1148 24TB	0000007715	1/1/2021	12/31/2023	1411.2	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							
800890-1398	EXT WAR AXIS S1148 64TB	46171622	Axis Communications	EXT WAR AXIS S1148 64TB	01615-600	EXT WAR AXIS S1148 64TB	0000007715	1/1/2021	12/31/2023	2057.02	USD	EA
					<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>							

800890-1399	EXT WAR AXIS S1148 1407B	46171622	Axis Communications	EXT WAR AXIS S1148 1407B	01616-600	EXT WAR AXIS S1148 1407B	0000007715	1/1/2021	12/31/2023	3086.02	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1400	EXT WAR AXIS S2208	46171622	Axis Communications	EXT WAR AXIS S2208	01580-600	EXT WAR AXIS S2208	0000007715	1/1/2021	12/31/2023	338.1	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1401	EXT WAR AXIS S2212	46171622	Axis Communications	EXT WAR AXIS S2212	01581-600	EXT WAR AXIS S2212	0000007715	1/1/2021	12/31/2023	441	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1402	EXT WAR AXIS S2216	46171622	Axis Communications	EXT WAR AXIS S2216	01582-600	EXT WAR AXIS S2216	0000007715	1/1/2021	12/31/2023	558.6	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1403	EXT WAR AXIS S2224	46171622	Axis Communications	EXT WAR AXIS S2224	01583-600	EXT WAR AXIS S2224	0000007715	1/1/2021	12/31/2023	661.5	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1404	EXT WAR AXIS T6101 AUDIO AND I/O IF	46171622	Axis Communications	EXT WAR AXIS T6101 AUDIO AND I/O IF	01160-600	EXT WAR AXIS T6101 AUDIO AND I/O IF	0000007715	1/1/2021	12/31/2023	5.88	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1405	EXT WAR AXIS T6112 AUDIO AND I/O IF	46171622	Axis Communications	EXT WAR AXIS T6112 AUDIO AND I/O IF	01230-600	EXT WAR AXIS T6112 AUDIO AND I/O IF	0000007715	1/1/2021	12/31/2023	8.82	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1406	EXT WAR AXIS T8504-E OUTDOOR POE SWITCH	46171622	Axis Communications	EXT WAR AXIS T8504-E OUTDOOR POE SWITCH	01449-600	EXT WAR AXIS T8504-E OUTDOOR POE SWITCH	0000007715	1/1/2021	12/31/2023	70.56	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1407	EXT WAR AXIS T8504-R IL POE SWITCH	46171622	Axis Communications	EXT WAR AXIS T8504-R IL POE SWITCH	01633-600	EXT WAR AXIS T8504-R IL POE SWITCH	0000007715	1/1/2021	12/31/2023	41.16	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1408	EXT WAR AXIS T8508 POE+ NET SWITCH	46171622	Axis Communications	EXT WAR AXIS T8508 POE+ NET SWITCH	01191-600	EXT WAR AXIS T8508 POE+ NET SWITCH	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1409	EXT WAR AXIS T8524 POE+ NET SWITCH	46171622	Axis Communications	EXT WAR AXIS T8524 POE+ NET SWITCH	01192-600	EXT WAR AXIS T8524 POE+ NET SWITCH	0000007715	1/1/2021	12/31/2023	52.92	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1410	EXT WAR T8643 POE+ OVER COAX COMP	46171622	Axis Communications	EXT WAR T8643 POE+ OVER COAX COMP	01468-600	EXT WAR T8643 POE+ OVER COAX COMP	0000007715	1/1/2021	12/31/2023	11.76	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1411	EXT WAR T8645 PoE+ COAX COMPACT KIT	46171622	Axis Communications	EXT WAR T8645 PoE+ COAX COMPACT KIT	01489-600	EXT WAR T8645 PoE+ COAX COMPACT KIT	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1412	EXT WAR T8648 PoE+ COAX BL COMP KIT	46171622	Axis Communications	EXT WAR T8648 PoE+ COAX BL COMP KIT	01490-600	EXT WAR T8648 PoE+ COAX BL COMP KIT	0000007715	1/1/2021	12/31/2023	99.96	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1413	EXT. WARRANTY AXIS T8705 VIDEO DECODER	46171622	Axis Communications	EXT. WARRANTY AXIS T8705 VIDEO DECODER	01186-600	EXT. WARRANTY AXIS T8705 VIDEO DECODER	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1414	EXT. WARRANTY AXIS T99A10 24V AC/DC	46171622	Axis Communications	EXT. WARRANTY AXIS T99A10 24V AC/DC	01226-600	EXT. WARRANTY AXIS T99A10 24V AC/DC	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								

800890-1415	EXT. WARRANTY AXIS T99A11 24V AC/DC	46171622	Axis Communications	EXT. WARRANTY AXIS T99A11 24V AC/DC	01227-600	EXT. WARRANTY AXIS T99A11 24V AC/DC	0000007715	1/1/2021	12/31/2023	175.42	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1416	EXT. WARRANTY AXIS V5914 60HZ < US >	46171622	Axis Communications	EXT. WARRANTY AXIS V5914 60HZ < US >	0632-600	EXT. WARRANTY AXIS V5914 60HZ < US >	0000007715	1/1/2021	12/31/2023	156.8	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1417	EXT. WARRANTY AXIS V5915 60HZ < US >	46171622	Axis Communications	EXT. WARRANTY AXIS V5915 60HZ < US >	0634-600	EXT. WARRANTY AXIS V5915 60HZ < US >	0000007715	1/1/2021	12/31/2023	203.84	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1418	EXT WAR D201-S XPT Q6055	46171622	Axis Communications	EXT WAR D201-S XPT Q6055	01480-600	EXT WAR D201-S XPT Q6055	0000007715	1/1/2021	12/31/2023	1469.02	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1419	EXT WAR F101-A XF P1367	46171622	Axis Communications	EXT WAR F101-A XF P1367	01703-600	EXT WAR F101-A XF P1367	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p> <p>NB! Only valid for cameras with part number starting with 0835-</p>								
800890-1420	EXT WAR XF40-Q1765	46171622	Axis Communications	EXT WAR XF40-Q1765	0835-600	EXT WAR XF40-Q1765	0000007715	1/1/2021	12/31/2023	714.42	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1421	EXT WAR XF40-Q1765 SOC UL	46171622	Axis Communications	EXT WAR XF40-Q1765 SOC UL	01111-600	EXT WAR XF40-Q1765 SOC UL	0000007715	1/1/2021	12/31/2023	773.22	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1422	EXT WAR AXIS RELAY MODULE A9188	46171622	Axis Communications	EXT WAR AXIS RELAY MODULE A9188	0820-600	EXT WAR AXIS RELAY MODULE A9188	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								

800890-1431	EXT WAR 2N IP VERSO-MAIN W CAM BLK	46171622	Axis Communications	EXT WAR 2N IP VERSO-MAIN W CAM BLK	01274-600	EXT WAR 2N IP VERSO-MAIN W CAM BLK	0000007715	1/1/2021	12/31/2023	58.8	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1432	EXT WAR 2N IP VERSO - TOUCH DISPLAY	46171622	Axis Communications	EXT WAR 2N IP VERSO - TOUCH DISPLAY	01275-600	EXT WAR 2N IP VERSO - TOUCH DISPLAY	0000007715	1/1/2021	12/31/2023	31.36	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1433	EXT WAR 2N IP VERSO - TOUCH KEYPAD	46171622	Axis Communications	EXT WAR 2N IP VERSO - TOUCH KEYPAD	01277-600	EXT WAR 2N IP VERSO - TOUCH KEYPAD	0000007715	1/1/2021	12/31/2023	9.8	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1434	EXT WAR 2N IP SOLO-FLUSH MOUNT	46171622	Axis Communications	EXT WAR 2N IP SOLO - FLUSH MOUNT	01300-600	EXT WAR 2N IP SOLO - FLUSH MOUNT	0000007715	1/1/2021	12/31/2023	60.76	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1435	EXT WAR 2N IP SOLO - SURFACE MOUNT	46171622	Axis Communications	EXT WAR 2N IP SOLO - SURFACE MOUNT	01301-600	EXT WAR 2N IP SOLO - SURFACE MOUNT	0000007715	1/1/2021	12/31/2023	59.78	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1436	EXT WAR 2N IP SOLO-SURFACE MNT BLK	46171622	Axis Communications	EXT WAR 2N IP SOLO-SURFACE MNT BLK	01302-600	EXT WAR 2N IP SOLO-SURFACE MNT BLK	0000007715	1/1/2021	12/31/2023	59.78	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1437	EST WAR 2N IP SOLO - FLUSH MOUNT BL	46171622	Axis Communications	EST WAR 2N IP SOLO - FLUSH MOUNT BL	01303-600	EST WAR 2N IP SOLO - FLUSH MOUNT BL	0000007715	1/1/2021	12/31/2023	60.76	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								
800890-1438	EXT WAR 2N IP VARIO - 1 BTN	46171622	Axis Communications	EXT WAR 2N IP VARIO - 1 BTN	01306-600	EXT WAR 2N IP VARIO - 1 BTN	0000007715	1/1/2021	12/31/2023	32.34	USD	EA
				<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty</p> <p>Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p> <p>Note 6: Extended warranty is issued as an e-license.</p>								

800890-1447	EXT WAR 2N IP VARIO - 3x2 BTN+CAM	46171622	Axis Communications	EXT WAR 2N IP VARIO - 3x2 BTN+CAM	01315-600	EXT WAR 2N IP VARIO 3x2 BTN+CAM	0000007715	1/1/2021	12/31/2023	53.9	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1448	EXT WAR 2N IP VARIO - 1 BTN+KPD+CAM	46171622	Axis Communications	EXT WAR 2N IP VARIO - 1 BTN+KPD+CAM	01316-600	EXT WAR 2N IP VARIO 1 BTN+KPD+CAM	0000007715	1/1/2021	12/31/2023	55.86	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1449	EXT WAR 2N IP VARIO - 3BTN+KPD+CAM	46171622	Axis Communications	EXT WAR 2N IP VARIO - 3BTN+KPD+CAM	01317-600	EXT WAR 2N IP VARIO 3BTN+KPD+CAM	0000007715	1/1/2021	12/31/2023	56.84	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1450	EXT WAR 2N IP VARIO - 3x2BTN+KPD+CAM	46171622	Axis Communications	EXT WAR 2N IP VARIO - 3x2BTN+KPD+CAM	01318-600	EXT WAR 2N IP VARIO 3x2BTN+KPD+CAM	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1451	EXT WAR 2N IP VARIO - 3x2+KPD+DIS+CAM	46171622	Axis Communications	EXT WAR 2N IP VARIO - 3x2+KPD+DIS+CAM	01319-600	EXT WAR 2N IP VARIO 3x2+KPD+DIS+CAM	0000007715	1/1/2021	12/31/2023	85.26	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1452	EXT WAR 2N IP FORCE- 1BTN HD CAM PIC	46171622	Axis Communications	EXT WAR 2N IP FORCE-1BTN HD CAM PIC	01334-600	EXT WAR 2N IP FORCE- 1BTN HD CAM PIC	0000007715	1/1/2021	12/31/2023	78.4	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1453	EXT WAR 2N IP FORCE - 1 BTN, PICT.	46171622	Axis Communications	EXT WAR 2N IP FORCE - 1 BTN, PICT.	01335-600	EXT WAR 2N IP FORCE - 1 BTN, PICT.	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1454	EXT WAR 2N IP FORCE - 1 BTN	46171622	Axis Communications	EXT WAR 2N IP FORCE - 1 BTN	01336-600	EXT WAR 2N IP FORCE - 1 BTN	0000007715	1/1/2021	12/31/2023	54.88	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mv/inventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1479	EXT WAR 2N YEALINK SIP TS8A	46171622	Axis Communications	EXT WAR 2N YEALINK SIP TS8A	01586-600	EXT WAR 2N YEALINK SIP TS8A	0000007715	1/1/2021	12/31/2023	32.34	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1480	EXT WAR 2N IDT - PoE, BLACK	46171622	Axis Communications	EXT WAR 2N IDT - PoE, BLACK	01416-600	EXT WAR 2N IDT - PoE, BLACK	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1481	EXT WAR 2N IDT - PoE, WHITE	46171622	Axis Communications	EXT WAR 2N IDT - PoE, WHITE	01417-600	EXT WAR 2N IDT - PoE, WHITE	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1482	EXT WAR 2N IDT - PoE, WIFI, BLACK	46171622	Axis Communications	EXT WAR 2N IDT - PoE, WIFI, BLACK	01419-600	EXT WAR 2N IDT - PoE, WIFI, BLACK	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1483	EXT WAR 2N IDT - PoE, WIFI, WHITE	46171622	Axis Communications	EXT WAR 2N IDT - PoE, WIFI, WHITE	01420-600	EXT WAR 2N IDT - PoE, WIFI, WHITE	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1484	EXT WAR GXV3275 IP PHONE	46171622	Axis Communications	EXT WAR GXV3275 IP PHONE	01421-600	EXT WAR GXV3275 IP PHONE	0000007715	1/1/2021	12/31/2023	27.44	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1485	EXT WAR GXV3240 IP PHONE	46171622	Axis Communications	EXT WAR GXV3240 IP PHONE	01422-600	EXT WAR GXV3240 IP PHONE	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												
800890-1486	EXT WAR GXV3370 IP PHONE	46171622	Axis Communications	EXT WAR GXV3370 IP PHONE	01695-600	EXT WAR GXV3370 IP PHONE	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
<p>2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/mvinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.</p>												

800890-1487	EXT WAR 2N IP VERSO - FINGERPRINT	46171622	Axis Communications	EXT WAR 2N IP VERSO - FINGERPRINT	01276-600	EXT WAR 2N IP VERSO - FINGERPRINT	0000007715	1/1/2021	12/31/2023	31.36	USD	EA
					2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.							
800890-1488	EXT. WARRANTY 2N SIP MIC	46171622	Axis Communications	EXT. WARRANTY 2N SIP MIC	01208-600	EXT. WARRANTY 2N SIP MIC	0000007715	1/1/2021	12/31/2023	65.66	USD	EA
					2 years extension of the warranty period Note 1: Maximum warranty on selected Axis products is 5 years including extended warranty. No possibility to extend total warranty beyond 5 years. Note 2: Extended warranty activation is done in four steps: 1 – create / select site in MyInventory (www.axis.com/reg/myinventory), 2- add products, 3 – redeem code, 4 – register warranty. Further info at: https://www.axis.com/support/warranty-and-rma/extended-warranty Note 3: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 4: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 5: Extended Warranty is non-cancellable, non-changeable and non-returnable. Note 6: Extended warranty is issued as an e-license.							
800890-1489	ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE	46171622	Axis Communications	ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE	0333-608	ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
					Single unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.							
800890-1490	ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE	46171622	Axis Communications	ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE	0333-609	ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE	0000007715	1/1/2021	12/31/2023	2929.22	USD	EA
					Ten (10) unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.							
800890-1491	Axis Cross Line Detection	46171622	Axis Communications	Axis Cross Line Detection	0333-011	Axis Cross Line Detection	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
					Single unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.							
800890-1492	Axis Cross Line Detection 10-pack	46171622	Axis Communications	Axis Cross Line Detection 10-pack	0333-031	Axis Cross Line Detection 10-pack	0000007715	1/1/2021	12/31/2023	273.42	USD	EA
					Ten (10) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.							
800890-1493	Axis Cross Line Detection 50-pack	46171622	Axis Communications	Axis Cross Line Detection 50-pack	0333-051	Axis Cross Line Detection 50-pack	0000007715	1/1/2021	12/31/2023	1331.82	USD	EA
					Fifty (50) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.							
800890-1494	ACAP AXIS MOTION GUARD 1 E-LICENSE	46171622	Axis Communications	ACAP AXIS MOTION GUARD 1 E-LICENSE	0333-600	ACAP AXIS MOTION GUARD 1 E-LICENSE	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
					Single unit e-license for AXIS Motion Guard, a robust, installer-friendly motion detection video analytic. Visit www.axis.com for supported products and application download.							
800890-1495	ACAP AXIS MOTION GUARD 10 E-LICENSE	46171622	Axis Communications	ACAP AXIS MOTION GUARD 10 E-LICENSE	0333-601	ACAP AXIS MOTION GUARD 10 E-LICENSE	0000007715	1/1/2021	12/31/2023	577.22	USD	EA
					Ten (10) unit e-license for AXIS Motion Guard, a robust, installer-friendly motion detection video analytic. Visit www.axis.com for supported products and application download.							
800890-1496	ACAP AXIS FENCE GUARD 1 E-LICENSE	46171622	Axis Communications	ACAP AXIS FENCE GUARD 1 E-LICENSE	0333-604	ACAP AXIS FENCE GUARD 1 E-LICENSE	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
					Single unit e-license for AXIS Fence Guard, a robust, installer-friendly perimeter protection video analytic. Visit www.axis.com for supported products and application download.							
800890-1497	ACAP AXIS FENCE GUARD 10 E-LICENSE	46171622	Axis Communications	ACAP AXIS FENCE GUARD 10 E-LICENSE	0333-605	ACAP AXIS FENCE GUARD 10 E-LICENSE	0000007715	1/1/2021	12/31/2023	577.22	USD	EA
					Ten (10) unit e-license for AXIS Fence Guard, a robust, installer-friendly perimeter protection video analytic. Visit www.axis.com for supported products and application download.							
800890-1498	ACAP AXIS LOITERING GUARD 1 E-LICENSE	46171622	Axis Communications	ACAP AXIS LOITERING GUARD 1 E-LICENSE	0333-602	ACAP AXIS LOITERING GUARD 1 E-LICENSE	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
					Single unit e-license for AXIS Loitering Guard, a robust, installer-friendly loitering detection video analytic. Visit www.axis.com for supported products and application download.							
800890-1499	ACAP AXIS LOITERING GUARD 10 E-LICENSE	46171622	Axis Communications	ACAP AXIS LOITERING GUARD 10 E-LICENSE	0333-603	ACAP AXIS LOITERING GUARD 10 E-LICENSE	0000007715	1/1/2021	12/31/2023	577.22	USD	EA
					Ten (10) unit e-license for AXIS Loitering Guard, a robust, installer-friendly loitering detection video analytic. Visit www.axis.com for supported products and application download.							
800890-1500	AXIS H. 264 50-user decoder license pack	46171622	Axis Communications	AXIS H. 264 50-user decoder license pack	0160-050	AXIS H. 264 50-user decoder license pack	0000007715	1/1/2021	12/31/2023	44.1	USD	EA
					A license document that grants installation of AXIS AVC/H.264 decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 but does not have support for audio.							
800890-1501	AXIS H.264 +AAC decoder 50-user decoder license pack	46171622	Axis Communications	AXIS H.264 +AAC decoder 50-user decoder license pack	0160-060	AXIS H.264 +AAC decoder 50-user decoder license pack	0000007715	1/1/2021	12/31/2023	53.9	USD	EA
					A license document that grants installation of AXIS AVC/H.264 and ACC decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 that also have support for audio.							
800890-1502	AXIS STORE DATA MANAGER 10CH BASE E-LICENSE	46171622	Axis Communications	AXIS STORE DATA MANAGER 10CH BASE E-LICENSE	01147-101	AXIS STORE DATA MANAGER 10CH BASE E-LICENSE	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
					AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data from retail analytics-enabled cameras.							
800890-1503	AXIS STORE DATA MANAGER 1CH ADD-ON E-LICENSE	46171622	Axis Communications	AXIS STORE DATA MANAGER 1CH ADD-ON E-LICENSE	01147-111	AXIS STORE DATA MANAGER 1CH ADD-ON E-LICENSE	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
					AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data. This article is for additional channels to be added to AXIS Store Data Mgr 10P Core							
800890-1504	AXIS STORE REPORTER SUBSCRIPT 2019	46171622	Axis Communications	AXIS STORE REPORTER SUBSCRIPT 2019	01704-001	AXIS STORE REPORTER SUBSCRIPT 2019	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
					AXIS Store Reporter is a web-based tool that is used for graphical representation and reporting of statistical data gathered from Axis retail analytics applications. It is sold on a per channel basis as e-license. A license is valid until 31 Dec 2019. After this date the license will have to be renewed. AXIS Store Data Manager is included in AXIS Store Reporter.							
800890-1505	AXIS PEOPLE COUNTER E-LICENSE	46171622	Axis Communications	AXIS PEOPLE COUNTER E-LICENSE	01147-011	AXIS PEOPLE COUNTER E-LICENSE	0000007715	1/1/2021	12/31/2023	371.42	USD	EA
					AXIS People Counter is a cost-efficient and scalable video analytics application for people counting. This business-improving application, installed on a network camera, enables accurate monitoring and analysis of customer flows. It is ideal for e.g. quick evaluation of marketing efforts, improving staff and store planning, or evaluating conversion rate if combined with point-of-sale data.							
800890-1506	AXIS QUEUE MONITOR E-LICENSE	46171622	Axis Communications	AXIS QUEUE MONITOR E-LICENSE	01147-031	AXIS QUEUE MONITOR E-LICENSE	0000007715	1/1/2021	12/31/2023	449.82	USD	EA
					AXIS Queue Monitor is a cost-efficient and scalable video analytics application for queue measurement and analysis. This application, installed on a network camera, provides statistics about queue duration and queue fluctuations over the course of the day, facilitating both staff planning and the comparison between store locations.							
800890-1507	AXIS OCCUPANCY ESTIMATOR E-LICENSE	46171622	Axis Communications	AXIS OCCUPANCY ESTIMATOR E-LICENSE	01147-051	AXIS OCCUPANCY ESTIMATOR E-LICENSE	0000007715	1/1/2021	12/31/2023	420.42	USD	EA
					AXIS Occupancy Estimator is a cost-efficient and scalable video analytics application for gathering and analyzing occupancy data. This application, installed on a network camera, is a valuable tool for improving service planning in places like shopping malls or entertainment venues.							
800890-1508	AXIS TAILGATING DETECTOR E-LICENSE	46171622	Axis Communications	AXIS TAILGATING DETECTOR E-LICENSE	01147-071	AXIS TAILGATING DETECTOR E-LICENSE	0000007715	1/1/2021	12/31/2023	420.42	USD	EA
					AXIS Tailgating Detector is a cost-efficient video analytics application for ensuring that only one person at a time is entering in an automated access control system. Preventing unauthorized entering, the camera-integrated application is ideal for subways, gyms, or other places where access cards are used							
800890-1509	AXIS DIRECTION DETECTOR E-LICENSE	46171622	Axis Communications	AXIS DIRECTION DETECTOR E-LICENSE	01147-081	AXIS DIRECTION DETECTOR E-LICENSE	0000007715	1/1/2021	12/31/2023	420.42	USD	EA
					AXIS Direction Detector is a cost-efficient and scalable video analytics application for detecting people moving in the wrong direction. This camera-integrated application reduces the need for physical barriers or extra staff in for example retail stores or airports, where it registers the number of people passing by and in what direction							
800890-1510	AXIS RANDOM SELECTOR E-LICENSE	46171622	Axis Communications	AXIS RANDOM SELECTOR E-LICENSE	01147-091	AXIS RANDOM SELECTOR E-LICENSE	0000007715	1/1/2021	12/31/2023	420.42	USD	EA
					AXIS Random Selector is a camera-integrated video analytics application for randomly singling out individuals for inspection. The application eliminates any bias in the selection and inspection of, for instance, employees leaving a store, and may thereby reduce employees' discomfort. One (1) AXIS Camera Station version 5.0 and up, Core Device license. Applicable for AXIS devices.							
800890-1511	ACS CORE DEVICE E-LICENSE	46171622	Axis Communications	ACS CORE DEVICE E-LICENSE	0879-010	ACS CORE DEVICE E-LICENSE	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
					AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network camera and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification. Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.							

Item ID	Product Name	SKU	Category	Description	Part Number	Manufacturer Part Number	Price	Unit	Availability	Lead Time	Weight	Color	Notes
800890-1512	ACS UNIVERSAL DEVICE E-LICENSE	46171622	Axis Communications	ACS UNIVERSAL DEVICE E-LICENSE	0879-020	ACS UNIVERSAL DEVICE E-LICENSE	0000007715	1/1	2021	12/31/2023	146.02	USD	EA
				One (1) Universal Device license applicable for AXIS Camera Station version 5.0 and up. AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.									
800890-1513	ACS 4 TO UNIVERSAL UPG E-LICENSE	46171622	Axis Communications	ACS 4 TO UNIVERSAL UPG E-LICENSE	0879-040	ACS 4 TO UNIVERSAL UPG E-LICENSE	0000007715	1/1	2021	12/31/2023	18.62	USD	EA
				Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable. One (1) upgrade license applicable for existing licenses of AXIS Camera Station, version 1.2, 3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.									
800890-1514	ACS CORE TO UNIVERSAL UPG E-LICENSE	46171622	Axis Communications	ACS CORE TO UNIVERSAL UPG E-LICENSE	0879-030	ACS CORE TO UNIVERSAL UPG E-LICENSE	0000007715	1/1	2021	12/31/2023	77.42	USD	EA
				Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable. This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.									
800890-1515	AXIS Camera Station 4 license base pack eLicense	46171622	Axis Communications	AXIS Camera Station 4 license base pack eLicense	0202-600	AXIS Camera Station 4 license base pack eLicense	0000007715	1/1	2021	12/31/2023	391.02	USD	EA
				AXIS Camera Station 4 license base pack eLicense. Note: eLicenses are non-cancellable, non-changeable and non-returnable. This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.									
800890-1516	AXIS Camera Station 10 license base pack eLicense	46171622	Axis Communications	AXIS Camera Station 10 license base pack eLicense	0202-601	AXIS Camera Station 10 license base pack eLicense	0000007715	1/1	2021	12/31/2023	979.02	USD	EA
				AXIS Camera Station 10 license base pack eLicense. Note: eLicenses are non-cancellable, non-changeable and non-returnable. This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.									
800890-1517	AXIS Camera Station 1 license add-on eLicense	46171622	Axis Communications	AXIS Camera Station 1 license add-on eLicense	0202-602	AXIS Camera Station 1 license add-on eLicense	0000007715	1/1	2021	12/31/2023	97.02	USD	EA
				AXIS Camera Station 1 license add-on eLicense. Note: eLicenses are non-cancellable, non-changeable and non-returnable. This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.									
800890-1518	AXIS Camera Station 5 license add-on eLicense	46171622	Axis Communications	AXIS Camera Station 5 license add-on eLicense	0202-603	AXIS Camera Station 5 license add-on eLicense	0000007715	1/1	2021	12/31/2023	489.02	USD	EA
				AXIS Camera Station 5 license add-on eLicense. Note: eLicenses are non-cancellable, non-changeable and non-returnable. This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.									
800890-1519	AXIS Camera Station 20 license add-on eLicense	46171622	Axis Communications	AXIS Camera Station 20 license add-on eLicense	0202-607	AXIS Camera Station 20 license add-on eLicense	0000007715	1/1	2021	12/31/2023	1939.42	USD	EA
				AXIS Camera Station 20 license add-on eLicense. Note: eLicenses are non-cancellable, non-changeable and non-returnable. This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.									
800890-1520	AXIS D20 FRONT COVER KIT A	46171622	Axis Communications	AXIS D20 FRONT COVER KIT A	01438-001	AXIS D20 FRONT COVER KIT A	0000007715	1/1	2021	12/31/2023	77.42	USD	EA
				AXIS D20 FRONT COVER KIT A. Includes anti-loose screws and sealing gaskets.									
800890-1521	AXIS F4005-E CLEAR DOME SPCS	46171622	Axis Communications	AXIS F4005-E CLEAR DOME SPCS	5801-461	AXIS F4005-E CLEAR DOME SPCS	0000007715	1/1	2021	12/31/2023	77.42	USD	EA
				Standard clear dome for AXIS F4005-E, 5 pcs									
800890-1522	ACC TOP COVER AXIS 209FD-R 10PCS	46171622	Axis Communications	ACC TOP COVER AXIS 209FD-R 10PCS	5500-301	ACC TOP COVER AXIS 209FD-R 10PCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Replaceable cover for AXIS 209FD-R, 10 pcs. Includes dry bags									
800890-1523	SPR DOME CLEAR AXIS 215 PTZ-E	46171622	Axis Communications	SPR DOME CLEAR AXIS 215 PTZ-E	5700-291	SPR DOME CLEAR AXIS 215 PTZ-E	0000007715	1/1	2021	12/31/2023	97.02	USD	EA
				Spare clear dome for AXIS 215-PTZ-E. Includes mounting ring, clear bubble, rubber gasket and 4 screws.									
800890-1524	ACC DOME AXIS 216FD GLASS SMOKE	46171622	Axis Communications	ACC DOME AXIS 216FD GLASS SMOKE	5005-001	ACC DOME AXIS 216FD GLASS SMOKE	0000007715	1/1	2021	12/31/2023	28.42	USD	EA
				Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301									
800890-1525	ACC DOME AXIS 216FD GLASS CLEAR	46171622	Axis Communications	ACC DOME AXIS 216FD GLASS CLEAR	5005-011	ACC DOME AXIS 216FD GLASS CLEAR	0000007715	1/1	2021	12/31/2023	28.42	USD	EA
				Casing with clear transparent cover for AXIS 216FD/216MFD/P3301									
800890-1526	ACC DOME AXIS 216FD-V GLASS SMOKE	46171622	Axis Communications	ACC DOME AXIS 216FD-V GLASS SMOKE	5005-061	ACC DOME AXIS 216FD-V GLASS SMOKE	0000007715	1/1	2021	12/31/2023	67.62	USD	EA
				Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V									
800890-1527	AXIS M3004-V/05-V CLEAR DOME	46171622	Axis Communications	AXIS M3004-V/05-V CLEAR DOME	5800-631	AXIS M3004-V/05-V CLEAR DOME	0000007715	1/1	2021	12/31/2023	18.62	USD	EA
				Original top cover with clear dome for AXIS M3004-V/05-V									
800890-1528	AXIS M3006 CLEAR DOME SPCS	46171622	Axis Communications	AXIS M3006 CLEAR DOME SPCS	5800-731	AXIS M3006 CLEAR DOME SPCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Original white top cover with clear dome for AXIS M3006, 5pcs.									
800890-1529	AXIS M3007 CLEAR DOME SPCS	46171622	Axis Communications	AXIS M3007 CLEAR DOME SPCS	5800-741	AXIS M3007 CLEAR DOME SPCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Original white top cover with clear dome for AXIS M3007, 5pcs.									
800890-1530	AXIS M3024 CLEAR DOME SPCS	46171622	Axis Communications	AXIS M3024 CLEAR DOME SPCS	5800-711	AXIS M3024 CLEAR DOME SPCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Standard clear domes for AXIS M3024, 5 pcs									
800890-1531	AXIS M3025/26 CLEAR DOME SPCS	46171622	Axis Communications	AXIS M3025/26 CLEAR DOME SPCS	5800-721	AXIS M3025/26 CLEAR DOME SPCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Standard clear domes for AXIS M3025, M3026, 5 pcs									
800890-1532	AXIS M3027 CLEAR DOME SPCS	46171622	Axis Communications	AXIS M3027 CLEAR DOME SPCS	5800-751	AXIS M3027 CLEAR DOME SPCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Standard clear domes for AXIS M3027, 5 pcs									
800890-1533	AXIS M3044-V/45-V/46-V CL DOME SP	46171622	Axis Communications	AXIS M3044-V/45-V/46-V CL DOME SP	5801-841	AXIS M3044-V/45-V/46-V CL DOME SP	0000007715	1/1	2021	12/31/2023	97.02	USD	EA
				Standard clear dome for AXIS M3044-V/45-V/46-V, 5 pcs									
800890-1534	AXIS M30-PLVE CLEAR DOME A 4P	46171622	Axis Communications	AXIS M30-PLVE CLEAR DOME A 4P	01567-001	AXIS M30-PLVE CLEAR DOME A 4P	0000007715	1/1	2021	12/31/2023	57.82	USD	EA
				Standard clear dome with anti-scratch hard coating. Rubber gaskets included. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.									
800890-1535	AXIS M30 DOME COVER CASING A SPCS	46171622	Axis Communications	AXIS M30 DOME COVER CASING A SPCS	5901-241	AXIS M30 DOME COVER CASING A SPCS	0000007715	1/1	2021	12/31/2023	146.02	USD	EA
				Original white casing with clear dome for M3044/45/46-V/46-VW and AXIS Companion Dome cameras, 5 pcs.									
800890-1536	AXIS M30 CASING B WHITE SP	46171622	Axis Communications	AXIS M30 CASING B WHITE SP	01153-001	AXIS M30 CASING B WHITE SP	0000007715	1/1	2021	12/31/2023	77.42	USD	EA
				Original white casing for AXIS M3047/48-P, 5 pcs.									
800890-1537	TOP COVER AXIS M311X-R 10PCS	46171622	Axis Communications	TOP COVER AXIS M311X-R 10PCS	5700-641	TOP COVER AXIS M311X-R 10PCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Original dark grey top cover including dome and screws for AXIS M311X-R, 10 pcs									
800890-1538	TOP COVER AXIS M311X-VE	46171622	Axis Communications	TOP COVER AXIS M311X-VE	5800-361	TOP COVER AXIS M311X-VE	0000007715	1/1	2021	12/31/2023	28.42	USD	EA
				ORIGINAL TOP COVER FOR AXIS M311X-VE, INCLUDING OPENING TOOL AND ALLEN KEY.									
800890-1539	TOP COVER M311X-VE NOCAP 10 PCS	46171622	Axis Communications	TOP COVER M311X-VE NOCAP 10 PCS	5800-061	TOP COVER M311X-VE NOCAP 10 PCS	0000007715	1/1	2021	12/31/2023	244.02	USD	EA
				Original top cover including dome and screws for AXIS M311X-VE No Cap, 10 pcs.									
800890-1540	AXIS M50 CLEAR DOME COVER A	46171622	Axis Communications	AXIS M50 CLEAR DOME COVER A	01239-001	AXIS M50 CLEAR DOME COVER A	0000007715	1/1	2021	12/31/2023	48.02	USD	EA
				Spare part AXIS M50 dome casing cover in white. Included in AXIS M5054/55/65 cameras.									
800890-1541	AXIS M501X DOME COVER A	46171622	Axis Communications	AXIS M501X DOME COVER A	5800-111	AXIS M501X DOME COVER A	0000007715	1/1	2021	12/31/2023	28.42	USD	EA
				Spare part AXIS M501X dome, pre-mounted in the white top casing. Opening tool and gasket are included.									
800890-1542	AXIS M55 CLEAR DOME A	46171622	Axis Communications	AXIS M55 CLEAR DOME A	01606-001	AXIS M55 CLEAR DOME A	0000007715	1/1	2021	12/31/2023	38.22	USD	EA
				Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E, single pack.									
800890-1543	AXIS P32-V CLEAR DOME A SP	46171622	Axis Communications	AXIS P32-V CLEAR DOME A SP	5506-131	AXIS P32-V CLEAR DOME A SP	0000007715	1/1	2021	12/31/2023	165.62	USD	EA
				Standard clear dome for AXIS P32-V Series, 5 pcs									
800890-1544	AXIS P32-VE CLEAR DOME A SP	46171622	Axis Communications	AXIS P32-VE CLEAR DOME A SP	5506-121	AXIS P32-VE CLEAR DOME A SP	0000007715	1/1	2021	12/31/2023	165.62	USD	EA
				Standard clear dome for AXIS P32-VE Series, 5 pcs									
800890-1545	AXIS P32-LV SEMI SMOKE DOME A SP	46171622	Axis Communications	AXIS P32-LV SEMI SMOKE DOME A SP	5504-981	AXIS P32-LV SEMI SMOKE DOME A SP	0000007715	1/1	2021	12/31/2023	165.62	USD	EA
				Semi smoked domes for AXIS P32-LV Series, 5 pcs									
800890-1546	AXIS P32-LVE SEMI SMOKE DOME A SP	46171622	Axis Communications	AXIS P32-LVE SEMI SMOKE DOME A SP	5504-991	AXIS P32-LVE SEMI SMOKE DOME A SP	0000007715	1/1	2021	12/31/2023	165.62	USD	EA
				Semi smoked domes for AXIS P32-LVE Series, 5 pcs									
800890-1547	SPR AXIS P3343 DOME KIT	46171622	Axis Communications	SPR AXIS P3343 DOME KIT	5700-321	SPR AXIS P3343 DOME KIT	0000007715	1/1	2021	12/31/2023	28.42	USD	EA
				Dome kit for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 as spare part. Includes a clear bubble, mounted on a plastic dome cover and a separate smoked bubble.									
800890-1548	SPR AXIS P3343-V DOME KIT	46171622	Axis Communications	SPR AXIS P3343-V DOME KIT	5700-311	SPR AXIS P3343-V DOME KIT	0000007715	1/1	2021	12/31/2023	67.62	USD	EA
				Dome kit for AXIS P3343-V, AXIS P3344-V, AXIS P3353-V and AXIS P3354-V as spare part. Includes a clear bubble, mounted on an aluminum dome cover and a separate smoked bubble.									
800890-1549	SPR DOME KIT AXIS P3343-VE	46171622	Axis Communications	SPR DOME KIT AXIS P3343-VE	5700-341	SPR DOME KIT AXIS P3343-VE	0000007715	1/1	2021	12/31/2023	67.62	USD	EA
				Dome kit for AXIS P3343-VE, P3344-VE, AXIS P3353-VE and AXIS P3354-VE as spare part. Includes a clear bubble, mounted on an aluminum dome cover and a separate smoked bubble.									

800890-1550	SPR AXIS P3346 DOME KIT	46171622	Axis Communications	SPR AXIS P3346 DOME KIT	Dome Kit for AXIS P3346 as spare part. Includes a clear bubble, mounted on a plastic dome cover and a separate smoked bubble.	5700-901	SPR AXIS P3346 DOME KIT	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-1551	SPR AXIS P3346-V DOME KIT	46171622	Axis Communications	SPR AXIS P3346-V DOME KIT	Dome kit for AXIS P3346-V, P3367-V and AXIS P3384-V as spare part. Includes a clear bubble, mounted on a zinc alloy dome cover and a separate smoked bubble.	5700-911	SPR AXIS P3346-V DOME KIT	0000007715	1/1/2021	12/31/2023	72.52	USD	EA
800890-1552	SPR AXIS P3346-VE DOME KIT	46171622	Axis Communications	SPR AXIS P3346-VE DOME KIT	Dome Kit for AXIS P3346-VE, P3367-VE, AXIS P3384-VE as spare part. Includes a clear bubble, mounted on an aluminum dome cover and a separate smoked bubble.	5700-921	SPR AXIS P3346-VE DOME KIT	0000007715	1/1/2021	12/31/2023	72.52	USD	EA
800890-1553	AXIS P3364-LV DOME KIT	46171622	Axis Communications	AXIS P3364-LV DOME KIT	Dome kit for AXIS P3364-LV. The dome is pre-mounted in the standard white top cover casing.	5800-691	AXIS P3364-LV DOME KIT	0000007715	1/1/2021	12/31/2023	72.52	USD	EA
800890-1554	AXIS P3364-LVE DOME KIT	46171622	Axis Communications	AXIS P3364-LVE DOME KIT	Dome kit for AXIS P3364-LVE. The dome is pre-mounted in a standard white top cover casing.	5800-681	AXIS P3364-LVE DOME KIT	0000007715	1/1/2021	12/31/2023	72.52	USD	EA
800890-1555	AXIS P33 SEMI-SMOKED DOME A 4PCS	46171622	Axis Communications	AXIS P33 SEMI-SMOKED DOME A 4PCS	Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/-LVE cameras. 4x domes per pack.	01548-001	AXIS P33 SEMI-SMOKED DOME A 4PCS	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-1556	AXIS P33 CLEAR DOME A 4PCS	46171622	Axis Communications	AXIS P33 CLEAR DOME A 4PCS	Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.	01549-001	AXIS P33 CLEAR DOME A 4PCS	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-1557	AXIS P3707-PE CLEAR DOME KIT	46171622	Axis Communications	AXIS P3707-PE CLEAR DOME KIT	Dome kit for AXIS P3707-PE. The dome is pre-mounted in the standard white top cover casing.	5801-521	AXIS P3707-PE CLEAR DOME KIT	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1558	AXIS P37 CLEAR DOME KIT A	46171622	Axis Communications	AXIS P37 CLEAR DOME KIT A	Dome kit for AXIS P3717-PLE. The dome is pre-mounted in the standard white top cover casing.	01515-001	AXIS P37 CLEAR DOME KIT A	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1559	SPR TOP COVER AXIS P39-R 10 PCS	46171622	Axis Communications	SPR TOP COVER AXIS P39-R 10 PCS	Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.	5801-111	SPR TOP COVER AXIS P39-R 10 PCS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1560	AXIS P54 CLEAR DOME	46171622	Axis Communications	AXIS P54 CLEAR DOME	Clear dome for AXIS P54-series.	5800-771	AXIS P54 CLEAR DOME	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1561	AXIS P5512-E DOME KIT	46171622	Axis Communications	AXIS P5512-E DOME KIT	Dome kit for AXIS P5512-E. Clear/smoked dome and dome cover included.	5800-281	AXIS P5512-E DOME KIT	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1562	AXIS Q6128 CLEAR DOME 1P	46171622	Axis Communications	AXIS Q6128 CLEAR DOME 1P	Standard clear dome for AXIS Q6128-E.	5801-871	AXIS Q6128 CLEAR DOME 1P	0000007715	1/1/2021	12/31/2023	62.72	USD	EA
800890-1563	AXIS TQ6803 HARD-COATED CLEAR DOME	46171622	Axis Communications	AXIS TQ6803 HARD-COATED CLEAR DOME	Standard clear dome with anti-scratch hard coating. Compatible with selected AXIS Q61-LE cameras. Weather-resistant and chemical-resistant. Rubber gasket included. Single pack.	01814-001	AXIS TQ6803 HARD-COATED CLEAR DOME	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-1564	AXIS P553X CLEAR DOME	46171622	Axis Communications	AXIS P553X CLEAR DOME	Original clear dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	5800-251	AXIS P553X CLEAR DOME	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-1565	AXIS P553X SMOKED DOME	46171622	Axis Communications	AXIS P553X SMOKED DOME	Original smoked dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	5800-191	AXIS P553X SMOKED DOME	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-1566	AXIS DOME CLEAR P5544	46171622	Axis Communications	AXIS DOME CLEAR P5544	Sparepart dome for AXIS P5544. Note that this product does not contain the fisheye lens.	5800-391	AXIS DOME CLEAR P5544	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1567	AXIS P5624-E/35-E CLEAR DOME	46171622	Axis Communications	AXIS P5624-E/35-E CLEAR DOME	Clear dome for AXIS P56 Series cameras.	5506-141	AXIS P5624-E/35-E CLEAR DOME	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1568	AXIS Q3505-V CLEAR DOME 5P	46171622	Axis Communications	AXIS Q3505-V CLEAR DOME 5P	Standard clear domes for AXIS Q35-V Series, 5 pcs	5505-611	AXIS Q3505-V CLEAR DOME 5P	0000007715	1/1/2021	12/31/2023	175.42	USD	EA
800890-1569	AXIS Q35 CLEAR DOME A 5PCS	46171622	Axis Communications	AXIS Q35 CLEAR DOME A 5PCS	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/-LVE. 5x domes per pack.	01180-001	AXIS Q35 CLEAR DOME A 5PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1570	AXIS Q3505-VE CLEAR DOME 5P	46171622	Axis Communications	AXIS Q3505-VE CLEAR DOME 5P	Standard clear dome for AXIS Q3505-VE. 5pcs	5505-631	AXIS Q3505-VE CLEAR DOME 5P	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1571	AXIS Q36-VE CLEAR DOME	46171622	Axis Communications	AXIS Q36-VE CLEAR DOME	Standard clear dome with anti-scratch hard coating. Compatible with AXIS P38 and Q36 Series.	5801-511	AXIS Q36-VE CLEAR DOME	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1572	AXIS Q37 CLEAR DOME A	46171622	Axis Communications	AXIS Q37 CLEAR DOME A	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	5507-311	AXIS Q37 CLEAR DOME A	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1573	AXIS Q6000-E CLEAR DOME	46171622	Axis Communications	AXIS Q6000-E CLEAR DOME	Clear dome for AXIS Q6000-E	5506-641	AXIS Q6000-E CLEAR DOME	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1574	AXIS Q603X HD DOME KIT	46171622	Axis Communications	AXIS Q603X HD DOME KIT	HD optimized dome kit for AXIS Q603X as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	5700-811	AXIS Q603X HD DOME KIT	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-1575	AXIS Q603X-E CLEAR DOME C	46171622	Axis Communications	AXIS Q603X-E CLEAR DOME C	Stand alone HD quality clear dome without line for the AXIS Q603X-E.	5800-081	AXIS Q603X-E CLEAR DOME C	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1576	AXIS Q603X-E SMOKED DOME C	46171622	Axis Communications	AXIS Q603X-E SMOKED DOME C	Stand alone HD quality smoked dome without line for the AXIS Q603X-E.	5800-341	AXIS Q603X-E SMOKED DOME C	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1577	AXIS Q60-E/C CLEAR DOME D	46171622	Axis Communications	AXIS Q60-E/C CLEAR DOME D	Clear dome cover for AXIS Q600X-E/-C series	5800-481	AXIS Q60-E/C CLEAR DOME D	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1578	AXIS Q3517-SLVE CLEAR DOME 2P	46171622	Axis Communications	AXIS Q3517-SLVE CLEAR DOME 2P	Original clear dome in polycarbonate with anti-scratch hard coating, IK10+ vandal-resistant and high chemical resistance. Compatible with AXIS Q3517-SLVE. 2x domes per pack.	01584-001	AXIS Q3517-SLVE CLEAR DOME 2P	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-1579	AXIS Q60-E/C SMOKED DOME D	46171622	Axis Communications	AXIS Q60-E/C SMOKED DOME D	Stand alone smoked dome for AXIS Q600X-E/-C series	5503-961	AXIS Q60-E/C SMOKED DOME D	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1580	AXIS Q60-S CLEAR DOME A	46171622	Axis Communications	AXIS Q60-S CLEAR DOME A	Original clear dome in a special nylon blend with superior stress and chemical resistance. Compatible with AXIS Q604x-S and Q6055-S cameras. Single-pack.	5700-751	AXIS Q60-S CLEAR DOME A	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1581	AXIS Q8414-LVS CLEAR DOME 5P	46171622	Axis Communications	AXIS Q8414-LVS CLEAR DOME 5P	Standard clear dome for AXIS Q8414-LVS. 5 pcs.	5506-331	AXIS Q8414-LVS CLEAR DOME 5P	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1582	AXIS Q8414-LVS IR WINDOW A 5P	46171622	Axis Communications	AXIS Q8414-LVS IR WINDOW A 5P	Standard IR window with microphone hole and water-stop membrane for AXIS Q8414-LVS. 5 pcs.	5506-341	AXIS Q8414-LVS IR WINDOW A 5P	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1583	AXIS A8105-E CLEAR DOME 5PCS	46171622	Axis Communications	AXIS A8105-E CLEAR DOME 5PCS	AXIS A8105-E Clear Dome is sold as spare parts to the AXIS A8105-E Network Video Door Station and comes in packs of five clear dome covers. It enables easy on-site replacement in case the original dome cover has been damaged or vandalized.	5801-471	AXIS A8105-E CLEAR DOME 5PCS	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-1584	AXIS COMP DOME MINI CASING A 4P	46171622	Axis Communications	AXIS COMP DOME MINI CASING A 4P	Original white casing for AXIS Companion Dome mini LE, including dome and screws. 4 pcs.	01784-001	AXIS COMP DOME MINI CASING A 4P	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-1585	ACC ALLEN-KEY M3 TAMP PROOF 10PACK	46171622	Axis Communications	ACC ALLEN-KEY M3 TAMP PROOF 10PACK	Allen-key for AXIS 209FD-R 10-pack	5500-491	ACC ALLEN-KEY M3 TAMP PROOF 10PACK	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1586	AXIS D20 MOUNT BRACKET KIT A	46171622	Axis Communications	AXIS D20 MOUNT BRACKET KIT A	Original stainless steel mounting bracket for AXIS D2050-VE. Includes two pipe adapters, anti-loss screws, two gray cable gaskets, three black cable gaskets, and an M20 cable gland.	01439-001	AXIS D20 MOUNT BRACKET KIT A	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1587	AXIS M10 BRACKET KIT 5P	46171622	Axis Communications	AXIS M10 BRACKET KIT 5P	Contains 5pcs wall-and-corner mount bracket and 5pcs table-top stand. Compatible with AXIS M10 Series.	5901-211	AXIS M10 BRACKET KIT 5P	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1588	AXIS Q604X RECESSED MOUNT	46171622	Axis Communications	AXIS Q604X RECESSED MOUNT	Spare part indoor recessed mount for mounting AXIS Q60 indoor cameras in drop ceilings.	5505-161	AXIS Q604X RECESSED MOUNT	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-1589	AXIS F82A06 ANGLED PINHOLE MT 5PCS	46171622	Axis Communications	AXIS F82A06 ANGLED PINHOLE MT 5PCS	Mounting bracket that allows AXIS FA1125 Sensor Unit to be mounted behind a thin metal/plastic/glass panel. 5 pcs.	01198-001	AXIS F82A06 ANGLED PINHOLE MT 5PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1590	P1214/P1214-E/P1224-E MOUNT BRACKET 5PCS	46171622	Axis Communications	P1214/P1214-E/P1224-E MOUNT BRACKET 5PCS	Mount bracket for AXIS P1214, P1214-E and P1224-E. Allows to mount the sensor unit in different horizontal and vertical angles.	5503-991	P1214/P1214-E/P1224-E MOUNT BRACKET 5PCS	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1591	AXIS M501X MOUNTING KIT	46171622	Axis Communications	AXIS M501X MOUNTING KIT	Original ceiling mount kit for both hard- and drop ceilings for the AXIS M501X.	5800-121	AXIS M501X MOUNTING KIT	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-1592	AXIS Q3505-SVE SCREW KIT	46171622	Axis Communications	AXIS Q3505-SVE SCREW KIT	Screw kit for AXIS Q3505-SVE. Includes 2x anti-loss mounting screws in marine-grade stainless steel 55316, and 1x TR20 restorix insert bits.	01200-001	AXIS Q3505-SVE SCREW KIT	0000007715	1/1/2021	12/31/2023	10.78	USD	EA
800890-1593	AXIS Q8414-LVS BACK CHASSIS WHITE	46171622	Axis Communications	AXIS Q8414-LVS BACK CHASSIS WHITE	Spare part powder coated white stainless steel back chassis with gaskets for AXIS Q8414-LVS.	5506-311	AXIS Q8414-LVS BACK CHASSIS WHITE	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1594	AXIS Q8414-LVS BACK CHASSIS METAL	46171622	Axis Communications	AXIS Q8414-LVS BACK CHASSIS METAL	Spare part brushed stainless steel metal back chassis with gaskets for AXIS Q8414-LVS.	5506-321	AXIS Q8414-LVS BACK CHASSIS METAL	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1595	AXIS T98A MOUNTING BRACKET	46171622	Axis Communications	AXIS T98A MOUNTING BRACKET	Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	5800-351	AXIS T98A MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	57.82	USD	EA

800890-1596	AXIS STEEL STRAPS TX30 570MM 1PAIR	46171622	Axis Communications	AXIS STEEL STRAPS TX30 570MM 1PAIR	1 pair marine-grade (S5316L) stainless steel straps with TX30 screw interface for ease-of-installation. Length 570mm (22.5"). Width 14.3mm (0.57"). Thickness 0.68mm (0.03"). Compatible with a wide range of Axis pole mounts. Pole diameter range 50-150mm (2"-6") when used with AXIS T91847 Pole Mount.	01472-001	AXIS STEEL STRAPS TX30 570MM 1PAIR	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1597	AXIS STEEL STRAPS TX30 1450MM 1PAIR	46171622	Axis Communications	AXIS STEEL STRAPS TX30 1450MM 1PAIR	1 pair marine-grade (S5316L) stainless steel straps with TX30 screw interface for ease-of-installation. Length 1450mm (57"). Width 14.3mm (0.57"). Thickness 0.68mm (0.03"). Compatible with a wide range of Axis pole mounts. Pole diameter range 100-410mm (4"-16") when used with AXIS T91847 Pole Mount.	01471-001	AXIS STEEL STRAPS TX30 1450MM 1PAIR	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1598	STAINLESS STEEL STRAPS 1450MM 1 PAIR	46171622	Axis Communications	STAINLESS STEEL STRAPS 1450MM 1 PAIR	Original stainless steel straps for AXIS T91A47 110-400 mm. The straps also fit the AXIS T91A67. Mounting tool (P/N 21776) is required.	5800-811	STAINLESS STEEL STRAPS 1450MM 1 PAIR	0000007715	1/1/2021	12/31/2023	31.36	USD	EA
800890-1599	MAIN BODY CUP M3011/14 10PCS	46171622	Axis Communications	MAIN BODY CUP M3011/14 10PCS	Metal cup for AXIS M3011 and AXIS M3014 Network Cameras. 10 pcs.	5700-511	MAIN BODY CUP M3011/14 10PCS	0000007715	1/1/2021	12/31/2023	205.8	USD	EA
800890-1600	SPR AXIS P3343-VE SCREW KIT	46171622	Axis Communications	SPR AXIS P3343-VE SCREW KIT	Screw kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector.	5700-351	SPR AXIS P3343-VE SCREW KIT	0000007715	1/1/2021	12/31/2023	4.9	USD	EA
800890-1601	SPR AXIS P3343/-V SCREW KIT	46171622	Axis Communications	SPR AXIS P3343/-V SCREW KIT	Screw kit for AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector.	5700-301	SPR AXIS P3343/-V SCREW KIT	0000007715	1/1/2021	12/31/2023	3.92	USD	EA
800890-1602	AXIS T94802S MOUNTING BRACKET 5P	46171622	Axis Communications	AXIS T94802S MOUNTING BRACKET 5P	Spare part mounting brackets for AXIS M20 Series, 5-pack. Includes 5x mounting brackets with 5x Gasket C M20.	5901-281	AXIS T94802S MOUNTING BRACKET 5P	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1603	AXIS T94F01S MOUNTING BRACKET	46171622	Axis Communications	AXIS T94F01S MOUNTING BRACKET	Standard mount bracket for AXIS M3006-V, AXIS M3007-P/-PV, AXIS M3024-LVE/3025-VE/3026-VE	5505-171	AXIS T94F01S MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1604	AXIS T94G01S MOUNTING PLATE	46171622	Axis Communications	AXIS T94G01S MOUNTING PLATE	Sparepart mounting bracket for AXIS Q1765-LE, Q1931-E, Q1932-E	5506-081	AXIS T94G01S MOUNTING PLATE	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1605	AXIS T94K01S MOUNTING BRACKET 4P	46171622	Axis Communications	AXIS T94K01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS Q3505-V, 4 pcs	5505-551	AXIS T94K01S MOUNTING BRACKET 4P	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-1606	AXIS T94M01S MOUNTING BRACKET 4P	46171622	Axis Communications	AXIS T94M01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS Q3505-VE, 4 pcs	5505-561	AXIS T94M01S MOUNTING BRACKET 4P	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-1607	AXIS T94S01S MOUNTING BRACKET 4P	46171622	Axis Communications	AXIS T94S01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS P32-V Series, 4 pcs	5506-061	AXIS T94S01S MOUNTING BRACKET 4P	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1608	AXIS T94T01S MOUNTING BRACKET 4P	46171622	Axis Communications	AXIS T94T01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS P32-VE Series, 4 pcs	5506-071	AXIS T94T01S MOUNTING BRACKET 4P	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-1609	AXIS T94T02S MOUNTING BRACKET	46171622	Axis Communications	AXIS T94T02S MOUNTING BRACKET	Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.	01566-001	AXIS T94T02S MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-1610	MOUNTING BRACKET AXIS P33XX-VE	46171622	Axis Communications	MOUNTING BRACKET AXIS P33XX-VE	Original AXIS P33XX-VE mounting bracket for wall or hard ceiling.	5700-691	MOUNTING BRACKET AXIS P33XX-VE	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1611	AXIS T94K01L CAMERA CHANGE KIT A 5P	46171622	Axis Communications	AXIS T94K01L CAMERA CHANGE KIT A 5P	Spare part kit for changing between compatible cameras in AXIS T94K01L Recessed Mount. Included in AXIS T94K01L Recessed Mount. 5 change kits.	5506-391	AXIS T94K01L CAMERA CHANGE KIT A 5P	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1612	AXIS T94M01L CAMERA CHANGE KIT A 5P	46171622	Axis Communications	AXIS T94M01L CAMERA CHANGE KIT A 5P	Spare part kit for changing between compatible cameras in AXIS T94M01L Recessed Mount. Included in AXIS T94M01L Recessed Mount. 5 change kits.	5506-401	AXIS T94M01L CAMERA CHANGE KIT A 5P	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1613	AXIS T94V01S MOUNTING BRACKET	46171622	Axis Communications	AXIS T94V01S MOUNTING BRACKET	Standard mounting bracket for AXIS Q36 Series Network Cameras.	5801-911	AXIS T94V01S MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1614	AXIS 3/4" CONDUIT LOCKNUT A 4P	46171622	Axis Communications	AXIS 3/4" CONDUIT LOCKNUT A 4P	4-pack of 3/4" conduit locknut. Suitable for AXIS T91853 Telescopic Ceiling Mount.	01512-001	AXIS 3/4" CONDUIT LOCKNUT A 4P	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-1615	AXIS T94U02S MOUNTING BRACKET	46171622	Axis Communications	AXIS T94U02S MOUNTING BRACKET	Standard mounting bracket for AXIS Q3505-S/VE made of stainless steel. Including gasket.	5506-671	AXIS T94U02S MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	165.62	USD	EA
800890-1616	AXIS T94F02S MOUNTING BRACKET	46171622	Axis Communications	AXIS T94F02S MOUNTING BRACKET	Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.	5507-131	AXIS T94F02S MOUNTING BRACKET	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1617	AXIS P91 CLEAR DOME A 2P	46171622	Axis Communications	AXIS P91 CLEAR DOME A 2P	Standard clear dome with anti-scratch hard coating. Rubber gaskets included. Compatible with AXIS P9106-V.	01621-001	AXIS P91 CLEAR DOME A 2P	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1618	AXIS P91 SKIN COVER A BRUSHED STEEL	46171622	Axis Communications	AXIS P91 SKIN COVER A BRUSHED STEEL	Spare part skin cover for AXIS P9106-V. Brushed stainless steel finish. Easy to repaint. Magnetically attached. Suitable for both AXIS P9106-V White and Brushed Steel models.	01622-001	AXIS P91 SKIN COVER A BRUSHED STEEL	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1619	AXIS P1204 SENSOR UNIT	46171622	Axis Communications	AXIS P1204 SENSOR UNIT	Original sensor unit for AXIS P1204 with premounted cable. Cover skin and mounting kit is included.	5503-801	AXIS P1204 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1620	AXIS P1214 SENSOR UNIT	46171622	Axis Communications	AXIS P1214 SENSOR UNIT	Original sensor unit for AXIS P1214 with premounted cable. Flush mount bracket included.	5503-811	AXIS P1214 SENSOR UNIT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1621	AXIS P1214-E SENSOR UNIT	46171622	Axis Communications	AXIS P1214-E SENSOR UNIT	Original sensor unit for AXIS P1214-E with premounted cable. Flush mount bracket and sensor unit housing included.	5503-821	AXIS P1214-E SENSOR UNIT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1622	SPR P1224-E SENSOR UNIT	46171622	Axis Communications	SPR P1224-E SENSOR UNIT	Original sensor unit for AXIS P1224-E with premounted cable. Flush mount bracket included.	5800-991	SPR P1224-E SENSOR UNIT	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1623	R112 PLUG SHIELDED 10 PCS	46171622	Axis Communications	R112 PLUG SHIELDED 10 PCS	Shielded R112 connectors for use with AXIS modular cameras. 10-pack.	01182-001	R112 PLUG SHIELDED 10 PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1624	ACC MAINS ADAPTOR PS-P	46171622	Axis Communications	ACC MAINS ADAPTOR PS-P	Power supply PS-P for AXIS 215 PTZ	5500-704	ACC MAINS ADAPTOR PS-P	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1625	AXIS MAINS ADAPTER 12V DC 40W	46171622	Axis Communications	AXIS MAINS ADAPTER 12V DC 40W	Standard power supply for AXIS FAS4. IEC-C13 mains cable is not included.	01509-001	AXIS MAINS ADAPTER 12V DC 40W	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1626	AXIS MAINS ADAPTER 48V DC 90W	46171622	Axis Communications	AXIS MAINS ADAPTER 48V DC 90W	Standard power supply for AXIS Companion Recorder. IEC-C13 mains cable is not included.	01508-001	AXIS MAINS ADAPTER 48V DC 90W	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1627	ACC PS-RACK	46171622	Axis Communications	ACC PS-RACK	Power supply for the Axis Video Server Rack	22512	ACC PS-RACK	0000007715	1/1/2021	12/31/2023	489.02	USD	EA
800890-1628	POWER SUPPLY AXIS Q872X-E 120V	46171622	Axis Communications	POWER SUPPLY AXIS Q872X-E 120V	IP66 rated power supply for AXIS Q872X-E with 120 V AC input.	5503-461	POWER SUPPLY AXIS Q872X-E 120V	0000007715	1/1/2021	12/31/2023	371.42	USD	EA
800890-1629	ACC MALE R445 AXIS 209FD-R	46171622	Axis Communications	ACC MALE R445 AXIS 209FD-R	Vibration resistant male RJ-45 connector suitable for RJ-45 version of AXIS M31XX-R and AXIS 209FD-R/MFD-R Network Cameras.	5502-061	ACC MALE R445 AXIS 209FD-R	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-1630	MAINS CABLE IEC-C13	46171622	Axis Communications	MAINS CABLE IEC-C13	Mains cable for AXIS One-Port Midspan, AXIS T8123/24, AXIS 291, AXIS Q7900, AXIS Video Server Rack, AXIS PoE Midspan 8-Port/16-Port, Power Supply AXIS T8412.	5800-201	MAINS CABLE IEC-C13	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-1631	AXIS PATCH CABLE A 200MM 6PCS	46171622	Axis Communications	AXIS PATCH CABLE A 200MM 6PCS	Set of patch cables for AXIS T8085 P57 RACK MOUNT 500W 1U to connect AXIS T8646 POE+ OVER COAX BLADE	5506-451	AXIS PATCH CABLE A 200MM 6PCS	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1632	ACC MALE R445 AXIS 209FD-R 10PCS	46171622	Axis Communications	ACC MALE R445 AXIS 209FD-R 10PCS	Vibration resistant male RJ-45 connector suitable for AXIS 209FD-R/MFD-R Network Camera. 10 pack	5502-051	ACC MALE R445 AXIS 209FD-R 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1633	CABLE GLAND A M16 5PCS	46171622	Axis Communications	CABLE GLAND A M16 5PCS	M16 cable gland for cable diameter of 4.5 to 10mm. IP68. 5 pcs.	5800-961	CABLE GLAND A M16 5PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1634	AXIS P3367-VE CASING KIT	46171622	Axis Communications	AXIS P3367-VE CASING KIT	The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.	5800-601	AXIS P3367-VE CASING KIT	0000007715	1/1/2021	12/31/2023	210.7	USD	EA
800890-1635	AXIS P54-SERIES WEATHER COVER	46171622	Axis Communications	AXIS P54-SERIES WEATHER COVER	Sparepart weather cover for Axis P54-Series.	5505-151	AXIS P54-SERIES WEATHER COVER	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1636	CONN KIT AXIS P1311	46171622	Axis Communications	CONN KIT AXIS P1311	Kit for the AXIS P13XX-series. Content: one terminal connector 4P str 250mm BP LF and one 2P STR 3.81MM BP LF.	5500-851	CONN KIT AXIS P1311	0000007715	1/1/2021	12/31/2023	8.82	USD	EA

800890-1637	CONN KIT AXIS Q7404	46171622	Axis Communications	CONN KIT AXIS Q7404	Terminal connectors for AXIS Q7404. Includes 8 pcs 2P 2.50MM, 4 pcs 4P 2.50MM and one 2P 3.81MM. In total 13 connectors.	5700-161	CONN KIT AXIS Q7404	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-1638	AXIS M3004 LENS	46171622	Axis Communications	AXIS M3004 LENS	Original M12 lens for AXIS M3004 2.8mm. Focus tool included.	5800-641	AXIS M3004 LENS	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1639	AXIS M3005 LENS	46171622	Axis Communications	AXIS M3005 LENS	Original M12 lens for AXIS M3005 2.8mm. Focus tool included.	5800-651	AXIS M3005 LENS	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1640	AXIS M311X-R 2MM M12 LENS	46171622	Axis Communications	AXIS M311X-R 2MM M12 LENS	Original lens for AXIS M311X-R as spare part	5700-711	AXIS M311X-R 2MM M12 LENS	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1641	LENIS M12 2.8-6MM SP5CS	46171622	Axis Communications	LENIS M12 2.8-6MM SP5CS	Varifocal lens 2.8-6MM, F2.0, M12 thread. Standard lens for AXIS F1015.	5801-651	LENIS M12 2.8-6MM SP5CS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1642	LENIS M12 2.8MM F2.0 10PCS	46171622	Axis Communications	LENIS M12 2.8MM F2.0 10PCS	Standard lens for AXIS F4005-E, AXIS F1005-E and AXIS P1214-E.	5801-921	LENIS M12 2.8MM F2.0 10PCS	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1643	LENIS PINHOLE M12 3.7MM 10PCS	46171622	Axis Communications	LENIS PINHOLE M12 3.7MM 10PCS	Pinhole lens 3.7MM, F2.5, M12 thread. Standard lens for AXIS F1025. 10pcs	5801-661	LENIS PINHOLE M12 3.7MM 10PCS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1644	AXIS T93F TOP COVER	46171622	Axis Communications	AXIS T93F TOP COVER	Spare part top part of the housing including window.	5505-891	AXIS T93F TOP COVER	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1645	ACC LENS CS VARIF 3-8MM DC-IR D/N	46171622	Axis Communications	ACC LENS CS VARIF 3-8MM DC-IR D/N	CS mount Varifocal 3-8 mm DC-Iris for 221	5500-061	ACC LENS CS VARIF 3-8MM DC-IR D/N	0000007715	1/1/2021	12/31/2023	122.5	USD	EA
800890-1646	ACC LENS CS VARIF 3-8MM DC-IR	46171622	Axis Communications	ACC LENS CS VARIF 3-8MM DC-IR	CS mount Varifocal 3-8 mm DC-Iris for 211	5500-051	ACC LENS CS VARIF 3-8MM DC-IR	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1647	LENIS 3-8MM 13V6308ASIR	46171622	Axis Communications	LENIS 3-8MM 13V6308ASIR	Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343	5700-601	LENIS 3-8MM 13V6308ASIR	0000007715	1/1/2021	12/31/2023	73.5	USD	EA
800890-1648	LENIS 3-8MM 13V6308ASIR	46171622	Axis Communications	LENIS 3-8MM 13V6308ASIR	Original DC-Iris IR-corrected Megapixel lens for P1344.	5700-611	LENIS 3-8MM 13V6308ASIR	0000007715	1/1/2021	12/31/2023	191.1	USD	EA
800890-1649	LENIS CS 2.8-8MM F1.2 DC-I MP	46171622	Axis Communications	LENIS CS 2.8-8MM F1.2 DC-I MP	CS mounted Varifocal 2.8-8 mm DC-Iris megapixel lens. Original lens for AXIS M1114.	5700-881	LENIS CS 2.8-8MM F1.2 DC-I MP	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1650	POWER SUPPLY AXIS Q872X-E 230V	46171622	Axis Communications	POWER SUPPLY AXIS Q872X-E 230V	IP66 rated power supply for AXIS Q872X-E with 230 V AC input.	5503-451	POWER SUPPLY AXIS Q872X-E 230V	0000007715	1/1/2021	12/31/2023	371.42	USD	EA
800890-1651	LENIS CS VF 2.8-8MM F1.2 P-IRIS	46171622	Axis Communications	LENIS CS VF 2.8-8MM F1.2 P-IRIS	Original CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1604/14 and AXIS P1355/57	5800-671	LENIS CS VF 2.8-8MM F1.2 P-IRIS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1652	LENIS CS VF 2.8-8MM F1.2 DC-IR	46171622	Axis Communications	LENIS CS VF 2.8-8MM F1.2 DC-IR	Original CS mounted varifocal DC-Iris lens 2.8-8mm for AXIS Q1602/04 and AXIS P1354/55	5800-661	LENIS CS VF 2.8-8MM F1.2 DC-IR	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1653	AXIS LENS FUJINON CS 2.8-8MM P-IRIS	46171622	Axis Communications	AXIS LENS FUJINON CS 2.8-8MM P-IRIS	Standard CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1615.	5506-721	AXIS LENS FUJINON CS 2.8-8MM P-IRIS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1654	LENIS CS 2.8-8.5MM P-IRIS	46171622	Axis Communications	LENIS CS 2.8-8.5MM P-IRIS	Standard CS mounted varifocal P-Iris lens 2.8-8.5mm for AXIS P1364.	5801-491	LENIS CS 2.8-8.5MM P-IRIS	0000007715	1/1/2021	12/31/2023	155.82	USD	EA
800890-1655	LENIS CS 2.8MM M13F02820	46171622	Axis Communications	LENIS CS 2.8MM M13F02820	Fixed Iris Megapixel Lens 2.8mm, F2.0, CS mount. Original Lens for AXIS M1103/4.	5700-821	LENIS CS 2.8MM M13F02820	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1656	LENIS CS 2.9-8.2MM F1.4 DC SVGA	46171622	Axis Communications	LENIS CS 2.9-8.2MM F1.4 DC SVGA	Varifocal 2.9-8.2mm CS mounted SVGA DC-Iris lens. Original lens for AXIS M1113	5700-871	LENIS CS 2.9-8.2MM F1.4 DC SVGA	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1657	LENIS CS 4-10MM P-IRIS	46171622	Axis Communications	LENIS CS 4-10MM P-IRIS	Standard lens for AXIS Q1635-E.	5801-011	LENIS CS 4-10MM P-IRIS	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1658	LENIS CS 6.0MM F1.8 MP	46171622	Axis Communications	LENIS CS 6.0MM F1.8 MP	CS mounted 6.0mm megapixel lens. Original lens for AXIS M1103/4	5700-861	LENIS CS 6.0MM F1.8 MP	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1659	AXIS LENS TAMRON C 4-13MM DC-IRIS	46171622	Axis Communications	AXIS LENS TAMRON C 4-13MM DC-IRIS	Standard C mounted varifocal DC-Iris lens 4-13mm for AXIS Q1635.	5506-731	AXIS LENS TAMRON C 4-13MM DC-IRIS	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1660	TAMRON SMP LENS P-IRIS 8-50 MM F1.6	46171622	Axis Communications	TAMRON SMP LENS P-IRIS 8-50 MM F1.6	Varifocal 8-50 MM, 5 MP telephoto IR-corrected lens with P-Iris. Recommended for AXIS P1367 and AXIS P-IRIS 8-50 MM F1.6 P1367-E.	01469-001	TAMRON SMP LENS P-IRIS 8-50 MM F1.6	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1661	AXIS Q872X-E SUNSHIELD KIT	46171622	Axis Communications	AXIS Q872X-E SUNSHIELD KIT	Sunshield for AXIS Q872X-E as sparepart. Including screws and washer	5800-321	AXIS Q872X-E SUNSHIELD KIT	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-1662	AXIS P3364-VE CASING KIT	46171622	Axis Communications	AXIS P3364-VE CASING KIT	The kit contains mounting bracket, bottom casing, heater and cable cover required for converting an indoor version of AXIS P3364-V to an outdoor VE version. Note: Dome kit is not included, has to be ordered separately.	5506-471	AXIS P3364-VE CASING KIT	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-1663	SPR BRACKET KIT AXIS Q60XX/P55XX	46171622	Axis Communications	SPR BRACKET KIT AXIS Q60XX/P55XX	Bracket kit for surface mounting a camera on a hard ceiling. Compatible with Q603X and P553X. Content: Bracket, screws with washers and washers.	5700-851	SPR BRACKET KIT AXIS Q60XX/P55XX	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-1664	CONN KIT AXIS M7014	46171622	Axis Communications	CONN KIT AXIS M7014	Terminal connectors for AXIS M7014. Includes 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	5800-621	CONN KIT AXIS M7014	0000007715	1/1/2021	12/31/2023	8.82	USD	EA
800890-1665	SPR CONN KIT AXIS Q7401	46171622	Axis Communications	SPR CONN KIT AXIS Q7401	Connectors for AXIS Q7401 as spare parts. Includes two 2pin STR 2.50MM, one 6pin STR 2.50MM and one 2pin STR 3.81MM. In total 4 connectors.	5500-831	SPR CONN KIT AXIS Q7401	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1666	CONN KIT AXIS P7214/Q7411	46171622	Axis Communications	CONN KIT AXIS P7214/Q7411	Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	5800-611	CONN KIT AXIS P7214/Q7411	0000007715	1/1/2021	12/31/2023	8.82	USD	EA
800890-1667	SPR CONN PUSH PULL PLUG IDC-8 IP67	46171622	Axis Communications	SPR CONN PUSH PULL PLUG IDC-8 IP67	Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.	5700-371	SPR CONN PUSH PULL PLUG IDC-8 IP67	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1668	NETWORK CABLE WITH GASKET 5M	46171622	Axis Communications	NETWORK CABLE WITH GASKET 5M	Shielded outdoor network cable 5 meter. Pre mounted rubber gasket and male RJ45 connectors. For use with AXIS M11-E series, AXIS P13-E series, AXIS Q16-E series, AXIS Q1755-E, AXIS Q19-E series, AXIS P33-VE series and AXIS T92/3-E housings.	5700-331	NETWORK CABLE WITH GASKET 5M	0000007715	1/1/2021	12/31/2023	9.8	USD	EA
800890-1669	AXIS Q60XX-C MULTI CONNECT CABLE 5M	46171622	Axis Communications	AXIS Q60XX-C MULTI CONNECT CABLE 5M	Cable between AXIS Q60XX-C and connection box AXIS T8605	5800-491	AXIS Q60XX-C MULTI CONNECT CABLE 5M	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-1670	AXIS Q60XX-C MULTI CONNECT CABLE 7M	46171622	Axis Communications	AXIS Q60XX-C MULTI CONNECT CABLE 7M	Cable between AXIS Q60XX-C and connection box AXIS T8605	5800-821	AXIS Q60XX-C MULTI CONNECT CABLE 7M	0000007715	1/1/2021	12/31/2023	175.42	USD	EA
800890-1671	SPR COVERT CAMERA M7001	46171622	Axis Communications	SPR COVERT CAMERA M7001	Cover Camera for AXIS M7001 as spare part.	5700-471	SPR COVERT CAMERA M7001	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1672	AXIS T91G61/T91L61 SCREW KIT	46171622	Axis Communications	AXIS T91G61/T91L61 SCREW KIT	Screw kit for installing AXIS P55-E series with either AXIS T91L61 or AXIS T91G61 Wall Mounts. Single-pack includes 3x bayonet screws, 3x securing screws, 3x springs and an installation guide.	5901-391	AXIS T91G61/T91L61 SCREW KIT	0000007715	1/1/2021	12/31/2023	9.8	USD	EA
800890-1673	AXIS P5512 DOME KIT	46171622	Axis Communications	AXIS P5512 DOME KIT	Dome kit for AXIS P5512. Clear-/smoked dome and ome cover included.	5800-141	AXIS P5512 DOME KIT	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1674	AXIS P5544 LENS KIT	46171622	Axis Communications	AXIS P5544 LENS KIT	Spare part lens kit for AXIS P5544	5800-401	AXIS P5544 LENS KIT	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1675	AXIS Q6000-E SOLO KIT	46171622	Axis Communications	AXIS Q6000-E SOLO KIT	Kit for making a stand-alone AXIS Q6000-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated RJ45 push-pull connector. Use this kit together with an AXIS Q6000-E MkII network camera (not included) and the AXIS T8133 Midspan 30 W 1-port (not included).	5801-321	AXIS Q6000-E SOLO KIT	0000007715	1/1/2021	12/31/2023	116.62	USD	EA
800890-1676	AXIS Q603X-E DOME COVER RING	46171622	Axis Communications	AXIS Q603X-E DOME COVER RING	Dome cover ring for AXIS Q603X-E including screws.	5800-101	AXIS Q603X-E DOME COVER RING	0000007715	1/1/2021	12/31/2023	17.64	USD	EA
800890-1677	AXIS T96B05 FRONT KIT 5 PCS	46171622	Axis Communications	AXIS T96B05 FRONT KIT 5 PCS	Spare part window and window holder for AXIS T96B05 Outdoor Housing and AXIS P3905-RE. 5 Pcs. Includes screws.	5506-851	AXIS T96B05 FRONT KIT 5 PCS	0000007715	1/1/2021	12/31/2023	165.62	USD	EA
800890-1678	AXIS Q60XX-C COOLING MODULE	46171622	Axis Communications	AXIS Q60XX-C COOLING MODULE	Peltier element, inside and outside fan for AXIS Q60XX-C	5800-501	AXIS Q60XX-C COOLING MODULE	0000007715	1/1/2021	12/31/2023	979.02	USD	EA
800890-1679	SPR ELECTRONIC KIT T95A00	46171622	Axis Communications	SPR ELECTRONIC KIT T95A00	Electronic boards for replacement in AXIS T95A00 110-230 VAC. Includes 4 boards.	5700-081	SPR ELECTRONIC KIT T95A00	0000007715	1/1/2021	12/31/2023	210.7	USD	EA
800890-1680	SPR ELECTRONIC KIT T95A10	46171622	Axis Communications	SPR ELECTRONIC KIT T95A10	Electronic boards for replacement in AXIS T95A10 24 VAC. Includes 3 boards.	5700-091	SPR ELECTRONIC KIT T95A10	0000007715	1/1/2021	12/31/2023	128.38	USD	EA
800890-1681	SPR HEATER/FAN KIT T95A10	46171622	Axis Communications	SPR HEATER/FAN KIT T95A10	Replacement kit with 3 heaters and fans for AXIS T95A10	5700-111	SPR HEATER/FAN KIT T95A10	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1682	SPR SCREW AND GLAND KIT T95A	46171622	Axis Communications	SPR SCREW AND GLAND KIT T95A	Replacement cable gland plate, cable glands and screws for AXIS T95A	5700-151	SPR SCREW AND GLAND KIT T95A	0000007715	1/1/2021	12/31/2023	23.52	USD	EA

800890-1683	SPR MAINS ADAPTOR PS-V EUR	46171622	Axis Communications	SPR MAINS ADAPTOR PS-V EUR	Power supply PS-V for AXIS M10 series. White Sparepart	5700-221	SPR MAINS ADAPTOR PS-V EUR	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1684	AXIS T800S POWER SUPPLY SV SW USB	46171622	Axis Communications	AXIS T800S POWER SUPPLY SV SW USB	Switching power supply, 5W with microUSB connector. Including interchangeable regional power plugs for world wide use.	5901-191	AXIS T800S POWER SUPPLY SV SW USB	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1685	SPR POWER SUPPLY 1U 310W FRONT	46171622	Axis Communications	SPR POWER SUPPLY 1U 310W FRONT	Replacement power supply for AXIS Q17900 encoder rack	5700-071	SPR POWER SUPPLY 1U 310W FRONT	0000007715	1/1/2021	12/31/2023	322.42	USD	EA
800890-1686	SPR POWER SUPPLY 1U 300W BL FRONT	46171622	Axis Communications	SPR POWER SUPPLY 1U 300W BL FRONT	Replacement power supply for AXIS Q17920 Video Encoder Chassis	5800-861	SPR POWER SUPPLY 1U 300W BL FRONT	0000007715	1/1/2021	12/31/2023	322.42	USD	EA
800890-1687	AXIS T93G TOP COVER	46171622	Axis Communications	AXIS T93G TOP COVER	Spare part top part of the AXIS T93G housing including window.	5506-971	AXIS T93G TOP COVER	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1688	AXIS T92G FRONT WINDOW KIT A	46171622	Axis Communications	AXIS T92G FRONT WINDOW KIT A	Replacement front window assembly for AXIS T92G Outdoor Housing and AXIS Q16-LE Fixed Box Cameras. Includes front window, adjacent IR windows, mounting screws and sealing gasket.	01578-001	AXIS T92G FRONT WINDOW KIT A	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1689	AXIS T92G WEATHERSHIELD KIT A	46171622	Axis Communications	AXIS T92G WEATHERSHIELD KIT A	Original IR window assembly for AXIS T92G Outdoor Housing and AXIS Q16-LE cameras. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from IR LEDs and other light source. Mounting screws included.	01579-001	AXIS T92G WEATHERSHIELD KIT A	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1690	AXIS SUNSHIELD B	46171622	Axis Communications	AXIS SUNSHIELD B	Sunshield compatible with AXIS Q1765-LE, Q1931-E/32-E/41-E and Q2901-E	5800-971	AXIS SUNSHIELD B	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1691	AXIS SUNSHIELD C	46171622	Axis Communications	AXIS SUNSHIELD C	Sunshield compatible with AXIS Q1765-LE PT Mount	5800-981	AXIS SUNSHIELD C	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1692	AXIS P5512-E SUNSHIELD	46171622	Axis Communications	AXIS P5512-E SUNSHIELD	Sunshield for AXIS P5512-E	5800-151	AXIS P5512-E SUNSHIELD	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-1693	SUNSHIELD KIT AXIS P553X-E	46171622	Axis Communications	SUNSHIELD KIT AXIS P553X-E	Sunshield for AXIS P553X-E including mounting screws.	5700-961	SUNSHIELD KIT AXIS P553X-E	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1694	SUNSHIELD AXIS Q603X-E	46171622	Axis Communications	SUNSHIELD AXIS Q603X-E	Sunshield for AXIS Q603X-E	5700-951	SUNSHIELD AXIS Q603X-E	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1695	AXIS Q600X-C SUNSHIELD	46171622	Axis Communications	AXIS Q600X-C SUNSHIELD	Sunshield for AXIS Q600X-C series	5800-471	AXIS Q600X-C SUNSHIELD	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1696	AXIS Q604X-S SUNSHIELD	46171622	Axis Communications	AXIS Q604X-S SUNSHIELD	Stainless steel sunshield for AXIS Q604X-S	5504-671	AXIS Q604X-S SUNSHIELD	0000007715	1/1/2021	12/31/2023	287.14	USD	EA
800890-1697	AXIS Q62 IMPACT PROTECTION BRACKET	46171622	Axis Communications	AXIS Q62 IMPACT PROTECTION BRACKET	Protection of front window on AXIS Q62-LE camera. Provides IK10 rating on product. Includes bracket and mounting screws.	01600-001	AXIS Q62 IMPACT PROTECTION BRACKET	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1698	AXIS Q62 FRONT WINDOW KIT A	46171622	Axis Communications	AXIS Q62 FRONT WINDOW KIT A	Original front window assembly for AXIS Q62-LE, IK09 rated. Includes a complete front window glass assembly with mounting screws and sealing gasket; and a wiper arm (long-life, UV-resistant silicone rubber included). Note: IR window available separately.	01601-001	AXIS Q62 FRONT WINDOW KIT A	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1699	AXIS Q62 WIPER KIT A 4P	46171622	Axis Communications	AXIS Q62 WIPER KIT A 4P	Bulk pack (4 pcs) of replacement wiper arms (rubber included) for AXIS Q62-LE. Made from long-life, UV-resistant silicone rubber.	01602-001	AXIS Q62 WIPER KIT A 4P	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1700	AXIS Q62 IR WINDOW KIT A	46171622	Axis Communications	AXIS Q62 IR WINDOW KIT A	Original IR window assembly for AXIS Q62-LE. Includes a complete IR Window assembly with mounting screws and sealing gasket. Note: clear front window available separately.	01603-001	AXIS Q62 IR WINDOW KIT A	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1701	SUNSHIELD KIT T92E	46171622	Axis Communications	SUNSHIELD KIT T92E	Sunshield for AXIS P134X-E, AXIS Q1755-E and AXIS Q192X-E. Includes mounting screws and Torx key.	5700-941	SUNSHIELD KIT T92E	0000007715	1/1/2021	12/31/2023	34.3	USD	EA
800890-1702	AXIS P33 WEATHERSHIELD KIT A	46171622	Axis Communications	AXIS P33 WEATHERSHIELD KIT A	Original weathershield with anti-loss screws for protecting AXIS P33 outdoor cameras from rain, snow and sun when wall mounted. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from IR LEDs and other light sources. This part is included with AXIS P3375-VE/-LVE Cameras.	01701-001	AXIS P33 WEATHERSHIELD KIT A	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-1703	AXIS P38 WEATHERSHIELD KIT A	46171622	Axis Communications	AXIS P38 WEATHERSHIELD KIT A	Original weathershield with anti-loss screws for protecting AXIS P3807-PVE from rain, snow and sun when wall mounted.	01499-001	AXIS P38 WEATHERSHIELD KIT A	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-1704	AXIS Q35 WEATHERSHIELD KIT A	46171622	Axis Communications	AXIS Q35 WEATHERSHIELD KIT A	Original weathershield for AXIS Q35-LVE network camera series. Screws and gasket included.	01179-001	AXIS Q35 WEATHERSHIELD KIT A	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-1705	AXIS WEATHERSHIELD KIT D	46171622	Axis Communications	AXIS WEATHERSHIELD KIT D	Weathershield with screws for protecting the dome of an AXIS Q35-VE camera from rain, snow and sun.	5506-761	AXIS WEATHERSHIELD KIT D	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
800890-1706	AXIS WEATHERSHIELD KIT E	46171622	Axis Communications	AXIS WEATHERSHIELD KIT E	Weathershield with screws for protecting the dome of an AXIS P32-VE camera from rain, snow and sun.	5506-751	AXIS WEATHERSHIELD KIT E	0000007715	1/1/2021	12/31/2023	17.64	USD	EA
800890-1707	AXIS WEATHERSHIELD KIT M	46171622	Axis Communications	AXIS WEATHERSHIELD KIT M	Standard weathershield for AXIS Q3709	5507-321	AXIS WEATHERSHIELD KIT M	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-1708	AXIS WEATHERSHIELD KIT N	46171622	Axis Communications	AXIS WEATHERSHIELD KIT N	Standard weather shield for AXIS M2025/26 and AXIS Companion Bullet	5801-851	AXIS WEATHERSHIELD KIT N	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-1709	AXIS WEATHERSHIELD KIT Q	46171622	Axis Communications	AXIS WEATHERSHIELD KIT Q	Standard weather shield for Axis Q36 Series, protecting the dome from rain, snow and sun.	5801-451	AXIS WEATHERSHIELD KIT Q	0000007715	1/1/2021	12/31/2023	23.52	USD	EA
800890-1710	AXIS WEATHERSHIELD KIT R	46171622	Axis Communications	AXIS WEATHERSHIELD KIT R	Weathershield for protecting wall mounted fixed dome cameras against rain, snow and sun. UV-resistant plastics and matte black anti-reflective coating on the underside to prevent reflection from IR illumination. Equipped with anti-loss screws for ease of installation. Compatible with AXIS P32-VE/-LVE fixed dome cameras.	01238-001	AXIS WEATHERSHIELD KIT R	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1711	WEATHERSHIELD KIT P3343/44-VE	46171622	Axis Communications	WEATHERSHIELD KIT P3343/44-VE	Original weathershield for AXIS P3343, AXIS P3344-VE, AXIS P3363-VE and AXIS P3364-VE. Screws included.	5800-011	WEATHERSHIELD KIT P3343/44-VE	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
800890-1712	WEATHERSHIELD KIT P3346/67-VE	46171622	Axis Communications	WEATHERSHIELD KIT P3346/67-VE	Original weathershield for AXIS P3346, AXIS P3367-VE and AXIS P3384-VE. Screws included.	5800-021	WEATHERSHIELD KIT P3346/67-VE	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
800890-1713	FRONT GLASS KIT AXIS T92E20/21	46171622	Axis Communications	FRONT GLASS KIT AXIS T92E20/21	Complete Front Kit for AXIS T92E20/21. Content: Front Cover, Front Glass, Gasket & Screws.	5700-831	FRONT GLASS KIT AXIS T92E20/21	0000007715	1/1/2021	12/31/2023	19.6	USD	EA
800890-1714	ELECTRONIC KIT AXIS T92E20	46171622	Axis Communications	ELECTRONIC KIT AXIS T92E20	Sparepart including the electronics module of the AXIS T92E20 housing including fan and screws.	5700-971	ELECTRONIC KIT AXIS T92E20	0000007715	1/1/2021	12/31/2023	175.42	USD	EA
800890-1715	FRONT KIT T92E24	46171622	Axis Communications	FRONT KIT T92E24	Front kit including metal frame, window, heater, gasket and screws for AXIS T92E24 Thermal camera housing. Compatible with the Gömm TA-lens.	5800-041	FRONT KIT T92E24	0000007715	1/1/2021	12/31/2023	930.02	USD	EA
800890-1716	AXIS T92E EXTENSION KIT	46171622	Axis Communications	AXIS T92E EXTENSION KIT	Extension front for AXIS T92E20 outdoor housing, allowing longer lenses than the standard housing. The kit includes aluminum front and extension part, window, gasket and screws.	5506-101	AXIS T92E EXTENSION KIT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1717	AXIS M20 FRONT KIT A	46171622	Axis Communications	AXIS M20 FRONT KIT A	Replacement front window assembly for AXIS M2025-LE, M2026-LE. The kit comes with both a black and a white front cover ring. Includes one window and sealing gasket.	5901-291	AXIS M20 FRONT KIT A	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1718	AXIS P14 FRONT KIT A	46171622	Axis Communications	AXIS P14 FRONT KIT A	Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.	5801-151	AXIS P14 FRONT KIT A	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1719	AXIS P14 FRONT KIT B	46171622	Axis Communications	AXIS P14 FRONT KIT B	Standard front for AXIS P1428-E and AXIS P1435-E. Includes front ring, window and gasket.	5801-891	AXIS P14 FRONT KIT B	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1720	AXIS Q17 FRONT WINDOW KIT A	46171622	Axis Communications	AXIS Q17 FRONT WINDOW KIT A	Original front glass window assembly for AXIS Q1785/86-LE, IK08 rated. Provides the clarity required for maximum utilization of the camera's zoom capacity.	01686-001	AXIS Q17 FRONT WINDOW KIT A	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1721	AXIS Q1765-LE FRONT KIT	46171622	Axis Communications	AXIS Q1765-LE FRONT KIT	Spare part front window for AXIS Q1765-LE	5801-101	AXIS Q1765-LE FRONT KIT	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1722	DROP CEILING KIT AXIS P553X/4X	46171622	Axis Communications	DROP CEILING KIT AXIS P553X/4X	Original kit for mounting a AXIS P553X/4x pan tilt zoom camera in a soft/drop ceiling	5800-131	DROP CEILING KIT AXIS P553X/4X	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1723	SPR FAN CASSETTE AXIS Q7900 E2	46171622	Axis Communications	SPR FAN CASSETTE AXIS Q7900 E2	Original spare part fan cassette for AXIS Q7900 E2.	5800-271	SPR FAN CASSETTE AXIS Q7900 E2	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1724	SPR FAN CASSETTE AXIS Q7920	46171622	Axis Communications	SPR FAN CASSETTE AXIS Q7920	Original spare part fan cassette for AXIS Q7920.	5800-851	SPR FAN CASSETTE AXIS Q7920	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1725	AXIS T98A05 CABINET DOOR	46171622	Axis Communications	AXIS T98A05 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.	5800-521	AXIS T98A05 CABINET DOOR	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-1726	AXIS T98A06 CABINET DOOR	46171622	Axis Communications	AXIS T98A06 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.	5800-531	AXIS T98A06 CABINET DOOR	0000007715	1/1/2021	12/31/2023	126.42	USD	EA

800890-1727	AXIS T98A07 CABINET DOOR	46171622	Axis Communications	AXIS T98A07 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/LVE and the outdoor bullet-style Q1765 and Q1931 cameras. Used in T98A17-VE Cabinets.	5800-541	AXIS T98A07 CABINET DOOR	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-1728	AXIS T98A08 CABINET DOOR	46171622	Axis Communications	AXIS T98A08 CABINET DOOR	Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.	5800-551	AXIS T98A08 CABINET DOOR	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-1729	AXIS T98A09 CABINET DOOR	46171622	Axis Communications	AXIS T98A09 CABINET DOOR	Cabinet door for AXIS T98A. Compatible products: AXIS P54-Series. Used in T98A19-VE Cabinets.	5800-871	AXIS T98A09 CABINET DOOR	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-1730	AXIS P135X CONN KIT	46171622	Axis Communications	AXIS P135X CONN KIT	Terminal connectors for AXIS P135X-series. Includes 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 2.50MM	5800-381	AXIS P135X CONN KIT	0000007715	1/1/2021	12/31/2023	8.82	USD	EA
800890-1731	AXIS T8123/4-E MIDSPAN SPARE KIT	46171622	Axis Communications	AXIS T8123/4-E MIDSPAN SPARE KIT	2pcs RI-45 waterproof plugs and 1pcs grounding wire for outdoor midspan T8123/4-E	5800-371	AXIS T8123/4-E MIDSPAN SPARE KIT	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1732	FRONT KIT 60MM AXIS Q872X-E	46171622	Axis Communications	FRONT KIT 60MM AXIS Q872X-E	Frontkit for AXIS Q872X-E with 60mm lens as spare part.	5800-311	FRONT KIT 60MM AXIS Q872X-E	0000007715	1/1/2021	12/31/2023	1469.02	USD	EA
800890-1733	FRONT KIT 35MM AXIS Q872X-E	46171622	Axis Communications	FRONT KIT 35MM AXIS Q872X-E	Frontkit for AXIS Q872X-E with 30mm lens as spare part	5800-300	FRONT KIT 35MM AXIS Q872X-E	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
800890-1734	PT IR ILLUMINATOR KIT B	46171622	Axis Communications	PT IR ILLUMINATOR KIT B	Spare part illuminator kit for AXIS Q8665-LE. NOTE: It is not possible to upgrade a Q8665-E to become LE version	5800-921	PT IR ILLUMINATOR KIT B	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA
800890-1735	AXIS Q86 FRONT KIT A	46171622	Axis Communications	AXIS Q86 FRONT KIT A	Replacement front window assembly for AXIS Q8685-E/LE. Window in clear tempered glass. Includes built-in heater, wiper mechanism, and heat sink.	01440-001	AXIS Q86 FRONT KIT A	0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-1736	AXIS Q86 WIPER KIT A SP	46171622	Axis Communications	AXIS Q86 WIPER KIT A SP	Replacement wiper blades for selected AXIS Q86 and Q87 cameras. Made from long-life, UV-resistant silicone rubber. 5pcs per pack.	01441-001	AXIS Q86 WIPER KIT A SP	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1737	AXIS Q86-E LIGHT SENSOR BOX 120 V	46171622	Axis Communications	AXIS Q86-E LIGHT SENSOR BOX 120 V	Light sensor box with integrated power supply for controlling IR illuminators and power AXIS Q8665-LE. Input power 120V AC.	5505-771	AXIS Q86-E LIGHT SENSOR BOX 120 V	0000007715	1/1/2021	12/31/2023	627.2	USD	EA
800890-1738	AXIS Q8665-E BASE UNIT 24 V AC	46171622	Axis Communications	AXIS Q8665-E BASE UNIT 24 V AC	Spare part base unit for AXIS Q86-E 24 V AC.	5801-171	AXIS Q8665-E BASE UNIT 24 V AC	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-1739	AXIS Q8665-LE BASE UNIT 24V AC	46171622	Axis Communications	AXIS Q8665-LE BASE UNIT 24V AC	Spare part base unit for AXIS Q86-LE 24 V AC.	5801-191	AXIS Q8665-LE BASE UNIT 24V AC	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-1740	AXIS Q8665-E BASE UNIT 120 V AC	46171622	Axis Communications	AXIS Q8665-E BASE UNIT 120 V AC	Spare part base unit for AXIS Q86-E 120 V AC.	5801-181	AXIS Q8665-E BASE UNIT 120 V AC	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-1741	AXIS Q8631-E/32-E HOUSING TOP	46171622	Axis Communications	AXIS Q8631-E/32-E HOUSING TOP	Spare part top housing with germanium window for AXIS Q8631-E/32-E.	5801-291	AXIS Q8631-E/32-E HOUSING TOP	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-1742	AXIS Q8665 HOUSING TOP	46171622	Axis Communications	AXIS Q8665 HOUSING TOP	Spare part top housing with glass window for AXIS Q8665-E/LE.	5801-281	AXIS Q8665 HOUSING TOP	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1743	AXIS Q8665-LE ILLUMINATOR	46171622	Axis Communications	AXIS Q8665-LE ILLUMINATOR	Spare part IR illuminator for AXIS Q8665-LE. Note. This is a single pack.	5801-261	AXIS Q8665-LE ILLUMINATOR	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-1744	AXIS Q8665-LE ILLUMINATOR BRACKET	46171622	Axis Communications	AXIS Q8665-LE ILLUMINATOR BRACKET	Spare part IR illuminator bracket for AXIS Q8665-LE	5801-271	AXIS Q8665-LE ILLUMINATOR BRACKET	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-1745	AXIS Q8631/32/65 SUNSHIELD	46171622	Axis Communications	AXIS Q8631/32/65 SUNSHIELD	Spare part sunshield for AXIS Q8631-E/32-E/65-E/65-LE	5801-311	AXIS Q8631/32/65 SUNSHIELD	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1746	AXIS Q8665 WIPER	46171622	Axis Communications	AXIS Q8665 WIPER	Spare part wiper blade for AXIS Q8665-E/LE including the stainless steel holder	5801-201	AXIS Q8665 WIPER	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1747	AXIS Q8631/32/65 SEAL AND GASKET KIT	46171622	Axis Communications	AXIS Q8631/32/65 SEAL AND GASKET KIT	Spare part kit for AXIS Q8631/32/65 consisting of mount bracket gasket, base unit cable glands, IR glands and housing gasket	5801-231	AXIS Q8631/32/65 SEAL AND GASKET KIT	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1748	AXIS Q8631/32/65 SCREW KIT	46171622	Axis Communications	AXIS Q8631/32/65 SCREW KIT	Spare part screw kit for AXIS Q8631/32/65 consisting of all external screws and washers of the cameras	5801-211	AXIS Q8631/32/65 SCREW KIT	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1749	AXIS Q8721-E/22-E BASE	46171622	Axis Communications	AXIS Q8721-E/22-E BASE	Base assembly for the AXIS Q8721-E/22-E.	5800-951	AXIS Q8721-E/22-E BASE	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
800890-1750	AXIS BISPECTRAL TOP COVER A	46171622	Axis Communications	AXIS BISPECTRAL TOP COVER A	Top cover for Axis bi-spectral cameras. Includes top housing, 38mm Germanium front window for thermal and glass window for visual camera, wiper etc.	01497-001	AXIS BISPECTRAL TOP COVER A	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-1751	AXIS BISPECTRAL TOP COVER B	46171622	Axis Communications	AXIS BISPECTRAL TOP COVER B	Top cover for Axis bi-spectral cameras. Includes top housing, 60mm Germanium front window for thermal and glass window for visual camera, wiper etc.	01498-001	AXIS BISPECTRAL TOP COVER B	0000007715	1/1/2021	12/31/2023	1959.02	USD	EA
800890-1752	AXIS WEATHERSHIELD S	46171622	Axis Communications	AXIS WEATHERSHIELD S	Weathershield from UV-resistant plastics for protecting camera against rain, snow and sun.	01496-001	AXIS WEATHERSHIELD S	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1753	AXIS WIPER KIT B	46171622	Axis Communications	AXIS WIPER KIT B	Wiper arm with blade for easy replacement. Spare part.	01688-001	AXIS WIPER KIT B	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1754	AXIS CONNECTOR A 2P2.5 STR 10PCS	46171622	Axis Communications	AXIS CONNECTOR A 2P2.5 STR 10PCS	Axis male connector for legacy IO port. Pitch: 2.50 mm. 2pos terminal block. 10pack.	5505-261	AXIS CONNECTOR A 2P2.5 STR 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1755	AXIS CONNECTOR A 4P2.5 STR 10PCS	46171622	Axis Communications	AXIS CONNECTOR A 4P2.5 STR 10PCS	Axis male connector for limited and full IO port. Pitch: 2.50 mm. 4pos terminal block. 10pack.	5800-891	AXIS CONNECTOR A 4P2.5 STR 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1756	AXIS CONNECTOR A 6P2.5 STR 10PCS	46171622	Axis Communications	AXIS CONNECTOR A 6P2.5 STR 10PCS	Axis male connector for extended IO port. Pitch: 2.50 mm. 6pos terminal block. 10pack	5505-271	AXIS CONNECTOR A 6P2.5 STR 10PCS	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1757	AXIS CONNECTOR A 2P3.81 STR 10PCS	46171622	Axis Communications	AXIS CONNECTOR A 2P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 2pos terminal block. 10pack	5800-901	AXIS CONNECTOR A 2P3.81 STR 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1758	AXIS CONNECTOR A 3P3.81 STR 10PCS	46171622	Axis Communications	AXIS CONNECTOR A 3P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 3pos terminal block. 10pack	5505-281	AXIS CONNECTOR A 3P3.81 STR 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1759	AXIS CONN A 4P3.81 STR IN/OUT 10P	46171622	Axis Communications	AXIS CONN A 4P3.81 STR IN/OUT 10P	Axis male connector for audio. Pitch: 3.81 mm. 2+2pos terminal block. 10pack	5505-291	AXIS CONN A 4P3.81 STR IN/OUT 10P	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1760	AXIS CONNECTOR A 4P3.81 STR 10PCS	46171622	Axis Communications	AXIS CONNECTOR A 4P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 4pos terminal block. 10pack	5505-251	AXIS CONNECTOR A 4P3.81 STR 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1761	AXIS CONNECTOR A 2P5.08 STR 10PCS	46171622	Axis Communications	AXIS CONNECTOR A 2P5.08 STR 10PCS	Axis male connector for low voltage power. Pitch: 5.08 mm. 2pos terminal block. 10pack	5505-301	AXIS CONNECTOR A 2P5.08 STR 10PCS	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1762	SPR 5 PORT GB ETHERNET SWITCH KIT	46171622	Axis Communications	SPR 5 PORT GB ETHERNET SWITCH KIT	Spare part internal switch for the AXIS Q8721-E/22-E Dual cameras, including brackets.	5800-881	SPR 5 PORT GB ETHERNET SWITCH KIT	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-1763	AXIS Q1765 FOOT CHASSIS	46171622	Axis Communications	AXIS Q1765 FOOT CHASSIS	Sparepart foot chassis for AXIS Q1765-LE and AXIS Q193X-E. Note. This sales part does not include the mounting bracket (5506-081 AXIS T94G01S Mounting plate)	5506-091	AXIS Q1765 FOOT CHASSIS	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1764	AXIS ADAPTER RJ45 MALE TO MALE	46171622	Axis Communications	AXIS ADAPTER RJ45 MALE TO MALE	Adapter for connecting Q6000-E to PTZ camera	5506-891	AXIS ADAPTER RJ45 MALE TO MALE	0000007715	1/1/2021	12/31/2023	14.7	USD	EA
800890-1765	AXIS ACI CONDUIT COVER A 10PCS	46171622	Axis Communications	AXIS ACI CONDUIT COVER A 10PCS	Spare part plastic side covers for compatible AXIS T91- and AXIS T94- series of mounting accessories. 10 pcs per pack.	01175-001	AXIS ACI CONDUIT COVER A 10PCS	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1766	AXIS TQ1801 WEATHERSHIELD	46171622	Axis Communications	AXIS TQ1801 WEATHERSHIELD	Original outdoor weathershield for AXIS Q1785/86-LE cameras. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from external light sources. Includes weathershield slider and anti-loss screw.	01760-001	AXIS TQ1801 WEATHERSHIELD	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1767	AXIS D2050-VE	46171622	Axis Communications	AXIS D2050-VE	Phased array FMCW (Frequency Modulated Continuous Wave), 24 GHz outdoor radar motion detector. 120 degrees horizontal and 5-50 meter detection range (16-164 feet). Serves as a complement to video surveillance and enables filtering on distance, customizable detection zones, and autotracking for PTZ cameras. Trigger events to activate camera recording, audio notification or light for deterrence	01033-001	AXIS D2050-VE	0000007715	1/1/2021	12/31/2023	1273.02	USD	EA
800890-1768	AXIS POE ACTIVE SPLITTER 5V AF	46171622	Axis Communications	AXIS POE ACTIVE SPLITTER 5V AF	Open API for software integration, microSD/SDHC memory card slot for edge storage, 4 input/output ports, 24 V DC relay port. Wall mount. Powered by PoE+ (IEEE 802.3at, Type 2 Class 4), IP66, IK08 and NEMA 4X Operating conditions -40°C to 60°C (-40°F to 140°F). Midspan not included	5008-001	AXIS POE ACTIVE SPLITTER 5V AF	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1769	AXIS POE MIDSPAN 8-PORT	46171622	Axis Communications	AXIS POE MIDSPAN 8-PORT	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.	5012-004	AXIS POE MIDSPAN 8-PORT	0000007715	1/1/2021	12/31/2023	587.02	USD	EA

800890-1770	AXIS POE MIDSPAN 16-PORT	46171622	Axis Communications	AXIS POE MIDSPAN 16-PORT Supporting up to sixteen Axis Network cameras/video servers. Metal casing.	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m.	5012-014	AXIS POE MIDSPAN 16-PORT	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-1771	AXIS T8120 15W MIDSPAN 1-PORT	46171622	Axis Communications	AXIS T8120 15W MIDSPAN 1-PORT	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf.	5026-204	AXIS T8120 15W MIDSPAN 1-PORT	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1772	AXIS T8120 15W MIDSPAN 10PCS	46171622	Axis Communications	AXIS T8120 15W MIDSPAN 10PCS	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf. 10 pcs.	5026-224	AXIS T8120 15W MIDSPAN 10PCS	0000007715	1/1/2021	12/31/2023	518.42	USD	EA
800890-1773	AXIS T81822 DC 30W MIDSPAN	46171622	Axis Communications	AXIS T81822 DC 30W MIDSPAN	PoE midspan for PTZ dome- and fixed outdoor cameras. IEEE802.3af compliant (max. 15W) at 12/24V DC input. IEEE802.3at compliant (max. 30W) at 12V DC input. Temp spec: -20 °C to 65 °C (-4 °F to 149 °F).	5023-121	AXIS T81822 DC 30W MIDSPAN	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1774	AXIS T8123-E OUTDOOR MIDSPAN 30W	46171622	Axis Communications	AXIS T8123-E OUTDOOR MIDSPAN 30W	Outdoor ready IP66-rated midspan compliant with IEEE802.3af and 802.3at. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 30W. Temperature specification: -40°C to 55°C (-40° to 131°F) for 30W and -40°C to 65°C (-40°F to 149°F) for 15.4W.	5030-234	AXIS T8123-E OUTDOOR MIDSPAN 30W	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1775	AXIS T8133 30W MIDSPAN	46171622	Axis Communications	AXIS T8133 30W MIDSPAN	Single port midspan for Power over Ethernet Plus (PoE+) IEEE 802.3at Type 2 Class 4. Replaces AXIS T8123.	5900-294	AXIS T8133 30W MIDSPAN	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1776	AXIS T8134 MIDSPAN 60W	46171622	Axis Communications	AXIS T8134 MIDSPAN 60W	High PoE 1-port midspan 60W. Compliant with 802.3.at and PoE 802.3af.	5900-334	AXIS T8134 MIDSPAN 60W	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1777	AXIS T8144 60W INDUSTRIAL MIDSPAN	46171622	Axis Communications	AXIS T8144 60W INDUSTRIAL MIDSPAN	Industrial midspan with extended temperature range. PoE 60W and dual DC 12/24 V DC power input for redundancy. Operating temperature -40 to +75 degC or -40 to +167 °F. DIN and wall mount included.	01154-001	AXIS T8144 60W INDUSTRIAL MIDSPAN	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1778	AXIS T8154 60W SFP MIDSPAN	46171622	Axis Communications	AXIS T8154 60W SFP MIDSPAN	AXIS T8154 60 W SFP Midspan is a compact, plug-and-play media converter with PoE. With its integrated power supply, it minimizes the amount of cabling and facilitates installation. AXIS T8154 offers data input through SFP or RJ45, and delivers High PoE 60 W. It works with all Axis network products supporting Power over Ethernet	5901-004	AXIS T8154 60W SFP MIDSPAN	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1779	AXIS T8124-E OUTDOOR MIDSPAN 60W	46171622	Axis Communications	AXIS T8124-E OUTDOOR MIDSPAN 60W	Outdoor ready IP66-rated midspan for AXIS Q60-E. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 60W. Temperature specification: -40°C to 50°C (-40° to 122°F).	5031-244	AXIS T8124-E OUTDOOR MIDSPAN 60W	0000007715	1/1/2021	12/31/2023	312.62	USD	EA
800890-1780	AXIS T8125 AC 24V MIDSPAN 60W	46171622	Axis Communications	AXIS T8125 AC 24V MIDSPAN 60W	60W PoE midspan for 24V AC input.	5900-251	AXIS T8125 AC 24V MIDSPAN 60W	0000007715	1/1/2021	12/31/2023	155.82	USD	EA
800890-1781	AXIS T8127 60 W SPLITTER 12/24 V DC	46171622	Axis Communications	AXIS T8127 60 W SPLITTER 12/24 V DC	PoE splitter. Can deliver both 12 and 24 V DC (user selectable) from High PoE 60W midspan. Useful to power and connect non-PoE devices like IP cameras, magnetic locks for access control systems, WiFi AP, thin clients etc.	5500-001	AXIS T8127 60 W SPLITTER 12/24 V DC	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-1782	AXIS T8129 PoE EXTENDER	46171622	Axis Communications	AXIS T8129 PoE EXTENDER	Power over Ethernet extender repeats the data signal and forward the PoE to the camera, PoE+ compliant it is compatible with all Axis cameras. No additional power supply is required. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	5025-281	AXIS T8129 PoE EXTENDER	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1783	AXIS T8129-E OUTDOOR POE EXTENDER	46171622	Axis Communications	AXIS T8129-E OUTDOOR POE EXTENDER	AXIS T8129-E Outdoor PoE Extender repeats the data signal and PoE to the camera. AXIS T8129-E is PoE+ compliant with all Axis cameras and does not require an additional power supply. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	01148-001	AXIS T8129-E OUTDOOR POE EXTENDER	0000007715	1/1/2021	12/31/2023	293.02	USD	EA
800890-1784	AXIS T8504-E OUTDOOR POE SWITCH	46171622	Axis Communications	AXIS T8504-E OUTDOOR POE SWITCH	Outdoor 4-port managed PoE switch for surveillance applications. 4 PoE ports with up to 60W PoE per port and one SFP port for uplink. Robust metal enclosure with wide temperature range, IP67 and surge protection for demanding installations. Managed switch for remote configuration and management.	01449-001	AXIS T8504-E OUTDOOR POE SWITCH	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-1785	AXIS T8504-R INDUSTRIAL POE SWITCH	46171622	Axis Communications	AXIS T8504-R INDUSTRIAL POE SWITCH	AXIS T8504-R Industrial PoE Switch is a 4-port managed industrial PoE++ Gigabit switch. In addition, the switch is equipped with 2 x RJ45 and 2x SFP data ports that allows for extra devices to be connected. The switch uses the same intuitive administrator interface as AXIS T85 PoE Network Switch Series, is ruggedized with a wide temperature range and NEMA 12 compliant.	01633-001	AXIS T8504-R INDUSTRIAL POE SWITCH	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
800890-1786	AXIS T8508 POE+ NETWORK SWITCH	46171622	Axis Communications	AXIS T8508 POE+ NETWORK SWITCH	PoE+ managed fanless gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 8 PoE+ ports with 1300W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products	01191-004	AXIS T8508 POE+ NETWORK SWITCH	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1787	AXIS T8516 PoE+ NETWORK SWITCH	46171622	Axis Communications	AXIS T8516 PoE+ NETWORK SWITCH	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 16 PoE+ ports with 250W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products	5801-694	AXIS T8516 PoE+ NETWORK SWITCH	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
800890-1788	AXIS T8524 POE+ NETWORK SWITCH	46171622	Axis Communications	AXIS T8524 POE+ NETWORK SWITCH	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 24 PoE+ ports with 370W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	01192-004	AXIS T8524 POE+ NETWORK SWITCH	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-1789	AXIS COMPANION SWITCH 4CH	46171622	Axis Communications	AXIS COMPANION SWITCH 4CH	4 channel 1/100 Mbps PoE+ switch with plug & play installation.	5801-354	AXIS COMPANION SWITCH 4CH	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1790	AXIS T8640 POE+ OVER COAX ADAP	46171622	Axis Communications	AXIS T8640 POE+ OVER COAX ADAP	Pair of Ethernet over COAX adapters that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. Powered by either PoE or power supply, dependent on power requirement at the device end. Diagnostics LEDs for power and link status in both base and device unit. Connectors: BNC and RJ45 connector and power input. (for optional power supply). The package contains one base unit and one device unit.	5026-401	AXIS T8640 POE+ OVER COAX ADAP	0000007715	1/1/2021	12/31/2023	405.72	USD	EA
800890-1791	AXIS T8641 POE+ OVER COAX BASE	46171622	Axis Communications	AXIS T8641 POE+ OVER COAX BASE	Single Base unit of Ethernet over COAX adapter. The package contains one base unit.	5028-411	AXIS T8641 POE+ OVER COAX BASE	0000007715	1/1/2021	12/31/2023	202.86	USD	EA
800890-1792	AXIS T8642 POE+ OVER COAX DEVI	46171622	Axis Communications	AXIS T8642 POE+ OVER COAX DEVI	Single Device unit of Ethernet over COAX adapter. The package contains one device unit.	5027-421	AXIS T8642 POE+ OVER COAX DEVI	0000007715	1/1/2021	12/31/2023	202.86	USD	EA
800890-1793	AXIS T8643 POE+ OVER COAX COMPACT	46171622	Axis Communications	AXIS T8643 POE+ OVER COAX COMPACT	AXIS T8643 PoE+ over Coax Compact enables legacy coax cabling to be kept when converting an analog system to digital. The design allows for improved installation and cable management as it can easily be integrated in housings and backboxes. It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling.	01468-001	AXIS T8643 POE+ OVER COAX COMPACT	0000007715	1/1/2021	12/31/2023	202.86	USD	EA
800890-1794	AXIS T8645 PoE+ COAX COMPACT KIT	46171622	Axis Communications	AXIS T8645 PoE+ COAX COMPACT KIT	AXIS T8645 PoE+ over Coax Compact Kit enables legacy coax cabling to be kept when converting an analog system to digital, and comprises AXIS T8641 PoE+ Over Coax Base and AXIS T8643 PoE+ over Coax Compact. It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling. The compact design of the AXIS T8643 PoE+ over Coax Compact allows for improved installation and cable management as it can easily be integrated in housings and backboxes.	01489-001	AXIS T8645 PoE+ COAX COMPACT KIT	0000007715	1/1/2021	12/31/2023	405.72	USD	EA
800890-1795	AXIS T8646 POE+ OVER COAX BLADE	46171622	Axis Communications	AXIS T8646 POE+ OVER COAX BLADE	Ethernet over COAX blade (fch) that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. For use with Axis video encoder chassis together with our AXIS T8082 or AXIS T8085 power supplies. Requires one AXIS T8642 POE+ OVER COAX DEVICE for every channel at the camera end.	5026-461	AXIS T8646 POE+ OVER COAX BLADE	0000007715	1/1/2021	12/31/2023	685.02	USD	EA
800890-1796	AXIS T8645 POE+ OVER COAX BLADE KIT	46171622	Axis Communications	AXIS T8645 POE+ OVER COAX BLADE KIT	A Kit that contains one (1) AXIS T8645 POE+ OVER COAX BLADE and six (6) AXIS T8642 POE+ OVER COAX DEVICE for a complete 6 channel solution.	5026-471	AXIS T8645 POE+ OVER COAX BLADE KIT	0000007715	1/1/2021	12/31/2023	1665.02	USD	EA
800890-1797	AXIS T8648 PoE+ COAX BLADE COMP KIT	46171622	Axis Communications	AXIS T8648 PoE+ COAX BLADE COMP KIT	AXIS T8648 PoE+ Coax Blade Compact Kit contains one (1) AXIS T8646 PoE+ over Coax Blade and six (6) AXIS T8643 PoE+ over Coax Compact Kit for a complete 6 channel solution with improved installation and cable management as it can easily be integrated in housings and backboxes.	01490-001	AXIS T8648 PoE+ COAX BLADE COMP KIT	0000007715	1/1/2021	12/31/2023	1665.02	USD	EA
800890-1798	AXIS T6101 AUDIO AND I/O INTERFACE	46171622	Axis Communications	AXIS T6101 AUDIO AND I/O INTERFACE	AXIS T6101 Audio and I/O interface enabling two-way audio and configurable supervised inputs / digital outputs for Axis cameras that do not have such functionality built-in. Powered by standard Power over Ethernet, no midspan included. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	01160-001	AXIS T6101 AUDIO AND I/O INTERFACE	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1799	AXIS T6112 AUDIO AND I/O INTERFACE	46171622	Axis Communications	AXIS T6112 AUDIO AND I/O INTERFACE	AXIS T6112 Audio and I/O interface combines AXIS T6101 Audio and I/O interface with an omnidirectional microphone in a discreet casing suitable for indoor installation on wall or ceiling. Powered by standard Power over Ethernet, no midspan included. Two-way audio and configurable supervised inputs / digital outputs for Axis cameras that do not have such functionality built-in. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	01230-001	AXIS T6112 AUDIO AND I/O INTERFACE	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1800	AXIS T8310 CONTROL BOARD	46171622	Axis Communications	AXIS T8310 CONTROL BOARD	Modular control board for professional camera and video management. AXIS T8310 Control Board is a complete control board solution which includes AXIS T8311 Joystick, AXIS T8312 Keypad and AXIS T8313 Jog Dial. Includes required USB cables inter-connecting the units and a 2 meter USB cable to the workstation. AXIS T8310 Video Surveillance Control Board is supported in ACS ver. 3.3 or later.	5020-001	AXIS T8310 CONTROL BOARD	0000007715	1/1/2021	12/31/2023	1126.02	USD	EA

800890-1801	AXIS T8311 JOYSTICK	46171622	Axis Communications	AXIS T8311 JOYSTICK Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation.	5020-101	AXIS T8311 JOYSTICK	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1802	AXIS T8312 KEYPAD	46171622	Axis Communications	AXIS T8312 KEYPAD Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation.	5020-201	AXIS T8312 KEYPAD	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1803	AXIS T8313 JOG DIAL	46171622	Axis Communications	AXIS T8313 JOG DIAL Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics.	5020-301	AXIS T8313 JOG DIAL	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1804	AXIS T8604 MEDIA CONVERTER SWITCH	46171622	Axis Communications	AXIS T8604 MEDIA CONVERTER SWITCH Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F).	5027-041	AXIS T8604 MEDIA CONVERTER SWITCH	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1805	AXIS T8606 MEDIA CONV SWITCH 24VDC	46171622	Axis Communications	AXIS T8606 MEDIA CONV SWITCH 24VDC Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F). 24 V DC power in.	5901-261	AXIS T8606 MEDIA CONV SWITCH 24VDC	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1806	AXIS T8607 MEDIA CONV SWITCH 24VDC	46171622	Axis Communications	AXIS T8607 MEDIA CONV SWITCH 24VDC Media converter switch. 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Two I/O ports and a combined communication and powering port for the camera. Temp spec: -40 °C to 75 °C (-5901-271 40 °F to 167 °F). 12 V DC power input. Shelf or DIN-rail mount. 24 V DC power in.	5901-271	AXIS T8607 MEDIA CONV SWITCH 24VDC	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1807	AXIS T8611 SFP MODULE LCLX	46171622	Axis Communications	AXIS T8611 SFP MODULE LCLX Small Form Factor Pluggable (SFP) transceiver module. Single mode 1310nm, 30Km. Industrial grade.	5801-801	AXIS T8611 SFP MODULE LCLX	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1808	AXIS T8612 SFP MODULE LC.SX	46171622	Axis Communications	AXIS T8612 SFP MODULE LC.SX Small Form Factor Pluggable (SFP) transceiver module. Multi mode 850nm, 550m. Industrial grade.	5801-811	AXIS T8612 SFP MODULE LC.SX	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1809	AXIS T8613 SFP MODULE 1000BASE-T	46171622	Axis Communications	AXIS T8613 SFP MODULE 1000BASE-T Small Form Factor Pluggable (SFP) transceiver module. Ethernet RJ-45. Industrial grade.	5801-821	AXIS T8613 SFP MODULE 1000BASE-T	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1810	AXIS T8331 PIR MOTION DETECTOR	46171622	Axis Communications	AXIS T8331 PIR MOTION DETECTOR Indoor PIR detector especially made for Axis cameras to enhance motion detection. Easy plug and play connectivity to Axis I/O camera port.	5506-931	AXIS T8331 PIR MOTION DETECTOR	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1811	AXIS T8331-E PIR MOTION DETECTOR	46171622	Axis Communications	AXIS T8331-E PIR MOTION DETECTOR Outdoor PIR detector especially made for Axis cameras to enhance motion detection. Easy plug and play connectivity to Axis I/O camera port.	5506-941	AXIS T8331-E PIR MOTION DETECTOR	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-1812	AXIS T8341 PIR MOTION SENSOR	46171622	Axis Communications	AXIS T8341 PIR MOTION SENSOR PIR Motion Sensor for Axis Wireless I/O using Z-wave technology.	01202-004	AXIS T8341 PIR MOTION SENSOR	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1813	AXIS T8342 DOOR/WINDOW SENSOR	46171622	Axis Communications	AXIS T8342 DOOR/WINDOW SENSOR Door/window sensor for Axis Wireless I/O using Z-wave technology.	01203-004	AXIS T8342 DOOR/WINDOW SENSOR	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1814	AXIS T8343 ALERT BUTTON	46171622	Axis Communications	AXIS T8343 ALERT BUTTON Panic button for Axis Wireless I/O using Z-wave technology.	01204-004	AXIS T8343 ALERT BUTTON	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1815	AXIS T8344 POWER ON/OFF PLUG	46171622	Axis Communications	AXIS T8344 POWER ON/OFF PLUG Power on/off plug for Axis Wireless I/O using Z-wave technology.	01205-004	AXIS T8344 POWER ON/OFF PLUG	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1816	AXIS DEVICE MICROPHONE A	46171622	Axis Communications	AXIS DEVICE MICROPHONE A AXIS Device Microphone A is an omnidirectional microphone to enable audio recording and/or audio analytics with AXIS devices that support audio but do not include a microphone. The product is compatible with devices that support 3.5 mm audio input, like AXIS indoor Q35 series or P33 series together with AXIS TP3201 Recessed Mount.	01575-001	AXIS DEVICE MICROPHONE A	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1817	ACC CABLE I/O AUDIO SM P3343-VE	46171622	Axis Communications	ACC CABLE I/O AUDIO SM P3343-VE Audio and I/O extension cable for AXIS P33 Series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Female, 5 meter.	5502-331	ACC CABLE I/O AUDIO SM P3343-VE	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1818	AXIS T8351 MK II MICROPHONE 3.5MM	46171622	Axis Communications	AXIS T8351 MK II MICROPHONE 3.5MM AXIS T8351 Mk II Microphone 3.5mm is an omnidirectional microphone with a 3.5mm connector, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. Flexible to install, AXIS T8351 adapts to different installation scenarios thanks to a vast range of included accessories and to its dust- and-water proof casing.	01560-001	AXIS T8351 MK II MICROPHONE 3.5MM	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1819	AXIS T8353A MICROPHONE 3.5MM	46171622	Axis Communications	AXIS T8353A MICROPHONE 3.5MM AXIS T8353A Microphone 3.5mm is an omnidirectional microphone with a 3.5mm adaptor, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. AXIS T8353A Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	5032-531	AXIS T8353A MICROPHONE 3.5MM	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1820	AXIS T8353B MICROPHONE PHANTOM POWER	46171622	Axis Communications	AXIS T8353B MICROPHONE PHANTOM POWER AXIS T8353B Microphone Phantom Power is an omnidirectional microphone with an XLR contact and a pigtail adaptor. Power ranges between 12-48V DC. It is compatible with phantom power devices, such as AXIS P8221 Network I/O Audio Microphone. AXIS T8353B Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	5033-541	AXIS T8353B MICROPHONE PHANTOM POWER	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1821	AXIS T8353 MOUNT	46171622	Axis Communications	AXIS T8353 MOUNT Mounting accessory for AXIS T8353 Microphones	5505-041	AXIS T8353 MOUNT	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1822	AXIS T8355 DIGITAL MICROPHONE	46171622	Axis Communications	AXIS T8355 DIGITAL MICROPHONE AXIS T8355 Digital Microphone is an omnidirectional microphone compatible with Axis network product with digital in and ring power supporting both a 3.5mm jack and audio terminal block for microphone input. Axis T8355 could be placed up to 100m (328 ft) away from Axis network products, generating flexibility for installation without deterioration of the audio signal.	01561-001	AXIS T8355 DIGITAL MICROPHONE	0000007715	1/1/2021	12/31/2023	126.42	USD	EA
800890-1823	AXIS DIGITAL AUDIO EXTENSION KIT	46171622	Axis Communications	AXIS DIGITAL AUDIO EXTENSION KIT AXIS Digital Audio Extension Kit enables AXIS T8355 Digital Microphone to extend to distances up to 100m (328 ft).	01590-001	AXIS DIGITAL AUDIO EXTENSION KIT	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1824	AXIS AUDIO EXTENSION CABLE B 5M	46171622	Axis Communications	AXIS AUDIO EXTENSION CABLE B 5M Audio extension cable for Axis 3.5mm mono microphones. Length 5m (197 in).	01589-001	AXIS AUDIO EXTENSION CABLE B 5M	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1825	AXIS AUDIO EXTENSION CABLE A 5M	46171622	Axis Communications	AXIS AUDIO EXTENSION CABLE A 5M Audio extension cable for Axis 3.5mm mono microphones. Length 5m (197 in)	5505-131	AXIS AUDIO EXTENSION CABLE A 5M	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1826	TERMINAL BLOCK TO 3.5MM AUDIO EXT	46171622	Axis Communications	TERMINAL BLOCK TO 3.5MM AUDIO EXT 3.5mm audio jack extension for Axis Network Video products with terminal block audio connection.	01714-001	TERMINAL BLOCK TO 3.5MM AUDIO EXT	0000007715	1/1/2021	12/31/2023	9.8	USD	EA
800890-1827	AXIS MULTICABLE A I/O AUDIO PWR 1M	46171622	Axis Communications	AXIS MULTICABLE A I/O AUDIO PWR 1M Multi-connector cable for power (12VDC), audio and I/O port. 1m (40 in)	5505-031	AXIS MULTICABLE A I/O AUDIO PWR 1M	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1828	AXIS MULTICABLE A I/O AUDIO PWR 5M	46171622	Axis Communications	AXIS MULTICABLE A I/O AUDIO PWR 5M Multi-connector cable for power (12VDC), audio and I/O port. 5m (197 in)	5505-021	AXIS MULTICABLE A I/O AUDIO PWR 5M	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1829	AXIS MULTICABLE B I/O AUDIO PWR 2.5M	46171622	Axis Communications	AXIS MULTICABLE B I/O AUDIO PWR 2.5M Multi-connector cable for AC/DC power, audio in/out and I/O connectivity. 2.5m (8.2 ft)	5505-511	AXIS MULTICABLE B I/O AUDIO PWR 2.5M	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1830	AXIS MULTICABLE C I/O AUDIO PWR 1M	46171622	Axis Communications	AXIS MULTICABLE C I/O AUDIO PWR 1M Multi-connector cable for power, audio and I/O connectivity. 1m (3.3 ft)	5506-201	AXIS MULTICABLE C I/O AUDIO PWR 1M	0000007715	1/1/2021	12/31/2023	106.82	USD	EA
800890-1831	AXIS MULTICABLE C I/O AUDIO PWR 5M	46171622	Axis Communications	AXIS MULTICABLE C I/O AUDIO PWR 5M Multi-connector cable for power, audio and I/O connectivity. 5m (16.4 ft)	5506-191	AXIS MULTICABLE C I/O AUDIO PWR 5M	0000007715	1/1/2021	12/31/2023	136.22	USD	EA
800890-1832	AXIS T8415 WIRELESS INSTALLATION TOOL	46171622	Axis Communications	AXIS T8415 WIRELESS INSTALLATION TOOL Camera installation made easy. Battery driven Wi-Fi access point with PoE+ to camera for use with AXIS Installation application on your iOS or Android device.	5506-231	AXIS T8415 WIRELESS INSTALLATION TOOL	0000007715	1/1/2021	12/31/2023	587.02	USD	EA
800890-1833	AXIS T8415 WIRELESS INST TOOL KIT	46171622	Axis Communications	AXIS T8415 WIRELESS INST TOOL KIT Kit including AXIS T8415 Wireless Installation Tool, one extra AXIS Installation Tool Battery 12V3.4Ah and one AXIS Installation Bag.	5506-881	AXIS T8415 WIRELESS INST TOOL KIT	0000007715	1/1/2021	12/31/2023	685.02	USD	EA

800890-1834	USB POWER CABLE 1M	46171622	Axis Communications	USB POWER CABLE 1M	5505-661	USB POWER CABLE 1M	0000007715	1/1/2021	12/31/2023	13.72	USD	EA
800890-1835	AXIS P55/Q60 MULTI CONN CABLE 5M	46171622	Axis Communications	AXIS P55/Q60 MULTI CONN CABLE 5M	5502-491	AXIS P55/Q60 MULTI CONN CABLE 5M	0000007715	1/1/2021	12/31/2023	106.82	USD	EA
800890-1836	AXIS T8415 INSTALLATION BAG	46171622	Axis Communications	AXIS T8415 INSTALLATION BAG	5506-871	AXIS T8415 INSTALLATION BAG	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1837	AXIS INSTALLATION TOOL BATTERY	46171622	Axis Communications	AXIS INSTALLATION TOOL BATTERY	5506-551	AXIS INSTALLATION TOOL BATTERY	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1838	ACC MAINS ADAP PS-P T-C	46171622	Axis Communications	ACC MAINS ADAP PS-P T-C	5502-261	ACC MAINS ADAP PS-P T-C	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1839	AXIS OUTDOOR RJ45 CABLE 5M	46171622	Axis Communications	AXIS OUTDOOR RJ45 CABLE 5M	5502-731	AXIS OUTDOOR RJ45 CABLE 5M	0000007715	1/1/2021	12/31/2023	77.42	USD	EA
800890-1840	AXIS INSTALLATION CHARGER ADAPTOR 12V3A	46171622	Axis Communications	AXIS INSTALLATION CHARGER ADAPTOR 12V3A	5506-561	AXIS INSTALLATION CHARGER ADAPTOR 12V3A	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1841	AXIS OUTDOOR RJ45 CABLE 15M	46171622	Axis Communications	AXIS OUTDOOR RJ45 CABLE 15M	5504-731	AXIS OUTDOOR RJ45 CABLE 15M	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1842	AXIS Q60XX-C MULTI CONNECT CABLE 12M	46171622	Axis Communications	AXIS Q60XX-C MULTI CONNECT CABLE 12M	5504-651	AXIS Q60XX-C MULTI CONNECT CABLE 12M	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1843	AXIS CABLE 24 VDC/24 240 VAC 22M	46171622	Axis Communications	AXIS CABLE 24 VDC/24 240 VAC 22M	5801-741	AXIS CABLE 24 VDC/24 240 VAC 22M	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1844	AXIS P8221	46171622	Axis Communications	AXIS P8221	0321-004	AXIS P8221	0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-1845	AXIS T8006 PS12	46171622	Axis Communications	AXIS T8006 PS12	5030-064	AXIS T8006 PS12	0000007715	1/1/2021	12/31/2023	87.22	USD	EA
800890-1846	AXIS P8221 BULK 10PCS	46171622	Axis Communications	AXIS P8221 BULK 10PCS	0321-021	AXIS P8221 BULK 10PCS	0000007715	1/1/2021	12/31/2023	3380.02	USD	EA
800890-1847	NETWORK CABLE COUPLER INDOOR	46171622	Axis Communications	NETWORK CABLE COUPLER INDOOR	5503-771	NETWORK CABLE COUPLER INDOOR	0000007715	1/1/2021	12/31/2023	10.78	USD	EA
800890-1848	NETWORK CABLE COUPLER INDOOR SLIM	46171622	Axis Communications	NETWORK CABLE COUPLER INDOOR SLIM	5503-272	NETWORK CABLE COUPLER INDOOR SLIM	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1849	AXIS SURVEILLANCE CARD 64 GB	46171622	Axis Communications	AXIS SURVEILLANCE CARD 64 GB	5801-951	AXIS SURVEILLANCE CARD 64 GB	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1850	AXIS SURVEILLANCE CARD 64 GB 10P	46171622	Axis Communications	AXIS SURVEILLANCE CARD 64 GB 10P	5801-961	AXIS SURVEILLANCE CARD 64 GB 10P	0000007715	1/1/2021	12/31/2023	632.1	USD	EA
800890-1851	AXIS COMPANION CARD 64 GB	46171622	Axis Communications	AXIS COMPANION CARD 64 GB	5801-941	AXIS COMPANION CARD 64 GB	0000007715	1/1/2021	12/31/2023	57.82	USD	EA
800890-1852	AXIS SURVEILLANCE CARD 128 GB	46171622	Axis Communications	AXIS SURVEILLANCE CARD 128 GB	01491-001	AXIS SURVEILLANCE CARD 128 GB	0000007715	1/1/2021	12/31/2023	106.82	USD	EA
800890-1853	AXIS SURVEILLANCE CARD 128 GB 10P	46171622	Axis Communications	AXIS SURVEILLANCE CARD 128 GB 10P	01678-001	AXIS SURVEILLANCE CARD 128 GB 10P	0000007715	1/1/2021	12/31/2023	1009.4	USD	EA
800890-1854	AXIS SURV MICRO SDXC CARD 256GB	46171622	Axis Communications	AXIS SURV MICRO SDXC CARD 256GB	01609-001	AXIS SURV MICRO SDXC CARD 256GB	0000007715	1/1/2021	12/31/2023	244.02	USD	EA
800890-1855	NETWORK CABLE COUPLER IP66	46171622	Axis Communications	NETWORK CABLE COUPLER IP66	5503-431	NETWORK CABLE COUPLER IP66	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1856	AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)	46171622	Axis Communications	AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)	5505-351	AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-1857	AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)	46171622	Axis Communications	AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)	5505-361	AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-1858	ACC MAINS ADAP PS-K TERM-CONN	46171622	Axis Communications	ACC MAINS ADAP PS-K TERM-CONN	5503-681	ACC MAINS ADAP PS-K TERM-CONN	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1859	AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)	46171622	Axis Communications	AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)	5505-371	AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-1860	AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)	46171622	Axis Communications	AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)	5505-381	AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)	0000007715	1/1/2021	12/31/2023	881.02	USD	EA
800890-1861	AXIS T8007 PS24	46171622	Axis Communications	AXIS T8007 PS24	5503-104	AXIS T8007 PS24	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1862	ACC MAINS ADAPTOR AXIS PS24	46171622	Axis Communications	ACC MAINS ADAPTOR AXIS PS24	5000-001	ACC MAINS ADAPTOR AXIS PS24	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1863	AXIS T98A19-VE MEDIA CONVERTER CABINET A (120 V AC)	46171622	Axis Communications	AXIS T98A19-VE MEDIA CONVERTER CABINET A (120 V AC)	5505-391	AXIS T98A19-VE MEDIA CONVERTER CABINET A (120 V AC)	0000007715	1/1/2021	12/31/2023	881.02	USD	EA

800890-1864	AXIS T8003 P557	46171622	Axis Communications	AXIS T8003 P557	Power supply for the AXIS T8640 Coax Over Ethernet Adapter. If connected to the base end COAX adapter part, it powers up the connection, the device end unit and the PoE camera and thereby removes the need for a separate midspan. Can also be connected to the device end, to secure enough power (max 30W) to the connected PoE camera (COAX cable quality/long distance).	5029-034	AXIS T8003 P557	0000007715	1/1/2021	12/31/2023	52.92	USD	EA
800890-1865	AXIS T8008 PS12	46171622	Axis Communications	AXIS T8008 PS12	Power supply for AXIS Q600X-C series -40 to +75C (-40 to 167F). In 90-264V AC 47-63Hz. Out 12.5V DC 85W.	5503-661	AXIS T8008 PS12	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1866	AXIS T8008 PS24	46171622	Axis Communications	AXIS T8008 PS24	24V DC power supply 250W with extended temperature (-40 to +75C (-40 to 167F)).	5801-701	AXIS T8008 PS24	0000007715	1/1/2021	12/31/2023	391.02	USD	EA
800890-1867	AXIS T8051 Power Converter AC/DC to DC	46171622	Axis Communications	AXIS T8051 Power Converter AC/DC to DC	AC/DC to DC power converter for AXIS Q35-VE, 24 V AC or 12/24 V DC input. Backbox designed to match perfectly with camera.	5505-051	AXIS T8051 Power Converter AC/DC to DC	0000007715	1/1/2021	12/31/2023	195.02	USD	EA
800890-1868	AXIS T8085 P557 500W 1U	46171622	Axis Communications	AXIS T8085 P557 500W 1U	Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.	5504-864	AXIS T8085 P557 500W 1U	0000007715	1/1/2021	12/31/2023	1126.02	USD	EA
800890-1869	AXIS T8061 ETHERNET SURGE PROTECTOR	46171622	Axis Communications	AXIS T8061 ETHERNET SURGE PROTECTOR	Protect your Ethernet networks device, i.e. cameras, switches, midspans, etc., from lightning. Protects up to 10KV surge, IP66 and UL certified.	5801-641	AXIS T8061 ETHERNET SURGE PROTECTOR	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1870	CONNECTOR M12 FEMALE 4P 10PCS	46171622	Axis Communications	CONNECTOR M12 FEMALE 4P 10PCS	Rugged, female D-coded M12 connector compatible with Connector M12 male 4P, 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs	5502-141	CONNECTOR M12 FEMALE 4P 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1871	CONNECTOR M12 MALE 4P 10PCS	46171622	Axis Communications	CONNECTOR M12 MALE 4P 10PCS	Rugged, male D-coded M12 connector compatible with AXIS M131X-R M12 and Connector M12 Female 4P. Field installable with screw-in contacts. 10 pcs	5502-131	CONNECTOR M12 MALE 4P 10PCS	0000007715	1/1/2021	12/31/2023	146.02	USD	EA
800890-1872	AXIS 10-PIN PUSH-PULL SYSTEM CONN	46171622	Axis Communications	AXIS 10-PIN PUSH-PULL SYSTEM CONN	10-pin system connector for power, audio and I/O.	5506-251	AXIS 10-PIN PUSH-PULL SYSTEM CONN	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1873	AXIS T90C10 FIXED DOME IR-LED	46171622	Axis Communications	AXIS T90C10 FIXED DOME IR-LED	IR-illuminator for AXIS P334X-VE cameras. 18-56 VDC input. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66, Nema 4X rated, vandal resistant. Premounted 5m power cable with gaskets.	5024-101	AXIS T90C10 FIXED DOME IR-LED	0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-1874	AXIS T90C20 FIXED DOME IR-LED	46171622	Axis Communications	AXIS T90C20 FIXED DOME IR-LED	IR-illuminator for AXIS P334X-VE cameras. PoE IEEE802.3at compliant. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66, Nema 4X rated, vandal resistant. Premounted 5m network cable with gaskets.	5024-201	AXIS T90C20 FIXED DOME IR-LED	0000007715	1/1/2021	12/31/2023	342.02	USD	EA
800890-1875	AXIS T90D20 IR-LED	46171622	Axis Communications	AXIS T90D20 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to 472 ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	01210-001	AXIS T90D20 IR-LED	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1876	AXIS T90D20 POE IR-LED	46171622	Axis Communications	AXIS T90D20 POE IR-LED	PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to 472 ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	01211-001	AXIS T90D20 POE IR-LED	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1877	AXIS T90D25 W-LED	46171622	Axis Communications	AXIS T90D25 W-LED	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	01215-001	AXIS T90D25 W-LED	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1878	AXIS T90D25 POE W-LED	46171622	Axis Communications	AXIS T90D25 POE W-LED	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	01216-001	AXIS T90D25 POE W-LED	0000007715	1/1/2021	12/31/2023	440.02	USD	EA
800890-1879	AXIS T90D30 IR-LED	46171622	Axis Communications	AXIS T90D30 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	01212-001	AXIS T90D30 IR-LED	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-1880	AXIS T90D30 POE IR-LED	46171622	Axis Communications	AXIS T90D30 POE IR-LED	PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	01213-001	AXIS T90D30 POE IR-LED	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-1881	AXIS T90D35 W-LED	46171622	Axis Communications	AXIS T90D35 W-LED	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	01217-001	AXIS T90D35 W-LED	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-1882	AXIS T90D35 POE W-LED	46171622	Axis Communications	AXIS T90D35 POE W-LED	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	01218-001	AXIS T90D35 POE W-LED	0000007715	1/1/2021	12/31/2023	783.02	USD	EA
800890-1883	AXIS T90D40 IR-LED	46171622	Axis Communications	AXIS T90D40 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°-140° beam angles. Beam distance ranges 105m to 500m (345ft to 1640ft). Made of IK09 impact-resistant aluminum and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	01214-001	AXIS T90D40 IR-LED	0000007715	1/1/2021	12/31/2023	1175.02	USD	EA
800890-1884	AXIS WL LENS A 120 DEG	46171622	Axis Communications	AXIS WL LENS A 120 DEG	Accessory lens providing 120° beam angle, beam distance 10 m (33 ft). Compatible with AXIS T90B15 W-LED.	5505-671	AXIS WL LENS A 120 DEG	0000007715	1/1/2021	12/31/2023	24.5	USD	EA
800890-1885	AXIS WL LENS B 120 DEG	46171622	Axis Communications	AXIS WL LENS B 120 DEG	Accessory lens providing 120° beam angle, beam distance is 15 m (49 ft). Compatible with AXIS T90B25 W-LED.	5505-681	AXIS WL LENS B 120 DEG	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1886	AXIS IR LENS B 120 DEG	46171622	Axis Communications	AXIS IR LENS B 120 DEG	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B20 IR-LED.	5505-701	AXIS IR LENS B 120 DEG	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1887	AXIS WL LENS C 120 DEG	46171622	Axis Communications	AXIS WL LENS C 120 DEG	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B35 W-LED.	5505-691	AXIS WL LENS C 120 DEG	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-1888	AXIS IR LENS C 120 DEG	46171622	Axis Communications	AXIS IR LENS C 120 DEG	Accessory lens compatible with AXIS T90B30 IR-LED providing 120° beam angle, beam distance 30 m (98 ft). Also compatible with AXIS T90B40 IR-LED (two lenses are required as the illuminator has two panels). The beam angle can be adjusted between 120° and 180°, with a beam distance stretching from 65 m to 45 m (213 ft to 148 ft). This sales part includes one lens.	5505-711	AXIS IR LENS C 120 DEG	0000007715	1/1/2021	12/31/2023	33.32	USD	EA
800890-1889	AXIS IR LENS D 120 DEG	46171622	Axis Communications	AXIS IR LENS D 120 DEG	Accessory lens providing 120° beam angle	01235-001	AXIS IR LENS D 120 DEG	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1890	AXIS T90B REMOTE CONTROL	46171622	Axis Communications	AXIS T90B REMOTE CONTROL	The remote control is compatible with all Axis T90B illuminators and provides the possibility to adjust settings of light intensity, photocell sensitivity and more conveniently from the ground level. No lift or ladder required. The remote control feature can be disabled after the installation is finalized to avoid tampering.	5800-931	AXIS T90B REMOTE CONTROL	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1891	AXIS T90 WALL-AND-POLE MOUNT	46171622	Axis Communications	AXIS T90 WALL-AND-POLE MOUNT	Mounting bracket for AXIS T90 illuminators.	01219-001	AXIS T90 WALL-AND-POLE MOUNT	0000007715	1/1/2021	12/31/2023	38.22	USD	EA
800890-1892	AXIS T90 SINGLE BRACKET	46171622	Axis Communications	AXIS T90 SINGLE BRACKET	Mounting bracket for AXIS T90 illuminators.	01220-001	AXIS T90 SINGLE BRACKET	0000007715	1/1/2021	12/31/2023	48.02	USD	EA
800890-1893	AXIS T90 MULTI BRACKET	46171622	Axis Communications	AXIS T90 MULTI BRACKET	Mounting bracket for AXIS T90 illuminators.	01221-001	AXIS T90 MULTI BRACKET	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1894	PT IR ILLUMINATOR KIT A	46171622	Axis Communications	PT IR ILLUMINATOR KIT A	Infra red illuminator kit compatible with AXIS Q87-E. Kit contents: One 50 degree and one 10 degree illuminator that together cover the field of view of the camera when zoomed in or out. Range approx. 100 meters. IR mount brackets for the positioning unit.	5503-441	PT IR ILLUMINATOR KIT A	0000007715	1/1/2021	12/31/2023	1645.42	USD	EA
800890-1895	AXIS DOOR SWITCH A	46171622	Axis Communications	AXIS DOOR SWITCH A	Intrusion door switch for AXIS T98A, connection to I/O port.	5503-841	AXIS DOOR SWITCH A	0000007715	1/1/2021	12/31/2023	28.42	USD	EA
800890-1896	AXIS DOME INTRUSION SWITCH B	46171622	Axis Communications	AXIS DOME INTRUSION SWITCH B	Intrusion switch for AXIS Q35-Y and -VE as well as P33-VE cameras. Connects to camera I/O connector.	5505-071	AXIS DOME INTRUSION SWITCH B	0000007715	1/1/2021	12/31/2023	18.62	USD	EA
800890-1897	MAINS CABLE ANGL C13-OPN 0.5M	46171622	Axis Communications	MAINS CABLE ANGL C13-OPN 0.5M	Angled C13 mains cable for use when limited space. Open ends for installation in terminal blocks etc. Use when installing midspan into AXIS T98A Surveillance cabinet.	5506-244	MAINS CABLE ANGL C13-OPN 0.5M	0000007715	1/1/2021	12/31/2023	13.72	USD	EA
800890-1898	AXIS STEREO-TO-MONO ADAPTER	46171622	Axis Communications	AXIS STEREO-TO-MONO ADAPTER	AXIS Stereo-to-mono Adapter. Spare part to AXIS F44 Dual Audio Input Main Unit. Allows two microphones or line inputs to be connected to AXIS F44 Dual Audio Input.	5801-681	AXIS STEREO-TO-MONO ADAPTER	0000007715	1/1/2021	12/31/2023	28.42	USD	EA

800890-1899	AXIS FIXED BOX IR ILLUMINATOR KIT A	46171622	Axis Communications	AXIS FIXED BOX IR ILLUMINATOR KIT A	AXIS Fixed Box IR Illuminator Kit A for AXIS P1375-E. For mounting on AXIS P13 Series camera. Range of reach 50 m (164 ft) or more depending on the scene. Powered by AXIS P13 Series camera. Requires Power over Ethernet (PoE) IEEE 802.3at/802.3ae Type 1 Class 4 midspan power for AXIS P13 Series camera. AXIS I/O Indication LED is an easy to install signaling accessory for all AXIS devices that support 12 V I/O and can be setup through the event handling of the device to address desired deterrence or privacy concerns. The LED comes with IP44 rating. Up to three LEDs could be installed with AXIS devices that support 50 mA load on their I/O ports. This product comes in a 4-pack.	01534-001	AXIS FIXED BOX IR ILLUMINATOR KIT A	0000007715	1/1/2021	12/31/2023	97.02	USD	EA
800890-1900	AXIS I/O INDICATION LED 4P	46171622	Axis Communications	AXIS I/O INDICATION LED 4P	AXIS I/O Indication LED is an easy to install signaling accessory for all AXIS devices that support 12 V I/O and can be setup through the event handling of the device to address desired deterrence or privacy concerns. The LED comes with IP44 rating. Up to three LEDs could be installed with AXIS devices that support 50 mA load on their I/O ports. This product comes in a 4-pack.	01765-001	AXIS I/O INDICATION LED 4P	0000007715	1/1/2021	12/31/2023	67.62	USD	EA
800890-1901	CP2-XS-16-24T-W10	46171622	Razberi Technologies	CP2-XS-16-24T-W10	Core - Professional, Xeon Silver 4110, 24TB (6 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-24T-W10	CP2-XS-16-24T-W10	0000007715	10/23/2019	12/31/2023	9432	USD	EA
800890-1902	CP2-XS-16-28T-W10	46171622	Razberi Technologies	CP2-XS-16-28T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-28T-W10	CP2-XS-16-28T-W10	0000007715			9684	USD	EA
800890-1903	CP2-XS-16-32T-W10	46171622	Razberi Technologies	CP2-XS-16-32T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-32T-W10	CP2-XS-16-32T-W10	0000007715			9927	USD	EA
800890-1904	CP2-XS-16-36T-W10	46171622	Razberi Technologies	CP2-XS-16-36T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-36T-W10	CP2-XS-16-36T-W10	0000007715			10179	USD	EA
800890-1905	CP2-XS-16-40T-W10	46171622	Razberi Technologies	CP2-XS-16-40T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-40T-W10	CP2-XS-16-40T-W10	0000007715			10422	USD	EA
800890-1906	CP2-XS-16-44T-W10	46171622	Razberi Technologies	CP2-XS-16-44T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-44T-W10	CP2-XS-16-44T-W10	0000007715			10674	USD	EA
800890-1907	CP2-XS-16-48T-W10	46171622	Razberi Technologies	CP2-XS-16-48T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-48T-W10	CP2-XS-16-48T-W10	0000007715			10917	USD	EA
800890-1908	CP2-XS-16-56T-W10	46171622	Razberi Technologies	CP2-XS-16-56T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-56T-W10	CP2-XS-16-56T-W10	0000007715			11727	USD	EA
800890-1909	CP2-XS-16-64T-W10	46171622	Razberi Technologies	CP2-XS-16-64T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-64T-W10	CP2-XS-16-64T-W10	0000007715			12222	USD	EA
800890-1910	CP2-XS-16-72T-W10	46171622	Razberi Technologies	CP2-XS-16-72T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-72T-W10	CP2-XS-16-72T-W10	0000007715			12717	USD	EA
800890-1911	CP2-XS-16-80T-W10	46171622	Razberi Technologies	CP2-XS-16-80T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-80T-W10	CP2-XS-16-80T-W10	0000007715			13212	USD	EA
800890-1912	CP2-XS-16-88T-W10	46171622	Razberi Technologies	CP2-XS-16-88T-W10	Core - Professional, Xeon Silver 4110, 28TB (7 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-88T-W10	CP2-XS-16-88T-W10	0000007715			13707	USD	EA
800890-1913	CP2-XS-16-96T-W10	46171622	Razberi Technologies	CP2-XS-16-96T-W10	Core - Professional, Xeon Silver 4110, 96TB (12 x 8TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-96T-W10	CP2-XS-16-96T-W10	0000007715			14202	USD	EA
800890-1914	CP2-XS-16-100T-W10	46171622	Razberi Technologies	CP2-XS-16-100T-W10	Core - Professional, Xeon Silver 4110, 100TB (10 x 10TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-100T-W10	CP2-XS-16-100T-W10	0000007715			14742	USD	EA
800890-1915	CP2-XS-16-110T-W10	46171622	Razberi Technologies	CP2-XS-16-110T-W10	Core - Professional, Xeon Silver 4110, 110TB (11 x 10TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-110T-W10	CP2-XS-16-110T-W10	0000007715			15417	USD	EA
800890-1916	CP2-XS-16-120T-W10	46171622	Razberi Technologies	CP2-XS-16-120T-W10	Core - Professional, Xeon Silver 4110, 120TB (12 x 10TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-120T-W10	CP2-XS-16-120T-W10	0000007715			16092	USD	EA
800890-1917	CP2-XS-16-132T-W10	46171622	Razberi Technologies	CP2-XS-16-132T-W10	Core - Professional, Xeon Silver 4110, 132TB (12 x 11TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-132T-W10	CP2-XS-16-132T-W10	0000007715			17442	USD	EA
800890-1918	CP2-XS-16-144T-W10	46171622	Razberi Technologies	CP2-XS-16-144T-W10	Core - Professional, Xeon Silver 4110, 144TB (12 x 12TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-144T-W10	CP2-XS-16-144T-W10	0000007715			18342	USD	EA
800890-1919	CP2-XS-16-154T-W10	46171622	Razberi Technologies	CP2-XS-16-154T-W10	Core - Professional, Xeon Silver 4110, 154TB (11 x 14TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-154T-W10	CP2-XS-16-154T-W10	0000007715			19467	USD	EA
800890-1920	CP2-XS-16-168T-W10	46171622	Razberi Technologies	CP2-XS-16-168T-W10	Core - Professional, Xeon Silver 4110, 168TB (12 x 14TB) HDD, RAID 0/1/5/6/10, 16 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 YR CylancePROTECT. VMS sold separately.	CP2-XS-16-168T-W10	CP2-XS-16-168T-W10	0000007715			20817	USD	EA
800890-1921	CE2-XS-32-24T-516	46171622	Razberi Technologies	CE2-XS-32-24T-516	Core - Enterprise, Xeon Silver 4110, 24TB (6 x 4TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-24T-516	CE2-XS-32-24T-516	0000007715			11943	USD	EA
800890-1922	CE2-XS-32-28T-516	46171622	Razberi Technologies	CE2-XS-32-28T-516	Core - Enterprise, Xeon Silver 4110, 28TB (7 x 4TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-28T-516	CE2-XS-32-28T-516	0000007715			12321	USD	EA
800890-1923	CE2-XS-32-32T-516	46171622	Razberi Technologies	CE2-XS-32-32T-516	Core - Enterprise, Xeon Silver 4110, 32TB (8 x 4TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-32T-516	CE2-XS-32-32T-516	0000007715			12987	USD	EA
800890-1924	CE2-XS-32-36T-516	46171622	Razberi Technologies	CE2-XS-32-36T-516	Core - Enterprise, Xeon Silver 4110, 36TB (9 x 4TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-36T-516	CE2-XS-32-36T-516	0000007715			13401	USD	EA
800890-1925	CE2-XS-32-40T-516	46171622	Razberi Technologies	CE2-XS-32-40T-516	Core - Enterprise, Xeon Silver 4110, 40TB (10 x 4TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-40T-516	CE2-XS-32-40T-516	0000007715			13824	USD	EA
800890-1926	CE2-XS-32-44T-516	46171622	Razberi Technologies	CE2-XS-32-44T-516	Core - Enterprise, Xeon Silver 4110, 44TB (11 x 4TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-44T-516	CE2-XS-32-44T-516	0000007715			14238	USD	EA
800890-1927	CE2-XS-32-48T-516	46171622	Razberi Technologies	CE2-XS-32-48T-516	Core - Enterprise, Xeon Silver 4110, 48TB (12 x 4TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-48T-516	CE2-XS-32-48T-516	0000007715			14661	USD	EA
800890-1928	CE2-XS-32-56T-516	46171622	Razberi Technologies	CE2-XS-32-56T-516	Core - Enterprise, Xeon Silver 4110, 56TB (7 x 8TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-56T-516	CE2-XS-32-56T-516	0000007715			14697	USD	EA
800890-1929	CE2-XS-32-64T-516	46171622	Razberi Technologies	CE2-XS-32-64T-516	Core - Enterprise, Xeon Silver 4110, 64TB (8 x 8TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-64T-516	CE2-XS-32-64T-516	0000007715			15426	USD	EA
800890-1930	CE2-XS-32-72T-516	46171622	Razberi Technologies	CE2-XS-32-72T-516	Core - Enterprise, Xeon Silver 4110, 72TB (9 x 8TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-72T-516	CE2-XS-32-72T-516	0000007715			16146	USD	EA
800890-1931	CE2-XS-32-80T-516	46171622	Razberi Technologies	CE2-XS-32-80T-516	Core - Enterprise, Xeon Silver 4110, 80TB (10 x 8TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 YR CylancePROTECT. VMS sold separately.	CE2-XS-32-80T-516	CE2-XS-32-80T-516	0000007715			16866	USD	EA

800890-1932	CE2-XS-32-88T-516	46171622	Razberi Technologies	CE2-XS-32-88T-516	Core - Enterprise, Xeon Silver 4110, 88TB (11 x 8TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-88T-516	CE2-XS-32-88T-516	0000007715	17595	USD	EA
800890-1933	CE2-XS-32-96T-516	46171622	Razberi Technologies	CE2-XS-32-96T-516	Core - Enterprise, Xeon Silver 4110, 96TB (12 x 8TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-96T-516	CE2-XS-32-96T-516	0000007715	18315	USD	EA
800890-1934	CE2-XS-32-100T-516	46171622	Razberi Technologies	CE2-XS-32-100T-516	Core - Enterprise, Xeon Silver 4110, 100TB (10 x 10TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-100T-516	CE2-XS-32-100T-516	0000007715	18576	USD	EA
800890-1935	CE2-XS-32-110T-516	46171622	Razberi Technologies	CE2-XS-32-110T-516	Core - Enterprise, Xeon Silver 4110, 110TB (11 x 10TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-110T-516	CE2-XS-32-110T-516	0000007715	19476	USD	EA
800890-1936	CE2-XS-32-120T-516	46171622	Razberi Technologies	CE2-XS-32-120T-516	Core - Enterprise, Xeon Silver 4110, 120TB (12 x 10TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-120T-516	CE2-XS-32-120T-516	0000007715	20367	USD	EA
800890-1937	CE2-XS-32-132T-516	46171622	Razberi Technologies	CE2-XS-32-132T-516	Core - Enterprise, Xeon Silver 4110, 132TB (11 x 12TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows 10, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-132T-516	CE2-XS-32-132T-516	0000007715	21258	USD	EA
800890-1938	CE2-XS-32-144T-516	46171622	Razberi Technologies	CE2-XS-32-144T-516	Core - Enterprise, Xeon Silver 4110, 144TB (12 x 12TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-144T-516	CE2-XS-32-144T-516	0000007715	22311	USD	EA
800890-1939	CE2-XS-32-154T-516	46171622	Razberi Technologies	CE2-XS-32-154T-516	Core - Enterprise, Xeon Silver 4110, 154TB (11 x 14TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-154T-516	CE2-XS-32-154T-516	0000007715	25200	USD	EA
800890-1940	CE2-XS-32-168T-516	46171622	Razberi Technologies	CE2-XS-32-168T-516	Core - Enterprise, Xeon Silver 4110, 168TB (12 x 14TB) datacenter HDD, RAID 0/1/5/6/10, 32 GB DDR4, 2x240 GB SSD OS Drive, redundant power, 5 year warranty. Includes Windows Server 2016, 3 Yr CylancePROTECT. VMS sold separately.	CE2-XS-32-168T-516	CE2-XS-32-168T-516	0000007715	26613	USD	EA
800890-1941	C-GPU	46171622	Razberi Technologies	C-GPU	Core Graphics Upgrade: NVIDIA P2000 Quadro	C-GPU	C-GPU	0000007715	1287	USD	EA
800890-1942	C-SFP	46171622	Razberi Technologies	C-SFP	Core LAN Upgrade: 2 SFP+ Fiber Ports	C-SFP	C-SFP	0000007715	900	USD	EA
800890-1943	C-S2012	46171622	Razberi Technologies	C-S2012	Core Windows Server 2012 upgrade from Windows 10	C-S2012	C-S2012	0000007715	1278	USD	EA
800890-1944	C-S2016	46171622	Razberi Technologies	C-S2016	Core Windows Server 2016 upgrade from Windows 10	C-S2016	C-S2016	0000007715	11205	USD	EA
800890-1945	C-24GB	46171622	Razberi Technologies	C-24GB	Core Memory Upgrade from 16 GB to 24 GB	C-24GB	C-24GB	0000007715	288	USD	EA
800890-1946	C-32GB	46171622	Razberi Technologies	C-32GB	Core Memory Upgrade from 16 GB to 32 GB	C-32GB	C-32GB	0000007715	557.1	USD	EA
800890-1947	C-48GB	46171622	Razberi Technologies	C-48GB	Core Memory Upgrade from 16 GB to 48 GB	C-48GB	C-48GB	0000007715	1123.2	USD	EA
800890-1948	CP-AP-5YR	46171622	Razberi Technologies	CP-AP-5YR	Optional 5 Year Expedited Service Warranty for Professional Core Appliance. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	CP-AP-5YR	CP-AP-5YR	0000007715	1674	USD	EA
800890-1949	CE-AP-5YR	46171622	Razberi Technologies	CE-AP-5YR	Optional 5 Year Expedited Service Warranty for Enterprise Core Appliance. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	CE-AP-5YR	CE-AP-5YR	0000007715	2592	USD	EA
800890-1950	EPD-8P	46171622	Razberi Technologies	EPD-8P	EndpointDefender - 8 PoE ports (140 W), 3 year warranty, includes CameraDefense firmware for camera hardening and health check.	EPD-8P	EPD-8P	0000007715	779.4	USD	EA
800890-1951	EPD-16P	46171622	Razberi Technologies	EPD-16P	EndpointDefender - 16 PoE ports (277 W), 3 year warranty, includes CameraDefense firmware for camera hardening and health check.	EPD-16P	EPD-16P	0000007715	1314	USD	EA
800890-1952	EPD-24P	46171622	Razberi Technologies	EPD-24P	EndpointDefender - 24 PoE ports (277 W), 3 year warranty, includes CameraDefense firmware for camera hardening and health check.	EPD-24P	EPD-24P	0000007715	1665	USD	EA
800890-1953	EPD8P-AP-3YR	46171622	Razberi Technologies	EPD8P-AP-3YR	Optional 3 Year Expedited Service Warranty for EndpointDefender with 8 PoE ports. Advance replacement of HDDs and complete appliance. Next business day shipping. Includes onsite support in contiguous USA.	EPD8P-AP-3YR	EPD8P-AP-3YR	0000007715	81	USD	EA
800890-1954	EPD16P-AP-3YR	46171622	Razberi Technologies	EPD16P-AP-3YR	Optional 3 Year Expedited Service Warranty for EndpointDefender with 16 PoE ports. Advance replacement of HDDs and complete appliance. Next business day shipping. Includes onsite support in contiguous USA.	EPD16P-AP-3YR	EPD16P-AP-3YR	0000007715	135	USD	EA
800890-1955	EPD24P-AP-3YR	46171622	Razberi Technologies	EPD24P-AP-3YR	Optional 3 Year Expedited Service Warranty for EndpointDefender with 24 PoE ports. Advance replacement of HDDs and complete appliance. Next business day shipping. Includes onsite support in contiguous USA.	EPD24P-AP-3YR	EPD24P-AP-3YR	0000007715	171	USD	EA
800890-1956	EPD8P-AP-5YR	46171622	Razberi Technologies	EPD8P-AP-5YR	Optional 5 Year Expedited Service Warranty for EndpointDefender with 8 PoE ports. Advance replacement of HDDs and complete appliance. Next business day shipping. Includes onsite support in contiguous USA.	EPD8P-AP-5YR	EPD8P-AP-5YR	0000007715	126	USD	EA
800890-1957	EPD16P-AP-5YR	46171622	Razberi Technologies	EPD16P-AP-5YR	Optional 5 Year Expedited Service Warranty for EndpointDefender with 16 PoE ports. Advance replacement of HDDs and complete appliance. Next business day shipping. Includes onsite support in contiguous USA.	EPD16P-AP-5YR	EPD16P-AP-5YR	0000007715	216	USD	EA
800890-1958	EPD24P-AP-5YR	46171622	Razberi Technologies	EPD24P-AP-5YR	Optional 5 Year Expedited Service Warranty for EndpointDefender with 24 PoE ports. Advance replacement of HDDs and complete appliance. Next business day shipping. Includes onsite support in contiguous USA.	EPD24P-AP-5YR	EPD24P-AP-5YR	0000007715	279	USD	EA
800890-1959	MON-BASE-RAZ-1Y	46171622	Razberi Technologies	MON-BASE-RAZ-1Y	Razberi Monitor for Razberi Core or Razberi ServerSwitchIQ - 1 year subscription	MON-BASE-RAZ-1Y	MON-BASE-RAZ-1Y	0000007715	0	USD	EA
800890-1960	MON-BASE-RAZ-3Y	46171622	Razberi Technologies	MON-BASE-RAZ-3Y	Razberi Monitor for Razberi Core or Razberi ServerSwitchIQ - 3 year subscription	MON-BASE-RAZ-3Y	MON-BASE-RAZ-3Y	0000007715	0	USD	EA
800890-1961	MON-BASE-RAZ-5Y	46171622	Razberi Technologies	MON-BASE-RAZ-5Y	Razberi Monitor for Razberi Core or Razberi ServerSwitchIQ - 5 year subscription	MON-BASE-RAZ-5Y	MON-BASE-RAZ-5Y	0000007715	0	USD	EA
800890-1962	MON-BASE-1Y	46171622	Razberi Technologies	MON-BASE-1Y	Razberi Monitor for a third party server - 1 year subscription	MON-BASE-1Y	MON-BASE-1Y	0000007715	180	USD	EA
800890-1963	MON-BASE-3Y	46171622	Razberi Technologies	MON-BASE-3Y	Razberi Monitor for a third party server - 3 year subscription	MON-BASE-3Y	MON-BASE-3Y	0000007715	477	USD	EA
800890-1964	MON-BASE-5Y	46171622	Razberi Technologies	MON-BASE-5Y	Razberi Monitor for a third party server - 5 year subscription	MON-BASE-5Y	MON-BASE-5Y	0000007715	720	USD	EA
800890-1965	MON-4P-1Y	46171622	Razberi Technologies	MON-4P-1Y	Razberi Monitor for 4 IoT devices - 1 year subscription. CameraDefense and video health monitoring.	MON-4P-1Y	MON-4P-1Y	0000007715	81	USD	EA
800890-1966	MON-4P-3Y	46171622	Razberi Technologies	MON-4P-3Y	Razberi Monitor for 4 IoT devices - 3 year subscription. CameraDefense and video health monitoring.	MON-4P-3Y	MON-4P-3Y	0000007715	216	USD	EA
800890-1967	MON-4P-5Y	46171622	Razberi Technologies	MON-4P-5Y	Razberi Monitor for 4 IoT devices - 5 year subscription. CameraDefense and video health monitoring.	MON-4P-5Y	MON-4P-5Y	0000007715	283.5	USD	EA
800890-1968	MON-8P-1Y	46171622	Razberi Technologies	MON-8P-1Y	Razberi Monitor for 8 IoT devices - 1 year subscription. CameraDefense and video health monitoring.	MON-8P-1Y	MON-8P-1Y	0000007715	162	USD	EA
800890-1969	MON-8P-3Y	46171622	Razberi Technologies	MON-8P-3Y	Razberi Monitor for 8 IoT devices - 3 year subscription. CameraDefense and video health monitoring.	MON-8P-3Y	MON-8P-3Y	0000007715	432	USD	EA
800890-1970	MON-8P-5Y	46171622	Razberi Technologies	MON-8P-5Y	Razberi Monitor for 8 IoT devices - 5 year subscription. CameraDefense and video health monitoring.	MON-8P-5Y	MON-8P-5Y	0000007715	567	USD	EA
800890-1971	MON-16P-1Y	46171622	Razberi Technologies	MON-16P-1Y	Razberi Monitor for 16 IoT devices - 1 year subscription. CameraDefense and video health monitoring.	MON-16P-1Y	MON-16P-1Y	0000007715	324	USD	EA
800890-1972	MON-16P-3Y	46171622	Razberi Technologies	MON-16P-3Y	Razberi Monitor for 16 IoT devices - 3 year subscription. CameraDefense and video health monitoring.	MON-16P-3Y	MON-16P-3Y	0000007715	864	USD	EA
800890-1973	MON-16P-5Y	46171622	Razberi Technologies	MON-16P-5Y	Razberi Monitor for 16 IoT devices - 5 year subscription. CameraDefense and video health monitoring.	MON-16P-5Y	MON-16P-5Y	0000007715	1134	USD	EA
800890-1974	MON-24P-1Y	46171622	Razberi Technologies	MON-24P-1Y	Razberi Monitor for 24 IoT devices - 1 year subscription. CameraDefense and video health monitoring.	MON-24P-1Y	MON-24P-1Y	0000007715	486	USD	EA
800890-1975	MON-24P-3Y	46171622	Razberi Technologies	MON-24P-3Y	Razberi Monitor for 24 IoT devices - 3 year subscription. CameraDefense and video health monitoring.	MON-24P-3Y	MON-24P-3Y	0000007715	1296	USD	EA
800890-1976	MON-24P-5Y	46171622	Razberi Technologies	MON-24P-5Y	Razberi Monitor for 24 IoT devices - 5 year subscription. CameraDefense and video health monitoring.	MON-24P-5Y	MON-24P-5Y	0000007715	1701	USD	EA
800890-1977	SSIQ16P-2-XE-8T	46171622	Razberi Technologies	SSIQ16P-2-XE-8T	ServerSwitchIQ - Pro, 16 PoE ports (266 W), Xeon E3-1275, 8 TB (4 x 2TB) HDD, RAID 0/1/5/6/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr SSIQ16P-2-XE-8T CylancePROTECT. VMS sold separately.	SSIQ16P-2-XE-8T	SSIQ16P-2-XE-8T	0000007715	7533	USD	EA
800890-1978	SSIQ16P-2-XE-12T	46171622	Razberi Technologies	SSIQ16P-2-XE-12T	ServerSwitchIQ - Pro, 16 PoE ports (266 W), Xeon E3-1275, 12 TB (4 x 3TB) HDD, RAID 0/1/5/6/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16P-2-XE-12T	SSIQ16P-2-XE-12T	0000007715	7929	USD	EA
800890-1979	SSIQ16P-2-XE-16T	46171622	Razberi Technologies	SSIQ16P-2-XE-16T	ServerSwitchIQ - Pro, 16 PoE ports (266 W), Xeon E3-1275, 16 TB (4 x 4TB) HDD, RAID 0/1/5/6/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16P-2-XE-16T	SSIQ16P-2-XE-16T	0000007715	8316	USD	EA
800890-1980	SSIQ16P-2-XE-24T	46171622	Razberi Technologies	SSIQ16P-2-XE-24T	ServerSwitchIQ - Pro, 16 PoE ports (266 W), Xeon E3-1275, 24 TB (4 x 6TB) HDD, RAID 0/1/5/6/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16P-2-XE-24T	SSIQ16P-2-XE-24T	0000007715	9387	USD	EA
800890-1981	SSIQ16P-2-XE-32T	46171622	Razberi Technologies	SSIQ16P-2-XE-32T	ServerSwitchIQ - Pro, 16 PoE ports (266 W), Xeon E3-1275, 32 TB (4 x 8TB) HDD, RAID 0/1/5/6/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16P-2-XE-32T	SSIQ16P-2-XE-32T	0000007715	10170	USD	EA
800890-1982	SSIQ16P-2-XE-40T	46171622	Razberi Technologies	SSIQ16P-2-XE-40T	ServerSwitchIQ - Pro, 16 PoE ports (266 W), Xeon E3-1275, 40 TB (4 x 10TB) HDD, RAID 0/1/5/6/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16P-2-XE-40T	SSIQ16P-2-XE-40T	0000007715	10953	USD	EA
800890-1983	SSIQ16P-2-XE-48T	46171622	Razberi Technologies	SSIQ16P-2-XE-48T	ServerSwitchIQ - Pro, 16 PoE ports (266 W), Xeon E3-1275, 48 TB (4 x 12TB) HDD, RAID 0/1/5/6/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16P-2-XE-48T	SSIQ16P-2-XE-48T	0000007715	13383	USD	EA

800890-2052	SSIQ16PG-XE-40T	46171622	Razberi Technologies	SSIQ16PG-XE-40T	ServerSwitchIQ - Pro with GPU, 16 PoE ports (212 W), Xeon E3-1275, NVIDIA Quadro GPU, 40 TB (4 x 10TB) HDD, RAID 0/1/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16PG-XE-40T	SSIQ16PG-XE-40T	0000007715	10382.4	USD	EA
800890-2053	SSIQ16PG-XE-48T	46171622	Razberi Technologies	SSIQ16PG-XE-48T	ServerSwitchIQ - Pro with GPU, 16 PoE ports (212 W), Xeon E3-1275, NVIDIA Quadro GPU, 48 TB (4 x 12TB) HDD, RAID 0/1/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16PG-XE-48T	SSIQ16PG-XE-48T	0000007715	12807	USD	EA
800890-2054	SSIQ16PG-XE-56T	46171622	Razberi Technologies	SSIQ16PG-XE-56T	ServerSwitchIQ - Pro with GPU, 16 PoE ports (212 W), Xeon E3-1275, NVIDIA Quadro GPU, 56 TB (4 x 14TB) HDD, RAID 0/1/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10, CameraDefense and 3 yr CylancePROTECT. VMS sold separately.	SSIQ16PG-XE-56T	SSIQ16PG-XE-56T	0000007715	13590	USD	EA
800890-2055	SSIQ8-AP-3YR	46171622	Razberi Technologies	SSIQ8-AP-3YR	Optional 3 Year Expedited Service Warranty for SSIQ Standard and Professional 8 port appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ8-AP-3YR	SSIQ8-AP-3YR	0000007715	243	USD	EA
800890-2056	SSIQ16-AP-3YR	46171622	Razberi Technologies	SSIQ16-AP-3YR	Optional 3 Year Expedited Service Warranty for SSIQ Standard and Professional 16 port appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ16-AP-3YR	SSIQ16-AP-3YR	0000007715	630	USD	EA
800890-2057	SSIQ24-AP-3YR	46171622	Razberi Technologies	SSIQ24-AP-3YR	Optional 3 Year Expedited Service Warranty for SSIQ Standard and Professional 24 port appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ24-AP-3YR	SSIQ24-AP-3YR	0000007715	756	USD	EA
800890-2058	SSIQ24P2U-AP-3YR	46171622	Razberi Technologies	SSIQ24P2U-AP-3YR	Optional 3 Year Expedited Service Warranty for SSIQ Standard and Professional 24 port, 2U appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ24P2U-AP-3YR	SSIQ24P2U-AP-3YR	0000007715	1521	USD	EA
800890-2059	SSIQ8-AP-5YR	46171622	Razberi Technologies	SSIQ8-AP-5YR	Optional 5 Year Expedited Service Warranty for SSIQ Standard and Professional 8 port appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ8-AP-5YR	SSIQ8-AP-5YR	0000007715	360	USD	EA
800890-2060	SSIQ16-AP-5YR	46171622	Razberi Technologies	SSIQ16-AP-5YR	Optional 5 Year Expedited Service Warranty for SSIQ Standard and Professional 16 port appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ16-AP-5YR	SSIQ16-AP-5YR	0000007715	900	USD	EA
800890-2061	SSIQ24-AP-5YR	46171622	Razberi Technologies	SSIQ24-AP-5YR	Optional 5 Year Expedited Service Warranty for SSIQ Standard and Professional 24 port appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ24-AP-5YR	SSIQ24-AP-5YR	0000007715	1080	USD	EA
800890-2062	SSIQ24P2U-AP-5YR	46171622	Razberi Technologies	SSIQ24P2U-AP-5YR	Optional 5 Year Expedited Service Warranty for SSIQ Standard and Professional 24 port, 2U appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ24P2U-AP-5YR	SSIQ24P2U-AP-5YR	0000007715	2277	USD	EA
800890-2063	SSIQ24E-AP-5YR	46171622	Razberi Technologies	SSIQ24E-AP-5YR	Optional 5 Year Expedited Service Warranty for SSIQ Enterprise 24 port appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ24E-AP-5YR	SSIQ24E-AP-5YR	0000007715	1080	USD	EA
800890-2064	SSIQ24E2U-AP-5YR	46171622	Razberi Technologies	SSIQ24E2U-AP-5YR	Optional 5 Year Expedited Service Warranty for SSIQ Enterprise 24 port, 2U appliances. Advance replacement of HDDs and complete appliance as needed. Next business day shipping. Includes onsite support in contiguous USA.	SSIQ24E2U-AP-5YR	SSIQ24E2U-AP-5YR	0000007715	2277	USD	EA
800890-2065	WIN2012R2	46171622	Razberi Technologies	WIN2012R2	Upgrade to Windows Server Standard 2012 R2	WIN2012R2	WIN2012R2	0000007715	1278	USD	EA
800890-2066	WIN2016	46171622	Razberi Technologies	WIN2016	Upgrade to Windows Server Standard 2016	WIN2016	WIN2016	0000007715	1120.5	USD	EA
800890-2067	CYLANCE-LIC-3Y	46171622	Razberi Technologies	CYLANCE-LIC-3Y	CylancePROTECT - 3 year renewal license for 1 appliance.	CYLANCE-LIC-3Y	CYLANCE-LIC-3Y	0000007715	144	USD	EA
800890-2068	MNT-RACK-SSIQ8	46171622	Razberi Technologies	MNT-RACK-SSIQ8	Rack mount kit for 8 port ServerSwitch (SSIQ8, SSIQ8P)	MNT-RACK-SSIQ8	MNT-RACK-SSIQ8	0000007715	124.6875	USD	EA
800890-2069	SSIQ8-R2-IS-15	46171622	Razberi Technologies	SSIQ8-R2-IS-15	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 1 TB (2x512 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-20C to 60C).	SSIQ8-R2-IS-15	SSIQ8-R2-IS-15	0000007715	4725	USD	EA
800890-2070	SSIQ8-R2-IS-25	46171622	Razberi Technologies	SSIQ8-R2-IS-25	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 2 TB (2x1024 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-20C to 60C).	SSIQ8-R2-IS-25	SSIQ8-R2-IS-25	0000007715	5310	USD	EA
800890-2071	SSIQ8-R2-IS-45	46171622	Razberi Technologies	SSIQ8-R2-IS-45	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 4 TB (2x2048 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-20C to 60C).	SSIQ8-R2-IS-45	SSIQ8-R2-IS-45	0000007715	7200	USD	EA
800890-2072	SSIQ8-R2-IS-85	46171622	Razberi Technologies	SSIQ8-R2-IS-85	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 8 TB (2x4096 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-20C to 40C).	SSIQ8-R2-IS-85	SSIQ8-R2-IS-85	0000007715	9900	USD	EA
800890-2073	SSIQ8-R2-IS-15E	46171622	Razberi Technologies	SSIQ8-R2-IS-15E	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 1 TB (2x512 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-40C to 60C).	SSIQ8-R2-IS-15E	SSIQ8-R2-IS-15E	0000007715	6075	USD	EA
800890-2074	SSIQ8-R2-IS-25E	46171622	Razberi Technologies	SSIQ8-R2-IS-25E	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 2 TB (2x1024 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-40C to 60C).	SSIQ8-R2-IS-25E	SSIQ8-R2-IS-25E	0000007715	6480	USD	EA
800890-2075	SSIQ8-R2-IS-45E	46171622	Razberi Technologies	SSIQ8-R2-IS-45E	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 4 TB (2x2048 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-40C to 60C).	SSIQ8-R2-IS-45E	SSIQ8-R2-IS-45E	0000007715	8550	USD	EA
800890-2076	SSIQ8-R2-IS-85E	46171622	Razberi Technologies	SSIQ8-R2-IS-85E	ServerSwitchIQ - Rugged, 8 PoE ports (up to 200W), Intel Core i5-4400E, 8 TB (2x4096 GB) SSD, 8 GB DDR3, 120 GB mSATA boot, 3 year warranty, includes Windows 10, CameraDefense and 3 yr CylancePROTECT licenses. VMS sold separately. DIN rail power supply sold separately. Operating Temperature (-40C to 60C).	SSIQ8-R2-IS-85E	SSIQ8-R2-IS-85E	0000007715	11250	USD	EA
800890-2077	PSU-R-480	46171622	Razberi Technologies	PSU-R-480	480W DIN rail power supply for rugged appliance (provides 200W PoE)	PSU-R-480	PSU-R-480	0000007715	243	USD	EA
800890-2078	PSU-R-240	46171622	Razberi Technologies	PSU-R-240	240W DIN rail power supply for rugged appliance (provides 120W PoE)	PSU-R-240	PSU-R-240	0000007715	121.5	USD	EA
800890-2079	SSIQ8R-AP-3YR	46171622	Razberi Technologies	SSIQ8R-AP-3YR	3 Year Expedited Service and Advance Replacement Warranty for Rugged appliances. Available in USA, Mexico and Caribbean.	SSIQ8R-AP-3YR	SSIQ8R-AP-3YR	0000007715	859.5	USD	EA
800890-2080	SSIQ8R-AP-5YR	46171622	Razberi Technologies	SSIQ8R-AP-5YR	5 Year Expedited Service and Advance Replacement Warranty for Rugged appliances. Available in USA, Mexico and Caribbean.	SSIQ8R-AP-5YR	SSIQ8R-AP-5YR	0000007715	1057.5	USD	EA
800890-2081	SSIQ8-i3-2T	46171622	Razberi Technologies	SSIQ8-i3-2T	ServerSwitchIQ - 8 PoE ports (137 W), Core i3-4360, 2 TB HDD, 4 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10. VMS sold separately.	SSIQ8-i3-2T	SSIQ8-i3-2T	0000007715	2092.5	USD	EA
800890-2082	SSIQ8-i3-4T	46171622	Razberi Technologies	SSIQ8-i3-4T	ServerSwitchIQ - 8 PoE ports (137W), Core i3-4360, 4 TB HDD, 4 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10. VMS sold separately.	SSIQ8-i3-4T	SSIQ8-i3-4T	0000007715	2160	USD	EA
800890-2083	SSIQ8-i3-8T	46171622	Razberi Technologies	SSIQ8-i3-8T	ServerSwitchIQ - 8 PoE ports (137W), Core i3-4360, 8 TB HDD, 4 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10. VMS sold separately.	SSIQ8-i3-8T	SSIQ8-i3-8T	0000007715	2520	USD	EA
800890-2084	SSIQ16-i7-8T	46171622	Razberi Technologies	SSIQ16-i7-8T	ServerSwitchIQ - 16 PoE ports (277 W), Quad Core i7-4790S, 8 TB (4 x 2TB) HDD, RAID 0/1/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10. VMS sold separately.	SSIQ16-i7-8T	SSIQ16-i7-8T	0000007715	3411	USD	EA
800890-2085	SSIQ16-i7-12T	46171622	Razberi Technologies	SSIQ16-i7-12T	ServerSwitchIQ - 16 PoE ports (277 W), Quad Core i7-4790S, 12 TB (4 x 3TB) HDD, RAID 0/1/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10. VMS sold separately.	SSIQ16-i7-12T	SSIQ16-i7-12T	0000007715	3807	USD	EA
800890-2086	SSIQ16-i7-16T	46171622	Razberi Technologies	SSIQ16-i7-16T	ServerSwitchIQ - 16 PoE ports (277 W), Quad Core i7-4790S, 16 TB (4 x 4TB) HDD, RAID 0/1/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10. VMS sold separately.	SSIQ16-i7-16T	SSIQ16-i7-16T	0000007715	4194	USD	EA
800890-2087	SSIQ16-i7-24T	46171622	Razberi Technologies	SSIQ16-i7-24T	ServerSwitchIQ - 16 PoE ports (277 W), Quad Core i7-4790S, 24 TB (4 x 6TB) HDD, RAID 0/1/10, 16 GB DDR3, 120 GB mSATA OS Drive, 2 X 1 Gbps Combo SFP, 3 yr warranty. Includes Windows 10. VMS sold separately.	SSIQ16-i7-24T	SSIQ16-i7-24T	0000007715	5265	USD	EA